



AFC DUT TEST HARNESS REPORT

FCC ID : QXO-AP4000
Equipment : Access Point
Brand Name : Extreme Networks
Model Name : AP4000
Applicant : Extreme Networks, Inc.
2121 RDU Center Drive Morrisville North Carolina
United States 27560
Manufacturer : Extreme Networks, Inc.
2121 RDU Center Drive Morrisville North Carolina
United States 27560
Standard : 47 CFR FCC Part 15.407

The product was received on Nov. 28, 2025, and testing was started from May 11, 2026 and completed on May 14, 2026. We, Sporton International Inc. Hsinchu Laboratory, would like to declare that the tested sample has been evaluated in accordance with the procedures given in AFC Device (AFC DUT) Compliance Test Plan Version 1.7 and shown compliance with the applicable technical standards.

The test results in this variant report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. Hsinchu Laboratory, the test report shall not be reproduced except in full.

Approved by: Sam Chen

Sporton International Inc. Hsinchu Laboratory
No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County 302010, Taiwan (R.O.C.)



Table of Contents

1	General Description	6
1.1	Product Feature of Equipment Under Test	6
1.2	Antenna Information	7
1.3	Table for Radio function	9
1.4	Table for EUT support function	9
1.5	Table for Permissive Change	9
1.6	Accessories	10
1.7	Support Equipment	10
1.8	Applicable Standards	10
1.9	Testing Location	10
2	Measurement Environment	11
2.1	AFCD General Capabilities Declaration	11
2.2	Test Configuration	12
3	Protocol Test Results	14
3.1	Successful Registration and Spectrum Access Request	14
3.2	Unsuccessful Spectrum Access Request	16
3.3	Successful Spectrum Access Update	17
3.4	Unsuccessful Spectrum Access Update	19
3.5	Unsuccessful Server Validation	21
4	Test Equipment and Calibration Data	22
5	Measurement Uncertainty	23

Appendix A. Tools Report

Appendix B. DUT Spectrum Inquiry Request/Response Logs

Appendix C. RF Measurement Plots

Photographs of EUT v01



TEL : 886-3-656-9065
FAX : 886-3-656-9085
Report Template No.: CB-A12_7 Ver2.0



Summary of Test Result

Report Clause	Ref Std. Clause	Test Case Name	Result (PASS/FAIL)	Remark
AFC capability - Inquired Frequency				
Test Group: Inquired Frequency - Always				
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_20MHz_10611_1	N/A	-
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_40MHz_10612_1	N/A	-
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_80MHz_10613_1	N/A	-
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_160MHz_10614_1	N/A	-
-	3.2.4	CT_AFC_SP_AP_AFCDUSA32_Frequency_10615_1	N/A	-
-	3.3.4	CT_AFC_SP_AP_AFCDSAU33_Frequency_10616_1	N/A	-
-	3.4.4	CT_AFC_SP_AP_AFCDUUA34_Frequency_10617_1	N/A	-
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Frequency_320MHz_10713_1	N/A	-
AFC capability - Inquired Channel				
Test Group: Inquired Channel - Always				
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_20MHz_10618_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_40MHz_10619_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_80MHz_10620_1	PASS	-
3.1	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1	PASS	-
3.2	3.2.4	CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1	PASS	-
3.3	3.3.4	CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1	PASS	-
3.4	3.4.4	CT_AFC_SP_AP_AFCDUUA34_Channel_10624_1	PASS	-
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_Channel_320MHz_10714_1	N/A	-
AFC capability - Inquired Frequency & Channel				
Test Group: Inquired Frequency and Channel - Always				
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_20MHz_10625_1	N/A	-
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_40MHz_10626_1	N/A	-
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_80MHz_10627_1	N/A	-
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_160MHz_10628_1	N/A	-
-	3.2.4	CT_AFC_SP_AP_AFCDUSA32_FrequencyChannel_10629_1	N/A	-
-	3.3.4	CT_AFC_SP_AP_AFCDSAU33_FrequencyChannel_10630_1	N/A	-
-	3.4.4	CT_AFC_SP_AP_AFCDUUA34_FrequencyChannel_10631_1	N/A	-
-	3.1.4	CT_AFC_SP_AP_AFCDRSA31_FrequencyChannel_320MHz_10715_1	N/A	-
AFC capability - Server Validation - Mandatory				
Test Group: Server Validation - Always				
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1	PASS	-
3.5	3.5.4	CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1	PASS	-

**Conformity Assessment Condition:**

1. The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
2. The measurement uncertainty please refer to each test result in the chapter "Measurement Uncertainty".

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.

Reviewed by: Sam Chen

Report Producer: Sandy Chuang



1 General Description

1.1 Product Feature of Equipment Under Test

Product Feature of Equipment Under Test	
Power Type	From PoE
EUT Type	☒ Standard Power Access Point with Proxy ☐ Standard Power Access Point without Proxy ☐ Fixed Client with Proxy ☐ Fixed Client without Proxy
Bandwidth (MHz)	20 / 40 / 80 / 160
Condition of EUT	☒ Indoor ☐ Outdoor
Professional Installation	☒ Yes ☐ No
Firmware Version	10.19.1.0-027R
Software Version	N/A
Hardware Version	N/A
Proxy Firmware Version	VE6120K Small 10.19.01.0024
Proxy Software Version	N/A
Proxy Hardware Version	N/A

Note: The above information was declared by manufacturer.



1.2 Antenna Information

Ant.	Port				Model Name	Antenna Type	Connector	Gain (dBi)
	WLAN 2.4GHz (Radio 1) / 5GHz (Radio 2)	WLAN 2.4GHz+ 5GHz (Radio 3)	WLAN 6GHz (Radio 3)	Bluetooth / IEEE802.15.4 (Radio 4)				
1	2	-	-	-	N/A	PIFA	I-PEX	Note 1
2	1	-	-	-	N/A	PIFA	I-PEX	
3	-	2	-	-	N/A	PIFA	I-PEX	
4	-	1	-	-	N/A	PIFA	I-PEX	
5	-	-	1	-	N/A	PIFA	I-PEX	
6	-	-	2	-	N/A	PIFA	I-PEX	
7	-	-	-	1	N/A	PIFA	I-PEX	

Note 1:

Ant.	Antenna Gain (dBi)														Bluetooth / IEEE802.15.4 (Radio 4)
	WLAN 2.4GHz (Radio 1)	WLAN 2.4GHz (Radio 3)	WLAN 5GHz (Radio 2)				WLAN 5GHz (Radio 3)				WLAN 6GHz (Radio 3)				
			UNII 1	UNII 2A	UNII 2C	UNII 3	UNII 1	UNII 2A	UNII 2C	UNII 3	UNII 5	UNII 6	UNII 7	UNII 8	
1	4	-	5.14	5.14	4.23	4.43	-	-	-	-	-	-	-	-	-
2	3.61	-	4.53	4.53	3.49	3.08	-	-	-	-	-	-	-	-	-
3	-	5.20	-	-	-	-	5.91	5.91	5.39	5.80	-	-	-	-	-
4	-	5.32	-	-	-	-	5.11	5.11	5.11	5.62	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	4.34	4.56	4.56	4.50	-
6	-	-	-	-	-	-	-	-	-	-	4.88	5.25	5.25	5.05	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.26

Ant.	Directional Gain (dBi)									
	WLAN 2.4GHz (Radio 1)		WLAN 5GHz (Radio 2)							
			UNII 1		UNII 2A		UNII 2C		UNII 3	
	2T1S	2T2S	2T1S	2T2S	2T1S	2T2S	2T1S	2T2S	2T1S	2T2S
1	4.7	1.87	3.77	1.20	3.36	1.37	3.85	1.42	2.96	1.05
2										

Note 2: The EUT has seven antennas.

Note 3: The above information was declared by manufacturer.

Note 4: Radio 1, 2: Maximum Directional Gain following KDB662911 D03.

Note 5: Radio 3: Maximum Directional Gain following KDB662911 D01.

For Radio 1

For 2.4GHz:

For IEEE 802.11b/g/n/VHT/ax mode (1TX, 2TX/2RX):

For 1TX

The EUT supports the antenna with TX diversity functions.

Both Port 1 and Port 2 support transmit and receive functions, but only one of them will be used at one time.



The Port 1 generated the worst case, so it was selected to test and record in the report.

For 2TX/2RX

Port 1 and Port 2 can be used as transmitting/receiving antenna.

Port 1 and Port 2 could transmit/receive simultaneously.

For Radio 2

For 5GHz UNII 1~3:

For IEEE 802.11a/n/ac/ax mode (1TX, 2TX/2RX):

For 1TX

The EUT supports the antenna with TX diversity functions.

Both Port 1 and Port 2 support transmit and receive functions, but only one of them will be used at one time.

The Port 1 generated the worst case, so it was selected to test and record in the report.

For 2TX/2RX

Port 1 and Port 2 can be used as transmitting/receiving antenna.

Port 1 and Port 2 could transmit/receive simultaneously.

For scanning radio 3

For 2.4GHz:

For IEEE 802.11b/g/n/VHT/ax mode (2TX/2RX):

For 5GHz UNII 1~3:

For IEEE 802.11a/n/ac/ax mode (2TX/2RX):

Port 1 and Port 2 can be used as transmitting/receiving antenna.

Port 1 and Port 2 could transmit/receive simultaneously.

For 6E UNII 5~8 (1TX, 2TX/2RX):

For 1TX

The EUT supports the antenna with TX diversity functions.

Both Port 1 and Port 2 support transmit and receive functions, but only one of them will be used at one time.

The Port 2 generated the worst case, so it was selected to test and record in the report.

For 2TX/2RX

Port 1 and Port 2 can be used as transmitting/receiving antenna.

Port 1 and Port 2 could transmit/receive simultaneously.

For Radio 4

Bluetooth / IEEE802.15.4 (1TX/1RX):

Only Port 1 can be used as transmitting/receiving antenna.



1.3 Table for Radio function

Radio	WLAN 2.4GHz	WLAN 5GHz UNII 1~3	Scanning radio (WLAN 2.4GHz / 5GHz UNII 1~3 / 6E (UNII 5~8))	Bluetooth / IEEE802.15.4
1	V (AP, Bridge, Mesh)	-	-	-
2	-	V AP for UNII 1~3 Bridge, Mesh for UNII 1, 3	-	-
3	-	-	V (AP)	-
4	-	-	-	V

Note: The above information was declared by manufacturer.

1.4 Table for EUT support function

Function
AP
Bridge
Mesh

Note: The above information was declared by manufacturer.

1.5 Table for Permissive Change

This product is an extension of original one reported under Sporton project number: 151220-03.

Below is the table for the change of the product with respect to the original one.

Modifications	Performance Checking
1. Adding the Standard Power Access Point for UNII-5, 7.	AFC DUT TEST HARNESS
2. Updating the applicant and manufacturer address to "2121 RDU Center Drive Morrisville North Carolina United States 27560" from "6480 Via Del Oro, San Jose, CA 95119"	After evaluation, it does not need to re-test.



1.6 Accessories

Accessories
Cradle*1

1.7 Support Equipment

Support Equipment				
No.	Equipment	Brand Name	Model Name	FCC ID
A	Notebook	DELL	E4300	N/A
B	Notebook	DELL	E4300	N/A
C	WLAN module	QCA	QCNCM865	N/A
D	PoE	Microsemi	PD-9001-10GC/AC	N/A
E	Proxy	DELL	OptiPlex	N/A

Note: The PoE is for measurement only, would not be marketed. The information as below:

Power	Brand	Model
Adapter	Microsemi	PD-9001-10GC/AC

1.8 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR FCC Part 15.407

The following reference test guidance is not within the scope of accreditation of TAF.

- ♦ AFC Device (AFC DUT) Compliance Test Plan Version 1.7
- ♦ FCC KDB 987594 D05 v01r01

1.9 Testing Location

Testing Location Information
Test Lab. : Sporton International Inc. Hsinchu Laboratory Hsinchu ADD: No.8, Ln. 724, Bo'ai St., Zhubei City, Hsinchu County 302010, Taiwan (R.O.C.) (TAF: 3787) TEL: 886-3-656-9065 FAX: 886-3-656-9085 Test site Designation No. TW3787 with FCC. Conformity Assessment Body Identifier (CABID) TW3787 with ISED.

Test Condition	Test Site No.	Test Engineer	Test Environment (°C / %)	Test Date
RF Conducted	TH01-CB	Caster Chang	23.4-24.1 / 57-61	May 11, 2026~ May 14, 2026



2 Measurement Environment


Measurement Environment Information	
AFC DUT Test Harness version	2.0.65.184

2.1 AFCD General Capabilities Declaration


Item	Question	Vendor Response
1	AFC DUT Type	Standalone AP with Proxy
2	Does the AFC DUT supports sending an Available Spectrum Inquiry Request based on the inquired Frequency Range field?	No
3	Does the AFC DUT supports sending an Available Spectrum Inquiry Request based on the inquired Channels fields?	Yes
4	If the Answer to Items 2 and 3 is "Yes", what is AFC DUT's default inquiry type?	-
5	Does the AFC DUT need to be supplied with BSS configuration parameters?	No
6	Does the AFC DUT manufacturer attest to AFC DUT compliance with rules for LPI operation?	Yes
7	Does the AFC DUT need to be supplied with mandatory registration information to formulate an Available Spectrum Inquiry Request	No
8	If the Answer to Item 7 is "Yes". What is the geographic Supported by the AFC DUT?	N/A
9	Does the AFC DUT supports 160 MHz channel width operation?	Yes
10	Which method does AFC DUT acting as a Fixed Client uses for sending an Available Spectrum Inquiry Request?	No
11	Does the AFC DUT supports 320 MHz channel width operation?	No

Note: The above information was declared by manufacturer.

2.2 Test Configuration



Fixed Client Device Test Setup





3 Protocol Test Results

3.1 Successful Registration and Spectrum Access Request

3.1.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 9 declaration), configure the AFC DUT with BSS parameters per Table 14 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Test Harness validates the presence of mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout Step 1 to Step 4, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: • In the band if the AFC DUT supports only SP operation Or • Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
8	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
9	AFC DUT Test Harness validates the presence of mandatory registration information
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5.
11	Wait for 5 minutes (configurable) RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the latest Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 9 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.



18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds
20	RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
21	Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods
22	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
23	AFC DUT Test Harness validates the presence of mandatory registration information
24	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 17.
25	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
	Wait for 60 seconds (configurable)
	RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the latest Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.1.2 Test Result

Refer as Appendix A~C



3.2 Unsuccessful Spectrum Access Request

3.2.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 7
2	AFC DUT set to Initial Pre-test State. If needed (see Table 9 declaration), configure the AFC DUT with BSS parameters per Table 14 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Test Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
6	Throughout Step 2 to Step 5 and subsequent to Step 5, RF Test Equipment monitors the output of the AFC DUT to confirm the following: • For SP only operation, AFC DUT does not transmit in the band. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
7	If the AFC DUT is Fixed Client, go to Step 8 else Stop the test
8	The AFC DUT set to Initial Pre-test State.
9	If needed (see Table 9 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
10	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
11	AFC DUT Test Harness validates mandatory registration information.
12	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available using either In-band or Out-of-band methods.
13	If AFC DUT used Out-of-band method, initiate connection procedure between Fixed Client and SP Access Point by following instructions provided by the AFC DUT Vendor
13	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.2.2 Test Result

Refer as Appendix A~C



3.3 Successful Spectrum Access Update

3.3.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 9 declaration), configure the DUT with BSS parameters per Table 14 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*.
4	AFC DUT Harness validates mandatory registration information.
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the preceding steps, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: • In the band if the AFC DUT supports only SP operation Or • Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
7	AFC DUT is power cycled. If needed (see Table 9 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the following and STOP the test • For SP only operation, AFC DUT does not transmit in the band. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 9
9	AFC DUT Test Harness evaluates validity of mandatory registration information
10	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from Step 5. • During the 60 seconds wait time: ▪ For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT does not transmit above LPI threshold limits ▪ For SP only operation, RF Test Equipment monitors the output of the AFC DUT to confirm that AFC DUT doesn't transmit in the band
11	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. • For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.



14	If needed (see Table 9 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 9 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the AFC DUT to verify the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel and STOP the test. If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 21
22	AFC DUT Test Harness evaluates validity of mandatory registration information
23	AFC DUT Test Harness waits for 60 seconds before sending an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields which are significantly different from step 17. During the 60 seconds wait time, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies

3.3.2 Test Result

Refer as Appendix A~C



3.4 Unsuccessful Spectrum Access Update

3.4.1 Test Procedure

Step	Description
1	If the AFC DUT is Standard Power Access Point, go to Step 2, else go to Step 12
2	AFC DUT set to Initial Pre-test State. If needed (see Table 5 declaration), configure the AFC DUT with BSS parameters per Table 9 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the DUT with AFC System URL and server root certificate. Trigger the DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of-band methods.
3	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields.
4	AFC DUT Test Harness validates mandatory registration information
5	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
6	Throughout the Step 2 to 5, RF Test Equipment monitors the output of the AFC DUT to confirm that the AFC DUT does not transmit: • In the band if the AFC DUT supports only SP operation Or • Above LPI limits for AFC DUT whose manufacturer attests to its compliance with rules for LPI operation Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the following: • For SP only operation, AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, AFC DUT transmit power in the band is less than CEILING [LPI limits, SP limits contained in the Available Spectrum Inquiry Response] and does not exceed emissions limits in adjacent frequencies
7	AFC DUT is power cycled. If needed (see Table 9 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate.
8	Wait for 60 seconds • If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors the output of the DUT to verify the following and STOP the test: ▪ For SP only operation, AFC DUT does not transmit in the band, ▪ For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits. • If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 8
9	AFC DUT Test Harness evaluates validity of mandatory registration information.
10	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
11	Throughout Step 7 to 10 and subsequent to Step 10 Test Equipment monitors the output of the AFC DUT to confirm that: For SP only operation, AFC DUT does not transmit in the band. For AFC DUT whose manufacturer attests to its compliance with rules for LPI operation, the AFC DUT does not transmit above LPI limits.
12	If the AFC DUT is Fixed Client, go to Step 13 else Stop the test
13	The AFC DUT set to Initial Pre-test State.
14	If needed (see Table 9 declaration), configure the DUT with a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate. Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
15	AFC DUT sends a valid Available Spectrum Inquiry Request containing the inquiredFrequencyRange and/or the inquiredChannels fields*
16	AFC DUT Test Harness validates the presence of mandatory registration information
17	AFC DUT Test Harness sends an Available Spectrum Inquiry Response containing a list of available frequency ranges



	and/or channels and the maximum permissible transmit power in the availableFrequencyInfo and/or availableChannelInfo fields.
18	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
19	Wait for 60 seconds RF Test Equipment monitors any transmission by the AFC DUT conforms to the conditions contained in the Available Spectrum Inquiry Response and does not exceed emissions limits in adjacent frequencies
20	AFC DUT is power cycled. If needed (see Table 9 declaration), configure the AFC DUT with a temporary test regulatory identifier (e.g., FCC ID or IC ID), new geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT with AFC System URL and server root certificate
21	Wait for 60 seconds If the AFC DUT does not send an Available Spectrum Inquiry Request, RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel., If the AFC DUT sends an Available Spectrum Inquiry Request, then CONTINUE with Step 22 else STOP the test
22	AFC DUT Test Harness evaluates validity of mandatory registration information.
23	AFC DUT Test Harness sends an Available Spectrum Inquiry Response indicating that no frequency ranges and/or channels are available.
24	If AFC DUT used Out-of-band method, initiate connection procedure between AFC DUT and SP Access Point by following instructions provided by the AFC DUT Vendor
25	Wait for 60 seconds RF Test Equipment monitors that the AFC DUT does not transmit above maximum transmit power limits advertised by the Standard Power Access Point for Standard Client Devices in the channel.

3.4.2 Test Result

Refer as Appendix A~C



3.5 Unsuccessful Server Validation

3.5.1 Test Procedure

Step	Description
1	The AFC DUT set to Initial Pre-test State. If needed (see Table 9 declaration), configure the AFC DUT with BSS parameters per Table 14 and a temporary test regulatory identifier (e.g., FCC ID), geographic coordinates, antenna height, and uncertainty parameters. Configure the AFC DUT Test Harness with TLS configuration that is the same as the default configuration defined in Section 2.3.1 except for the following: - Run 1: A different server certificate (and private key) with SAN domain name entry "badafc.com" (i.e. that does not match AFC system URL's domain name); signed by the same root certificate as per Section 2.3.1 - Run 2: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1, but the certificate is signed by a different root certificate - Run 3: A different server certificate (and private key) with SAN domain name entry "wfatestorg.org" only (i.e. SAN domain name only matches suffix of AFC server's hostname); signed by the same root certificate as per Section 2.3.1 - Run 4: A different server certificate (and private key) where all attributes other than Public Key are the same as the server certificate per Section 2.3.1 signed by the same root certificate as per Section 2.3.1, but the server certificate is revoked as indicated in stapled OCSP response - Run 5: Same configuration as per Section 2.3.1, except OCSP stapling is disabled and CRL/OCSP servers are not available - Run 6: Same configuration as per Section 2.3.1, except stapled OCSP response has expired and CRL/OCSP servers are not available - Run 7: Same configuration as per Section 2.3.1, except only the TLS cipher suite "eNULL" (no encryption) is enabled - Run 8: N/A (same configuration as per Section 2.3.1) Configure the AFC DUT with the AFC System URL and the following root certificate: - Runs 1-7: Root certificate as per Section 2.3.1 - Run 8: No root certificate Trigger the AFC DUT to send to the AFC DUT Test Harness an Available Spectrum Inquiry Request using either In-band or Out-of- band methods.
2	AFC DUT Test Harness waits 10 seconds, and verifies no Available Spectrum Inquiry Request is sent to it.
3	Steps 1 and 2 are repeated for each of the remaining Runs

3.5.2 Test Result

Refer as Appendix A



4 Test Equipment and Calibration Data

Instrument	Brand	Model No.	Serial No.	Characteristics	Calibration Date	Calibration Due Date	Remark
Spectrum analyzer	R&S	FSV40	100979	9kHz~40GHz	May 27, 2025	May 26, 2026	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-06	1 GHz – 18 GHz	Sep. 30, 2025	Sep. 29, 2026	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-07	1 GHz – 18 GHz	Sep. 30, 2025	Sep. 29, 2026	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-08	1 GHz – 18 GHz	Sep. 30, 2025	Sep. 29, 2026	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-09	1 GHz – 18 GHz	Sep. 30, 2025	Sep. 29, 2026	Conducted (TH01-CB)
RF Cable-high	Woken	RG402	High Cable-10	1 GHz – 18 GHz	Sep. 30, 2025	Sep. 29, 2026	Conducted (TH01-CB)
RF Power Divider	STI	2 Way	DV-8G -05	1 ~ 8GHz	Sep. 20, 2025	Sep. 19, 2026	Conducted (TH01-CB)
RF Power Divider	STI	2 Way	DV-8G -06	1 ~ 8GHz	Sep. 20, 2025	Sep. 19, 2026	Conducted (TH01-CB)
RF Power Divider	STI	2 Way	DV-8G -07	1 ~ 8GHz	Sep. 20, 2025	Sep. 19, 2026	Conducted (TH01-CB)
RF Power Divider	STI	2 Way	DV-8G -08	1 ~ 8GHz	Sep. 20, 2025	Sep. 19, 2026	Conducted (TH01-CB)

Note: Calibration Interval of instruments listed above is one year.



5 Measurement Uncertainty

Test Items	Uncertainty	Remark
Conducted Emission	2.5 dB	Confidence levels of 95%

AFC DUT Compliance Test Report

DUT Information

AFC DUT System	Standard Power AP with Proxy
DUT Vendor Name	Extreme Networks
DUT Product Model	AP4000

Test Result

FCC Requirements	TestCaseName	Test Result
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(v)	CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT_AFC_SP_AP_AFCDUUA34_Channel_10624_1 (Unsuccessful spectrum access update)	PASS
15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(9)(i)	CT_AFC_SP_AP_AFCDUAU33_Channel_10623_1 (Successful spectrum access update)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii)	CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1 (Unsuccessful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Channel_80MHz_10620_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Channel_40MHz_10619_1 (Successful registration and spectrum access request)	PASS
15.407(k)(1), 15.407(k)(8)(i), 15.407(k)(8)(ii), 15.407(k)(8)(iii), 15.407(l)(ii), 15.407(k)(8)(iv)	CT_AFC_SP_AP_AFCDRSA31_Channel_20MHz_10618_1 (Successful registration and spectrum access request)	PASS

Test Measurements

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NoRootCA_10639_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_TLSCipherSuiteENULL_10638_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_StapledOCSPRespExpired_10637_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_OCSPStaplingDisabled_10636_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_ServerCertRevoked_10635_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_MatchSuffixSAN_10634_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
-------------------	-------------	-------	-------------------

AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS
--------------------------------------	---	-------	------

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_DifferentRootCA_10633_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_ServerValidation_AP_AFCDUSV35_NonMatchSAN_10632_1 (Unsuccessful server validation)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDAU34_Channel_10624_1 (Unsuccessful spectrum access update)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (36.0 dBm EIRP) in Spectrum Reponse] on channel 149 bandwidth 20.	true	PASS
AFC_DUT_SP_OPERATION_NO_REQ	AFC DUT transmit with standard power in the band in no Spectrum Inquiry Request case	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDAU33_Channel_10623_1 (Successful spectrum access update)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION_1	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS

AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (30.7 dBm EIRP) in Spectrum Reponse] on channel 69 bandwidth 20.	true	PASS
AFC_DUT_SP_OPERATION_NO_REQ	AFC DUT transmit with standard power in the band in no Spectrum Inquiry Request case	false	PASS

TestCaseName: CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1 (Unsuccessful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE	AFC DUT conforms to the conditions in the Spectrum Inquiry Response	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1 (Successful registration and spectrum access request)
TestResult:PASS
Band:6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (30.8 dBm EIRP) in Spectrum Reponse] on channel center frequency index 79 bandwidth 160.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (31.8 dBm EIRP) in Spectrum Reponse] on channel	true	PASS

	center frequency index 47 bandwidth 160.		
--	---	--	--

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Channel_80MHz_10620_1 (Successful registration and spectrum access request)
TestResult: PASS
Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (29.7 dBm EIRP) in Spectrum Reponse] on channel center frequency index 39 bandwidth 80.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (30.1 dBm EIRP) in Spectrum Reponse] on channel center frequency index 55 bandwidth 80.	true	PASS

TestCaseName: CT_AFC_SP_AP_AFCDRSA31_Channel_40MHz_10619_1 (Successful registration and spectrum access request)
TestResult: PASS
Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (35.1 dBm EIRP) in Spectrum Reponse] on channel center frequency index 83 bandwidth 40.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS

AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (28.3 dBm EIRP) in Spectrum Reponse] on channel center frequency index 131 bandwidth 40.	true	PASS
--	---	------	------

TestCaseName: CT_AFC_SP_AP_AFCRSA31_Channel_20MHz_10618_1 (Successful registration and spectrum access request)
TestResult: PASS
Band: 6GHz

Measurements Name	Description	Value	Validation Result
AFC_DUT_SP_OPERATION	AFC DUT transmit with standard power in the band before the Spectrum Inquiry Response	false	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_1	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_1	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_1	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (30.1 dBm EIRP) in Spectrum Reponse] on channel 165 bandwidth 20.	true	PASS
AFC_DUT_SEND_SPECTRUM_INQUIRYREQUEST_2	AFC DUT sends an Available Spectrum Inquiry Request	true	PASS
AFC_DUT_SPECTRUM_INQUIRYREQUEST_VALID_2	Valid mandatory registration information	true	PASS
AFC_DUT_CONFORM_SPECTRUM_INQUIRYRESPONSE_2	AFC DUT transmit power in the band is less than CEILING[LPI limits (5 dBm/MHz PSD) , SP limits (28.2 dBm EIRP) in Spectrum Reponse] on channel 37 bandwidth 20.	true	PASS

AFC capability - Inquired Channel**CT_AFC_SP_AP_AFCDRSA31_Channel_20MHz_10618_1**

2026-05-11T08:31:43Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
    "Accept-Encoding": "gzip,deflate",
    "X-Forwarded-For": "192.168.1.169",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "657",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "04002601165974",
        "deviceDescriptor": {
          "serialNumber": "04002601165974",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "QXO-AP4000"
            }
          ]
        }
      }
    ],
    "location": {
      "indoorDeployment": 1,
      "elevation": {
        "height": 154.9,
        "heightType": "AMSL",
        "verticalUncertainty": 66
      }
    }
  }
}
```

```
"ellipse": {
  "majorAxis": 30,
  "minorAxis": 19,
  "orientation": 90.0,
  "center": {
    "latitude": 43.83956,
    "longitude": -79.3818
  }
},
"inquiredFrequencyRange": [],
"inquiredChannels": [
  {
    "globalOperatingClass": 131
  },
  {
    "globalOperatingClass": 132
  },
  {
    "globalOperatingClass": 133
  },
  {
    "globalOperatingClass": 134
  },
  {
    "globalOperatingClass": 137
  }
],
"minDesiredPower": 0.0
}
]
```

2026-05-11T08:31:43Z

```
{
  "availableSpectrumInquiryResponses": [
```

```
{
  "response": {
    "responseCode": 0,
    "shortDescription": "SUCCESS"
  },
  "availableChannelInfo": [
    {
      "channelCfi": [
        49,
        53,
        57,
        61,
        65,
        69,
        73,
        77,
        81,
        85,
        89,
        93,
        161,
        165,
        169,
        173
      ],
      "globalOperatingClass": 131,
      "maxEirp": [
        26.6,
        25.7,
        26.7,
        23.4,
        27.5,
        24.6,
        30.7,
        23.1,
        34.0,
        24.1,
```

```
        34.2,  
        22.1,  
        27.8,  
        30.1,  
        27.9,  
        24.2  
    ]  
},  
{  
    "channelCfi": [  
        51,  
        59,  
        67,  
        75,  
        83,  
        91,  
        163,  
        171  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        28.7,  
        26.4,  
        27.6,  
        26.1,  
        27.1,  
        25.1,  
        30.8,  
        27.2  
    ]  
},  
{  
    "channelCfi": [  
        55,  
        71,  
        87,  
        167
```

```
    ],
    "globalOperatingClass": 133,
    "maxEirp": [
        29.4,
        29.1,
        28.1,
        30.2
    ]
},
{
    "channelCfi": [
        79
    ],
    "globalOperatingClass": 134,
    "maxEirp": [
        31.1
    ]
},
{
    "channelCfi": [],
    "globalOperatingClass": 137,
    "maxEirp": []
}
],
"requestId": "04002601165974",
"availabilityExpireTime": "2026-05-12T08:31:43Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

```
##### 2026-05-11T08:41:13Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "application/json",
```

```
"Content-Type": "application/json",
"User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
"Accept-Encoding": "gzip,deflate",
"X-Forwarded-For": "192.168.1.169",
"X-Forwarded-Host": "testserver.wfatestorg.org",
"X-Forwarded-Server": "testserver.wfatestorg.org",
"Content-Length": "657",
"Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "04002601165974",
      "deviceDescriptor": {
        "serialNumber": "04002601165974",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "QXO-AP4000"
          }
        ]
      }
    }
  ],
  "location": {
    "indoorDeployment": 1,
    "elevation": {
      "height": 154.9,
      "heightType": "AMSL",
      "verticalUncertainty": 66
    },
    "ellipse": {
      "majorAxis": 30,
      "minorAxis": 19,
      "orientation": 90.0,
      "center": {
        "latitude": 43.83956,
        "longitude": -79.3818
      }
    }
  }
}
```

```
        }
      }
    },
    "inquiredFrequencyRange": [],
    "inquiredChannels": [
      {
        "globalOperatingClass": 131
      },
      {
        "globalOperatingClass": 132
      },
      {
        "globalOperatingClass": 133
      },
      {
        "globalOperatingClass": 134
      },
      {
        "globalOperatingClass": 137
      }
    ],
    "minDesiredPower": 0.0
  }
]
}
```

```
##### 2026-05-11T08:41:13Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
```

```
"channelCfi": [  
    1,  
    5,  
    9,  
    13,  
    17,  
    21,  
    25,  
    29,  
    33,  
    37,  
    41,  
    45,  
    129,  
    133,  
    137,  
    141,  
    145,  
    149,  
    153,  
    157  
],  
"globalOperatingClass": 131,  
"maxEirp": [  
    25.7,  
    28.4,  
    31.3,  
    26.5,  
    25.4,  
    28.1,  
    33.4,  
    25.3,  
    30.7,  
    28.2,  
    32.0,  
    21.5,  
    25.4,
```

```
        32.8,  
        22.7,  
        31.3,  
        34.5,  
        22.1,  
        34.8,  
        28.3  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        35,  
        43,  
        131,  
        139,  
        147,  
        155  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        28.7,  
        29.5,  
        28.4,  
        28.3,  
        31.2,  
        24.5,  
        28.4,  
        25.7,  
        25.1,  
        31.3  
    ]  
},  
{
```

```
"channelCfi": [
    7,
    23,
    39,
    135,
    151
],
"globalOperatingClass": 133,
"maxEirp": [
    31.7,
    31.3,
    27.5,
    28.7,
    28.1
]
},
{
    "channelCfi": [
        15,
        143
    ],
    "globalOperatingClass": 134,
    "maxEirp": [
        34.3,
        31.1
    ]
},
{
    "channelCfi": [],
    "globalOperatingClass": 137,
    "maxEirp": []
}
],
"requestId": "04002601165974",
"availabilityExpireTime": "2026-05-12T08:41:13Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```



```
[,  
  "version": "1.4"  
}
```

CT_AFC_SP_AP_AFCDRSA31_Channel_40MHz_10619_1

2026-05-11T08:53:19Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
    "Accept-Encoding": "gzip,deflate",
    "X-Forwarded-For": "192.168.1.169",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "657",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "04002601165974",
        "deviceDescriptor": {
          "serialNumber": "04002601165974",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "QXO-AP4000"
            }
          ]
        }
      }
    ],
    "location": {
      "indoorDeployment": 1,
      "elevation": {
        "height": 154.9,
        "heightType": "AMSL",
        "verticalUncertainty": 66
      },
      "ellipse": {
```

```
        "majorAxis": 30,
        "minorAxis": 19,
        "orientation": 90.0,
        "center": {
            "latitude": 43.83956,
            "longitude": -79.3818
        }
    },
    "inquiredFrequencyRange": [],
    "inquiredChannels": [
        {
            "globalOperatingClass": 131
        },
        {
            "globalOperatingClass": 132
        },
        {
            "globalOperatingClass": 133
        },
        {
            "globalOperatingClass": 134
        },
        {
            "globalOperatingClass": 137
        }
    ],
    "minDesiredPower": 0.0
}
]
```

```
##### 2026-05-11T08:53:20Z #####
{
    "availableSpectrumInquiryResponses": [
        {
```

```
"response": {
  "responseCode": 0,
  "shortDescription": "SUCCESS"
},
"availableChannelInfo": [
  {
    "channelCfi": [
      17,
      21,
      25,
      29,
      33,
      37,
      41,
      45,
      65,
      69,
      73,
      77,
      81,
      85,
      89,
      93
    ],
    "globalOperatingClass": 131,
    "maxEirp": [
      30.7,
      29.8,
      22.7,
      21.5,
      32.7,
      28.4,
      27.2,
      26.8,
      28.1,
      32.9,
      30.2,
```

```

        30.8,
        33.0,
        32.1,
        24.9,
        22.0
    ]
},
{
    "channelCfi": [
        19,
        27,
        35,
        43,
        67,
        75,
        83,
        91
    ],
    "globalOperatingClass": 132,
    "maxEirp": [
        32.8,
        24.5,
        31.4,
        29.8,
        31.1,
        33.2,
        35.1,
        25.0
    ]
},
{
    "channelCfi": [
        23,
        39,
        71,
        87
    ],

```

```
        "globalOperatingClass": 133,
        "maxEirp": [
            27.5,
            32.8,
            34.1,
            28.0
        ]
    },
    {
        "channelCfi": [
            79
        ],
        "globalOperatingClass": 134,
        "maxEirp": [
            31.0
        ]
    },
    {
        "channelCfi": [],
        "globalOperatingClass": 137,
        "maxEirp": []
    }
],
"requestId": "04002601165974",
"availabilityExpireTime": "2026-05-12T08:53:20Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

```
##### 2026-05-11T08:59:58Z #####
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "application/json",
        "Content-Type": "application/json",
```

```
"User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
"Accept-Encoding": "gzip,deflate",
"X-Forwarded-For": "192.168.1.169",
"X-Forwarded-Host": "testserver.wfatestorg.org",
"X-Forwarded-Server": "testserver.wfatestorg.org",
"Content-Length": "657",
"Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "04002601165974",
      "deviceDescriptor": {
        "serialNumber": "04002601165974",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "QXO-AP4000"
          }
        ]
      }
    }
  ],
  "location": {
    "indoorDeployment": 1,
    "elevation": {
      "height": 154.9,
      "heightType": "AMSL",
      "verticalUncertainty": 66
    },
    "ellipse": {
      "majorAxis": 30,
      "minorAxis": 19,
      "orientation": 90.0,
      "center": {
        "latitude": 43.83956,
        "longitude": -79.3818
      }
    }
  }
}
```

```
    }
  },
  "inquiredFrequencyRange": [],
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    },
    {
      "globalOperatingClass": 132
    },
    {
      "globalOperatingClass": 133
    },
    {
      "globalOperatingClass": 134
    },
    {
      "globalOperatingClass": 137
    }
  ],
  "minDesiredPower": 0.0
}
]
```

```
##### 2026-05-11T08:59:58Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
```

```
1,  
5,  
9,  
13,  
49,  
53,  
57,  
61,  
129,  
133,  
137,  
141,  
145,  
149,  
153,  
157,  
161,  
165,  
169,  
173  
],  
"globalOperatingClass": 131,  
"maxEirp": [  
23.6,  
29.9,  
24.8,  
34.1,  
32.3,  
28.8,  
22.8,  
26.8,  
25.3,  
26.3,  
31.4,  
34.4,  
33.6,  
30.1,
```

```
        29.1,  
        24.7,  
        23.4,  
        32.3,  
        30.0,  
        21.9  
    ]  
  },  
  {  
    "channelCfi": [  
      3,  
      11,  
      51,  
      59,  
      131,  
      139,  
      147,  
      155,  
      163,  
      171  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
      26.6,  
      27.8,  
      31.8,  
      25.8,  
      28.3,  
      34.4,  
      33.1,  
      27.7,  
      26.4,  
      24.9  
    ]  
  },  
  {  
    "channelCfi": [  

```

```
        7,
        55,
        135,
        151,
        167
    ],
    "globalOperatingClass": 133,
    "maxEirp": [
        29.6,
        28.8,
        31.3,
        30.7,
        27.9
    ]
},
{
    "channelCfi": [
        143
    ],
    "globalOperatingClass": 134,
    "maxEirp": [
        33.7
    ]
},
{
    "channelCfi": [],
    "globalOperatingClass": 137,
    "maxEirp": []
}
],
"requestId": "04002601165974",
"availabilityExpireTime": "2026-05-12T08:59:58Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

CT_AFC_SP_AP_AFCDSA31_Channel_80MHz_10620_1

2026-05-11T09:08:14Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
    "Accept-Encoding": "gzip,deflate",
    "X-Forwarded-For": "192.168.1.169",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "657",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "04002601165974",
        "deviceDescriptor": {
          "serialNumber": "04002601165974",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "QXO-AP4000"
            }
          ]
        }
      }
    ],
    "location": {
      "indoorDeployment": 1,
      "elevation": {
        "height": 154.9,
        "heightType": "AMSL",
        "verticalUncertainty": 66
      },
      "ellipse": {
```

```
        "majorAxis": 30,
        "minorAxis": 19,
        "orientation": 90.0,
        "center": {
            "latitude": 43.83956,
            "longitude": -79.3818
        }
    },
    "inquiredFrequencyRange": [],
    "inquiredChannels": [
        {
            "globalOperatingClass": 131
        },
        {
            "globalOperatingClass": 132
        },
        {
            "globalOperatingClass": 133
        },
        {
            "globalOperatingClass": 134
        },
        {
            "globalOperatingClass": 137
        }
    ],
    "minDesiredPower": 0.0
}

]

}

}

##### 2026-05-11T09:08:14Z #####
{
    "availableSpectrumInquiryResponses": [
        {
```

```
"response": {
  "responseCode": 0,
  "shortDescription": "SUCCESS"
},
"availableChannelInfo": [
  {
    "channelCfi": [
      33,
      37,
      41,
      45,
      81,
      85,
      89,
      93,
      145,
      149,
      153,
      157,
      161,
      165,
      169,
      173
    ],
    "globalOperatingClass": 131,
    "maxEirp": [
      32.6,
      32.5,
      23.7,
      26.3,
      23.3,
      33.4,
      21.3,
      29.9,
      23.1,
      25.1,
      31.9,
```

```
        22.9,  
        23.2,  
        25.3,  
        23.2,  
        25.1  
    ]  
},  
{  
    "channelCfi": [  
        35,  
        43,  
        83,  
        91,  
        147,  
        155,  
        163,  
        171  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        35.5,  
        26.7,  
        26.3,  
        24.3,  
        26.1,  
        25.9,  
        26.2,  
        26.2  
    ]  
},  
{  
    "channelCfi": [  
        39,  
        87,  
        151,  
        167  
    ],
```

```
        "globalOperatingClass": 133,
        "maxEirp": [
            29.7,
            27.3,
            28.9,
            29.2
        ]
    },
    {
        "channelCfi": [],
        "globalOperatingClass": 134,
        "maxEirp": []
    },
    {
        "channelCfi": [],
        "globalOperatingClass": 137,
        "maxEirp": []
    }
],
"requestId": "04002601165974",
"availabilityExpireTime": "2026-05-12T09:08:14Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

2026-05-11T09:11:42Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
    "Accept-Encoding": "gzip,deflate",
    "X-Forwarded-For": "192.168.1.169",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
```

```
"X-Forwarded-Server": "testserver.wfatestorg.org",
"Content-Length": "657",
"Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "04002601165974",
      "deviceDescriptor": {
        "serialNumber": "04002601165974",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "QXO-AP4000"
          }
        ]
      }
    }
  ],
  "location": {
    "indoorDeployment": 1,
    "elevation": {
      "height": 154.9,
      "heightType": "AMSL",
      "verticalUncertainty": 66
    },
    "ellipse": {
      "majorAxis": 30,
      "minorAxis": 19,
      "orientation": 90.0,
      "center": {
        "latitude": 43.83956,
        "longitude": -79.3818
      }
    }
  },
  "inquiredFrequencyRange": [],
  "inquiredChannels": [
```

```
{
  "globalOperatingClass": 131
},
{
  "globalOperatingClass": 132
},
{
  "globalOperatingClass": 133
},
{
  "globalOperatingClass": 134
},
{
  "globalOperatingClass": 137
}
],
"minDesiredPower": 0.0
}
]
}
}
```

2026-05-11T09:11:43Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
```

17,
21,
25,
29,
49,
53,
57,
61,
65,
69,
73,
77,
129,
133,
137,
141
],
"globalOperatingClass": 131,
"maxEirp": [
24.0,
31.6,
25.5,
21.5,
27.7,
33.6,
28.6,
27.6,
24.1,
32.6,
34.9,
34.0,
33.7,
22.2,
31.8,
30.8,
30.0,
22.4,

```
        22.9,
        32.6
    ]
},
{
    "channelCfi": [
        3,
        11,
        19,
        27,
        51,
        59,
        67,
        75,
        131,
        139
    ],
    "globalOperatingClass": 132,
    "maxEirp": [
        27.0,
        24.5,
        30.7,
        30.6,
        27.1,
        36.0,
        25.2,
        33.8,
        25.4,
        25.9
    ]
},
{
    "channelCfi": [
        7,
        23,
        55,
        71,
```

```
        135
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        27.5,
        33.6,
        30.1,
        28.2,
        28.4
      ]
    },
    {
      "channelCfi": [
        15
      ],
      "globalOperatingClass": 134,
      "maxEirp": [
        30.5
      ]
    },
    {
      "channelCfi": [],
      "globalOperatingClass": 137,
      "maxEirp": []
    }
  ],
  "requestId": "04002601165974",
  "availabilityExpireTime": "2026-05-12T09:11:43Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

```
##### 2026-05-11T09:17:25Z #####
{
  "headers": {
```

```
"Host": "testserver.wfatestorg.org",
"Accept": "application/json",
"Content-Type": "application/json",
"User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
"Accept-Encoding": "gzip,deflate",
"X-Forwarded-For": "192.168.1.169",
"X-Forwarded-Host": "testserver.wfatestorg.org",
"X-Forwarded-Server": "testserver.wfatestorg.org",
"Content-Length": "657",
"Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "04002601165974",
      "deviceDescriptor": {
        "serialNumber": "04002601165974",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "QXO-AP4000"
          }
        ]
      }
    }
  ],
  "location": {
    "indoorDeployment": 1,
    "elevation": {
      "height": 154.9,
      "heightType": "AMSL",
      "verticalUncertainty": 66
    }
  },
  "ellipse": {
    "majorAxis": 30,
    "minorAxis": 19,
    "orientation": 90.0,
    "center": {
```

```
        "latitude": 43.83956,
        "longitude": -79.3818
      }
    }
  },
  "inquiredFrequencyRange": [],
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    },
    {
      "globalOperatingClass": 132
    },
    {
      "globalOperatingClass": 133
    },
    {
      "globalOperatingClass": 134
    },
    {
      "globalOperatingClass": 137
    }
  ],
  "minDesiredPower": 0.0
}
]
}
}

##### 2026-05-11T09:17:25Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
    },
  ],
}
```

```
"availableChannelInfo": [  
  {  
    "channelCfi": [  
      1,  
      5,  
      9,  
      13,  
      17,  
      21,  
      25,  
      29,  
      49,  
      53,  
      57,  
      61,  
      65,  
      69,  
      73,  
      77,  
      129,  
      133,  
      137,  
      141  
    ],  
    "globalOperatingClass": 131,  
    "maxEirp": [  
      24.0,  
      31.6,  
      25.5,  
      21.5,  
      27.7,  
      33.6,  
      28.6,  
      27.6,  
      24.1,  
      32.6,  
      34.9,  
    ]  
  }  
]
```

```
        34.0,  
        33.7,  
        22.2,  
        31.8,  
        30.8,  
        30.0,  
        22.4,  
        22.9,  
        32.6  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        51,  
        59,  
        67,  
        75,  
        131,  
        139  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        27.0,  
        24.5,  
        30.7,  
        30.6,  
        27.1,  
        36.0,  
        25.2,  
        33.8,  
        25.4,  
        25.9  
    ]  
}
```

```
    },
    {
      "channelCfi": [
        7,
        23,
        55,
        71,
        135
      ],
      "globalOperatingClass": 133,
      "maxEirp": [
        27.5,
        33.6,
        30.1,
        28.2,
        28.4
      ]
    },
    {
      "channelCfi": [
        15
      ],
      "globalOperatingClass": 134,
      "maxEirp": [
        30.5
      ]
    },
    {
      "channelCfi": [],
      "globalOperatingClass": 137,
      "maxEirp": []
    }
  ],
  "requestId": "04002601165974",
  "availabilityExpireTime": "2026-05-12T09:17:25Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
```



```
[,  
  "version": "1.4"  
}
```

CT_AFC_SP_AP_AFCDSA31_Channel_160MHz_10621_1

2026-05-11T09:24:41Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
    "Accept-Encoding": "gzip,deflate",
    "X-Forwarded-For": "192.168.1.169",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "657",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "04002601165974",
        "deviceDescriptor": {
          "serialNumber": "04002601165974",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "QXO-AP4000"
            }
          ]
        }
      }
    ],
    "location": {
      "indoorDeployment": 1,
      "elevation": {
        "height": 154.9,
        "heightType": "AMSL",
        "verticalUncertainty": 66
      },
      "ellipse": {
```

```
        "majorAxis": 30,
        "minorAxis": 19,
        "orientation": 90.0,
        "center": {
            "latitude": 43.83956,
            "longitude": -79.3818
        }
    },
    "inquiredFrequencyRange": [],
    "inquiredChannels": [
        {
            "globalOperatingClass": 131
        },
        {
            "globalOperatingClass": 132
        },
        {
            "globalOperatingClass": 133
        },
        {
            "globalOperatingClass": 134
        },
        {
            "globalOperatingClass": 137
        }
    ],
    "minDesiredPower": 0.0
}
]
```

```
##### 2026-05-11T09:24:41Z #####
{
    "availableSpectrumInquiryResponses": [
        {
```

```
"response": {
  "responseCode": 0,
  "shortDescription": "SUCCESS"
},
"availableChannelInfo": [
  {
    "channelCfi": [
      1,
      5,
      9,
      13,
      17,
      21,
      25,
      29,
      65,
      69,
      73,
      77,
      81,
      85,
      89,
      93
    ],
    "globalOperatingClass": 131,
    "maxEirp": [
      29.6,
      34.4,
      23.8,
      25.1,
      28.4,
      32.0,
      28.2,
      25.8,
      23.4,
      28.1,
      32.6,
```

```
        30.3,  
        21.8,  
        34.5,  
        27.2,  
        22.3  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        67,  
        75,  
        83,  
        91  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        32.6,  
        26.8,  
        31.4,  
        28.8,  
        26.4,  
        33.3,  
        24.8,  
        25.3  
    ]  
},  
{  
    "channelCfi": [  
        7,  
        23,  
        71,  
        87  
    ],
```

```
        "globalOperatingClass": 133,
        "maxEirp": [
            29.8,
            31.8,
            29.4,
            27.8
        ]
    },
    {
        "channelCfi": [
            15,
            79
        ],
        "globalOperatingClass": 134,
        "maxEirp": [
            32.8,
            30.8
        ]
    },
    {
        "channelCfi": [],
        "globalOperatingClass": 137,
        "maxEirp": []
    }
],
"requestId": "04002601165974",
"availabilityExpireTime": "2026-05-12T09:24:41Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

2026-05-11T09:28:45Z

```
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
```

```
"Accept": "application/json",
"Content-Type": "application/json",
"User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
"Accept-Encoding": "gzip,deflate",
"X-Forwarded-For": "192.168.1.169",
"X-Forwarded-Host": "testserver.wfatestorg.org",
"X-Forwarded-Server": "testserver.wfatestorg.org",
"Content-Length": "657",
"Connection": "Keep-Alive"
},
"body": {
  "version": "1.4",
  "availableSpectrumInquiryRequests": [
    {
      "requestId": "04002601165974",
      "deviceDescriptor": {
        "serialNumber": "04002601165974",
        "certificationId": [
          {
            "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
            "id": "QXO-AP4000"
          }
        ]
      }
    }
  ],
  "location": {
    "indoorDeployment": 1,
    "elevation": {
      "height": 154.9,
      "heightType": "AMSL",
      "verticalUncertainty": 66
    },
    "ellipse": {
      "majorAxis": 30,
      "minorAxis": 19,
      "orientation": 90.0,
      "center": {
        "latitude": 43.83956,
```

```
        "longitude": -79.3818
      }
    }
  },
  "inquiredFrequencyRange": [],
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    },
    {
      "globalOperatingClass": 132
    },
    {
      "globalOperatingClass": 133
    },
    {
      "globalOperatingClass": 134
    },
    {
      "globalOperatingClass": 137
    }
  ],
  "minDesiredPower": 0.0
}
]
}
}

##### 2026-05-11T09:28:45Z #####
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
```

```
{  
  "channelCfi": [  
    33,  
    37,  
    41,  
    45,  
    49,  
    53,  
    57,  
    61,  
    129,  
    133,  
    137,  
    141,  
    145,  
    149,  
    153,  
    157  
  ],  
  "globalOperatingClass": 131,  
  "maxEirp": [  
    32.2,  
    22.8,  
    31.2,  
    32.3,  
    23.3,  
    33.6,  
    24.2,  
    23.5,  
    25.4,  
    29.6,  
    28.8,  
    21.9,  
    34.3,  
    22.5,  
    21.6,  
    25.4  
  ]  
}
```

```
]
},
{
  "channelCfi": [
    35,
    43,
    51,
    59,
    131,
    139,
    147,
    155
  ],
  "globalOperatingClass": 132,
  "maxEirp": [
    25.8,
    34.2,
    26.3,
    26.5,
    28.4,
    24.9,
    25.5,
    24.6
  ]
},
{
  "channelCfi": [
    39,
    55,
    135,
    151
  ],
  "globalOperatingClass": 133,
  "maxEirp": [
    28.8,
    29.3,
    27.9,
```

```
        27.6
      ]
    },
    {
      "channelCfi": [
        47,
        143
      ],
      "globalOperatingClass": 134,
      "maxEirp": [
        31.8,
        30.6
      ]
    },
    {
      "channelCfi": [],
      "globalOperatingClass": 137,
      "maxEirp": []
    }
  ],
  "requestId": "04002601165974",
  "availabilityExpireTime": "2026-05-12T09:28:45Z",
  "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1

2026-05-14T02:48:17Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
    "Accept-Encoding": "gzip,deflate",
    "X-Forwarded-For": "192.168.1.169",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "657",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "04002601165974",
        "deviceDescriptor": {
          "serialNumber": "04002601165974",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "QXO-AP4000"
            }
          ]
        }
      }
    ],
    "location": {
      "indoorDeployment": 1,
      "elevation": {
        "height": 154.9,
        "heightType": "AMSL",
        "verticalUncertainty": 66
      },
      "ellipse": {
```

```
        "majorAxis": 30,
        "minorAxis": 19,
        "orientation": 90.0,
        "center": {
            "latitude": 43.83956,
            "longitude": -79.3818
        }
    },
    "inquiredFrequencyRange": [],
    "inquiredChannels": [
        {
            "globalOperatingClass": 131
        },
        {
            "globalOperatingClass": 132
        },
        {
            "globalOperatingClass": 133
        },
        {
            "globalOperatingClass": 134
        },
        {
            "globalOperatingClass": 137
        }
    ],
    "minDesiredPower": 0.0
}
]
```

```
##### 2026-05-14T02:48:18Z #####
{
    "availableSpectrumInquiryResponses": [
        {
```

```
"response": {  
  "responseCode": 0,  
  "shortDescription": "SUCCESS"  
},  
"availableChannelInfo": [],  
"requestId": "04002601165974",  
"availabilityExpireTime": "2026-05-15T02:48:18Z",  
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"  
}  
],  
"version": "1.4"  
}
```

CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1

2026-05-14T02:59:42Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
    "Accept-Encoding": "gzip,deflate",
    "X-Forwarded-For": "192.168.1.169",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "657",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "04002601165974",
        "deviceDescriptor": {
          "serialNumber": "04002601165974",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "QXO-AP4000"
            }
          ]
        }
      }
    ],
    "location": {
      "indoorDeployment": 1,
      "elevation": {
        "height": 154.9,
        "heightType": "AMSL",
        "verticalUncertainty": 66
      },
      "ellipse": {
```

```
        "majorAxis": 30,
        "minorAxis": 19,
        "orientation": 90.0,
        "center": {
            "latitude": 43.83956,
            "longitude": -79.3818
        }
    },
    "inquiredFrequencyRange": [],
    "inquiredChannels": [
        {
            "globalOperatingClass": 131
        },
        {
            "globalOperatingClass": 132
        },
        {
            "globalOperatingClass": 133
        },
        {
            "globalOperatingClass": 134
        },
        {
            "globalOperatingClass": 137
        }
    ],
    "minDesiredPower": 0.0
}

]

}

}

##### 2026-05-14T02:59:42Z #####
{
    "availableSpectrumInquiryResponses": [
        {
```

```
"response": {
  "responseCode": 0,
  "shortDescription": "SUCCESS"
},
"availableChannelInfo": [
  {
    "channelCfi": [
      49,
      53,
      57,
      61,
      65,
      69,
      73,
      77,
      81,
      85,
      89,
      93,
      161,
      165,
      169,
      173
    ],
    "globalOperatingClass": 131,
    "maxEirp": [
      21.6,
      34.3,
      29.5,
      24.4,
      22.0,
      30.7,
      30.8,
      33.1,
      24.8,
      31.9,
      26.3,
```

```
        25.6,  
        34.3,  
        21.1,  
        26.5,  
        22.6  
    ]  
},  
{  
    "channelCfi": [  
        51,  
        59,  
        67,  
        75,  
        83,  
        91,  
        163,  
        171  
    ],  
    "globalOperatingClass": 132,  
    "maxEirp": [  
        24.6,  
        27.4,  
        25.0,  
        33.8,  
        27.8,  
        28.6,  
        24.1,  
        25.6  
    ]  
},  
{  
    "channelCfi": [  
        55,  
        71,  
        87,  
        167  
    ],
```

```
        "globalOperatingClass": 133,
        "maxEirp": [
            27.6,
            28.0,
            30.8,
            27.1
        ]
    },
    {
        "channelCfi": [
            79
        ],
        "globalOperatingClass": 134,
        "maxEirp": [
            31.0
        ]
    },
    {
        "channelCfi": [],
        "globalOperatingClass": 137,
        "maxEirp": []
    }
],
"requestId": "04002601165974",
"availabilityExpireTime": "2026-05-15T02:59:42Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

CT_AFC_SP_AP_AFCDU34_Channel_10624_1

2026-05-14T03:23:08Z

```
{
  "headers": {
    "Host": "testserver.wfatestorg.org",
    "Accept": "application/json",
    "Content-Type": "application/json",
    "User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
    "Accept-Encoding": "gzip,deflate",
    "X-Forwarded-For": "192.168.1.169",
    "X-Forwarded-Host": "testserver.wfatestorg.org",
    "X-Forwarded-Server": "testserver.wfatestorg.org",
    "Content-Length": "657",
    "Connection": "Keep-Alive"
  },
  "body": {
    "version": "1.4",
    "availableSpectrumInquiryRequests": [
      {
        "requestId": "04002601165974",
        "deviceDescriptor": {
          "serialNumber": "04002601165974",
          "certificationId": [
            {
              "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
              "id": "QXO-AP4000"
            }
          ]
        }
      }
    ],
    "location": {
      "indoorDeployment": 1,
      "elevation": {
        "height": 154.9,
        "heightType": "AMSL",
        "verticalUncertainty": 66
      },
      "ellipse": {
```

```
        "majorAxis": 30,
        "minorAxis": 19,
        "orientation": 90.0,
        "center": {
            "latitude": 43.83956,
            "longitude": -79.3818
        }
    },
    "inquiredFrequencyRange": [],
    "inquiredChannels": [
        {
            "globalOperatingClass": 131
        },
        {
            "globalOperatingClass": 132
        },
        {
            "globalOperatingClass": 133
        },
        {
            "globalOperatingClass": 134
        },
        {
            "globalOperatingClass": 137
        }
    ],
    "minDesiredPower": 0.0
}
]
```

```
##### 2026-05-14T03:23:08Z #####
{
    "availableSpectrumInquiryResponses": [
        {
```

```
"response": {
  "responseCode": 0,
  "shortDescription": "SUCCESS"
},
"availableChannelInfo": [
  {
    "channelCfi": [
      1,
      5,
      9,
      13,
      17,
      21,
      25,
      29,
      33,
      37,
      41,
      45,
      49,
      53,
      57,
      61,
      65,
      69,
      73,
      77,
      81,
      85,
      89,
      93,
      117,
      121,
      125,
      129,
      133,
      137,
```

[illegible]

```
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0  
    ]  
},  
{  
    "channelCfi": [  
        3,  
        11,  
        19,  
        27,  
        35,  
        43,  
        51,  
        59,  
        67,  
        75,  
        83,  
        91,  
        123,  
        131,  
        139,
```

```

    147,
    155,
    163,
    171,
    179
],
"globalOperatingClass": 132,
"maxEirp": [
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0,
    36.0
]
},
{
    "channelCfi": [
        7,
        23,
        39,
        55,
        71,

```

```
        87,  
        135,  
        151,  
        167  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0  
    ]  
},  
{  
    "channelCfi": [  
        15,  
        47,  
        79,  
        143  
    ],  
    "globalOperatingClass": 134,  
    "maxEirp": [  
        36.0,  
        36.0,  
        36.0,  
        36.0  
    ]  
},  
{  
    "channelCfi": [  
        31  
    ],  
}
```

```
        "globalOperatingClass": 137,
        "maxEirp": [
            36.0
        ]
    },
    ],
    "requestId": "04002601165974",
    "availabilityExpireTime": "2026-05-15T03:23:08Z",
    "rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

2026-05-14T03:23:24Z

```
{
    "headers": {
        "Host": "testserver.wfatestorg.org",
        "Accept": "application/json",
        "Content-Type": "application/json",
        "User-Agent": "Apache-HttpClient/4.5.6 (Java/1.8.0_472-internal)",
        "Accept-Encoding": "gzip,deflate",
        "X-Forwarded-For": "192.168.1.169",
        "X-Forwarded-Host": "testserver.wfatestorg.org",
        "X-Forwarded-Server": "testserver.wfatestorg.org",
        "Content-Length": "657",
        "Connection": "Keep-Alive"
    },
    "body": {
        "version": "1.4",
        "availableSpectrumInquiryRequests": [
            {
                "requestId": "04002601165974",
                "deviceDescriptor": {
                    "serialNumber": "04002601165974",
                    "certificationId": [
                        {

```

```
        "rulesetId": "US_47_CFR_PART_15_SUBPART_E",
        "id": "QXO-AP4000"
      }
    ]
  },
  "location": {
    "indoorDeployment": 1,
    "elevation": {
      "height": 154.9,
      "heightType": "AMSL",
      "verticalUncertainty": 66
    },
    "ellipse": {
      "majorAxis": 30,
      "minorAxis": 19,
      "orientation": 90.0,
      "center": {
        "latitude": 43.83956,
        "longitude": -79.3818
      }
    }
  },
  "inquiredFrequencyRange": [],
  "inquiredChannels": [
    {
      "globalOperatingClass": 131
    },
    {
      "globalOperatingClass": 132
    },
    {
      "globalOperatingClass": 133
    },
    {
      "globalOperatingClass": 134
    }
  ]
}
```

```
        "globalOperatingClass": 137
      }
    ],
    "minDesiredPower": 0.0
  }
]
}
}
```

2026-05-14T03:23:24Z

```
{
  "availableSpectrumInquiryResponses": [
    {
      "response": {
        "responseCode": 0,
        "shortDescription": "SUCCESS"
      },
      "availableChannelInfo": [
        {
          "channelCfi": [
            1,
            5,
            9,
            13,
            17,
            21,
            25,
            29,
            33,
            37,
            41,
            45,
            49,
            53,
            57,
            61,
            65,
```

[illegible]

[illegible]

]

 $\}$ $\{$

```
"channelCfi": [
```

3,

11,

[illegible]

```
        36.0,  
        36.0,  
        36.0,  
        36.0  
    ]  
},  
{  
    "channelCfi": [  
        7,  
        23,  
        39,  
        55,  
        71,  
        87,  
        135,  
        151,  
        167  
    ],  
    "globalOperatingClass": 133,  
    "maxEirp": [  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0,  
        36.0  
    ]  
},  
{  
    "channelCfi": [  
        15,  
        47,  
        79,  
        143
```

```
    ],
    "globalOperatingClass": 134,
    "maxEirp": [
        36.0,
        36.0,
        36.0,
        36.0
    ]
},
{
    "channelCfi": [
        31
    ],
    "globalOperatingClass": 137,
    "maxEirp": [
        36.0
    ]
}
],
"requestId": "04002601165974",
"availabilityExpireTime": "2026-05-15T03:23:24Z",
"rulesetId": "US_47_CFR_PART_15_SUBPART_E"
}
],
"version": "1.4"
}
```

AFC capability - Inquired Channel

AFCD.RSA: Successful registration and spectrum access request											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
5975	LPI	20	4.88	9.67	14.55	-	N/A	-3.57	1.31	5.00	Pass
6775	SP	20	5.25	16.92	22.17	30.10	Pass	3.58	8.83	-	N/A
6135	SP	20	4.88	16.48	21.36	28.20	Pass	3.15	8.03	-	N/A
6045	LPI	40	4.88	12.15	17.03	-	N/A	-3.98	0.90	5.00	Pass
6365	SP	40	4.88	16.17	21.05	35.10	Pass	0.04	4.92	-	N/A
6605	SP	40	5.25	16.30	21.55	28.30	Pass	-0.03	5.22	-	N/A
6385	LPI	80	4.88	12.85	17.73	-	N/A	-6.31	-1.43	5.00	Pass
6145	SP	80	4.88	16.10	20.98	29.70	Pass	-2.91	1.97	-	N/A
6225	SP	80	4.88	15.80	20.68	30.10	Pass	-3.14	1.74	-	N/A
6025	LPI	160	4.88	15.49	20.37	-	N/A	-6.12	-1.24	5.00	Pass
6345	SP	160	4.88	15.84	20.72	30.80	Pass	-5.89	-1.01	-	N/A
6185	SP	160	4.88	16.38	21.26	31.80	Pass	-5.44	-0.56	-	N/A

AFCD.USA: Unsuccessful spectrum access request											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
5975	LPI	20	4.88	9.33	14.21	-	N/A	-3.92	0.96	5.00	Pass
6055	LPI	20	4.88	10.16	15.04	-	N/A	-3.15	1.73	5.00	Pass

AFCD.SAU: Successful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6055	LPI	20	4.88	10.37	15.25	-	N/A	-2.86	2.02	5.00	Pass
6295	SP	20	4.88	11.63	16.51	30.70	Pass	-1.39	3.49	-	N/A
6295	LPI	20	4.88	7.41	12.29	-	N/A	-5.86	-0.98	5.00	Pass

AFCD.UAU: Unsuccessful spectrum access update											
Freq. (MHz)	Mode (LPI or SP)	Bandwidth (MHz)	Antenna Gain (dBi)	Power (dBm)	EIRP (dBm)	AFC Response Limit (dBm)	Result	PSD (dBm/MHz)	EIRP PSD (dBm/MHz)	AFC Response Limit (dBm/MHz)	Result
6295	LPI	20	4.88	7.45	12.33	-	N/A	-5.61	-0.73	5.00	Pass
6695	SP	20	5.25	12.87	18.12	36.00	Pass	-0.32	4.93	-	N/A
6215	LPI	20	4.88	7.60	12.48	-	N/A	-5.41	-0.53	5.00	Pass

AFC capability - Inquired Channel

CT_AFC_SP_AP_AFCDRSA31_Channel_20MHz_10618_1


Frequency (MHz): 5975

5.925-6.425GHz_802.11ax HEW20_1TX

AV Power

5975MHz_TX

11/05/2026




5.925-6.425GHz_802.11ax HEW20_1TX

PSD

5975MHz

11/05/2026



Frequency (MHz): 6775


6.525-6.875GHz_802.11ax HEW20_1TX

AV Power

6775MHz_TX

11/05/2026

CF (Hz)
6.775G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
20M



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
16.92	16.92


6.525-6.875GHz_802.11ax HEW20_1TX

PSD

6775MHz

11/05/2026

CF (Hz)
6.775G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.58	3.58	3.58


Frequency (MHz): 6135

5.925-6.425GHz_802.11ax HEW20_1TX

AV Power

6135MHz_TX

11/05/2026



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)
16.48	16.48

5.925-6.425GHz_802.11ax HEW20_1TX

PSD

6135MHz

11/05/2026



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.15	3.15	3.15

CT_AFC_SP_AP_AFCRSA31_Channel_40MHz_10619_1

Frequency (MHz): 6045

5.925-6.425GHz_802.11ax HEW40_1TX


AV Power

6045MHz_TX

11/05/2026

CF (Hz)
6.045G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
40M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
12.15	12.15


5.925-6.425GHz_802.11ax HEW40_1TX

PSD

6045MHz

11/05/2026

CF (Hz)
6.045G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
-3.98	-3.98	-3.98

Frequency (MHz): 6365


5.925-6.425GHz_802.11ax HEW40_1TX

AV Power

6365MHz_TX

11/05/2026

CF (Hz)
6.365G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
40M



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
16.17	16.17


5.925-6.425GHz_802.11ax HEW40_1TX

PSD

6365MHz

11/05/2026

CF (Hz)
6.365G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.04	0.04	0.04



CT_AFC_SP_AP_AFCRSA31_Channel_80MHz_10620_1

Frequency (MHz): 6385

5.925-6.425GHz_802.11ax HEW80_1TX

AV Power

6385MHz_TX

11/05/2026

CF (Hz)
6.385G

Span (Hz)
120M

RBW (Hz)
1M


VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

CP BW (Hz)
80M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
12.85	12.85

5.925-6.425GHz_802.11ax HEW80_1TX

PSD

6385MHz

11/05/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.31	-6.31	-6.31

Frequency (MHz): 6145

5.925-6.425GHz_802.11ax HEW80_1TX


AV Power

6145MHz_TX

11/05/2026

CF (Hz)
6.145G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
80M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
16.10	16.10


5.925-6.425GHz_802.11ax HEW80_1TX

PSD

6145MHz

11/05/2026

CF (Hz)
6.145G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.91	-2.91	-2.91

Frequency (MHz): 6225

5.925-6.425GHz_802.11ax HEW80_1TX


AV Power

6225MHz_TX

11/05/2026

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
80M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.80	15.80


5.925-6.425GHz_802.11ax HEW80_1TX

PSD

6225MHz

11/05/2026

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.14	-3.14	-3.14

CT_AFC_SP_AP_AFCDRSA31_Channel_160MHz_10621_1

Frequency (MHz): 6025

5.925-6.425GHz_802.11ax HEW160_1TX


AV Power

6025MHz_TX

11/05/2026

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
15.49	15.49


5.925-6.425GHz_802.11ax HEW160_1TX

PSD

6025MHz

11/05/2026

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
-6.12	-6.12	-6.12

Frequency (MHz): 6345

5.925-6.425GHz_802.11ax HEW160_1TX


AV Power

6345MHz_TX

11/05/2026

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Sum(dBm)	P1(dBm)
15.84	15.84


5.925-6.425GHz_802.11ax HEW160_1TX

PSD

6345MHz

11/05/2026

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.89	-5.89	-5.89

Frequency (MHz): 6185

5.925-6.425GHz_802.11ax HEW160_1TX


AV Power

6185MHz_TX

11/05/2026

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
160M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
16.38	16.38


5.925-6.425GHz_802.11ax HEW160_1TX

PSD

6185MHz

11/05/2026

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.44	-5.44	-5.44

CT_AFC_SP_AP_AFCDUSA32_Channel_10622_1

Bandwidth: 20MHz


Frequency (MHz): 5975

5.925-6.425GHz_802.11ax HEW20_1TX

AV Power

5975MHz_TX

14/05/2026



Sum=Total Power
PX=Port X


Sum(dBm)	P1(dBm)
9.33	9.33

5.925-6.425GHz_802.11ax HEW20_1TX

PSD

5975MHz

14/05/2026



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.92	-3.92	-3.92

Frequency (MHz): 6055

5.925-6.425GHz_802.11ax HEW20_1TX

AV Power

6055MHz_TX

14/05/2026

CF (Hz)
6.055G

Span (Hz)
30M


RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

CP BW (Hz)
20M



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
10.16	10.16

5.925-6.425GHz_802.11ax HEW20_1TX

PSD

6055MHz

14/05/2026

CF (Hz)
6.055G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.15	-3.15	-3.15

CT_AFC_SP_AP_AFCDSAU33_Channel_10623_1

Bandwidth: 20MHz

Frequency (MHz): 6055

5.925-6.425GHz_802.11ax HEW20_1TX


AV Power

6055MHz_TX

14/05/2026

CF (Hz)
6.055G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS
CP BW (Hz)
20M

Sum= Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
10.37	10.37


5.925-6.425GHz_802.11ax HEW20_1TX

PSD

6055MHz

14/05/2026

CF (Hz)
6.055G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.86	-2.86	-2.86

Frequency (MHz): 6295

5.925-6.425GHz_802.11ax HEW20_1TX

AV Power

6295MHz_TX

14/05/2026

CF (Hz)
6.295G

Span (Hz)
30M


RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

CP BW (Hz)
20M



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
11.63	11.63

5.925-6.425GHz_802.11ax HEW20_1TX

PSD

6295MHz

14/05/2026

CF (Hz)
6.295G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.39	-1.39	-1.39

Frequency (MHz): 6295

5.925-6.425GHz_802.11ax HEW20_1TX

AV Power

6295MHz_TX

14/05/2026

CF (Hz)
6.295G

Span (Hz)
30M

RBW (Hz)
1M


VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Sum(dBm)	P1(dBm)
7.41	7.41

5.925-6.425GHz_802.11ax HEW20_1TX

PSD

6295MHz

14/05/2026

CF (Hz)
6.295G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.86	-5.86	-5.86

CT_AFC_SP_AP_AFCDUAU34_Channel_10624_1

Bandwidth: 20MHz


Frequency (MHz): 6295

5.925-6.425GHz_802.11ax_HEW20_1TX

AV Power

6295MHz_TX

14/05/2026




5.925-6.425GHz_802.11ax_HEW20_1TX

PSD

6295MHz

14/05/2026



Frequency (MHz): 6695

6.525-6.875GHz_802.11ax HEW20_1TX

AV Power

6695MHz_TX

14/05/2026

CF (Hz)
6.695G

Span (Hz)
30M


RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

CP BW (Hz)
20M



Port 1

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
12.87	12.87

6.525-6.875GHz_802.11ax HEW20_1TX

PSD

6695MHz

14/05/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.32	-0.32	-0.32

Frequency (MHz): 6215

5.925-6.425GHz_802.11ax HEW20_1TX

AV Power

6215MHz_TX

14/05/2026

CF (Hz)
6.215G

Span (Hz)
30M

RBW (Hz)
1M


VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS

CP BW (Hz)
20M

Sum=Total Power
PX=Port X



Port 1

Sum(dBm)	P1(dBm)
7.60	7.60

5.925-6.425GHz_802.11ax HEW20_1TX

PSD

6215MHz

14/05/2026

CF (Hz)
6.215G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.41	-5.41	-5.41

Duty Cycle


Bandwidth: 20MHz

DC;ax20;BWch:20




Bandwidth: 40MHz

DC;ax40;BWch:40




Bandwidth: 80MHz

DC;ax80;BWch:80



Bandwidth: 160MHz

DC;ax160;BWch:160



—THE END—