


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

27/02/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.10	-1.10	-4.12	-3.95

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5700MHz

27/02/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.06	-1.06	-4.18	-3.87

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

27/02/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

27/02/2025



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

27/02/2025

CF (Hz)
5.57G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.468

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.18	-8.18	-11.01	-10.89

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

27/02/2025

CF (Hz)
5.745G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
30.431

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.74	5.74	2.45	3.08

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5825MHz

27/02/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.16	5.16	2.16	2.25

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


PSD

5755MHz

27/02/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.27	2.27	-1.68	0.19





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	6.78
802.11be EHT40_Nss2,(MCS0)_2TX	3.88
802.11be EHT80_Nss2,(MCS0)_2TX	0.44
802.11be EHT160_Nss2,(MCS0)_2TX	-4.39
5.25-5.35GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	0.27
802.11be EHT40_Nss2,(MCS0)_2TX	-2.36
802.11be EHT80_Nss2,(MCS0)_2TX	-5.46
802.11be EHT160_Nss2,(MCS0)_2TX	-5.02
5.47-5.725GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	0.70
802.11be EHT40_Nss2,(MCS0)_2TX	-1.73
802.11be EHT80_Nss2,(MCS0)_2TX	-4.91
802.11be EHT160_Nss2,(MCS0)_2TX	-8.06
5.725-5.85GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	5.31
802.11be EHT40_Nss2,(MCS0)_2TX	2.53
802.11be EHT80_Nss2,(MCS0)_2TX	-0.54

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



PSD_Non-Beamforming_Radio 2_ MIMO-directional Antenna_2T2S

Appendix D.9

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	15.00	3.35	4.19	6.78	8.00
5200MHz	Pass	15.00	3.20	4.27	6.72	8.00
5240MHz	Pass	15.00	2.67	4.12	6.40	8.00
5260MHz	Pass	15.00	-2.77	-2.55	0.27	2.00
5300MHz	Pass	15.00	-3.15	-2.57	0.11	2.00
5320MHz	Pass	15.00	-3.09	-2.52	0.18	2.00
5500MHz	Pass	15.00	-2.71	-2.64	0.27	2.00
5580MHz	Pass	15.00	-3.13	-2.48	0.18	2.00
5700MHz	Pass	15.00	-3.07	-2.45	0.23	2.00
5720MHz Straddle 5.47-5.725GHz	Pass	15.00	-2.44	-2.06	0.70	2.00
5720MHz Straddle 5.725-5.85GHz	Pass	15.00	-4.31	-3.86	-1.13	21.00
5745MHz	Pass	15.00	1.81	2.47	5.11	21.00
5785MHz	Pass	15.00	1.90	2.61	5.08	21.00
5825MHz	Pass	15.00	2.29	2.51	5.31	21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	15.00	0.66	1.06	3.79	8.00
5230MHz	Pass	15.00	0.65	1.37	3.88	8.00
5270MHz	Pass	15.00	-5.17	-5.37	-2.36	2.00
5310MHz	Pass	15.00	-5.80	-5.61	-2.80	2.00
5510MHz	Pass	15.00	-5.66	-5.20	-2.46	2.00
5550MHz	Pass	15.00	-6.18	-5.20	-2.69	2.00
5670MHz	Pass	15.00	-5.60	-5.15	-2.40	2.00
5710MHz Straddle 5.47-5.725GHz	Pass	15.00	-4.95	-4.51	-1.73	2.00
5710MHz Straddle 5.725-5.85GHz	Pass	15.00	-7.35	-6.71	-4.02	21.00
5755MHz	Pass	15.00	-1.47	0.39	2.53	21.00
5795MHz	Pass	15.00	-1.35	-0.14	2.24	21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	15.00	-2.71	-2.03	0.44	8.00
5290MHz	Pass	15.00	-8.45	-8.25	-5.46	2.00
5530MHz	Pass	15.00	-8.50	-8.28	-5.41	2.00
5610MHz	Pass	15.00	-8.28	-8.65	-5.52	2.00
5690MHz Straddle 5.47-5.725GHz	Pass	15.00	-7.56	-8.29	-4.91	2.00
5690MHz Straddle 5.725-5.85GHz	Pass	15.00	-10.90	-11.13	-8.03	21.00
5775MHz	Pass	15.00	-4.21	-2.79	-0.54	21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	15.00	-6.91	-7.50	-4.39	8.00
5250MHz Straddle 5.25-5.35GHz	Pass	15.00	-8.77	-7.16	-5.02	2.00
5570MHz	Pass	15.00	-10.78	-10.80	-8.06	2.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

26/02/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.901

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.78	6.78	3.35	4.19

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

27/02/2025

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.81

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.88	3.88	0.65	1.37

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

27/02/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.44	0.44	-2.71	-2.03

5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

27/02/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.39	-4.39	-6.91	-7.50

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5260MHz

27/02/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.901

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.27	0.27	-2.77	-2.55

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5270MHz

27/02/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.81

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.36	-2.36	-5.17	-5.37

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

27/02/2025




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

27/02/2025




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

27/02/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.70	0.70	-2.44	-2.06

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

27/02/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.73	-1.73	-4.95	-4.51

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

27/02/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.91	-4.91	-7.56	-8.29

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5570MHz

27/02/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.06	-8.06	-10.78	-10.80

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5825MHz

27/02/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.31	5.31	2.29	2.51

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5755MHz

27/02/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.53	2.53	-1.47	0.39

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5775MHz

27/02/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.54	-0.54	-4.21	-2.79



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.43
802.11be EHT20_Nss1,(MCS0)_1TX	4.86
802.11be EHT40_Nss1,(MCS0)_1TX	2.48
802.11be EHT80_Nss1,(MCS0)_1TX	-0.56
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	6.66
802.11be EHT20_Nss1,(MCS0)_1TX	6.21
802.11be EHT40_Nss1,(MCS0)_1TX	3.60
802.11be EHT80_Nss1,(MCS0)_1TX	0.16

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	5.19	5.43	5.43	17.00
5200MHz	Pass	5.19	5.07	5.07	17.00
5240MHz	Pass	5.19	3.98	3.98	17.00
5260MHz	Pass	5.33	6.04	6.04	11.00
5300MHz	Pass	5.33	6.66	6.66	11.00
5320MHz	Pass	5.33	6.66	6.66	11.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	5.19	4.86	4.86	17.00
5200MHz	Pass	5.19	4.71	4.71	17.00
5240MHz	Pass	5.19	3.59	3.59	17.00
5260MHz	Pass	5.33	5.22	5.22	11.00
5300MHz	Pass	5.33	6.04	6.04	11.00
5320MHz	Pass	5.33	6.21	6.21	11.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	5.19	2.48	2.48	17.00
5230MHz	Pass	5.19	1.64	1.64	17.00
5270MHz	Pass	5.33	3.04	3.04	11.00
5310MHz	Pass	5.33	3.60	3.60	11.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	5.19	-0.56	-0.56	17.00
5290MHz	Pass	5.33	0.16	0.16	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

20/01/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

20/01/2025



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

20/01/2025

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.84

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.48	2.48	2.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

01/03/2025

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.78

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.56	-0.56	-0.56

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

20/01/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.181

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.66	6.66	6.66

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5320MHz

20/01/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.031

Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.21	6.21	6.21

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5310MHz

20/01/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5290MHz

20/01/2025



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	8.66	16.86
802.11be EHT20_Nss1,(MCS0)_2TX	7.93	16.13
802.11be EHT40_Nss1,(MCS0)_2TX	4.24	12.44
802.11be EHT80_Nss1,(MCS0)_2TX	-0.09	8.11
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	8.48	16.82
802.11be EHT20_Nss1,(MCS0)_2TX	8.40	16.74
802.11be EHT40_Nss1,(MCS0)_2TX	5.46	13.80
802.11be EHT80_Nss1,(MCS0)_2TX	0.84	9.18

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	8.20	5.35	6.02	8.66	14.80	16.86	Inf
5200MHz	Pass	8.20	5.22	5.24	8.18	14.80	16.38	Inf
5240MHz	Pass	8.20	4.23	4.95	7.48	14.80	15.68	Inf
5260MHz	Pass	8.34	5.61	4.81	8.21	8.66	16.55	Inf
5300MHz	Pass	8.34	5.98	4.97	8.43	8.66	16.77	Inf
5320MHz	Pass	8.34	6.27	4.73	8.48	8.66	16.82	Inf
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	8.20	4.79	5.20	7.93	14.80	16.13	Inf
5200MHz	Pass	8.20	4.67	4.59	7.54	14.80	15.74	Inf
5240MHz	Pass	8.20	3.66	4.10	6.74	14.80	14.94	Inf
5260MHz	Pass	8.34	5.13	4.49	7.78	8.66	16.12	Inf
5300MHz	Pass	8.34	5.94	5.01	8.40	8.66	16.74	Inf
5320MHz	Pass	8.34	6.14	4.60	8.37	8.66	16.71	Inf
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	8.20	1.18	0.87	3.90	14.80	12.10	Inf
5230MHz	Pass	8.20	1.58	1.24	4.24	14.80	12.44	Inf
5270MHz	Pass	8.34	2.83	2.13	5.46	8.66	13.80	Inf
5310MHz	Pass	8.34	1.93	0.87	4.29	8.66	12.63	Inf
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	8.20	-2.74	-3.20	-0.09	14.80	8.11	Inf
5290MHz	Pass	8.34	-1.89	-2.28	0.84	8.66	9.18	Inf

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

21/01/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.462

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.66	8.66	5.35	6.02

Sum ☒

Port 1 ☒

Port 2 ☒

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

21/01/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.031

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.93	7.93	4.79	5.20

Sum ☒

Port 1 ☒

Port 2 ☒


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

21/01/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
28.84
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
4.24	4.24	1.58	1.24

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

01/03/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
28.78
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
-0.09	-0.09	-2.74	-3.20

Sum
Port 1
Port 2

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

21/01/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.462

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.48	8.48	6.27	4.73

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

21/01/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.031

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.40	8.40	5.94	5.01

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

21/01/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.84

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.46	5.46	2.83	2.13

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

01/03/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.78

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.84	0.84	-1.89	-2.28



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	7.99
802.11be EHT40_Nss2,(MCS0)_2TX	4.64
802.11be EHT80_Nss2,(MCS0)_2TX	0.42
5.25-5.35GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	8.66
802.11be EHT40_Nss2,(MCS0)_2TX	5.67
802.11be EHT80_Nss2,(MCS0)_2TX	1.45

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	5.19	4.91	5.18	7.99	17.00
5200MHz	Pass	5.19	4.79	4.49	7.64	17.00
5240MHz	Pass	5.19	3.78	4.33	6.95	17.00
5260MHz	Pass	5.33	5.32	4.99	8.10	11.00
5300MHz	Pass	5.33	6.23	5.16	8.66	11.00
5320MHz	Pass	5.33	6.08	4.68	8.38	11.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	5.19	2.00	1.47	4.64	17.00
5230MHz	Pass	5.19	1.79	1.36	4.35	17.00
5270MHz	Pass	5.33	3.04	2.30	5.67	11.00
5310MHz	Pass	5.33	2.55	1.52	4.94	11.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	5.19	-2.21	-2.85	0.42	17.00
5290MHz	Pass	5.33	-1.45	-1.62	1.45	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

21/01/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.901

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.99	7.99	4.91	5.18

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

01/03/2025

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.81

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.64	4.64	2.00	1.47

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

01/03/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.42	0.42	-2.21	-2.85

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5300MHz

21/01/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.66	8.66	6.23	5.16


5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5270MHz

21/01/2025

CF (Hz)
5.27G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
28.81
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.67	5.67	3.04	2.30

Sum
Port 1
Port 2


5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

01/03/2025

CF (Hz)
5.29G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
14.956
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.45	1.45	-1.45	-1.62

Sum
Port 1
Port 2



**PSD_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix D.13

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.43
802.11be EHT20_Nss1,(MCS0)_1TX	4.86
802.11be EHT40_Nss1,(MCS0)_1TX	2.48
802.11be EHT80_Nss1,(MCS0)_1TX	-0.34
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	6.66
802.11be EHT20_Nss1,(MCS0)_1TX	6.21
802.11be EHT40_Nss1,(MCS0)_1TX	3.60
802.11be EHT80_Nss1,(MCS0)_1TX	0.16

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**PSD_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix D.13

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	8.00	5.43	5.43	15.00
5200MHz	Pass	8.00	5.07	5.07	15.00
5240MHz	Pass	8.00	3.98	3.98	15.00
5260MHz	Pass	8.00	6.04	6.04	9.00
5300MHz	Pass	8.00	6.66	6.66	9.00
5320MHz	Pass	8.00	6.66	6.66	9.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	8.00	4.86	4.86	15.00
5200MHz	Pass	8.00	4.71	4.71	15.00
5240MHz	Pass	8.00	3.59	3.59	15.00
5260MHz	Pass	8.00	5.22	5.22	9.00
5300MHz	Pass	8.00	6.04	6.04	9.00
5320MHz	Pass	8.00	6.21	6.21	9.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	8.00	2.48	2.48	15.00
5230MHz	Pass	8.00	1.64	1.64	15.00
5270MHz	Pass	8.00	3.04	3.04	9.00
5310MHz	Pass	8.00	3.60	3.60	9.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	8.00	-0.34	-0.34	15.00
5290MHz	Pass	8.00	0.16	0.16	9.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

20/01/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.181

Detector Type
RMS



Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.43	5.43	5.43

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

20/01/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.031

Detector Type
RMS



Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
4.86	4.86	4.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

20/01/2025

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.84

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.48	2.48	2.48

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

20/01/2025

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.78

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.34	-0.34	-0.34

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

20/01/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.181

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.66	6.66	6.66

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5320MHz

20/01/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.031

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.21	6.21	6.21

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5310MHz

20/01/2025

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.84

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.60	3.60	3.60

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5290MHz

20/01/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.78

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.16	0.16	0.16



**PSD_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix D.14

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	8.66
802.11be EHT20_Nss1,(MCS0)_2TX	7.93
802.11be EHT40_Nss1,(MCS0)_2TX	4.47
802.11be EHT80_Nss1,(MCS0)_2TX	0.83
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	5.92
802.11be EHT20_Nss1,(MCS0)_2TX	5.87
802.11be EHT40_Nss1,(MCS0)_2TX	5.55
802.11be EHT80_Nss1,(MCS0)_2TX	1.62

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**PSD_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix D.14

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	11.01	5.35	6.02	8.66	11.99
5200MHz	Pass	11.01	5.22	5.24	8.18	11.99
5240MHz	Pass	11.01	4.23	4.95	7.48	11.99
5260MHz	Pass	11.01	3.12	2.66	5.80	5.99
5300MHz	Pass	11.01	3.26	2.54	5.76	5.99
5320MHz	Pass	11.01	3.71	2.11	5.92	5.99
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	11.01	4.79	5.20	7.93	11.99
5200MHz	Pass	11.01	4.67	4.59	7.54	11.99
5240MHz	Pass	11.01	3.66	4.10	6.74	11.99
5260MHz	Pass	11.01	3.07	2.76	5.82	5.99
5300MHz	Pass	11.01	3.07	2.38	5.62	5.99
5320MHz	Pass	11.01	3.42	2.32	5.87	5.99
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	11.01	1.68	1.33	4.47	11.99
5230MHz	Pass	11.01	1.58	1.24	4.24	11.99
5270MHz	Pass	11.01	2.90	2.33	5.55	5.99
5310MHz	Pass	11.01	2.73	1.60	5.08	5.99
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	11.01	-1.77	-2.42	0.83	11.99
5290MHz	Pass	11.01	-1.18	-1.55	1.62	5.99

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

21/01/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.462

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.66	8.66	5.35	6.02

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

21/01/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.031

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.93	7.93	4.79	5.20

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

04/03/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.47	4.47	1.68	1.33

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

04/03/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.83	0.83	-1.77	-2.42

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

04/03/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.462

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
5.92	5.92	3.71	2.11

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

04/03/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.031

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
5.87	5.87	3.42	2.32

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

04/03/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.84

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.55	5.55	2.90	2.33

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

21/01/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.78

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.62	1.62	-1.18	-1.55



**PSD_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix D.15

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	7.99
802.11be EHT40_Nss2,(MCS0)_2TX	4.35
802.11be EHT80_Nss2,(MCS0)_2TX	0.30
5.25-5.35GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	7.93
802.11be EHT40_Nss2,(MCS0)_2TX	5.25
802.11be EHT80_Nss2,(MCS0)_2TX	2.37

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**PSD_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix D.15

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	8.00	4.91	5.18	7.99	15.00
5200MHz	Pass	8.00	4.79	4.49	7.64	15.00
5240MHz	Pass	8.00	3.78	4.33	6.95	15.00
5260MHz	Pass	8.00	5.04	4.71	7.85	9.00
5300MHz	Pass	8.00	5.12	4.34	7.71	9.00
5320MHz	Pass	8.00	5.51	4.35	7.93	9.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	8.00	0.76	0.36	3.44	15.00
5230MHz	Pass	8.00	1.79	1.36	4.35	15.00
5270MHz	Pass	8.00	2.51	2.05	5.25	9.00
5310MHz	Pass	8.00	2.87	1.69	5.21	9.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	8.00	-2.24	-2.93	0.30	15.00
5290MHz	Pass	8.00	-0.36	-0.91	2.37	9.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

21/01/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.901

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.99	7.99	4.91	5.18

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

21/01/2025

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.81

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.35	4.35	1.79	1.36

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

04/03/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.30	0.30	-2.24	-2.93

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5320MHz

04/03/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.93	7.93	5.51	4.35

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5270MHz

04/03/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.81

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.25	5.25	2.51	2.05

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

21/01/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
14.956

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.37	2.37	-0.36	-0.91

Sum ☒

Port 1 ☒

Port 2 ☒



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.43
802.11be EHT20_Nss1,(MCS0)_1TX	4.86
802.11be EHT40_Nss1,(MCS0)_1TX	1.64
802.11be EHT80_Nss1,(MCS0)_1TX	-2.62
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	1.55
802.11be EHT20_Nss1,(MCS0)_1TX	0.89
802.11be EHT40_Nss1,(MCS0)_1TX	-1.77
802.11be EHT80_Nss1,(MCS0)_1TX	-4.38

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



**PSD_Non-Beamforming_Radio 3_
MIMO-directional Antenna_1T1S**

Appendix D.16

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	15.00	5.43	5.43	8.00
5200MHz	Pass	15.00	5.07	5.07	8.00
5240MHz	Pass	15.00	3.98	3.98	8.00
5260MHz	Pass	15.00	1.16	1.16	2.00
5300MHz	Pass	15.00	1.55	1.55	2.00
5320MHz	Pass	15.00	1.50	1.50	2.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	15.00	4.86	4.86	8.00
5200MHz	Pass	15.00	4.71	4.71	8.00
5240MHz	Pass	15.00	3.59	3.59	8.00
5260MHz	Pass	15.00	0.69	0.69	2.00
5300MHz	Pass	15.00	0.89	0.89	2.00
5320MHz	Pass	15.00	0.85	0.85	2.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	15.00	1.63	1.63	8.00
5230MHz	Pass	15.00	1.64	1.64	8.00
5270MHz	Pass	15.00	-1.81	-1.81	2.00
5310MHz	Pass	15.00	-1.77	-1.77	2.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	15.00	-2.62	-2.62	8.00
5290MHz	Pass	15.00	-4.38	-4.38	2.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

20/01/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.181

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.43	5.43	5.43

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

20/01/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.031

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.86	4.86	4.86

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

20/01/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

03/03/2025



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

03/03/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.181

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.55	1.55	1.55

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5300MHz

03/03/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.031

Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.89	0.89	0.89

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5310MHz

03/03/2025




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.77	-1.77	-1.77

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5290MHz

03/03/2025



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.38	-4.38	-4.38



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	4.96
802.11be EHT20_Nss1,(MCS0)_2TX	4.96
802.11be EHT40_Nss1,(MCS0)_2TX	3.91
802.11be EHT80_Nss1,(MCS0)_2TX	-1.06
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	-1.04
802.11be EHT20_Nss1,(MCS0)_2TX	-1.03
802.11be EHT40_Nss1,(MCS0)_2TX	-2.23
802.11be EHT80_Nss1,(MCS0)_2TX	-4.71

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	18.01	1.57	1.95	4.71	4.99
5200MHz	Pass	18.01	1.80	1.93	4.86	4.99
5240MHz	Pass	18.01	1.68	2.45	4.96	4.99
5260MHz	Pass	18.01	-4.14	-4.10	-1.17	-1.01
5300MHz	Pass	18.01	-3.37	-4.55	-1.04	-1.01
5320MHz	Pass	18.01	-3.34	-4.83	-1.11	-1.01
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	18.01	1.79	2.24	4.96	4.99
5200MHz	Pass	18.01	2.06	1.91	4.96	4.99
5240MHz	Pass	18.01	1.49	2.20	4.72	4.99
5260MHz	Pass	18.01	-3.99	-4.12	-1.12	-1.01
5300MHz	Pass	18.01	-3.55	-4.25	-1.03	-1.01
5320MHz	Pass	18.01	-3.50	-4.97	-1.24	-1.01
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	18.01	-0.27	-0.86	2.33	4.99
5230MHz	Pass	18.01	1.35	0.82	3.91	4.99
5270MHz	Pass	18.01	-5.11	-5.54	-2.36	-1.01
5310MHz	Pass	18.01	-4.27	-5.69	-2.23	-1.01
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	18.01	-3.59	-4.33	-1.06	4.99
5290MHz	Pass	18.01	-7.43	-7.81	-4.71	-1.01

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

03/03/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
30.462
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.96	4.96	1.68	2.45

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

03/03/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
29.031
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.96	4.96	1.79	2.24


Sum
Port 1
Port 2

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

03/03/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.91	3.91	1.35	0.82

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

03/03/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.06	-1.06	-3.59	-4.33

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

03/03/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.04	-1.04	-3.37	-4.55

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

03/03/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.03	-1.03	-3.55	-4.25

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5310MHz

03/03/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.23	-2.23	-4.27	-5.69

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

03/03/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.71	-4.71	-7.43	-7.81



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	6.83
802.11be EHT40_Nss2,(MCS0)_2TX	3.83
802.11be EHT80_Nss2,(MCS0)_2TX	-1.69
5.25-5.35GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	0.55
802.11be EHT40_Nss2,(MCS0)_2TX	-2.09
802.11be EHT80_Nss2,(MCS0)_2TX	-4.78

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	15.00	3.63	4.12	6.82	8.00
5200MHz	Pass	15.00	4.00	3.71	6.83	8.00
5240MHz	Pass	15.00	3.36	4.28	6.70	8.00
5260MHz	Pass	15.00	-2.33	-2.47	0.55	2.00
5300MHz	Pass	15.00	-2.09	-2.91	0.42	2.00
5320MHz	Pass	15.00	-1.99	-2.90	0.49	2.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	15.00	-0.47	-1.03	2.15	8.00
5230MHz	Pass	15.00	1.20	0.74	3.83	8.00
5270MHz	Pass	15.00	-4.94	-5.49	-2.27	2.00
5310MHz	Pass	15.00	-4.35	-5.69	-2.09	2.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	15.00	-4.32	-4.87	-1.69	8.00
5290MHz	Pass	15.00	-7.61	-7.80	-4.78	2.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

04/03/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.83	6.83	4.00	3.71

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

04/03/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.83	3.83	1.20	0.74

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

02/03/2025

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
14.956

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.69	-1.69	-4.32	-4.87

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5260MHz

04/03/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.901

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.55	0.55	-2.33	-2.47

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5310MHz

04/03/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.09	-2.09	-4.35	-5.69

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

04/03/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.78	-4.78	-7.61	-7.80

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
a20_Nss1,(6Mbps)_1TX	-2.26	2.74
a40_Nss1,(6Mbps)_1TX	-3.41	1.59
a80_Nss1,(6Mbps)_1TX	-7.91	-2.91
a160_Nss1,(6Mbps)_1TX	-10.08	-5.08
5.25-5.35GHz	-	-
a20_Nss1,(6Mbps)_1TX	6.02	11.02
a40_Nss1,(6Mbps)_1TX	-0.30	4.70
a80_Nss1,(6Mbps)_1TX	-6.48	-1.48
a160_Nss1,(6Mbps)_1TX	-10.30	-5.30
5.47-5.725GHz	-	-
a20_Nss1,(6Mbps)_1TX	5.92	10.92
a40_Nss1,(6Mbps)_1TX	1.71	6.71
a80_Nss1,(6Mbps)_1TX	0.23	5.23
a160_Nss1,(6Mbps)_1TX	-10.75	-5.75
5.725-5.85GHz	-	-
a20_Nss1,(6Mbps)_1TX	4.44	9.44
a40_Nss1,(6Mbps)_1TX	0.75	5.75
a80_Nss1,(6Mbps)_1TX	-2.45	2.55

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	5.00	-3.03	-3.03	17.00	1.97	Inf
5200MHz	Pass	5.00	-2.46	-2.46	17.00	2.54	Inf
5240MHz	Pass	5.00	-2.26	-2.26	17.00	2.74	Inf
5260MHz	Pass	5.00	5.93	5.93	11.00	10.93	Inf
5300MHz	Pass	5.00	6.02	6.02	11.00	11.02	Inf
5320MHz	Pass	5.00	1.94	1.94	11.00	6.94	Inf
5500MHz	Pass	5.00	3.46	3.46	11.00	8.46	Inf
5580MHz	Pass	5.00	5.50	5.50	11.00	10.50	Inf
5700MHz	Pass	5.00	1.74	1.74	11.00	6.74	Inf
5720MHz Straddle 5.47-5.725GHz	Pass	5.00	5.92	5.92	11.00	10.92	Inf
5720MHz Straddle 5.725-5.85GHz	Pass	5.00	4.41	4.41	30.00	9.41	Inf
5745MHz	Pass	5.00	4.25	4.25	30.00	9.25	Inf
5785MHz	Pass	5.00	4.44	4.44	30.00	9.44	Inf
5825MHz	Pass	5.00	4.06	4.06	30.00	9.06	Inf
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	5.00	-5.85	-5.85	17.00	-0.85	Inf
5230MHz	Pass	5.00	-3.41	-3.41	17.00	1.59	Inf
5270MHz	Pass	5.00	-0.30	-0.30	11.00	4.70	Inf
5310MHz	Pass	5.00	-4.48	-4.48	11.00	0.52	Inf
5510MHz	Pass	5.00	-4.07	-4.07	11.00	0.93	Inf
5550MHz	Pass	5.00	1.71	1.71	11.00	6.71	Inf
5670MHz	Pass	5.00	-0.76	-0.76	11.00	4.24	Inf
5710MHz Straddle 5.47-5.725GHz	Pass	5.00	1.59	1.59	11.00	6.59	Inf
5710MHz Straddle 5.725-5.85GHz	Pass	5.00	-0.34	-0.34	30.00	4.66	Inf
5755MHz	Pass	5.00	-0.55	-0.55	30.00	4.45	Inf
5795MHz	Pass	5.00	0.75	0.75	30.00	5.75	Inf
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	5.00	-7.91	-7.91	17.00	-2.91	Inf
5290MHz	Pass	5.00	-6.48	-6.48	11.00	-1.48	Inf
5530MHz	Pass	5.00	-5.84	-5.84	11.00	-0.84	Inf
5610MHz	Pass	5.00	0.09	0.09	11.00	5.09	Inf
5690MHz Straddle 5.47-5.725GHz	Pass	5.00	0.23	0.23	11.00	5.23	Inf
5690MHz Straddle 5.725-5.85GHz	Pass	5.00	-2.45	-2.45	30.00	2.55	Inf
5775MHz	Pass	5.00	-4.46	-4.46	30.00	0.54	Inf
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.00	-10.08	-10.08	17.00	-5.08	Inf
5250MHz Straddle 5.25-5.35GHz	Pass	5.00	-10.30	-10.30	11.00	-5.30	Inf
5570MHz	Pass	5.00	-10.75	-10.75	11.00	-5.75	Inf

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.

5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

PSD

5240MHz

16/01/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.26	-2.26	-2.26

5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

PSD

5230MHz

17/01/2025

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.41	-3.41	-3.41

5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX

PSD

5210MHz

17/01/2025




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.91	-7.91	-7.91

5.15-5.25GHz_a160_Nss1,(6Mbps)_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

17/01/2025




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.08	-10.08	-10.08

5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

PSD

5300MHz

16/01/2025




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

PSD

5270MHz

03/02/2025




5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX

PSD

5290MHz

03/02/2025




5.25-5.35GHz_a160_Nss1,(6Mbps)_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

17/01/2025




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

22/04/2025




5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX

PSD

5550MHz

17/01/2025




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

PSD

5690MHz Straddle 5.47-5.725GHz

22/04/2025




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.23	0.23	0.23

5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

PSD

5570MHz

03/02/2025



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-10.75	-10.75	-10.75

5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

PSD

5785MHz

17/01/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
1.68

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.44	4.44	4.44

5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX

PSD

5795MHz

17/01/2025

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M


Sweep Time (s)
1.68

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.75	0.75	0.75





**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_1T1S**

Appendix E.1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	54.25M	35.95	40.00	-4.05	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_1T1S**


Appendix E.1

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	35.82M	30.55	40.00	-9.45	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	54.25M	35.95	40.00	-4.05	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	127.97M	24.01	43.50	-19.49	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	150.28M	25.14	43.50	-18.36	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	191.99M	22.09	43.50	-21.41	3	Vertical	360	1.00
5775MHz_Adapter	Pass	QP	45.64M	34.71	40.00	-5.29	3	Vertical	154	1.00
5775MHz_Adapter	Pass	PK	46.49M	25.28	40.00	-14.72	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	62.01M	22.02	40.00	-17.98	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	102.75M	28.40	43.50	-15.10	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	139.61M	26.52	43.50	-16.98	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	250.19M	30.63	46.00	-15.37	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	549.92M	28.37	46.00	-17.63	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_Adapter





RSE TX above 1GHzNon-Beamforming_Radio 2 Dipole Antenna_1T1S

Appendix E.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1496G	44.24	54.00	-9.76	3	Horizontal	139	2.89
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1398G	44.64	54.00	-9.36	3	Horizontal	145	2.86
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	47.65	54.00	-6.35	3	Horizontal	143	2.88
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.148G	48.57	54.00	-5.43	3	Horizontal	144	2.87
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3502G	45.37	54.00	-8.63	3	Horizontal	316	2.77
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	46.64	54.00	-7.36	3	Horizontal	145	2.86
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	48.78	54.00	-5.22	3	Horizontal	307	1.00
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.352G	48.46	54.00	-5.54	3	Horizontal	307	1.00
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.1492G	53.59	54.00	-0.41	3	Horizontal	322	2.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.7264G	67.08	68.20	-1.12	3	Horizontal	150	2.68
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.7256G	66.35	68.20	-1.85	3	Horizontal	132	2.84
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.7264G	65.66	68.20	-2.54	3	Horizontal	141	2.57
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.467G	63.68	68.20	-4.52	3	Horizontal	298	1.00
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.4632G	67.75	68.20	-0.45	3	Horizontal	308	1.00
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.4486G	45.96	54.00	-8.04	3	Horizontal	315	1.00
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.9726G	60.18	68.20	-8.02	3	Horizontal	318	1.00
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.4562G	45.90	54.00	-8.10	3	Horizontal	316	1.09
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.6466G	59.96	68.20	-8.24	3	Horizontal	317	1.10



RSE TX above 1GHzNon-Beamforming_Radio 2 Dipole Antenna_1T1S

Appendix E.2

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	44.24	54.00	-9.76	3	Horizontal	139	2.89
5180MHz	Pass	AV	5.1834G	99.99	Inf	-Inf	3	Horizontal	139	2.89
5180MHz	Pass	PK	5.1394G	59.51	74.00	-14.49	3	Horizontal	139	2.89
5180MHz	Pass	PK	5.1818G	111.65	Inf	-Inf	3	Horizontal	139	2.89
5180MHz	Pass	PK	10.34512G	49.49	68.20	-18.71	3	Vertical	165	1.50
5180MHz	Pass	PK	10.3576G	49.95	68.20	-18.25	3	Horizontal	0	1.50
5200MHz	Pass	AV	5.15G	43.17	54.00	-10.83	3	Horizontal	332	3.00
5200MHz	Pass	AV	5.2012G	99.07	Inf	-Inf	3	Horizontal	332	3.00
5200MHz	Pass	PK	5.144G	56.88	74.00	-17.12	3	Horizontal	332	3.00
5200MHz	Pass	PK	5.2028G	109.77	Inf	-Inf	3	Horizontal	332	3.00
5200MHz	Pass	PK	10.41408G	49.29	68.20	-18.91	3	Vertical	288	1.50
5200MHz	Pass	PK	10.41552G	49.67	68.20	-18.53	3	Horizontal	94	1.50
5240MHz	Pass	AV	5.1494G	42.67	54.00	-11.33	3	Horizontal	145	3.00
5240MHz	Pass	AV	5.237G	99.46	Inf	-Inf	3	Horizontal	145	3.00
5240MHz	Pass	AV	5.3654G	42.75	54.00	-11.25	3	Horizontal	145	3.00
5240MHz	Pass	PK	5.1374G	55.90	74.00	-18.10	3	Horizontal	145	3.00
5240MHz	Pass	PK	5.2352G	110.28	Inf	-Inf	3	Horizontal	145	3.00
5240MHz	Pass	PK	5.3708G	56.05	74.00	-17.95	3	Horizontal	145	3.00
5240MHz	Pass	PK	10.47008G	49.26	68.20	-18.94	3	Vertical	50	1.00
5240MHz	Pass	PK	10.4772G	48.81	68.20	-19.39	3	Horizontal	197	1.50
5260MHz	Pass	AV	5.1496G	42.62	54.00	-11.38	3	Horizontal	332	2.61
5260MHz	Pass	AV	5.2528G	98.81	Inf	-Inf	3	Horizontal	332	2.61
5260MHz	Pass	AV	5.3692G	42.47	54.00	-11.53	3	Horizontal	332	2.61
5260MHz	Pass	PK	5.1178G	56.18	74.00	-17.82	3	Horizontal	332	2.61
5260MHz	Pass	PK	5.26G	110.85	Inf	-Inf	3	Horizontal	332	2.61
5260MHz	Pass	PK	5.3806G	56.18	74.00	-17.82	3	Horizontal	332	2.61
5260MHz	Pass	PK	10.50816G	50.03	68.20	-18.17	3	Vertical	235	1.94
5260MHz	Pass	PK	10.5228G	48.91	68.20	-19.29	3	Horizontal	336	1.50
5300MHz	Pass	AV	5.2948G	97.23	Inf	-Inf	3	Horizontal	330	1.00
5300MHz	Pass	AV	5.3512G	42.87	54.00	-11.13	3	Horizontal	330	1.00
5300MHz	Pass	PK	5.302G	107.92	Inf	-Inf	3	Horizontal	330	1.00
5300MHz	Pass	PK	5.35G	56.29	74.00	-17.71	3	Horizontal	330	1.00
5300MHz	Pass	AV	10.60848G	35.71	54.00	-18.29	3	Vertical	360	1.80
5300MHz	Pass	PK	10.60904G	48.77	74.00	-25.23	3	Vertical	360	1.80
5300MHz	Pass	AV	10.60592G	35.67	54.00	-18.33	3	Horizontal	45	2.02
5300MHz	Pass	PK	10.60712G	50.05	74.00	-23.95	3	Horizontal	45	2.02
5320MHz	Pass	AV	5.3256G	98.62	Inf	-Inf	3	Horizontal	316	2.77
5320MHz	Pass	AV	5.3502G	45.37	54.00	-8.63	3	Horizontal	316	2.77
5320MHz	Pass	PK	5.3222G	109.70	Inf	-Inf	3	Horizontal	316	2.77
5320MHz	Pass	PK	5.3596G	60.07	74.00	-13.93	3	Horizontal	316	2.77
5320MHz	Pass	AV	10.65576G	35.78	54.00	-18.22	3	Vertical	157	2.66
5320MHz	Pass	PK	10.65192G	49.35	74.00	-24.65	3	Vertical	157	2.66
5320MHz	Pass	AV	10.65208G	35.76	54.00	-18.24	3	Horizontal	355	1.50
5320MHz	Pass	PK	10.65576G	49.20	74.00	-24.80	3	Horizontal	355	1.50
5500MHz	Pass	AV	5.46G	44.66	54.00	-9.34	3	Horizontal	307	1.00
5500MHz	Pass	AV	5.4968G	99.27	Inf	-Inf	3	Horizontal	307	1.00
5500MHz	Pass	PK	5.4592G	59.28	74.00	-14.72	3	Horizontal	307	1.00
5500MHz	Pass	PK	5.4668G	61.06	68.20	-7.14	3	Horizontal	307	1.00
5500MHz	Pass	PK	5.4978G	111.02	Inf	-Inf	3	Horizontal	307	1.00
5500MHz	Pass	AV	10.98692G	35.96	54.00	-18.04	3	Vertical	329	2.12
5500MHz	Pass	PK	11.00864G	49.13	74.00	-24.87	3	Vertical	329	2.12
5500MHz	Pass	AV	10.9859G	36.05	54.00	-17.95	3	Horizontal	90	2.84
5500MHz	Pass	PK	10.99706G	49.90	74.00	-24.10	3	Horizontal	90	2.84
5580MHz	Pass	AV	5.454G	42.21	54.00	-11.79	3	Horizontal	152	2.76
5580MHz	Pass	AV	5.583G	98.30	Inf	-Inf	3	Horizontal	152	2.76
5580MHz	Pass	PK	5.439G	55.80	74.00	-18.20	3	Horizontal	152	2.76
5580MHz	Pass	PK	5.4696G	55.13	68.20	-13.07	3	Horizontal	152	2.76
5580MHz	Pass	PK	5.5836G	108.81	Inf	-Inf	3	Horizontal	152	2.76
5580MHz	Pass	PK	5.7264G	56.40	68.20	-11.80	3	Horizontal	152	2.76
5580MHz	Pass	AV	11.14896G	36.04	54.00	-17.96	3	Vertical	118	1.50



RSE TX above 1GHzNon-Beamforming_Radio 2 Dipole Antenna_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.14998G	49.84	74.00	-24.16	3	Vertical	118	1.50
5580MHz	Pass	AV	11.16354G	36.00	54.00	-18.00	3	Horizontal	145	1.50
5580MHz	Pass	PK	11.1462G	49.70	74.00	-24.30	3	Horizontal	145	1.50
5700MHz	Pass	AV	5.7016G	98.51	Inf	-Inf	3	Horizontal	150	2.68
5700MHz	Pass	PK	5.698G	110.64	Inf	-Inf	3	Horizontal	150	2.68
5700MHz	Pass	PK	5.7264G	67.08	68.20	-1.12	3	Horizontal	150	2.68
5700MHz	Pass	AV	11.4063G	37.08	54.00	-16.92	3	Vertical	51	1.99
5700MHz	Pass	PK	11.4108G	49.78	74.00	-24.22	3	Vertical	51	1.99
5700MHz	Pass	AV	11.40678G	37.02	54.00	-16.98	3	Horizontal	299	2.76
5700MHz	Pass	PK	11.40504G	50.71	74.00	-23.29	3	Horizontal	299	2.76
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	41.83	54.00	-12.17	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	99.06	Inf	-Inf	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	55.69	74.00	-18.31	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.07	68.20	-13.13	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	110.05	Inf	-Inf	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9708G	57.86	68.20	-10.34	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43964G	37.12	54.00	-16.88	3	Vertical	243	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44144G	50.81	74.00	-23.19	3	Vertical	243	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4376G	37.01	54.00	-16.99	3	Horizontal	341	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44474G	50.87	74.00	-23.13	3	Horizontal	341	1.50
5745MHz	Pass	AV	5.4486G	45.96	54.00	-8.04	3	Horizontal	315	1.00
5745MHz	Pass	AV	5.7414G	104.20	Inf	-Inf	3	Horizontal	315	1.00
5745MHz	Pass	PK	5.6394G	58.58	68.20	-9.62	3	Horizontal	315	1.00
5745MHz	Pass	PK	5.739G	113.23	Inf	-Inf	3	Horizontal	315	1.00
5745MHz	Pass	PK	5.9322G	59.37	68.20	-8.83	3	Horizontal	315	1.00
5745MHz	Pass	AV	11.4912G	37.22	54.00	-16.78	3	Vertical	137	1.50
5745MHz	Pass	PK	11.4813G	49.63	74.00	-24.37	3	Vertical	137	1.50
5745MHz	Pass	AV	11.49324G	37.18	54.00	-16.82	3	Horizontal	39	1.50
5745MHz	Pass	PK	11.49876G	49.31	74.00	-24.69	3	Horizontal	39	1.50
5785MHz	Pass	AV	5.7825G	103.07	Inf	-Inf	3	Horizontal	321	2.76
5785MHz	Pass	PK	5.56591G	58.16	68.20	-10.04	3	Horizontal	321	2.76
5785MHz	Pass	PK	5.78371G	112.35	Inf	-Inf	3	Horizontal	321	2.76
5785MHz	Pass	PK	6.03781G	59.48	68.20	-8.72	3	Horizontal	321	2.76
5785MHz	Pass	AV	11.55662G	36.90	54.00	-17.10	3	Vertical	333	1.50
5785MHz	Pass	PK	11.5826G	49.88	74.00	-24.12	3	Vertical	333	1.50
5785MHz	Pass	AV	11.558G	36.91	54.00	-17.09	3	Horizontal	225	1.95
5785MHz	Pass	PK	11.56052G	49.72	74.00	-24.28	3	Horizontal	225	1.95
5825MHz	Pass	AV	5.8178G	102.63	Inf	-Inf	3	Horizontal	318	1.16
5825MHz	Pass	PK	5.6102G	58.22	68.20	-9.98	3	Horizontal	318	1.16
5825MHz	Pass	PK	5.8274G	111.90	Inf	-Inf	3	Horizontal	318	1.16
5825MHz	Pass	PK	6.0818G	60.09	68.20	-8.11	3	Horizontal	318	1.16
5825MHz	Pass	AV	11.65258G	36.80	54.00	-17.20	3	Vertical	48	1.50
5825MHz	Pass	PK	11.63752G	49.71	74.00	-24.29	3	Vertical	48	1.50
5825MHz	Pass	AV	11.65138G	36.82	54.00	-17.18	3	Horizontal	169	2.76
5825MHz	Pass	PK	11.66134G	49.47	74.00	-24.53	3	Horizontal	169	2.76
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1398G	44.64	54.00	-9.36	3	Horizontal	145	2.86
5180MHz	Pass	AV	5.1848G	98.85	Inf	-Inf	3	Horizontal	145	2.86
5180MHz	Pass	PK	5.1386G	59.31	74.00	-14.69	3	Horizontal	145	2.86
5180MHz	Pass	PK	5.184G	113.01	Inf	-Inf	3	Horizontal	145	2.86
5180MHz	Pass	PK	10.35376G	49.00	68.20	-19.20	3	Vertical	78	1.50
5180MHz	Pass	PK	10.37968G	50.04	68.20	-18.16	3	Horizontal	269	1.50
5200MHz	Pass	AV	5.15G	43.30	54.00	-10.70	3	Horizontal	331	1.04
5200MHz	Pass	AV	5.2028G	98.01	Inf	-Inf	3	Horizontal	331	1.04
5200MHz	Pass	PK	5.142G	56.78	74.00	-17.22	3	Horizontal	331	1.04
5200MHz	Pass	PK	5.2008G	111.43	Inf	-Inf	3	Horizontal	331	1.04
5200MHz	Pass	PK	10.41912G	49.20	68.20	-19.00	3	Vertical	26	1.50
5200MHz	Pass	PK	10.38056G	48.99	68.20	-19.21	3	Horizontal	146	1.50
5240MHz	Pass	AV	5.1494G	42.62	54.00	-11.38	3	Horizontal	328	1.11
5240MHz	Pass	AV	5.234G	97.08	Inf	-Inf	3	Horizontal	328	1.11
5240MHz	Pass	AV	5.3552G	42.54	54.00	-11.46	3	Horizontal	328	1.11
5240MHz	Pass	PK	5.1386G	56.19	74.00	-17.81	3	Horizontal	328	1.11



RSE TX above 1GHzNon-Beamforming_Radio 2
Dipole Antenna_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.234G	110.37	Inf	-Inf	3	Horizontal	328	1.11
5240MHz	Pass	PK	5.3708G	56.99	74.00	-17.01	3	Horizontal	328	1.11
5240MHz	Pass	PK	10.46104G	48.71	68.20	-19.49	3	Vertical	232	1.50
5240MHz	Pass	PK	10.47872G	48.85	68.20	-19.35	3	Horizontal	136	1.50
5260MHz	Pass	AV	5.149G	42.44	54.00	-11.56	3	Horizontal	331	1.00
5260MHz	Pass	AV	5.2522G	97.76	Inf	-Inf	3	Horizontal	331	1.00
5260MHz	Pass	AV	5.3524G	42.39	54.00	-11.61	3	Horizontal	331	1.00
5260MHz	Pass	PK	5.146G	55.67	74.00	-18.33	3	Horizontal	331	1.00
5260MHz	Pass	PK	5.2546G	111.94	Inf	-Inf	3	Horizontal	331	1.00
5260MHz	Pass	PK	5.3968G	56.76	74.00	-17.24	3	Horizontal	331	1.00
5260MHz	Pass	PK	10.51688G	49.46	68.20	-18.74	3	Vertical	52	1.50
5260MHz	Pass	PK	10.5124G	49.55	68.20	-18.65	3	Horizontal	103	1.50
5300MHz	Pass	AV	5.2952G	96.80	Inf	-Inf	3	Horizontal	329	1.00
5300MHz	Pass	AV	5.35G	43.15	54.00	-10.85	3	Horizontal	329	1.00
5300MHz	Pass	PK	5.2912G	110.39	Inf	-Inf	3	Horizontal	329	1.00
5300MHz	Pass	PK	5.35G	56.26	74.00	-17.74	3	Horizontal	329	1.00
5300MHz	Pass	AV	10.60776G	35.63	54.00	-18.37	3	Vertical	256	2.23
5300MHz	Pass	PK	10.61752G	49.74	74.00	-24.26	3	Vertical	256	2.23
5300MHz	Pass	AV	10.60456G	35.68	54.00	-18.32	3	Horizontal	99	2.73
5300MHz	Pass	PK	10.608G	49.66	74.00	-24.34	3	Horizontal	99	2.73
5320MHz	Pass	AV	5.327G	98.52	Inf	-Inf	3	Horizontal	145	2.86
5320MHz	Pass	AV	5.35G	46.64	54.00	-7.36	3	Horizontal	145	2.86
5320MHz	Pass	PK	5.3232G	112.16	Inf	-Inf	3	Horizontal	145	2.86
5320MHz	Pass	PK	5.3614G	61.43	74.00	-12.57	3	Horizontal	145	2.86
5320MHz	Pass	AV	10.65432G	35.79	54.00	-18.21	3	Vertical	100	1.50
5320MHz	Pass	PK	10.65504G	49.88	74.00	-24.12	3	Vertical	100	1.50
5320MHz	Pass	AV	10.65344G	35.79	54.00	-18.21	3	Horizontal	0	2.40
5320MHz	Pass	PK	10.6244G	49.32	74.00	-24.68	3	Horizontal	0	2.40
5500MHz	Pass	AV	5.4596G	46.26	54.00	-7.74	3	Horizontal	305	1.00
5500MHz	Pass	AV	5.4928G	99.73	Inf	-Inf	3	Horizontal	305	1.00
5500MHz	Pass	PK	5.459G	62.55	74.00	-11.45	3	Horizontal	305	1.00
5500MHz	Pass	PK	5.461G	63.98	68.20	-4.22	3	Horizontal	305	1.00
5500MHz	Pass	PK	5.4916G	113.95	Inf	-Inf	3	Horizontal	305	1.00
5500MHz	Pass	AV	10.98728G	35.87	54.00	-18.13	3	Vertical	184	1.70
5500MHz	Pass	PK	10.99088G	49.06	74.00	-24.94	3	Vertical	184	1.70
5500MHz	Pass	AV	10.9868G	36.00	54.00	-18.00	3	Horizontal	297	1.50
5500MHz	Pass	PK	10.99184G	49.81	74.00	-24.19	3	Horizontal	297	1.50
5580MHz	Pass	AV	5.4492G	42.39	54.00	-11.61	3	Horizontal	303	1.00
5580MHz	Pass	AV	5.5776G	98.12	Inf	-Inf	3	Horizontal	303	1.00
5580MHz	Pass	PK	5.4516G	56.56	74.00	-17.44	3	Horizontal	303	1.00
5580MHz	Pass	PK	5.4666G	55.09	68.20	-13.11	3	Horizontal	303	1.00
5580MHz	Pass	PK	5.5818G	112.16	Inf	-Inf	3	Horizontal	303	1.00
5580MHz	Pass	PK	5.7294G	56.31	68.20	-11.89	3	Horizontal	303	1.00
5580MHz	Pass	AV	11.14782G	36.05	54.00	-17.95	3	Vertical	360	1.00
5580MHz	Pass	PK	11.14818G	49.58	74.00	-24.42	3	Vertical	360	1.00
5580MHz	Pass	AV	11.1627G	36.11	54.00	-17.89	3	Horizontal	205	1.50
5580MHz	Pass	PK	11.14614G	49.73	74.00	-24.27	3	Horizontal	205	1.50
5700MHz	Pass	AV	5.6964G	96.99	Inf	-Inf	3	Horizontal	132	2.84
5700MHz	Pass	PK	5.7072G	111.51	Inf	-Inf	3	Horizontal	132	2.84
5700MHz	Pass	PK	5.7256G	66.35	68.20	-1.85	3	Horizontal	132	2.84
5700MHz	Pass	AV	11.40258G	36.97	54.00	-17.03	3	Vertical	102	1.99
5700MHz	Pass	PK	11.40342G	50.46	74.00	-23.54	3	Vertical	102	1.99
5700MHz	Pass	AV	11.40504G	36.97	54.00	-17.03	3	Horizontal	42	1.76
5700MHz	Pass	PK	11.40336G	50.02	74.00	-23.98	3	Horizontal	42	1.76
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4344G	42.08	54.00	-11.92	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	100.25	Inf	-Inf	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	57.57	74.00	-16.43	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	55.23	68.20	-12.97	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	113.18	Inf	-Inf	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9612G	57.80	68.20	-10.40	3	Horizontal	309	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43886G	37.04	54.00	-16.96	3	Vertical	320	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44708G	50.21	74.00	-23.79	3	Vertical	320	1.50



RSE TX above 1GHzNon-Beamforming_Radio 2 Dipole Antenna_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44156G	37.02	54.00	-16.98	3	Horizontal	122	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4436G	49.89	74.00	-24.11	3	Horizontal	122	1.50
5745MHz	Pass	AV	5.4546G	45.87	54.00	-8.13	3	Horizontal	315	1.07
5745MHz	Pass	AV	5.7438G	103.39	Inf	-Inf	3	Horizontal	315	1.07
5745MHz	Pass	PK	5.6382G	59.11	68.20	-9.09	3	Horizontal	315	1.07
5745MHz	Pass	PK	5.7498G	115.12	Inf	-Inf	3	Horizontal	315	1.07
5745MHz	Pass	PK	6.015G	59.39	68.20	-8.81	3	Horizontal	315	1.07
5745MHz	Pass	AV	11.49174G	37.24	54.00	-16.76	3	Vertical	198	2.20
5745MHz	Pass	PK	11.47848G	50.16	74.00	-23.84	3	Vertical	198	2.20
5745MHz	Pass	AV	11.49102G	37.23	54.00	-16.77	3	Horizontal	82	1.50
5745MHz	Pass	PK	11.47656G	49.80	74.00	-24.20	3	Horizontal	82	1.50
5785MHz	Pass	AV	5.78129G	102.59	Inf	-Inf	3	Horizontal	318	1.07
5785MHz	Pass	PK	5.63246G	58.60	68.20	-9.60	3	Horizontal	318	1.07
5785MHz	Pass	PK	5.78129G	114.45	Inf	-Inf	3	Horizontal	318	1.07
5785MHz	Pass	PK	5.93738G	60.09	68.20	-8.11	3	Horizontal	318	1.07
5785MHz	Pass	AV	11.55506G	36.96	54.00	-17.04	3	Vertical	223	1.50
5785MHz	Pass	PK	11.57576G	49.95	74.00	-24.05	3	Vertical	223	1.50
5785MHz	Pass	AV	11.55554G	36.91	54.00	-17.09	3	Horizontal	200	1.50
5785MHz	Pass	PK	11.55692G	49.16	74.00	-24.84	3	Horizontal	200	1.50
5825MHz	Pass	AV	5.8214G	102.16	Inf	-Inf	3	Horizontal	318	1.00
5825MHz	Pass	PK	5.6138G	58.15	68.20	-10.05	3	Horizontal	318	1.00
5825MHz	Pass	PK	5.8214G	114.12	Inf	-Inf	3	Horizontal	318	1.00
5825MHz	Pass	PK	5.9726G	60.18	68.20	-8.02	3	Horizontal	318	1.00
5825MHz	Pass	AV	11.65132G	36.84	54.00	-17.16	3	Vertical	163	1.50
5825MHz	Pass	PK	11.65936G	50.17	74.00	-23.83	3	Vertical	163	1.50
5825MHz	Pass	AV	11.65318G	36.86	54.00	-17.14	3	Horizontal	69	1.50
5825MHz	Pass	PK	11.63596G	49.48	74.00	-24.52	3	Horizontal	69	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	47.65	54.00	-6.35	3	Horizontal	143	2.88
5190MHz	Pass	AV	5.1972G	96.57	Inf	-Inf	3	Horizontal	143	2.88
5190MHz	Pass	PK	5.1484G	61.55	74.00	-12.45	3	Horizontal	143	2.88
5190MHz	Pass	PK	5.2072G	110.48	Inf	-Inf	3	Horizontal	143	2.88
5190MHz	Pass	PK	10.3664G	49.51	68.20	-18.69	3	Vertical	246	2.50
5190MHz	Pass	PK	10.37968G	49.05	68.20	-19.15	3	Horizontal	94	2.61
5230MHz	Pass	AV	5.1496G	43.66	54.00	-10.34	3	Horizontal	334	2.91
5230MHz	Pass	AV	5.216G	96.05	Inf	-Inf	3	Horizontal	334	2.91
5230MHz	Pass	PK	5.1496G	57.38	74.00	-16.62	3	Horizontal	334	2.91
5230MHz	Pass	PK	5.212G	110.26	Inf	-Inf	3	Horizontal	334	2.91
5230MHz	Pass	PK	10.45088G	48.72	68.20	-19.48	3	Vertical	314	1.50
5230MHz	Pass	PK	10.45632G	49.27	68.20	-18.93	3	Horizontal	128	2.94
5270MHz	Pass	AV	5.2524G	95.45	Inf	-Inf	3	Horizontal	330	1.00
5270MHz	Pass	AV	5.35G	44.17	54.00	-9.83	3	Horizontal	330	1.00
5270MHz	Pass	PK	5.2588G	108.90	Inf	-Inf	3	Horizontal	330	1.00
5270MHz	Pass	PK	5.3544G	57.99	74.00	-16.01	3	Horizontal	330	1.00
5270MHz	Pass	PK	10.5196G	48.86	68.20	-19.34	3	Vertical	151	2.61
5270MHz	Pass	PK	10.55092G	49.19	68.20	-19.01	3	Horizontal	309	1.50
5310MHz	Pass	AV	5.306G	96.96	Inf	-Inf	3	Horizontal	307	1.00
5310MHz	Pass	AV	5.35G	48.78	54.00	-5.22	3	Horizontal	307	1.00
5310MHz	Pass	PK	5.3076G	111.09	Inf	-Inf	3	Horizontal	307	1.00
5310MHz	Pass	PK	5.3544G	63.10	74.00	-10.90	3	Horizontal	307	1.00
5310MHz	Pass	AV	10.64496G	35.89	54.00	-18.11	3	Vertical	273	2.11
5310MHz	Pass	PK	10.63176G	49.83	74.00	-24.17	3	Vertical	273	2.11
5310MHz	Pass	AV	10.64808G	35.89	54.00	-18.11	3	Horizontal	290	1.50
5310MHz	Pass	PK	10.60776G	49.50	74.00	-24.50	3	Horizontal	290	1.50
5510MHz	Pass	AV	5.46G	47.89	54.00	-6.11	3	Horizontal	305	1.00
5510MHz	Pass	AV	5.492G	96.46	Inf	-Inf	3	Horizontal	305	1.00
5510MHz	Pass	PK	5.4572G	62.70	74.00	-11.30	3	Horizontal	305	1.00
5510MHz	Pass	PK	5.47G	65.61	68.20	-2.59	3	Horizontal	305	1.00
5510MHz	Pass	PK	5.4936G	110.50	Inf	-Inf	3	Horizontal	305	1.00
5510MHz	Pass	AV	11.0212G	35.67	54.00	-18.33	3	Vertical	38	1.70
5510MHz	Pass	PK	11.01772G	49.64	74.00	-24.36	3	Vertical	38	1.70
5510MHz	Pass	AV	11.01892G	35.63	54.00	-18.37	3	Horizontal	342	1.50



RSE TX above 1GHzNon-Beamforming_Radio 2
Dipole Antenna_1T1S


Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	11.02432G	48.93	74.00	-25.07	3	Horizontal	342	1.50
5550MHz	Pass	AV	5.46G	44.11	54.00	-9.89	3	Horizontal	307	1.00
5550MHz	Pass	AV	5.5544G	95.55	Inf	-Inf	3	Horizontal	307	1.00
5550MHz	Pass	PK	5.4596G	57.68	74.00	-16.32	3	Horizontal	307	1.00
5550MHz	Pass	PK	5.4628G	58.21	68.20	-9.99	3	Horizontal	307	1.00
5550MHz	Pass	PK	5.5508G	109.92	Inf	-Inf	3	Horizontal	307	1.00
5550MHz	Pass	AV	11.11572G	35.63	54.00	-18.37	3	Vertical	357	1.00
5550MHz	Pass	PK	11.08452G	48.70	74.00	-25.30	3	Vertical	357	1.00
5550MHz	Pass	AV	11.11284G	35.60	54.00	-18.40	3	Horizontal	64	1.50
5550MHz	Pass	PK	11.09196G	48.86	74.00	-25.14	3	Horizontal	64	1.50
5670MHz	Pass	AV	5.664G	97.33	Inf	-Inf	3	Horizontal	141	2.57
5670MHz	Pass	PK	5.6676G	112.38	Inf	-Inf	3	Horizontal	141	2.57
5670MHz	Pass	PK	5.7264G	65.66	68.20	-2.54	3	Horizontal	141	2.57
5670MHz	Pass	AV	11.32704G	36.30	54.00	-17.70	3	Vertical	21	2.95
5670MHz	Pass	PK	11.36304G	49.91	74.00	-24.09	3	Vertical	21	2.95
5670MHz	Pass	AV	11.32596G	36.26	54.00	-17.74	3	Horizontal	323	1.50
5670MHz	Pass	PK	11.34648G	50.25	74.00	-23.75	3	Horizontal	323	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	42.25	54.00	-11.75	3	Horizontal	307	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	98.04	Inf	-Inf	3	Horizontal	307	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4124G	55.84	74.00	-18.16	3	Horizontal	307	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	55.11	68.20	-13.09	3	Horizontal	307	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6968G	111.53	Inf	-Inf	3	Horizontal	307	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9368G	57.73	68.20	-10.47	3	Horizontal	307	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40464G	36.78	54.00	-17.22	3	Vertical	79	1.71
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39768G	50.11	74.00	-23.89	3	Vertical	79	1.71
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43692G	36.85	54.00	-17.15	3	Horizontal	295	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42504G	49.99	74.00	-24.01	3	Horizontal	295	1.50
5755MHz	Pass	AV	5.4562G	45.90	54.00	-8.10	3	Horizontal	316	1.09
5755MHz	Pass	AV	5.761G	99.84	Inf	-Inf	3	Horizontal	316	1.09
5755MHz	Pass	PK	5.6506G	59.69	68.64	-8.95	3	Horizontal	316	1.09
5755MHz	Pass	PK	5.7526G	111.94	Inf	-Inf	3	Horizontal	316	1.09
5755MHz	Pass	PK	6.0358G	59.47	68.20	-8.73	3	Horizontal	316	1.09
5755MHz	Pass	AV	11.4866G	37.26	54.00	-16.74	3	Vertical	25	1.35
5755MHz	Pass	PK	11.50664G	49.94	74.00	-24.06	3	Vertical	25	1.35
5755MHz	Pass	AV	11.49224G	37.18	54.00	-16.82	3	Horizontal	183	1.50
5755MHz	Pass	PK	11.49128G	49.98	74.00	-24.02	3	Horizontal	183	1.50
5795MHz	Pass	AV	5.8022G	99.51	Inf	-Inf	3	Horizontal	318	1.00
5795MHz	Pass	PK	5.6402G	58.83	68.20	-9.37	3	Horizontal	318	1.00
5795MHz	Pass	PK	5.7998G	111.53	Inf	-Inf	3	Horizontal	318	1.00
5795MHz	Pass	PK	5.9894G	59.97	68.20	-8.23	3	Horizontal	318	1.00
5795MHz	Pass	AV	11.56084G	37.10	54.00	-16.90	3	Vertical	8	1.50
5795MHz	Pass	PK	11.58016G	49.96	74.00	-24.04	3	Vertical	8	1.50
5795MHz	Pass	AV	11.566G	37.09	54.00	-16.91	3	Horizontal	337	1.50
5795MHz	Pass	PK	11.61052G	49.74	74.00	-24.26	3	Horizontal	337	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	48.57	54.00	-5.43	3	Horizontal	144	2.87
5210MHz	Pass	AV	5.199G	93.68	Inf	-Inf	3	Horizontal	144	2.87
5210MHz	Pass	AV	5.357G	43.32	54.00	-10.68	3	Horizontal	144	2.87
5210MHz	Pass	PK	5.143G	62.31	74.00	-11.69	3	Horizontal	144	2.87
5210MHz	Pass	PK	5.199G	106.68	Inf	-Inf	3	Horizontal	144	2.87
5210MHz	Pass	PK	5.381G	57.46	74.00	-16.54	3	Horizontal	144	2.87
5210MHz	Pass	PK	10.37224G	50.41	68.20	-17.79	3	Vertical	73	2.57
5210MHz	Pass	PK	10.36576G	49.39	68.20	-18.81	3	Horizontal	40	1.10
5290MHz	Pass	AV	5.15G	44.86	54.00	-9.14	3	Horizontal	307	1.00
5290MHz	Pass	AV	5.303G	93.35	Inf	-Inf	3	Horizontal	307	1.00
5290MHz	Pass	AV	5.352G	48.46	54.00	-5.54	3	Horizontal	307	1.00
5290MHz	Pass	PK	5.148G	57.60	74.00	-16.40	3	Horizontal	307	1.00
5290MHz	Pass	PK	5.255G	107.86	Inf	-Inf	3	Horizontal	307	1.00
5290MHz	Pass	PK	5.361G	61.56	74.00	-12.44	3	Horizontal	307	1.00
5290MHz	Pass	PK	5.491G	57.26	68.20	-10.94	3	Horizontal	307	1.00
5290MHz	Pass	PK	10.58032G	48.75	68.20	-19.45	3	Vertical	318	1.50
5290MHz	Pass	PK	10.58016G	49.26	68.20	-18.94	3	Horizontal	300	1.07

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.35G	42.52	54.00	-11.48	3	Horizontal	298	1.00
5530MHz	Pass	AV	5.46G	48.56	54.00	-5.44	3	Horizontal	298	1.00
5530MHz	Pass	AV	5.5G	92.61	Inf	-Inf	3	Horizontal	298	1.00
5530MHz	Pass	PK	5.317G	56.30	68.20	-11.90	3	Horizontal	298	1.00
5530MHz	Pass	PK	5.458G	62.19	74.00	-11.81	3	Horizontal	298	1.00
5530MHz	Pass	PK	5.467G	63.68	68.20	-4.52	3	Horizontal	298	1.00
5530MHz	Pass	PK	5.498G	106.06	Inf	-Inf	3	Horizontal	298	1.00
5530MHz	Pass	PK	5.774G	56.95	68.20	-11.25	3	Horizontal	298	1.00
5530MHz	Pass	AV	11.1164G	35.67	54.00	-18.33	3	Vertical	4	1.50
5530MHz	Pass	PK	11.07584G	49.93	74.00	-24.07	3	Vertical	4	1.50
5530MHz	Pass	AV	11.06672G	35.69	54.00	-18.31	3	Horizontal	104	2.48
5530MHz	Pass	PK	11.06816G	49.08	74.00	-24.92	3	Horizontal	104	2.48
5610MHz	Pass	AV	5.46G	44.14	54.00	-9.86	3	Horizontal	142	2.73
5610MHz	Pass	AV	5.639G	93.87	Inf	-Inf	3	Horizontal	142	2.73
5610MHz	Pass	PK	5.452G	58.78	74.00	-15.22	3	Horizontal	142	2.73
5610MHz	Pass	PK	5.463G	58.93	68.20	-9.27	3	Horizontal	142	2.73
5610MHz	Pass	PK	5.629G	107.42	Inf	-Inf	3	Horizontal	142	2.73
5610MHz	Pass	PK	5.725G	58.77	68.20	-9.43	3	Horizontal	142	2.73
5610MHz	Pass	AV	11.27736G	36.23	54.00	-17.77	3	Vertical	220	1.50
5610MHz	Pass	PK	11.2648G	49.93	74.00	-24.07	3	Vertical	220	1.50
5610MHz	Pass	AV	11.27832G	36.30	54.00	-17.70	3	Horizontal	143	1.28
5610MHz	Pass	PK	11.24664G	49.23	74.00	-24.77	3	Horizontal	143	1.28
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	42.25	54.00	-11.75	3	Horizontal	141	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	94.91	Inf	-Inf	3	Horizontal	141	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	55.58	74.00	-18.42	3	Horizontal	141	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	54.87	68.20	-13.33	3	Horizontal	141	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	108.00	Inf	-Inf	3	Horizontal	141	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9672G	58.59	68.20	-9.61	3	Horizontal	141	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.4376G	36.83	54.00	-17.17	3	Vertical	317	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36704G	49.79	74.00	-24.21	3	Vertical	317	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.43952G	36.86	54.00	-17.14	3	Horizontal	97	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40808G	49.92	74.00	-24.08	3	Horizontal	97	1.50
5775MHz	Pass	AV	5.7618G	96.35	Inf	-Inf	3	Horizontal	317	1.10
5775MHz	Pass	PK	5.6466G	59.96	68.20	-8.24	3	Horizontal	317	1.10
5775MHz	Pass	PK	5.7714G	108.38	Inf	-Inf	3	Horizontal	317	1.10
5775MHz	Pass	PK	5.9382G	59.55	68.20	-8.65	3	Horizontal	317	1.10
5775MHz	Pass	AV	11.54544G	37.19	54.00	-16.81	3	Vertical	87	1.50
5775MHz	Pass	PK	11.53944G	49.92	74.00	-24.08	3	Vertical	87	1.50
5775MHz	Pass	AV	11.54328G	37.22	54.00	-16.78	3	Horizontal	360	1.50
5775MHz	Pass	PK	11.55264G	49.43	74.00	-24.57	3	Horizontal	360	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	53.59	54.00	-0.41	3	Horizontal	322	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1888G	91.78	Inf	-Inf	3	Horizontal	322	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3544G	51.11	54.00	-2.89	3	Horizontal	322	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	69.92	74.00	-4.08	3	Horizontal	322	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.19G	104.12	Inf	-Inf	3	Horizontal	322	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.358G	69.18	74.00	-4.82	3	Horizontal	322	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	59.58	68.20	-8.62	3	Horizontal	322	2.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48752G	49.68	68.20	-18.52	3	Vertical	143	2.34
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57072G	49.93	68.20	-18.27	3	Horizontal	50	1.33
5570MHz	Pass	AV	5.4584G	49.34	54.00	-4.66	3	Horizontal	308	1.00
5570MHz	Pass	AV	5.6468G	90.89	Inf	-Inf	3	Horizontal	308	1.00
5570MHz	Pass	PK	5.3372G	58.08	68.20	-10.12	3	Horizontal	308	1.00
5570MHz	Pass	PK	5.4212G	68.46	74.00	-5.54	3	Horizontal	308	1.00
5570MHz	Pass	PK	5.4632G	67.75	68.20	-0.45	3	Horizontal	308	1.00
5570MHz	Pass	PK	5.6324G	104.06	Inf	-Inf	3	Horizontal	308	1.00
5570MHz	Pass	PK	5.75G	66.24	68.20	-1.96	3	Horizontal	308	1.00
5570MHz	Pass	AV	11.196G	35.81	54.00	-18.19	3	Vertical	325	1.35
5570MHz	Pass	PK	11.1768G	49.57	74.00	-24.43	3	Vertical	325	1.35
5570MHz	Pass	AV	11.14928G	36.67	54.00	-17.33	3	Horizontal	24	2.14
5570MHz	Pass	PK	11.21328G	50.42	74.00	-23.58	3	Horizontal	24	2.14


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.65	54.00	-6.35	1.02	3	Horizontal	143	2.88	46.63	33.50	4.81	37.29
AV	5.1972G	96.57	Inf	-Inf	0.85	3	Horizontal	143	2.88	95.72	33.31	4.84	37.30
PK	5.1484G	61.55	74.00	-12.45	1.01	3	Horizontal	143	2.88	60.54	33.49	4.81	37.29
PK	5.2072G	110.48	Inf	-Inf	0.82	3	Horizontal	143	2.88	109.66	33.29	4.84	37.31

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3664G	49.51	68.20	-18.69	4.12	3	Vertical	246	2.50	45.39	38.73	7.30	41.91


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.52	54.00	-11.48	0.67	3	Horizontal	298	1.00	41.85	33.10	4.91	37.34
AV	5.46G	48.56	54.00	-5.44	0.65	3	Horizontal	298	1.00	47.91	33.06	4.95	37.36
AV	5.5G	92.61	Inf	-Inf	0.89	3	Horizontal	298	1.00	91.72	33.30	4.96	37.37
PK	5.317G	56.30	68.20	-11.90	0.66	3	Horizontal	298	1.00	55.64	33.10	4.89	37.33
PK	5.458G	62.19	74.00	-11.81	0.63	3	Horizontal	298	1.00	61.56	33.05	4.94	37.36
PK	5.467G	63.68	68.20	-4.52	0.69	3	Horizontal	298	1.00	62.99	33.10	4.95	37.36
PK	5.498G	106.06	Inf	-Inf	0.87	3	Horizontal	298	1.00	105.19	33.29	4.95	37.37
PK	5.774G	56.95	68.20	-11.25	2.00	3	Horizontal	298	1.00	54.95	34.10	5.15	37.25

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1164G	35.67	54.00	-18.33	4.20	3	Vertical	4	1.50	31.47	38.83	7.62	42.25
PK	11.07584G	49.93	74.00	-24.07	4.10	3	Vertical	4	1.50	45.83	38.80	7.60	42.30


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	45.96	54.00	-8.04	5.30	3	Horizontal	315	1.00	40.66	32.80	7.57	35.07
AV	5.7414G	104.20	Inf	-Inf	6.24	3	Horizontal	315	1.00	97.96	33.68	7.73	35.17
PK	5.6394G	58.58	68.20	-9.62	5.47	3	Horizontal	315	1.00	53.11	33.04	7.56	35.13
PK	5.739G	113.23	Inf	-Inf	6.24	3	Horizontal	315	1.00	106.99	33.68	7.73	35.17
PK	5.9322G	59.37	68.20	-8.83	6.60	3	Horizontal	315	1.00	52.77	34.07	7.78	35.25

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4912G	37.22	54.00	-16.78	15.69	3	Vertical	137	1.50	21.53	38.90	10.81	34.02
PK	11.4813G	49.63	74.00	-24.37	15.68	3	Vertical	137	1.50	33.95	38.90	10.81	34.03


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	45.90	54.00	-8.10	5.30	3	Horizontal	316	1.09	40.60	32.80	7.57	35.07
AV	5.761G	99.84	Inf	-Inf	6.32	3	Horizontal	316	1.09	93.52	33.74	7.76	35.18
PK	5.6506G	59.69	68.64	-8.95	5.56	3	Horizontal	316	1.09	54.13	33.11	7.58	35.13
PK	5.7526G	111.94	Inf	-Inf	6.28	3	Horizontal	316	1.09	105.66	33.71	7.75	35.18
PK	6.0358G	59.47	68.20	-8.73	6.53	3	Horizontal	316	1.09	52.94	34.03	7.80	35.30

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4866G	37.26	54.00	-16.74	15.69	3	Vertical	25	1.35	21.57	38.90	10.81	34.02
PK	11.50664G	49.94	74.00	-24.06	15.69	3	Vertical	25	1.35	34.25	38.89	10.82	34.02


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_2T1S**

Appendix E.3

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	47.46M	36.66	40.00	-3.34	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	38.73M	31.01	40.00	-8.99	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	47.46M	36.66	40.00	-3.34	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	54.25M	35.19	40.00	-4.81	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	99.84M	27.35	43.50	-16.15	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	148.34M	25.92	43.50	-17.58	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	549.92M	30.04	46.00	-15.96	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	46.49M	25.68	40.00	-14.32	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	54.25M	21.92	40.00	-18.08	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	103.72M	28.26	43.50	-15.24	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	152.22M	26.55	43.50	-16.95	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	250.19M	27.79	46.00	-18.21	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	549.92M	28.37	46.00	-17.63	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1482G	46.72	54.00	-7.28	3	Horizontal	6	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1394G	48.71	54.00	-5.29	3	Horizontal	8	1.77
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	49.88	54.00	-4.12	3	Horizontal	7	1.77
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	51.94	54.00	-2.06	3	Horizontal	9	1.78
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3526G	47.44	54.00	-6.56	3	Horizontal	7	1.90
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3514G	49.27	54.00	-4.73	3	Horizontal	6	1.83
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	51.89	54.00	-2.11	3	Horizontal	6	1.88
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.351G	51.94	54.00	-2.06	3	Horizontal	5	1.79
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.38	54.00	-0.62	3	Horizontal	7	1.79
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7252G	66.48	68.20	-1.72	3	Horizontal	0	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7276G	64.97	68.20	-3.23	3	Horizontal	0	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.19	68.20	-1.01	3	Horizontal	1	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.464G	67.21	68.20	-0.99	3	Horizontal	2	1.77
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4656G	68.03	68.20	-0.17	3	Horizontal	3	1.82
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.4498G	46.30	54.00	-7.70	3	Horizontal	0	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	6.071G	60.66	68.20	-7.54	3	Horizontal	2	1.69
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	6.0082G	60.92	68.20	-7.28	3	Horizontal	0	1.63
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	64.67	68.35	-3.68	3	Horizontal	4	1.76

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1482G	46.72	54.00	-7.28	3	Horizontal	6	1.50
5180MHz	Pass	AV	5.1834G	105.61	Inf	-Inf	3	Horizontal	6	1.50
5180MHz	Pass	PK	5.1392G	63.00	74.00	-11.00	3	Horizontal	6	1.50
5180MHz	Pass	PK	5.1838G	116.63	Inf	-Inf	3	Horizontal	6	1.50
5180MHz	Pass	PK	10.36552G	49.73	68.20	-18.47	3	Vertical	44	1.00
5180MHz	Pass	PK	10.37232G	49.68	68.20	-18.52	3	Horizontal	30	1.92
5200MHz	Pass	AV	5.1488G	44.43	54.00	-9.57	3	Horizontal	5	1.50
5200MHz	Pass	AV	5.2028G	105.39	Inf	-Inf	3	Horizontal	5	1.50
5200MHz	Pass	PK	5.1484G	58.10	74.00	-15.90	3	Horizontal	5	1.50
5200MHz	Pass	PK	5.1976G	115.85	Inf	-Inf	3	Horizontal	5	1.50
5200MHz	Pass	PK	10.40616G	49.65	68.20	-18.55	3	Vertical	155	1.50
5200MHz	Pass	PK	10.4188G	49.87	68.20	-18.33	3	Horizontal	61	1.50
5240MHz	Pass	AV	5.15G	43.51	54.00	-10.49	3	Horizontal	6	1.83
5240MHz	Pass	AV	5.2424G	105.79	Inf	-Inf	3	Horizontal	6	1.83
5240MHz	Pass	AV	5.35G	43.42	54.00	-10.58	3	Horizontal	6	1.83
5240MHz	Pass	PK	5.15G	56.79	74.00	-17.21	3	Horizontal	6	1.83
5240MHz	Pass	PK	5.237G	116.91	Inf	-Inf	3	Horizontal	6	1.83
5240MHz	Pass	PK	5.3648G	56.90	74.00	-17.10	3	Horizontal	6	1.83
5240MHz	Pass	PK	10.4676G	48.85	68.20	-19.35	3	Vertical	88	2.17
5240MHz	Pass	PK	10.48352G	48.38	68.20	-19.82	3	Horizontal	135	1.50
5260MHz	Pass	AV	5.149G	43.40	54.00	-10.60	3	Horizontal	358	1.84
5260MHz	Pass	AV	5.257G	105.97	Inf	-Inf	3	Horizontal	358	1.84
5260MHz	Pass	AV	5.3512G	43.59	54.00	-10.41	3	Horizontal	358	1.84
5260MHz	Pass	PK	5.146G	57.05	74.00	-16.95	3	Horizontal	358	1.84
5260MHz	Pass	PK	5.257G	116.57	Inf	-Inf	3	Horizontal	358	1.84
5260MHz	Pass	PK	5.3698G	58.03	74.00	-15.97	3	Horizontal	358	1.84
5260MHz	Pass	PK	10.51632G	49.20	68.20	-19.00	3	Vertical	296	1.50
5260MHz	Pass	PK	10.50984G	48.74	68.20	-19.46	3	Horizontal	31	1.50
5300MHz	Pass	AV	5.2952G	105.07	Inf	-Inf	3	Horizontal	3	1.82
5300MHz	Pass	AV	5.3508G	45.30	54.00	-8.70	3	Horizontal	3	1.82
5300MHz	Pass	PK	5.3056G	115.79	Inf	-Inf	3	Horizontal	3	1.82
5300MHz	Pass	PK	5.35G	59.58	74.00	-14.42	3	Horizontal	3	1.82
5300MHz	Pass	AV	10.61312G	35.66	54.00	-18.34	3	Vertical	180	1.50
5300MHz	Pass	PK	10.60824G	49.34	74.00	-24.66	3	Vertical	180	1.50
5300MHz	Pass	AV	10.612G	35.64	54.00	-18.36	3	Horizontal	76	1.63
5300MHz	Pass	PK	10.60152G	49.58	74.00	-24.42	3	Horizontal	76	1.63
5320MHz	Pass	AV	5.3132G	104.68	Inf	-Inf	3	Horizontal	7	1.90
5320MHz	Pass	AV	5.3526G	47.44	54.00	-6.56	3	Horizontal	7	1.90
5320MHz	Pass	PK	5.3132G	115.13	Inf	-Inf	3	Horizontal	7	1.90
5320MHz	Pass	PK	5.3578G	61.94	74.00	-12.06	3	Horizontal	7	1.90
5320MHz	Pass	AV	10.65056G	35.74	54.00	-18.26	3	Vertical	152	1.74
5320MHz	Pass	PK	10.64104G	48.88	74.00	-25.12	3	Vertical	152	1.74
5320MHz	Pass	AV	10.64928G	35.78	54.00	-18.22	3	Horizontal	315	1.50
5320MHz	Pass	PK	10.65168G	49.70	74.00	-24.30	3	Horizontal	315	1.50
5500MHz	Pass	AV	5.46G	48.12	54.00	-5.88	3	Horizontal	3	1.82
5500MHz	Pass	AV	5.4954G	106.69	Inf	-Inf	3	Horizontal	3	1.82
5500MHz	Pass	PK	5.4594G	66.98	74.00	-7.02	3	Horizontal	3	1.82
5500MHz	Pass	PK	5.4602G	65.81	68.20	-2.39	3	Horizontal	3	1.82
5500MHz	Pass	PK	5.495G	117.53	Inf	-Inf	3	Horizontal	3	1.82
5500MHz	Pass	AV	11.01624G	35.45	54.00	-18.55	3	Vertical	59	1.50
5500MHz	Pass	PK	10.99248G	49.65	74.00	-24.35	3	Vertical	59	1.50
5500MHz	Pass	AV	11.01816G	35.42	54.00	-18.58	3	Horizontal	281	1.50
5500MHz	Pass	PK	10.98904G	49.35	74.00	-24.65	3	Horizontal	281	1.50
5580MHz	Pass	AV	5.4594G	42.88	54.00	-11.12	3	Horizontal	0	1.50
5580MHz	Pass	AV	5.5746G	104.60	Inf	-Inf	3	Horizontal	0	1.50
5580MHz	Pass	PK	5.4396G	56.40	74.00	-17.60	3	Horizontal	0	1.50
5580MHz	Pass	PK	5.4612G	56.02	68.20	-12.18	3	Horizontal	0	1.50
5580MHz	Pass	PK	5.5752G	115.75	Inf	-Inf	3	Horizontal	0	1.50
5580MHz	Pass	PK	5.7294G	56.35	68.20	-11.85	3	Horizontal	0	1.50
5580MHz	Pass	AV	11.1584G	35.51	54.00	-18.49	3	Vertical	228	2.01



RSE TX above 1GHzNon-Beamforming_Radio 2 Dipole Antenna_2T1S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.14064G	49.11	74.00	-24.89	3	Vertical	228	2.01
5580MHz	Pass	AV	11.14968G	35.52	54.00	-18.48	3	Horizontal	258	1.50
5580MHz	Pass	PK	11.14408G	48.98	74.00	-25.02	3	Horizontal	258	1.50
5700MHz	Pass	AV	5.6944G	101.96	Inf	-Inf	3	Horizontal	0	1.50
5700MHz	Pass	PK	5.6944G	112.63	Inf	-Inf	3	Horizontal	0	1.50
5700MHz	Pass	PK	5.7252G	66.48	68.20	-1.72	3	Horizontal	0	1.50
5700MHz	Pass	AV	11.40392G	36.51	54.00	-17.49	3	Vertical	73	1.50
5700MHz	Pass	PK	11.3828G	49.65	74.00	-24.35	3	Vertical	73	1.50
5700MHz	Pass	AV	11.40176G	36.59	54.00	-17.41	3	Horizontal	23	2.14
5700MHz	Pass	PK	11.40648G	49.98	74.00	-24.02	3	Horizontal	23	2.14
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	42.66	54.00	-11.34	3	Horizontal	1	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	106.06	Inf	-Inf	3	Horizontal	1	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4272G	56.29	74.00	-17.71	3	Horizontal	1	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	55.32	68.20	-12.88	3	Horizontal	1	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	116.43	Inf	-Inf	3	Horizontal	1	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8988G	57.38	68.20	-10.82	3	Horizontal	1	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	36.58	54.00	-17.42	3	Vertical	356	1.30
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43152G	49.84	74.00	-24.16	3	Vertical	356	1.30
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44224G	36.55	54.00	-17.45	3	Horizontal	96	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43688G	49.99	74.00	-24.01	3	Horizontal	96	1.50
5745MHz	Pass	AV	5.4498G	46.30	54.00	-7.70	3	Horizontal	0	1.50
5745MHz	Pass	AV	5.7402G	109.04	Inf	-Inf	3	Horizontal	0	1.50
5745MHz	Pass	PK	5.463G	59.11	68.20	-9.09	3	Horizontal	0	1.50
5745MHz	Pass	PK	5.7402G	117.32	Inf	-Inf	3	Horizontal	0	1.50
5745MHz	Pass	PK	5.9886G	59.98	68.20	-8.22	3	Horizontal	0	1.50
5745MHz	Pass	AV	11.4915G	36.96	54.00	-17.04	3	Vertical	257	1.50
5745MHz	Pass	PK	11.49294G	49.78	74.00	-24.22	3	Vertical	257	1.50
5745MHz	Pass	AV	11.49012G	36.92	54.00	-17.08	3	Horizontal	104	1.50
5745MHz	Pass	PK	11.47854G	49.41	74.00	-24.59	3	Horizontal	104	1.50
5785MHz	Pass	AV	5.77766G	108.41	Inf	-Inf	3	Horizontal	6	1.75
5785MHz	Pass	PK	5.49815G	59.28	68.20	-8.92	3	Horizontal	6	1.75
5785MHz	Pass	PK	5.78371G	117.26	Inf	-Inf	3	Horizontal	6	1.75
5785MHz	Pass	PK	5.92891G	59.96	68.20	-8.24	3	Horizontal	6	1.75
5785MHz	Pass	AV	11.55704G	36.86	54.00	-17.14	3	Vertical	141	1.50
5785MHz	Pass	PK	11.55758G	49.39	74.00	-24.61	3	Vertical	141	1.50
5785MHz	Pass	AV	11.5562G	36.87	54.00	-17.13	3	Horizontal	266	1.50
5785MHz	Pass	PK	11.5769G	50.20	74.00	-23.80	3	Horizontal	266	1.50
5825MHz	Pass	AV	5.819G	108.20	Inf	-Inf	3	Horizontal	0	1.69
5825MHz	Pass	PK	5.6462G	58.97	68.20	-9.23	3	Horizontal	0	1.69
5825MHz	Pass	PK	5.819G	116.85	Inf	-Inf	3	Horizontal	0	1.69
5825MHz	Pass	PK	6.0458G	59.77	68.20	-8.43	3	Horizontal	0	1.69
5825MHz	Pass	AV	11.65156G	36.77	54.00	-17.23	3	Vertical	25	1.50
5825MHz	Pass	PK	11.63884G	49.83	74.00	-24.17	3	Vertical	25	1.50
5825MHz	Pass	AV	11.65126G	36.83	54.00	-17.17	3	Horizontal	88	2.85
5825MHz	Pass	PK	11.65306G	49.34	74.00	-24.66	3	Horizontal	88	2.85
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1394G	48.71	54.00	-5.29	3	Horizontal	8	1.77
5180MHz	Pass	AV	5.1844G	105.53	Inf	-Inf	3	Horizontal	8	1.77
5180MHz	Pass	PK	5.1394G	68.71	74.00	-5.29	3	Horizontal	8	1.77
5180MHz	Pass	PK	5.1818G	119.03	Inf	-Inf	3	Horizontal	8	1.77
5180MHz	Pass	PK	10.3628G	49.33	68.20	-18.87	3	Vertical	58	1.56
5180MHz	Pass	PK	10.37376G	48.81	68.20	-19.39	3	Horizontal	129	1.71
5200MHz	Pass	AV	5.1488G	45.30	54.00	-8.70	3	Horizontal	6	1.77
5200MHz	Pass	AV	5.2016G	105.40	Inf	-Inf	3	Horizontal	6	1.77
5200MHz	Pass	PK	5.1488G	58.66	74.00	-15.34	3	Horizontal	6	1.77
5200MHz	Pass	PK	5.2012G	117.99	Inf	-Inf	3	Horizontal	6	1.77
5200MHz	Pass	PK	10.38712G	49.46	68.20	-18.74	3	Vertical	339	1.50
5200MHz	Pass	PK	10.40712G	49.02	68.20	-19.18	3	Horizontal	97	1.72
5240MHz	Pass	AV	5.1482G	43.37	54.00	-10.63	3	Horizontal	6	1.82
5240MHz	Pass	AV	5.246G	104.68	Inf	-Inf	3	Horizontal	6	1.82
5240MHz	Pass	AV	5.357G	43.19	54.00	-10.81	3	Horizontal	6	1.82
5240MHz	Pass	PK	5.1362G	56.96	74.00	-17.04	3	Horizontal	6	1.82



RSE TX above 1GHzNon-Beamforming_Radio 2
Dipole Antenna_2T1S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.2334G	117.71	Inf	-Inf	3	Horizontal	6	1.82
5240MHz	Pass	PK	5.3642G	56.60	74.00	-17.40	3	Horizontal	6	1.82
5240MHz	Pass	PK	10.47024G	48.78	68.20	-19.42	3	Vertical	199	2.99
5240MHz	Pass	PK	10.47032G	49.11	68.20	-19.09	3	Horizontal	328	1.50
5260MHz	Pass	AV	5.1496G	43.44	54.00	-10.56	3	Horizontal	5	1.79
5260MHz	Pass	AV	5.2534G	105.03	Inf	-Inf	3	Horizontal	5	1.79
5260MHz	Pass	AV	5.3518G	43.70	54.00	-10.30	3	Horizontal	5	1.79
5260MHz	Pass	PK	5.134G	57.21	74.00	-16.79	3	Horizontal	5	1.79
5260MHz	Pass	PK	5.266G	118.37	Inf	-Inf	3	Horizontal	5	1.79
5260MHz	Pass	PK	5.3674G	57.97	74.00	-16.03	3	Horizontal	5	1.79
5260MHz	Pass	PK	10.50488G	48.62	68.20	-19.58	3	Vertical	90	1.88
5260MHz	Pass	PK	10.53304G	48.44	68.20	-19.76	3	Horizontal	53	1.50
5300MHz	Pass	AV	5.2912G	104.13	Inf	-Inf	3	Horizontal	6	1.77
5300MHz	Pass	AV	5.3518G	45.36	54.00	-8.64	3	Horizontal	6	1.77
5300MHz	Pass	PK	5.304G	117.59	Inf	-Inf	3	Horizontal	6	1.77
5300MHz	Pass	PK	5.3544G	61.62	74.00	-12.38	3	Horizontal	6	1.77
5300MHz	Pass	AV	10.61624G	35.67	54.00	-18.33	3	Vertical	174	2.40
5300MHz	Pass	PK	10.5964G	49.95	68.20	-18.25	3	Vertical	174	2.40
5300MHz	Pass	AV	10.61168G	35.64	54.00	-18.36	3	Horizontal	146	1.85
5300MHz	Pass	PK	10.58872G	48.96	68.20	-19.24	3	Horizontal	146	1.85
5320MHz	Pass	AV	5.3162G	103.68	Inf	-Inf	3	Horizontal	6	1.83
5320MHz	Pass	AV	5.3514G	49.27	54.00	-4.73	3	Horizontal	6	1.83
5320MHz	Pass	PK	5.3264G	116.73	Inf	-Inf	3	Horizontal	6	1.83
5320MHz	Pass	PK	5.3614G	64.18	74.00	-9.82	3	Horizontal	6	1.83
5320MHz	Pass	AV	10.6484G	35.71	54.00	-18.29	3	Vertical	58	1.50
5320MHz	Pass	PK	10.64336G	49.13	74.00	-24.87	3	Vertical	58	1.50
5320MHz	Pass	AV	10.64728G	35.71	54.00	-18.29	3	Horizontal	27	1.50
5320MHz	Pass	PK	10.64856G	49.41	74.00	-24.59	3	Horizontal	27	1.50
5500MHz	Pass	AV	5.46G	49.27	54.00	-4.73	3	Horizontal	3	1.82
5500MHz	Pass	AV	5.4926G	105.33	Inf	-Inf	3	Horizontal	3	1.82
5500MHz	Pass	PK	5.46G	65.44	74.00	-8.56	3	Horizontal	3	1.82
5500MHz	Pass	PK	5.4602G	64.65	68.20	-3.55	3	Horizontal	3	1.82
5500MHz	Pass	PK	5.4954G	119.26	Inf	-Inf	3	Horizontal	3	1.82
5500MHz	Pass	AV	11.01848G	35.46	54.00	-18.54	3	Vertical	136	1.50
5500MHz	Pass	PK	10.99048G	48.83	74.00	-25.17	3	Vertical	136	1.50
5500MHz	Pass	AV	11.01848G	35.39	54.00	-18.61	3	Horizontal	133	1.68
5500MHz	Pass	PK	11.01728G	48.92	74.00	-25.08	3	Horizontal	133	1.68
5580MHz	Pass	AV	5.46G	42.78	54.00	-11.22	3	Horizontal	0	1.50
5580MHz	Pass	AV	5.5752G	103.48	Inf	-Inf	3	Horizontal	0	1.50
5580MHz	Pass	PK	5.4378G	55.86	74.00	-18.14	3	Horizontal	0	1.50
5580MHz	Pass	PK	5.4678G	55.93	68.20	-12.27	3	Horizontal	0	1.50
5580MHz	Pass	PK	5.5824G	115.85	Inf	-Inf	3	Horizontal	0	1.50
5580MHz	Pass	PK	5.7252G	57.31	68.20	-10.89	3	Horizontal	0	1.50
5580MHz	Pass	AV	11.14808G	35.45	54.00	-18.55	3	Vertical	308	2.32
5580MHz	Pass	PK	11.17312G	48.69	74.00	-25.31	3	Vertical	308	2.32
5580MHz	Pass	AV	11.15432G	35.48	54.00	-18.52	3	Horizontal	339	1.50
5580MHz	Pass	PK	11.16568G	48.79	74.00	-25.21	3	Horizontal	339	1.50
5700MHz	Pass	AV	5.6948G	100.51	Inf	-Inf	3	Horizontal	0	1.50
5700MHz	Pass	PK	5.702G	113.64	Inf	-Inf	3	Horizontal	0	1.50
5700MHz	Pass	PK	5.7276G	64.97	68.20	-3.23	3	Horizontal	0	1.50
5700MHz	Pass	AV	11.4012G	36.51	54.00	-17.49	3	Vertical	3	1.78
5700MHz	Pass	PK	11.3992G	50.28	74.00	-23.72	3	Vertical	3	1.78
5700MHz	Pass	AV	11.40664G	36.52	54.00	-17.48	3	Horizontal	217	1.50
5700MHz	Pass	PK	11.40048G	50.22	74.00	-23.78	3	Horizontal	217	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	42.43	54.00	-11.57	3	Horizontal	2	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	104.55	Inf	-Inf	3	Horizontal	2	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	56.16	74.00	-17.84	3	Horizontal	2	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	55.28	68.20	-12.92	3	Horizontal	2	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	117.07	Inf	-Inf	3	Horizontal	2	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9264G	57.66	68.20	-10.54	3	Horizontal	2	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44064G	36.58	54.00	-17.42	3	Vertical	338	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45672G	50.40	74.00	-23.60	3	Vertical	338	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44064G	36.55	54.00	-17.45	3	Horizontal	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43824G	50.27	74.00	-23.73	3	Horizontal	0	1.50
5745MHz	Pass	AV	5.451G	46.31	54.00	-7.69	3	Horizontal	4	1.70
5745MHz	Pass	AV	5.7414G	109.30	Inf	-Inf	3	Horizontal	4	1.70
5745MHz	Pass	PK	5.5926G	59.43	68.20	-8.77	3	Horizontal	4	1.70
5745MHz	Pass	PK	5.751G	120.58	Inf	-Inf	3	Horizontal	4	1.70
5745MHz	Pass	PK	5.9334G	59.75	68.20	-8.45	3	Horizontal	4	1.70
5745MHz	Pass	AV	11.49084G	37.27	54.00	-16.73	3	Vertical	117	1.17
5745MHz	Pass	PK	11.49054G	50.79	74.00	-23.21	3	Vertical	117	1.17
5745MHz	Pass	AV	11.49168G	37.24	54.00	-16.76	3	Horizontal	339	1.50
5745MHz	Pass	PK	11.48628G	50.07	74.00	-23.93	3	Horizontal	339	1.50
5785MHz	Pass	AV	5.77766G	108.16	Inf	-Inf	3	Horizontal	3	1.83
5785MHz	Pass	PK	5.60947G	58.86	68.20	-9.34	3	Horizontal	3	1.83
5785MHz	Pass	PK	5.78008G	119.75	Inf	-Inf	3	Horizontal	3	1.83
5785MHz	Pass	PK	5.97852G	59.98	68.20	-8.22	3	Horizontal	3	1.83
5785MHz	Pass	AV	11.5574G	37.17	54.00	-16.83	3	Vertical	209	1.03
5785MHz	Pass	PK	11.56316G	50.30	74.00	-23.70	3	Vertical	209	1.03
5785MHz	Pass	AV	11.57006G	37.23	54.00	-16.77	3	Horizontal	4	1.00
5785MHz	Pass	PK	11.5604G	50.35	74.00	-23.65	3	Horizontal	4	1.00
5825MHz	Pass	AV	5.8202G	107.63	Inf	-Inf	3	Horizontal	2	1.69
5825MHz	Pass	PK	5.6366G	58.93	68.20	-9.27	3	Horizontal	2	1.69
5825MHz	Pass	PK	5.8178G	118.93	Inf	-Inf	3	Horizontal	2	1.69
5825MHz	Pass	PK	6.071G	60.66	68.20	-7.54	3	Horizontal	2	1.69
5825MHz	Pass	AV	11.65294G	36.99	54.00	-17.01	3	Vertical	25	1.50
5825MHz	Pass	PK	11.66218G	49.53	74.00	-24.47	3	Vertical	25	1.50
5825MHz	Pass	AV	11.6539G	37.02	54.00	-16.98	3	Horizontal	246	1.50
5825MHz	Pass	PK	11.6419G	49.28	74.00	-24.72	3	Horizontal	246	1.50
802.11be EHT40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	49.88	54.00	-4.12	3	Horizontal	7	1.77
5190MHz	Pass	AV	5.184G	102.58	Inf	-Inf	3	Horizontal	7	1.77
5190MHz	Pass	PK	5.1492G	63.37	74.00	-10.63	3	Horizontal	7	1.77
5190MHz	Pass	PK	5.1868G	116.23	Inf	-Inf	3	Horizontal	7	1.77
5190MHz	Pass	PK	10.3848G	49.38	68.20	-18.82	3	Vertical	7	1.50
5190MHz	Pass	PK	10.37356G	49.56	68.20	-18.64	3	Horizontal	0	1.00
5230MHz	Pass	AV	5.1488G	46.75	54.00	-7.25	3	Horizontal	7	1.84
5230MHz	Pass	AV	5.224G	102.28	Inf	-Inf	3	Horizontal	7	1.84
5230MHz	Pass	PK	5.1488G	60.87	74.00	-13.13	3	Horizontal	7	1.84
5230MHz	Pass	PK	5.2268G	116.02	Inf	-Inf	3	Horizontal	7	1.84
5230MHz	Pass	PK	10.45596G	49.08	68.20	-19.12	3	Vertical	292	2.02
5230MHz	Pass	PK	10.45572G	48.70	68.20	-19.50	3	Horizontal	213	1.50
5270MHz	Pass	AV	5.2664G	102.28	Inf	-Inf	3	Horizontal	6	1.79
5270MHz	Pass	AV	5.3516G	47.21	54.00	-6.79	3	Horizontal	6	1.79
5270MHz	Pass	PK	5.264G	115.31	Inf	-Inf	3	Horizontal	6	1.79
5270MHz	Pass	PK	5.3516G	61.63	74.00	-12.37	3	Horizontal	6	1.79
5270MHz	Pass	PK	10.54804G	48.71	68.20	-19.49	3	Vertical	350	1.50
5270MHz	Pass	PK	10.532G	47.97	68.20	-20.23	3	Horizontal	0	1.50
5310MHz	Pass	AV	5.3136G	101.53	Inf	-Inf	3	Horizontal	6	1.88
5310MHz	Pass	AV	5.3512G	51.89	54.00	-2.11	3	Horizontal	6	1.88
5310MHz	Pass	PK	5.3184G	114.53	Inf	-Inf	3	Horizontal	6	1.88
5310MHz	Pass	PK	5.354G	65.12	74.00	-8.88	3	Horizontal	6	1.88
5310MHz	Pass	AV	10.61504G	35.56	54.00	-18.44	3	Vertical	34	1.84
5310MHz	Pass	PK	10.61272G	48.75	74.00	-25.25	3	Vertical	34	1.84
5310MHz	Pass	AV	10.61364G	35.53	54.00	-18.47	3	Horizontal	29	1.63
5310MHz	Pass	PK	10.61448G	49.73	74.00	-24.27	3	Horizontal	29	1.63
5510MHz	Pass	AV	5.46G	48.87	54.00	-5.13	3	Horizontal	4	1.82
5510MHz	Pass	AV	5.4956G	102.26	Inf	-Inf	3	Horizontal	4	1.82
5510MHz	Pass	PK	5.46G	63.78	74.00	-10.22	3	Horizontal	4	1.82
5510MHz	Pass	PK	5.4632G	66.13	68.20	-2.07	3	Horizontal	4	1.82
5510MHz	Pass	PK	5.4956G	115.91	Inf	-Inf	3	Horizontal	4	1.82
5510MHz	Pass	AV	11.01888G	35.31	54.00	-18.69	3	Vertical	206	1.60
5510MHz	Pass	PK	11.01728G	48.91	74.00	-25.09	3	Vertical	206	1.60
5510MHz	Pass	AV	11.01776G	35.28	54.00	-18.72	3	Horizontal	296	1.42

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	11.01664G	48.71	74.00	-25.29	3	Horizontal	296	1.42
5550MHz	Pass	AV	5.4592G	45.85	54.00	-8.15	3	Horizontal	0	1.75
5550MHz	Pass	AV	5.5444G	102.09	Inf	-Inf	3	Horizontal	0	1.75
5550MHz	Pass	PK	5.4584G	59.37	74.00	-14.63	3	Horizontal	0	1.75
5550MHz	Pass	PK	5.4696G	61.29	68.20	-6.91	3	Horizontal	0	1.75
5550MHz	Pass	PK	5.5368G	115.55	Inf	-Inf	3	Horizontal	0	1.75
5550MHz	Pass	AV	11.10944G	35.16	54.00	-18.84	3	Vertical	119	1.50
5550MHz	Pass	PK	11.10992G	48.77	74.00	-25.23	3	Vertical	119	1.50
5550MHz	Pass	AV	11.09696G	35.13	54.00	-18.87	3	Horizontal	327	2.78
5550MHz	Pass	PK	11.10868G	48.68	74.00	-25.32	3	Horizontal	327	2.78
5670MHz	Pass	AV	5.6652G	101.53	Inf	-Inf	3	Horizontal	1	1.50
5670MHz	Pass	PK	5.6682G	114.27	Inf	-Inf	3	Horizontal	1	1.50
5670MHz	Pass	PK	5.7252G	67.19	68.20	-1.01	3	Horizontal	1	1.50
5670MHz	Pass	AV	11.34108G	36.14	54.00	-17.86	3	Vertical	15	1.50
5670MHz	Pass	PK	11.3374G	49.57	74.00	-24.43	3	Vertical	15	1.50
5670MHz	Pass	AV	11.331G	36.20	54.00	-17.80	3	Horizontal	345	1.50
5670MHz	Pass	PK	11.34348G	49.05	74.00	-24.95	3	Horizontal	345	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4532G	42.63	54.00	-11.37	3	Horizontal	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6932G	102.10	Inf	-Inf	3	Horizontal	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4568G	56.38	74.00	-17.62	3	Horizontal	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	55.97	68.20	-12.23	3	Horizontal	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7004G	115.43	Inf	-Inf	3	Horizontal	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9764G	58.48	68.20	-9.72	3	Horizontal	1	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42716G	36.33	54.00	-17.67	3	Vertical	341	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41896G	49.92	74.00	-24.08	3	Vertical	341	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42664G	36.30	54.00	-17.70	3	Horizontal	97	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41704G	49.99	74.00	-24.01	3	Horizontal	97	1.50
5755MHz	Pass	AV	5.4574G	46.37	54.00	-7.63	3	Horizontal	0	1.63
5755MHz	Pass	AV	5.7502G	105.84	Inf	-Inf	3	Horizontal	0	1.63
5755MHz	Pass	PK	5.6494G	60.20	68.20	-8.00	3	Horizontal	0	1.63
5755MHz	Pass	PK	5.7502G	117.67	Inf	-Inf	3	Horizontal	0	1.63
5755MHz	Pass	PK	6.0082G	60.92	68.20	-7.28	3	Horizontal	0	1.63
5755MHz	Pass	AV	11.48768G	37.01	54.00	-16.99	3	Vertical	162	1.28
5755MHz	Pass	PK	11.50724G	49.57	74.00	-24.43	3	Vertical	162	1.28
5755MHz	Pass	AV	11.4902G	37.04	54.00	-16.96	3	Horizontal	324	1.00
5755MHz	Pass	PK	11.48744G	50.17	74.00	-23.83	3	Horizontal	324	1.00
5795MHz	Pass	AV	5.7806G	105.02	Inf	-Inf	3	Horizontal	4	1.83
5795MHz	Pass	PK	5.6498G	59.47	68.20	-8.73	3	Horizontal	4	1.83
5795MHz	Pass	PK	5.7938G	116.13	Inf	-Inf	3	Horizontal	4	1.83
5795MHz	Pass	PK	6.0182G	60.05	68.20	-8.15	3	Horizontal	4	1.83
5795MHz	Pass	AV	11.56276G	37.14	54.00	-16.86	3	Vertical	184	1.50
5795MHz	Pass	PK	11.56228G	50.26	74.00	-23.74	3	Vertical	184	1.50
5795MHz	Pass	AV	11.56036G	37.14	54.00	-16.86	3	Horizontal	67	1.12
5795MHz	Pass	PK	11.60356G	49.21	74.00	-24.79	3	Horizontal	67	1.12
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.94	54.00	-2.06	3	Horizontal	9	1.78
5210MHz	Pass	AV	5.197G	99.53	Inf	-Inf	3	Horizontal	9	1.78
5210MHz	Pass	AV	5.35G	44.77	54.00	-9.23	3	Horizontal	9	1.78
5210MHz	Pass	PK	5.15G	64.67	74.00	-9.33	3	Horizontal	9	1.78
5210MHz	Pass	PK	5.217G	113.03	Inf	-Inf	3	Horizontal	9	1.78
5210MHz	Pass	PK	5.431G	57.81	74.00	-16.19	3	Horizontal	9	1.78
5210MHz	Pass	PK	10.41252G	49.09	68.20	-19.11	3	Vertical	218	1.50
5210MHz	Pass	PK	10.41164G	48.98	68.20	-19.22	3	Horizontal	308	2.54
5290MHz	Pass	AV	5.148G	45.92	54.00	-8.08	3	Horizontal	5	1.79
5290MHz	Pass	AV	5.276G	98.32	Inf	-Inf	3	Horizontal	5	1.79
5290MHz	Pass	AV	5.351G	51.94	54.00	-2.06	3	Horizontal	5	1.79
5290MHz	Pass	PK	5.146G	59.54	74.00	-14.46	3	Horizontal	5	1.79
5290MHz	Pass	PK	5.293G	112.67	Inf	-Inf	3	Horizontal	5	1.79
5290MHz	Pass	PK	5.353G	65.08	74.00	-8.92	3	Horizontal	5	1.79
5290MHz	Pass	PK	5.461G	59.84	68.20	-8.36	3	Horizontal	5	1.79
5290MHz	Pass	PK	10.5836G	48.73	68.20	-19.47	3	Vertical	59	1.50
5290MHz	Pass	PK	10.58396G	49.51	68.20	-18.69	3	Horizontal	111	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.35G	43.31	54.00	-10.69	3	Horizontal	2	1.77
5530MHz	Pass	AV	5.46G	52.83	54.00	-1.17	3	Horizontal	2	1.77
5530MHz	Pass	AV	5.517G	98.79	Inf	-Inf	3	Horizontal	2	1.77
5530MHz	Pass	PK	5.337G	56.39	68.20	-11.81	3	Horizontal	2	1.77
5530MHz	Pass	PK	5.46G	66.63	74.00	-7.37	3	Horizontal	2	1.77
5530MHz	Pass	PK	5.464G	67.21	68.20	-0.99	3	Horizontal	2	1.77
5530MHz	Pass	PK	5.522G	111.81	Inf	-Inf	3	Horizontal	2	1.77
5530MHz	Pass	PK	5.73G	57.29	68.20	-10.91	3	Horizontal	2	1.77
5530MHz	Pass	AV	11.06424G	35.38	54.00	-18.62	3	Vertical	185	1.50
5530MHz	Pass	PK	11.05416G	48.43	74.00	-25.57	3	Vertical	185	1.50
5530MHz	Pass	AV	11.06676G	35.36	54.00	-18.64	3	Horizontal	148	1.50
5530MHz	Pass	PK	11.06708G	49.03	74.00	-24.97	3	Horizontal	148	1.50
5610MHz	Pass	AV	5.46G	47.20	54.00	-6.80	3	Horizontal	2	1.77
5610MHz	Pass	AV	5.62G	98.67	Inf	-Inf	3	Horizontal	2	1.77
5610MHz	Pass	PK	5.457G	60.26	74.00	-13.74	3	Horizontal	2	1.77
5610MHz	Pass	PK	5.465G	60.94	68.20	-7.26	3	Horizontal	2	1.77
5610MHz	Pass	PK	5.617G	112.22	Inf	-Inf	3	Horizontal	2	1.77
5610MHz	Pass	PK	5.73G	61.51	68.20	-6.69	3	Horizontal	2	1.77
5610MHz	Pass	AV	11.23G	35.75	54.00	-18.25	3	Vertical	195	2.43
5610MHz	Pass	PK	11.21768G	48.40	74.00	-25.60	3	Vertical	195	2.43
5610MHz	Pass	AV	11.2298G	35.69	54.00	-18.31	3	Horizontal	88	1.71
5610MHz	Pass	PK	11.2226G	49.08	74.00	-24.92	3	Horizontal	88	1.71
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4008G	43.39	54.00	-10.61	3	Horizontal	2	1.78
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	99.76	Inf	-Inf	3	Horizontal	2	1.78
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.402G	56.65	74.00	-17.35	3	Horizontal	2	1.78
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.41	68.20	-11.79	3	Horizontal	2	1.78
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6804G	113.74	Inf	-Inf	3	Horizontal	2	1.78
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8688G	58.04	68.20	-10.16	3	Horizontal	2	1.78
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37196G	36.23	54.00	-17.77	3	Vertical	138	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38812G	49.38	74.00	-24.62	3	Vertical	138	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37388G	36.24	54.00	-17.76	3	Horizontal	56	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38012G	49.25	74.00	-24.75	3	Horizontal	56	1.50
5775MHz	Pass	AV	5.7462G	102.53	Inf	-Inf	3	Horizontal	4	1.76
5775MHz	Pass	PK	5.6502G	64.67	68.35	-3.68	3	Horizontal	4	1.76
5775MHz	Pass	PK	5.763G	113.85	Inf	-Inf	3	Horizontal	4	1.76
5775MHz	Pass	PK	6.0294G	60.00	68.20	-8.20	3	Horizontal	4	1.76
5775MHz	Pass	AV	11.5428G	37.23	54.00	-16.77	3	Vertical	208	1.50
5775MHz	Pass	PK	11.49432G	50.00	74.00	-24.00	3	Vertical	208	1.50
5775MHz	Pass	AV	11.53656G	37.21	54.00	-16.79	3	Horizontal	142	1.50
5775MHz	Pass	PK	11.49768G	49.68	74.00	-24.32	3	Horizontal	142	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	53.38	54.00	-0.62	3	Horizontal	7	1.79
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1912G	95.36	Inf	-Inf	3	Horizontal	7	1.79
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	50.84	54.00	-3.16	3	Horizontal	7	1.79
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	72.90	74.00	-1.10	3	Horizontal	7	1.79
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1912G	109.30	Inf	-Inf	3	Horizontal	7	1.79
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	70.91	74.00	-3.09	3	Horizontal	7	1.79
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4648G	61.64	68.20	-6.56	3	Horizontal	7	1.79
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50236G	49.68	68.20	-18.52	3	Vertical	342	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4978G	47.99	68.20	-20.21	3	Horizontal	87	1.50
5570MHz	Pass	AV	5.4596G	50.38	54.00	-3.62	3	Horizontal	3	1.82
5570MHz	Pass	AV	5.4956G	93.84	Inf	-Inf	3	Horizontal	3	1.82
5570MHz	Pass	PK	5.3144G	57.86	68.20	-10.34	3	Horizontal	3	1.82
5570MHz	Pass	PK	5.4092G	65.23	74.00	-8.77	3	Horizontal	3	1.82
5570MHz	Pass	PK	5.4656G	68.03	68.20	-0.17	3	Horizontal	3	1.82
5570MHz	Pass	PK	5.6384G	107.10	Inf	-Inf	3	Horizontal	3	1.82
5570MHz	Pass	PK	5.7332G	63.48	68.20	-4.72	3	Horizontal	3	1.82
5570MHz	Pass	AV	11.14752G	35.38	54.00	-18.62	3	Vertical	46	2.63
5570MHz	Pass	PK	11.13452G	48.46	74.00	-25.54	3	Vertical	46	2.63
5570MHz	Pass	AV	11.14932G	35.40	54.00	-18.60	3	Horizontal	104	1.50
5570MHz	Pass	PK	11.14648G	48.96	74.00	-25.04	3	Horizontal	104	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	49.88	54.00	-4.12	1.02	3	Horizontal	7	1.77	48.86	33.50	4.81	37.29
AV	5.184G	102.58	Inf	-Inf	0.89	3	Horizontal	7	1.77	101.69	33.36	4.83	37.30
PK	5.1492G	63.37	74.00	-10.63	1.02	3	Horizontal	7	1.77	62.35	33.50	4.81	37.29
PK	5.1868G	116.23	Inf	-Inf	0.88	3	Horizontal	7	1.77	115.35	33.35	4.83	37.30

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.3848G	49.38	68.20	-18.82	4.17	3	Vertical	7	1.50	45.21	38.77	7.31	41.91


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3132G	104.68	Inf	-Inf	0.66	3	Horizontal	7	1.90	104.02	33.10	4.89	37.33
AV	5.3526G	47.44	54.00	-6.56	0.66	3	Horizontal	7	1.90	46.78	33.09	4.91	37.34
PK	5.3132G	115.13	Inf	-Inf	0.66	3	Horizontal	7	1.90	114.47	33.10	4.89	37.33
PK	5.3578G	61.94	74.00	-12.06	0.65	3	Horizontal	7	1.90	61.29	33.08	4.91	37.34

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65056G	35.74	54.00	-18.26	4.54	3	Vertical	152	1.74	31.20	39.20	7.42	42.08
PK	10.64104G	48.88	74.00	-25.12	4.53	3	Vertical	152	1.74	44.35	39.18	7.42	42.07


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX

