



**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5310MHz\_TX**




**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5310MHz\_TX**




**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5310MHz\_TX**




**5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX**

**5290MHz\_TX**




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5670MHz\_TX**




**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5670MHz\_TX**




**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5670MHz\_TX**



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.35G        | 43.31             | 54.00             | -10.69         | 0.67           | 3           | Horizontal | 2              | 1.77          | 42.64         | 33.10      | 4.91       | 37.34      |
| AV   | 5.46G        | 52.83             | 54.00             | -1.17          | 0.65           | 3           | Horizontal | 2              | 1.77          | 52.18         | 33.06      | 4.95       | 37.36      |
| AV   | 5.517G       | 98.79             | Inf               | -Inf           | 0.87           | 3           | Horizontal | 2              | 1.77          | 97.92         | 33.27      | 4.96       | 37.36      |
| PK   | 5.337G       | 56.39             | 68.20             | -11.81         | 0.67           | 3           | Horizontal | 2              | 1.77          | 55.72         | 33.10      | 4.90       | 37.33      |
| PK   | 5.46G        | 66.63             | 74.00             | -7.37          | 0.65           | 3           | Horizontal | 2              | 1.77          | 65.98         | 33.06      | 4.95       | 37.36      |
| PK   | 5.464G       | 67.21             | 68.20             | -0.99          | 0.67           | 3           | Horizontal | 2              | 1.77          | 66.54         | 33.08      | 4.95       | 37.36      |
| PK   | 5.522G       | 111.81            | Inf               | -Inf           | 0.86           | 3           | Horizontal | 2              | 1.77          | 110.95        | 33.26      | 4.96       | 37.36      |
| PK   | 5.73G        | 57.29             | 68.20             | -10.91         | 1.76           | 3           | Horizontal | 2              | 1.77          | 55.53         | 33.92      | 5.11       | 37.27      |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 11.06424G    | 35.38             | 54.00             | -18.62         | 4.09           | 3           | Vertical  | 185            | 1.50          | 31.29         | 38.80      | 7.60       | 42.31      |
| PK   | 11.05416G    | 48.43             | 74.00             | -25.57         | 4.06           | 3           | Vertical  | 185            | 1.50          | 44.37         | 38.80      | 7.59       | 42.33      |


**5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX**

**5530MHz\_TX**




**5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX**

**5570MHz\_TX**




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




**5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5745MHz\_TX**




**5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX**

**5825MHz\_TX**




5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5825MHz\_TX



5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.4574G      | 46.37             | 54.00             | -7.63          | 5.30           | 3           | Horizontal | 0              | 1.63          | 41.07         | 32.80      | 7.57       | 35.07      |
| AV   | 5.7502G      | 105.84            | Inf               | -Inf           | 6.27           | 3           | Horizontal | 0              | 1.63          | 99.57         | 33.70      | 7.75       | 35.18      |
| PK   | 5.6494G      | 60.20             | 68.20             | -8.00          | 5.54           | 3           | Horizontal | 0              | 1.63          | 54.66         | 33.10      | 7.57       | 35.13      |
| PK   | 5.7502G      | 117.67            | Inf               | -Inf           | 6.27           | 3           | Horizontal | 0              | 1.63          | 111.40        | 33.70      | 7.75       | 35.18      |
| PK   | 6.0082G      | 60.92             | 68.20             | -7.28          | 6.56           | 3           | Horizontal | 0              | 1.63          | 54.36         | 34.08      | 7.76       | 35.28      |

5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 11.48768G    | 37.01             | 54.00             | -16.99         | 15.69          | 3           | Vertical  | 162            | 1.28          | 21.32         | 38.90      | 10.81      | 34.02      |
| PK   | 11.50724G    | 49.57             | 74.00             | -24.43         | 15.69          | 3           | Vertical  | 162            | 1.28          | 33.88         | 38.89      | 10.82      | 34.02      |


5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5775MHz\_TX




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5775MHz\_TX



5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5775MHz\_TX





**RSE TX below 1GHz\_Non-Beamforming\_Radio 2\_  
Dipole Antenna\_2T2S**

**Appendix E.5**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.725-5.85GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT80_Nss2,(MCS0)_2TX | Pass   | PK   | 47.46M       | 36.82             | 40.00             | -3.18          | 3           | Vertical  | 360            | 1.00          |



**RSE TX below 1GHz\_Non-Beamforming\_Radio 2\_  
Dipole Antenna\_2T2S**


**Appendix E.5**

**Result**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT80_Nss2_(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5775MHz_Adapter                | Pass   | PK   | 38.73M       | 32.97             | 40.00             | -7.03          | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 47.46M       | 36.82             | 40.00             | -3.18          | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 54.25M       | 35.70             | 40.00             | -4.30          | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 99.84M       | 30.74             | 43.50             | -12.76         | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 146.4M       | 22.52             | 43.50             | -20.98         | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 195.87M      | 25.22             | 43.50             | -18.28         | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 44.55M       | 24.63             | 40.00             | -15.37         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 57.16M       | 25.77             | 40.00             | -14.23         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 127M         | 31.73             | 43.50             | -11.77         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 165.8M       | 27.95             | 43.50             | -15.55         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 549.92M      | 28.69             | 46.00             | -17.31         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 742.95M      | 29.74             | 46.00             | -16.26         | 3           | Horizontal | 0              | 1.00          |


**5.725-5.85GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**

**5775MHz\_Adapter**



**5.725-5.85GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**

**5775MHz\_Adapter**





# RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_ Dipole Antenna\_2T2S

## Appendix E.6

### Summary

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.15-5.25GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.1398G      | 46.04             | 54.00             | -7.96          | 3           | Horizontal | 187            | 1.08          |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.15G        | 48.52             | 54.00             | -5.48          | 3           | Horizontal | 175            | 2.73          |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.148G       | 50.97             | 54.00             | -3.03          | 3           | Horizontal | 189            | 2.74          |
| 5.25-5.35GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.35G        | 48.66             | 54.00             | -5.34          | 3           | Horizontal | 183            | 1.00          |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.35G        | 50.18             | 54.00             | -3.82          | 3           | Horizontal | 0              | 1.00          |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.35G        | 50.53             | 54.00             | -3.47          | 3           | Horizontal | 182            | 2.77          |
| 802.11be EHT160_Nss2,(MCS0)_2TX | Pass   | AV   | 5.148G       | 52.91             | 54.00             | -1.09          | 3           | Horizontal | 179            | 2.93          |
| 5.47-5.725GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | Pass   | PK   | 5.7264G      | 67.40             | 68.20             | -0.80          | 3           | Horizontal | 359            | 1.00          |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | Pass   | PK   | 5.4632G      | 67.29             | 68.20             | -0.91          | 3           | Horizontal | 0              | 3.00          |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.46G        | 51.02             | 54.00             | -2.98          | 3           | Horizontal | 0              | 3.00          |
| 802.11be EHT160_Nss2,(MCS0)_2TX | Pass   | PK   | 5.4644G      | 66.98             | 68.20             | -1.22          | 3           | Horizontal | 181            | 2.65          |
| 5.725-5.85GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.4486G      | 46.30             | 54.00             | -7.70          | 3           | Horizontal | 190            | 1.20          |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.455G       | 46.28             | 54.00             | -7.72          | 3           | Horizontal | 188            | 1.26          |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | Pass   | PK   | 5.6478G      | 62.49             | 68.20             | -5.71          | 3           | Horizontal | 188            | 1.25          |



# RSE TX above 1GHz\_Non-Beamforming\_Radio 2 Dipole Antenna\_2T2S

## Appendix E.6

### Result

| Mode                          | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|-------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT20_Nss2(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5180MHz                       | Pass   | AV   | 5.1398G      | 46.04             | 54.00             | -7.96          | 3           | Horizontal | 187            | 1.08          |
| 5180MHz                       | Pass   | AV   | 5.1782G      | 101.45            | Inf               | -Inf           | 3           | Horizontal | 187            | 1.08          |
| 5180MHz                       | Pass   | PK   | 5.1398G      | 59.92             | 74.00             | -14.08         | 3           | Horizontal | 187            | 1.08          |
| 5180MHz                       | Pass   | PK   | 5.1854G      | 115.05            | Inf               | -Inf           | 3           | Horizontal | 187            | 1.08          |
| 5180MHz                       | Pass   | PK   | 10.36984G    | 49.27             | 68.20             | -18.93         | 3           | Vertical   | 253            | 1.50          |
| 5180MHz                       | Pass   | PK   | 10.35802G    | 48.68             | 68.20             | -19.52         | 3           | Horizontal | 128            | 1.49          |
| 5200MHz                       | Pass   | AV   | 5.15G        | 44.70             | 54.00             | -9.30          | 3           | Horizontal | 176            | 2.68          |
| 5200MHz                       | Pass   | AV   | 5.1964G      | 102.95            | Inf               | -Inf           | 3           | Horizontal | 176            | 2.68          |
| 5200MHz                       | Pass   | PK   | 5.1396G      | 57.94             | 74.00             | -16.06         | 3           | Horizontal | 176            | 2.68          |
| 5200MHz                       | Pass   | PK   | 5.1932G      | 116.23            | Inf               | -Inf           | 3           | Horizontal | 176            | 2.68          |
| 5200MHz                       | Pass   | PK   | 10.40882G    | 49.29             | 68.20             | -18.91         | 3           | Vertical   | 301            | 1.50          |
| 5200MHz                       | Pass   | PK   | 10.3853G     | 49.08             | 68.20             | -19.12         | 3           | Horizontal | 187            | 2.68          |
| 5240MHz                       | Pass   | AV   | 5.1476G      | 43.14             | 54.00             | -10.86         | 3           | Horizontal | 179            | 3.00          |
| 5240MHz                       | Pass   | AV   | 5.2358G      | 103.41            | Inf               | -Inf           | 3           | Horizontal | 179            | 3.00          |
| 5240MHz                       | Pass   | AV   | 5.369G       | 43.21             | 54.00             | -10.79         | 3           | Horizontal | 179            | 3.00          |
| 5240MHz                       | Pass   | PK   | 5.1422G      | 56.47             | 74.00             | -17.53         | 3           | Horizontal | 179            | 3.00          |
| 5240MHz                       | Pass   | PK   | 5.2358G      | 116.40            | Inf               | -Inf           | 3           | Horizontal | 179            | 3.00          |
| 5240MHz                       | Pass   | PK   | 5.3678G      | 57.05             | 74.00             | -16.95         | 3           | Horizontal | 179            | 3.00          |
| 5240MHz                       | Pass   | PK   | 10.47592G    | 49.05             | 68.20             | -19.15         | 3           | Vertical   | 299            | 1.60          |
| 5240MHz                       | Pass   | PK   | 10.48126G    | 49.49             | 68.20             | -18.71         | 3           | Horizontal | 360            | 2.20          |
| 5260MHz                       | Pass   | AV   | 5.1496G      | 43.26             | 54.00             | -10.74         | 3           | Horizontal | 181            | 2.95          |
| 5260MHz                       | Pass   | AV   | 5.2528G      | 103.35            | Inf               | -Inf           | 3           | Horizontal | 181            | 2.95          |
| 5260MHz                       | Pass   | AV   | 5.3644G      | 43.45             | 54.00             | -10.55         | 3           | Horizontal | 181            | 2.95          |
| 5260MHz                       | Pass   | PK   | 5.14G        | 56.88             | 74.00             | -17.12         | 3           | Horizontal | 181            | 2.95          |
| 5260MHz                       | Pass   | PK   | 5.2636G      | 116.48            | Inf               | -Inf           | 3           | Horizontal | 181            | 2.95          |
| 5260MHz                       | Pass   | PK   | 5.3878G      | 57.20             | 74.00             | -16.80         | 3           | Horizontal | 181            | 2.95          |
| 5260MHz                       | Pass   | PK   | 10.51274G    | 48.81             | 68.20             | -19.39         | 3           | Vertical   | 296            | 1.50          |
| 5260MHz                       | Pass   | PK   | 10.51424G    | 48.23             | 68.20             | -19.97         | 3           | Horizontal | 275            | 2.81          |
| 5300MHz                       | Pass   | AV   | 5.2984G      | 102.10            | Inf               | -Inf           | 3           | Horizontal | 0              | 3.00          |
| 5300MHz                       | Pass   | AV   | 5.35G        | 45.27             | 54.00             | -8.73          | 3           | Horizontal | 0              | 3.00          |
| 5300MHz                       | Pass   | PK   | 5.2992G      | 115.79            | Inf               | -Inf           | 3           | Horizontal | 0              | 3.00          |
| 5300MHz                       | Pass   | PK   | 5.3528G      | 59.41             | 74.00             | -14.59         | 3           | Horizontal | 0              | 3.00          |
| 5300MHz                       | Pass   | AV   | 10.61134G    | 35.76             | 54.00             | -18.24         | 3           | Vertical   | 306            | 1.85          |
| 5300MHz                       | Pass   | PK   | 10.60234G    | 48.91             | 74.00             | -25.09         | 3           | Vertical   | 306            | 1.85          |
| 5300MHz                       | Pass   | AV   | 10.61314G    | 35.69             | 54.00             | -18.31         | 3           | Horizontal | 58             | 1.50          |
| 5300MHz                       | Pass   | PK   | 10.6003G     | 49.25             | 74.00             | -24.75         | 3           | Horizontal | 58             | 1.50          |
| 5320MHz                       | Pass   | AV   | 5.3162G      | 101.80            | Inf               | -Inf           | 3           | Horizontal | 183            | 1.00          |
| 5320MHz                       | Pass   | AV   | 5.35G        | 48.66             | 54.00             | -5.34          | 3           | Horizontal | 183            | 1.00          |
| 5320MHz                       | Pass   | PK   | 5.3288G      | 115.24            | Inf               | -Inf           | 3           | Horizontal | 183            | 1.00          |
| 5320MHz                       | Pass   | PK   | 5.3606G      | 63.41             | 74.00             | -10.59         | 3           | Horizontal | 183            | 1.00          |
| 5320MHz                       | Pass   | AV   | 10.64822G    | 35.74             | 54.00             | -18.26         | 3           | Vertical   | 167            | 2.91          |
| 5320MHz                       | Pass   | PK   | 10.65284G    | 48.88             | 74.00             | -25.12         | 3           | Vertical   | 167            | 2.91          |
| 5320MHz                       | Pass   | AV   | 10.64858G    | 35.81             | 54.00             | -18.19         | 3           | Horizontal | 267            | 1.50          |
| 5320MHz                       | Pass   | PK   | 10.64738G    | 49.01             | 74.00             | -24.99         | 3           | Horizontal | 267            | 1.50          |
| 5500MHz                       | Pass   | AV   | 5.4598G      | 48.68             | 54.00             | -5.32          | 3           | Horizontal | 359            | 3.00          |
| 5500MHz                       | Pass   | AV   | 5.4984G      | 103.48            | Inf               | -Inf           | 3           | Horizontal | 359            | 3.00          |
| 5500MHz                       | Pass   | PK   | 5.4592G      | 63.87             | 74.00             | -10.13         | 3           | Horizontal | 359            | 3.00          |
| 5500MHz                       | Pass   | PK   | 5.4604G      | 63.50             | 68.20             | -4.70          | 3           | Horizontal | 359            | 3.00          |
| 5500MHz                       | Pass   | PK   | 5.491G       | 116.94            | Inf               | -Inf           | 3           | Horizontal | 359            | 3.00          |
| 5500MHz                       | Pass   | AV   | 10.988G      | 35.49             | 54.00             | -18.51         | 3           | Vertical   | 290            | 1.50          |
| 5500MHz                       | Pass   | PK   | 10.98914G    | 48.49             | 74.00             | -25.51         | 3           | Vertical   | 290            | 1.50          |
| 5500MHz                       | Pass   | AV   | 10.98542G    | 35.46             | 54.00             | -18.54         | 3           | Horizontal | 102            | 1.50          |
| 5500MHz                       | Pass   | PK   | 10.99916G    | 48.88             | 74.00             | -25.12         | 3           | Horizontal | 102            | 1.50          |
| 5580MHz                       | Pass   | AV   | 5.4564G      | 42.83             | 54.00             | -11.17         | 3           | Horizontal | 359            | 1.00          |
| 5580MHz                       | Pass   | AV   | 5.5764G      | 101.39            | Inf               | -Inf           | 3           | Horizontal | 359            | 1.00          |
| 5580MHz                       | Pass   | PK   | 5.4402G      | 56.78             | 74.00             | -17.22         | 3           | Horizontal | 359            | 1.00          |
| 5580MHz                       | Pass   | PK   | 5.4624G      | 57.10             | 68.20             | -11.10         | 3           | Horizontal | 359            | 1.00          |
| 5580MHz                       | Pass   | PK   | 5.5848G      | 114.27            | Inf               | -Inf           | 3           | Horizontal | 359            | 1.00          |
| 5580MHz                       | Pass   | PK   | 5.7282G      | 56.70             | 68.20             | -11.50         | 3           | Horizontal | 359            | 1.00          |
| 5580MHz                       | Pass   | AV   | 11.14914G    | 35.57             | 54.00             | -18.43         | 3           | Vertical   | 171            | 1.50          |



# RSE TX above 1GHz\_Non-Beamforming\_Radio 2 Dipole Antenna\_2T2S

## Appendix E.6

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5580MHz                        | Pass   | PK   | 11.16228G    | 48.68             | 74.00             | -25.32         | 3           | Vertical   | 171            | 1.50          |
| 5580MHz                        | Pass   | AV   | 11.14992G    | 35.58             | 54.00             | -18.42         | 3           | Horizontal | 123            | 1.50          |
| 5580MHz                        | Pass   | PK   | 11.15388G    | 48.99             | 74.00             | -25.01         | 3           | Horizontal | 123            | 1.50          |
| 5700MHz                        | Pass   | AV   | 5.704G       | 99.03             | Inf               | -Inf           | 3           | Horizontal | 359            | 1.00          |
| 5700MHz                        | Pass   | PK   | 5.6948G      | 112.87            | Inf               | -Inf           | 3           | Horizontal | 359            | 1.00          |
| 5700MHz                        | Pass   | PK   | 5.7264G      | 67.40             | 68.20             | -0.80          | 3           | Horizontal | 359            | 1.00          |
| 5700MHz                        | Pass   | AV   | 11.40552G    | 36.62             | 54.00             | -17.38         | 3           | Vertical   | 149            | 2.87          |
| 5700MHz                        | Pass   | PK   | 11.4057G     | 49.56             | 74.00             | -24.44         | 3           | Vertical   | 149            | 2.87          |
| 5700MHz                        | Pass   | AV   | 11.40648G    | 36.59             | 54.00             | -17.41         | 3           | Horizontal | 296            | 1.50          |
| 5700MHz                        | Pass   | PK   | 11.4054G     | 50.39             | 74.00             | -23.61         | 3           | Horizontal | 296            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.4548G      | 42.61             | 54.00             | -11.39         | 3           | Horizontal | 359            | 3.00          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.7128G      | 102.83            | Inf               | -Inf           | 3           | Horizontal | 359            | 3.00          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4524G      | 56.32             | 74.00             | -17.68         | 3           | Horizontal | 359            | 3.00          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4608G      | 56.56             | 68.20             | -11.64         | 3           | Horizontal | 359            | 3.00          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.7104G      | 116.55            | Inf               | -Inf           | 3           | Horizontal | 359            | 3.00          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.978G       | 57.67             | 68.20             | -10.53         | 3           | Horizontal | 359            | 3.00          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.44096G    | 36.60             | 54.00             | -17.40         | 3           | Vertical   | 7              | 3.00          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.44444G    | 50.46             | 74.00             | -23.54         | 3           | Vertical   | 7              | 3.00          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.4418G     | 36.60             | 54.00             | -17.40         | 3           | Horizontal | 32             | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.4448G     | 50.14             | 74.00             | -23.86         | 3           | Horizontal | 32             | 1.50          |
| 5745MHz                        | Pass   | AV   | 5.4486G      | 46.30             | 54.00             | -7.70          | 3           | Horizontal | 190            | 1.20          |
| 5745MHz                        | Pass   | AV   | 5.7378G      | 107.20            | Inf               | -Inf           | 3           | Horizontal | 190            | 1.20          |
| 5745MHz                        | Pass   | PK   | 5.6382G      | 59.38             | 68.20             | -8.82          | 3           | Horizontal | 190            | 1.20          |
| 5745MHz                        | Pass   | PK   | 5.7426G      | 119.31            | Inf               | -Inf           | 3           | Horizontal | 190            | 1.20          |
| 5745MHz                        | Pass   | PK   | 6.033G       | 59.80             | 68.20             | -8.40          | 3           | Horizontal | 190            | 1.20          |
| 5745MHz                        | Pass   | AV   | 11.4906G     | 37.22             | 54.00             | -16.78         | 3           | Vertical   | 330            | 1.50          |
| 5745MHz                        | Pass   | PK   | 11.49156G    | 49.47             | 74.00             | -24.53         | 3           | Vertical   | 330            | 1.50          |
| 5745MHz                        | Pass   | AV   | 11.48472G    | 37.22             | 54.00             | -16.78         | 3           | Horizontal | 142            | 1.50          |
| 5745MHz                        | Pass   | PK   | 11.49384G    | 49.62             | 74.00             | -24.38         | 3           | Horizontal | 142            | 1.50          |
| 5785MHz                        | Pass   | AV   | 5.78371G     | 106.11            | Inf               | -Inf           | 3           | Horizontal | 191            | 1.24          |
| 5785MHz                        | Pass   | PK   | 5.64214G     | 58.94             | 68.20             | -9.26          | 3           | Horizontal | 191            | 1.24          |
| 5785MHz                        | Pass   | PK   | 5.77766G     | 117.48            | Inf               | -Inf           | 3           | Horizontal | 191            | 1.24          |
| 5785MHz                        | Pass   | PK   | 6.07048G     | 60.15             | 68.20             | -8.05          | 3           | Horizontal | 191            | 1.24          |
| 5785MHz                        | Pass   | AV   | 11.5712G     | 37.07             | 54.00             | -16.93         | 3           | Vertical   | 342            | 1.50          |
| 5785MHz                        | Pass   | PK   | 11.57294G    | 49.41             | 74.00             | -24.59         | 3           | Vertical   | 342            | 1.50          |
| 5785MHz                        | Pass   | AV   | 11.55644G    | 37.07             | 54.00             | -16.93         | 3           | Horizontal | 158            | 1.50          |
| 5785MHz                        | Pass   | PK   | 11.57222G    | 49.55             | 74.00             | -24.45         | 3           | Horizontal | 158            | 1.50          |
| 5825MHz                        | Pass   | AV   | 5.8178G      | 105.54            | Inf               | -Inf           | 3           | Horizontal | 192            | 1.32          |
| 5825MHz                        | Pass   | PK   | 5.6366G      | 58.70             | 68.20             | -9.50          | 3           | Horizontal | 192            | 1.32          |
| 5825MHz                        | Pass   | PK   | 5.8166G      | 116.94            | Inf               | -Inf           | 3           | Horizontal | 192            | 1.32          |
| 5825MHz                        | Pass   | PK   | 6.1178G      | 60.45             | 68.20             | -7.75          | 3           | Horizontal | 192            | 1.32          |
| 5825MHz                        | Pass   | AV   | 11.6512G     | 36.92             | 54.00             | -17.08         | 3           | Vertical   | 254            | 1.50          |
| 5825MHz                        | Pass   | PK   | 11.66026G    | 49.32             | 74.00             | -24.68         | 3           | Vertical   | 254            | 1.50          |
| 5825MHz                        | Pass   | AV   | 11.65078G    | 37.01             | 54.00             | -16.99         | 3           | Horizontal | 233            | 1.50          |
| 5825MHz                        | Pass   | PK   | 11.66224G    | 50.20             | 74.00             | -23.80         | 3           | Horizontal | 233            | 1.50          |
| 802.11be EHT40_Nss2_(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5190MHz                        | Pass   | AV   | 5.15G        | 48.52             | 54.00             | -5.48          | 3           | Horizontal | 175            | 2.73          |
| 5190MHz                        | Pass   | AV   | 5.184G       | 100.22            | Inf               | -Inf           | 3           | Horizontal | 175            | 2.73          |
| 5190MHz                        | Pass   | PK   | 5.1472G      | 62.35             | 74.00             | -11.65         | 3           | Horizontal | 175            | 2.73          |
| 5190MHz                        | Pass   | PK   | 5.1888G      | 113.83            | Inf               | -Inf           | 3           | Horizontal | 175            | 2.73          |
| 5190MHz                        | Pass   | PK   | 10.37988G    | 49.56             | 68.20             | -18.64         | 3           | Vertical   | 193            | 2.58          |
| 5190MHz                        | Pass   | PK   | 10.37256G    | 49.28             | 68.20             | -18.92         | 3           | Horizontal | 337            | 2.27          |
| 5230MHz                        | Pass   | AV   | 5.15G        | 45.82             | 54.00             | -8.18          | 3           | Horizontal | 180            | 2.81          |
| 5230MHz                        | Pass   | AV   | 5.2328G      | 100.53            | Inf               | -Inf           | 3           | Horizontal | 180            | 2.81          |
| 5230MHz                        | Pass   | PK   | 5.1464G      | 59.90             | 74.00             | -14.10         | 3           | Horizontal | 180            | 2.81          |
| 5230MHz                        | Pass   | PK   | 5.2252G      | 113.65            | Inf               | -Inf           | 3           | Horizontal | 180            | 2.81          |
| 5230MHz                        | Pass   | PK   | 10.43708G    | 48.95             | 68.20             | -19.25         | 3           | Vertical   | 101            | 1.32          |
| 5230MHz                        | Pass   | PK   | 10.45172G    | 49.26             | 68.20             | -18.94         | 3           | Horizontal | 319            | 1.50          |
| 5270MHz                        | Pass   | AV   | 5.2708G      | 100.88            | Inf               | -Inf           | 3           | Horizontal | 181            | 2.95          |
| 5270MHz                        | Pass   | AV   | 5.35G        | 46.07             | 54.00             | -7.93          | 3           | Horizontal | 181            | 2.95          |
| 5270MHz                        | Pass   | PK   | 5.272G       | 115.55            | Inf               | -Inf           | 3           | Horizontal | 181            | 2.95          |
| 5270MHz                        | Pass   | PK   | 5.3516G      | 58.82             | 74.00             | -15.18         | 3           | Horizontal | 181            | 2.95          |

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5270MHz                        | Pass   | PK   | 10.54984G    | 49.13             | 68.20             | -19.07         | 3           | Vertical   | 15             | 2.03          |
| 5270MHz                        | Pass   | PK   | 10.567G      | 48.62             | 68.20             | -19.58         | 3           | Horizontal | 277            | 2.69          |
| 5310MHz                        | Pass   | AV   | 5.3212G      | 99.05             | Inf               | -Inf           | 3           | Horizontal | 0              | 1.00          |
| 5310MHz                        | Pass   | AV   | 5.35G        | 50.18             | 54.00             | -3.82          | 3           | Horizontal | 0              | 1.00          |
| 5310MHz                        | Pass   | PK   | 5.324G       | 112.82            | Inf               | -Inf           | 3           | Horizontal | 0              | 1.00          |
| 5310MHz                        | Pass   | PK   | 5.3504G      | 63.29             | 74.00             | -10.71         | 3           | Horizontal | 0              | 1.00          |
| 5310MHz                        | Pass   | AV   | 10.6476G     | 35.85             | 54.00             | -18.15         | 3           | Vertical   | 270            | 1.30          |
| 5310MHz                        | Pass   | PK   | 10.64856G    | 49.40             | 74.00             | -24.60         | 3           | Vertical   | 270            | 1.30          |
| 5310MHz                        | Pass   | AV   | 10.64832G    | 35.80             | 54.00             | -18.20         | 3           | Horizontal | 214            | 2.19          |
| 5310MHz                        | Pass   | PK   | 10.6356G     | 49.48             | 74.00             | -24.52         | 3           | Horizontal | 214            | 2.19          |
| 5510MHz                        | Pass   | AV   | 5.46G        | 49.14             | 54.00             | -4.86          | 3           | Horizontal | 0              | 3.00          |
| 5510MHz                        | Pass   | AV   | 5.4988G      | 100.80            | Inf               | -Inf           | 3           | Horizontal | 0              | 3.00          |
| 5510MHz                        | Pass   | PK   | 5.458G       | 68.11             | 74.00             | -5.89          | 3           | Horizontal | 0              | 3.00          |
| 5510MHz                        | Pass   | PK   | 5.4632G      | 67.29             | 68.20             | -0.91          | 3           | Horizontal | 0              | 3.00          |
| 5510MHz                        | Pass   | PK   | 5.498G       | 114.18            | Inf               | -Inf           | 3           | Horizontal | 0              | 3.00          |
| 5510MHz                        | Pass   | AV   | 11.03212G    | 35.51             | 54.00             | -18.49         | 3           | Vertical   | 12             | 1.50          |
| 5510MHz                        | Pass   | PK   | 10.99576G    | 48.95             | 74.00             | -25.05         | 3           | Vertical   | 12             | 1.50          |
| 5510MHz                        | Pass   | AV   | 11.0182G     | 35.45             | 54.00             | -18.55         | 3           | Horizontal | 250            | 1.50          |
| 5510MHz                        | Pass   | PK   | 10.99336G    | 48.90             | 74.00             | -25.10         | 3           | Horizontal | 250            | 1.50          |
| 5550MHz                        | Pass   | AV   | 5.46G        | 45.56             | 54.00             | -8.44          | 3           | Horizontal | 0              | 2.95          |
| 5550MHz                        | Pass   | AV   | 5.5508G      | 100.03            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.95          |
| 5550MHz                        | Pass   | PK   | 5.4564G      | 59.99             | 74.00             | -14.01         | 3           | Horizontal | 0              | 2.95          |
| 5550MHz                        | Pass   | PK   | 5.4648G      | 60.60             | 68.20             | -7.60          | 3           | Horizontal | 0              | 2.95          |
| 5550MHz                        | Pass   | PK   | 5.5612G      | 113.61            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.95          |
| 5550MHz                        | Pass   | AV   | 11.11668G    | 35.48             | 54.00             | -18.52         | 3           | Vertical   | 172            | 1.50          |
| 5550MHz                        | Pass   | PK   | 11.10312G    | 49.30             | 74.00             | -24.70         | 3           | Vertical   | 172            | 1.50          |
| 5550MHz                        | Pass   | AV   | 11.11548G    | 35.42             | 54.00             | -18.58         | 3           | Horizontal | 256            | 1.50          |
| 5550MHz                        | Pass   | PK   | 11.10396G    | 50.03             | 74.00             | -23.97         | 3           | Horizontal | 256            | 1.50          |
| 5670MHz                        | Pass   | AV   | 5.664G       | 99.97             | Inf               | -Inf           | 3           | Horizontal | 0              | 3.00          |
| 5670MHz                        | Pass   | PK   | 5.6814G      | 113.52            | Inf               | -Inf           | 3           | Horizontal | 0              | 3.00          |
| 5670MHz                        | Pass   | PK   | 5.7252G      | 66.17             | 68.20             | -2.03          | 3           | Horizontal | 0              | 3.00          |
| 5670MHz                        | Pass   | AV   | 11.35704G    | 36.50             | 54.00             | -17.50         | 3           | Vertical   | 105            | 2.78          |
| 5670MHz                        | Pass   | PK   | 11.33244G    | 49.99             | 74.00             | -24.01         | 3           | Vertical   | 105            | 2.78          |
| 5670MHz                        | Pass   | AV   | 11.36004G    | 36.40             | 54.00             | -17.60         | 3           | Horizontal | 259            | 1.50          |
| 5670MHz                        | Pass   | PK   | 11.35704G    | 50.23             | 74.00             | -23.77         | 3           | Horizontal | 259            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.46G        | 42.69             | 54.00             | -11.31         | 3           | Horizontal | 5              | 1.00          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.7076G      | 100.72            | Inf               | -Inf           | 3           | Horizontal | 5              | 1.00          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4316G      | 56.39             | 74.00             | -17.61         | 3           | Horizontal | 5              | 1.00          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4652G      | 56.18             | 68.20             | -12.02         | 3           | Horizontal | 5              | 1.00          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.704G       | 114.72            | Inf               | -Inf           | 3           | Horizontal | 5              | 1.00          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.8876G      | 57.70             | 68.20             | -10.50         | 3           | Horizontal | 5              | 1.00          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.40644G    | 36.61             | 54.00             | -17.39         | 3           | Vertical   | 349            | 2.17          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.44556G    | 50.01             | 74.00             | -23.99         | 3           | Vertical   | 349            | 2.17          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.43692G    | 36.57             | 54.00             | -17.43         | 3           | Horizontal | 250            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.44904G    | 50.44             | 74.00             | -23.56         | 3           | Horizontal | 250            | 1.50          |
| 5755MHz                        | Pass   | AV   | 5.455G       | 46.28             | 54.00             | -7.72          | 3           | Horizontal | 188            | 1.26          |
| 5755MHz                        | Pass   | AV   | 5.7418G      | 104.04            | Inf               | -Inf           | 3           | Horizontal | 188            | 1.26          |
| 5755MHz                        | Pass   | PK   | 5.5462G      | 59.92             | 68.20             | -8.28          | 3           | Horizontal | 188            | 1.26          |
| 5755MHz                        | Pass   | PK   | 5.7478G      | 116.13            | Inf               | -Inf           | 3           | Horizontal | 188            | 1.26          |
| 5755MHz                        | Pass   | PK   | 6.007G       | 60.04             | 68.20             | -8.16          | 3           | Horizontal | 188            | 1.26          |
| 5755MHz                        | Pass   | AV   | 11.48624G    | 37.17             | 54.00             | -16.83         | 3           | Vertical   | 78             | 1.50          |
| 5755MHz                        | Pass   | PK   | 11.50508G    | 49.89             | 74.00             | -24.11         | 3           | Vertical   | 78             | 1.50          |
| 5755MHz                        | Pass   | AV   | 11.53736G    | 37.13             | 54.00             | -16.87         | 3           | Horizontal | 194            | 2.99          |
| 5755MHz                        | Pass   | PK   | 11.53172G    | 49.56             | 74.00             | -24.44         | 3           | Horizontal | 194            | 2.99          |
| 5795MHz                        | Pass   | AV   | 5.8082G      | 102.95            | Inf               | -Inf           | 3           | Horizontal | 190            | 1.24          |
| 5795MHz                        | Pass   | PK   | 5.6246G      | 59.34             | 68.20             | -8.86          | 3           | Horizontal | 190            | 1.24          |
| 5795MHz                        | Pass   | PK   | 5.8094G      | 115.01            | Inf               | -Inf           | 3           | Horizontal | 190            | 1.24          |
| 5795MHz                        | Pass   | PK   | 6.0554G      | 59.79             | 68.20             | -8.41          | 3           | Horizontal | 190            | 1.24          |
| 5795MHz                        | Pass   | AV   | 11.56408G    | 37.05             | 54.00             | -16.95         | 3           | Vertical   | 96             | 1.50          |
| 5795MHz                        | Pass   | PK   | 11.56024G    | 49.61             | 74.00             | -24.39         | 3           | Vertical   | 96             | 1.50          |
| 5795MHz                        | Pass   | AV   | 11.56288G    | 37.09             | 54.00             | -16.91         | 3           | Horizontal | 270            | 1.50          |
| 5795MHz                        | Pass   | PK   | 11.59072G    | 49.47             | 74.00             | -24.53         | 3           | Horizontal | 270            | 1.50          |

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5210MHz                         | Pass   | AV   | 5.148G       | 50.97             | 54.00             | -3.03          | 3           | Horizontal | 189            | 2.74          |
| 5210MHz                         | Pass   | AV   | 5.197G       | 97.20             | Inf               | -Inf           | 3           | Horizontal | 189            | 2.74          |
| 5210MHz                         | Pass   | AV   | 5.362G       | 45.16             | 54.00             | -8.84          | 3           | Horizontal | 189            | 2.74          |
| 5210MHz                         | Pass   | PK   | 5.127G       | 63.54             | 74.00             | -10.46         | 3           | Horizontal | 189            | 2.74          |
| 5210MHz                         | Pass   | PK   | 5.178G       | 109.88            | Inf               | -Inf           | 3           | Horizontal | 189            | 2.74          |
| 5210MHz                         | Pass   | PK   | 5.354G       | 57.93             | 74.00             | -16.07         | 3           | Horizontal | 189            | 2.74          |
| 5210MHz                         | Pass   | PK   | 10.42192G    | 50.00             | 68.20             | -18.20         | 3           | Vertical   | 31             | 1.50          |
| 5210MHz                         | Pass   | PK   | 10.41712G    | 48.34             | 68.20             | -19.86         | 3           | Horizontal | 87             | 2.92          |
| 5290MHz                         | Pass   | AV   | 5.146G       | 46.11             | 54.00             | -7.89          | 3           | Horizontal | 182            | 2.77          |
| 5290MHz                         | Pass   | AV   | 5.278G       | 97.44             | Inf               | -Inf           | 3           | Horizontal | 182            | 2.77          |
| 5290MHz                         | Pass   | AV   | 5.35G        | 50.53             | 54.00             | -3.47          | 3           | Horizontal | 182            | 2.77          |
| 5290MHz                         | Pass   | PK   | 5.148G       | 59.17             | 74.00             | -14.83         | 3           | Horizontal | 182            | 2.77          |
| 5290MHz                         | Pass   | PK   | 5.279G       | 110.21            | Inf               | -Inf           | 3           | Horizontal | 182            | 2.77          |
| 5290MHz                         | Pass   | PK   | 5.351G       | 63.75             | 74.00             | -10.25         | 3           | Horizontal | 182            | 2.77          |
| 5290MHz                         | Pass   | PK   | 5.462G       | 58.87             | 68.20             | -9.33          | 3           | Horizontal | 182            | 2.77          |
| 5290MHz                         | Pass   | AV   | 10.62848G    | 36.49             | 54.00             | -17.51         | 3           | Vertical   | 79             | 2.09          |
| 5290MHz                         | Pass   | PK   | 10.64032G    | 50.22             | 74.00             | -23.78         | 3           | Vertical   | 79             | 2.09          |
| 5290MHz                         | Pass   | AV   | 10.63632G    | 36.60             | 54.00             | -17.40         | 3           | Horizontal | 84             | 2.70          |
| 5290MHz                         | Pass   | PK   | 10.65392G    | 49.37             | 74.00             | -24.63         | 3           | Horizontal | 84             | 2.70          |
| 5530MHz                         | Pass   | AV   | 5.35G        | 44.15             | 54.00             | -9.85          | 3           | Horizontal | 0              | 3.00          |
| 5530MHz                         | Pass   | AV   | 5.46G        | 51.02             | 54.00             | -2.98          | 3           | Horizontal | 0              | 3.00          |
| 5530MHz                         | Pass   | AV   | 5.499G       | 97.34             | Inf               | -Inf           | 3           | Horizontal | 0              | 3.00          |
| 5530MHz                         | Pass   | PK   | 5.345G       | 56.44             | 68.20             | -11.76         | 3           | Horizontal | 0              | 3.00          |
| 5530MHz                         | Pass   | PK   | 5.447G       | 64.44             | 74.00             | -9.56          | 3           | Horizontal | 0              | 3.00          |
| 5530MHz                         | Pass   | PK   | 5.468G       | 64.15             | 68.20             | -4.05          | 3           | Horizontal | 0              | 3.00          |
| 5530MHz                         | Pass   | PK   | 5.515G       | 110.54            | Inf               | -Inf           | 3           | Horizontal | 0              | 3.00          |
| 5530MHz                         | Pass   | PK   | 5.743G       | 58.45             | 68.20             | -9.75          | 3           | Horizontal | 0              | 3.00          |
| 5530MHz                         | Pass   | AV   | 11.03376G    | 36.36             | 54.00             | -17.64         | 3           | Vertical   | 98             | 1.20          |
| 5530MHz                         | Pass   | PK   | 11.01872G    | 49.37             | 74.00             | -24.63         | 3           | Vertical   | 98             | 1.20          |
| 5530MHz                         | Pass   | AV   | 11.01776G    | 36.28             | 54.00             | -17.72         | 3           | Horizontal | 241            | 2.28          |
| 5530MHz                         | Pass   | PK   | 11.05008G    | 49.04             | 74.00             | -24.96         | 3           | Horizontal | 241            | 2.28          |
| 5610MHz                         | Pass   | AV   | 5.46G        | 46.42             | 54.00             | -7.58          | 3           | Horizontal | 0              | 3.00          |
| 5610MHz                         | Pass   | AV   | 5.623G       | 96.80             | Inf               | -Inf           | 3           | Horizontal | 0              | 3.00          |
| 5610MHz                         | Pass   | PK   | 5.458G       | 58.80             | 74.00             | -15.20         | 3           | Horizontal | 0              | 3.00          |
| 5610MHz                         | Pass   | PK   | 5.467G       | 59.39             | 68.20             | -8.81          | 3           | Horizontal | 0              | 3.00          |
| 5610MHz                         | Pass   | PK   | 5.615G       | 109.30            | Inf               | -Inf           | 3           | Horizontal | 0              | 3.00          |
| 5610MHz                         | Pass   | PK   | 5.73G        | 60.43             | 68.20             | -7.77          | 3           | Horizontal | 0              | 3.00          |
| 5610MHz                         | Pass   | AV   | 11.29232G    | 36.85             | 54.00             | -17.15         | 3           | Vertical   | 276            | 2.54          |
| 5610MHz                         | Pass   | PK   | 11.28624G    | 50.06             | 74.00             | -23.94         | 3           | Vertical   | 276            | 2.54          |
| 5610MHz                         | Pass   | AV   | 11.27792G    | 36.88             | 54.00             | -17.12         | 3           | Horizontal | 202            | 1.27          |
| 5610MHz                         | Pass   | PK   | 11.25424G    | 50.04             | 74.00             | -23.96         | 3           | Horizontal | 202            | 1.27          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 5.4596G      | 43.92             | 54.00             | -10.08         | 3           | Horizontal | 357            | 2.48          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 5.678G       | 98.15             | Inf               | -Inf           | 3           | Horizontal | 357            | 2.48          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.4188G      | 56.70             | 74.00             | -17.30         | 3           | Horizontal | 357            | 2.48          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.468G       | 56.39             | 68.20             | -11.81         | 3           | Horizontal | 357            | 2.48          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.678G       | 110.62            | Inf               | -Inf           | 3           | Horizontal | 357            | 2.48          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.924G       | 58.03             | 68.20             | -10.17         | 3           | Horizontal | 357            | 2.48          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 11.40256G    | 38.12             | 54.00             | -15.88         | 3           | Vertical   | 313            | 1.67          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 11.38992G    | 50.64             | 74.00             | -23.36         | 3           | Vertical   | 313            | 1.67          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 11.40128G    | 38.18             | 54.00             | -15.82         | 3           | Horizontal | 195            | 1.07          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 11.40016G    | 50.41             | 74.00             | -23.59         | 3           | Horizontal | 195            | 1.07          |
| 5775MHz                         | Pass   | AV   | 5.7438G      | 100.62            | Inf               | -Inf           | 3           | Horizontal | 188            | 1.25          |
| 5775MHz                         | Pass   | PK   | 5.6478G      | 62.49             | 68.20             | -5.71          | 3           | Horizontal | 188            | 1.25          |
| 5775MHz                         | Pass   | PK   | 5.7642G      | 112.37            | Inf               | -Inf           | 3           | Horizontal | 188            | 1.25          |
| 5775MHz                         | Pass   | PK   | 6.021G       | 59.93             | 68.20             | -8.27          | 3           | Horizontal | 188            | 1.25          |
| 5775MHz                         | Pass   | AV   | 11.53248G    | 37.90             | 54.00             | -16.10         | 3           | Vertical   | 86             | 1.50          |
| 5775MHz                         | Pass   | PK   | 11.5632G     | 49.82             | 74.00             | -24.18         | 3           | Vertical   | 86             | 1.50          |
| 5775MHz                         | Pass   | AV   | 11.54232G    | 37.94             | 54.00             | -16.06         | 3           | Horizontal | 228            | 1.50          |
| 5775MHz                         | Pass   | PK   | 11.55576G    | 49.41             | 74.00             | -24.59         | 3           | Horizontal | 228            | 1.50          |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | AV   | 5.148G       | 52.91             | 54.00             | -1.09          | 3           | Horizontal | 179            | 2.93          |




**RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_  
Dipole Antenna\_2T2S**

**Appendix E.6**

| Mode                          | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|-------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5250MHz Straddle 5.25-5.35GHz | Pass   | AV   | 5.2296G      | 94.15             | Inf               | -Inf           | 3           | Horizontal | 179            | 2.93          |
| 5250MHz Straddle 5.25-5.35GHz | Pass   | AV   | 5.3532G      | 52.07             | 54.00             | -1.93          | 3           | Horizontal | 179            | 2.93          |
| 5250MHz Straddle 5.25-5.35GHz | Pass   | PK   | 5.1456G      | 70.67             | 74.00             | -3.33          | 3           | Horizontal | 179            | 2.93          |
| 5250MHz Straddle 5.25-5.35GHz | Pass   | PK   | 5.2308G      | 107.66            | Inf               | -Inf           | 3           | Horizontal | 179            | 2.93          |
| 5250MHz Straddle 5.25-5.35GHz | Pass   | PK   | 5.4372G      | 71.88             | 74.00             | -2.12          | 3           | Horizontal | 179            | 2.93          |
| 5250MHz Straddle 5.25-5.35GHz | Pass   | PK   | 5.4672G      | 65.47             | 68.20             | -2.73          | 3           | Horizontal | 179            | 2.93          |
| 5250MHz Straddle 5.25-5.35GHz | Pass   | PK   | 10.5368G     | 48.33             | 68.20             | -19.87         | 3           | Vertical   | 331            | 1.11          |
| 5250MHz Straddle 5.25-5.35GHz | Pass   | PK   | 10.43792G    | 48.67             | 68.20             | -19.53         | 3           | Horizontal | 293            | 2.45          |
| 5570MHz                       | Pass   | AV   | 5.4584G      | 48.89             | 54.00             | -5.11          | 3           | Horizontal | 181            | 2.65          |
| 5570MHz                       | Pass   | AV   | 5.5088G      | 92.84             | Inf               | -Inf           | 3           | Horizontal | 181            | 2.65          |
| 5570MHz                       | Pass   | PK   | 5.3444G      | 58.55             | 68.20             | -9.65          | 3           | Horizontal | 181            | 2.65          |
| 5570MHz                       | Pass   | PK   | 5.4452G      | 65.29             | 74.00             | -8.71          | 3           | Horizontal | 181            | 2.65          |
| 5570MHz                       | Pass   | PK   | 5.4644G      | 66.98             | 68.20             | -1.22          | 3           | Horizontal | 181            | 2.65          |
| 5570MHz                       | Pass   | PK   | 5.4944G      | 104.80            | Inf               | -Inf           | 3           | Horizontal | 181            | 2.65          |
| 5570MHz                       | Pass   | PK   | 5.726G       | 64.87             | 68.20             | -3.33          | 3           | Horizontal | 181            | 2.65          |
| 5570MHz                       | Pass   | AV   | 11.19504G    | 36.49             | 54.00             | -17.51         | 3           | Vertical   | 95             | 2.04          |
| 5570MHz                       | Pass   | PK   | 11.19728G    | 48.53             | 74.00             | -25.47         | 3           | Vertical   | 95             | 2.04          |
| 5570MHz                       | Pass   | AV   | 11.19728G    | 36.52             | 54.00             | -17.48         | 3           | Horizontal | 198            | 1.63          |
| 5570MHz                       | Pass   | PK   | 11.1128G     | 48.80             | 74.00             | -25.20         | 3           | Horizontal | 198            | 1.63          |


**5.15-5.25GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX**

**5180MHz\_TX**




**5.15-5.25GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX**

**5180MHz\_TX**




**5.15-5.25GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX**

**5180MHz\_TX**




**5.15-5.25GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX**

**5190MHz\_TX**




5.15-5.25GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5190MHz\_TX




5.15-5.25GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5190MHz\_TX



**5.15-5.25GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**


**5210MHz\_TX**



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.148G       | 50.97             | 54.00             | -3.03          | 1.01           | 3           | Horizontal | 189            | 2.74          | 49.96         | 33.49      | 4.81       | 37.29      |
| AV   | 5.197G       | 97.20             | Inf               | -Inf           | 0.85           | 3           | Horizontal | 189            | 2.74          | 96.35         | 33.31      | 4.84       | 37.30      |
| AV   | 5.362G       | 45.16             | 54.00             | -8.84          | 0.65           | 3           | Horizontal | 189            | 2.74          | 44.51         | 33.08      | 4.91       | 37.34      |
| PK   | 5.127G       | 63.54             | 74.00             | -10.46         | 0.87           | 3           | Horizontal | 189            | 2.74          | 62.67         | 33.36      | 4.80       | 37.29      |
| PK   | 5.178G       | 109.88            | Inf               | -Inf           | 0.92           | 3           | Horizontal | 189            | 2.74          | 108.96        | 33.39      | 4.83       | 37.30      |
| PK   | 5.354G       | 57.93             | 74.00             | -16.07         | 0.66           | 3           | Horizontal | 189            | 2.74          | 57.27         | 33.09      | 4.91       | 37.34      |

**5.15-5.25GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**


**5210MHz\_TX**



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 10.42192G    | 50.00             | 68.20             | -18.20         | 4.21           | 3           | Vertical  | 31             | 1.50          | 45.79         | 38.80      | 7.33       | 41.92      |


**5.15-5.25GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**

**5210MHz\_TX**




**5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX**

**5320MHz\_TX**




**5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX**

**5320MHz\_TX**




**5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX**

**5320MHz\_TX**




**5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX**

**5310MHz\_TX**




**5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX**

**5310MHz\_TX**




**5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX**

**5310MHz\_TX**




**5.25-5.35GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**

**5290MHz\_TX**




**5.25-5.35GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**

**5290MHz\_TX**



**5.25-5.35GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**

**5290MHz\_TX**




**5.25-5.35GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.25-5.35GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.25-5.35GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.47-5.725GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX**

**5700MHz\_TX**



5.47-5.725GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


5510MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|--|--|--|--|
| AV   | 5.46G        | 49.14             | 54.00             | -4.86          | 0.65           | 3           | Horizontal | 0              | 3.00          | 48.49         | 33.06      | 4.95       | 37.36      |  |  |  |  |
| AV   | 5.4988G      | 100.80            | Inf               | -Inf           | 0.87           | 3           | Horizontal | 0              | 3.00          | 99.93         | 33.29      | 4.95       | 37.37      |  |  |  |  |
| PK   | 5.458G       | 68.11             | 74.00             | -5.89          | 0.63           | 3           | Horizontal | 0              | 3.00          | 67.48         | 33.05      | 4.94       | 37.36      |  |  |  |  |
| PK   | 5.4632G      | 67.29             | 68.20             | -0.91          | 0.67           | 3           | Horizontal | 0              | 3.00          | 66.62         | 33.08      | 4.95       | 37.36      |  |  |  |  |
| PK   | 5.498G       | 114.18            | Inf               | -Inf           | 0.87           | 3           | Horizontal | 0              | 3.00          | 113.31        | 33.29      | 4.95       | 37.37      |  |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


5510MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|--|--|--|--|
| AV   | 11.03212G    | 35.51             | 54.00             | -18.49         | 4.07           | 3           | Vertical  | 12             | 1.50          | 31.44         | 38.84      | 7.58       | 42.35      |  |  |  |  |
| PK   | 10.99576G    | 48.95             | 74.00             | -25.05         | 4.09           | 3           | Vertical  | 12             | 1.50          | 44.86         | 38.91      | 7.57       | 42.39      |  |  |  |  |


**5.47-5.725GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX**

**5510MHz\_TX**




**5.47-5.725GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**

**5530MHz\_TX**




**5.47-5.725GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**

**5530MHz\_TX**




**5.47-5.725GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**

**5530MHz\_TX**




5.47-5.725GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

5570MHz\_TX




5.47-5.725GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

5570MHz\_TX




**5.47-5.725GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX**

**5570MHz\_TX**




**5.725-5.85GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX**

**5745MHz\_TX**




5.725-5.85GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




5.725-5.85GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5745MHz\_TX



5.725-5.85GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


5755MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.455G       | 46.28             | 54.00             | -7.72          | 5.30           | 3           | Horizontal | 188            | 1.26          | 40.98         | 32.80      | 7.57       | 35.07      |
| AV   | 5.7418G      | 104.04            | Inf               | -Inf           | 6.24           | 3           | Horizontal | 188            | 1.26          | 97.80         | 33.68      | 7.73       | 35.17      |
| PK   | 5.5462G      | 59.92             | 68.20             | -8.28          | 5.32           | 3           | Horizontal | 188            | 1.26          | 54.60         | 32.89      | 7.52       | 35.09      |
| PK   | 5.7478G      | 116.13            | Inf               | -Inf           | 6.27           | 3           | Horizontal | 188            | 1.26          | 109.86        | 33.70      | 7.74       | 35.17      |
| PK   | 6.007G       | 60.04             | 68.20             | -8.16          | 6.57           | 3           | Horizontal | 188            | 1.26          | 53.47         | 34.09      | 7.76       | 35.28      |

5.725-5.85GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


5755MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 11.48624G    | 37.17             | 54.00             | -16.83         | 15.69          | 3           | Vertical  | 78             | 1.50          | 21.48         | 38.90      | 10.81      | 34.02      |
| PK   | 11.50508G    | 49.89             | 74.00             | -24.11         | 15.69          | 3           | Vertical  | 78             | 1.50          | 34.20         | 38.89      | 10.82      | 34.02      |


**5.725-5.85GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX**

**5755MHz\_TX**




**5.725-5.85GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX**

**5775MHz\_TX**




5.725-5.85GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5775MHz\_TX



5.725-5.85GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5775MHz\_TX





**RSE TX below 1GHz\_Non-Beamforming\_Radio 2\_  
Dual-Polarized MIMO Panel Antenna\_1T1S**

**Appendix E.7**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.725-5.85GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT80_Nss1,(MCS0)_1TX | Pass   | PK   | 43.58M       | 36.83             | 40.00             | -3.17          | 3           | Vertical  | 360            | 1.00          |



**RSE TX below 1GHz\_Non-Beamforming\_Radio 2\_  
Dual-Polarized MIMO Panel Antenna\_1T1S**


**Appendix E.7**

**Result**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT80_Nss1.(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5775MHz_Adapter                | Pass   | PK   | 43.58M       | 36.83             | 40.00             | -3.17          | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 99.84M       | 29.18             | 43.50             | -14.32         | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 154.16M      | 28.28             | 43.50             | -15.22         | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 249.22M      | 20.84             | 46.00             | -25.16         | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 423.82M      | 36.62             | 46.00             | -9.38          | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 549.92M      | 27.21             | 46.00             | -18.79         | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 101.78M      | 34.82             | 43.50             | -8.68          | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 191.02M      | 24.85             | 43.50             | -18.65         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 342.34M      | 23.56             | 46.00             | -22.44         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 398.6M       | 24.72             | 46.00             | -21.28         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 499.48M      | 25.08             | 46.00             | -20.92         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 549.92M      | 27.34             | 46.00             | -18.66         | 3           | Horizontal | 0              | 1.00          |


**5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX**

**5775MHz\_Adapter**



**5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX**

**5775MHz\_Adapter**





## RSE TX above 1GHzNon-Beamforming\_Radio 2\_ Dual-Polarized MIMO Panel Antenna\_1T1S

## Appendix E.8

### Summary

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.15-5.25GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_1TX        | Pass   | AV   | 5.1498G      | 44.09             | 54.00             | -9.91          | 3           | Horizontal | 357            | 2.35          |
| 802.11be EHT20_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.1394G      | 43.91             | 54.00             | -10.09         | 3           | Horizontal | 14             | 1.50          |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.15G        | 45.67             | 54.00             | -8.33          | 3           | Horizontal | 16             | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.149G       | 47.89             | 54.00             | -6.11          | 3           | Horizontal | 15             | 1.50          |
| 5.25-5.35GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_1TX        | Pass   | AV   | 5.3504G      | 44.51             | 54.00             | -9.49          | 3           | Horizontal | 16             | 1.50          |
| 802.11be EHT20_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.3602G      | 44.88             | 54.00             | -9.12          | 3           | Horizontal | 16             | 1.50          |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.35G        | 45.77             | 54.00             | -8.23          | 3           | Horizontal | 18             | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.35G        | 45.74             | 54.00             | -8.26          | 3           | Horizontal | 16             | 1.50          |
| 802.11be EHT160_Nss1,(MCS0)_1TX | Pass   | AV   | 5.15G        | 53.27             | 54.00             | -0.73          | 3           | Horizontal | 345            | 1.50          |
| 5.47-5.725GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_1TX        | Pass   | PK   | 5.7256G      | 66.19             | 68.20             | -2.01          | 3           | Horizontal | 6              | 1.50          |
| 802.11be EHT20_Nss1,(MCS0)_1TX  | Pass   | PK   | 5.7272G      | 66.57             | 68.20             | -1.63          | 3           | Horizontal | 5              | 1.25          |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | Pass   | PK   | 5.4692G      | 63.98             | 68.20             | -4.22          | 3           | Horizontal | 17             | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | PK   | 5.467G       | 61.37             | 68.20             | -6.83          | 3           | Horizontal | 350            | 1.50          |
| 802.11be EHT160_Nss1,(MCS0)_1TX | Pass   | PK   | 5.4632G      | 63.85             | 68.20             | -4.35          | 3           | Horizontal | 9              | 1.50          |
| 5.725-5.85GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_1TX        | Pass   | AV   | 5.457G       | 45.69             | 54.00             | -8.31          | 3           | Horizontal | 0              | 2.00          |
| 802.11be EHT20_Nss1,(MCS0)_1TX  | Pass   | PK   | 6.01603G     | 60.37             | 68.20             | -7.83          | 3           | Horizontal | 0              | 2.25          |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.4598G      | 45.82             | 54.00             | -8.18          | 3           | Horizontal | 5              | 2.33          |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | PK   | 5.649G       | 60.62             | 68.20             | -7.58          | 3           | Horizontal | 3              | 2.07          |



# RSE TX above 1GHzNon-Beamforming\_Radio 2 Dual-Polarized MIMO Panel Antenna\_1T1S

## Appendix E.8

### Result

| Mode                     | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11a_Nss1,(6Mbps)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5180MHz                  | Pass   | AV   | 5.1498G      | 44.09             | 54.00             | -9.91          | 3           | Horizontal | 357            | 2.35          |
| 5180MHz                  | Pass   | AV   | 5.1766G      | 98.76             | Inf               | -Inf           | 3           | Horizontal | 357            | 2.35          |
| 5180MHz                  | Pass   | PK   | 5.1402G      | 57.84             | 74.00             | -16.16         | 3           | Horizontal | 357            | 2.35          |
| 5180MHz                  | Pass   | PK   | 5.18G        | 110.76            | Inf               | -Inf           | 3           | Horizontal | 357            | 2.35          |
| 5180MHz                  | Pass   | PK   | 10.36921G    | 50.38             | 68.20             | -17.82         | 3           | Vertical   | 34             | 1.06          |
| 5180MHz                  | Pass   | PK   | 10.3672G     | 49.11             | 68.20             | -19.09         | 3           | Horizontal | 123            | 2.99          |
| 5200MHz                  | Pass   | AV   | 5.1496G      | 42.77             | 54.00             | -11.23         | 3           | Horizontal | 14             | 1.50          |
| 5200MHz                  | Pass   | AV   | 5.2028G      | 97.15             | Inf               | -Inf           | 3           | Horizontal | 14             | 1.50          |
| 5200MHz                  | Pass   | PK   | 5.1388G      | 56.26             | 74.00             | -17.74         | 3           | Horizontal | 14             | 1.50          |
| 5200MHz                  | Pass   | PK   | 5.2G         | 108.62            | Inf               | -Inf           | 3           | Horizontal | 14             | 1.50          |
| 5200MHz                  | Pass   | PK   | 10.39524G    | 49.09             | 68.20             | -19.11         | 3           | Vertical   | 352            | 1.50          |
| 5200MHz                  | Pass   | PK   | 10.39792G    | 49.35             | 68.20             | -18.85         | 3           | Horizontal | 68             | 1.50          |
| 5240MHz                  | Pass   | AV   | 5.1476G      | 42.59             | 54.00             | -11.41         | 3           | Horizontal | 357            | 1.50          |
| 5240MHz                  | Pass   | AV   | 5.2376G      | 97.23             | Inf               | -Inf           | 3           | Horizontal | 357            | 1.50          |
| 5240MHz                  | Pass   | AV   | 5.3648G      | 42.65             | 54.00             | -11.35         | 3           | Horizontal | 357            | 1.50          |
| 5240MHz                  | Pass   | PK   | 5.1452G      | 55.74             | 74.00             | -18.26         | 3           | Horizontal | 357            | 1.50          |
| 5240MHz                  | Pass   | PK   | 5.24G        | 109.36            | Inf               | -Inf           | 3           | Horizontal | 357            | 1.50          |
| 5240MHz                  | Pass   | PK   | 5.3786G      | 56.51             | 74.00             | -17.49         | 3           | Horizontal | 357            | 1.50          |
| 5240MHz                  | Pass   | PK   | 10.48772G    | 49.50             | 68.20             | -18.70         | 3           | Vertical   | 143            | 1.50          |
| 5240MHz                  | Pass   | PK   | 10.4794G     | 49.16             | 68.20             | -19.04         | 3           | Horizontal | 350            | 1.00          |
| 5260MHz                  | Pass   | AV   | 5.15G        | 42.40             | 54.00             | -11.60         | 3           | Horizontal | 17             | 1.50          |
| 5260MHz                  | Pass   | AV   | 5.2522G      | 97.95             | Inf               | -Inf           | 3           | Horizontal | 17             | 1.50          |
| 5260MHz                  | Pass   | AV   | 5.371G       | 42.43             | 54.00             | -11.57         | 3           | Horizontal | 17             | 1.50          |
| 5260MHz                  | Pass   | PK   | 5.1466G      | 56.27             | 74.00             | -17.73         | 3           | Horizontal | 17             | 1.50          |
| 5260MHz                  | Pass   | PK   | 5.2558G      | 108.58            | Inf               | -Inf           | 3           | Horizontal | 17             | 1.50          |
| 5260MHz                  | Pass   | PK   | 5.356G       | 56.12             | 74.00             | -17.88         | 3           | Horizontal | 17             | 1.50          |
| 5260MHz                  | Pass   | PK   | 10.524G      | 49.91             | 68.20             | -18.29         | 3           | Vertical   | 215            | 1.50          |
| 5260MHz                  | Pass   | PK   | 10.52932G    | 48.79             | 68.20             | -19.41         | 3           | Horizontal | 162            | 2.35          |
| 5300MHz                  | Pass   | AV   | 5.3036G      | 98.16             | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5300MHz                  | Pass   | AV   | 5.35G        | 42.78             | 54.00             | -11.22         | 3           | Horizontal | 16             | 1.50          |
| 5300MHz                  | Pass   | PK   | 5.3044G      | 109.98            | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5300MHz                  | Pass   | PK   | 5.3776G      | 56.26             | 74.00             | -17.74         | 3           | Horizontal | 16             | 1.50          |
| 5300MHz                  | Pass   | PK   | 10.60728G    | 49.71             | 74.00             | -24.29         | 3           | Vertical   | 305            | 1.31          |
| 5300MHz                  | Pass   | PK   | 10.60028G    | 49.55             | 74.00             | -24.45         | 3           | Horizontal | 37             | 1.50          |
| 5320MHz                  | Pass   | AV   | 5.3168G      | 97.87             | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5320MHz                  | Pass   | AV   | 5.3504G      | 44.51             | 54.00             | -9.49          | 3           | Horizontal | 16             | 1.50          |
| 5320MHz                  | Pass   | PK   | 5.3174G      | 109.40            | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5320MHz                  | Pass   | PK   | 5.3606G      | 58.92             | 74.00             | -15.08         | 3           | Horizontal | 16             | 1.50          |
| 5320MHz                  | Pass   | AV   | 10.6458G     | 36.48             | 54.00             | -17.52         | 3           | Vertical   | 189            | 1.21          |
| 5320MHz                  | Pass   | PK   | 10.6422G     | 49.25             | 74.00             | -24.75         | 3           | Vertical   | 189            | 1.21          |
| 5320MHz                  | Pass   | AV   | 10.64944G    | 36.56             | 54.00             | -17.44         | 3           | Horizontal | 259            | 1.47          |
| 5320MHz                  | Pass   | PK   | 10.63912G    | 49.27             | 74.00             | -24.73         | 3           | Horizontal | 259            | 1.47          |
| 5500MHz                  | Pass   | AV   | 5.4594G      | 44.35             | 54.00             | -9.65          | 3           | Horizontal | 18             | 1.50          |
| 5500MHz                  | Pass   | AV   | 5.4932G      | 97.98             | Inf               | -Inf           | 3           | Horizontal | 18             | 1.50          |
| 5500MHz                  | Pass   | PK   | 5.459G       | 58.61             | 74.00             | -15.39         | 3           | Horizontal | 18             | 1.50          |
| 5500MHz                  | Pass   | PK   | 5.4602G      | 59.19             | 68.20             | -9.01          | 3           | Horizontal | 18             | 1.50          |
| 5500MHz                  | Pass   | PK   | 5.4978G      | 109.78            | Inf               | -Inf           | 3           | Horizontal | 18             | 1.50          |
| 5500MHz                  | Pass   | AV   | 10.9904G     | 36.07             | 54.00             | -17.93         | 3           | Vertical   | 126            | 1.98          |
| 5500MHz                  | Pass   | PK   | 11.00084G    | 49.25             | 74.00             | -24.75         | 3           | Vertical   | 126            | 1.98          |
| 5500MHz                  | Pass   | AV   | 11.00152G    | 36.11             | 54.00             | -17.89         | 3           | Horizontal | 221            | 2.11          |
| 5500MHz                  | Pass   | PK   | 11.0086G     | 49.04             | 74.00             | -24.96         | 3           | Horizontal | 221            | 2.11          |
| 5580MHz                  | Pass   | AV   | 5.4552G      | 42.10             | 54.00             | -11.90         | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                  | Pass   | AV   | 5.5866G      | 96.99             | Inf               | -Inf           | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                  | Pass   | PK   | 5.457G       | 55.58             | 74.00             | -18.42         | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                  | Pass   | PK   | 5.4624G      | 56.68             | 68.20             | -11.52         | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                  | Pass   | PK   | 5.58G        | 108.58            | Inf               | -Inf           | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                  | Pass   | PK   | 5.727G       | 55.68             | 68.20             | -12.52         | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                  | Pass   | AV   | 11.15152G    | 36.37             | 54.00             | -17.63         | 3           | Vertical   | 18             | 1.50          |
| 5580MHz                  | Pass   | PK   | 11.16704G    | 49.53             | 74.00             | -24.47         | 3           | Vertical   | 18             | 1.50          |
| 5580MHz                  | Pass   | AV   | 11.1596G     | 36.40             | 54.00             | -17.60         | 3           | Horizontal | 242            | 2.37          |

| Mode                           | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5580MHz                        | Pass   | PK   | 11.15052G | 49.22          | 74.00          | -24.78      | 3        | Horizontal | 242         | 2.37       |
| 5700MHz                        | Pass   | AV   | 5.6928G   | 96.90          | Inf            | -Inf        | 3        | Horizontal | 6           | 1.50       |
| 5700MHz                        | Pass   | PK   | 5.6936G   | 107.75         | Inf            | -Inf        | 3        | Horizontal | 6           | 1.50       |
| 5700MHz                        | Pass   | PK   | 5.7256G   | 66.19          | 68.20          | -2.01       | 3        | Horizontal | 6           | 1.50       |
| 5700MHz                        | Pass   | AV   | 11.40764G | 37.08          | 54.00          | -16.92      | 3        | Vertical   | 164         | 2.89       |
| 5700MHz                        | Pass   | PK   | 11.39412G | 49.82          | 74.00          | -24.18      | 3        | Vertical   | 164         | 2.89       |
| 5700MHz                        | Pass   | AV   | 11.40664G | 37.09          | 54.00          | -16.91      | 3        | Horizontal | 177         | 1.50       |
| 5700MHz                        | Pass   | PK   | 11.40964G | 51.07          | 74.00          | -22.93      | 3        | Horizontal | 177         | 1.50       |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.4392G   | 41.91          | 54.00          | -12.09      | 3        | Horizontal | 354         | 1.50       |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.7164G   | 97.67          | Inf            | -Inf        | 3        | Horizontal | 354         | 1.50       |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4486G   | 55.19          | 74.00          | -18.81      | 3        | Horizontal | 354         | 1.50       |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4608G   | 54.41          | 68.20          | -13.79      | 3        | Horizontal | 354         | 1.50       |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.7248G   | 109.32         | Inf            | -Inf        | 3        | Horizontal | 354         | 1.50       |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.9168G   | 57.87          | 68.20          | -10.33      | 3        | Horizontal | 354         | 1.50       |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.43712G | 37.28          | 54.00          | -16.72      | 3        | Vertical   | 193         | 2.39       |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.43648G | 50.75          | 74.00          | -23.25      | 3        | Vertical   | 193         | 2.39       |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.43708G | 37.33          | 54.00          | -16.67      | 3        | Horizontal | 320         | 1.83       |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.43472G | 51.49          | 74.00          | -22.51      | 3        | Horizontal | 320         | 1.83       |
| 5745MHz                        | Pass   | AV   | 5.457G    | 45.69          | 54.00          | -8.31       | 3        | Horizontal | 0           | 2.00       |
| 5745MHz                        | Pass   | AV   | 5.7474G   | 103.58         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.00       |
| 5745MHz                        | Pass   | PK   | 5.6406G   | 59.03          | 68.20          | -9.17       | 3        | Horizontal | 0           | 2.00       |
| 5745MHz                        | Pass   | PK   | 5.7462G   | 113.20         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.00       |
| 5745MHz                        | Pass   | PK   | 6.0126G   | 59.37          | 68.20          | -8.83       | 3        | Horizontal | 0           | 2.00       |
| 5745MHz                        | Pass   | AV   | 11.49078G | 37.18          | 54.00          | -16.82      | 3        | Vertical   | 68          | 1.50       |
| 5745MHz                        | Pass   | PK   | 11.48958G | 49.20          | 74.00          | -24.80      | 3        | Vertical   | 68          | 1.50       |
| 5745MHz                        | Pass   | AV   | 11.49156G | 37.29          | 54.00          | -16.71      | 3        | Horizontal | 200         | 2.24       |
| 5745MHz                        | Pass   | PK   | 11.49126G | 49.53          | 74.00          | -24.47      | 3        | Horizontal | 200         | 2.24       |
| 5785MHz                        | Pass   | AV   | 5.79218G  | 102.39         | Inf            | -Inf        | 3        | Horizontal | 5           | 2.26       |
| 5785MHz                        | Pass   | PK   | 5.48363G  | 58.26          | 68.20          | -9.94       | 3        | Horizontal | 5           | 2.26       |
| 5785MHz                        | Pass   | PK   | 5.77887G  | 111.14         | Inf            | -Inf        | 3        | Horizontal | 5           | 2.26       |
| 5785MHz                        | Pass   | PK   | 5.98699G  | 59.62          | 68.20          | -8.58       | 3        | Horizontal | 5           | 2.26       |
| 5785MHz                        | Pass   | AV   | 11.57174G | 37.15          | 54.00          | -16.85      | 3        | Vertical   | 184         | 1.50       |
| 5785MHz                        | Pass   | PK   | 11.5721G  | 49.36          | 74.00          | -24.64      | 3        | Vertical   | 184         | 1.50       |
| 5785MHz                        | Pass   | AV   | 11.55614G | 37.31          | 54.00          | -16.69      | 3        | Horizontal | 150         | 1.50       |
| 5785MHz                        | Pass   | PK   | 11.57186G | 49.49          | 74.00          | -24.51      | 3        | Horizontal | 150         | 1.50       |
| 5825MHz                        | Pass   | AV   | 5.8178G   | 103.10         | Inf            | -Inf        | 3        | Horizontal | 2           | 2.12       |
| 5825MHz                        | Pass   | PK   | 5.6174G   | 57.74          | 68.20          | -10.46      | 3        | Horizontal | 2           | 2.12       |
| 5825MHz                        | Pass   | PK   | 5.8238G   | 112.00         | Inf            | -Inf        | 3        | Horizontal | 2           | 2.12       |
| 5825MHz                        | Pass   | PK   | 5.9774G   | 59.65          | 68.20          | -8.55       | 3        | Horizontal | 2           | 2.12       |
| 5825MHz                        | Pass   | AV   | 11.65414G | 37.12          | 54.00          | -16.88      | 3        | Vertical   | 264         | 1.50       |
| 5825MHz                        | Pass   | PK   | 11.6617G  | 49.46          | 74.00          | -24.54      | 3        | Vertical   | 264         | 1.50       |
| 5825MHz                        | Pass   | AV   | 11.6539G  | 37.14          | 54.00          | -16.86      | 3        | Horizontal | 204         | 1.50       |
| 5825MHz                        | Pass   | PK   | 11.63668G | 50.48          | 74.00          | -23.52      | 3        | Horizontal | 204         | 1.50       |
| 802.11be EHT20_Nss1,(MCS0)_1TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5180MHz                        | Pass   | AV   | 5.1394G   | 43.91          | 54.00          | -10.09      | 3        | Horizontal | 14          | 1.50       |
| 5180MHz                        | Pass   | AV   | 5.1784G   | 97.05          | Inf            | -Inf        | 3        | Horizontal | 14          | 1.50       |
| 5180MHz                        | Pass   | PK   | 5.1392G   | 57.66          | 74.00          | -16.34      | 3        | Horizontal | 14          | 1.50       |
| 5180MHz                        | Pass   | PK   | 5.175G    | 110.36         | Inf            | -Inf        | 3        | Horizontal | 14          | 1.50       |
| 5180MHz                        | Pass   | PK   | 10.3642G  | 48.96          | 68.20          | -19.24      | 3        | Vertical   | 175         | 1.27       |
| 5180MHz                        | Pass   | PK   | 10.35544G | 49.55          | 68.20          | -18.65      | 3        | Horizontal | 172         | 2.94       |
| 5200MHz                        | Pass   | AV   | 5.1496G   | 42.90          | 54.00          | -11.10      | 3        | Horizontal | 360         | 1.50       |
| 5200MHz                        | Pass   | AV   | 5.1952G   | 96.12          | Inf            | -Inf        | 3        | Horizontal | 360         | 1.50       |
| 5200MHz                        | Pass   | PK   | 5.1384G   | 56.17          | 74.00          | -17.83      | 3        | Horizontal | 360         | 1.50       |
| 5200MHz                        | Pass   | PK   | 5.1916G   | 109.91         | Inf            | -Inf        | 3        | Horizontal | 360         | 1.50       |
| 5200MHz                        | Pass   | PK   | 10.39496G | 49.81          | 68.20          | -18.39      | 3        | Vertical   | 286         | 1.76       |
| 5200MHz                        | Pass   | PK   | 10.39068G | 49.51          | 68.20          | -18.69      | 3        | Horizontal | 28          | 1.50       |
| 5240MHz                        | Pass   | AV   | 5.1458G   | 42.53          | 54.00          | -11.47      | 3        | Horizontal | 4           | 1.50       |
| 5240MHz                        | Pass   | AV   | 5.234G    | 96.87          | Inf            | -Inf        | 3        | Horizontal | 4           | 1.50       |
| 5240MHz                        | Pass   | AV   | 5.357G    | 42.67          | 54.00          | -11.33      | 3        | Horizontal | 4           | 1.50       |
| 5240MHz                        | Pass   | PK   | 5.1266G   | 55.90          | 74.00          | -18.10      | 3        | Horizontal | 4           | 1.50       |
| 5240MHz                        | Pass   | PK   | 5.2334G   | 110.08         | Inf            | -Inf        | 3        | Horizontal | 4           | 1.50       |
| 5240MHz                        | Pass   | PK   | 5.3738G   | 56.53          | 74.00          | -17.47      | 3        | Horizontal | 4           | 1.50       |



**RSE TX above 1GHzNon-Beamforming\_Radio 2**  
**Dual-Polarized MIMO Panel Antenna\_1T1S**

**Appendix E.8**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5240MHz                        | Pass   | PK   | 10.47296G    | 49.41             | 68.20             | -18.79         | 3           | Vertical   | 123            | 1.50          |
| 5240MHz                        | Pass   | PK   | 10.48152G    | 48.86             | 68.20             | -19.34         | 3           | Horizontal | 216            | 1.50          |
| 5260MHz                        | Pass   | AV   | 5.1454G      | 42.34             | 54.00             | -11.66         | 3           | Horizontal | 18             | 1.50          |
| 5260MHz                        | Pass   | AV   | 5.2516G      | 97.29             | Inf               | -Inf           | 3           | Horizontal | 18             | 1.50          |
| 5260MHz                        | Pass   | AV   | 5.3614G      | 42.53             | 54.00             | -11.47         | 3           | Horizontal | 18             | 1.50          |
| 5260MHz                        | Pass   | PK   | 5.1382G      | 55.77             | 74.00             | -18.23         | 3           | Horizontal | 18             | 1.50          |
| 5260MHz                        | Pass   | PK   | 5.2528G      | 110.18            | Inf               | -Inf           | 3           | Horizontal | 18             | 1.50          |
| 5260MHz                        | Pass   | PK   | 5.3968G      | 56.41             | 74.00             | -17.59         | 3           | Horizontal | 18             | 1.50          |
| 5260MHz                        | Pass   | PK   | 10.5152G     | 49.55             | 68.20             | -18.65         | 3           | Vertical   | 242            | 1.50          |
| 5260MHz                        | Pass   | PK   | 10.5158G     | 49.32             | 68.20             | -18.88         | 3           | Horizontal | 224            | 2.08          |
| 5300MHz                        | Pass   | AV   | 5.3056G      | 97.56             | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5300MHz                        | Pass   | AV   | 5.354G       | 42.83             | 54.00             | -11.17         | 3           | Horizontal | 16             | 1.50          |
| 5300MHz                        | Pass   | PK   | 5.302G       | 110.60            | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5300MHz                        | Pass   | PK   | 5.35G        | 56.21             | 74.00             | -17.79         | 3           | Horizontal | 16             | 1.50          |
| 5300MHz                        | Pass   | PK   | 10.60968G    | 49.32             | 74.00             | -24.68         | 3           | Vertical   | 59             | 1.50          |
| 5300MHz                        | Pass   | PK   | 10.60588G    | 49.43             | 74.00             | -24.57         | 3           | Horizontal | 360            | 1.50          |
| 5320MHz                        | Pass   | AV   | 5.3184G      | 97.52             | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5320MHz                        | Pass   | AV   | 5.3602G      | 44.88             | 54.00             | -9.12          | 3           | Horizontal | 16             | 1.50          |
| 5320MHz                        | Pass   | PK   | 5.3148G      | 111.80            | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5320MHz                        | Pass   | PK   | 5.3596G      | 59.78             | 74.00             | -14.22         | 3           | Horizontal | 16             | 1.50          |
| 5320MHz                        | Pass   | AV   | 10.64936G    | 36.20             | 54.00             | -17.80         | 3           | Vertical   | 289            | 1.50          |
| 5320MHz                        | Pass   | PK   | 10.64584G    | 49.95             | 74.00             | -24.05         | 3           | Vertical   | 289            | 1.50          |
| 5320MHz                        | Pass   | AV   | 10.64984G    | 36.19             | 54.00             | -17.81         | 3           | Horizontal | 99             | 1.50          |
| 5320MHz                        | Pass   | PK   | 10.64512G    | 49.63             | 74.00             | -24.37         | 3           | Horizontal | 99             | 1.50          |
| 5500MHz                        | Pass   | AV   | 5.4594G      | 45.22             | 54.00             | -8.78          | 3           | Horizontal | 17             | 1.50          |
| 5500MHz                        | Pass   | AV   | 5.4936G      | 97.60             | Inf               | -Inf           | 3           | Horizontal | 17             | 1.50          |
| 5500MHz                        | Pass   | PK   | 5.4592G      | 61.00             | 74.00             | -13.00         | 3           | Horizontal | 17             | 1.50          |
| 5500MHz                        | Pass   | PK   | 5.4608G      | 61.03             | 68.20             | -7.17          | 3           | Horizontal | 17             | 1.50          |
| 5500MHz                        | Pass   | PK   | 5.4912G      | 111.16            | Inf               | -Inf           | 3           | Horizontal | 17             | 1.50          |
| 5500MHz                        | Pass   | AV   | 10.99124G    | 35.99             | 54.00             | -18.01         | 3           | Vertical   | 112            | 2.49          |
| 5500MHz                        | Pass   | PK   | 11.00036G    | 48.58             | 74.00             | -25.42         | 3           | Vertical   | 112            | 2.49          |
| 5500MHz                        | Pass   | AV   | 10.99084G    | 35.97             | 54.00             | -18.03         | 3           | Horizontal | 227            | 2.28          |
| 5500MHz                        | Pass   | PK   | 11.00996G    | 48.48             | 74.00             | -25.52         | 3           | Horizontal | 227            | 2.28          |
| 5580MHz                        | Pass   | AV   | 5.4426G      | 42.05             | 54.00             | -11.95         | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                        | Pass   | AV   | 5.5848G      | 96.33             | Inf               | -Inf           | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                        | Pass   | PK   | 5.4558G      | 55.38             | 74.00             | -18.62         | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                        | Pass   | PK   | 5.4672G      | 55.15             | 68.20             | -13.05         | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                        | Pass   | PK   | 5.5854G      | 109.46            | Inf               | -Inf           | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                        | Pass   | PK   | 5.7276G      | 56.06             | 68.20             | -12.14         | 3           | Horizontal | 352            | 1.50          |
| 5580MHz                        | Pass   | AV   | 11.15056G    | 36.34             | 54.00             | -17.66         | 3           | Vertical   | 124            | 1.50          |
| 5580MHz                        | Pass   | PK   | 11.15304G    | 50.43             | 74.00             | -23.57         | 3           | Vertical   | 124            | 1.50          |
| 5580MHz                        | Pass   | AV   | 11.15228G    | 36.32             | 54.00             | -17.68         | 3           | Horizontal | 346            | 1.66          |
| 5580MHz                        | Pass   | PK   | 11.1512G     | 48.68             | 74.00             | -25.32         | 3           | Horizontal | 346            | 1.66          |
| 5700MHz                        | Pass   | AV   | 5.6932G      | 95.74             | Inf               | -Inf           | 3           | Horizontal | 5              | 1.25          |
| 5700MHz                        | Pass   | PK   | 5.6932G      | 109.34            | Inf               | -Inf           | 3           | Horizontal | 5              | 1.25          |
| 5700MHz                        | Pass   | PK   | 5.7272G      | 66.57             | 68.20             | -1.63          | 3           | Horizontal | 5              | 1.25          |
| 5700MHz                        | Pass   | AV   | 11.40616G    | 37.12             | 54.00             | -16.88         | 3           | Vertical   | 197            | 1.50          |
| 5700MHz                        | Pass   | PK   | 11.4092G     | 50.36             | 74.00             | -23.64         | 3           | Vertical   | 197            | 1.50          |
| 5700MHz                        | Pass   | AV   | 11.40852G    | 37.14             | 54.00             | -16.86         | 3           | Horizontal | 42             | 1.50          |
| 5700MHz                        | Pass   | PK   | 11.40516G    | 49.97             | 74.00             | -24.03         | 3           | Horizontal | 42             | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.4428G      | 41.90             | 54.00             | -12.10         | 3           | Horizontal | 353            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.7116G      | 97.09             | Inf               | -Inf           | 3           | Horizontal | 353            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4392G      | 55.36             | 74.00             | -18.64         | 3           | Horizontal | 353            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4632G      | 54.77             | 68.20             | -13.43         | 3           | Horizontal | 353            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.7128G      | 110.22            | Inf               | -Inf           | 3           | Horizontal | 353            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.87G        | 58.52             | 68.20             | -9.68          | 3           | Horizontal | 353            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.43916G    | 37.29             | 54.00             | -16.71         | 3           | Vertical   | 324            | 1.39          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.44812G    | 50.43             | 74.00             | -23.57         | 3           | Vertical   | 324            | 1.39          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.44192G    | 37.38             | 54.00             | -16.62         | 3           | Horizontal | 33             | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.43644G    | 50.96             | 74.00             | -23.04         | 3           | Horizontal | 33             | 1.50          |
| 5745MHz                        | Pass   | AV   | 5.457G       | 45.78             | 54.00             | -8.22          | 3           | Horizontal | 7              | 2.18          |
| 5745MHz                        | Pass   | AV   | 5.7462G      | 103.32            | Inf               | -Inf           | 3           | Horizontal | 7              | 2.18          |



**RSE TX above 1GHzNon-Beamforming\_Radio 2**  
**Dual-Polarized MIMO Panel Antenna\_1T1S**

**Appendix E.8**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5745MHz                        | Pass   | PK   | 5.559G       | 58.65             | 68.20             | -9.55          | 3           | Horizontal | 7              | 2.18          |
| 5745MHz                        | Pass   | PK   | 5.751G       | 115.16            | Inf               | -Inf           | 3           | Horizontal | 7              | 2.18          |
| 5745MHz                        | Pass   | PK   | 5.9322G      | 60.10             | 68.20             | -8.10          | 3           | Horizontal | 7              | 2.18          |
| 5745MHz                        | Pass   | AV   | 11.4912G     | 37.27             | 54.00             | -16.73         | 3           | Vertical   | 149            | 1.49          |
| 5745MHz                        | Pass   | PK   | 11.49186G    | 49.27             | 74.00             | -24.73         | 3           | Vertical   | 149            | 1.49          |
| 5745MHz                        | Pass   | AV   | 11.49126G    | 37.23             | 54.00             | -16.77         | 3           | Horizontal | 340            | 1.35          |
| 5745MHz                        | Pass   | PK   | 11.49474G    | 50.00             | 74.00             | -24.00         | 3           | Horizontal | 340            | 1.35          |
| 5785MHz                        | Pass   | AV   | 5.79218G     | 102.09            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.25          |
| 5785MHz                        | Pass   | PK   | 5.57075G     | 58.07             | 68.20             | -10.13         | 3           | Horizontal | 0              | 2.25          |
| 5785MHz                        | Pass   | PK   | 5.79339G     | 113.63            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.25          |
| 5785MHz                        | Pass   | PK   | 6.01603G     | 60.37             | 68.20             | -7.83          | 3           | Horizontal | 0              | 2.25          |
| 5785MHz                        | Pass   | AV   | 11.5601G     | 37.25             | 54.00             | -16.75         | 3           | Vertical   | 50             | 1.35          |
| 5785MHz                        | Pass   | PK   | 11.57312G    | 49.43             | 74.00             | -24.57         | 3           | Vertical   | 50             | 1.35          |
| 5785MHz                        | Pass   | AV   | 11.55698G    | 37.25             | 54.00             | -16.75         | 3           | Horizontal | 265            | 1.21          |
| 5785MHz                        | Pass   | PK   | 11.56256G    | 49.80             | 74.00             | -24.20         | 3           | Horizontal | 265            | 1.21          |
| 5825MHz                        | Pass   | AV   | 5.819G       | 102.56            | Inf               | -Inf           | 3           | Horizontal | 3              | 2.31          |
| 5825MHz                        | Pass   | PK   | 5.5442G      | 57.89             | 68.20             | -10.31         | 3           | Horizontal | 3              | 2.31          |
| 5825MHz                        | Pass   | PK   | 5.8214G      | 114.50            | Inf               | -Inf           | 3           | Horizontal | 3              | 2.31          |
| 5825MHz                        | Pass   | PK   | 5.945G       | 59.77             | 68.20             | -8.43          | 3           | Horizontal | 3              | 2.31          |
| 5825MHz                        | Pass   | AV   | 11.65816G    | 37.10             | 54.00             | -16.90         | 3           | Vertical   | 20             | 2.40          |
| 5825MHz                        | Pass   | PK   | 11.65174G    | 50.87             | 74.00             | -23.13         | 3           | Vertical   | 20             | 2.40          |
| 5825MHz                        | Pass   | AV   | 11.65G       | 37.12             | 54.00             | -16.88         | 3           | Horizontal | 85             | 1.50          |
| 5825MHz                        | Pass   | PK   | 11.6461G     | 50.40             | 74.00             | -23.60         | 3           | Horizontal | 85             | 1.50          |
| 802.11be EHT40_Nss1_(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5190MHz                        | Pass   | AV   | 5.15G        | 45.67             | 54.00             | -8.33          | 3           | Horizontal | 16             | 1.50          |
| 5190MHz                        | Pass   | AV   | 5.1792G      | 94.19             | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5190MHz                        | Pass   | PK   | 5.1496G      | 58.95             | 74.00             | -15.05         | 3           | Horizontal | 16             | 1.50          |
| 5190MHz                        | Pass   | PK   | 5.1724G      | 108.68            | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5190MHz                        | Pass   | PK   | 10.3808G     | 48.96             | 68.20             | -19.24         | 3           | Vertical   | 210            | 1.50          |
| 5190MHz                        | Pass   | PK   | 10.37772G    | 49.44             | 68.20             | -18.76         | 3           | Horizontal | 91             | 1.50          |
| 5230MHz                        | Pass   | AV   | 5.15G        | 43.31             | 54.00             | -10.69         | 3           | Horizontal | 357            | 1.50          |
| 5230MHz                        | Pass   | AV   | 5.2352G      | 94.09             | Inf               | -Inf           | 3           | Horizontal | 357            | 1.50          |
| 5230MHz                        | Pass   | PK   | 5.146G       | 56.95             | 74.00             | -17.05         | 3           | Horizontal | 357            | 1.50          |
| 5230MHz                        | Pass   | PK   | 5.2376G      | 107.63            | Inf               | -Inf           | 3           | Horizontal | 357            | 1.50          |
| 5230MHz                        | Pass   | PK   | 10.45412G    | 50.06             | 68.20             | -18.14         | 3           | Vertical   | 126            | 1.50          |
| 5230MHz                        | Pass   | PK   | 10.46568G    | 49.17             | 68.20             | -19.03         | 3           | Horizontal | 357            | 1.50          |
| 5270MHz                        | Pass   | AV   | 5.2524G      | 94.91             | Inf               | -Inf           | 3           | Horizontal | 17             | 1.50          |
| 5270MHz                        | Pass   | AV   | 5.35G        | 43.57             | 54.00             | -10.43         | 3           | Horizontal | 17             | 1.50          |
| 5270MHz                        | Pass   | PK   | 5.2668G      | 108.49            | Inf               | -Inf           | 3           | Horizontal | 17             | 1.50          |
| 5270MHz                        | Pass   | PK   | 5.35G        | 57.46             | 74.00             | -16.54         | 3           | Horizontal | 17             | 1.50          |
| 5270MHz                        | Pass   | PK   | 10.542G      | 48.82             | 68.20             | -19.38         | 3           | Vertical   | 17             | 1.50          |
| 5270MHz                        | Pass   | PK   | 10.5302G     | 48.65             | 68.20             | -19.55         | 3           | Horizontal | 244            | 2.57          |
| 5310MHz                        | Pass   | AV   | 5.3052G      | 94.76             | Inf               | -Inf           | 3           | Horizontal | 18             | 1.50          |
| 5310MHz                        | Pass   | AV   | 5.35G        | 45.77             | 54.00             | -8.23          | 3           | Horizontal | 18             | 1.50          |
| 5310MHz                        | Pass   | PK   | 5.3088G      | 108.73            | Inf               | -Inf           | 3           | Horizontal | 18             | 1.50          |
| 5310MHz                        | Pass   | PK   | 5.358G       | 59.04             | 74.00             | -14.96         | 3           | Horizontal | 18             | 1.50          |
| 5310MHz                        | Pass   | AV   | 10.6106G     | 36.15             | 54.00             | -17.85         | 3           | Vertical   | 262            | 1.50          |
| 5310MHz                        | Pass   | PK   | 10.62208G    | 48.78             | 74.00             | -25.22         | 3           | Vertical   | 262            | 1.50          |
| 5310MHz                        | Pass   | AV   | 10.61268G    | 36.16             | 54.00             | -17.84         | 3           | Horizontal | 343            | 2.52          |
| 5310MHz                        | Pass   | PK   | 10.621G      | 49.78             | 74.00             | -24.22         | 3           | Horizontal | 343            | 2.52          |
| 5510MHz                        | Pass   | AV   | 5.46G        | 45.50             | 54.00             | -8.50          | 3           | Horizontal | 17             | 1.50          |
| 5510MHz                        | Pass   | AV   | 5.5172G      | 94.51             | Inf               | -Inf           | 3           | Horizontal | 17             | 1.50          |
| 5510MHz                        | Pass   | PK   | 5.4584G      | 60.21             | 74.00             | -13.79         | 3           | Horizontal | 17             | 1.50          |
| 5510MHz                        | Pass   | PK   | 5.4692G      | 63.98             | 68.20             | -4.22          | 3           | Horizontal | 17             | 1.50          |
| 5510MHz                        | Pass   | PK   | 5.4968G      | 108.24            | Inf               | -Inf           | 3           | Horizontal | 17             | 1.50          |
| 5510MHz                        | Pass   | AV   | 11.01968G    | 36.16             | 54.00             | -17.84         | 3           | Vertical   | 26             | 1.50          |
| 5510MHz                        | Pass   | PK   | 11.01448G    | 48.52             | 74.00             | -25.48         | 3           | Vertical   | 26             | 1.50          |
| 5510MHz                        | Pass   | AV   | 11.02064G    | 36.13             | 54.00             | -17.87         | 3           | Horizontal | 157            | 1.50          |
| 5510MHz                        | Pass   | PK   | 11.01644G    | 49.07             | 74.00             | -24.93         | 3           | Horizontal | 157            | 1.50          |
| 5550MHz                        | Pass   | AV   | 5.4596G      | 43.08             | 54.00             | -10.92         | 3           | Horizontal | 351            | 1.50          |
| 5550MHz                        | Pass   | AV   | 5.5368G      | 94.72             | Inf               | -Inf           | 3           | Horizontal | 351            | 1.50          |
| 5550MHz                        | Pass   | PK   | 5.4552G      | 56.64             | 74.00             | -17.36         | 3           | Horizontal | 351            | 1.50          |



**RSE TX above 1GHzNon-Beamforming\_Radio 2**  
**Dual-Polarized MIMO Panel Antenna\_1T1S**

**Appendix E.8**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5550MHz                        | Pass   | PK   | 5.4668G      | 57.13             | 68.20             | -11.07         | 3           | Horizontal | 351            | 1.50          |
| 5550MHz                        | Pass   | PK   | 5.5352G      | 108.28            | Inf               | -Inf           | 3           | Horizontal | 351            | 1.50          |
| 5550MHz                        | Pass   | AV   | 11.09792G    | 35.98             | 54.00             | -18.02         | 3           | Vertical   | 344            | 1.50          |
| 5550MHz                        | Pass   | PK   | 11.10764G    | 48.96             | 74.00             | -25.04         | 3           | Vertical   | 344            | 1.50          |
| 5550MHz                        | Pass   | AV   | 11.09872G    | 35.99             | 54.00             | -18.01         | 3           | Horizontal | 150            | 1.00          |
| 5550MHz                        | Pass   | PK   | 11.10784G    | 48.77             | 74.00             | -25.23         | 3           | Horizontal | 150            | 1.00          |
| 5670MHz                        | Pass   | AV   | 5.6766G      | 95.81             | Inf               | -Inf           | 3           | Horizontal | 5              | 1.01          |
| 5670MHz                        | Pass   | PK   | 5.6652G      | 109.27            | Inf               | -Inf           | 3           | Horizontal | 5              | 1.01          |
| 5670MHz                        | Pass   | PK   | 5.7252G      | 63.12             | 68.20             | -5.08          | 3           | Horizontal | 5              | 1.01          |
| 5670MHz                        | Pass   | AV   | 11.34564G    | 36.86             | 54.00             | -17.14         | 3           | Vertical   | 360            | 1.50          |
| 5670MHz                        | Pass   | PK   | 11.34544G    | 49.94             | 74.00             | -24.06         | 3           | Vertical   | 360            | 1.50          |
| 5670MHz                        | Pass   | AV   | 11.33068G    | 36.93             | 54.00             | -17.07         | 3           | Horizontal | 69             | 1.40          |
| 5670MHz                        | Pass   | PK   | 11.33112G    | 49.63             | 74.00             | -24.37         | 3           | Horizontal | 69             | 1.40          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.4592G      | 41.90             | 54.00             | -12.10         | 3           | Horizontal | 354            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.6944G      | 95.26             | Inf               | -Inf           | 3           | Horizontal | 354            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4196G      | 55.39             | 74.00             | -18.61         | 3           | Horizontal | 354            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.464G       | 54.85             | 68.20             | -13.35         | 3           | Horizontal | 354            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.7064G      | 108.24            | Inf               | -Inf           | 3           | Horizontal | 354            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.8708G      | 57.84             | 68.20             | -10.36         | 3           | Horizontal | 354            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.41164G    | 37.11             | 54.00             | -16.89         | 3           | Vertical   | 135            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.41316G    | 50.33             | 74.00             | -23.67         | 3           | Vertical   | 135            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.41116G    | 37.07             | 54.00             | -16.93         | 3           | Horizontal | 289            | 1.04          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.41852G    | 50.23             | 74.00             | -23.77         | 3           | Horizontal | 289            | 1.04          |
| 5755MHz                        | Pass   | AV   | 5.4598G      | 45.82             | 54.00             | -8.18          | 3           | Horizontal | 5              | 2.33          |
| 5755MHz                        | Pass   | AV   | 5.749G       | 100.50            | Inf               | -Inf           | 3           | Horizontal | 5              | 2.33          |
| 5755MHz                        | Pass   | PK   | 5.6422G      | 59.18             | 68.20             | -9.02          | 3           | Horizontal | 5              | 2.33          |
| 5755MHz                        | Pass   | PK   | 5.749G       | 112.86            | Inf               | -Inf           | 3           | Horizontal | 5              | 2.33          |
| 5755MHz                        | Pass   | PK   | 6.0502G      | 59.81             | 68.20             | -8.39          | 3           | Horizontal | 5              | 2.33          |
| 5755MHz                        | Pass   | AV   | 11.53496G    | 37.32             | 54.00             | -16.68         | 3           | Vertical   | 93             | 1.50          |
| 5755MHz                        | Pass   | PK   | 11.5376G     | 50.02             | 74.00             | -23.98         | 3           | Vertical   | 93             | 1.50          |
| 5755MHz                        | Pass   | AV   | 11.48948G    | 37.31             | 54.00             | -16.69         | 3           | Horizontal | 204            | 1.50          |
| 5755MHz                        | Pass   | PK   | 11.51564G    | 50.86             | 74.00             | -23.14         | 3           | Horizontal | 204            | 1.50          |
| 5795MHz                        | Pass   | AV   | 5.7974G      | 99.41             | Inf               | -Inf           | 3           | Horizontal | 4              | 2.32          |
| 5795MHz                        | Pass   | PK   | 5.5646G      | 58.49             | 68.20             | -9.71          | 3           | Horizontal | 4              | 2.32          |
| 5795MHz                        | Pass   | PK   | 5.8022G      | 111.44            | Inf               | -Inf           | 3           | Horizontal | 4              | 2.32          |
| 5795MHz                        | Pass   | PK   | 6.0626G      | 59.66             | 68.20             | -8.54          | 3           | Horizontal | 4              | 2.32          |
| 5795MHz                        | Pass   | AV   | 11.56492G    | 37.29             | 54.00             | -16.71         | 3           | Vertical   | 282            | 1.50          |
| 5795MHz                        | Pass   | PK   | 11.56888G    | 50.02             | 74.00             | -23.98         | 3           | Vertical   | 282            | 1.50          |
| 5795MHz                        | Pass   | AV   | 11.56252G    | 37.27             | 54.00             | -16.73         | 3           | Horizontal | 237            | 1.50          |
| 5795MHz                        | Pass   | PK   | 11.57296G    | 49.68             | 74.00             | -24.32         | 3           | Horizontal | 237            | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5210MHz                        | Pass   | AV   | 5.149G       | 47.89             | 54.00             | -6.11          | 3           | Horizontal | 15             | 1.50          |
| 5210MHz                        | Pass   | AV   | 5.18G        | 90.83             | Inf               | -Inf           | 3           | Horizontal | 15             | 1.50          |
| 5210MHz                        | Pass   | AV   | 5.356G       | 43.06             | 54.00             | -10.94         | 3           | Horizontal | 15             | 1.50          |
| 5210MHz                        | Pass   | PK   | 5.141G       | 61.65             | 74.00             | -12.35         | 3           | Horizontal | 15             | 1.50          |
| 5210MHz                        | Pass   | PK   | 5.18G        | 104.28            | Inf               | -Inf           | 3           | Horizontal | 15             | 1.50          |
| 5210MHz                        | Pass   | PK   | 5.359G       | 57.40             | 74.00             | -16.60         | 3           | Horizontal | 15             | 1.50          |
| 5210MHz                        | Pass   | PK   | 10.4158G     | 49.05             | 68.20             | -19.15         | 3           | Vertical   | 8              | 1.78          |
| 5210MHz                        | Pass   | PK   | 10.4236G     | 49.11             | 68.20             | -19.09         | 3           | Horizontal | 90             | 1.50          |
| 5290MHz                        | Pass   | AV   | 5.15G        | 43.92             | 54.00             | -10.08         | 3           | Horizontal | 16             | 1.50          |
| 5290MHz                        | Pass   | AV   | 5.304G       | 91.78             | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5290MHz                        | Pass   | AV   | 5.35G        | 45.74             | 54.00             | -8.26          | 3           | Horizontal | 16             | 1.50          |
| 5290MHz                        | Pass   | PK   | 5.145G       | 58.23             | 74.00             | -15.77         | 3           | Horizontal | 16             | 1.50          |
| 5290MHz                        | Pass   | PK   | 5.305G       | 105.83            | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5290MHz                        | Pass   | PK   | 5.369G       | 58.77             | 74.00             | -15.23         | 3           | Horizontal | 16             | 1.50          |
| 5290MHz                        | Pass   | PK   | 5.483G       | 57.60             | 68.20             | -10.60         | 3           | Horizontal | 16             | 1.50          |
| 5290MHz                        | Pass   | PK   | 10.577G      | 49.88             | 68.20             | -18.32         | 3           | Vertical   | 66             | 1.50          |
| 5290MHz                        | Pass   | PK   | 10.57284G    | 49.07             | 68.20             | -19.13         | 3           | Horizontal | 203            | 1.56          |
| 5530MHz                        | Pass   | AV   | 5.35G        | 42.30             | 54.00             | -11.70         | 3           | Horizontal | 350            | 1.50          |
| 5530MHz                        | Pass   | AV   | 5.46G        | 46.92             | 54.00             | -7.08          | 3           | Horizontal | 350            | 1.50          |
| 5530MHz                        | Pass   | AV   | 5.522G       | 91.48             | Inf               | -Inf           | 3           | Horizontal | 350            | 1.50          |
| 5530MHz                        | Pass   | PK   | 5.325G       | 56.32             | 68.20             | -11.88         | 3           | Horizontal | 350            | 1.50          |




**RSE TX above 1GHzNon-Beamforming\_Radio 2\_**  
**Dual-Polarized MIMO Panel Antenna\_1T1S**

**Appendix E.8**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5530MHz                         | Pass   | PK   | 5.46G        | 60.05             | 74.00             | -13.95         | 3           | Horizontal | 350            | 1.50          |
| 5530MHz                         | Pass   | PK   | 5.467G       | 61.37             | 68.20             | -6.83          | 3           | Horizontal | 350            | 1.50          |
| 5530MHz                         | Pass   | PK   | 5.524G       | 104.98            | Inf               | -Inf           | 3           | Horizontal | 350            | 1.50          |
| 5530MHz                         | Pass   | PK   | 5.767G       | 56.89             | 68.20             | -11.31         | 3           | Horizontal | 350            | 1.50          |
| 5530MHz                         | Pass   | AV   | 11.06668G    | 36.23             | 54.00             | -17.77         | 3           | Vertical   | 328            | 1.88          |
| 5530MHz                         | Pass   | PK   | 11.06376G    | 49.60             | 74.00             | -24.40         | 3           | Vertical   | 328            | 1.88          |
| 5530MHz                         | Pass   | AV   | 11.06548G    | 36.16             | 54.00             | -17.84         | 3           | Horizontal | 282            | 2.55          |
| 5530MHz                         | Pass   | PK   | 11.05012G    | 49.04             | 74.00             | -24.96         | 3           | Horizontal | 282            | 2.55          |
| 5610MHz                         | Pass   | AV   | 5.46G        | 43.42             | 54.00             | -10.58         | 3           | Horizontal | 9              | 1.50          |
| 5610MHz                         | Pass   | AV   | 5.601G       | 91.30             | Inf               | -Inf           | 3           | Horizontal | 9              | 1.50          |
| 5610MHz                         | Pass   | PK   | 5.455G       | 56.47             | 74.00             | -17.53         | 3           | Horizontal | 9              | 1.50          |
| 5610MHz                         | Pass   | PK   | 5.463G       | 56.31             | 68.20             | -11.89         | 3           | Horizontal | 9              | 1.50          |
| 5610MHz                         | Pass   | PK   | 5.602G       | 105.26            | Inf               | -Inf           | 3           | Horizontal | 9              | 1.50          |
| 5610MHz                         | Pass   | PK   | 5.733G       | 58.70             | 68.20             | -9.50          | 3           | Horizontal | 9              | 1.50          |
| 5610MHz                         | Pass   | AV   | 11.22632G    | 36.44             | 54.00             | -17.56         | 3           | Vertical   | 268            | 2.27          |
| 5610MHz                         | Pass   | PK   | 11.2122G     | 49.92             | 74.00             | -24.08         | 3           | Vertical   | 268            | 2.27          |
| 5610MHz                         | Pass   | AV   | 11.22668G    | 36.54             | 54.00             | -17.46         | 3           | Horizontal | 160            | 1.05          |
| 5610MHz                         | Pass   | PK   | 11.22744G    | 49.56             | 74.00             | -24.44         | 3           | Horizontal | 160            | 1.05          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 5.4452G      | 42.14             | 54.00             | -11.86         | 3           | Horizontal | 6              | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 5.678G       | 92.64             | Inf               | -Inf           | 3           | Horizontal | 6              | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.396G       | 55.88             | 74.00             | -18.12         | 3           | Horizontal | 6              | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.4692G      | 55.28             | 68.20             | -12.92         | 3           | Horizontal | 6              | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.6792G      | 105.65            | Inf               | -Inf           | 3           | Horizontal | 6              | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.93G        | 57.59             | 68.20             | -10.61         | 3           | Horizontal | 6              | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 11.37716G    | 36.89             | 54.00             | -17.11         | 3           | Vertical   | 318            | 1.94          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 11.37176G    | 50.95             | 74.00             | -23.05         | 3           | Vertical   | 318            | 1.94          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 11.37328G    | 36.86             | 54.00             | -17.14         | 3           | Horizontal | 301            | 1.71          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 11.38264G    | 49.93             | 74.00             | -24.07         | 3           | Horizontal | 301            | 1.71          |
| 5775MHz                         | Pass   | AV   | 5.757G       | 96.24             | Inf               | -Inf           | 3           | Horizontal | 3              | 2.07          |
| 5775MHz                         | Pass   | PK   | 5.649G       | 60.62             | 68.20             | -7.58          | 3           | Horizontal | 3              | 2.07          |
| 5775MHz                         | Pass   | PK   | 5.7426G      | 108.73            | Inf               | -Inf           | 3           | Horizontal | 3              | 2.07          |
| 5775MHz                         | Pass   | PK   | 5.931G       | 59.74             | 68.20             | -8.46          | 3           | Horizontal | 3              | 2.07          |
| 5775MHz                         | Pass   | AV   | 11.54376G    | 37.26             | 54.00             | -16.74         | 3           | Vertical   | 155            | 1.50          |
| 5775MHz                         | Pass   | PK   | 11.53656G    | 49.47             | 74.00             | -24.53         | 3           | Vertical   | 155            | 1.50          |
| 5775MHz                         | Pass   | AV   | 11.49144G    | 37.36             | 54.00             | -16.64         | 3           | Horizontal | 287            | 1.50          |
| 5775MHz                         | Pass   | PK   | 11.55768G    | 49.67             | 74.00             | -24.33         | 3           | Horizontal | 287            | 1.50          |
| 802.11be EHT160_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | AV   | 5.15G        | 53.27             | 54.00             | -0.73          | 3           | Horizontal | 345            | 1.50          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | AV   | 5.1732G      | 89.21             | Inf               | -Inf           | 3           | Horizontal | 345            | 1.50          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | AV   | 5.3532G      | 51.99             | 54.00             | -2.01          | 3           | Horizontal | 345            | 1.50          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 5.148G       | 70.36             | 74.00             | -3.64          | 3           | Horizontal | 345            | 1.50          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 5.1756G      | 102.95            | Inf               | -Inf           | 3           | Horizontal | 345            | 1.50          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 5.3676G      | 69.71             | 74.00             | -4.29          | 3           | Horizontal | 345            | 1.50          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 5.4672G      | 60.30             | 68.20             | -7.90          | 3           | Horizontal | 345            | 1.50          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 10.49004G    | 49.30             | 68.20             | -18.90         | 3           | Vertical   | 4              | 2.37          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 10.4916G     | 49.74             | 68.20             | -18.46         | 3           | Horizontal | 43             | 1.76          |
| 5570MHz                         | Pass   | AV   | 5.4596G      | 46.82             | 54.00             | -7.18          | 3           | Horizontal | 9              | 1.50          |
| 5570MHz                         | Pass   | AV   | 5.5988G      | 86.43             | Inf               | -Inf           | 3           | Horizontal | 9              | 1.50          |
| 5570MHz                         | Pass   | PK   | 5.3444G      | 56.14             | 68.20             | -12.06         | 3           | Horizontal | 9              | 1.50          |
| 5570MHz                         | Pass   | PK   | 5.4404G      | 65.91             | 74.00             | -8.09          | 3           | Horizontal | 9              | 1.50          |
| 5570MHz                         | Pass   | PK   | 5.4632G      | 63.85             | 68.20             | -4.35          | 3           | Horizontal | 9              | 1.50          |
| 5570MHz                         | Pass   | PK   | 5.5988G      | 100.99            | Inf               | -Inf           | 3           | Horizontal | 9              | 1.50          |
| 5570MHz                         | Pass   | PK   | 5.7584G      | 62.47             | 68.20             | -5.73          | 3           | Horizontal | 9              | 1.50          |
| 5570MHz                         | Pass   | AV   | 11.14868G    | 36.02             | 54.00             | -17.98         | 3           | Vertical   | 18             | 1.50          |
| 5570MHz                         | Pass   | PK   | 11.14952G    | 48.96             | 74.00             | -25.04         | 3           | Vertical   | 18             | 1.50          |
| 5570MHz                         | Pass   | AV   | 11.14924G    | 36.07             | 54.00             | -17.93         | 3           | Horizontal | 255            | 3.00          |
| 5570MHz                         | Pass   | PK   | 11.13748G    | 48.68             | 74.00             | -25.32         | 3           | Horizontal | 255            | 3.00          |


5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




**5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX**

**5180MHz\_TX**




**5.15-5.25GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX**

**5180MHz\_TX**




5.15-5.25GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




5.15-5.25GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5180MHz\_TX



**5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX**


**5190MHz\_TX**



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.15G        | 45.67             | 54.00             | -8.33          | 1.02           | 3           | Horizontal | 16             | 1.50          | 44.65         | 33.50      | 4.81       | 37.29      |
| AV   | 5.1792G      | 94.19             | Inf               | -Inf           | 0.91           | 3           | Horizontal | 16             | 1.50          | 93.28         | 33.38      | 4.83       | 37.30      |
| PK   | 5.1496G      | 58.95             | 74.00             | -15.05         | 1.02           | 3           | Horizontal | 16             | 1.50          | 57.93         | 33.50      | 4.81       | 37.29      |
| PK   | 5.1724G      | 108.68            | Inf               | -Inf           | 0.93           | 3           | Horizontal | 16             | 1.50          | 107.75        | 33.41      | 4.82       | 37.30      |

**5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX**


**5190MHz\_TX**



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 10.3808G     | 48.96             | 68.20             | -19.24         | 4.16           | 3           | Vertical  | 210            | 1.50          | 44.80         | 38.76      | 7.31       | 41.91      |


**5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX**

**5190MHz\_TX**




**5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX**

**5210MHz\_TX**




5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5210MHz\_TX



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5320MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.3168G   | 97.87          | Inf            | -Inf        | 0.66        | 3        | Horizontal | 16          | 1.50       | 97.21      | 33.10   | 4.89    | 37.33   |
| AV   | 5.3504G   | 44.51          | 54.00          | -9.49       | 0.67        | 3        | Horizontal | 16          | 1.50       | 43.84      | 33.10   | 4.91    | 37.34   |
| PK   | 5.3174G   | 109.40         | Inf            | -Inf        | 0.66        | 3        | Horizontal | 16          | 1.50       | 108.74     | 33.10   | 4.89    | 37.33   |
| PK   | 5.3606G   | 58.92          | 74.00          | -15.08      | 0.65        | 3        | Horizontal | 16          | 1.50       | 58.27      | 33.08   | 4.91    | 37.34   |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5320MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 10.6458G  | 36.48          | 54.00          | -17.52      | 4.54        | 3        | Vertical  | 189         | 1.21       | 31.94      | 39.19   | 7.42    | 42.07   |
| PK   | 10.6422G  | 49.25          | 74.00          | -24.75      | 4.53        | 3        | Vertical  | 189         | 1.21       | 44.72      | 39.18   | 7.42    | 42.07   |


**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX**

**5320MHz\_TX**




**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX**

**5320MHz\_TX**




**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX**

**5320MHz\_TX**




**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX**

**5320MHz\_TX**




5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX**

**5310MHz\_TX**




**5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX**

**5290MHz\_TX**




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX**

**5510MHz\_TX**




**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX**

**5510MHz\_TX**




**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX**

**5510MHz\_TX**



5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


5530MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.35G        | 42.30             | 54.00             | -11.70         | 0.67           | 3           | Horizontal | 350            | 1.50          | 41.63         | 33.10      | 4.91       | 37.34      |
| AV   | 5.46G        | 46.92             | 54.00             | -7.08          | 0.65           | 3           | Horizontal | 350            | 1.50          | 46.27         | 33.06      | 4.95       | 37.36      |
| AV   | 5.522G       | 91.48             | Inf               | -Inf           | 0.86           | 3           | Horizontal | 350            | 1.50          | 90.62         | 33.26      | 4.96       | 37.36      |
| PK   | 5.325G       | 56.32             | 68.20             | -11.88         | 0.67           | 3           | Horizontal | 350            | 1.50          | 55.65         | 33.10      | 4.90       | 37.33      |
| PK   | 5.46G        | 60.05             | 74.00             | -13.95         | 0.65           | 3           | Horizontal | 350            | 1.50          | 59.40         | 33.06      | 4.95       | 37.36      |
| PK   | 5.467G       | 61.37             | 68.20             | -6.83          | 0.69           | 3           | Horizontal | 350            | 1.50          | 60.68         | 33.10      | 4.95       | 37.36      |
| PK   | 5.524G       | 104.98            | Inf               | -Inf           | 0.85           | 3           | Horizontal | 350            | 1.50          | 104.13        | 33.25      | 4.96       | 37.36      |
| PK   | 5.767G       | 56.89             | 68.20             | -11.31         | 1.96           | 3           | Horizontal | 350            | 1.50          | 54.93         | 34.07      | 5.15       | 37.26      |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


5530MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 11.06668G    | 36.23             | 54.00             | -17.77         | 4.09           | 3           | Vertical  | 328            | 1.88          | 32.14         | 38.80      | 7.60       | 42.31      |
| PK   | 11.06376G    | 49.60             | 74.00             | -24.40         | 4.09           | 3           | Vertical  | 328            | 1.88          | 45.51         | 38.80      | 7.60       | 42.31      |


**5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX**

**5530MHz\_TX**




**5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX**

**5570MHz\_TX**




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

5570MHz\_TX




5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

5570MHz\_TX




5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




5.725-5.85GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




5.725-5.85GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5775MHz\_TX



5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5775MHz\_TX





**RSE TX below 1GHz\_Non-Beamforming\_Radio 2\_  
Dual-Polarized MIMO Panel Antenna\_2T1S**

**Appendix E.9**

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.725-5.85GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT80_Nss1,(MCS0)_2TX | Pass   | PK   | 45.52M       | 36.03             | 40.00             | -3.97          | 3           | Vertical  | 360            | 1.00          |



**RSE TX below 1GHz\_Non-Beamforming\_Radio 2\_  
Dual-Polarized MIMO Panel Antenna\_2T1S**


**Appendix E.9**

**Result**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT80_Nss1.(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5775MHz_Adapter                | Pass   | PK   | 38.73M       | 35.75             | 40.00             | -4.25          | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 45.52M       | 36.03             | 40.00             | -3.97          | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 54.25M       | 32.00             | 40.00             | -8.00          | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 88M          | 25.61             | 43.50             | -17.89         | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 125.06M      | 25.58             | 43.50             | -17.92         | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 149.31M      | 26.33             | 43.50             | -17.17         | 3           | Vertical   | 360            | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 44.55M       | 25.24             | 40.00             | -14.76         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 71.71M       | 24.68             | 40.00             | -15.32         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 79.47M       | 29.40             | 40.00             | -10.60         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 100.81M      | 33.73             | 43.50             | -9.77          | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 149.31M      | 28.64             | 43.50             | -14.86         | 3           | Horizontal | 0              | 1.00          |
| 5775MHz_Adapter                | Pass   | PK   | 209.45M      | 23.36             | 43.50             | -20.14         | 3           | Horizontal | 0              | 1.00          |


**5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX**

**5775MHz\_Adapter**



**5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX**

**5775MHz\_Adapter**





# RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_ Dual-Polarized MIMO Panel Antenna\_2T1S

## Appendix E.10

### Summary

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.15-5.25GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_2TX        | Pass   | AV   | 5.1468G      | 43.56             | 54.00             | -10.44         | 3           | Horizontal | 17             | 1.01          |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.14G        | 43.61             | 54.00             | -10.39         | 3           | Horizontal | 16             | 1.03          |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.15G        | 45.63             | 54.00             | -8.37          | 3           | Horizontal | 17             | 1.00          |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.147G       | 48.49             | 54.00             | -5.51          | 3           | Horizontal | 346            | 1.01          |
| 5.25-5.35GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_2TX        | Pass   | AV   | 5.35G        | 44.35             | 54.00             | -9.65          | 3           | Horizontal | 20             | 1.50          |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.35G        | 44.80             | 54.00             | -9.20          | 3           | Horizontal | 22             | 1.50          |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.35G        | 46.05             | 54.00             | -7.95          | 3           | Horizontal | 22             | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.352G       | 45.55             | 54.00             | -8.45          | 3           | Horizontal | 22             | 1.50          |
| 802.11be EHT160_Nss1,(MCS0)_2TX | Pass   | AV   | 5.1492G      | 52.75             | 54.00             | -1.25          | 3           | Horizontal | 5              | 1.36          |
| 5.47-5.725GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_2TX        | Pass   | PK   | 5.7252G      | 61.55             | 68.20             | -6.65          | 3           | Horizontal | 341            | 1.50          |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | Pass   | PK   | 5.7256G      | 63.80             | 68.20             | -4.40          | 3           | Horizontal | 342            | 1.50          |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | Pass   | PK   | 5.4632G      | 63.17             | 68.20             | -5.03          | 3           | Horizontal | 346            | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.46G        | 46.73             | 54.00             | -7.27          | 3           | Horizontal | 347            | 1.50          |
| 802.11be EHT160_Nss1,(MCS0)_2TX | Pass   | PK   | 5.4656G      | 60.52             | 68.20             | -7.68          | 3           | Horizontal | 347            | 1.34          |
| 5.725-5.85GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_2TX        | Pass   | PK   | 5.469G       | 61.15             | 68.20             | -7.05          | 3           | Horizontal | 12             | 1.50          |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | Pass   | PK   | 6.0054G      | 60.36             | 68.20             | -7.84          | 3           | Horizontal | 15             | 1.57          |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.4574G      | 46.35             | 54.00             | -7.65          | 3           | Horizontal | 13             | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | PK   | 5.6454G      | 62.35             | 68.20             | -5.85          | 3           | Horizontal | 13             | 1.60          |



# RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_ Dual-Polarized MIMO Panel Antenna\_2T1S

## Appendix E.10

### Result

| Mode                     | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11a_Nss1,(6Mbps)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5180MHz                  | Pass   | AV   | 5.1468G      | 43.56             | 54.00             | -10.44         | 3           | Horizontal | 17             | 1.01          |
| 5180MHz                  | Pass   | AV   | 5.1814G      | 98.91             | Inf               | -Inf           | 3           | Horizontal | 17             | 1.01          |
| 5180MHz                  | Pass   | PK   | 5.1464G      | 57.19             | 74.00             | -16.81         | 3           | Horizontal | 17             | 1.01          |
| 5180MHz                  | Pass   | PK   | 5.1802G      | 109.52            | Inf               | -Inf           | 3           | Horizontal | 17             | 1.01          |
| 5180MHz                  | Pass   | PK   | 10.35752G    | 49.13             | 68.20             | -19.07         | 3           | Vertical   | 259            | 1.50          |
| 5180MHz                  | Pass   | PK   | 10.366G      | 49.46             | 68.20             | -18.74         | 3           | Horizontal | 0              | 1.50          |
| 5200MHz                  | Pass   | AV   | 5.1496G      | 42.73             | 54.00             | -11.27         | 3           | Horizontal | 3              | 1.50          |
| 5200MHz                  | Pass   | AV   | 5.2048G      | 97.74             | Inf               | -Inf           | 3           | Horizontal | 3              | 1.50          |
| 5200MHz                  | Pass   | PK   | 5.1396G      | 56.07             | 74.00             | -17.93         | 3           | Horizontal | 3              | 1.50          |
| 5200MHz                  | Pass   | PK   | 5.2048G      | 107.95            | Inf               | -Inf           | 3           | Horizontal | 3              | 1.50          |
| 5200MHz                  | Pass   | PK   | 10.40724G    | 49.61             | 68.20             | -18.59         | 3           | Vertical   | 128            | 1.50          |
| 5200MHz                  | Pass   | PK   | 10.3936G     | 49.34             | 68.20             | -18.86         | 3           | Horizontal | 30             | 1.50          |
| 5240MHz                  | Pass   | AV   | 5.15G        | 42.51             | 54.00             | -11.49         | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                  | Pass   | AV   | 5.2412G      | 97.60             | Inf               | -Inf           | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                  | Pass   | AV   | 5.3636G      | 42.67             | 54.00             | -11.33         | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                  | Pass   | PK   | 5.1122G      | 56.62             | 74.00             | -17.38         | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                  | Pass   | PK   | 5.2394G      | 108.61            | Inf               | -Inf           | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                  | Pass   | PK   | 5.3738G      | 56.34             | 74.00             | -17.66         | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                  | Pass   | PK   | 10.48408G    | 49.16             | 68.20             | -19.04         | 3           | Vertical   | 100            | 1.50          |
| 5240MHz                  | Pass   | PK   | 10.4716G     | 49.80             | 68.20             | -18.40         | 3           | Horizontal | 128            | 2.24          |
| 5260MHz                  | Pass   | AV   | 5.15G        | 42.30             | 54.00             | -11.70         | 3           | Horizontal | 22             | 1.50          |
| 5260MHz                  | Pass   | AV   | 5.2552G      | 98.48             | Inf               | -Inf           | 3           | Horizontal | 22             | 1.50          |
| 5260MHz                  | Pass   | AV   | 5.3728G      | 42.40             | 54.00             | -11.60         | 3           | Horizontal | 22             | 1.50          |
| 5260MHz                  | Pass   | PK   | 5.1292G      | 55.56             | 74.00             | -18.44         | 3           | Horizontal | 22             | 1.50          |
| 5260MHz                  | Pass   | PK   | 5.2648G      | 109.05            | Inf               | -Inf           | 3           | Horizontal | 22             | 1.50          |
| 5260MHz                  | Pass   | PK   | 5.3752G      | 56.17             | 74.00             | -17.83         | 3           | Horizontal | 22             | 1.50          |
| 5260MHz                  | Pass   | PK   | 10.52752G    | 48.72             | 68.20             | -19.48         | 3           | Vertical   | 282            | 2.64          |
| 5260MHz                  | Pass   | PK   | 10.51592G    | 49.90             | 68.20             | -18.30         | 3           | Horizontal | 114            | 1.50          |
| 5300MHz                  | Pass   | AV   | 5.3052G      | 98.27             | Inf               | -Inf           | 3           | Horizontal | 23             | 1.50          |
| 5300MHz                  | Pass   | AV   | 5.3512G      | 42.70             | 54.00             | -11.30         | 3           | Horizontal | 23             | 1.50          |
| 5300MHz                  | Pass   | PK   | 5.3052G      | 109.30            | Inf               | -Inf           | 3           | Horizontal | 23             | 1.50          |
| 5300MHz                  | Pass   | PK   | 5.374G       | 56.37             | 74.00             | -17.63         | 3           | Horizontal | 23             | 1.50          |
| 5300MHz                  | Pass   | AV   | 10.6034G     | 36.11             | 54.00             | -17.89         | 3           | Vertical   | 33             | 1.98          |
| 5300MHz                  | Pass   | PK   | 10.60216G    | 49.55             | 74.00             | -24.45         | 3           | Vertical   | 33             | 1.98          |
| 5300MHz                  | Pass   | AV   | 10.6076G     | 36.15             | 54.00             | -17.85         | 3           | Horizontal | 253            | 2.51          |
| 5300MHz                  | Pass   | PK   | 10.60224G    | 51.27             | 74.00             | -22.73         | 3           | Horizontal | 253            | 2.51          |
| 5320MHz                  | Pass   | AV   | 5.316G       | 98.38             | Inf               | -Inf           | 3           | Horizontal | 20             | 1.50          |
| 5320MHz                  | Pass   | AV   | 5.35G        | 44.35             | 54.00             | -9.65          | 3           | Horizontal | 20             | 1.50          |
| 5320MHz                  | Pass   | PK   | 5.32G        | 109.07            | Inf               | -Inf           | 3           | Horizontal | 20             | 1.50          |
| 5320MHz                  | Pass   | PK   | 5.3612G      | 59.31             | 74.00             | -14.69         | 3           | Horizontal | 20             | 1.50          |
| 5320MHz                  | Pass   | AV   | 10.64556G    | 36.36             | 54.00             | -17.64         | 3           | Vertical   | 69             | 2.91          |
| 5320MHz                  | Pass   | PK   | 10.64036G    | 50.10             | 74.00             | -23.90         | 3           | Vertical   | 69             | 2.91          |
| 5320MHz                  | Pass   | AV   | 10.64532G    | 36.36             | 54.00             | -17.64         | 3           | Horizontal | 335            | 2.65          |
| 5320MHz                  | Pass   | PK   | 10.64168G    | 49.96             | 74.00             | -24.04         | 3           | Horizontal | 335            | 2.65          |
| 5500MHz                  | Pass   | AV   | 5.46G        | 43.93             | 54.00             | -10.07         | 3           | Horizontal | 347            | 1.50          |
| 5500MHz                  | Pass   | AV   | 5.495G       | 99.07             | Inf               | -Inf           | 3           | Horizontal | 347            | 1.50          |
| 5500MHz                  | Pass   | PK   | 5.4596G      | 60.12             | 74.00             | -13.88         | 3           | Horizontal | 347            | 1.50          |
| 5500MHz                  | Pass   | PK   | 5.4698G      | 58.01             | 68.20             | -10.19         | 3           | Horizontal | 347            | 1.50          |
| 5500MHz                  | Pass   | PK   | 5.4948G      | 109.43            | Inf               | -Inf           | 3           | Horizontal | 347            | 1.50          |
| 5500MHz                  | Pass   | AV   | 10.99156G    | 35.87             | 54.00             | -18.13         | 3           | Vertical   | 62             | 1.30          |
| 5500MHz                  | Pass   | PK   | 10.9956G     | 50.28             | 74.00             | -23.72         | 3           | Vertical   | 62             | 1.30          |
| 5500MHz                  | Pass   | AV   | 10.99132G    | 35.84             | 54.00             | -18.16         | 3           | Horizontal | 40             | 1.50          |
| 5500MHz                  | Pass   | PK   | 10.9958G     | 50.65             | 74.00             | -23.35         | 3           | Horizontal | 40             | 1.50          |
| 5580MHz                  | Pass   | AV   | 5.4522G      | 42.13             | 54.00             | -11.87         | 3           | Horizontal | 18             | 1.50          |
| 5580MHz                  | Pass   | AV   | 5.5752G      | 97.83             | Inf               | -Inf           | 3           | Horizontal | 18             | 1.50          |
| 5580MHz                  | Pass   | PK   | 5.4408G      | 55.99             | 74.00             | -18.01         | 3           | Horizontal | 18             | 1.50          |
| 5580MHz                  | Pass   | PK   | 5.4648G      | 55.21             | 68.20             | -12.99         | 3           | Horizontal | 18             | 1.50          |
| 5580MHz                  | Pass   | PK   | 5.5752G      | 108.23            | Inf               | -Inf           | 3           | Horizontal | 18             | 1.50          |
| 5580MHz                  | Pass   | PK   | 5.7294G      | 55.83             | 68.20             | -12.37         | 3           | Horizontal | 18             | 1.50          |
| 5580MHz                  | Pass   | AV   | 11.1532G     | 36.01             | 54.00             | -17.99         | 3           | Vertical   | 312            | 1.50          |

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5580MHz                        | Pass   | PK   | 11.1504G     | 49.17             | 74.00             | -24.83         | 3           | Vertical   | 312            | 1.50          |
| 5580MHz                        | Pass   | AV   | 11.1512G     | 35.97             | 54.00             | -18.03         | 3           | Horizontal | 15             | 1.21          |
| 5580MHz                        | Pass   | PK   | 11.1576G     | 49.29             | 74.00             | -24.71         | 3           | Horizontal | 15             | 1.21          |
| 5700MHz                        | Pass   | AV   | 5.696G       | 95.40             | Inf               | -Inf           | 3           | Horizontal | 341            | 1.50          |
| 5700MHz                        | Pass   | PK   | 5.7012G      | 105.62            | Inf               | -Inf           | 3           | Horizontal | 341            | 1.50          |
| 5700MHz                        | Pass   | PK   | 5.7252G      | 61.55             | 68.20             | -6.65          | 3           | Horizontal | 341            | 1.50          |
| 5700MHz                        | Pass   | AV   | 11.40532G    | 37.10             | 54.00             | -16.90         | 3           | Vertical   | 228            | 2.64          |
| 5700MHz                        | Pass   | PK   | 11.39156G    | 51.16             | 74.00             | -22.84         | 3           | Vertical   | 228            | 2.64          |
| 5700MHz                        | Pass   | AV   | 11.40596G    | 37.18             | 54.00             | -16.82         | 3           | Horizontal | 360            | 2.69          |
| 5700MHz                        | Pass   | PK   | 11.39736G    | 50.52             | 74.00             | -23.48         | 3           | Horizontal | 360            | 2.69          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.4344G      | 41.80             | 54.00             | -12.20         | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.726G       | 98.44             | Inf               | -Inf           | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4416G      | 55.84             | 74.00             | -18.16         | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4608G      | 54.67             | 68.20             | -13.53         | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.726G       | 108.31            | Inf               | -Inf           | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.8904G      | 58.25             | 68.20             | -9.95          | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.44032G    | 37.15             | 54.00             | -16.85         | 3           | Vertical   | 340            | 2.54          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.44128G    | 50.36             | 74.00             | -23.64         | 3           | Vertical   | 340            | 2.54          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.44024G    | 37.13             | 54.00             | -16.87         | 3           | Horizontal | 58             | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.44032G    | 50.40             | 74.00             | -23.60         | 3           | Horizontal | 58             | 1.50          |
| 5745MHz                        | Pass   | AV   | 5.4594G      | 46.20             | 54.00             | -7.80          | 3           | Horizontal | 12             | 1.50          |
| 5745MHz                        | Pass   | AV   | 5.7462G      | 106.85            | Inf               | -Inf           | 3           | Horizontal | 12             | 1.50          |
| 5745MHz                        | Pass   | PK   | 5.469G       | 61.15             | 68.20             | -7.05          | 3           | Horizontal | 12             | 1.50          |
| 5745MHz                        | Pass   | PK   | 5.7462G      | 116.88            | Inf               | -Inf           | 3           | Horizontal | 12             | 1.50          |
| 5745MHz                        | Pass   | PK   | 5.9922G      | 59.41             | 68.20             | -8.79          | 3           | Horizontal | 12             | 1.50          |
| 5745MHz                        | Pass   | AV   | 11.49066G    | 37.18             | 54.00             | -16.82         | 3           | Vertical   | 208            | 1.18          |
| 5745MHz                        | Pass   | PK   | 11.47656G    | 49.56             | 74.00             | -24.44         | 3           | Vertical   | 208            | 1.18          |
| 5745MHz                        | Pass   | AV   | 11.49138G    | 37.17             | 54.00             | -16.83         | 3           | Horizontal | 155            | 1.50          |
| 5745MHz                        | Pass   | PK   | 11.49804G    | 49.27             | 74.00             | -24.73         | 3           | Horizontal | 155            | 1.50          |
| 5785MHz                        | Pass   | AV   | 5.78008G     | 105.35            | Inf               | -Inf           | 3           | Horizontal | 20             | 1.50          |
| 5785MHz                        | Pass   | PK   | 5.50662G     | 58.63             | 68.20             | -9.57          | 3           | Horizontal | 20             | 1.50          |
| 5785MHz                        | Pass   | PK   | 5.78976G     | 114.92            | Inf               | -Inf           | 3           | Horizontal | 20             | 1.50          |
| 5785MHz                        | Pass   | PK   | 6.04991G     | 60.05             | 68.20             | -8.15          | 3           | Horizontal | 20             | 1.50          |
| 5785MHz                        | Pass   | AV   | 11.55542G    | 37.12             | 54.00             | -16.88         | 3           | Vertical   | 355            | 1.50          |
| 5785MHz                        | Pass   | PK   | 11.55578G    | 49.45             | 74.00             | -24.55         | 3           | Vertical   | 355            | 1.50          |
| 5785MHz                        | Pass   | AV   | 11.55548G    | 37.14             | 54.00             | -16.86         | 3           | Horizontal | 88             | 1.50          |
| 5785MHz                        | Pass   | PK   | 11.57636G    | 50.06             | 74.00             | -23.94         | 3           | Horizontal | 88             | 1.50          |
| 5825MHz                        | Pass   | AV   | 5.8298G      | 105.85            | Inf               | -Inf           | 3           | Horizontal | 16             | 1.64          |
| 5825MHz                        | Pass   | PK   | 5.5598G      | 59.21             | 68.20             | -8.99          | 3           | Horizontal | 16             | 1.64          |
| 5825MHz                        | Pass   | PK   | 5.8202G      | 115.82            | Inf               | -Inf           | 3           | Horizontal | 16             | 1.64          |
| 5825MHz                        | Pass   | PK   | 6.047G       | 60.33             | 68.20             | -7.87          | 3           | Horizontal | 16             | 1.64          |
| 5825MHz                        | Pass   | AV   | 11.6575G     | 37.14             | 54.00             | -16.86         | 3           | Vertical   | 89             | 1.00          |
| 5825MHz                        | Pass   | PK   | 11.64988G    | 50.35             | 74.00             | -23.65         | 3           | Vertical   | 89             | 1.00          |
| 5825MHz                        | Pass   | AV   | 11.65282G    | 37.07             | 54.00             | -16.93         | 3           | Horizontal | 76             | 1.50          |
| 5825MHz                        | Pass   | PK   | 11.65282G    | 49.46             | 74.00             | -24.54         | 3           | Horizontal | 76             | 1.50          |
| 802.11be EHT20_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5180MHz                        | Pass   | AV   | 5.14G        | 43.61             | 54.00             | -10.39         | 3           | Horizontal | 16             | 1.03          |
| 5180MHz                        | Pass   | AV   | 5.178G       | 98.10             | Inf               | -Inf           | 3           | Horizontal | 16             | 1.03          |
| 5180MHz                        | Pass   | PK   | 5.139G       | 58.64             | 74.00             | -15.36         | 3           | Horizontal | 16             | 1.03          |
| 5180MHz                        | Pass   | PK   | 5.183G       | 112.09            | Inf               | -Inf           | 3           | Horizontal | 16             | 1.03          |
| 5180MHz                        | Pass   | PK   | 10.36856G    | 50.55             | 68.20             | -17.65         | 3           | Vertical   | 331            | 1.78          |
| 5180MHz                        | Pass   | PK   | 10.3696G     | 49.29             | 68.20             | -18.91         | 3           | Horizontal | 107            | 2.70          |
| 5200MHz                        | Pass   | AV   | 5.1496G      | 42.75             | 54.00             | -11.25         | 3           | Horizontal | 3              | 1.50          |
| 5200MHz                        | Pass   | AV   | 5.2024G      | 96.54             | Inf               | -Inf           | 3           | Horizontal | 3              | 1.50          |
| 5200MHz                        | Pass   | PK   | 5.1436G      | 56.59             | 74.00             | -17.41         | 3           | Horizontal | 3              | 1.50          |
| 5200MHz                        | Pass   | PK   | 5.1968G      | 109.90            | Inf               | -Inf           | 3           | Horizontal | 3              | 1.50          |
| 5200MHz                        | Pass   | PK   | 10.39932G    | 49.72             | 68.20             | -18.48         | 3           | Vertical   | 101            | 1.44          |
| 5200MHz                        | Pass   | PK   | 10.40332G    | 48.97             | 68.20             | -19.23         | 3           | Horizontal | 320            | 1.50          |
| 5240MHz                        | Pass   | AV   | 5.15G        | 42.54             | 54.00             | -11.46         | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                        | Pass   | AV   | 5.2424G      | 96.92             | Inf               | -Inf           | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                        | Pass   | AV   | 5.3732G      | 42.66             | 54.00             | -11.34         | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                        | Pass   | PK   | 5.126G       | 56.08             | 74.00             | -17.92         | 3           | Horizontal | 21             | 1.50          |



**RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_  
Dual-Polarized MIMO Panel Antenna\_2T1S**

**Appendix E.10**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5240MHz                        | Pass   | PK   | 5.2358G      | 110.44            | Inf               | -Inf           | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                        | Pass   | PK   | 5.3636G      | 56.43             | 74.00             | -17.57         | 3           | Horizontal | 21             | 1.50          |
| 5240MHz                        | Pass   | PK   | 10.47424G    | 49.31             | 68.20             | -18.89         | 3           | Vertical   | 190            | 1.50          |
| 5240MHz                        | Pass   | PK   | 10.47348G    | 49.89             | 68.20             | -18.31         | 3           | Horizontal | 129            | 1.50          |
| 5260MHz                        | Pass   | AV   | 5.1478G      | 42.23             | 54.00             | -11.77         | 3           | Horizontal | 23             | 1.50          |
| 5260MHz                        | Pass   | AV   | 5.2528G      | 97.56             | Inf               | -Inf           | 3           | Horizontal | 23             | 1.50          |
| 5260MHz                        | Pass   | AV   | 5.3686G      | 42.39             | 54.00             | -11.61         | 3           | Horizontal | 23             | 1.50          |
| 5260MHz                        | Pass   | PK   | 5.1484G      | 55.64             | 74.00             | -18.36         | 3           | Horizontal | 23             | 1.50          |
| 5260MHz                        | Pass   | PK   | 5.263G       | 110.68            | Inf               | -Inf           | 3           | Horizontal | 23             | 1.50          |
| 5260MHz                        | Pass   | PK   | 5.3878G      | 55.89             | 74.00             | -18.11         | 3           | Horizontal | 23             | 1.50          |
| 5260MHz                        | Pass   | PK   | 10.52968G    | 48.87             | 68.20             | -19.33         | 3           | Vertical   | 353            | 2.80          |
| 5260MHz                        | Pass   | PK   | 10.51112G    | 50.03             | 68.20             | -18.17         | 3           | Horizontal | 48             | 1.50          |
| 5300MHz                        | Pass   | AV   | 5.3076G      | 97.65             | Inf               | -Inf           | 3           | Horizontal | 23             | 1.50          |
| 5300MHz                        | Pass   | AV   | 5.3508G      | 42.78             | 54.00             | -11.22         | 3           | Horizontal | 23             | 1.50          |
| 5300MHz                        | Pass   | PK   | 5.3084G      | 110.61            | Inf               | -Inf           | 3           | Horizontal | 23             | 1.50          |
| 5300MHz                        | Pass   | PK   | 5.3576G      | 56.61             | 74.00             | -17.39         | 3           | Horizontal | 23             | 1.50          |
| 5300MHz                        | Pass   | AV   | 10.60088G    | 36.17             | 54.00             | -17.83         | 3           | Vertical   | 299            | 2.59          |
| 5300MHz                        | Pass   | PK   | 10.60349G    | 49.08             | 74.00             | -24.92         | 3           | Vertical   | 299            | 2.59          |
| 5300MHz                        | Pass   | AV   | 10.60616G    | 36.12             | 54.00             | -17.88         | 3           | Horizontal | 102            | 2.25          |
| 5300MHz                        | Pass   | PK   | 10.60336G    | 49.63             | 74.00             | -24.37         | 3           | Horizontal | 102            | 2.25          |
| 5320MHz                        | Pass   | AV   | 5.3126G      | 97.54             | Inf               | -Inf           | 3           | Horizontal | 22             | 1.50          |
| 5320MHz                        | Pass   | AV   | 5.35G        | 44.80             | 54.00             | -9.20          | 3           | Horizontal | 22             | 1.50          |
| 5320MHz                        | Pass   | PK   | 5.3174G      | 110.62            | Inf               | -Inf           | 3           | Horizontal | 22             | 1.50          |
| 5320MHz                        | Pass   | PK   | 5.3602G      | 60.19             | 74.00             | -13.81         | 3           | Horizontal | 22             | 1.50          |
| 5320MHz                        | Pass   | AV   | 10.64828G    | 36.39             | 54.00             | -17.61         | 3           | Vertical   | 125            | 1.09          |
| 5320MHz                        | Pass   | PK   | 10.64284G    | 50.07             | 74.00             | -23.93         | 3           | Vertical   | 125            | 1.09          |
| 5320MHz                        | Pass   | AV   | 10.64468G    | 36.34             | 54.00             | -17.66         | 3           | Horizontal | 288            | 1.50          |
| 5320MHz                        | Pass   | PK   | 10.64228G    | 49.52             | 74.00             | -24.48         | 3           | Horizontal | 288            | 1.50          |
| 5500MHz                        | Pass   | AV   | 5.46G        | 45.24             | 54.00             | -8.76          | 3           | Horizontal | 16             | 1.50          |
| 5500MHz                        | Pass   | AV   | 5.4928G      | 98.36             | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5500MHz                        | Pass   | PK   | 5.4596G      | 60.75             | 74.00             | -13.25         | 3           | Horizontal | 16             | 1.50          |
| 5500MHz                        | Pass   | PK   | 5.4628G      | 61.14             | 68.20             | -7.06          | 3           | Horizontal | 16             | 1.50          |
| 5500MHz                        | Pass   | PK   | 5.5074G      | 111.16            | Inf               | -Inf           | 3           | Horizontal | 16             | 1.50          |
| 5500MHz                        | Pass   | AV   | 10.99708G    | 35.86             | 54.00             | -18.14         | 3           | Vertical   | 11             | 1.75          |
| 5500MHz                        | Pass   | PK   | 11.00188G    | 49.55             | 74.00             | -24.45         | 3           | Vertical   | 11             | 1.75          |
| 5500MHz                        | Pass   | AV   | 10.99076G    | 35.91             | 54.00             | -18.09         | 3           | Horizontal | 111            | 1.50          |
| 5500MHz                        | Pass   | PK   | 11.00112G    | 48.73             | 74.00             | -25.27         | 3           | Horizontal | 111            | 1.50          |
| 5580MHz                        | Pass   | AV   | 5.4546G      | 42.21             | 54.00             | -11.79         | 3           | Horizontal | 20             | 1.00          |
| 5580MHz                        | Pass   | AV   | 5.5848G      | 98.09             | Inf               | -Inf           | 3           | Horizontal | 20             | 1.00          |
| 5580MHz                        | Pass   | PK   | 5.4432G      | 56.28             | 74.00             | -17.72         | 3           | Horizontal | 20             | 1.00          |
| 5580MHz                        | Pass   | PK   | 5.4666G      | 55.28             | 68.20             | -12.92         | 3           | Horizontal | 20             | 1.00          |
| 5580MHz                        | Pass   | PK   | 5.5818G      | 111.30            | Inf               | -Inf           | 3           | Horizontal | 20             | 1.00          |
| 5580MHz                        | Pass   | PK   | 5.7288G      | 56.16             | 68.20             | -12.04         | 3           | Horizontal | 20             | 1.00          |
| 5580MHz                        | Pass   | AV   | 11.15132G    | 36.03             | 54.00             | -17.97         | 3           | Vertical   | 299            | 1.50          |
| 5580MHz                        | Pass   | PK   | 11.16792G    | 49.48             | 74.00             | -24.52         | 3           | Vertical   | 299            | 1.50          |
| 5580MHz                        | Pass   | AV   | 11.15136G    | 36.17             | 54.00             | -17.83         | 3           | Horizontal | 153            | 1.50          |
| 5580MHz                        | Pass   | PK   | 11.15296G    | 49.10             | 74.00             | -24.90         | 3           | Horizontal | 153            | 1.50          |
| 5700MHz                        | Pass   | AV   | 5.6956G      | 93.95             | Inf               | -Inf           | 3           | Horizontal | 342            | 1.50          |
| 5700MHz                        | Pass   | PK   | 5.6984G      | 107.23            | Inf               | -Inf           | 3           | Horizontal | 342            | 1.50          |
| 5700MHz                        | Pass   | PK   | 5.7256G      | 63.80             | 68.20             | -4.40          | 3           | Horizontal | 342            | 1.50          |
| 5700MHz                        | Pass   | AV   | 11.39712G    | 37.09             | 54.00             | -16.91         | 3           | Vertical   | 36             | 1.42          |
| 5700MHz                        | Pass   | PK   | 11.4068G     | 51.11             | 74.00             | -22.89         | 3           | Vertical   | 36             | 1.42          |
| 5700MHz                        | Pass   | AV   | 11.4066G     | 37.07             | 54.00             | -16.93         | 3           | Horizontal | 290            | 1.62          |
| 5700MHz                        | Pass   | PK   | 11.40664G    | 51.04             | 74.00             | -22.96         | 3           | Horizontal | 290            | 1.62          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.4584G      | 41.79             | 54.00             | -12.21         | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.7284G      | 97.58             | Inf               | -Inf           | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4596G      | 55.43             | 74.00             | -18.57         | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.462G       | 55.29             | 68.20             | -12.91         | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.7212G      | 110.33            | Inf               | -Inf           | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.936G       | 57.34             | 68.20             | -10.86         | 3           | Horizontal | 341            | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.44144G    | 37.10             | 54.00             | -16.90         | 3           | Vertical   | 22             | 1.50          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.43864G    | 50.18             | 74.00             | -23.82         | 3           | Vertical   | 22             | 1.50          |



**RSE TX above 1GHz\_Non-Beamforming\_Radio 2\_  
Dual-Polarized MIMO Panel Antenna\_2T1S**

**Appendix E.10**


| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5720MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.43828G    | 37.13             | 54.00             | -16.87         | 3           | Horizontal | 42             | 1.39          |
| 5720MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.44988G    | 49.95             | 74.00             | -24.05         | 3           | Horizontal | 42             | 1.39          |
| 5745MHz                        | Pass   | AV   | 5.451G       | 46.10             | 54.00             | -7.90          | 3           | Horizontal | 15             | 1.57          |
| 5745MHz                        | Pass   | AV   | 5.7426G      | 106.13            | Inf               | -Inf           | 3           | Horizontal | 15             | 1.57          |
| 5745MHz                        | Pass   | PK   | 5.6226G      | 58.88             | 68.20             | -9.32          | 3           | Horizontal | 15             | 1.57          |
| 5745MHz                        | Pass   | PK   | 5.7522G      | 117.13            | Inf               | -Inf           | 3           | Horizontal | 15             | 1.57          |
| 5745MHz                        | Pass   | PK   | 6.0054G      | 60.36             | 68.20             | -7.84          | 3           | Horizontal | 15             | 1.57          |
| 5745MHz                        | Pass   | AV   | 11.49036G    | 37.17             | 54.00             | -16.83         | 3           | Vertical   | 275            | 1.50          |
| 5745MHz                        | Pass   | PK   | 11.47938G    | 49.53             | 74.00             | -24.47         | 3           | Vertical   | 275            | 1.50          |
| 5745MHz                        | Pass   | AV   | 11.4915G     | 37.17             | 54.00             | -16.83         | 3           | Horizontal | 90             | 1.20          |
| 5745MHz                        | Pass   | PK   | 11.49264G    | 50.41             | 74.00             | -23.59         | 3           | Horizontal | 90             | 1.20          |
| 5785MHz                        | Pass   | AV   | 5.77766G     | 105.09            | Inf               | -Inf           | 3           | Horizontal | 11             | 1.54          |
| 5785MHz                        | Pass   | PK   | 5.62157G     | 58.96             | 68.20             | -9.24          | 3           | Horizontal | 11             | 1.54          |
| 5785MHz                        | Pass   | PK   | 5.77887G     | 117.47            | Inf               | -Inf           | 3           | Horizontal | 11             | 1.54          |
| 5785MHz                        | Pass   | PK   | 5.99546G     | 59.77             | 68.20             | -8.43          | 3           | Horizontal | 11             | 1.54          |
| 5785MHz                        | Pass   | AV   | 11.55524G    | 37.21             | 54.00             | -16.79         | 3           | Vertical   | 157            | 2.17          |
| 5785MHz                        | Pass   | PK   | 11.55686G    | 49.55             | 74.00             | -24.45         | 3           | Vertical   | 157            | 2.17          |
| 5785MHz                        | Pass   | AV   | 11.55698G    | 37.16             | 54.00             | -16.84         | 3           | Horizontal | 324            | 1.50          |
| 5785MHz                        | Pass   | PK   | 11.57732G    | 49.60             | 74.00             | -24.40         | 3           | Horizontal | 324            | 1.50          |
| 5825MHz                        | Pass   | AV   | 5.8178G      | 105.35            | Inf               | -Inf           | 3           | Horizontal | 11             | 1.60          |
| 5825MHz                        | Pass   | PK   | 5.6198G      | 58.82             | 68.20             | -9.38          | 3           | Horizontal | 11             | 1.60          |
| 5825MHz                        | Pass   | PK   | 5.8226G      | 116.47            | Inf               | -Inf           | 3           | Horizontal | 11             | 1.60          |
| 5825MHz                        | Pass   | PK   | 5.9846G      | 59.60             | 68.20             | -8.60          | 3           | Horizontal | 11             | 1.60          |
| 5825MHz                        | Pass   | AV   | 11.65114G    | 37.13             | 54.00             | -16.87         | 3           | Vertical   | 96             | 1.50          |
| 5825MHz                        | Pass   | PK   | 11.63974G    | 49.48             | 74.00             | -24.52         | 3           | Vertical   | 96             | 1.50          |
| 5825MHz                        | Pass   | AV   | 11.65642G    | 37.10             | 54.00             | -16.90         | 3           | Horizontal | 294            | 2.32          |
| 5825MHz                        | Pass   | PK   | 11.63818G    | 50.13             | 74.00             | -23.87         | 3           | Horizontal | 294            | 2.32          |
| 802.11be EHT40_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5190MHz                        | Pass   | AV   | 5.15G        | 45.63             | 54.00             | -8.37          | 3           | Horizontal | 17             | 1.00          |
| 5190MHz                        | Pass   | AV   | 5.1932G      | 95.35             | Inf               | -Inf           | 3           | Horizontal | 17             | 1.00          |
| 5190MHz                        | Pass   | PK   | 5.1476G      | 59.37             | 74.00             | -14.63         | 3           | Horizontal | 17             | 1.00          |
| 5190MHz                        | Pass   | PK   | 5.1756G      | 108.46            | Inf               | -Inf           | 3           | Horizontal | 17             | 1.00          |
| 5190MHz                        | Pass   | PK   | 10.37352G    | 49.60             | 68.20             | -18.60         | 3           | Vertical   | 59             | 1.50          |
| 5190MHz                        | Pass   | PK   | 10.378G      | 49.99             | 68.20             | -18.21         | 3           | Horizontal | 305            | 1.50          |
| 5230MHz                        | Pass   | AV   | 5.15G        | 43.34             | 54.00             | -10.66         | 3           | Horizontal | 23             | 1.43          |
| 5230MHz                        | Pass   | AV   | 5.2352G      | 94.96             | Inf               | -Inf           | 3           | Horizontal | 23             | 1.43          |
| 5230MHz                        | Pass   | PK   | 5.1496G      | 57.78             | 74.00             | -16.22         | 3           | Horizontal | 23             | 1.43          |
| 5230MHz                        | Pass   | PK   | 5.2248G      | 108.83            | Inf               | -Inf           | 3           | Horizontal | 23             | 1.43          |
| 5230MHz                        | Pass   | PK   | 10.46528G    | 50.89             | 68.20             | -17.31         | 3           | Vertical   | 360            | 2.25          |
| 5230MHz                        | Pass   | PK   | 10.45104G    | 49.22             | 68.20             | -18.98         | 3           | Horizontal | 195            | 1.56          |
| 5270MHz                        | Pass   | AV   | 5.2552G      | 94.90             | Inf               | -Inf           | 3           | Horizontal | 23             | 1.50          |
| 5270MHz                        | Pass   | AV   | 5.35G        | 43.52             | 54.00             | -10.48         | 3           | Horizontal | 23             | 1.50          |
| 5270MHz                        | Pass   | PK   | 5.2576G      | 108.19            | Inf               | -Inf           | 3           | Horizontal | 23             | 1.50          |
| 5270MHz                        | Pass   | PK   | 5.3508G      | 57.39             | 74.00             | -16.61         | 3           | Horizontal | 23             | 1.50          |
| 5270MHz                        | Pass   | PK   | 10.54948G    | 49.94             | 68.20             | -18.26         | 3           | Vertical   | 20             | 2.57          |
| 5270MHz                        | Pass   | PK   | 10.5434G     | 49.13             | 68.20             | -19.07         | 3           | Horizontal | 49             | 1.50          |
| 5310MHz                        | Pass   | AV   | 5.3076G      | 95.48             | Inf               | -Inf           | 3           | Horizontal | 22             | 1.50          |
| 5310MHz                        | Pass   | AV   | 5.35G        | 46.05             | 54.00             | -7.95          | 3           | Horizontal | 22             | 1.50          |
| 5310MHz                        | Pass   | PK   | 5.3076G      | 109.89            | Inf               | -Inf           | 3           | Horizontal | 22             | 1.50          |
| 5310MHz                        | Pass   | PK   | 5.3528G      | 60.07             | 74.00             | -13.93         | 3           | Horizontal | 22             | 1.50          |
| 5310MHz                        | Pass   | AV   | 10.61548G    | 36.23             | 54.00             | -17.77         | 3           | Vertical   | 340            | 1.50          |
| 5310MHz                        | Pass   | PK   | 10.61524G    | 49.34             | 74.00             | -24.66         | 3           | Vertical   | 340            | 1.50          |
| 5310MHz                        | Pass   | AV   | 10.61264G    | 36.18             | 54.00             | -17.82         | 3           | Horizontal | 259            | 1.32          |
| 5310MHz                        | Pass   | PK   | 10.62936G    | 50.17             | 74.00             | -23.83         | 3           | Horizontal | 259            | 1.32          |
| 5510MHz                        | Pass   | AV   | 5.46G        | 45.64             | 54.00             | -8.36          | 3           | Horizontal | 346            | 1.50          |
| 5510MHz                        | Pass   | AV   | 5.5152G      | 95.61             | Inf               | -Inf           | 3           | Horizontal | 346            | 1.50          |
| 5510MHz                        | Pass   | PK   | 5.46G        | 61.10             | 74.00             | -12.90         | 3           | Horizontal | 346            | 1.50          |
| 5510MHz                        | Pass   | PK   | 5.4632G      | 63.17             | 68.20             | -5.03          | 3           | Horizontal | 346            | 1.50          |
| 5510MHz                        | Pass   | PK   | 5.5176G      | 108.30            | Inf               | -Inf           | 3           | Horizontal | 346            | 1.50          |
| 5510MHz                        | Pass   | AV   | 11.01572G    | 35.92             | 54.00             | -18.08         | 3           | Vertical   | 145            | 1.50          |
| 5510MHz                        | Pass   | PK   | 11.0264G     | 50.16             | 74.00             | -23.84         | 3           | Vertical   | 145            | 1.50          |
| 5510MHz                        | Pass   | AV   | 11.01744G    | 35.94             | 54.00             | -18.06         | 3           | Horizontal | 273            | 2.70          |

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5510MHz                        | Pass   | PK   | 11.01608G    | 49.61             | 74.00             | -24.39         | 3           | Horizontal | 273            | 2.70          |
| 5550MHz                        | Pass   | AV   | 5.46G        | 43.42             | 54.00             | -10.58         | 3           | Horizontal | 20             | 1.00          |
| 5550MHz                        | Pass   | AV   | 5.5368G      | 96.57             | Inf               | -Inf           | 3           | Horizontal | 20             | 1.00          |
| 5550MHz                        | Pass   | PK   | 5.4512G      | 57.87             | 74.00             | -16.13         | 3           | Horizontal | 20             | 1.00          |
| 5550MHz                        | Pass   | PK   | 5.4696G      | 57.36             | 68.20             | -10.84         | 3           | Horizontal | 20             | 1.00          |
| 5550MHz                        | Pass   | PK   | 5.5416G      | 109.49            | Inf               | -Inf           | 3           | Horizontal | 20             | 1.00          |
| 5550MHz                        | Pass   | AV   | 11.10048G    | 35.79             | 54.00             | -18.21         | 3           | Vertical   | 298            | 1.50          |
| 5550MHz                        | Pass   | PK   | 11.09896G    | 49.29             | 74.00             | -24.71         | 3           | Vertical   | 298            | 1.50          |
| 5550MHz                        | Pass   | AV   | 11.10408G    | 35.73             | 54.00             | -18.27         | 3           | Horizontal | 71             | 1.50          |
| 5550MHz                        | Pass   | PK   | 11.10464G    | 49.37             | 74.00             | -24.63         | 3           | Horizontal | 71             | 1.50          |
| 5670MHz                        | Pass   | AV   | 5.676G       | 95.78             | Inf               | -Inf           | 3           | Horizontal | 8              | 1.00          |
| 5670MHz                        | Pass   | PK   | 5.676G       | 109.05            | Inf               | -Inf           | 3           | Horizontal | 8              | 1.00          |
| 5670MHz                        | Pass   | PK   | 5.7252G      | 61.90             | 68.20             | -6.30          | 3           | Horizontal | 8              | 1.00          |
| 5670MHz                        | Pass   | AV   | 11.33216G    | 36.78             | 54.00             | -17.22         | 3           | Vertical   | 352            | 1.50          |
| 5670MHz                        | Pass   | PK   | 11.33064G    | 49.79             | 74.00             | -24.21         | 3           | Vertical   | 352            | 1.50          |
| 5670MHz                        | Pass   | AV   | 11.34592G    | 36.78             | 54.00             | -17.22         | 3           | Horizontal | 179            | 1.00          |
| 5670MHz                        | Pass   | PK   | 11.34428G    | 49.78             | 74.00             | -24.22         | 3           | Horizontal | 179            | 1.00          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.4556G      | 41.84             | 54.00             | -12.16         | 3           | Horizontal | 341            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 5.6956G      | 95.88             | Inf               | -Inf           | 3           | Horizontal | 341            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4256G      | 56.08             | 74.00             | -17.92         | 3           | Horizontal | 341            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.4664G      | 55.27             | 68.20             | -12.93         | 3           | Horizontal | 341            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.7112G      | 108.30            | Inf               | -Inf           | 3           | Horizontal | 341            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 5.9008G      | 57.68             | 68.20             | -10.52         | 3           | Horizontal | 341            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.41156G    | 37.06             | 54.00             | -16.94         | 3           | Vertical   | 135            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.42828G    | 50.61             | 74.00             | -23.39         | 3           | Vertical   | 135            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | AV   | 11.4252G     | 37.05             | 54.00             | -16.95         | 3           | Horizontal | 168            | 1.50          |
| 5710MHz Straddle 5.47-5.725GHz | Pass   | PK   | 11.41164G    | 50.00             | 74.00             | -24.00         | 3           | Horizontal | 168            | 1.50          |
| 5755MHz                        | Pass   | AV   | 5.4574G      | 46.35             | 54.00             | -7.65          | 3           | Horizontal | 13             | 1.50          |
| 5755MHz                        | Pass   | AV   | 5.7478G      | 103.36            | Inf               | -Inf           | 3           | Horizontal | 13             | 1.50          |
| 5755MHz                        | Pass   | PK   | 5.5858G      | 59.97             | 68.20             | -8.23          | 3           | Horizontal | 13             | 1.50          |
| 5755MHz                        | Pass   | PK   | 5.7526G      | 115.11            | Inf               | -Inf           | 3           | Horizontal | 13             | 1.50          |
| 5755MHz                        | Pass   | PK   | 6.0502G      | 60.06             | 68.20             | -8.14          | 3           | Horizontal | 13             | 1.50          |
| 5755MHz                        | Pass   | AV   | 11.48192G    | 37.19             | 54.00             | -16.81         | 3           | Vertical   | 34             | 1.50          |
| 5755MHz                        | Pass   | PK   | 11.53304G    | 50.44             | 74.00             | -23.56         | 3           | Vertical   | 34             | 1.50          |
| 5755MHz                        | Pass   | AV   | 11.48252G    | 37.21             | 54.00             | -16.79         | 3           | Horizontal | 84             | 3.00          |
| 5755MHz                        | Pass   | PK   | 11.5232G     | 49.78             | 74.00             | -24.22         | 3           | Horizontal | 84             | 3.00          |
| 5795MHz                        | Pass   | AV   | 5.8094G      | 102.15            | Inf               | -Inf           | 3           | Horizontal | 19             | 1.50          |
| 5795MHz                        | Pass   | PK   | 5.645G       | 59.40             | 68.20             | -8.80          | 3           | Horizontal | 19             | 1.50          |
| 5795MHz                        | Pass   | PK   | 5.8046G      | 113.98            | Inf               | -Inf           | 3           | Horizontal | 19             | 1.50          |
| 5795MHz                        | Pass   | PK   | 5.9774G      | 59.77             | 68.20             | -8.43          | 3           | Horizontal | 19             | 1.50          |
| 5795MHz                        | Pass   | AV   | 11.56156G    | 37.26             | 54.00             | -16.74         | 3           | Vertical   | 208            | 1.00          |
| 5795MHz                        | Pass   | PK   | 11.61304G    | 49.34             | 74.00             | -24.66         | 3           | Vertical   | 208            | 1.00          |
| 5795MHz                        | Pass   | AV   | 11.5624G     | 37.19             | 54.00             | -16.81         | 3           | Horizontal | 190            | 1.50          |
| 5795MHz                        | Pass   | PK   | 11.58904G    | 49.49             | 74.00             | -24.51         | 3           | Horizontal | 190            | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5210MHz                        | Pass   | AV   | 5.147G       | 48.49             | 54.00             | -5.51          | 3           | Horizontal | 346            | 1.01          |
| 5210MHz                        | Pass   | AV   | 5.215G       | 91.80             | Inf               | -Inf           | 3           | Horizontal | 346            | 1.01          |
| 5210MHz                        | Pass   | AV   | 5.359G       | 43.13             | 54.00             | -10.87         | 3           | Horizontal | 346            | 1.01          |
| 5210MHz                        | Pass   | PK   | 5.147G       | 62.39             | 74.00             | -11.61         | 3           | Horizontal | 346            | 1.01          |
| 5210MHz                        | Pass   | PK   | 5.221G       | 105.50            | Inf               | -Inf           | 3           | Horizontal | 346            | 1.01          |
| 5210MHz                        | Pass   | PK   | 5.386G       | 56.80             | 74.00             | -17.20         | 3           | Horizontal | 346            | 1.01          |
| 5210MHz                        | Pass   | PK   | 10.41644G    | 49.92             | 68.20             | -18.28         | 3           | Vertical   | 308            | 1.50          |
| 5210MHz                        | Pass   | PK   | 10.42636G    | 49.26             | 68.20             | -18.94         | 3           | Horizontal | 8              | 2.94          |
| 5290MHz                        | Pass   | AV   | 5.15G        | 43.52             | 54.00             | -10.48         | 3           | Horizontal | 22             | 1.50          |
| 5290MHz                        | Pass   | AV   | 5.305G       | 91.81             | Inf               | -Inf           | 3           | Horizontal | 22             | 1.50          |
| 5290MHz                        | Pass   | AV   | 5.352G       | 45.55             | 54.00             | -8.45          | 3           | Horizontal | 22             | 1.50          |
| 5290MHz                        | Pass   | PK   | 5.144G       | 56.48             | 74.00             | -17.52         | 3           | Horizontal | 22             | 1.50          |
| 5290MHz                        | Pass   | PK   | 5.323G       | 105.39            | Inf               | -Inf           | 3           | Horizontal | 22             | 1.50          |
| 5290MHz                        | Pass   | PK   | 5.379G       | 59.48             | 74.00             | -14.52         | 3           | Horizontal | 22             | 1.50          |
| 5290MHz                        | Pass   | PK   | 5.465G       | 56.69             | 68.20             | -11.51         | 3           | Horizontal | 22             | 1.50          |
| 5290MHz                        | Pass   | PK   | 10.5746G     | 51.14             | 68.20             | -17.06         | 3           | Vertical   | 352            | 1.50          |
| 5290MHz                        | Pass   | PK   | 10.58196G    | 49.39             | 68.20             | -18.81         | 3           | Horizontal | 37             | 1.62          |

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5530MHz                         | Pass   | AV   | 5.35G        | 42.17             | 54.00             | -11.83         | 3           | Horizontal | 347            | 1.50          |
| 5530MHz                         | Pass   | AV   | 5.46G        | 46.73             | 54.00             | -7.27          | 3           | Horizontal | 347            | 1.50          |
| 5530MHz                         | Pass   | AV   | 5.518G       | 92.27             | Inf               | -Inf           | 3           | Horizontal | 347            | 1.50          |
| 5530MHz                         | Pass   | PK   | 5.312G       | 55.51             | 68.20             | -12.69         | 3           | Horizontal | 347            | 1.50          |
| 5530MHz                         | Pass   | PK   | 5.46G        | 59.82             | 74.00             | -14.18         | 3           | Horizontal | 347            | 1.50          |
| 5530MHz                         | Pass   | PK   | 5.47G        | 60.92             | 68.20             | -7.28          | 3           | Horizontal | 347            | 1.50          |
| 5530MHz                         | Pass   | PK   | 5.54G        | 105.29            | Inf               | -Inf           | 3           | Horizontal | 347            | 1.50          |
| 5530MHz                         | Pass   | PK   | 5.745G       | 56.63             | 68.20             | -11.57         | 3           | Horizontal | 347            | 1.50          |
| 5530MHz                         | Pass   | AV   | 11.06524G    | 35.95             | 54.00             | -18.05         | 3           | Vertical   | 79             | 2.48          |
| 5530MHz                         | Pass   | PK   | 11.06412G    | 49.78             | 74.00             | -24.22         | 3           | Vertical   | 79             | 2.48          |
| 5530MHz                         | Pass   | AV   | 11.06684G    | 35.94             | 54.00             | -18.06         | 3           | Horizontal | 259            | 1.50          |
| 5530MHz                         | Pass   | PK   | 11.06096G    | 48.73             | 74.00             | -25.27         | 3           | Horizontal | 259            | 1.50          |
| 5610MHz                         | Pass   | AV   | 5.46G        | 43.17             | 54.00             | -10.83         | 3           | Horizontal | 12             | 1.50          |
| 5610MHz                         | Pass   | AV   | 5.598G       | 91.39             | Inf               | -Inf           | 3           | Horizontal | 12             | 1.50          |
| 5610MHz                         | Pass   | PK   | 5.444G       | 56.33             | 74.00             | -17.67         | 3           | Horizontal | 12             | 1.50          |
| 5610MHz                         | Pass   | PK   | 5.462G       | 56.22             | 68.20             | -11.98         | 3           | Horizontal | 12             | 1.50          |
| 5610MHz                         | Pass   | PK   | 5.598G       | 104.44            | Inf               | -Inf           | 3           | Horizontal | 12             | 1.50          |
| 5610MHz                         | Pass   | PK   | 5.739G       | 58.33             | 68.20             | -9.87          | 3           | Horizontal | 12             | 1.50          |
| 5610MHz                         | Pass   | AV   | 11.22936G    | 36.28             | 54.00             | -17.72         | 3           | Vertical   | 94             | 2.34          |
| 5610MHz                         | Pass   | PK   | 11.22768G    | 49.48             | 74.00             | -24.52         | 3           | Vertical   | 94             | 2.34          |
| 5610MHz                         | Pass   | AV   | 11.22944G    | 36.27             | 54.00             | -17.73         | 3           | Horizontal | 105            | 1.50          |
| 5610MHz                         | Pass   | PK   | 11.22844G    | 49.33             | 74.00             | -24.67         | 3           | Horizontal | 105            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 5.4452G      | 42.14             | 54.00             | -11.86         | 3           | Horizontal | 9              | 1.26          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 5.6804G      | 93.45             | Inf               | -Inf           | 3           | Horizontal | 9              | 1.26          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.408G       | 56.58             | 74.00             | -17.42         | 3           | Horizontal | 9              | 1.26          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.468G       | 55.06             | 68.20             | -13.14         | 3           | Horizontal | 9              | 1.26          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.678G       | 106.41            | Inf               | -Inf           | 3           | Horizontal | 9              | 1.26          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 5.864G       | 58.23             | 68.20             | -9.97          | 3           | Horizontal | 9              | 1.26          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 11.38836G    | 36.81             | 54.00             | -17.19         | 3           | Vertical   | 166            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 11.38556G    | 50.64             | 74.00             | -23.36         | 3           | Vertical   | 166            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | AV   | 11.37468G    | 36.82             | 54.00             | -17.18         | 3           | Horizontal | 208            | 1.50          |
| 5690MHz Straddle 5.47-5.725GHz  | Pass   | PK   | 11.37636G    | 50.59             | 74.00             | -23.41         | 3           | Horizontal | 208            | 1.50          |
| 5775MHz                         | Pass   | AV   | 5.763G       | 99.88             | Inf               | -Inf           | 3           | Horizontal | 13             | 1.60          |
| 5775MHz                         | Pass   | PK   | 5.6454G      | 62.35             | 68.20             | -5.85          | 3           | Horizontal | 13             | 1.60          |
| 5775MHz                         | Pass   | PK   | 5.763G       | 111.96            | Inf               | -Inf           | 3           | Horizontal | 13             | 1.60          |
| 5775MHz                         | Pass   | PK   | 6.0438G      | 59.86             | 68.20             | -8.34          | 3           | Horizontal | 13             | 1.60          |
| 5775MHz                         | Pass   | AV   | 11.53368G    | 37.30             | 54.00             | -16.70         | 3           | Vertical   | 166            | 2.91          |
| 5775MHz                         | Pass   | PK   | 11.49192G    | 49.71             | 74.00             | -24.29         | 3           | Vertical   | 166            | 2.91          |
| 5775MHz                         | Pass   | AV   | 11.4948G     | 37.28             | 54.00             | -16.72         | 3           | Horizontal | 76             | 2.23          |
| 5775MHz                         | Pass   | PK   | 11.55264G    | 49.99             | 74.00             | -24.01         | 3           | Horizontal | 76             | 2.23          |
| 802.11be EHT160_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | AV   | 5.1492G      | 52.75             | 54.00             | -1.25          | 3           | Horizontal | 5              | 1.36          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | AV   | 5.2296G      | 89.71             | Inf               | -Inf           | 3           | Horizontal | 5              | 1.36          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | AV   | 5.35G        | 52.51             | 54.00             | -1.49          | 3           | Horizontal | 5              | 1.36          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 5.1492G      | 69.44             | 74.00             | -4.56          | 3           | Horizontal | 5              | 1.36          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 5.1924G      | 102.16            | Inf               | -Inf           | 3           | Horizontal | 5              | 1.36          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 5.3568G      | 69.94             | 74.00             | -4.06          | 3           | Horizontal | 5              | 1.36          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 5.4696G      | 61.59             | 68.20             | -6.61          | 3           | Horizontal | 5              | 1.36          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 10.49544G    | 49.08             | 68.20             | -19.12         | 3           | Vertical   | 328            | 1.50          |
| 5250MHz Straddle 5.25-5.35GHz   | Pass   | PK   | 10.49968G    | 49.88             | 68.20             | -18.32         | 3           | Horizontal | 306            | 2.88          |
| 5570MHz                         | Pass   | AV   | 5.45G        | 46.27             | 54.00             | -7.73          | 3           | Horizontal | 347            | 1.34          |
| 5570MHz                         | Pass   | AV   | 5.5124G      | 88.09             | Inf               | -Inf           | 3           | Horizontal | 347            | 1.34          |
| 5570MHz                         | Pass   | PK   | 5.2712G      | 56.05             | 68.20             | -12.15         | 3           | Horizontal | 347            | 1.34          |
| 5570MHz                         | Pass   | PK   | 5.396G       | 62.10             | 74.00             | -11.90         | 3           | Horizontal | 347            | 1.34          |
| 5570MHz                         | Pass   | PK   | 5.4656G      | 60.52             | 68.20             | -7.68          | 3           | Horizontal | 347            | 1.34          |
| 5570MHz                         | Pass   | PK   | 5.5376G      | 100.31            | Inf               | -Inf           | 3           | Horizontal | 347            | 1.34          |
| 5570MHz                         | Pass   | PK   | 5.7368G      | 60.01             | 68.20             | -8.19          | 3           | Horizontal | 347            | 1.34          |
| 5570MHz                         | Pass   | AV   | 11.14816G    | 36.77             | 54.00             | -17.23         | 3           | Vertical   | 50             | 2.32          |
| 5570MHz                         | Pass   | PK   | 11.13992G    | 49.20             | 74.00             | -24.80         | 3           | Vertical   | 50             | 2.32          |
| 5570MHz                         | Pass   | AV   | 11.1482G     | 36.73             | 54.00             | -17.27         | 3           | Horizontal | 343            | 1.50          |
| 5570MHz                         | Pass   | PK   | 11.14396G    | 48.71             | 74.00             | -25.29         | 3           | Horizontal | 343            | 1.50          |


**5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5180MHz\_TX**




**5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5180MHz\_TX**




**5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5180MHz\_TX**




**5.15-5.25GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX**

**5180MHz\_TX**




5.15-5.25GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




5.15-5.25GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




**5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5190MHz\_TX**




**5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5190MHz\_TX**




**5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5190MHz\_TX**




**5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX**

**5210MHz\_TX**




5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




**5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5320MHz\_TX**




**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX**

**5320MHz\_TX**




**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX**

**5320MHz\_TX**




**5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX**

**5320MHz\_TX**




**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5310MHz\_TX**




**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5310MHz\_TX**




**5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5310MHz\_TX**




**5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX**

**5290MHz\_TX**




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX**

**5250MHz Straddle 5.25-5.35GHz\_TX**




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5700MHz\_TX**




**5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**5700MHz\_TX**




5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5700MHz\_TX



**5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX**

**5700MHz\_TX**



**5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5510MHz\_TX**

