


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6185MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	37.76M	35.92	40.00	-4.08	-6.93	3	Vertical	360	1.00	42.85	20.26	0.30	27.49
PK	90.14M	27.46	43.50	-16.04	-11.16	3	Vertical	360	1.00	38.62	15.25	0.91	27.32
PK	249.22M	27.75	46.00	-18.25	-6.12	3	Vertical	360	1.00	33.87	18.46	2.16	26.74
PK	355.92M	27.11	46.00	-18.89	-3.80	3	Vertical	360	1.00	30.91	20.79	2.52	27.11
PK	431.58M	30.56	46.00	-15.44	-2.26	3	Vertical	360	1.00	32.82	22.63	2.83	27.72
PK	594.54M	33.35	46.00	-12.65	-0.06	3	Vertical	360	1.00	33.41	24.61	3.55	28.22

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_Adapter



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	30M	26.84	40.00	-13.16	-3.00	3	Horizontal	0	1.00	29.84	24.27	0.24	27.51
PK	175.5M	29.68	43.50	-13.82	-9.60	3	Horizontal	0	1.00	39.28	15.59	1.87	27.06
PK	249.22M	30.46	46.00	-15.54	-6.12	3	Horizontal	0	1.00	36.58	18.46	2.16	26.74
PK	355.92M	27.35	46.00	-18.65	-3.80	3	Horizontal	0	1.00	31.15	20.79	2.52	27.11
PK	472.32M	30.53	46.00	-15.47	-1.44	3	Horizontal	0	1.00	31.97	23.51	3.05	28.00
PK	546.04M	31.92	46.00	-14.08	0.50	3	Horizontal	0	1.00	31.42	25.26	3.41	28.17

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	12.38018G	43.11	54.00	-10.89	3	Vertical	243	2.62
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	12.3984G	43.48	54.00	-10.52	3	Horizontal	314	3.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	12.43344G	43.37	54.00	-10.63	3	Vertical	31	3.00
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	12.35272G	43.77	54.00	-10.23	3	Horizontal	61	1.50
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	12.68712G	43.88	54.00	-10.12	3	Vertical	4	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	12.95204G	44.96	68.20	-23.24	3	Vertical	241	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.05088G	45.03	68.20	-23.17	3	Vertical	235	1.66
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	12.95224G	45.06	68.20	-23.14	3	Vertical	348	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	12.9524G	45.09	68.20	-23.11	3	Vertical	104	1.50
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	13.31048G	45.01	54.00	-8.99	3	Horizontal	309	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	13.39752G	45.34	54.00	-8.66	3	Horizontal	257	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.37264G	45.49	54.00	-8.51	3	Vertical	102	1.08
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	13.25016G	44.87	54.00	-9.13	3	Vertical	196	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.37544G	45.54	54.00	-8.46	3	Horizontal	219	1.49
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	7.25G	53.40	54.00	-0.60	3	Vertical	10	1.48
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	7.1255G	68.05	68.20	-0.15	3	Vertical	41	1.69
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	7.1465G	51.27	68.20	-16.93	3	Vertical	41	1.67
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	7.1468G	51.33	68.20	-16.87	3	Vertical	40	1.69
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	7.1255G	54.75	68.20	-13.45	3	Vertical	22	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8254G	46.82	68.20	-21.38	3	Vertical	224	1.86
5955MHz	Pass	AV	5.9616G	95.12	Inf	-Inf	3	Vertical	224	1.86
5955MHz	Pass	PK	5.9118G	60.59	88.20	-27.61	3	Vertical	224	1.86
5955MHz	Pass	PK	5.9592G	108.33	Inf	-Inf	3	Vertical	224	1.86
5955MHz	Pass	AV	11.9075G	42.06	54.00	-11.94	3	Vertical	58	1.50
5955MHz	Pass	PK	11.90646G	55.90	74.00	-18.10	3	Vertical	58	1.50
5955MHz	Pass	AV	11.90174G	42.15	54.00	-11.85	3	Horizontal	230	2.83
5955MHz	Pass	PK	11.90782G	56.36	74.00	-17.64	3	Horizontal	230	2.83
6195MHz	Pass	AV	12.38018G	43.11	54.00	-10.89	3	Vertical	243	2.62
6195MHz	Pass	PK	12.38772G	57.29	74.00	-16.71	3	Vertical	243	2.62
6195MHz	Pass	AV	12.38G	43.11	54.00	-10.89	3	Horizontal	108	1.50
6195MHz	Pass	PK	12.39142G	57.10	74.00	-16.90	3	Horizontal	108	1.50
6415MHz	Pass	AV	12.8354G	44.74	68.20	-23.46	3	Vertical	88	2.50
6415MHz	Pass	PK	12.82488G	58.42	88.20	-29.78	3	Vertical	88	2.50
6415MHz	Pass	AV	12.83672G	44.72	68.20	-23.48	3	Horizontal	25	1.95
6415MHz	Pass	PK	12.82066G	59.29	88.20	-28.91	3	Horizontal	25	1.95
6435MHz	Pass	AV	12.87708G	44.83	68.20	-23.37	3	Vertical	335	1.50
6435MHz	Pass	PK	12.87544G	58.83	88.20	-29.37	3	Vertical	335	1.50
6435MHz	Pass	AV	12.8743G	44.83	68.20	-23.37	3	Horizontal	360	1.50
6435MHz	Pass	PK	12.8779G	58.60	88.20	-29.60	3	Horizontal	360	1.50
6475MHz	Pass	AV	12.95204G	44.96	68.20	-23.24	3	Vertical	241	1.50
6475MHz	Pass	PK	12.94978G	59.68	88.20	-28.52	3	Vertical	241	1.50
6475MHz	Pass	AV	12.95206G	44.89	68.20	-23.31	3	Horizontal	100	2.55
6475MHz	Pass	PK	12.95906G	58.80	88.20	-29.40	3	Horizontal	100	2.55
6515MHz	Pass	AV	13.02542G	44.89	68.20	-23.31	3	Vertical	212	1.50
6515MHz	Pass	PK	13.02902G	58.78	88.20	-29.42	3	Vertical	212	1.50
6515MHz	Pass	AV	13.02046G	44.65	68.20	-23.55	3	Horizontal	158	1.50
6515MHz	Pass	PK	13.02238G	58.78	88.20	-29.42	3	Horizontal	158	1.50
6535MHz	Pass	AV	13.0688G	45.49	68.20	-22.71	3	Vertical	32	1.17
6535MHz	Pass	PK	13.0738G	59.24	88.20	-28.96	3	Vertical	32	1.17
6535MHz	Pass	AV	13.06G	44.54	68.20	-23.66	3	Horizontal	283	2.98
6535MHz	Pass	PK	13.06848G	57.88	88.20	-30.32	3	Horizontal	283	2.98
6695MHz	Pass	AV	13.39808G	45.32	54.00	-8.68	3	Vertical	176	1.00
6695MHz	Pass	PK	13.39216G	59.22	74.00	-14.78	3	Vertical	176	1.00
6695MHz	Pass	AV	13.39752G	45.34	54.00	-8.66	3	Horizontal	257	1.50
6695MHz	Pass	PK	13.38494G	59.97	74.00	-14.03	3	Horizontal	257	1.50
6875MHz	Pass	AV	13.7503G	47.49	68.20	-20.71	3	Vertical	141	1.50
6875MHz	Pass	PK	13.74194G	61.17	88.20	-27.03	3	Vertical	141	1.50
6875MHz	Pass	AV	13.75072G	47.47	68.20	-20.73	3	Horizontal	139	2.62
6875MHz	Pass	PK	13.74534G	60.84	88.20	-27.36	3	Horizontal	139	2.62
6895MHz	Pass	AV	13.79926G	47.62	68.20	-20.58	3	Vertical	193	1.50
6895MHz	Pass	PK	13.78406G	62.01	88.20	-26.19	3	Vertical	193	1.50
6895MHz	Pass	AV	13.79934G	47.59	68.20	-20.61	3	Horizontal	93	1.50
6895MHz	Pass	PK	13.795G	61.72	88.20	-26.48	3	Horizontal	93	1.50
6995MHz	Pass	AV	13.98806G	48.45	68.20	-19.75	3	Vertical	0	1.50
6995MHz	Pass	PK	13.98962G	62.35	88.20	-25.85	3	Vertical	0	1.50
6995MHz	Pass	AV	13.9889G	48.47	68.20	-19.73	3	Horizontal	138	2.06
6995MHz	Pass	PK	13.98812G	62.43	88.20	-25.77	3	Horizontal	138	2.06
7095MHz	Pass	AV	7.0914G	95.95	Inf	-Inf	3	Vertical	227	1.58
7095MHz	Pass	AV	7.1967G	51.24	68.20	-16.96	3	Vertical	227	1.58
7095MHz	Pass	PK	7.0929G	108.41	Inf	-Inf	3	Vertical	227	1.58
7095MHz	Pass	PK	7.2024G	63.50	88.20	-24.70	3	Vertical	227	1.58
7095MHz	Pass	AV	14.1823G	47.58	68.20	-20.62	3	Vertical	318	1.50
7095MHz	Pass	PK	14.18034G	61.29	88.20	-26.91	3	Vertical	318	1.50
7095MHz	Pass	AV	14.18048G	47.51	68.20	-20.69	3	Horizontal	264	1.50
7095MHz	Pass	PK	14.1993G	61.31	88.20	-26.89	3	Horizontal	264	1.50
7115MHz	Pass	AV	7.1075G	94.98	Inf	-Inf	3	Vertical	41	1.69
7115MHz	Pass	AV	7.1255G	68.05	68.20	-0.15	3	Vertical	41	1.69
7115MHz	Pass	PK	7.1065G	101.75	Inf	-Inf	3	Vertical	41	1.69
7115MHz	Pass	PK	7.1255G	78.92	88.20	-9.28	3	Vertical	41	1.69

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22442G	46.87	68.20	-21.33	3	Vertical	181	1.06
7115MHz	Pass	PK	14.22672G	60.85	88.20	-27.35	3	Vertical	181	1.06
7115MHz	Pass	AV	14.22448G	46.87	68.20	-21.33	3	Horizontal	0	1.50
7115MHz	Pass	PK	14.22958G	61.10	88.20	-27.10	3	Horizontal	0	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.878G	47.02	68.20	-21.18	3	Vertical	223	1.78
5965MHz	Pass	AV	5.9797G	95.30	Inf	-Inf	3	Vertical	223	1.78
5965MHz	Pass	PK	5.9218G	59.77	88.20	-28.43	3	Vertical	223	1.78
5965MHz	Pass	PK	5.9779G	108.68	Inf	-Inf	3	Vertical	223	1.78
5965MHz	Pass	AV	11.94824G	42.40	54.00	-11.60	3	Vertical	344	1.50
5965MHz	Pass	PK	11.94424G	55.87	74.00	-18.13	3	Vertical	344	1.50
5965MHz	Pass	AV	11.94936G	42.43	54.00	-11.57	3	Horizontal	261	1.42
5965MHz	Pass	PK	11.92936G	55.99	74.00	-18.01	3	Horizontal	261	1.42
6205MHz	Pass	AV	12.42796G	43.46	54.00	-10.54	3	Vertical	183	1.49
6205MHz	Pass	PK	12.42896G	56.95	74.00	-17.05	3	Vertical	183	1.49
6205MHz	Pass	AV	12.3984G	43.48	54.00	-10.52	3	Horizontal	314	3.00
6205MHz	Pass	PK	12.42056G	57.29	74.00	-16.71	3	Horizontal	314	3.00
6405MHz	Pass	AV	12.82552G	44.84	68.20	-23.36	3	Vertical	76	1.50
6405MHz	Pass	PK	12.8154G	58.57	88.20	-29.63	3	Vertical	76	1.50
6405MHz	Pass	AV	12.8274G	44.80	68.20	-23.40	3	Horizontal	67	1.50
6405MHz	Pass	PK	12.81716G	58.70	88.20	-29.50	3	Horizontal	67	1.50
6445MHz	Pass	AV	12.87388G	44.99	68.20	-23.21	3	Vertical	102	2.66
6445MHz	Pass	PK	12.90716G	58.46	88.20	-29.74	3	Vertical	102	2.66
6445MHz	Pass	AV	12.87388G	44.98	68.20	-23.22	3	Horizontal	255	2.55
6445MHz	Pass	PK	12.87116G	58.34	88.20	-29.86	3	Horizontal	255	2.55
6485MHz	Pass	AV	12.95272G	45.02	68.20	-23.18	3	Vertical	201	2.72
6485MHz	Pass	PK	12.96584G	58.79	88.20	-29.41	3	Vertical	201	2.72
6485MHz	Pass	AV	12.95204G	45.02	68.20	-23.18	3	Horizontal	174	1.50
6485MHz	Pass	PK	12.97764G	58.65	88.20	-29.55	3	Horizontal	174	1.50
6525MHz	Pass	AV	13.05088G	45.03	68.20	-23.17	3	Vertical	235	1.66
6525MHz	Pass	PK	13.0438G	58.44	88.20	-29.76	3	Vertical	235	1.66
6525MHz	Pass	AV	13.03104G	44.65	68.20	-23.55	3	Horizontal	38	1.50
6525MHz	Pass	PK	13.03404G	57.88	88.20	-30.32	3	Horizontal	38	1.50
6565MHz	Pass	AV	13.11764G	44.49	68.20	-23.71	3	Vertical	223	1.00
6565MHz	Pass	PK	13.13008G	58.07	88.20	-30.13	3	Vertical	223	1.00
6565MHz	Pass	AV	13.11424G	44.42	68.20	-23.78	3	Horizontal	150	2.58
6565MHz	Pass	PK	13.13088G	58.30	88.20	-29.90	3	Horizontal	150	2.58
6685MHz	Pass	AV	13.37264G	45.49	54.00	-8.51	3	Vertical	102	1.08
6685MHz	Pass	PK	13.37376G	59.18	74.00	-14.82	3	Vertical	102	1.08
6685MHz	Pass	AV	13.37752G	45.46	54.00	-8.54	3	Horizontal	301	1.85
6685MHz	Pass	PK	13.38012G	58.78	74.00	-15.22	3	Horizontal	301	1.85
6885MHz	Pass	AV	13.78848G	47.70	68.20	-20.50	3	Vertical	198	2.84
6885MHz	Pass	PK	13.77716G	62.10	88.20	-26.10	3	Vertical	198	2.84
6885MHz	Pass	AV	13.78692G	47.68	68.20	-20.52	3	Horizontal	278	1.42
6885MHz	Pass	PK	13.78G	61.75	88.20	-26.45	3	Horizontal	278	1.42
6925MHz	Pass	AV	13.84904G	48.44	68.20	-19.76	3	Vertical	226	1.50
6925MHz	Pass	PK	13.83992G	62.81	88.20	-25.39	3	Vertical	226	1.50
6925MHz	Pass	AV	13.84856G	48.45	68.20	-19.75	3	Horizontal	104	1.50
6925MHz	Pass	PK	13.8568G	62.51	88.20	-25.69	3	Horizontal	104	1.50
7005MHz	Pass	AV	13.99108G	48.58	68.20	-19.62	3	Vertical	353	1.30
7005MHz	Pass	PK	14.0028G	62.02	88.20	-26.18	3	Vertical	353	1.30
7005MHz	Pass	AV	13.99108G	48.57	68.20	-19.63	3	Horizontal	55	2.30
7005MHz	Pass	PK	14.00612G	63.02	88.20	-25.18	3	Horizontal	55	2.30
7085MHz	Pass	AV	7.0736G	96.60	Inf	-Inf	3	Vertical	41	1.67
7085MHz	Pass	AV	7.1465G	51.27	68.20	-16.93	3	Vertical	41	1.67
7085MHz	Pass	PK	7.0808G	109.65	Inf	-Inf	3	Vertical	41	1.67
7085MHz	Pass	PK	7.1312G	67.64	88.20	-20.56	3	Vertical	41	1.67
7085MHz	Pass	AV	14.15G	47.84	68.20	-20.36	3	Vertical	352	2.37
7085MHz	Pass	PK	14.18864G	62.02	88.20	-26.18	3	Vertical	352	2.37
7085MHz	Pass	AV	14.15176G	47.85	68.20	-20.35	3	Horizontal	136	1.00
7085MHz	Pass	PK	14.15004G	61.33	88.20	-26.87	3	Horizontal	136	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.924G	48.32	68.20	-19.88	3	Vertical	223	1.76
5985MHz	Pass	AV	5.977G	94.56	Inf	-Inf	3	Vertical	223	1.76
5985MHz	Pass	PK	5.922G	70.44	88.20	-17.76	3	Vertical	223	1.76
5985MHz	Pass	PK	5.975G	107.42	Inf	-Inf	3	Vertical	223	1.76
5985MHz	Pass	AV	12.0072G	42.57	54.00	-11.43	3	Vertical	188	1.50
5985MHz	Pass	PK	11.9892G	55.77	74.00	-18.23	3	Vertical	188	1.50
5985MHz	Pass	AV	11.99544G	42.65	54.00	-11.35	3	Horizontal	108	2.95
5985MHz	Pass	PK	11.99G	56.52	74.00	-17.48	3	Horizontal	108	2.95
6225MHz	Pass	AV	12.43344G	43.37	54.00	-10.63	3	Vertical	31	3.00
6225MHz	Pass	PK	12.476G	57.64	74.00	-16.36	3	Vertical	31	3.00
6225MHz	Pass	AV	12.46272G	43.36	54.00	-10.64	3	Horizontal	176	1.50
6225MHz	Pass	PK	12.41608G	57.22	74.00	-16.78	3	Horizontal	176	1.50
6385MHz	Pass	AV	12.75976G	44.54	68.20	-23.66	3	Vertical	148	1.50
6385MHz	Pass	PK	12.73176G	58.44	88.20	-29.76	3	Vertical	148	1.50
6385MHz	Pass	AV	12.79176G	44.54	68.20	-23.66	3	Horizontal	269	1.50
6385MHz	Pass	PK	12.756G	58.17	88.20	-30.03	3	Horizontal	269	1.50
6465MHz	Pass	AV	12.95224G	45.06	68.20	-23.14	3	Vertical	348	1.50
6465MHz	Pass	PK	12.95392G	59.24	88.20	-28.96	3	Vertical	348	1.50
6465MHz	Pass	AV	12.95264G	45.02	68.20	-23.18	3	Horizontal	149	1.50
6465MHz	Pass	PK	12.9516G	58.74	88.20	-29.46	3	Horizontal	149	1.50
6545MHz	Pass	AV	13.084G	44.96	68.20	-23.24	3	Vertical	46	1.36
6545MHz	Pass	PK	13.08568G	59.14	88.20	-29.06	3	Vertical	46	1.36
6545MHz	Pass	AV	13.05104G	44.47	68.20	-23.73	3	Horizontal	116	1.50
6545MHz	Pass	PK	13.06704G	58.49	88.20	-29.71	3	Horizontal	116	1.50
6625MHz	Pass	AV	13.25016G	44.87	54.00	-9.13	3	Vertical	196	1.50
6625MHz	Pass	PK	13.26296G	59.02	74.00	-14.98	3	Vertical	196	1.50
6625MHz	Pass	AV	13.2504G	44.83	54.00	-9.17	3	Horizontal	292	1.50
6625MHz	Pass	PK	13.27592G	58.18	74.00	-15.82	3	Horizontal	292	1.50
6705MHz	Pass	AV	13.44864G	45.62	68.20	-22.58	3	Vertical	119	1.50
6705MHz	Pass	PK	13.41576G	58.97	88.20	-29.23	3	Vertical	119	1.50
6705MHz	Pass	AV	13.4436G	45.57	68.20	-22.63	3	Horizontal	67	1.88
6705MHz	Pass	PK	13.4244G	59.40	88.20	-28.80	3	Horizontal	67	1.88
6785MHz	Pass	AV	13.53464G	45.35	68.20	-22.85	3	Vertical	352	2.35
6785MHz	Pass	PK	13.5516G	59.04	88.20	-29.16	3	Vertical	352	2.35
6785MHz	Pass	AV	13.54992G	45.35	68.20	-22.85	3	Horizontal	231	1.50
6785MHz	Pass	PK	13.5848G	58.76	88.20	-29.44	3	Horizontal	231	1.50
6865MHz	Pass	AV	13.75024G	47.63	68.20	-20.57	3	Vertical	128	1.50
6865MHz	Pass	PK	13.72512G	61.70	88.20	-26.50	3	Vertical	128	1.50
6865MHz	Pass	AV	13.75264G	47.62	68.20	-20.58	3	Horizontal	174	1.58
6865MHz	Pass	PK	13.74248G	61.66	88.20	-26.54	3	Horizontal	174	1.58
6945MHz	Pass	AV	13.90952G	48.54	68.20	-19.66	3	Vertical	112	1.00
6945MHz	Pass	PK	13.90128G	62.47	88.20	-25.73	3	Vertical	112	1.00
6945MHz	Pass	AV	13.92488G	48.53	68.20	-19.67	3	Horizontal	260	1.50
6945MHz	Pass	PK	13.90872G	62.24	88.20	-25.96	3	Horizontal	260	1.50
7025MHz	Pass	AV	7.013G	94.85	Inf	-Inf	3	Vertical	40	1.69
7025MHz	Pass	AV	7.1468G	51.33	68.20	-16.87	3	Vertical	40	1.69
7025MHz	Pass	PK	6.9947G	108.12	Inf	-Inf	3	Vertical	40	1.69
7025MHz	Pass	PK	7.1414G	64.43	88.20	-23.77	3	Vertical	40	1.69
7025MHz	Pass	AV	14.01936G	48.75	68.20	-19.45	3	Vertical	47	1.50
7025MHz	Pass	PK	14.01928G	62.66	88.20	-25.54	3	Vertical	47	1.50
7025MHz	Pass	AV	14.01112G	48.77	68.20	-19.43	3	Horizontal	32	1.69
7025MHz	Pass	PK	14.0568G	62.31	88.20	-25.89	3	Horizontal	32	1.69
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	52.70	68.20	-15.50	3	Vertical	223	1.74
6025MHz	Pass	AV	6.002G	92.77	Inf	-Inf	3	Vertical	223	1.74
6025MHz	Pass	PK	5.923G	66.79	88.20	-21.41	3	Vertical	223	1.74
6025MHz	Pass	PK	6.0055G	105.11	Inf	-Inf	3	Vertical	223	1.74
6025MHz	Pass	AV	12.05096G	42.90	54.00	-11.10	3	Vertical	360	1.50
6025MHz	Pass	PK	12.1028G	56.02	74.00	-17.98	3	Vertical	360	1.50
6025MHz	Pass	AV	12.04072G	42.79	54.00	-11.21	3	Horizontal	168	1.50
6025MHz	Pass	PK	12.0348G	55.96	74.00	-18.04	3	Horizontal	168	1.50
6185MHz	Pass	AV	12.34968G	43.75	54.00	-10.25	3	Vertical	305	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 3_2T2S

Appendix E.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.3612G	57.71	74.00	-16.29	3	Vertical	305	1.50
6185MHz	Pass	AV	12.35272G	43.77	54.00	-10.23	3	Horizontal	61	1.50
6185MHz	Pass	PK	12.34264G	57.19	74.00	-16.81	3	Horizontal	61	1.50
6345MHz	Pass	AV	12.76968G	44.43	68.20	-23.77	3	Vertical	172	1.50
6345MHz	Pass	PK	12.762G	57.51	88.20	-30.69	3	Vertical	172	1.50
6345MHz	Pass	AV	12.7692G	44.43	68.20	-23.77	3	Horizontal	82	2.64
6345MHz	Pass	PK	12.75096G	57.89	88.20	-30.31	3	Horizontal	82	2.64
6505MHz	Pass	AV	12.9524G	45.09	68.20	-23.11	3	Vertical	104	1.50
6505MHz	Pass	PK	12.97032G	58.30	88.20	-29.90	3	Vertical	104	1.50
6505MHz	Pass	AV	12.95144G	45.09	68.20	-23.11	3	Horizontal	314	1.50
6505MHz	Pass	PK	12.99448G	59.37	88.20	-28.83	3	Horizontal	314	1.50
6665MHz	Pass	AV	13.37464G	45.51	54.00	-8.49	3	Vertical	279	1.50
6665MHz	Pass	PK	13.3736G	59.08	74.00	-14.92	3	Vertical	279	1.50
6665MHz	Pass	AV	13.37544G	45.54	54.00	-8.46	3	Horizontal	219	1.49
6665MHz	Pass	PK	13.37464G	59.14	74.00	-14.86	3	Horizontal	219	1.49
6825MHz	Pass	AV	13.57G	48.17	68.20	-20.03	3	Vertical	18	1.50
6825MHz	Pass	PK	13.59144G	61.97	88.20	-26.23	3	Vertical	18	1.50
6825MHz	Pass	AV	13.57G	48.19	68.20	-20.01	3	Horizontal	46	1.48
6825MHz	Pass	PK	13.57152G	61.74	88.20	-26.46	3	Horizontal	46	1.48
6985MHz	Pass	AV	6.9215G	94.15	Inf	-Inf	3	Vertical	22	1.50
6985MHz	Pass	AV	7.1255G	54.75	68.20	-13.45	3	Vertical	22	1.50
6985MHz	Pass	PK	6.922G	106.67	Inf	-Inf	3	Vertical	22	1.50
6985MHz	Pass	PK	7.146G	68.49	88.20	-19.71	3	Vertical	22	1.50
6985MHz	Pass	AV	13.95256G	48.92	68.20	-19.28	3	Vertical	298	1.50
6985MHz	Pass	PK	13.98016G	62.12	88.20	-26.08	3	Vertical	298	1.50
6985MHz	Pass	AV	13.94216G	48.93	68.20	-19.27	3	Horizontal	22	2.12
6985MHz	Pass	PK	13.98888G	62.46	88.20	-25.74	3	Horizontal	22	2.12
802.11be EHT320_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.92G	53.44	68.20	-14.76	3	Vertical	43	1.84
6105MHz	Pass	AV	6.244G	92.81	Inf	-Inf	3	Vertical	43	1.84
6105MHz	Pass	PK	5.907G	69.60	88.20	-18.60	3	Vertical	43	1.84
6105MHz	Pass	PK	6.24G	104.38	Inf	-Inf	3	Vertical	43	1.84
6105MHz	Pass	AV	12.35528G	43.78	54.00	-10.22	3	Vertical	120	1.50
6105MHz	Pass	PK	12.366G	57.54	74.00	-16.46	3	Vertical	120	1.50
6105MHz	Pass	AV	12.3524G	43.79	54.00	-10.21	3	Horizontal	326	2.07
6105MHz	Pass	PK	12.36968G	56.70	74.00	-17.30	3	Horizontal	326	2.07
6265MHz	Pass	AV	12.68712G	43.88	54.00	-10.12	3	Vertical	4	1.50
6265MHz	Pass	PK	12.67656G	56.80	74.00	-17.20	3	Vertical	4	1.50
6265MHz	Pass	AV	12.68712G	43.87	54.00	-10.13	3	Horizontal	147	1.50
6265MHz	Pass	PK	12.68552G	57.45	74.00	-16.55	3	Horizontal	147	1.50
6425MHz	Pass	AV	12.95016G	45.05	68.20	-23.15	3	Vertical	171	2.97
6425MHz	Pass	PK	12.9264G	59.00	88.20	-29.20	3	Vertical	171	2.97
6425MHz	Pass	AV	12.95048G	45.04	68.20	-23.16	3	Horizontal	299	1.50
6425MHz	Pass	PK	12.92576G	58.39	88.20	-29.81	3	Horizontal	299	1.50
6585MHz	Pass	AV	13.31048G	44.99	54.00	-9.01	3	Vertical	60	1.89
6585MHz	Pass	PK	13.31464G	58.05	74.00	-15.95	3	Vertical	60	1.89
6585MHz	Pass	AV	13.31048G	45.01	54.00	-8.99	3	Horizontal	309	1.50
6585MHz	Pass	PK	13.31592G	58.83	74.00	-15.17	3	Horizontal	309	1.50
6745MHz	Pass	AV	13.4692G	45.72	68.20	-22.48	3	Vertical	32	1.50
6745MHz	Pass	PK	13.42696G	59.26	88.20	-28.94	3	Vertical	32	1.50
6745MHz	Pass	AV	13.45608G	45.71	68.20	-22.49	3	Horizontal	59	1.50
6745MHz	Pass	PK	13.44872G	58.90	88.20	-29.30	3	Horizontal	59	1.50
6905MHz	Pass	AV	6.768G	92.11	Inf	-Inf	3	Vertical	10	1.48
6905MHz	Pass	AV	7.25G	53.40	54.00	-0.60	3	Vertical	10	1.48
6905MHz	Pass	PK	6.795G	104.31	Inf	-Inf	3	Vertical	10	1.48
6905MHz	Pass	PK	7.263G	67.64	74.00	-6.36	3	Vertical	10	1.48
6905MHz	Pass	AV	13.9636G	48.90	68.20	-19.30	3	Vertical	129	1.50
6905MHz	Pass	PK	13.96968G	62.42	88.20	-25.78	3	Vertical	129	1.50
6905MHz	Pass	AV	13.9652G	48.90	68.20	-19.30	3	Horizontal	240	1.22
6905MHz	Pass	PK	13.96064G	61.92	88.20	-26.28	3	Horizontal	240	1.22


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9215G	94.15	Inf	-Inf	10.76	3	Vertical	22	1.50	83.39	35.90	9.33	34.47
AV	7.1255G	54.75	68.20	-13.45	11.63	3	Vertical	22	1.50	43.12	36.55	9.48	34.40
PK	6.922G	106.67	Inf	-Inf	10.76	3	Vertical	22	1.50	95.91	35.90	9.33	34.47
PK	7.146G	68.49	88.20	-19.71	11.79	3	Vertical	22	1.50	56.70	36.68	9.50	34.39

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.95256G	48.92	68.20	-19.28	20.07	3	Vertical	298	1.50	28.85	40.11	12.92	32.96
PK	13.98016G	62.12	88.20	-26.08	20.10	3	Vertical	298	1.50	42.02	40.16	12.93	32.99

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.37692G	41.91	54.00	-12.09	3	Horizontal	112	3.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.39284G	42.08	54.00	-11.92	3	Horizontal	267	1.43
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	58.54	68.20	-9.66	3	Vertical	40	1.80
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9205G	66.22	68.20	-1.98	3	Vertical	16	1.80
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	59.11	68.20	-9.09	3	Vertical	208	1.89
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.03084G	43.66	68.20	-24.54	3	Vertical	32	1.24
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.02966G	43.61	68.20	-24.59	3	Vertical	205	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.04032G	44.03	68.20	-24.17	3	Vertical	61	1.13
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.8912G	43.61	68.20	-24.59	3	Vertical	135	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37544G	44.06	54.00	-9.94	3	Vertical	271	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37521G	43.84	54.00	-10.16	3	Vertical	15	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.36454G	43.88	54.00	-10.12	3	Horizontal	118	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37292G	44.26	54.00	-9.74	3	Horizontal	303	1.62
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37248G	44.25	54.00	-9.75	3	Horizontal	98	2.12
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1525G	65.20	68.20	-3.00	3	Vertical	40	1.91
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.99	68.20	-0.21	3	Vertical	47	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2134G	51.80	68.20	-16.40	3	Vertical	40	1.65
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	52.81	68.20	-15.39	3	Vertical	34	1.75
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.127G	62.81	68.20	-5.39	3	Vertical	19	1.73

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8782G	47.73	68.20	-20.47	3	Vertical	20	1.50
5955MHz	Pass	AV	5.9613G	96.45	Inf	-Inf	3	Vertical	20	1.50
5955MHz	Pass	PK	5.9016G	60.48	88.20	-27.72	3	Vertical	20	1.50
5955MHz	Pass	PK	5.9475G	109.40	Inf	-Inf	3	Vertical	20	1.50
5955MHz	Pass	AV	11.89509G	40.43	54.00	-13.57	3	Vertical	336	2.72
5955MHz	Pass	PK	11.89755G	54.11	74.00	-19.89	3	Vertical	336	2.72
5955MHz	Pass	AV	11.90424G	40.44	54.00	-13.56	3	Horizontal	7	2.74
5955MHz	Pass	PK	11.89761G	54.60	74.00	-19.40	3	Horizontal	7	2.74
6195MHz	Pass	AV	12.3774G	41.87	54.00	-12.13	3	Vertical	296	1.50
6195MHz	Pass	PK	12.39276G	55.11	74.00	-18.89	3	Vertical	296	1.50
6195MHz	Pass	AV	12.37692G	41.91	54.00	-12.09	3	Horizontal	112	3.00
6195MHz	Pass	PK	12.3774G	55.97	74.00	-18.03	3	Horizontal	112	3.00
6415MHz	Pass	AV	12.83801G	43.46	68.20	-24.74	3	Vertical	106	1.50
6415MHz	Pass	PK	12.82316G	56.99	88.20	-31.21	3	Vertical	106	1.50
6415MHz	Pass	AV	12.83234G	43.40	68.20	-24.80	3	Horizontal	207	2.27
6415MHz	Pass	PK	12.83825G	57.10	88.20	-31.10	3	Horizontal	207	2.27
6435MHz	Pass	AV	12.87354G	43.41	68.20	-24.79	3	Vertical	265	1.50
6435MHz	Pass	PK	12.88407G	57.81	88.20	-30.39	3	Vertical	265	1.50
6435MHz	Pass	AV	12.86817G	43.46	68.20	-24.74	3	Horizontal	197	1.57
6435MHz	Pass	PK	12.8628G	57.43	88.20	-30.77	3	Horizontal	197	1.57
6475MHz	Pass	AV	12.96422G	43.16	68.20	-25.04	3	Vertical	127	1.50
6475MHz	Pass	PK	12.94463G	57.28	88.20	-30.92	3	Vertical	127	1.50
6475MHz	Pass	AV	12.95438G	43.15	68.20	-25.05	3	Horizontal	95	1.02
6475MHz	Pass	PK	12.95423G	56.61	88.20	-31.59	3	Horizontal	95	1.02
6515MHz	Pass	AV	13.03084G	43.66	68.20	-24.54	3	Vertical	32	1.24
6515MHz	Pass	PK	13.02904G	57.09	88.20	-31.11	3	Vertical	32	1.24
6515MHz	Pass	AV	13.02358G	42.95	68.20	-25.25	3	Horizontal	173	2.93
6515MHz	Pass	PK	13.02235G	56.77	88.20	-31.43	3	Horizontal	173	2.93
6535MHz	Pass	AV	13.06868G	43.19	68.20	-25.01	3	Vertical	33	1.26
6535MHz	Pass	PK	13.06274G	56.70	88.20	-31.50	3	Vertical	33	1.26
6535MHz	Pass	AV	13.06124G	42.57	68.20	-25.63	3	Horizontal	293	1.50
6535MHz	Pass	PK	13.08074G	56.28	88.20	-31.92	3	Horizontal	293	1.50
6695MHz	Pass	AV	13.37521G	43.84	54.00	-10.16	3	Vertical	15	1.50
6695MHz	Pass	PK	13.39522G	57.08	74.00	-16.92	3	Vertical	15	1.50
6695MHz	Pass	AV	13.37533G	43.81	54.00	-10.19	3	Horizontal	346	2.99
6695MHz	Pass	PK	13.37572G	57.40	74.00	-16.60	3	Horizontal	346	2.99
6875MHz	Pass	AV	13.75861G	46.59	68.20	-21.61	3	Vertical	197	3.00
6875MHz	Pass	PK	13.75426G	60.44	88.20	-27.76	3	Vertical	197	3.00
6875MHz	Pass	AV	13.75654G	46.67	68.20	-21.53	3	Horizontal	158	1.50
6875MHz	Pass	PK	13.74295G	60.41	88.20	-27.79	3	Horizontal	158	1.50
6895MHz	Pass	AV	13.79015G	46.70	68.20	-21.50	3	Vertical	82	1.61
6895MHz	Pass	PK	13.80293G	61.85	88.20	-26.35	3	Vertical	82	1.61
6895MHz	Pass	AV	13.80473G	46.73	68.20	-21.47	3	Horizontal	195	1.50
6895MHz	Pass	PK	13.7834G	60.77	88.20	-27.43	3	Horizontal	195	1.50
6995MHz	Pass	AV	13.99147G	47.38	68.20	-20.82	3	Vertical	206	1.18
6995MHz	Pass	PK	13.98736G	61.91	88.20	-26.29	3	Vertical	206	1.18
6995MHz	Pass	AV	13.98646G	47.35	68.20	-20.85	3	Horizontal	228	3.00
6995MHz	Pass	PK	13.98256G	61.69	88.20	-26.51	3	Horizontal	228	3.00
7095MHz	Pass	AV	7.1016G	97.39	Inf	-Inf	3	Vertical	39	1.50
7095MHz	Pass	AV	7.1994G	51.72	68.20	-16.48	3	Vertical	39	1.50
7095MHz	Pass	PK	7.1013G	109.10	Inf	-Inf	3	Vertical	39	1.50
7095MHz	Pass	PK	7.1571G	64.19	88.20	-24.01	3	Vertical	39	1.50
7095MHz	Pass	AV	14.17779G	46.25	68.20	-21.95	3	Vertical	2	1.50
7095MHz	Pass	PK	14.18847G	60.27	88.20	-27.93	3	Vertical	2	1.50
7095MHz	Pass	AV	14.18106G	46.26	68.20	-21.94	3	Horizontal	73	1.27
7095MHz	Pass	PK	14.18505G	60.35	88.20	-27.85	3	Horizontal	73	1.27
7115MHz	Pass	AV	7.1065G	94.98	Inf	-Inf	3	Vertical	47	1.50
7115MHz	Pass	AV	7.1255G	67.99	68.20	-0.21	3	Vertical	47	1.50
7115MHz	Pass	PK	7.1065G	101.66	Inf	-Inf	3	Vertical	47	1.50
7115MHz	Pass	PK	7.1255G	79.09	88.20	-9.11	3	Vertical	47	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22412G	45.96	68.20	-22.24	3	Vertical	195	1.50
7115MHz	Pass	PK	14.22613G	59.52	88.20	-28.68	3	Vertical	195	1.50
7115MHz	Pass	AV	14.221G	45.89	68.20	-22.31	3	Horizontal	276	2.56
7115MHz	Pass	PK	14.22985G	59.49	88.20	-28.71	3	Horizontal	276	2.56
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.8903G	47.74	68.20	-20.46	3	Vertical	21	1.75
5965MHz	Pass	AV	5.9473G	98.83	Inf	-Inf	3	Vertical	21	1.75
5965MHz	Pass	PK	5.8564G	60.37	88.20	-27.83	3	Vertical	21	1.75
5965MHz	Pass	PK	5.9605G	112.12	Inf	-Inf	3	Vertical	21	1.75
5965MHz	Pass	AV	11.90246G	40.48	54.00	-13.52	3	Vertical	360	1.50
5965MHz	Pass	PK	11.95202G	54.51	74.00	-19.49	3	Vertical	360	1.50
5965MHz	Pass	AV	11.93G	40.51	54.00	-13.49	3	Horizontal	217	3.00
5965MHz	Pass	PK	11.90468G	55.00	74.00	-19.00	3	Horizontal	217	3.00
6205MHz	Pass	AV	12.38G	41.88	54.00	-12.12	3	Vertical	306	2.44
6205MHz	Pass	PK	12.38222G	55.22	74.00	-18.78	3	Vertical	306	2.44
6205MHz	Pass	AV	12.39284G	42.08	54.00	-11.92	3	Horizontal	267	1.43
6205MHz	Pass	PK	12.38642G	56.00	74.00	-18.00	3	Horizontal	267	1.43
6405MHz	Pass	AV	12.8331G	43.57	68.20	-24.63	3	Vertical	110	1.18
6405MHz	Pass	PK	12.83994G	57.16	88.20	-31.04	3	Vertical	110	1.18
6405MHz	Pass	AV	12.83382G	43.42	68.20	-24.78	3	Horizontal	0	1.23
6405MHz	Pass	PK	12.7974G	56.88	88.20	-31.32	3	Horizontal	0	1.23
6445MHz	Pass	AV	12.8756G	43.55	68.20	-24.65	3	Vertical	360	1.50
6445MHz	Pass	PK	12.86234G	58.03	88.20	-30.17	3	Vertical	360	1.50
6445MHz	Pass	AV	12.87074G	43.53	68.20	-24.67	3	Horizontal	148	1.50
6445MHz	Pass	PK	12.88568G	57.28	88.20	-30.92	3	Horizontal	148	1.50
6485MHz	Pass	AV	12.95512G	43.29	68.20	-24.91	3	Vertical	167	1.50
6485MHz	Pass	PK	12.97144G	56.88	88.20	-31.32	3	Vertical	167	1.50
6485MHz	Pass	AV	12.96214G	43.32	68.20	-24.88	3	Horizontal	126	1.39
6485MHz	Pass	PK	12.94438G	57.56	88.20	-30.64	3	Horizontal	126	1.39
6525MHz	Pass	AV	13.02966G	43.61	68.20	-24.59	3	Vertical	205	1.50
6525MHz	Pass	PK	13.0344G	57.42	88.20	-30.78	3	Vertical	205	1.50
6525MHz	Pass	AV	13.02024G	42.95	68.20	-25.25	3	Horizontal	217	2.92
6525MHz	Pass	PK	13.0233G	56.29	88.20	-31.91	3	Horizontal	217	2.92
6565MHz	Pass	AV	13.12772G	42.67	68.20	-25.53	3	Vertical	0	3.00
6565MHz	Pass	PK	13.15046G	56.28	88.20	-31.92	3	Vertical	0	3.00
6565MHz	Pass	AV	13.10852G	42.54	68.20	-25.66	3	Horizontal	354	1.50
6565MHz	Pass	PK	13.1216G	56.40	88.20	-31.80	3	Horizontal	354	1.50
6685MHz	Pass	AV	13.37546G	43.84	54.00	-10.16	3	Vertical	209	1.50
6685MHz	Pass	PK	13.37264G	57.18	74.00	-16.82	3	Vertical	209	1.50
6685MHz	Pass	AV	13.36454G	43.88	54.00	-10.12	3	Horizontal	118	1.50
6685MHz	Pass	PK	13.38644G	57.64	74.00	-16.36	3	Horizontal	118	1.50
6885MHz	Pass	AV	13.79772G	46.75	68.20	-21.45	3	Vertical	111	1.50
6885MHz	Pass	PK	13.79478G	60.53	88.20	-27.67	3	Vertical	111	1.50
6885MHz	Pass	AV	13.7925G	46.76	68.20	-21.44	3	Horizontal	282	1.50
6885MHz	Pass	PK	13.75578G	60.79	88.20	-27.41	3	Horizontal	282	1.50
6925MHz	Pass	AV	13.84856G	47.40	68.20	-20.80	3	Vertical	43	1.50
6925MHz	Pass	PK	13.85678G	60.81	88.20	-27.39	3	Vertical	43	1.50
6925MHz	Pass	AV	13.8332G	47.43	68.20	-20.77	3	Horizontal	335	1.50
6925MHz	Pass	PK	13.83554G	61.47	88.20	-26.73	3	Horizontal	335	1.50
7005MHz	Pass	AV	13.98612G	47.26	68.20	-20.94	3	Vertical	0	1.50
7005MHz	Pass	PK	13.9911G	61.19	88.20	-27.01	3	Vertical	0	1.50
7005MHz	Pass	AV	13.9863G	47.31	68.20	-20.89	3	Horizontal	344	1.31
7005MHz	Pass	PK	13.99074G	61.07	88.20	-27.13	3	Horizontal	344	1.31
7085MHz	Pass	AV	7.1027G	98.86	Inf	-Inf	3	Vertical	40	1.65
7085MHz	Pass	AV	7.2134G	51.80	68.20	-16.40	3	Vertical	40	1.65
7085MHz	Pass	PK	7.1027G	110.21	Inf	-Inf	3	Vertical	40	1.65
7085MHz	Pass	PK	7.2308G	64.89	88.20	-23.31	3	Vertical	40	1.65
7085MHz	Pass	AV	14.1406G	46.43	68.20	-21.77	3	Vertical	200	1.11
7085MHz	Pass	PK	14.14264G	60.49	88.20	-27.71	3	Vertical	200	1.11
7085MHz	Pass	AV	14.14306G	46.47	68.20	-21.73	3	Horizontal	86	1.63
7085MHz	Pass	PK	14.16574G	60.15	88.20	-28.05	3	Horizontal	86	1.63
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.925G	58.54	68.20	-9.66	3	Vertical	40	1.80
5985MHz	Pass	AV	5.974G	96.35	Inf	-Inf	3	Vertical	40	1.80
5985MHz	Pass	PK	5.9245G	76.62	88.20	-11.58	3	Vertical	40	1.80
5985MHz	Pass	PK	5.973G	107.92	Inf	-Inf	3	Vertical	40	1.80
5985MHz	Pass	AV	12.02508G	40.56	54.00	-13.44	3	Vertical	317	1.50
5985MHz	Pass	PK	11.99988G	54.36	74.00	-19.64	3	Vertical	317	1.50
5985MHz	Pass	AV	12.00552G	40.44	54.00	-13.56	3	Horizontal	207	1.50
5985MHz	Pass	PK	11.91348G	53.98	74.00	-20.02	3	Horizontal	207	1.50
6225MHz	Pass	AV	12.39192G	42.07	54.00	-11.93	3	Vertical	165	2.31
6225MHz	Pass	PK	12.43968G	55.36	74.00	-18.64	3	Vertical	165	2.31
6225MHz	Pass	AV	12.3978G	41.99	54.00	-12.01	3	Horizontal	245	1.50
6225MHz	Pass	PK	12.39432G	55.22	74.00	-18.78	3	Horizontal	245	1.50
6385MHz	Pass	AV	12.82748G	43.61	68.20	-24.59	3	Vertical	304	1.14
6385MHz	Pass	PK	12.81848G	57.16	88.20	-31.04	3	Vertical	304	1.14
6385MHz	Pass	AV	12.82424G	43.50	68.20	-24.70	3	Horizontal	170	2.63
6385MHz	Pass	PK	12.81344G	56.43	88.20	-31.77	3	Horizontal	170	2.63
6465MHz	Pass	AV	12.88212G	43.74	68.20	-24.46	3	Vertical	151	1.50
6465MHz	Pass	PK	12.93024G	57.29	88.20	-30.91	3	Vertical	151	1.50
6465MHz	Pass	AV	12.87516G	43.68	68.20	-24.52	3	Horizontal	347	1.73
6465MHz	Pass	PK	12.9078G	57.15	88.20	-31.05	3	Horizontal	347	1.73
6545MHz	Pass	AV	13.04032G	44.03	68.20	-24.17	3	Vertical	61	1.13
6545MHz	Pass	PK	13.03576G	57.23	88.20	-30.97	3	Vertical	61	1.13
6545MHz	Pass	AV	13.04824G	42.94	68.20	-25.26	3	Horizontal	360	2.66
6545MHz	Pass	PK	13.0444G	56.04	88.20	-32.16	3	Horizontal	360	2.66
6625MHz	Pass	AV	13.30904G	43.53	54.00	-10.47	3	Vertical	175	1.50
6625MHz	Pass	PK	13.26644G	57.50	74.00	-16.50	3	Vertical	175	1.50
6625MHz	Pass	AV	13.30988G	43.48	54.00	-10.52	3	Horizontal	148	1.50
6625MHz	Pass	PK	13.25888G	56.90	74.00	-17.10	3	Horizontal	148	1.50
6705MHz	Pass	AV	13.37448G	44.13	54.00	-9.87	3	Vertical	76	1.04
6705MHz	Pass	PK	13.38948G	57.56	74.00	-16.44	3	Vertical	76	1.04
6705MHz	Pass	AV	13.37292G	44.26	54.00	-9.74	3	Horizontal	303	1.62
6705MHz	Pass	PK	13.41408G	57.37	88.20	-30.83	3	Horizontal	303	1.62
6785MHz	Pass	AV	13.52788G	43.40	68.20	-24.80	3	Vertical	177	1.50
6785MHz	Pass	PK	13.54708G	56.63	88.20	-31.57	3	Vertical	177	1.50
6785MHz	Pass	AV	13.53244G	43.50	68.20	-24.70	3	Horizontal	48	1.50
6785MHz	Pass	PK	13.51444G	57.41	88.20	-30.79	3	Horizontal	48	1.50
6865MHz	Pass	AV	13.78892G	46.79	68.20	-21.41	3	Vertical	337	1.66
6865MHz	Pass	PK	13.70504G	60.44	88.20	-27.76	3	Vertical	337	1.66
6865MHz	Pass	AV	13.78976G	46.66	68.20	-21.54	3	Horizontal	27	1.49
6865MHz	Pass	PK	13.76804G	60.24	88.20	-27.96	3	Horizontal	27	1.49
6945MHz	Pass	AV	13.94136G	47.66	68.20	-20.54	3	Vertical	156	1.02
6945MHz	Pass	PK	13.94988G	61.26	88.20	-26.94	3	Vertical	156	1.02
6945MHz	Pass	AV	13.94892G	47.69	68.20	-20.51	3	Horizontal	158	1.50
6945MHz	Pass	PK	13.90872G	61.45	88.20	-26.75	3	Horizontal	158	1.50
7025MHz	Pass	AV	7.013G	97.22	Inf	-Inf	3	Vertical	34	1.75
7025MHz	Pass	AV	7.1252G	52.81	68.20	-15.39	3	Vertical	34	1.75
7025MHz	Pass	PK	7.0331G	109.89	Inf	-Inf	3	Vertical	34	1.75
7025MHz	Pass	PK	7.1321G	66.52	88.20	-21.68	3	Vertical	34	1.75
7025MHz	Pass	AV	13.99828G	47.52	68.20	-20.68	3	Vertical	132	1.50
7025MHz	Pass	PK	13.99828G	61.28	88.20	-26.92	3	Vertical	132	1.50
7025MHz	Pass	AV	13.99144G	47.52	68.20	-20.68	3	Horizontal	235	1.50
7025MHz	Pass	PK	14.0374G	61.26	88.20	-26.94	3	Horizontal	235	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9205G	66.22	68.20	-1.98	3	Vertical	16	1.80
6025MHz	Pass	AV	6.0035G	97.79	Inf	-Inf	3	Vertical	16	1.80
6025MHz	Pass	PK	5.922G	79.53	88.20	-8.67	3	Vertical	16	1.80
6025MHz	Pass	PK	6.0115G	109.78	Inf	-Inf	3	Vertical	16	1.80
6025MHz	Pass	AV	12.15056G	41.66	54.00	-12.34	3	Vertical	207	1.50
6025MHz	Pass	PK	12.08816G	54.68	74.00	-19.32	3	Vertical	207	1.50
6025MHz	Pass	AV	12.16928G	41.32	54.00	-12.68	3	Horizontal	360	1.50
6025MHz	Pass	PK	12.09392G	54.91	74.00	-19.09	3	Horizontal	360	1.50
6185MHz	Pass	AV	12.34408G	42.53	54.00	-11.47	3	Vertical	212	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.3652G	55.89	74.00	-18.11	3	Vertical	212	1.50
6185MHz	Pass	AV	12.35272G	42.58	54.00	-11.42	3	Horizontal	193	1.50
6185MHz	Pass	PK	12.34192G	56.65	74.00	-17.35	3	Horizontal	193	1.50
6345MHz	Pass	AV	12.80784G	43.21	68.20	-24.99	3	Vertical	268	1.50
6345MHz	Pass	PK	12.7752G	56.30	88.20	-31.90	3	Vertical	268	1.50
6345MHz	Pass	AV	12.79272G	43.21	68.20	-24.99	3	Horizontal	216	1.50
6345MHz	Pass	PK	12.76344G	56.76	88.20	-31.44	3	Horizontal	216	1.50
6505MHz	Pass	AV	12.8912G	43.61	68.20	-24.59	3	Vertical	135	1.50
6505MHz	Pass	PK	12.91712G	58.40	88.20	-29.80	3	Vertical	135	1.50
6505MHz	Pass	AV	12.8936G	43.53	68.20	-24.67	3	Horizontal	197	1.50
6505MHz	Pass	PK	12.94448G	57.26	88.20	-30.94	3	Horizontal	197	1.50
6665MHz	Pass	AV	13.37032G	44.15	54.00	-9.85	3	Vertical	288	1.50
6665MHz	Pass	PK	13.32808G	57.39	74.00	-16.61	3	Vertical	288	1.50
6665MHz	Pass	AV	13.37248G	44.25	54.00	-9.75	3	Horizontal	98	2.12
6665MHz	Pass	PK	13.33336G	57.74	74.00	-16.26	3	Horizontal	98	2.12
6825MHz	Pass	AV	13.5324G	46.95	68.20	-21.25	3	Vertical	194	1.65
6825MHz	Pass	PK	13.71096G	60.12	88.20	-28.08	3	Vertical	194	1.65
6825MHz	Pass	AV	13.53552G	46.95	68.20	-21.25	3	Horizontal	286	1.50
6825MHz	Pass	PK	13.53264G	60.70	88.20	-27.50	3	Horizontal	286	1.50
6985MHz	Pass	AV	6.958G	98.05	Inf	-Inf	3	Vertical	19	1.73
6985MHz	Pass	AV	7.127G	62.81	68.20	-5.39	3	Vertical	19	1.73
6985MHz	Pass	PK	6.923G	111.53	Inf	-Inf	3	Vertical	19	1.73
6985MHz	Pass	PK	7.152G	80.10	88.20	-8.10	3	Vertical	19	1.73
6985MHz	Pass	AV	13.96592G	47.51	68.20	-20.69	3	Vertical	41	1.50
6985MHz	Pass	PK	13.97384G	61.73	88.20	-26.47	3	Vertical	41	1.50
6985MHz	Pass	AV	13.95824G	47.60	68.20	-20.60	3	Horizontal	295	1.50
6985MHz	Pass	PK	13.9424G	61.13	88.20	-27.07	3	Horizontal	295	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX										
6105MHz	Pass	AV	5.925G	59.11	68.20	-9.09	3	Vertical	208	1.89
6105MHz	Pass	AV	6.248G	94.61	Inf	-Inf	3	Vertical	208	1.89
6105MHz	Pass	PK	5.886G	70.74	88.20	-17.46	3	Vertical	208	1.89
6105MHz	Pass	PK	6.246G	106.01	Inf	-Inf	3	Vertical	208	1.89
6105MHz	Pass	AV	12.33144G	42.40	54.00	-11.60	3	Vertical	82	3.00
6105MHz	Pass	PK	12.34872G	55.54	74.00	-18.46	3	Vertical	82	3.00
6105MHz	Pass	AV	12.3444G	42.40	54.00	-11.60	3	Horizontal	179	2.96
6105MHz	Pass	PK	12.0588G	55.40	74.00	-18.60	3	Horizontal	179	2.96
6265MHz	Pass	AV	12.76664G	43.03	68.20	-25.17	3	Vertical	208	1.50
6265MHz	Pass	PK	12.69992G	56.14	74.00	-17.86	3	Vertical	208	1.50
6265MHz	Pass	AV	12.76904G	42.94	68.20	-25.26	3	Horizontal	252	1.50
6265MHz	Pass	PK	12.7364G	56.38	88.20	-31.82	3	Horizontal	252	1.50
6425MHz	Pass	AV	12.87592G	43.75	68.20	-24.45	3	Vertical	18	2.02
6425MHz	Pass	PK	12.84136G	57.15	88.20	-31.05	3	Vertical	18	2.02
6425MHz	Pass	AV	12.8692G	43.65	68.20	-24.55	3	Horizontal	77	2.99
6425MHz	Pass	PK	12.8188G	58.07	88.20	-30.13	3	Horizontal	77	2.99
6585MHz	Pass	AV	13.37544G	44.06	54.00	-9.94	3	Vertical	271	1.50
6585MHz	Pass	PK	13.3716G	57.46	74.00	-16.54	3	Vertical	271	1.50
6585MHz	Pass	AV	13.3764G	44.02	54.00	-9.98	3	Horizontal	48	1.50
6585MHz	Pass	PK	13.37832G	57.68	74.00	-16.32	3	Horizontal	48	1.50
6745MHz	Pass	AV	13.72088G	46.33	68.20	-21.87	3	Vertical	301	1.50
6745MHz	Pass	PK	13.71368G	59.24	88.20	-28.96	3	Vertical	301	1.50
6745MHz	Pass	AV	13.72712G	46.45	68.20	-21.75	3	Horizontal	83	2.51
6745MHz	Pass	PK	13.66328G	59.67	88.20	-28.53	3	Horizontal	83	2.51
6905MHz	Pass	AV	6.7975G	99.88	Inf	-Inf	3	Vertical	40	1.91
6905MHz	Pass	AV	7.1525G	65.20	68.20	-3.00	3	Vertical	40	1.91
6905MHz	Pass	PK	6.9095G	110.09	Inf	-Inf	3	Vertical	40	1.91
6905MHz	Pass	PK	7.1455G	75.39	88.20	-12.81	3	Vertical	40	1.91
6905MHz	Pass	AV	13.95784G	47.68	68.20	-20.52	3	Vertical	345	1.50
6905MHz	Pass	PK	13.8388G	61.83	88.20	-26.37	3	Vertical	345	1.50
6905MHz	Pass	AV	13.95352G	47.59	68.20	-20.61	3	Horizontal	86	1.50
6905MHz	Pass	PK	13.86376G	61.63	88.20	-26.57	3	Horizontal	86	1.50


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	58.54	68.20	-9.66	8.60	3	Vertical	40	1.80	49.94	34.15	8.61	34.16
AV	5.974G	96.35	Inf	-Inf	8.55	3	Vertical	40	1.80	87.80	34.10	8.63	34.18
PK	5.9245G	76.62	88.20	-11.58	8.60	3	Vertical	40	1.80	68.02	34.15	8.61	34.16
PK	5.973G	107.92	Inf	-Inf	8.55	3	Vertical	40	1.80	99.37	34.10	8.63	34.18

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.02508G	40.56	54.00	-13.44	16.98	3	Vertical	317	1.50	23.58	39.05	12.07	34.14
PK	11.99988G	54.36	74.00	-19.64	16.89	3	Vertical	317	1.50	37.47	39.00	12.06	34.17


5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	59.11	68.20	-9.09	8.60	3	Vertical	208	1.89	50.51	34.15	8.61	34.16
AV	6.248G	94.61	Inf	-Inf	9.07	3	Vertical	208	1.89	85.54	34.40	8.98	34.31
PK	5.886G	70.74	88.20	-17.46	8.62	3	Vertical	208	1.89	62.12	34.17	8.59	34.14
PK	6.246G	106.01	Inf	-Inf	9.06	3	Vertical	208	1.89	96.95	34.39	8.98	34.31

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33144G	42.40	54.00	-11.60	17.52	3	Vertical	82	3.00	24.88	39.04	12.21	33.73
PK	12.34872G	55.54	74.00	-18.46	17.51	3	Vertical	82	3.00	38.03	39.00	12.21	33.70


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX



6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.1065G	94.98	Inf	-Inf	11.48	3	Vertical	47	1.50	83.50	36.44	9.46	34.42
AV	7.1255G	67.99	68.20	-0.21	11.63	3	Vertical	47	1.50	56.36	36.55	9.48	34.40
PK	7.1065G	101.66	Inf	-Inf	11.48	3	Vertical	47	1.50	90.18	36.44	9.46	34.42
PK	7.1255G	79.09	88.20	-9.11	11.63	3	Vertical	47	1.50	67.46	36.55	9.48	34.40

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.22412G	45.96	68.20	-22.24	20.16	3	Vertical	195	1.50	25.80	40.20	13.14	33.18
PK	14.22613G	59.52	88.20	-28.68	20.16	3	Vertical	195	1.50	39.36	40.20	13.14	33.18


6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.013G	97.22	Inf	-Inf	10.83	3	Vertical	34	1.75	86.39	35.95	9.35	34.47
AV	7.1252G	52.81	68.20	-15.39	11.63	3	Vertical	34	1.75	41.18	36.55	9.48	34.40
PK	7.0331G	109.89	Inf	-Inf	10.95	3	Vertical	34	1.75	98.94	36.03	9.38	34.46
PK	7.1321G	66.52	88.20	-21.68	11.68	3	Vertical	34	1.75	54.84	36.59	9.49	34.40

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99828G	47.52	68.20	-20.68	20.12	3	Vertical	132	1.50	27.40	40.20	12.94	33.02
PK	13.99828G	61.28	88.20	-26.92	20.12	3	Vertical	132	1.50	41.16	40.20	12.94	33.02


6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
a160_Nss1,(6Mbps)_1TX	Pass	PK	41.64M	35.73	40.00	-4.27	3	Vertical	0	1.00

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	41.64M	35.73	40.00	-4.27	3	Vertical	0	1.00
6185MHz	Pass	PK	169.68M	27.03	43.50	-16.47	3	Vertical	0	1.00
6185MHz	Pass	PK	262.8M	25.84	46.00	-20.16	3	Vertical	0	1.00
6185MHz	Pass	PK	371.44M	28.70	46.00	-17.30	3	Vertical	0	1.00
6185MHz	Pass	PK	483.96M	31.04	46.00	-14.96	3	Vertical	0	1.00
6185MHz	Pass	PK	559.62M	31.69	46.00	-14.31	3	Vertical	0	1.00
6185MHz	Pass	PK	33.88M	28.15	40.00	-11.85	3	Horizontal	360	1.00
6185MHz	Pass	PK	138.64M	30.64	43.50	-12.86	3	Horizontal	360	1.00
6185MHz	Pass	PK	249.22M	27.16	46.00	-18.84	3	Horizontal	360	1.00
6185MHz	Pass	PK	321M	25.84	46.00	-20.16	3	Horizontal	360	1.00
6185MHz	Pass	PK	402.48M	33.46	46.00	-12.54	3	Horizontal	360	1.00
6185MHz	Pass	PK	544.1M	36.90	46.00	-9.10	3	Horizontal	360	1.00

5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX


6185MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	35.73	40.00	-4.27	-9.03	3	Vertical	0	1.00	44.76	18.08	0.34	27.45
PK	169.68M	27.03	43.50	-16.47	-9.41	3	Vertical	0	1.00	36.44	15.85	1.82	27.08
PK	262.8M	25.84	46.00	-20.16	-5.15	3	Vertical	0	1.00	30.99	19.40	2.18	26.73
PK	371.44M	28.70	46.00	-17.30	-3.58	3	Vertical	0	1.00	32.28	21.07	2.59	27.24
PK	483.96M	31.04	46.00	-14.96	-1.40	3	Vertical	0	1.00	32.44	23.54	3.13	28.07
PK	559.62M	31.69	46.00	-14.31	0.27	3	Vertical	0	1.00	31.42	25.00	3.45	28.18

5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX

6185MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	28.15	40.00	-11.85	-4.60	3	Horizontal	360	1.00	32.75	22.62	0.27	27.49
PK	138.64M	30.64	43.50	-12.86	-8.23	3	Horizontal	360	1.00	38.87	17.48	1.48	27.19
PK	249.22M	27.16	46.00	-18.84	-6.12	3	Horizontal	360	1.00	33.28	18.46	2.16	26.74
PK	321M	25.84	46.00	-20.16	-4.68	3	Horizontal	360	1.00	30.52	19.82	2.35	26.85
PK	402.48M	33.46	46.00	-12.54	-2.84	3	Horizontal	360	1.00	36.30	21.96	2.71	27.51
PK	544.1M	36.90	46.00	-9.10	0.50	3	Horizontal	360	1.00	36.40	25.27	3.40	28.17

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	12.38228G	46.33	54.00	-7.67	3	Horizontal	167	1.50
a40_Nss1,(6Mbps)_1TX	Pass	AV	5.9242G	63.88	68.20	-4.32	3	Horizontal	56	2.27
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.92G	62.96	68.20	-5.24	3	Horizontal	60	2.71
a160_Nss1,(6Mbps)_1TX	Pass	AV	5.914G	61.52	68.20	-6.68	3	Horizontal	65	2.25
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	12.948G	48.69	68.20	-19.51	3	Horizontal	172	1.45
a40_Nss1,(6Mbps)_1TX	Pass	AV	12.87312G	48.18	68.20	-20.02	3	Vertical	346	1.50
a80_Nss1,(6Mbps)_1TX	Pass	AV	12.9236G	48.21	68.20	-19.99	3	Vertical	80	1.18
a160_Nss1,(6Mbps)_1TX	Pass	AV	12.98184G	48.12	68.20	-20.08	3	Horizontal	15	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	13.38688G	48.58	54.00	-5.42	3	Vertical	196	1.50
a40_Nss1,(6Mbps)_1TX	Pass	AV	13.37448G	48.59	54.00	-5.41	3	Vertical	335	1.50
a80_Nss1,(6Mbps)_1TX	Pass	AV	13.3756G	48.08	54.00	-5.92	3	Horizontal	267	1.50
a160_Nss1,(6Mbps)_1TX	Pass	AV	13.3748G	48.52	54.00	-5.48	3	Horizontal	328	2.39
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	7.125G	86.25	88.20	-1.95	3	Horizontal	66	1.66
a40_Nss1,(6Mbps)_1TX	Pass	AV	7.1258G	59.56	68.20	-8.64	3	Horizontal	64	1.65
a80_Nss1,(6Mbps)_1TX	Pass	AV	7.1252G	60.09	68.20	-8.11	3	Horizontal	68	1.70
a160_Nss1,(6Mbps)_1TX	Pass	AV	7.133G	60.77	68.20	-7.43	3	Horizontal	67	1.69



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1.(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8356G	50.77	68.20	-17.43	3	Horizontal	58	2.65
5955MHz	Pass	AV	5.9562G	95.21	Inf	-Inf	3	Horizontal	58	2.65
5955MHz	Pass	PK	5.826G	60.65	88.20	-27.55	3	Horizontal	58	2.65
5955MHz	Pass	PK	5.961G	105.09	Inf	-Inf	3	Horizontal	58	2.65
5955MHz	Pass	AV	11.91648G	45.69	54.00	-8.31	3	Vertical	44	1.50
5955MHz	Pass	PK	11.90916G	56.41	74.00	-17.59	3	Vertical	44	1.50
5955MHz	Pass	AV	11.9084G	45.46	54.00	-8.54	3	Horizontal	174	1.50
5955MHz	Pass	PK	11.90252G	56.35	74.00	-17.65	3	Horizontal	174	1.50
6195MHz	Pass	AV	12.38024G	46.30	54.00	-7.70	3	Vertical	148	1.50
6195MHz	Pass	PK	12.39564G	58.59	74.00	-15.41	3	Vertical	148	1.50
6195MHz	Pass	AV	12.38228G	46.33	54.00	-7.67	3	Horizontal	167	1.50
6195MHz	Pass	PK	12.39524G	56.75	74.00	-17.25	3	Horizontal	167	1.50
6415MHz	Pass	AV	12.83524G	48.07	68.20	-20.13	3	Vertical	347	1.50
6415MHz	Pass	PK	12.83144G	58.85	88.20	-29.35	3	Vertical	347	1.50
6415MHz	Pass	AV	12.82232G	48.42	68.20	-19.78	3	Horizontal	171	1.50
6415MHz	Pass	PK	12.83692G	58.64	88.20	-29.56	3	Horizontal	171	1.50
6435MHz	Pass	AV	12.86984G	48.12	68.20	-20.08	3	Vertical	168	1.84
6435MHz	Pass	PK	12.87156G	59.47	88.20	-28.73	3	Vertical	168	1.84
6435MHz	Pass	AV	12.86804G	48.31	68.20	-19.89	3	Horizontal	52	2.70
6435MHz	Pass	PK	12.8606G	59.01	88.20	-29.19	3	Horizontal	52	2.70
6475MHz	Pass	AV	12.95752G	47.99	68.20	-20.21	3	Vertical	256	1.50
6475MHz	Pass	PK	12.95936G	58.79	88.20	-29.41	3	Vertical	256	1.50
6475MHz	Pass	AV	12.948G	48.69	68.20	-19.51	3	Horizontal	172	1.45
6475MHz	Pass	PK	12.95056G	59.97	88.20	-28.23	3	Horizontal	172	1.45
6515MHz	Pass	AV	13.02924G	47.47	68.20	-20.73	3	Vertical	186	1.18
6515MHz	Pass	PK	13.03292G	58.11	88.20	-30.09	3	Vertical	186	1.18
6515MHz	Pass	AV	13.02796G	47.24	68.20	-20.96	3	Horizontal	15	1.50
6515MHz	Pass	PK	13.02288G	58.35	88.20	-29.85	3	Horizontal	15	1.50
6535MHz	Pass	AV	13.06956G	46.93	68.20	-21.27	3	Vertical	185	2.17
6535MHz	Pass	PK	13.06364G	57.91	88.20	-30.29	3	Vertical	185	2.17
6535MHz	Pass	AV	13.06976G	46.94	68.20	-21.26	3	Horizontal	86	1.50
6535MHz	Pass	PK	13.0792G	58.36	88.20	-29.84	3	Horizontal	86	1.50
6695MHz	Pass	AV	13.38688G	48.58	54.00	-5.42	3	Vertical	196	1.50
6695MHz	Pass	PK	13.3924G	59.43	74.00	-14.57	3	Vertical	196	1.50
6695MHz	Pass	AV	13.39656G	48.57	54.00	-5.43	3	Horizontal	307	1.50
6695MHz	Pass	PK	13.39144G	58.95	74.00	-15.05	3	Horizontal	307	1.50
6875MHz	Pass	AV	13.75844G	50.96	68.20	-17.24	3	Vertical	169	1.50
6875MHz	Pass	PK	13.75372G	62.24	88.20	-25.96	3	Vertical	169	1.50
6875MHz	Pass	AV	13.74648G	50.87	68.20	-17.33	3	Horizontal	25	2.21
6875MHz	Pass	PK	13.75788G	61.33	88.20	-26.87	3	Horizontal	25	2.21
6895MHz	Pass	AV	13.79824G	50.75	68.20	-17.45	3	Vertical	22	2.91
6895MHz	Pass	PK	13.78304G	62.02	88.20	-26.18	3	Vertical	22	2.91
6895MHz	Pass	AV	13.79076G	51.32	68.20	-16.88	3	Horizontal	80	1.50
6895MHz	Pass	PK	13.79724G	62.00	88.20	-26.20	3	Horizontal	80	1.50
6995MHz	Pass	AV	13.99088G	52.03	68.20	-16.17	3	Vertical	322	1.05
6995MHz	Pass	PK	13.99564G	62.99	88.20	-25.21	3	Vertical	322	1.05
6995MHz	Pass	AV	13.99924G	51.82	68.20	-16.38	3	Horizontal	300	1.50
6995MHz	Pass	PK	13.988G	62.40	88.20	-25.80	3	Horizontal	300	1.50
7095MHz	Pass	AV	7.098G	96.87	Inf	-Inf	3	Horizontal	65	1.60
7095MHz	Pass	AV	7.2114G	54.43	68.20	-13.77	3	Horizontal	65	1.60
7095MHz	Pass	PK	7.0944G	106.02	Inf	-Inf	3	Horizontal	65	1.60
7095MHz	Pass	PK	7.2306G	64.72	88.20	-23.48	3	Horizontal	65	1.60
7095MHz	Pass	AV	14.18148G	50.68	68.20	-17.52	3	Vertical	276	2.85
7095MHz	Pass	PK	14.1926G	61.44	88.20	-26.76	3	Vertical	276	2.85
7095MHz	Pass	AV	14.18244G	50.44	68.20	-17.76	3	Horizontal	185	1.50
7095MHz	Pass	PK	14.18708G	60.97	88.20	-27.23	3	Horizontal	185	1.50
7115MHz	Pass	AV	7.1096G	92.23	Inf	-Inf	3	Horizontal	66	1.66
7115MHz	Pass	AV	7.125G	64.45	68.20	-3.75	3	Horizontal	66	1.66
7115MHz	Pass	PK	7.1106G	101.65	Inf	-Inf	3	Horizontal	66	1.66
7115MHz	Pass	PK	7.125G	86.25	88.20	-1.95	3	Horizontal	66	1.66

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.23304G	50.34	68.20	-17.86	3	Vertical	152	2.94
7115MHz	Pass	PK	14.2298G	61.28	88.20	-26.92	3	Vertical	152	2.94
7115MHz	Pass	AV	14.22588G	50.55	68.20	-17.65	3	Horizontal	0	1.52
7115MHz	Pass	PK	14.23388G	60.85	88.20	-27.35	3	Horizontal	0	1.52
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9242G	63.88	68.20	-4.32	3	Horizontal	56	2.27
5965MHz	Pass	AV	5.974G	94.96	Inf	-Inf	3	Horizontal	56	2.27
5965MHz	Pass	PK	5.9248G	74.64	88.20	-13.56	3	Horizontal	56	2.27
5965MHz	Pass	PK	5.9704G	103.73	Inf	-Inf	3	Horizontal	56	2.27
5965MHz	Pass	AV	11.9464G	45.49	54.00	-8.51	3	Vertical	199	2.58
5965MHz	Pass	PK	11.93992G	56.83	74.00	-17.17	3	Vertical	199	2.58
5965MHz	Pass	AV	11.93808G	45.58	54.00	-8.42	3	Horizontal	34	1.00
5965MHz	Pass	PK	11.92616G	56.13	74.00	-17.87	3	Horizontal	34	1.00
6205MHz	Pass	AV	12.40784G	46.45	54.00	-7.55	3	Vertical	127	1.50
6205MHz	Pass	PK	12.3924G	56.95	74.00	-17.05	3	Vertical	127	1.50
6205MHz	Pass	AV	12.39816G	46.53	54.00	-7.47	3	Horizontal	186	1.50
6205MHz	Pass	PK	12.41704G	56.62	74.00	-17.38	3	Horizontal	186	1.50
6405MHz	Pass	AV	12.8096G	47.85	68.20	-20.35	3	Vertical	113	1.50
6405MHz	Pass	PK	12.79752G	58.33	88.20	-29.87	3	Vertical	113	1.50
6405MHz	Pass	AV	12.8204G	47.86	68.20	-20.34	3	Horizontal	211	3.00
6405MHz	Pass	PK	12.8228G	58.36	88.20	-29.84	3	Horizontal	211	3.00
6445MHz	Pass	AV	12.87312G	48.18	68.20	-20.02	3	Vertical	346	1.50
6445MHz	Pass	PK	12.87528G	59.09	88.20	-29.11	3	Vertical	346	1.50
6445MHz	Pass	AV	12.89712G	47.88	68.20	-20.32	3	Horizontal	12	1.49
6445MHz	Pass	PK	12.89912G	58.72	88.20	-29.48	3	Horizontal	12	1.49
6485MHz	Pass	AV	12.978G	47.95	68.20	-20.25	3	Vertical	131	2.13
6485MHz	Pass	PK	12.9688G	59.25	88.20	-28.95	3	Vertical	131	2.13
6485MHz	Pass	AV	12.97248G	47.98	68.20	-20.22	3	Horizontal	21	1.10
6485MHz	Pass	PK	12.96336G	58.78	88.20	-29.42	3	Horizontal	21	1.10
6525MHz	Pass	AV	13.03072G	47.23	68.20	-20.97	3	Vertical	0	1.78
6525MHz	Pass	PK	13.05424G	57.44	88.20	-30.76	3	Vertical	0	1.78
6525MHz	Pass	AV	13.04168G	47.37	68.20	-20.83	3	Horizontal	319	1.50
6525MHz	Pass	PK	13.04848G	58.18	88.20	-30.02	3	Horizontal	319	1.50
6565MHz	Pass	AV	13.12664G	46.81	68.20	-21.39	3	Vertical	34	1.56
6565MHz	Pass	PK	13.1388G	57.72	88.20	-30.48	3	Vertical	34	1.56
6565MHz	Pass	AV	13.1376G	46.90	68.20	-21.30	3	Horizontal	310	1.50
6565MHz	Pass	PK	13.1384G	57.60	88.20	-30.60	3	Horizontal	310	1.50
6685MHz	Pass	AV	13.37448G	48.59	54.00	-5.41	3	Vertical	335	1.50
6685MHz	Pass	PK	13.36112G	59.50	74.00	-14.50	3	Vertical	335	1.50
6685MHz	Pass	AV	13.37328G	48.44	54.00	-5.56	3	Horizontal	298	1.50
6685MHz	Pass	PK	13.386G	58.93	74.00	-15.07	3	Horizontal	298	1.50
6885MHz	Pass	AV	13.78768G	50.98	68.20	-17.22	3	Vertical	63	1.50
6885MHz	Pass	PK	13.78864G	62.35	88.20	-25.85	3	Vertical	63	1.50
6885MHz	Pass	AV	13.76568G	51.10	68.20	-17.10	3	Horizontal	96	2.42
6885MHz	Pass	PK	13.78312G	61.30	88.20	-26.90	3	Horizontal	96	2.42
6925MHz	Pass	AV	13.8496G	51.94	68.20	-16.26	3	Vertical	174	1.50
6925MHz	Pass	PK	13.8312G	62.47	88.20	-25.73	3	Vertical	174	1.50
6925MHz	Pass	AV	13.86472G	51.70	68.20	-16.50	3	Horizontal	165	2.54
6925MHz	Pass	PK	13.86464G	62.37	88.20	-25.83	3	Horizontal	165	2.54
7005MHz	Pass	AV	13.99104G	51.94	68.20	-16.26	3	Vertical	295	2.52
7005MHz	Pass	PK	14.00816G	62.19	88.20	-26.01	3	Vertical	295	2.52
7005MHz	Pass	AV	14.00096G	52.40	68.20	-15.80	3	Horizontal	77	1.19
7005MHz	Pass	PK	14.01552G	62.83	88.20	-25.37	3	Horizontal	77	1.19
7085MHz	Pass	AV	7.0784G	95.94	Inf	-Inf	3	Horizontal	64	1.65
7085MHz	Pass	AV	7.1258G	59.56	68.20	-8.64	3	Horizontal	64	1.65
7085MHz	Pass	PK	7.0742G	105.32	Inf	-Inf	3	Horizontal	64	1.65
7085MHz	Pass	PK	7.1288G	73.34	88.20	-14.86	3	Horizontal	64	1.65
7085MHz	Pass	AV	14.15008G	50.99	68.20	-17.21	3	Vertical	223	1.50
7085MHz	Pass	PK	14.16912G	61.28	88.20	-26.92	3	Vertical	223	1.50
7085MHz	Pass	AV	14.16552G	50.84	68.20	-17.36	3	Horizontal	299	1.50
7085MHz	Pass	PK	14.16248G	61.35	88.20	-26.85	3	Horizontal	299	1.50
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.92G	62.96	68.20	-5.24	3	Horizontal	60	2.71
5985MHz	Pass	AV	5.971G	93.15	Inf	-Inf	3	Horizontal	60	2.71
5985MHz	Pass	PK	5.901G	75.59	88.20	-12.61	3	Horizontal	60	2.71
5985MHz	Pass	PK	5.972G	101.85	Inf	-Inf	3	Horizontal	60	2.71
5985MHz	Pass	AV	11.94408G	45.28	54.00	-8.72	3	Vertical	48	1.88
5985MHz	Pass	PK	11.93808G	55.91	74.00	-18.09	3	Vertical	48	1.88
5985MHz	Pass	AV	11.99448G	45.25	54.00	-8.75	3	Horizontal	8	2.13
5985MHz	Pass	PK	12.00952G	55.57	74.00	-18.43	3	Horizontal	8	2.13
6225MHz	Pass	AV	12.4388G	46.53	54.00	-7.47	3	Vertical	262	1.10
6225MHz	Pass	PK	12.42424G	57.30	74.00	-16.70	3	Vertical	262	1.10
6225MHz	Pass	AV	12.44808G	45.91	54.00	-8.09	3	Horizontal	39	1.50
6225MHz	Pass	PK	12.47096G	57.02	74.00	-16.98	3	Horizontal	39	1.50
6385MHz	Pass	AV	12.78888G	47.34	68.20	-20.86	3	Vertical	326	3.00
6385MHz	Pass	PK	12.79016G	58.02	88.20	-30.18	3	Vertical	326	3.00
6385MHz	Pass	AV	12.7396G	47.45	68.20	-20.75	3	Horizontal	151	1.50
6385MHz	Pass	PK	12.79192G	58.80	88.20	-29.40	3	Horizontal	151	1.50
6465MHz	Pass	AV	12.9236G	48.21	68.20	-19.99	3	Vertical	80	1.18
6465MHz	Pass	PK	12.90216G	59.11	88.20	-29.09	3	Vertical	80	1.18
6465MHz	Pass	AV	12.89256G	47.84	68.20	-20.36	3	Horizontal	191	1.50
6465MHz	Pass	PK	12.92728G	59.03	88.20	-29.17	3	Horizontal	191	1.50
6545MHz	Pass	AV	13.12632G	47.68	68.20	-20.52	3	Vertical	237	1.50
6545MHz	Pass	PK	13.11416G	58.55	88.20	-29.65	3	Vertical	237	1.50
6545MHz	Pass	AV	13.06424G	47.54	68.20	-20.66	3	Horizontal	360	1.49
6545MHz	Pass	PK	13.06856G	57.46	88.20	-30.74	3	Horizontal	360	1.49
6625MHz	Pass	AV	13.26328G	47.49	54.00	-6.51	3	Vertical	221	1.50
6625MHz	Pass	PK	13.21192G	58.56	88.20	-29.64	3	Vertical	221	1.50
6625MHz	Pass	AV	13.27288G	47.44	54.00	-6.56	3	Horizontal	214	1.89
6625MHz	Pass	PK	13.23176G	57.92	88.20	-30.28	3	Horizontal	214	1.89
6705MHz	Pass	AV	13.37032G	48.07	54.00	-5.93	3	Vertical	266	1.73
6705MHz	Pass	PK	13.44152G	59.39	88.20	-28.81	3	Vertical	266	1.73
6705MHz	Pass	AV	13.3756G	48.08	54.00	-5.92	3	Horizontal	267	1.50
6705MHz	Pass	PK	13.40216G	59.27	88.20	-28.93	3	Horizontal	267	1.50
6785MHz	Pass	AV	13.5388G	47.78	68.20	-20.42	3	Vertical	71	2.66
6785MHz	Pass	PK	13.54856G	58.43	88.20	-29.77	3	Vertical	71	2.66
6785MHz	Pass	AV	13.53768G	47.35	68.20	-20.85	3	Horizontal	292	1.50
6785MHz	Pass	PK	13.53176G	58.64	88.20	-29.56	3	Horizontal	292	1.50
6865MHz	Pass	AV	13.7444G	50.70	68.20	-17.50	3	Vertical	238	1.48
6865MHz	Pass	PK	13.74616G	61.70	88.20	-26.50	3	Vertical	238	1.48
6865MHz	Pass	AV	13.77G	50.89	68.20	-17.31	3	Horizontal	221	1.50
6865MHz	Pass	PK	13.72776G	61.32	88.20	-26.88	3	Horizontal	221	1.50
6945MHz	Pass	AV	13.8564G	51.90	68.20	-16.30	3	Vertical	217	1.50
6945MHz	Pass	PK	13.8572G	62.55	88.20	-25.65	3	Vertical	217	1.50
6945MHz	Pass	AV	13.87368G	51.65	68.20	-16.55	3	Horizontal	8	3.00
6945MHz	Pass	PK	13.90056G	62.59	88.20	-25.61	3	Horizontal	8	3.00
7025MHz	Pass	AV	7.016G	96.82	Inf	-Inf	3	Horizontal	68	1.70
7025MHz	Pass	AV	7.1252G	60.09	68.20	-8.11	3	Horizontal	68	1.70
7025MHz	Pass	PK	6.9992G	106.05	Inf	-Inf	3	Horizontal	68	1.70
7025MHz	Pass	PK	7.1252G	71.13	88.20	-17.07	3	Horizontal	68	1.70
7025MHz	Pass	AV	14.01352G	51.40	68.20	-16.80	3	Vertical	0	1.24
7025MHz	Pass	PK	14.03944G	62.60	88.20	-25.60	3	Vertical	0	1.24
7025MHz	Pass	AV	14.03208G	51.75	68.20	-16.45	3	Horizontal	175	1.50
7025MHz	Pass	PK	14.01144G	62.25	88.20	-25.95	3	Horizontal	175	1.50
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.914G	61.52	68.20	-6.68	3	Horizontal	65	2.25
6025MHz	Pass	AV	6.052G	87.63	Inf	-Inf	3	Horizontal	65	2.25
6025MHz	Pass	PK	5.909G	75.60	88.20	-12.60	3	Horizontal	65	2.25
6025MHz	Pass	PK	6.041G	97.57	Inf	-Inf	3	Horizontal	65	2.25
6025MHz	Pass	AV	12.08264G	45.35	54.00	-8.65	3	Vertical	188	2.36
6025MHz	Pass	PK	12.04968G	55.95	74.00	-18.05	3	Vertical	188	2.36
6025MHz	Pass	AV	12.0932G	45.35	54.00	-8.65	3	Horizontal	0	1.50
6025MHz	Pass	PK	12.08472G	56.46	74.00	-17.54	3	Horizontal	0	1.50
6185MHz	Pass	AV	12.32136G	46.95	54.00	-7.05	3	Vertical	185	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.34792G	57.56	74.00	-16.44	3	Vertical	185	1.50
6185MHz	Pass	AV	12.3508G	47.02	54.00	-6.98	3	Horizontal	7	2.83
6185MHz	Pass	PK	12.32392G	57.45	74.00	-16.55	3	Horizontal	7	2.83
6345MHz	Pass	AV	12.69512G	46.96	54.00	-7.04	3	Vertical	55	2.21
6345MHz	Pass	PK	12.68072G	57.31	74.00	-16.69	3	Vertical	55	2.21
6345MHz	Pass	AV	12.75848G	47.44	68.20	-20.76	3	Horizontal	307	1.50
6345MHz	Pass	PK	12.71464G	57.70	88.20	-30.50	3	Horizontal	307	1.50
6505MHz	Pass	AV	12.94792G	47.91	68.20	-20.29	3	Vertical	356	3.00
6505MHz	Pass	PK	12.9764G	58.14	88.20	-30.06	3	Vertical	356	3.00
6505MHz	Pass	AV	12.98184G	48.12	68.20	-20.08	3	Horizontal	15	1.50
6505MHz	Pass	PK	13.03176G	58.43	88.20	-29.77	3	Horizontal	15	1.50
6665MHz	Pass	AV	13.33072G	48.46	54.00	-5.54	3	Vertical	164	1.50
6665MHz	Pass	PK	13.35784G	59.33	74.00	-14.67	3	Vertical	164	1.50
6665MHz	Pass	AV	13.3748G	48.52	54.00	-5.48	3	Horizontal	328	2.39
6665MHz	Pass	PK	13.33584G	58.43	74.00	-15.57	3	Horizontal	328	2.39
6825MHz	Pass	AV	13.57256G	51.03	68.20	-17.17	3	Vertical	131	1.26
6825MHz	Pass	PK	13.62184G	61.14	88.20	-27.06	3	Vertical	131	1.26
6825MHz	Pass	AV	13.58248G	51.06	68.20	-17.14	3	Horizontal	90	1.50
6825MHz	Pass	PK	13.63496G	61.21	88.20	-26.99	3	Horizontal	90	1.50
6985MHz	Pass	AV	6.982G	91.53	Inf	-Inf	3	Horizontal	67	1.69
6985MHz	Pass	AV	7.133G	60.77	68.20	-7.43	3	Horizontal	67	1.69
6985MHz	Pass	PK	6.981G	101.73	Inf	-Inf	3	Horizontal	67	1.69
6985MHz	Pass	PK	7.131G	73.95	88.20	-14.25	3	Horizontal	67	1.69
6985MHz	Pass	AV	13.92584G	51.66	68.20	-16.54	3	Vertical	134	2.56
6985MHz	Pass	PK	13.93808G	62.11	88.20	-26.09	3	Vertical	134	2.56
6985MHz	Pass	AV	13.92136G	52.03	68.20	-16.17	3	Horizontal	254	2.79
6985MHz	Pass	PK	13.94029G	62.97	88.20	-25.23	3	Horizontal	254	2.79


5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX

5965MHz_TX




5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX

5965MHz_TX




5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX

5965MHz_TX




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

5985MHz_TX




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

5985MHz_TX




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

5985MHz_TX



5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.914G	61.52	68.20	-6.68	8.62	3	Horizontal	65	2.25	52.90	34.17	8.60	34.15
AV	6.052G	87.63	Inf	-Inf	8.62	3	Horizontal	65	2.25	79.01	34.10	8.73	34.21
PK	5.909G	75.60	88.20	-12.60	8.63	3	Horizontal	65	2.25	66.97	34.18	8.60	34.15
PK	6.041G	97.57	Inf	-Inf	8.60	3	Horizontal	65	2.25	88.97	34.10	8.71	34.21

5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.08264G	45.35	54.00	-8.65	17.14	3	Vertical	188	2.36	28.21	39.10	12.10	34.06
PK	12.04968G	55.95	74.00	-18.05	17.08	3	Vertical	188	2.36	38.87	39.10	12.08	34.10


5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX

6025MHz_TX




6.425-6.525GHz_a20_Nss1,(6Mbps)_1TX

6475MHz_TX




6.425-6.525GHz_a20_Nss1,(6Mbps)_1TX

6475MHz_TX




6.425-6.525GHz_a40_Nss1,(6Mbps)_1TX

6445MHz_TX




6.425-6.525GHz_a40_Nss1,(6Mbps)_1TX

6445MHz_TX




6.425-6.525GHz_a80_Nss1,(6Mbps)_1TX

6465MHz_TX




6.425-6.525GHz_a80_Nss1,(6Mbps)_1TX

6465MHz_TX




6.425-6.525GHz_a160_Nss1,(6Mbps)_1TX

6505MHz_TX




6.425-6.525GHz_a160_Nss1,(6Mbps)_1TX

6505MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_a40_Nss1,(6Mbps)_1TX

6685MHz_TX




6.525-6.875GHz_a40_Nss1,(6Mbps)_1TX

6685MHz_TX




6.525-6.875GHz_a80_Nss1,(6Mbps)_1TX

6705MHz_TX




6.525-6.875GHz_a80_Nss1,(6Mbps)_1TX

6705MHz_TX




6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

6665MHz_TX




6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

6665MHz_TX




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

7115MHz_TX



6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0784G	95.94	Inf	-Inf	11.27	3	Horizontal	64	1.65	84.67	36.27	9.43	34.43
AV	7.1258G	59.56	68.20	-8.64	11.63	3	Horizontal	64	1.65	47.93	36.55	9.48	34.40
PK	7.0742G	105.32	Inf	-Inf	11.23	3	Horizontal	64	1.65	94.09	36.25	9.42	34.44
PK	7.1288G	73.34	88.20	-14.86	11.65	3	Horizontal	64	1.65	61.69	36.57	9.48	34.40

6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.15008G	50.99	68.20	-17.21	20.34	3	Vertical	223	1.50	30.65	40.40	13.07	33.13
PK	14.16912G	61.28	88.20	-26.92	20.31	3	Vertical	223	1.50	40.97	40.36	13.09	33.14


6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX

7085MHz_TX




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

7025MHz_TX




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

7025MHz_TX




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

7025MHz_TX



6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.982G	91.53	Inf	-Inf	10.76	3	Horizontal	67	1.69	80.77	35.90	9.34	34.48
AV	7.133G	60.77	68.20	-7.43	11.69	3	Horizontal	67	1.69	49.08	36.60	9.49	34.40
PK	6.981G	101.73	Inf	-Inf	10.76	3	Horizontal	67	1.69	90.97	35.90	9.34	34.48
PK	7.131G	73.95	88.20	-14.25	11.67	3	Horizontal	67	1.69	62.28	36.59	9.48	34.40

6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.92584G	51.66	68.20	-16.54	20.09	3	Vertical	134	2.56	31.57	40.10	12.91	32.92
PK	13.93808G	62.11	88.20	-26.09	20.07	3	Vertical	134	2.56	42.04	40.10	12.91	32.94

6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX

6985MHz_TX



Antenna Gain(dBi)											
4.95											

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.95	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-76.95	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-75.95	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-76.95	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-70.95	OFF	10	100	90	Pass
				Center	6105	-64.95	OFF	10	100	90	Pass
				High edge	6260	-71.95	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-67.95	OFF	10	100	90	Pass
				Center	6425	-65.95	OFF	10	100	90	Pass
				High edge	6580	-65.95	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-73.95	OFF	10	100	90	Pass
				Center	6585	-68.95	OFF	10	100	90	Pass
				High edge	6740	-75.95	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-72.95	OFF	10	100	90	Pass
				Center	6905	-68.95	OFF	10	100	90	Pass
				High edge	7060	-70.95	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-67.00	4.95	-71.95	≤ -62
						Minimal	-69.00	4.95	-73.95	≤ -62
						ON	-70.00	4.95	-74.95	≤ -62
6	101	20	6455	Center	6455	OFF	-72.00	4.95	-76.95	≤ -62
						Minimal	-76.00	4.95	-80.95	≤ -62
						ON	-77.00	4.95	-81.95	≤ -62
7	149	20	6695	Center	6695	OFF	-71.00	4.95	-75.95	≤ -62
						Minimal	-74.00	4.95	-78.95	≤ -62
						ON	-75.00	4.95	-79.95	≤ -62
8	213	20	7015	Center	7015	OFF	-72.00	4.95	-76.95	≤ -62
						Minimal	-74.00	4.95	-78.95	≤ -62
						ON	-75.00	4.95	-79.95	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-66.00	4.95	-70.95	≤ -62
						Minimal	-68.00	4.95	-72.95	
						ON	-69.00	4.95	-73.95	
				Center	6105	OFF	-60.00	4.95	-64.95	≤ -62
						Minimal	-66.00	4.95	-70.95	
						ON	-67.00	4.95	-71.95	
				High edge	6260	OFF	-67.00	4.95	-71.95	≤ -62
						Minimal	-70.00	4.95	-74.95	
						ON	-71.00	4.95	-75.95	
5,6,7	95	320	6425	Low edge	6270	OFF	-63.00	4.95	-67.95	≤ -62
						Minimal	-66.00	4.95	-70.95	
						ON	-67.00	4.95	-71.95	
				Center	6425	OFF	-61.00	4.95	-65.95	≤ -62
						Minimal	-71.00	4.95	-75.95	
						ON	-72.00	4.95	-76.95	
				High edge	6580	OFF	-61.00	4.95	-65.95	≤ -62
						Minimal	-65.00	4.95	-69.95	
						ON	-66.00	4.95	-70.95	
6,7	127	320	6585	Low edge	6430	OFF	-69.00	4.95	-73.95	≤ -62
						Minimal	-71.00	4.95	-75.95	
						ON	-72.00	4.95	-76.95	
				Center	6585	OFF	-64.00	4.95	-68.95	≤ -62
						Minimal	-70.00	4.95	-74.95	
						ON	-71.00	4.95	-75.95	
				High edge	6740	OFF	-71.00	4.95	-75.95	≤ -62
						Minimal	-73.00	4.95	-77.95	
						ON	-74.00	4.95	-78.95	
7,8	191	320	6905	Low edge	6750	OFF	-68.00	4.95	-72.95	≤ -62
						Minimal	-71.00	4.95	-75.95	
						ON	-72.00	4.95	-76.95	
				Center	6905	OFF	-64.00	4.95	-68.95	≤ -62
						Minimal	-74.00	4.95	-78.95	
						ON	-75.00	4.95	-79.95	
				High edge	7060	OFF	-66.00	4.95	-70.95	≤ -62
						Minimal	-70.00	4.95	-74.95	
						ON	-71.00	4.95	-75.95	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
93.9125ms
All TX Sample
7513
Duty Cycle
0.939008
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
95.3ms
All TX Sample
7624
Duty Cycle
0.952881
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




30/12/2024	
Sample Time	
12.5us	
All TX Time	
94.4875ms	
All TX Sample	
7559	
Duty Cycle	
0.944757	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




30/12/2024	
Sample Time	
12.533375us	
All TX Time	
94.188313ms	
All TX Sample	
7515	
Duty Cycle	
0.939258	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
94.9625ms
All TX Sample
7597
Duty Cycle
0.949506
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
95.0125ms
All TX Sample
7601
Duty Cycle
0.950006
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
95.375ms
All TX Sample
7630
Duty Cycle
0.953631
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
95.1ms
All TX Sample
7608
Duty Cycle
0.950881
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.125ms
 All TX Sample
 7610
 Duty Cycle
 0.951131
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.3875ms
 All TX Sample
 7631
 Duty Cycle
 0.953756
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.1125ms

All TX Sample

7609

Duty Cycle

0.951006

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.1125ms

All TX Sample

7609

Duty Cycle

0.951006

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
95.875ms
All TX Sample
7670
Duty Cycle
0.95863
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
95.075ms
All TX Sample
7606
Duty Cycle
0.950631
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.6875ms

All TX Sample

7655

Duty Cycle

0.956755

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.425ms

All TX Sample

7634

Duty Cycle

0.954131


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 29.DEC.2024 10:05:14


Frequency (MHz): 7015 MHz



Date: 29.DEC.2024 10:06:04


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 29.DEC.2024 10:07:56

Frequency (MHz): 6105 MHz




Date: 29.DEC.2024 10:08:32

Frequency (MHz): 6260 MHz




Date: 29.DEC.2024 10:09:25

Frequency (MHz): 6270 MHz




Date: 29.DEC.2024 10:10:05

Frequency (MHz): 6425 MHz




Date: 29.DEC.2024 10:10:47

Frequency (MHz): 6430 MHz




Date: 29.DEC.2024 10:15:16

Frequency (MHz): 6580 MHz




Date: 29.DEC.2024 10:11:34

Frequency (MHz): 6585 MHz




Date: 29.DEC.2024 10:14:09

Frequency (MHz): 6740 MHz




Date: 29.DEC.2024 10:16:20

Frequency (MHz): 6750 MHz




Date: 29.DEC.2024 10:17:13

Frequency (MHz): 6905 MHz




Date: 29.DEC.2024 10:18:05

Frequency (MHz): 7060 MHz




Date: 29.DEC.2024 10:18:43

2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11be EHT320

Test CH 31 ; Incumbent signal 5950 MHz

Time Analysis




30/12/2024	
Sample Time	
1us	
All TX Time	
943.718ms	
All TX Sample	
943718	
Duty Cycle	
0.943717	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz

Time Analysis




30/12/2024	
Sample Time	
1us	
All TX Time	
921.248ms	
All TX Sample	
921248	
Duty Cycle	
0.921247	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -70 dBm)


Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -66dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -68dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -69dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -60dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -66dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -67dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -67dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis



Antenna Gain(dBi)											
5											

Contention Based protocol (a 20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-71.00	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-70.00	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-72.00	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-67.00	OFF	10	100	90	Pass

Contention Based protocol (a 160)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-67.00	OFF	10	100	90	Pass
				Center	6185	-82.00	OFF	10	100	90	Pass
				High edge	6260	-76.00	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-70.00	OFF	10	100	90	Pass
				Center	6505	-82.00	OFF	10	100	90	Pass
				High edge	6580	-76.00	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-64.00	OFF	10	100	90	Pass
				Center	6665	-81.60	OFF	10	100	90	Pass
				High edge	6740	-74.00	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-66.00	OFF	10	100	90	Pass
				Center	6985	-81.90	OFF	10	100	90	Pass
				High edge	7060	-76.00	OFF	10	100	90	Pass

Contention Based Protocol Threshold Level (a 20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.00	5.00	-71.00	≤ -62
						Minimal	-67.00	5.00	-72.00	≤ -62
						ON	-67.00	5.00	-72.00	≤ -62
6	101	20	6455	Center	6455	OFF	-65.00	5.00	-70.00	≤ -62
						Minimal	-66.00	5.00	-71.00	≤ -62
						ON	-66.00	5.00	-71.00	≤ -62
7	149	20	6695	Center	6695	OFF	-67.00	5.00	-72.00	≤ -62
						Minimal	-68.00	5.00	-73.00	≤ -62
						ON	-68.00	5.00	-73.00	≤ -62
8	213	20	7015	Center	7015	OFF	-62.00	5.00	-67.00	≤ -62
						Minimal	-63.00	5.00	-68.00	≤ -62
						ON	-63.00	5.00	-68.00	≤ -62

Contention Based Protocol Threshold Level (a 160)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-62.00	5.00	-67.00	≤ -62
						Minimal	-63.00	5.00	-68.00	
						ON	-63.00	5.00	-68.00	
				Center	6185	OFF	-77.00	5.00	-82.00	≤ -62
						Minimal	-77.10	5.00	-82.10	
						ON	-77.10	5.00	-82.10	
				High edge	6260	OFF	-71.00	5.00	-76.00	≤ -62
						Minimal	-72.00	5.00	-77.00	
						ON	-72.00	5.00	-77.00	
6	111	160	6505	Low edge	6430	OFF	-65.00	5.00	-70.00	≤ -62
						Minimal	-66.00	5.00	-71.00	
						ON	-66.00	5.00	-71.00	
				Center	6505	OFF	-77.00	5.00	-82.00	≤ -62
						Minimal	-77.10	5.00	-82.10	
						ON	-77.10	5.00	-82.10	
				High edge	6580	OFF	-71.00	5.00	-76.00	≤ -62
						Minimal	-72.00	5.00	-77.00	
						ON	-72.00	5.00	-77.00	
7	143	160	6665	Low edge	6590	OFF	-59.00	5.00	-64.00	≤ -62
						Minimal	-60.00	5.00	-65.00	
						ON	-60.00	5.00	-65.00	
				Center	6665	OFF	-76.60	5.00	-81.60	≤ -62
						Minimal	-76.70	5.00	-81.70	
						ON	-76.70	5.00	-81.70	
				High edge	6740	OFF	-69.00	5.00	-74.00	≤ -62
						Minimal	-70.00	5.00	-75.00	
						ON	-70.00	5.00	-75.00	
8	207	160	6985	Low edge	6910	OFF	-61.00	5.00	-66.00	≤ -62
						Minimal	-62.00	5.00	-67.00	
						ON	-62.00	5.00	-67.00	
				Center	6985	OFF	-76.90	5.00	-81.90	≤ -62
						Minimal	-77.10	5.00	-82.10	
						ON	-77.10	5.00	-82.10	
				High edge	7060	OFF	-71.00	5.00	-76.00	≤ -62
						Minimal	-72.00	5.00	-77.00	
						ON	-72.00	5.00	-77.00	