



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.918G	103.78	Inf	-Inf	10.07	3	Vertical	217	2.78	93.71	36.10	9.22	35.25
AV	7.1255G	62.77	68.20	-5.43	10.90	3	Vertical	217	2.78	51.87	36.75	9.40	35.25
PK	6.9095G	116.01	Inf	-Inf	10.06	3	Vertical	217	2.78	105.95	36.10	9.21	35.25
PK	7.1395G	75.69	88.20	-12.51	11.00	3	Vertical	217	2.78	64.69	36.84	9.41	35.25

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.0588G	44.67	68.20	-23.53	10.30	3	Vertical	13	1.18	34.37	40.42	13.18	43.30
PK	13.98008G	56.30	88.20	-31.90	10.08	3	Vertical	13	1.18	46.22	40.26	13.14	43.32


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a160_Nss1,(6Mbps)_1TX	Pass	PK	61.04M	34.99	40.00	-5.01	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
6825MHz	Pass	PK	31.94M	34.96	40.00	-5.04	3	Vertical	360	1.00
6825MHz	Pass	PK	61.04M	34.99	40.00	-5.01	3	Vertical	360	1.00
6825MHz	Pass	PK	90.14M	33.49	43.50	-10.01	3	Vertical	360	1.00
6825MHz	Pass	PK	167.74M	25.73	43.50	-17.77	3	Vertical	360	1.00
6825MHz	Pass	PK	315.18M	26.78	46.00	-19.22	3	Vertical	360	1.00
6825MHz	Pass	PK	835.1M	34.23	46.00	-11.77	3	Vertical	360	1.00
6825MHz	Pass	PK	90.14M	31.21	43.50	-12.29	3	Horizontal	0	1.00
6825MHz	Pass	PK	163.86M	25.37	43.50	-18.13	3	Horizontal	0	1.00
6825MHz	Pass	PK	288.02M	30.21	46.00	-15.79	3	Horizontal	0	1.00
6825MHz	Pass	PK	315.18M	30.35	46.00	-15.65	3	Horizontal	0	1.00
6825MHz	Pass	PK	549.92M	29.16	46.00	-16.84	3	Horizontal	0	1.00
6825MHz	Pass	PK	835.1M	32.43	46.00	-13.57	3	Horizontal	0	1.00

6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX


6825MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	34.96	40.00	-5.04	-4.49	3	Vertical	360	1.00	39.45	22.46	0.43	27.38
PK	61.04M	34.99	40.00	-5.01	-15.28	3	Vertical	360	1.00	50.27	11.48	0.58	27.34
PK	90.14M	33.49	43.50	-10.01	-12.43	3	Vertical	360	1.00	45.92	14.11	0.72	27.26
PK	167.74M	25.73	43.50	-17.77	-11.08	3	Vertical	360	1.00	36.81	14.93	0.98	26.99
PK	315.18M	26.78	46.00	-19.22	-6.82	3	Vertical	360	1.00	33.60	18.61	1.35	26.78
PK	835.1M	34.23	46.00	-11.77	-0.66	3	Vertical	360	1.00	34.89	25.23	2.18	28.07

6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

6825MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	90.14M	31.21	43.50	-12.29	-12.43	3	Horizontal	0	1.00	43.64	14.11	0.72	27.26
PK	163.86M	25.37	43.50	-18.13	-11.07	3	Horizontal	0	1.00	36.44	14.96	0.97	27.00
PK	288.02M	30.21	46.00	-15.79	-7.29	3	Horizontal	0	1.00	37.50	18.08	1.29	26.66
PK	315.18M	30.35	46.00	-15.65	-6.82	3	Horizontal	0	1.00	37.17	18.61	1.35	26.78
PK	549.92M	29.16	46.00	-16.84	-2.73	3	Horizontal	0	1.00	31.89	23.94	1.74	28.41
PK	835.1M	32.43	46.00	-13.57	-0.66	3	Horizontal	0	1.00	33.09	25.23	2.18	28.07

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	12.39243G	41.80	54.00	-12.20	3	Vertical	170	1.50
a40_Nss1,(6Mbps)_1TX	Pass	AV	5.9218G	67.64	68.20	-0.56	3	Horizontal	292	2.04
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.9225G	68.03	68.20	-0.17	3	Horizontal	284	1.90
a160_Nss1,(6Mbps)_1TX	Pass	AV	5.9085G	67.93	68.20	-0.27	3	Horizontal	300	2.74
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	12.87267G	42.90	68.20	-25.30	3	Vertical	292	1.25
a40_Nss1,(6Mbps)_1TX	Pass	AV	13.05605G	43.43	68.20	-24.77	3	Horizontal	229	1.50
a80_Nss1,(6Mbps)_1TX	Pass	AV	13.09808G	43.01	68.20	-25.19	3	Vertical	329	1.50
a160_Nss1,(6Mbps)_1TX	Pass	AV	13.00688G	42.45	68.20	-25.75	3	Vertical	258	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	13.38546G	43.69	54.00	-10.31	3	Horizontal	22	1.50
a40_Nss1,(6Mbps)_1TX	Pass	AV	13.37474G	43.36	54.00	-10.64	3	Horizontal	309	2.04
a80_Nss1,(6Mbps)_1TX	Pass	AV	13.25666G	43.08	54.00	-10.92	3	Horizontal	271	1.00
a160_Nss1,(6Mbps)_1TX	Pass	AV	13.32232G	43.47	54.00	-10.53	3	Vertical	279	3.00
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	7.125G	87.54	88.20	-0.66	3	Horizontal	285	2.46
a40_Nss1,(6Mbps)_1TX	Pass	AV	7.1261G	67.91	68.20	-0.29	3	Horizontal	292	2.37
a80_Nss1,(6Mbps)_1TX	Pass	AV	7.127G	66.08	68.20	-2.12	3	Horizontal	292	2.01
a160_Nss1,(6Mbps)_1TX	Pass	AV	7.128G	67.61	68.20	-0.59	3	Horizontal	295	1.96

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
a20_Nss1_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	47.53	68.20	-20.67	3	Horizontal	292	1.95
5955MHz	Pass	AV	5.958G	98.09	Inf	-Inf	3	Horizontal	292	1.95
5955MHz	Pass	PK	5.925G	57.94	88.20	-30.26	3	Horizontal	292	1.95
5955MHz	Pass	PK	5.9589G	107.01	Inf	-Inf	3	Horizontal	292	1.95
5955MHz	Pass	AV	11.913G	41.75	54.00	-12.25	3	Vertical	120	2.12
5955MHz	Pass	PK	11.91426G	52.23	74.00	-21.77	3	Vertical	120	2.12
5955MHz	Pass	AV	11.9049G	41.54	54.00	-12.46	3	Horizontal	341	1.50
5955MHz	Pass	PK	11.91786G	51.85	74.00	-22.15	3	Horizontal	341	1.50
6195MHz	Pass	AV	12.39243G	41.80	54.00	-12.20	3	Vertical	170	1.50
6195MHz	Pass	PK	12.39363G	51.53	74.00	-22.47	3	Vertical	170	1.50
6195MHz	Pass	AV	12.39198G	41.47	54.00	-12.53	3	Horizontal	234	1.63
6195MHz	Pass	PK	12.37683G	52.10	74.00	-21.90	3	Horizontal	234	1.63
6415MHz	Pass	AV	12.82829G	42.66	68.20	-25.54	3	Vertical	16	1.50
6415MHz	Pass	PK	12.84494G	52.47	88.20	-35.73	3	Vertical	16	1.50
6415MHz	Pass	AV	12.8402G	42.63	68.20	-25.57	3	Horizontal	193	1.50
6415MHz	Pass	PK	12.83135G	53.38	88.20	-34.82	3	Horizontal	193	1.50
6435MHz	Pass	AV	12.87267G	42.90	68.20	-25.30	3	Vertical	292	1.25
6435MHz	Pass	PK	12.86706G	52.91	88.20	-35.29	3	Vertical	292	1.25
6435MHz	Pass	AV	12.86436G	42.63	68.20	-25.57	3	Horizontal	207	2.74
6435MHz	Pass	PK	12.86583G	52.94	88.20	-35.26	3	Horizontal	207	2.74
6475MHz	Pass	AV	12.94742G	42.82	68.20	-25.38	3	Vertical	159	1.68
6475MHz	Pass	PK	12.94691G	53.26	88.20	-34.94	3	Vertical	159	1.68
6475MHz	Pass	AV	12.9524G	42.84	68.20	-25.36	3	Horizontal	137	1.82
6475MHz	Pass	PK	12.94019G	52.89	88.20	-35.31	3	Horizontal	137	1.82
6515MHz	Pass	AV	13.02946G	42.60	68.20	-25.60	3	Vertical	330	2.76
6515MHz	Pass	PK	13.02385G	53.03	88.20	-35.17	3	Vertical	330	2.76
6515MHz	Pass	AV	13.0333G	42.89	68.20	-25.31	3	Horizontal	0	1.50
6515MHz	Pass	PK	13.01938G	53.50	88.20	-34.70	3	Horizontal	0	1.50
6535MHz	Pass	AV	13.05998G	43.17	68.20	-25.03	3	Vertical	304	1.50
6535MHz	Pass	PK	13.08269G	53.58	88.20	-34.62	3	Vertical	304	1.50
6535MHz	Pass	AV	13.0838G	43.22	68.20	-24.98	3	Horizontal	16	1.86
6535MHz	Pass	PK	13.06685G	52.69	88.20	-35.51	3	Horizontal	16	1.86
6695MHz	Pass	AV	13.38154G	43.63	54.00	-10.37	3	Vertical	256	1.34
6695MHz	Pass	PK	13.37965G	54.28	74.00	-19.72	3	Vertical	256	1.34
6695MHz	Pass	AV	13.38546G	43.69	54.00	-10.31	3	Horizontal	22	1.50
6695MHz	Pass	PK	13.39074G	54.28	74.00	-19.72	3	Horizontal	22	1.50
6875MHz	Pass	AV	13.75234G	43.93	68.20	-24.27	3	Vertical	37	1.79
6875MHz	Pass	PK	13.74697G	54.34	88.20	-33.86	3	Vertical	37	1.79
6875MHz	Pass	AV	13.75582G	44.01	68.20	-24.19	3	Horizontal	175	1.56
6875MHz	Pass	PK	13.76152G	54.99	88.20	-33.21	3	Horizontal	175	1.56
6895MHz	Pass	AV	13.77986G	44.15	68.20	-24.05	3	Vertical	8	2.28
6895MHz	Pass	PK	13.77836G	54.61	88.20	-33.59	3	Vertical	8	2.28
6895MHz	Pass	AV	13.80179G	43.91	68.20	-24.29	3	Horizontal	30	1.50
6895MHz	Pass	PK	13.80035G	53.77	88.20	-34.43	3	Horizontal	30	1.50
6995MHz	Pass	AV	14.00188G	44.86	68.20	-23.34	3	Vertical	138	1.50
6995MHz	Pass	PK	14.00395G	54.85	88.20	-33.35	3	Vertical	138	1.50
6995MHz	Pass	AV	13.97614G	44.79	68.20	-23.41	3	Horizontal	360	2.47
6995MHz	Pass	PK	14.00281G	55.19	88.20	-33.01	3	Horizontal	360	2.47
7095MHz	Pass	AV	7.0932G	99.24	Inf	-Inf	3	Horizontal	295	1.98
7095MHz	Pass	AV	7.2438G	50.51	68.20	-17.69	3	Horizontal	295	1.98
7095MHz	Pass	PK	7.0914G	107.95	Inf	-Inf	3	Horizontal	295	1.98
7095MHz	Pass	PK	7.1271G	63.24	88.20	-24.96	3	Horizontal	295	1.98
7095MHz	Pass	AV	14.20089G	45.07	68.20	-23.13	3	Vertical	82	1.36
7095MHz	Pass	PK	14.17962G	55.41	88.20	-32.79	3	Vertical	82	1.36
7095MHz	Pass	AV	14.178G	45.18	68.20	-23.02	3	Horizontal	147	1.50
7095MHz	Pass	PK	14.20215G	55.74	88.20	-32.46	3	Horizontal	147	1.50
7115MHz	Pass	AV	7.1121G	95.38	Inf	-Inf	3	Horizontal	285	2.46
7115MHz	Pass	AV	7.1251G	61.47	68.20	-6.73	3	Horizontal	285	2.46
7115MHz	Pass	PK	7.1081G	104.46	Inf	-Inf	3	Horizontal	285	2.46
7115MHz	Pass	PK	7.125G	87.54	88.20	-0.66	3	Horizontal	285	2.46


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.22226G	44.93	68.20	-23.27	3	Vertical	272	1.50
7115MHz	Pass	PK	14.21524G	55.04	88.20	-33.16	3	Vertical	272	1.50
7115MHz	Pass	AV	14.21833G	45.21	68.20	-22.99	3	Horizontal	131	1.50
7115MHz	Pass	PK	14.22826G	55.96	88.20	-32.24	3	Horizontal	131	1.50
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9218G	67.64	68.20	-0.56	3	Horizontal	292	2.04
5965MHz	Pass	AV	5.9677G	99.27	Inf	-Inf	3	Horizontal	292	2.04
5965MHz	Pass	PK	5.9236G	78.92	88.20	-9.28	3	Horizontal	292	2.04
5965MHz	Pass	PK	5.9698G	107.82	Inf	-Inf	3	Horizontal	292	2.04
5965MHz	Pass	AV	11.94855G	41.94	54.00	-12.06	3	Vertical	317	2.70
5965MHz	Pass	PK	11.94895G	52.01	74.00	-21.99	3	Vertical	317	2.70
5965MHz	Pass	AV	11.9216G	42.14	54.00	-11.86	3	Horizontal	52	2.80
5965MHz	Pass	PK	11.9369G	52.83	74.00	-21.17	3	Horizontal	52	2.80
6205MHz	Pass	AV	12.3864G	41.90	54.00	-12.10	3	Vertical	293	1.15
6205MHz	Pass	PK	12.4337G	52.18	74.00	-21.82	3	Vertical	293	1.15
6205MHz	Pass	AV	12.4018G	41.91	54.00	-12.09	3	Horizontal	40	1.50
6205MHz	Pass	PK	12.4147G	52.50	74.00	-21.50	3	Horizontal	40	1.50
6405MHz	Pass	AV	12.8244G	43.13	68.20	-25.07	3	Vertical	251	1.50
6405MHz	Pass	PK	12.8267G	53.46	88.20	-34.74	3	Vertical	251	1.50
6405MHz	Pass	AV	12.80605G	43.10	68.20	-25.10	3	Horizontal	355	2.65
6405MHz	Pass	PK	12.81525G	53.54	88.20	-34.66	3	Horizontal	355	2.65
6445MHz	Pass	AV	12.915G	42.67	68.20	-25.53	3	Vertical	165	1.50
6445MHz	Pass	PK	12.9126G	53.27	88.20	-34.93	3	Vertical	165	1.50
6445MHz	Pass	AV	12.89265G	42.92	68.20	-25.28	3	Horizontal	189	1.50
6445MHz	Pass	PK	12.88675G	53.12	88.20	-35.08	3	Horizontal	189	1.50
6485MHz	Pass	AV	12.94875G	42.79	68.20	-25.41	3	Vertical	92	1.50
6485MHz	Pass	PK	12.9545G	53.68	88.20	-34.52	3	Vertical	92	1.50
6485MHz	Pass	AV	12.9588G	42.92	68.20	-25.28	3	Horizontal	180	1.50
6485MHz	Pass	PK	12.9785G	52.82	88.20	-35.38	3	Horizontal	180	1.50
6525MHz	Pass	AV	13.05295G	42.98	68.20	-25.22	3	Vertical	357	2.91
6525MHz	Pass	PK	13.0592G	53.33	88.20	-34.87	3	Vertical	357	2.91
6525MHz	Pass	AV	13.05605G	43.43	68.20	-24.77	3	Horizontal	229	1.50
6525MHz	Pass	PK	13.05235G	53.17	88.20	-35.03	3	Horizontal	229	1.50
6565MHz	Pass	AV	13.12828G	43.14	68.20	-25.06	3	Vertical	96	1.50
6565MHz	Pass	PK	13.12506G	53.64	88.20	-34.56	3	Vertical	96	1.50
6565MHz	Pass	AV	13.13118G	43.35	68.20	-24.85	3	Horizontal	136	1.52
6565MHz	Pass	PK	13.1303G	52.94	88.20	-35.26	3	Horizontal	136	1.52
6685MHz	Pass	AV	13.3776G	43.04	54.00	-10.96	3	Vertical	31	1.11
6685MHz	Pass	PK	13.37658G	54.17	74.00	-19.83	3	Vertical	31	1.11
6685MHz	Pass	AV	13.37474G	43.36	54.00	-10.64	3	Horizontal	309	2.04
6685MHz	Pass	PK	13.3659G	53.71	74.00	-20.29	3	Horizontal	309	2.04
6885MHz	Pass	AV	13.7677G	43.71	68.20	-24.49	3	Vertical	81	1.50
6885MHz	Pass	PK	13.76756G	53.50	88.20	-34.70	3	Vertical	81	1.50
6885MHz	Pass	AV	13.76808G	43.95	68.20	-24.25	3	Horizontal	123	1.16
6885MHz	Pass	PK	13.76696G	53.88	88.20	-34.32	3	Horizontal	123	1.16
6925MHz	Pass	AV	13.84476G	44.03	68.20	-24.17	3	Vertical	306	1.50
6925MHz	Pass	PK	13.84564G	53.87	88.20	-34.33	3	Vertical	306	1.50
6925MHz	Pass	AV	13.84316G	43.80	68.20	-24.40	3	Horizontal	0	2.34
6925MHz	Pass	PK	13.8451G	53.72	88.20	-34.48	3	Horizontal	0	2.34
7005MHz	Pass	AV	14.0062G	44.45	68.20	-23.75	3	Vertical	261	1.50
7005MHz	Pass	PK	14.00246G	54.50	88.20	-33.70	3	Vertical	261	1.50
7005MHz	Pass	AV	14.00176G	44.64	68.20	-23.56	3	Horizontal	73	1.69
7005MHz	Pass	PK	14.01766G	54.99	88.20	-33.21	3	Horizontal	73	1.69
7085MHz	Pass	AV	7.0814G	98.51	Inf	-Inf	3	Horizontal	292	2.37
7085MHz	Pass	AV	7.1261G	67.91	68.20	-0.29	3	Horizontal	292	2.37
7085MHz	Pass	PK	7.088G	107.20	Inf	-Inf	3	Horizontal	292	2.37
7085MHz	Pass	PK	7.1264G	79.01	88.20	-9.19	3	Horizontal	292	2.37
7085MHz	Pass	AV	14.16484G	44.71	68.20	-23.49	3	Vertical	254	1.50
7085MHz	Pass	PK	14.1651G	53.90	88.20	-34.30	3	Vertical	254	1.50
7085MHz	Pass	AV	14.16428G	44.46	68.20	-23.74	3	Horizontal	256	2.06
7085MHz	Pass	PK	14.1657G	55.01	88.20	-33.19	3	Horizontal	256	2.06
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.9225G	68.03	68.20	-0.17	3	Horizontal	284	1.90
5985MHz	Pass	AV	5.9775G	96.00	Inf	-Inf	3	Horizontal	284	1.90
5985MHz	Pass	PK	5.92G	79.43	88.20	-8.77	3	Horizontal	284	1.90
5985MHz	Pass	PK	5.988G	104.25	Inf	-Inf	3	Horizontal	284	1.90
5985MHz	Pass	AV	11.97406G	41.47	54.00	-12.53	3	Vertical	226	2.01
5985MHz	Pass	PK	11.96512G	51.54	74.00	-22.46	3	Vertical	226	2.01
5985MHz	Pass	AV	11.9669G	41.20	54.00	-12.80	3	Horizontal	257	1.50
5985MHz	Pass	PK	11.97684G	51.06	74.00	-22.94	3	Horizontal	257	1.50
6225MHz	Pass	AV	12.45642G	41.66	54.00	-12.34	3	Vertical	332	1.50
6225MHz	Pass	PK	12.44814G	52.16	74.00	-21.84	3	Vertical	332	1.50
6225MHz	Pass	AV	12.4431G	41.21	54.00	-12.79	3	Horizontal	30	1.50
6225MHz	Pass	PK	12.45702G	51.83	74.00	-22.17	3	Horizontal	30	1.50
6385MHz	Pass	AV	12.76752G	42.80	68.20	-25.40	3	Vertical	277	1.50
6385MHz	Pass	PK	12.7617G	52.74	88.20	-35.46	3	Vertical	277	1.50
6385MHz	Pass	AV	12.76318G	42.42	68.20	-25.78	3	Horizontal	10	1.50
6385MHz	Pass	PK	12.77476G	54.06	88.20	-34.14	3	Horizontal	10	1.50
6465MHz	Pass	AV	12.93674G	42.63	68.20	-25.57	3	Vertical	69	1.50
6465MHz	Pass	PK	12.9208G	52.17	88.20	-36.03	3	Vertical	69	1.50
6465MHz	Pass	AV	12.92546G	42.27	68.20	-25.93	3	Horizontal	93	1.50
6465MHz	Pass	PK	12.93334G	52.68	88.20	-35.52	3	Horizontal	93	1.50
6545MHz	Pass	AV	13.09808G	43.01	68.20	-25.19	3	Vertical	329	1.50
6545MHz	Pass	PK	13.09126G	52.79	88.20	-35.41	3	Vertical	329	1.50
6545MHz	Pass	AV	13.08712G	42.96	68.20	-25.24	3	Horizontal	354	1.50
6545MHz	Pass	PK	13.09898G	52.86	88.20	-35.34	3	Horizontal	354	1.50
6625MHz	Pass	AV	13.2477G	42.94	68.20	-25.26	3	Vertical	157	1.31
6625MHz	Pass	PK	13.24246G	53.54	88.20	-34.66	3	Vertical	157	1.31
6625MHz	Pass	AV	13.25666G	43.08	54.00	-10.92	3	Horizontal	271	1.00
6625MHz	Pass	PK	13.24518G	53.90	88.20	-34.30	3	Horizontal	271	1.00
6705MHz	Pass	AV	13.41338G	43.47	68.20	-24.73	3	Vertical	215	2.57
6705MHz	Pass	PK	13.4154G	53.99	88.20	-34.21	3	Vertical	215	2.57
6705MHz	Pass	AV	13.40568G	43.52	68.20	-24.68	3	Horizontal	142	1.97
6705MHz	Pass	PK	13.4161G	54.50	88.20	-33.70	3	Horizontal	142	1.97
6785MHz	Pass	AV	13.56356G	43.53	68.20	-24.67	3	Vertical	283	1.50
6785MHz	Pass	PK	13.57982G	53.79	88.20	-34.41	3	Vertical	283	1.50
6785MHz	Pass	AV	13.56232G	43.56	68.20	-24.64	3	Horizontal	8	2.29
6785MHz	Pass	PK	13.5697G	54.16	88.20	-34.04	3	Horizontal	8	2.29
6865MHz	Pass	AV	13.73868G	43.64	68.20	-24.56	3	Vertical	67	2.77
6865MHz	Pass	PK	13.7356G	53.43	88.20	-34.77	3	Vertical	67	2.77
6865MHz	Pass	AV	13.72774G	43.71	68.20	-24.49	3	Horizontal	97	2.99
6865MHz	Pass	PK	13.72354G	53.72	88.20	-34.48	3	Horizontal	97	2.99
6945MHz	Pass	AV	13.8889G	44.56	68.20	-23.64	3	Vertical	66	1.50
6945MHz	Pass	PK	13.89208G	53.98	88.20	-34.22	3	Vertical	66	1.50
6945MHz	Pass	AV	13.89018G	44.25	68.20	-23.95	3	Horizontal	275	1.48
6945MHz	Pass	PK	13.895G	53.70	88.20	-34.50	3	Horizontal	275	1.48
7025MHz	Pass	AV	7.0211G	99.16	Inf	-Inf	3	Horizontal	292	2.01
7025MHz	Pass	AV	7.127G	66.08	68.20	-2.12	3	Horizontal	292	2.01
7025MHz	Pass	PK	7.0208G	107.42	Inf	-Inf	3	Horizontal	292	2.01
7025MHz	Pass	PK	7.1306G	76.13	88.20	-12.07	3	Horizontal	292	2.01
7025MHz	Pass	AV	14.04452G	44.46	68.20	-23.74	3	Vertical	214	1.96
7025MHz	Pass	PK	14.0464G	54.72	88.20	-33.48	3	Vertical	214	1.96
7025MHz	Pass	AV	14.05134G	44.32	68.20	-23.88	3	Horizontal	273	1.38
7025MHz	Pass	PK	14.04266G	54.89	88.20	-33.31	3	Horizontal	273	1.38
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9085G	67.93	68.20	-0.27	3	Horizontal	300	2.74
6025MHz	Pass	AV	6.0405G	93.11	Inf	-Inf	3	Horizontal	300	2.74
6025MHz	Pass	PK	5.909G	79.74	88.20	-8.46	3	Horizontal	300	2.74
6025MHz	Pass	PK	6.029G	101.96	Inf	-Inf	3	Horizontal	300	2.74
6025MHz	Pass	AV	12.0474G	41.73	54.00	-12.27	3	Vertical	52	1.16
6025MHz	Pass	PK	12.05356G	52.66	74.00	-21.34	3	Vertical	52	1.16
6025MHz	Pass	AV	12.05712G	42.30	54.00	-11.70	3	Horizontal	116	1.50
6025MHz	Pass	PK	12.05032G	51.26	74.00	-22.74	3	Horizontal	116	1.50
6185MHz	Pass	AV	12.36228G	41.71	54.00	-12.29	3	Vertical	35	1.86

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.36872G	51.31	74.00	-22.69	3	Vertical	35	1.86
6185MHz	Pass	AV	12.36174G	41.50	54.00	-12.50	3	Horizontal	319	1.50
6185MHz	Pass	PK	12.37816G	50.86	74.00	-23.14	3	Horizontal	319	1.50
6345MHz	Pass	AV	12.68784G	42.54	54.00	-11.46	3	Vertical	266	1.58
6345MHz	Pass	PK	12.68812G	52.55	74.00	-21.45	3	Vertical	266	1.58
6345MHz	Pass	AV	12.6944G	42.41	54.00	-11.59	3	Horizontal	109	2.39
6345MHz	Pass	PK	12.69526G	52.32	74.00	-21.68	3	Horizontal	109	2.39
6505MHz	Pass	AV	13.00688G	42.45	68.20	-25.75	3	Vertical	258	1.50
6505MHz	Pass	PK	13.01708G	53.13	88.20	-35.07	3	Vertical	258	1.50
6505MHz	Pass	AV	13.01132G	42.18	68.20	-26.02	3	Horizontal	313	1.69
6505MHz	Pass	PK	13.01808G	53.84	88.20	-34.36	3	Horizontal	313	1.69
6665MHz	Pass	AV	13.32232G	43.47	54.00	-10.53	3	Vertical	279	3.00
6665MHz	Pass	PK	13.32788G	53.10	74.00	-20.90	3	Vertical	279	3.00
6665MHz	Pass	AV	13.3291G	43.07	54.00	-10.93	3	Horizontal	60	2.55
6665MHz	Pass	PK	13.32814G	52.56	74.00	-21.44	3	Horizontal	60	2.55
6825MHz	Pass	AV	13.65316G	43.49	68.20	-24.71	3	Vertical	338	1.50
6825MHz	Pass	PK	13.65358G	53.89	88.20	-34.31	3	Vertical	338	1.50
6825MHz	Pass	AV	13.64324G	43.48	68.20	-24.72	3	Horizontal	4	2.53
6825MHz	Pass	PK	13.654G	53.31	88.20	-34.89	3	Horizontal	4	2.53
6985MHz	Pass	AV	6.9585G	93.41	Inf	-Inf	3	Horizontal	295	1.96
6985MHz	Pass	AV	7.128G	67.61	68.20	-0.59	3	Horizontal	295	1.96
6985MHz	Pass	PK	6.9705G	102.28	Inf	-Inf	3	Horizontal	295	1.96
6985MHz	Pass	PK	7.129G	81.06	88.20	-7.14	3	Horizontal	295	1.96
6985MHz	Pass	AV	13.97866G	44.55	68.20	-23.65	3	Vertical	136	1.50
6985MHz	Pass	PK	13.96938G	54.96	88.20	-33.24	3	Vertical	136	1.50
6985MHz	Pass	AV	13.9677G	44.54	68.20	-23.66	3	Horizontal	124	1.22
6985MHz	Pass	PK	13.97418G	55.36	88.20	-32.84	3	Horizontal	124	1.22


5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_a20_Nss1,(6Mbps)_1TX

6195MHz_TX



5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	67.64	68.20	-0.56	1.88	3	Horizontal	292	2.04	65.76	34.56	5.17	37.85
AV	5.9677G	99.27	Inf	-Inf	1.93	3	Horizontal	292	2.04	97.34	34.50	5.24	37.81
PK	5.9236G	78.92	88.20	-9.28	1.89	3	Horizontal	292	2.04	77.03	34.55	5.18	37.84
PK	5.9698G	107.82	Inf	-Inf	1.93	3	Horizontal	292	2.04	105.89	34.50	5.24	37.81

5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94855G	41.94	54.00	-12.06	9.62	3	Vertical	317	2.70	32.32	39.20	8.37	37.95
PK	11.94895G	52.01	74.00	-21.99	9.62	3	Vertical	317	2.70	42.39	39.20	8.37	37.95


5.925-6.425GHz_a40_Nss1,(6Mbps)_1TX

5965MHz_TX




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

5985MHz_TX




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

5985MHz_TX




5.925-6.425GHz_a80_Nss1,(6Mbps)_1TX

5985MHz_TX



5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9085G	67.93	68.20	-0.27	1.87	3	Horizontal	300	2.74	66.06	34.58	5.15	37.86
AV	6.0405G	93.11	Inf	-Inf	2.04	3	Horizontal	300	2.74	91.07	34.50	5.30	37.76
PK	5.909G	79.74	88.20	-8.46	1.87	3	Horizontal	300	2.74	77.87	34.58	5.15	37.86
PK	6.029G	101.96	Inf	-Inf	2.04	3	Horizontal	300	2.74	99.92	34.50	5.30	37.76

5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0474G	41.73	54.00	-12.27	9.82	3	Vertical	52	1.16	31.91	39.39	8.43	38.00
PK	12.05356G	52.66	74.00	-21.34	9.84	3	Vertical	52	1.16	42.82	39.41	8.43	38.00


5.925-6.425GHz_a160_Nss1,(6Mbps)_1TX

6025MHz_TX




6.425-6.525GHz_a20_Nss1,(6Mbps)_1TX

6435MHz_TX




6.425-6.525GHz_a20_Nss1,(6Mbps)_1TX

6435MHz_TX




6.425-6.525GHz_a40_Nss1,(6Mbps)_1TX

6525MHz_TX




6.425-6.525GHz_a40_Nss1,(6Mbps)_1TX

6525MHz_TX




6.425-6.525GHz_a80_Nss1,(6Mbps)_1TX

6545MHz_TX




6.425-6.525GHz_a80_Nss1,(6Mbps)_1TX

6545MHz_TX




6.425-6.525GHz_a160_Nss1,(6Mbps)_1TX

6505MHz_TX




6.425-6.525GHz_a160_Nss1,(6Mbps)_1TX

6505MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_a20_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_a40_Nss1,(6Mbps)_1TX

6685MHz_TX




6.525-6.875GHz_a40_Nss1,(6Mbps)_1TX

6685MHz_TX




6.525-6.875GHz_a80_Nss1,(6Mbps)_1TX

6625MHz_TX




6.525-6.875GHz_a80_Nss1,(6Mbps)_1TX

6625MHz_TX




6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

6665MHz_TX




6.525-6.875GHz_a160_Nss1,(6Mbps)_1TX

6665MHz_TX




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

7115MHz_TX




6.875-7.125GHz_a20_Nss1,(6Mbps)_1TX

7115MHz_TX



6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	7.0814G	98.51	Inf	-Inf	5.28	3	Horizontal	292	2.37	93.23	36.69	5.86	37.27
AV	7.1261G	67.91	68.20	-0.29	5.62	3	Horizontal	292	2.37	62.29	36.96	5.87	37.21
PK	7.088G	107.20	Inf	-Inf	5.33	3	Horizontal	292	2.37	101.87	36.73	5.86	37.26
PK	7.1264G	79.01	88.20	-9.19	5.62	3	Horizontal	292	2.37	73.39	36.96	5.87	37.21

6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	14.16484G	44.71	68.20	-23.49	12.29	3	Vertical	254	1.50	32.42	40.97	9.59	38.27
PK	14.1651G	53.90	88.20	-34.30	12.29	3	Vertical	254	1.50	41.61	40.97	9.59	38.27


6.875-7.125GHz_a40_Nss1,(6Mbps)_1TX

7085MHz_TX




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

7025MHz_TX




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

7025MHz_TX




6.875-7.125GHz_a80_Nss1,(6Mbps)_1TX

7025MHz_TX



6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9585G	93.41	Inf	-Inf	4.73	3	Horizontal	295	1.96	88.68	36.28	5.83	37.38
AV	7.128G	67.61	68.20	-0.59	5.63	3	Horizontal	295	1.96	61.98	36.97	5.87	37.21
PK	6.9705G	102.28	Inf	-Inf	4.71	3	Horizontal	295	1.96	97.57	36.26	5.83	37.38
PK	7.129G	81.06	88.20	-7.14	5.64	3	Horizontal	295	1.96	75.42	36.97	5.87	37.20

6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97866G	44.55	68.20	-23.65	11.95	3	Vertical	136	1.50	32.60	40.76	9.51	38.32
PK	13.96938G	54.96	88.20	-33.24	11.91	3	Vertical	136	1.50	43.05	40.74	9.50	38.33

6.875-7.125GHz_a160_Nss1,(6Mbps)_1TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.9677G	44.54	68.20	-23.66	11.91	3	Horizontal	124	1.22	32.63	40.74	9.50	38.33				
PK	13.97418G	55.36	88.20	-32.84	11.93	3	Horizontal	124	1.22	43.43	40.75	9.51	38.33				

Antenna Gain(dBi)											
2.43											

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-69.43	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-74.43	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-73.43	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-74.43	OFF	10	100	90	Pass

Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-68.43	OFF	10	100	90	Pass
				Center	6105	-62.43	OFF	10	100	90	Pass
				High edge	6260	-69.43	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-65.43	OFF	10	100	90	Pass
				Center	6425	-63.43	OFF	10	100	90	Pass
				High edge	6580	-63.43	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-71.43	OFF	10	100	90	Pass
				Center	6585	-66.43	OFF	10	100	90	Pass
				High edge	6740	-73.43	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-70.43	OFF	10	100	90	Pass
				Center	6905	-66.43	OFF	10	100	90	Pass
				High edge	7060	-68.43	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-67.00	2.43	-69.43	≤ -62
						Minimal	-69.00	2.43	-71.43	≤ -62
						ON	-70.00	2.43	-72.43	≤ -62
6	101	20	6455	Center	6455	OFF	-72.00	2.43	-74.43	≤ -62
						Minimal	-76.00	2.43	-78.43	≤ -62
						ON	-77.00	2.43	-79.43	≤ -62
7	149	20	6695	Center	6695	OFF	-71.00	2.43	-73.43	≤ -62
						Minimal	-74.00	2.43	-76.43	≤ -62
						ON	-75.00	2.43	-77.43	≤ -62
8	213	20	7015	Center	7015	OFF	-72.00	2.43	-74.43	≤ -62
						Minimal	-74.00	2.43	-76.43	≤ -62
						ON	-75.00	2.43	-77.43	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-66.00	2.43	-68.43	≤ -62
						Minimal	-68.00	2.43	-70.43	
						ON	-69.00	2.43	-71.43	
				Center	6105	OFF	-60.00	2.43	-62.43	≤ -62
						Minimal	-66.00	2.43	-68.43	
						ON	-67.00	2.43	-69.43	
				High edge	6260	OFF	-67.00	2.43	-69.43	≤ -62
						Minimal	-70.00	2.43	-72.43	
						ON	-71.00	2.43	-73.43	
5,6,7	95	320	6425	Low edge	6270	OFF	-63.00	2.43	-65.43	≤ -62
						Minimal	-66.00	2.43	-68.43	
						ON	-67.00	2.43	-69.43	
				Center	6425	OFF	-61.00	2.43	-63.43	≤ -62
						Minimal	-71.00	2.43	-73.43	
						ON	-72.00	2.43	-74.43	
				High edge	6580	OFF	-61.00	2.43	-63.43	≤ -62
						Minimal	-65.00	2.43	-67.43	
						ON	-66.00	2.43	-68.43	
6,7	127	320	6585	Low edge	6430	OFF	-69.00	2.43	-71.43	≤ -62
						Minimal	-71.00	2.43	-73.43	
						ON	-72.00	2.43	-74.43	
				Center	6585	OFF	-64.00	2.43	-66.43	≤ -62
						Minimal	-70.00	2.43	-72.43	
						ON	-71.00	2.43	-73.43	
				High edge	6740	OFF	-71.00	2.43	-73.43	≤ -62
						Minimal	-73.00	2.43	-75.43	
						ON	-74.00	2.43	-76.43	
7,8	191	320	6905	Low edge	6750	OFF	-68.00	2.43	-70.43	≤ -62
						Minimal	-71.00	2.43	-73.43	
						ON	-72.00	2.43	-74.43	
				Center	6905	OFF	-64.00	2.43	-66.43	≤ -62
						Minimal	-74.00	2.43	-76.43	
						ON	-75.00	2.43	-77.43	
				High edge	7060	OFF	-66.00	2.43	-68.43	≤ -62
						Minimal	-70.00	2.43	-72.43	
						ON	-71.00	2.43	-73.43	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
93.9125ms
All TX Sample
7513
Duty Cycle
0.939008
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
95.3ms
All TX Sample
7624
Duty Cycle
0.952881
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
94.4875ms
All TX Sample
7559
Duty Cycle
0.944757
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main




30/12/2024
Sample Time
12.533375us
All TX Time
94.188313ms
All TX Sample
7515
Duty Cycle
0.939258
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 5950MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
94.9625ms
All TX Sample
7597
Duty Cycle
0.949506
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main




30/12/2024
Sample Time
12.5us
All TX Time
95.0125ms
All TX Sample
7601
Duty Cycle
0.950006
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.375ms
 All TX Sample
 7630
 Duty Cycle
 0.953631
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6270MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.1ms
 All TX Sample
 7608
 Duty Cycle
 0.950881
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.125ms
 All TX Sample
 7610
 Duty Cycle
 0.951131
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main




30/12/2024
 Sample Time
 12.5us
 All TX Time
 95.3875ms
 All TX Sample
 7631
 Duty Cycle
 0.953756
 T1[s] T2[s]
 NaNs NaNs
 T3[s] T4[s]
 NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.1125ms

All TX Sample

7609

Duty Cycle

0.951006

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.1125ms

All TX Sample

7609

Duty Cycle

0.951006

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.875ms

All TX Sample

7670

Duty Cycle

0.95863

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6750MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.075ms

All TX Sample

7606

Duty Cycle

0.950631

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.6875ms

All TX Sample

7655

Duty Cycle

0.956755

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



30/12/2024

Sample Time

12.5us

All TX Time

95.425ms

All TX Sample

7634

Duty Cycle

0.954131


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 29.DEC.2024 10:05:14


Frequency (MHz): 7015 MHz



Date: 29.DEC.2024 10:06:04


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 29.DEC.2024 10:07:56

Frequency (MHz): 6105 MHz




Date: 29.DEC.2024 10:08:32

Frequency (MHz): 6260 MHz




Date: 29.DEC.2024 10:09:25

Frequency (MHz): 6270 MHz




Date: 29.DEC.2024 10:10:05

Frequency (MHz): 6425 MHz




Date: 29.DEC.2024 10:10:47

Frequency (MHz): 6430 MHz




Date: 29.DEC.2024 10:15:16

Frequency (MHz): 6580 MHz




Date: 29.DEC.2024 10:11:34

Frequency (MHz): 6585 MHz




Date: 29.DEC.2024 10:14:09

Frequency (MHz): 6740 MHz




Date: 29.DEC.2024 10:16:20

Frequency (MHz): 6750 MHz




Date: 29.DEC.2024 10:17:13

Frequency (MHz): 6905 MHz




Date: 29.DEC.2024 10:18:05

Frequency (MHz): 7060 MHz




Date: 29.DEC.2024 10:18:43

2. Contention-Based Protocol Plot




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11be EHT320

Test CH 31 ; Incumbent signal 5950 MHz

Time Analysis




30/12/2024	
Sample Time	
1us	
All TX Time	
943.718ms	
All TX Sample	
943718	
Duty Cycle	
0.943717	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz

Time Analysis




30/12/2024	
Sample Time	
1us	
All TX Time	
921.248ms	
All TX Sample	
921248	
Duty Cycle	
0.921247	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -70 dBm)


Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -66dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -68dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -69dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -60dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -66dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -67dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -67dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -70dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis



Antenna Gain(dBi)											
4.59											

Contention Based protocol (802.11ax HE20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-70.59	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-69.59	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-71.59	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-66.59	OFF	10	100	90	Pass

Contention Based protocol (802.11ax HE160)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-66.59	OFF	10	100	90	Pass
				Center	6185	-81.59	OFF	10	100	90	Pass
				High edge	6260	-75.59	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-69.59	OFF	10	100	90	Pass
				Center	6505	-81.59	OFF	10	100	90	Pass
				High edge	6580	-75.59	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-63.59	OFF	10	100	90	Pass
				Center	6665	-81.19	OFF	10	100	90	Pass
				High edge	6740	-73.59	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-65.59	OFF	10	100	90	Pass
				Center	6985	-81.49	OFF	10	100	90	Pass
				High edge	7060	-75.59	OFF	10	100	90	Pass


Contention Based Protocol Threshold Level (802.11ax HE20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	Center	6215	OFF	-66.00	≤ -62
						Minimal	-69.00	Minimal	-67.00	≤ -62
						ON	-70.00	ON	-67.00	≤ -62
6	101	20	6455	Center	6455	Center	6455	OFF	-65.00	≤ -62
						Minimal	-76.00	Minimal	-66.00	≤ -62
						ON	-77.00	ON	-66.00	≤ -62
7	149	20	6695	Center	6695	Center	6695	OFF	-67.00	≤ -62
						Minimal	-74.00	Minimal	-68.00	≤ -62
						ON	-75.00	ON	-68.00	≤ -62
8	213	20	7015	Center	7015	Center	7015	OFF	-62.00	≤ -62
						Minimal	-74.00	Minimal	-63.00	≤ -62
						ON	-75.00	ON	-63.00	≤ -62

Contention Based Protocol Threshold Level (802.11ax HE160)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	160	6105	Low edge	5950	OFF	-62.00	4.59	-66.59	≤ -62
						Minimal	-63.00	4.59	-67.59	
						ON	-63.00	4.59	-67.59	
				Center	6105	OFF	-77.00	4.59	-81.59	≤ -62
						Minimal	-77.10	4.59	-81.69	
						ON	-77.10	4.59	-81.69	
				High edge	6260	OFF	-71.00	4.59	-75.59	≤ -62
						Minimal	-72.00	4.59	-76.59	
						ON	-72.00	4.59	-76.59	
5,6,7	95	160	6425	Low edge	6270	OFF	-65.00	4.59	-69.59	≤ -62
						Minimal	-66.00	4.59	-70.59	
						ON	-66.00	4.59	-70.59	
				Center	6425	OFF	-77.00	4.59	-81.59	≤ -62
						Minimal	-77.10	4.59	-81.69	
						ON	-77.10	4.59	-81.69	
				High edge	6580	OFF	-71.00	4.59	-75.59	≤ -62
						Minimal	-72.00	4.59	-76.59	
						ON	-72.00	4.59	-76.59	
6,7	127	160	6585	Low edge	6430	OFF	-59.00	4.59	-63.59	≤ -62
						Minimal	-60.00	4.59	-64.59	
						ON	-60.00	4.59	-64.59	
				Center	6585	OFF	-76.60	4.59	-81.19	≤ -62
						Minimal	-76.70	4.59	-81.29	
						ON	-76.70	4.59	-81.29	
				High edge	6740	OFF	-69.00	4.59	-73.59	≤ -62
						Minimal	-70.00	4.59	-74.59	
						ON	-70.00	4.59	-74.59	
7,8	191	160	6905	Low edge	6750	OFF	-61.00	4.59	-65.59	≤ -62
						Minimal	-62.00	4.59	-66.59	
						ON	-62.00	4.59	-66.59	
				Center	6905	OFF	-76.90	4.59	-81.49	≤ -62
						Minimal	-77.10	4.59	-81.69	
						ON	-77.10	4.59	-81.69	
				High edge	7060	OFF	-71.00	4.59	-75.59	≤ -62
						Minimal	-72.00	4.59	-76.59	
						ON	-72.00	4.59	-76.59	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

875us

All TX Sample

7

Duty Cycle

0.000175

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1.25ms

All TX Sample

10

Duty Cycle

0.00025

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6110MHz

Time Analysis

Main




18/11/2024
Sample Time
125us
All TX Time
875us
All TX Sample
7
Duty Cycle
0.000175
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main




18/11/2024
Sample Time
125us
All TX Time
1.25ms
All TX Sample
10
Duty Cycle
0.00025
T1[s] T2[s]
NaNs NaNs
T3[s] T4[s]
NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6260MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

750us

All TX Sample

6

Duty Cycle

0.00015

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6430MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

875us

All TX Sample

7

Duty Cycle

0.000175

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6580MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6590MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6740MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1.125ms

All TX Sample

9

Duty Cycle

0.000225

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6910MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1.125ms

All TX Sample

9

Duty Cycle

0.000225

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1ms

All TX Sample

8

Duty Cycle

0.0002

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 7060MHz

Time Analysis

Main



18/11/2024

Sample Time

125us

All TX Time

1.25ms

All TX Sample

10

Duty Cycle

0.00025

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs


1. Incumbent signal (AWGN) Plot



Frequency (MHz): 6695 MHz




Frequency (MHz): 7015 MHz




802.11ax HE160


Frequency (MHz): 6110 MHz




Frequency (MHz): 6185MHz




Frequency (MHz): 6260 MHz




Frequency (MHz): 6430 MHz




Frequency (MHz): 6505 MHz




Frequency (MHz): 6580 MHz




Frequency (MHz): 6590 MHz




Frequency (MHz): 6665 MHz




Frequency (MHz): 6740 MHz




Frequency (MHz): 6740 MHz




Frequency (MHz): 6910 MHz




Frequency (MHz): 6985 MHz






2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

802.11ax HE160

Test CH 47 ; Incumbent signal 6110 MHz

Time Analysis




18/11/2024	
Sample Time	
1us	
All TX Time	
83us	
All TX Sample	
83	
Duty Cycle	
0.000083	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz

Time Analysis




18/11/2024	
Sample Time	
1us	
All TX Time	
159us	
All TX Sample	
159	
Duty Cycle	
0.000159	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207; Incumbent signal 6985 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


3. Contention Based Protocol Threshold Level Verify Plot



Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -62dBm)


Time Analysis



18/11/2024	
Sample Time	
1us	
All TX Time	
83us	
All TX Sample	
83	
Duty Cycle	
0.000083	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6110 MHz (Threshold Level: -63dBm)


Time Analysis



18/11/2024	
Sample Time	
1us	
All TX Time	
83us	
All TX Sample	
83	
Duty Cycle	
0.000083	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -77.1dBm)


Time Analysis



18/11/2024	
Sample Time	
1us	
All TX Time	
157us	
All TX Sample	
157	
Duty Cycle	
0.000157	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Frequency (MHz): 6185 MHz (Threshold Level: -77dBm)


Time Analysis



18/11/2024	
Sample Time	
1us	
All TX Time	
159us	
All TX Sample	
159	
Duty Cycle	
0.000159	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs


Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -72dBm)

Time Analysis




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.36493G	46.22	54.00	-7.78	Vertical
Mode 2	Pass	AV	2.36578G	49.20	54.00	-4.80	Vertical
Mode 3	Pass	AV	2.36473G	48.12	54.00	-5.88	Vertical
Mode 4	Pass	AV	2.3659G	48.24	54.00	-5.76	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.59392G	20.47	54.00	-33.53	3	Vertical	14	2.47	-
Mode 1	Pass	AV	2.36493G	46.22	54.00	-7.78	3	Vertical	128	1.55	-
Mode 1	Pass	AV	4.00327G	33.25	54.00	-20.75	3	Vertical	329	1.56	-
Mode 1	Pass	PK	1.59351G	39.02	74.00	-34.98	3	Vertical	14	2.47	-
Mode 1	Pass	PK	2.36371G	56.69	74.00	-17.31	3	Vertical	128	1.55	-
Mode 1	Pass	PK	4.00327G	41.76	74.00	-32.24	3	Vertical	329	1.56	-
Mode 1	Pass	AV	1.79004G	20.33	68.20	-47.87	3	Horizontal	84	1.26	-
Mode 1	Pass	AV	2.36568G	41.75	54.00	-12.25	3	Horizontal	123	1.39	-
Mode 1	Pass	AV	4.00324G	30.61	54.00	-23.39	3	Horizontal	244	1.61	-
Mode 1	Pass	PK	1.78804G	34.18	88.20	-54.02	3	Horizontal	84	1.26	-
Mode 1	Pass	PK	2.36422G	50.53	74.00	-23.47	3	Horizontal	123	1.39	-
Mode 1	Pass	PK	4.00337G	40.31	74.00	-33.69	3	Horizontal	244	1.61	-
Mode 2	Pass	AV	1.71096G	25.65	68.20	-42.55	3	Vertical	192	1.62	-
Mode 2	Pass	AV	2.36578G	49.20	54.00	-4.80	3	Vertical	316	2.28	-
Mode 2	Pass	AV	4.00336G	33.66	54.00	-20.34	3	Vertical	309	1.89	-
Mode 2	Pass	PK	1.71051G	36.66	88.20	-51.54	3	Vertical	235	1.56	-
Mode 2	Pass	PK	2.35901G	57.35	74.00	-16.65	3	Vertical	316	2.28	-
Mode 2	Pass	PK	4.00309G	42.09	74.00	-31.91	3	Vertical	198	1.63	-
Mode 2	Pass	AV	1.71873G	20.43	68.20	-47.77	3	Horizontal	170	1.89	-
Mode 2	Pass	AV	2.36716G	42.48	54.00	-11.52	3	Horizontal	7	1.64	-
Mode 2	Pass	AV	5.08996G	29.87	54.00	-24.13	3	Horizontal	300	1.57	-
Mode 2	Pass	PK	1.70871G	33.61	74.00	-40.39	3	Horizontal	170	1.89	-
Mode 2	Pass	PK	2.36986G	52.15	74.00	-21.85	3	Horizontal	7	1.64	-
Mode 2	Pass	PK	5.09497G	52.63	74.00	-21.37	3	Horizontal	300	1.57	-
Mode 3	Pass	AV	1.78833G	21.36	68.20	-46.84	3	Vertical	19	2.32	-
Mode 3	Pass	AV	2.36473G	48.12	54.00	-5.88	3	Vertical	270	2.22	-
Mode 3	Pass	AV	4.00337G	33.75	54.00	-20.25	3	Vertical	306	1.14	-
Mode 3	Pass	PK	1.78323G	40.57	88.20	-47.63	3	Vertical	19	2.32	-
Mode 3	Pass	PK	2.36459G	55.67	74.00	-18.33	3	Vertical	270	2.22	-
Mode 3	Pass	PK	4.00309G	41.27	74.00	-32.73	3	Vertical	306	1.14	-
Mode 3	Pass	AV	1.7879G	21.04	68.20	-47.16	3	Horizontal	350	1.66	-
Mode 3	Pass	AV	2.36498G	44.05	54.00	-9.95	3	Horizontal	211	2.29	-
Mode 3	Pass	AV	3.23599G	24.41	68.20	-43.79	3	Horizontal	35	2.25	-
Mode 3	Pass	PK	1.78617G	39.88	88.20	-48.32	3	Horizontal	350	1.66	-
Mode 3	Pass	PK	2.36475G	50.95	74.00	-23.05	3	Horizontal	211	2.29	-
Mode 3	Pass	PK	3.2444G	37.92	88.20	-50.28	3	Horizontal	35	2.25	-
Mode 4	Pass	AV	1.70568G	20.65	54.00	-33.35	3	Vertical	192	2.29	-
Mode 4	Pass	AV	2.3659G	48.24	54.00	-5.76	3	Vertical	44	2.35	-
Mode 4	Pass	AV	4.00329G	38.33	54.00	-15.67	3	Vertical	245	2.39	-
Mode 4	Pass	PK	1.70592G	33.45	74.00	-40.55	3	Vertical	192	2.29	-
Mode 4	Pass	PK	2.35862G	58.82	74.00	-15.18	3	Vertical	44	2.35	-
Mode 4	Pass	PK	4.00335G	44.60	74.00	-29.40	3	Vertical	245	2.39	-
Mode 4	Pass	AV	2.36493G	42.17	54.00	-11.83	3	Horizontal	132	1.99	-
Mode 4	Pass	AV	3.10757G	25.77	68.20	-42.43	3	Horizontal	97	2.44	-
Mode 4	Pass	AV	4.00331G	30.52	54.00	-23.48	3	Horizontal	52	2.01	-
Mode 4	Pass	PK	2.36098G	52.48	74.00	-21.52	3	Horizontal	132	1.99	-
Mode 4	Pass	PK	3.10828G	39.21	88.20	-48.99	3	Horizontal	97	2.44	-
Mode 4	Pass	PK	4.00365G	40.31	74.00	-33.69	3	Horizontal	52	2.01	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59392G	20.47	54.00	-33.53	-9.33	3	Vertical	14	2.47	29.80	25.46	2.21	37.00
AV	2.36493G	46.22	54.00	-7.78	-7.60	3	Vertical	128	1.55	53.82	27.40	2.79	37.79
AV	4.00327G	33.25	54.00	-20.75	-3.08	3	Vertical	329	1.56	36.33	31.01	4.03	38.12
PK	1.59351G	39.02	74.00	-34.98	-9.33	3	Vertical	14	2.47	48.35	25.46	2.21	37.00
PK	2.36371G	56.69	74.00	-17.31	-7.60	3	Vertical	128	1.55	64.29	27.40	2.79	37.79
PK	4.00327G	41.76	74.00	-32.24	-3.08	3	Vertical	329	1.56	44.84	31.01	4.03	38.12

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.79004G	20.33	68.20	-47.87	-9.97	3	Horizontal	84	1.26	30.30	25.10	2.25	37.32
AV	2.36568G	41.75	54.00	-12.25	-7.60	3	Horizontal	123	1.39	49.35	27.40	2.79	37.79
AV	4.00324G	30.61	54.00	-23.39	-3.08	3	Horizontal	244	1.61	33.69	31.01	4.03	38.12
PK	1.78804G	34.18	88.20	-54.02	-9.99	3	Horizontal	84	1.26	44.17	25.08	2.25	37.32
PK	2.36422G	50.53	74.00	-23.47	-7.60	3	Horizontal	123	1.39	58.13	27.40	2.79	37.79
PK	4.00337G	40.31	74.00	-33.69	-3.08	3	Horizontal	244	1.61	43.39	31.01	4.03	38.12

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.71096G	25.65	68.20	-42.55	-9.85	3	Vertical	192	1.62	35.50	25.10	2.24	37.19				
AV	2.36578G	49.20	54.00	-4.80	-7.60	3	Vertical	316	2.28	56.80	27.40	2.79	37.79				
AV	4.00336G	33.66	54.00	-20.34	-3.08	3	Vertical	309	1.89	36.74	31.01	4.03	38.12				
PK	1.71051G	36.66	88.20	-51.54	-9.85	3	Vertical	235	1.56	46.51	25.10	2.24	37.19				
PK	2.35901G	57.35	74.00	-16.65	-7.61	3	Vertical	316	2.28	64.96	27.39	2.79	37.79				
PK	4.00309G	42.09	74.00	-31.91	-3.08	3	Vertical	198	1.63	45.17	31.01	4.03	38.12				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.71873G	20.43	68.20	-47.77	-9.86	3	Horizontal	170	1.89	30.29	25.10	2.24	37.20				
AV	2.36716G	42.48	54.00	-11.52	-7.60	3	Horizontal	7	1.64	50.08	27.40	2.79	37.79				
AV	5.08996G	29.87	54.00	-24.13	-0.62	3	Horizontal	300	1.57	30.49	33.22	4.34	38.18				
PK	1.70871G	33.61	74.00	-40.39	-9.85	3	Horizontal	170	1.89	43.46	25.10	2.24	37.19				
PK	2.36986G	52.15	74.00	-21.85	-7.60	3	Horizontal	7	1.64	59.75	27.40	2.79	37.79				
PK	5.09497G	52.63	74.00	-21.37	-0.63	3	Horizontal	300	1.57	53.26	33.21	4.34	38.18				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.78833G	21.36	68.20	-46.84	-9.99	3	Vertical	19	2.32	31.35	25.08	2.25	37.32				
AV	2.36473G	48.12	54.00	-5.88	-7.60	3	Vertical	270	2.22	55.72	27.40	2.79	37.79				
AV	4.00337G	33.75	54.00	-20.25	-3.08	3	Vertical	306	1.14	36.83	31.01	4.03	38.12				
PK	1.78323G	40.57	88.20	-47.63	-10.03	3	Vertical	19	2.32	50.60	25.03	2.25	37.31				
PK	2.36459G	55.67	74.00	-18.33	-7.60	3	Vertical	270	2.22	63.27	27.40	2.79	37.79				
PK	4.00309G	41.27	74.00	-32.73	-3.08	3	Vertical	306	1.14	44.35	31.01	4.03	38.12				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.7879G	21.04	68.20	-47.16	-9.99	3	Horizontal	350	1.66	31.03	25.08	2.25	37.32				
AV	2.36498G	44.05	54.00	-9.95	-7.60	3	Horizontal	211	2.29	51.65	27.40	2.79	37.79				
AV	3.23599G	24.41	68.20	-43.79	-4.73	3	Horizontal	35	2.25	29.14	29.90	3.32	37.95				
PK	1.78617G	39.88	88.20	-48.32	-10.00	3	Horizontal	350	1.66	49.88	25.06	2.25	37.31				
PK	2.36475G	50.95	74.00	-23.05	-7.60	3	Horizontal	211	2.29	58.55	27.40	2.79	37.79				
PK	3.2444G	37.92	88.20	-50.28	-4.73	3	Horizontal	35	2.25	42.65	29.90	3.32	37.95				

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.70568G	20.65	54.00	-33.35	-9.84	3	Vertical	192	2.29	30.49	25.10	2.24	37.18				
AV	2.3659G	48.24	54.00	-5.76	-7.60	3	Vertical	44	2.35	55.84	27.40	2.79	37.79				
AV	4.00329G	38.33	54.00	-15.67	-3.08	3	Vertical	245	2.39	41.41	31.01	4.03	38.12				
PK	1.70592G	33.45	74.00	-40.55	-9.84	3	Vertical	192	2.29	43.29	25.10	2.24	37.18				
PK	2.35862G	58.82	74.00	-15.18	-7.61	3	Vertical	44	2.35	66.43	27.39	2.79	37.79				
PK	4.00335G	44.60	74.00	-29.40	-3.08	3	Vertical	245	2.39	47.68	31.01	4.03	38.12				

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.36493G	42.17	54.00	-11.83	-7.60	3	Horizontal	132	1.99	49.77	27.40	2.79	37.79				
AV	3.10757G	25.77	68.20	-42.43	-4.80	3	Horizontal	97	2.44	30.57	29.92	3.23	37.95				
AV	4.00331G	30.52	54.00	-23.48	-3.08	3	Horizontal	52	2.01	33.60	31.01	4.03	38.12				
PK	2.36098G	52.48	74.00	-21.52	-7.60	3	Horizontal	132	1.99	60.08	27.40	2.79	37.79				
PK	3.10828G	39.21	88.20	-48.99	-4.80	3	Horizontal	97	2.44	44.01	29.92	3.23	37.95				
PK	4.00365G	40.31	74.00	-33.69	-3.08	3	Horizontal	52	2.01	43.39	31.01	4.03	38.12				