



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	33.88M	33.08	40.00	-6.92	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	PK	33.88M	33.08	40.00	-6.92	3	Vertical	360	1.00
5210MHz	Pass	PK	105.66M	25.09	43.50	-18.41	3	Vertical	360	1.00
5210MHz	Pass	PK	286.08M	33.52	46.00	-12.48	3	Vertical	360	1.00
5210MHz	Pass	PK	369.5M	24.77	46.00	-21.23	3	Vertical	360	1.00
5210MHz	Pass	PK	402.48M	30.26	46.00	-15.74	3	Vertical	360	1.00
5210MHz	Pass	PK	594.54M	29.79	46.00	-16.21	3	Vertical	360	1.00
5210MHz	Pass	PK	33.88M	27.29	40.00	-12.71	3	Horizontal	0	1.00
5210MHz	Pass	PK	105.66M	21.95	43.50	-21.55	3	Horizontal	0	1.00
5210MHz	Pass	PK	282.2M	37.25	46.00	-8.75	3	Horizontal	0	1.00
5210MHz	Pass	PK	322.94M	28.01	46.00	-17.99	3	Horizontal	0	1.00
5210MHz	Pass	PK	400.54M	24.47	46.00	-21.53	3	Horizontal	0	1.00
5210MHz	Pass	PK	598.42M	34.12	46.00	-11.88	3	Horizontal	0	1.00

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	33.08	40.00	-6.92	-20.79	3	Vertical	360	1.00	53.87	22.82	0.79	44.40
PK	105.66M	25.09	43.50	-18.41	-26.81	3	Vertical	360	1.00	51.90	16.59	1.20	44.60
PK	286.08M	33.52	46.00	-12.48	-23.26	3	Vertical	360	1.00	56.78	19.15	1.95	44.36
PK	369.5M	24.77	46.00	-21.23	-20.95	3	Vertical	360	1.00	45.72	21.00	2.22	44.17
PK	402.48M	30.26	46.00	-15.74	-19.78	3	Vertical	360	1.00	50.04	22.05	2.27	44.10
PK	594.54M	29.79	46.00	-16.21	-15.03	3	Vertical	360	1.00	44.82	26.15	2.76	43.94

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	27.29	40.00	-12.71	-20.79	3	Horizontal	0	1.00	48.08	22.82	0.79	44.40
PK	105.66M	21.95	43.50	-21.55	-26.81	3	Horizontal	0	1.00	48.76	16.59	1.20	44.60
PK	282.2M	37.25	46.00	-8.75	-23.38	3	Horizontal	0	1.00	60.63	19.06	1.93	44.37
PK	322.94M	28.01	46.00	-17.99	-22.50	3	Horizontal	0	1.00	50.51	19.69	2.09	44.28
PK	400.54M	24.47	46.00	-21.53	-19.84	3	Horizontal	0	1.00	44.31	22.00	2.26	44.10
PK	598.42M	34.12	46.00	-11.88	-15.09	3	Horizontal	0	1.00	49.21	26.08	2.77	43.94

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.81	54.00	-0.19	3	Horizontal	354	2.08
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1402G	53.73	54.00	-0.27	3	Horizontal	358	2.06
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.89	54.00	-0.11	3	Horizontal	360	1.98
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.63	54.00	-0.37	3	Horizontal	360	1.95
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.87	54.00	-0.13	3	Horizontal	0	2.11
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.36G	53.72	54.00	-0.28	3	Horizontal	0	2.15
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.87	54.00	-0.13	3	Horizontal	0	2.09
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.86	54.00	-0.14	3	Horizontal	0	2.09

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.81	54.00	-0.19	3	Horizontal	354	2.08
5180MHz	Pass	AV	5.1754G	114.02	Inf	-Inf	3	Horizontal	354	2.08
5180MHz	Pass	PK	5.14G	71.07	74.00	-2.93	3	Horizontal	354	2.08
5180MHz	Pass	PK	5.1758G	122.93	Inf	-Inf	3	Horizontal	354	2.08
5180MHz	Pass	PK	10.36512G	54.12	68.20	-14.08	3	Vertical	238	1.55
5180MHz	Pass	PK	10.36664G	56.93	68.20	-11.27	3	Horizontal	312	1.51
5200MHz	Pass	AV	5.15G	53.58	54.00	-0.42	3	Horizontal	357	2.14
5200MHz	Pass	AV	5.1952G	115.42	Inf	-Inf	3	Horizontal	357	2.14
5200MHz	Pass	PK	5.148G	65.08	74.00	-8.92	3	Horizontal	357	2.14
5200MHz	Pass	PK	5.1956G	123.95	Inf	-Inf	3	Horizontal	357	2.14
5200MHz	Pass	PK	10.39176G	55.26	68.20	-12.94	3	Vertical	239	1.56
5200MHz	Pass	PK	10.39836G	59.56	68.20	-8.64	3	Horizontal	316	2.05
5240MHz	Pass	AV	5.147G	51.07	54.00	-2.93	3	Horizontal	360	2.04
5240MHz	Pass	AV	5.2352G	114.42	Inf	-Inf	3	Horizontal	360	2.04
5240MHz	Pass	AV	5.351G	50.31	54.00	-3.69	3	Horizontal	360	2.04
5240MHz	Pass	PK	5.1398G	63.06	74.00	-10.94	3	Horizontal	360	2.04
5240MHz	Pass	PK	5.2448G	123.27	Inf	-Inf	3	Horizontal	360	2.04
5240MHz	Pass	PK	5.3708G	62.16	74.00	-11.84	3	Horizontal	360	2.04
5240MHz	Pass	PK	10.48552G	55.11	68.20	-13.09	3	Vertical	233	1.38
5240MHz	Pass	PK	10.4816G	57.69	68.20	-10.51	3	Horizontal	307	1.96
5260MHz	Pass	AV	5.149G	50.89	54.00	-3.11	3	Horizontal	0	2.06
5260MHz	Pass	AV	5.2654G	114.91	Inf	-Inf	3	Horizontal	0	2.06
5260MHz	Pass	AV	5.3518G	50.74	54.00	-3.26	3	Horizontal	0	2.06
5260MHz	Pass	PK	5.1448G	62.76	74.00	-11.24	3	Horizontal	0	2.06
5260MHz	Pass	PK	5.2552G	123.62	Inf	-Inf	3	Horizontal	0	2.06
5260MHz	Pass	PK	5.3584G	62.75	74.00	-11.25	3	Horizontal	0	2.06
5260MHz	Pass	PK	10.51252G	55.94	68.20	-12.26	3	Vertical	234	1.34
5260MHz	Pass	PK	10.52184G	59.20	68.20	-9.00	3	Horizontal	309	2.02
5300MHz	Pass	AV	5.3052G	115.80	Inf	-Inf	3	Horizontal	0	2.14
5300MHz	Pass	AV	5.35G	52.56	54.00	-1.44	3	Horizontal	0	2.14
5300MHz	Pass	PK	5.3052G	124.65	Inf	-Inf	3	Horizontal	0	2.14
5300MHz	Pass	PK	5.35G	64.99	74.00	-9.01	3	Horizontal	0	2.14
5300MHz	Pass	AV	10.6018G	43.05	54.00	-10.95	3	Vertical	307	1.50
5300MHz	Pass	PK	10.60132G	55.55	74.00	-18.45	3	Vertical	307	1.50
5300MHz	Pass	AV	10.6018G	46.99	54.00	-7.01	3	Horizontal	313	2.01
5300MHz	Pass	PK	10.60128G	59.60	74.00	-14.40	3	Horizontal	313	2.01
5320MHz	Pass	AV	5.3152G	114.92	Inf	-Inf	3	Horizontal	0	2.11
5320MHz	Pass	AV	5.35G	53.87	54.00	-0.13	3	Horizontal	0	2.11
5320MHz	Pass	PK	5.3248G	124.06	Inf	-Inf	3	Horizontal	0	2.11
5320MHz	Pass	PK	5.3602G	69.45	74.00	-4.55	3	Horizontal	0	2.11
5320MHz	Pass	AV	10.6422G	42.28	54.00	-11.72	3	Vertical	311	1.08
5320MHz	Pass	PK	10.6414G	54.83	74.00	-19.17	3	Vertical	311	1.08
5320MHz	Pass	AV	10.63992G	44.45	54.00	-9.55	3	Horizontal	321	1.61
5320MHz	Pass	PK	10.64028G	57.11	74.00	-16.89	3	Horizontal	321	1.61
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1402G	53.73	54.00	-0.27	3	Horizontal	358	2.06
5180MHz	Pass	AV	5.1754G	110.57	Inf	-Inf	3	Horizontal	358	2.06
5180MHz	Pass	PK	5.14G	68.10	74.00	-5.90	3	Horizontal	358	2.06
5180MHz	Pass	PK	5.1854G	122.41	Inf	-Inf	3	Horizontal	358	2.06
5180MHz	Pass	PK	10.35396G	54.33	68.20	-13.87	3	Vertical	79	1.50
5180MHz	Pass	PK	10.35912G	54.60	68.20	-13.60	3	Horizontal	313	2.10
5200MHz	Pass	AV	5.15G	52.93	54.00	-1.07	3	Horizontal	0	1.50
5200MHz	Pass	AV	5.2012G	113.18	Inf	-Inf	3	Horizontal	0	1.50
5200MHz	Pass	PK	5.148G	64.83	74.00	-9.17	3	Horizontal	0	1.50
5200MHz	Pass	PK	5.1984G	125.08	Inf	-Inf	3	Horizontal	0	1.50
5200MHz	Pass	PK	10.40308G	54.55	68.20	-13.65	3	Vertical	237	1.60
5200MHz	Pass	PK	10.39988G	58.21	68.20	-9.99	3	Horizontal	319	1.71
5240MHz	Pass	AV	5.1446G	50.48	54.00	-3.52	3	Horizontal	357	1.50
5240MHz	Pass	AV	5.2334G	112.52	Inf	-Inf	3	Horizontal	357	1.50
5240MHz	Pass	AV	5.3504G	49.97	54.00	-4.03	3	Horizontal	357	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 3_2T1S

Appendix E.12


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.1434G	62.56	74.00	-11.44	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.231G	123.30	Inf	-Inf	3	Horizontal	357	1.50
5240MHz	Pass	PK	5.3648G	62.12	74.00	-11.88	3	Horizontal	357	1.50
5240MHz	Pass	PK	10.47764G	55.61	68.20	-12.59	3	Vertical	232	1.50
5240MHz	Pass	PK	10.47848G	57.51	68.20	-10.69	3	Horizontal	305	1.98
5260MHz	Pass	AV	5.15G	50.97	54.00	-3.03	3	Horizontal	0	2.03
5260MHz	Pass	AV	5.263G	114.29	Inf	-Inf	3	Horizontal	0	2.03
5260MHz	Pass	AV	5.3524G	50.64	54.00	-3.36	3	Horizontal	0	2.03
5260MHz	Pass	PK	5.1496G	62.61	74.00	-11.39	3	Horizontal	0	2.03
5260MHz	Pass	PK	5.2528G	125.08	Inf	-Inf	3	Horizontal	0	2.03
5260MHz	Pass	PK	5.3662G	63.46	74.00	-10.54	3	Horizontal	0	2.03
5260MHz	Pass	PK	10.5158G	55.88	68.20	-12.32	3	Vertical	234	1.39
5260MHz	Pass	PK	10.51836G	58.59	68.20	-9.61	3	Horizontal	309	1.42
5300MHz	Pass	AV	5.3052G	114.72	Inf	-Inf	3	Horizontal	0	2.08
5300MHz	Pass	AV	5.3504G	52.54	54.00	-1.46	3	Horizontal	0	2.08
5300MHz	Pass	PK	5.3024G	125.75	Inf	-Inf	3	Horizontal	0	2.08
5300MHz	Pass	PK	5.3532G	64.94	74.00	-9.06	3	Horizontal	0	2.08
5300MHz	Pass	AV	10.60092G	43.02	54.00	-10.98	3	Vertical	308	1.59
5300MHz	Pass	PK	10.60332G	54.88	74.00	-19.12	3	Vertical	308	1.59
5300MHz	Pass	AV	10.60218G	43.65	54.00	-10.35	3	Horizontal	317	1.70
5300MHz	Pass	PK	10.60188G	57.99	74.00	-16.01	3	Horizontal	317	1.70
5320MHz	Pass	AV	5.3124G	111.81	Inf	-Inf	3	Horizontal	0	2.15
5320MHz	Pass	AV	5.36G	53.72	54.00	-0.28	3	Horizontal	0	2.15
5320MHz	Pass	PK	5.3274G	123.20	Inf	-Inf	3	Horizontal	0	2.15
5320MHz	Pass	PK	5.3606G	66.91	74.00	-7.09	3	Horizontal	0	2.15
5320MHz	Pass	AV	10.63012G	42.21	54.00	-11.79	3	Vertical	234	1.01
5320MHz	Pass	PK	10.637G	54.28	74.00	-19.72	3	Vertical	234	1.01
5320MHz	Pass	AV	10.63988G	43.34	54.00	-10.66	3	Horizontal	322	1.50
5320MHz	Pass	PK	10.63524G	55.38	74.00	-18.62	3	Horizontal	322	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.148G	53.89	54.00	-0.11	3	Horizontal	360	1.98
5190MHz	Pass	AV	5.1856G	107.49	Inf	-Inf	3	Horizontal	360	1.98
5190MHz	Pass	PK	5.1424G	67.73	74.00	-6.27	3	Horizontal	360	1.98
5190MHz	Pass	PK	5.188G	119.10	Inf	-Inf	3	Horizontal	360	1.98
5190MHz	Pass	PK	10.37764G	54.58	68.20	-13.62	3	Vertical	240	1.94
5190MHz	Pass	PK	10.37956G	54.87	68.20	-13.33	3	Horizontal	319	1.82
5230MHz	Pass	AV	5.15G	53.77	54.00	-0.23	3	Horizontal	354	1.91
5230MHz	Pass	AV	5.2204G	109.92	Inf	-Inf	3	Horizontal	354	1.91
5230MHz	Pass	PK	5.15G	65.59	74.00	-8.41	3	Horizontal	354	1.91
5230MHz	Pass	PK	5.2128G	121.78	Inf	-Inf	3	Horizontal	354	1.91
5230MHz	Pass	PK	10.45996G	55.13	68.20	-13.07	3	Vertical	235	1.50
5230MHz	Pass	PK	10.45884G	56.44	68.20	-11.76	3	Horizontal	321	1.96
5270MHz	Pass	AV	5.2852G	111.85	Inf	-Inf	3	Horizontal	0	2.09
5270MHz	Pass	AV	5.35G	53.87	54.00	-0.13	3	Horizontal	0	2.09
5270MHz	Pass	PK	5.2624G	123.57	Inf	-Inf	3	Horizontal	0	2.09
5270MHz	Pass	PK	5.35G	66.37	74.00	-7.63	3	Horizontal	0	2.09
5270MHz	Pass	PK	10.53368G	55.08	68.20	-13.12	3	Vertical	45	1.62
5270MHz	Pass	PK	10.53816G	58.08	68.20	-10.12	3	Horizontal	312	1.48
5310MHz	Pass	AV	5.3052G	105.77	Inf	-Inf	3	Horizontal	0	2.09
5310MHz	Pass	AV	5.35G	53.68	54.00	-0.32	3	Horizontal	0	2.09
5310MHz	Pass	PK	5.3G	117.90	Inf	-Inf	3	Horizontal	0	2.09
5310MHz	Pass	PK	5.3524G	67.34	74.00	-6.66	3	Horizontal	0	2.09
5310MHz	Pass	AV	10.6198G	41.72	54.00	-12.28	3	Vertical	360	2.24
5310MHz	Pass	PK	10.62228G	54.42	74.00	-19.58	3	Vertical	360	2.24
5310MHz	Pass	AV	10.62256G	41.69	54.00	-12.31	3	Horizontal	132	2.19
5310MHz	Pass	PK	10.61248G	54.62	74.00	-19.38	3	Horizontal	132	2.19
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.63	54.00	-0.37	3	Horizontal	360	1.95
5210MHz	Pass	AV	5.18G	102.26	Inf	-Inf	3	Horizontal	360	1.95
5210MHz	Pass	AV	5.35G	49.73	54.00	-4.27	3	Horizontal	360	1.95
5210MHz	Pass	PK	5.15G	64.38	74.00	-9.62	3	Horizontal	360	1.95
5210MHz	Pass	PK	5.175G	113.68	Inf	-Inf	3	Horizontal	360	1.95



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.403G	62.43	74.00	-11.57	3	Horizontal	360	1.95
5210MHz	Pass	PK	10.4106G	54.68	68.20	-13.52	3	Vertical	85	2.09
5210MHz	Pass	PK	10.41996G	54.25	68.20	-13.95	3	Horizontal	302	2.90
5290MHz	Pass	AV	5.15G	49.83	54.00	-4.17	3	Horizontal	0	2.09
5290MHz	Pass	AV	5.303G	102.81	Inf	-Inf	3	Horizontal	0	2.09
5290MHz	Pass	AV	5.35G	53.86	54.00	-0.14	3	Horizontal	0	2.09
5290MHz	Pass	PK	5.15G	61.73	74.00	-12.27	3	Horizontal	0	2.09
5290MHz	Pass	PK	5.31G	114.45	Inf	-Inf	3	Horizontal	0	2.09
5290MHz	Pass	PK	5.35G	66.05	74.00	-7.95	3	Horizontal	0	2.09
5290MHz	Pass	PK	5.539G	61.38	68.20	-6.82	3	Horizontal	0	2.09
5290MHz	Pass	PK	10.58912G	54.30	68.20	-13.90	3	Vertical	95	2.71
5290MHz	Pass	PK	10.57868G	54.46	68.20	-13.74	3	Horizontal	317	2.78


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.89	54.00	-0.11	6.22	3	Horizontal	360	1.98	47.67	33.30	7.95	35.03
AV	5.1856G	107.49	Inf	-Inf	6.10	3	Horizontal	360	1.98	101.39	33.16	7.97	35.03
PK	5.1424G	67.73	74.00	-6.27	6.20	3	Horizontal	360	1.98	61.53	33.28	7.95	35.03
PK	5.188G	119.10	Inf	-Inf	6.09	3	Horizontal	360	1.98	113.01	33.15	7.97	35.03

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37764G	54.58	68.20	-13.62	7.06	3	Vertical	240	1.94	47.52	38.70	11.42	43.06


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	30M	32.03	40.00	-7.97	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	PK	30M	32.03	40.00	-7.97	3	Vertical	360	1.00
5210MHz	Pass	PK	105.66M	24.97	43.50	-18.53	3	Vertical	360	1.00
5210MHz	Pass	PK	284.14M	33.58	46.00	-12.42	3	Vertical	360	1.00
5210MHz	Pass	PK	369.5M	24.44	46.00	-21.56	3	Vertical	360	1.00
5210MHz	Pass	PK	398.6M	31.53	46.00	-14.47	3	Vertical	360	1.00
5210MHz	Pass	PK	598.42M	30.40	46.00	-15.60	3	Vertical	360	1.00
5210MHz	Pass	PK	33.88M	27.32	40.00	-12.68	3	Horizontal	0	1.00
5210MHz	Pass	PK	105.66M	21.25	43.50	-22.25	3	Horizontal	0	1.00
5210MHz	Pass	PK	282.2M	37.01	46.00	-8.99	3	Horizontal	0	1.00
5210MHz	Pass	PK	324.88M	27.52	46.00	-18.48	3	Horizontal	0	1.00
5210MHz	Pass	PK	394.72M	25.23	46.00	-20.77	3	Horizontal	0	1.00
5210MHz	Pass	PK	596.48M	36.72	46.00	-9.28	3	Horizontal	0	1.00

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	30M	32.03	40.00	-7.97	-18.87	3	Vertical	360	1.00	50.90	24.67	0.78	44.32				
PK	105.66M	24.97	43.50	-18.53	-26.81	3	Vertical	360	1.00	51.78	16.59	1.20	44.60				
PK	284.14M	33.58	46.00	-12.42	-23.31	3	Vertical	360	1.00	56.89	19.11	1.94	44.36				
PK	369.5M	24.44	46.00	-21.56	-20.95	3	Vertical	360	1.00	45.39	21.00	2.22	44.17				
PK	398.6M	31.53	46.00	-14.47	-19.93	3	Vertical	360	1.00	51.46	21.91	2.26	44.10				
PK	598.42M	30.40	46.00	-15.60	-15.09	3	Vertical	360	1.00	45.49	26.08	2.77	43.94				

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	33.88M	27.32	40.00	-12.68	-20.79	3	Horizontal	0	1.00	48.11	22.82	0.79	44.40				
PK	105.66M	21.25	43.50	-22.25	-26.81	3	Horizontal	0	1.00	48.06	16.59	1.20	44.60				
PK	282.2M	37.01	46.00	-8.99	-23.38	3	Horizontal	0	1.00	60.39	19.06	1.93	44.37				
PK	324.88M	27.52	46.00	-18.48	-22.42	3	Horizontal	0	1.00	49.94	19.76	2.10	44.28				
PK	394.72M	25.23	46.00	-20.77	-20.12	3	Horizontal	0	1.00	45.35	21.74	2.25	44.11				
PK	596.48M	36.72	46.00	-9.28	-15.04	3	Horizontal	0	1.00	51.76	26.13	2.77	43.94				

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.87	54.00	-0.13	3	Horizontal	354	2.16
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.83	54.00	-0.17	3	Horizontal	360	1.99
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.26	54.00	-0.74	3	Horizontal	360	2.02
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3606G	53.76	54.00	-0.24	3	Horizontal	358	2.05
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	358	2.34
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.86	54.00	-0.14	3	Horizontal	0	2.08

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1396G	53.09	54.00	-0.91	3	Horizontal	0	2.16
5180MHz	Pass	AV	5.1728G	108.94	Inf	-Inf	3	Horizontal	0	2.16
5180MHz	Pass	PK	5.1396G	66.06	74.00	-7.94	3	Horizontal	0	2.16
5180MHz	Pass	PK	5.1856G	121.80	Inf	-Inf	3	Horizontal	0	2.16
5180MHz	Pass	PK	10.3483G	54.90	68.20	-13.30	3	Vertical	247	1.91
5180MHz	Pass	PK	10.36708G	55.01	68.20	-13.19	3	Horizontal	316	1.82
5200MHz	Pass	AV	5.15G	53.87	54.00	-0.13	3	Horizontal	354	2.16
5200MHz	Pass	AV	5.1932G	112.51	Inf	-Inf	3	Horizontal	354	2.16
5200MHz	Pass	PK	5.148G	65.73	74.00	-8.27	3	Horizontal	354	2.16
5200MHz	Pass	PK	5.1968G	123.77	Inf	-Inf	3	Horizontal	354	2.16
5200MHz	Pass	PK	10.38578G	55.32	68.20	-12.88	3	Vertical	236	1.48
5200MHz	Pass	PK	10.40048G	56.86	68.20	-11.34	3	Horizontal	315	2.27
5240MHz	Pass	AV	5.1488G	51.24	54.00	-2.76	3	Horizontal	356	2.31
5240MHz	Pass	AV	5.2448G	111.74	Inf	-Inf	3	Horizontal	356	2.31
5240MHz	Pass	AV	5.3522G	50.47	54.00	-3.53	3	Horizontal	356	2.31
5240MHz	Pass	PK	5.1362G	63.07	74.00	-10.93	3	Horizontal	356	2.31
5240MHz	Pass	PK	5.249G	123.73	Inf	-Inf	3	Horizontal	356	2.31
5240MHz	Pass	PK	5.3576G	62.70	74.00	-11.30	3	Horizontal	356	2.31
5240MHz	Pass	PK	10.47808G	55.17	68.20	-13.03	3	Vertical	230	1.41
5240MHz	Pass	PK	10.47544G	56.79	68.20	-11.41	3	Horizontal	304	2.03
5260MHz	Pass	AV	5.1496G	51.10	54.00	-2.90	3	Horizontal	357	2.02
5260MHz	Pass	AV	5.2582G	112.71	Inf	-Inf	3	Horizontal	357	2.02
5260MHz	Pass	AV	5.3506G	50.83	54.00	-3.17	3	Horizontal	357	2.02
5260MHz	Pass	PK	5.1442G	62.99	74.00	-11.01	3	Horizontal	357	2.02
5260MHz	Pass	PK	5.2594G	125.40	Inf	-Inf	3	Horizontal	357	2.02
5260MHz	Pass	PK	5.35G	63.35	74.00	-10.65	3	Horizontal	357	2.02
5260MHz	Pass	PK	10.5164G	55.28	68.20	-12.92	3	Vertical	249	1.90
5260MHz	Pass	PK	10.52522G	57.80	68.20	-10.40	3	Horizontal	308	1.52
5300MHz	Pass	AV	5.2976G	112.88	Inf	-Inf	3	Horizontal	356	2.15
5300MHz	Pass	AV	5.35G	52.91	54.00	-1.09	3	Horizontal	356	2.15
5300MHz	Pass	PK	5.2972G	124.72	Inf	-Inf	3	Horizontal	356	2.15
5300MHz	Pass	PK	5.358G	67.44	74.00	-6.56	3	Horizontal	356	2.15
5300MHz	Pass	PK	10.61314G	54.73	74.00	-19.27	3	Vertical	309	1.82
5300MHz	Pass	PK	10.6054G	58.20	74.00	-15.80	3	Horizontal	310	1.34
5320MHz	Pass	AV	5.313G	111.38	Inf	-Inf	3	Horizontal	358	2.05
5320MHz	Pass	AV	5.3606G	53.76	54.00	-0.24	3	Horizontal	358	2.05
5320MHz	Pass	PK	5.3168G	123.63	Inf	-Inf	3	Horizontal	358	2.05
5320MHz	Pass	PK	5.37G	69.06	74.00	-4.94	3	Horizontal	358	2.05
5320MHz	Pass	AV	10.62776G	41.44	54.00	-12.56	3	Vertical	309	1.55
5320MHz	Pass	PK	10.64444G	54.56	74.00	-19.44	3	Vertical	309	1.55
5320MHz	Pass	AV	10.64066G	42.13	54.00	-11.87	3	Horizontal	319	2.27
5320MHz	Pass	PK	10.64804G	55.37	74.00	-18.63	3	Horizontal	319	2.27
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.49	54.00	-0.51	3	Horizontal	360	2.28
5190MHz	Pass	AV	5.1752G	105.73	Inf	-Inf	3	Horizontal	360	2.28
5190MHz	Pass	PK	5.1496G	66.46	74.00	-7.54	3	Horizontal	360	2.28
5190MHz	Pass	PK	5.1728G	118.35	Inf	-Inf	3	Horizontal	360	2.28
5190MHz	Pass	PK	10.37904G	54.55	68.20	-13.65	3	Vertical	232	1.17
5190MHz	Pass	PK	10.374G	54.89	68.20	-13.31	3	Horizontal	314	2.50
5230MHz	Pass	AV	5.15G	53.83	54.00	-0.17	3	Horizontal	360	1.99
5230MHz	Pass	AV	5.2208G	108.77	Inf	-Inf	3	Horizontal	360	1.99
5230MHz	Pass	PK	5.146G	65.84	74.00	-8.16	3	Horizontal	360	1.99
5230MHz	Pass	PK	5.224G	121.25	Inf	-Inf	3	Horizontal	360	1.99
5230MHz	Pass	PK	10.46408G	54.76	68.20	-13.44	3	Vertical	240	1.79
5230MHz	Pass	PK	10.46624G	55.68	68.20	-12.52	3	Horizontal	316	2.44
5270MHz	Pass	AV	5.2848G	109.83	Inf	-Inf	3	Horizontal	358	2.34
5270MHz	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	358	2.34
5270MHz	Pass	PK	5.2724G	122.23	Inf	-Inf	3	Horizontal	358	2.34
5270MHz	Pass	PK	5.3524G	66.36	74.00	-7.64	3	Horizontal	358	2.34
5270MHz	Pass	PK	10.53988G	54.96	68.20	-13.24	3	Vertical	43	2.96




RSE TX above 1GHz_Non-Beamforming_Radio 3_2T2S

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	10.54108G	57.74	68.20	-10.46	3	Horizontal	310	1.50
5310MHz	Pass	AV	5.3048G	105.24	Inf	-Inf	3	Horizontal	0	2.07
5310MHz	Pass	AV	5.35G	53.60	54.00	-0.40	3	Horizontal	0	2.07
5310MHz	Pass	PK	5.3056G	117.35	Inf	-Inf	3	Horizontal	0	2.07
5310MHz	Pass	PK	5.3508G	67.10	74.00	-6.90	3	Horizontal	0	2.07
5310MHz	Pass	PK	10.59168G	55.07	68.20	-13.13	3	Vertical	179	1.50
5310MHz	Pass	PK	10.59928G	54.95	68.20	-13.25	3	Horizontal	2	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.26	54.00	-0.74	3	Horizontal	360	2.02
5210MHz	Pass	AV	5.182G	100.96	Inf	-Inf	3	Horizontal	360	2.02
5210MHz	Pass	AV	5.37G	50.29	54.00	-3.71	3	Horizontal	360	2.02
5210MHz	Pass	PK	5.15G	64.34	74.00	-9.66	3	Horizontal	360	2.02
5210MHz	Pass	PK	5.22G	111.75	Inf	-Inf	3	Horizontal	360	2.02
5210MHz	Pass	PK	5.454G	62.50	74.00	-11.50	3	Horizontal	360	2.02
5210MHz	Pass	PK	10.39912G	54.47	68.20	-13.73	3	Vertical	91	2.72
5210MHz	Pass	PK	10.3624G	54.72	68.20	-13.48	3	Horizontal	120	1.90
5290MHz	Pass	AV	5.133G	50.42	54.00	-3.58	3	Horizontal	0	2.08
5290MHz	Pass	AV	5.303G	101.16	Inf	-Inf	3	Horizontal	0	2.08
5290MHz	Pass	AV	5.35G	53.86	54.00	-0.14	3	Horizontal	0	2.08
5290MHz	Pass	PK	5.142G	62.86	74.00	-11.14	3	Horizontal	0	2.08
5290MHz	Pass	PK	5.301G	112.23	Inf	-Inf	3	Horizontal	0	2.08
5290MHz	Pass	PK	5.35G	63.84	74.00	-10.16	3	Horizontal	0	2.08
5290MHz	Pass	PK	5.53G	61.27	68.20	-6.93	3	Horizontal	0	2.08
5290MHz	Pass	PK	10.61504G	54.13	74.00	-19.87	3	Vertical	3	1.50
5290MHz	Pass	PK	10.60256G	54.64	74.00	-19.36	3	Horizontal	78	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	6.96931G	42.98	68.20	-25.22	Horizontal
Mode 2	Pass	AV	7.31018G	50.47	54.00	-3.53	Horizontal
Mode 3	Pass	AV	4.99137G	33.39	54.00	-20.61	Vertical
Mode 4	Pass	AV	4.98578G	33.23	54.00	-20.77	Vertical
Mode 5	Pass	AV	4.98559G	33.20	54.00	-20.80	Vertical
Mode 6	Pass	AV	4.99316G	33.16	54.00	-20.84	Horizontal
Mode 7	Pass	AV	4.95058G	32.73	54.00	-21.27	Vertical
Mode 8	Pass	AV	4.94143G	33.54	54.00	-20.46	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.33186G	25.82	54.00	-28.18	3	Vertical	88	2.37	-
Mode 1	Pass	AV	1.77936G	24.43	68.20	-43.77	3	Vertical	5	1.50	-
Mode 1	Pass	AV	5.81318G	40.19	68.20	-28.01	3	Vertical	201	2.93	-
Mode 1	Pass	PK	1.33285G	43.82	74.00	-30.18	3	Vertical	88	2.37	-
Mode 1	Pass	PK	1.78992G	38.48	88.20	-49.72	3	Vertical	5	1.50	-
Mode 1	Pass	PK	5.81873G	51.89	88.20	-36.31	3	Vertical	201	2.93	-
Mode 1	Pass	AV	1.33491G	24.65	54.00	-29.35	3	Horizontal	101	1.50	-
Mode 1	Pass	AV	5.90071G	34.57	68.20	-33.63	3	Horizontal	123	1.19	-
Mode 1	Pass	AV	6.96931G	42.98	68.20	-25.22	3	Horizontal	84	1.24	-
Mode 1	Pass	PK	1.3314G	39.85	74.00	-34.15	3	Horizontal	101	1.50	-
Mode 1	Pass	PK	5.89132G	47.88	88.20	-40.32	3	Horizontal	123	1.19	-
Mode 1	Pass	PK	6.96925G	57.84	88.20	-30.36	3	Horizontal	84	1.24	-
Mode 2	Pass	AV	1.33143G	24.80	54.00	-29.20	3	Vertical	84	2.51	-
Mode 2	Pass	AV	5.81272G	43.62	68.20	-24.58	3	Vertical	323	1.64	-
Mode 2	Pass	AV	7.30922G	47.13	54.00	-6.87	3	Vertical	3	1.10	-
Mode 2	Pass	PK	1.32944G	40.25	74.00	-33.75	3	Vertical	84	2.51	-
Mode 2	Pass	PK	5.81371G	54.12	88.20	-34.08	3	Vertical	323	1.64	-
Mode 2	Pass	PK	7.30906G	55.20	74.00	-18.80	3	Vertical	3	1.10	-
Mode 2	Pass	AV	3.92751G	35.75	54.00	-18.25	3	Horizontal	77	2.00	-
Mode 2	Pass	AV	6.96939G	43.44	68.20	-24.76	3	Horizontal	82	1.50	-
Mode 2	Pass	AV	7.31018G	50.47	54.00	-3.53	3	Horizontal	7	1.23	-
Mode 2	Pass	PK	3.91704G	46.40	74.00	-27.60	3	Horizontal	77	2.00	-
Mode 2	Pass	PK	6.97254G	57.52	88.20	-30.68	3	Horizontal	82	1.50	-
Mode 2	Pass	PK	7.31219G	56.09	74.00	-17.91	3	Horizontal	7	1.23	-
Mode 3	Pass	AV	2.13368G	25.60	68.20	-42.60	3	Vertical	95	1.16	-
Mode 3	Pass	AV	3.65519G	29.46	54.00	-24.54	3	Vertical	252	1.50	-
Mode 3	Pass	AV	4.99137G	33.39	54.00	-20.61	3	Vertical	332	1.50	-
Mode 3	Pass	PK	2.13368G	40.00	88.20	-48.20	3	Vertical	95	1.16	-
Mode 3	Pass	PK	3.65519G	42.43	74.00	-31.57	3	Vertical	252	1.50	-
Mode 3	Pass	PK	4.99137G	46.74	74.00	-27.26	3	Vertical	332	1.50	-
Mode 3	Pass	AV	2.22049G	25.97	54.00	-28.03	3	Horizontal	68	1.50	-
Mode 3	Pass	AV	3.8046G	29.74	54.00	-24.26	3	Horizontal	328.1	1.50	-
Mode 3	Pass	AV	4.98911G	33.30	54.00	-20.70	3	Horizontal	53	1.50	-
Mode 3	Pass	PK	2.22049G	39.45	74.00	-34.55	3	Horizontal	68	1.50	-
Mode 3	Pass	PK	3.8046G	43.74	74.00	-30.26	3	Horizontal	328.1	1.50	-
Mode 3	Pass	PK	4.98911G	46.74	74.00	-27.26	3	Horizontal	53	1.50	-
Mode 4	Pass	AV	2.2076G	26.02	54.00	-27.98	3	Vertical	324	1.50	-
Mode 4	Pass	AV	3.03984G	28.37	68.20	-39.83	3	Vertical	210	1.50	-
Mode 4	Pass	AV	4.98578G	33.23	54.00	-20.77	3	Vertical	54	1.99	-
Mode 4	Pass	PK	2.2076G	39.29	74.00	-34.71	3	Vertical	324	1.50	-
Mode 4	Pass	PK	3.03984G	42.47	88.20	-45.73	3	Vertical	210	1.50	-
Mode 4	Pass	PK	4.98578G	46.55	74.00	-27.45	3	Vertical	54	1.99	-
Mode 4	Pass	AV	2.24246G	26.05	54.00	-27.95	3	Horizontal	8	1.50	-
Mode 4	Pass	AV	3.48073G	28.54	68.20	-39.66	3	Horizontal	282	1.50	-
Mode 4	Pass	AV	5.14276G	32.42	54.00	-21.58	3	Horizontal	319	2.00	-
Mode 4	Pass	PK	2.24246G	40.06	74.00	-33.94	3	Horizontal	8	1.50	-
Mode 4	Pass	PK	3.48073G	41.93	88.20	-46.27	3	Horizontal	282	1.50	-
Mode 4	Pass	PK	5.14276G	45.91	74.00	-28.09	3	Horizontal	319	2.00	-
Mode 5	Pass	AV	2.04002G	25.88	68.20	-42.32	3	Vertical	238	1.50	-
Mode 5	Pass	AV	3.80288G	29.58	54.00	-24.42	3	Vertical	182	1.50	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	4.98559G	33.20	54.00	-20.80	3	Vertical	109	1.99	-
Mode 5	Pass	PK	2.04002G	39.60	88.20	-48.60	3	Vertical	238	1.50	-
Mode 5	Pass	PK	3.80288G	42.91	74.00	-31.09	3	Vertical	182	1.50	-
Mode 5	Pass	PK	4.98559G	46.43	74.00	-27.57	3	Vertical	109	1.99	-
Mode 5	Pass	AV	1.33222G	24.53	54.00	-29.47	3	Horizontal	18	1.64	-
Mode 5	Pass	AV	3.1608G	28.41	68.20	-39.79	3	Horizontal	259	2.00	-
Mode 5	Pass	AV	4.9539G	32.94	54.00	-21.06	3	Horizontal	14	2.00	-
Mode 5	Pass	PK	1.33222G	42.15	74.00	-31.85	3	Horizontal	18	1.64	-
Mode 5	Pass	PK	3.1608G	41.86	88.20	-46.34	3	Horizontal	259	2.00	-
Mode 5	Pass	PK	4.9539G	46.58	74.00	-27.42	3	Horizontal	14	2.00	-
Mode 6	Pass	AV	1.39334G	23.96	54.00	-30.04	3	Vertical	160	1.50	-
Mode 6	Pass	AV	3.80341G	29.65	54.00	-24.35	3	Vertical	303	1.34	-
Mode 6	Pass	AV	4.8841G	32.00	54.00	-22.00	3	Vertical	17	2.00	-
Mode 6	Pass	PK	1.39334G	42.45	74.00	-31.55	3	Vertical	160	1.50	-
Mode 6	Pass	PK	3.80341G	42.54	74.00	-31.46	3	Vertical	303	1.34	-
Mode 6	Pass	PK	4.8841G	45.26	74.00	-28.74	3	Vertical	17	2.00	-
Mode 6	Pass	AV	1.33015G	24.46	54.00	-29.54	3	Horizontal	175	1.62	-
Mode 6	Pass	AV	3.78207G	29.06	54.00	-24.94	3	Horizontal	34	1.50	-
Mode 6	Pass	AV	4.99316G	33.16	54.00	-20.84	3	Horizontal	335	1.62	-
Mode 6	Pass	PK	1.33015G	41.82	74.00	-32.18	3	Horizontal	175	1.62	-
Mode 6	Pass	PK	3.78207G	42.66	74.00	-31.34	3	Horizontal	34	1.50	-
Mode 6	Pass	PK	4.99316G	46.07	74.00	-27.93	3	Horizontal	335	1.62	-
Mode 7	Pass	AV	1.38762G	24.24	54.00	-29.76	3	Vertical	167	1.50	-
Mode 7	Pass	AV	3.12702G	29.08	68.20	-39.12	3	Vertical	192	1.12	-
Mode 7	Pass	AV	4.95058G	32.73	54.00	-21.27	3	Vertical	312	1.55	-
Mode 7	Pass	PK	1.38762G	44.28	74.00	-29.72	3	Vertical	167	1.50	-
Mode 7	Pass	PK	3.12702G	42.69	88.20	-45.51	3	Vertical	192	1.12	-
Mode 7	Pass	PK	4.95058G	46.29	74.00	-27.71	3	Vertical	312	1.55	-
Mode 7	Pass	AV	1.96698G	25.42	68.20	-42.78	3	Horizontal	246	1.69	-
Mode 7	Pass	AV	3.78629G	29.13	54.00	-24.87	3	Horizontal	162	1.50	-
Mode 7	Pass	AV	5.0061G	32.64	54.00	-21.36	3	Horizontal	291	1.50	-
Mode 7	Pass	PK	1.96698G	39.12	88.20	-49.08	3	Horizontal	246	1.69	-
Mode 7	Pass	PK	3.78629G	42.50	74.00	-31.50	3	Horizontal	162	1.50	-
Mode 7	Pass	PK	5.0061G	46.43	74.00	-27.57	3	Horizontal	291	1.50	-
Mode 8	Pass	AV	1.38567G	24.32	54.00	-29.68	3	Vertical	166	1.51	-
Mode 8	Pass	AV	3.68878G	28.88	54.00	-25.12	3	Vertical	173	1.50	-
Mode 8	Pass	AV	4.94143G	33.54	54.00	-20.46	3	Vertical	333	1.96	-
Mode 8	Pass	PK	1.38567G	44.35	74.00	-29.65	3	Vertical	166	1.51	-
Mode 8	Pass	PK	3.68878G	43.00	74.00	-31.00	3	Vertical	173	1.50	-
Mode 8	Pass	PK	4.94143G	47.05	74.00	-26.95	3	Vertical	333	1.96	-
Mode 8	Pass	AV	1.33262G	24.38	54.00	-29.62	3	Horizontal	277	1.64	-
Mode 8	Pass	AV	3.80267G	29.51	54.00	-24.49	3	Horizontal	292	1.75	-
Mode 8	Pass	AV	5.00328G	32.81	54.00	-21.19	3	Horizontal	259	1.50	-
Mode 8	Pass	PK	1.33262G	42.35	74.00	-31.65	3	Horizontal	277	1.64	-
Mode 8	Pass	PK	3.80267G	43.26	74.00	-30.74	3	Horizontal	292	1.75	-
Mode 8	Pass	PK	5.00328G	46.11	74.00	-27.89	3	Horizontal	259	1.50	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33186G	25.82	54.00	-28.18	-5.87	3	Vertical	88	2.37	31.69	25.90	3.59	35.36
AV	1.77936G	24.43	68.20	-43.77	-5.93	3	Vertical	5	1.50	30.36	24.90	4.21	35.04
AV	5.81318G	40.19	68.20	-28.01	6.55	3	Vertical	201	2.93	33.64	33.93	7.82	35.20
PK	1.33285G	43.82	74.00	-30.18	-5.87	3	Vertical	88	2.37	49.69	25.90	3.59	35.36
PK	1.78992G	38.48	88.20	-49.72	-5.82	3	Vertical	5	1.50	44.30	25.00	4.21	35.03
PK	5.81873G	51.89	88.20	-36.31	6.56	3	Vertical	201	2.93	45.33	33.94	7.82	35.20

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33491G	24.65	54.00	-29.35	-5.86	3	Horizontal	101	1.50	30.51	25.90	3.59	35.35
AV	5.90071G	34.57	68.20	-33.63	6.75	3	Horizontal	123	1.19	27.82	34.20	7.79	35.24
AV	6.96931G	42.98	68.20	-25.22	8.73	3	Horizontal	84	1.24	34.25	35.76	8.51	35.54
PK	1.3314G	39.85	74.00	-34.15	-5.87	3	Horizontal	101	1.50	45.72	25.90	3.59	35.36
PK	5.89132G	47.88	88.20	-40.32	6.73	3	Horizontal	123	1.19	41.15	34.17	7.79	35.23
PK	6.96925G	57.84	88.20	-30.36	8.73	3	Horizontal	84	1.24	49.11	35.76	8.51	35.54

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33143G	24.80	54.00	-29.20	-5.87	3	Vertical	84	2.51	30.67	25.90	3.59	35.36				
AV	5.81272G	43.62	68.20	-24.58	6.55	3	Vertical	323	1.64	37.07	33.93	7.82	35.20				
AV	7.30922G	47.13	54.00	-6.87	10.40	3	Vertical	3	1.10	36.73	36.76	8.86	35.22				
PK	1.32944G	40.25	74.00	-33.75	-5.87	3	Vertical	84	2.51	46.12	25.91	3.58	35.36				
PK	5.81371G	54.12	88.20	-34.08	6.55	3	Vertical	323	1.64	47.57	33.93	7.82	35.20				
PK	7.30906G	55.20	74.00	-18.80	10.40	3	Vertical	3	1.10	44.80	36.76	8.86	35.22				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	3.92751G	35.75	54.00	-18.25	2.03	3	Horizontal	77	2.00	33.72	30.74	6.36	35.07				
AV	6.96939G	43.44	68.20	-24.76	8.73	3	Horizontal	82	1.50	34.71	35.76	8.51	35.54				
AV	7.31018G	50.47	54.00	-3.53	10.40	3	Horizontal	7	1.23	40.07	36.76	8.86	35.22				
PK	3.91704G	46.40	74.00	-27.60	2.06	3	Horizontal	77	2.00	44.34	30.77	6.36	35.07				
PK	6.97254G	57.52	88.20	-30.68	8.72	3	Horizontal	82	1.50	48.80	35.75	8.51	35.54				
PK	7.31219G	56.09	74.00	-17.91	10.39	3	Horizontal	7	1.23	45.70	36.75	8.86	35.22				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.13368G	25.60	68.20	-42.60	-3.00	3	Vertical	95	1.16	28.60	27.40	4.62	35.02				
AV	3.65519G	29.46	54.00	-24.54	0.64	3	Vertical	252	1.50	28.82	29.62	6.20	35.18				
AV	4.99137G	33.39	54.00	-20.61	5.36	3	Vertical	332	1.50	28.03	33.17	7.26	35.07				
PK	2.13368G	40.00	88.20	-48.20	-3.00	3	Vertical	95	1.16	43.00	27.40	4.62	35.02				
PK	3.65519G	42.43	74.00	-31.57	0.64	3	Vertical	252	1.50	41.79	29.62	6.20	35.18				
PK	4.99137G	46.74	74.00	-27.26	5.36	3	Vertical	332	1.50	41.38	33.17	7.26	35.07				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.22049G	25.97	54.00	-28.03	-3.14	3	Horizontal	68	1.50	29.11	27.20	4.71	35.05				
AV	3.8046G	29.74	54.00	-24.26	1.63	3	Horizontal	328.1	1.50	28.11	30.43	6.32	35.12				
AV	4.98911G	33.30	54.00	-20.70	5.34	3	Horizontal	53	1.50	27.96	33.16	7.25	35.07				
PK	2.22049G	39.45	74.00	-34.55	-3.14	3	Horizontal	68	1.50	42.59	27.20	4.71	35.05				
PK	3.8046G	43.74	74.00	-30.26	1.63	3	Horizontal	328.1	1.50	42.11	30.43	6.32	35.12				
PK	4.98911G	46.74	74.00	-27.26	5.34	3	Horizontal	53	1.50	41.40	33.16	7.25	35.07				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.2076G	26.02	54.00	-27.98	-3.14	3	Vertical	324	1.50	29.16	27.20	4.70	35.04
AV	3.03984G	28.37	68.20	-39.83	0.05	3	Vertical	210	1.50	28.32	29.68	5.59	35.22
AV	4.98578G	33.23	54.00	-20.77	5.32	3	Vertical	54	1.99	27.91	33.14	7.25	35.07
PK	2.2076G	39.29	74.00	-34.71	-3.14	3	Vertical	324	1.50	42.43	27.20	4.70	35.04
PK	3.03984G	42.47	88.20	-45.73	0.05	3	Vertical	210	1.50	42.42	29.68	5.59	35.22
PK	4.98578G	46.55	74.00	-27.45	5.32	3	Vertical	54	1.99	41.23	33.14	7.25	35.07

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.24246G	26.05	54.00	-27.95	-3.12	3	Horizontal	8	1.50	29.17	27.20	4.73	35.05
AV	3.48073G	28.54	68.20	-39.66	0.14	3	Horizontal	282	1.50	28.40	29.40	5.99	35.25
AV	5.14276G	32.42	54.00	-21.58	5.23	3	Horizontal	319	2.00	27.19	33.06	7.24	35.07
PK	2.24246G	40.06	74.00	-33.94	-3.12	3	Horizontal	8	1.50	43.18	27.20	4.73	35.05
PK	3.48073G	41.93	88.20	-46.27	0.14	3	Horizontal	282	1.50	41.79	29.40	5.99	35.25
PK	5.14276G	45.91	74.00	-28.09	5.23	3	Horizontal	319	2.00	40.68	33.06	7.24	35.07

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.04002G	25.88	68.20	-42.32	-3.06	3	Vertical	238	1.50	28.94	27.40	4.53	34.99				
AV	3.80288G	29.58	54.00	-24.42	1.62	3	Vertical	182	1.50	27.96	30.42	6.32	35.12				
AV	4.98559G	33.20	54.00	-20.80	5.32	3	Vertical	109	1.99	27.88	33.14	7.25	35.07				
PK	2.04002G	39.60	88.20	-48.60	-3.06	3	Vertical	238	1.50	42.66	27.40	4.53	34.99				
PK	3.80288G	42.91	74.00	-31.09	1.62	3	Vertical	182	1.50	41.29	30.42	6.32	35.12				
PK	4.98559G	46.43	74.00	-27.57	5.32	3	Vertical	109	1.99	41.11	33.14	7.25	35.07				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33222G	24.53	54.00	-29.47	-5.87	3	Horizontal	18	1.64	30.40	25.90	3.59	35.36				
AV	3.1608G	28.41	68.20	-39.79	0.19	3	Horizontal	259	2.00	28.22	29.70	5.72	35.23				
AV	4.9539G	32.94	54.00	-21.06	5.15	3	Horizontal	14	2.00	27.79	33.02	7.20	35.07				
PK	1.33222G	42.15	74.00	-31.85	-5.87	3	Horizontal	18	1.64	48.02	25.90	3.59	35.36				
PK	3.1608G	41.86	88.20	-46.34	0.19	3	Horizontal	259	2.00	41.67	29.70	5.72	35.23				
PK	4.9539G	46.58	74.00	-27.42	5.15	3	Horizontal	14	2.00	41.43	33.02	7.20	35.07				

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.39334G	23.96	54.00	-30.04	-5.55	3	Vertical	160	1.50	29.51	26.03	3.69	35.27
AV	3.80341G	29.65	54.00	-24.35	1.62	3	Vertical	303	1.34	28.03	30.42	6.32	35.12
AV	4.8841G	32.00	54.00	-22.00	4.66	3	Vertical	17	2.00	27.34	32.64	7.08	35.06
PK	1.39334G	42.45	74.00	-31.55	-5.55	3	Vertical	160	1.50	48.00	26.03	3.69	35.27
PK	3.80341G	42.54	74.00	-31.46	1.62	3	Vertical	303	1.34	40.92	30.42	6.32	35.12
PK	4.8841G	45.26	74.00	-28.74	4.66	3	Vertical	17	2.00	40.60	32.64	7.08	35.06

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33015G	24.46	54.00	-29.54	-5.88	3	Horizontal	175	1.62	30.34	25.90	3.58	35.36
AV	3.78207G	29.06	54.00	-24.94	1.46	3	Horizontal	34	1.50	27.60	30.29	6.30	35.13
AV	4.99316G	33.16	54.00	-20.84	5.36	3	Horizontal	335	1.62	27.80	33.17	7.26	35.07
PK	1.33015G	41.82	74.00	-32.18	-5.88	3	Horizontal	175	1.62	47.70	25.90	3.58	35.36
PK	3.78207G	42.66	74.00	-31.34	1.46	3	Horizontal	34	1.50	41.20	30.29	6.30	35.13
PK	4.99316G	46.07	74.00	-27.93	5.36	3	Horizontal	335	1.62	40.71	33.17	7.26	35.07


Radiated Emissions above 1GHz_Mode 7



Radiated Emissions above 1GHz_Mode 7



Radiated Emissions above 1GHz_Mode 8



Radiated Emissions above 1GHz_Mode 8

