


5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

**MASK**

6105MHz\_TX

07/05/2025




6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

**MASK**

6695MHz\_TX

07/05/2025




6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

**MASK**

6685MHz\_TX

07/05/2025




6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

**MASK**

6625MHz\_TX

07/05/2025






6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6665MHz\_TX

07/05/2025

CF (Hz)  
6.665G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.60302G | -4.42    | 6.4224G  | -54.45     | -43.71     | -10.74     | 1    |
| 6.60422G | -3.92    | 6.4214G  | -53.33     | -43.45     | -9.88      | 2    |

Port 1  
Port 2



**Summary**


| Mode           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|----------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.925-6.425GHz | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| a160_Nss1_1TX  | Pass   | PK   | 109.54M      | 32.84             | 43.50             | -10.66         | 3           | Vertical  | 360            | 1.00          |

**Result**

| Mode          | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| a160_Nss1_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6025MHz_PoE   | Pass   | PK   | 37.76M       | 27.28             | 40.00             | -12.72         | 3           | Vertical   | 360            | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 55.22M       | 28.93             | 40.00             | -11.07         | 3           | Vertical   | 360            | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 109.54M      | 32.84             | 43.50             | -10.66         | 3           | Vertical   | 360            | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 148.34M      | 26.31             | 43.50             | -17.19         | 3           | Vertical   | 360            | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 295.78M      | 31.17             | 46.00             | -14.83         | 3           | Vertical   | 360            | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 449.04M      | 31.33             | 46.00             | -14.67         | 3           | Vertical   | 360            | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 59.1M        | 21.90             | 40.00             | -18.10         | 3           | Horizontal | 0              | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 84.32M       | 23.75             | 40.00             | -16.25         | 3           | Horizontal | 0              | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 115.36M      | 28.83             | 43.50             | -14.67         | 3           | Horizontal | 0              | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 171.62M      | 28.35             | 43.50             | -15.15         | 3           | Horizontal | 0              | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 293.84M      | 31.19             | 46.00             | -14.81         | 3           | Horizontal | 0              | 1.00          |
| 6025MHz_PoE   | Pass   | PK   | 449.04M      | 32.23             | 46.00             | -13.77         | 3           | Horizontal | 0              | 1.00          |

5.925-6.425GHz\_a160\_Nss1\_1TX


6025MHz\_PoE



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 37.76M       | 27.28             | 40.00             | -12.72         | -22.72         | 3           | Vertical  | 360            | 1.00          | 50.00         | 20.91      | 0.84       | 44.47      |
| PK   | 55.22M       | 28.93             | 40.00             | -11.07         | -31.37         | 3           | Vertical  | 360            | 1.00          | 60.30         | 12.43      | 0.87       | 44.67      |
| PK   | 109.54M      | 32.84             | 43.50             | -10.66         | -26.34         | 3           | Vertical  | 360            | 1.00          | 59.18         | 17.04      | 1.22       | 44.60      |
| PK   | 148.34M      | 26.31             | 43.50             | -17.19         | -25.99         | 3           | Vertical  | 360            | 1.00          | 52.30         | 17.26      | 1.40       | 44.65      |
| PK   | 295.78M      | 31.17             | 46.00             | -14.83         | -22.95         | 3           | Vertical  | 360            | 1.00          | 54.12         | 19.41      | 1.98       | 44.34      |
| PK   | 449.04M      | 31.33             | 46.00             | -14.67         | -18.47         | 3           | Vertical  | 360            | 1.00          | 49.80         | 23.16      | 2.40       | 44.03      |

5.925-6.425GHz\_a160\_Nss1\_1TX

6025MHz\_PoE



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 59.1M        | 21.90             | 40.00             | -18.10         | -31.94         | 3           | Horizontal | 0              | 1.00          | 53.84         | 11.86      | 0.89       | 44.69      |
| PK   | 84.32M       | 23.75             | 40.00             | -16.25         | -29.50         | 3           | Horizontal | 0              | 1.00          | 53.25         | 14.10      | 1.08       | 44.68      |
| PK   | 115.36M      | 28.83             | 43.50             | -14.67         | -26.02         | 3           | Horizontal | 0              | 1.00          | 54.85         | 17.34      | 1.25       | 44.61      |
| PK   | 171.62M      | 28.35             | 43.50             | -15.15         | -27.38         | 3           | Horizontal | 0              | 1.00          | 55.73         | 15.72      | 1.51       | 44.61      |
| PK   | 293.84M      | 31.19             | 46.00             | -14.81         | -22.99         | 3           | Horizontal | 0              | 1.00          | 54.18         | 19.37      | 1.98       | 44.34      |
| PK   | 449.04M      | 32.23             | 46.00             | -13.77         | -18.47         | 3           | Horizontal | 0              | 1.00          | 50.70         | 23.16      | 2.40       | 44.03      |

**Summary**

| Mode           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|----------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.925-6.425GHz | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| a20_Nss1_1TX   | Pass   | AV   | 5.9247G      | 63.51             | 68.20             | -4.69          | 3           | Vertical   | 53             | 2.28          |
| a40_Nss1_1TX   | Pass   | AV   | 5.9245G      | 67.70             | 68.20             | -0.50          | 3           | Vertical   | 51             | 2.24          |
| a80_Nss1_1TX   | Pass   | AV   | 5.925G       | 66.99             | 68.20             | -1.21          | 3           | Vertical   | 52             | 2.20          |
| a160_Nss1_1TX  | Pass   | AV   | 5.9095G      | 67.97             | 68.20             | -0.23          | 3           | Vertical   | 54             | 2.28          |
| 6.525-6.875GHz | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| a20_Nss1_1TX   | Pass   | AV   | 13.3859G     | 47.90             | 54.00             | -6.10          | 3           | Horizontal | 118            | 2.78          |
| a40_Nss1_1TX   | Pass   | AV   | 13.35956G    | 47.39             | 54.00             | -6.61          | 3           | Horizontal | 140            | 1.50          |
| a80_Nss1_1TX   | Pass   | AV   | 13.3984G     | 47.72             | 54.00             | -6.28          | 3           | Vertical   | 52             | 2.45          |
| a160_Nss1_1TX  | Pass   | AV   | 13.33776G    | 44.24             | 54.00             | -9.76          | 3           | Vertical   | 93             | 2.96          |

Result

| Mode         | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| a20_Nss1_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz      | Pass   | AV   | 5.9247G      | 63.51             | 68.20             | -4.69          | 3           | Vertical   | 53             | 2.28          |
| 5955MHz      | Pass   | AV   | 5.9532G      | 107.10            | Inf               | -Inf           | 3           | Vertical   | 53             | 2.28          |
| 5955MHz      | Pass   | PK   | 5.9244G      | 77.07             | 88.20             | -11.13         | 3           | Vertical   | 53             | 2.28          |
| 5955MHz      | Pass   | PK   | 5.9514G      | 114.83            | Inf               | -Inf           | 3           | Vertical   | 53             | 2.28          |
| 5955MHz      | Pass   | AV   | 11.9031G     | 45.06             | 54.00             | -8.94          | 3           | Vertical   | 62             | 1.50          |
| 5955MHz      | Pass   | PK   | 11.91172G    | 54.41             | 74.00             | -19.59         | 3           | Vertical   | 62             | 1.50          |
| 5955MHz      | Pass   | AV   | 11.91624G    | 44.89             | 54.00             | -9.11          | 3           | Horizontal | 205            | 1.50          |
| 5955MHz      | Pass   | PK   | 11.90302G    | 54.85             | 74.00             | -19.15         | 3           | Horizontal | 205            | 1.50          |
| 6195MHz      | Pass   | AV   | 12.39819G    | 45.21             | 54.00             | -8.79          | 3           | Vertical   | 350            | 1.50          |
| 6195MHz      | Pass   | PK   | 12.40122G    | 55.32             | 74.00             | -18.68         | 3           | Vertical   | 350            | 1.50          |
| 6195MHz      | Pass   | AV   | 12.39861G    | 45.27             | 54.00             | -8.73          | 3           | Horizontal | 79             | 2.21          |
| 6195MHz      | Pass   | PK   | 12.39252G    | 55.09             | 74.00             | -18.91         | 3           | Horizontal | 79             | 2.21          |
| 6415MHz      | Pass   | AV   | 12.84308G    | 46.58             | 68.20             | -21.62         | 3           | Vertical   | 282            | 1.26          |
| 6415MHz      | Pass   | PK   | 12.83102G    | 55.96             | 88.20             | -32.24         | 3           | Vertical   | 282            | 1.26          |
| 6415MHz      | Pass   | AV   | 12.8366G     | 46.66             | 68.20             | -21.54         | 3           | Horizontal | 167            | 1.50          |
| 6415MHz      | Pass   | PK   | 12.82913G    | 55.88             | 88.20             | -32.32         | 3           | Horizontal | 167            | 1.50          |
| 6535MHz      | Pass   | AV   | 13.06682G    | 46.86             | 68.20             | -21.34         | 3           | Vertical   | 131            | 1.50          |
| 6535MHz      | Pass   | PK   | 13.08092G    | 56.95             | 88.20             | -31.25         | 3           | Vertical   | 131            | 1.50          |
| 6535MHz      | Pass   | AV   | 13.05893G    | 46.93             | 68.20             | -21.27         | 3           | Horizontal | 217            | 1.10          |
| 6535MHz      | Pass   | PK   | 13.08464G    | 56.62             | 88.20             | -31.58         | 3           | Horizontal | 217            | 1.10          |
| 6695MHz      | Pass   | AV   | 13.3958G     | 47.42             | 54.00             | -6.58          | 3           | Vertical   | 158            | 1.84          |
| 6695MHz      | Pass   | PK   | 13.39194G    | 56.98             | 74.00             | -17.02         | 3           | Vertical   | 158            | 1.84          |
| 6695MHz      | Pass   | AV   | 13.3859G     | 47.90             | 54.00             | -6.10          | 3           | Horizontal | 118            | 2.78          |
| 6695MHz      | Pass   | PK   | 13.39728G    | 57.20             | 74.00             | -16.80         | 3           | Horizontal | 118            | 2.78          |
| 6855MHz      | Pass   | AV   | 13.70616G    | 47.55             | 68.20             | -20.65         | 3           | Vertical   | 288            | 1.29          |
| 6855MHz      | Pass   | PK   | 13.70032G    | 57.34             | 88.20             | -30.86         | 3           | Vertical   | 288            | 1.29          |
| 6855MHz      | Pass   | AV   | 13.70538G    | 47.10             | 68.20             | -21.10         | 3           | Horizontal | 173            | 1.50          |
| 6855MHz      | Pass   | PK   | 13.70576G    | 57.15             | 88.20             | -31.05         | 3           | Horizontal | 173            | 1.50          |
| a40_Nss1_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5965MHz      | Pass   | AV   | 5.9245G      | 67.70             | 68.20             | -0.50          | 3           | Vertical   | 51             | 2.24          |
| 5965MHz      | Pass   | AV   | 5.9704G      | 101.69            | Inf               | -Inf           | 3           | Vertical   | 51             | 2.24          |
| 5965MHz      | Pass   | PK   | 5.9248G      | 78.92             | 88.20             | -9.28          | 3           | Vertical   | 51             | 2.24          |
| 5965MHz      | Pass   | PK   | 5.9806G      | 109.49            | Inf               | -Inf           | 3           | Vertical   | 51             | 2.24          |
| 5965MHz      | Pass   | AV   | 11.92776G    | 45.06             | 54.00             | -8.94          | 3           | Vertical   | 275            | 1.73          |
| 5965MHz      | Pass   | PK   | 11.93362G    | 54.90             | 74.00             | -19.10         | 3           | Vertical   | 275            | 1.73          |
| 5965MHz      | Pass   | AV   | 11.9375G     | 45.35             | 54.00             | -8.65          | 3           | Horizontal | 80             | 2.30          |
| 5965MHz      | Pass   | PK   | 11.93282G    | 54.96             | 74.00             | -19.04         | 3           | Horizontal | 80             | 2.30          |
| 6205MHz      | Pass   | AV   | 12.39728G    | 45.29             | 54.00             | -8.71          | 3           | Vertical   | 304            | 1.50          |
| 6205MHz      | Pass   | PK   | 12.40052G    | 55.45             | 74.00             | -18.55         | 3           | Vertical   | 304            | 1.50          |
| 6205MHz      | Pass   | AV   | 12.39844G    | 45.35             | 54.00             | -8.65          | 3           | Horizontal | 323            | 1.72          |
| 6205MHz      | Pass   | PK   | 12.39952G    | 54.70             | 74.00             | -19.30         | 3           | Horizontal | 323            | 1.72          |
| 6405MHz      | Pass   | AV   | 12.8062G     | 46.11             | 68.20             | -22.09         | 3           | Vertical   | 75             | 2.11          |
| 6405MHz      | Pass   | PK   | 12.81348G    | 56.25             | 88.20             | -31.95         | 3           | Vertical   | 75             | 2.11          |
| 6405MHz      | Pass   | AV   | 12.81924G    | 46.66             | 68.20             | -21.54         | 3           | Horizontal | 94             | 1.42          |
| 6405MHz      | Pass   | PK   | 12.81828G    | 56.40             | 88.20             | -31.80         | 3           | Horizontal | 94             | 1.42          |
| 6565MHz      | Pass   | AV   | 13.13316G    | 47.09             | 68.20             | -21.11         | 3           | Vertical   | 0              | 1.23          |
| 6565MHz      | Pass   | PK   | 13.14152G    | 57.41             | 88.20             | -30.79         | 3           | Vertical   | 0              | 1.23          |
| 6565MHz      | Pass   | AV   | 13.11612G    | 46.98             | 68.20             | -21.22         | 3           | Horizontal | 47             | 2.66          |
| 6565MHz      | Pass   | PK   | 13.14068G    | 56.75             | 88.20             | -31.45         | 3           | Horizontal | 47             | 2.66          |
| 6685MHz      | Pass   | AV   | 13.38988G    | 47.31             | 54.00             | -6.69          | 3           | Vertical   | 321            | 1.40          |
| 6685MHz      | Pass   | PK   | 13.37904G    | 56.97             | 74.00             | -17.03         | 3           | Vertical   | 321            | 1.40          |
| 6685MHz      | Pass   | AV   | 13.35956G    | 47.39             | 54.00             | -6.61          | 3           | Horizontal | 140            | 1.50          |
| 6685MHz      | Pass   | PK   | 13.38836G    | 57.05             | 74.00             | -16.95         | 3           | Horizontal | 140            | 1.50          |
| 6845MHz      | Pass   | AV   | 13.67728G    | 47.27             | 68.20             | -20.93         | 3           | Vertical   | 127            | 1.50          |
| 6845MHz      | Pass   | PK   | 13.68712G    | 57.30             | 88.20             | -30.90         | 3           | Vertical   | 127            | 1.50          |
| 6845MHz      | Pass   | AV   | 13.692G      | 47.25             | 68.20             | -20.95         | 3           | Horizontal | 239            | 2.45          |
| 6845MHz      | Pass   | PK   | 13.67936G    | 57.40             | 88.20             | -30.80         | 3           | Horizontal | 239            | 2.45          |
| a80_Nss1_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5985MHz      | Pass   | AV   | 5.925G       | 66.99             | 68.20             | -1.21          | 3           | Vertical   | 52             | 2.20          |
| 5985MHz      | Pass   | AV   | 5.972G       | 98.82             | Inf               | -Inf           | 3           | Vertical   | 52             | 2.20          |




## RSE TX above 1GHz\_Non-Beamforming\_Radio 1\_Scan

## Appendix E.22

| Mode          | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5985MHz       | Pass   | PK   | 5.9185G      | 80.27             | 88.20             | -7.93          | 3           | Vertical   | 52             | 2.20          |
| 5985MHz       | Pass   | PK   | 5.959G       | 106.84            | Inf               | -Inf           | 3           | Vertical   | 52             | 2.20          |
| 5985MHz       | Pass   | AV   | 11.9764G     | 45.39             | 54.00             | -8.61          | 3           | Vertical   | 300            | 2.41          |
| 5985MHz       | Pass   | PK   | 11.97002G    | 54.58             | 74.00             | -19.42         | 3           | Vertical   | 300            | 2.41          |
| 5985MHz       | Pass   | AV   | 11.98G       | 45.31             | 54.00             | -8.69          | 3           | Horizontal | 64             | 1.50          |
| 5985MHz       | Pass   | PK   | 11.97538G    | 55.07             | 74.00             | -18.93         | 3           | Horizontal | 64             | 1.50          |
| 6225MHz       | Pass   | AV   | 12.45464G    | 45.48             | 54.00             | -8.52          | 3           | Vertical   | 80             | 1.50          |
| 6225MHz       | Pass   | PK   | 12.48656G    | 55.13             | 74.00             | -18.87         | 3           | Vertical   | 80             | 1.50          |
| 6225MHz       | Pass   | AV   | 12.45832G    | 45.39             | 54.00             | -8.61          | 3           | Horizontal | 341            | 1.12          |
| 6225MHz       | Pass   | PK   | 12.45096G    | 55.09             | 74.00             | -18.91         | 3           | Horizontal | 341            | 1.12          |
| 6385MHz       | Pass   | AV   | 12.7732G     | 46.22             | 68.20             | -21.98         | 3           | Vertical   | 61             | 1.02          |
| 6385MHz       | Pass   | PK   | 12.75208G    | 56.25             | 88.20             | -31.95         | 3           | Vertical   | 61             | 1.02          |
| 6385MHz       | Pass   | AV   | 12.78664G    | 46.02             | 68.20             | -22.18         | 3           | Horizontal | 307            | 1.50          |
| 6385MHz       | Pass   | PK   | 12.77616G    | 56.08             | 88.20             | -32.12         | 3           | Horizontal | 307            | 1.50          |
| 6625MHz       | Pass   | AV   | 13.2672G     | 47.44             | 54.00             | -6.56          | 3           | Vertical   | 77             | 2.87          |
| 6625MHz       | Pass   | PK   | 13.26264G    | 56.68             | 74.00             | -17.32         | 3           | Vertical   | 77             | 2.87          |
| 6625MHz       | Pass   | AV   | 13.25136G    | 47.18             | 54.00             | -6.82          | 3           | Horizontal | 274            | 1.50          |
| 6625MHz       | Pass   | PK   | 13.26968G    | 57.05             | 74.00             | -16.95         | 3           | Horizontal | 274            | 1.50          |
| 6705MHz       | Pass   | AV   | 13.3984G     | 47.72             | 54.00             | -6.28          | 3           | Vertical   | 52             | 2.45          |
| 6705MHz       | Pass   | PK   | 13.41312G    | 57.77             | 88.20             | -30.43         | 3           | Vertical   | 52             | 2.45          |
| 6705MHz       | Pass   | AV   | 13.38864G    | 47.40             | 54.00             | -6.60          | 3           | Horizontal | 203            | 1.50          |
| 6705MHz       | Pass   | PK   | 13.43632G    | 57.31             | 88.20             | -30.89         | 3           | Horizontal | 203            | 1.50          |
| 6785MHz       | Pass   | AV   | 13.53648G    | 47.49             | 68.20             | -20.71         | 3           | Vertical   | 68             | 1.89          |
| 6785MHz       | Pass   | PK   | 13.5348G     | 57.30             | 88.20             | -30.90         | 3           | Vertical   | 68             | 1.89          |
| 6785MHz       | Pass   | AV   | 13.54264G    | 47.47             | 68.20             | -20.73         | 3           | Horizontal | 260            | 2.28          |
| 6785MHz       | Pass   | PK   | 13.54888G    | 57.45             | 88.20             | -30.75         | 3           | Horizontal | 260            | 2.28          |
| a160_Nss1_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6025MHz       | Pass   | AV   | 5.9095G      | 67.97             | 68.20             | -0.23          | 3           | Vertical   | 54             | 2.28          |
| 6025MHz       | Pass   | AV   | 6.03763G     | 96.44             | Inf               | -Inf           | 3           | Vertical   | 54             | 2.28          |
| 6025MHz       | Pass   | PK   | 5.9075G      | 78.86             | 88.20             | -9.34          | 3           | Vertical   | 54             | 2.28          |
| 6025MHz       | Pass   | PK   | 6.03863G     | 105.62            | Inf               | -Inf           | 3           | Vertical   | 54             | 2.28          |
| 6025MHz       | Pass   | AV   | 12.04742G    | 45.66             | 54.00             | -8.34          | 3           | Vertical   | 332            | 1.50          |
| 6025MHz       | Pass   | PK   | 12.05914G    | 54.52             | 74.00             | -19.48         | 3           | Vertical   | 332            | 1.50          |
| 6025MHz       | Pass   | AV   | 12.05022G    | 45.87             | 54.00             | -8.13          | 3           | Horizontal | 253            | 1.63          |
| 6025MHz       | Pass   | PK   | 12.05848G    | 55.41             | 74.00             | -18.59         | 3           | Horizontal | 253            | 1.63          |
| 6185MHz       | Pass   | AV   | 12.30488G    | 42.33             | 54.00             | -11.67         | 3           | Vertical   | 261            | 1.50          |
| 6185MHz       | Pass   | PK   | 12.3372G     | 55.19             | 74.00             | -18.81         | 3           | Vertical   | 261            | 1.50          |
| 6185MHz       | Pass   | AV   | 12.30424G    | 42.36             | 54.00             | -11.64         | 3           | Horizontal | 110            | 1.85          |
| 6185MHz       | Pass   | PK   | 12.38056G    | 55.08             | 74.00             | -18.92         | 3           | Horizontal | 110            | 1.85          |
| 6345MHz       | Pass   | AV   | 12.74504G    | 42.86             | 68.20             | -25.34         | 3           | Vertical   | 173            | 1.67          |
| 6345MHz       | Pass   | PK   | 12.71464G    | 55.70             | 88.20             | -32.50         | 3           | Vertical   | 173            | 1.67          |
| 6345MHz       | Pass   | AV   | 12.74872G    | 42.87             | 68.20             | -25.33         | 3           | Horizontal | 314            | 2.91          |
| 6345MHz       | Pass   | PK   | 12.74408G    | 55.13             | 88.20             | -33.07         | 3           | Horizontal | 314            | 2.91          |
| 6665MHz       | Pass   | AV   | 13.33776G    | 44.24             | 54.00             | -9.76          | 3           | Vertical   | 93             | 2.96          |
| 6665MHz       | Pass   | PK   | 13.3412G     | 56.94             | 74.00             | -17.06         | 3           | Vertical   | 93             | 2.96          |
| 6665MHz       | Pass   | AV   | 13.3492G     | 44.23             | 54.00             | -9.77          | 3           | Horizontal | 8              | 2.47          |
| 6665MHz       | Pass   | PK   | 13.33648G    | 57.27             | 74.00             | -16.73         | 3           | Horizontal | 8              | 2.47          |

5.925-6.425GHz\_a20\_Nss1\_1TX


5955MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.9247G      | 63.51             | 68.20             | -4.69          | 7.96           | 3           | Vertical  | 53             | 2.28          | 55.55         | 34.45      | 8.64       | 35.13      |
| AV   | 5.9532G      | 107.10            | Inf               | -Inf           | 7.89           | 3           | Vertical  | 53             | 2.28          | 99.21         | 34.39      | 8.64       | 35.14      |
| PK   | 5.9244G      | 77.07             | 88.20             | -11.13         | 7.96           | 3           | Vertical  | 53             | 2.28          | 69.11         | 34.45      | 8.64       | 35.13      |
| PK   | 5.9514G      | 114.83            | Inf               | -Inf           | 7.90           | 3           | Vertical  | 53             | 2.28          | 106.93        | 34.40      | 8.64       | 35.14      |

5.925-6.425GHz\_a20\_Nss1\_1TX


5955MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 11.9031G     | 45.06             | 54.00             | -8.94          | 8.36           | 3           | Vertical  | 62             | 1.50          | 36.70         | 38.81      | 12.29      | 42.74      |
| PK   | 11.91172G    | 54.41             | 74.00             | -19.59         | 8.36           | 3           | Vertical  | 62             | 1.50          | 46.05         | 38.82      | 12.29      | 42.75      |


## 5.925-6.425GHz\_a20\_Nss1\_1TX

### 5955MHz\_TX




## 5.925-6.425GHz\_a40\_Nss1\_1TX

### 5965MHz\_TX




5.925-6.425GHz\_a40\_Nss1\_1TX

5965MHz\_TX




5.925-6.425GHz\_a40\_Nss1\_1TX

5965MHz\_TX



5.925-6.425GHz\_a80\_Nss1\_1TX


5985MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.925G    | 66.99          | 68.20          | -1.21       | 7.96        | 3        | Vertical  | 52          | 2.20       | 59.03      | 34.45   | 8.64    | 35.13   |
| AV   | 5.972G    | 98.82          | Inf            | -Inf        | 7.87        | 3        | Vertical  | 52          | 2.20       | 90.95      | 34.36   | 8.65    | 35.14   |
| PK   | 5.9185G   | 80.27          | 88.20          | -7.93       | 7.97        | 3        | Vertical  | 52          | 2.20       | 72.30      | 34.46   | 8.64    | 35.13   |
| PK   | 5.959G    | 106.84         | Inf            | -Inf        | 7.88        | 3        | Vertical  | 52          | 2.20       | 98.96      | 34.38   | 8.64    | 35.14   |

5.925-6.425GHz\_a80\_Nss1\_1TX


5985MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 11.9764G  | 45.39          | 54.00          | -8.61       | 8.50        | 3        | Vertical  | 300         | 2.41       | 36.89      | 38.95   | 12.33   | 42.78   |
| PK   | 11.97002G | 54.58          | 74.00          | -19.42      | 8.48        | 3        | Vertical  | 300         | 2.41       | 46.10      | 38.94   | 12.32   | 42.78   |


## 5.925-6.425GHz\_a80\_Nss1\_1TX

### 5985MHz\_TX




## 5.925-6.425GHz\_a160\_Nss1\_1TX

### 6025MHz\_TX




5.925-6.425GHz\_a160\_Nss1\_1TX

6025MHz\_TX




5.925-6.425GHz\_a160\_Nss1\_1TX

6025MHz\_TX




6.525-6.875GHz\_a20\_Nss1\_1TX

6695MHz\_TX




6.525-6.875GHz\_a20\_Nss1\_1TX

6695MHz\_TX




6.525-6.875GHz\_a40\_Nss1\_1TX

6685MHz\_TX




6.525-6.875GHz\_a40\_Nss1\_1TX

6685MHz\_TX




6.525-6.875GHz\_a80\_Nss1\_1TX

6705MHz\_TX




6.525-6.875GHz\_a80\_Nss1\_1TX

6705MHz\_TX




6.525-6.875GHz\_a160\_Nss1\_1TX

6665MHz\_TX



6.525-6.875GHz\_a160\_Nss1\_1TX

6665MHz\_TX





## RSE TX below 1GHz\_Non-Beamforming\_Radio 3\_1T1S\_Dipole Appendix E.23

### Summary


| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT320_Nss1,(MCS0)_1TX | Pass   | PK   | 59.1M        | 30.84             | 40.00             | -9.16          | 3           | Vertical  | 360            | 1.00          |

## Result

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT320_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6105MHz_PoE                     | Pass   | PK   | 37.76M       | 28.02             | 40.00             | -11.98         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 59.1M        | 30.84             | 40.00             | -9.16          | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 113.42M      | 34.28             | 43.50             | -9.22          | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 295.78M      | 28.43             | 46.00             | -17.57         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 33.70             | 46.00             | -12.30         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 594.54M      | 29.77             | 46.00             | -16.23         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 84.32M       | 28.70             | 40.00             | -11.30         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 115.36M      | 29.55             | 43.50             | -13.95         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 148.34M      | 28.34             | 43.50             | -15.16         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 295.78M      | 29.47             | 46.00             | -16.53         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 31.53             | 46.00             | -14.47         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 794.36M      | 30.61             | 46.00             | -15.39         | 3           | Horizontal | 0              | 1.00          |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX


6105MHz\_PoE



| Type | Freq     | Level    | Limit | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL   | PA    |
|------|----------|----------|-------|--------|--------|------|-----------|---------|--------|--------|-------|------|-------|
| (Hz) | (dBuV/m) | (dBuV/m) | (dB)  | (dB)   | (dB)   | (m)  |           | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |
| PK   | 37.76M   | 28.02    | 40.00 | -11.98 | -22.72 | 3    | Vertical  | 360     | 1.00   | 50.74  | 20.91 | 0.84 | 44.47 |
| PK   | 59.1M    | 30.84    | 40.00 | -9.16  | -31.94 | 3    | Vertical  | 360     | 1.00   | 62.78  | 11.86 | 0.89 | 44.69 |
| PK   | 113.42M  | 34.28    | 43.50 | -9.22  | -26.13 | 3    | Vertical  | 360     | 1.00   | 60.41  | 17.24 | 1.24 | 44.61 |
| PK   | 295.78M  | 28.43    | 46.00 | -17.57 | -22.95 | 3    | Vertical  | 360     | 1.00   | 51.38  | 19.41 | 1.98 | 44.34 |
| PK   | 449.04M  | 33.70    | 46.00 | -12.30 | -18.47 | 3    | Vertical  | 360     | 1.00   | 52.17  | 23.16 | 2.40 | 44.03 |
| PK   | 594.54M  | 29.77    | 46.00 | -16.23 | -15.03 | 3    | Vertical  | 360     | 1.00   | 44.80  | 26.15 | 2.76 | 43.94 |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_PoE



| Type | Freq     | Level    | Limit | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw    | AF    | CL   | PA    |
|------|----------|----------|-------|--------|--------|------|------------|---------|--------|--------|-------|------|-------|
| (Hz) | (dBuV/m) | (dBuV/m) | (dB)  | (dB)   | (dB)   | (m)  |            | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |
| PK   | 84.32M   | 28.70    | 40.00 | -11.30 | -29.50 | 3    | Horizontal | 0       | 1.00   | 58.20  | 14.10 | 1.08 | 44.68 |
| PK   | 115.36M  | 29.55    | 43.50 | -13.95 | -26.02 | 3    | Horizontal | 0       | 1.00   | 55.57  | 17.34 | 1.25 | 44.61 |
| PK   | 148.34M  | 28.34    | 43.50 | -15.16 | -25.99 | 3    | Horizontal | 0       | 1.00   | 54.33  | 17.26 | 1.40 | 44.65 |
| PK   | 295.78M  | 29.47    | 46.00 | -16.53 | -22.95 | 3    | Horizontal | 0       | 1.00   | 52.42  | 19.41 | 1.98 | 44.34 |
| PK   | 449.04M  | 31.53    | 46.00 | -14.47 | -18.47 | 3    | Horizontal | 0       | 1.00   | 50.00  | 23.16 | 2.40 | 44.03 |
| PK   | 794.36M  | 30.61    | 46.00 | -15.39 | -12.26 | 3    | Horizontal | 0       | 1.00   | 42.87  | 28.30 | 3.25 | 43.81 |



**RSE TX above 1GHz\_Non-Beamforming\_  
Radio 3\_1T1S\_Dipole**

**Appendix E.24**

**Summary**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_1TX        | Pass   | AV   | 12.38976G    | 43.51             | 54.00             | -10.49         | 3           | Vertical   | 3              | 1.89          |
| 802.11be EHT20_Nss1,(MCS0)_1TX  | Pass   | AV   | 12.39114G    | 43.69             | 54.00             | -10.31         | 3           | Vertical   | 3              | 2.18          |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.9248G      | 66.79             | 68.20             | -1.41          | 3           | Horizontal | 360            | 2.25          |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.925G       | 65.38             | 68.20             | -2.82          | 3           | Horizontal | 357            | 1.00          |
| 802.11be EHT160_Nss1,(MCS0)_1TX | Pass   | AV   | 5.925G       | 66.47             | 68.20             | -1.73          | 3           | Horizontal | 357            | 2.40          |
| 802.11be EHT320_Nss1,(MCS0)_1TX | Pass   | AV   | 5.925G       | 62.20             | 68.20             | -6.00          | 3           | Horizontal | 353            | 2.59          |
| 6.525-6.875GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_1TX        | Pass   | AV   | 13.39088G    | 45.79             | 54.00             | -8.21          | 3           | Vertical   | 326            | 1.87          |
| 802.11be EHT20_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.3883G     | 46.01             | 54.00             | -7.99          | 3           | Horizontal | 329            | 2.05          |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.37292G    | 45.33             | 54.00             | -8.67          | 3           | Horizontal | 329            | 2.10          |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.2583G     | 44.06             | 54.00             | -9.94          | 3           | Vertical   | 211            | 1.50          |
| 802.11be EHT160_Nss1,(MCS0)_1TX | Pass   | AV   | 13.34G       | 44.37             | 54.00             | -9.63          | 3           | Horizontal | 38             | 1.50          |

**Result**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11a_Nss1,(6Mbps)_1TX       | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz_TX                     | Pass   | AV   | 5.925G       | 53.73             | 68.20             | -14.47         | 3           | Horizontal | 357            | 1.03          |
| 5955MHz_TX                     | Pass   | AV   | 5.9613G      | 100.75            | Inf               | -Inf           | 3           | Horizontal | 357            | 1.03          |
| 5955MHz_TX                     | Pass   | PK   | 5.9241G      | 68.75             | 88.20             | -19.45         | 3           | Horizontal | 357            | 1.03          |
| 5955MHz_TX                     | Pass   | PK   | 5.9589G      | 110.00            | Inf               | -Inf           | 3           | Horizontal | 357            | 1.03          |
| 5955MHz_TX                     | Pass   | AV   | 11.90842G    | 43.04             | 54.00             | -10.96         | 3           | Vertical   | 355            | 1.00          |
| 5955MHz_TX                     | Pass   | PK   | 11.91364G    | 56.79             | 74.00             | -17.21         | 3           | Vertical   | 355            | 1.00          |
| 5955MHz_TX                     | Pass   | AV   | 11.91862G    | 42.21             | 54.00             | -11.79         | 3           | Horizontal | 266            | 1.50          |
| 5955MHz_TX                     | Pass   | PK   | 11.91784G    | 55.40             | 74.00             | -18.60         | 3           | Horizontal | 266            | 1.50          |
| 6195MHz_TX                     | Pass   | AV   | 12.38976G    | 43.51             | 54.00             | -10.49         | 3           | Vertical   | 3              | 1.89          |
| 6195MHz_TX                     | Pass   | PK   | 12.38764G    | 55.94             | 74.00             | -18.06         | 3           | Vertical   | 3              | 1.89          |
| 6195MHz_TX                     | Pass   | AV   | 12.38918G    | 43.29             | 54.00             | -10.71         | 3           | Horizontal | 30             | 2.04          |
| 6195MHz_TX                     | Pass   | PK   | 12.3899G     | 56.41             | 74.00             | -17.59         | 3           | Horizontal | 30             | 2.04          |
| 6415MHz_TX                     | Pass   | AV   | 12.82904G    | 43.90             | 68.20             | -24.30         | 3           | Vertical   | 340            | 1.37          |
| 6415MHz_TX                     | Pass   | PK   | 12.82984G    | 57.46             | 88.20             | -30.74         | 3           | Vertical   | 340            | 1.37          |
| 6415MHz_TX                     | Pass   | AV   | 12.8314G     | 43.67             | 68.20             | -24.53         | 3           | Horizontal | 331            | 2.40          |
| 6415MHz_TX                     | Pass   | PK   | 12.829G      | 56.40             | 88.20             | -31.80         | 3           | Horizontal | 331            | 2.40          |
| 6535MHz_TX                     | Pass   | AV   | 13.06886G    | 47.13             | 68.20             | -21.07         | 3           | Vertical   | 350            | 2.14          |
| 6535MHz_TX                     | Pass   | PK   | 13.07376G    | 60.20             | 88.20             | -28.00         | 3           | Vertical   | 350            | 2.14          |
| 6535MHz_TX                     | Pass   | AV   | 13.07026G    | 49.31             | 68.20             | -18.89         | 3           | Horizontal | 324            | 2.04          |
| 6535MHz_TX                     | Pass   | PK   | 13.07196G    | 61.56             | 88.20             | -26.64         | 3           | Horizontal | 324            | 2.04          |
| 6695MHz_TX                     | Pass   | AV   | 13.39088G    | 45.79             | 54.00             | -8.21          | 3           | Vertical   | 326            | 1.87          |
| 6695MHz_TX                     | Pass   | PK   | 13.3907G     | 58.07             | 74.00             | -15.93         | 3           | Vertical   | 326            | 1.87          |
| 6695MHz_TX                     | Pass   | AV   | 13.38818G    | 45.16             | 54.00             | -8.84          | 3           | Horizontal | 65             | 1.91          |
| 6695MHz_TX                     | Pass   | PK   | 13.38516G    | 58.00             | 74.00             | -16.00         | 3           | Horizontal | 65             | 1.91          |
| 6855MHz_TX                     | Pass   | AV   | 13.71024G    | 47.05             | 68.20             | -21.15         | 3           | Vertical   | 320            | 1.90          |
| 6855MHz_TX                     | Pass   | PK   | 13.70826G    | 60.33             | 88.20             | -27.87         | 3           | Vertical   | 320            | 1.90          |
| 6855MHz_TX                     | Pass   | AV   | 13.71116G    | 45.47             | 68.20             | -22.73         | 3           | Horizontal | 330            | 1.92          |
| 6855MHz_TX                     | Pass   | PK   | 13.70494G    | 58.07             | 88.20             | -30.13         | 3           | Horizontal | 330            | 1.92          |
| 802.11be EHT20_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz_TX                     | Pass   | AV   | 5.925G       | 56.36             | 68.20             | -11.84         | 3           | Horizontal | 357            | 1.01          |
| 5955MHz_TX                     | Pass   | AV   | 5.9625G      | 100.48            | Inf               | -Inf           | 3           | Horizontal | 357            | 1.01          |
| 5955MHz_TX                     | Pass   | PK   | 5.925G       | 72.24             | 88.20             | -15.96         | 3           | Horizontal | 357            | 1.01          |
| 5955MHz_TX                     | Pass   | PK   | 5.9619G      | 112.19            | Inf               | -Inf           | 3           | Horizontal | 357            | 1.01          |
| 5955MHz_TX                     | Pass   | AV   | 11.90798G    | 42.97             | 54.00             | -11.03         | 3           | Vertical   | 356            | 1.08          |
| 5955MHz_TX                     | Pass   | PK   | 11.91738G    | 56.07             | 74.00             | -17.93         | 3           | Vertical   | 356            | 1.08          |
| 5955MHz_TX                     | Pass   | AV   | 11.9146G     | 42.50             | 54.00             | -11.50         | 3           | Horizontal | 23             | 1.98          |
| 5955MHz_TX                     | Pass   | PK   | 11.91992G    | 54.90             | 74.00             | -19.10         | 3           | Horizontal | 23             | 1.98          |
| 6195MHz_TX                     | Pass   | AV   | 12.39114G    | 43.69             | 54.00             | -10.31         | 3           | Vertical   | 3              | 2.18          |
| 6195MHz_TX                     | Pass   | PK   | 12.38204G    | 55.77             | 74.00             | -18.23         | 3           | Vertical   | 3              | 2.18          |
| 6195MHz_TX                     | Pass   | AV   | 12.39034G    | 43.67             | 54.00             | -10.33         | 3           | Horizontal | 311            | 1.97          |
| 6195MHz_TX                     | Pass   | PK   | 12.39726G    | 56.45             | 74.00             | -17.55         | 3           | Horizontal | 311            | 1.97          |
| 6415MHz_TX                     | Pass   | AV   | 12.8314G     | 43.88             | 68.20             | -24.32         | 3           | Vertical   | 342            | 1.50          |
| 6415MHz_TX                     | Pass   | PK   | 12.83798G    | 56.37             | 88.20             | -31.83         | 3           | Vertical   | 342            | 1.50          |
| 6415MHz_TX                     | Pass   | AV   | 12.82938G    | 44.29             | 68.20             | -23.91         | 3           | Horizontal | 20             | 2.09          |
| 6415MHz_TX                     | Pass   | PK   | 12.83002G    | 56.72             | 88.20             | -31.48         | 3           | Horizontal | 20             | 2.09          |
| 6535MHz_TX                     | Pass   | AV   | 13.06948G    | 46.51             | 68.20             | -21.69         | 3           | Vertical   | 328            | 2.02          |
| 6535MHz_TX                     | Pass   | PK   | 13.0689G     | 59.27             | 88.20             | -28.93         | 3           | Vertical   | 328            | 2.02          |
| 6535MHz_TX                     | Pass   | AV   | 13.06984G    | 49.04             | 68.20             | -19.16         | 3           | Horizontal | 324            | 1.96          |
| 6535MHz_TX                     | Pass   | PK   | 13.07276G    | 61.47             | 88.20             | -26.73         | 3           | Horizontal | 324            | 1.96          |
| 6695MHz_TX                     | Pass   | AV   | 13.38904G    | 45.42             | 54.00             | -8.58          | 3           | Vertical   | 333            | 1.17          |
| 6695MHz_TX                     | Pass   | PK   | 13.39044G    | 58.56             | 74.00             | -15.44         | 3           | Vertical   | 333            | 1.17          |
| 6695MHz_TX                     | Pass   | AV   | 13.3883G     | 46.01             | 54.00             | -7.99          | 3           | Horizontal | 329            | 2.05          |
| 6695MHz_TX                     | Pass   | PK   | 13.39178G    | 58.65             | 74.00             | -15.35         | 3           | Horizontal | 329            | 2.05          |
| 6855MHz_TX                     | Pass   | AV   | 13.71084G    | 46.63             | 68.20             | -21.57         | 3           | Vertical   | 321            | 1.92          |
| 6855MHz_TX                     | Pass   | PK   | 13.70996G    | 58.93             | 88.20             | -29.27         | 3           | Vertical   | 321            | 1.92          |
| 6855MHz_TX                     | Pass   | AV   | 13.70836G    | 45.40             | 68.20             | -22.80         | 3           | Horizontal | 324            | 2.82          |
| 6855MHz_TX                     | Pass   | PK   | 13.70034G    | 58.10             | 88.20             | -30.10         | 3           | Horizontal | 324            | 2.82          |
| 802.11be EHT40_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5965MHz_TX                     | Pass   | AV   | 5.9248G      | 66.79             | 68.20             | -1.41          | 3           | Horizontal | 360            | 2.25          |
| 5965MHz_TX                     | Pass   | AV   | 5.9734G      | 98.09             | Inf               | -Inf           | 3           | Horizontal | 360            | 2.25          |

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5965MHz_TX                      | Pass   | PK   | 5.9236G      | 81.00             | 88.20             | -7.20          | 3           | Horizontal | 360            | 2.25          |
| 5965MHz_TX                      | Pass   | PK   | 5.9764G      | 110.20            | Inf               | -Inf           | 3           | Horizontal | 360            | 2.25          |
| 5965MHz_TX                      | Pass   | AV   | 11.93008G    | 42.58             | 54.00             | -11.42         | 3           | Vertical   | 85             | 1.50          |
| 5965MHz_TX                      | Pass   | PK   | 11.92306G    | 55.84             | 74.00             | -18.16         | 3           | Vertical   | 85             | 1.50          |
| 5965MHz_TX                      | Pass   | AV   | 11.92692G    | 42.48             | 54.00             | -11.52         | 3           | Horizontal | 330            | 1.50          |
| 5965MHz_TX                      | Pass   | PK   | 11.94G       | 55.41             | 74.00             | -18.59         | 3           | Horizontal | 330            | 1.50          |
| 6205MHz_TX                      | Pass   | AV   | 12.40888G    | 43.13             | 54.00             | -10.87         | 3           | Vertical   | 2              | 1.01          |
| 6205MHz_TX                      | Pass   | PK   | 12.41146G    | 55.94             | 74.00             | -18.06         | 3           | Vertical   | 2              | 1.01          |
| 6205MHz_TX                      | Pass   | AV   | 12.4122G     | 42.28             | 54.00             | -11.72         | 3           | Horizontal | 100            | 1.50          |
| 6205MHz_TX                      | Pass   | PK   | 12.41106G    | 54.59             | 74.00             | -19.41         | 3           | Horizontal | 100            | 1.50          |
| 6405MHz_TX                      | Pass   | AV   | 12.8179G     | 43.69             | 68.20             | -24.51         | 3           | Vertical   | 39             | 1.34          |
| 6405MHz_TX                      | Pass   | PK   | 12.80344G    | 56.59             | 88.20             | -31.61         | 3           | Vertical   | 39             | 1.34          |
| 6405MHz_TX                      | Pass   | AV   | 12.81546G    | 43.58             | 68.20             | -24.62         | 3           | Horizontal | 4              | 2.16          |
| 6405MHz_TX                      | Pass   | PK   | 12.8028G     | 56.31             | 88.20             | -31.89         | 3           | Horizontal | 4              | 2.16          |
| 6565MHz_TX                      | Pass   | AV   | 13.1323G     | 45.47             | 68.20             | -22.73         | 3           | Vertical   | 40             | 1.13          |
| 6565MHz_TX                      | Pass   | PK   | 13.12962G    | 58.27             | 88.20             | -29.93         | 3           | Vertical   | 40             | 1.13          |
| 6565MHz_TX                      | Pass   | AV   | 13.12932G    | 46.42             | 68.20             | -21.78         | 3           | Horizontal | 36             | 2.08          |
| 6565MHz_TX                      | Pass   | PK   | 13.12042G    | 59.01             | 88.20             | -29.19         | 3           | Horizontal | 36             | 2.08          |
| 6685MHz_TX                      | Pass   | AV   | 13.37372G    | 44.78             | 54.00             | -9.22          | 3           | Vertical   | 328            | 2.15          |
| 6685MHz_TX                      | Pass   | PK   | 13.3768G     | 57.67             | 74.00             | -16.33         | 3           | Vertical   | 328            | 2.15          |
| 6685MHz_TX                      | Pass   | AV   | 13.37292G    | 45.33             | 54.00             | -8.67          | 3           | Horizontal | 329            | 2.10          |
| 6685MHz_TX                      | Pass   | PK   | 13.36988G    | 57.90             | 74.00             | -16.10         | 3           | Horizontal | 329            | 2.10          |
| 6845MHz_TX                      | Pass   | AV   | 13.69116G    | 45.63             | 68.20             | -22.57         | 3           | Vertical   | 321            | 1.96          |
| 6845MHz_TX                      | Pass   | PK   | 13.68146G    | 58.33             | 88.20             | -29.87         | 3           | Vertical   | 321            | 1.96          |
| 6845MHz_TX                      | Pass   | AV   | 13.69994G    | 44.41             | 68.20             | -23.79         | 3           | Horizontal | 149            | 1.50          |
| 6845MHz_TX                      | Pass   | PK   | 13.6937G     | 57.32             | 88.20             | -30.88         | 3           | Horizontal | 149            | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5985MHz_TX                      | Pass   | AV   | 5.925G       | 65.38             | 68.20             | -2.82          | 3           | Horizontal | 357            | 1.00          |
| 5985MHz_TX                      | Pass   | AV   | 5.974G       | 94.29             | Inf               | -Inf           | 3           | Horizontal | 357            | 1.00          |
| 5985MHz_TX                      | Pass   | PK   | 5.92G        | 77.56             | 88.20             | -10.64         | 3           | Horizontal | 357            | 1.00          |
| 5985MHz_TX                      | Pass   | PK   | 5.969G       | 106.33            | Inf               | -Inf           | 3           | Horizontal | 357            | 1.00          |
| 5985MHz_TX                      | Pass   | AV   | 11.97686G    | 42.67             | 54.00             | -11.33         | 3           | Vertical   | 34             | 1.50          |
| 5985MHz_TX                      | Pass   | PK   | 11.97306G    | 55.95             | 74.00             | -18.05         | 3           | Vertical   | 34             | 1.50          |
| 5985MHz_TX                      | Pass   | AV   | 11.96774G    | 42.64             | 54.00             | -11.36         | 3           | Horizontal | 130            | 1.40          |
| 5985MHz_TX                      | Pass   | PK   | 11.96816G    | 54.88             | 74.00             | -19.12         | 3           | Horizontal | 130            | 1.40          |
| 6225MHz_TX                      | Pass   | AV   | 12.44818G    | 42.38             | 54.00             | -11.62         | 3           | Vertical   | 25             | 2.32          |
| 6225MHz_TX                      | Pass   | PK   | 12.45918G    | 55.10             | 74.00             | -18.90         | 3           | Vertical   | 25             | 2.32          |
| 6225MHz_TX                      | Pass   | AV   | 12.4425G     | 42.25             | 54.00             | -11.75         | 3           | Horizontal | 214            | 1.99          |
| 6225MHz_TX                      | Pass   | PK   | 12.4499G     | 55.43             | 74.00             | -18.57         | 3           | Horizontal | 214            | 1.99          |
| 6385MHz_TX                      | Pass   | AV   | 12.77992G    | 43.29             | 68.20             | -24.91         | 3           | Vertical   | 70             | 1.50          |
| 6385MHz_TX                      | Pass   | PK   | 12.77944G    | 56.12             | 88.20             | -32.08         | 3           | Vertical   | 70             | 1.50          |
| 6385MHz_TX                      | Pass   | AV   | 12.7776G     | 43.26             | 68.20             | -24.94         | 3           | Horizontal | 200            | 1.27          |
| 6385MHz_TX                      | Pass   | PK   | 12.76222G    | 56.62             | 88.20             | -31.58         | 3           | Horizontal | 200            | 1.27          |
| 6625MHz_TX                      | Pass   | AV   | 13.2583G     | 44.06             | 54.00             | -9.94          | 3           | Vertical   | 211            | 1.50          |
| 6625MHz_TX                      | Pass   | PK   | 13.2596G     | 57.60             | 74.00             | -16.40         | 3           | Vertical   | 211            | 1.50          |
| 6625MHz_TX                      | Pass   | AV   | 13.25814G    | 44.03             | 54.00             | -9.97          | 3           | Horizontal | 224            | 1.50          |
| 6625MHz_TX                      | Pass   | PK   | 13.24434G    | 56.93             | 88.20             | -31.27         | 3           | Horizontal | 224            | 1.50          |
| 6705MHz_TX                      | Pass   | AV   | 13.4106G     | 44.81             | 68.20             | -23.39         | 3           | Vertical   | 319            | 1.01          |
| 6705MHz_TX                      | Pass   | PK   | 13.40964G    | 57.17             | 88.20             | -31.03         | 3           | Vertical   | 319            | 1.01          |
| 6705MHz_TX                      | Pass   | AV   | 13.41472G    | 44.60             | 68.20             | -23.60         | 3           | Horizontal | 107            | 1.50          |
| 6705MHz_TX                      | Pass   | PK   | 13.40324G    | 57.75             | 88.20             | -30.45         | 3           | Horizontal | 107            | 1.50          |
| 6785MHz_TX                      | Pass   | AV   | 13.57534G    | 44.66             | 68.20             | -23.54         | 3           | Vertical   | 19             | 1.50          |
| 6785MHz_TX                      | Pass   | PK   | 13.57298G    | 57.08             | 88.20             | -31.12         | 3           | Vertical   | 19             | 1.50          |
| 6785MHz_TX                      | Pass   | AV   | 13.57754G    | 44.87             | 68.20             | -23.33         | 3           | Horizontal | 203            | 1.90          |
| 6785MHz_TX                      | Pass   | PK   | 13.5724G     | 58.44             | 88.20             | -29.76         | 3           | Horizontal | 203            | 1.90          |
| 802.11be EHT160_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6025MHz_TX                      | Pass   | AV   | 5.925G       | 66.47             | 68.20             | -1.73          | 3           | Horizontal | 357            | 2.40          |
| 6025MHz_TX                      | Pass   | AV   | 5.994G       | 92.26             | Inf               | -Inf           | 3           | Horizontal | 357            | 2.40          |
| 6025MHz_TX                      | Pass   | PK   | 5.922G       | 79.08             | 88.20             | -9.12          | 3           | Horizontal | 357            | 2.40          |
| 6025MHz_TX                      | Pass   | PK   | 5.969G       | 104.43            | Inf               | -Inf           | 3           | Horizontal | 357            | 2.40          |
| 6025MHz_TX                      | Pass   | AV   | 12.05312G    | 42.97             | 54.00             | -11.03         | 3           | Vertical   | 270            | 1.50          |
| 6025MHz_TX                      | Pass   | PK   | 12.05286G    | 55.70             | 74.00             | -18.30         | 3           | Vertical   | 270            | 1.50          |




**RSE TX above 1GHz\_Non-Beamforming\_  
Radio 3\_1T1S\_Dipole**

**Appendix E.24**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 6025MHz_TX                      | Pass   | AV   | 12.0549G     | 42.87             | 54.00             | -11.13         | 3           | Horizontal | 297            | 1.50          |
| 6025MHz_TX                      | Pass   | PK   | 12.04504G    | 55.23             | 74.00             | -18.77         | 3           | Horizontal | 297            | 1.50          |
| 6185MHz_TX                      | Pass   | AV   | 12.37344G    | 42.37             | 54.00             | -11.63         | 3           | Vertical   | 354            | 2.63          |
| 6185MHz_TX                      | Pass   | PK   | 12.36326G    | 54.89             | 74.00             | -19.11         | 3           | Vertical   | 354            | 2.63          |
| 6185MHz_TX                      | Pass   | AV   | 12.3658G     | 42.36             | 54.00             | -11.64         | 3           | Horizontal | 344            | 2.11          |
| 6185MHz_TX                      | Pass   | PK   | 12.36636G    | 54.73             | 74.00             | -19.27         | 3           | Horizontal | 344            | 2.11          |
| 6345MHz_TX                      | Pass   | AV   | 12.6965G     | 42.94             | 54.00             | -11.06         | 3           | Vertical   | 291            | 2.27          |
| 6345MHz_TX                      | Pass   | PK   | 12.68634G    | 55.43             | 74.00             | -18.57         | 3           | Vertical   | 291            | 2.27          |
| 6345MHz_TX                      | Pass   | AV   | 12.69368G    | 42.91             | 54.00             | -11.09         | 3           | Horizontal | 261            | 2.44          |
| 6345MHz_TX                      | Pass   | PK   | 12.68382G    | 55.43             | 74.00             | -18.57         | 3           | Horizontal | 261            | 2.44          |
| 6665MHz_TX                      | Pass   | AV   | 13.33958G    | 44.36             | 54.00             | -9.64          | 3           | Vertical   | 246            | 1.50          |
| 6665MHz_TX                      | Pass   | PK   | 13.32296G    | 56.90             | 74.00             | -17.10         | 3           | Vertical   | 246            | 1.50          |
| 6665MHz_TX                      | Pass   | AV   | 13.34G       | 44.37             | 54.00             | -9.63          | 3           | Horizontal | 38             | 1.50          |
| 6665MHz_TX                      | Pass   | PK   | 13.33042G    | 57.64             | 74.00             | -16.36         | 3           | Horizontal | 38             | 1.50          |
| 802.11be EHT320_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6105MHz_TX                      | Pass   | AV   | 5.925G       | 62.20             | 68.20             | -6.00          | 3           | Horizontal | 353            | 2.59          |
| 6105MHz_TX                      | Pass   | AV   | 6.209G       | 89.91             | Inf               | -Inf           | 3           | Horizontal | 353            | 2.59          |
| 6105MHz_TX                      | Pass   | PK   | 5.925G       | 73.99             | 88.20             | -14.21         | 3           | Horizontal | 353            | 2.59          |
| 6105MHz_TX                      | Pass   | PK   | 6.211G       | 101.23            | Inf               | -Inf           | 3           | Horizontal | 353            | 2.59          |
| 6105MHz_TX                      | Pass   | AV   | 12.21708G    | 43.12             | 54.00             | -10.88         | 3           | Vertical   | 189            | 1.50          |
| 6105MHz_TX                      | Pass   | PK   | 12.20582G    | 55.60             | 74.00             | -18.40         | 3           | Vertical   | 189            | 1.50          |
| 6105MHz_TX                      | Pass   | AV   | 12.20688G    | 43.25             | 54.00             | -10.75         | 3           | Horizontal | 48             | 1.50          |
| 6105MHz_TX                      | Pass   | PK   | 12.20046G    | 55.76             | 74.00             | -18.24         | 3           | Horizontal | 48             | 1.50          |
| 6265MHz_TX                      | Pass   | AV   | 12.53528G    | 42.28             | 54.00             | -11.72         | 3           | Vertical   | 328            | 2.32          |
| 6265MHz_TX                      | Pass   | PK   | 12.5257G     | 54.58             | 74.00             | -19.42         | 3           | Vertical   | 328            | 2.32          |
| 6265MHz_TX                      | Pass   | AV   | 12.52548G    | 42.27             | 54.00             | -11.73         | 3           | Horizontal | 291            | 1.50          |
| 6265MHz_TX                      | Pass   | PK   | 12.5243G     | 54.77             | 74.00             | -19.23         | 3           | Horizontal | 291            | 1.50          |


5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_1TX

6195MHz\_TX




5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_1TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




**5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX**

**5965MHz\_TX**




**5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX**

**5985MHz\_TX**




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




**5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX**

**6025MHz\_TX**




**5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX**

**6105MHz\_TX**




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




**6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_1TX**

**6695MHz\_TX**




**6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_1TX**

**6695MHz\_TX**




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6665MHz\_TX



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6665MHz\_TX





**RSE TX below 1GHz\_Non-Beamforming\_  
Radio 3\_2T1S\_Dipole**

**Appendix E.25**

**Summary**


| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT320_Nss1,(MCS0)_2TX | Pass   | PK   | 449.04M      | 37.50             | 46.00             | -8.50          | 3           | Horizontal | 0              | 1.00          |

**Result**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT320_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6105MHz_PoE                     | Pass   | PK   | 37.76M       | 30.15             | 40.00             | -9.85          | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 115.36M      | 25.68             | 43.50             | -17.82         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 299.66M      | 28.78             | 46.00             | -17.22         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 29.22             | 46.00             | -16.78         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 596.48M      | 29.62             | 46.00             | -16.38         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 740.04M      | 34.54             | 46.00             | -11.46         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 61.04M       | 22.03             | 40.00             | -17.97         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 134.76M      | 26.25             | 43.50             | -17.25         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 249.22M      | 27.83             | 46.00             | -18.17         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 295.78M      | 34.42             | 46.00             | -11.58         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 37.50             | 46.00             | -8.50          | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 598.42M      | 27.70             | 46.00             | -18.30         | 3           | Horizontal | 0              | 1.00          |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_PoE



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 37.76M       | 30.15             | 40.00             | -9.85          | -22.72         | 3           | Vertical  | 360            | 1.00          | 52.87         | 20.91      | 0.84       | 44.47      |
| PK   | 115.36M      | 25.68             | 43.50             | -17.82         | -26.02         | 3           | Vertical  | 360            | 1.00          | 51.70         | 17.34      | 1.25       | 44.61      |
| PK   | 299.66M      | 28.78             | 46.00             | -17.22         | -22.90         | 3           | Vertical  | 360            | 1.00          | 51.68         | 19.43      | 2.00       | 44.33      |
| PK   | 449.04M      | 29.22             | 46.00             | -16.78         | -18.47         | 3           | Vertical  | 360            | 1.00          | 47.69         | 23.16      | 2.40       | 44.03      |
| PK   | 596.48M      | 29.62             | 46.00             | -16.38         | -15.04         | 3           | Vertical  | 360            | 1.00          | 44.66         | 26.13      | 2.77       | 43.94      |
| PK   | 740.04M      | 34.54             | 46.00             | -11.46         | -12.52         | 3           | Vertical  | 360            | 1.00          | 47.06         | 28.25      | 3.11       | 43.88      |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_PoE



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 61.04M       | 22.03             | 40.00             | -17.97         | -31.87         | 3           | Horizontal | 0              | 1.00          | 53.90         | 11.92      | 0.91       | 44.70      |
| PK   | 134.76M      | 26.25             | 43.50             | -17.25         | -25.61         | 3           | Horizontal | 0              | 1.00          | 51.86         | 17.69      | 1.34       | 44.64      |
| PK   | 249.22M      | 27.83             | 46.00             | -18.17         | -24.01         | 3           | Horizontal | 0              | 1.00          | 51.84         | 18.62      | 1.81       | 44.44      |
| PK   | 295.78M      | 34.42             | 46.00             | -11.58         | -22.95         | 3           | Horizontal | 0              | 1.00          | 57.37         | 19.41      | 1.98       | 44.34      |
| PK   | 449.04M      | 37.50             | 46.00             | -8.50          | -18.47         | 3           | Horizontal | 0              | 1.00          | 55.97         | 23.16      | 2.40       | 44.03      |
| PK   | 598.42M      | 27.70             | 46.00             | -18.30         | -15.09         | 3           | Horizontal | 0              | 1.00          | 42.79         | 26.08      | 2.77       | 43.94      |



**RSE TX above 1GHz\_Non-Beamforming\_  
Radio 3\_2T1S\_Dipole**

**Appendix E.26**

**Summary**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_2TX        | Pass   | AV   | 12.3884G     | 48.07             | 54.00             | -5.93          | 3           | Horizontal | 56             | 1.50          |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | Pass   | AV   | 12.38902G    | 47.95             | 54.00             | -6.05          | 3           | Horizontal | 58             | 1.50          |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.9236G      | 67.80             | 68.20             | -0.40          | 3           | Horizontal | 167            | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.923G       | 68.10             | 68.20             | -0.10          | 3           | Horizontal | 167            | 1.50          |
| 802.11be EHT160_Nss1,(MCS0)_2TX | Pass   | AV   | 5.923G       | 67.34             | 68.20             | -0.86          | 3           | Horizontal | 167            | 1.50          |
| 802.11be EHT320_Nss1,(MCS0)_2TX | Pass   | AV   | 5.925G       | 66.46             | 68.20             | -1.74          | 3           | Horizontal | 169            | 1.50          |
| 6.525-6.875GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_2TX        | Pass   | AV   | 13.38866G    | 52.83             | 54.00             | -1.17          | 3           | Horizontal | 159            | 1.40          |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | Pass   | AV   | 13.38954G    | 50.68             | 54.00             | -3.32          | 3           | Horizontal | 158            | 1.50          |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | Pass   | AV   | 13.37104G    | 48.98             | 54.00             | -5.02          | 3           | Horizontal | 141            | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | AV   | 13.25888G    | 46.46             | 54.00             | -7.54          | 3           | Vertical   | 360            | 1.19          |
| 802.11be EHT160_Nss1,(MCS0)_2TX | Pass   | AV   | 13.34936G    | 46.14             | 54.00             | -7.86          | 3           | Horizontal | 160            | 1.35          |

**Result**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11a_Nss1,(6Mbps)_2TX       | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz                        | Pass   | AV   | 5.922G       | 57.17             | 68.20             | -11.03         | 3           | Horizontal | 6              | 1.50          |
| 5955MHz                        | Pass   | AV   | 5.9622G      | 107.65            | Inf               | -Inf           | 3           | Horizontal | 6              | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9214G      | 74.77             | 88.20             | -13.43         | 3           | Horizontal | 6              | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9574G      | 116.58            | Inf               | -Inf           | 3           | Horizontal | 6              | 1.50          |
| 5955MHz                        | Pass   | AV   | 11.90966G    | 45.16             | 54.00             | -8.84          | 3           | Vertical   | 21             | 1.43          |
| 5955MHz                        | Pass   | PK   | 11.90902G    | 57.40             | 74.00             | -16.60         | 3           | Vertical   | 21             | 1.43          |
| 5955MHz                        | Pass   | AV   | 11.90854G    | 47.54             | 54.00             | -6.46          | 3           | Horizontal | 55             | 1.64          |
| 5955MHz                        | Pass   | PK   | 11.90906G    | 59.91             | 74.00             | -14.09         | 3           | Horizontal | 55             | 1.64          |
| 6195MHz                        | Pass   | AV   | 12.38962G    | 46.04             | 54.00             | -7.96          | 3           | Vertical   | 310            | 1.59          |
| 6195MHz                        | Pass   | PK   | 12.39024G    | 58.25             | 74.00             | -15.75         | 3           | Vertical   | 310            | 1.59          |
| 6195MHz                        | Pass   | AV   | 12.3884G     | 48.07             | 54.00             | -5.93          | 3           | Horizontal | 56             | 1.50          |
| 6195MHz                        | Pass   | PK   | 12.3883G     | 60.19             | 74.00             | -13.81         | 3           | Horizontal | 56             | 1.50          |
| 6415MHz                        | Pass   | AV   | 12.8318G     | 47.16             | 68.20             | -21.04         | 3           | Vertical   | 65             | 2.93          |
| 6415MHz                        | Pass   | PK   | 12.83026G    | 59.43             | 88.20             | -28.77         | 3           | Vertical   | 65             | 2.93          |
| 6415MHz                        | Pass   | AV   | 12.82958G    | 47.78             | 68.20             | -20.42         | 3           | Horizontal | 141            | 1.32          |
| 6415MHz                        | Pass   | PK   | 12.82954G    | 61.12             | 88.20             | -27.08         | 3           | Horizontal | 141            | 1.32          |
| 6535MHz                        | Pass   | AV   | 13.07036G    | 50.71             | 68.20             | -17.49         | 3           | Vertical   | 245            | 1.50          |
| 6535MHz                        | Pass   | PK   | 13.0752G     | 62.75             | 88.20             | -25.45         | 3           | Vertical   | 245            | 1.50          |
| 6535MHz                        | Pass   | AV   | 13.07054G    | 54.85             | 68.20             | -13.35         | 3           | Horizontal | 20             | 1.49          |
| 6535MHz                        | Pass   | PK   | 13.0708G     | 66.77             | 88.20             | -21.43         | 3           | Horizontal | 20             | 1.49          |
| 6695MHz                        | Pass   | AV   | 13.38868G    | 50.46             | 54.00             | -3.54          | 3           | Vertical   | 354            | 1.71          |
| 6695MHz                        | Pass   | PK   | 13.38778G    | 62.41             | 74.00             | -11.59         | 3           | Vertical   | 354            | 1.71          |
| 6695MHz                        | Pass   | AV   | 13.38866G    | 52.83             | 54.00             | -1.17          | 3           | Horizontal | 159            | 1.40          |
| 6695MHz                        | Pass   | PK   | 13.38946G    | 65.06             | 74.00             | -8.94          | 3           | Horizontal | 159            | 1.40          |
| 6855MHz                        | Pass   | AV   | 13.70878G    | 50.13             | 68.20             | -18.07         | 3           | Vertical   | 156            | 2.75          |
| 6855MHz                        | Pass   | PK   | 13.70928G    | 62.62             | 88.20             | -25.58         | 3           | Vertical   | 156            | 2.75          |
| 6855MHz                        | Pass   | AV   | 13.709G      | 54.21             | 68.20             | -13.99         | 3           | Horizontal | 162            | 1.50          |
| 6855MHz                        | Pass   | PK   | 13.70784G    | 66.30             | 88.20             | -21.90         | 3           | Horizontal | 162            | 1.50          |
| 802.11be EHT20_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz                        | Pass   | AV   | 5.9232G      | 60.58             | 68.20             | -7.62          | 3           | Horizontal | 167            | 1.50          |
| 5955MHz                        | Pass   | AV   | 5.961G       | 106.53            | Inf               | -Inf           | 3           | Horizontal | 167            | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9232G      | 77.63             | 88.20             | -10.57         | 3           | Horizontal | 167            | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9604G      | 118.08            | Inf               | -Inf           | 3           | Horizontal | 167            | 1.50          |
| 5955MHz                        | Pass   | AV   | 11.91002G    | 45.53             | 54.00             | -8.47          | 3           | Vertical   | 63             | 3.00          |
| 5955MHz                        | Pass   | PK   | 11.90724G    | 57.82             | 74.00             | -16.18         | 3           | Vertical   | 63             | 3.00          |
| 5955MHz                        | Pass   | AV   | 11.90948G    | 47.60             | 54.00             | -6.40          | 3           | Horizontal | 55             | 1.61          |
| 5955MHz                        | Pass   | PK   | 11.90938G    | 60.94             | 74.00             | -13.06         | 3           | Horizontal | 55             | 1.61          |
| 6195MHz                        | Pass   | AV   | 12.38982G    | 45.29             | 54.00             | -8.71          | 3           | Vertical   | 310            | 1.50          |
| 6195MHz                        | Pass   | PK   | 12.39212G    | 56.79             | 74.00             | -17.21         | 3           | Vertical   | 310            | 1.50          |
| 6195MHz                        | Pass   | AV   | 12.38902G    | 47.95             | 54.00             | -6.05          | 3           | Horizontal | 58             | 1.50          |
| 6195MHz                        | Pass   | PK   | 12.38648G    | 59.60             | 74.00             | -14.40         | 3           | Horizontal | 58             | 1.50          |
| 6415MHz                        | Pass   | AV   | 12.8285G     | 46.87             | 68.20             | -21.33         | 3           | Vertical   | 64             | 2.92          |
| 6415MHz                        | Pass   | PK   | 12.82864G    | 58.99             | 88.20             | -29.21         | 3           | Vertical   | 64             | 2.92          |
| 6415MHz                        | Pass   | AV   | 12.83006G    | 48.04             | 68.20             | -20.16         | 3           | Horizontal | 141            | 1.31          |
| 6415MHz                        | Pass   | PK   | 12.82986G    | 60.89             | 88.20             | -27.31         | 3           | Horizontal | 141            | 1.31          |
| 6535MHz                        | Pass   | AV   | 13.07028G    | 51.04             | 68.20             | -17.16         | 3           | Vertical   | 245            | 1.55          |
| 6535MHz                        | Pass   | PK   | 13.06782G    | 62.20             | 88.20             | -26.00         | 3           | Vertical   | 245            | 1.55          |
| 6535MHz                        | Pass   | AV   | 13.07016G    | 55.03             | 68.20             | -13.17         | 3           | Horizontal | 20             | 1.44          |
| 6535MHz                        | Pass   | PK   | 13.0702G     | 67.04             | 88.20             | -21.16         | 3           | Horizontal | 20             | 1.44          |
| 6695MHz                        | Pass   | AV   | 13.38898G    | 50.19             | 54.00             | -3.81          | 3           | Vertical   | 359            | 1.73          |
| 6695MHz                        | Pass   | PK   | 13.38938G    | 62.10             | 74.00             | -11.90         | 3           | Vertical   | 359            | 1.73          |
| 6695MHz                        | Pass   | AV   | 13.38954G    | 50.68             | 54.00             | -3.32          | 3           | Horizontal | 158            | 1.50          |
| 6695MHz                        | Pass   | PK   | 13.399G      | 63.31             | 74.00             | -10.69         | 3           | Horizontal | 158            | 1.50          |
| 6855MHz                        | Pass   | AV   | 13.7094G     | 49.64             | 68.20             | -18.56         | 3           | Vertical   | 357            | 1.35          |
| 6855MHz                        | Pass   | PK   | 13.70912G    | 61.49             | 88.20             | -26.71         | 3           | Vertical   | 357            | 1.35          |
| 6855MHz                        | Pass   | AV   | 13.7094G     | 54.46             | 68.20             | -13.74         | 3           | Horizontal | 162            | 1.51          |
| 6855MHz                        | Pass   | PK   | 13.70928G    | 68.41             | 88.20             | -19.79         | 3           | Horizontal | 162            | 1.51          |
| 802.11be EHT40_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5965MHz                        | Pass   | AV   | 5.9236G      | 67.80             | 68.20             | -0.40          | 3           | Horizontal | 167            | 1.50          |
| 5965MHz                        | Pass   | AV   | 5.9812G      | 104.04            | Inf               | -Inf           | 3           | Horizontal | 167            | 1.50          |

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5965MHz                         | Pass   | PK   | 5.9188G      | 82.78             | 88.20             | -5.42          | 3           | Horizontal | 167            | 1.50          |
| 5965MHz                         | Pass   | PK   | 5.9758G      | 115.98            | Inf               | -Inf           | 3           | Horizontal | 167            | 1.50          |
| 5965MHz                         | Pass   | AV   | 11.92904G    | 43.89             | 54.00             | -10.11         | 3           | Vertical   | 43             | 2.56          |
| 5965MHz                         | Pass   | PK   | 11.92376G    | 55.32             | 74.00             | -18.68         | 3           | Vertical   | 43             | 2.56          |
| 5965MHz                         | Pass   | AV   | 11.92956G    | 45.39             | 54.00             | -8.61          | 3           | Horizontal | 56             | 1.66          |
| 5965MHz                         | Pass   | PK   | 11.928G      | 55.81             | 74.00             | -18.19         | 3           | Horizontal | 56             | 1.66          |
| 6205MHz                         | Pass   | AV   | 12.40976G    | 44.06             | 54.00             | -9.94          | 3           | Vertical   | 311            | 1.50          |
| 6205MHz                         | Pass   | PK   | 12.41204G    | 55.79             | 74.00             | -18.21         | 3           | Vertical   | 311            | 1.50          |
| 6205MHz                         | Pass   | AV   | 12.409G      | 45.79             | 54.00             | -8.21          | 3           | Horizontal | 57             | 1.45          |
| 6205MHz                         | Pass   | PK   | 12.4192G     | 56.88             | 74.00             | -17.12         | 3           | Horizontal | 57             | 1.45          |
| 6405MHz                         | Pass   | AV   | 12.81112G    | 45.61             | 68.20             | -22.59         | 3           | Vertical   | 66             | 2.96          |
| 6405MHz                         | Pass   | PK   | 12.82824G    | 56.73             | 88.20             | -31.47         | 3           | Vertical   | 66             | 2.96          |
| 6405MHz                         | Pass   | AV   | 12.81084G    | 46.23             | 68.20             | -21.97         | 3           | Horizontal | 141            | 1.25          |
| 6405MHz                         | Pass   | PK   | 12.79688G    | 57.17             | 88.20             | -31.03         | 3           | Horizontal | 141            | 1.25          |
| 6565MHz                         | Pass   | AV   | 13.12248G    | 49.48             | 68.20             | -18.72         | 3           | Vertical   | 8              | 2.68          |
| 6565MHz                         | Pass   | PK   | 13.13484G    | 59.79             | 88.20             | -28.41         | 3           | Vertical   | 8              | 2.68          |
| 6565MHz                         | Pass   | AV   | 13.12704G    | 50.42             | 68.20             | -17.78         | 3           | Horizontal | 21             | 2.65          |
| 6565MHz                         | Pass   | PK   | 13.13188G    | 61.28             | 88.20             | -26.92         | 3           | Horizontal | 21             | 2.65          |
| 6685MHz                         | Pass   | AV   | 13.37144G    | 48.54             | 54.00             | -5.46          | 3           | Vertical   | 357            | 1.35          |
| 6685MHz                         | Pass   | PK   | 13.36888G    | 58.46             | 74.00             | -15.54         | 3           | Vertical   | 357            | 1.35          |
| 6685MHz                         | Pass   | AV   | 13.37104G    | 48.98             | 54.00             | -5.02          | 3           | Horizontal | 141            | 1.50          |
| 6685MHz                         | Pass   | PK   | 13.3762G     | 59.92             | 74.00             | -14.08         | 3           | Horizontal | 141            | 1.50          |
| 6845MHz                         | Pass   | AV   | 13.68956G    | 48.90             | 68.20             | -19.30         | 3           | Vertical   | 356            | 1.38          |
| 6845MHz                         | Pass   | PK   | 13.705G      | 59.69             | 88.20             | -28.51         | 3           | Vertical   | 356            | 1.38          |
| 6845MHz                         | Pass   | AV   | 13.6888G     | 51.91             | 68.20             | -16.29         | 3           | Horizontal | 161            | 1.50          |
| 6845MHz                         | Pass   | PK   | 13.68668G    | 62.66             | 88.20             | -25.54         | 3           | Horizontal | 161            | 1.50          |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5985MHz                         | Pass   | AV   | 5.923G       | 68.10             | 68.20             | -0.10          | 3           | Horizontal | 167            | 1.50          |
| 5985MHz                         | Pass   | AV   | 5.996G       | 101.12            | Inf               | -Inf           | 3           | Horizontal | 167            | 1.50          |
| 5985MHz                         | Pass   | PK   | 5.922G       | 80.44             | 88.20             | -7.76          | 3           | Horizontal | 167            | 1.50          |
| 5985MHz                         | Pass   | PK   | 6.006G       | 113.32            | Inf               | -Inf           | 3           | Horizontal | 167            | 1.50          |
| 5985MHz                         | Pass   | AV   | 12.02088G    | 42.37             | 54.00             | -11.63         | 3           | Vertical   | 246            | 1.50          |
| 5985MHz                         | Pass   | PK   | 11.93856G    | 55.03             | 74.00             | -18.97         | 3           | Vertical   | 246            | 1.50          |
| 5985MHz                         | Pass   | AV   | 11.96472G    | 43.13             | 54.00             | -10.87         | 3           | Horizontal | 56             | 1.53          |
| 5985MHz                         | Pass   | PK   | 11.97276G    | 55.96             | 74.00             | -18.04         | 3           | Horizontal | 56             | 1.53          |
| 6225MHz                         | Pass   | AV   | 12.44988G    | 43.26             | 54.00             | -10.74         | 3           | Vertical   | 312            | 1.50          |
| 6225MHz                         | Pass   | PK   | 12.49164G    | 55.57             | 74.00             | -18.43         | 3           | Vertical   | 312            | 1.50          |
| 6225MHz                         | Pass   | AV   | 12.44472G    | 45.38             | 54.00             | -8.62          | 3           | Horizontal | 141            | 1.69          |
| 6225MHz                         | Pass   | PK   | 12.44256G    | 57.89             | 74.00             | -16.11         | 3           | Horizontal | 141            | 1.69          |
| 6385MHz                         | Pass   | AV   | 12.7768G     | 43.63             | 68.20             | -24.57         | 3           | Vertical   | 346            | 1.55          |
| 6385MHz                         | Pass   | PK   | 12.78696G    | 56.87             | 88.20             | -31.33         | 3           | Vertical   | 346            | 1.55          |
| 6385MHz                         | Pass   | AV   | 12.7796G     | 44.32             | 68.20             | -23.88         | 3           | Horizontal | 140            | 1.50          |
| 6385MHz                         | Pass   | PK   | 12.79648G    | 56.63             | 88.20             | -31.57         | 3           | Horizontal | 140            | 1.50          |
| 6625MHz                         | Pass   | AV   | 13.25888G    | 46.46             | 54.00             | -7.54          | 3           | Vertical   | 360            | 1.19          |
| 6625MHz                         | Pass   | PK   | 13.26928G    | 59.14             | 74.00             | -14.86         | 3           | Vertical   | 360            | 1.19          |
| 6625MHz                         | Pass   | AV   | 13.25672G    | 46.25             | 54.00             | -7.75          | 3           | Horizontal | 2              | 1.98          |
| 6625MHz                         | Pass   | PK   | 13.25432G    | 58.59             | 74.00             | -15.41         | 3           | Horizontal | 2              | 1.98          |
| 6705MHz                         | Pass   | AV   | 13.40944G    | 46.37             | 68.20             | -21.83         | 3           | Vertical   | 355            | 1.21          |
| 6705MHz                         | Pass   | PK   | 13.37376G    | 58.74             | 74.00             | -15.26         | 3           | Vertical   | 355            | 1.21          |
| 6705MHz                         | Pass   | AV   | 13.406G      | 47.89             | 68.20             | -20.31         | 3           | Horizontal | 142            | 1.43          |
| 6705MHz                         | Pass   | PK   | 13.39784G    | 60.96             | 74.00             | -13.04         | 3           | Horizontal | 142            | 1.43          |
| 6785MHz                         | Pass   | AV   | 13.57176G    | 46.88             | 68.20             | -21.32         | 3           | Vertical   | 355            | 1.50          |
| 6785MHz                         | Pass   | PK   | 13.57128G    | 59.05             | 88.20             | -29.15         | 3           | Vertical   | 355            | 1.50          |
| 6785MHz                         | Pass   | AV   | 13.57432G    | 50.09             | 68.20             | -18.11         | 3           | Horizontal | 21             | 2.59          |
| 6785MHz                         | Pass   | PK   | 13.56944G    | 62.57             | 88.20             | -25.63         | 3           | Horizontal | 21             | 2.59          |
| 802.11be EHT160_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6025MHz                         | Pass   | AV   | 5.923G       | 67.34             | 68.20             | -0.86          | 3           | Horizontal | 167            | 1.50          |
| 6025MHz                         | Pass   | AV   | 6.101G       | 98.35             | Inf               | -Inf           | 3           | Horizontal | 167            | 1.50          |
| 6025MHz                         | Pass   | PK   | 5.913G       | 79.38             | 88.20             | -8.82          | 3           | Horizontal | 167            | 1.50          |
| 6025MHz                         | Pass   | PK   | 5.991G       | 109.65            | Inf               | -Inf           | 3           | Horizontal | 167            | 1.50          |
| 6025MHz                         | Pass   | AV   | 12.16856G    | 42.74             | 54.00             | -11.26         | 3           | Vertical   | 259            | 1.10          |
| 6025MHz                         | Pass   | PK   | 12.08792G    | 56.48             | 74.00             | -17.52         | 3           | Vertical   | 259            | 1.10          |




**RSE TX above 1GHz\_Non-Beamforming\_  
Radio 3\_2T1S\_Dipole**

**Appendix E.26**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 6025MHz                         | Pass   | AV   | 12.05768G    | 43.07             | 54.00             | -10.93         | 3           | Horizontal | 143            | 1.50          |
| 6025MHz                         | Pass   | PK   | 12.12224G    | 55.80             | 74.00             | -18.20         | 3           | Horizontal | 143            | 1.50          |
| 6185MHz                         | Pass   | AV   | 12.25456G    | 42.78             | 54.00             | -11.22         | 3           | Vertical   | 238            | 1.50          |
| 6185MHz                         | Pass   | PK   | 12.26104G    | 55.34             | 74.00             | -18.66         | 3           | Vertical   | 238            | 1.50          |
| 6185MHz                         | Pass   | AV   | 12.26176G    | 43.28             | 54.00             | -10.72         | 3           | Horizontal | 138            | 1.50          |
| 6185MHz                         | Pass   | PK   | 12.48544G    | 55.48             | 74.00             | -18.52         | 3           | Horizontal | 138            | 1.50          |
| 6345MHz                         | Pass   | AV   | 12.80568G    | 43.42             | 68.20             | -24.78         | 3           | Vertical   | 179            | 1.19          |
| 6345MHz                         | Pass   | PK   | 12.74328G    | 55.91             | 88.20             | -32.29         | 3           | Vertical   | 179            | 1.19          |
| 6345MHz                         | Pass   | AV   | 12.78264G    | 43.45             | 68.20             | -24.75         | 3           | Horizontal | 297            | 2.84          |
| 6345MHz                         | Pass   | PK   | 12.73824G    | 55.69             | 88.20             | -32.51         | 3           | Horizontal | 297            | 2.84          |
| 6665MHz                         | Pass   | AV   | 13.37176G    | 45.41             | 54.00             | -8.59          | 3           | Vertical   | 354            | 1.00          |
| 6665MHz                         | Pass   | PK   | 13.30872G    | 57.21             | 74.00             | -16.79         | 3           | Vertical   | 354            | 1.00          |
| 6665MHz                         | Pass   | AV   | 13.34936G    | 46.14             | 54.00             | -7.86          | 3           | Horizontal | 160            | 1.35          |
| 6665MHz                         | Pass   | PK   | 13.39976G    | 58.01             | 74.00             | -15.99         | 3           | Horizontal | 160            | 1.35          |
| 802.11be EHT320_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6105MHz                         | Pass   | AV   | 5.925G       | 66.46             | 68.20             | -1.74          | 3           | Horizontal | 169            | 1.50          |
| 6105MHz                         | Pass   | AV   | 6.211G       | 98.59             | Inf               | -Inf           | 3           | Horizontal | 169            | 1.50          |
| 6105MHz                         | Pass   | PK   | 5.923G       | 78.34             | 88.20             | -9.86          | 3           | Horizontal | 169            | 1.50          |
| 6105MHz                         | Pass   | PK   | 6.209G       | 109.22            | Inf               | -Inf           | 3           | Horizontal | 169            | 1.50          |
| 6105MHz                         | Pass   | AV   | 12.19416G    | 43.38             | 54.00             | -10.62         | 3           | Vertical   | 155            | 1.41          |
| 6105MHz                         | Pass   | PK   | 12.10968G    | 55.34             | 74.00             | -18.66         | 3           | Vertical   | 155            | 1.41          |
| 6105MHz                         | Pass   | AV   | 12.14376G    | 43.48             | 54.00             | -10.52         | 3           | Horizontal | 208            | 1.84          |
| 6105MHz                         | Pass   | PK   | 12.12744G    | 55.05             | 74.00             | -18.95         | 3           | Horizontal | 208            | 1.84          |
| 6265MHz                         | Pass   | AV   | 12.75992G    | 43.40             | 68.20             | -24.80         | 3           | Vertical   | 93             | 1.28          |
| 6265MHz                         | Pass   | PK   | 12.7412G     | 55.17             | 88.20             | -33.03         | 3           | Vertical   | 93             | 1.28          |
| 6265MHz                         | Pass   | AV   | 12.75032G    | 43.24             | 68.20             | -24.96         | 3           | Horizontal | 296            | 2.54          |
| 6265MHz                         | Pass   | PK   | 12.71304G    | 54.96             | 88.20             | -33.24         | 3           | Horizontal | 296            | 2.54          |


5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_2TX

6195MHz\_TX




5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_2TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




**5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX**

**5965MHz\_TX**




**5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX**

**5985MHz\_TX**




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




**6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**6695MHz\_TX**




**6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_2TX**

**6695MHz\_TX**




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




**6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX**

**6625MHz\_TX**




**6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX**

**6625MHz\_TX**




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX





## RSE TX below 1GHz\_Non-Beamforming\_Radio 3\_2T2S\_Dipole Appendix E.27

### Summary


| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT320_Nss2,(MCS0)_2TX | Pass   | PK   | 41.64M       | 36.29             | 40.00             | -3.71          | 3           | Vertical  | 0              | 1.00          |

## Result

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT320_Nss2,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6105MHz_PoE                     | Pass   | PK   | 41.64M       | 36.29             | 40.00             | -3.71          | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 119.24M      | 26.12             | 43.50             | -17.38         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 299.66M      | 30.91             | 46.00             | -15.09         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 27.99             | 46.00             | -18.01         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 567.38M      | 27.94             | 46.00             | -18.06         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 689.6M       | 25.77             | 46.00             | -20.23         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 41.64M       | 24.98             | 40.00             | -15.02         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 134.76M      | 26.48             | 43.50             | -17.02         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 231.76M      | 27.47             | 46.00             | -18.53         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 293.84M      | 34.77             | 46.00             | -11.23         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 36.73             | 46.00             | -9.27          | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 561.56M      | 27.23             | 46.00             | -18.77         | 3           | Horizontal | 360            | 1.00          |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6105MHz\_PoE



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 41.64M       | 36.29             | 40.00             | -3.71          | -24.76         | 3           | Vertical  | 0              | 1.00          | 61.05         | 18.93      | 0.84       | 44.53      |
| PK   | 119.24M      | 26.12             | 43.50             | -17.38         | -25.80         | 3           | Vertical  | 0              | 1.00          | 51.92         | 17.54      | 1.28       | 44.62      |
| PK   | 299.66M      | 30.91             | 46.00             | -15.09         | -22.90         | 3           | Vertical  | 0              | 1.00          | 53.81         | 19.43      | 2.00       | 44.33      |
| PK   | 449.04M      | 27.99             | 46.00             | -18.01         | -18.47         | 3           | Vertical  | 0              | 1.00          | 46.46         | 23.16      | 2.40       | 44.03      |
| PK   | 567.38M      | 27.94             | 46.00             | -18.06         | -14.62         | 3           | Vertical  | 0              | 1.00          | 42.56         | 26.60      | 2.73       | 43.95      |
| PK   | 689.6M       | 25.77             | 46.00             | -20.23         | -14.23         | 3           | Vertical  | 0              | 1.00          | 40.00         | 26.69      | 3.01       | 43.93      |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_PoE



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 41.64M       | 24.98             | 40.00             | -15.02         | -24.76         | 3           | Horizontal | 360            | 1.00          | 49.74         | 18.93      | 0.84       | 44.53      |
| PK   | 134.76M      | 26.48             | 43.50             | -17.02         | -25.61         | 3           | Horizontal | 360            | 1.00          | 52.09         | 17.69      | 1.34       | 44.64      |
| PK   | 231.76M      | 27.47             | 46.00             | -18.53         | -26.22         | 3           | Horizontal | 360            | 1.00          | 53.69         | 16.52      | 1.74       | 44.48      |
| PK   | 293.84M      | 34.77             | 46.00             | -11.23         | -22.99         | 3           | Horizontal | 360            | 1.00          | 57.76         | 19.37      | 1.98       | 44.34      |
| PK   | 449.04M      | 36.73             | 46.00             | -9.27          | -18.47         | 3           | Horizontal | 360            | 1.00          | 55.20         | 23.16      | 2.40       | 44.03      |
| PK   | 561.56M      | 27.23             | 46.00             | -18.77         | -14.55         | 3           | Horizontal | 360            | 1.00          | 41.78         | 26.68      | 2.72       | 43.95      |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_2T2S\_Dipole Appendix E.28

### Summary

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | Pass   | AV   | 12.3891G     | 47.73             | 54.00             | -6.27          | 3           | Horizontal | 141            | 1.77          |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.9248G      | 67.70             | 68.20             | -0.50          | 3           | Horizontal | 8              | 1.50          |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.925G       | 67.26             | 68.20             | -0.94          | 3           | Horizontal | 168            | 1.97          |
| 802.11be EHT160_Nss2,(MCS0)_2TX | Pass   | AV   | 5.924G       | 67.73             | 68.20             | -0.47          | 3           | Horizontal | 167            | 2.06          |
| 802.11be EHT320_Nss2,(MCS0)_2TX | Pass   | AV   | 5.922G       | 64.27             | 68.20             | -3.93          | 3           | Horizontal | 169            | 1.50          |
| 6.525-6.875GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | Pass   | AV   | 13.38998G    | 51.12             | 54.00             | -2.88          | 3           | Horizontal | 143            | 1.51          |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | Pass   | AV   | 13.37096G    | 48.92             | 54.00             | -5.08          | 3           | Horizontal | 143            | 1.49          |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | Pass   | AV   | 13.41208G    | 48.01             | 68.20             | -20.19         | 3           | Horizontal | 159            | 1.34          |
| 802.11be EHT160_Nss2,(MCS0)_2TX | Pass   | AV   | 13.35896G    | 45.60             | 54.00             | -8.40          | 3           | Horizontal | 160            | 1.37          |


**Result**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT20_Nss2,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz                        | Pass   | AV   | 5.925G       | 60.91             | 68.20             | -7.29          | 3           | Horizontal | 169            | 1.50          |
| 5955MHz                        | Pass   | AV   | 5.9586G      | 105.02            | Inf               | -Inf           | 3           | Horizontal | 169            | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9229G      | 76.72             | 88.20             | -11.48         | 3           | Horizontal | 169            | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9562G      | 117.36            | Inf               | -Inf           | 3           | Horizontal | 169            | 1.50          |
| 5955MHz                        | Pass   | AV   | 11.91002G    | 45.59             | 54.00             | -8.41          | 3           | Vertical   | 64             | 2.93          |
| 5955MHz                        | Pass   | PK   | 11.91228G    | 59.45             | 74.00             | -14.55         | 3           | Vertical   | 64             | 2.93          |
| 5955MHz                        | Pass   | AV   | 11.90948G    | 46.26             | 54.00             | -7.74          | 3           | Horizontal | 131            | 1.50          |
| 5955MHz                        | Pass   | PK   | 11.9091G     | 60.12             | 74.00             | -13.88         | 3           | Horizontal | 131            | 1.50          |
| 6195MHz                        | Pass   | AV   | 12.38986G    | 44.90             | 54.00             | -9.10          | 3           | Vertical   | 310            | 1.54          |
| 6195MHz                        | Pass   | PK   | 12.391G      | 58.57             | 74.00             | -15.43         | 3           | Vertical   | 310            | 1.54          |
| 6195MHz                        | Pass   | AV   | 12.3891G     | 47.73             | 54.00             | -6.27          | 3           | Horizontal | 141            | 1.77          |
| 6195MHz                        | Pass   | PK   | 12.38846G    | 61.53             | 74.00             | -12.47         | 3           | Horizontal | 141            | 1.77          |
| 6415MHz                        | Pass   | AV   | 12.82988G    | 46.60             | 68.20             | -21.60         | 3           | Vertical   | 67             | 2.86          |
| 6415MHz                        | Pass   | PK   | 12.82572G    | 60.02             | 88.20             | -28.18         | 3           | Vertical   | 67             | 2.86          |
| 6415MHz                        | Pass   | AV   | 12.82932G    | 47.32             | 68.20             | -20.88         | 3           | Horizontal | 141            | 1.53          |
| 6415MHz                        | Pass   | PK   | 12.83132G    | 60.60             | 88.20             | -27.60         | 3           | Horizontal | 141            | 1.53          |
| 6535MHz                        | Pass   | AV   | 13.0703G     | 51.61             | 68.20             | -16.59         | 3           | Vertical   | 28             | 1.64          |
| 6535MHz                        | Pass   | PK   | 13.0725G     | 64.93             | 88.20             | -23.27         | 3           | Vertical   | 28             | 1.64          |
| 6535MHz                        | Pass   | AV   | 13.06942G    | 53.44             | 68.20             | -14.76         | 3           | Horizontal | 19             | 2.57          |
| 6535MHz                        | Pass   | PK   | 13.07256G    | 67.36             | 88.20             | -20.84         | 3           | Horizontal | 19             | 2.57          |
| 6695MHz                        | Pass   | AV   | 13.39028G    | 48.95             | 54.00             | -5.05          | 3           | Vertical   | 354            | 1.53          |
| 6695MHz                        | Pass   | PK   | 13.3917G     | 62.77             | 74.00             | -11.23         | 3           | Vertical   | 354            | 1.53          |
| 6695MHz                        | Pass   | AV   | 13.38998G    | 51.12             | 54.00             | -2.88          | 3           | Horizontal | 143            | 1.51          |
| 6695MHz                        | Pass   | PK   | 13.39016G    | 65.18             | 74.00             | -8.82          | 3           | Horizontal | 143            | 1.51          |
| 6855MHz                        | Pass   | AV   | 13.70972G    | 50.04             | 68.20             | -18.16         | 3           | Vertical   | 353            | 1.06          |
| 6855MHz                        | Pass   | PK   | 13.7087G     | 63.23             | 88.20             | -24.97         | 3           | Vertical   | 353            | 1.06          |
| 6855MHz                        | Pass   | AV   | 13.7099G     | 53.80             | 68.20             | -14.40         | 3           | Horizontal | 161            | 1.50          |
| 6855MHz                        | Pass   | PK   | 13.7081G     | 67.95             | 88.20             | -20.25         | 3           | Horizontal | 161            | 1.50          |
| 802.11be EHT40_Nss2,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5965MHz                        | Pass   | AV   | 5.9248G      | 67.70             | 68.20             | -0.50          | 3           | Horizontal | 8              | 1.50          |
| 5965MHz                        | Pass   | AV   | 5.971G       | 101.88            | Inf               | -Inf           | 3           | Horizontal | 8              | 1.50          |
| 5965MHz                        | Pass   | PK   | 5.9248G      | 81.71             | 88.20             | -6.49          | 3           | Horizontal | 8              | 1.50          |
| 5965MHz                        | Pass   | PK   | 5.9686G      | 114.67            | Inf               | -Inf           | 3           | Horizontal | 8              | 1.50          |
| 5965MHz                        | Pass   | AV   | 11.92792G    | 43.35             | 54.00             | -10.65         | 3           | Vertical   | 19             | 1.80          |
| 5965MHz                        | Pass   | PK   | 11.92696G    | 56.18             | 74.00             | -17.82         | 3           | Vertical   | 19             | 1.80          |
| 5965MHz                        | Pass   | AV   | 11.93056G    | 45.14             | 54.00             | -8.86          | 3           | Horizontal | 55             | 1.52          |
| 5965MHz                        | Pass   | PK   | 11.93012G    | 58.26             | 74.00             | -15.74         | 3           | Horizontal | 55             | 1.52          |
| 6205MHz                        | Pass   | AV   | 12.40704G    | 43.40             | 54.00             | -10.60         | 3           | Vertical   | 311            | 1.50          |
| 6205MHz                        | Pass   | PK   | 12.41004G    | 56.49             | 74.00             | -17.51         | 3           | Vertical   | 311            | 1.50          |
| 6205MHz                        | Pass   | AV   | 12.41032G    | 46.32             | 54.00             | -7.68          | 3           | Horizontal | 140            | 1.71          |
| 6205MHz                        | Pass   | PK   | 12.41032G    | 60.37             | 74.00             | -13.63         | 3           | Horizontal | 140            | 1.71          |
| 6405MHz                        | Pass   | AV   | 12.81116G    | 45.20             | 68.20             | -23.00         | 3           | Vertical   | 65             | 2.81          |
| 6405MHz                        | Pass   | PK   | 12.79592G    | 58.93             | 88.20             | -29.27         | 3           | Vertical   | 65             | 2.81          |
| 6405MHz                        | Pass   | AV   | 12.81136G    | 45.56             | 68.20             | -22.64         | 3           | Horizontal | 142            | 1.61          |
| 6405MHz                        | Pass   | PK   | 12.81036G    | 58.38             | 88.20             | -29.82         | 3           | Horizontal | 142            | 1.61          |
| 6565MHz                        | Pass   | AV   | 13.12888G    | 48.45             | 68.20             | -19.75         | 3           | Vertical   | 28             | 1.63          |
| 6565MHz                        | Pass   | PK   | 13.12876G    | 61.89             | 88.20             | -26.31         | 3           | Vertical   | 28             | 1.63          |
| 6565MHz                        | Pass   | AV   | 13.1298G     | 47.64             | 68.20             | -20.56         | 3           | Horizontal | 33             | 1.43          |
| 6565MHz                        | Pass   | PK   | 13.12384G    | 60.81             | 88.20             | -27.39         | 3           | Horizontal | 33             | 1.43          |
| 6685MHz                        | Pass   | AV   | 13.36964G    | 47.42             | 54.00             | -6.58          | 3           | Vertical   | 354            | 1.60          |
| 6685MHz                        | Pass   | PK   | 13.37024G    | 60.28             | 74.00             | -13.72         | 3           | Vertical   | 354            | 1.60          |
| 6685MHz                        | Pass   | AV   | 13.37096G    | 48.92             | 54.00             | -5.08          | 3           | Horizontal | 143            | 1.49          |
| 6685MHz                        | Pass   | PK   | 13.36908G    | 63.22             | 74.00             | -10.78         | 3           | Horizontal | 143            | 1.49          |
| 6845MHz                        | Pass   | AV   | 13.69032G    | 46.63             | 68.20             | -21.57         | 3           | Vertical   | 352            | 1.50          |
| 6845MHz                        | Pass   | PK   | 13.68396G    | 59.33             | 88.20             | -28.87         | 3           | Vertical   | 352            | 1.50          |
| 6845MHz                        | Pass   | AV   | 13.68976G    | 50.30             | 68.20             | -17.90         | 3           | Horizontal | 163            | 1.50          |
| 6845MHz                        | Pass   | PK   | 13.68972G    | 64.59             | 88.20             | -23.61         | 3           | Horizontal | 163            | 1.50          |
| 802.11be EHT80_Nss2,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5985MHz                        | Pass   | AV   | 5.925G       | 67.26             | 68.20             | -0.94          | 3           | Horizontal | 168            | 1.97          |
| 5985MHz                        | Pass   | AV   | 5.9965G      | 100.23            | Inf               | -Inf           | 3           | Horizontal | 168            | 1.97          |

| Mode                            | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 5985MHz                         | Pass   | PK   | 5.923G    | 78.93          | 88.20          | -9.27       | 3        | Horizontal | 168         | 1.97       |
| 5985MHz                         | Pass   | PK   | 5.997G    | 111.79         | Inf            | -Inf        | 3        | Horizontal | 168         | 1.97       |
| 5985MHz                         | Pass   | AV   | 11.97672G | 43.48          | 54.00          | -10.52      | 3        | Vertical   | 183         | 2.78       |
| 5985MHz                         | Pass   | PK   | 11.97848G | 56.10          | 74.00          | -17.90      | 3        | Vertical   | 183         | 2.78       |
| 5985MHz                         | Pass   | AV   | 11.97384G | 44.24          | 54.00          | -9.76       | 3        | Horizontal | 147         | 1.54       |
| 5985MHz                         | Pass   | PK   | 11.9744G  | 55.81          | 74.00          | -18.19      | 3        | Horizontal | 147         | 1.54       |
| 6225MHz                         | Pass   | AV   | 12.44464G | 42.89          | 54.00          | -11.11      | 3        | Vertical   | 348         | 2.18       |
| 6225MHz                         | Pass   | PK   | 12.45848G | 55.94          | 74.00          | -18.06      | 3        | Vertical   | 348         | 2.18       |
| 6225MHz                         | Pass   | AV   | 12.45432G | 44.54          | 54.00          | -9.46       | 3        | Horizontal | 141         | 1.50       |
| 6225MHz                         | Pass   | PK   | 12.45992G | 57.77          | 74.00          | -16.23      | 3        | Horizontal | 141         | 1.50       |
| 6385MHz                         | Pass   | AV   | 12.78168G | 43.27          | 68.20          | -24.93      | 3        | Vertical   | 357         | 1.50       |
| 6385MHz                         | Pass   | PK   | 12.79104G | 55.90          | 88.20          | -32.30      | 3        | Vertical   | 357         | 1.50       |
| 6385MHz                         | Pass   | AV   | 12.78248G | 44.03          | 68.20          | -24.17      | 3        | Horizontal | 141         | 1.48       |
| 6385MHz                         | Pass   | PK   | 12.79216G | 56.75          | 88.20          | -31.45      | 3        | Horizontal | 141         | 1.48       |
| 6625MHz                         | Pass   | AV   | 13.24774G | 44.45          | 68.20          | -23.75      | 3        | Vertical   | 357         | 1.16       |
| 6625MHz                         | Pass   | PK   | 13.24961G | 57.26          | 88.20          | -30.94      | 3        | Vertical   | 357         | 1.16       |
| 6625MHz                         | Pass   | AV   | 13.22376G | 44.96          | 68.20          | -23.24      | 3        | Horizontal | 28          | 2.41       |
| 6625MHz                         | Pass   | PK   | 13.23008G | 57.81          | 88.20          | -30.39      | 3        | Horizontal | 28          | 2.41       |
| 6705MHz                         | Pass   | AV   | 13.40896G | 45.58          | 68.20          | -22.62      | 3        | Vertical   | 354         | 1.50       |
| 6705MHz                         | Pass   | PK   | 13.41234G | 58.65          | 88.20          | -29.55      | 3        | Vertical   | 354         | 1.50       |
| 6705MHz                         | Pass   | AV   | 13.41208G | 48.01          | 68.20          | -20.19      | 3        | Horizontal | 159         | 1.34       |
| 6705MHz                         | Pass   | PK   | 13.40728G | 61.47          | 88.20          | -26.73      | 3        | Horizontal | 159         | 1.34       |
| 6785MHz                         | Pass   | AV   | 13.57016G | 45.70          | 68.20          | -22.50      | 3        | Vertical   | 356         | 1.09       |
| 6785MHz                         | Pass   | PK   | 13.57816G | 58.76          | 88.20          | -29.44      | 3        | Vertical   | 356         | 1.09       |
| 6785MHz                         | Pass   | AV   | 13.57584G | 47.76          | 68.20          | -20.44      | 3        | Horizontal | 160         | 1.50       |
| 6785MHz                         | Pass   | PK   | 13.58056G | 61.41          | 88.20          | -26.79      | 3        | Horizontal | 160         | 1.50       |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6025MHz                         | Pass   | AV   | 5.924G    | 67.73          | 68.20          | -0.47       | 3        | Horizontal | 167         | 2.06       |
| 6025MHz                         | Pass   | AV   | 5.997G    | 97.40          | Inf            | -Inf        | 3        | Horizontal | 167         | 2.06       |
| 6025MHz                         | Pass   | PK   | 5.922G    | 79.83          | 88.20          | -8.37       | 3        | Horizontal | 167         | 2.06       |
| 6025MHz                         | Pass   | PK   | 6.088G    | 109.50         | Inf            | -Inf        | 3        | Horizontal | 167         | 2.06       |
| 6025MHz                         | Pass   | AV   | 12.05672G | 43.45          | 54.00          | -10.55      | 3        | Vertical   | 282         | 1.50       |
| 6025MHz                         | Pass   | PK   | 12.05608G | 56.12          | 74.00          | -17.88      | 3        | Vertical   | 282         | 1.50       |
| 6025MHz                         | Pass   | AV   | 12.07432G | 43.58          | 54.00          | -10.42      | 3        | Horizontal | 326         | 2.78       |
| 6025MHz                         | Pass   | PK   | 12.08104G | 56.26          | 74.00          | -17.74      | 3        | Horizontal | 326         | 2.78       |
| 6185MHz                         | Pass   | AV   | 12.30728G | 43.15          | 54.00          | -10.85      | 3        | Vertical   | 111         | 2.91       |
| 6185MHz                         | Pass   | PK   | 12.29128G | 55.82          | 74.00          | -18.18      | 3        | Vertical   | 111         | 2.91       |
| 6185MHz                         | Pass   | AV   | 12.30824G | 43.13          | 54.00          | -10.87      | 3        | Horizontal | 145         | 1.70       |
| 6185MHz                         | Pass   | PK   | 12.38568G | 55.74          | 74.00          | -18.26      | 3        | Horizontal | 145         | 1.70       |
| 6345MHz                         | Pass   | AV   | 12.74296G | 42.96          | 68.20          | -25.24      | 3        | Vertical   | 165         | 1.50       |
| 6345MHz                         | Pass   | PK   | 12.76728G | 55.93          | 88.20          | -32.27      | 3        | Vertical   | 165         | 1.50       |
| 6345MHz                         | Pass   | AV   | 12.7444G  | 43.05          | 68.20          | -25.15      | 3        | Horizontal | 229         | 2.62       |
| 6345MHz                         | Pass   | PK   | 12.70936G | 55.94          | 88.20          | -32.26      | 3        | Horizontal | 229         | 2.62       |
| 6665MHz                         | Pass   | AV   | 13.34792G | 45.05          | 54.00          | -8.95       | 3        | Vertical   | 357         | 1.13       |
| 6665MHz                         | Pass   | PK   | 13.36856G | 58.19          | 74.00          | -15.81      | 3        | Vertical   | 357         | 1.13       |
| 6665MHz                         | Pass   | AV   | 13.35896G | 45.60          | 54.00          | -8.40       | 3        | Horizontal | 160         | 1.37       |
| 6665MHz                         | Pass   | PK   | 13.33704G | 58.49          | 74.00          | -15.51      | 3        | Horizontal | 160         | 1.37       |
| 802.11be EHT320_Nss2,(MCS0)_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6105MHz                         | Pass   | AV   | 5.922G    | 64.27          | 68.20          | -3.93       | 3        | Horizontal | 169         | 1.50       |
| 6105MHz                         | Pass   | AV   | 6.213G    | 96.80          | Inf            | -Inf        | 3        | Horizontal | 169         | 1.50       |
| 6105MHz                         | Pass   | PK   | 5.904G    | 75.30          | 88.20          | -12.90      | 3        | Horizontal | 169         | 1.50       |
| 6105MHz                         | Pass   | PK   | 6.214G    | 107.80         | Inf            | -Inf        | 3        | Horizontal | 169         | 1.50       |
| 6105MHz                         | Pass   | AV   | 12.1172G  | 44.10          | 54.00          | -9.90       | 3        | Vertical   | 0           | 1.50       |
| 6105MHz                         | Pass   | PK   | 12.12456G | 55.83          | 74.00          | -18.17      | 3        | Vertical   | 0           | 1.50       |
| 6105MHz                         | Pass   | AV   | 12.1764G  | 44.35          | 54.00          | -9.65       | 3        | Horizontal | 140         | 1.93       |
| 6105MHz                         | Pass   | PK   | 12.20488G | 55.99          | 74.00          | -18.01      | 3        | Horizontal | 140         | 1.93       |
| 6265MHz                         | Pass   | AV   | 12.66024G | 42.58          | 54.00          | -11.42      | 3        | Vertical   | 256         | 2.11       |
| 6265MHz                         | Pass   | PK   | 12.53832G | 55.61          | 74.00          | -18.39      | 3        | Vertical   | 256         | 2.11       |
| 6265MHz                         | Pass   | AV   | 12.6644G  | 42.59          | 54.00          | -11.41      | 3        | Horizontal | 145         | 2.68       |
| 6265MHz                         | Pass   | PK   | 12.68104G | 55.40          | 74.00          | -18.60      | 3        | Horizontal | 145         | 2.68       |


5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




## 5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

### 5965MHz\_TX




## 5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

### 5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX



5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6025MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| AV   | 5.924G    | 67.73          | 68.20          | -0.47       | 7.96        | 3        | Horizontal | 167         | 2.06       | 59.77      | 34.45   | 8.64    | 35.13   |
| AV   | 5.997G    | 97.40          | Inf            | -Inf        | 7.82        | 3        | Horizontal | 167         | 2.06       | 89.58      | 34.31   | 8.65    | 35.14   |
| PK   | 5.922G    | 79.83          | 88.20          | -8.37       | 7.97        | 3        | Horizontal | 167         | 2.06       | 71.86      | 34.46   | 8.64    | 35.13   |
| PK   | 6.088G    | 109.50         | Inf            | -Inf        | 7.92        | 3        | Horizontal | 167         | 2.06       | 101.58     | 34.38   | 8.70    | 35.16   |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6025MHz\_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| AV   | 12.05672G | 43.45          | 54.00          | -10.55      | 8.71        | 3        | Vertical  | 282         | 1.50       | 34.74      | 39.13   | 12.36   | 42.78   |
| PK   | 12.05608G | 56.12          | 74.00          | -17.88      | 8.70        | 3        | Vertical  | 282         | 1.50       | 47.42      | 39.12   | 12.36   | 42.78   |


## 5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

### 6025MHz\_TX



## 5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


### 6105MHz\_TX






5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_TX



5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6105MHz\_TX






6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX



6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX





## RSE TX below 1GHz\_Non-Beamforming\_Radio 3\_1T1S\_Patch Appendix E.29

### Summary


| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT320_Nss1,(MCS0)_1TX | Pass   | PK   | 35.82M       | 34.30             | 40.00             | -5.70          | 3           | Vertical  | 360            | 1.00          |

## Result

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT320_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6105MHz_PoE                     | Pass   | PK   | 35.82M       | 34.30             | 40.00             | -5.70          | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 119.24M      | 30.38             | 43.50             | -13.12         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 243.4M       | 26.58             | 46.00             | -19.42         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 293.84M      | 35.80             | 46.00             | -10.20         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 31.99             | 46.00             | -14.01         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 553.8M       | 27.57             | 46.00             | -18.43         | 3           | Vertical   | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 35.82M       | 24.76             | 40.00             | -15.24         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 119.24M      | 31.88             | 43.50             | -11.62         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 291.9M       | 34.95             | 46.00             | -11.05         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 334.58M      | 29.14             | 46.00             | -16.86         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 32.63             | 46.00             | -13.37         | 3           | Horizontal | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 563.5M       | 26.87             | 46.00             | -19.13         | 3           | Horizontal | 0              | 1.00          |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX


6105MHz\_PoE



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 35.82M       | 34.30             | 40.00             | -5.70          | -21.80         | 3           | Vertical  | 360            | 1.00          | 56.10         | 21.83      | 0.80       | 44.43      |
| PK   | 119.24M      | 30.38             | 43.50             | -13.12         | -25.80         | 3           | Vertical  | 360            | 1.00          | 56.18         | 17.54      | 1.28       | 44.62      |
| PK   | 243.4M       | 26.58             | 46.00             | -19.42         | -24.84         | 3           | Vertical  | 360            | 1.00          | 51.42         | 17.83      | 1.78       | 44.45      |
| PK   | 293.84M      | 35.80             | 46.00             | -10.20         | -22.99         | 3           | Vertical  | 360            | 1.00          | 58.79         | 19.37      | 1.98       | 44.34      |
| PK   | 449.04M      | 31.99             | 46.00             | -14.01         | -18.47         | 3           | Vertical  | 360            | 1.00          | 50.46         | 23.16      | 2.40       | 44.03      |
| PK   | 553.8M       | 27.57             | 46.00             | -18.43         | -14.86         | 3           | Vertical  | 360            | 1.00          | 42.43         | 26.38      | 2.71       | 43.95      |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_PoE



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 35.82M       | 24.76             | 40.00             | -15.24         | -21.80         | 3           | Horizontal | 0              | 1.00          | 46.56         | 21.83      | 0.80       | 44.43      |
| PK   | 119.24M      | 31.88             | 43.50             | -11.62         | -25.80         | 3           | Horizontal | 0              | 1.00          | 57.68         | 17.54      | 1.28       | 44.62      |
| PK   | 291.9M       | 34.95             | 46.00             | -11.05         | -23.04         | 3           | Horizontal | 0              | 1.00          | 57.99         | 19.34      | 1.97       | 44.35      |
| PK   | 334.58M      | 29.14             | 46.00             | -16.86         | -21.94         | 3           | Horizontal | 0              | 1.00          | 51.08         | 20.17      | 2.14       | 44.25      |
| PK   | 449.04M      | 32.63             | 46.00             | -13.37         | -18.47         | 3           | Horizontal | 0              | 1.00          | 51.10         | 23.16      | 2.40       | 44.03      |
| PK   | 563.5M       | 26.87             | 46.00             | -19.13         | -14.61         | 3           | Horizontal | 0              | 1.00          | 41.48         | 26.61      | 2.73       | 43.95      |



**RSE TX above 1GHz\_Non-Beamforming\_  
Radio 3\_1T1S\_Patch**

**Appendix E.30**

**Summary**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_1TX        | Pass   | AV   | 12.3904G     | 43.98             | 54.00             | -10.02         | 3           | Vertical   | 282            | 1.89          |
| 802.11be EHT20_Nss1,(MCS0)_1TX  | Pass   | AV   | 12.3899G     | 43.82             | 54.00             | -10.18         | 3           | Vertical   | 283            | 1.81          |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.9248G      | 62.20             | 68.20             | -6.00          | 3           | Horizontal | 285            | 1.03          |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | AV   | 5.925G       | 60.62             | 68.20             | -7.58          | 3           | Horizontal | 286            | 1.00          |
| 802.11be EHT160_Nss1,(MCS0)_1TX | Pass   | AV   | 5.924G       | 61.67             | 68.20             | -6.53          | 3           | Horizontal | 287            | 1.00          |
| 802.11be EHT320_Nss1,(MCS0)_1TX | Pass   | AV   | 5.925G       | 57.96             | 68.20             | -10.24         | 3           | Horizontal | 287            | 1.00          |
| 6.525-6.875GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_1TX        | Pass   | AV   | 13.3901G     | 44.94             | 54.00             | -9.06          | 3           | Horizontal | 333            | 2.27          |
| 802.11be EHT20_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.38896G    | 44.77             | 54.00             | -9.23          | 3           | Vertical   | 178            | 1.58          |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.37448G    | 44.25             | 54.00             | -9.75          | 3           | Vertical   | 30             | 2.25          |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | Pass   | AV   | 13.26288G    | 44.04             | 54.00             | -9.96          | 3           | Vertical   | 43             | 2.56          |
| 802.11be EHT160_Nss1,(MCS0)_1TX | Pass   | AV   | 13.35936G    | 44.11             | 54.00             | -9.89          | 3           | Horizontal | 339            | 2.15          |

**Result**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11a_Nss1,(6Mbps)_1TX       | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz                        | Pass   | AV   | 5.925G       | 51.55             | 68.20             | -16.65         | 3           | Horizontal | 275            | 1.50          |
| 5955MHz                        | Pass   | AV   | 5.9613G      | 96.15             | Inf               | -Inf           | 3           | Horizontal | 275            | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9241G      | 66.38             | 88.20             | -21.82         | 3           | Horizontal | 275            | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9616G      | 105.46            | Inf               | -Inf           | 3           | Horizontal | 275            | 1.50          |
| 5955MHz                        | Pass   | AV   | 11.9102G     | 42.92             | 54.00             | -11.08         | 3           | Vertical   | 283            | 2.00          |
| 5955MHz                        | Pass   | PK   | 11.90642G    | 56.19             | 74.00             | -17.81         | 3           | Vertical   | 283            | 2.00          |
| 5955MHz                        | Pass   | AV   | 11.91758G    | 42.17             | 54.00             | -11.83         | 3           | Horizontal | 149            | 1.50          |
| 5955MHz                        | Pass   | PK   | 11.91318G    | 54.99             | 74.00             | -19.01         | 3           | Horizontal | 149            | 1.50          |
| 6195MHz                        | Pass   | AV   | 12.3904G     | 43.98             | 54.00             | -10.02         | 3           | Vertical   | 282            | 1.89          |
| 6195MHz                        | Pass   | PK   | 12.38478G    | 56.92             | 74.00             | -17.08         | 3           | Vertical   | 282            | 1.89          |
| 6195MHz                        | Pass   | AV   | 12.38958G    | 43.58             | 54.00             | -10.42         | 3           | Horizontal | 306            | 1.88          |
| 6195MHz                        | Pass   | PK   | 12.38708G    | 56.56             | 74.00             | -17.44         | 3           | Horizontal | 306            | 1.88          |
| 6415MHz                        | Pass   | AV   | 12.82986G    | 43.65             | 68.20             | -24.55         | 3           | Vertical   | 164            | 2.14          |
| 6415MHz                        | Pass   | PK   | 12.82294G    | 57.23             | 88.20             | -30.97         | 3           | Vertical   | 164            | 2.14          |
| 6415MHz                        | Pass   | AV   | 12.83974G    | 43.58             | 68.20             | -24.62         | 3           | Horizontal | 355            | 1.50          |
| 6415MHz                        | Pass   | PK   | 12.83968G    | 56.92             | 88.20             | -31.28         | 3           | Horizontal | 355            | 1.50          |
| 6535MHz                        | Pass   | AV   | 13.07116G    | 47.56             | 68.20             | -20.64         | 3           | Vertical   | 333            | 1.01          |
| 6535MHz                        | Pass   | PK   | 13.0713G     | 61.38             | 88.20             | -26.82         | 3           | Vertical   | 333            | 1.01          |
| 6535MHz                        | Pass   | AV   | 13.07044G    | 45.98             | 68.20             | -22.22         | 3           | Horizontal | 130            | 2.00          |
| 6535MHz                        | Pass   | PK   | 13.07158G    | 59.12             | 88.20             | -29.08         | 3           | Horizontal | 130            | 2.00          |
| 6695MHz                        | Pass   | AV   | 13.3911G     | 44.67             | 54.00             | -9.33          | 3           | Vertical   | 178            | 1.50          |
| 6695MHz                        | Pass   | PK   | 13.38346G    | 58.35             | 74.00             | -15.65         | 3           | Vertical   | 178            | 1.50          |
| 6695MHz                        | Pass   | AV   | 13.3901G     | 44.94             | 54.00             | -9.06          | 3           | Horizontal | 333            | 2.27          |
| 6695MHz                        | Pass   | PK   | 13.39094G    | 57.80             | 74.00             | -16.20         | 3           | Horizontal | 333            | 2.27          |
| 6855MHz                        | Pass   | AV   | 13.70876G    | 46.29             | 68.20             | -21.91         | 3           | Vertical   | 298            | 1.90          |
| 6855MHz                        | Pass   | PK   | 13.70996G    | 59.98             | 88.20             | -28.22         | 3           | Vertical   | 298            | 1.90          |
| 6855MHz                        | Pass   | AV   | 13.70878G    | 46.44             | 68.20             | -21.76         | 3           | Horizontal | 313            | 1.01          |
| 6855MHz                        | Pass   | PK   | 13.71294G    | 59.43             | 88.20             | -28.77         | 3           | Horizontal | 313            | 1.01          |
| 802.11be EHT20_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz                        | Pass   | AV   | 5.925G       | 53.77             | 68.20             | -14.43         | 3           | Horizontal | 284            | 1.00          |
| 5955MHz                        | Pass   | AV   | 5.9631G      | 97.46             | Inf               | -Inf           | 3           | Horizontal | 284            | 1.00          |
| 5955MHz                        | Pass   | PK   | 5.9241G      | 67.39             | 88.20             | -20.81         | 3           | Horizontal | 284            | 1.00          |
| 5955MHz                        | Pass   | PK   | 5.9625G      | 109.38            | Inf               | -Inf           | 3           | Horizontal | 284            | 1.00          |
| 5955MHz                        | Pass   | AV   | 11.91226G    | 42.59             | 54.00             | -11.41         | 3           | Vertical   | 26             | 2.24          |
| 5955MHz                        | Pass   | PK   | 11.91148G    | 55.48             | 74.00             | -18.52         | 3           | Vertical   | 26             | 2.24          |
| 5955MHz                        | Pass   | AV   | 11.9175G     | 42.52             | 54.00             | -11.48         | 3           | Horizontal | 287            | 2.01          |
| 5955MHz                        | Pass   | PK   | 11.90688G    | 56.22             | 74.00             | -17.78         | 3           | Horizontal | 287            | 2.01          |
| 6195MHz                        | Pass   | AV   | 12.3899G     | 43.82             | 54.00             | -10.18         | 3           | Vertical   | 283            | 1.81          |
| 6195MHz                        | Pass   | PK   | 12.39426G    | 56.80             | 74.00             | -17.20         | 3           | Vertical   | 283            | 1.81          |
| 6195MHz                        | Pass   | AV   | 12.39038G    | 43.59             | 54.00             | -10.41         | 3           | Horizontal | 296            | 2.03          |
| 6195MHz                        | Pass   | PK   | 12.39562G    | 56.35             | 74.00             | -17.65         | 3           | Horizontal | 296            | 2.03          |
| 6415MHz                        | Pass   | AV   | 12.83956G    | 43.60             | 68.20             | -24.60         | 3           | Vertical   | 346            | 1.47          |
| 6415MHz                        | Pass   | PK   | 12.82698G    | 56.60             | 88.20             | -31.60         | 3           | Vertical   | 346            | 1.47          |
| 6415MHz                        | Pass   | AV   | 12.83994G    | 43.52             | 68.20             | -24.68         | 3           | Horizontal | 61             | 2.75          |
| 6415MHz                        | Pass   | PK   | 12.82914G    | 56.68             | 88.20             | -31.52         | 3           | Horizontal | 61             | 2.75          |
| 6535MHz                        | Pass   | AV   | 13.0696G     | 45.67             | 68.20             | -22.53         | 3           | Vertical   | 222            | 1.49          |
| 6535MHz                        | Pass   | PK   | 13.0685G     | 58.93             | 88.20             | -29.27         | 3           | Vertical   | 222            | 1.49          |
| 6535MHz                        | Pass   | AV   | 13.06944G    | 47.18             | 68.20             | -21.02         | 3           | Horizontal | 129            | 1.86          |
| 6535MHz                        | Pass   | PK   | 13.0673G     | 59.83             | 88.20             | -28.37         | 3           | Horizontal | 129            | 1.86          |
| 6695MHz                        | Pass   | AV   | 13.38896G    | 44.77             | 54.00             | -9.23          | 3           | Vertical   | 178            | 1.58          |
| 6695MHz                        | Pass   | PK   | 13.39578G    | 58.43             | 74.00             | -15.57         | 3           | Vertical   | 178            | 1.58          |
| 6695MHz                        | Pass   | AV   | 13.3979G     | 44.12             | 54.00             | -9.88          | 3           | Horizontal | 252            | 1.98          |
| 6695MHz                        | Pass   | PK   | 13.39686G    | 57.27             | 74.00             | -16.73         | 3           | Horizontal | 252            | 1.98          |
| 6855MHz                        | Pass   | AV   | 13.71026G    | 46.67             | 68.20             | -21.53         | 3           | Vertical   | 302            | 1.01          |
| 6855MHz                        | Pass   | PK   | 13.70356G    | 59.89             | 88.20             | -28.31         | 3           | Vertical   | 302            | 1.01          |
| 6855MHz                        | Pass   | AV   | 13.70804G    | 44.73             | 68.20             | -23.47         | 3           | Horizontal | 8              | 2.91          |
| 6855MHz                        | Pass   | PK   | 13.7029G     | 57.80             | 88.20             | -30.40         | 3           | Horizontal | 8              | 2.91          |
| 802.11be EHT40_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5965MHz                        | Pass   | AV   | 5.9248G      | 62.20             | 68.20             | -6.00          | 3           | Horizontal | 285            | 1.03          |
| 5965MHz                        | Pass   | AV   | 5.9785G      | 96.20             | Inf               | -Inf           | 3           | Horizontal | 285            | 1.03          |

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5965MHz                         | Pass   | PK   | 5.9236G      | 76.80             | 88.20             | -11.40         | 3           | Horizontal | 285            | 1.03          |
| 5965MHz                         | Pass   | PK   | 5.9776G      | 107.99            | Inf               | -Inf           | 3           | Horizontal | 285            | 1.03          |
| 5965MHz                         | Pass   | AV   | 11.93048G    | 42.40             | 54.00             | -11.60         | 3           | Vertical   | 128            | 1.50          |
| 5965MHz                         | Pass   | PK   | 11.92596G    | 55.07             | 74.00             | -18.93         | 3           | Vertical   | 128            | 1.50          |
| 5965MHz                         | Pass   | AV   | 11.9266G     | 42.62             | 54.00             | -11.38         | 3           | Horizontal | 265            | 1.63          |
| 5965MHz                         | Pass   | PK   | 11.94004G    | 55.63             | 74.00             | -18.37         | 3           | Horizontal | 265            | 1.63          |
| 6205MHz                         | Pass   | AV   | 12.42776G    | 42.26             | 54.00             | -11.74         | 3           | Vertical   | 215            | 1.07          |
| 6205MHz                         | Pass   | PK   | 12.40312G    | 55.36             | 74.00             | -18.64         | 3           | Vertical   | 215            | 1.07          |
| 6205MHz                         | Pass   | AV   | 12.42348G    | 42.28             | 54.00             | -11.72         | 3           | Horizontal | 286            | 1.50          |
| 6205MHz                         | Pass   | PK   | 12.4238G     | 54.89             | 74.00             | -19.11         | 3           | Horizontal | 286            | 1.50          |
| 6405MHz                         | Pass   | AV   | 12.82944G    | 43.37             | 68.20             | -24.83         | 3           | Vertical   | 175            | 1.50          |
| 6405MHz                         | Pass   | PK   | 12.81836G    | 56.22             | 88.20             | -31.98         | 3           | Vertical   | 175            | 1.50          |
| 6405MHz                         | Pass   | AV   | 12.82952G    | 43.36             | 68.20             | -24.84         | 3           | Horizontal | 348            | 1.56          |
| 6405MHz                         | Pass   | PK   | 12.82252G    | 56.97             | 88.20             | -31.23         | 3           | Horizontal | 348            | 1.56          |
| 6565MHz                         | Pass   | AV   | 13.13084G    | 47.15             | 68.20             | -21.05         | 3           | Vertical   | 309            | 1.01          |
| 6565MHz                         | Pass   | PK   | 13.13044G    | 59.21             | 88.20             | -28.99         | 3           | Vertical   | 309            | 1.01          |
| 6565MHz                         | Pass   | AV   | 13.12972G    | 44.93             | 68.20             | -23.27         | 3           | Horizontal | 196            | 1.49          |
| 6565MHz                         | Pass   | PK   | 13.13808G    | 57.48             | 88.20             | -30.72         | 3           | Horizontal | 196            | 1.49          |
| 6685MHz                         | Pass   | AV   | 13.37448G    | 44.25             | 54.00             | -9.75          | 3           | Vertical   | 30             | 2.25          |
| 6685MHz                         | Pass   | PK   | 13.35292G    | 57.80             | 74.00             | -16.20         | 3           | Vertical   | 30             | 2.25          |
| 6685MHz                         | Pass   | AV   | 13.3726G     | 44.18             | 54.00             | -9.82          | 3           | Horizontal | 19             | 1.84          |
| 6685MHz                         | Pass   | PK   | 13.36124G    | 56.99             | 74.00             | -17.01         | 3           | Horizontal | 19             | 1.84          |
| 6845MHz                         | Pass   | AV   | 13.69044G    | 45.42             | 68.20             | -22.78         | 3           | Vertical   | 301            | 1.69          |
| 6845MHz                         | Pass   | PK   | 13.68416G    | 58.16             | 88.20             | -30.04         | 3           | Vertical   | 301            | 1.69          |
| 6845MHz                         | Pass   | AV   | 13.6768G     | 44.73             | 68.20             | -23.47         | 3           | Horizontal | 311            | 1.00          |
| 6845MHz                         | Pass   | PK   | 13.67012G    | 57.22             | 88.20             | -30.98         | 3           | Horizontal | 311            | 1.00          |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5985MHz                         | Pass   | AV   | 5.925G       | 60.62             | 68.20             | -7.58          | 3           | Horizontal | 286            | 1.00          |
| 5985MHz                         | Pass   | AV   | 6.015G       | 93.66             | Inf               | -Inf           | 3           | Horizontal | 286            | 1.00          |
| 5985MHz                         | Pass   | PK   | 5.92G        | 75.00             | 88.20             | -13.20         | 3           | Horizontal | 286            | 1.00          |
| 5985MHz                         | Pass   | PK   | 5.9925G      | 105.73            | Inf               | -Inf           | 3           | Horizontal | 286            | 1.00          |
| 5985MHz                         | Pass   | AV   | 11.96536G    | 42.43             | 54.00             | -11.57         | 3           | Vertical   | 329            | 2.99          |
| 5985MHz                         | Pass   | PK   | 12.0072G     | 55.66             | 74.00             | -18.34         | 3           | Vertical   | 329            | 2.99          |
| 5985MHz                         | Pass   | AV   | 11.93088G    | 42.33             | 54.00             | -11.67         | 3           | Horizontal | 139            | 1.30          |
| 5985MHz                         | Pass   | PK   | 12.00448G    | 55.38             | 74.00             | -18.62         | 3           | Horizontal | 139            | 1.30          |
| 6225MHz                         | Pass   | AV   | 12.44584G    | 42.34             | 54.00             | -11.66         | 3           | Vertical   | 325            | 1.50          |
| 6225MHz                         | Pass   | PK   | 12.46944G    | 55.10             | 74.00             | -18.90         | 3           | Vertical   | 325            | 1.50          |
| 6225MHz                         | Pass   | AV   | 12.43376G    | 42.38             | 54.00             | -11.62         | 3           | Horizontal | 156            | 1.50          |
| 6225MHz                         | Pass   | PK   | 12.42672G    | 55.34             | 74.00             | -18.66         | 3           | Horizontal | 156            | 1.50          |
| 6385MHz                         | Pass   | AV   | 12.80632G    | 43.11             | 68.20             | -25.09         | 3           | Vertical   | 275            | 2.13          |
| 6385MHz                         | Pass   | PK   | 12.78824G    | 56.32             | 88.20             | -31.88         | 3           | Vertical   | 275            | 2.13          |
| 6385MHz                         | Pass   | AV   | 12.80912G    | 43.13             | 68.20             | -25.07         | 3           | Horizontal | 350            | 1.01          |
| 6385MHz                         | Pass   | PK   | 12.76624G    | 56.11             | 88.20             | -32.09         | 3           | Horizontal | 350            | 1.01          |
| 6625MHz                         | Pass   | AV   | 13.26288G    | 44.04             | 54.00             | -9.96          | 3           | Vertical   | 43             | 2.56          |
| 6625MHz                         | Pass   | PK   | 13.27752G    | 56.84             | 74.00             | -17.16         | 3           | Vertical   | 43             | 2.56          |
| 6625MHz                         | Pass   | AV   | 13.25312G    | 44.03             | 54.00             | -9.97          | 3           | Horizontal | 275            | 1.50          |
| 6625MHz                         | Pass   | PK   | 13.2613G     | 57.38             | 74.00             | -16.62         | 3           | Horizontal | 275            | 1.50          |
| 6705MHz                         | Pass   | AV   | 13.40912G    | 44.18             | 68.20             | -24.02         | 3           | Vertical   | 183            | 1.86          |
| 6705MHz                         | Pass   | PK   | 13.43992G    | 56.81             | 88.20             | -31.39         | 3           | Vertical   | 183            | 1.86          |
| 6705MHz                         | Pass   | AV   | 13.41224G    | 44.15             | 68.20             | -24.05         | 3           | Horizontal | 150            | 2.24          |
| 6705MHz                         | Pass   | PK   | 13.41728G    | 57.85             | 88.20             | -30.35         | 3           | Horizontal | 150            | 2.24          |
| 6785MHz                         | Pass   | AV   | 13.57384G    | 44.51             | 68.20             | -23.69         | 3           | Vertical   | 138            | 1.50          |
| 6785MHz                         | Pass   | PK   | 13.5752G     | 57.12             | 88.20             | -31.08         | 3           | Vertical   | 138            | 1.50          |
| 6785MHz                         | Pass   | AV   | 13.57736G    | 44.47             | 68.20             | -23.73         | 3           | Horizontal | 193            | 2.52          |
| 6785MHz                         | Pass   | PK   | 13.56808G    | 57.37             | 88.20             | -30.83         | 3           | Horizontal | 193            | 2.52          |
| 802.11be EHT160_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6025MHz                         | Pass   | AV   | 5.924G       | 61.67             | 68.20             | -6.53          | 3           | Horizontal | 287            | 1.00          |
| 6025MHz                         | Pass   | AV   | 6.011G       | 91.17             | Inf               | -Inf           | 3           | Horizontal | 287            | 1.00          |
| 6025MHz                         | Pass   | PK   | 5.925G       | 73.81             | 88.20             | -14.39         | 3           | Horizontal | 287            | 1.00          |
| 6025MHz                         | Pass   | PK   | 6.017G       | 103.97            | Inf               | -Inf           | 3           | Horizontal | 287            | 1.00          |
| 6025MHz                         | Pass   | AV   | 12.11352G    | 42.91             | 54.00             | -11.09         | 3           | Vertical   | 275            | 1.01          |
| 6025MHz                         | Pass   | PK   | 12.07784G    | 56.45             | 74.00             | -17.55         | 3           | Vertical   | 275            | 1.01          |




**RSE TX above 1GHz\_Non-Beamforming\_  
Radio 3\_1T1S\_Patch**

**Appendix E.30**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 6025MHz                         | Pass   | AV   | 12.118G      | 42.85             | 54.00             | -11.15         | 3           | Horizontal | 15             | 1.01          |
| 6025MHz                         | Pass   | PK   | 12.05784G    | 55.44             | 74.00             | -18.56         | 3           | Horizontal | 15             | 1.01          |
| 6185MHz                         | Pass   | AV   | 12.30744G    | 42.42             | 54.00             | -11.58         | 3           | Vertical   | 107            | 2.51          |
| 6185MHz                         | Pass   | PK   | 12.32264G    | 54.84             | 74.00             | -19.16         | 3           | Vertical   | 107            | 2.51          |
| 6185MHz                         | Pass   | AV   | 12.30584G    | 42.43             | 54.00             | -11.57         | 3           | Horizontal | 6              | 1.50          |
| 6185MHz                         | Pass   | PK   | 12.43512G    | 55.88             | 74.00             | -18.12         | 3           | Horizontal | 6              | 1.50          |
| 6345MHz                         | Pass   | AV   | 12.7468G     | 43.05             | 68.20             | -25.15         | 3           | Vertical   | 263            | 1.01          |
| 6345MHz                         | Pass   | PK   | 12.75208G    | 56.02             | 88.20             | -32.18         | 3           | Vertical   | 263            | 1.01          |
| 6345MHz                         | Pass   | AV   | 12.75272G    | 43.10             | 68.20             | -25.10         | 3           | Horizontal | 115            | 1.50          |
| 6345MHz                         | Pass   | PK   | 12.76936G    | 55.79             | 88.20             | -32.41         | 3           | Horizontal | 115            | 1.50          |
| 6665MHz                         | Pass   | AV   | 13.37416G    | 44.09             | 54.00             | -9.91          | 3           | Vertical   | 97             | 1.50          |
| 6665MHz                         | Pass   | PK   | 13.32488G    | 57.63             | 74.00             | -16.37         | 3           | Vertical   | 97             | 1.50          |
| 6665MHz                         | Pass   | AV   | 13.35936G    | 44.11             | 54.00             | -9.89          | 3           | Horizontal | 339            | 2.15          |
| 6665MHz                         | Pass   | PK   | 13.31088G    | 58.05             | 74.00             | -15.95         | 3           | Horizontal | 339            | 2.15          |
| 802.11be EHT320_Nss1,(MCS0)_1TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6105MHz                         | Pass   | AV   | 5.925G       | 57.96             | 68.20             | -10.24         | 3           | Horizontal | 287            | 1.00          |
| 6105MHz                         | Pass   | AV   | 6.013G       | 87.98             | Inf               | -Inf           | 3           | Horizontal | 287            | 1.00          |
| 6105MHz                         | Pass   | PK   | 5.923G       | 69.42             | 88.20             | -18.78         | 3           | Horizontal | 287            | 1.00          |
| 6105MHz                         | Pass   | PK   | 6.012G       | 100.23            | Inf               | -Inf           | 3           | Horizontal | 287            | 1.00          |
| 6105MHz                         | Pass   | AV   | 12.16712G    | 42.93             | 54.00             | -11.07         | 3           | Vertical   | 214            | 1.50          |
| 6105MHz                         | Pass   | PK   | 12.33576G    | 55.92             | 74.00             | -18.08         | 3           | Vertical   | 214            | 1.50          |
| 6105MHz                         | Pass   | AV   | 12.16552G    | 42.98             | 54.00             | -11.02         | 3           | Horizontal | 56             | 1.50          |
| 6105MHz                         | Pass   | PK   | 12.08296G    | 55.67             | 74.00             | -18.33         | 3           | Horizontal | 56             | 1.50          |
| 6265MHz                         | Pass   | AV   | 12.67976G    | 42.61             | 54.00             | -11.39         | 3           | Vertical   | 111            | 2.36          |
| 6265MHz                         | Pass   | PK   | 12.64712G    | 55.51             | 74.00             | -18.49         | 3           | Vertical   | 111            | 2.36          |
| 6265MHz                         | Pass   | AV   | 12.66504G    | 42.64             | 54.00             | -11.36         | 3           | Horizontal | 357            | 2.35          |
| 6265MHz                         | Pass   | PK   | 12.5732G     | 55.54             | 74.00             | -18.46         | 3           | Horizontal | 357            | 2.35          |


5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_1TX

6195MHz\_TX




5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_1TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6195MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5965MHz\_TX




**5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX**

**5965MHz\_TX**




**5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX**

**5985MHz\_TX**




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

6105MHz\_TX




6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_1TX

6695MHz\_TX




6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_1TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6665MHz\_TX



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6665MHz\_TX





## RSE TX below 1GHz\_Non-Beamforming\_Radio 3\_2T1S\_Patch Appendix E.31

### Summary


| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT320_Nss1,(MCS0)_2TX | Pass   | PK   | 37.76M       | 33.00             | 40.00             | -7.00          | 3           | Vertical  | 0              | 1.00          |

## Result

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT320_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6105MHz_PoE                     | Pass   | PK   | 37.76M       | 33.00             | 40.00             | -7.00          | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 119.24M      | 28.38             | 43.50             | -15.12         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 235.64M      | 27.34             | 46.00             | -18.66         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 297.72M      | 32.73             | 46.00             | -13.27         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 31.19             | 46.00             | -14.81         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 579.02M      | 27.56             | 46.00             | -18.44         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 35.82M       | 25.49             | 40.00             | -14.51         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 119.24M      | 30.98             | 43.50             | -12.52         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 299.66M      | 32.00             | 46.00             | -14.00         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 367.56M      | 25.96             | 46.00             | -20.04         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 32.05             | 46.00             | -13.95         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 569.32M      | 27.26             | 46.00             | -18.74         | 3           | Horizontal | 360            | 1.00          |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_PoE



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 37.76M       | 33.00             | 40.00             | -7.00          | -22.72         | 3           | Vertical  | 0              | 1.00          | 55.72         | 20.91      | 0.84       | 44.47      |
| PK   | 119.24M      | 28.38             | 43.50             | -15.12         | -25.80         | 3           | Vertical  | 0              | 1.00          | 54.18         | 17.54      | 1.28       | 44.62      |
| PK   | 235.64M      | 27.34             | 46.00             | -18.66         | -25.76         | 3           | Vertical  | 0              | 1.00          | 53.10         | 16.95      | 1.76       | 44.47      |
| PK   | 297.72M      | 32.73             | 46.00             | -13.27         | -22.93         | 3           | Vertical  | 0              | 1.00          | 55.66         | 19.42      | 1.99       | 44.34      |
| PK   | 449.04M      | 31.19             | 46.00             | -14.81         | -18.47         | 3           | Vertical  | 0              | 1.00          | 49.66         | 23.16      | 2.40       | 44.03      |
| PK   | 579.02M      | 27.56             | 46.00             | -18.44         | -14.93         | 3           | Vertical  | 0              | 1.00          | 42.49         | 26.27      | 2.74       | 43.94      |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_PoE



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 35.82M       | 25.49             | 40.00             | -14.51         | -21.80         | 3           | Horizontal | 360            | 1.00          | 47.29         | 21.83      | 0.80       | 44.43      |
| PK   | 119.24M      | 30.98             | 43.50             | -12.52         | -25.80         | 3           | Horizontal | 360            | 1.00          | 56.78         | 17.54      | 1.28       | 44.62      |
| PK   | 299.66M      | 32.00             | 46.00             | -14.00         | -22.90         | 3           | Horizontal | 360            | 1.00          | 54.90         | 19.43      | 2.00       | 44.33      |
| PK   | 367.56M      | 25.96             | 46.00             | -20.04         | -20.98         | 3           | Horizontal | 360            | 1.00          | 46.94         | 20.98      | 2.22       | 44.18      |
| PK   | 449.04M      | 32.05             | 46.00             | -13.95         | -18.47         | 3           | Horizontal | 360            | 1.00          | 50.52         | 23.16      | 2.40       | 44.03      |
| PK   | 569.32M      | 27.26             | 46.00             | -18.74         | -14.65         | 3           | Horizontal | 360            | 1.00          | 41.91         | 26.57      | 2.73       | 43.95      |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_2T1S\_Patch Appendix E.32

### Summary

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_2TX        | Pass   | AV   | 11.91146G    | 46.85             | 54.00             | -7.15          | 3           | Vertical   | 337            | 2.89          |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.925G       | 63.62             | 68.20             | -4.58          | 3           | Horizontal | 356            | 1.00          |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.9248G      | 67.84             | 68.20             | -0.36          | 3           | Vertical   | 356            | 1.76          |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | AV   | 5.925G       | 67.60             | 68.20             | -0.60          | 3           | Vertical   | 359            | 1.00          |
| 802.11be EHT160_Nss1,(MCS0)_2TX | Pass   | AV   | 5.9245G      | 67.94             | 68.20             | -0.26          | 3           | Vertical   | 358            | 1.50          |
| 802.11be EHT320_Nss1,(MCS0)_2TX | Pass   | AV   | 5.924G       | 66.15             | 68.20             | -2.05          | 3           | Vertical   | 360            | 1.89          |
| 6.525-6.875GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_2TX        | Pass   | AV   | 13.38992G    | 51.41             | 54.00             | -2.59          | 3           | Vertical   | 319            | 2.49          |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | Pass   | AV   | 13.38962G    | 50.61             | 54.00             | -3.39          | 3           | Vertical   | 309            | 1.93          |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | Pass   | AV   | 13.37004G    | 48.70             | 54.00             | -5.30          | 3           | Vertical   | 318            | 2.47          |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | Pass   | AV   | 13.5776G     | 48.08             | 68.20             | -20.12         | 3           | Vertical   | 324            | 2.49          |
| 802.11be EHT160_Nss1,(MCS0)_2TX | Pass   | AV   | 13.33928G    | 45.77             | 54.00             | -8.23          | 3           | Vertical   | 318            | 1.00          |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_2T1S\_Patch Appendix E.32

### Result

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11a_Nss1,(6Mbps)_2TX       | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz                        | Pass   | AV   | 5.925G       | 59.48             | 68.20             | -8.72          | 3           | Vertical   | 357            | 1.50          |
| 5955MHz                        | Pass   | AV   | 5.9595G      | 107.89            | Inf               | -Inf           | 3           | Vertical   | 357            | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.925G       | 74.53             | 88.20             | -13.67         | 3           | Vertical   | 357            | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9589G      | 116.39            | Inf               | -Inf           | 3           | Vertical   | 357            | 1.50          |
| 5955MHz                        | Pass   | AV   | 5.925G       | 59.31             | 68.20             | -8.89          | 3           | Horizontal | 357            | 1.00          |
| 5955MHz                        | Pass   | AV   | 5.9616G      | 110.01            | Inf               | -Inf           | 3           | Horizontal | 357            | 1.00          |
| 5955MHz                        | Pass   | PK   | 5.925G       | 77.22             | 88.20             | -10.98         | 3           | Horizontal | 357            | 1.00          |
| 5955MHz                        | Pass   | PK   | 5.9568G      | 120.10            | Inf               | -Inf           | 3           | Horizontal | 357            | 1.00          |
| 5955MHz                        | Pass   | AV   | 11.91146G    | 46.85             | 54.00             | -7.15          | 3           | Vertical   | 337            | 2.89          |
| 5955MHz                        | Pass   | PK   | 11.91222G    | 59.79             | 74.00             | -14.21         | 3           | Vertical   | 337            | 2.89          |
| 5955MHz                        | Pass   | AV   | 11.91166G    | 44.49             | 54.00             | -9.51          | 3           | Horizontal | 18             | 1.32          |
| 5955MHz                        | Pass   | PK   | 11.90616G    | 57.39             | 74.00             | -16.61         | 3           | Horizontal | 18             | 1.32          |
| 6195MHz                        | Pass   | AV   | 12.3892G     | 44.92             | 54.00             | -9.08          | 3           | Vertical   | 284            | 2.17          |
| 6195MHz                        | Pass   | PK   | 12.3947G     | 57.58             | 74.00             | -16.42         | 3           | Vertical   | 284            | 2.17          |
| 6195MHz                        | Pass   | AV   | 12.38982G    | 46.29             | 54.00             | -7.71          | 3           | Horizontal | 295            | 1.92          |
| 6195MHz                        | Pass   | PK   | 12.38934G    | 59.04             | 74.00             | -14.96         | 3           | Horizontal | 295            | 1.92          |
| 6415MHz                        | Pass   | AV   | 12.8285G     | 45.87             | 68.20             | -22.33         | 3           | Vertical   | 299            | 2.59          |
| 6415MHz                        | Pass   | PK   | 12.8389G     | 58.27             | 88.20             | -29.93         | 3           | Vertical   | 299            | 2.59          |
| 6415MHz                        | Pass   | AV   | 12.8324G     | 45.36             | 68.20             | -22.84         | 3           | Horizontal | 325            | 2.20          |
| 6415MHz                        | Pass   | PK   | 12.837G      | 57.74             | 88.20             | -30.46         | 3           | Horizontal | 325            | 2.20          |
| 6535MHz                        | Pass   | AV   | 13.06998G    | 55.70             | 68.20             | -12.50         | 3           | Vertical   | 309            | 1.93          |
| 6535MHz                        | Pass   | PK   | 13.06986G    | 67.93             | 88.20             | -20.27         | 3           | Vertical   | 309            | 1.93          |
| 6535MHz                        | Pass   | AV   | 13.07062G    | 53.44             | 68.20             | -14.76         | 3           | Horizontal | 129            | 1.95          |
| 6535MHz                        | Pass   | PK   | 13.07054G    | 65.97             | 88.20             | -22.23         | 3           | Horizontal | 129            | 1.95          |
| 6695MHz                        | Pass   | AV   | 13.38992G    | 51.41             | 54.00             | -2.59          | 3           | Vertical   | 319            | 2.49          |
| 6695MHz                        | Pass   | PK   | 13.3898G     | 64.92             | 74.00             | -9.08          | 3           | Vertical   | 319            | 2.49          |
| 6695MHz                        | Pass   | AV   | 13.39168G    | 50.42             | 54.00             | -3.58          | 3           | Horizontal | 295            | 2.33          |
| 6695MHz                        | Pass   | PK   | 13.38966G    | 64.04             | 74.00             | -9.96          | 3           | Horizontal | 295            | 2.33          |
| 6855MHz                        | Pass   | AV   | 13.70772G    | 50.81             | 68.20             | -17.39         | 3           | Vertical   | 357            | 2.76          |
| 6855MHz                        | Pass   | PK   | 13.70824G    | 63.24             | 88.20             | -24.96         | 3           | Vertical   | 357            | 2.76          |
| 6855MHz                        | Pass   | AV   | 13.70864G    | 53.33             | 68.20             | -14.87         | 3           | Horizontal | 302            | 1.87          |
| 6855MHz                        | Pass   | PK   | 13.70878G    | 66.48             | 88.20             | -21.72         | 3           | Horizontal | 302            | 1.87          |
| 802.11be EHT20_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz                        | Pass   | AV   | 5.9247G      | 63.06             | 68.20             | -5.14          | 3           | Vertical   | 359            | 1.50          |
| 5955MHz                        | Pass   | AV   | 5.9619G      | 107.42            | Inf               | -Inf           | 3           | Vertical   | 359            | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9235G      | 78.51             | 88.20             | -9.69          | 3           | Vertical   | 359            | 1.50          |
| 5955MHz                        | Pass   | PK   | 5.9589G      | 118.42            | Inf               | -Inf           | 3           | Vertical   | 359            | 1.50          |
| 5955MHz                        | Pass   | AV   | 5.925G       | 63.62             | 68.20             | -4.58          | 3           | Horizontal | 356            | 1.00          |
| 5955MHz                        | Pass   | AV   | 5.9634G      | 109.48            | Inf               | -Inf           | 3           | Horizontal | 356            | 1.00          |
| 5955MHz                        | Pass   | PK   | 5.9235G      | 79.31             | 88.20             | -8.89          | 3           | Horizontal | 356            | 1.00          |
| 5955MHz                        | Pass   | PK   | 5.9607G      | 120.91            | Inf               | -Inf           | 3           | Horizontal | 356            | 1.00          |
| 5955MHz                        | Pass   | AV   | 11.91032G    | 46.60             | 54.00             | -7.40          | 3           | Vertical   | 341            | 1.94          |
| 5955MHz                        | Pass   | PK   | 11.90572G    | 59.91             | 74.00             | -14.09         | 3           | Vertical   | 341            | 1.94          |
| 5955MHz                        | Pass   | AV   | 11.91058G    | 43.89             | 54.00             | -10.11         | 3           | Horizontal | 284            | 1.37          |
| 5955MHz                        | Pass   | PK   | 11.91294G    | 57.29             | 74.00             | -16.71         | 3           | Horizontal | 284            | 1.37          |
| 6195MHz                        | Pass   | AV   | 12.3898G     | 47.36             | 54.00             | -6.64          | 3           | Vertical   | 315            | 1.92          |
| 6195MHz                        | Pass   | PK   | 12.38734G    | 59.66             | 74.00             | -14.34         | 3           | Vertical   | 315            | 1.92          |
| 6195MHz                        | Pass   | AV   | 12.38994G    | 46.63             | 54.00             | -7.37          | 3           | Horizontal | 295            | 1.91          |
| 6195MHz                        | Pass   | PK   | 12.39016G    | 58.75             | 74.00             | -15.25         | 3           | Horizontal | 295            | 1.91          |
| 6415MHz                        | Pass   | AV   | 12.82942G    | 45.59             | 68.20             | -22.61         | 3           | Vertical   | 300            | 2.57          |
| 6415MHz                        | Pass   | PK   | 12.83448G    | 57.79             | 88.20             | -30.41         | 3           | Vertical   | 300            | 2.57          |
| 6415MHz                        | Pass   | AV   | 12.82906G    | 44.23             | 68.20             | -23.97         | 3           | Horizontal | 52             | 1.38          |
| 6415MHz                        | Pass   | PK   | 12.82912G    | 56.78             | 88.20             | -31.42         | 3           | Horizontal | 52             | 1.38          |
| 6535MHz                        | Pass   | AV   | 13.06996G    | 55.31             | 68.20             | -12.89         | 3           | Vertical   | 309            | 1.92          |
| 6535MHz                        | Pass   | PK   | 13.07002G    | 68.03             | 88.20             | -20.17         | 3           | Vertical   | 309            | 1.92          |
| 6535MHz                        | Pass   | AV   | 13.07054G    | 54.10             | 68.20             | -14.10         | 3           | Horizontal | 320            | 1.96          |
| 6535MHz                        | Pass   | PK   | 13.07248G    | 66.71             | 88.20             | -21.49         | 3           | Horizontal | 320            | 1.96          |
| 6695MHz                        | Pass   | AV   | 13.38962G    | 50.61             | 54.00             | -3.39          | 3           | Vertical   | 309            | 1.93          |
| 6695MHz                        | Pass   | PK   | 13.39026G    | 63.65             | 74.00             | -10.35         | 3           | Vertical   | 309            | 1.93          |
| 6695MHz                        | Pass   | AV   | 13.38974G    | 48.97             | 54.00             | -5.03          | 3           | Horizontal | 295            | 1.68          |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_2T1S\_Patch Appendix E.32

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 6695MHz                        | Pass   | PK   | 13.3995G     | 62.11             | 74.00             | -11.89         | 3           | Horizontal | 295            | 1.68          |
| 6855MHz                        | Pass   | AV   | 13.71034G    | 51.21             | 68.20             | -16.99         | 3           | Vertical   | 347            | 2.46          |
| 6855MHz                        | Pass   | PK   | 13.70774G    | 64.01             | 88.20             | -24.19         | 3           | Vertical   | 347            | 2.46          |
| 6855MHz                        | Pass   | AV   | 13.70938G    | 54.02             | 68.20             | -14.18         | 3           | Horizontal | 302            | 1.86          |
| 6855MHz                        | Pass   | PK   | 13.70904G    | 66.66             | 88.20             | -21.54         | 3           | Horizontal | 302            | 1.86          |
| 802.11be EHT40_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5965MHz                        | Pass   | AV   | 5.9248G      | 67.84             | 68.20             | -0.36          | 3           | Vertical   | 356            | 1.76          |
| 5965MHz                        | Pass   | AV   | 5.9698G      | 103.85            | Inf               | -Inf           | 3           | Vertical   | 356            | 1.76          |
| 5965MHz                        | Pass   | PK   | 5.9245G      | 83.12             | 88.20             | -5.08          | 3           | Vertical   | 356            | 1.76          |
| 5965MHz                        | Pass   | PK   | 5.9641G      | 116.10            | Inf               | -Inf           | 3           | Vertical   | 356            | 1.76          |
| 5965MHz                        | Pass   | AV   | 5.9248G      | 60.04             | 68.20             | -8.16          | 3           | Horizontal | 360            | 2.33          |
| 5965MHz                        | Pass   | AV   | 5.9701G      | 104.72            | Inf               | -Inf           | 3           | Horizontal | 360            | 2.33          |
| 5965MHz                        | Pass   | PK   | 5.9248G      | 81.98             | 88.20             | -6.22          | 3           | Horizontal | 360            | 2.33          |
| 5965MHz                        | Pass   | PK   | 5.968G       | 117.22            | Inf               | -Inf           | 3           | Horizontal | 360            | 2.33          |
| 5965MHz                        | Pass   | AV   | 11.93072G    | 43.94             | 54.00             | -10.06         | 3           | Vertical   | 338            | 2.95          |
| 5965MHz                        | Pass   | PK   | 11.93604G    | 56.36             | 74.00             | -17.64         | 3           | Vertical   | 338            | 2.95          |
| 5965MHz                        | Pass   | AV   | 11.92848G    | 42.65             | 54.00             | -11.35         | 3           | Horizontal | 284            | 1.17          |
| 5965MHz                        | Pass   | PK   | 11.92112G    | 55.44             | 74.00             | -18.56         | 3           | Horizontal | 284            | 1.17          |
| 6205MHz                        | Pass   | AV   | 12.4098G     | 45.56             | 54.00             | -8.44          | 3           | Vertical   | 313            | 1.07          |
| 6205MHz                        | Pass   | PK   | 12.40256G    | 57.26             | 74.00             | -16.74         | 3           | Vertical   | 313            | 1.07          |
| 6205MHz                        | Pass   | AV   | 12.41076G    | 44.03             | 54.00             | -9.97          | 3           | Horizontal | 47             | 2.81          |
| 6205MHz                        | Pass   | PK   | 12.40704G    | 56.59             | 74.00             | -17.41         | 3           | Horizontal | 47             | 2.81          |
| 6405MHz                        | Pass   | AV   | 12.82696G    | 43.76             | 68.20             | -24.44         | 3           | Vertical   | 353            | 1.50          |
| 6405MHz                        | Pass   | PK   | 12.8078G     | 56.37             | 88.20             | -31.83         | 3           | Vertical   | 353            | 1.50          |
| 6405MHz                        | Pass   | AV   | 12.8176G     | 43.94             | 68.20             | -24.26         | 3           | Horizontal | 48             | 2.96          |
| 6405MHz                        | Pass   | PK   | 12.82376G    | 57.05             | 88.20             | -31.15         | 3           | Horizontal | 48             | 2.96          |
| 6565MHz                        | Pass   | AV   | 13.12224G    | 52.18             | 68.20             | -16.02         | 3           | Vertical   | 308            | 2.16          |
| 6565MHz                        | Pass   | PK   | 13.13176G    | 64.02             | 88.20             | -24.18         | 3           | Vertical   | 308            | 2.16          |
| 6565MHz                        | Pass   | AV   | 13.12976G    | 47.59             | 68.20             | -20.61         | 3           | Horizontal | 29             | 1.49          |
| 6565MHz                        | Pass   | PK   | 13.1196G     | 59.75             | 88.20             | -28.45         | 3           | Horizontal | 29             | 1.49          |
| 6685MHz                        | Pass   | AV   | 13.37004G    | 48.70             | 54.00             | -5.30          | 3           | Vertical   | 318            | 2.47          |
| 6685MHz                        | Pass   | PK   | 13.37012G    | 62.80             | 74.00             | -11.20         | 3           | Vertical   | 318            | 2.47          |
| 6685MHz                        | Pass   | AV   | 13.37228G    | 48.01             | 54.00             | -5.99          | 3           | Horizontal | 294            | 1.70          |
| 6685MHz                        | Pass   | PK   | 13.38728G    | 60.41             | 74.00             | -13.59         | 3           | Horizontal | 294            | 1.70          |
| 6845MHz                        | Pass   | AV   | 13.69096G    | 49.17             | 68.20             | -19.03         | 3           | Vertical   | 44             | 1.97          |
| 6845MHz                        | Pass   | PK   | 13.6986G     | 61.70             | 88.20             | -26.50         | 3           | Vertical   | 44             | 1.97          |
| 6845MHz                        | Pass   | AV   | 13.69444G    | 50.85             | 68.20             | -17.35         | 3           | Horizontal | 302            | 1.80          |
| 6845MHz                        | Pass   | PK   | 13.6944G     | 63.27             | 88.20             | -24.93         | 3           | Horizontal | 302            | 1.80          |
| 802.11be EHT80_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5985MHz                        | Pass   | AV   | 5.925G       | 67.60             | 68.20             | -0.60          | 3           | Vertical   | 359            | 1.00          |
| 5985MHz                        | Pass   | AV   | 6.014G       | 101.02            | Inf               | -Inf           | 3           | Vertical   | 359            | 1.00          |
| 5985MHz                        | Pass   | PK   | 5.9235G      | 81.39             | 88.20             | -6.81          | 3           | Vertical   | 359            | 1.00          |
| 5985MHz                        | Pass   | PK   | 6.014G       | 112.34            | Inf               | -Inf           | 3           | Vertical   | 359            | 1.00          |
| 5985MHz                        | Pass   | AV   | 5.925G       | 62.33             | 68.20             | -5.87          | 3           | Horizontal | 357            | 2.34          |
| 5985MHz                        | Pass   | AV   | 5.973G       | 101.44            | Inf               | -Inf           | 3           | Horizontal | 357            | 2.34          |
| 5985MHz                        | Pass   | PK   | 5.9225G      | 79.65             | 88.20             | -8.55          | 3           | Horizontal | 357            | 2.34          |
| 5985MHz                        | Pass   | PK   | 5.973G       | 113.17            | Inf               | -Inf           | 3           | Horizontal | 357            | 2.34          |
| 5985MHz                        | Pass   | AV   | 11.96464G    | 43.72             | 54.00             | -10.28         | 3           | Vertical   | 340            | 2.90          |
| 5985MHz                        | Pass   | PK   | 11.97912G    | 56.45             | 74.00             | -17.55         | 3           | Vertical   | 340            | 2.90          |
| 5985MHz                        | Pass   | AV   | 11.97832G    | 42.39             | 54.00             | -11.61         | 3           | Horizontal | 240            | 1.50          |
| 5985MHz                        | Pass   | PK   | 11.97632G    | 55.35             | 74.00             | -18.65         | 3           | Horizontal | 240            | 1.50          |
| 6225MHz                        | Pass   | AV   | 12.42992G    | 43.70             | 54.00             | -10.30         | 3           | Vertical   | 335            | 2.56          |
| 6225MHz                        | Pass   | PK   | 12.44544G    | 55.83             | 74.00             | -18.17         | 3           | Vertical   | 335            | 2.56          |
| 6225MHz                        | Pass   | AV   | 12.43112G    | 43.23             | 54.00             | -10.77         | 3           | Horizontal | 48             | 2.78          |
| 6225MHz                        | Pass   | PK   | 12.4296G     | 56.53             | 74.00             | -17.47         | 3           | Horizontal | 48             | 2.78          |
| 6385MHz                        | Pass   | AV   | 12.80648G    | 43.51             | 68.20             | -24.69         | 3           | Vertical   | 29             | 2.39          |
| 6385MHz                        | Pass   | PK   | 12.78368G    | 56.14             | 88.20             | -32.06         | 3           | Vertical   | 29             | 2.39          |
| 6385MHz                        | Pass   | AV   | 12.80952G    | 43.46             | 68.20             | -24.74         | 3           | Horizontal | 360            | 1.50          |
| 6385MHz                        | Pass   | PK   | 12.73944G    | 55.76             | 88.20             | -32.44         | 3           | Horizontal | 360            | 1.50          |
| 6625MHz                        | Pass   | AV   | 13.22936G    | 46.31             | 68.20             | -21.89         | 3           | Vertical   | 320            | 1.38          |
| 6625MHz                        | Pass   | PK   | 13.22152G    | 58.32             | 88.20             | -29.88         | 3           | Vertical   | 320            | 1.38          |
| 6625MHz                        | Pass   | AV   | 13.23304G    | 46.67             | 68.20             | -21.53         | 3           | Horizontal | 301            | 2.44          |




## RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_2T1S\_Patch Appendix E.32

| Mode                            | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 6625MHz                         | Pass   | PK   | 13.2308G  | 59.42          | 88.20          | -28.78      | 3        | Horizontal | 301         | 2.44       |
| 6705MHz                         | Pass   | AV   | 13.40944G | 47.22          | 68.20          | -20.98      | 3        | Vertical   | 319         | 1.54       |
| 6705MHz                         | Pass   | PK   | 13.41232G | 59.54          | 88.20          | -28.66      | 3        | Vertical   | 319         | 1.54       |
| 6705MHz                         | Pass   | AV   | 13.41096G | 47.06          | 68.20          | -21.14      | 3        | Horizontal | 295         | 2.36       |
| 6705MHz                         | Pass   | PK   | 13.42176G | 58.85          | 88.20          | -29.35      | 3        | Horizontal | 295         | 2.36       |
| 6785MHz                         | Pass   | AV   | 13.5776G  | 48.08          | 68.20          | -20.12      | 3        | Vertical   | 324         | 2.49       |
| 6785MHz                         | Pass   | PK   | 13.57512G | 60.70          | 88.20          | -27.50      | 3        | Vertical   | 324         | 2.49       |
| 6785MHz                         | Pass   | AV   | 13.5752G  | 47.00          | 68.20          | -21.20      | 3        | Horizontal | 271         | 2.37       |
| 6785MHz                         | Pass   | PK   | 13.57352G | 59.15          | 88.20          | -29.05      | 3        | Horizontal | 271         | 2.37       |
| 802.11be EHT160_Nss1,(MCS0)_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6025MHz                         | Pass   | AV   | 5.9245G   | 67.94          | 68.20          | -0.26       | 3        | Vertical   | 358         | 1.50       |
| 6025MHz                         | Pass   | AV   | 6.002G    | 97.94          | Inf            | -Inf        | 3        | Vertical   | 358         | 1.50       |
| 6025MHz                         | Pass   | PK   | 5.9225G   | 80.72          | 88.20          | -7.48       | 3        | Vertical   | 358         | 1.50       |
| 6025MHz                         | Pass   | PK   | 6.002G    | 109.90         | Inf            | -Inf        | 3        | Vertical   | 358         | 1.50       |
| 6025MHz                         | Pass   | AV   | 5.925G    | 62.36          | 68.20          | -5.84       | 3        | Horizontal | 358         | 2.05       |
| 6025MHz                         | Pass   | AV   | 6.0405G   | 98.49          | Inf            | -Inf        | 3        | Horizontal | 358         | 2.05       |
| 6025MHz                         | Pass   | PK   | 5.9205G   | 76.32          | 88.20          | -11.88      | 3        | Horizontal | 358         | 2.05       |
| 6025MHz                         | Pass   | PK   | 6.0405G   | 110.00         | Inf            | -Inf        | 3        | Horizontal | 358         | 2.05       |
| 6025MHz                         | Pass   | AV   | 12.12744G | 42.74          | 54.00          | -11.26      | 3        | Vertical   | 191         | 1.50       |
| 6025MHz                         | Pass   | PK   | 12.04712G | 55.92          | 74.00          | -18.08      | 3        | Vertical   | 191         | 1.50       |
| 6025MHz                         | Pass   | AV   | 12.11704G | 42.74          | 54.00          | -11.26      | 3        | Horizontal | 221         | 2.89       |
| 6025MHz                         | Pass   | PK   | 12.06376G | 55.48          | 74.00          | -18.52      | 3        | Horizontal | 221         | 2.89       |
| 6185MHz                         | Pass   | AV   | 12.34936G | 42.95          | 54.00          | -11.05      | 3        | Vertical   | 132         | 1.96       |
| 6185MHz                         | Pass   | PK   | 12.34456G | 55.34          | 74.00          | -18.66      | 3        | Vertical   | 132         | 1.96       |
| 6185MHz                         | Pass   | AV   | 12.30344G | 42.73          | 54.00          | -11.27      | 3        | Horizontal | 12          | 1.50       |
| 6185MHz                         | Pass   | PK   | 12.40968G | 55.04          | 74.00          | -18.96      | 3        | Horizontal | 12          | 1.50       |
| 6345MHz                         | Pass   | AV   | 12.746G   | 43.27          | 68.20          | -24.93      | 3        | Vertical   | 102         | 2.87       |
| 6345MHz                         | Pass   | PK   | 12.70792G | 56.17          | 88.20          | -32.03      | 3        | Vertical   | 102         | 2.87       |
| 6345MHz                         | Pass   | AV   | 12.75224G | 43.22          | 68.20          | -24.98      | 3        | Horizontal | 257         | 1.50       |
| 6345MHz                         | Pass   | PK   | 12.7284G  | 55.43          | 88.20          | -32.77      | 3        | Horizontal | 257         | 1.50       |
| 6665MHz                         | Pass   | AV   | 13.33928G | 45.77          | 54.00          | -8.23       | 3        | Vertical   | 318         | 1.00       |
| 6665MHz                         | Pass   | PK   | 13.34248G | 57.45          | 74.00          | -16.55      | 3        | Vertical   | 318         | 1.00       |
| 6665MHz                         | Pass   | AV   | 13.34904G | 45.77          | 54.00          | -8.23       | 3        | Horizontal | 291         | 1.60       |
| 6665MHz                         | Pass   | PK   | 13.34408G | 58.15          | 74.00          | -15.85      | 3        | Horizontal | 291         | 1.60       |
| 802.11be EHT320_Nss1,(MCS0)_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6105MHz                         | Pass   | AV   | 5.924G    | 66.15          | 68.20          | -2.05       | 3        | Vertical   | 360         | 1.89       |
| 6105MHz                         | Pass   | AV   | 6.211G    | 96.54          | Inf            | -Inf        | 3        | Vertical   | 360         | 1.89       |
| 6105MHz                         | Pass   | PK   | 5.914G    | 78.86          | 88.20          | -9.34       | 3        | Vertical   | 360         | 1.89       |
| 6105MHz                         | Pass   | PK   | 6.246G    | 108.94         | Inf            | -Inf        | 3        | Vertical   | 360         | 1.89       |
| 6105MHz                         | Pass   | AV   | 5.925G    | 61.05          | 68.20          | -7.15       | 3        | Horizontal | 0           | 2.05       |
| 6105MHz                         | Pass   | AV   | 6.246G    | 96.89          | Inf            | -Inf        | 3        | Horizontal | 0           | 2.05       |
| 6105MHz                         | Pass   | PK   | 5.924G    | 75.85          | 88.20          | -12.35      | 3        | Horizontal | 0           | 2.05       |
| 6105MHz                         | Pass   | PK   | 6.243G    | 109.17         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.05       |
| 6105MHz                         | Pass   | AV   | 12.20776G | 43.61          | 54.00          | -10.39      | 3        | Vertical   | 290         | 2.95       |
| 6105MHz                         | Pass   | PK   | 12.17896G | 55.17          | 74.00          | -18.83      | 3        | Vertical   | 290         | 2.95       |
| 6105MHz                         | Pass   | AV   | 12.2116G  | 43.57          | 54.00          | -10.43      | 3        | Horizontal | 106         | 2.09       |
| 6105MHz                         | Pass   | PK   | 12.21608G | 55.53          | 74.00          | -18.47      | 3        | Horizontal | 106         | 2.09       |
| 6265MHz                         | Pass   | AV   | 12.66056G | 42.92          | 54.00          | -11.08      | 3        | Vertical   | 43          | 2.53       |
| 6265MHz                         | Pass   | PK   | 12.60552G | 55.46          | 74.00          | -18.54      | 3        | Vertical   | 43          | 2.53       |
| 6265MHz                         | Pass   | AV   | 12.6868G  | 42.87          | 54.00          | -11.13      | 3        | Horizontal | 187         | 1.50       |
| 6265MHz                         | Pass   | PK   | 12.47112G | 55.36          | 74.00          | -18.64      | 3        | Horizontal | 187         | 1.50       |


5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5955MHz\_TX




5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5955MHz\_TX




5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5955MHz\_TX




5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5955MHz\_TX



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


5955MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.9247G      | 63.06             | 68.20             | -5.14          | 7.96           | 3           | Vertical  | 359            | 1.50          | 55.10         | 34.45      | 8.64       | 35.13      |
| AV   | 5.9619G      | 107.42            | Inf               | -Inf           | 7.88           | 3           | Vertical  | 359            | 1.50          | 99.54         | 34.38      | 8.64       | 35.14      |
| PK   | 5.9235G      | 78.51             | 88.20             | -9.69          | 7.96           | 3           | Vertical  | 359            | 1.50          | 70.55         | 34.45      | 8.64       | 35.13      |
| PK   | 5.9589G      | 118.42            | Inf               | -Inf           | 7.88           | 3           | Vertical  | 359            | 1.50          | 110.54        | 34.38      | 8.64       | 35.14      |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


5955MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.925G       | 63.62             | 68.20             | -4.58          | 7.96           | 3           | Horizontal | 356            | 1.00          | 55.66         | 34.45      | 8.64       | 35.13      |
| AV   | 5.9634G      | 109.48            | Inf               | -Inf           | 7.87           | 3           | Horizontal | 356            | 1.00          | 101.61        | 34.37      | 8.64       | 35.14      |
| PK   | 5.9235G      | 79.31             | 88.20             | -8.89          | 7.96           | 3           | Horizontal | 356            | 1.00          | 71.35         | 34.45      | 8.64       | 35.13      |
| PK   | 5.9607G      | 120.91            | Inf               | -Inf           | 7.88           | 3           | Horizontal | 356            | 1.00          | 113.03        | 34.38      | 8.64       | 35.14      |


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5955MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX


6025MHz\_TX






5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX


6105MHz\_TX






5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

6105MHz\_TX




6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_2TX

6695MHz\_TX



6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_2TX


6695MHz\_TX






6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

6695MHz\_TX



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


6695MHz\_TX






6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

6685MHz\_TX




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

6785MHz\_TX



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


6785MHz\_TX






6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

6665MHz\_TX





## RSE TX below 1GHz\_Non-Beamforming\_Radio 3\_2T2S\_Patch Appendix E.33

### Summary

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT320_Nss2,(MCS0)_2TX | Pass   | PK   | 30M          | 32.68             | 40.00             | -7.32          | 3           | Vertical  | 0              | 1.00          |




## RSE TX below 1GHz\_Non-Beamforming\_Radio 3\_2T2S\_Patch Appendix E.33

### Result

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT320_Nss2,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6105MHz_PoE                     | Pass   | PK   | 30M          | 32.68             | 40.00             | -7.32          | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 119.24M      | 27.50             | 43.50             | -16.00         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 233.7M       | 27.34             | 46.00             | -18.66         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 291.9M       | 33.96             | 46.00             | -12.04         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 30.87             | 46.00             | -15.13         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 559.62M      | 27.54             | 46.00             | -18.46         | 3           | Vertical   | 0              | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 35.82M       | 26.62             | 40.00             | -13.38         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 119.24M      | 30.21             | 43.50             | -13.29         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 291.9M       | 33.31             | 46.00             | -12.69         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 365.62M      | 26.27             | 46.00             | -19.73         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 449.04M      | 31.65             | 46.00             | -14.35         | 3           | Horizontal | 360            | 1.00          |
| 6105MHz_PoE                     | Pass   | PK   | 555.74M      | 26.71             | 46.00             | -19.29         | 3           | Horizontal | 360            | 1.00          |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6105MHz\_PoE



| Type | Freq    | Level    | Limit    | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|--------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |           | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 30M     | 32.68    | 40.00    | -7.32  | -18.87 | 3    | Vertical  | 0       | 1.00   | 51.55  | 24.67 | 0.78 | 44.32 |  |  |  |  |
| PK   | 119.24M | 27.50    | 43.50    | -16.00 | -25.80 | 3    | Vertical  | 0       | 1.00   | 53.30  | 17.54 | 1.28 | 44.62 |  |  |  |  |
| PK   | 233.7M  | 27.34    | 46.00    | -18.66 | -25.99 | 3    | Vertical  | 0       | 1.00   | 53.33  | 16.73 | 1.75 | 44.47 |  |  |  |  |
| PK   | 291.9M  | 33.96    | 46.00    | -12.04 | -23.04 | 3    | Vertical  | 0       | 1.00   | 57.00  | 19.34 | 1.97 | 44.35 |  |  |  |  |
| PK   | 449.04M | 30.87    | 46.00    | -15.13 | -18.47 | 3    | Vertical  | 0       | 1.00   | 49.34  | 23.16 | 2.40 | 44.03 |  |  |  |  |
| PK   | 559.62M | 27.54    | 46.00    | -18.46 | -14.51 | 3    | Vertical  | 0       | 1.00   | 42.05  | 26.72 | 2.72 | 43.95 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_PoE



| Type | Freq    | Level    | Limit    | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw    | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|--------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |            | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 35.82M  | 26.62    | 40.00    | -13.38 | -21.80 | 3    | Horizontal | 360     | 1.00   | 48.42  | 21.83 | 0.80 | 44.43 |  |  |  |  |
| PK   | 119.24M | 30.21    | 43.50    | -13.29 | -25.80 | 3    | Horizontal | 360     | 1.00   | 56.01  | 17.54 | 1.28 | 44.62 |  |  |  |  |
| PK   | 291.9M  | 33.31    | 46.00    | -12.69 | -23.04 | 3    | Horizontal | 360     | 1.00   | 56.35  | 19.34 | 1.97 | 44.35 |  |  |  |  |
| PK   | 365.62M | 26.27    | 46.00    | -19.73 | -20.96 | 3    | Horizontal | 360     | 1.00   | 47.23  | 21.00 | 2.22 | 44.18 |  |  |  |  |
| PK   | 449.04M | 31.65    | 46.00    | -14.35 | -18.47 | 3    | Horizontal | 360     | 1.00   | 50.12  | 23.16 | 2.40 | 44.03 |  |  |  |  |
| PK   | 555.74M | 26.71    | 46.00    | -19.29 | -14.66 | 3    | Horizontal | 360     | 1.00   | 41.37  | 26.57 | 2.72 | 43.95 |  |  |  |  |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_2T2S\_Patch Appendix E.34

### Summary

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.925G       | 63.39             | 68.20             | -4.81          | 3           | Vertical   | 0              | 1.48          |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.9245G      | 67.57             | 68.20             | -0.63          | 3           | Vertical   | 0              | 1.50          |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | Pass   | AV   | 5.925G       | 67.34             | 68.20             | -0.86          | 3           | Vertical   | 360            | 1.50          |
| 802.11be EHT160_Nss2,(MCS0)_2TX | Pass   | AV   | 5.9235G      | 66.78             | 68.20             | -1.42          | 3           | Vertical   | 1              | 1.02          |
| 802.11be EHT320_Nss2,(MCS0)_2TX | Pass   | AV   | 5.925G       | 67.93             | 68.20             | -0.27          | 3           | Vertical   | 1              | 1.02          |
| 6.525-6.875GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | Pass   | AV   | 13.38962G    | 50.20             | 54.00             | -3.80          | 3           | Vertical   | 321            | 2.48          |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | Pass   | AV   | 13.36928G    | 47.98             | 54.00             | -6.02          | 3           | Horizontal | 295            | 1.58          |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | Pass   | AV   | 13.5792G     | 47.74             | 68.20             | -20.46         | 3           | Vertical   | 325            | 2.99          |
| 802.11be EHT160_Nss2,(MCS0)_2TX | Pass   | AV   | 13.3476G     | 45.49             | 54.00             | -8.51          | 3           | Horizontal | 294            | 2.05          |



## RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_2T2S\_Patch Appendix E.34

### Result

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT20_Nss2,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5955MHz                        | Pass   | AV   | 5.925G       | 63.39             | 68.20             | -4.81          | 3           | Vertical   | 0              | 1.48          |
| 5955MHz                        | Pass   | AV   | 5.9628G      | 106.94            | Inf               | -Inf           | 3           | Vertical   | 0              | 1.48          |
| 5955MHz                        | Pass   | PK   | 5.925G       | 80.06             | 88.20             | -8.14          | 3           | Vertical   | 0              | 1.48          |
| 5955MHz                        | Pass   | PK   | 5.9577G      | 119.44            | Inf               | -Inf           | 3           | Vertical   | 0              | 1.48          |
| 5955MHz                        | Pass   | AV   | 5.925G       | 63.20             | 68.20             | -5.00          | 3           | Horizontal | 4              | 2.03          |
| 5955MHz                        | Pass   | AV   | 5.9625G      | 109.49            | Inf               | -Inf           | 3           | Horizontal | 4              | 2.03          |
| 5955MHz                        | Pass   | PK   | 5.9244G      | 79.13             | 88.20             | -9.07          | 3           | Horizontal | 4              | 2.03          |
| 5955MHz                        | Pass   | PK   | 5.9604G      | 122.20            | Inf               | -Inf           | 3           | Horizontal | 4              | 2.03          |
| 5955MHz                        | Pass   | AV   | 11.9091G     | 45.75             | 54.00             | -8.25          | 3           | Vertical   | 344            | 2.24          |
| 5955MHz                        | Pass   | PK   | 11.90272G    | 59.50             | 74.00             | -14.50         | 3           | Vertical   | 344            | 2.24          |
| 5955MHz                        | Pass   | AV   | 11.90866G    | 43.86             | 54.00             | -10.14         | 3           | Horizontal | 26             | 1.60          |
| 5955MHz                        | Pass   | PK   | 11.91096G    | 57.60             | 74.00             | -16.40         | 3           | Horizontal | 26             | 1.60          |
| 6195MHz                        | Pass   | AV   | 12.39032G    | 44.36             | 54.00             | -9.64          | 3           | Vertical   | 319            | 1.88          |
| 6195MHz                        | Pass   | PK   | 12.3913G     | 57.62             | 74.00             | -16.38         | 3           | Vertical   | 319            | 1.88          |
| 6195MHz                        | Pass   | AV   | 12.39024G    | 43.03             | 54.00             | -10.97         | 3           | Horizontal | 35             | 1.87          |
| 6195MHz                        | Pass   | PK   | 12.39124G    | 55.80             | 74.00             | -18.20         | 3           | Horizontal | 35             | 1.87          |
| 6415MHz                        | Pass   | AV   | 12.83016G    | 44.05             | 68.20             | -24.15         | 3           | Vertical   | 307            | 2.70          |
| 6415MHz                        | Pass   | PK   | 12.8297G     | 56.79             | 88.20             | -31.41         | 3           | Vertical   | 307            | 2.70          |
| 6415MHz                        | Pass   | AV   | 12.83208G    | 43.83             | 68.20             | -24.37         | 3           | Horizontal | 49             | 2.01          |
| 6415MHz                        | Pass   | PK   | 12.83086G    | 57.31             | 88.20             | -30.89         | 3           | Horizontal | 49             | 2.01          |
| 6535MHz                        | Pass   | AV   | 13.0703G     | 53.30             | 68.20             | -14.90         | 3           | Vertical   | 312            | 1.92          |
| 6535MHz                        | Pass   | PK   | 13.0697G     | 66.53             | 88.20             | -21.67         | 3           | Vertical   | 312            | 1.92          |
| 6535MHz                        | Pass   | AV   | 13.06996G    | 53.24             | 68.20             | -14.96         | 3           | Horizontal | 321            | 2.04          |
| 6535MHz                        | Pass   | PK   | 13.06962G    | 66.70             | 88.20             | -21.50         | 3           | Horizontal | 321            | 2.04          |
| 6695MHz                        | Pass   | AV   | 13.38962G    | 50.20             | 54.00             | -3.80          | 3           | Vertical   | 321            | 2.48          |
| 6695MHz                        | Pass   | PK   | 13.3886G     | 64.71             | 74.00             | -9.29          | 3           | Vertical   | 321            | 2.48          |
| 6695MHz                        | Pass   | AV   | 13.3898G     | 49.15             | 54.00             | -4.85          | 3           | Horizontal | 295            | 2.26          |
| 6695MHz                        | Pass   | PK   | 13.38946G    | 64.56             | 74.00             | -9.44          | 3           | Horizontal | 295            | 2.26          |
| 6855MHz                        | Pass   | AV   | 13.7098G     | 51.52             | 68.20             | -16.68         | 3           | Vertical   | 355            | 2.28          |
| 6855MHz                        | Pass   | PK   | 13.70698G    | 65.07             | 88.20             | -23.13         | 3           | Vertical   | 355            | 2.28          |
| 6855MHz                        | Pass   | AV   | 13.7102G     | 50.65             | 68.20             | -17.55         | 3           | Horizontal | 303            | 1.77          |
| 6855MHz                        | Pass   | PK   | 13.71106G    | 64.45             | 88.20             | -23.75         | 3           | Horizontal | 303            | 1.77          |
| 802.11be EHT40_Nss2,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5965MHz                        | Pass   | AV   | 5.9245G      | 67.57             | 68.20             | -0.63          | 3           | Vertical   | 0              | 1.50          |
| 5965MHz                        | Pass   | AV   | 5.9689G      | 102.88            | Inf               | -Inf           | 3           | Vertical   | 0              | 1.50          |
| 5965MHz                        | Pass   | PK   | 5.9152G      | 85.42             | 88.20             | -2.78          | 3           | Vertical   | 0              | 1.50          |
| 5965MHz                        | Pass   | PK   | 5.9755G      | 114.67            | Inf               | -Inf           | 3           | Vertical   | 0              | 1.50          |
| 5965MHz                        | Pass   | AV   | 5.9242G      | 59.00             | 68.20             | -9.20          | 3           | Horizontal | 4              | 2.15          |
| 5965MHz                        | Pass   | AV   | 5.9704G      | 104.05            | Inf               | -Inf           | 3           | Horizontal | 4              | 2.15          |
| 5965MHz                        | Pass   | PK   | 5.9242G      | 77.77             | 88.20             | -10.43         | 3           | Horizontal | 4              | 2.15          |
| 5965MHz                        | Pass   | PK   | 5.9668G      | 115.57            | Inf               | -Inf           | 3           | Horizontal | 4              | 2.15          |
| 5965MHz                        | Pass   | AV   | 11.93968G    | 44.49             | 54.00             | -9.51          | 3           | Vertical   | 344            | 3.00          |
| 5965MHz                        | Pass   | PK   | 11.94636G    | 57.16             | 74.00             | -16.84         | 3           | Vertical   | 344            | 3.00          |
| 5965MHz                        | Pass   | AV   | 11.92992G    | 43.49             | 54.00             | -10.51         | 3           | Horizontal | 25             | 1.59          |
| 5965MHz                        | Pass   | PK   | 11.94188G    | 56.63             | 74.00             | -17.37         | 3           | Horizontal | 25             | 1.59          |
| 6205MHz                        | Pass   | AV   | 12.40968G    | 44.16             | 54.00             | -9.84          | 3           | Vertical   | 319            | 1.63          |
| 6205MHz                        | Pass   | PK   | 12.40996G    | 57.20             | 74.00             | -16.80         | 3           | Vertical   | 319            | 1.63          |
| 6205MHz                        | Pass   | AV   | 12.4108G     | 44.61             | 54.00             | -9.39          | 3           | Horizontal | 314            | 2.53          |
| 6205MHz                        | Pass   | PK   | 12.41476G    | 58.00             | 74.00             | -16.00         | 3           | Horizontal | 314            | 2.53          |
| 6405MHz                        | Pass   | AV   | 12.8154G     | 43.73             | 68.20             | -24.47         | 3           | Vertical   | 4              | 3.00          |
| 6405MHz                        | Pass   | PK   | 12.82072G    | 57.22             | 88.20             | -30.98         | 3           | Vertical   | 4              | 3.00          |
| 6405MHz                        | Pass   | AV   | 12.82212G    | 43.48             | 68.20             | -24.72         | 3           | Horizontal | 44             | 2.86          |
| 6405MHz                        | Pass   | PK   | 12.8162G     | 56.19             | 88.20             | -32.01         | 3           | Horizontal | 44             | 2.86          |
| 6565MHz                        | Pass   | AV   | 13.1278G     | 49.53             | 68.20             | -18.67         | 3           | Vertical   | 310            | 1.92          |
| 6565MHz                        | Pass   | PK   | 13.1302G     | 63.18             | 88.20             | -25.02         | 3           | Vertical   | 310            | 1.92          |
| 6565MHz                        | Pass   | AV   | 13.1296G     | 48.87             | 68.20             | -19.33         | 3           | Horizontal | 323            | 1.90          |
| 6565MHz                        | Pass   | PK   | 13.13124G    | 62.94             | 88.20             | -25.26         | 3           | Horizontal | 323            | 1.90          |
| 6685MHz                        | Pass   | AV   | 13.3704G     | 47.75             | 54.00             | -6.25          | 3           | Vertical   | 320            | 2.50          |
| 6685MHz                        | Pass   | PK   | 13.37012G    | 61.85             | 74.00             | -12.15         | 3           | Vertical   | 320            | 2.50          |
| 6685MHz                        | Pass   | AV   | 13.36928G    | 47.98             | 54.00             | -6.02          | 3           | Horizontal | 295            | 1.58          |

| Mode                            | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 6685MHz                         | Pass   | PK   | 13.3634G  | 61.44          | 74.00          | -12.56      | 3        | Horizontal | 295         | 1.58       |
| 6845MHz                         | Pass   | AV   | 13.69308G | 47.69          | 68.20          | -20.51      | 3        | Vertical   | 345         | 1.72       |
| 6845MHz                         | Pass   | PK   | 13.69008G | 61.22          | 88.20          | -26.98      | 3        | Vertical   | 345         | 1.72       |
| 6845MHz                         | Pass   | AV   | 13.68828G | 46.83          | 68.20          | -21.37      | 3        | Horizontal | 302         | 2.23       |
| 6845MHz                         | Pass   | PK   | 13.68708G | 59.91          | 88.20          | -28.29      | 3        | Horizontal | 302         | 2.23       |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5985MHz                         | Pass   | AV   | 5.925G    | 67.34          | 68.20          | -0.86       | 3        | Vertical   | 360         | 1.50       |
| 5985MHz                         | Pass   | AV   | 5.997G    | 99.80          | Inf            | -Inf        | 3        | Vertical   | 360         | 1.50       |
| 5985MHz                         | Pass   | PK   | 5.9215G   | 81.72          | 88.20          | -6.48       | 3        | Vertical   | 360         | 1.50       |
| 5985MHz                         | Pass   | PK   | 6.005G    | 111.91         | Inf            | -Inf        | 3        | Vertical   | 360         | 1.50       |
| 5985MHz                         | Pass   | AV   | 5.9245G   | 59.95          | 68.20          | -8.25       | 3        | Horizontal | 2           | 2.24       |
| 5985MHz                         | Pass   | AV   | 5.9725G   | 101.31         | Inf            | -Inf        | 3        | Horizontal | 2           | 2.24       |
| 5985MHz                         | Pass   | PK   | 5.921G    | 79.23          | 88.20          | -8.97       | 3        | Horizontal | 2           | 2.24       |
| 5985MHz                         | Pass   | PK   | 5.974G    | 113.29         | Inf            | -Inf        | 3        | Horizontal | 2           | 2.24       |
| 5985MHz                         | Pass   | AV   | 11.96272G | 43.74          | 54.00          | -10.26      | 3        | Vertical   | 350         | 2.75       |
| 5985MHz                         | Pass   | PK   | 11.95784G | 55.64          | 74.00          | -18.36      | 3        | Vertical   | 350         | 2.75       |
| 5985MHz                         | Pass   | AV   | 11.96376G | 43.39          | 54.00          | -10.61      | 3        | Horizontal | 45          | 1.80       |
| 5985MHz                         | Pass   | PK   | 11.9804G  | 55.71          | 74.00          | -18.29      | 3        | Horizontal | 45          | 1.80       |
| 6225MHz                         | Pass   | AV   | 12.4216G  | 42.99          | 54.00          | -11.01      | 3        | Vertical   | 316         | 1.18       |
| 6225MHz                         | Pass   | PK   | 12.41416G | 55.81          | 74.00          | -18.19      | 3        | Vertical   | 316         | 1.18       |
| 6225MHz                         | Pass   | AV   | 12.432G   | 42.83          | 54.00          | -11.17      | 3        | Horizontal | 50          | 1.50       |
| 6225MHz                         | Pass   | PK   | 12.41536G | 55.92          | 74.00          | -18.08      | 3        | Horizontal | 50          | 1.50       |
| 6385MHz                         | Pass   | AV   | 12.80976G | 43.14          | 68.20          | -25.06      | 3        | Vertical   | 123         | 1.01       |
| 6385MHz                         | Pass   | PK   | 12.7664G  | 56.08          | 88.20          | -32.12      | 3        | Vertical   | 123         | 1.01       |
| 6385MHz                         | Pass   | AV   | 12.7804G  | 43.22          | 68.20          | -24.98      | 3        | Horizontal | 56          | 1.31       |
| 6385MHz                         | Pass   | PK   | 12.79208G | 56.16          | 88.20          | -32.04      | 3        | Horizontal | 56          | 1.31       |
| 6625MHz                         | Pass   | AV   | 13.2276G  | 45.32          | 68.20          | -22.88      | 3        | Vertical   | 321         | 2.91       |
| 6625MHz                         | Pass   | PK   | 13.23472G | 58.11          | 88.20          | -30.09      | 3        | Vertical   | 321         | 2.91       |
| 6625MHz                         | Pass   | AV   | 13.22864G | 46.47          | 68.20          | -21.73      | 3        | Horizontal | 298         | 2.44       |
| 6625MHz                         | Pass   | PK   | 13.23624G | 59.55          | 88.20          | -28.65      | 3        | Horizontal | 298         | 2.44       |
| 6705MHz                         | Pass   | AV   | 13.4104G  | 45.99          | 68.20          | -22.21      | 3        | Vertical   | 321         | 1.82       |
| 6705MHz                         | Pass   | PK   | 13.40312G | 59.06          | 88.20          | -29.14      | 3        | Vertical   | 321         | 1.82       |
| 6705MHz                         | Pass   | AV   | 13.41104G | 46.22          | 68.20          | -21.98      | 3        | Horizontal | 294         | 2.32       |
| 6705MHz                         | Pass   | PK   | 13.42056G | 59.53          | 88.20          | -28.67      | 3        | Horizontal | 294         | 2.32       |
| 6785MHz                         | Pass   | AV   | 13.5792G  | 47.74          | 68.20          | -20.46      | 3        | Vertical   | 325         | 2.99       |
| 6785MHz                         | Pass   | PK   | 13.58368G | 61.89          | 88.20          | -26.31      | 3        | Vertical   | 325         | 2.99       |
| 6785MHz                         | Pass   | AV   | 13.58336G | 46.99          | 68.20          | -21.21      | 3        | Horizontal | 303         | 1.93       |
| 6785MHz                         | Pass   | PK   | 13.59032G | 61.25          | 88.20          | -26.95      | 3        | Horizontal | 303         | 1.93       |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 6025MHz                         | Pass   | AV   | 5.9235G   | 66.78          | 68.20          | -1.42       | 3        | Vertical   | 1           | 1.02       |
| 6025MHz                         | Pass   | AV   | 6.006G    | 97.67          | Inf            | -Inf        | 3        | Vertical   | 1           | 1.02       |
| 6025MHz                         | Pass   | PK   | 5.9225G   | 79.43          | 88.20          | -8.77       | 3        | Vertical   | 1           | 1.02       |
| 6025MHz                         | Pass   | PK   | 6.0085G   | 108.98         | Inf            | -Inf        | 3        | Vertical   | 1           | 1.02       |
| 6025MHz                         | Pass   | AV   | 5.9235G   | 61.36          | 68.20          | -6.84       | 3        | Horizontal | 0           | 2.08       |
| 6025MHz                         | Pass   | AV   | 6.043G    | 98.23          | Inf            | -Inf        | 3        | Horizontal | 0           | 2.08       |
| 6025MHz                         | Pass   | PK   | 5.92G     | 77.67          | 88.20          | -10.53      | 3        | Horizontal | 0           | 2.08       |
| 6025MHz                         | Pass   | PK   | 6.0435G   | 110.28         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.08       |
| 6025MHz                         | Pass   | AV   | 12.06792G | 43.50          | 54.00          | -10.50      | 3        | Vertical   | 176         | 2.03       |
| 6025MHz                         | Pass   | PK   | 12.12088G | 56.24          | 74.00          | -17.76      | 3        | Vertical   | 176         | 2.03       |
| 6025MHz                         | Pass   | AV   | 12.1044G  | 43.63          | 54.00          | -10.37      | 3        | Horizontal | 94          | 1.98       |
| 6025MHz                         | Pass   | PK   | 11.97912G | 55.71          | 74.00          | -18.29      | 3        | Horizontal | 94          | 1.98       |
| 6185MHz                         | Pass   | AV   | 12.3092G  | 42.39          | 54.00          | -11.61      | 3        | Vertical   | 77          | 1.50       |
| 6185MHz                         | Pass   | PK   | 12.31384G | 55.37          | 74.00          | -18.63      | 3        | Vertical   | 77          | 1.50       |
| 6185MHz                         | Pass   | AV   | 12.40888G | 42.86          | 54.00          | -11.14      | 3        | Horizontal | 312         | 2.05       |
| 6185MHz                         | Pass   | PK   | 12.38872G | 55.33          | 74.00          | -18.67      | 3        | Horizontal | 312         | 2.05       |
| 6345MHz                         | Pass   | AV   | 12.69992G | 42.65          | 54.00          | -11.35      | 3        | Vertical   | 192         | 2.25       |
| 6345MHz                         | Pass   | PK   | 12.68014G | 55.70          | 74.00          | -18.30      | 3        | Vertical   | 192         | 2.25       |
| 6345MHz                         | Pass   | AV   | 12.69994G | 42.62          | 54.00          | -11.38      | 3        | Horizontal | 203         | 1.50       |
| 6345MHz                         | Pass   | PK   | 12.68738G | 55.23          | 74.00          | -18.77      | 3        | Horizontal | 203         | 1.50       |
| 6665MHz                         | Pass   | AV   | 13.338G   | 44.90          | 54.00          | -9.10       | 3        | Vertical   | 321         | 2.03       |
| 6665MHz                         | Pass   | PK   | 13.27848G | 57.33          | 74.00          | -16.67      | 3        | Vertical   | 321         | 2.03       |
| 6665MHz                         | Pass   | AV   | 13.3476G  | 45.49          | 54.00          | -8.51       | 3        | Horizontal | 294         | 2.05       |




## RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_2T2S\_Patch Appendix E.34

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 6665MHz                         | Pass   | PK   | 13.36456G    | 58.50             | 74.00             | -15.50         | 3           | Horizontal | 294            | 2.05          |
| 802.11be EHT320_Nss2,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 6105MHz                         | Pass   | AV   | 5.925G       | 67.93             | 68.20             | -0.27          | 3           | Vertical   | 1              | 1.02          |
| 6105MHz                         | Pass   | AV   | 6.006G       | 95.58             | Inf               | -Inf           | 3           | Vertical   | 1              | 1.02          |
| 6105MHz                         | Pass   | PK   | 5.925G       | 80.59             | 88.20             | -7.61          | 3           | Vertical   | 1              | 1.02          |
| 6105MHz                         | Pass   | PK   | 5.999G       | 107.65            | Inf               | -Inf           | 3           | Vertical   | 1              | 1.02          |
| 6105MHz                         | Pass   | AV   | 5.925G       | 64.46             | 68.20             | -3.74          | 3           | Horizontal | 0              | 1.92          |
| 6105MHz                         | Pass   | AV   | 6.246G       | 96.47             | Inf               | -Inf           | 3           | Horizontal | 0              | 1.92          |
| 6105MHz                         | Pass   | PK   | 5.917G       | 78.84             | 88.20             | -9.36          | 3           | Horizontal | 0              | 1.92          |
| 6105MHz                         | Pass   | PK   | 6.246G       | 109.05            | Inf               | -Inf           | 3           | Horizontal | 0              | 1.92          |
| 6105MHz                         | Pass   | AV   | 12.1668G     | 42.88             | 54.00             | -11.12         | 3           | Vertical   | 225            | 1.86          |
| 6105MHz                         | Pass   | PK   | 12.2004G     | 55.58             | 74.00             | -18.42         | 3           | Vertical   | 225            | 1.86          |
| 6105MHz                         | Pass   | AV   | 12.12296G    | 42.86             | 54.00             | -11.14         | 3           | Horizontal | 133            | 1.93          |
| 6105MHz                         | Pass   | PK   | 12.1396G     | 55.78             | 74.00             | -18.22         | 3           | Horizontal | 133            | 1.93          |
| 6265MHz                         | Pass   | AV   | 12.67656G    | 42.58             | 54.00             | -11.42         | 3           | Vertical   | 319            | 1.50          |
| 6265MHz                         | Pass   | PK   | 12.61512G    | 55.24             | 74.00             | -18.76         | 3           | Vertical   | 319            | 1.50          |
| 6265MHz                         | Pass   | AV   | 12.68904G    | 42.61             | 54.00             | -11.39         | 3           | Horizontal | 78             | 2.79          |
| 6265MHz                         | Pass   | PK   | 12.68168G    | 55.26             | 74.00             | -18.74         | 3           | Horizontal | 78             | 2.79          |


5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




## 5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

### 5965MHz\_TX



## 5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


### 5965MHz\_TX






5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX



5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


5985MHz\_TX






5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX



5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6025MHz\_TX






5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX




5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX



5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6105MHz\_TX



| Type | Freq   | Level    | Limit    | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL   | PA    |  |  |  |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|--------|-------|------|-------|--|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |           | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |  |  |  |  |
| AV   | 5.925G | 67.93    | 68.20    | -0.27  | 7.96   | 3    | Vertical  | 1       | 1.02   | 59.97  | 34.45 | 8.64 | 35.13 |  |  |  |  |
| AV   | 6.006G | 95.58    | Inf      | -Inf   | 7.81   | 3    | Vertical  | 1       | 1.02   | 87.77  | 34.30 | 8.65 | 35.14 |  |  |  |  |
| PK   | 5.925G | 80.59    | 88.20    | -7.61  | 7.96   | 3    | Vertical  | 1       | 1.02   | 72.63  | 34.45 | 8.64 | 35.13 |  |  |  |  |
| PK   | 5.999G | 107.65   | Inf      | -Inf   | 7.81   | 3    | Vertical  | 1       | 1.02   | 99.84  | 34.30 | 8.65 | 35.14 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6105MHz\_TX



| Type | Freq   | Level    | Limit    | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw    | AF    | CL   | PA    |  |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|--------|-------|------|-------|--|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |            | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |  |  |  |  |
| AV   | 5.925G | 64.46    | 68.20    | -3.74  | 7.96   | 3    | Horizontal | 0       | 1.92   | 56.50  | 34.45 | 8.64 | 35.13 |  |  |  |  |
| AV   | 6.246G | 96.47    | Inf      | -Inf   | 8.18   | 3    | Horizontal | 0       | 1.92   | 88.29  | 34.60 | 8.78 | 35.20 |  |  |  |  |
| PK   | 5.917G | 78.84    | 88.20    | -9.36  | 7.98   | 3    | Horizontal | 0       | 1.92   | 70.86  | 34.47 | 8.64 | 35.13 |  |  |  |  |
| PK   | 6.246G | 109.05   | Inf      | -Inf   | 8.18   | 3    | Horizontal | 0       | 1.92   | 100.87 | 34.60 | 8.78 | 35.20 |  |  |  |  |


5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_TX



5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6105MHz\_TX






6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX



6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX


6695MHz\_TX






6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX



6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


6685MHz\_TX






6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX



6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX



**Summary**

| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition  |
|---------|--------|------|--------------|-------------------|-------------------|----------------|------------|
| Mode 1  | Pass   | AV   | 4.9662G      | 35.00             | 54.00             | -19.00         | Vertical   |
| Mode 2  | Pass   | AV   | 5.14818G     | 35.03             | 54.00             | -18.97         | Horizontal |
| Mode 3  | Pass   | AV   | 5.14431G     | 35.20             | 54.00             | -18.80         | Horizontal |
| Mode 4  | Pass   | AV   | 5.03999G     | 34.62             | 54.00             | -19.38         | Vertical   |
| Mode 5  | Pass   | AV   | 4.96473G     | 34.98             | 54.00             | -19.02         | Vertical   |
| Mode 6  | Pass   | AV   | 4.87392G     | 41.44             | 54.00             | -12.56         | Vertical   |
| Mode 7  | Pass   | AV   | 5.13925G     | 34.89             | 54.00             | -19.11         | Vertical   |
| Mode 8  | Pass   | AV   | 5.01991G     | 35.02             | 54.00             | -18.98         | Horizontal |
| Mode 9  | Pass   | AV   | 4.99199G     | 34.86             | 54.00             | -19.14         | Vertical   |
| Mode 10 | Pass   | AV   | 5.0245G      | 34.97             | 54.00             | -19.03         | Vertical   |
| Mode 11 | Pass   | AV   | 4.0763G      | 32.84             | 54.00             | -21.16         | Horizontal |
| Mode 12 | Pass   | AV   | 5.01645G     | 35.05             | 54.00             | -18.95         | Horizontal |


## Result

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| Mode 1 | Pass   | AV   | 2.23129G  | 27.37          | 54.00          | -26.63      | 3        | Vertical   | 287         | 1.41       |
| Mode 1 | Pass   | AV   | 3.4864G   | 30.16          | 68.20          | -38.04      | 3        | Vertical   | 344         | 1.50       |
| Mode 1 | Pass   | AV   | 4.9662G   | 35.00          | 54.00          | -19.00      | 3        | Vertical   | 101         | 1.50       |
| Mode 1 | Pass   | PK   | 2.23129G  | 39.89          | 74.00          | -34.11      | 3        | Vertical   | 287         | 1.41       |
| Mode 1 | Pass   | PK   | 3.4864G   | 42.83          | 88.20          | -45.37      | 3        | Vertical   | 344         | 1.50       |
| Mode 1 | Pass   | PK   | 4.9662G   | 46.80          | 74.00          | -27.20      | 3        | Vertical   | 101         | 1.50       |
| Mode 1 | Pass   | AV   | 1.33018G  | 25.48          | 54.00          | -28.52      | 3        | Horizontal | 44          | 1.50       |
| Mode 1 | Pass   | AV   | 3.04766G  | 30.84          | 68.20          | -37.36      | 3        | Horizontal | 330         | 1.00       |
| Mode 1 | Pass   | AV   | 4.97161G  | 34.60          | 54.00          | -19.40      | 3        | Horizontal | 99          | 1.50       |
| Mode 1 | Pass   | PK   | 1.33018G  | 42.62          | 74.00          | -31.38      | 3        | Horizontal | 44          | 1.50       |
| Mode 1 | Pass   | PK   | 3.04766G  | 43.34          | 88.20          | -44.86      | 3        | Horizontal | 330         | 1.00       |
| Mode 1 | Pass   | PK   | 4.97161G  | 46.98          | 74.00          | -27.02      | 3        | Horizontal | 99          | 1.50       |
| Mode 2 | Pass   | AV   | 1.38933G  | 28.15          | 54.00          | -25.85      | 3        | Vertical   | 0           | 1.78       |
| Mode 2 | Pass   | AV   | 3.08303G  | 30.38          | 68.20          | -37.82      | 3        | Vertical   | 323         | 1.50       |
| Mode 2 | Pass   | AV   | 4.95668G  | 34.78          | 54.00          | -19.22      | 3        | Vertical   | 303         | 1.56       |
| Mode 2 | Pass   | PK   | 1.38933G  | 47.33          | 74.00          | -26.67      | 3        | Vertical   | 0           | 1.78       |
| Mode 2 | Pass   | PK   | 3.08303G  | 42.74          | 88.20          | -45.46      | 3        | Vertical   | 323         | 1.50       |
| Mode 2 | Pass   | PK   | 4.95668G  | 46.52          | 74.00          | -27.48      | 3        | Vertical   | 303         | 1.56       |
| Mode 2 | Pass   | AV   | 1.33256G  | 26.30          | 54.00          | -27.70      | 3        | Horizontal | 39          | 1.50       |
| Mode 2 | Pass   | AV   | 3.56626G  | 30.22          | 68.20          | -37.98      | 3        | Horizontal | 204         | 1.99       |
| Mode 2 | Pass   | AV   | 5.14818G  | 35.03          | 54.00          | -18.97      | 3        | Horizontal | 218         | 1.66       |
| Mode 2 | Pass   | PK   | 1.33256G  | 42.20          | 74.00          | -31.80      | 3        | Horizontal | 39          | 1.50       |
| Mode 2 | Pass   | PK   | 3.56626G  | 42.23          | 88.20          | -45.97      | 3        | Horizontal | 204         | 1.99       |
| Mode 2 | Pass   | PK   | 5.14818G  | 47.24          | 74.00          | -26.76      | 3        | Horizontal | 218         | 1.66       |
| Mode 3 | Pass   | AV   | 1.38921G  | 25.36          | 54.00          | -28.64      | 3        | Vertical   | 347         | 1.76       |
| Mode 3 | Pass   | AV   | 3.77606G  | 31.18          | 54.00          | -22.82      | 3        | Vertical   | 359         | 1.97       |
| Mode 3 | Pass   | AV   | 5.02313G  | 34.91          | 54.00          | -19.09      | 3        | Vertical   | 269         | 1.50       |
| Mode 3 | Pass   | PK   | 1.38921G  | 46.48          | 74.00          | -27.52      | 3        | Vertical   | 347         | 1.76       |
| Mode 3 | Pass   | PK   | 3.77606G  | 43.33          | 74.00          | -30.67      | 3        | Vertical   | 359         | 1.97       |
| Mode 3 | Pass   | PK   | 5.02313G  | 47.69          | 74.00          | -26.31      | 3        | Vertical   | 269         | 1.50       |
| Mode 3 | Pass   | AV   | 1.33267G  | 26.56          | 54.00          | -27.44      | 3        | Horizontal | 4           | 1.50       |
| Mode 3 | Pass   | AV   | 3.7919G   | 31.48          | 54.00          | -22.52      | 3        | Horizontal | 259         | 1.50       |
| Mode 3 | Pass   | AV   | 5.14431G  | 35.20          | 54.00          | -18.80      | 3        | Horizontal | 288         | 1.50       |
| Mode 3 | Pass   | PK   | 1.33267G  | 42.55          | 74.00          | -31.45      | 3        | Horizontal | 4           | 1.50       |
| Mode 3 | Pass   | PK   | 3.7919G   | 42.95          | 74.00          | -31.05      | 3        | Horizontal | 259         | 1.50       |
| Mode 3 | Pass   | PK   | 5.14431G  | 47.97          | 74.00          | -26.03      | 3        | Horizontal | 288         | 1.50       |
| Mode 4 | Pass   | AV   | 1.38816G  | 25.54          | 54.00          | -28.46      | 3        | Vertical   | 348         | 1.77       |
| Mode 4 | Pass   | AV   | 3.78196G  | 31.07          | 54.00          | -22.93      | 3        | Vertical   | 293         | 1.50       |
| Mode 4 | Pass   | AV   | 5.03999G  | 34.62          | 54.00          | -19.38      | 3        | Vertical   | 133         | 1.75       |
| Mode 4 | Pass   | PK   | 1.38816G  | 46.67          | 74.00          | -27.33      | 3        | Vertical   | 348         | 1.77       |
| Mode 4 | Pass   | PK   | 3.78196G  | 43.16          | 74.00          | -30.84      | 3        | Vertical   | 293         | 1.50       |
| Mode 4 | Pass   | PK   | 5.03999G  | 46.54          | 74.00          | -27.46      | 3        | Vertical   | 133         | 1.75       |
| Mode 4 | Pass   | AV   | 1.33164G  | 26.03          | 54.00          | -27.97      | 3        | Horizontal | 25          | 1.50       |
| Mode 4 | Pass   | AV   | 3.78496G  | 31.16          | 54.00          | -22.84      | 3        | Horizontal | 0           | 1.50       |
| Mode 4 | Pass   | AV   | 4.84023G  | 33.97          | 54.00          | -20.03      | 3        | Horizontal | 131         | 1.50       |
| Mode 4 | Pass   | PK   | 1.33164G  | 44.00          | 74.00          | -30.00      | 3        | Horizontal | 25          | 1.50       |
| Mode 4 | Pass   | PK   | 3.78496G  | 43.48          | 74.00          | -30.52      | 3        | Horizontal | 0           | 1.50       |
| Mode 4 | Pass   | PK   | 4.84023G  | 47.43          | 74.00          | -26.57      | 3        | Horizontal | 131         | 1.50       |
| Mode 5 | Pass   | AV   | 1.38483G  | 26.29          | 54.00          | -27.71      | 3        | Vertical   | 356         | 1.02       |
| Mode 5 | Pass   | AV   | 3.80217G  | 31.12          | 54.00          | -22.88      | 3        | Vertical   | 6           | 1.50       |

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| Mode 5 | Pass   | AV   | 4.96473G  | 34.98          | 54.00          | -19.02      | 3        | Vertical   | 199         | 1.39       |
| Mode 5 | Pass   | PK   | 1.38483G  | 44.07          | 74.00          | -29.93      | 3        | Vertical   | 356         | 1.02       |
| Mode 5 | Pass   | PK   | 3.80217G  | 43.81          | 74.00          | -30.19      | 3        | Vertical   | 6           | 1.50       |
| Mode 5 | Pass   | PK   | 4.96473G  | 47.32          | 74.00          | -26.68      | 3        | Vertical   | 199         | 1.39       |
| Mode 5 | Pass   | AV   | 1.33286G  | 27.35          | 54.00          | -26.65      | 3        | Horizontal | 93          | 1.50       |
| Mode 5 | Pass   | AV   | 3.06407G  | 30.88          | 68.20          | -37.32      | 3        | Horizontal | 126         | 1.87       |
| Mode 5 | Pass   | AV   | 5.14795G  | 34.67          | 54.00          | -19.33      | 3        | Horizontal | 0           | 1.50       |
| Mode 5 | Pass   | PK   | 1.33286G  | 42.20          | 74.00          | -31.80      | 3        | Horizontal | 93          | 1.50       |
| Mode 5 | Pass   | PK   | 3.06407G  | 43.18          | 88.20          | -45.02      | 3        | Horizontal | 126         | 1.87       |
| Mode 5 | Pass   | PK   | 5.14795G  | 47.15          | 74.00          | -26.85      | 3        | Horizontal | 0           | 1.50       |
| Mode 6 | Pass   | AV   | 1.3966G   | 27.00          | 54.00          | -27.00      | 3        | Vertical   | 352         | 1.75       |
| Mode 6 | Pass   | AV   | 3.12737G  | 30.42          | 68.20          | -37.78      | 3        | Vertical   | 55          | 1.50       |
| Mode 6 | Pass   | AV   | 4.87392G  | 41.44          | 54.00          | -12.56      | 3        | Vertical   | 360         | 2.00       |
| Mode 6 | Pass   | PK   | 1.3966G   | 45.41          | 74.00          | -28.59      | 3        | Vertical   | 352         | 1.75       |
| Mode 6 | Pass   | PK   | 3.12737G  | 42.40          | 88.20          | -45.80      | 3        | Vertical   | 55          | 1.50       |
| Mode 6 | Pass   | PK   | 4.87392G  | 47.74          | 74.00          | -26.26      | 3        | Vertical   | 360         | 2.00       |
| Mode 6 | Pass   | AV   | 1.33225G  | 28.24          | 54.00          | -25.76      | 3        | Horizontal | 250         | 1.50       |
| Mode 6 | Pass   | AV   | 3.72291G  | 31.20          | 54.00          | -22.80      | 3        | Horizontal | 86          | 1.50       |
| Mode 6 | Pass   | AV   | 4.87583G  | 33.87          | 54.00          | -20.13      | 3        | Horizontal | 41          | 1.01       |
| Mode 6 | Pass   | PK   | 1.33225G  | 43.50          | 74.00          | -30.50      | 3        | Horizontal | 250         | 1.50       |
| Mode 6 | Pass   | PK   | 3.72291G  | 43.76          | 74.00          | -30.24      | 3        | Horizontal | 86          | 1.50       |
| Mode 6 | Pass   | PK   | 4.87583G  | 46.18          | 74.00          | -27.82      | 3        | Horizontal | 41          | 1.01       |
| Mode 7 | Pass   | AV   | 1.38417G  | 25.92          | 54.00          | -28.08      | 3        | Vertical   | 360         | 1.72       |
| Mode 7 | Pass   | AV   | 3.76898G  | 30.92          | 54.00          | -23.08      | 3        | Vertical   | 247         | 1.31       |
| Mode 7 | Pass   | AV   | 5.13925G  | 34.89          | 54.00          | -19.11      | 3        | Vertical   | 223         | 1.50       |
| Mode 7 | Pass   | PK   | 1.38417G  | 46.76          | 74.00          | -27.24      | 3        | Vertical   | 360         | 1.72       |
| Mode 7 | Pass   | PK   | 3.76898G  | 43.30          | 74.00          | -30.70      | 3        | Vertical   | 247         | 1.31       |
| Mode 7 | Pass   | PK   | 5.13925G  | 46.61          | 74.00          | -27.39      | 3        | Vertical   | 223         | 1.50       |
| Mode 7 | Pass   | AV   | 1.3317G   | 26.93          | 54.00          | -27.07      | 3        | Horizontal | 338         | 1.50       |
| Mode 7 | Pass   | AV   | 3.2753G   | 30.83          | 68.20          | -37.37      | 3        | Horizontal | 10          | 1.50       |
| Mode 7 | Pass   | AV   | 4.95567G  | 34.62          | 54.00          | -19.38      | 3        | Horizontal | 14          | 1.51       |
| Mode 7 | Pass   | PK   | 1.3317G   | 42.12          | 74.00          | -31.88      | 3        | Horizontal | 338         | 1.50       |
| Mode 7 | Pass   | PK   | 3.2753G   | 42.66          | 88.20          | -45.54      | 3        | Horizontal | 10          | 1.50       |
| Mode 7 | Pass   | PK   | 4.95567G  | 46.63          | 74.00          | -27.37      | 3        | Horizontal | 14          | 1.51       |
| Mode 8 | Pass   | AV   | 1.19711G  | 25.94          | 54.00          | -28.06      | 3        | Vertical   | 176         | 1.99       |
| Mode 8 | Pass   | AV   | 3.26678G  | 31.06          | 54.00          | -22.94      | 3        | Vertical   | 311         | 1.50       |
| Mode 8 | Pass   | AV   | 5.13943G  | 34.67          | 54.00          | -19.33      | 3        | Vertical   | 248         | 1.50       |
| Mode 8 | Pass   | PK   | 1.19711G  | 42.62          | 74.00          | -31.38      | 3        | Vertical   | 176         | 1.99       |
| Mode 8 | Pass   | PK   | 3.26678G  | 42.77          | 74.00          | -31.23      | 3        | Vertical   | 311         | 1.50       |
| Mode 8 | Pass   | PK   | 5.13943G  | 46.54          | 74.00          | -27.46      | 3        | Vertical   | 248         | 1.50       |
| Mode 8 | Pass   | AV   | 1.33184G  | 26.69          | 54.00          | -27.31      | 3        | Horizontal | 300         | 1.50       |
| Mode 8 | Pass   | AV   | 3.63444G  | 30.64          | 54.00          | -23.36      | 3        | Horizontal | 68          | 1.50       |
| Mode 8 | Pass   | AV   | 5.01991G  | 35.02          | 54.00          | -18.98      | 3        | Horizontal | 194         | 2.00       |
| Mode 8 | Pass   | PK   | 1.33184G  | 42.01          | 74.00          | -31.99      | 3        | Horizontal | 300         | 1.50       |
| Mode 8 | Pass   | PK   | 3.63444G  | 42.83          | 74.00          | -31.17      | 3        | Horizontal | 68          | 1.50       |
| Mode 8 | Pass   | PK   | 5.01991G  | 47.01          | 74.00          | -26.99      | 3        | Horizontal | 194         | 2.00       |
| Mode 9 | Pass   | AV   | 1.38742G  | 25.97          | 54.00          | -28.03      | 3        | Vertical   | 355         | 1.10       |
| Mode 9 | Pass   | AV   | 3.79445G  | 30.97          | 54.00          | -23.03      | 3        | Vertical   | 179         | 1.22       |
| Mode 9 | Pass   | AV   | 4.99199G  | 34.86          | 54.00          | -19.14      | 3        | Vertical   | 191         | 1.91       |
| Mode 9 | Pass   | PK   | 1.38742G  | 46.74          | 74.00          | -27.26      | 3        | Vertical   | 355         | 1.10       |


| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| Mode 9  | Pass   | PK   | 3.79445G     | 43.46             | 74.00             | -30.54         | 3           | Vertical   | 179            | 1.22          |
| Mode 9  | Pass   | PK   | 4.99199G     | 46.87             | 74.00             | -27.13         | 3           | Vertical   | 191            | 1.91          |
| Mode 9  | Pass   | AV   | 1.33208G     | 26.92             | 54.00             | -27.08         | 3           | Horizontal | 244            | 1.97          |
| Mode 9  | Pass   | AV   | 3.72578G     | 30.87             | 54.00             | -23.13         | 3           | Horizontal | 151            | 1.50          |
| Mode 9  | Pass   | AV   | 4.85831G     | 34.14             | 54.00             | -19.86         | 3           | Horizontal | 310            | 1.63          |
| Mode 9  | Pass   | PK   | 1.33208G     | 43.25             | 74.00             | -30.75         | 3           | Horizontal | 244            | 1.97          |
| Mode 9  | Pass   | PK   | 3.72578G     | 43.46             | 74.00             | -30.54         | 3           | Horizontal | 151            | 1.50          |
| Mode 9  | Pass   | PK   | 4.85831G     | 45.99             | 74.00             | -28.01         | 3           | Horizontal | 310            | 1.63          |
| Mode 10 | Pass   | AV   | 1.38205G     | 25.46             | 54.00             | -28.54         | 3           | Vertical   | 360            | 1.01          |
| Mode 10 | Pass   | AV   | 3.18399G     | 30.62             | 68.20             | -37.58         | 3           | Vertical   | 147            | 1.51          |
| Mode 10 | Pass   | AV   | 5.0245G      | 34.97             | 54.00             | -19.03         | 3           | Vertical   | 25             | 1.80          |
| Mode 10 | Pass   | PK   | 1.38205G     | 45.94             | 74.00             | -28.06         | 3           | Vertical   | 360            | 1.01          |
| Mode 10 | Pass   | PK   | 3.18399G     | 43.11             | 88.20             | -45.09         | 3           | Vertical   | 147            | 1.51          |
| Mode 10 | Pass   | PK   | 5.0245G      | 47.59             | 74.00             | -26.41         | 3           | Vertical   | 25             | 1.80          |
| Mode 10 | Pass   | AV   | 1.33279G     | 26.23             | 54.00             | -27.77         | 3           | Horizontal | 0              | 1.50          |
| Mode 10 | Pass   | AV   | 3.79299G     | 31.18             | 54.00             | -22.82         | 3           | Horizontal | 139            | 1.98          |
| Mode 10 | Pass   | AV   | 4.94044G     | 34.92             | 54.00             | -19.08         | 3           | Horizontal | 350            | 1.50          |
| Mode 10 | Pass   | PK   | 1.33279G     | 41.31             | 74.00             | -32.69         | 3           | Horizontal | 0              | 1.50          |
| Mode 10 | Pass   | PK   | 3.79299G     | 43.79             | 74.00             | -30.21         | 3           | Horizontal | 139            | 1.98          |
| Mode 10 | Pass   | PK   | 4.94044G     | 46.93             | 74.00             | -27.07         | 3           | Horizontal | 350            | 1.50          |
| Mode 11 | Pass   | AV   | 1.19674G     | 28.13             | 54.00             | -25.87         | 3           | Vertical   | 191            | 1.50          |
| Mode 11 | Pass   | AV   | 3.03704G     | 31.36             | 68.20             | -36.84         | 3           | Vertical   | 30             | 1.50          |
| Mode 11 | Pass   | AV   | 3.86648G     | 32.17             | 54.00             | -21.83         | 3           | Vertical   | 111            | 2.53          |
| Mode 11 | Pass   | PK   | 1.1974G      | 41.31             | 74.00             | -32.69         | 3           | Vertical   | 191            | 1.50          |
| Mode 11 | Pass   | PK   | 3.04274G     | 43.34             | 88.20             | -44.86         | 3           | Vertical   | 30             | 1.50          |
| Mode 11 | Pass   | PK   | 3.84812G     | 44.06             | 74.00             | -29.94         | 3           | Vertical   | 111            | 2.53          |
| Mode 11 | Pass   | AV   | 1.33176G     | 27.80             | 54.00             | -26.20         | 3           | Horizontal | 0              | 1.45          |
| Mode 11 | Pass   | AV   | 4.0763G      | 32.84             | 54.00             | -21.16         | 3           | Horizontal | 283            | 1.00          |
| Mode 11 | Pass   | AV   | 5.95274G     | 43.61             | 68.20             | -24.59         | 3           | Horizontal | 197            | 1.50          |
| Mode 11 | Pass   | PK   | 1.33326G     | 42.77             | 74.00             | -31.23         | 3           | Horizontal | 0              | 1.45          |
| Mode 11 | Pass   | PK   | 4.06814G     | 45.15             | 74.00             | -28.85         | 3           | Horizontal | 283            | 1.00          |
| Mode 11 | Pass   | PK   | 5.94782G     | 52.98             | 88.20             | -35.22         | 3           | Horizontal | 197            | 1.50          |
| Mode 12 | Pass   | AV   | 1.39602G     | 26.18             | 54.00             | -27.82         | 3           | Vertical   | 0              | 1.52          |
| Mode 12 | Pass   | AV   | 3.70879G     | 31.13             | 54.00             | -22.87         | 3           | Vertical   | 279            | 1.50          |
| Mode 12 | Pass   | AV   | 4.96205G     | 34.71             | 54.00             | -19.29         | 3           | Vertical   | 120            | 1.50          |
| Mode 12 | Pass   | PK   | 1.39602G     | 45.59             | 74.00             | -28.41         | 3           | Vertical   | 0              | 1.52          |
| Mode 12 | Pass   | PK   | 3.70879G     | 43.29             | 74.00             | -30.71         | 3           | Vertical   | 279            | 1.50          |
| Mode 12 | Pass   | PK   | 4.96205G     | 47.13             | 74.00             | -26.87         | 3           | Vertical   | 120            | 1.50          |
| Mode 12 | Pass   | AV   | 1.33115G     | 25.89             | 54.00             | -28.11         | 3           | Horizontal | 311            | 1.50          |
| Mode 12 | Pass   | AV   | 3.49836G     | 30.43             | 68.20             | -37.77         | 3           | Horizontal | 20             | 1.50          |
| Mode 12 | Pass   | AV   | 5.01645G     | 35.05             | 54.00             | -18.95         | 3           | Horizontal | 193            | 1.51          |
| Mode 12 | Pass   | PK   | 1.33115G     | 42.57             | 74.00             | -31.43         | 3           | Horizontal | 311            | 1.50          |
| Mode 12 | Pass   | PK   | 3.49836G     | 42.43             | 88.20             | -45.77         | 3           | Horizontal | 20             | 1.50          |
| Mode 12 | Pass   | PK   | 5.01645G     | 47.25             | 74.00             | -26.75         | 3           | Horizontal | 193            | 1.51          |

## Radiated Emissions above 1GHz\_Mode 1




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|------------|-----------|---------|---------|
| AV   | 2.23129G  | 27.37          | 54.00          | -26.63      | -3.13         | 3        | Vertical  | 287         | 1.41       | 30.50      | 27.20     | 4.72    | 35.05   |
| AV   | 3.4864G   | 30.16          | 68.20          | -38.04      | 0.15          | 3        | Vertical  | 344         | 1.50       | 30.01      | 29.40     | 6.00    | 35.25   |
| AV   | 4.9662G   | 35.00          | 54.00          | -19.00      | 5.21          | 3        | Vertical  | 101         | 1.50       | 29.79      | 33.06     | 7.22    | 35.07   |
| PK   | 2.23129G  | 39.89          | 74.00          | -34.11      | -3.13         | 3        | Vertical  | 287         | 1.41       | 43.02      | 27.20     | 4.72    | 35.05   |
| PK   | 3.4864G   | 42.83          | 88.20          | -45.37      | 0.15          | 3        | Vertical  | 344         | 1.50       | 42.68      | 29.40     | 6.00    | 35.25   |
| PK   | 4.9662G   | 46.80          | 74.00          | -27.20      | 5.21          | 3        | Vertical  | 101         | 1.50       | 41.59      | 33.06     | 7.22    | 35.07   |

## Radiated Emissions above 1GHz\_Mode 1




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|------------|-----------|---------|---------|
| AV   | 1.33018G  | 25.48          | 54.00          | -28.52      | -5.88         | 3        | Horizontal | 44          | 1.50       | 31.36      | 25.90     | 3.58    | 35.36   |
| AV   | 3.04766G  | 30.84          | 68.20          | -37.36      | 0.07          | 3        | Horizontal | 330         | 1.00       | 30.77      | 29.70     | 5.59    | 35.22   |
| AV   | 4.97161G  | 34.60          | 54.00          | -19.40      | 5.24          | 3        | Horizontal | 99          | 1.50       | 29.36      | 33.09     | 7.22    | 35.07   |
| PK   | 1.33018G  | 42.62          | 74.00          | -31.38      | -5.88         | 3        | Horizontal | 44          | 1.50       | 48.50      | 25.90     | 3.58    | 35.36   |
| PK   | 3.04766G  | 43.34          | 88.20          | -44.86      | 0.07          | 3        | Horizontal | 330         | 1.00       | 43.27      | 29.70     | 5.59    | 35.22   |
| PK   | 4.97161G  | 46.98          | 74.00          | -27.02      | 5.24          | 3        | Horizontal | 99          | 1.50       | 41.74      | 33.09     | 7.22    | 35.07   |

## Radiated Emissions above 1GHz\_Mode 2




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.38933G     | 28.15             | 54.00             | -25.85         | -5.50            | 3           | Vertical  | 0              | 1.78          | 33.65         | 26.09        | 3.68       | 35.27      |  |  |  |  |
| AV   | 3.08303G     | 30.38             | 68.20             | -37.82         | 0.05             | 3           | Vertical  | 323            | 1.50          | 30.33         | 29.63        | 5.64       | 35.22      |  |  |  |  |
| AV   | 4.95668G     | 34.78             | 54.00             | -19.22         | 5.16             | 3           | Vertical  | 303            | 1.56          | 29.62         | 33.03        | 7.20       | 35.07      |  |  |  |  |
| PK   | 1.38933G     | 47.33             | 74.00             | -26.67         | -5.50            | 3           | Vertical  | 0              | 1.78          | 52.83         | 26.09        | 3.68       | 35.27      |  |  |  |  |
| PK   | 3.08303G     | 42.74             | 88.20             | -45.46         | 0.05             | 3           | Vertical  | 323            | 1.50          | 42.69         | 29.63        | 5.64       | 35.22      |  |  |  |  |
| PK   | 4.95668G     | 46.52             | 74.00             | -27.48         | 5.16             | 3           | Vertical  | 303            | 1.56          | 41.36         | 33.03        | 7.20       | 35.07      |  |  |  |  |

## Radiated Emissions above 1GHz\_Mode 2




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.33256G     | 26.30             | 54.00             | -27.70         | -5.87            | 3           | Horizontal | 39             | 1.50          | 32.17         | 25.90        | 3.59       | 35.36      |  |  |  |  |
| AV   | 3.56626G     | 30.22             | 68.20             | -37.98         | 0.31             | 3           | Horizontal | 204            | 1.99          | 29.91         | 29.43        | 6.10       | 35.22      |  |  |  |  |
| AV   | 5.14818G     | 35.03             | 54.00             | -18.97         | 5.26             | 3           | Horizontal | 218            | 1.66          | 29.77         | 33.09        | 7.24       | 35.07      |  |  |  |  |
| PK   | 1.33256G     | 42.20             | 74.00             | -31.80         | -5.87            | 3           | Horizontal | 39             | 1.50          | 48.07         | 25.90        | 3.59       | 35.36      |  |  |  |  |
| PK   | 3.56626G     | 42.23             | 88.20             | -45.97         | 0.31             | 3           | Horizontal | 204            | 1.99          | 41.92         | 29.43        | 6.10       | 35.22      |  |  |  |  |
| PK   | 5.14818G     | 47.24             | 74.00             | -26.76         | 5.26             | 3           | Horizontal | 218            | 1.66          | 41.98         | 33.09        | 7.24       | 35.07      |  |  |  |  |

## Radiated Emissions above 1GHz\_Mode 3




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.38921G     | 25.36             | 54.00             | -28.64         | -5.50            | 3           | Vertical  | 347            | 1.76          | 30.86         | 26.09        | 3.68       | 35.27      |
| AV   | 3.77606G     | 31.18             | 54.00             | -22.82         | 1.43             | 3           | Vertical  | 359            | 1.97          | 29.75         | 30.26        | 6.30       | 35.13      |
| AV   | 5.02313G     | 34.91             | 54.00             | -19.09         | 5.31             | 3           | Vertical  | 269            | 1.50          | 29.60         | 33.11        | 7.27       | 35.07      |
| PK   | 1.38921G     | 46.48             | 74.00             | -27.52         | -5.50            | 3           | Vertical  | 347            | 1.76          | 51.98         | 26.09        | 3.68       | 35.27      |
| PK   | 3.77606G     | 43.33             | 74.00             | -30.67         | 1.43             | 3           | Vertical  | 359            | 1.97          | 41.90         | 30.26        | 6.30       | 35.13      |
| PK   | 5.02313G     | 47.69             | 74.00             | -26.31         | 5.31             | 3           | Vertical  | 269            | 1.50          | 42.38         | 33.11        | 7.27       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 3




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33267G     | 26.56             | 54.00             | -27.44         | -5.87            | 3           | Horizontal | 4              | 1.50          | 32.43         | 25.90        | 3.59       | 35.36      |
| AV   | 3.7919G      | 31.48             | 54.00             | -22.52         | 1.53             | 3           | Horizontal | 259            | 1.50          | 29.95         | 30.35        | 6.31       | 35.13      |
| AV   | 5.14431G     | 35.20             | 54.00             | -18.80         | 5.24             | 3           | Horizontal | 288            | 1.50          | 29.96         | 33.07        | 7.24       | 35.07      |
| PK   | 1.33267G     | 42.55             | 74.00             | -31.45         | -5.87            | 3           | Horizontal | 4              | 1.50          | 48.42         | 25.90        | 3.59       | 35.36      |
| PK   | 3.7919G      | 42.95             | 74.00             | -31.05         | 1.53             | 3           | Horizontal | 259            | 1.50          | 41.42         | 30.35        | 6.31       | 35.13      |
| PK   | 5.14431G     | 47.97             | 74.00             | -26.03         | 5.24             | 3           | Horizontal | 288            | 1.50          | 42.73         | 33.07        | 7.24       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 4




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.38816G     | 25.54             | 54.00             | -28.46         | -5.52            | 3           | Vertical  | 348            | 1.77          | 31.06         | 26.08        | 3.68       | 35.28      |
| AV   | 3.78196G     | 31.07             | 54.00             | -22.93         | 1.46             | 3           | Vertical  | 293            | 1.50          | 29.61         | 30.29        | 6.30       | 35.13      |
| AV   | 5.03999G     | 34.62             | 54.00             | -19.38         | 5.23             | 3           | Vertical  | 133            | 1.75          | 29.39         | 33.04        | 7.26       | 35.07      |
| PK   | 1.38816G     | 46.67             | 74.00             | -27.33         | -5.52            | 3           | Vertical  | 348            | 1.77          | 52.19         | 26.08        | 3.68       | 35.28      |
| PK   | 3.78196G     | 43.16             | 74.00             | -30.84         | 1.46             | 3           | Vertical  | 293            | 1.50          | 41.70         | 30.29        | 6.30       | 35.13      |
| PK   | 5.03999G     | 46.54             | 74.00             | -27.46         | 5.23             | 3           | Vertical  | 133            | 1.75          | 41.31         | 33.04        | 7.26       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 4




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33164G     | 26.03             | 54.00             | -27.97         | -5.87            | 3           | Horizontal | 25             | 1.50          | 31.90         | 25.90        | 3.59       | 35.36      |
| AV   | 3.78496G     | 31.16             | 54.00             | -22.84         | 1.49             | 3           | Horizontal | 0              | 1.50          | 29.67         | 30.31        | 6.31       | 35.13      |
| AV   | 4.84023G     | 33.97             | 54.00             | -20.03         | 4.41             | 3           | Horizontal | 131            | 1.50          | 29.56         | 32.46        | 7.01       | 35.06      |
| PK   | 1.33164G     | 44.00             | 74.00             | -30.00         | -5.87            | 3           | Horizontal | 25             | 1.50          | 49.87         | 25.90        | 3.59       | 35.36      |
| PK   | 3.78496G     | 43.48             | 74.00             | -30.52         | 1.49             | 3           | Horizontal | 0              | 1.50          | 41.99         | 30.31        | 6.31       | 35.13      |
| PK   | 4.84023G     | 47.43             | 74.00             | -26.57         | 4.41             | 3           | Horizontal | 131            | 1.50          | 43.02         | 32.46        | 7.01       | 35.06      |

## Radiated Emissions above 1GHz\_Mode 5




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.38483G     | 26.29             | 54.00             | -27.71         | -5.56            | 3           | Vertical  | 356            | 1.02          | 31.85         | 26.05        | 3.67       | 35.28      |
| AV   | 3.80217G     | 31.12             | 54.00             | -22.88         | 1.61             | 3           | Vertical  | 6              | 1.50          | 29.51         | 30.41        | 6.32       | 35.12      |
| AV   | 4.96473G     | 34.98             | 54.00             | -19.02         | 5.20             | 3           | Vertical  | 199            | 1.39          | 29.78         | 33.06        | 7.21       | 35.07      |
| PK   | 1.38483G     | 44.07             | 74.00             | -29.93         | -5.56            | 3           | Vertical  | 356            | 1.02          | 49.63         | 26.05        | 3.67       | 35.28      |
| PK   | 3.80217G     | 43.81             | 74.00             | -30.19         | 1.61             | 3           | Vertical  | 6              | 1.50          | 42.20         | 30.41        | 6.32       | 35.12      |
| PK   | 4.96473G     | 47.32             | 74.00             | -26.68         | 5.20             | 3           | Vertical  | 199            | 1.39          | 42.12         | 33.06        | 7.21       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 5




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33286G     | 27.35             | 54.00             | -26.65         | -5.87            | 3           | Horizontal | 93             | 1.50          | 33.22         | 25.90        | 3.59       | 35.36      |
| AV   | 3.06407G     | 30.88             | 68.20             | -37.32         | 0.06             | 3           | Horizontal | 126            | 1.87          | 30.82         | 29.67        | 5.61       | 35.22      |
| AV   | 5.14795G     | 34.67             | 54.00             | -19.33         | 5.26             | 3           | Horizontal | 0              | 1.50          | 29.41         | 33.09        | 7.24       | 35.07      |
| PK   | 1.33286G     | 42.20             | 74.00             | -31.80         | -5.87            | 3           | Horizontal | 93             | 1.50          | 48.07         | 25.90        | 3.59       | 35.36      |
| PK   | 3.06407G     | 43.18             | 88.20             | -45.02         | 0.06             | 3           | Horizontal | 126            | 1.87          | 43.12         | 29.67        | 5.61       | 35.22      |
| PK   | 5.14795G     | 47.15             | 74.00             | -26.85         | 5.26             | 3           | Horizontal | 0              | 1.50          | 41.89         | 33.09        | 7.24       | 35.07      |


## Radiated Emissions above 1GHz\_Mode 6



## Radiated Emissions above 1GHz\_Mode 6




## Radiated Emissions above 1GHz\_Mode 7




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.38417G     | 25.92             | 54.00             | -28.08         | -5.57            | 3           | Vertical  | 360            | 1.72          | 31.49         | 26.04        | 3.67       | 35.28      |
| AV   | 3.76898G     | 30.92             | 54.00             | -23.08         | 1.36             | 3           | Vertical  | 247            | 1.31          | 29.56         | 30.21        | 6.29       | 35.14      |
| AV   | 5.13925G     | 34.89             | 54.00             | -19.11         | 5.21             | 3           | Vertical  | 223            | 1.50          | 29.68         | 33.04        | 7.24       | 35.07      |
| PK   | 1.38417G     | 46.76             | 74.00             | -27.24         | -5.57            | 3           | Vertical  | 360            | 1.72          | 52.33         | 26.04        | 3.67       | 35.28      |
| PK   | 3.76898G     | 43.30             | 74.00             | -30.70         | 1.36             | 3           | Vertical  | 247            | 1.31          | 41.94         | 30.21        | 6.29       | 35.14      |
| PK   | 5.13925G     | 46.61             | 74.00             | -27.39         | 5.21             | 3           | Vertical  | 223            | 1.50          | 41.40         | 33.04        | 7.24       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 7




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.3317G      | 26.93             | 54.00             | -27.07         | -5.87            | 3           | Horizontal | 338            | 1.50          | 32.80         | 25.90        | 3.59       | 35.36      |
| AV   | 3.2753G      | 30.83             | 68.20             | -37.37         | 0.17             | 3           | Horizontal | 10             | 1.50          | 30.66         | 29.60        | 5.81       | 35.24      |
| AV   | 4.95567G     | 34.62             | 54.00             | -19.38         | 5.15             | 3           | Horizontal | 14             | 1.51          | 29.47         | 33.02        | 7.20       | 35.07      |
| PK   | 1.3317G      | 42.12             | 74.00             | -31.88         | -5.87            | 3           | Horizontal | 338            | 1.50          | 47.99         | 25.90        | 3.59       | 35.36      |
| PK   | 3.2753G      | 42.66             | 88.20             | -45.54         | 0.17             | 3           | Horizontal | 10             | 1.50          | 42.49         | 29.60        | 5.81       | 35.24      |
| PK   | 4.95567G     | 46.63             | 74.00             | -27.37         | 5.15             | 3           | Horizontal | 14             | 1.51          | 41.48         | 33.02        | 7.20       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 8




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.19711G     | 25.94             | 54.00             | -28.06         | -6.09            | 3           | Vertical  | 176            | 1.99          | 32.03         | 26.10        | 3.37       | 35.56      |
| AV   | 3.26678G     | 31.06             | 54.00             | -22.94         | 0.17             | 3           | Vertical  | 311            | 1.50          | 30.89         | 29.60        | 5.81       | 35.24      |
| AV   | 5.13943G     | 34.67             | 54.00             | -19.33         | 5.21             | 3           | Vertical  | 248            | 1.50          | 29.46         | 33.04        | 7.24       | 35.07      |
| PK   | 1.19711G     | 42.62             | 74.00             | -31.38         | -6.09            | 3           | Vertical  | 176            | 1.99          | 48.71         | 26.10        | 3.37       | 35.56      |
| PK   | 3.26678G     | 42.77             | 74.00             | -31.23         | 0.17             | 3           | Vertical  | 311            | 1.50          | 42.60         | 29.60        | 5.81       | 35.24      |
| PK   | 5.13943G     | 46.54             | 74.00             | -27.46         | 5.21             | 3           | Vertical  | 248            | 1.50          | 41.33         | 33.04        | 7.24       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 8




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33184G     | 26.69             | 54.00             | -27.31         | -5.87            | 3           | Horizontal | 300            | 1.50          | 32.56         | 25.90        | 3.59       | 35.36      |
| AV   | 3.63444G     | 30.64             | 54.00             | -23.36         | 0.56             | 3           | Horizontal | 68             | 1.50          | 30.08         | 29.57        | 6.18       | 35.19      |
| AV   | 5.01991G     | 35.02             | 54.00             | -18.98         | 5.32             | 3           | Horizontal | 194            | 2.00          | 29.70         | 33.12        | 7.27       | 35.07      |
| PK   | 1.33184G     | 42.01             | 74.00             | -31.99         | -5.87            | 3           | Horizontal | 300            | 1.50          | 47.88         | 25.90        | 3.59       | 35.36      |
| PK   | 3.63444G     | 42.83             | 74.00             | -31.17         | 0.56             | 3           | Horizontal | 68             | 1.50          | 42.27         | 29.57        | 6.18       | 35.19      |
| PK   | 5.01991G     | 47.01             | 74.00             | -26.99         | 5.32             | 3           | Horizontal | 194            | 2.00          | 41.69         | 33.12        | 7.27       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 9




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.38742G     | 25.97             | 54.00             | -28.03         | -5.53            | 3           | Vertical  | 355            | 1.10          | 31.50         | 26.07        | 3.68       | 35.28      |
| AV   | 3.79445G     | 30.97             | 54.00             | -23.03         | 1.56             | 3           | Vertical  | 179            | 1.22          | 29.41         | 30.37        | 6.32       | 35.13      |
| AV   | 4.99199G     | 34.86             | 54.00             | -19.14         | 5.36             | 3           | Vertical  | 191            | 1.91          | 29.50         | 33.17        | 7.26       | 35.07      |
| PK   | 1.38742G     | 46.74             | 74.00             | -27.26         | -5.53            | 3           | Vertical  | 355            | 1.10          | 52.27         | 26.07        | 3.68       | 35.28      |
| PK   | 3.79445G     | 43.46             | 74.00             | -30.54         | 1.56             | 3           | Vertical  | 179            | 1.22          | 41.90         | 30.37        | 6.32       | 35.13      |
| PK   | 4.99199G     | 46.87             | 74.00             | -27.13         | 5.36             | 3           | Vertical  | 191            | 1.91          | 41.51         | 33.17        | 7.26       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 9




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33208G     | 26.92             | 54.00             | -27.08         | -5.87            | 3           | Horizontal | 244            | 1.97          | 32.79         | 25.90        | 3.59       | 35.36      |
| AV   | 3.72578G     | 30.87             | 54.00             | -23.13         | 1.05             | 3           | Horizontal | 151            | 1.50          | 29.82         | 29.95        | 6.26       | 35.16      |
| AV   | 4.85831G     | 34.14             | 54.00             | -19.86         | 4.51             | 3           | Horizontal | 310            | 1.63          | 29.63         | 32.53        | 7.04       | 35.06      |
| PK   | 1.33208G     | 43.25             | 74.00             | -30.75         | -5.87            | 3           | Horizontal | 244            | 1.97          | 49.12         | 25.90        | 3.59       | 35.36      |
| PK   | 3.72578G     | 43.46             | 74.00             | -30.54         | 1.05             | 3           | Horizontal | 151            | 1.50          | 42.41         | 29.95        | 6.26       | 35.16      |
| PK   | 4.85831G     | 45.99             | 74.00             | -28.01         | 4.51             | 3           | Horizontal | 310            | 1.63          | 41.48         | 32.53        | 7.04       | 35.06      |


## Radiated Emissions above 1GHz\_Mode 10



## Radiated Emissions above 1GHz\_Mode 10




## Radiated Emissions above 1GHz\_Mode 11




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.19674G     | 28.13             | 54.00             | -25.87         | -6.09            | 3           | Vertical  | 191            | 1.50          | 34.22         | 26.10        | 3.37       | 35.56      |
| AV   | 3.03704G     | 31.36             | 68.20             | -36.84         | 0.03             | 3           | Vertical  | 30             | 1.50          | 31.33         | 29.67        | 5.58       | 35.22      |
| AV   | 3.86648G     | 32.17             | 54.00             | -21.83         | 1.97             | 3           | Vertical  | 111            | 2.53          | 30.20         | 30.73        | 6.34       | 35.10      |
| PK   | 1.1974G      | 41.31             | 74.00             | -32.69         | -6.09            | 3           | Vertical  | 191            | 1.50          | 47.40         | 26.10        | 3.37       | 35.56      |
| PK   | 3.04274G     | 43.34             | 88.20             | -44.86         | 0.06             | 3           | Vertical  | 30             | 1.50          | 43.28         | 29.69        | 5.59       | 35.22      |
| PK   | 3.84812G     | 44.06             | 74.00             | -29.94         | 1.92             | 3           | Vertical  | 111            | 2.53          | 42.14         | 30.69        | 6.33       | 35.10      |

## Radiated Emissions above 1GHz\_Mode 11




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33176G     | 27.80             | 54.00             | -26.20         | -5.87            | 3           | Horizontal | 0              | 1.45          | 33.67         | 25.90        | 3.59       | 35.36      |
| AV   | 4.0763G      | 32.84             | 54.00             | -21.16         | 2.28             | 3           | Horizontal | 283            | 1.00          | 30.56         | 30.85        | 6.47       | 35.04      |
| AV   | 5.95274G     | 43.61             | 68.20             | -24.59         | 6.52             | 3           | Horizontal | 197            | 1.50          | 37.09         | 34.01        | 7.77       | 35.26      |
| PK   | 1.33326G     | 42.77             | 74.00             | -31.23         | -5.87            | 3           | Horizontal | 0              | 1.45          | 48.64         | 25.90        | 3.59       | 35.36      |
| PK   | 4.06814G     | 45.15             | 74.00             | -28.85         | 2.26             | 3           | Horizontal | 283            | 1.00          | 42.89         | 30.84        | 6.46       | 35.04      |
| PK   | 5.94782G     | 52.98             | 88.20             | -35.22         | 6.52             | 3           | Horizontal | 197            | 1.50          | 46.46         | 34.01        | 7.77       | 35.26      |

## Radiated Emissions above 1GHz\_Mode 12



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.39602G     | 26.18             | 54.00             | -27.82         | -5.59            | 3           | Vertical  | 0              | 1.52          | 31.77         | 25.98        | 3.69       | 35.26      |  |  |  |  |
| AV   | 3.70879G     | 31.13             | 54.00             | -22.87         | 0.93             | 3           | Vertical  | 279            | 1.50          | 30.20         | 29.85        | 6.24       | 35.16      |  |  |  |  |
| AV   | 4.96205G     | 34.71             | 54.00             | -19.29         | 5.19             | 3           | Vertical  | 120            | 1.50          | 29.52         | 33.05        | 7.21       | 35.07      |  |  |  |  |
| PK   | 1.39602G     | 45.59             | 74.00             | -28.41         | -5.59            | 3           | Vertical  | 0              | 1.52          | 51.18         | 25.98        | 3.69       | 35.26      |  |  |  |  |
| PK   | 3.70879G     | 43.29             | 74.00             | -30.71         | 0.93             | 3           | Vertical  | 279            | 1.50          | 42.36         | 29.85        | 6.24       | 35.16      |  |  |  |  |
| PK   | 4.96205G     | 47.13             | 74.00             | -26.87         | 5.19             | 3           | Vertical  | 120            | 1.50          | 41.94         | 33.05        | 7.21       | 35.07      |  |  |  |  |

## Radiated Emissions above 1GHz\_Mode 12



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.33115G     | 25.89             | 54.00             | -28.11         | -5.87            | 3           | Horizontal | 311            | 1.50          | 31.76         | 25.90        | 3.59       | 35.36      |  |  |  |  |
| AV   | 3.49836G     | 30.43             | 68.20             | -37.77         | 0.16             | 3           | Horizontal | 20             | 1.50          | 30.27         | 29.40        | 6.01       | 35.25      |  |  |  |  |
| AV   | 5.01645G     | 35.05             | 54.00             | -18.95         | 5.33             | 3           | Horizontal | 193            | 1.51          | 29.72         | 33.13        | 7.27       | 35.07      |  |  |  |  |
| PK   | 1.33115G     | 42.57             | 74.00             | -31.43         | -5.87            | 3           | Horizontal | 311            | 1.50          | 48.44         | 25.90        | 3.59       | 35.36      |  |  |  |  |
| PK   | 3.49836G     | 42.43             | 88.20             | -45.77         | 0.16             | 3           | Horizontal | 20             | 1.50          | 42.27         | 29.40        | 6.01       | 35.25      |  |  |  |  |
| PK   | 5.01645G     | 47.25             | 74.00             | -26.75         | 5.33             | 3           | Horizontal | 193            | 1.51          | 41.92         | 33.13        | 7.27       | 35.07      |  |  |  |  |

**Summary**

| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition  |
|---------|--------|------|--------------|-------------------|-------------------|----------------|------------|
| Mode 1  | Pass   | AV   | 4.60241G     | 41.15             | 54.00             | -12.85         | Horizontal |
| Mode 2  | Pass   | AV   | 4.5986G      | 37.16             | 54.00             | -16.84         | Horizontal |
| Mode 3  | Pass   | AV   | 7.38254G     | 40.29             | 54.00             | -13.71         | Vertical   |
| Mode 4  | Pass   | AV   | 5.09187G     | 34.32             | 54.00             | -19.68         | Vertical   |
| Mode 5  | Pass   | AV   | 5.03502G     | 34.86             | 54.00             | -19.14         | Vertical   |
| Mode 6  | Pass   | AV   | 5.01674G     | 34.78             | 54.00             | -19.22         | Horizontal |
| Mode 7  | Pass   | AV   | 4.99733G     | 34.77             | 54.00             | -19.23         | Horizontal |
| Mode 8  | Pass   | AV   | 5.14901G     | 34.58             | 54.00             | -19.42         | Horizontal |
| Mode 9  | Pass   | AV   | 5.11425G     | 35.80             | 54.00             | -18.20         | Vertical   |
| Mode 10 | Pass   | AV   | 5.07212G     | 37.69             | 54.00             | -16.31         | Horizontal |
| Mode 11 | Pass   | AV   | 5.02844G     | 34.80             | 54.00             | -19.20         | Horizontal |
| Mode 12 | Pass   | AV   | 5.09009G     | 36.88             | 54.00             | -17.12         | Vertical   |


## Result

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| Mode 1 | Pass   | AV   | 1.33188G  | 28.70          | 54.00          | -25.30      | 3        | Vertical   | 360         | 1.50       |
| Mode 1 | Pass   | AV   | 3.26908G  | 31.46          | 68.20          | -36.74      | 3        | Vertical   | 59          | 1.50       |
| Mode 1 | Pass   | AV   | 4.34912G  | 33.44          | 54.00          | -20.56      | 3        | Vertical   | 188         | 1.50       |
| Mode 1 | Pass   | PK   | 1.33302G  | 42.63          | 74.00          | -31.37      | 3        | Vertical   | 360         | 1.50       |
| Mode 1 | Pass   | PK   | 3.26968G  | 43.72          | 88.20          | -44.48      | 3        | Vertical   | 59          | 1.50       |
| Mode 1 | Pass   | PK   | 4.34264G  | 45.76          | 74.00          | -28.24      | 3        | Vertical   | 188         | 1.50       |
| Mode 1 | Pass   | AV   | 1.33188G  | 29.09          | 54.00          | -24.91      | 3        | Horizontal | 214         | 1.50       |
| Mode 1 | Pass   | AV   | 2.1264G   | 28.38          | 68.20          | -39.82      | 3        | Horizontal | 338         | 2.07       |
| Mode 1 | Pass   | AV   | 4.60241G  | 41.15          | 54.00          | -12.85      | 3        | Horizontal | 360         | 2.34       |
| Mode 1 | Pass   | PK   | 1.3293G   | 42.48          | 74.00          | -31.52      | 3        | Horizontal | 214         | 1.50       |
| Mode 1 | Pass   | PK   | 2.12652G  | 44.21          | 88.20          | -43.99      | 3        | Horizontal | 338         | 2.07       |
| Mode 1 | Pass   | PK   | 4.59821G  | 52.21          | 74.00          | -21.79      | 3        | Horizontal | 360         | 2.34       |
| Mode 2 | Pass   | AV   | 1.19682G  | 29.03          | 54.00          | -24.97      | 3        | Vertical   | 151         | 1.56       |
| Mode 2 | Pass   | AV   | 3.76036G  | 31.72          | 54.00          | -22.28      | 3        | Vertical   | 14          | 1.50       |
| Mode 2 | Pass   | AV   | 7.0009G   | 38.80          | 68.20          | -29.40      | 3        | Vertical   | 0           | 1.50       |
| Mode 2 | Pass   | PK   | 1.1982G   | 47.52          | 74.00          | -26.48      | 3        | Vertical   | 151         | 1.56       |
| Mode 2 | Pass   | PK   | 3.77194G  | 44.73          | 74.00          | -29.27      | 3        | Vertical   | 14          | 1.50       |
| Mode 2 | Pass   | PK   | 6.98836G  | 51.14          | 88.20          | -37.06      | 3        | Vertical   | 0           | 1.50       |
| Mode 2 | Pass   | AV   | 1.33164G  | 28.77          | 54.00          | -25.23      | 3        | Horizontal | 333         | 1.50       |
| Mode 2 | Pass   | AV   | 4.5986G   | 37.16          | 54.00          | -16.84      | 3        | Horizontal | 38          | 2.07       |
| Mode 2 | Pass   | AV   | 7.85204G  | 40.88          | 68.20          | -27.32      | 3        | Horizontal | 315         | 2.72       |
| Mode 2 | Pass   | PK   | 1.33254G  | 43.14          | 74.00          | -30.86      | 3        | Horizontal | 333         | 1.50       |
| Mode 2 | Pass   | PK   | 4.59398G  | 46.51          | 74.00          | -27.49      | 3        | Horizontal | 38          | 2.07       |
| Mode 2 | Pass   | PK   | 7.84442G  | 52.11          | 88.20          | -36.09      | 3        | Horizontal | 315         | 2.72       |
| Mode 3 | Pass   | AV   | 1.18622G  | 26.42          | 54.00          | -27.58      | 3        | Vertical   | 261         | 2.77       |
| Mode 3 | Pass   | AV   | 4.36698G  | 33.31          | 54.00          | -20.69      | 3        | Vertical   | 238         | 1.49       |
| Mode 3 | Pass   | AV   | 7.38254G  | 40.29          | 54.00          | -13.71      | 3        | Vertical   | 284         | 2.50       |
| Mode 3 | Pass   | PK   | 1.19522G  | 38.93          | 74.00          | -35.07      | 3        | Vertical   | 261         | 2.77       |
| Mode 3 | Pass   | PK   | 4.3851G   | 44.95          | 74.00          | -29.05      | 3        | Vertical   | 238         | 1.49       |
| Mode 3 | Pass   | PK   | 7.39094G  | 52.22          | 74.00          | -21.78      | 3        | Vertical   | 284         | 2.50       |
| Mode 3 | Pass   | AV   | 1.33032G  | 26.17          | 54.00          | -27.83      | 3        | Horizontal | 260         | 2.86       |
| Mode 3 | Pass   | AV   | 4.2509G   | 32.73          | 54.00          | -21.27      | 3        | Horizontal | 124         | 1.89       |
| Mode 3 | Pass   | AV   | 7.23514G  | 40.24          | 68.20          | -27.96      | 3        | Horizontal | 269         | 1.53       |
| Mode 3 | Pass   | PK   | 1.3329G   | 38.09          | 74.00          | -35.91      | 3        | Horizontal | 260         | 2.86       |
| Mode 3 | Pass   | PK   | 4.22942G  | 44.08          | 74.00          | -29.92      | 3        | Horizontal | 124         | 1.89       |
| Mode 3 | Pass   | PK   | 7.22914G  | 51.78          | 88.20          | -36.42      | 3        | Horizontal | 269         | 1.53       |
| Mode 4 | Pass   | AV   | 1.39894G  | 25.54          | 54.00          | -28.46      | 3        | Vertical   | 111         | 2.00       |
| Mode 4 | Pass   | AV   | 3.7969G   | 31.19          | 54.00          | -22.81      | 3        | Vertical   | 116         | 1.02       |
| Mode 4 | Pass   | AV   | 5.09187G  | 34.32          | 54.00          | -19.68      | 3        | Vertical   | 4           | 1.50       |
| Mode 4 | Pass   | PK   | 1.39894G  | 46.30          | 74.00          | -27.70      | 3        | Vertical   | 111         | 2.00       |
| Mode 4 | Pass   | PK   | 3.7969G   | 43.73          | 74.00          | -30.27      | 3        | Vertical   | 116         | 1.02       |
| Mode 4 | Pass   | PK   | 5.09187G  | 50.12          | 74.00          | -23.88      | 3        | Vertical   | 4           | 1.50       |
| Mode 4 | Pass   | AV   | 1.33115G  | 25.99          | 54.00          | -28.01      | 3        | Horizontal | 351         | 1.50       |
| Mode 4 | Pass   | AV   | 3.78657G  | 31.10          | 54.00          | -22.90      | 3        | Horizontal | 182         | 1.50       |
| Mode 4 | Pass   | AV   | 5.12351G  | 34.13          | 54.00          | -19.87      | 3        | Horizontal | 2           | 1.88       |
| Mode 4 | Pass   | PK   | 1.33115G  | 42.37          | 74.00          | -31.63      | 3        | Horizontal | 351         | 1.50       |
| Mode 4 | Pass   | PK   | 3.78657G  | 43.59          | 74.00          | -30.41      | 3        | Horizontal | 182         | 1.50       |
| Mode 4 | Pass   | PK   | 5.12351G  | 50.68          | 74.00          | -23.32      | 3        | Horizontal | 2           | 1.88       |
| Mode 5 | Pass   | AV   | 1.39254G  | 26.86          | 54.00          | -27.14      | 3        | Vertical   | 108         | 1.50       |
| Mode 5 | Pass   | AV   | 3.61035G  | 30.58          | 54.00          | -23.42      | 3        | Vertical   | 133         | 1.98       |


| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| Mode 5 | Pass   | AV   | 5.03502G  | 34.86          | 54.00          | -19.14      | 3        | Vertical   | 15          | 1.50       |
| Mode 5 | Pass   | PK   | 1.39254G  | 47.12          | 74.00          | -26.88      | 3        | Vertical   | 108         | 1.50       |
| Mode 5 | Pass   | PK   | 3.61035G  | 42.57          | 74.00          | -31.43      | 3        | Vertical   | 133         | 1.98       |
| Mode 5 | Pass   | PK   | 5.03502G  | 47.65          | 74.00          | -26.35      | 3        | Vertical   | 15          | 1.50       |
| Mode 5 | Pass   | AV   | 1.32943G  | 25.91          | 54.00          | -28.09      | 3        | Horizontal | 13          | 1.50       |
| Mode 5 | Pass   | AV   | 3.72666G  | 31.06          | 54.00          | -22.94      | 3        | Horizontal | 303         | 1.50       |
| Mode 5 | Pass   | AV   | 4.9536G   | 34.68          | 54.00          | -19.32      | 3        | Horizontal | 352         | 1.50       |
| Mode 5 | Pass   | PK   | 1.32943G  | 41.78          | 74.00          | -32.22      | 3        | Horizontal | 13          | 1.50       |
| Mode 5 | Pass   | PK   | 3.72666G  | 43.10          | 74.00          | -30.90      | 3        | Horizontal | 303         | 1.50       |
| Mode 5 | Pass   | PK   | 4.9536G   | 46.61          | 74.00          | -27.39      | 3        | Horizontal | 352         | 1.50       |
| Mode 6 | Pass   | AV   | 1.39425G  | 26.27          | 54.00          | -27.73      | 3        | Vertical   | 107         | 1.45       |
| Mode 6 | Pass   | AV   | 3.60855G  | 30.80          | 54.00          | -23.20      | 3        | Vertical   | 43          | 1.01       |
| Mode 6 | Pass   | AV   | 5.06412G  | 34.54          | 54.00          | -19.46      | 3        | Vertical   | 360         | 1.50       |
| Mode 6 | Pass   | PK   | 1.39425G  | 46.51          | 74.00          | -27.49      | 3        | Vertical   | 107         | 1.45       |
| Mode 6 | Pass   | PK   | 3.60855G  | 42.39          | 74.00          | -31.61      | 3        | Vertical   | 43          | 1.01       |
| Mode 6 | Pass   | PK   | 5.06412G  | 48.88          | 74.00          | -25.12      | 3        | Vertical   | 360         | 1.50       |
| Mode 6 | Pass   | AV   | 2.06905G  | 28.00          | 68.20          | -40.20      | 3        | Horizontal | 265         | 1.50       |
| Mode 6 | Pass   | AV   | 3.74853G  | 30.91          | 54.00          | -23.09      | 3        | Horizontal | 168         | 1.50       |
| Mode 6 | Pass   | AV   | 5.01674G  | 34.78          | 54.00          | -19.22      | 3        | Horizontal | 9           | 1.86       |
| Mode 6 | Pass   | PK   | 2.06905G  | 39.94          | 88.20          | -48.26      | 3        | Horizontal | 265         | 1.50       |
| Mode 6 | Pass   | PK   | 3.74853G  | 43.16          | 74.00          | -30.84      | 3        | Horizontal | 168         | 1.50       |
| Mode 6 | Pass   | PK   | 5.01674G  | 47.28          | 74.00          | -26.72      | 3        | Horizontal | 9           | 1.86       |
| Mode 7 | Pass   | AV   | 1.39336G  | 25.92          | 54.00          | -28.08      | 3        | Vertical   | 110         | 1.50       |
| Mode 7 | Pass   | AV   | 3.78807G  | 31.09          | 54.00          | -22.91      | 3        | Vertical   | 39          | 1.50       |
| Mode 7 | Pass   | AV   | 4.99314G  | 34.72          | 54.00          | -19.28      | 3        | Vertical   | 356         | 1.50       |
| Mode 7 | Pass   | PK   | 1.39336G  | 46.68          | 74.00          | -27.32      | 3        | Vertical   | 110         | 1.50       |
| Mode 7 | Pass   | PK   | 3.78807G  | 43.23          | 74.00          | -30.77      | 3        | Vertical   | 39          | 1.50       |
| Mode 7 | Pass   | PK   | 4.99314G  | 46.99          | 74.00          | -27.01      | 3        | Vertical   | 356         | 1.50       |
| Mode 7 | Pass   | AV   | 1.3316G   | 27.02          | 54.00          | -26.98      | 3        | Horizontal | 205         | 1.50       |
| Mode 7 | Pass   | AV   | 3.28716G  | 30.69          | 68.20          | -37.51      | 3        | Horizontal | 133         | 1.50       |
| Mode 7 | Pass   | AV   | 4.99733G  | 34.77          | 54.00          | -19.23      | 3        | Horizontal | 209         | 1.50       |
| Mode 7 | Pass   | PK   | 1.3316G   | 42.20          | 74.00          | -31.80      | 3        | Horizontal | 205         | 1.50       |
| Mode 7 | Pass   | PK   | 3.28716G  | 42.45          | 88.20          | -45.75      | 3        | Horizontal | 133         | 1.50       |
| Mode 7 | Pass   | PK   | 4.99733G  | 46.96          | 74.00          | -27.04      | 3        | Horizontal | 209         | 1.50       |
| Mode 8 | Pass   | AV   | 1.3919G   | 25.97          | 54.00          | -28.03      | 3        | Vertical   | 106         | 1.50       |
| Mode 8 | Pass   | AV   | 3.73501G  | 30.94          | 54.00          | -23.06      | 3        | Vertical   | 125         | 1.50       |
| Mode 8 | Pass   | AV   | 5.09764G  | 34.14          | 54.00          | -19.86      | 3        | Vertical   | 16          | 1.70       |
| Mode 8 | Pass   | PK   | 1.3919G   | 45.95          | 74.00          | -28.05      | 3        | Vertical   | 106         | 1.50       |
| Mode 8 | Pass   | PK   | 3.73501G  | 43.68          | 74.00          | -30.32      | 3        | Vertical   | 125         | 1.50       |
| Mode 8 | Pass   | PK   | 5.09764G  | 46.90          | 74.00          | -27.10      | 3        | Vertical   | 16          | 1.70       |
| Mode 8 | Pass   | AV   | 1.33005G  | 26.28          | 54.00          | -27.72      | 3        | Horizontal | 124         | 1.50       |
| Mode 8 | Pass   | AV   | 3.0316G   | 30.77          | 68.20          | -37.43      | 3        | Horizontal | 172         | 1.50       |
| Mode 8 | Pass   | AV   | 5.14901G  | 34.58          | 54.00          | -19.42      | 3        | Horizontal | 271         | 1.50       |
| Mode 8 | Pass   | PK   | 1.33005G  | 42.84          | 74.00          | -31.16      | 3        | Horizontal | 124         | 1.50       |
| Mode 8 | Pass   | PK   | 3.0316G   | 42.90          | 88.20          | -45.30      | 3        | Horizontal | 172         | 1.50       |
| Mode 8 | Pass   | PK   | 5.14901G  | 47.00          | 74.00          | -27.00      | 3        | Horizontal | 271         | 1.50       |
| Mode 9 | Pass   | AV   | 1.38366G  | 25.96          | 54.00          | -28.04      | 3        | Vertical   | 142         | 2.00       |
| Mode 9 | Pass   | AV   | 3.79873G  | 31.02          | 54.00          | -22.98      | 3        | Vertical   | 24          | 1.50       |
| Mode 9 | Pass   | AV   | 5.11425G  | 35.80          | 54.00          | -18.20      | 3        | Vertical   | 2           | 1.70       |
| Mode 9 | Pass   | PK   | 1.38366G  | 43.63          | 74.00          | -30.37      | 3        | Vertical   | 142         | 2.00       |

| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| Mode 9  | Pass   | PK   | 3.79873G     | 42.95             | 74.00             | -31.05         | 3           | Vertical   | 24             | 1.50          |
| Mode 9  | Pass   | PK   | 5.11425G     | 49.34             | 74.00             | -24.66         | 3           | Vertical   | 2              | 1.70          |
| Mode 9  | Pass   | AV   | 1.33027G     | 27.02             | 54.00             | -26.98         | 3           | Horizontal | 320            | 1.50          |
| Mode 9  | Pass   | AV   | 3.78087G     | 30.85             | 54.00             | -23.15         | 3           | Horizontal | 256            | 1.50          |
| Mode 9  | Pass   | AV   | 5.12384G     | 34.20             | 54.00             | -19.80         | 3           | Horizontal | 0              | 1.87          |
| Mode 9  | Pass   | PK   | 1.33027G     | 42.63             | 74.00             | -31.37         | 3           | Horizontal | 320            | 1.50          |
| Mode 9  | Pass   | PK   | 3.78087G     | 43.16             | 74.00             | -30.84         | 3           | Horizontal | 256            | 1.50          |
| Mode 9  | Pass   | PK   | 5.12384G     | 51.07             | 74.00             | -22.93         | 3           | Horizontal | 0              | 1.87          |
| Mode 10 | Pass   | AV   | 1.39146G     | 28.21             | 54.00             | -25.79         | 3           | Vertical   | 111            | 1.50          |
| Mode 10 | Pass   | AV   | 3.07113G     | 30.63             | 68.20             | -37.57         | 3           | Vertical   | 104            | 1.50          |
| Mode 10 | Pass   | AV   | 5.06124G     | 35.94             | 54.00             | -18.06         | 3           | Vertical   | 360            | 1.50          |
| Mode 10 | Pass   | PK   | 1.39146G     | 45.70             | 74.00             | -28.30         | 3           | Vertical   | 111            | 1.50          |
| Mode 10 | Pass   | PK   | 3.07113G     | 42.57             | 88.20             | -45.63         | 3           | Vertical   | 104            | 1.50          |
| Mode 10 | Pass   | PK   | 5.06124G     | 47.56             | 74.00             | -26.44         | 3           | Vertical   | 360            | 1.50          |
| Mode 10 | Pass   | AV   | 1.32789G     | 25.73             | 54.00             | -28.27         | 3           | Horizontal | 257            | 1.50          |
| Mode 10 | Pass   | AV   | 2.50795G     | 27.75             | 68.20             | -40.45         | 3           | Horizontal | 137            | 1.07          |
| Mode 10 | Pass   | AV   | 5.07212G     | 37.69             | 54.00             | -16.31         | 3           | Horizontal | 360            | 2.00          |
| Mode 10 | Pass   | PK   | 1.32789G     | 42.10             | 74.00             | -31.90         | 3           | Horizontal | 257            | 1.50          |
| Mode 10 | Pass   | PK   | 2.50795G     | 40.00             | 88.20             | -48.20         | 3           | Horizontal | 137            | 1.07          |
| Mode 10 | Pass   | PK   | 5.07212G     | 49.81             | 74.00             | -24.19         | 3           | Horizontal | 360            | 2.00          |
| Mode 11 | Pass   | AV   | 2.08935G     | 27.39             | 68.20             | -40.81         | 3           | Vertical   | 139            | 1.50          |
| Mode 11 | Pass   | AV   | 3.59241G     | 30.59             | 68.20             | -37.61         | 3           | Vertical   | 188            | 1.50          |
| Mode 11 | Pass   | AV   | 5.14918G     | 34.47             | 54.00             | -19.53         | 3           | Vertical   | 41             | 1.50          |
| Mode 11 | Pass   | PK   | 2.08935G     | 39.38             | 88.20             | -48.82         | 3           | Vertical   | 139            | 1.50          |
| Mode 11 | Pass   | PK   | 3.59241G     | 42.93             | 88.20             | -45.27         | 3           | Vertical   | 188            | 1.50          |
| Mode 11 | Pass   | PK   | 5.14918G     | 46.62             | 74.00             | -27.38         | 3           | Vertical   | 41             | 1.50          |
| Mode 11 | Pass   | AV   | 1.33021G     | 26.25             | 54.00             | -27.75         | 3           | Horizontal | 11             | 1.50          |
| Mode 11 | Pass   | AV   | 3.70871G     | 31.00             | 54.00             | -23.00         | 3           | Horizontal | 96             | 1.50          |
| Mode 11 | Pass   | AV   | 5.02844G     | 34.80             | 54.00             | -19.20         | 3           | Horizontal | 0              | 1.71          |
| Mode 11 | Pass   | PK   | 1.33021G     | 41.66             | 74.00             | -32.34         | 3           | Horizontal | 11             | 1.50          |
| Mode 11 | Pass   | PK   | 3.70871G     | 43.07             | 74.00             | -30.93         | 3           | Horizontal | 96             | 1.50          |
| Mode 11 | Pass   | PK   | 5.02844G     | 47.29             | 74.00             | -26.71         | 3           | Horizontal | 0              | 1.71          |
| Mode 12 | Pass   | AV   | 1.32938G     | 26.44             | 54.00             | -27.56         | 3           | Vertical   | 203            | 1.50          |
| Mode 12 | Pass   | AV   | 3.73459G     | 31.01             | 54.00             | -22.99         | 3           | Vertical   | 77             | 1.50          |
| Mode 12 | Pass   | AV   | 5.09009G     | 36.88             | 54.00             | -17.12         | 3           | Vertical   | 358            | 1.57          |
| Mode 12 | Pass   | PK   | 1.32938G     | 41.48             | 74.00             | -32.52         | 3           | Vertical   | 203            | 1.50          |
| Mode 12 | Pass   | PK   | 3.73459G     | 43.42             | 74.00             | -30.58         | 3           | Vertical   | 77             | 1.50          |
| Mode 12 | Pass   | PK   | 5.09009G     | 49.29             | 74.00             | -24.71         | 3           | Vertical   | 358            | 1.57          |
| Mode 12 | Pass   | AV   | 1.39067G     | 25.93             | 54.00             | -28.07         | 3           | Horizontal | 150            | 1.42          |
| Mode 12 | Pass   | AV   | 3.67421G     | 30.24             | 54.00             | -23.76         | 3           | Horizontal | 232            | 1.50          |
| Mode 12 | Pass   | AV   | 5.07684G     | 33.71             | 54.00             | -20.29         | 3           | Horizontal | 0              | 1.87          |
| Mode 12 | Pass   | PK   | 1.39067G     | 44.51             | 74.00             | -29.49         | 3           | Horizontal | 150            | 1.42          |
| Mode 12 | Pass   | PK   | 3.67421G     | 42.81             | 74.00             | -31.19         | 3           | Horizontal | 232            | 1.50          |
| Mode 12 | Pass   | PK   | 5.07684G     | 49.04             | 74.00             | -24.96         | 3           | Horizontal | 0              | 1.87          |


## Radiated Emissions above 1GHz\_Mode 1




## Radiated Emissions above 1GHz\_Mode 1




## Radiated Emissions above 1GHz\_Mode 2



## Radiated Emissions above 1GHz\_Mode 2




## Radiated Emissions above 1GHz\_Mode 3




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.18622G     | 26.42             | 54.00             | -27.58         | -6.12            | 3           | Vertical  | 261            | 2.77          | 32.54         | 26.10        | 3.35       | 35.57      |
| AV   | 4.36698G     | 33.31             | 54.00             | -20.69         | 3.12             | 3           | Vertical  | 238            | 1.49          | 30.19         | 31.53        | 6.63       | 35.04      |
| AV   | 7.38254G     | 40.29             | 54.00             | -13.71         | 10.10            | 3           | Vertical  | 284            | 2.50          | 30.19         | 36.40        | 8.84       | 35.14      |
| PK   | 1.19522G     | 38.93             | 74.00             | -35.07         | -6.10            | 3           | Vertical  | 261            | 2.77          | 45.03         | 26.10        | 3.36       | 35.56      |
| PK   | 4.3851G      | 44.95             | 74.00             | -29.05         | 3.16             | 3           | Vertical  | 238            | 1.49          | 41.79         | 31.57        | 6.63       | 35.04      |
| PK   | 7.39094G     | 52.22             | 74.00             | -21.78         | 10.06            | 3           | Vertical  | 284            | 2.50          | 42.16         | 36.35        | 8.84       | 35.13      |

## Radiated Emissions above 1GHz\_Mode 3




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33032G     | 26.17             | 54.00             | -27.83         | -5.87            | 3           | Horizontal | 260            | 2.86          | 32.04         | 25.90        | 3.59       | 35.36      |
| AV   | 4.2509G      | 32.73             | 54.00             | -21.27         | 2.69             | 3           | Horizontal | 124            | 1.89          | 30.04         | 31.11        | 6.62       | 35.04      |
| AV   | 7.23514G     | 40.24             | 68.20             | -27.96         | 10.37            | 3           | Horizontal | 269            | 1.53          | 29.87         | 36.80        | 8.87       | 35.30      |
| PK   | 1.3329G      | 38.09             | 74.00             | -35.91         | -5.87            | 3           | Horizontal | 260            | 2.86          | 43.96         | 25.90        | 3.59       | 35.36      |
| PK   | 4.22942G     | 44.08             | 74.00             | -29.92         | 2.64             | 3           | Horizontal | 124            | 1.89          | 41.44         | 31.06        | 6.62       | 35.04      |
| PK   | 7.22914G     | 51.78             | 88.20             | -36.42         | 10.37            | 3           | Horizontal | 269            | 1.53          | 41.41         | 36.80        | 8.87       | 35.30      |

## Radiated Emissions above 1GHz\_Mode 4




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.39894G     | 25.54             | 54.00             | -28.46         | -5.64            | 3           | Vertical  | 111            | 2.00          | 31.18         | 25.92        | 3.70       | 35.26      |
| AV   | 3.7969G      | 31.19             | 54.00             | -22.81         | 1.57             | 3           | Vertical  | 116            | 1.02          | 29.62         | 30.38        | 6.32       | 35.13      |
| AV   | 5.09187G     | 34.32             | 54.00             | -19.68         | 5.01             | 3           | Vertical  | 4              | 1.50          | 29.31         | 32.83        | 7.25       | 35.07      |
| PK   | 1.39894G     | 46.30             | 74.00             | -27.70         | -5.64            | 3           | Vertical  | 111            | 2.00          | 51.94         | 25.92        | 3.70       | 35.26      |
| PK   | 3.7969G      | 43.73             | 74.00             | -30.27         | 1.57             | 3           | Vertical  | 116            | 1.02          | 42.16         | 30.38        | 6.32       | 35.13      |
| PK   | 5.09187G     | 50.12             | 74.00             | -23.88         | 5.01             | 3           | Vertical  | 4              | 1.50          | 45.11         | 32.83        | 7.25       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 4




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33115G     | 25.99             | 54.00             | -28.01         | -5.87            | 3           | Horizontal | 351            | 1.50          | 31.86         | 25.90        | 3.59       | 35.36      |
| AV   | 3.78657G     | 31.10             | 54.00             | -22.90         | 1.50             | 3           | Horizontal | 182            | 1.50          | 29.60         | 30.32        | 6.31       | 35.13      |
| AV   | 5.12351G     | 34.13             | 54.00             | -19.87         | 5.12             | 3           | Horizontal | 2              | 1.88          | 29.01         | 32.94        | 7.25       | 35.07      |
| PK   | 1.33115G     | 42.37             | 74.00             | -31.63         | -5.87            | 3           | Horizontal | 351            | 1.50          | 48.24         | 25.90        | 3.59       | 35.36      |
| PK   | 3.78657G     | 43.59             | 74.00             | -30.41         | 1.50             | 3           | Horizontal | 182            | 1.50          | 42.09         | 30.32        | 6.31       | 35.13      |
| PK   | 5.12351G     | 50.68             | 74.00             | -23.32         | 5.12             | 3           | Horizontal | 2              | 1.88          | 45.56         | 32.94        | 7.25       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 5




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.39254G     | 26.86             | 54.00             | -27.14         | -5.53            | 3           | Vertical  | 108            | 1.50          | 32.39         | 26.05        | 3.69       | 35.27      |  |  |  |  |
| AV   | 3.61035G     | 30.58             | 54.00             | -23.42         | 0.48             | 3           | Vertical  | 133            | 1.98          | 30.10         | 29.52        | 6.16       | 35.20      |  |  |  |  |
| AV   | 5.03502G     | 34.86             | 54.00             | -19.14         | 5.25             | 3           | Vertical  | 15             | 1.50          | 29.61         | 33.06        | 7.26       | 35.07      |  |  |  |  |
| PK   | 1.39254G     | 47.12             | 74.00             | -26.88         | -5.53            | 3           | Vertical  | 108            | 1.50          | 52.65         | 26.05        | 3.69       | 35.27      |  |  |  |  |
| PK   | 3.61035G     | 42.57             | 74.00             | -31.43         | 0.48             | 3           | Vertical  | 133            | 1.98          | 42.09         | 29.52        | 6.16       | 35.20      |  |  |  |  |
| PK   | 5.03502G     | 47.65             | 74.00             | -26.35         | 5.25             | 3           | Vertical  | 15             | 1.50          | 42.40         | 33.06        | 7.26       | 35.07      |  |  |  |  |

## Radiated Emissions above 1GHz\_Mode 5




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.32943G     | 25.91             | 54.00             | -28.09         | -5.87            | 3           | Horizontal | 13             | 1.50          | 31.78         | 25.91        | 3.58       | 35.36      |  |  |  |  |
| AV   | 3.72666G     | 31.06             | 54.00             | -22.94         | 1.07             | 3           | Horizontal | 303            | 1.50          | 29.99         | 29.96        | 6.26       | 35.15      |  |  |  |  |
| AV   | 4.9536G      | 34.68             | 54.00             | -19.32         | 5.14             | 3           | Horizontal | 352            | 1.50          | 29.54         | 33.01        | 7.20       | 35.07      |  |  |  |  |
| PK   | 1.32943G     | 41.78             | 74.00             | -32.22         | -5.87            | 3           | Horizontal | 13             | 1.50          | 47.65         | 25.91        | 3.58       | 35.36      |  |  |  |  |
| PK   | 3.72666G     | 43.10             | 74.00             | -30.90         | 1.07             | 3           | Horizontal | 303            | 1.50          | 42.03         | 29.96        | 6.26       | 35.15      |  |  |  |  |
| PK   | 4.9536G      | 46.61             | 74.00             | -27.39         | 5.14             | 3           | Horizontal | 352            | 1.50          | 41.47         | 33.01        | 7.20       | 35.07      |  |  |  |  |


## Radiated Emissions above 1GHz\_Mode 6



## Radiated Emissions above 1GHz\_Mode 6




## Radiated Emissions above 1GHz\_Mode 7




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.39336G     | 25.92             | 54.00             | -28.08         | -5.55            | 3           | Vertical  | 110            | 1.50          | 31.47         | 26.03        | 3.69       | 35.27      |
| AV   | 3.78807G     | 31.09             | 54.00             | -22.91         | 1.51             | 3           | Vertical  | 39             | 1.50          | 29.58         | 30.33        | 6.31       | 35.13      |
| AV   | 4.99314G     | 34.72             | 54.00             | -19.28         | 5.36             | 3           | Vertical  | 356            | 1.50          | 29.36         | 33.17        | 7.26       | 35.07      |
| PK   | 1.39336G     | 46.68             | 74.00             | -27.32         | -5.55            | 3           | Vertical  | 110            | 1.50          | 52.23         | 26.03        | 3.69       | 35.27      |
| PK   | 3.78807G     | 43.23             | 74.00             | -30.77         | 1.51             | 3           | Vertical  | 39             | 1.50          | 41.72         | 30.33        | 6.31       | 35.13      |
| PK   | 4.99314G     | 46.99             | 74.00             | -27.01         | 5.36             | 3           | Vertical  | 356            | 1.50          | 41.63         | 33.17        | 7.26       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 7




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.3316G      | 27.02             | 54.00             | -26.98         | -5.87            | 3           | Horizontal | 205            | 1.50          | 32.89         | 25.90        | 3.59       | 35.36      |
| AV   | 3.28716G     | 30.69             | 68.20             | -37.51         | 0.18             | 3           | Horizontal | 133            | 1.50          | 30.51         | 29.60        | 5.82       | 35.24      |
| AV   | 4.99733G     | 34.77             | 54.00             | -19.23         | 5.39             | 3           | Horizontal | 209            | 1.50          | 29.38         | 33.19        | 7.27       | 35.07      |
| PK   | 1.3316G      | 42.20             | 74.00             | -31.80         | -5.87            | 3           | Horizontal | 205            | 1.50          | 48.07         | 25.90        | 3.59       | 35.36      |
| PK   | 3.28716G     | 42.45             | 88.20             | -45.75         | 0.18             | 3           | Horizontal | 133            | 1.50          | 42.27         | 29.60        | 5.82       | 35.24      |
| PK   | 4.99733G     | 46.96             | 74.00             | -27.04         | 5.39             | 3           | Horizontal | 209            | 1.50          | 41.57         | 33.19        | 7.27       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 8




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.3919G      | 25.97             | 54.00             | -28.03         | -5.52            | 3           | Vertical  | 106            | 1.50          | 31.49         | 26.06        | 3.69       | 35.27      |  |  |  |  |
| AV   | 3.73501G     | 30.94             | 54.00             | -23.06         | 1.12             | 3           | Vertical  | 125            | 1.50          | 29.82         | 30.01        | 6.26       | 35.15      |  |  |  |  |
| AV   | 5.09764G     | 34.14             | 54.00             | -19.86         | 4.99             | 3           | Vertical  | 16             | 1.70          | 29.15         | 32.81        | 7.25       | 35.07      |  |  |  |  |
| PK   | 1.3919G      | 45.95             | 74.00             | -28.05         | -5.52            | 3           | Vertical  | 106            | 1.50          | 51.47         | 26.06        | 3.69       | 35.27      |  |  |  |  |
| PK   | 3.73501G     | 43.68             | 74.00             | -30.32         | 1.12             | 3           | Vertical  | 125            | 1.50          | 42.56         | 30.01        | 6.26       | 35.15      |  |  |  |  |
| PK   | 5.09764G     | 46.90             | 74.00             | -27.10         | 4.99             | 3           | Vertical  | 16             | 1.70          | 41.91         | 32.81        | 7.25       | 35.07      |  |  |  |  |

## Radiated Emissions above 1GHz\_Mode 8




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.33005G     | 26.28             | 54.00             | -27.72         | -5.88            | 3           | Horizontal | 124            | 1.50          | 32.16         | 25.90        | 3.58       | 35.36      |  |  |  |  |
| AV   | 3.0316G      | 30.77             | 68.20             | -37.43         | 0.02             | 3           | Horizontal | 172            | 1.50          | 30.75         | 29.66        | 5.58       | 35.22      |  |  |  |  |
| AV   | 5.14901G     | 34.58             | 54.00             | -19.42         | 5.26             | 3           | Horizontal | 271            | 1.50          | 29.32         | 33.09        | 7.24       | 35.07      |  |  |  |  |
| PK   | 1.33005G     | 42.84             | 74.00             | -31.16         | -5.88            | 3           | Horizontal | 124            | 1.50          | 48.72         | 25.90        | 3.58       | 35.36      |  |  |  |  |
| PK   | 3.0316G      | 42.90             | 88.20             | -45.30         | 0.02             | 3           | Horizontal | 172            | 1.50          | 42.88         | 29.66        | 5.58       | 35.22      |  |  |  |  |
| PK   | 5.14901G     | 47.00             | 74.00             | -27.00         | 5.26             | 3           | Horizontal | 271            | 1.50          | 41.74         | 33.09        | 7.24       | 35.07      |  |  |  |  |


## Radiated Emissions above 1GHz\_Mode 9




## Radiated Emissions above 1GHz\_Mode 9




## Radiated Emissions above 1GHz\_Mode 10



## Radiated Emissions above 1GHz\_Mode 10




## Radiated Emissions above 1GHz\_Mode 11




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 2.08935G     | 27.39             | 68.20             | -40.81         | -3.02            | 3           | Vertical  | 139            | 1.50          | 30.41         | 27.41        | 4.58       | 35.01      |
| AV   | 3.59241G     | 30.59             | 68.20             | -37.61         | 0.41             | 3           | Vertical  | 188            | 1.50          | 30.18         | 29.48        | 6.14       | 35.21      |
| AV   | 5.14918G     | 34.47             | 54.00             | -19.53         | 5.27             | 3           | Vertical  | 41             | 1.50          | 29.20         | 33.10        | 7.24       | 35.07      |
| PK   | 2.08935G     | 39.38             | 88.20             | -48.82         | -3.02            | 3           | Vertical  | 139            | 1.50          | 42.40         | 27.41        | 4.58       | 35.01      |
| PK   | 3.59241G     | 42.93             | 88.20             | -45.27         | 0.41             | 3           | Vertical  | 188            | 1.50          | 42.52         | 29.48        | 6.14       | 35.21      |
| PK   | 5.14918G     | 46.62             | 74.00             | -27.38         | 5.27             | 3           | Vertical  | 41             | 1.50          | 41.35         | 33.10        | 7.24       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 11



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33021G     | 26.25             | 54.00             | -27.75         | -5.88            | 3           | Horizontal | 11             | 1.50          | 32.13         | 25.90        | 3.58       | 35.36      |
| AV   | 3.70871G     | 31.00             | 54.00             | -23.00         | 0.93             | 3           | Horizontal | 96             | 1.50          | 30.07         | 29.85        | 6.24       | 35.16      |
| AV   | 5.02844G     | 34.80             | 54.00             | -19.20         | 5.28             | 3           | Horizontal | 0              | 1.71          | 29.52         | 33.09        | 7.26       | 35.07      |
| PK   | 1.33021G     | 41.66             | 74.00             | -32.34         | -5.88            | 3           | Horizontal | 11             | 1.50          | 47.54         | 25.90        | 3.58       | 35.36      |
| PK   | 3.70871G     | 43.07             | 74.00             | -30.93         | 0.93             | 3           | Horizontal | 96             | 1.50          | 42.14         | 29.85        | 6.24       | 35.16      |
| PK   | 5.02844G     | 47.29             | 74.00             | -26.71         | 5.28             | 3           | Horizontal | 0              | 1.71          | 42.01         | 33.09        | 7.26       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 12



## Radiated Emissions above 1GHz\_Mode 12

