


802.11ax HEW40_Nss2,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5168G	42.88	54.00	-11.12	18.58	3	Horizontal	192	1.18	-	24.30	39.98	12.77	34.17
PK	11.51192G	54.82	74.00	-19.18	18.58	3	Horizontal	192	1.18	-	36.24	39.99	12.76	34.17

802.11ax HEW40_Nss2,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	104.26	Inf	-Inf	6.78	3	Vertical	6	1.50	-	97.48	32.00	9.07	34.29
PK	5.5514G	61.10	68.20	-7.10	6.16	3	Vertical	6	1.50	-	54.94	31.60	8.83	34.27
PK	5.7842G	115.25	Inf	-Inf	6.78	3	Vertical	6	1.50	-	108.47	32.00	9.07	34.29
PK	6.0158G	58.50	68.20	-9.70	7.24	3	Vertical	6	1.50	-	51.26	32.37	9.18	34.31

802.11ax HEW40_Nss2,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	105.13	Inf	-Inf	6.78	3	Horizontal	4	1.82	-	98.35	32.00	9.07	34.29
PK	5.615G	60.34	68.20	-7.86	6.27	3	Horizontal	4	1.82	-	54.07	31.63	8.91	34.27
PK	5.789G	115.72	Inf	-Inf	6.78	3	Horizontal	4	1.82	-	108.94	32.00	9.07	34.29
PK	5.951G	59.56	68.20	-8.64	7.14	3	Horizontal	4	1.82	-	52.42	32.30	9.15	34.31

802.11ax HEW40_Nss2,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57768G	42.57	54.00	-11.43	18.52	3	Vertical	213	1.35	-	24.05	39.92	12.80	34.20
PK	11.60896G	54.98	74.00	-19.02	18.44	3	Vertical	213	1.35	-	36.54	39.84	12.81	34.21

802.11ax HEW40_Nss2,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57744G	42.88	54.00	-11.12	18.52	3	Horizontal	198	1.78	-	24.36	39.92	12.80	34.20
PK	11.57984G	55.27	74.00	-18.73	18.52	3	Horizontal	198	1.78	-	36.75	39.92	12.80	34.20

802.11ax HEW80_Nss2,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	52.68	54.00	-1.32	5.46	3	Vertical	7	1.61	-	47.22	31.30	8.38	34.22
AV	5.1992G	101.47	Inf	-Inf	5.83	3	Vertical	7	1.61	-	95.64	31.50	8.57	34.24
AV	5.35G	49.65	54.00	-4.35	5.35	3	Vertical	7	1.61	-	44.30	31.00	8.60	34.25
PK	5.1452G	63.73	74.00	-10.27	5.99	3	Vertical	7	1.61	-	57.74	31.70	8.52	34.23
PK	5.2352G	112.86	Inf	-Inf	5.63	3	Vertical	7	1.61	-	107.23	31.29	8.58	34.24
PK	5.5052G	60.15	68.20	-8.05	6.19	3	Vertical	7	1.61	-	53.96	31.69	8.76	34.26

802.11ax HEW80_Nss2,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.60	54.00	-0.40	5.99	3	Horizontal	8	1.72	-	47.61	31.70	8.52	34.23
AV	5.1992G	101.81	Inf	-Inf	5.83	3	Horizontal	8	1.72	-	95.98	31.50	8.57	34.24
AV	5.36G	48.85	54.00	-5.15	5.41	3	Horizontal	8	1.72	-	43.44	31.06	8.60	34.25
PK	5.1452G	65.18	74.00	-8.82	5.99	3	Horizontal	8	1.72	-	59.19	31.70	8.52	34.23
PK	5.2004G	114.05	Inf	-Inf	5.83	3	Horizontal	8	1.72	-	108.22	31.50	8.57	34.24
PK	5.3528G	61.03	74.00	-12.97	5.37	3	Horizontal	8	1.72	-	55.66	31.02	8.60	34.25

802.11ax HEW80_Nss2,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45664G	54.29	68.20	-13.91	17.24	3	Vertical	177	2.40	-	37.05	39.61	12.23	34.60

802.11ax HEW80_Nss2,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.43952G	53.97	68.20	-14.23	17.18	3	Horizontal	215	1.92	-	36.79	39.58	12.22	34.62

802.11ax HEW80_Nss2,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	52.52	54.00	-1.48	5.46	3	Vertical	8	1.50	-	47.06	31.30	8.38	34.22
AV	5.2996G	101.29	Inf	-Inf	5.45	3	Vertical	8	1.50	-	95.84	31.10	8.59	34.24
AV	5.35G	52.35	54.00	-1.65	5.35	3	Vertical	8	1.50	-	47.00	31.00	8.60	34.25
PK	4.9996G	59.81	74.00	-14.19	5.46	3	Vertical	8	1.50	-	54.35	31.30	8.38	34.22
PK	5.2804G	112.56	Inf	-Inf	5.49	3	Vertical	8	1.50	-	107.07	31.14	8.59	34.24
PK	5.3536G	63.84	74.00	-10.16	5.37	3	Vertical	8	1.50	-	58.47	31.02	8.60	34.25

802.11ax HEW80_Nss2,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	48.84	54.00	-5.16	5.99	3	Horizontal	6	1.61	-	42.85	31.70	8.52	34.23
AV	5.2984G	101.66	Inf	-Inf	5.45	3	Horizontal	6	1.61	-	96.21	31.10	8.59	34.24
AV	5.3548G	53.66	54.00	-0.34	5.38	3	Horizontal	6	1.61	-	48.28	31.03	8.60	34.25
PK	5.1484G	60.19	74.00	-13.81	5.99	3	Horizontal	6	1.61	-	54.20	31.70	8.52	34.23
PK	5.2888G	113.66	Inf	-Inf	5.47	3	Horizontal	6	1.61	-	108.19	31.12	8.59	34.24
PK	5.3536G	65.09	74.00	-8.91	5.37	3	Horizontal	6	1.61	-	59.72	31.02	8.60	34.25

802.11ax HEW80_Nss2,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61904G	42.43	54.00	-11.57	17.65	3	Vertical	140	1.98	-	24.78	39.82	12.31	34.48
PK	10.6008G	54.58	74.00	-19.42	17.61	3	Vertical	140	1.98	-	36.97	39.80	12.30	34.49

802.11ax HEW80_Nss2,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60448G	42.63	54.00	-11.37	17.62	3	Horizontal	180	1.69	-	25.01	39.80	12.31	34.49
PK	10.61664G	54.44	74.00	-19.56	17.65	3	Horizontal	180	1.69	-	36.79	39.82	12.31	34.48

802.11ax HEW80_Nss2,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	52.15	54.00	-1.85	6.05	3	Vertical	4	1.67	-	46.10	31.62	8.69	34.26
AV	5.543G	102.03	Inf	-Inf	6.17	3	Vertical	4	1.67	-	95.86	31.61	8.82	34.26
PK	5.466G	66.57	68.20	-1.63	6.08	3	Vertical	4	1.67	-	60.49	31.63	8.71	34.26
PK	5.543G	113.85	Inf	-Inf	6.17	3	Vertical	4	1.67	-	107.68	31.61	8.82	34.26
PK	5.774G	58.92	68.20	-9.28	6.77	3	Vertical	4	1.67	-	52.15	32.00	9.06	34.29

802.11ax HEW80_Nss2,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	52.12	54.00	-1.88	6.05	3	Horizontal	5	1.50	-	46.07	31.62	8.69	34.26
AV	5.543G	102.38	Inf	-Inf	6.17	3	Horizontal	5	1.50	-	96.21	31.61	8.82	34.26
PK	5.468G	64.53	68.20	-3.67	6.09	3	Horizontal	5	1.50	-	58.44	31.64	8.71	34.26
PK	5.543G	114.04	Inf	-Inf	6.17	3	Horizontal	5	1.50	-	107.87	31.61	8.82	34.26
PK	5.734G	59.96	68.20	-8.24	6.68	3	Horizontal	5	1.50	-	53.28	31.94	9.02	34.28

802.11ax HEW80_Nss2,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.03648G	42.44	54.00	-11.56	18.42	3	Vertical	131	1.11	-	24.02	40.09	12.52	34.19
PK	11.06672G	54.34	74.00	-19.66	18.35	3	Vertical	131	1.11	-	35.99	40.00	12.54	34.19

802.11ax HEW80_Nss2,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02448G	42.42	54.00	-11.58	18.46	3	Horizontal	161	2.34	-	23.96	40.13	12.52	34.19
PK	11.02656G	54.87	74.00	-19.13	18.45	3	Horizontal	161	2.34	-	36.42	40.12	12.52	34.19

802.11ax HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	48.77	54.00	-5.23	6.04	3	Vertical	4	1.72	-	42.73	31.61	8.69	34.26
AV	5.623G	102.15	Inf	-Inf	6.30	3	Vertical	4	1.72	-	95.85	31.65	8.92	34.27
PK	5.468G	60.11	68.20	-8.09	6.09	3	Vertical	4	1.72	-	54.02	31.64	8.71	34.26
PK	5.624G	113.58	Inf	-Inf	6.30	3	Vertical	4	1.72	-	107.28	31.65	8.92	34.27
PK	5.75G	59.40	68.20	-8.80	6.76	3	Vertical	4	1.72	-	52.64	32.00	9.04	34.28

802.11ax HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.456G	48.84	54.00	-5.16	6.04	3	Horizontal	5	1.74	-	42.80	31.61	8.69	34.26
AV	5.623G	102.73	Inf	-Inf	6.30	3	Horizontal	5	1.74	-	96.43	31.65	8.92	34.27
PK	5.463G	61.98	68.20	-6.22	6.07	3	Horizontal	5	1.74	-	55.91	31.63	8.70	34.26
PK	5.623G	114.59	Inf	-Inf	6.30	3	Horizontal	5	1.74	-	108.29	31.65	8.92	34.27
PK	5.732G	61.08	68.20	-7.12	6.67	3	Horizontal	5	1.74	-	54.41	31.93	9.02	34.28

802.11ax HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22032G	42.70	54.00	-11.30	18.14	3	Vertical	128	1.43	-	24.56	39.70	12.62	34.18
PK	11.1904G	55.08	74.00	-18.92	18.14	3	Vertical	128	1.43	-	36.94	39.72	12.60	34.18

802.11ax HEW80_Nss2,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1992G	42.71	54.00	-11.29	18.13	3	Horizontal	83	1.22	-	24.58	39.70	12.61	34.18
PK	11.1896G	54.78	74.00	-19.22	18.14	3	Horizontal	83	1.22	-	36.64	39.72	12.60	34.18

802.11ax HEW80_Nss2,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.45G	47.49	54.00	-6.51	6.02	3	Vertical	4	1.50	-	41.47	31.60	8.68	34.26
AV	5.6828G	101.91	Inf	-Inf	6.46	3	Vertical	4	1.50	-	95.45	31.77	8.97	34.28
PK	5.4656G	59.80	68.20	-8.40	6.08	3	Vertical	4	1.50	-	53.72	31.63	8.71	34.26
PK	5.6828G	113.04	Inf	-Inf	6.46	3	Vertical	4	1.50	-	106.58	31.77	8.97	34.28
PK	5.9G	59.16	68.20	-9.04	7.12	3	Vertical	4	1.50	-	52.04	32.30	9.12	34.30

802.11ax HEW80_Nss2,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	47.84	54.00	-6.16	5.92	3	Horizontal	5	1.67	-	41.92	31.51	8.66	34.25
AV	5.684G	102.84	Inf	-Inf	6.47	3	Horizontal	5	1.67	-	96.37	31.77	8.98	34.28
PK	5.462G	59.49	68.20	-8.71	6.06	3	Horizontal	5	1.67	-	53.43	31.62	8.70	34.26
PK	5.6684G	114.30	Inf	-Inf	6.42	3	Horizontal	5	1.67	-	107.88	31.74	8.96	34.28
PK	5.9336G	60.48	68.20	-7.72	7.14	3	Horizontal	5	1.67	-	53.34	32.30	9.14	34.30

802.11ax HEW80_Nss2,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39936G	42.34	54.00	-11.66	18.34	3	Vertical	106	1.61	-	24.00	39.80	12.71	34.17
PK	11.35984G	54.34	74.00	-19.66	18.28	3	Vertical	106	1.61	-	36.06	39.76	12.69	34.17

802.11ax HEW80_Nss2,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.392G	42.49	54.00	-11.51	18.32	3	Horizontal	223	2.17	-	24.17	39.79	12.70	34.17
PK	11.3504G	54.92	74.00	-19.08	18.26	3	Horizontal	223	2.17	-	36.66	39.75	12.68	34.17

802.11ax HEW80_Nss2,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	101.43	Inf	-Inf	6.76	3	Vertical	6	1.74	-	94.67	32.00	9.05	34.29
PK	5.6238G	62.88	68.20	-5.32	6.30	3	Vertical	6	1.74	-	56.58	31.65	8.92	34.27
PK	5.7738G	113.23	Inf	-Inf	6.77	3	Vertical	6	1.74	-	106.46	32.00	9.06	34.29
PK	5.9262G	58.97	68.20	-9.23	7.14	3	Vertical	6	1.74	-	51.83	32.30	9.14	34.30

802.11ax HEW80_Nss2,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7882G	102.56	Inf	-Inf	6.78	3	Horizontal	4	1.70	-	95.78	32.00	9.07	34.29
PK	5.631G	61.69	68.20	-6.51	6.32	3	Horizontal	4	1.70	-	55.37	31.66	8.93	34.27
PK	5.7738G	114.30	Inf	-Inf	6.77	3	Horizontal	4	1.70	-	107.53	32.00	9.06	34.29
PK	5.9274G	61.06	68.20	-7.14	7.14	3	Horizontal	4	1.70	-	53.92	32.30	9.14	34.30

802.11ax HEW80_Nss2,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51672G	42.78	54.00	-11.22	18.58	3	Vertical	280	2.32	-	24.20	39.98	12.77	34.17
PK	11.54568G	54.87	74.00	-19.13	18.55	3	Vertical	280	2.32	-	36.32	39.95	12.78	34.18

802.11ax HEW80_Nss2,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5188G	43.04	54.00	-10.96	18.58	3	Horizontal	73	1.17	-	24.46	39.98	12.77	34.17
PK	11.5172G	55.12	74.00	-18.88	18.58	3	Horizontal	73	1.17	-	36.54	39.98	12.77	34.17

802.11ax HEW160_Nss2,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.001G	53.63	54.00	-0.37	5.46	3	Vertical	9	1.50	-	48.17	31.30	8.38	34.22
AV	5.274G	96.63	Inf	-Inf	5.49	3	Vertical	9	1.50	-	91.14	31.15	8.58	34.24
AV	5.382G	53.52	54.00	-0.48	5.55	3	Vertical	9	1.50	-	47.97	31.19	8.61	34.25
PK	5.079G	59.77	74.00	-14.23	5.85	3	Vertical	9	1.50	-	53.92	31.62	8.46	34.23
PK	5.238G	108.03	Inf	-Inf	5.61	3	Vertical	9	1.50	-	102.42	31.27	8.58	34.24
PK	5.382G	63.45	74.00	-10.55	5.55	3	Vertical	9	1.50	-	57.90	31.19	8.61	34.25

802.11ax HEW160_Nss2,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	52.65	54.00	-1.35	5.98	3	Horizontal	7	1.74	-	46.67	31.70	8.51	34.23
AV	5.256G	97.51	Inf	-Inf	5.53	3	Horizontal	7	1.74	-	91.98	31.19	8.58	34.24
AV	5.379G	52.05	54.00	-1.95	5.53	3	Horizontal	7	1.74	-	46.52	31.17	8.61	34.25
PK	5.136G	60.70	74.00	-13.30	5.98	3	Horizontal	7	1.74	-	54.72	31.70	8.51	34.23
PK	5.253G	109.26	Inf	-Inf	5.53	3	Horizontal	7	1.74	-	103.73	31.19	8.58	34.24
PK	5.358G	61.55	74.00	-12.45	5.40	3	Horizontal	7	1.74	-	56.15	31.05	8.60	34.25

802.11ax HEW160_Nss2,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.55504G	54.77	68.20	-13.43	17.51	3	Vertical	174	2.39	-	37.26	39.76	12.28	34.53

802.11ax HEW160_Nss2,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.50736G	54.56	68.20	-13.64	17.41	3	Horizontal	8	1.89	-	37.15	39.71	12.26	34.56

802.11ax HEW160_Nss2,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	53.03	54.00	-0.97	6.04	3	Vertical	4	1.50	-	46.99	31.61	8.69	34.26
AV	5.582G	99.87	Inf	-Inf	6.20	3	Vertical	4	1.50	-	93.67	31.60	8.87	34.27
PK	5.462G	62.46	68.20	-5.74	6.06	3	Vertical	4	1.50	-	56.40	31.62	8.70	34.26
PK	5.552G	111.67	Inf	-Inf	6.16	3	Vertical	4	1.50	-	105.51	31.60	8.83	34.27
PK	5.738G	62.64	68.20	-5.56	6.69	3	Vertical	4	1.50	-	55.95	31.95	9.02	34.28

802.11ax HEW160_Nss2,(MCS0)_4TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	52.82	54.00	-1.18	6.06	3	Horizontal	6	1.78	-	46.76	31.62	8.70	34.26
AV	5.558G	100.06	Inf	-Inf	6.17	3	Horizontal	6	1.78	-	93.89	31.60	8.84	34.27
PK	5.462G	62.81	68.20	-5.39	6.06	3	Horizontal	6	1.78	-	56.75	31.62	8.70	34.26
PK	5.573G	111.46	Inf	-Inf	6.19	3	Horizontal	6	1.78	-	105.27	31.60	8.86	34.27
PK	5.75G	62.94	68.20	-5.26	6.76	3	Horizontal	6	1.78	-	56.18	32.00	9.04	34.28

802.11ax HEW160_Nss2,(MCS0)_4TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1576G	44.54	54.00	-9.46	18.18	3	Vertical	185	1.40	-	26.36	39.78	12.58	34.18
PK	11.16496G	55.62	74.00	-18.38	18.18	3	Vertical	185	1.40	-	37.44	39.77	12.59	34.18

802.11ax HEW160_Nss2,(MCS0)_4TX

5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.08176G	44.42	54.00	-9.58	18.31	3	Horizontal	235	2.17	-	26.11	39.95	12.55	34.19
PK	11.17936G	55.39	74.00	-18.61	18.16	3	Horizontal	235	2.17	-	37.23	39.74	12.60	34.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	5G	53.51	54.00	-0.49	3	Vertical	4	1.71	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.61	54.00	-0.39	3	Horizontal	6	1.76	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5G	53.91	54.00	-0.09	3	Vertical	8	1.67	-
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	5G	53.56	54.00	-0.44	3	Vertical	7	1.64	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.3532G	53.79	54.00	-0.21	3	Horizontal	7	1.76	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	4.9996G	53.76	54.00	-0.24	3	Vertical	4	1.56	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	5.7252G	64.84	68.20	-3.36	3	Vertical	4	1.75	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.458G	50.97	54.00	-3.03	3	Horizontal	7	1.65	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	AV	5.46G	52.25	54.00	-1.75	3	Vertical	6	1.50	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	5.438G	53.52	54.00	-0.48	3	Vertical	4	1.69	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	5.6138G	62.08	68.20	-6.12	3	Vertical	3	1.66	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	PK	5.5646G	61.91	68.20	-6.29	3	Vertical	4	1.49	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	PK	5.6418G	62.99	68.20	-5.21	3	Vertical	4	1.50	-
5.15-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss4,(MCS0)_4TX	Pass	AV	5.382G	53.29	54.00	-0.71	3	Vertical	5	1.50	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5G	53.51	54.00	-0.49	3	Vertical	4	1.71	-
5180MHz	Pass	AV	5.1824G	104.77	Inf	-Inf	3	Vertical	4	1.71	-
5180MHz	Pass	AV	5.4044G	48.14	54.00	-5.86	3	Vertical	4	1.71	-
5180MHz	Pass	PK	5G	60.58	74.00	-13.42	3	Vertical	4	1.71	-
5180MHz	Pass	PK	5.1824G	117.23	Inf	-Inf	3	Vertical	4	1.71	-
5180MHz	Pass	PK	5.4608G	59.02	68.20	-9.18	3	Vertical	4	1.71	-
5180MHz	Pass	AV	5.1488G	49.64	54.00	-4.36	3	Horizontal	6	1.68	-
5180MHz	Pass	AV	5.1788G	106.00	Inf	-Inf	3	Horizontal	6	1.68	-
5180MHz	Pass	AV	5.456G	47.70	54.00	-6.30	3	Horizontal	6	1.68	-
5180MHz	Pass	PK	5.1488G	60.20	74.00	-13.80	3	Horizontal	6	1.68	-
5180MHz	Pass	PK	5.1788G	117.72	Inf	-Inf	3	Horizontal	6	1.68	-
5180MHz	Pass	PK	5.4644G	58.30	68.20	-9.90	3	Horizontal	6	1.68	-
5180MHz	Pass	PK	10.358G	54.33	68.20	-13.87	3	Vertical	200	2.39	-
5180MHz	Pass	PK	10.35916G	54.56	68.20	-13.64	3	Horizontal	174	2.46	-
5200MHz	Pass	AV	4.9996G	52.61	54.00	-1.39	3	Vertical	4	1.70	-
5200MHz	Pass	AV	5.1976G	104.39	Inf	-Inf	3	Vertical	4	1.70	-
5200MHz	Pass	AV	5.3764G	47.59	54.00	-6.41	3	Vertical	4	1.70	-
5200MHz	Pass	PK	4.9996G	60.04	74.00	-13.96	3	Vertical	4	1.70	-
5200MHz	Pass	PK	5.1952G	115.89	Inf	-Inf	3	Vertical	4	1.70	-
5200MHz	Pass	PK	5.5G	58.45	68.20	-9.75	3	Vertical	4	1.70	-
5200MHz	Pass	AV	5.1376G	48.10	54.00	-5.90	3	Horizontal	6	1.76	-
5200MHz	Pass	AV	5.1988G	105.69	Inf	-Inf	3	Horizontal	6	1.76	-
5200MHz	Pass	AV	5.4388G	47.58	54.00	-6.42	3	Horizontal	6	1.76	-
5200MHz	Pass	PK	5.1364G	60.01	74.00	-13.99	3	Horizontal	6	1.76	-
5200MHz	Pass	PK	5.1988G	117.35	Inf	-Inf	3	Horizontal	6	1.76	-
5200MHz	Pass	PK	5.4808G	59.26	68.20	-8.94	3	Horizontal	6	1.76	-
5200MHz	Pass	PK	10.47764G	55.15	68.20	-13.05	3	Vertical	184	1.98	-
5200MHz	Pass	PK	10.48312G	54.48	68.20	-13.72	3	Horizontal	332	1.64	-
5240MHz	Pass	AV	5G	53.12	54.00	-0.88	3	Vertical	5	1.77	-
5240MHz	Pass	AV	5.2328G	104.05	Inf	-Inf	3	Vertical	5	1.77	-
5240MHz	Pass	AV	5.4452G	47.77	54.00	-6.23	3	Vertical	5	1.77	-
5240MHz	Pass	PK	5G	59.55	74.00	-14.45	3	Vertical	5	1.77	-
5240MHz	Pass	PK	5.2352G	115.44	Inf	-Inf	3	Vertical	5	1.77	-
5240MHz	Pass	PK	5.5004G	59.59	68.20	-8.61	3	Vertical	5	1.77	-
5240MHz	Pass	AV	5.1248G	47.85	54.00	-6.15	3	Horizontal	6	1.74	-
5240MHz	Pass	AV	5.2388G	105.52	Inf	-Inf	3	Horizontal	6	1.74	-
5240MHz	Pass	AV	5.354G	47.71	54.00	-6.29	3	Horizontal	6	1.74	-
5240MHz	Pass	PK	5.042G	59.59	74.00	-14.41	3	Horizontal	6	1.74	-
5240MHz	Pass	PK	5.2388G	117.21	Inf	-Inf	3	Horizontal	6	1.74	-
5240MHz	Pass	PK	5.5064G	60.29	68.20	-7.91	3	Horizontal	6	1.74	-
5240MHz	Pass	PK	10.47132G	54.43	68.20	-13.77	3	Vertical	106	1.78	-
5240MHz	Pass	PK	10.4876G	54.54	68.20	-13.66	3	Horizontal	265	1.60	-
5260MHz	Pass	AV	4.9996G	52.38	54.00	-1.62	3	Vertical	4	1.65	-
5260MHz	Pass	AV	5.26G	104.56	Inf	-Inf	3	Vertical	4	1.65	-
5260MHz	Pass	AV	5.4376G	47.94	54.00	-6.06	3	Vertical	4	1.65	-
5260MHz	Pass	PK	4.9996G	58.98	74.00	-15.02	3	Vertical	4	1.65	-
5260MHz	Pass	PK	5.2552G	116.06	Inf	-Inf	3	Vertical	4	1.65	-
5260MHz	Pass	PK	5.5204G	59.86	68.20	-8.34	3	Vertical	4	1.65	-
5260MHz	Pass	AV	5.1052G	47.42	54.00	-6.58	3	Horizontal	6	1.68	-
5260MHz	Pass	AV	5.2588G	105.29	Inf	-Inf	3	Horizontal	6	1.68	-
5260MHz	Pass	AV	5.374G	47.88	54.00	-6.12	3	Horizontal	6	1.68	-
5260MHz	Pass	PK	5.1148G	59.29	74.00	-14.71	3	Horizontal	6	1.68	-
5260MHz	Pass	PK	5.2588G	117.19	Inf	-Inf	3	Horizontal	6	1.68	-
5260MHz	Pass	PK	5.5552G	59.32	68.20	-8.88	3	Horizontal	6	1.68	-
5260MHz	Pass	PK	10.52468G	55.05	68.20	-13.15	3	Vertical	110	2.07	-
5260MHz	Pass	PK	10.52864G	54.56	68.20	-13.64	3	Horizontal	104	1.04	-
5300MHz	Pass	AV	5G	53.56	54.00	-0.44	3	Vertical	7	1.64	-
5300MHz	Pass	AV	5.2964G	104.89	Inf	-Inf	3	Vertical	7	1.64	-
5300MHz	Pass	AV	5.3528G	48.28	54.00	-5.72	3	Vertical	7	1.64	-
5300MHz	Pass	PK	5G	59.93	74.00	-14.07	3	Vertical	7	1.64	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5300MHz	Pass	PK	5.3024G	116.70	Inf	-Inf	3	Vertical	7	1.64	-
5300MHz	Pass	PK	5.552G	60.51	68.20	-7.69	3	Vertical	7	1.64	-
5300MHz	Pass	AV	5.0792G	47.54	54.00	-6.46	3	Horizontal	5	1.72	-
5300MHz	Pass	AV	5.2988G	105.95	Inf	-Inf	3	Horizontal	5	1.72	-
5300MHz	Pass	AV	5.372G	48.55	54.00	-5.45	3	Horizontal	5	1.72	-
5300MHz	Pass	PK	5.0852G	58.81	74.00	-15.19	3	Horizontal	5	1.72	-
5300MHz	Pass	PK	5.2988G	117.23	Inf	-Inf	3	Horizontal	5	1.72	-
5300MHz	Pass	PK	5.5424G	59.51	68.20	-8.69	3	Horizontal	5	1.72	-
5300MHz	Pass	PK	10.60684G	54.50	74.00	-19.50	3	Vertical	22	2.88	-
5300MHz	Pass	PK	10.6018G	54.96	74.00	-19.04	3	Horizontal	176	1.50	-
5320MHz	Pass	AV	5.146G	46.99	54.00	-7.01	3	Vertical	9	1.66	-
5320MHz	Pass	AV	5.3224G	105.03	Inf	-Inf	3	Vertical	9	1.66	-
5320MHz	Pass	AV	5.35G	49.65	54.00	-4.35	3	Vertical	9	1.66	-
5320MHz	Pass	PK	5.0368G	58.29	74.00	-15.71	3	Vertical	9	1.66	-
5320MHz	Pass	PK	5.3176G	117.34	Inf	-Inf	3	Vertical	9	1.66	-
5320MHz	Pass	PK	5.518G	60.50	68.20	-7.70	3	Vertical	9	1.66	-
5320MHz	Pass	AV	5.1412G	47.32	54.00	-6.68	3	Horizontal	7	1.69	-
5320MHz	Pass	AV	5.3188G	106.05	Inf	-Inf	3	Horizontal	7	1.69	-
5320MHz	Pass	AV	5.3512G	50.04	54.00	-3.96	3	Horizontal	7	1.69	-
5320MHz	Pass	PK	5.0284G	59.14	74.00	-14.86	3	Horizontal	7	1.69	-
5320MHz	Pass	PK	5.3188G	117.61	Inf	-Inf	3	Horizontal	7	1.69	-
5320MHz	Pass	PK	5.4868G	59.61	68.20	-8.59	3	Horizontal	7	1.69	-
5320MHz	Pass	AV	10.64728G	42.73	54.00	-11.27	3	Vertical	187	1.50	-
5320MHz	Pass	PK	10.64248G	55.22	74.00	-18.78	3	Vertical	187	1.50	-
5320MHz	Pass	AV	10.63504G	42.65	54.00	-11.35	3	Horizontal	44	1.50	-
5320MHz	Pass	PK	10.63952G	54.80	74.00	-19.20	3	Horizontal	44	1.50	-
5500MHz	Pass	AV	5.4556G	48.10	54.00	-5.90	3	Vertical	5	1.60	-
5500MHz	Pass	AV	5.4988G	104.78	Inf	-Inf	3	Vertical	5	1.60	-
5500MHz	Pass	PK	5.4688G	61.47	68.20	-6.73	3	Vertical	5	1.60	-
5500MHz	Pass	PK	5.4928G	116.18	Inf	-Inf	3	Vertical	5	1.60	-
5500MHz	Pass	PK	5.7556G	59.75	68.20	-8.45	3	Vertical	5	1.60	-
5500MHz	Pass	AV	5.46G	48.62	54.00	-5.38	3	Horizontal	8	1.81	-
5500MHz	Pass	AV	5.4988G	105.81	Inf	-Inf	3	Horizontal	8	1.81	-
5500MHz	Pass	PK	5.4688G	60.79	68.20	-7.41	3	Horizontal	8	1.81	-
5500MHz	Pass	PK	5.4988G	117.60	Inf	-Inf	3	Horizontal	8	1.81	-
5500MHz	Pass	PK	5.7328G	59.46	68.20	-8.74	3	Horizontal	8	1.81	-
5500MHz	Pass	AV	10.99584G	43.02	54.00	-10.98	3	Vertical	18	2.39	-
5500MHz	Pass	PK	10.99056G	55.80	74.00	-18.20	3	Vertical	18	2.39	-
5500MHz	Pass	AV	10.995G	43.00	54.00	-11.00	3	Horizontal	46	1.02	-
5500MHz	Pass	PK	11.0096G	55.37	74.00	-18.63	3	Horizontal	46	1.02	-
5580MHz	Pass	AV	5.4564G	47.35	54.00	-6.65	3	Vertical	5	1.71	-
5580MHz	Pass	AV	5.5788G	105.50	Inf	-Inf	3	Vertical	5	1.71	-
5580MHz	Pass	PK	5.466G	59.26	68.20	-8.94	3	Vertical	5	1.71	-
5580MHz	Pass	PK	5.5824G	117.64	Inf	-Inf	3	Vertical	5	1.71	-
5580MHz	Pass	PK	5.8296G	58.89	68.20	-9.31	3	Vertical	5	1.71	-
5580MHz	Pass	AV	5.4324G	47.73	54.00	-6.27	3	Horizontal	6	1.63	-
5580MHz	Pass	AV	5.5788G	106.67	Inf	-Inf	3	Horizontal	6	1.63	-
5580MHz	Pass	PK	5.3424G	59.35	68.20	-8.85	3	Horizontal	6	1.63	-
5580MHz	Pass	PK	5.5788G	118.05	Inf	-Inf	3	Horizontal	6	1.63	-
5580MHz	Pass	PK	5.8488G	60.07	68.20	-8.13	3	Horizontal	6	1.63	-
5580MHz	Pass	AV	11.16412G	42.91	54.00	-11.09	3	Vertical	196	1.07	-
5580MHz	Pass	PK	11.16744G	56.12	74.00	-17.88	3	Vertical	196	1.07	-
5580MHz	Pass	AV	11.16692G	42.80	54.00	-11.20	3	Horizontal	11	1.02	-
5580MHz	Pass	PK	11.16648G	55.40	74.00	-18.60	3	Horizontal	11	1.02	-
5700MHz	Pass	AV	5.4576G	47.67	54.00	-6.33	3	Vertical	4	1.75	-
5700MHz	Pass	AV	5.6928G	105.22	Inf	-Inf	3	Vertical	4	1.75	-
5700MHz	Pass	PK	5.4672G	58.75	68.20	-9.45	3	Vertical	4	1.75	-
5700MHz	Pass	PK	5.6952G	116.85	Inf	-Inf	3	Vertical	4	1.75	-
5700MHz	Pass	PK	5.7252G	64.84	68.20	-3.36	3	Vertical	4	1.75	-
5700MHz	Pass	AV	5.4324G	48.05	54.00	-5.95	3	Horizontal	5	1.71	-
5700MHz	Pass	AV	5.6988G	106.48	Inf	-Inf	3	Horizontal	5	1.71	-
5700MHz	Pass	PK	5.4648G	59.52	68.20	-8.68	3	Horizontal	5	1.71	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	PK	5.6916G	117.34	Inf	-Inf	3	Horizontal	5	1.71	-
5700MHz	Pass	PK	5.7252G	63.57	68.20	-4.63	3	Horizontal	5	1.71	-
5700MHz	Pass	AV	11.40764G	42.88	54.00	-11.12	3	Vertical	101	1.98	-
5700MHz	Pass	PK	11.40996G	55.08	74.00	-18.92	3	Vertical	101	1.98	-
5700MHz	Pass	AV	11.40584G	43.09	54.00	-10.91	3	Horizontal	186	2.46	-
5700MHz	Pass	PK	11.39288G	55.40	74.00	-18.60	3	Horizontal	186	2.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	47.65	54.00	-6.35	3	Vertical	5	1.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	104.40	Inf	-Inf	3	Vertical	5	1.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.18	68.20	-10.02	3	Vertical	5	1.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	115.86	Inf	-Inf	3	Vertical	5	1.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8722G	59.50	68.20	-8.70	3	Vertical	5	1.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	47.91	54.00	-6.09	3	Horizontal	5	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	106.18	Inf	-Inf	3	Horizontal	5	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	58.90	68.20	-9.30	3	Horizontal	5	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	117.51	Inf	-Inf	3	Horizontal	5	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	59.79	68.20	-8.41	3	Horizontal	5	1.68	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44664G	42.87	54.00	-11.13	3	Vertical	161	1.93	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43236G	55.20	74.00	-18.80	3	Vertical	161	1.93	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43036G	43.16	54.00	-10.84	3	Horizontal	68	2.10	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43332G	55.63	74.00	-18.37	3	Horizontal	68	2.10	-
5745MHz	Pass	AV	5.7378G	105.73	Inf	-Inf	3	Vertical	4	1.70	-
5745MHz	Pass	PK	5.6442G	61.46	68.20	-6.74	3	Vertical	4	1.70	-
5745MHz	Pass	PK	5.7402G	116.83	Inf	-Inf	3	Vertical	4	1.70	-
5745MHz	Pass	PK	5.9982G	58.58	68.20	-9.62	3	Vertical	4	1.70	-
5745MHz	Pass	AV	5.7438G	106.06	Inf	-Inf	3	Horizontal	7	1.50	-
5745MHz	Pass	PK	5.5206G	60.21	68.20	-7.99	3	Horizontal	7	1.50	-
5745MHz	Pass	PK	5.7438G	117.25	Inf	-Inf	3	Horizontal	7	1.50	-
5745MHz	Pass	PK	6.0186G	59.39	68.20	-8.81	3	Horizontal	7	1.50	-
5745MHz	Pass	AV	11.49948G	43.05	54.00	-10.95	3	Vertical	260	1.53	-
5745MHz	Pass	PK	11.49348G	55.81	74.00	-18.19	3	Vertical	260	1.53	-
5745MHz	Pass	AV	11.4948G	43.22	54.00	-10.78	3	Horizontal	345	2.05	-
5745MHz	Pass	PK	11.49844G	55.42	74.00	-18.58	3	Horizontal	345	2.05	-
5785MHz	Pass	AV	5.7778G	105.04	Inf	-Inf	3	Vertical	3	1.62	-
5785MHz	Pass	PK	5.5654G	61.54	68.20	-6.66	3	Vertical	3	1.62	-
5785MHz	Pass	PK	5.7802G	116.62	Inf	-Inf	3	Vertical	3	1.62	-
5785MHz	Pass	PK	6.0154G	58.55	68.20	-9.65	3	Vertical	3	1.62	-
5785MHz	Pass	AV	5.7838G	106.39	Inf	-Inf	3	Horizontal	6	1.64	-
5785MHz	Pass	PK	5.5258G	60.89	68.20	-7.31	3	Horizontal	6	1.64	-
5785MHz	Pass	PK	5.7838G	118.06	Inf	-Inf	3	Horizontal	6	1.64	-
5785MHz	Pass	PK	5.9854G	59.64	68.20	-8.56	3	Horizontal	6	1.64	-
5785MHz	Pass	AV	11.56056G	42.86	54.00	-11.14	3	Vertical	116	1.10	-
5785MHz	Pass	PK	11.57576G	55.36	74.00	-18.64	3	Vertical	116	1.10	-
5785MHz	Pass	AV	11.56536G	42.87	54.00	-11.13	3	Horizontal	46	1.33	-
5785MHz	Pass	PK	11.56696G	55.32	74.00	-18.68	3	Horizontal	46	1.33	-
5825MHz	Pass	AV	5.8274G	104.94	Inf	-Inf	3	Vertical	3	1.66	-
5825MHz	Pass	PK	5.6138G	62.08	68.20	-6.12	3	Vertical	3	1.66	-
5825MHz	Pass	PK	5.8202G	116.69	Inf	-Inf	3	Vertical	3	1.66	-
5825MHz	Pass	PK	6.0434G	59.31	68.20	-8.89	3	Vertical	3	1.66	-
5825MHz	Pass	AV	5.8238G	106.20	Inf	-Inf	3	Horizontal	6	1.66	-
5825MHz	Pass	PK	5.5958G	60.64	68.20	-7.56	3	Horizontal	6	1.66	-
5825MHz	Pass	PK	5.8238G	117.83	Inf	-Inf	3	Horizontal	6	1.66	-
5825MHz	Pass	PK	5.927G	59.45	68.20	-8.75	3	Horizontal	6	1.66	-
5825MHz	Pass	AV	11.64152G	42.61	54.00	-11.39	3	Vertical	215	1.94	-
5825MHz	Pass	PK	11.64484G	54.63	74.00	-19.37	3	Vertical	215	1.94	-
5825MHz	Pass	AV	11.6492G	42.79	54.00	-11.21	3	Horizontal	12	2.06	-
5825MHz	Pass	PK	11.64556G	55.00	74.00	-19.00	3	Horizontal	12	2.06	-
802.11ax HEW40_Nss4_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	4.9992G	53.29	54.00	-0.71	3	Vertical	7	1.50	-
5190MHz	Pass	AV	5.196G	102.00	Inf	-Inf	3	Vertical	7	1.50	-
5190MHz	Pass	AV	5.46G	49.23	54.00	-4.77	3	Vertical	7	1.50	-
5190MHz	Pass	PK	5.1492G	62.40	74.00	-11.60	3	Vertical	7	1.50	-
5190MHz	Pass	PK	5.1792G	113.71	Inf	-Inf	3	Vertical	7	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	5.4804G	59.27	68.20	-8.93	3	Vertical	7	1.50	-
5190MHz	Pass	AV	5.15G	53.61	54.00	-0.39	3	Horizontal	6	1.76	-
5190MHz	Pass	AV	5.1888G	103.05	Inf	-Inf	3	Horizontal	6	1.76	-
5190MHz	Pass	AV	5.4204G	48.52	54.00	-5.48	3	Horizontal	6	1.76	-
5190MHz	Pass	PK	5.148G	63.56	74.00	-10.44	3	Horizontal	6	1.76	-
5190MHz	Pass	PK	5.1984G	113.60	Inf	-Inf	3	Horizontal	6	1.76	-
5190MHz	Pass	PK	5.4744G	58.66	68.20	-9.54	3	Horizontal	6	1.76	-
5190MHz	Pass	PK	10.39824G	53.69	68.20	-14.51	3	Vertical	0	1.32	-
5190MHz	Pass	PK	10.37584G	53.74	68.20	-14.46	3	Horizontal	160	2.45	-
5230MHz	Pass	AV	4.9996G	52.81	54.00	-1.19	3	Vertical	4	1.55	-
5230MHz	Pass	AV	5.236G	103.11	Inf	-Inf	3	Vertical	4	1.55	-
5230MHz	Pass	AV	5.458G	49.56	54.00	-4.44	3	Vertical	4	1.55	-
5230MHz	Pass	PK	4.9996G	60.05	74.00	-13.95	3	Vertical	4	1.55	-
5230MHz	Pass	PK	5.218G	113.18	Inf	-Inf	3	Vertical	4	1.55	-
5230MHz	Pass	PK	5.476G	60.41	68.20	-7.79	3	Vertical	4	1.55	-
5230MHz	Pass	AV	5.032G	49.44	54.00	-4.56	3	Horizontal	6	1.50	-
5230MHz	Pass	AV	5.2288G	103.07	Inf	-Inf	3	Horizontal	6	1.50	-
5230MHz	Pass	AV	5.3872G	49.19	54.00	-4.81	3	Horizontal	6	1.50	-
5230MHz	Pass	PK	4.9744G	59.49	74.00	-14.51	3	Horizontal	6	1.50	-
5230MHz	Pass	PK	5.2192G	113.67	Inf	-Inf	3	Horizontal	6	1.50	-
5230MHz	Pass	PK	5.4892G	59.48	68.20	-8.72	3	Horizontal	6	1.50	-
5230MHz	Pass	PK	10.46384G	54.11	68.20	-14.09	3	Vertical	231	2.07	-
5230MHz	Pass	PK	10.4516G	54.32	68.20	-13.88	3	Horizontal	329	1.36	-
5270MHz	Pass	AV	5G	53.25	54.00	-0.75	3	Vertical	4	1.50	-
5270MHz	Pass	AV	5.276G	102.91	Inf	-Inf	3	Vertical	4	1.50	-
5270MHz	Pass	AV	5.384G	49.45	54.00	-4.55	3	Vertical	4	1.50	-
5270MHz	Pass	PK	5G	59.87	74.00	-14.13	3	Vertical	4	1.50	-
5270MHz	Pass	PK	5.2592G	113.47	Inf	-Inf	3	Vertical	4	1.50	-
5270MHz	Pass	PK	5.3684G	60.56	74.00	-13.44	3	Vertical	4	1.50	-
5270MHz	Pass	AV	5.1284G	48.93	54.00	-5.07	3	Horizontal	6	1.66	-
5270MHz	Pass	AV	5.2664G	104.09	Inf	-Inf	3	Horizontal	6	1.66	-
5270MHz	Pass	AV	5.378G	49.45	54.00	-4.55	3	Horizontal	6	1.66	-
5270MHz	Pass	PK	5.0972G	59.65	74.00	-14.35	3	Horizontal	6	1.66	-
5270MHz	Pass	PK	5.2592G	114.50	Inf	-Inf	3	Horizontal	6	1.66	-
5270MHz	Pass	PK	5.3624G	59.93	74.00	-14.07	3	Horizontal	6	1.66	-
5270MHz	Pass	PK	10.55096G	54.28	68.20	-13.92	3	Vertical	120	1.14	-
5270MHz	Pass	PK	10.52776G	54.29	68.20	-13.91	3	Horizontal	304	1.53	-
5310MHz	Pass	AV	5.0496G	48.36	54.00	-5.64	3	Vertical	6	1.50	-
5310MHz	Pass	AV	5.316G	102.25	Inf	-Inf	3	Vertical	6	1.50	-
5310MHz	Pass	AV	5.35G	53.55	54.00	-0.45	3	Vertical	6	1.50	-
5310MHz	Pass	PK	5.0856G	58.93	74.00	-15.07	3	Vertical	6	1.50	-
5310MHz	Pass	PK	5.2992G	114.23	Inf	-Inf	3	Vertical	6	1.50	-
5310MHz	Pass	PK	5.3544G	64.09	74.00	-9.91	3	Vertical	6	1.50	-
5310MHz	Pass	AV	5.1336G	49.22	54.00	-4.78	3	Horizontal	7	1.76	-
5310MHz	Pass	AV	5.304G	103.47	Inf	-Inf	3	Horizontal	7	1.76	-
5310MHz	Pass	AV	5.3532G	53.79	54.00	-0.21	3	Horizontal	7	1.76	-
5310MHz	Pass	PK	5.0796G	59.19	74.00	-14.81	3	Horizontal	7	1.76	-
5310MHz	Pass	PK	5.3064G	113.83	Inf	-Inf	3	Horizontal	7	1.76	-
5310MHz	Pass	PK	5.3532G	64.89	74.00	-9.11	3	Horizontal	7	1.76	-
5310MHz	Pass	AV	10.63344G	44.59	54.00	-9.41	3	Vertical	147	2.41	-
5310MHz	Pass	PK	10.63112G	55.07	74.00	-18.93	3	Vertical	147	2.41	-
5310MHz	Pass	AV	10.6388G	43.90	54.00	-10.10	3	Horizontal	188	1.15	-
5310MHz	Pass	PK	10.60032G	54.95	74.00	-19.05	3	Horizontal	188	1.15	-
5510MHz	Pass	AV	5.4592G	50.96	54.00	-3.04	3	Vertical	6	1.50	-
5510MHz	Pass	AV	5.506G	103.24	Inf	-Inf	3	Vertical	6	1.50	-
5510MHz	Pass	PK	5.4688G	64.29	68.20	-3.91	3	Vertical	6	1.50	-
5510MHz	Pass	PK	5.4988G	115.13	Inf	-Inf	3	Vertical	6	1.50	-
5510MHz	Pass	AV	5.458G	50.97	54.00	-3.03	3	Horizontal	7	1.65	-
5510MHz	Pass	AV	5.5092G	103.32	Inf	-Inf	3	Horizontal	7	1.65	-
5510MHz	Pass	PK	5.4688G	64.42	68.20	-3.78	3	Horizontal	7	1.65	-
5510MHz	Pass	PK	5.5064G	113.87	Inf	-Inf	3	Horizontal	7	1.65	-
5510MHz	Pass	AV	11.02384G	43.76	54.00	-10.24	3	Vertical	34	1.38	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	PK	11.02608G	54.37	74.00	-19.63	3	Vertical	34	1.38	-
5510MHz	Pass	AV	11.03392G	44.08	54.00	-9.92	3	Horizontal	24	1.15	-
5510MHz	Pass	PK	11.01112G	54.50	74.00	-19.50	3	Horizontal	24	1.15	-
5550MHz	Pass	AV	5.4512G	49.06	54.00	-4.94	3	Vertical	6	1.67	-
5550MHz	Pass	AV	5.544G	103.56	Inf	-Inf	3	Vertical	6	1.67	-
5550MHz	Pass	PK	5.4676G	59.67	68.20	-8.53	3	Vertical	6	1.67	-
5550MHz	Pass	PK	5.5388G	115.22	Inf	-Inf	3	Vertical	6	1.67	-
5550MHz	Pass	AV	5.4532G	49.45	54.00	-4.55	3	Horizontal	7	1.66	-
5550MHz	Pass	AV	5.5556G	104.00	Inf	-Inf	3	Horizontal	7	1.66	-
5550MHz	Pass	PK	5.464G	58.91	68.20	-9.29	3	Horizontal	7	1.66	-
5550MHz	Pass	PK	5.5604G	114.62	Inf	-Inf	3	Horizontal	7	1.66	-
5550MHz	Pass	AV	11.11152G	44.21	54.00	-9.79	3	Vertical	272	2.03	-
5550MHz	Pass	PK	11.0908G	54.81	74.00	-19.19	3	Vertical	272	2.03	-
5550MHz	Pass	AV	11.10272G	43.95	54.00	-10.05	3	Horizontal	213	1.94	-
5550MHz	Pass	PK	11.1144G	54.20	74.00	-19.80	3	Horizontal	213	1.94	-
5670MHz	Pass	AV	5.676G	103.27	Inf	-Inf	3	Vertical	5	1.50	-
5670MHz	Pass	PK	5.6586G	114.99	Inf	-Inf	3	Vertical	5	1.50	-
5670MHz	Pass	PK	5.7252G	60.31	68.20	-7.89	3	Vertical	5	1.50	-
5670MHz	Pass	AV	5.673G	103.94	Inf	-Inf	3	Horizontal	4	1.51	-
5670MHz	Pass	PK	5.6808G	115.10	Inf	-Inf	3	Horizontal	4	1.51	-
5670MHz	Pass	PK	5.7258G	61.25	68.20	-6.95	3	Horizontal	4	1.51	-
5670MHz	Pass	AV	11.33016G	44.16	54.00	-9.84	3	Vertical	150	1.48	-
5670MHz	Pass	PK	11.34768G	55.25	74.00	-18.75	3	Vertical	150	1.48	-
5670MHz	Pass	AV	11.35264G	43.92	54.00	-10.08	3	Horizontal	54	2.07	-
5670MHz	Pass	PK	11.34096G	54.88	74.00	-19.12	3	Horizontal	54	2.07	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	48.71	54.00	-5.29	3	Vertical	4	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	103.41	Inf	-Inf	3	Vertical	4	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	58.18	68.20	-10.02	3	Vertical	4	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	114.82	Inf	-Inf	3	Vertical	4	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8984G	58.64	68.20	-9.56	3	Vertical	4	1.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4208G	48.72	54.00	-5.28	3	Horizontal	7	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	103.54	Inf	-Inf	3	Horizontal	7	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	58.24	68.20	-9.96	3	Horizontal	7	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	114.17	Inf	-Inf	3	Horizontal	7	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9872G	59.67	68.20	-8.53	3	Horizontal	7	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43296G	44.08	54.00	-9.92	3	Vertical	142	2.32	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40776G	54.66	74.00	-19.34	3	Vertical	142	2.32	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41264G	43.83	54.00	-10.17	3	Horizontal	203	2.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42616G	54.65	74.00	-19.35	3	Horizontal	203	2.37	-
5755MHz	Pass	AV	5.749G	103.14	Inf	-Inf	3	Vertical	5	1.50	-
5755MHz	Pass	PK	5.6134G	61.59	68.20	-6.61	3	Vertical	5	1.50	-
5755MHz	Pass	PK	5.7442G	115.07	Inf	-Inf	3	Vertical	5	1.50	-
5755MHz	Pass	PK	5.9338G	58.43	68.20	-9.77	3	Vertical	5	1.50	-
5755MHz	Pass	AV	5.7442G	103.28	Inf	-Inf	3	Horizontal	5	1.51	-
5755MHz	Pass	PK	5.6422G	59.46	68.20	-8.74	3	Horizontal	5	1.51	-
5755MHz	Pass	PK	5.7514G	113.69	Inf	-Inf	3	Horizontal	5	1.51	-
5755MHz	Pass	PK	6.0058G	58.65	68.20	-9.55	3	Horizontal	5	1.51	-
5755MHz	Pass	AV	11.50248G	44.13	54.00	-9.87	3	Vertical	67	1.39	-
5755MHz	Pass	PK	11.50576G	55.21	74.00	-18.79	3	Vertical	67	1.39	-
5755MHz	Pass	AV	11.51584G	44.10	54.00	-9.90	3	Horizontal	163	2.04	-
5755MHz	Pass	PK	11.5024G	55.11	74.00	-18.89	3	Horizontal	163	2.04	-
5795MHz	Pass	AV	5.7806G	102.74	Inf	-Inf	3	Vertical	4	1.49	-
5795MHz	Pass	PK	5.5646G	61.91	68.20	-6.29	3	Vertical	4	1.49	-
5795MHz	Pass	PK	5.7842G	114.42	Inf	-Inf	3	Vertical	4	1.49	-
5795MHz	Pass	PK	5.9426G	59.04	68.20	-9.16	3	Vertical	4	1.49	-
5795MHz	Pass	AV	5.7938G	103.24	Inf	-Inf	3	Horizontal	5	1.66	-
5795MHz	Pass	PK	5.6234G	59.69	68.20	-8.51	3	Horizontal	5	1.66	-
5795MHz	Pass	PK	5.7842G	114.12	Inf	-Inf	3	Horizontal	5	1.66	-
5795MHz	Pass	PK	5.9414G	58.99	68.20	-9.21	3	Horizontal	5	1.66	-
5795MHz	Pass	AV	11.60888G	44.18	54.00	-9.82	3	Vertical	179	1.06	-
5795MHz	Pass	PK	11.578G	55.14	74.00	-18.86	3	Vertical	179	1.06	-
5795MHz	Pass	AV	11.57176G	44.39	54.00	-9.61	3	Horizontal	239	2.25	-



RSE TX above 1GHz_Non-Beamforming_Radio 2_4T4S


Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5795MHz	Pass	PK	11.5748G	55.78	74.00	-18.22	3	Horizontal	239	2.25	-
802.11ax HEW80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5G	53.91	54.00	-0.09	3	Vertical	8	1.67	-
5210MHz	Pass	AV	5.1992G	100.31	Inf	-Inf	3	Vertical	8	1.67	-
5210MHz	Pass	AV	5.3612G	50.21	54.00	-3.79	3	Vertical	8	1.67	-
5210MHz	Pass	PK	5.1452G	61.95	74.00	-12.05	3	Vertical	8	1.67	-
5210MHz	Pass	PK	5.2376G	110.62	Inf	-Inf	3	Vertical	8	1.67	-
5210MHz	Pass	PK	5.474G	59.33	68.20	-8.87	3	Vertical	8	1.67	-
5210MHz	Pass	AV	5.1488G	52.56	54.00	-1.44	3	Horizontal	12	1.80	-
5210MHz	Pass	AV	5.2124G	99.87	Inf	-Inf	3	Horizontal	12	1.80	-
5210MHz	Pass	AV	5.35G	49.46	54.00	-4.54	3	Horizontal	12	1.80	-
5210MHz	Pass	PK	5.1452G	61.97	74.00	-12.03	3	Horizontal	12	1.80	-
5210MHz	Pass	PK	5.1992G	111.11	Inf	-Inf	3	Horizontal	12	1.80	-
5210MHz	Pass	PK	5.51G	58.40	68.20	-9.80	3	Horizontal	12	1.80	-
5210MHz	Pass	PK	10.4177G	53.47	68.20	-14.73	3	Vertical	275	1.50	-
5210MHz	Pass	PK	10.4225G	54.64	68.20	-13.56	3	Horizontal	151	1.56	-
5290MHz	Pass	AV	4.9996G	53.76	54.00	-0.24	3	Vertical	4	1.56	-
5290MHz	Pass	AV	5.2984G	100.35	Inf	-Inf	3	Vertical	4	1.56	-
5290MHz	Pass	AV	5.35G	52.91	54.00	-1.09	3	Vertical	4	1.56	-
5290MHz	Pass	PK	5.1328G	60.15	74.00	-13.85	3	Vertical	4	1.56	-
5290MHz	Pass	PK	5.3188G	109.98	Inf	-Inf	3	Vertical	4	1.56	-
5290MHz	Pass	PK	5.362G	63.18	74.00	-10.82	3	Vertical	4	1.56	-
5290MHz	Pass	AV	5.1436G	50.06	54.00	-3.94	3	Horizontal	7	1.50	-
5290MHz	Pass	AV	5.2816G	100.88	Inf	-Inf	3	Horizontal	7	1.50	-
5290MHz	Pass	AV	5.35G	52.93	54.00	-1.07	3	Horizontal	7	1.50	-
5290MHz	Pass	PK	5.1448G	60.39	74.00	-13.61	3	Horizontal	7	1.50	-
5290MHz	Pass	PK	5.2984G	111.23	Inf	-Inf	3	Horizontal	7	1.50	-
5290MHz	Pass	PK	5.35G	62.89	74.00	-11.11	3	Horizontal	7	1.50	-
5290MHz	Pass	PK	10.57776G	55.60	68.20	-12.60	3	Vertical	181	1.46	-
5290MHz	Pass	PK	10.58304G	54.24	68.20	-13.96	3	Horizontal	144	1.14	-
5530MHz	Pass	AV	5.46G	52.25	54.00	-1.75	3	Vertical	6	1.50	-
5530MHz	Pass	AV	5.518G	100.13	Inf	-Inf	3	Vertical	6	1.50	-
5530MHz	Pass	PK	5.466G	62.78	68.20	-5.42	3	Vertical	6	1.50	-
5530MHz	Pass	PK	5.519G	110.85	Inf	-Inf	3	Vertical	6	1.50	-
5530MHz	Pass	PK	5.735G	59.40	68.20	-8.80	3	Vertical	6	1.50	-
5530MHz	Pass	AV	5.46G	51.67	54.00	-2.33	3	Horizontal	10	1.51	-
5530MHz	Pass	AV	5.528G	100.21	Inf	-Inf	3	Horizontal	10	1.51	-
5530MHz	Pass	PK	5.469G	62.78	68.20	-5.42	3	Horizontal	10	1.51	-
5530MHz	Pass	PK	5.528G	111.16	Inf	-Inf	3	Horizontal	10	1.51	-
5530MHz	Pass	PK	5.749G	59.16	68.20	-9.04	3	Horizontal	10	1.51	-
5530MHz	Pass	AV	11.0472G	43.53	54.00	-10.47	3	Vertical	252	1.34	-
5530MHz	Pass	PK	11.02896G	54.32	74.00	-19.68	3	Vertical	252	1.34	-
5530MHz	Pass	AV	11.02016G	44.11	54.00	-9.89	3	Horizontal	159	1.25	-
5530MHz	Pass	PK	11.02464G	54.83	74.00	-19.17	3	Horizontal	159	1.25	-
5610MHz	Pass	AV	5.46G	49.83	54.00	-4.17	3	Vertical	5	1.49	-
5610MHz	Pass	AV	5.599G	101.12	Inf	-Inf	3	Vertical	5	1.49	-
5610MHz	Pass	PK	5.469G	59.67	68.20	-8.53	3	Vertical	5	1.49	-
5610MHz	Pass	PK	5.638G	111.04	Inf	-Inf	3	Vertical	5	1.49	-
5610MHz	Pass	PK	5.727G	59.85	68.20	-8.35	3	Vertical	5	1.49	-
5610MHz	Pass	AV	5.458G	50.08	54.00	-3.92	3	Horizontal	8	1.50	-
5610MHz	Pass	AV	5.606G	101.12	Inf	-Inf	3	Horizontal	8	1.50	-
5610MHz	Pass	PK	5.461G	60.70	68.20	-7.50	3	Horizontal	8	1.50	-
5610MHz	Pass	PK	5.599G	111.85	Inf	-Inf	3	Horizontal	8	1.50	-
5610MHz	Pass	PK	5.744G	60.93	68.20	-7.27	3	Horizontal	8	1.50	-
5610MHz	Pass	AV	11.20032G	44.19	54.00	-9.81	3	Vertical	325	1.73	-
5610MHz	Pass	PK	11.23104G	55.25	74.00	-18.75	3	Vertical	325	1.73	-
5610MHz	Pass	AV	11.21296G	44.04	54.00	-9.96	3	Horizontal	291	1.51	-
5610MHz	Pass	PK	11.23248G	54.95	74.00	-19.05	3	Horizontal	291	1.51	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	48.95	54.00	-5.05	3	Vertical	5	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	101.13	Inf	-Inf	3	Vertical	5	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.72	68.20	-9.48	3	Vertical	5	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6792G	111.09	Inf	-Inf	3	Vertical	5	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	58.64	68.20	-9.56	3	Vertical	5	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4128G	49.04	54.00	-4.96	3	Horizontal	6	1.51	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	101.25	Inf	-Inf	3	Horizontal	6	1.51	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.55	68.20	-8.65	3	Horizontal	6	1.51	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	111.50	Inf	-Inf	3	Horizontal	6	1.51	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8712G	59.75	68.20	-8.45	3	Horizontal	6	1.51	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35184G	43.93	54.00	-10.07	3	Vertical	202	1.63	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35408G	54.99	74.00	-19.01	3	Vertical	202	1.63	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38752G	43.94	54.00	-10.06	3	Horizontal	172	1.04	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39824G	55.33	74.00	-18.67	3	Horizontal	172	1.04	-
5775MHz	Pass	AV	5.763G	100.86	Inf	-Inf	3	Vertical	4	1.50	-
5775MHz	Pass	PK	5.6418G	62.99	68.20	-5.21	3	Vertical	4	1.50	-
5775MHz	Pass	PK	5.739G	110.87	Inf	-Inf	3	Vertical	4	1.50	-
5775MHz	Pass	PK	5.9286G	58.90	68.20	-9.30	3	Vertical	4	1.50	-
5775MHz	Pass	AV	5.7714G	101.09	Inf	-Inf	3	Horizontal	5	1.51	-
5775MHz	Pass	PK	5.6502G	60.64	68.35	-7.71	3	Horizontal	5	1.51	-
5775MHz	Pass	PK	5.763G	111.09	Inf	-Inf	3	Horizontal	5	1.51	-
5775MHz	Pass	PK	5.9262G	60.30	68.20	-7.90	3	Horizontal	5	1.51	-
5775MHz	Pass	AV	11.55112G	44.35	54.00	-9.65	3	Vertical	68	1.04	-
5775MHz	Pass	PK	11.55496G	55.05	74.00	-18.95	3	Vertical	68	1.04	-
5775MHz	Pass	AV	11.52696G	44.17	54.00	-9.83	3	Horizontal	261	1.82	-
5775MHz	Pass	PK	11.53208G	55.24	74.00	-18.76	3	Horizontal	261	1.82	-
802.11ax HEW160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.001G	53.06	54.00	-0.94	3	Vertical	5	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.283G	94.32	Inf	-Inf	3	Vertical	5	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.382G	53.29	54.00	-0.71	3	Vertical	5	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.073G	60.22	74.00	-13.78	3	Vertical	5	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.265G	105.87	Inf	-Inf	3	Vertical	5	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.385G	63.24	74.00	-10.76	3	Vertical	5	1.50	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.136G	51.84	54.00	-2.16	3	Horizontal	6	1.61	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.259G	95.20	Inf	-Inf	3	Horizontal	6	1.61	-
5250MHz Straddle 5.15-5.35GHz	Pass	AV	5.379G	51.59	54.00	-2.41	3	Horizontal	6	1.61	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.139G	60.69	74.00	-13.31	3	Horizontal	6	1.61	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.268G	105.74	Inf	-Inf	3	Horizontal	6	1.61	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	5.379G	61.67	74.00	-12.33	3	Horizontal	6	1.61	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	10.49312G	55.31	68.20	-12.89	3	Vertical	300	1.00	-
5250MHz Straddle 5.15-5.35GHz	Pass	PK	10.50044G	55.03	68.20	-13.17	3	Horizontal	284	1.59	-
5570MHz	Pass	AV	5.438G	53.52	54.00	-0.48	3	Vertical	4	1.69	-
5570MHz	Pass	AV	5.573G	97.41	Inf	-Inf	3	Vertical	4	1.69	-
5570MHz	Pass	PK	5.462G	61.78	68.20	-6.42	3	Vertical	4	1.69	-
5570MHz	Pass	PK	5.585G	108.92	Inf	-Inf	3	Vertical	4	1.69	-
5570MHz	Pass	PK	5.738G	62.53	68.20	-5.67	3	Vertical	4	1.69	-
5570MHz	Pass	AV	5.435G	53.35	54.00	-0.65	3	Horizontal	7	1.68	-
5570MHz	Pass	AV	5.579G	98.06	Inf	-Inf	3	Horizontal	7	1.68	-
5570MHz	Pass	PK	5.465G	64.12	68.20	-4.08	3	Horizontal	7	1.68	-
5570MHz	Pass	PK	5.567G	108.80	Inf	-Inf	3	Horizontal	7	1.68	-
5570MHz	Pass	PK	5.726G	62.85	68.20	-5.35	3	Horizontal	7	1.68	-
5570MHz	Pass	AV	11.20368G	44.40	54.00	-9.60	3	Vertical	108	1.99	-
5570MHz	Pass	PK	11.19056G	55.05	74.00	-18.95	3	Vertical	108	1.99	-
5570MHz	Pass	AV	11.21296G	44.54	54.00	-9.46	3	Horizontal	258	2.06	-
5570MHz	Pass	PK	11.17904G	54.98	74.00	-19.02	3	Horizontal	258	2.06	-

802.11ax HEW20_Nss4,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5G	53.51	54.00	-0.49	5.46	3	Vertical	4	1.71	-	48.05	31.30	8.38	34.22
AV	5.1824G	104.77	Inf	-Inf	5.89	3	Vertical	4	1.71	-	98.88	31.57	8.55	34.23
AV	5.4044G	48.14	54.00	-5.86	5.70	3	Vertical	4	1.71	-	42.44	31.33	8.62	34.25
PK	5G	60.58	74.00	-13.42	5.46	3	Vertical	4	1.71	-	55.12	31.30	8.38	34.22
PK	5.1824G	117.23	Inf	-Inf	5.89	3	Vertical	4	1.71	-	111.34	31.57	8.55	34.23
PK	5.4608G	59.02	68.20	-9.18	6.06	3	Vertical	4	1.71	-	52.96	31.62	8.70	34.26

802.11ax HEW20_Nss4,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.64	54.00	-4.36	5.99	3	Horizontal	6	1.68	-	43.65	31.70	8.52	34.23
AV	5.1788G	106.00	Inf	-Inf	5.90	3	Horizontal	6	1.68	-	100.10	31.58	8.55	34.23
AV	5.456G	47.70	54.00	-6.30	6.04	3	Horizontal	6	1.68	-	41.66	31.61	8.69	34.26
PK	5.1488G	60.20	74.00	-13.80	5.99	3	Horizontal	6	1.68	-	54.21	31.70	8.52	34.23
PK	5.1788G	117.72	Inf	-Inf	5.90	3	Horizontal	6	1.68	-	111.82	31.58	8.55	34.23
PK	5.4644G	58.30	68.20	-9.90	6.07	3	Horizontal	6	1.68	-	52.23	31.63	8.70	34.26

802.11ax HEW20_Nss4,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.358G	54.33	68.20	-13.87	16.87	3	Vertical	200	2.39	-	37.46	39.37	12.18	34.68

802.11ax HEW20_Nss4,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35916G	54.56	68.20	-13.64	16.88	3	Horizontal	174	2.46	-	37.68	39.38	12.18	34.68

802.11ax HEW20_Nss4,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.9996G	52.61	54.00	-1.39	5.46	3	Vertical	4	1.70	-	47.15	31.30	8.38	34.22
AV	5.1976G	104.39	Inf	-Inf	5.84	3	Vertical	4	1.70	-	98.55	31.51	8.57	34.24
AV	5.3764G	47.59	54.00	-6.41	5.52	3	Vertical	4	1.70	-	42.07	31.16	8.61	34.25
PK	4.9996G	60.04	74.00	-13.96	5.46	3	Vertical	4	1.70	-	54.58	31.30	8.38	34.22
PK	5.1952G	115.89	Inf	-Inf	5.85	3	Vertical	4	1.70	-	110.04	31.52	8.57	34.24
PK	5.5G	58.45	68.20	-9.75	6.19	3	Vertical	4	1.70	-	52.26	31.70	8.75	34.26

802.11ax HEW20_Nss4,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1376G	48.10	54.00	-5.90	5.98	3	Horizontal	6	1.76	-	42.12	31.70	8.51	34.23
AV	5.1988G	105.69	Inf	-Inf	5.83	3	Horizontal	6	1.76	-	99.86	31.50	8.57	34.24
AV	5.4388G	47.58	54.00	-6.42	5.94	3	Horizontal	6	1.76	-	41.64	31.53	8.67	34.26
PK	5.1364G	60.01	74.00	-13.99	5.98	3	Horizontal	6	1.76	-	54.03	31.70	8.51	34.23
PK	5.1988G	117.35	Inf	-Inf	5.83	3	Horizontal	6	1.76	-	111.52	31.50	8.57	34.24
PK	5.4808G	59.26	68.20	-8.94	6.13	3	Horizontal	6	1.76	-	53.13	31.66	8.73	34.26

802.11ax HEW20_Nss4,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47764G	55.15	68.20	-13.05	17.31	3	Vertical	184	1.98	-	37.84	39.66	12.24	34.59

802.11ax HEW20_Nss4,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.48312G	54.48	68.20	-13.72	17.33	3	Horizontal	332	1.64	-	37.15	39.67	12.24	34.58

802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	53.12	54.00	-0.88	5.46	3	Vertical	5	1.77	-	47.66	31.30	8.38	34.22
AV	5.2328G	104.05	Inf	-Inf	5.64	3	Vertical	5	1.77	-	98.41	31.30	8.58	34.24
AV	5.4452G	47.77	54.00	-6.23	5.99	3	Vertical	5	1.77	-	41.78	31.57	8.68	34.26
PK	5G	59.55	74.00	-14.45	5.46	3	Vertical	5	1.77	-	54.09	31.30	8.38	34.22
PK	5.2352G	115.44	Inf	-Inf	5.63	3	Vertical	5	1.77	-	109.81	31.29	8.58	34.24
PK	5.5004G	59.59	68.20	-8.61	6.20	3	Vertical	5	1.77	-	53.39	31.70	8.76	34.26

802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1248G	47.85	54.00	-6.15	5.97	3	Horizontal	6	1.74	-	41.88	31.70	8.50	34.23
AV	5.2388G	105.52	Inf	-Inf	5.61	3	Horizontal	6	1.74	-	99.91	31.27	8.58	34.24
AV	5.354G	47.71	54.00	-6.29	5.37	3	Horizontal	6	1.74	-	42.34	31.02	8.60	34.25
PK	5.042G	59.59	74.00	-14.41	5.67	3	Horizontal	6	1.74	-	53.92	31.47	8.42	34.22
PK	5.2388G	117.21	Inf	-Inf	5.61	3	Horizontal	6	1.74	-	111.60	31.27	8.58	34.24
PK	5.5064G	60.29	68.20	-7.91	6.19	3	Horizontal	6	1.74	-	54.10	31.69	8.76	34.26

802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.47132G	54.43	68.20	-13.77	17.29	3	Vertical	106	1.78	-	37.14	39.64	12.24	34.59

802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4876G	54.54	68.20	-13.66	17.35	3	Horizontal	265	1.60	-	37.19	39.68	12.25	34.58

802.11ax HEW20_Nss4,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	52.38	54.00	-1.62	5.46	3	Vertical	4	1.65	-	46.92	31.30	8.38	34.22
AV	5.26G	104.56	Inf	-Inf	5.52	3	Vertical	4	1.65	-	99.04	31.18	8.58	34.24
AV	5.4376G	47.94	54.00	-6.06	5.93	3	Vertical	4	1.65	-	42.01	31.53	8.66	34.26
PK	4.9996G	58.98	74.00	-15.02	5.46	3	Vertical	4	1.65	-	53.52	31.30	8.38	34.22
PK	5.2552G	116.06	Inf	-Inf	5.53	3	Vertical	4	1.65	-	110.53	31.19	8.58	34.24
PK	5.5204G	59.86	68.20	-8.34	6.18	3	Vertical	4	1.65	-	53.68	31.66	8.78	34.26

802.11ax HEW20_Nss4,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1052G	47.42	54.00	-6.58	5.95	3	Horizontal	6	1.68	-	41.47	31.70	8.48	34.23
AV	5.2588G	105.29	Inf	-Inf	5.52	3	Horizontal	6	1.68	-	99.77	31.18	8.58	34.24
AV	5.374G	47.88	54.00	-6.12	5.49	3	Horizontal	6	1.68	-	42.39	31.14	8.60	34.25
PK	5.1148G	59.29	74.00	-14.71	5.96	3	Horizontal	6	1.68	-	53.33	31.70	8.49	34.23
PK	5.2588G	117.19	Inf	-Inf	5.52	3	Horizontal	6	1.68	-	111.67	31.18	8.58	34.24
PK	5.5552G	59.32	68.20	-8.88	6.17	3	Horizontal	6	1.68	-	53.15	31.60	8.84	34.27

802.11ax HEW20_Nss4,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52468G	55.05	68.20	-13.15	17.43	3	Vertical	110	2.07	-	37.62	39.72	12.26	34.55

802.11ax HEW20_Nss4,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52864G	54.56	68.20	-13.64	17.45	3	Horizontal	104	1.04	-	37.11	39.73	12.27	34.55

802.11ax HEW20_Nss4,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	53.56	54.00	-0.44	5.46	3	Vertical	7	1.64	-	48.10	31.30	8.38	34.22
AV	5.2964G	104.89	Inf	-Inf	5.46	3	Vertical	7	1.64	-	99.43	31.11	8.59	34.24
AV	5.3528G	48.28	54.00	-5.72	5.37	3	Vertical	7	1.64	-	42.91	31.02	8.60	34.25
PK	5G	59.93	74.00	-14.07	5.46	3	Vertical	7	1.64	-	54.47	31.30	8.38	34.22
PK	5.3024G	116.70	Inf	-Inf	5.45	3	Vertical	7	1.64	-	111.25	31.10	8.59	34.24
PK	5.552G	60.51	68.20	-7.69	6.16	3	Vertical	7	1.64	-	54.35	31.60	8.83	34.27

802.11ax HEW20_Nss4,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0792G	47.54	54.00	-6.46	5.85	3	Horizontal	5	1.72	-	41.69	31.62	8.46	34.23
AV	5.2988G	105.95	Inf	-Inf	5.45	3	Horizontal	5	1.72	-	100.50	31.10	8.59	34.24
AV	5.372G	48.55	54.00	-5.45	5.48	3	Horizontal	5	1.72	-	43.07	31.13	8.60	34.25
PK	5.0852G	58.81	74.00	-15.19	5.87	3	Horizontal	5	1.72	-	52.94	31.64	8.46	34.23
PK	5.2988G	117.23	Inf	-Inf	5.45	3	Horizontal	5	1.72	-	111.78	31.10	8.59	34.24
PK	5.5424G	59.51	68.20	-8.69	6.18	3	Horizontal	5	1.72	-	53.33	31.62	8.82	34.26

802.11ax HEW20_Nss4,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.60684G	54.50	74.00	-19.50	17.63	3	Vertical	22	2.88	-	36.87	39.81	12.31	34.49

802.11ax HEW20_Nss4,(MCS0)_4TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.6018G	54.96	74.00	-19.04	17.61	3	Horizontal	176	1.50	-	37.35	39.80	12.30	34.49

802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	46.99	54.00	-7.01	5.99	3	Vertical	9	1.66	-	41.00	31.70	8.52	34.23
AV	5.3224G	105.03	Inf	-Inf	5.40	3	Vertical	9	1.66	-	99.63	31.06	8.59	34.25
AV	5.35G	49.65	54.00	-4.35	5.35	3	Vertical	9	1.66	-	44.30	31.00	8.60	34.25
PK	5.0368G	58.29	74.00	-15.71	5.64	3	Vertical	9	1.66	-	52.65	31.45	8.41	34.22
PK	5.3176G	117.34	Inf	-Inf	5.40	3	Vertical	9	1.66	-	111.94	31.06	8.59	34.25
PK	5.518G	60.50	68.20	-7.70	6.18	3	Vertical	9	1.66	-	54.32	31.66	8.78	34.26

802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1412G	47.32	54.00	-6.68	5.98	3	Horizontal	7	1.69	-	41.34	31.70	8.51	34.23
AV	5.3188G	106.05	Inf	-Inf	5.40	3	Horizontal	7	1.69	-	100.65	31.06	8.59	34.25
AV	5.3512G	50.04	54.00	-3.96	5.36	3	Horizontal	7	1.69	-	44.68	31.01	8.60	34.25
PK	5.0284G	59.14	74.00	-14.86	5.60	3	Horizontal	7	1.69	-	53.54	31.41	8.41	34.22
PK	5.3188G	117.61	Inf	-Inf	5.40	3	Horizontal	7	1.69	-	112.21	31.06	8.59	34.25
PK	5.4868G	59.61	68.20	-8.59	6.15	3	Horizontal	7	1.69	-	53.46	31.67	8.74	34.26

802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64728G	42.73	54.00	-11.27	17.72	3	Vertical	187	1.50	-	25.01	39.85	12.33	34.46
PK	10.64248G	55.22	74.00	-18.78	17.70	3	Vertical	187	1.50	-	37.52	39.84	12.32	34.46

802.11ax HEW20_Nss4,(MCS0)_4TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63504G	42.65	54.00	-11.35	17.69	3	Horizontal	44	1.50	-	24.96	39.84	12.32	34.47
PK	10.63952G	54.80	74.00	-19.20	17.70	3	Horizontal	44	1.50	-	37.10	39.84	12.32	34.46

802.11ax HEW20_Nss4,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	48.10	54.00	-5.90	6.04	3	Vertical	5	1.60	-	42.06	31.61	8.69	34.26
AV	5.4988G	104.78	Inf	-Inf	6.19	3	Vertical	5	1.60	-	98.59	31.70	8.75	34.26
PK	5.4688G	61.47	68.20	-6.73	6.09	3	Vertical	5	1.60	-	55.38	31.64	8.71	34.26
PK	5.4928G	116.18	Inf	-Inf	6.17	3	Vertical	5	1.60	-	110.01	31.69	8.74	34.26
PK	5.7556G	59.75	68.20	-8.45	6.75	3	Vertical	5	1.60	-	53.00	32.00	9.04	34.29

802.11ax HEW20_Nss4,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	48.62	54.00	-5.38	6.06	3	Horizontal	8	1.81	-	42.56	31.62	8.70	34.26
AV	5.4988G	105.81	Inf	-Inf	6.19	3	Horizontal	8	1.81	-	99.62	31.70	8.75	34.26
PK	5.4688G	60.79	68.20	-7.41	6.09	3	Horizontal	8	1.81	-	54.70	31.64	8.71	34.26
PK	5.4988G	117.60	Inf	-Inf	6.19	3	Horizontal	8	1.81	-	111.41	31.70	8.75	34.26
PK	5.7328G	59.46	68.20	-8.74	6.67	3	Horizontal	8	1.81	-	52.79	31.93	9.02	34.28

802.11ax HEW20_Nss4,(MCS0)_4TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99584G	43.02	54.00	-10.98	18.51	3	Vertical	18	2.39	-	24.51	40.20	12.50	34.19
PK	10.99056G	55.80	74.00	-18.20	18.49	3	Vertical	18	2.39	-	37.31	40.19	12.50	34.20

802.11ax HEW20_Nss4,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.995G	43.00	54.00	-11.00	18.51	3	Horizontal	46	1.02	-	24.49	40.20	12.50	34.19
PK	11.0096G	55.37	74.00	-18.63	18.49	3	Horizontal	46	1.02	-	36.88	40.17	12.51	34.19

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	47.35	54.00	-6.65	6.04	3	Vertical	5	1.71	-	41.31	31.61	8.69	34.26
AV	5.5788G	105.50	Inf	-Inf	6.20	3	Vertical	5	1.71	-	99.30	31.60	8.87	34.27
PK	5.466G	59.26	68.20	-8.94	6.08	3	Vertical	5	1.71	-	53.18	31.63	8.71	34.26
PK	5.5824G	117.64	Inf	-Inf	6.20	3	Vertical	5	1.71	-	111.44	31.60	8.87	34.27
PK	5.8296G	58.89	68.20	-9.31	6.92	3	Vertical	5	1.71	-	51.97	32.12	9.09	34.29

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4324G	47.73	54.00	-6.27	5.90	3	Horizontal	6	1.63	-	41.83	31.49	8.66	34.25
AV	5.5788G	106.67	Inf	-Inf	6.20	3	Horizontal	6	1.63	-	100.47	31.60	8.87	34.27
PK	5.3424G	59.35	68.20	-8.85	5.37	3	Horizontal	6	1.63	-	53.98	31.02	8.60	34.25
PK	5.5788G	118.05	Inf	-Inf	6.20	3	Horizontal	6	1.63	-	111.85	31.60	8.87	34.27
PK	5.8488G	60.07	68.20	-8.13	7.01	3	Horizontal	6	1.63	-	53.06	32.20	9.10	34.29

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16412G	42.91	54.00	-11.09	18.18	3	Vertical	196	1.07	-	24.73	39.77	12.59	34.18
PK	11.16744G	56.12	74.00	-17.88	18.18	3	Vertical	196	1.07	-	37.94	39.77	12.59	34.18

802.11ax HEW20_Nss4,(MCS0)_4TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16692G	42.80	54.00	-11.20	18.18	3	Horizontal	11	1.02	-	24.62	39.77	12.59	34.18
PK	11.16648G	55.40	74.00	-18.60	18.18	3	Horizontal	11	1.02	-	37.22	39.77	12.59	34.18

802.11ax HEW20_Nss4,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	47.67	54.00	-6.33	6.05	3	Vertical	4	1.75	-	41.62	31.62	8.69	34.26
AV	5.6928G	105.22	Inf	-Inf	6.49	3	Vertical	4	1.75	-	98.73	31.79	8.98	34.28
PK	5.4672G	58.75	68.20	-9.45	6.08	3	Vertical	4	1.75	-	52.67	31.63	8.71	34.26
PK	5.6952G	116.85	Inf	-Inf	6.50	3	Vertical	4	1.75	-	110.35	31.79	8.99	34.28
PK	5.7252G	64.84	68.20	-3.36	6.63	3	Vertical	4	1.75	-	58.21	31.90	9.01	34.28

802.11ax HEW20_Nss4,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4324G	48.05	54.00	-5.95	5.90	3	Horizontal	5	1.71	-	42.15	31.49	8.66	34.25
AV	5.6988G	106.48	Inf	-Inf	6.51	3	Horizontal	5	1.71	-	99.97	31.80	8.99	34.28
PK	5.4648G	59.52	68.20	-8.68	6.07	3	Horizontal	5	1.71	-	53.45	31.63	8.70	34.26
PK	5.6916G	117.34	Inf	-Inf	6.48	3	Horizontal	5	1.71	-	110.86	31.78	8.98	34.28
PK	5.7252G	63.57	68.20	-4.63	6.63	3	Horizontal	5	1.71	-	56.94	31.90	9.01	34.28

802.11ax HEW20_Nss4,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40764G	42.88	54.00	-11.12	18.36	3	Vertical	101	1.98	-	24.52	39.82	12.71	34.17
PK	11.40996G	55.08	74.00	-18.92	18.36	3	Vertical	101	1.98	-	36.72	39.82	12.71	34.17

802.11ax HEW20_Nss4,(MCS0)_4TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40584G	43.09	54.00	-10.91	18.35	3	Horizontal	186	2.46	-	24.74	39.81	12.71	34.17
PK	11.39288G	55.40	74.00	-18.60	18.32	3	Horizontal	186	2.46	-	37.08	39.79	12.70	34.17

802.11ax HEW20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.45G	47.65	54.00	-6.35	6.02	3	Vertical	5	1.54	-	41.63	31.60	8.68	34.26
AV	5.7248G	104.40	Inf	-Inf	6.63	3	Vertical	5	1.54	-	97.77	31.90	9.01	34.28
PK	5.468G	58.18	68.20	-10.02	6.09	3	Vertical	5	1.54	-	52.09	31.64	8.71	34.26
PK	5.7236G	115.86	Inf	-Inf	6.62	3	Vertical	5	1.54	-	109.24	31.89	9.01	34.28
PK	5.8772G	59.50	68.20	-8.70	7.06	3	Vertical	5	1.54	-	52.44	32.25	9.11	34.30

802.11ax HEW20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	47.91	54.00	-6.09	6.03	3	Horizontal	5	1.68	-	41.88	31.60	8.69	34.26
AV	5.7188G	106.18	Inf	-Inf	6.61	3	Horizontal	5	1.68	-	99.57	31.88	9.01	34.28
PK	5.4644G	58.90	68.20	-9.30	6.07	3	Horizontal	5	1.68	-	52.83	31.63	8.70	34.26
PK	5.7188G	117.51	Inf	-Inf	6.61	3	Horizontal	5	1.68	-	110.90	31.88	9.01	34.28
PK	5.8568G	59.79	68.20	-8.41	7.02	3	Horizontal	5	1.68	-	52.77	32.21	9.11	34.30

802.11ax HEW20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44664G	42.87	54.00	-11.13	18.46	3	Vertical	161	1.93	-	24.41	39.89	12.73	34.16
PK	11.43236G	55.20	74.00	-18.80	18.42	3	Vertical	161	1.93	-	36.78	39.86	12.72	34.16

802.11ax HEW20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43036G	43.16	54.00	-10.84	18.42	3	Horizontal	68	2.10	-	24.74	39.86	12.72	34.16
PK	11.43332G	55.63	74.00	-18.37	18.43	3	Horizontal	68	2.10	-	37.20	39.87	12.72	34.16

802.11ax HEW20_Nss4,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	105.73	Inf	-Inf	6.69	3	Vertical	4	1.70	-	99.04	31.95	9.02	34.28
PK	5.6442G	61.46	68.20	-6.74	6.36	3	Vertical	4	1.70	-	55.10	31.69	8.94	34.27
PK	5.7402G	116.83	Inf	-Inf	6.71	3	Vertical	4	1.70	-	110.12	31.96	9.03	34.28
PK	5.9982G	58.58	68.20	-9.62	7.26	3	Vertical	4	1.70	-	51.32	32.40	9.17	34.31

802.11ax HEW20_Nss4,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	106.06	Inf	-Inf	6.73	3	Horizontal	7	1.50	-	99.33	31.98	9.03	34.28
PK	5.5206G	60.21	68.20	-7.99	6.18	3	Horizontal	7	1.50	-	54.03	31.66	8.78	34.26
PK	5.7438G	117.25	Inf	-Inf	6.73	3	Horizontal	7	1.50	-	110.52	31.98	9.03	34.28
PK	6.0186G	59.39	68.20	-8.81	7.23	3	Horizontal	7	1.50	-	52.16	32.36	9.18	34.31

802.11ax HEW20_Nss4,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.49948G	43.05	54.00	-10.95	18.60	3	Vertical	260	1.53	-	24.45	40.00	12.76	34.16
PK	11.49348G	55.81	74.00	-18.19	18.58	3	Vertical	260	1.53	-	37.23	39.99	12.75	34.16

802.11ax HEW20_Nss4,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4948G	43.22	54.00	-10.78	18.58	3	Horizontal	345	2.05	-	24.64	39.99	12.75	34.16
PK	11.49844G	55.42	74.00	-18.58	18.60	3	Horizontal	345	2.05	-	36.82	40.00	12.76	34.16

802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	105.04	Inf	-Inf	6.77	3	Vertical	3	1.62	-	98.27	32.00	9.06	34.29
PK	5.5654G	61.54	68.20	-6.66	6.18	3	Vertical	3	1.62	-	55.36	31.60	8.85	34.27
PK	5.7802G	116.62	Inf	-Inf	6.77	3	Vertical	3	1.62	-	109.85	32.00	9.06	34.29
PK	6.0154G	58.55	68.20	-9.65	7.24	3	Vertical	3	1.62	-	51.31	32.37	9.18	34.31

802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	106.39	Inf	-Inf	6.78	3	Horizontal	6	1.64	-	99.61	32.00	9.07	34.29
PK	5.5258G	60.89	68.20	-7.31	6.18	3	Horizontal	6	1.64	-	54.71	31.65	8.79	34.26
PK	5.7838G	118.06	Inf	-Inf	6.78	3	Horizontal	6	1.64	-	111.28	32.00	9.07	34.29
PK	5.9854G	59.64	68.20	-8.56	7.22	3	Horizontal	6	1.64	-	52.42	32.37	9.16	34.31

802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56056G	42.86	54.00	-11.14	18.54	3	Vertical	116	1.10	-	24.32	39.94	12.79	34.19
PK	11.57576G	55.36	74.00	-18.64	18.52	3	Vertical	116	1.10	-	36.84	39.92	12.80	34.20

802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56536G	42.87	54.00	-11.13	18.53	3	Horizontal	46	1.33	-	24.34	39.93	12.79	34.19
PK	11.56696G	55.32	74.00	-18.68	18.53	3	Horizontal	46	1.33	-	36.79	39.93	12.79	34.19

802.11ax HEW20_Nss4,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	104.94	Inf	-Inf	6.91	3	Vertical	3	1.66	-	98.03	32.11	9.09	34.29
PK	5.6138G	62.08	68.20	-6.12	6.27	3	Vertical	3	1.66	-	55.81	31.63	8.91	34.27
PK	5.8202G	116.69	Inf	-Inf	6.88	3	Vertical	3	1.66	-	109.81	32.08	9.09	34.29
PK	6.0434G	59.31	68.20	-8.89	7.20	3	Vertical	3	1.66	-	52.11	32.31	9.20	34.31

802.11ax HEW20_Nss4,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	106.20	Inf	-Inf	6.90	3	Horizontal	6	1.66	-	99.30	32.10	9.09	34.29
PK	5.5958G	60.64	68.20	-7.56	6.22	3	Horizontal	6	1.66	-	54.42	31.60	8.89	34.27
PK	5.8238G	117.83	Inf	-Inf	6.90	3	Horizontal	6	1.66	-	110.93	32.10	9.09	34.29
PK	5.927G	59.45	68.20	-8.75	7.14	3	Horizontal	6	1.66	-	52.31	32.30	9.14	34.30

802.11ax HEW20_Nss4,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64152G	42.61	54.00	-11.39	18.21	3	Vertical	215	1.94	-	24.40	39.61	12.83	34.23
PK	11.64484G	54.63	74.00	-19.37	18.19	3	Vertical	215	1.94	-	36.44	39.59	12.83	34.23

802.11ax HEW20_Nss4,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6492G	42.79	54.00	-11.21	18.16	3	Horizontal	12	2.06	-	24.63	39.56	12.83	34.23
PK	11.64556G	55.00	74.00	-19.00	18.18	3	Horizontal	12	2.06	-	36.82	39.58	12.83	34.23

802.11ax HEW40_Nss4,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9992G	53.29	54.00	-0.71	5.46	3	Vertical	7	1.50	-	47.83	31.30	8.38	34.22
AV	5.196G	102.00	Inf	-Inf	5.85	3	Vertical	7	1.50	-	96.15	31.52	8.57	34.24
AV	5.46G	49.23	54.00	-4.77	6.06	3	Vertical	7	1.50	-	43.17	31.62	8.70	34.26
PK	5.1492G	62.40	74.00	-11.60	5.99	3	Vertical	7	1.50	-	56.41	31.70	8.52	34.23
PK	5.1792G	113.71	Inf	-Inf	5.90	3	Vertical	7	1.50	-	107.81	31.58	8.55	34.23
PK	5.4804G	59.27	68.20	-8.93	6.13	3	Vertical	7	1.50	-	53.14	31.66	8.73	34.26

802.11ax HEW40_Nss4,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	53.61	54.00	-0.39	5.99	3	Horizontal	6	1.76	-	47.62	31.70	8.52	34.23
AV	5.1888G	103.05	Inf	-Inf	5.86	3	Horizontal	6	1.76	-	97.19	31.54	8.56	34.24
AV	5.4204G	48.52	54.00	-5.48	5.81	3	Horizontal	6	1.76	-	42.71	31.42	8.64	34.25
PK	5.148G	63.56	74.00	-10.44	5.99	3	Horizontal	6	1.76	-	57.57	31.70	8.52	34.23
PK	5.1984G	113.60	Inf	-Inf	5.84	3	Horizontal	6	1.76	-	107.76	31.51	8.57	34.24
PK	5.4744G	58.66	68.20	-9.54	6.11	3	Horizontal	6	1.76	-	52.55	31.65	8.72	34.26

802.11ax HEW40_Nss4,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39824G	53.69	68.20	-14.51	17.04	3	Vertical	0	1.32	-	36.65	39.49	12.20	34.65

802.11ax HEW40_Nss4,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37584G	53.74	68.20	-14.46	16.96	3	Horizontal	160	2.45	-	36.78	39.43	12.19	34.66

802.11ax HEW40_Nss4,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	52.81	54.00	-1.19	5.46	3	Vertical	4	1.55	-	47.35	31.30	8.38	34.22
AV	5.236G	103.11	Inf	-Inf	5.62	3	Vertical	4	1.55	-	97.49	31.28	8.58	34.24
AV	5.458G	49.56	54.00	-4.44	6.05	3	Vertical	4	1.55	-	43.51	31.62	8.69	34.26
PK	4.9996G	60.05	74.00	-13.95	5.46	3	Vertical	4	1.55	-	54.59	31.30	8.38	34.22
PK	5.218G	113.18	Inf	-Inf	5.72	3	Vertical	4	1.55	-	107.46	31.39	8.57	34.24
PK	5.476G	60.41	68.20	-7.79	6.11	3	Vertical	4	1.55	-	54.30	31.65	8.72	34.26

802.11ax HEW40_Nss4,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.032G	49.44	54.00	-4.56	5.62	3	Horizontal	6	1.50	-	43.82	31.43	8.41	34.22
AV	5.2288G	103.07	Inf	-Inf	5.67	3	Horizontal	6	1.50	-	97.40	31.33	8.58	34.24
AV	5.3872G	49.19	54.00	-4.81	5.58	3	Horizontal	6	1.50	-	43.61	31.22	8.61	34.25
PK	4.9744G	59.49	74.00	-14.51	5.38	3	Horizontal	6	1.50	-	54.11	31.25	8.36	34.23
PK	5.2192G	113.67	Inf	-Inf	5.71	3	Horizontal	6	1.50	-	107.96	31.38	8.57	34.24
PK	5.4892G	59.48	68.20	-8.72	6.16	3	Horizontal	6	1.50	-	53.32	31.68	8.74	34.26

802.11ax HEW40_Nss4,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.46384G	54.11	68.20	-14.09	17.26	3	Vertical	231	2.07	-	36.85	39.63	12.23	34.60

802.11ax HEW40_Nss4,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4516G	54.32	68.20	-13.88	17.22	3	Horizontal	329	1.36	-	37.10	39.60	12.23	34.61

802.11ax HEW40_Nss4,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	53.25	54.00	-0.75	5.46	3	Vertical	4	1.50	-	47.79	31.30	8.38	34.22
AV	5.276G	102.91	Inf	-Inf	5.50	3	Vertical	4	1.50	-	97.41	31.15	8.59	34.24
AV	5.384G	49.45	54.00	-4.55	5.56	3	Vertical	4	1.50	-	43.89	31.20	8.61	34.25
PK	5G	59.87	74.00	-14.13	5.46	3	Vertical	4	1.50	-	54.41	31.30	8.38	34.22
PK	5.2592G	113.47	Inf	-Inf	5.52	3	Vertical	4	1.50	-	107.95	31.18	8.58	34.24
PK	5.3684G	60.56	74.00	-13.44	5.46	3	Vertical	4	1.50	-	55.10	31.11	8.60	34.25

802.11ax HEW40_Nss4,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1284G	48.93	54.00	-5.07	5.97	3	Horizontal	6	1.66	-	42.96	31.70	8.50	34.23
AV	5.2664G	104.09	Inf	-Inf	5.51	3	Horizontal	6	1.66	-	98.58	31.17	8.58	34.24
AV	5.378G	49.45	54.00	-4.55	5.53	3	Horizontal	6	1.66	-	43.92	31.17	8.61	34.25
PK	5.0972G	59.65	74.00	-14.35	5.93	3	Horizontal	6	1.66	-	53.72	31.69	8.47	34.23
PK	5.2592G	114.50	Inf	-Inf	5.52	3	Horizontal	6	1.66	-	108.98	31.18	8.58	34.24
PK	5.3624G	59.93	74.00	-14.07	5.42	3	Horizontal	6	1.66	-	54.51	31.07	8.60	34.25

802.11ax HEW40_Nss4,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.55096G	54.28	68.20	-13.92	17.50	3	Vertical	120	1.14	-	36.78	39.75	12.28	34.53

802.11ax HEW40_Nss4,(MCS0)_4TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.52776G	54.29	68.20	-13.91	17.45	3	Horizontal	304	1.53	-	36.84	39.73	12.27	34.55

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0496G	48.36	54.00	-5.64	5.71	3	Vertical	6	1.50	-	42.65	31.50	8.43	34.22
AV	5.316G	102.25	Inf	-Inf	5.41	3	Vertical	6	1.50	-	96.84	31.07	8.59	34.25
AV	5.35G	53.55	54.00	-0.45	5.35	3	Vertical	6	1.50	-	48.20	31.00	8.60	34.25
PK	5.0856G	58.93	74.00	-15.07	5.87	3	Vertical	6	1.50	-	53.06	31.64	8.46	34.23
PK	5.2992G	114.23	Inf	-Inf	5.45	3	Vertical	6	1.50	-	108.78	31.10	8.59	34.24
PK	5.3544G	64.09	74.00	-9.91	5.38	3	Vertical	6	1.50	-	58.71	31.03	8.60	34.25

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1336G	49.22	54.00	-4.78	5.98	3	Horizontal	7	1.76	-	43.24	31.70	8.51	34.23
AV	5.304G	103.47	Inf	-Inf	5.44	3	Horizontal	7	1.76	-	98.03	31.09	8.59	34.24
AV	5.3532G	53.79	54.00	-0.21	5.37	3	Horizontal	7	1.76	-	48.42	31.02	8.60	34.25
PK	5.0796G	59.19	74.00	-14.81	5.85	3	Horizontal	7	1.76	-	53.34	31.62	8.46	34.23
PK	5.3064G	113.83	Inf	-Inf	5.44	3	Horizontal	7	1.76	-	108.39	31.09	8.59	34.24
PK	5.3532G	64.89	74.00	-9.11	5.37	3	Horizontal	7	1.76	-	59.52	31.02	8.60	34.25

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63344G	44.59	54.00	-9.41	17.68	3	Vertical	147	2.41	-	26.91	39.83	12.32	34.47
PK	10.63112G	55.07	74.00	-18.93	17.68	3	Vertical	147	2.41	-	37.39	39.83	12.32	34.47

802.11ax HEW40_Nss4,(MCS0)_4TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6388G	43.90	54.00	-10.10	17.70	3	Horizontal	188	1.15	-	26.20	39.84	12.32	34.46
PK	10.60032G	54.95	74.00	-19.05	17.61	3	Horizontal	188	1.15	-	37.34	39.80	12.30	34.49

802.11ax HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	50.96	54.00	-3.04	6.06	3	Vertical	6	1.50	-	44.90	31.62	8.70	34.26
AV	5.506G	103.24	Inf	-Inf	6.19	3	Vertical	6	1.50	-	97.05	31.69	8.76	34.26
PK	5.4688G	64.29	68.20	-3.91	6.09	3	Vertical	6	1.50	-	58.20	31.64	8.71	34.26
PK	5.4988G	115.13	Inf	-Inf	6.19	3	Vertical	6	1.50	-	108.94	31.70	8.75	34.26

802.11ax HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.97	54.00	-3.03	6.05	3	Horizontal	7	1.65	-	44.92	31.62	8.69	34.26
AV	5.5092G	103.32	Inf	-Inf	6.19	3	Horizontal	7	1.65	-	97.13	31.68	8.77	34.26
PK	5.4688G	64.42	68.20	-3.78	6.09	3	Horizontal	7	1.65	-	58.33	31.64	8.71	34.26
PK	5.5064G	113.87	Inf	-Inf	6.19	3	Horizontal	7	1.65	-	107.68	31.69	8.76	34.26

802.11ax HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02384G	43.76	54.00	-10.24	18.46	3	Vertical	34	1.38	-	25.30	40.13	12.52	34.19
PK	11.02608G	54.37	74.00	-19.63	18.45	3	Vertical	34	1.38	-	35.92	40.12	12.52	34.19

802.11ax HEW40_Nss4,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.03392G	44.08	54.00	-9.92	18.43	3	Horizontal	24	1.15	-	25.65	40.10	12.52	34.19
PK	11.01112G	54.50	74.00	-19.50	18.49	3	Horizontal	24	1.15	-	36.01	40.17	12.51	34.19

802.11ax HEW40_Nss4,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	49.06	54.00	-4.94	6.02	3	Vertical	6	1.67	-	43.04	31.60	8.68	34.26
AV	5.544G	103.56	Inf	-Inf	6.17	3	Vertical	6	1.67	-	97.39	31.61	8.82	34.26
PK	5.4676G	59.67	68.20	-8.53	6.09	3	Vertical	6	1.67	-	53.58	31.64	8.71	34.26
PK	5.5388G	115.22	Inf	-Inf	6.17	3	Vertical	6	1.67	-	109.05	31.62	8.81	34.26

802.11ax HEW40_Nss4,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	49.45	54.00	-4.55	6.04	3	Horizontal	7	1.66	-	43.41	31.61	8.69	34.26
AV	5.5556G	104.00	Inf	-Inf	6.17	3	Horizontal	7	1.66	-	97.83	31.60	8.84	34.27
PK	5.464G	58.91	68.20	-9.29	6.07	3	Horizontal	7	1.66	-	52.84	31.63	8.70	34.26
PK	5.5604G	114.62	Inf	-Inf	6.17	3	Horizontal	7	1.66	-	108.45	31.60	8.84	34.27

802.11ax HEW40_Nss4,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.11152G	44.21	54.00	-9.79	18.26	3	Vertical	272	2.03	-	25.95	39.88	12.56	34.18
PK	11.0908G	54.81	74.00	-19.19	18.30	3	Vertical	272	2.03	-	36.51	39.93	12.55	34.18

802.11ax HEW40_Nss4,(MCS0)_4TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.10272G	43.95	54.00	-10.05	18.27	3	Horizontal	213	1.94	-	25.68	39.89	12.56	34.18
PK	11.1144G	54.20	74.00	-19.80	18.25	3	Horizontal	213	1.94	-	35.95	39.87	12.56	34.18

802.11ax HEW40_Nss4,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.676G	103.27	Inf	-Inf	6.44	3	Vertical	5	1.50	-	96.83	31.75	8.97	34.28
PK	5.6586G	114.99	Inf	-Inf	6.39	3	Vertical	5	1.50	-	108.60	31.72	8.95	34.28
PK	5.7252G	60.31	68.20	-7.89	6.63	3	Vertical	5	1.50	-	53.68	31.90	9.01	34.28

802.11ax HEW40_Nss4,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	103.94	Inf	-Inf	6.44	3	Horizontal	4	1.51	-	97.50	31.75	8.97	34.28
PK	5.6808G	115.10	Inf	-Inf	6.45	3	Horizontal	4	1.51	-	108.65	31.76	8.97	34.28
PK	5.7258G	61.25	68.20	-6.95	6.63	3	Horizontal	4	1.51	-	54.62	31.90	9.01	34.28

802.11ax HEW40_Nss4,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33016G	44.16	54.00	-9.84	18.23	3	Vertical	150	1.48	-	25.93	39.73	12.67	34.17
PK	11.34768G	55.25	74.00	-18.75	18.26	3	Vertical	150	1.48	-	36.99	39.75	12.68	34.17

802.11ax HEW40_Nss4,(MCS0)_4TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.35264G	43.92	54.00	-10.08	18.26	3	Horizontal	54	2.07	-	25.66	39.75	12.68	34.17
PK	11.34096G	54.88	74.00	-19.12	18.25	3	Horizontal	54	2.07	-	36.63	39.74	12.68	34.17

802.11ax HEW40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4544G	48.71	54.00	-5.29	6.04	3	Vertical	4	1.56	-	42.67	31.61	8.69	34.26
AV	5.6956G	103.41	Inf	-Inf	6.50	3	Vertical	4	1.56	-	96.91	31.79	8.99	34.28
PK	5.46G	58.18	68.20	-10.02	6.06	3	Vertical	4	1.56	-	52.12	31.62	8.70	34.26
PK	5.6992G	114.82	Inf	-Inf	6.51	3	Vertical	4	1.56	-	108.31	31.80	8.99	34.28
PK	5.8984G	58.64	68.20	-9.56	7.12	3	Vertical	4	1.56	-	51.52	32.30	9.12	34.30

802.11ax HEW40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4208G	48.72	54.00	-5.28	5.81	3	Horizontal	7	1.54	-	42.91	31.42	8.64	34.25
AV	5.7064G	103.54	Inf	-Inf	6.55	3	Horizontal	7	1.54	-	96.99	31.83	9.00	34.28
PK	5.4616G	58.24	68.20	-9.96	6.06	3	Horizontal	7	1.54	-	52.18	31.62	8.70	34.26
PK	5.6992G	114.17	Inf	-Inf	6.51	3	Horizontal	7	1.54	-	107.66	31.80	8.99	34.28
PK	5.9872G	59.67	68.20	-8.53	7.22	3	Horizontal	7	1.54	-	52.45	32.37	9.16	34.31

802.11ax HEW40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43296G	44.08	54.00	-9.92	18.43	3	Vertical	142	2.32	-	25.65	39.87	12.72	34.16
PK	11.40776G	54.66	74.00	-19.34	18.36	3	Vertical	142	2.32	-	36.30	39.82	12.71	34.17

802.11ax HEW40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.41264G	43.83	54.00	-10.17	18.37	3	Horizontal	203	2.37	-	25.46	39.83	12.71	34.17
PK	11.42616G	54.65	74.00	-19.35	18.41	3	Horizontal	203	2.37	-	36.24	39.85	12.72	34.16

802.11ax HEW40_Nss4,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	103.14	Inf	-Inf	6.75	3	Vertical	5	1.50	-	96.39	32.00	9.03	34.28
PK	5.6134G	61.59	68.20	-6.61	6.27	3	Vertical	5	1.50	-	55.32	31.63	8.91	34.27
PK	5.7442G	115.07	Inf	-Inf	6.73	3	Vertical	5	1.50	-	108.34	31.98	9.03	34.28
PK	5.9338G	58.43	68.20	-9.77	7.14	3	Vertical	5	1.50	-	51.29	32.30	9.14	34.30

802.11ax HEW40_Nss4,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	103.28	Inf	-Inf	6.73	3	Horizontal	5	1.51	-	96.55	31.98	9.03	34.28
PK	5.6422G	59.46	68.20	-8.74	6.35	3	Horizontal	5	1.51	-	53.11	31.68	8.94	34.27
PK	5.7514G	113.69	Inf	-Inf	6.75	3	Horizontal	5	1.51	-	106.94	32.00	9.04	34.29
PK	6.0058G	58.65	68.20	-9.55	7.25	3	Horizontal	5	1.51	-	51.40	32.39	9.17	34.31

802.11ax HEW40_Nss4,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50248G	44.13	54.00	-9.87	18.60	3	Vertical	67	1.39	-	25.53	40.00	12.76	34.16
PK	11.50576G	55.21	74.00	-18.79	18.59	3	Vertical	67	1.39	-	36.62	39.99	12.76	34.16

802.11ax HEW40_Nss4,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51584G	44.10	54.00	-9.90	18.58	3	Horizontal	163	2.04	-	25.52	39.98	12.77	34.17
PK	11.5024G	55.11	74.00	-18.89	18.60	3	Horizontal	163	2.04	-	36.51	40.00	12.76	34.16

802.11ax HEW40_Nss4,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	102.74	Inf	-Inf	6.77	3	Vertical	4	1.49	-	95.97	32.00	9.06	34.29
PK	5.5646G	61.91	68.20	-6.29	6.18	3	Vertical	4	1.49	-	55.73	31.60	8.85	34.27
PK	5.7842G	114.42	Inf	-Inf	6.78	3	Vertical	4	1.49	-	107.64	32.00	9.07	34.29
PK	5.9426G	59.04	68.20	-9.16	7.14	3	Vertical	4	1.49	-	51.90	32.30	9.14	34.30

802.11ax HEW40_Nss4,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	103.24	Inf	-Inf	6.78	3	Horizontal	5	1.66	-	96.46	32.00	9.07	34.29
PK	5.6234G	59.69	68.20	-8.51	6.30	3	Horizontal	5	1.66	-	53.39	31.65	8.92	34.27
PK	5.7842G	114.12	Inf	-Inf	6.78	3	Horizontal	5	1.66	-	107.34	32.00	9.07	34.29
PK	5.9414G	58.99	68.20	-9.21	7.14	3	Horizontal	5	1.66	-	51.85	32.30	9.14	34.30

802.11ax HEW40_Nss4,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.60888G	44.18	54.00	-9.82	18.44	3	Vertical	179	1.06	-	25.74	39.84	12.81	34.21
PK	11.578G	55.14	74.00	-18.86	18.52	3	Vertical	179	1.06	-	36.62	39.92	12.80	34.20

802.11ax HEW40_Nss4,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57176G	44.39	54.00	-9.61	18.53	3	Horizontal	239	2.25	-	25.86	39.93	12.79	34.19
PK	11.5748G	55.78	74.00	-18.22	18.53	3	Horizontal	239	2.25	-	37.25	39.93	12.80	34.20

802.11ax HEW80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5G	53.91	54.00	-0.09	5.46	3	Vertical	8	1.67	-	48.45	31.30	8.38	34.22
AV	5.1992G	100.31	Inf	-Inf	5.83	3	Vertical	8	1.67	-	94.48	31.50	8.57	34.24
AV	5.3612G	50.21	54.00	-3.79	5.42	3	Vertical	8	1.67	-	44.79	31.07	8.60	34.25
PK	5.1452G	61.95	74.00	-12.05	5.99	3	Vertical	8	1.67	-	55.96	31.70	8.52	34.23
PK	5.2376G	110.62	Inf	-Inf	5.61	3	Vertical	8	1.67	-	105.01	31.27	8.58	34.24
PK	5.474G	59.33	68.20	-8.87	6.11	3	Vertical	8	1.67	-	53.22	31.65	8.72	34.26

802.11ax HEW80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.56	54.00	-1.44	5.99	3	Horizontal	12	1.80	-	46.57	31.70	8.52	34.23
AV	5.2124G	99.87	Inf	-Inf	5.76	3	Horizontal	12	1.80	-	94.11	31.43	8.57	34.24
AV	5.35G	49.46	54.00	-4.54	5.35	3	Horizontal	12	1.80	-	44.11	31.00	8.60	34.25
PK	5.1452G	61.97	74.00	-12.03	5.99	3	Horizontal	12	1.80	-	55.98	31.70	8.52	34.23
PK	5.1992G	111.11	Inf	-Inf	5.83	3	Horizontal	12	1.80	-	105.28	31.50	8.57	34.24
PK	5.51G	58.40	68.20	-9.80	6.19	3	Horizontal	12	1.80	-	52.21	31.68	8.77	34.26

802.11ax HEW80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4177G	53.47	68.20	-14.73	17.12	3	Vertical	275	1.50	-	36.35	39.54	12.21	34.63

802.11ax HEW80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4225G	54.64	68.20	-13.56	17.13	3	Horizontal	151	1.56	-	37.51	39.55	12.21	34.63

802.11ax HEW80_Nss4,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9996G	53.76	54.00	-0.24	5.46	3	Vertical	4	1.56	-	48.30	31.30	8.38	34.22
AV	5.2984G	100.35	Inf	-Inf	5.45	3	Vertical	4	1.56	-	94.90	31.10	8.59	34.24
AV	5.35G	52.91	54.00	-1.09	5.35	3	Vertical	4	1.56	-	47.56	31.00	8.60	34.25
PK	5.1328G	60.15	74.00	-13.85	5.98	3	Vertical	4	1.56	-	54.17	31.70	8.51	34.23
PK	5.3188G	109.98	Inf	-Inf	5.40	3	Vertical	4	1.56	-	104.58	31.06	8.59	34.25
PK	5.362G	63.18	74.00	-10.82	5.42	3	Vertical	4	1.56	-	57.76	31.07	8.60	34.25

802.11ax HEW80_Nss4,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1436G	50.06	54.00	-3.94	5.99	3	Horizontal	7	1.50	-	44.07	31.70	8.52	34.23
AV	5.2816G	100.88	Inf	-Inf	5.49	3	Horizontal	7	1.50	-	95.39	31.14	8.59	34.24
AV	5.35G	52.93	54.00	-1.07	5.35	3	Horizontal	7	1.50	-	47.58	31.00	8.60	34.25
PK	5.1448G	60.39	74.00	-13.61	5.99	3	Horizontal	7	1.50	-	54.40	31.70	8.52	34.23
PK	5.2984G	111.23	Inf	-Inf	5.45	3	Horizontal	7	1.50	-	105.78	31.10	8.59	34.24
PK	5.35G	62.89	74.00	-11.11	5.35	3	Horizontal	7	1.50	-	57.54	31.00	8.60	34.25

802.11ax HEW80_Nss4,(MCS0)_4TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.57776G	55.60	68.20	-12.60	17.56	3	Vertical	181	1.46	-	38.04	39.78	12.29	34.51

802.11ax HEW80_Nss4,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.58304G	54.24	68.20	-13.96	17.56	3	Horizontal	144	1.14	-	36.68	39.78	12.29	34.51

802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	52.25	54.00	-1.75	6.06	3	Vertical	6	1.50	-	46.19	31.62	8.70	34.26
AV	5.518G	100.13	Inf	-Inf	6.18	3	Vertical	6	1.50	-	93.95	31.66	8.78	34.26
PK	5.466G	62.78	68.20	-5.42	6.08	3	Vertical	6	1.50	-	56.70	31.63	8.71	34.26
PK	5.519G	110.85	Inf	-Inf	6.18	3	Vertical	6	1.50	-	104.67	31.66	8.78	34.26
PK	5.735G	59.40	68.20	-8.80	6.68	3	Vertical	6	1.50	-	52.72	31.94	9.02	34.28

802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	51.67	54.00	-2.33	6.06	3	Horizontal	10	1.51	-	45.61	31.62	8.70	34.26
AV	5.528G	100.21	Inf	-Inf	6.18	3	Horizontal	10	1.51	-	94.03	31.64	8.80	34.26
PK	5.469G	62.78	68.20	-5.42	6.09	3	Horizontal	10	1.51	-	56.69	31.64	8.71	34.26
PK	5.528G	111.16	Inf	-Inf	6.18	3	Horizontal	10	1.51	-	104.98	31.64	8.80	34.26
PK	5.749G	59.16	68.20	-9.04	6.75	3	Horizontal	10	1.51	-	52.41	32.00	9.03	34.28

802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0472G	43.53	54.00	-10.47	18.40	3	Vertical	252	1.34	-	25.13	40.06	12.53	34.19
PK	11.02896G	54.32	74.00	-19.68	18.44	3	Vertical	252	1.34	-	35.88	40.11	12.52	34.19

802.11ax HEW80_Nss4,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02016G	44.11	54.00	-9.89	18.47	3	Horizontal	159	1.25	-	25.64	40.14	12.52	34.19
PK	11.02464G	54.83	74.00	-19.17	18.46	3	Horizontal	159	1.25	-	36.37	40.13	12.52	34.19

802.11ax HEW80_Nss4,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.83	54.00	-4.17	6.06	3	Vertical	5	1.49	-	43.77	31.62	8.70	34.26
AV	5.599G	101.12	Inf	-Inf	6.23	3	Vertical	5	1.49	-	94.89	31.60	8.90	34.27
PK	5.469G	59.67	68.20	-8.53	6.09	3	Vertical	5	1.49	-	53.58	31.64	8.71	34.26
PK	5.638G	111.04	Inf	-Inf	6.34	3	Vertical	5	1.49	-	104.70	31.68	8.93	34.27
PK	5.727G	59.85	68.20	-8.35	6.64	3	Vertical	5	1.49	-	53.21	31.91	9.01	34.28

802.11ax HEW80_Nss4,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.458G	50.08	54.00	-3.92	6.05	3	Horizontal	8	1.50	-	44.03	31.62	8.69	34.26
AV	5.606G	101.12	Inf	-Inf	6.25	3	Horizontal	8	1.50	-	94.87	31.61	8.91	34.27
PK	5.461G	60.70	68.20	-7.50	6.06	3	Horizontal	8	1.50	-	54.64	31.62	8.70	34.26
PK	5.599G	111.85	Inf	-Inf	6.23	3	Horizontal	8	1.50	-	105.62	31.60	8.90	34.27
PK	5.744G	60.93	68.20	-7.27	6.73	3	Horizontal	8	1.50	-	54.20	31.98	9.03	34.28

802.11ax HEW80_Nss4,(MCS0)_4TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.20032G	44.19	54.00	-9.81	18.13	3	Vertical	325	1.73	-	26.06	39.70	12.61	34.18
PK	11.23104G	55.25	74.00	-18.75	18.14	3	Vertical	325	1.73	-	37.11	39.70	12.62	34.18

802.11ax HEW80_Nss4,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21296G	44.04	54.00	-9.96	18.13	3	Horizontal	291	1.51	-	25.91	39.70	12.61	34.18
PK	11.23248G	54.95	74.00	-19.05	18.14	3	Horizontal	291	1.51	-	36.81	39.70	12.62	34.18

802.11ax HEW80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.45G	48.95	54.00	-5.05	6.02	3	Vertical	5	1.50	-	42.93	31.60	8.68	34.26
AV	5.678G	101.13	Inf	-Inf	6.45	3	Vertical	5	1.50	-	94.68	31.76	8.97	34.28
PK	5.692G	58.72	68.20	-9.48	6.09	3	Vertical	5	1.50	-	52.63	31.64	8.71	34.26
PK	5.6792G	111.09	Inf	-Inf	6.45	3	Vertical	5	1.50	-	104.64	31.76	8.97	34.28
PK	5.8532G	58.64	68.20	-9.56	7.01	3	Vertical	5	1.50	-	51.63	32.21	9.10	34.30

802.11ax HEW80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4128G	49.04	54.00	-4.96	5.76	3	Horizontal	6	1.51	-	43.28	31.38	8.63	34.25
AV	5.6864G	101.25	Inf	-Inf	6.47	3	Horizontal	6	1.51	-	94.78	31.77	8.98	34.28
PK	5.468G	59.55	68.20	-8.65	6.09	3	Horizontal	6	1.51	-	53.46	31.64	8.71	34.26
PK	5.678G	111.50	Inf	-Inf	6.45	3	Horizontal	6	1.51	-	105.05	31.76	8.97	34.28
PK	5.8712G	59.75	68.20	-8.45	7.05	3	Horizontal	6	1.51	-	52.70	32.24	9.11	34.30

802.11ax HEW80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.35184G	43.93	54.00	-10.07	18.26	3	Vertical	202	1.63	-	25.67	39.75	12.68	34.17
PK	11.35408G	54.99	74.00	-19.01	18.26	3	Vertical	202	1.63	-	36.73	39.75	12.68	34.17

802.11ax HEW80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.38752G	43.94	54.00	-10.06	18.32	3	Horizontal	172	1.04	-	25.62	39.79	12.70	34.17
PK	11.39824G	55.33	74.00	-18.67	18.34	3	Horizontal	172	1.04	-	36.99	39.80	12.71	34.17

802.11ax HEW80_Nss4,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.763G	100.86	Inf	-Inf	6.76	3	Vertical	4	1.50	-	94.10	32.00	9.05	34.29
PK	5.6418G	62.99	68.20	-5.21	6.35	3	Vertical	4	1.50	-	56.64	31.68	8.94	34.27
PK	5.739G	110.87	Inf	-Inf	6.71	3	Vertical	4	1.50	-	104.16	31.96	9.03	34.28
PK	5.9286G	58.90	68.20	-9.30	7.14	3	Vertical	4	1.50	-	51.76	32.30	9.14	34.30

802.11ax HEW80_Nss4,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7714G	101.09	Inf	-Inf	6.76	3	Horizontal	5	1.51	-	94.33	32.00	9.05	34.29
PK	5.6502G	60.64	68.35	-7.71	6.37	3	Horizontal	5	1.51	-	54.27	31.70	8.95	34.28
PK	5.763G	111.09	Inf	-Inf	6.76	3	Horizontal	5	1.51	-	104.33	32.00	9.05	34.29
PK	5.9262G	60.30	68.20	-7.90	7.14	3	Horizontal	5	1.51	-	53.16	32.30	9.14	34.30

802.11ax HEW80_Nss4,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.55112G	44.35	54.00	-9.65	18.55	3	Vertical	68	1.04	-	25.80	39.95	12.78	34.18
PK	11.55496G	55.05	74.00	-18.95	18.55	3	Vertical	68	1.04	-	36.50	39.95	12.79	34.19

802.11ax HEW80_Nss4,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52696G	44.17	54.00	-9.83	18.57	3	Horizontal	261	1.82	-	25.60	39.97	12.77	34.17
PK	11.53208G	55.24	74.00	-18.76	18.56	3	Horizontal	261	1.82	-	36.68	39.97	12.77	34.18

802.11ax HEW160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.001G	53.06	54.00	-0.94	5.46	3	Vertical	5	1.50	-	47.60	31.30	8.38	34.22
AV	5.283G	94.32	Inf	-Inf	5.48	3	Vertical	5	1.50	-	88.84	31.13	8.59	34.24
AV	5.382G	53.29	54.00	-0.71	5.55	3	Vertical	5	1.50	-	47.74	31.19	8.61	34.25
PK	5.073G	60.22	74.00	-13.78	5.81	3	Vertical	5	1.50	-	54.41	31.59	8.45	34.23
PK	5.265G	105.87	Inf	-Inf	5.51	3	Vertical	5	1.50	-	100.36	31.17	8.58	34.24
PK	5.385G	63.24	74.00	-10.76	5.57	3	Vertical	5	1.50	-	57.67	31.21	8.61	34.25

802.11ax HEW160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.136G	51.84	54.00	-2.16	5.98	3	Horizontal	6	1.61	-	45.86	31.70	8.51	34.23
AV	5.259G	95.20	Inf	-Inf	5.52	3	Horizontal	6	1.61	-	89.68	31.18	8.58	34.24
AV	5.379G	51.59	54.00	-2.41	5.53	3	Horizontal	6	1.61	-	46.06	31.17	8.61	34.25
PK	5.139G	60.69	74.00	-13.31	5.98	3	Horizontal	6	1.61	-	54.71	31.70	8.51	34.23
PK	5.268G	105.74	Inf	-Inf	5.50	3	Horizontal	6	1.61	-	100.24	31.16	8.58	34.24
PK	5.379G	61.67	74.00	-12.33	5.53	3	Horizontal	6	1.61	-	56.14	31.17	8.61	34.25

802.11ax HEW160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.49312G	55.31	68.20	-12.89	17.36	3	Vertical	300	1.00	-	37.95	39.69	12.25	34.58

802.11ax HEW160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.15-5.35GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	10.50044G	55.03	68.20	-13.17	17.38	3	Horizontal	284	1.59	-	37.65	39.70	12.25	34.57

802.11ax HEW160_Nss4,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	53.52	54.00	-0.48	5.94	3	Vertical	4	1.69	-	47.58	31.53	8.67	34.26
AV	5.573G	97.41	Inf	-Inf	6.19	3	Vertical	4	1.69	-	91.22	31.60	8.86	34.27
PK	5.462G	61.78	68.20	-6.42	6.06	3	Vertical	4	1.69	-	55.72	31.62	8.70	34.26
PK	5.585G	108.92	Inf	-Inf	6.21	3	Vertical	4	1.69	-	102.71	31.60	8.88	34.27
PK	5.738G	62.53	68.20	-5.67	6.69	3	Vertical	4	1.69	-	55.84	31.95	9.02	34.28

802.11ax HEW160_Nss4,(MCS0)_4TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.435G	53.35	54.00	-0.65	5.92	3	Horizontal	7	1.68	-	47.43	31.51	8.66	34.25
AV	5.579G	98.06	Inf	-Inf	6.20	3	Horizontal	7	1.68	-	91.86	31.60	8.87	34.27
PK	5.465G	64.12	68.20	-4.08	6.07	3	Horizontal	7	1.68	-	58.05	31.63	8.70	34.26
PK	5.567G	108.80	Inf	-Inf	6.18	3	Horizontal	7	1.68	-	102.62	31.60	8.85	34.27
PK	5.726G	62.85	68.20	-5.35	6.63	3	Horizontal	7	1.68	-	56.22	31.90	9.01	34.28

802.11ax HEW160_Nss4,(MCS0)_4TX


5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.20368G	44.40	54.00	-9.60	18.13	3	Vertical	108	1.99	-	26.27	39.70	12.61	34.18
PK	11.19056G	55.05	74.00	-18.95	18.14	3	Vertical	108	1.99	-	36.91	39.72	12.60	34.18

802.11ax HEW160_Nss4,(MCS0)_4TX

5570MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.21296G	44.54	54.00	-9.46	18.13	3	Horizontal	258	2.06	-	26.41	39.70	12.61	34.18
PK	11.17904G	54.98	74.00	-19.02	18.16	3	Horizontal	258	2.06	-	36.82	39.74	12.60	34.18