


5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.23065G	46.37	83.54	-37.17	41.90	1	Vertical	335	1.50	60	37.90	16.01	49.44				
AV	19.2273G	34.84	63.54	-28.70	30.37	1	Vertical	335	1.50	60	37.90	16.01	49.44				

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.26486G	46.04	83.54	-37.50	41.59	1	Horizontal	195	1.50	60	37.90	16.01	49.46				
AV	19.22766G	34.83	63.54	-28.71	30.36	1	Horizontal	195	1.50	60	37.90	16.01	49.44				

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT X_2TX
Setting 105
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08606G	47.82	88.20	-40.38	37.32	3	Vertical	123	1.80	60	38.97	14.94	43.41			
RMS	13.08183G	36.56	68.20	-31.64	26.07	3	Vertical	123	1.80	60	38.96	14.94	43.41			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT X_2TX
Setting 105
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08511G	47.97	88.20	-40.23	37.47	3	Horizontal	151	1.11	60	38.97	14.94	43.41			
RMS	13.08906G	36.85	68.20	-31.35	26.33	3	Horizontal	151	1.11	60	38.98	14.95	43.41			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT X_2TX
Setting 105
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60512G	46.05	83.54	-37.49	41.96	1	Vertical	307	1.50	108	37.70	15.19	48.80			
AV	19.59745G	35.09	63.54	-28.45	31.00	1	Vertical	307	1.50	108	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT X_2TX
Setting 105
04-U-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6062G	46.17	83.54	-37.37	42.08	1	Horizontal	52	1.50	108	37.70	15.19	48.80			
AV	19.59022G	34.85	63.54	-28.69	30.76	1	Horizontal	52	1.50	108	37.70	15.19	48.80			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40335G	48.66	88.20	-39.54	61.45	3	Vertical	100	1.80	60	40.01	12.04	64.84			
RMS	13.40646G	37.44	68.20	-30.76	50.21	3	Vertical	100	1.80	60	40.03	12.04	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40335G	48.13	88.20	-40.07	60.92	3	Horizontal	255	1.80	60	40.01	12.04	64.84			
RMS	13.40638G	36.94	68.20	-31.26	49.71	3	Horizontal	255	1.80	60	40.03	12.04	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


6695MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.088G	46.12	83.54	-37.42	41.21	1	Vertical	234	1.50	108	37.88	16.28	49.25			
AV	20.09539G	34.97	63.54	-28.57	30.05	1	Vertical	234	1.50	108	37.89	16.28	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


6695MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06886G	46.07	83.54	-37.47	41.22	1	Horizontal	130	1.50	108	37.84	16.27	49.26			
AV	20.09751G	35.00	63.54	-28.54	30.07	1	Horizontal	130	1.50	108	37.90	16.28	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


6855MHz_TX

EUT_X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69238G	47.92	88.20	-40.28	60.33	3	Vertical	146	1.80	60	40.30	12.03	64.74			
RMS	13.7257G	36.63	68.20	-31.57	48.98	3	Vertical	146	1.80	60	40.35	12.03	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


6855MHz_TX

EUT X_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69186G	47.42	88.20	-40.78	59.83	3	Horizontal	101	1.27	60	40.30	12.03	64.74			
RMS	13.72283G	36.05	68.20	-32.15	48.40	3	Horizontal	101	1.27	60	40.35	12.03	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


6855MHz_TX

EUT_X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58062G	46.41	83.54	-37.13	41.16	1	Vertical	358	1.50	108	37.96	16.48	49.19			
AV	20.55873G	34.70	63.54	-28.84	29.50	1	Vertical	358	1.50	108	37.92	16.48	49.20			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX


6855MHz_TX

EUT X_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55841G	45.69	83.54	-37.85	40.49	1	Horizontal	65	1.81	108	37.92	16.48	49.20			
AV	20.54878G	34.83	63.54	-28.71	29.65	1	Horizontal	65	1.81	108	37.90	16.48	49.20			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT X_2TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9206G	73.32	88.20	-14.88	68.26	3	Vertical	46	2.02	95	32.40	7.26	34.60			
RMS	5.925G	61.59	68.20	-6.61	56.52	3	Vertical	46	2.02	95	32.40	7.27	34.60			
PK	5.9635G	106.29	Inf	-Inf	101.21	3	Vertical	46	2.02	95	32.43	7.29	34.64			
RMS	5.9659G	96.26	Inf	-Inf	91.17	3	Vertical	46	2.02	95	32.43	7.30	34.64			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
SET 95
108\91\99\95
-8.48\3.23\ -1.89\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.77	88.20	-7.43	75.70	3	Horizontal	291	2.25	95	32.40	7.27	34.60			
RMS	5.925G	68.16	68.20	-0.04	63.09	3	Horizontal	291	2.25	95	32.40	7.27	34.60			
PK	5.9488G	114.37	Inf	-Inf	109.32	3	Horizontal	291	2.25	95	32.40	7.28	34.63			
RMS	5.9599G	103.06	Inf	-Inf	97.99	3	Horizontal	291	2.25	95	32.42	7.29	34.64			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5965MHz_TX

EUT_X_2TX
SET95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94495G	47.04	74.00	-26.96	61.91	3	Vertical	210	2.18	95	38.89	12.04	65.80			
AV	11.93991G	36.52	54.00	-17.48	51.40	3	Vertical	210	2.18	95	38.88	12.04	65.80			
PK	17.90931G	53.31	74.00	-20.69	53.89	3	Vertical	155	2.93	-	49.34	14.07	63.99			
AV	17.8809G	42.27	54.00	-11.73	43.91	3	Vertical	155	2.93	-	48.31	14.06	64.01			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5965MHz_TX

EUT_X_2TX
SET95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92185G	48.74	74.00	-25.26	63.69	3	Horizontal	301	2.29	95	38.84	12.03	65.82			
AV	11.93144G	37.42	54.00	-16.58	52.33	3	Horizontal	301	2.29	95	38.86	12.04	65.81			
PK	17.88072G	51.85	74.00	-22.15	53.49	3	Horizontal	25	2.77	-	48.31	14.06	64.01			
AV	17.8806G	40.20	54.00	-13.80	41.85	3	Horizontal	25	2.77	-	48.30	14.06	64.01			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5965MHz_TX

EUT_X_2TX
SET95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84512G	49.36	83.54	-34.18	39.55	1	Vertical	244	1.29	-	38.81	18.13	47.13			
AV	23.84548G	37.82	63.54	-25.72	28.01	1	Vertical	244	1.29	-	38.81	18.13	47.13			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


5965MHz_TX

EUT_X_2TX
SET95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85868G	49.07	83.54	-34.47	39.25	1	Horizontal	134	1.70	-	38.82	18.13	47.13			
AV	23.84749G	37.92	63.54	-25.62	28.11	1	Horizontal	134	1.70	-	38.81	18.13	47.13			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6205MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40608G	49.21	74.00	-24.79	63.95	3	Vertical	303	1.06	108	38.79	12.07	65.60			
AV	12.40944G	37.80	54.00	-16.20	52.55	3	Vertical	303	1.06	108	38.78	12.07	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40377G	50.23	74.00	-23.77	64.97	3	Horizontal	290	1.83	108	38.79	12.07	65.60			
AV	12.40457G	39.21	54.00	-14.79	53.95	3	Horizontal	290	1.83	108	38.79	12.07	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6205MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62731G	46.42	83.54	-37.12	42.35	1	Vertical	280	1.50	60	37.95	15.74	49.62			
AV	18.62036G	34.66	63.54	-28.88	30.61	1	Vertical	280	1.50	60	37.94	15.73	49.62			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6205MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62363G	45.88	83.54	-37.66	41.82	1	Horizontal	163	1.50	60	37.95	15.73	49.62			
AV	18.57576G	34.19	63.54	-29.35	30.29	1	Horizontal	163	1.50	60	37.85	15.71	49.66			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7929G	47.85	88.20	-40.35	37.91	3	Vertical	132	2.66	108	38.96	14.58	43.60			
RMS	12.78922G	37.11	68.20	-31.09	27.21	3	Vertical	132	2.66	108	38.94	14.57	43.61			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6405MHz_TX

EUT X_2TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79745G	49.47	88.20	-38.73	39.51	3	Horizontal	298	2.28	108	38.98	14.58	43.60			
RMS	12.79737G	38.58	68.20	-29.62	28.62	3	Horizontal	298	2.28	108	38.98	14.58	43.60			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT X_2TX
Setting 107
04-U-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.1792G	47.04	83.54	-36.50	42.74	1	Vertical	48	1.50	60	37.88	15.22	48.80			
AV	19.18383G	35.94	63.54	-27.60	31.66	1	Vertical	48	1.50	60	37.86	15.22	48.80			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6405MHz_TX

EUT X_2TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.19326G	46.87	83.54	-36.67	42.62	1	Horizontal	34	1.70	60	37.83	15.22	48.80			
AV	19.17928G	36.20	63.54	-27.34	31.90	1	Horizontal	34	1.70	60	37.88	15.22	48.80			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6565MHz_TX

EUT_X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.09811G	47.89	88.20	-40.31	61.51	3	Vertical	310	2.89	60	39.20	12.05	64.87				
RMS	13.10331G	37.25	68.20	-30.95	50.84	3	Vertical	310	2.89	60	39.23	12.05	64.87				

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6565MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.10411G	48.18	88.20	-40.02	61.77	3	Horizontal	307	1.80	60	39.23	12.05	64.87			
RMS	13.09795G	37.02	68.20	-31.18	50.64	3	Horizontal	307	1.80	60	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6565MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6568G	46.42	83.54	-37.12	42.00	1	Vertical	1	1.48	108	37.80	16.11	49.49			
AV	19.69252G	35.28	63.54	-28.26	30.82	1	Vertical	1	1.48	108	37.80	16.13	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6565MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.65704G	45.66	83.54	-37.88	41.24	1	Horizontal	213	1.35	108	37.80	16.11	49.49				
AV	19.69428G	35.13	63.54	-28.41	30.67	1	Horizontal	213	1.35	108	37.80	16.13	49.47				

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6685MHz_TX

EUT_X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39724G	48.17	74.00	-40.03	60.94	3	Vertical	147	2.58	60	40.03	12.04	64.84			
AV	13.39725G	37.64	54.00	-16.36	50.44	3	Vertical	147	2.58	60	40.00	12.04	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6685MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39861G	48.33	74.00	-25.67	61.13	3	Horizontal	175	1.05	60	40.00	12.04	64.84			
AV	13.39054G	37.74	54.00	-16.26	50.54	3	Horizontal	175	1.05	60	40.00	12.04	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6685MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09472G	45.80	83.54	-37.74	40.88	1	Vertical	73	1.50	108	37.89	16.28	49.25			
AV	20.01976G	35.27	63.54	-28.27	30.37	1	Vertical	73	1.50	108	37.92	16.24	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6685MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08177G	45.54	83.54	-38.00	40.67	1	Horizontal	121	1.50	108	37.86	16.27	49.26			
AV	20.02279G	35.43	63.54	-28.11	30.54	1	Horizontal	121	1.50	108	37.91	16.24	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6845MHz_TX

EUT_X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72485G	48.00	88.20	-40.20	60.35	3	Vertical	115	1.80	60	40.35	12.03	64.73			
RMS	13.72205G	36.76	68.20	-31.44	49.12	3	Vertical	115	1.80	60	40.34	12.03	64.73			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6845MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65971G	47.79	88.20	-40.41	60.22	3	Horizontal	300	1.80	60	40.30	12.03	64.76			
RMS	13.72876G	36.27	68.20	-31.93	48.60	3	Horizontal	300	1.80	60	40.36	12.03	64.72			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6845MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.50263G	46.06	83.54	-37.48	40.81	1	Vertical	152	1.50	108	37.99	16.49	49.23			
AV	20.50615G	35.26	63.54	-28.28	30.01	1	Vertical	152	1.50	108	37.99	16.49	49.23			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX


6845MHz_TX

EUT X_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.49816G	46.15	83.54	-37.39	40.89	1	Horizontal	90.1	1.50	108	38.00	16.49	49.23			
AV	20.51494G	35.49	63.54	-28.05	30.25	1	Horizontal	90.1	1.50	108	37.97	16.49	49.22			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT X_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	67.90	88.20	-20.30	62.83	3	Vertical	24	1.71	91	32.40	7.27	34.60			
RMS	5.9215G	58.69	68.20	-9.51	53.62	3	Vertical	24	1.71	91	32.40	7.27	34.60			
PK	5.997G	101.19	Inf	-Inf	96.06	3	Vertical	24	1.71	91	32.49	7.32	34.68			
RMS	6G	92.26	Inf	-Inf	87.12	3	Vertical	24	1.71	91	32.50	7.32	34.68			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_X_2TX
SET 91
108\88\98\93\91
-10.75\2.37\3.83\0.61\0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9225G	78.09	88.20	-10.11	73.02	3	Horizontal	295	2.16	91	32.40	7.27	34.60			
RMS	5.924G	67.75	68.20	-0.45	62.68	3	Horizontal	295	2.16	91	32.40	7.27	34.60			
PK	5.965G	109.77	Inf	-Inf	104.68	3	Horizontal	295	2.16	91	32.43	7.30	34.64			
RMS	5.971G	100.12	Inf	-Inf	95.03	3	Horizontal	295	2.16	91	32.44	7.30	34.65			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT_X_2TX
SET91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.91789G	47.42	74.00	-26.58	62.37	3	Vertical	310	1.65	60	38.84	12.03	65.82				
AV	11.90015G	36.67	54.00	-17.33	51.69	3	Vertical	310	1.65	60	38.80	12.02	65.84				
PK	17.96553G	54.79	74.00	-19.21	53.10	3	Vertical	88	1.04	-	51.55	14.09	63.95				
AV	17.96022G	44.52	54.00	-9.48	43.10	3	Vertical	88	1.04	-	51.29	14.09	63.96				

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT_X_2TX
SET91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92572G	46.58	74.00	-27.42	61.52	3	Horizontal	234	1.05	60	38.85	12.03	65.82			
AV	11.90319G	36.33	54.00	-17.67	51.34	3	Horizontal	234	1.05	60	38.81	12.02	65.84			
PK	17.96862G	54.41	74.00	-19.59	52.58	3	Horizontal	249	2.25	-	51.69	14.09	63.95			
AV	17.96991G	44.35	54.00	-9.65	42.45	3	Horizontal	249	2.25	-	51.76	14.09	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_X_2TX
SET91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92755G	49.08	83.54	-34.46	39.06	1	Vertical	97	1.14	-	38.96	18.15	47.09			
AV	23.92791G	38.02	63.54	-25.52	28.00	1	Vertical	97	1.14	-	38.96	18.15	47.09			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT_X_2TX
SET91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94189G	49.01	83.54	-34.53	38.97	1	Horizontal	88	2.27	-	38.98	18.15	47.09			
AV	23.93565G	38.32	63.54	-25.22	28.29	1	Horizontal	88	2.27	-	38.97	18.15	47.09			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6225MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41436G	48.56	74.00	-25.44	63.32	3	Vertical	154	1.80	60	38.77	12.07	65.60			
AV	12.49987G	39.29	54.00	-14.71	54.19	3	Vertical	154	1.80	60	38.60	12.07	65.57			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6225MHz_TX

EUT_X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.49955G	48.05	74.00	-25.95	62.95	3	Horizontal	129	1.91	60	38.60	12.07	65.57			
AV	12.49987G	40.88	54.00	-13.12	55.78	3	Horizontal	129	1.91	60	38.60	12.07	65.57			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6225MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.70345G	45.57	83.54	-37.97	41.53	1	Vertical	8	1.50	60	37.81	15.78	49.55			
AV	18.62545G	34.91	63.54	-28.63	30.84	1	Vertical	8	1.50	60	37.95	15.74	49.62			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6225MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.65886G	45.43	83.54	-38.11	41.30	1	Horizontal	296	1.34	60	37.96	15.76	49.59			
AV	18.61074G	34.76	63.54	-28.78	30.74	1	Horizontal	296	1.34	60	37.92	15.73	49.63			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_X_2TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79909G	47.51	88.20	-40.69	61.42	3	Vertical	310	1.80	60	39.19	12.06	65.16			
RMS	12.77527G	37.07	68.20	-31.13	51.15	3	Vertical	310	1.80	60	39.05	12.06	65.19			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_X_2TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77208G	48.01	88.20	-40.19	62.11	3	Horizontal	180	1.41	60	39.03	12.06	65.19			
RMS	12.766G	36.93	68.20	-31.27	51.07	3	Horizontal	180	1.41	60	39.00	12.06	65.20			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6385MHz_TX

EUT X_2TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.12031G	49.00	83.54	-34.54	44.50	1	Vertical	4	1.35	60	37.90	15.98	49.38			
AV	19.1566G	36.77	63.54	-26.77	32.28	1	Vertical	4	1.35	60	37.90	15.99	49.40			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_X_2TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15868G	47.54	83.54	-36.00	43.05	1	Horizontal	166	1.50	60	37.90	15.99	49.40			
AV	19.15212G	36.94	63.54	-26.60	32.45	1	Horizontal	166	1.50	60	37.90	15.99	49.40			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.19661G	47.77	88.20	-40.43	61.08	3	Vertical	278	1.80	60	39.51	12.04	64.86			
RMS	13.20732G	37.37	68.20	-30.83	50.68	3	Vertical	278	1.80	60	39.51	12.04	64.86			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.18015G	47.52	88.20	-40.68	60.80	3	Horizontal	182	2.63	60	39.54	12.04	64.86			
RMS	13.19805G	37.52	68.20	-30.68	50.84	3	Horizontal	182	2.63	60	39.50	12.04	64.86			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6625MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.94277G	46.55	83.54	-36.99	41.83	1	Vertical	200	1.37	108	37.81	16.21	49.30			
AV	19.91336G	36.41	63.54	-27.13	31.66	1	Vertical	200	1.37	108	37.87	16.20	49.32			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6625MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.89834G	47.00	83.54	-36.54	42.23	1	Horizontal	70	1.50	108	37.90	16.20	49.33			
AV	19.94245G	36.26	63.54	-27.28	31.53	1	Horizontal	70	1.50	108	37.82	16.21	49.30			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.42566G	48.22	88.20	-39.98	60.92	3	Vertical	100	1.80	60	40.10	12.04	64.84			
RMS	13.45507G	38.26	68.20	-29.94	50.84	3	Vertical	100	1.80	60	40.21	12.04	64.83			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4148G	48.70	88.20	-39.50	61.44	3	Horizontal	223	2.83	60	40.06	12.04	64.84			
RMS	13.46067G	38.60	68.20	-29.60	51.17	3	Horizontal	223	2.83	60	40.22	12.04	64.83			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6705MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.18709G	47.01	83.54	-36.53	42.03	1	Vertical	74	1.50	108	37.90	16.33	49.25			
AV	20.16887G	36.08	63.54	-27.46	31.11	1	Vertical	74	1.50	108	37.90	16.32	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6705MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.18965G	46.92	83.54	-36.62	41.94	1	Horizontal	294	1.50	108	37.90	16.33	49.25			
AV	20.16615G	36.09	63.54	-27.45	31.12	1	Horizontal	294	1.50	108	37.90	16.32	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6785MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.55178G	48.55	88.20	-39.65	60.64	3	Vertical	101	1.80	60	40.69	12.03	64.81			
RMS	13.49024G	38.03	68.20	-30.17	50.54	3	Vertical	101	1.80	60	40.28	12.04	64.83			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49056G	49.07	88.20	-39.13	61.58	3	Horizontal	102	1.31	60	40.28	12.04	64.83			
RMS	13.49695G	38.21	68.20	-29.99	50.71	3	Horizontal	102	1.31	60	40.29	12.04	64.83			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6785MHz_TX

EUT X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.28339G	46.10	83.54	-37.44	41.03	1	Vertical	37	1.50	108	37.93	16.38	49.24			
AV	20.2754G	35.80	63.54	-27.74	30.72	1	Vertical	37	1.50	108	37.95	16.37	49.24			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX


6785MHz_TX

EUT_X_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.30545G	46.45	83.54	-37.09	41.39	1	Horizontal	360	1.50	108	37.91	16.39	49.24			
AV	20.28803G	35.88	63.54	-27.66	30.82	1	Horizontal	360	1.50	108	37.92	16.38	49.24			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT X_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9195G	67.51	88.20	-20.69	62.44	3	Vertical	24	1.86	79	32.40	7.26	34.59			
RMS	5.919G	57.94	68.20	-10.26	52.87	3	Vertical	24	1.86	79	32.40	7.26	34.59			
PK	6.0465G	98.95	Inf	-Inf	93.73	3	Vertical	24	1.86	79	32.50	7.35	34.63			
RMS	6.05G	90.21	Inf	-Inf	84.99	3	Vertical	24	1.86	79	32.50	7.35	34.63			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_X_2TX
SET 79
108\88\62\75\81\78\79\80\79
-17.09\ -6.69\14.96\4.97\ -1.34\1.65\0.91\ -0.18\0.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9215G	76.66	88.20	-11.54	71.59	3	Horizontal	294	2.10	79	32.40	7.27	34.60			
RMS	5.921G	67.63	68.20	-0.57	62.57	3	Horizontal	294	2.10	79	32.40	7.26	34.60			
PK	6.001G	105.78	Inf	-Inf	100.64	3	Horizontal	294	2.10	79	32.50	7.32	34.68			
RMS	5.996G	97.33	Inf	-Inf	92.20	3	Horizontal	294	2.10	79	32.49	7.32	34.68			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_X_2TX
SET 79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.99086G	48.00	74.00	-26.00	62.71	3	Vertical	310	1.80	79	38.98	12.07	65.76			
AV	11.92341G	37.76	54.00	-16.24	52.70	3	Vertical	310	1.80	79	38.85	12.03	65.82			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_X_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98638G	47.81	74.00	-26.19	62.53	3	Horizontal	136	1.80	79	38.97	12.07	65.76			
AV	11.89176G	37.68	54.00	-16.32	52.72	3	Horizontal	136	1.80	79	38.80	12.01	65.85			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_X_2TX
SET 79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.20767G	45.22	83.54	-38.32	41.67	1	Vertical	306	1.50	60	37.63	15.51	49.59			
AV	18.22045G	36.00	63.54	-27.54	32.40	1	Vertical	306	1.50	60	37.68	15.51	49.59			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_X_2TX
SET 79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.16387G	45.29	83.54	-38.25	41.84	1	Horizontal	6	1.50	60	37.53	15.49	49.57			
AV	18.17474G	35.91	63.54	-27.63	32.44	1	Horizontal	6	1.50	60	37.55	15.49	49.57			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT X_2TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.50011G	47.97	74.00	-26.03	62.88	3	Vertical	207	1.80	108	38.60	12.06	65.57			
AV	12.40516G	38.90	54.00	-15.10	53.64	3	Vertical	207	1.80	108	38.79	12.07	65.60			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT X_2TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.50011G	48.79	74.00	-25.21	63.70	3	Horizontal	102	2.46	108	38.60	12.06	65.57			
AV	12.50011G	41.33	54.00	-12.67	56.24	3	Horizontal	102	2.46	108	38.60	12.06	65.57			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT X_2TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.52911G	45.95	83.54	-37.59	42.09	1	Vertical	111	1.50	60	37.88	15.68	49.70			
AV	18.52911G	36.04	63.54	-27.50	32.18	1	Vertical	111	1.50	60	37.88	15.68	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6185MHz_TX

EUT X_2TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.4706G	45.09	83.54	-38.45	41.34	1	Horizontal	165	1.50	60	37.82	15.64	49.71			
AV	18.52111G	36.22	63.54	-27.32	32.33	1	Horizontal	165	1.50	60	37.92	15.67	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT X_2TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.62255G	47.54	74.00	-26.46	62.09	3	Vertical	105	1.07	108	38.79	12.06	65.40			
AV	12.53336G	37.20	54.00	-16.80	52.13	3	Vertical	105	1.07	108	38.53	12.06	65.52			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT X_2TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53847G	47.02	74.00	-26.98	61.96	3	Horizontal	213	1.80	108	38.52	12.06	65.52			
AV	12.62638G	37.69	54.00	-16.31	52.22	3	Horizontal	213	1.80	108	38.81	12.06	65.40			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT X_2TX
Setting 96
04-U-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.08647G	46.31	83.54	-37.23	41.74	1	Vertical	276	1.50	60	37.95	15.98	49.36			
AV	19.17758G	37.00	63.54	-26.54	32.51	1	Vertical	276	1.50	60	37.90	16.00	49.41			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT X_2TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16831G	46.57	83.54	-36.97	42.09	1	Horizontal	154	1.50	60	37.90	15.99	49.41			
AV	19.15936G	37.26	63.54	-26.28	32.77	1	Horizontal	154	1.50	60	37.90	15.99	49.40			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT X_2TX
Setting 88
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.19382G	47.78	88.20	-40.42	61.09	3	Vertical	310	2.35	60	39.51	12.04	64.86			
RMS	13.40896G	38.70	68.20	-29.50	51.46	3	Vertical	310	2.35	60	40.04	12.04	64.84			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT X_2TX
Setting 88
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40768G	48.05	88.20	-40.15	60.82	3	Horizontal	133	1.34	60	40.03	12.04	64.84			
RMS	13.41887G	39.11	68.20	-29.09	51.83	3	Horizontal	133	1.34	60	40.08	12.04	64.84			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT X_2TX
Setting 88
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.91764G	46.41	83.54	-37.13	41.67	1	Vertical	215	1.50	108	37.86	16.20	49.32			
AV	19.99948G	37.30	63.54	-26.24	32.33	1	Vertical	215	1.50	108	38.00	16.23	49.26			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT_X_2TX
Setting 88
04-U-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.8732G	46.49	83.54	-37.05	41.75	1	Horizontal	120	1.50	108	37.90	16.19	49.35			
AV	19.9998G	38.79	63.54	-24.75	33.82	1	Horizontal	120	1.50	108	38.00	16.23	49.26			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	69.29	88.20	-18.91	64.22	3	Vertical	52	1.73	108	32.40	7.27	34.60			
RMS	5.925G	57.02	68.20	-11.18	51.95	3	Vertical	52	1.73	108	32.40	7.27	34.60			
PK	5.9508G	114.19	Inf	-Inf	109.13	3	Vertical	52	1.73	108	32.40	7.29	34.63			
RMS	5.9508G	102.33	Inf	-Inf	97.27	3	Vertical	52	1.73	108	32.40	7.29	34.63			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	78.41	88.20	-9.79	73.34	3	Horizontal	306	2.19	108	32.40	7.27	34.60			
RMS	5.9232G	65.27	68.20	-2.93	60.20	3	Horizontal	306	2.19	108	32.40	7.27	34.60			
PK	5.9583G	123.41	Inf	-Inf	118.34	3	Horizontal	306	2.19	108	32.42	7.29	34.64			
RMS	5.9532G	110.52	Inf	-Inf	105.45	3	Horizontal	306	2.19	108	32.41	7.29	34.63			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92031G	48.22	74.00	-25.78	63.17	3	Vertical	310	1.10	97	38.84	12.03	65.82			
AV	11.90481G	35.76	54.00	-18.24	50.77	3	Vertical	310	1.10	97	38.81	12.02	65.84			
PK	17.85465G	53.38	74.00	-20.62	55.99	3	Vertical	288	2.59	-	47.37	14.05	64.03			
AV	17.86932G	43.88	54.00	-10.12	45.94	3	Vertical	288	2.59	-	47.90	14.06	64.02			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90884G	50.70	74.00	-23.30	65.69	3	Horizontal	293	1.80	97	38.82	12.02	65.83			
AV	11.9086G	38.87	54.00	-15.13	53.86	3	Horizontal	293	1.80	97	38.82	12.02	65.83			
PK	17.87049G	54.71	74.00	-19.29	56.73	3	Horizontal	43	2.96	-	47.94	14.06	64.02			
AV	17.86998G	41.90	54.00	-12.10	43.94	3	Horizontal	43	2.96	-	47.92	14.06	64.02			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81169G	49.07	83.54	-34.47	39.21	1	Vertical	200	2.49	-	38.88	18.13	47.15			
AV	23.81241G	37.03	63.54	-26.51	27.17	1	Vertical	200	2.49	-	38.88	18.13	47.15			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83476G	49.00	83.54	-34.54	39.18	1	Horizontal	225	1.79	-	38.83	18.13	47.14			
AV	23.80644G	37.08	63.54	-26.46	27.21	1	Horizontal	225	1.79	-	38.89	18.13	47.15			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40339G	48.52	74.00	-25.48	63.26	3	Vertical	100	1.26	108	38.79	12.07	65.60			
AV	12.40195G	36.35	54.00	-17.65	51.09	3	Vertical	100	1.26	108	38.80	12.07	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39456G	53.31	74.00	-20.69	68.05	3	Horizontal	297	2.24	108	38.80	12.07	65.61			
AV	12.38976G	41.92	54.00	-12.08	56.66	3	Horizontal	297	2.24	108	38.80	12.07	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57597G	45.02	83.54	-38.52	41.12	1	Vertical	99	1.50	60	37.85	15.71	49.66			
AV	18.56502G	32.93	63.54	-30.61	29.07	1	Vertical	99	1.50	60	37.83	15.70	49.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58013G	44.80	83.54	-38.74	40.88	1	Horizontal	220	1.50	60	37.86	15.71	49.65			
AV	18.56502G	32.84	63.54	-30.70	28.98	1	Horizontal	220	1.50	60	37.83	15.70	49.67			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8264G	48.99	88.20	-39.21	62.85	3	Vertical	100	1.80	108	39.20	12.06	65.12			
RMS	12.82884G	36.40	68.20	-31.80	50.26	3	Vertical	100	1.80	108	39.20	12.06	65.12			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82421G	49.53	88.20	-38.67	63.39	3	Horizontal	293	1.76	108	39.20	12.06	65.12			
RMS	12.82904G	37.91	68.20	-30.29	51.77	3	Horizontal	293	1.76	108	39.20	12.06	65.12			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT_X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.26134G	46.30	83.54	-37.24	41.85	1	Vertical	344	1.50	60	37.90	16.01	49.46			
AV	19.22502G	33.88	63.54	-29.66	29.41	1	Vertical	344	1.50	60	37.90	16.01	49.44			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6415MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25871G	45.84	83.54	-37.70	41.39	1	Horizontal	120	1.50	60	37.90	16.01	49.46			
AV	19.22502G	33.88	63.54	-29.66	29.41	1	Horizontal	120	1.50	60	37.90	16.01	49.44			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT X_4TX
Setting 104
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0877G	48.28	88.20	-39.92	61.90	3	Vertical	100	1.05	60	39.20	12.05	64.87			
RMS	13.0891G	35.89	68.20	-32.31	49.51	3	Vertical	100	1.05	60	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT X_4TX
Setting 104
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08467G	48.24	88.20	-39.96	61.86	3	Horizontal	302	2.90	60	39.20	12.05	64.87			
RMS	13.08894G	35.88	68.20	-32.32	49.50	3	Horizontal	302	2.90	60	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_X_4TX
Setting 104
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.62098G	46.52	83.54	-37.02	42.08	1	Vertical	1	1.50	108	37.86	16.10	49.52			
AV	19.59517G	34.11	63.54	-29.43	29.67	1	Vertical	1	1.50	108	37.89	16.09	49.54			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_X_4TX
Setting 104
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59313G	46.18	83.54	-37.36	41.74	1	Horizontal	37	1.50	108	37.89	16.09	49.54			
AV	19.59357G	34.12	63.54	-29.42	29.68	1	Horizontal	37	1.50	108	37.89	16.09	49.54			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_X_4TX
Setting 105
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40842G	49.11	88.20	-39.09	61.88	3	Vertical	101	1.24	60	40.03	12.04	64.84			
RMS	13.40435G	36.60	68.20	-31.60	49.38	3	Vertical	101	1.24	60	40.02	12.04	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_X_4TX
Setting 105
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4089G	48.80	88.20	-39.40	61.56	3	Horizontal	280	2.08	60	40.04	12.04	64.84			
RMS	13.40726G	35.88	68.20	-32.32	48.65	3	Horizontal	280	2.08	60	40.03	12.04	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_X_4TX
Setting 105
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09459G	46.72	83.54	-36.82	36.98	1	Vertical	360	1.50	108	37.80	20.72	48.78			
AV	20.09439G	33.95	63.54	-29.59	24.21	1	Vertical	360	1.50	108	37.80	20.72	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_X_4TX
Setting 105
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09759G	46.36	83.54	-37.18	36.61	1	Horizontal	127	1.50	108	37.80	20.73	48.78			
AV	20.09523G	33.95	63.54	-29.59	24.21	1	Horizontal	127	1.50	108	37.80	20.72	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6855MHz_TX

EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71048G	47.67	88.20	-40.53	60.05	3	Vertical	294	1.80	60	40.32	12.03	64.73			
RMS	13.72994G	35.62	68.20	-32.58	47.95	3	Vertical	294	1.80	60	40.36	12.03	64.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69094G	47.39	88.20	-40.81	59.80	3	Horizontal	104	1.38	60	40.30	12.03	64.74			
RMS	13.72926G	35.08	68.20	-33.12	47.41	3	Horizontal	104	1.38	60	40.36	12.03	64.72			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


6855MHz_TX

EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57391G	45.47	83.54	-38.07	34.73	1	Vertical	360	1.50	108	37.90	21.54	48.70			
AV	20.54502G	33.66	63.54	-29.88	22.95	1	Vertical	360	1.50	108	37.90	21.51	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57963G	45.78	83.54	-37.76	35.04	1	Horizontal	321	1.50	108	37.90	21.54	48.70			
AV	20.54502G	33.66	63.54	-29.88	22.95	1	Horizontal	321	1.50	108	37.90	21.51	48.70			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9227G	71.97	88.20	-16.23	66.90	3	Vertical	49	2.11	92	32.40	7.27	34.60			
RMS	5.925G	59.26	68.20	-8.94	54.19	3	Vertical	49	2.11	92	32.40	7.27	34.60			
PK	5.9764G	109.91	Inf	-Inf	104.81	3	Vertical	49	2.11	92	32.45	7.30	34.65			
RMS	5.971G	99.10	Inf	-Inf	94.01	3	Vertical	49	2.11	92	32.44	7.30	34.65			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
SET 92
103\89\96\93\92
-6.99\2.17\ -1.88\ -0.06\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9227G	80.21	88.20	-7.99	75.14	3	Horizontal	282	1.80	92	32.40	7.27	34.60			
RMS	5.9218G	67.55	68.20	-0.65	62.48	3	Horizontal	282	1.80	92	32.40	7.27	34.60			
PK	5.9764G	115.58	Inf	-Inf	110.48	3	Horizontal	282	1.80	92	32.45	7.30	34.65			
RMS	5.9617G	106.66	Inf	-Inf	101.59	3	Horizontal	282	1.80	92	32.42	7.29	34.64			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92241G	47.71	74.00	-26.29	62.66	3	Vertical	267	1.80	92	38.84	12.03	65.82			
AV	11.89899G	36.23	54.00	-17.77	51.26	3	Vertical	267	1.80	92	38.80	12.01	65.84			
PK	17.8806G	53.13	74.00	-20.87	54.78	3	Vertical	257	1.26	-	48.30	14.06	64.01			
AV	17.88012G	42.18	54.00	-11.82	43.85	3	Vertical	257	1.26	-	48.28	14.06	64.01			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92616G	49.41	74.00	-24.59	64.35	3	Horizontal	304	2.71	92	38.85	12.03	65.82			
AV	11.92217G	38.10	54.00	-15.90	53.05	3	Horizontal	304	2.71	92	38.84	12.03	65.82			
PK	17.88171G	53.92	74.00	-20.08	55.53	3	Horizontal	197	1.50	-	48.34	14.06	64.01			
AV	17.88027G	41.86	54.00	-12.14	43.52	3	Horizontal	197	1.50	-	48.29	14.06	64.01			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_X_4TX
SET 92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85856G	49.16	83.54	-34.38	39.34	1	Vertical	120	1.46	-	38.82	18.13	47.13			
AV	23.87113G	37.61	63.54	-25.93	27.75	1	Vertical	120	1.46	-	38.84	18.14	47.12			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5965MHz_TX

EUT_X_4TX
SET 92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84953G	49.50	83.54	-34.04	39.70	1	Horizontal	317	1.60	-	38.80	18.13	47.13			
AV	23.84776G	37.67	63.54	-25.87	27.87	1	Horizontal	317	1.60	-	38.80	18.13	47.13			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40321G	49.26	74.00	-24.74	64.00	3	Vertical	196	1.80	108	38.79	12.07	65.60			
AV	12.40209G	37.30	54.00	-16.70	52.04	3	Vertical	196	1.80	108	38.80	12.07	65.61			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39977G	51.51	74.00	-22.49	66.25	3	Horizontal	294	2.32	108	38.80	12.07	65.61			
AV	12.4096G	40.68	54.00	-13.32	55.43	3	Horizontal	294	2.32	108	38.78	12.07	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58631G	45.15	83.54	-38.39	41.22	1	Vertical	360	1.50	60	37.87	15.71	49.65			
AV	18.57608G	33.79	63.54	-29.75	29.89	1	Vertical	360	1.50	60	37.85	15.71	49.66			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.63306G	45.64	83.54	-37.90	41.54	1	Horizontal	4	1.50	60	37.97	15.74	49.61			
AV	18.58951G	33.77	63.54	-29.77	29.83	1	Horizontal	4	1.50	60	37.88	15.71	49.65			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT X_4TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79945G	48.23	88.20	-39.97	62.13	3	Vertical	156	2.89	108	39.20	12.06	65.16			
RMS	12.79609G	36.80	68.20	-31.40	50.72	3	Vertical	156	2.89	108	39.18	12.06	65.16			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT X_4TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80584G	48.51	88.20	-39.69	62.40	3	Horizontal	291	1.79	108	39.20	12.06	65.15			
RMS	12.79929G	38.07	68.20	-30.13	51.97	3	Horizontal	291	1.79	108	39.20	12.06	65.16			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_X_4TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.19094G	46.16	83.54	-37.38	41.68	1	Vertical	136	1.39	60	37.90	16.00	49.42			
AV	19.17632G	35.80	63.54	-27.74	31.31	1	Vertical	136	1.39	60	37.90	16.00	49.41			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT X_4TX
Setting 107
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22611G	47.39	83.54	-36.15	42.92	1	Horizontal	200	1.50	60	37.90	16.01	49.44			
AV	19.18159G	35.75	63.54	-27.79	31.27	1	Horizontal	200	1.50	60	37.90	16.00	49.42			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.10299G	48.46	88.20	-39.74	62.06	3	Vertical	256	1.80	60	39.22	12.05	64.87			
RMS	13.09995G	37.19	68.20	-31.01	50.81	3	Vertical	256	1.80	60	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.10347G	47.72	88.20	-40.48	61.31	3	Horizontal	264	1.07	60	39.23	12.05	64.87			
RMS	13.09555G	37.02	68.20	-31.18	50.64	3	Horizontal	264	1.07	60	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7121G	46.20	83.54	-37.34	41.71	1	Vertical	146	1.49	108	37.82	16.13	49.46			
AV	19.68829G	34.59	63.54	-28.95	30.14	1	Vertical	146	1.49	108	37.80	16.12	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.68189G	45.70	83.54	-37.84	41.26	1	Horizontal	346	1.80	108	37.80	16.12	49.48				
AV	19.68077G	34.82	63.54	-28.72	30.38	1	Horizontal	346	1.80	108	37.80	16.12	49.48				

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40398G	48.57	88.20	-39.63	61.35	3	Vertical	112	1.31	60	40.02	12.04	64.84			
RMS	13.40493G	37.50	68.20	-30.70	50.28	3	Vertical	112	1.31	60	40.02	12.04	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40262G	48.43	88.20	-39.77	61.23	3	Horizontal	242	1.05	60	40.01	12.04	64.84			
RMS	13.40932G	37.00	68.20	-31.20	49.76	3	Horizontal	242	1.05	60	40.04	12.04	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09296G	46.38	83.54	-37.16	41.46	1	Vertical	104	1.50	108	37.89	16.28	49.25			
AV	20.0172G	34.95	63.54	-28.59	30.04	1	Vertical	104	1.50	108	37.93	16.24	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0152G	45.88	83.54	-37.66	40.96	1	Horizontal	327	1.50	108	37.94	16.24	49.26			
AV	20.01688G	35.03	63.54	-28.51	30.12	1	Horizontal	327	1.50	108	37.93	16.24	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.72708G	47.73	88.20	-40.47	60.08	3	Vertical	121	2.39	60	40.35	12.03	64.73				
RMS	13.72716G	36.67	68.20	-31.53	49.02	3	Vertical	121	2.39	60	40.35	12.03	64.73				

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65164G	48.06	88.20	-40.14	60.49	3	Horizontal	309	1.80	60	40.30	12.03	64.76			
RMS	13.72852G	36.10	68.20	-32.10	48.43	3	Horizontal	309	1.80	60	40.36	12.03	64.72			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.49896G	46.84	83.54	-36.70	41.58	1	Vertical	1	1.50	108	38.00	16.49	49.23			
AV	20.50191G	35.00	63.54	-28.54	29.74	1	Vertical	1	1.50	108	38.00	16.49	49.23			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.52781G	46.78	83.54	-36.76	41.57	1	Horizontal	92	1.50	108	37.94	16.49	49.22			
AV	20.50167G	35.09	63.54	-28.45	29.83	1	Horizontal	92	1.50	108	38.00	16.49	49.23			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9205G	74.13	88.20	-14.07	69.07	3	Vertical	86	2.66	88	32.40	7.26	34.60			
RMS	5.924G	62.54	68.20	-5.66	57.47	3	Vertical	86	2.66	88	32.40	7.27	34.60			
PK	6.009G	106.26	Inf	-Inf	101.11	3	Vertical	86	2.66	88	32.50	7.32	34.67			
RMS	5.999G	96.89	Inf	-Inf	91.75	3	Vertical	86	2.66	88	32.50	7.32	34.68			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
SET 88
108\88
-13.44\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9205G	83.32	88.20	-4.88	78.26	3	Horizontal	279	1.77	88	32.40	7.26	34.60			
RMS	5.9215G	68.13	68.20	-0.07	63.06	3	Horizontal	279	1.77	88	32.40	7.27	34.60			
PK	5.957G	112.48	Inf	-Inf	107.41	3	Horizontal	279	1.77	88	32.41	7.29	34.63			
RMS	5.997G	102.74	Inf	-Inf	97.61	3	Horizontal	279	1.77	88	32.49	7.32	34.68			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91406G	46.50	74.00	-27.50	61.48	3	Vertical	100	1.80	60	38.83	12.02	65.83			
AV	11.89599G	35.47	54.00	-18.53	50.50	3	Vertical	100	1.80	60	38.80	12.01	65.84			
PK	17.96493G	54.26	74.00	-19.74	52.60	3	Vertical	179	2.22	-	51.52	14.09	63.95			
AV	17.96814G	44.19	54.00	-9.81	42.38	3	Vertical	179	2.22	-	51.67	14.09	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90207G	46.64	74.00	-27.36	61.66	3	Horizontal	100	1.37	60	38.80	12.02	65.84			
AV	11.90974G	36.20	54.00	-17.80	51.19	3	Horizontal	100	1.37	60	38.82	12.02	65.83			
PK	17.96988G	54.74	74.00	-19.26	52.85	3	Horizontal	282	3.00	-	51.75	14.09	63.95			
AV	17.96913G	44.39	54.00	-9.61	42.53	3	Horizontal	282	3.00	-	51.72	14.09	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT X_4TX
SET 88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9268G	48.50	83.54	-35.04	38.49	1	Vertical	254	2.65	-	38.95	18.15	47.09			
AV	23.95086G	37.86	63.54	-25.68	27.79	1	Vertical	254	2.65	-	39.00	18.15	47.08			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
SET 88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93106G	48.43	83.54	-35.11	38.41	1	Horizontal	145	1.05	-	38.96	18.15	47.09			
AV	23.92581G	37.68	63.54	-25.86	27.67	1	Horizontal	145	1.05	-	38.95	18.15	47.09			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44393G	48.22	74.00	-25.78	63.03	3	Vertical	153	1.79	60	38.71	12.07	65.59			
AV	12.49971G	38.49	54.00	-15.51	53.39	3	Vertical	153	1.79	60	38.60	12.07	65.57			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.50003G	48.68	74.00	-25.32	63.59	3	Horizontal	129	2.33	60	38.60	12.06	65.57			
AV	12.49971G	40.46	54.00	-13.54	55.36	3	Horizontal	129	2.33	60	38.60	12.07	65.57			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.7108G	45.35	83.54	-38.19	41.27	1	Vertical	182	1.50	60	37.84	15.79	49.55			
AV	18.6181G	34.28	63.54	-29.26	30.23	1	Vertical	182	1.50	60	37.94	15.73	49.62			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.65534G	45.81	83.54	-37.73	41.67	1	Horizontal	346	1.50	60	37.98	15.75	49.59			
AV	18.69562G	34.33	63.54	-29.21	30.29	1	Horizontal	346	1.50	60	37.82	15.78	49.56			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT X_4TX
Setting 106
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79749G	47.36	88.20	-40.84	61.28	3	Vertical	100	1.57	60	39.18	12.06	65.16			
RMS	12.78534G	36.95	68.20	-31.25	50.96	3	Vertical	100	1.57	60	39.11	12.06	65.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_X_4TX
Setting 106
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76393G	47.45	88.20	-40.75	61.62	3	Horizontal	205	1.09	60	38.98	12.06	65.21			
RMS	12.78183G	36.87	68.20	-31.33	50.90	3	Horizontal	205	1.09	60	39.09	12.06	65.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_X_4TX
Setting 106
04-U-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14333G	48.04	83.54	-35.50	43.54	1	Vertical	234	1.50	60	37.90	15.99	49.39			
AV	19.1721G	36.31	63.54	-27.23	31.83	1	Vertical	234	1.50	60	37.90	15.99	49.41			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 106
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.08515G	47.66	83.54	-35.88	43.08	1	Horizontal	1	1.50	60	37.96	15.98	49.36			
AV	19.16587G	36.43	63.54	-27.11	31.95	1	Horizontal	1	1.50	60	37.90	15.99	49.41			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	6.625G	29.38	NaN	NaN	9.36	3	Horizontal	52	1.50	CP 80MHz	-12.25	7.99	34.19			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.17823G	48.22	88.20	-39.98	61.50	3	Vertical	129	1.13	60	39.54	12.04	64.86			
RMS	13.18766G	37.01	68.20	-31.19	50.31	3	Vertical	129	1.13	60	39.52	12.04	64.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.21659G	47.32	88.20	-40.88	60.61	3	Horizontal	174	1.80	60	39.53	12.04	64.86			
RMS	13.20173G	36.60	68.20	-31.60	49.92	3	Horizontal	174	1.80	60	39.50	12.04	64.86			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86301G	46.79	83.54	-36.75	42.06	1	Vertical	166	1.50	108	37.90	16.18	49.35			
AV	19.80931G	35.63	63.54	-27.91	31.03	1	Vertical	166	1.50	108	37.82	16.17	49.39			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.90345G	46.85	83.54	-36.69	42.09	1	Horizontal	1	1.50	108	37.89	16.20	49.33			
AV	19.81378G	35.78	63.54	-27.76	31.17	1	Horizontal	1	1.50	108	37.83	16.17	49.39			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
AV	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
	6.61384G	4.03	NaN	NaN	-15.99	3	Vertical	354	1.96	RBW 1MH	-12.23	7.99	34.19			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	6.59644G	14.24	NaN	NaN	-5.77	3	Horizontal	48	1.60	RBW 1MH	-12.21	7.98	34.19				

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	6.625G	20.74	NaN	NaN	0.72	3	Vertical	101	2.95	CP 80MHz	-12.25	7.99	34.19			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48992G	48.95	88.20	-39.25	61.46	3	Vertical	100	2.27	60	40.28	12.04	64.83			
RMS	13.46467G	37.87	68.20	-30.33	50.43	3	Vertical	100	2.27	60	40.23	12.04	64.83			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.42838G	48.02	88.20	-40.18	60.71	3	Horizontal	100	1.53	60	40.11	12.04	64.84			
RMS	13.43861G	37.19	68.20	-31.01	49.84	3	Horizontal	100	1.53	60	40.15	12.04	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.16327G	46.82	83.54	-36.72	41.86	1	Vertical	3	1.50	108	37.90	16.31	49.25			
AV	20.16007G	35.70	63.54	-27.84	30.74	1	Vertical	3	1.50	108	37.90	16.31	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.14681G	47.78	83.54	-35.76	42.82	1	Horizontal	274	1.50	108	37.90	16.31	49.25			
AV	20.17286G	35.92	63.54	-27.62	30.95	1	Horizontal	274	1.50	108	37.90	16.32	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.50191G	48.66	88.20	-39.54	61.14	3	Vertical	276	1.07	60	40.32	12.03	64.83			
RMS	13.49408G	37.79	68.20	-30.41	50.29	3	Vertical	276	1.07	60	40.29	12.04	64.83			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49519G	48.20	88.20	-40.00	60.70	3	Horizontal	105	1.16	60	40.29	12.04	64.83			
RMS	13.49216G	37.83	68.20	-30.37	50.34	3	Horizontal	105	1.16	60	40.28	12.04	64.83			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.27636G	45.64	83.54	-37.90	40.56	1	Vertical	6	1.50	108	37.95	16.37	49.24			
AV	20.28179G	35.78	63.54	-27.76	30.70	1	Vertical	6	1.50	108	37.94	16.38	49.24			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.28675G	46.04	83.54	-37.50	40.97	1	Horizontal	360	1.50	108	37.93	16.38	49.24			
AV	20.27572G	35.49	63.54	-28.05	30.41	1	Horizontal	360	1.50	108	37.95	16.37	49.24			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT X_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9175G	75.19	88.20	-13.01	70.12	3	Vertical	321	2.95	88	32.40	7.26	34.59			
RMS	5.9205G	64.97	68.20	-3.23	59.91	3	Vertical	321	2.95	88	32.40	7.26	34.60			
PK	6.0565G	107.18	Inf	-Inf	101.95	3	Vertical	321	2.95	88	32.50	7.35	34.62			
RMS	6.056G	97.09	Inf	-Inf	91.87	3	Vertical	321	2.95	88	32.50	7.35	34.63			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
SET 88
108\88
-14.80\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9175G	79.35	88.20	-8.85	74.28	3	Horizontal	275	2.14	88	32.40	7.26	34.59			
RMS	5.924G	67.73	68.20	-0.47	62.66	3	Horizontal	275	2.14	88	32.40	7.27	34.60			
PK	6.085G	111.33	Inf	-Inf	106.06	3	Horizontal	275	2.14	88	32.50	7.37	34.60			
RMS	6.0495G	101.32	Inf	-Inf	96.10	3	Horizontal	275	2.14	88	32.50	7.35	34.63			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_X_4TX
SET 88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91478G	48.01	74.00	-25.99	62.99	3	Vertical	282	1.26	88	38.83	12.02	65.83			
AV	12.0727G	37.55	54.00	-16.45	51.90	3	Vertical	282	1.26	88	39.29	12.08	65.72			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_X_4TX
SET 88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97711G	47.85	74.00	-26.15	62.60	3	Horizontal	253	2.75	88	38.95	12.07	65.77			
AV	11.95953G	37.72	54.00	-16.28	52.54	3	Horizontal	253	2.75	88	38.92	12.05	65.79			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_X_4TX
SET 88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.22173G	45.58	83.54	-37.96	41.96	1	Vertical	27	1.48	60	37.69	15.52	49.59			
AV	18.1968G	35.55	63.54	-27.99	32.04	1	Vertical	27	1.48	60	37.59	15.50	49.58			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_X_4TX
SET 88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.18657G	45.75	83.54	-37.79	42.26	1	Horizontal	306	1.50	60	37.57	15.50	49.58			
AV	18.1936G	35.14	63.54	-28.40	31.63	1	Horizontal	306	1.50	60	37.59	15.50	49.58			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT X_4TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38822G	47.67	74.00	-26.33	62.41	3	Vertical	206	1.74	108	38.80	12.07	65.61			
AV	12.49979G	38.01	54.00	-15.99	52.91	3	Vertical	206	1.74	108	38.60	12.07	65.57			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT X_4TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.50011G	48.97	74.00	-25.03	63.88	3	Horizontal	102	2.45	108	38.60	12.06	65.57			
AV	12.49979G	40.88	54.00	-13.12	55.78	3	Horizontal	102	2.45	108	38.60	12.07	65.57			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX

EUT_X_4TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.44791G	45.51	83.54	-38.03	41.87	1	Vertical	52	1.78	60	37.71	15.63	49.70			
AV	18.52623G	35.48	63.54	-28.06	31.60	1	Vertical	52	1.78	60	37.90	15.68	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.53422G	45.36	83.54	-38.18	41.51	1	Horizontal	248	1.33	60	37.86	15.68	49.69			
AV	18.52335G	35.44	63.54	-28.10	31.56	1	Horizontal	248	1.33	60	37.91	15.67	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT X_4TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79985G	47.57	88.20	-40.63	NaN	3	Vertical	310	1.80	108	39.20	12.06	NaN			
RMS	12.79198G	37.57	68.20	-30.63	NaN	3	Vertical	310	1.80	108	39.15	12.06	NaN			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT X_4TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.72165G	47.31	88.20	-40.89	61.55	3	Horizontal	293	1.80	108	38.96	12.06	65.26			
RMS	12.79102G	37.71	68.20	-30.49	51.67	3	Horizontal	293	1.80	108	39.15	12.06	65.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT_X_4TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15744G	46.76	83.54	-36.78	42.27	1	Vertical	241	1.50	60	37.90	15.99	49.40			
AV	19.16863G	36.54	63.54	-27.00	32.06	1	Vertical	241	1.50	60	37.90	15.99	49.41			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
Setting 96
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14529G	46.63	83.54	-36.91	42.13	1	Horizontal	95	1.33	60	37.90	15.99	49.39			
AV	19.15296G	36.33	63.54	-27.21	31.84	1	Horizontal	95	1.33	60	37.90	15.99	49.40			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT X_4TX
Setting 88
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41585G	49.08	88.20	-39.12	61.82	3	Vertical	310	1.80	60	40.06	12.04	64.84			
RMS	13.43166G	38.26	68.20	-29.94	50.93	3	Vertical	310	1.80	60	40.13	12.04	64.84			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT_X_4TX
Setting 88
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.43709G	47.95	88.20	-40.25	60.60	3	Horizontal	255	2.49	60	40.15	12.04	64.84			
RMS	13.41184G	38.14	68.20	-30.06	50.89	3	Horizontal	255	2.49	60	40.05	12.04	64.84			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 88
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98701G	46.43	83.54	-37.11	41.52	1	Vertical	170	1.50	108	37.95	16.23	49.27			
AV	19.9998G	36.65	63.54	-26.89	31.68	1	Vertical	170	1.50	108	38.00	16.23	49.26			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX

EUT X_4TX
Setting 88
04-U-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.90997G	46.52	83.54	-37.02	41.76	1	Horizontal	122	1.50	108	37.88	16.20	49.32			
AV	19.9998G	37.96	63.54	-25.58	32.99	1	Horizontal	122	1.50	108	38.00	16.23	49.26			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	67.42	88.20	-20.78	62.35	3	Vertical	37	2.82	108	32.40	7.27	34.60			
RMS	5.925G	56.03	68.20	-12.17	50.96	3	Vertical	37	2.82	108	32.40	7.27	34.60			
PK	5.9556G	112.67	Inf	-Inf	107.60	3	Vertical	37	2.82	108	32.41	7.29	34.63			
RMS	5.9532G	100.61	Inf	-Inf	95.54	3	Vertical	37	2.82	108	32.41	7.29	34.63			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9217G	78.10	88.20	-10.10	73.03	3	Horizontal	300	2.21	108	32.40	7.27	34.60			
RMS	5.925G	64.55	68.20	-3.65	59.48	3	Horizontal	300	2.21	108	32.40	7.27	34.60			
PK	5.9613G	121.24	Inf	-Inf	116.17	3	Horizontal	300	2.21	108	32.42	7.29	34.64			
RMS	5.9532G	108.50	Inf	-Inf	103.43	3	Horizontal	300	2.21	108	32.41	7.29	34.63			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92734G	47.97	74.00	-26.03	62.91	3	Vertical	307	1.06	104	38.85	12.03	65.82			
AV	11.90457G	36.96	54.00	-17.04	51.97	3	Vertical	307	1.06	104	38.81	12.02	65.84			
PK	17.86989G	51.49	74.00	-22.51	53.53	3	Vertical	167	2.44	-	47.92	14.06	64.02			
AV	17.8722G	38.43	54.00	-15.57	40.38	3	Vertical	167	2.44	-	48.00	14.06	64.01			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90437G	50.29	74.00	-23.71	65.30	3	Horizontal	292	2.55	104	38.81	12.02	65.84			
AV	11.90409G	39.93	54.00	-14.07	54.94	3	Horizontal	292	2.55	104	38.81	12.02	65.84			
PK	17.87115G	53.16	74.00	-20.84	55.16	3	Horizontal	43	1.42	-	47.96	14.06	64.02			
AV	17.8686G	42.08	54.00	-11.92	44.17	3	Horizontal	43	1.42	-	47.87	14.06	64.02			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81025G	48.55	83.54	-34.99	38.69	1	Vertical	95	2.06	-	38.88	18.13	47.15			
AV	23.82465G	38.31	63.54	-25.23	28.47	1	Vertical	95	2.06	-	38.85	18.13	47.14			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


5955MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81151G	48.58	83.54	-34.96	38.72	1	Horizontal	152	1.75	-	38.88	18.13	47.15			
AV	23.81424G	38.14	63.54	-25.40	28.29	1	Horizontal	152	1.75	-	38.87	18.13	47.15			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38393G	48.43	74.00	-25.57	63.17	3	Vertical	310	2.51	108	38.80	12.07	65.61			
AV	12.39803G	37.81	54.00	-16.19	52.55	3	Vertical	310	2.51	108	38.80	12.07	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6195MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39472G	50.23	74.00	-23.77	64.97	3	Horizontal	289	1.80	108	38.80	12.07	65.61			
AV	12.38433G	39.18	54.00	-14.82	53.92	3	Horizontal	289	1.80	108	38.80	12.07	65.61			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56982G	45.27	83.54	-38.27	41.39	1	Vertical	3	1.50	60	37.84	15.70	49.66			
AV	18.58192G	34.34	63.54	-29.20	30.42	1	Vertical	3	1.50	60	37.86	15.71	49.65			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6195MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57237G	45.20	83.54	-38.34	41.32	1	Horizontal	302	1.50	60	37.84	15.70	49.66			
AV	18.57113G	34.65	63.54	-28.89	30.77	1	Horizontal	302	1.50	60	37.84	15.70	49.66			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6415MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81382G	48.71	88.20	-39.49	62.59	3	Vertical	102	1.80	108	39.20	12.06	65.14			
RMS	12.82049G	37.27	68.20	-30.93	51.14	3	Vertical	102	1.80	108	39.20	12.06	65.13			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83088G	49.79	88.20	-38.41	63.64	3	Horizontal	295	2.32	108	39.20	12.06	65.11			
RMS	12.82389G	38.95	68.20	-29.25	52.81	3	Horizontal	295	2.32	108	39.20	12.06	65.12			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6415MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22974G	46.30	83.54	-37.24	41.83	1	Vertical	236	1.50	60	37.90	16.01	49.44			
AV	19.2267G	35.22	63.54	-28.32	30.75	1	Vertical	236	1.50	60	37.90	16.01	49.44			

5.925-6.425GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6415MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2444G	46.85	83.54	-36.69	42.39	1	Horizontal	78	1.50	60	37.90	16.01	49.45			
AV	19.2267G	35.22	63.54	-28.32	30.75	1	Horizontal	78	1.50	60	37.90	16.01	49.44			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6535MHz_TX

EUT X_4TX
Setting 105
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08227G	48.31	88.20	-39.89	61.93	3	Vertical	150	1.80	60	39.20	12.05	64.87			
RMS	13.08499G	37.28	68.20	-30.92	50.90	3	Vertical	150	1.80	60	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT X_4TX
Setting 105
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0899G	48.56	88.20	-39.64	62.18	3	Horizontal	296	1.37	60	39.20	12.05	64.87			
RMS	13.0871G	37.22	68.20	-30.98	50.84	3	Horizontal	296	1.37	60	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT X_4TX
Setting 105
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.58522G	46.89	83.54	-36.65	42.47	1	Vertical	206	1.34	108	37.87	16.09	49.54			
AV	19.60564G	35.59	63.54	-27.95	31.13	1	Vertical	206	1.34	108	37.89	16.10	49.53			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_X_4TX
Setting 105
04-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.58986G	46.38	83.54	-37.16	41.95	1	Horizontal	145	1.50	108	37.88	16.09	49.54			
AV	19.59709G	35.42	63.54	-28.12	30.97	1	Horizontal	145	1.50	108	37.89	16.09	49.53			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40331G	49.32	88.20	-38.88	62.11	3	Vertical	182	1.80	60	40.01	12.04	64.84			
RMS	13.40766G	37.74	68.20	-30.46	50.51	3	Vertical	182	1.80	60	40.03	12.04	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6695MHz_TX

EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.409G	48.27	88.20	-39.93	61.03	3	Horizontal	167	1.05	60	40.04	12.04	64.84			
RMS	13.40019G	37.90	68.20	-30.30	50.70	3	Horizontal	167	1.05	60	40.00	12.04	64.84			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6695MHz_TX

EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09559G	46.31	83.54	-37.23	36.57	1	Vertical	60	1.50	108	37.80	20.72	48.78			
AV	20.09927G	35.18	63.54	-28.36	25.43	1	Vertical	60	1.50	108	37.80	20.73	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6695MHz_TX

EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07333G	46.23	83.54	-37.31	36.54	1	Horizontal	66	1.50	108	37.80	20.68	48.79			
AV	20.10274G	35.37	63.54	-28.17	25.61	1	Horizontal	66	1.50	108	37.80	20.74	48.78			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70353G	47.75	88.20	-40.45	60.15	3	Vertical	157	1.80	60	40.31	12.03	64.74			
RMS	13.72439G	36.87	68.20	-31.33	49.22	3	Vertical	157	1.80	60	40.35	12.03	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70509G	47.46	88.20	-40.74	59.86	3	Horizontal	150	1.80	60	40.31	12.03	64.74			
RMS	13.71344G	36.28	68.20	-31.92	48.65	3	Horizontal	150	1.80	60	40.33	12.03	64.73			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6855MHz_TX

EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.54822G	45.83	83.54	-37.71	35.12	1	Vertical	281	1.50	108	37.90	21.51	48.70			
AV	20.57675G	34.91	63.54	-28.63	24.17	1	Vertical	281	1.50	108	37.90	21.54	48.70			

6.525-6.875GHz_802.11ax HEW20_Nss4,(MCS0)_4TX


6855MHz_TX

EUT_X_4TX
Setting 106
03-E-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55885G	45.66	83.54	-37.88	34.94	1	Horizontal	126	1.79	108	37.90	21.52	48.70			
AV	20.54626G	34.83	63.54	-28.71	24.12	1	Horizontal	126	1.79	108	37.90	21.51	48.70			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	69.48	88.20	-18.72	64.41	3	Vertical	9	1.88	92	32.40	7.27	34.60			
RMS	5.9248G	59.14	68.20	-9.06	54.07	3	Vertical	9	1.88	92	32.40	7.27	34.60			
PK	5.9575G	106.91	Inf	-Inf	101.84	3	Vertical	9	1.88	92	32.41	7.29	34.63			
RMS	5.9563G	97.32	Inf	-Inf	92.25	3	Vertical	9	1.88	92	32.41	7.29	34.63			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_X_4TX
SET 92
108\88\98\93\91\92
-10.67\3.20\3.14\0.16\1.36\0.76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9239G	77.96	88.20	-10.24	72.89	3	Horizontal	284	1.80	92	32.40	7.27	34.60			
RMS	5.925G	67.44	68.20	-0.76	62.37	3	Horizontal	284	1.80	92	32.40	7.27	34.60			
PK	5.9776G	114.09	Inf	-Inf	108.99	3	Horizontal	284	1.80	92	32.46	7.30	34.66			
RMS	5.9587G	105.12	Inf	-Inf	100.05	3	Horizontal	284	1.80	92	32.42	7.29	34.64			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT_X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94375G	47.56	74.00	-26.44	62.43	3	Vertical	310	1.91	92	38.89	12.04	65.80			
AV	11.93623G	37.07	54.00	-16.93	51.97	3	Vertical	310	1.91	92	38.87	12.04	65.81			
PK	17.88081G	52.95	74.00	-21.05	54.59	3	Vertical	73	1.48	-	48.31	14.06	64.01			
AV	17.88003G	43.22	54.00	-10.78	44.89	3	Vertical	73	1.48	-	48.28	14.06	64.01			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT_X_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93911G	48.74	74.00	-25.26	63.62	3	Horizontal	302	1.80	92	38.88	12.04	65.80			
AV	11.93056G	38.51	54.00	-15.49	53.43	3	Horizontal	302	1.80	92	38.86	12.03	65.81			
PK	17.88036G	51.84	74.00	-22.16	53.50	3	Horizontal	109	1.49	-	48.29	14.06	64.01			
AV	17.8821G	43.38	54.00	-10.62	44.97	3	Horizontal	109	1.49	-	48.36	14.06	64.01			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT_X_4TX
SET 92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85076G	43.41	83.54	-40.13	33.61	1	Vertical	314	1.60	-	38.80	18.13	47.13			
AV	23.87164G	33.16	63.54	-30.38	23.30	1	Vertical	314	1.60	-	38.84	18.14	47.12			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT_X_4TX
SET 92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8489G	43.90	83.54	-39.64	34.10	1	Horizontal	235	1.60	-	38.80	18.13	47.13			
AV	23.84659G	32.92	63.54	-30.62	23.11	1	Horizontal	235	1.60	-	38.81	18.13	47.13			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39282G	48.80	74.00	-25.20	63.54	3	Vertical	310	1.80	108	38.80	12.07	65.61			
AV	12.40912G	38.15	54.00	-15.85	52.90	3	Vertical	310	1.80	108	38.78	12.07	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40864G	50.57	74.00	-23.43	65.32	3	Horizontal	288	1.73	108	38.78	12.07	65.60			
AV	12.41488G	40.50	54.00	-13.50	55.26	3	Horizontal	288	1.73	108	38.77	12.07	65.60			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5959G	45.17	83.54	-38.37	41.20	1	Vertical	219	1.50	60	37.89	15.72	49.64			
AV	18.58471G	34.86	63.54	-28.68	30.93	1	Vertical	219	1.50	60	37.87	15.71	49.65			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6205MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6154G	45.41	83.54	-38.13	41.38	1	Horizontal	45	1.50	60	37.93	15.73	49.63			
AV	18.59094G	34.84	63.54	-28.70	30.90	1	Horizontal	45	1.50	60	37.88	15.71	49.65			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6405MHz_TX

EUT_X_4TX
Setting 105
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7754G	47.52	88.20	-40.68	61.60	3	Vertical	206	1.80	60	39.05	12.06	65.19			
RMS	12.77595G	37.31	68.20	-30.89	51.38	3	Vertical	206	1.80	60	39.06	12.06	65.19			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
Setting 105
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77947G	47.11	88.20	-41.09	61.15	3	Horizontal	113	1.80	60	39.08	12.06	65.18			
RMS	12.77244G	36.57	68.20	-31.63	50.67	3	Horizontal	113	1.80	60	39.03	12.06	65.19			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_X_4TX
Setting 105
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.17752G	47.35	83.54	-36.19	42.86	1	Vertical	335	1.50	60	37.90	16.00	49.41			
AV	19.18607G	36.54	63.54	-27.00	32.06	1	Vertical	335	1.50	60	37.90	16.00	49.42			

5.925-6.425GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6405MHz_TX

EUT_X_4TX
Setting 105
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21252G	46.72	83.54	-36.82	42.25	1	Horizontal	119	1.50	60	37.90	16.00	49.43			
AV	19.18191G	36.50	63.54	-27.04	32.02	1	Horizontal	119	1.50	60	37.90	16.00	49.42			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0918G	48.04	88.20	-40.16	61.66	3	Vertical	154	1.80	60	39.20	12.05	64.87			
RMS	13.10115G	37.86	68.20	-30.34	51.47	3	Vertical	154	1.80	60	39.21	12.05	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6565MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09747G	48.99	88.20	-39.21	62.61	3	Horizontal	194	1.06	60	39.20	12.05	64.87			
RMS	13.10059G	38.03	68.20	-30.17	51.65	3	Horizontal	194	1.06	60	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6565MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70451G	46.19	83.54	-37.35	41.71	1	Vertical	337	1.50	108	37.81	16.13	49.46			
AV	19.66663G	35.34	63.54	-28.20	30.91	1	Vertical	337	1.50	108	37.80	16.12	49.49			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6565MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69404G	46.19	83.54	-37.35	41.73	1	Horizontal	53	1.49	108	37.80	16.13	49.47			
AV	19.66191G	35.42	63.54	-28.12	30.99	1	Horizontal	53	1.49	108	37.80	16.12	49.49			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40988G	48.50	88.20	-39.70	61.26	3	Vertical	230	1.80	60	40.04	12.04	64.84			
RMS	13.40958G	38.39	68.20	-29.81	51.15	3	Vertical	230	1.80	60	40.04	12.04	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40006G	48.18	88.20	-40.02	60.98	3	Horizontal	310	2.62	60	40.00	12.04	64.84			
RMS	13.40006G	37.89	68.20	-30.31	50.69	3	Horizontal	310	2.62	60	40.00	12.04	64.84			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6685MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0168G	45.98	83.54	-37.56	41.07	1	Vertical	351	1.50	108	37.93	16.24	49.26			
AV	20.01736G	35.66	63.54	-27.88	30.75	1	Vertical	351	1.50	108	37.93	16.24	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6685MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0908G	46.63	83.54	-36.91	41.72	1	Horizontal	23	1.50	108	37.88	16.28	49.25			
AV	20.02607G	35.81	63.54	-27.73	30.93	1	Horizontal	23	1.50	108	37.90	16.24	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6845MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72876G	47.54	88.20	-40.66	59.87	3	Vertical	146	1.80	60	40.36	12.03	64.72			
RMS	13.66395G	37.14	68.20	-31.06	49.56	3	Vertical	146	1.80	60	40.30	12.03	64.75			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6845MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65084G	47.01	88.20	-41.19	59.44	3	Horizontal	306	1.58	60	40.30	12.03	64.76			
RMS	13.71677G	36.57	68.20	-31.63	48.94	3	Horizontal	306	1.58	60	40.33	12.03	64.73			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6845MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.49944G	46.32	83.54	-37.22	41.06	1	Vertical	178	1.50	108	38.00	16.49	49.23			
AV	20.49632G	35.54	63.54	-28.00	30.28	1	Vertical	178	1.50	108	38.00	16.49	49.23			

6.525-6.875GHz_802.11ax HEW40_Nss4,(MCS0)_4TX


6845MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.51734G	47.32	83.54	-36.22	42.08	1	Horizontal	356	1.73	108	37.97	16.49	49.22			
AV	20.50231G	35.87	63.54	-27.67	30.61	1	Horizontal	356	1.73	108	38.00	16.49	49.23			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5985MHz_TX

EUT X_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	68.21	88.20	-19.99	63.14	3	Vertical	4	1.84	90	32.40	7.26	34.59			
RMS	5.925G	60.31	68.20	-7.89	55.24	3	Vertical	4	1.84	90	32.40	7.27	34.60			
PK	5.9765G	103.78	Inf	-Inf	98.69	3	Vertical	4	1.84	90	32.45	7.30	34.66			
RMS	5.9765G	96.37	Inf	-Inf	91.28	3	Vertical	4	1.84	90	32.45	7.30	34.66			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_X_4TX
SET 90
108\88\98\93\91\90
-11.48\0.85\ -4.37\ -1.45\ -0.54\0.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	76.18	88.20	-12.02	71.12	3	Horizontal	282	1.76	90	32.40	7.26	34.60			
RMS	5.925G	67.47	68.20	-0.73	62.40	3	Horizontal	282	1.76	90	32.40	7.27	34.60			
PK	5.999G	110.33	Inf	-Inf	105.19	3	Horizontal	282	1.76	90	32.50	7.32	34.68			
RMS	5.98G	102.92	Inf	-Inf	97.81	3	Horizontal	282	1.76	90	32.46	7.31	34.66			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5985MHz_TX

EUT_X_4TX
SET90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94251G	46.73	74.00	-27.27	61.60	3	Vertical	100	1.80	60	38.89	12.04	65.80			
AV	11.95945G	37.43	54.00	-16.57	52.25	3	Vertical	100	1.80	60	38.92	12.05	65.79			
PK	17.96769G	56.23	74.00	-17.77	54.44	3	Vertical	291	2.67	-	51.65	14.09	63.95			
AV	17.96127G	44.46	54.00	-9.54	42.99	3	Vertical	291	2.67	-	51.34	14.09	63.96			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5985MHz_TX

EUT_X_4TX
SET90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89184G	46.87	74.00	-27.13	61.91	3	Horizontal	144	1.49	60	38.80	12.01	65.85			
AV	11.8912G	36.69	54.00	-17.31	51.73	3	Horizontal	144	1.49	60	38.80	12.01	65.85			
PK	17.96223G	55.59	74.00	-18.41	54.06	3	Horizontal	177	2.99	-	51.39	14.09	63.95			
AV	17.96982G	45.11	54.00	-8.89	43.22	3	Horizontal	177	2.99	-	51.75	14.09	63.95			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5985MHz_TX

EUT_X_4TX
SET 90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94717G	44.24	83.54	-39.30	34.18	1	Vertical	211	1.16	-	38.99	18.15	47.08			
AV	23.95104G	35.25	63.54	-28.29	25.18	1	Vertical	211	1.16	-	39.00	18.15	47.08			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


5985MHz_TX

EUT_X_4TX
SET 90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9481G	43.64	83.54	-39.90	33.57	1	Horizontal	69	2.24	-	39.00	18.15	47.08			
AV	23.93808G	34.55	63.54	-28.99	24.51	1	Horizontal	69	2.24	-	38.98	18.15	47.09			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38958G	47.73	74.00	-26.27	62.47	3	Vertical	152	1.82	60	38.80	12.07	65.61			
AV	12.49987G	40.23	54.00	-13.77	55.13	3	Vertical	152	1.82	60	38.60	12.07	65.57			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.49939G	48.15	74.00	-25.85	63.05	3	Horizontal	127	2.32	60	38.60	12.07	65.57			
AV	12.49971G	41.57	54.00	-12.43	56.47	3	Horizontal	127	2.32	60	38.60	12.07	65.57			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60803G	45.27	83.54	-38.27	41.26	1	Vertical	73	1.74	60	37.92	15.72	49.63			
AV	18.63136G	35.51	63.54	-28.03	31.42	1	Vertical	73	1.74	60	37.96	15.74	49.61			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6225MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.70681G	45.32	83.54	-38.22	41.26	1	Horizontal	354	1.50	60	37.83	15.78	49.55			
AV	18.61058G	35.40	63.54	-28.14	31.38	1	Horizontal	354	1.50	60	37.92	15.73	49.63			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 107
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7855G	48.08	88.20	-40.12	62.09	3	Vertical	130	1.80	60	39.11	12.06	65.18			
RMS	12.77048G	37.62	68.20	-30.58	51.74	3	Vertical	130	1.80	60	39.02	12.06	65.20			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 107
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77448G	46.99	88.20	-41.21	61.07	3	Horizontal	172	1.80	60	39.05	12.06	65.19			
RMS	12.76457G	37.14	68.20	-31.06	51.29	3	Horizontal	172	1.80	60	38.99	12.06	65.20			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT_X_4TX
Setting 107
01-U-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.10385G	46.97	83.54	-36.57	42.46	1	Vertical	357	1.81	60	37.90	15.98	49.37			
AV	19.16539G	37.45	63.54	-26.09	32.97	1	Vertical	357	1.81	60	37.90	15.99	49.41			

5.925-6.425GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6385MHz_TX

EUT_X_4TX
Setting 107
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.11328G	47.67	83.54	-35.87	43.17	1	Horizontal	267	1.36	60	37.90	15.98	49.38			
AV	19.15068G	37.45	63.54	-26.09	32.96	1	Horizontal	267	1.36	60	37.90	15.99	49.40			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.19821G	47.66	88.20	-40.54	60.98	3	Vertical	103	1.80	60	39.50	12.04	64.86			
RMS	13.18702G	37.96	68.20	-30.24	51.25	3	Vertical	103	1.80	60	39.53	12.04	64.86			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.19741G	47.57	88.20	-40.63	60.88	3	Horizontal	310	1.80	60	39.51	12.04	64.86			
RMS	13.19619G	37.91	68.20	-16.09	51.03	3	Horizontal	310	1.80	60	39.69	12.04	64.85			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.90873G	47.60	83.54	-35.94	42.84	1	Vertical	197	1.42	108	37.88	16.20	49.32			
AV	19.7978G	37.00	63.54	-26.54	32.44	1	Vertical	197	1.42	108	37.80	16.16	49.40			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6625MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8181G	46.40	83.54	-37.14	41.77	1	Horizontal	324	1.50	108	37.84	16.17	49.38			
AV	19.81522G	36.86	63.54	-26.68	32.25	1	Horizontal	324	1.50	108	37.83	16.17	49.39			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6705MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.45012G	48.65	88.20	-39.55	61.24	3	Vertical	100	1.56	60	40.20	12.04	64.83			
RMS	13.40504G	39.11	68.20	-29.09	51.89	3	Vertical	100	1.56	60	40.02	12.04	64.84			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6705MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.45603G	48.95	88.20	-39.25	61.53	3	Horizontal	306	1.18	60	40.21	12.04	64.83			
RMS	13.45364G	39.16	68.20	-29.04	51.74	3	Horizontal	306	1.18	60	40.21	12.04	64.83			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6705MHz_TX

EUT X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.04019G	46.77	83.54	-36.77	41.94	1	Vertical	29	1.50	108	37.84	16.25	49.26			
AV	20.16279G	36.55	63.54	-26.99	31.59	1	Vertical	29	1.50	108	37.90	16.31	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6705MHz_TX

EUT_X_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.16135G	46.31	83.54	-37.23	41.35	1	Horizontal	352	1.50	108	37.90	16.31	49.25			
AV	20.16535G	36.48	63.54	-27.06	31.51	1	Horizontal	352	1.50	108	37.90	16.32	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6785MHz_TX

EUT_X_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.09847G	49.01	88.20	-39.19	62.63	3	Vertical	207	1.21	60	39.20	12.05	64.87			
RMS	13.09352G	37.46	68.20	-30.74	51.08	3	Vertical	207	1.21	60	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT X_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.11605G	48.01	88.20	-40.19	61.50	3	Horizontal	116	1.80	60	39.33	12.05	64.87			
RMS	13.09655G	36.92	68.20	-31.28	50.54	3	Horizontal	116	1.80	60	39.20	12.05	64.87			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6785MHz_TX

EUT_X_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.29938G	46.48	83.54	-37.06	41.43	1	Vertical	76	1.79	108	37.90	16.39	49.24			
AV	20.28211G	36.64	63.54	-26.90	31.56	1	Vertical	76	1.79	108	37.94	16.38	49.24			

6.525-6.875GHz_802.11ax HEW80_Nss4,(MCS0)_4TX


6785MHz_TX

EUT_X_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.28979G	45.82	83.54	-37.72	40.76	1	Horizontal	1	1.50	108	37.92	16.38	49.24			
AV	20.28259G	36.56	63.54	-26.98	31.49	1	Horizontal	1	1.50	108	37.93	16.38	49.24			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT X_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9195G	71.95	88.20	-16.25	66.88	3	Vertical	60	2.49	85	32.40	7.26	34.59			
RMS	5.9185G	61.93	68.20	-6.27	56.86	3	Vertical	60	2.49	85	32.40	7.26	34.59			
PK	6.0485G	99.69	Inf	-Inf	94.47	3	Vertical	60	2.49	85	32.50	7.35	34.63			
RMS	6.0475G	93.13	Inf	-Inf	87.91	3	Vertical	60	2.49	85	32.50	7.35	34.63			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT X_4TX
SET 85
108\88\78\83\85
-17.95\ -2.83\5.64\1.46\0.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9125G	78.46	88.20	-9.74	73.39	3	Horizontal	290	2.84	85	32.40	7.26	34.59			
RMS	5.9125G	67.94	68.20	-0.26	62.87	3	Horizontal	290	2.84	85	32.40	7.26	34.59			
PK	6.0535G	108.09	Inf	-Inf	102.87	3	Horizontal	290	2.84	85	32.50	7.35	34.63			
RMS	6.0535G	101.04	Inf	-Inf	95.82	3	Horizontal	290	2.84	85	32.50	7.35	34.63			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT_X_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94099G	48.10	74.00	-25.90	62.98	3	Vertical	251	1.80	85	38.88	12.04	65.80			
AV	11.89464G	37.84	54.00	-16.16	52.87	3	Vertical	251	1.80	85	38.80	12.01	65.84			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT_X_4TX
SET 85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9541G	47.81	74.00	-26.19	62.64	3	Horizontal	273	1.80	85	38.91	12.05	65.79			
AV	11.89016G	37.93	54.00	-16.07	52.97	3	Horizontal	273	1.80	85	38.80	12.01	65.85			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT_X_4TX
SET 85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.22909G	45.91	83.54	-37.63	42.27	1	Vertical	223	1.50	60	37.72	15.52	49.60			
AV	18.18817G	36.06	63.54	-27.48	32.56	1	Vertical	223	1.50	60	37.58	15.50	49.58			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT_X_4TX
SET 85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.12519G	45.18	83.54	-38.36	41.66	1	Horizontal	278	1.59	60	37.60	15.47	49.55			
AV	18.21438G	36.09	63.54	-27.45	32.51	1	Horizontal	278	1.59	60	37.66	15.51	49.59			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 96
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44864G	48.01	74.00	-25.99	62.83	3	Vertical	139	1.80	108	38.70	12.07	65.59			
AV	12.50011G	39.39	54.00	-14.61	54.30	3	Vertical	139	1.80	108	38.60	12.06	65.57			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 96
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.49979G	48.97	74.00	-25.03	63.87	3	Horizontal	101	1.93	108	38.60	12.07	65.57			
AV	12.49979G	42.14	54.00	-11.86	57.04	3	Horizontal	101	1.93	108	38.60	12.07	65.57			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 96
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54509G	46.18	83.54	-37.36	42.35	1	Vertical	1	1.50	60	37.82	15.69	49.68			
AV	18.52783G	35.87	63.54	-27.67	32.00	1	Vertical	1	1.50	60	37.89	15.68	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_X_4TX
Setting 96
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.48307G	45.44	83.54	-38.10	41.60	1	Horizontal	109	1.74	60	37.90	15.65	49.71			
AV	18.52815G	35.73	63.54	-27.81	31.86	1	Horizontal	109	1.74	60	37.89	15.68	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT_X_4TX
Setting 96
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7939G	47.44	88.20	-40.76	61.38	3	Vertical	253	2.12	108	39.16	12.06	65.16			
RMS	12.75783G	37.62	68.20	-30.58	51.82	3	Vertical	253	2.12	108	38.95	12.06	65.21			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6345MHz_TX

EUT_X_4TX
Setting 96
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80636G	49.74	88.20	-38.46	63.63	3	Horizontal	103	2.24	108	39.20	12.06	65.15			
RMS	12.76512G	38.59	68.20	-29.61	52.74	3	Horizontal	103	2.24	108	38.99	12.06	65.20			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6345MHz_TX

EUT_X_4TX
Setting 96
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14497G	46.42	83.54	-37.12	41.92	1	Vertical	295	1.50	60	37.90	15.99	49.39			
AV	19.15904G	37.14	63.54	-26.40	32.65	1	Vertical	295	1.50	60	37.90	15.99	49.40			

5.925-6.425GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6345MHz_TX

EUT_X_4TX
Setting 96
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16255G	46.76	83.54	-36.78	42.27	1	Horizontal	359	1.50	60	37.90	15.99	49.40			
AV	19.14913G	36.89	63.54	-26.65	32.40	1	Horizontal	359	1.50	60	37.90	15.99	49.40			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 91
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.45659G	48.39	88.20	-39.81	60.97	3	Vertical	175	1.80	60	40.21	12.04	64.83			
RMS	13.40937G	38.83	68.20	-29.37	51.59	3	Vertical	175	1.80	60	40.04	12.04	64.84			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT_X_4TX
Setting 91
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.42987G	48.77	88.20	-39.43	61.45	3	Horizontal	279	1.05	60	40.12	12.04	64.84			
RMS	13.42814G	39.16	68.20	-29.04	51.85	3	Horizontal	279	1.05	60	40.11	12.04	64.84			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6665MHz_TX

EUT_X_4TX
Setting 91
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87256G	46.63	83.54	-36.91	41.89	1	Vertical	169	1.50	108	37.90	16.19	49.35			
AV	19.99948G	37.05	63.54	-26.49	32.08	1	Vertical	169	1.50	108	38.00	16.23	49.26			

6.525-6.875GHz_802.11ax HEW160_Nss4,(MCS0)_4TX


6665MHz_TX

EUT_X_4TX
Setting 91
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.89462G	46.39	83.54	-37.15	41.63	1	Horizontal	111	1.50	108	37.90	16.19	49.33			
AV	20.00011G	38.19	63.54	-25.35	33.22	1	Horizontal	111	1.50	108	38.00	16.23	49.26			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_X_2TX
Setting 108
02-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	68.35	88.20	-19.85	56.96	3	Vertical	272	1.82	-	34.14	7.88	30.63			
RMS	5.9248G	58.42	88.20	-29.78	47.02	3	Vertical	272	1.82	-	34.15	7.88	30.63			
PK	5.9512G	111.44	Inf	-Inf	99.96	3	Vertical	272	1.82	-	34.20	7.90	30.62			
RMS	5.9516G	103.00	Inf	-Inf	91.52	3	Vertical	272	1.82	-	34.20	7.90	30.62			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
Setting 108
02-D-N-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	75.72	88.20	-12.48	64.32	3	Horizontal	53	1.81	-	34.15	7.88	30.63				
RMS	5.925G	64.34	88.20	-23.86	52.94	3	Horizontal	53	1.81	-	34.15	7.88	30.63				
PK	5.9594G	121.19	Inf	-Inf	109.69	3	Horizontal	53	1.81	-	34.22	7.90	30.62				
RMS	5.9606G	111.02	Inf	-Inf	99.52	3	Horizontal	53	1.81	-	34.22	7.90	30.62				

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
Setting 108
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89664G	45.21	74.00	-28.79	59.74	3	Vertical	319	2.25	-	39.30	12.01	65.84			
AV	11.91872G	32.01	54.00	-21.99	46.50	3	Vertical	319	2.25	-	39.30	12.03	65.82			
PK	17.8462G	49.37	74.00	-24.63	54.17	3	Vertical	337	2.52	-	46.48	12.75	64.03			
AV	17.87636G	36.75	54.00	-17.25	41.39	3	Vertical	337	2.52	-	46.61	12.76	64.01			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_X_2TX
Setting 108
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91464G	45.80	74.00	-28.20	60.30	3	Horizontal	191	2.79	-	39.30	12.03	65.83			
AV	11.90096G	31.91	54.00	-22.09	46.43	3	Horizontal	191	2.79	-	39.30	12.02	65.84			
PK	17.85236G	49.56	74.00	-24.44	54.33	3	Horizontal	306	2.11	-	46.51	12.75	64.03			
AV	17.87636G	36.87	54.00	-17.13	41.51	3	Horizontal	306	2.11	-	46.61	12.76	64.01			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82139G	51.72	83.54	-31.82	41.87	1	Vertical	153	1.52	-	38.86	18.13	47.14			
AV	23.81938G	38.49	63.54	-25.05	28.64	1	Vertical	153	1.52	-	38.86	18.13	47.14			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82049G	51.88	83.54	-31.66	42.03	1	Horizontal	172	2.39	-	38.86	18.13	47.14			
AV	23.81874G	38.44	63.54	-25.10	28.59	1	Horizontal	172	2.39	-	38.86	18.13	47.14			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_X_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38613G	48.33	74.00	-25.67	63.22	3	Vertical	337	1.72	-	38.70	12.02	65.61			
AV	12.39G	35.06	54.00	-18.94	49.95	3	Vertical	337	1.72	-	38.70	12.02	65.61			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_X_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38385G	47.46	74.00	-26.54	62.35	3	Horizontal	5	1.78	-	38.70	12.02	65.61			
AV	12.38724G	34.73	54.00	-19.27	49.62	3	Horizontal	5	1.78	-	38.70	12.02	65.61			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58029G	50.04	83.54	-33.50	46.12	1	Vertical	21	1.81	-	37.86	15.71	49.65			
AV	18.58464G	37.30	63.54	-26.24	33.37	1	Vertical	21	1.81	-	37.87	15.71	49.65			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58836G	48.45	83.54	-35.09	44.51	1	Horizontal	61	1.82	-	37.88	15.71	49.65			
AV	18.59079G	36.03	63.54	-27.51	32.09	1	Horizontal	61	1.82	-	37.88	15.71	49.65			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84221G	46.47	88.20	-41.73	60.55	3	Vertical	351	1.66	-	39.07	11.95	65.10			
RMS	12.83168G	32.96	68.20	-35.24	47.08	3	Vertical	351	1.66	-	39.03	11.96	65.11			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82523G	46.51	88.20	-41.69	60.67	3	Horizontal	61	2.46	-	39.00	11.96	65.12			
RMS	12.82979G	32.46	68.20	-35.74	46.59	3	Horizontal	61	2.46	-	39.02	11.96	65.11			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24336G	55.20	83.54	-28.34	50.74	1	Vertical	226	2.75	-	37.90	16.01	49.45			
AV	19.24338G	42.28	63.54	-21.26	37.82	1	Vertical	226	2.75	-	37.90	16.01	49.45			

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24839G	55.07	83.54	-28.47	50.61	1	Horizontal	308	1.14	-	37.90	16.01	49.45			
AV	19.24211G	42.17	63.54	-21.37	37.71	1	Horizontal	308	1.14	-	37.90	16.01	49.45			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_X_2TX
Setting 104
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06844G	48.01	88.20	-40.19	61.49	3	Vertical	345	1.80	-	39.47	11.92	64.87			
RMS	13.06934G	34.39	68.20	-33.81	47.86	3	Vertical	345	1.80	-	39.48	11.92	64.87			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_X_2TX
Setting 104
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07294G	47.55	88.20	-40.65	61.01	3	Horizontal	353	1.66	-	39.49	11.92	64.87			
RMS	13.0625G	33.64	68.20	-34.56	47.14	3	Horizontal	353	1.66	-	39.45	11.92	64.87			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_X_2TX
Setting 104
01-U-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6021G	50.61	83.54	-32.93	46.15	1	Vertical	300	1.84	-	37.90	16.09	49.53			
AV	19.6009G	37.54	63.54	-26.00	33.08	1	Vertical	300	1.84	-	37.90	16.09	49.53			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_X_2TX
Setting 104
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6028G	49.26	83.54	-34.28	44.81	1	Horizontal	290	1.80	-	37.89	16.09	49.53			
AV	19.6028G	36.83	63.54	-26.71	32.38	1	Horizontal	290	1.80	-	37.89	16.09	49.53			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_X_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39447G	50.99	74.00	-23.01	63.68	3	Vertical	339	1.80	-	40.28	11.87	64.84			
AV	13.38988G	37.83	54.00	-16.17	50.54	3	Vertical	339	1.80	-	40.26	11.87	64.84			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_X_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39168G	48.66	74.00	-25.34	61.36	3	Horizontal	22	1.80	-	40.27	11.87	64.84			
AV	13.39522G	35.26	54.00	-18.74	47.95	3	Horizontal	22	1.80	-	40.28	11.87	64.84			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0856G	52.81	83.54	-30.73	47.92	1	Vertical	359	1.67	-	37.87	16.27	49.25			
AV	20.08555G	40.28	63.54	-23.26	35.39	1	Vertical	359	1.67	-	37.87	16.27	49.25			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08635G	51.57	83.54	-31.97	46.68	1	Horizontal	310	1.72	-	37.87	16.27	49.25			
AV	20.08565G	39.44	63.54	-24.10	34.55	1	Horizontal	310	1.72	-	37.87	16.27	49.25			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_X_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7025G	53.74	88.20	-34.46	65.95	3	Vertical	344	1.94	-	40.71	11.82	64.74			
RMS	13.70985G	40.01	68.20	-28.19	52.20	3	Vertical	344	1.94	-	40.72	11.82	64.73			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6855MHz_TX

EUT_X_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70868G	51.11	88.20	-37.09	63.30	3	Horizontal	359	1.75	-	40.72	11.82	64.73			
RMS	13.71G	37.79	68.20	-30.41	49.98	3	Horizontal	359	1.75	-	40.72	11.82	64.73			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6855MHz_TX

EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5596G	57.00	83.54	-26.54	51.80	1	Vertical	1	1.80	-	37.92	16.48	49.20			
AV	20.55395G	44.28	63.54	-19.26	39.09	1	Vertical	1	1.80	-	37.91	16.48	49.20			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6855MHz_TX

EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5405G	54.89	83.54	-28.65	49.70	1	Horizontal	311	1.78	-	37.92	16.48	49.21			
AV	20.5622G	42.56	63.54	-20.98	37.36	1	Horizontal	311	1.78	-	37.92	16.48	49.20			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
Setting 93
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9212G	72.51	88.20	-15.69	61.12	3	Vertical	241	1.73	-	34.14	7.88	30.63			
RMS	5.925G	58.07	68.20	-10.13	46.67	3	Vertical	241	1.73	-	34.15	7.88	30.63			
PK	5.9632G	106.29	Inf	-Inf	94.77	3	Vertical	241	1.73	-	34.23	7.91	30.62			
RMS	5.9617G	97.73	Inf	-Inf	86.22	3	Vertical	241	1.73	-	34.22	7.91	30.62			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
Setting 93
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.09	88.20	-9.11	67.69	3	Horizontal	57	1.82	-	34.15	7.88	30.63			
RMS	5.925G	67.16	68.20	-1.04	55.76	3	Horizontal	57	1.82	-	34.15	7.88	30.63			
PK	5.9578G	115.63	Inf	-Inf	104.13	3	Horizontal	57	1.82	-	34.22	7.90	30.62			
RMS	5.9605G	106.38	Inf	-Inf	94.88	3	Horizontal	57	1.82	-	34.22	7.90	30.62			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT X_2TX
Setting 93
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92272G	45.04	74.00	-28.96	59.53	3	Vertical	24	1.94	-	39.30	12.03	65.82			
AV	11.9012G	32.13	54.00	-21.87	46.65	3	Vertical	24	1.94	-	39.30	12.02	65.84			
PK	17.92564G	50.77	74.00	-23.23	55.32	3	Vertical	323	2.01	-	46.65	12.78	63.98			
AV	17.87956G	37.73	54.00	-16.27	42.36	3	Vertical	323	2.01	-	46.62	12.76	64.01			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_X_2TX
Setting 93
02-D-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92152G	45.25	74.00	-28.75	59.74	3	Horizontal	226	1.10	-	39.30	12.03	65.82			
AV	11.91848G	32.05	54.00	-21.95	46.54	3	Horizontal	226	1.10	-	39.30	12.03	65.82			
PK	17.87708G	50.37	74.00	-23.63	55.01	3	Horizontal	275	2.40	-	46.61	12.76	64.01			
AV	17.88508G	37.38	54.00	-16.62	41.98	3	Horizontal	275	2.40	-	46.64	12.77	64.01			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_X_2TX
Setting 93
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8783G	50.91	74.00	-23.09	41.03	1	Vertical	104	2.04	-	38.86	18.14	47.12			
AV	23.86475G	38.22	54.00	-15.78	28.37	1	Vertical	104	2.04	-	38.83	18.14	47.12			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_X_2TX
Setting 93
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8564G	50.68	83.54	-32.86	40.87	1	Horizontal	134	1.01	-	38.81	18.13	47.13			
AV	23.85975G	38.19	63.54	-25.35	28.36	1	Horizontal	134	1.01	-	38.82	18.13	47.12			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40991G	50.04	74.00	-23.96	64.92	3	Vertical	335	1.79	-	38.70	12.02	65.60			
AV	12.39551G	33.01	54.00	-20.99	47.90	3	Vertical	335	1.79	-	38.70	12.02	65.61			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_X_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41003G	50.16	74.00	-23.84	65.04	3	Horizontal	303	1.71	-	38.70	12.02	65.60			
AV	12.39527G	32.68	54.00	-21.32	47.57	3	Horizontal	303	1.71	-	38.70	12.02	65.61			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6375G	47.54	83.54	-36.00	43.43	1	Vertical	295	1.80	-	37.98	15.74	49.61			
AV	18.61175G	34.09	63.54	-29.45	30.07	1	Vertical	295	1.80	-	37.92	15.73	49.63			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_X_2TX
Setting 108
02-D-S-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6109G	48.53	83.54	-35.01	44.51	1	Horizontal	69	1.80	-	37.92	15.73	49.63			
AV	18.6229G	34.49	63.54	-29.05	30.43	1	Horizontal	69	1.80	-	37.95	15.73	49.62			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
Setting 107
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81339G	48.13	88.20	-40.07	59.94	3	Vertical	350	1.65	-	38.95	14.38	65.14			
RMS	12.81309G	34.27	68.20	-33.93	46.08	3	Vertical	350	1.65	-	38.95	14.38	65.14			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_X_2TX
Setting 107
01-U-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79731G	47.57	88.20	-40.63	59.48	3	Horizontal	29	1.80	-	38.89	14.36	65.16			
RMS	12.81285G	33.98	68.20	-34.22	45.79	3	Horizontal	29	1.80	-	38.95	14.38	65.14			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX



EUT_X_2TX
Setting 107
01-U-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21265G	52.66	83.54	-30.88	48.19	1	Vertical	360	1.80	-	37.90	16.00	49.43			
AV	19.2049G	39.55	63.54	-23.99	35.08	1	Vertical	360	1.80	-	37.90	16.00	49.43			