


## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT X\_2TX  
Setting 38  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.887G       | 58.43             | 88.20             | -29.77         | 51.55         | 3           | Horizontal | 312            | 2.10          | -       | 34.87      | 5.34       | 33.33      |  |
| RMS  | 5.925G       | 48.39             | 68.20             | -19.81         | 41.33         | 3           | Horizontal | 312            | 2.10          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.4078G      | 110.42            | Inf               | -Inf           | 102.14        | 3           | Horizontal | 312            | 2.10          | -       | 35.68      | 5.70       | 33.10      |  |
| RMS  | 6.4078G      | 99.17             | Inf               | -Inf           | 90.89         | 3           | Horizontal | 312            | 2.10          | -       | 35.68      | 5.70       | 33.10      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_X\_2TX  
Setting 38  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.82768G    | 57.13             | 88.20             | -31.07         | 43.60         | 3           | Vertical  | 255            | 2.03          | -       | 39.43      | 8.83       | 34.73      |
| RMS  | 12.83048G    | 43.37             | 68.20             | -24.83         | 29.84         | 3           | Vertical  | 255            | 2.03          | -       | 39.43      | 8.83       | 34.73      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_X\_2TX  
Setting 38  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.82682G    | 57.18             | 88.20             | -31.02         | 43.65         | 3           | Horizontal | 293            | 1.20          | -       | 39.43      | 8.83       | 34.73      |
| RMS  | 12.82638G    | 43.43             | 68.20             | -24.77         | 29.90         | 3           | Horizontal | 293            | 1.20          | -       | 39.43      | 8.83       | 34.73      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT\_X\_2TX  
Setting 38  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.24068G    | 48.61             | 83.54             | -34.93         | 45.35         | 1           | Vertical  | 271            | 1.56          | -       | 37.71      | 15.20      | 49.65      |
| AV   | 19.24104G    | 34.71             | 63.54             | -28.83         | 31.45         | 1           | Vertical  | 271            | 1.56          | -       | 37.71      | 15.20      | 49.65      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6415MHz\_TnomVnom




EUT X\_2TX  
Setting 38  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.24576G    | 47.94             | 83.54             | -35.60         | 44.68         | 1           | Horizontal | 65             | 1.57          | -       | 37.71      | 15.20      | 49.65      |
| AV   | 19.24388G    | 34.70             | 63.54             | -28.84         | 31.44         | 1           | Horizontal | 65             | 1.57          | -       | 37.71      | 15.20      | 49.65      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT X\_2TX  
Setting 43  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8878G      | 59.06             | 88.20             | -29.14         | 52.18         | 3           | Vertical  | 110            | 1.05          | -       | 34.88      | 5.34       | 33.34      |  |
| RMS  | 5.8806G      | 48.28             | 68.20             | -19.92         | 41.41         | 3           | Vertical  | 110            | 1.05          | -       | 34.86      | 5.34       | 33.33      |  |
| PK   | 6.4398G      | 104.61            | Inf               | -Inf           | 96.37         | 3           | Vertical  | 110            | 1.05          | -       | 35.62      | 5.70       | 33.08      |  |
| RMS  | 6.4398G      | 95.45             | Inf               | -Inf           | 87.21         | 3           | Vertical  | 110            | 1.05          | -       | 35.62      | 5.70       | 33.08      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT X\_2TX  
Setting 43  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.907G       | 59.20             | 88.20             | -29.00         | 52.25         | 3           | Horizontal | 284            | 1.80          | -       | 34.94      | 5.35       | 33.34      |  |
| RMS  | 5.925G       | 48.29             | 68.20             | -19.91         | 41.23         | 3           | Horizontal | 284            | 1.80          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.4302G      | 108.82            | Inf               | -Inf           | 100.57        | 3           | Horizontal | 284            | 1.80          | -       | 35.64      | 5.70       | 33.09      |  |
| RMS  | 6.4374G      | 98.98             | Inf               | -Inf           | 90.73         | 3           | Horizontal | 284            | 1.80          | -       | 35.63      | 5.70       | 33.08      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT X\_2TX  
Setting 43  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.87208G    | 56.57             | 88.20             | -31.63         | 43.00         | 3           | Vertical  | 331            | 2.57          | -       | 39.47      | 8.83       | 34.73      |
| RMS  | 12.87366G    | 43.22             | 68.20             | -24.98         | 29.65         | 3           | Vertical  | 331            | 2.57          | -       | 39.47      | 8.83       | 34.73      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT\_X\_2TX  
Setting 43  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.86514G    | 56.38             | 88.20             | -31.82         | 42.81         | 3           | Horizontal | 302            | 2.56          | -       | 39.47      | 8.83       | 34.73      |  |
| RMS  | 12.87174G    | 43.22             | 68.20             | -24.98         | 29.65         | 3           | Horizontal | 302            | 2.56          | -       | 39.47      | 8.83       | 34.73      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT X\_2TX  
Setting 43  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.30172G    | 48.19             | 83.54             | -35.35         | 44.89         | 1           | Vertical  | 201            | 1.55          | -       | 37.74      | 15.22      | 49.66      |
| AV   | 19.30818G    | 35.19             | 63.54             | -28.35         | 31.88         | 1           | Vertical  | 201            | 1.55          | -       | 37.75      | 15.22      | 49.66      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6435MHz\_TnomVnom




EUT X\_2TX  
Setting 43  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.30292G    | 48.02             | 83.54             | -35.52         | 44.72         | 1           | Horizontal | 330            | 1.52          | -       | 37.74      | 15.22      | 49.66      |
| AV   | 19.30698G    | 35.22             | 63.54             | -28.32         | 31.91         | 1           | Horizontal | 330            | 1.52          | -       | 37.75      | 15.22      | 49.66      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT X\_2TX  
Setting 37  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.925G       | 58.79             | 88.20             | -29.41         | 51.73         | 3           | Vertical  | 96             | 1.13          | -       | 35.05      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 48.25             | 68.20             | -19.95         | 41.19         | 3           | Vertical  | 96             | 1.13          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.4698G      | 100.58            | Inf               | -Inf           | 92.26         | 3           | Vertical  | 96             | 1.13          | -       | 35.68      | 5.70       | 33.06      |  |
| RMS  | 6.4724G      | 92.15             | Inf               | -Inf           | 83.82         | 3           | Vertical  | 96             | 1.13          | -       | 35.69      | 5.70       | 33.06      |  |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

## 6475MHz\_TnomVnom




EUT X\_2TX  
Setting 37  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8432G      | 59.23             | 88.20             | -28.97         | 52.47         | 3           | Horizontal | 286            | 1.80          | -       | 34.76      | 5.32       | 33.32      |
| RMS  | 5.877G       | 48.30             | 68.20             | -19.90         | 41.44         | 3           | Horizontal | 286            | 1.80          | -       | 34.85      | 5.34       | 33.33      |
| PK   | 6.4802G      | 109.21            | Inf               | -Inf           | 100.84        | 3           | Horizontal | 286            | 1.80          | -       | 35.72      | 5.70       | 33.05      |
| RMS  | 6.4776G      | 97.81             | Inf               | -Inf           | 89.46         | 3           | Horizontal | 286            | 1.80          | -       | 35.71      | 5.70       | 33.06      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT\_X\_2TX  
Setting 37  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95064G    | 57.10             | 88.20             | -31.10         | 43.40         | 3           | Vertical  | 128            | 2.45          | -       | 39.60      | 8.81       | 34.71      |
| RMS  | 12.94536G    | 43.72             | 68.20             | -24.48         | 30.03         | 3           | Vertical  | 128            | 2.45          | -       | 39.59      | 8.81       | 34.71      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT X\_2TX  
Setting 37  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.9452G     | 56.72             | 88.20             | -31.48         | 43.03         | 3           | Horizontal | 50             | 1.93          | -       | 39.59      | 8.81       | 34.71      |
| RMS  | 12.95468G    | 43.65             | 68.20             | -24.55         | 29.94         | 3           | Horizontal | 50             | 1.93          | -       | 39.61      | 8.81       | 34.71      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT X\_2TX  
Setting 37  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.4274G  | 48.45    | 83.54    | -35.09 | 45.03  | 1    | Vertical  | 21      | 1.58   | -       | 37.84 | 15.27 | 49.69 |  |
| AV   | 19.42216G | 35.19    | 63.54    | -28.35 | 31.76  | 1    | Vertical  | 21      | 1.58   | -       | 37.84 | 15.27 | 49.68 |  |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6475MHz\_TnomVnom




EUT X\_2TX  
Setting 37  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.42778G | 48.45    | 83.54    | -35.09 | 45.03  | 1    | Horizontal | 323     | 1.56   | -       | 37.84 | 15.27 | 49.69 |  |
| AV   | 19.42294G | 35.19    | 63.54    | -28.35 | 31.76  | 1    | Horizontal | 323     | 1.56   | -       | 37.84 | 15.27 | 49.68 |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_X\_2TX  
Setting 42  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8794G      | 58.71             | 88.20             | -29.49         | 51.84         | 3           | Vertical  | 100            | 1.12          | -       | 34.86      | 5.34       | 33.33      |
| RMS  | 5.8682G      | 48.17             | 68.20             | -20.03         | 41.33         | 3           | Vertical  | 100            | 1.12          | -       | 34.84      | 5.33       | 33.33      |
| PK   | 6.5178G      | 103.95            | Inf               | -Inf           | 95.43         | 3           | Vertical  | 100            | 1.12          | -       | 35.87      | 5.70       | 33.05      |
| RMS  | 6.5178G      | 92.84             | Inf               | -Inf           | 84.32         | 3           | Vertical  | 100            | 1.12          | -       | 35.87      | 5.70       | 33.05      |
| PK   | 7.1422G      | 61.41             | 88.20             | -26.79         | 51.86         | 3           | Vertical  | 100            | 1.12          | -       | 37.04      | 5.97       | 33.46      |
| RMS  | 7.131G       | 51.34             | 68.20             | -16.86         | 41.87         | 3           | Vertical  | 100            | 1.12          | -       | 36.95      | 5.97       | 33.45      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_X\_2TX  
Setting 42  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8766G      | 59.11             | 88.20             | -29.09         | 52.25         | 3           | Horizontal | 283            | 1.80          | -       | 34.85      | 5.34       | 33.33      |
| RMS  | 5.9242G      | 48.23             | 68.20             | -19.97         | 41.17         | 3           | Horizontal | 283            | 1.80          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.5066G      | 108.12            | Inf               | -Inf           | 99.63         | 3           | Horizontal | 283            | 1.80          | -       | 35.83      | 5.70       | 33.04      |
| RMS  | 6.5122G      | 97.92             | Inf               | -Inf           | 89.42         | 3           | Horizontal | 283            | 1.80          | -       | 35.85      | 5.70       | 33.05      |
| PK   | 7.1254G      | 61.71             | 88.20             | -26.49         | 52.29         | 3           | Horizontal | 283            | 1.80          | -       | 36.90      | 5.96       | 33.44      |
| RMS  | 7.1282G      | 51.37             | 68.20             | -16.83         | 41.92         | 3           | Horizontal | 283            | 1.80          | -       | 36.93      | 5.96       | 33.44      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT\_X\_2TX  
Setting 42  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.03212G    | 57.05             | 88.20             | -31.15         | 43.26         | 3           | Vertical  | 292            | 1.85          | -       | 39.70      | 8.79       | 34.70      |  |
| RMS  | 13.03492G    | 43.34             | 68.20             | -24.86         | 29.55         | 3           | Vertical  | 292            | 1.85          | -       | 39.70      | 8.79       | 34.70      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT X\_2TX  
Setting 42  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.03124G    | 56.51             | 88.20             | -31.69         | 42.72         | 3           | Horizontal | 151            | 2.05          | -       | 39.70      | 8.79       | 34.70      |
| RMS  | 13.03402G    | 43.48             | 68.20             | -24.72         | 29.69         | 3           | Horizontal | 151            | 2.05          | -       | 39.70      | 8.79       | 34.70      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT X\_2TX  
Setting 42  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.54186G    | 48.08             | 83.54             | -35.46         | 44.58         | 1           | Vertical  | 172            | 1.57          | -       | 37.88      | 15.32      | 49.70      |
| AV   | 19.54484G    | 34.98             | 63.54             | -28.56         | 31.48         | 1           | Vertical  | 172            | 1.57          | -       | 37.88      | 15.32      | 49.70      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6515MHz\_TnomVnom




EUT X\_2TX  
Setting 42  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.54186G | 47.84    | 83.54    | -35.70 | 44.34  | 1    | Horizontal | 213     | 1.53   | -       | 37.88 | 15.32 | 49.70 |
| AV   | 19.5421G  | 34.97    | 63.54    | -28.57 | 31.47  | 1    | Horizontal | 213     | 1.53   | -       | 37.88 | 15.32 | 49.70 |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_X\_2TX  
Setting 39  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8742G      | 58.68             | 88.20             | -29.52         | 51.82         | 3           | Vertical  | 116            | 1.19          | -       | 34.85      | 5.34       | 33.33      |
| RMS  | 5.8826G      | 48.25             | 68.20             | -19.95         | 41.37         | 3           | Vertical  | 116            | 1.19          | -       | 34.87      | 5.34       | 33.33      |
| PK   | 6.5266G      | 109.47            | Inf               | -Inf           | 100.91        | 3           | Vertical  | 116            | 1.19          | -       | 35.91      | 5.70       | 33.05      |
| RMS  | 6.5266G      | 100.84            | Inf               | -Inf           | 92.28         | 3           | Vertical  | 116            | 1.19          | -       | 35.91      | 5.70       | 33.05      |
| PK   | 7.1874G      | 61.56             | 88.20             | -26.64         | 51.83         | 3           | Vertical  | 116            | 1.19          | -       | 37.25      | 5.99       | 33.51      |
| RMS  | 7.137G       | 51.36             | 68.20             | -16.84         | 41.84         | 3           | Vertical  | 116            | 1.19          | -       | 37.00      | 5.97       | 33.45      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_X\_2TX  
Setting 39  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9246G      | 58.72             | 88.20             | -29.48         | 51.66         | 3           | Horizontal | 282            | 1.78          | -       | 35.05      | 5.36       | 33.35      |
| RMS  | 5.9162G      | 46.88             | 68.20             | -21.32         | 39.87         | 3           | Horizontal | 282            | 1.78          | -       | 35.00      | 5.36       | 33.35      |
| PK   | 6.5294G      | 114.40            | Inf               | -Inf           | 105.83        | 3           | Horizontal | 282            | 1.78          | -       | 35.92      | 5.70       | 33.05      |
| RMS  | 6.535G       | 103.81            | Inf               | -Inf           | 95.23         | 3           | Horizontal | 282            | 1.78          | -       | 35.94      | 5.70       | 33.06      |
| PK   | 7.1874G      | 62.02             | 88.20             | -26.18         | 52.29         | 3           | Horizontal | 282            | 1.78          | -       | 37.25      | 5.99       | 33.51      |
| RMS  | 7.207G       | 49.87             | 68.20             | -18.33         | 40.10         | 3           | Horizontal | 282            | 1.78          | -       | 37.31      | 6.00       | 33.54      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT X\_2TX  
Setting 39  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.06832G    | 57.71             | 88.20             | -30.49         | 43.92         | 3           | Vertical  | 238            | 1.97          | -       | 39.70      | 8.79       | 34.70      |
| RMS  | 13.0658G     | 43.52             | 68.20             | -24.68         | 29.73         | 3           | Vertical  | 238            | 1.97          | -       | 39.70      | 8.79       | 34.70      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT X\_2TX  
Setting 39  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.06532G    | 58.03             | 88.20             | -30.17         | 44.24         | 3           | Horizontal | 274            | 2.52          | -       | 39.70      | 8.79       | 34.70      |
| RMS  | 13.07126G    | 43.49             | 68.20             | -24.71         | 29.70         | 3           | Horizontal | 274            | 2.52          | -       | 39.70      | 8.79       | 34.70      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_X\_2TX  
Setting 42  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.60372G    | 48.99             | 83.54             | -34.55         | 45.49         | 1           | Vertical  | 19             | 1.52          | -       | 37.86      | 15.34      | 49.70      |
| AV   | 19.60708G    | 35.75             | 63.54             | -27.79         | 32.25         | 1           | Vertical  | 19             | 1.52          | -       | 37.86      | 15.34      | 49.70      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6535MHz\_TnomVnom




EUT\_X\_2TX  
Setting 42  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.60368G    | 48.89             | 83.54             | -34.65         | 45.39         | 1           | Horizontal | 116            | 1.52          | -       | 37.86      | 15.34      | 49.70      |
| AV   | 19.60696G    | 35.74             | 63.54             | -27.80         | 32.24         | 1           | Horizontal | 116            | 1.52          | -       | 37.86      | 15.34      | 49.70      |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

## 6695MHz\_TnomVnom




EUT X\_2TX  
Setting 46  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6906G      | 104.25            | Inf               | -Inf           | 95.49         | 3           | Vertical  | 109            | 1.17          | -       | 36.20      | 5.70       | 33.14      |  |
| RMS  | 6.6884G      | 91.84             | Inf               | -Inf           | 83.07         | 3           | Vertical  | 109            | 1.17          | -       | 36.20      | 5.70       | 33.13      |  |
| PK   | 7.157G       | 62.11             | 88.20             | -26.09         | 52.48         | 3           | Vertical  | 109            | 1.17          | -       | 37.13      | 5.98       | 33.48      |  |
| RMS  | 7.2428G      | 50.06             | 68.20             | -18.14         | 40.23         | 3           | Vertical  | 109            | 1.17          | -       | 37.39      | 6.02       | 33.58      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT X\_2TX  
Setting 46  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6884G      | 107.66            | Inf               | -Inf           | 98.89         | 3           | Horizontal | 283            | 1.75          | -       | 36.20      | 5.70       | 33.13      |  |
| RMS  | 6.6884G      | 98.66             | Inf               | -Inf           | 89.89         | 3           | Horizontal | 283            | 1.75          | -       | 36.20      | 5.70       | 33.13      |  |
| PK   | 7.19G        | 63.27             | 88.20             | -24.93         | 53.53         | 3           | Horizontal | 283            | 1.75          | -       | 37.26      | 6.00       | 33.52      |  |
| RMS  | 7.1394G      | 51.48             | 68.20             | -16.72         | 41.95         | 3           | Horizontal | 283            | 1.75          | -       | 37.02      | 5.97       | 33.46      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3903G     | 57.47             | 74.00             | -16.53         | 43.29         | 3           | Vertical  | 88             | 1.46          | -       | 40.18      | 8.72       | 34.72      |
| AV   | 13.38932G    | 44.31             | 54.00             | -9.69          | 30.13         | 3           | Vertical  | 88             | 1.46          | -       | 40.18      | 8.72       | 34.72      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT\_X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.39278G    | 57.87             | 74.00             | -16.13         | 43.68         | 3           | Horizontal | 280            | 1.09          | -       | 40.19      | 8.72       | 34.72      |  |
| AV   | 13.39326G    | 44.38             | 54.00             | -9.62          | 30.19         | 3           | Horizontal | 280            | 1.09          | -       | 40.19      | 8.72       | 34.72      |  |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

## 6695MHz\_TnomVnom




EUT\_X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.0807G  | 46.32    | 83.54    | -37.22 | 43.05  | 1    | Vertical  | 89      | 1.51   | -       | 37.46 | 15.54 | 49.73 |
| AV   | 20.08596G | 33.43    | 63.54    | -30.11 | 30.15  | 1    | Vertical  | 89      | 1.51   | -       | 37.47 | 15.54 | 49.73 |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6695MHz\_TnomVnom




EUT X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.0859G     | 46.21             | 83.54             | -37.33         | 42.93         | 1           | Horizontal | 114            | 1.51          | -       | 37.47      | 15.54      | 49.73      |
| AV   | 20.08374G    | 33.40             | 63.54             | -30.14         | 30.12         | 1           | Horizontal | 114            | 1.51          | -       | 37.47      | 15.54      | 49.73      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT X\_2TX  
Setting 48  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8634G      | 101.84            | Inf               | -Inf           | 92.75         | 3           | Vertical  | 281            | 2.09          | -       | 36.55      | 5.76       | 33.22      |  |
| RMS  | 6.8634G      | 93.13             | Inf               | -Inf           | 84.04         | 3           | Vertical  | 281            | 2.09          | -       | 36.55      | 5.76       | 33.22      |  |
| PK   | 7.163G       | 61.84             | 88.20             | -26.36         | 52.20         | 3           | Vertical  | 281            | 2.09          | -       | 37.15      | 5.98       | 33.49      |  |
| RMS  | 7.1252G      | 51.53             | 68.20             | -16.67         | 42.11         | 3           | Vertical  | 281            | 2.09          | -       | 36.90      | 5.96       | 33.44      |  |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

## 6855MHz\_TnomVnom




EUT X\_2TX  
Setting 48  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8606G      | 110.51            | Inf               | -Inf           | 101.41        | 3           | Horizontal | 295            | 1.76          | -       | 36.56      | 5.76       | 33.22      |  |
| RMS  | 6.8578G      | 101.60            | Inf               | -Inf           | 92.49         | 3           | Horizontal | 295            | 1.76          | -       | 36.57      | 5.76       | 33.22      |  |
| PK   | 7.1966G      | 62.36             | 88.20             | -25.84         | 52.60         | 3           | Horizontal | 295            | 1.76          | -       | 37.29      | 6.00       | 33.53      |  |
| RMS  | 7.1266G      | 51.68             | 68.20             | -16.52         | 42.25         | 3           | Horizontal | 295            | 1.76          | -       | 36.91      | 5.96       | 33.44      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_X\_2TX  
Setting 48  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.71312G    | 58.72             | 88.20             | -29.48         | 44.46         | 3           | Vertical  | 135            | 1.36          | -       | 40.41      | 8.66       | 34.81      |
| RMS  | 13.71392G    | 45.63             | 68.20             | -22.57         | 31.37         | 3           | Vertical  | 135            | 1.36          | -       | 40.41      | 8.66       | 34.81      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT\_X\_2TX  
Setting 48  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.70562G    | 59.25             | 88.20             | -28.95         | 44.99         | 3           | Horizontal | 200            | 2.78          | -       | 40.41      | 8.66       | 34.81      |
| RMS  | 13.70992G    | 45.51             | 68.20             | -22.69         | 31.25         | 3           | Horizontal | 200            | 2.78          | -       | 40.41      | 8.66       | 34.81      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT X\_2TX  
Setting 48  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56776G    | 48.20             | 83.54             | -35.34         | 44.53         | 1           | Vertical  | 229            | 1.58          | -       | 37.78      | 15.76      | 49.87      |
| AV   | 20.56162G    | 35.31             | 63.54             | -28.23         | 31.67         | 1           | Vertical  | 229            | 1.58          | -       | 37.77      | 15.75      | 49.88      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6855MHz\_TnomVnom




EUT X\_2TX  
Setting 48  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.56116G | 48.12    | 83.54    | -35.42 | 44.48  | 1    | Horizontal | 340     | 1.56   | -       | 37.77 | 15.75 | 49.88 |  |
| AV   | 20.56454G | 35.26    | 63.54    | -28.28 | 31.60  | 1    | Horizontal | 340     | 1.56   | -       | 37.78 | 15.75 | 49.87 |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_2TX  
Setting 44  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.882G       | 101.15            | Inf               | -Inf           | 92.13         | 3           | Vertical  | 19             | 1.05          | -       | 36.47      | 5.78       | 33.23      |
| RMS  | 6.8778G      | 91.77             | Inf               | -Inf           | 82.73         | 3           | Vertical  | 19             | 1.05          | -       | 36.49      | 5.78       | 33.23      |
| PK   | 7.1592G      | 62.35             | 88.20             | -25.85         | 52.71         | 3           | Vertical  | 19             | 1.05          | -       | 37.14      | 5.98       | 33.48      |
| RMS  | 7.1368G      | 51.54             | 68.20             | -16.66         | 42.03         | 3           | Vertical  | 19             | 1.05          | -       | 36.99      | 5.97       | 33.45      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_2TX  
Setting 44  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8848G      | 111.12            | Inf               | -Inf           | 102.11        | 3           | Horizontal | 282            | 1.70          | -       | 36.46      | 5.78       | 33.23      |
| RMS  | 6.8834G      | 102.40            | Inf               | -Inf           | 93.38         | 3           | Horizontal | 282            | 1.70          | -       | 36.47      | 5.78       | 33.23      |
| PK   | 7.1704G      | 62.21             | 88.20             | -25.99         | 52.53         | 3           | Horizontal | 282            | 1.70          | -       | 37.18      | 5.99       | 33.49      |
| RMS  | 7.1326G      | 51.69             | 68.20             | -16.51         | 42.21         | 3           | Horizontal | 282            | 1.70          | -       | 36.96      | 5.97       | 33.45      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_2TX  
Setting 44  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.74926G    | 59.50             | 88.20             | -28.70         | 45.22         | 3           | Vertical  | 209            | 2.46          | -       | 40.45      | 8.65       | 34.82      |
| RMS  | 13.74758G    | 46.34             | 68.20             | -21.86         | 32.06         | 3           | Vertical  | 209            | 2.46          | -       | 40.45      | 8.65       | 34.82      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_2TX  
Setting 44  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.74562G    | 59.83             | 88.20             | -28.37         | 45.55         | 3           | Horizontal | 57             | 2.49          | -       | 40.45      | 8.65       | 34.82      |
| RMS  | 13.753G      | 46.36             | 68.20             | -21.84         | 32.09         | 3           | Horizontal | 57             | 2.49          | -       | 40.45      | 8.65       | 34.83      |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

## 6875MHz\_TnomVnom




EUT X\_2TX  
Setting 44  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.62196G | 48.12    | 83.54    | -35.42 | 44.34  | 1    | Vertical  | 320     | 1.52   | -       | 37.85 | 15.78 | 49.85 |
| AV   | 20.62494G | 35.09    | 63.54    | -28.45 | 31.31  | 1    | Vertical  | 320     | 1.52   | -       | 37.85 | 15.78 | 49.85 |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6875MHz\_TnomVnom




EUT X\_2TX  
Setting 44  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.62276G | 48.17    | 83.54    | -35.37 | 44.39  | 1    | Horizontal | 115     | 1.56   | -       | 37.85 | 15.78 | 49.85 |
| AV   | 20.62552G | 35.01    | 63.54    | -28.53 | 31.23  | 1    | Horizontal | 115     | 1.56   | -       | 37.85 | 15.78 | 49.85 |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT X\_2TX  
Setting 46  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9034G      | 99.94             | Inf               | -Inf           | 90.95         | 3           | Vertical  | 270            | 2.17          | -       | 36.43      | 5.80       | 33.24      |
| RMS  | 6.9034G      | 91.00             | Inf               | -Inf           | 82.01         | 3           | Vertical  | 270            | 2.17          | -       | 36.43      | 5.80       | 33.24      |
| PK   | 7.231G       | 62.30             | 88.20             | -25.90         | 52.49         | 3           | Vertical  | 270            | 2.17          | -       | 37.36      | 6.02       | 33.57      |
| RMS  | 7.1428G      | 51.48             | 68.20             | -16.72         | 41.93         | 3           | Vertical  | 270            | 2.17          | -       | 37.04      | 5.97       | 33.46      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT X\_2TX  
Setting 46  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.9006G      | 108.88            | Inf               | -Inf           | 99.92         | 3           | Horizontal | 278            | 2.58          | -       | 36.40      | 5.80       | 33.24      |  |
| RMS  | 6.902G       | 99.83             | Inf               | -Inf           | 90.85         | 3           | Horizontal | 278            | 2.58          | -       | 36.42      | 5.80       | 33.24      |  |
| PK   | 7.1736G      | 63.06             | 88.20             | -25.14         | 53.38         | 3           | Horizontal | 278            | 2.58          | -       | 37.19      | 5.99       | 33.50      |  |
| RMS  | 7.1302G      | 51.50             | 68.20             | -16.70         | 42.04         | 3           | Horizontal | 278            | 2.58          | -       | 36.94      | 5.97       | 33.45      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT\_X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.79338G    | 59.76             | 88.20             | -28.44         | 45.47         | 3           | Vertical  | 187            | 2.33          | -       | 40.49      | 8.64       | 34.84      |
| RMS  | 13.79392G    | 46.48             | 68.20             | -21.72         | 32.19         | 3           | Vertical  | 187            | 2.33          | -       | 40.49      | 8.64       | 34.84      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT\_X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.79258G    | 59.91             | 88.20             | -28.29         | 45.62         | 3           | Horizontal | 196            | 1.42          | -       | 40.49      | 8.64       | 34.84      |
| RMS  | 13.79384G    | 46.57             | 68.20             | -21.63         | 32.28         | 3           | Horizontal | 196            | 1.42          | -       | 40.49      | 8.64       | 34.84      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.6869G  | 48.99    | 83.54    | -34.55 | 45.09  | 1    | Vertical  | 22      | 1.58   | -       | 37.92 | 15.81 | 49.83 |  |
| AV   | 20.68308G | 35.42    | 63.54    | -28.12 | 31.52  | 1    | Vertical  | 22      | 1.58   | -       | 37.92 | 15.81 | 49.83 |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6895MHz\_TnomVnom




EUT\_X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.6895G  | 49.15    | 83.54    | -34.39 | 45.23  | 1    | Horizontal | 251     | 1.54   | -       | 37.93 | 15.81 | 49.82 |  |
| AV   | 20.68308G | 35.46    | 63.54    | -28.08 | 31.56  | 1    | Horizontal | 251     | 1.54   | -       | 37.92 | 15.81 | 49.83 |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.994G       | 99.77             | Inf               | -Inf           | 90.55         | 3           | Vertical  | 323            | 3.00          | -       | 36.62      | 5.89       | 33.29      |  |
| RMS  | 7.004G       | 90.20             | Inf               | -Inf           | 80.97         | 3           | Vertical  | 323            | 3.00          | -       | 36.62      | 5.90       | 33.29      |  |
| PK   | 7.187G       | 63.17             | 88.20             | -25.03         | 53.44         | 3           | Vertical  | 323            | 3.00          | -       | 37.25      | 5.99       | 33.51      |  |
| RMS  | 7.135G       | 51.55             | 68.20             | -16.65         | 42.05         | 3           | Vertical  | 323            | 3.00          | -       | 36.98      | 5.97       | 33.45      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.996G       | 108.10            | Inf               | -Inf           | 98.87         | 3           | Horizontal | 285            | 1.74          | -       | 36.62      | 5.90       | 33.29      |  |
| RMS  | 6.994G       | 98.74             | Inf               | -Inf           | 89.52         | 3           | Horizontal | 285            | 1.74          | -       | 36.62      | 5.89       | 33.29      |  |
| PK   | 7.237G       | 63.23             | 88.20             | -24.97         | 53.41         | 3           | Horizontal | 285            | 1.74          | -       | 37.37      | 6.02       | 33.57      |  |
| RMS  | 7.131G       | 51.68             | 68.20             | -16.52         | 42.21         | 3           | Horizontal | 285            | 1.74          | -       | 36.95      | 5.97       | 33.45      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.98984G    | 59.89             | 88.20             | -28.31         | 45.35         | 3           | Vertical  | 22             | 1.86          | -       | 40.87      | 8.60       | 34.93      |
| RMS  | 13.98716G    | 46.38             | 68.20             | -21.82         | 31.84         | 3           | Vertical  | 22             | 1.86          | -       | 40.86      | 8.60       | 34.92      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT\_X\_2TX  
Setting 26  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.98846G    | 59.73             | 88.20             | -28.47         | 45.19         | 3           | Horizontal | 123            | 2.10          | -       | 40.87      | 8.60       | 34.93      |  |
| RMS  | 13.99214G    | 46.41             | 68.20             | -21.79         | 31.86         | 3           | Horizontal | 123            | 2.10          | -       | 40.88      | 8.60       | 34.93      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.98242G | 48.34    | 83.54    | -35.20 | 44.48  | 1    | Vertical  | 52      | 1.56   | -       | 37.63 | 15.94 | 49.71 |
| AV   | 20.9822G  | 34.98    | 63.54    | -28.56 | 31.12  | 1    | Vertical  | 52      | 1.56   | -       | 37.62 | 15.94 | 49.70 |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 6995MHz\_TnomVnom




EUT X\_2TX  
Setting 26  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.98808G    | 47.85             | 83.54             | -35.69         | 43.99         | 1           | Horizontal | 226            | 1.52          | -       | 37.62      | 15.94      | 49.70      |
| AV   | 20.98588G    | 34.80             | 63.54             | -28.74         | 30.95         | 1           | Horizontal | 226            | 1.52          | -       | 37.62      | 15.94      | 49.71      |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

## 7095MHz\_TnomVnom




EUT X\_2TX  
Setting 39  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.089G       | 103.69            | Inf               | -Inf           | 94.43         | 3           | Vertical  | 44             | 2.90          | -       | 36.72      | 5.94       | 33.40      |  |
| RMS  | 7.0968G      | 93.50             | Inf               | -Inf           | 84.25         | 3           | Vertical  | 44             | 2.90          | -       | 36.71      | 5.95       | 33.41      |  |
| PK   | 7.2174G      | 62.82             | 88.20             | -25.38         | 53.03         | 3           | Vertical  | 44             | 2.90          | -       | 37.33      | 6.01       | 33.55      |  |
| RMS  | 7.1268G      | 51.84             | 68.20             | -16.36         | 42.41         | 3           | Vertical  | 44             | 2.90          | -       | 36.91      | 5.96       | 33.44      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT X\_2TX  
Setting 39  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0968G      | 112.15            | Inf               | -Inf           | 102.90        | 3           | Horizontal | 282            | 1.71          | -       | 36.71      | 5.95       | 33.41      |
| RMS  | 7.101G       | 101.73            | Inf               | -Inf           | 92.48         | 3           | Horizontal | 282            | 1.71          | -       | 36.71      | 5.95       | 33.41      |
| PK   | 7.1316G      | 63.31             | 88.20             | -24.89         | 53.84         | 3           | Horizontal | 282            | 1.71          | -       | 36.95      | 5.97       | 33.45      |
| RMS  | 7.1262G      | 53.17             | 68.20             | -15.03         | 43.74         | 3           | Horizontal | 282            | 1.71          | -       | 36.91      | 5.96       | 33.44      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT\_X\_2TX  
Setting 39  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.19346G    | 59.57             | 88.20             | -28.63         | 45.01         | 3           | Vertical  | 214            | 2.94          | -       | 40.81      | 8.65       | 34.90      |  |
| RMS  | 14.1935G     | 45.69             | 68.20             | -22.51         | 31.13         | 3           | Vertical  | 214            | 2.94          | -       | 40.81      | 8.65       | 34.90      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT X\_2TX  
Setting 39  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.18774G    | 58.64             | 88.20             | -29.56         | 44.08         | 3           | Horizontal | 196            | 1.44          | -       | 40.81      | 8.65       | 34.90      |  |
| RMS  | 14.18524G    | 45.54             | 68.20             | -22.66         | 30.98         | 3           | Horizontal | 196            | 1.44          | -       | 40.81      | 8.65       | 34.90      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT X\_2TX  
Setting 39  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.28658G | 49.87    | 83.54    | -33.67 | 45.79  | 1    | Vertical  | 112     | 1.51   | -       | 37.64 | 16.08 | 49.64 |
| AV   | 21.2829G  | 36.23    | 63.54    | -27.31 | 32.15  | 1    | Vertical  | 112     | 1.51   | -       | 37.64 | 16.08 | 49.64 |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

### 7095MHz\_TnomVnom




EUT X\_2TX  
Setting 39  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28276G    | 49.54             | 83.54             | -34.00         | 45.46         | 1           | Horizontal | 175            | 1.56          | -       | 37.64      | 16.08      | 49.64      |
| AV   | 21.28884G    | 36.54             | 63.54             | -27.00         | 32.45         | 1           | Horizontal | 175            | 1.56          | -       | 37.65      | 16.08      | 49.64      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUT X\_2TX  
Setting 52  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9242G      | 65.97             | 88.20             | -22.23         | 58.91         | 3           | Vertical  | 355            | 1.71          | -       | 35.05      | 5.36       | 33.35      |
| RMS  | 5.925G       | 53.34             | 68.20             | -14.86         | 46.28         | 3           | Vertical  | 355            | 1.71          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 5.981G       | 101.45            | Inf               | -Inf           | 94.11         | 3           | Vertical  | 355            | 1.71          | -       | 35.32      | 5.39       | 33.37      |
| RMS  | 5.9826G      | 90.59             | Inf               | -Inf           | 83.24         | 3           | Vertical  | 355            | 1.71          | -       | 35.33      | 5.39       | 33.37      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUT X\_2TX  
Setting 52  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9202G      | 69.75             | 88.20             | -18.45         | 62.72         | 3           | Horizontal | 301            | 1.79          | -       | 35.02      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 57.19             | 68.20             | -11.01         | 50.13         | 3           | Horizontal | 301            | 1.79          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 5.9514G      | 108.13            | Inf               | -Inf           | 100.90        | 3           | Horizontal | 301            | 1.79          | -       | 35.21      | 5.38       | 33.36      |  |
| RMS  | 5.9506G      | 98.04             | Inf               | -Inf           | 90.82         | 3           | Horizontal | 301            | 1.79          | -       | 35.20      | 5.38       | 33.36      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUT X\_2TX  
Setting 52  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.93G       | 56.63             | 74.00             | -17.37         | 43.49         | 3           | Vertical  | 241            | 1.47          | -       | 39.11      | 8.95       | 34.92      |  |
| AV   | 11.93226G    | 42.76             | 54.00             | -11.24         | 29.63         | 3           | Vertical  | 241            | 1.47          | -       | 39.10      | 8.95       | 34.92      |  |
| PK   | 17.89042G    | 61.29             | 74.00             | -12.71         | 44.33         | 3           | Vertical  | 49             | 1.17          | -       | 41.97      | 9.76       | 34.77      |  |
| AV   | 17.8983G     | 47.90             | 54.00             | -6.10          | 30.92         | 3           | Vertical  | 49             | 1.17          | -       | 41.99      | 9.76       | 34.77      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 5965MHz\_TnomVnom




EUT X\_2TX  
Setting 52  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.9322G     | 56.55             | 74.00             | -17.45         | 43.42         | 3           | Horizontal | 301            | 2.61          | -       | 39.10      | 8.95       | 34.92      |
| AV   | 11.92886G    | 42.75             | 54.00             | -11.25         | 29.61         | 3           | Horizontal | 301            | 2.61          | -       | 39.11      | 8.95       | 34.92      |
| PK   | 17.89862G    | 61.52             | 74.00             | -12.48         | 44.53         | 3           | Horizontal | 34             | 2.37          | -       | 42.00      | 9.76       | 34.77      |
| AV   | 17.8981G     | 47.83             | 54.00             | -6.17          | 30.85         | 3           | Horizontal | 34             | 2.37          | -       | 41.99      | 9.76       | 34.77      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT X\_2TX  
Setting 49  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8968G      | 58.91             | 88.20             | -29.29         | 52.01         | 3           | Vertical  | 97             | 1.02          | -       | 34.89      | 5.35       | 33.34      |  |
| RMS  | 5.925G       | 48.26             | 68.20             | -19.94         | 41.20         | 3           | Vertical  | 97             | 1.02          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.183G       | 97.95             | Inf               | -Inf           | 90.03         | 3           | Vertical  | 97             | 1.02          | -       | 35.60      | 5.58       | 33.26      |  |
| RMS  | 6.183G       | 89.72             | Inf               | -Inf           | 81.80         | 3           | Vertical  | 97             | 1.02          | -       | 35.60      | 5.58       | 33.26      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT X\_2TX  
Setting 49  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.7726G      | 59.83             | 88.20             | -28.37         | 53.37         | 3           | Horizontal | 313            | 2.65          | -       | 34.45      | 5.30       | 33.29      |  |
| RMS  | 5.9202G      | 48.43             | 68.20             | -19.77         | 41.40         | 3           | Horizontal | 313            | 2.65          | -       | 35.02      | 5.36       | 33.35      |  |
| PK   | 6.1596G      | 107.48            | Inf               | -Inf           | 99.73         | 3           | Horizontal | 313            | 2.65          | -       | 35.46      | 5.56       | 33.27      |  |
| RMS  | 6.1578G      | 99.27             | Inf               | -Inf           | 91.53         | 3           | Horizontal | 313            | 2.65          | -       | 35.45      | 5.56       | 33.27      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT\_X\_2TX  
Setting 49  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.32766G    | 55.86             | 74.00             | -18.14         | 43.00         | 3           | Vertical  | 184            | 1.87          | -       | 38.78      | 8.93       | 34.85      |
| AV   | 12.32964G    | 42.14             | 54.00             | -11.86         | 29.27         | 3           | Vertical  | 184            | 1.87          | -       | 38.79      | 8.93       | 34.85      |



## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT\_X\_2TX  
Setting 49  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.32538G    | 56.10             | 74.00             | -17.90         | 43.24         | 3           | Horizontal | 215            | 1.84          | -       | 38.78      | 8.93       | 34.85      |
| AV   | 12.32688G    | 42.19             | 54.00             | -11.81         | 29.33         | 3           | Horizontal | 215            | 1.84          | -       | 38.78      | 8.93       | 34.85      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6165MHz\_TnomVnom




EUT X\_2TX  
Setting 49  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.49492G    | 48.97             | 83.54             | -34.57         | 46.38         | 1           | Vertical  | 78             | 1.53          | -       | 37.79      | 14.90      | 50.10      |  |
| AV   | 18.49832G    | 34.28             | 63.54             | -29.26         | 31.68         | 1           | Vertical  | 78             | 1.53          | -       | 37.80      | 14.90      | 50.10      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6165MHz\_TnomVnom




EUT X\_2TX  
Setting 49  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.49576G    | 48.18             | 83.54             | -35.36         | 45.59         | 1           | Horizontal | 196            | 1.51          | -       | 37.79      | 14.90      | 50.10      |
| AV   | 18.49752G    | 34.30             | 63.54             | -29.24         | 31.70         | 1           | Horizontal | 196            | 1.51          | -       | 37.80      | 14.90      | 50.10      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT X\_2TX  
Setting 59  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9154G      | 59.36             | 88.20             | -28.84         | 52.36         | 3           | Vertical  | 100            | 1.15          | -       | 34.99      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 48.30             | 68.20             | -19.90         | 41.24         | 3           | Vertical  | 100            | 1.15          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.393G       | 104.05            | Inf               | -Inf           | 95.77         | 3           | Vertical  | 100            | 1.15          | -       | 35.69      | 5.70       | 33.11      |  |
| RMS  | 6.3882G      | 95.21             | Inf               | -Inf           | 86.96         | 3           | Vertical  | 100            | 1.15          | -       | 35.68      | 5.69       | 33.12      |  |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6405MHz\_TnomVnom




EUT X\_2TX  
Setting 59  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.889G       | 58.84             | 88.20             | -29.36         | 51.96         | 3           | Horizontal | 308            | 1.93          | -       | 34.88      | 5.34       | 33.34      |  |
| RMS  | 5.925G       | 48.34             | 68.20             | -19.86         | 41.28         | 3           | Horizontal | 308            | 1.93          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.3906G      | 112.14            | Inf               | -Inf           | 103.87        | 3           | Horizontal | 308            | 1.93          | -       | 35.68      | 5.70       | 33.11      |  |
| RMS  | 6.3954G      | 101.65            | Inf               | -Inf           | 93.37         | 3           | Horizontal | 308            | 1.93          | -       | 35.69      | 5.70       | 33.11      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT X\_2TX  
Setting 59  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.81336G    | 57.16             | 88.20             | -31.04         | 43.65         | 3           | Vertical  | 298            | 2.07          | -       | 39.41      | 8.84       | 34.74      |
| RMS  | 12.80556G    | 43.00             | 68.20             | -25.20         | 29.49         | 3           | Vertical  | 298            | 2.07          | -       | 39.41      | 8.84       | 34.74      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT\_X\_2TX  
Setting 59  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.8105G     | 57.01             | 88.20             | -31.19         | 43.50         | 3           | Horizontal | 130            | 1.21          | -       | 39.41      | 8.84       | 34.74      |
| RMS  | 12.80568G    | 42.97             | 68.20             | -25.23         | 29.46         | 3           | Horizontal | 130            | 1.21          | -       | 39.41      | 8.84       | 34.74      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6405MHz\_TnomVnom




EUT X\_2TX  
Setting 59  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.21898G    | 47.24             | 83.54             | -36.30         | 43.95         | 1           | Vertical  | 291            | 1.56          | -       | 37.74      | 15.19      | 49.64      |
| AV   | 19.2158G     | 34.01             | 63.54             | -29.53         | 30.72         | 1           | Vertical  | 291            | 1.56          | -       | 37.74      | 15.19      | 49.64      |



# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6405MHz\_TnomVnom




EUT X\_2TX  
Setting 59  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 19.2188G     | 47.40             | 83.54             | -36.14         | 44.11         | 1           | Horizontal | 297            | 1.58          | -       | 37.74      | 15.19      | 49.64      |  |
| AV   | 19.21562G    | 33.90             | 63.54             | -29.64         | 30.61         | 1           | Horizontal | 297            | 1.58          | -       | 37.74      | 15.19      | 49.64      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT X\_2TX  
Setting 51  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.869G       | 58.88             | 88.20             | -29.32         | 52.04         | 3           | Vertical  | 110            | 1.00          | -       | 34.84      | 5.33       | 33.33      |  |
| RMS  | 5.9242G      | 48.30             | 68.20             | -19.90         | 41.24         | 3           | Vertical  | 110            | 1.00          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.4618G      | 102.64            | Inf               | -Inf           | 94.36         | 3           | Vertical  | 110            | 1.00          | -       | 35.65      | 5.70       | 33.07      |  |
| RMS  | 6.4402G      | 94.24             | Inf               | -Inf           | 86.00         | 3           | Vertical  | 110            | 1.00          | -       | 35.62      | 5.70       | 33.08      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT X\_2TX  
Setting 51  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.881G       | 59.14             | 88.20             | -29.06         | 52.27         | 3           | Horizontal | 284            | 1.77          | -       | 34.86      | 5.34       | 33.33      |  |
| RMS  | 5.9242G      | 48.29             | 68.20             | -19.91         | 41.23         | 3           | Horizontal | 284            | 1.77          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.4498G      | 108.97            | Inf               | -Inf           | 100.74        | 3           | Horizontal | 284            | 1.77          | -       | 35.60      | 5.70       | 33.07      |  |
| RMS  | 6.4402G      | 100.03            | Inf               | -Inf           | 91.79         | 3           | Horizontal | 284            | 1.77          | -       | 35.62      | 5.70       | 33.08      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT X\_2TX  
Setting 51  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.88612G    | 56.71             | 88.20             | -31.49         | 43.12         | 3           | Vertical  | 260            | 2.21          | -       | 39.49      | 8.82       | 34.72      |
| RMS  | 12.89002G    | 42.68             | 68.20             | -25.52         | 29.09         | 3           | Vertical  | 260            | 2.21          | -       | 39.49      | 8.82       | 34.72      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT X\_2TX  
Setting 51  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.89344G    | 56.51             | 88.20             | -31.69         | 42.92         | 3           | Horizontal | 47             | 2.34          | -       | 39.49      | 8.82       | 34.72      |  |
| RMS  | 12.89248G    | 42.58             | 68.20             | -25.62         | 28.99         | 3           | Horizontal | 47             | 2.34          | -       | 39.49      | 8.82       | 34.72      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT X\_2TX  
Setting 51  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.33248G | 48.10    | 83.54    | -35.44 | 44.77  | 1    | Vertical  | 347     | 1.54   | -       | 37.77 | 15.23 | 49.67 |  |
| AV   | 19.3313G  | 34.65    | 63.54    | -28.89 | 31.32  | 1    | Vertical  | 347     | 1.54   | -       | 37.77 | 15.23 | 49.67 |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6445MHz\_TnomVnom




EUT X\_2TX  
Setting 51  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.33914G    | 48.03             | 83.54             | -35.51         | 44.69         | 1           | Horizontal | 122            | 1.52          | -       | 37.77      | 15.24      | 49.67      |
| AV   | 19.3316G     | 34.56             | 63.54             | -28.98         | 31.23         | 1           | Horizontal | 122            | 1.52          | -       | 37.77      | 15.23      | 49.67      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_X\_2TX  
Setting 57  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.925G       | 58.64             | 88.20             | -29.56         | 51.58         | 3           | Vertical  | 93             | 1.15          | -       | 35.05      | 5.36       | 33.35      |
| RMS  | 5.9234G      | 48.33             | 68.20             | -19.87         | 41.28         | 3           | Vertical  | 93             | 1.15          | -       | 35.04      | 5.36       | 33.35      |
| PK   | 6.472G       | 105.58            | Inf               | -Inf           | 97.25         | 3           | Vertical  | 93             | 1.15          | -       | 35.69      | 5.70       | 33.06      |
| RMS  | 6.472G       | 97.09             | Inf               | -Inf           | 88.76         | 3           | Vertical  | 93             | 1.15          | -       | 35.69      | 5.70       | 33.06      |
| PK   | 7.1298G      | 60.72             | 88.20             | -27.48         | 51.27         | 3           | Vertical  | 93             | 1.15          | -       | 36.94      | 5.96       | 33.45      |
| RMS  | 7.135G       | 51.27             | 68.20             | -16.93         | 41.77         | 3           | Vertical  | 93             | 1.15          | -       | 36.98      | 5.97       | 33.45      |



## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_X\_2TX  
Setting 57  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.848G       | 59.27             | 88.20             | -28.93         | 52.48         | 3           | Horizontal | 292            | 1.80          | -       | 34.79      | 5.32       | 33.32      |
| RMS  | 5.925G       | 48.32             | 68.20             | -19.88         | 41.26         | 3           | Horizontal | 292            | 1.80          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.4824G      | 109.30            | Inf               | -Inf           | 100.92        | 3           | Horizontal | 292            | 1.80          | -       | 35.73      | 5.70       | 33.05      |
| RMS  | 6.4824G      | 98.97             | Inf               | -Inf           | 90.59         | 3           | Horizontal | 292            | 1.80          | -       | 35.73      | 5.70       | 33.05      |
| PK   | 7.1324G      | 61.40             | 88.20             | -26.80         | 51.92         | 3           | Horizontal | 292            | 1.80          | -       | 36.96      | 5.97       | 33.45      |
| RMS  | 7.1324G      | 51.27             | 68.20             | -16.93         | 41.79         | 3           | Horizontal | 292            | 1.80          | -       | 36.96      | 5.97       | 33.45      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT X\_2TX  
Setting 57  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.9719G     | 56.94             | 88.20             | -31.26         | 43.20         | 3           | Vertical  | 244            | 2.20          | -       | 39.64      | 8.81       | 34.71      |  |
| RMS  | 12.97448G    | 43.10             | 68.20             | -25.10         | 29.35         | 3           | Vertical  | 244            | 2.20          | -       | 39.65      | 8.81       | 34.71      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT\_X\_2TX  
Setting 57  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.96512G    | 57.24             | 88.20             | -30.96         | 43.51         | 3           | Horizontal | 147            | 2.78          | -       | 39.63      | 8.81       | 34.71      |
| RMS  | 12.97058G    | 43.06             | 68.20             | -25.14         | 29.32         | 3           | Horizontal | 147            | 2.78          | -       | 39.64      | 8.81       | 34.71      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT X\_2TX  
Setting 57  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.453G   | 49.06    | 83.54    | -34.48 | 45.61  | 1    | Vertical  | 115     | 1.52   | -       | 37.86 | 15.28 | 49.69 |  |
| AV   | 19.45886G | 34.92    | 63.54    | -28.62 | 31.46  | 1    | Vertical  | 115     | 1.52   | -       | 37.87 | 15.28 | 49.69 |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6485MHz\_TnomVnom




EUT X\_2TX  
Setting 57  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 19.45182G    | 48.26             | 83.54             | -35.28         | 44.81         | 1           | Horizontal | 96             | 1.57          | -       | 37.86      | 15.28      | 49.69      |  |
| AV   | 19.45582G    | 34.98             | 63.54             | -28.56         | 31.53         | 1           | Horizontal | 96             | 1.57          | -       | 37.86      | 15.28      | 49.69      |  |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 57  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9146G      | 59.95             | 88.20             | -28.25         | 52.95         | 3           | Vertical  | 108            | 1.13          | -       | 34.99      | 5.36       | 33.35      |
| RMS  | 5.9118G      | 48.28             | 68.20             | -19.92         | 41.29         | 3           | Vertical  | 108            | 1.13          | -       | 34.97      | 5.36       | 33.34      |
| PK   | 6.5222G      | 104.06            | Inf               | -Inf           | 95.52         | 3           | Vertical  | 108            | 1.13          | -       | 35.89      | 5.70       | 33.05      |
| RMS  | 6.5222G      | 94.29             | Inf               | -Inf           | 85.75         | 3           | Vertical  | 108            | 1.13          | -       | 35.89      | 5.70       | 33.05      |
| PK   | 7.169G       | 61.33             | 88.20             | -26.87         | 51.66         | 3           | Vertical  | 108            | 1.13          | -       | 37.18      | 5.98       | 33.49      |
| RMS  | 7.1438G      | 51.31             | 68.20             | -16.89         | 41.75         | 3           | Vertical  | 108            | 1.13          | -       | 37.05      | 5.97       | 33.46      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 57  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8558G      | 59.07             | 88.20             | -29.13         | 52.25         | 3           | Horizontal | 279            | 1.76          | -       | 34.81      | 5.33       | 33.32      |
| RMS  | 5.925G       | 48.35             | 68.20             | -19.85         | 41.29         | 3           | Horizontal | 279            | 1.76          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.5278G      | 108.90            | Inf               | -Inf           | 100.34        | 3           | Horizontal | 279            | 1.76          | -       | 35.91      | 5.70       | 33.05      |
| RMS  | 6.5306G      | 99.90             | Inf               | -Inf           | 91.34         | 3           | Horizontal | 279            | 1.76          | -       | 35.92      | 5.70       | 33.06      |
| PK   | 7.127G       | 62.30             | 88.20             | -25.90         | 52.86         | 3           | Horizontal | 279            | 1.76          | -       | 36.92      | 5.96       | 33.44      |
| RMS  | 7.1438G      | 51.48             | 68.20             | -16.72         | 41.92         | 3           | Horizontal | 279            | 1.76          | -       | 37.05      | 5.97       | 33.46      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 57  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.05166G    | 56.88             | 88.20             | -31.32         | 43.09         | 3           | Vertical  | 311            | 1.54          | -       | 39.70      | 8.79       | 34.70      |
| RMS  | 13.05398G    | 42.94             | 68.20             | -25.26         | 29.15         | 3           | Vertical  | 311            | 1.54          | -       | 39.70      | 8.79       | 34.70      |



## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 57  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0541G     | 57.48             | 88.20             | -30.72         | 43.69         | 3           | Horizontal | 46             | 2.26          | -       | 39.70      | 8.79       | 34.70      |
| RMS  | 13.04886G    | 43.08             | 68.20             | -25.12         | 29.29         | 3           | Horizontal | 46             | 2.26          | -       | 39.70      | 8.79       | 34.70      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6525MHz\_TnomVnom




EUT X\_2TX  
Setting 57  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.5733G     | 48.17             | 83.54             | -35.37         | 44.67         | 1           | Vertical  | 26             | 1.52          | -       | 37.87      | 15.33      | 49.70      |
| AV   | 19.5727G     | 34.73             | 63.54             | -28.81         | 31.23         | 1           | Vertical  | 26             | 1.52          | -       | 37.87      | 15.33      | 49.70      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6525MHz\_TnomVnom




EUT X\_2TX  
Setting 57  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.5701G  | 48.38    | 83.54    | -35.16 | 44.88  | 1    | Horizontal | 13      | 1.56   | -       | 37.87 | 15.33 | 49.70 |
| AV   | 19.57848G | 34.85    | 63.54    | -28.69 | 31.35  | 1    | Horizontal | 13      | 1.56   | -       | 37.87 | 15.33 | 49.70 |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_X\_2TX  
Setting 47  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9176G      | 58.62             | 88.20             | -29.58         | 51.60         | 3           | Vertical  | 107            | 1.20          | -       | 35.01      | 5.36       | 33.35      |
| RMS  | 5.9228G      | 48.26             | 68.20             | -19.94         | 41.21         | 3           | Vertical  | 107            | 1.20          | -       | 35.04      | 5.36       | 33.35      |
| PK   | 6.5728G      | 101.47            | Inf               | -Inf           | 92.80         | 3           | Vertical  | 107            | 1.20          | -       | 36.05      | 5.70       | 33.08      |
| RMS  | 6.5728G      | 92.47             | Inf               | -Inf           | 83.80         | 3           | Vertical  | 107            | 1.20          | -       | 36.05      | 5.70       | 33.08      |
| PK   | 7.202G       | 61.44             | 88.20             | -26.76         | 51.67         | 3           | Vertical  | 107            | 1.20          | -       | 37.30      | 6.00       | 33.53      |
| RMS  | 7.137G       | 51.34             | 68.20             | -16.86         | 41.82         | 3           | Vertical  | 107            | 1.20          | -       | 37.00      | 5.97       | 33.45      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_X\_2TX  
Setting 47  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9228G      | 59.50             | 88.20             | -28.70         | 52.45         | 3           | Horizontal | 287            | 1.87          | -       | 35.04      | 5.36       | 33.35      |
| RMS  | 5.9176G      | 46.62             | 68.20             | -21.58         | 39.60         | 3           | Horizontal | 287            | 1.87          | -       | 35.01      | 5.36       | 33.35      |
| PK   | 6.5468G      | 108.01            | Inf               | -Inf           | 99.38         | 3           | Horizontal | 287            | 1.87          | -       | 35.99      | 5.70       | 33.06      |
| RMS  | 6.5468G      | 96.92             | Inf               | -Inf           | 88.29         | 3           | Horizontal | 287            | 1.87          | -       | 35.99      | 5.70       | 33.06      |
| PK   | 7.1604G      | 61.92             | 88.20             | -26.28         | 52.28         | 3           | Horizontal | 287            | 1.87          | -       | 37.14      | 5.98       | 33.48      |
| RMS  | 7.1396G      | 49.65             | 68.20             | -18.55         | 40.12         | 3           | Horizontal | 287            | 1.87          | -       | 37.02      | 5.97       | 33.46      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_X\_2TX  
Setting 47  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.13278G    | 57.19             | 88.20             | -31.01         | 43.36         | 3           | Vertical  | 198            | 2.67          | -       | 39.77      | 8.77       | 34.71      |  |
| RMS  | 13.1311G     | 43.40             | 68.20             | -24.80         | 29.58         | 3           | Vertical  | 198            | 2.67          | -       | 39.76      | 8.77       | 34.71      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_X\_2TX  
Setting 47  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.12874G    | 57.52             | 88.20             | -30.68         | 43.70         | 3           | Horizontal | 236            | 1.06          | -       | 39.76      | 8.77       | 34.71      |
| RMS  | 13.13138G    | 43.39             | 68.20             | -24.81         | 29.57         | 3           | Horizontal | 236            | 1.06          | -       | 39.76      | 8.77       | 34.71      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT X\_2TX  
Setting 47  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.69824G    | 48.86             | 83.54             | -34.68         | 45.36         | 1           | Vertical  | 228            | 1.51          | -       | 37.82      | 15.38      | 49.70      |
| AV   | 19.69862G    | 34.94             | 63.54             | -28.60         | 31.44         | 1           | Vertical  | 228            | 1.51          | -       | 37.82      | 15.38      | 49.70      |



## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6565MHz\_TnomVnom




EUT\_X\_2TX  
Setting 47  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.69852G    | 48.66             | 83.54             | -34.88         | 45.16         | 1           | Horizontal | 92             | 1.57          | -       | 37.82      | 15.38      | 49.70      |
| AV   | 19.69558G    | 34.90             | 63.54             | -28.64         | 31.40         | 1           | Horizontal | 92             | 1.57          | -       | 37.82      | 15.38      | 49.70      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT X\_2TX  
Setting 50  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6696G      | 102.54            | Inf               | -Inf           | 93.76         | 3           | Vertical  | 112            | 1.01          | -       | 36.20      | 5.70       | 33.12      |  |
| RMS  | 6.6696G      | 93.69             | Inf               | -Inf           | 84.91         | 3           | Vertical  | 112            | 1.01          | -       | 36.20      | 5.70       | 33.12      |  |
| PK   | 7.1426G      | 61.78             | 88.20             | -26.42         | 52.23         | 3           | Vertical  | 112            | 1.01          | -       | 37.04      | 5.97       | 33.46      |  |
| RMS  | 7.1316G      | 51.45             | 68.20             | -16.75         | 41.98         | 3           | Vertical  | 112            | 1.01          | -       | 36.95      | 5.97       | 33.45      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT X\_2TX  
Setting 50  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6784G      | 110.35            | Inf               | -Inf           | 101.58        | 3           | Horizontal | 291            | 1.72          | -       | 36.20      | 5.70       | 33.13      |  |
| RMS  | 6.6784G      | 101.40            | Inf               | -Inf           | 92.63         | 3           | Horizontal | 291            | 1.72          | -       | 36.20      | 5.70       | 33.13      |  |
| PK   | 7.1426G      | 62.40             | 88.20             | -25.80         | 52.85         | 3           | Horizontal | 291            | 1.72          | -       | 37.04      | 5.97       | 33.46      |  |
| RMS  | 7.125G       | 51.57             | 68.20             | -16.63         | 42.15         | 3           | Horizontal | 291            | 1.72          | -       | 36.90      | 5.96       | 33.44      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.36744G    | 57.96             | 74.00             | -16.04         | 43.81         | 3           | Vertical  | 192            | 2.86          | -       | 40.13      | 8.73       | 34.71      |
| AV   | 13.36878G    | 43.90             | 54.00             | -10.10         | 29.74         | 3           | Vertical  | 192            | 2.86          | -       | 40.14      | 8.73       | 34.71      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.36648G    | 57.77             | 74.00             | -16.23         | 43.62         | 3           | Horizontal | 96             | 1.47          | -       | 40.13      | 8.73       | 34.71      |
| AV   | 13.36724G    | 43.86             | 54.00             | -10.14         | 29.71         | 3           | Horizontal | 96             | 1.47          | -       | 40.13      | 8.73       | 34.71      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6685MHz\_TnomVnom




EUT X\_2TX  
Setting 50  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.05988G | 47.12    | 83.54    | -36.42 | 43.86  | 1    | Vertical  | 354     | 1.50   | -       | 37.45 | 15.53 | 49.72 |  |
| AV   | 20.05138G | 33.28    | 63.54    | -30.26 | 30.04  | 1    | Vertical  | 354     | 1.50   | -       | 37.44 | 15.52 | 49.72 |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6685MHz\_TnomVnom




EUT\_X\_2TX  
Setting 50  
04-A-S-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.0597G | 46.29    | 83.54    | -37.25 | 43.03  | 1    | Horizontal | 286     | 1.58   | -       | 37.45 | 15.53 | 49.72 |
| AV   | 20.0511G | 33.34    | 63.54    | -30.20 | 30.10  | 1    | Horizontal | 286     | 1.58   | -       | 37.44 | 15.52 | 49.72 |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6845MHz\_TnomVnom




EUT X\_2TX  
Setting 56  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8478G      | 104.60            | Inf               | -Inf           | 95.47         | 3           | Vertical  | 15             | 2.20          | -       | 36.59      | 5.75       | 33.21      |  |
| RMS  | 6.8492G      | 94.10             | Inf               | -Inf           | 84.96         | 3           | Vertical  | 15             | 2.20          | -       | 36.60      | 5.75       | 33.21      |  |
| PK   | 7.1894G      | 62.10             | 88.20             | -26.10         | 52.37         | 3           | Vertical  | 15             | 2.20          | -       | 37.26      | 5.99       | 33.52      |  |
| RMS  | 7.1362G      | 51.50             | 68.20             | -16.70         | 41.99         | 3           | Vertical  | 15             | 2.20          | -       | 36.99      | 5.97       | 33.45      |  |



# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6845MHz\_TnomVnom




EUT X\_2TX  
Setting 56  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8562G      | 108.74            | Inf               | -Inf           | 99.62         | 3           | Horizontal | 293            | 1.72          | -       | 36.58      | 5.76       | 33.22      |  |
| RMS  | 6.8562G      | 99.97             | Inf               | -Inf           | 90.85         | 3           | Horizontal | 293            | 1.72          | -       | 36.58      | 5.76       | 33.22      |  |
| PK   | 7.1278G      | 62.60             | 88.20             | -25.60         | 53.16         | 3           | Horizontal | 293            | 1.72          | -       | 36.92      | 5.96       | 33.44      |  |
| RMS  | 7.132G       | 51.70             | 68.20             | -16.50         | 42.22         | 3           | Horizontal | 293            | 1.72          | -       | 36.96      | 5.97       | 33.45      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_X\_2TX  
Setting 56  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.69004G    | 58.65             | 88.20             | -29.55         | 44.41         | 3           | Vertical  | 60             | 2.81          | -       | 40.38      | 8.66       | 34.80      |
| RMS  | 13.68692G    | 44.81             | 68.20             | -23.39         | 30.58         | 3           | Vertical  | 60             | 2.81          | -       | 40.37      | 8.66       | 34.80      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_X\_2TX  
Setting 56  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.69148G    | 58.75             | 88.20             | -29.45         | 44.51         | 3           | Horizontal | 328            | 1.03          | -       | 40.38      | 8.66       | 34.80      |
| RMS  | 13.69008G    | 44.76             | 68.20             | -23.44         | 30.52         | 3           | Horizontal | 328            | 1.03          | -       | 40.38      | 8.66       | 34.80      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT\_X\_2TX  
Setting 56  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.5355G  | 48.31    | 83.54    | -35.23 | 44.72  | 1    | Vertical  | 177     | 1.57   | -       | 37.74 | 15.74 | 49.89 |
| AV   | 20.53516G | 35.16    | 63.54    | -28.38 | 31.57  | 1    | Vertical  | 177     | 1.57   | -       | 37.74 | 15.74 | 49.89 |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6845MHz\_TnomVnom




EUT X\_2TX  
Setting 56  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.53044G | 48.61    | 83.54    | -34.93 | 45.02  | 1    | Horizontal | 187     | 1.53   | -       | 37.74 | 15.74 | 49.89 |  |
| AV   | 20.53226G | 35.04    | 63.54    | -28.50 | 31.45  | 1    | Horizontal | 187     | 1.53   | -       | 37.74 | 15.74 | 49.89 |  |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_2TX  
Setting 56  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8892G      | 103.35            | Inf               | -Inf           | 94.35         | 3           | Vertical  | 9              | 2.21          | -       | 36.44      | 5.79       | 33.23      |  |
| RMS  | 6.8906G      | 92.89             | Inf               | -Inf           | 83.90         | 3           | Vertical  | 9              | 2.21          | -       | 36.44      | 5.79       | 33.24      |  |
| PK   | 7.2154G      | 62.68             | 88.20             | -25.52         | 52.89         | 3           | Vertical  | 9              | 2.21          | -       | 37.33      | 6.01       | 33.55      |  |
| RMS  | 7.144G       | 51.50             | 68.20             | -16.70         | 41.94         | 3           | Vertical  | 9              | 2.21          | -       | 37.05      | 5.97       | 33.46      |  |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_2TX  
Setting 56  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8864G      | 109.79            | Inf               | -Inf           | 100.78        | 3           | Horizontal | 279            | 1.73          | -       | 36.45      | 5.79       | 33.23      |  |
| RMS  | 6.8892G      | 99.69             | Inf               | -Inf           | 90.69         | 3           | Horizontal | 279            | 1.73          | -       | 36.44      | 5.79       | 33.23      |  |
| PK   | 7.1622G      | 62.32             | 88.20             | -25.88         | 52.67         | 3           | Horizontal | 279            | 1.73          | -       | 37.15      | 5.98       | 33.48      |  |
| RMS  | 7.1426G      | 51.83             | 68.20             | -16.37         | 42.28         | 3           | Horizontal | 279            | 1.73          | -       | 37.04      | 5.97       | 33.46      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_2TX  
Setting 56  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.77306G    | 59.77             | 88.20             | -28.43         | 45.48         | 3           | Vertical  | 302            | 1.04          | -       | 40.47      | 8.65       | 34.83      |  |
| RMS  | 13.77338G    | 45.99             | 68.20             | -22.21         | 31.70         | 3           | Vertical  | 302            | 1.04          | -       | 40.47      | 8.65       | 34.83      |  |



## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_2TX  
Setting 56  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.77404G    | 59.88             | 88.20             | -28.32         | 45.60         | 3           | Horizontal | 312            | 1.82          | -       | 40.47      | 8.65       | 34.84      |
| RMS  | 13.77364G    | 45.99             | 68.20             | -22.21         | 31.70         | 3           | Horizontal | 312            | 1.82          | -       | 40.47      | 8.65       | 34.83      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6885MHz\_TnomVnom




EUT X\_2TX  
Setting 56  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.65942G    | 48.07             | 83.54             | -35.47         | 44.22         | 1           | Vertical  | 326            | 1.58          | -       | 37.89      | 15.80      | 49.84      |
| AV   | 20.65076G    | 35.16             | 63.54             | -28.38         | 31.33         | 1           | Vertical  | 326            | 1.58          | -       | 37.88      | 15.79      | 49.84      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6885MHz\_TnomVnom




EUT\_X\_2TX  
Setting 56  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.65684G | 49.10    | 83.54    | -34.44 | 45.25  | 1    | Horizontal | 181     | 1.52   | -       | 37.89 | 15.80 | 49.84 |
| AV   | 20.65648G | 35.05    | 63.54    | -28.49 | 31.20  | 1    | Horizontal | 181     | 1.52   | -       | 37.89 | 15.80 | 49.84 |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 6925MHz\_TnomVnom




EUT X\_2TX  
Setting 46  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.919G       | 101.32            | Inf               | -Inf           | 92.20         | 3           | Vertical  | 8              | 1.07          | -       | 36.55      | 5.82       | 33.25      |  |
| RMS  | 6.9202G      | 91.44             | Inf               | -Inf           | 82.31         | 3           | Vertical  | 8              | 1.07          | -       | 36.56      | 5.82       | 33.25      |  |
| PK   | 7.2178G      | 62.82             | 88.20             | -25.38         | 53.02         | 3           | Vertical  | 8              | 1.07          | -       | 37.34      | 6.01       | 33.55      |  |
| RMS  | 7.1254G      | 51.49             | 68.20             | -16.71         | 42.07         | 3           | Vertical  | 8              | 1.07          | -       | 36.90      | 5.96       | 33.44      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT X\_2TX  
Setting 46  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.9346G      | 109.23            | Inf               | -Inf           | 99.98         | 3           | Horizontal | 284            | 1.70          | -       | 36.68      | 5.83       | 33.26      |  |
| RMS  | 6.9382G      | 100.06            | Inf               | -Inf           | 90.77         | 3           | Horizontal | 284            | 1.70          | -       | 36.71      | 5.84       | 33.26      |  |
| PK   | 7.1902G      | 62.88             | 88.20             | -25.32         | 53.14         | 3           | Horizontal | 284            | 1.70          | -       | 37.26      | 6.00       | 33.52      |  |
| RMS  | 7.1326G      | 52.08             | 68.20             | -16.12         | 42.60         | 3           | Horizontal | 284            | 1.70          | -       | 36.96      | 5.97       | 33.45      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.84752G    | 60.20             | 88.20             | -28.00         | 45.89         | 3           | Vertical  | 201            | 1.23          | -       | 40.55      | 8.63       | 34.87      |  |
| RMS  | 13.85302G    | 46.10             | 68.20             | -22.10         | 31.79         | 3           | Vertical  | 201            | 1.23          | -       | 40.55      | 8.63       | 34.87      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.8521G     | 60.61             | 88.20             | -27.59         | 46.30         | 3           | Horizontal | 4              | 2.39          | -       | 40.55      | 8.63       | 34.87      |  |
| RMS  | 13.85424G    | 46.08             | 68.20             | -22.12         | 31.77         | 3           | Horizontal | 4              | 2.39          | -       | 40.55      | 8.63       | 34.87      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.77484G    | 48.72             | 83.54             | -34.82         | 44.70         | 1           | Vertical  | 2              | 1.54          | -       | 37.96      | 15.85      | 49.79      |
| AV   | 20.77406G    | 35.25             | 63.54             | -28.29         | 31.23         | 1           | Vertical  | 2              | 1.54          | -       | 37.96      | 15.85      | 49.79      |



## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 6925MHz\_TnomVnom




EUT\_X\_2TX  
Setting 46  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.7723G  | 48.18    | 83.54    | -35.36 | 44.16  | 1    | Horizontal | 254     | 1.54   | -       | 37.96 | 15.85 | 49.79 |
| AV   | 20.77102G | 35.13    | 63.54    | -28.41 | 31.10  | 1    | Horizontal | 254     | 1.54   | -       | 37.97 | 15.85 | 49.79 |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 7005MHz\_TnomVnom




EUT X\_2TX  
Setting 41  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.9866G      | 95.89             | Inf               | -Inf           | 86.63         | 3           | Vertical  | 191            | 1.80          | -       | 36.65      | 5.89       | 33.28      |  |
| RMS  | 6.9866G      | 86.89             | Inf               | -Inf           | 77.63         | 3           | Vertical  | 191            | 1.80          | -       | 36.65      | 5.89       | 33.28      |  |
| PK   | 7.137G       | 62.17             | 88.20             | -26.03         | 52.65         | 3           | Vertical  | 191            | 1.80          | -       | 37.00      | 5.97       | 33.45      |  |
| RMS  | 7.1322G      | 51.38             | 68.20             | -16.82         | 41.90         | 3           | Vertical  | 191            | 1.80          | -       | 36.96      | 5.97       | 33.45      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT X\_2TX  
Setting 41  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0234G      | 109.00            | Inf               | -Inf           | 99.72         | 3           | Horizontal | 292            | 1.70          | -       | 36.69      | 5.91       | 33.32      |
| RMS  | 7.0234G      | 99.73             | Inf               | -Inf           | 90.45         | 3           | Horizontal | 292            | 1.70          | -       | 36.69      | 5.91       | 33.32      |
| PK   | 7.125G       | 62.80             | 88.20             | -25.40         | 53.38         | 3           | Horizontal | 292            | 1.70          | -       | 36.90      | 5.96       | 33.44      |
| RMS  | 7.1298G      | 51.64             | 68.20             | -16.56         | 42.19         | 3           | Horizontal | 292            | 1.70          | -       | 36.94      | 5.96       | 33.45      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT X\_2TX  
Setting 41  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.00696G    | 59.94             | 88.20             | -28.26         | 45.37         | 3           | Vertical  | 72             | 2.68          | -       | 40.90      | 8.60       | 34.93      |  |
| RMS  | 14.00614G    | 45.90             | 68.20             | -22.30         | 31.33         | 3           | Vertical  | 72             | 2.68          | -       | 40.90      | 8.60       | 34.93      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT X\_2TX  
Setting 41  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.00564G    | 59.49             | 88.20             | -28.71         | 44.92         | 3           | Horizontal | 27             | 1.70          | -       | 40.90      | 8.60       | 34.93      |  |
| RMS  | 14.00594G    | 45.97             | 68.20             | -22.23         | 31.40         | 3           | Horizontal | 27             | 1.70          | -       | 40.90      | 8.60       | 34.93      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT X\_2TX  
Setting 41  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.01912G | 48.08    | 83.54    | -35.46 | 44.22  | 1    | Vertical  | 204     | 1.58   | -       | 37.60 | 15.96 | 49.70 |
| AV   | 21.01926G | 34.99    | 63.54    | -28.55 | 31.13  | 1    | Vertical  | 204     | 1.58   | -       | 37.60 | 15.96 | 49.70 |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 7005MHz\_TnomVnom




EUT X\_2TX  
Setting 41  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.0163G     | 48.42             | 83.54             | -35.12         | 44.56         | 1           | Horizontal | 12             | 1.57          | -       | 37.60      | 15.96      | 49.70      |
| AV   | 21.01942G    | 34.93             | 63.54             | -28.61         | 31.07         | 1           | Horizontal | 12             | 1.57          | -       | 37.60      | 15.96      | 49.70      |

# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 7085MHz\_TnomVnom




EUT X\_2TX  
Setting 49  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.0898G      | 100.94            | Inf               | -Inf           | 91.68         | 3           | Vertical  | 23             | 2.59          | -       | 36.72      | 5.94       | 33.40      |  |
| RMS  | 7.0676G      | 91.17             | Inf               | -Inf           | 81.85         | 3           | Vertical  | 23             | 2.59          | -       | 36.76      | 5.93       | 33.37      |  |
| PK   | 7.1258G      | 67.11             | 88.20             | -21.09         | 57.68         | 3           | Vertical  | 23             | 2.59          | -       | 36.91      | 5.96       | 33.44      |  |
| RMS  | 7.1252G      | 55.48             | 68.20             | -12.72         | 46.06         | 3           | Vertical  | 23             | 2.59          | -       | 36.90      | 5.96       | 33.44      |  |



# 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

## 7085MHz\_TnomVnom




EUT X\_2TX  
Setting 49  
04-A-S-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.097G       | 111.69            | Inf               | -Inf           | 102.44        | 3           | Horizontal | 286            | 1.70          | -       | 36.71      | 5.95       | 33.41      |  |
| RMS  | 7.0988G      | 101.13            | Inf               | -Inf           | 91.89         | 3           | Horizontal | 286            | 1.70          | -       | 36.70      | 5.95       | 33.41      |  |
| PK   | 7.1258G      | 78.95             | 88.20             | -9.25          | 69.52         | 3           | Horizontal | 286            | 1.70          | -       | 36.91      | 5.96       | 33.44      |  |
| RMS  | 7.1252G      | 65.54             | 68.20             | -2.66          | 56.12         | 3           | Horizontal | 286            | 1.70          | -       | 36.90      | 5.96       | 33.44      |  |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT\_X\_2TX  
Setting 49  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.17188G    | 58.65             | 88.20             | -29.55         | 44.08         | 3           | Vertical  | 182            | 2.03          | -       | 40.83      | 8.64       | 34.90      |
| RMS  | 14.17234G    | 45.18             | 68.20             | -23.02         | 30.61         | 3           | Vertical  | 182            | 2.03          | -       | 40.83      | 8.64       | 34.90      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT\_X\_2TX  
Setting 49  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.1689G     | 59.68             | 88.20             | -28.52         | 45.11         | 3           | Horizontal | 360            | 1.44          | -       | 40.83      | 8.64       | 34.90      |
| RMS  | 14.17172G    | 45.16             | 68.20             | -23.04         | 30.59         | 3           | Horizontal | 360            | 1.44          | -       | 40.83      | 8.64       | 34.90      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT\_X\_2TX  
Setting 49  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.25628G    | 49.39             | 83.54             | -34.15         | 45.36         | 1           | Vertical  | 222            | 1.55          | -       | 37.61      | 16.07      | 49.65      |
| AV   | 21.25636G    | 35.63             | 63.54             | -27.91         | 31.60         | 1           | Vertical  | 222            | 1.55          | -       | 37.61      | 16.07      | 49.65      |

## 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

### 7085MHz\_TnomVnom




EUT\_X\_2TX  
Setting 49  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 21.25594G | 48.87    | 83.54    | -34.67 | 44.84  | 1    | Horizontal | 332     | 1.56   | -       | 37.61 | 16.07 | 49.65 |
| AV   | 21.2563G  | 35.50    | 63.54    | -28.04 | 31.47  | 1    | Horizontal | 332     | 1.56   | -       | 37.61 | 16.07 | 49.65 |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 5985MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.921G       | 62.07             | 88.20             | -26.13         | 55.03         | 3           | Vertical  | -0             | 1.78          | -       | 35.03      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 50.55             | 68.20             | -17.65         | 43.49         | 3           | Vertical  | -0             | 1.78          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.0018G      | 99.41             | Inf               | -Inf           | 91.99         | 3           | Vertical  | -0             | 1.78          | -       | 35.40      | 5.40       | 33.38      |  |
| RMS  | 6.0018G      | 89.38             | Inf               | -Inf           | 81.96         | 3           | Vertical  | -0             | 1.78          | -       | 35.40      | 5.40       | 33.38      |  |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 5985MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.925G       | 71.55             | 88.20             | -16.65         | 64.49         | 3           | Horizontal | 296            | 1.65          | -       | 35.05      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 60.30             | 68.20             | -7.90          | 53.24         | 3           | Horizontal | 296            | 1.65          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 5.9938G      | 110.25            | Inf               | -Inf           | 102.85        | 3           | Horizontal | 296            | 1.65          | -       | 35.38      | 5.40       | 33.38      |  |
| RMS  | 5.9914G      | 98.77             | Inf               | -Inf           | 91.38         | 3           | Horizontal | 296            | 1.65          | -       | 35.37      | 5.40       | 33.38      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 5985MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.96744G    | 56.80             | 74.00             | -17.20         | 43.76         | 3           | Vertical  | 192            | 2.85          | -       | 39.00      | 8.98       | 34.94      |
| AV   | 11.96662G    | 42.63             | 54.00             | -11.37         | 29.59         | 3           | Vertical  | 192            | 2.85          | -       | 39.00      | 8.98       | 34.94      |
| PK   | 17.95756G    | 60.90             | 74.00             | -13.10         | 43.87         | 3           | Vertical  | 294            | 1.50          | -       | 42.06      | 9.79       | 34.82      |
| AV   | 17.9523G     | 47.63             | 54.00             | -6.37          | 30.61         | 3           | Vertical  | 294            | 1.50          | -       | 42.05      | 9.78       | 34.81      |



## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 5985MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 11.96654G    | 56.53             | 74.00             | -17.47         | 43.49         | 3           | Horizontal | 205            | 1.70          | -       | 39.00      | 8.98       | 34.94      |  |
| AV   | 11.97246G    | 42.71             | 54.00             | -11.29         | 29.69         | 3           | Horizontal | 205            | 1.70          | -       | 38.98      | 8.98       | 34.94      |  |
| PK   | 17.9593G     | 61.47             | 74.00             | -12.53         | 44.44         | 3           | Horizontal | 77             | 2.19          | -       | 42.06      | 9.79       | 34.82      |  |
| AV   | 17.95778G    | 47.63             | 54.00             | -6.37          | 30.60         | 3           | Horizontal | 77             | 2.19          | -       | 42.06      | 9.79       | 34.82      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT X\_2TX  
Setting 64  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8522G      | 59.47             | 88.20             | -28.73         | 52.66         | 3           | Vertical  | 113            | 1.05          | -       | 34.80      | 5.33       | 33.32      |  |
| RMS  | 5.925G       | 48.36             | 68.20             | -19.84         | 41.30         | 3           | Vertical  | 113            | 1.05          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.1234G      | 101.29            | Inf               | -Inf           | 93.62         | 3           | Vertical  | 113            | 1.05          | -       | 35.45      | 5.52       | 33.30      |  |
| RMS  | 6.1762G      | 90.94             | Inf               | -Inf           | 83.06         | 3           | Vertical  | 113            | 1.05          | -       | 35.56      | 5.58       | 33.26      |  |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6145MHz\_TnomVnom




EUT X\_2TX  
Setting 64  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9134G      | 59.43             | 88.20             | -28.77         | 52.44         | 3           | Horizontal | 299            | 1.80          | -       | 34.98      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 49.06             | 68.20             | -19.14         | 42.00         | 3           | Horizontal | 299            | 1.80          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.1066G      | 109.80            | Inf               | -Inf           | 102.11        | 3           | Horizontal | 299            | 1.80          | -       | 35.49      | 5.51       | 33.31      |  |
| RMS  | 6.133G       | 98.56             | Inf               | -Inf           | 90.89         | 3           | Horizontal | 299            | 1.80          | -       | 35.43      | 5.53       | 33.29      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT\_X\_2TX  
Setting 64  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.29272G    | 56.50             | 74.00             | -17.50         | 43.71         | 3           | Vertical  | 299            | 2.06          | -       | 38.71      | 8.94       | 34.86      |
| AV   | 12.28504G    | 42.31             | 54.00             | -11.69         | 29.52         | 3           | Vertical  | 299            | 2.06          | -       | 38.71      | 8.94       | 34.86      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT\_X\_2TX  
Setting 64  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.29158G    | 56.38             | 74.00             | -17.62         | 43.59         | 3           | Horizontal | 47             | 2.27          | -       | 38.71      | 8.94       | 34.86      |  |
| AV   | 12.2883G     | 42.26             | 54.00             | -11.74         | 29.47         | 3           | Horizontal | 47             | 2.27          | -       | 38.71      | 8.94       | 34.86      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT\_X\_2TX  
Setting 64  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.43344G    | 47.26             | 83.54             | -36.28         | 44.80         | 1           | Vertical  | 330            | 1.50          | -       | 37.72      | 14.87      | 50.13      |  |
| AV   | 18.43308G    | 34.20             | 63.54             | -29.34         | 31.74         | 1           | Vertical  | 330            | 1.50          | -       | 37.72      | 14.87      | 50.13      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6145MHz\_TnomVnom




EUT X\_2TX  
Setting 64  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.43164G    | 47.17             | 83.54             | -36.37         | 44.71         | 1           | Horizontal | 171            | 1.57          | -       | 37.72      | 14.87      | 50.13      |  |
| AV   | 18.43832G    | 34.19             | 63.54             | -29.35         | 31.70         | 1           | Horizontal | 171            | 1.57          | -       | 37.73      | 14.88      | 50.12      |  |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6385MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8834G      | 58.92             | 88.20             | -29.28         | 52.04         | 3           | Vertical  | 99             | 1.05          | -       | 34.87      | 5.34       | 33.33      |  |
| RMS  | 5.917G       | 48.18             | 68.20             | -20.02         | 41.17         | 3           | Vertical  | 99             | 1.05          | -       | 35.00      | 5.36       | 33.35      |  |
| PK   | 6.3778G      | 105.37            | Inf               | -Inf           | 97.14         | 3           | Vertical  | 99             | 1.05          | -       | 35.66      | 5.69       | 33.12      |  |
| RMS  | 6.3754G      | 96.43             | Inf               | -Inf           | 88.21         | 3           | Vertical  | 99             | 1.05          | -       | 35.65      | 5.69       | 33.12      |  |



# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6385MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8978G      | 58.65             | 88.20             | -29.55         | 51.74         | 3           | Horizontal | 298            | 1.80          | -       | 34.90      | 5.35       | 33.34      |  |
| RMS  | 5.9242G      | 48.59             | 68.20             | -19.61         | 41.53         | 3           | Horizontal | 298            | 1.80          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.397G       | 108.28            | Inf               | -Inf           | 100.00        | 3           | Horizontal | 298            | 1.80          | -       | 35.69      | 5.70       | 33.11      |  |
| RMS  | 6.397G       | 97.70             | Inf               | -Inf           | 89.42         | 3           | Horizontal | 298            | 1.80          | -       | 35.69      | 5.70       | 33.11      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.76864G    | 56.94             | 88.20             | -31.26         | 43.47         | 3           | Vertical  | 353            | 1.66          | -       | 39.37      | 8.85       | 34.75      |
| RMS  | 12.77414G    | 43.08             | 68.20             | -25.12         | 29.61         | 3           | Vertical  | 353            | 1.66          | -       | 39.37      | 8.85       | 34.75      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.7713G     | 56.82             | 88.20             | -31.38         | 43.35         | 3           | Horizontal | 212            | 1.35          | -       | 39.37      | 8.85       | 34.75      |
| RMS  | 12.76674G    | 42.97             | 68.20             | -25.23         | 29.50         | 3           | Horizontal | 212            | 1.35          | -       | 39.37      | 8.85       | 34.75      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.15054G    | 48.08             | 83.54             | -35.46         | 44.73         | 1           | Vertical  | 83             | 1.52          | -       | 37.82      | 15.16      | 49.63      |
| AV   | 19.15636G    | 34.42             | 63.54             | -29.12         | 31.08         | 1           | Vertical  | 83             | 1.52          | -       | 37.81      | 15.16      | 49.63      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6385MHz\_TnomVnom




EUT\_X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.1593G     | 48.04             | 83.54             | -35.50         | 44.70         | 1           | Horizontal | 300            | 1.52          | -       | 37.81      | 15.16      | 49.63      |
| AV   | 19.15048G    | 34.32             | 63.54             | -29.22         | 30.97         | 1           | Horizontal | 300            | 1.52          | -       | 37.82      | 15.16      | 49.63      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9086G      | 59.02             | 88.20             | -29.18         | 52.06         | 3           | Vertical  | 104            | 1.07          | -       | 34.95      | 5.35       | 33.34      |  |
| RMS  | 5.9216G      | 48.12             | 68.20             | -20.08         | 41.08         | 3           | Vertical  | 104            | 1.07          | -       | 35.03      | 5.36       | 33.35      |  |
| PK   | 6.4338G      | 104.21            | Inf               | -Inf           | 95.97         | 3           | Vertical  | 104            | 1.07          | -       | 35.63      | 5.70       | 33.09      |  |
| RMS  | 6.4364G      | 93.94             | Inf               | -Inf           | 85.69         | 3           | Vertical  | 104            | 1.07          | -       | 35.63      | 5.70       | 33.08      |  |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6465MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.8592G      | 59.12             | 88.20             | -29.08         | 52.29         | 3           | Horizontal | 311            | 2.67          | -       | 34.82      | 5.33       | 33.32      |  |
| RMS  | 5.9242G      | 48.29             | 68.20             | -19.91         | 41.23         | 3           | Horizontal | 311            | 2.67          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.439G       | 108.89            | Inf               | -Inf           | 100.65        | 3           | Horizontal | 311            | 2.67          | -       | 35.62      | 5.70       | 33.08      |  |
| RMS  | 6.4364G      | 99.01             | Inf               | -Inf           | 90.76         | 3           | Horizontal | 311            | 2.67          | -       | 35.63      | 5.70       | 33.08      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.93108G    | 57.28             | 88.20             | -30.92         | 43.62         | 3           | Vertical  | 104            | 2.84          | -       | 39.56      | 8.81       | 34.71      |
| RMS  | 12.92826G    | 42.85             | 68.20             | -25.35         | 29.19         | 3           | Vertical  | 104            | 2.84          | -       | 39.56      | 8.81       | 34.71      |



## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.93384G    | 56.98             | 88.20             | -31.22         | 43.31         | 3           | Horizontal | 193            | 2.35          | -       | 39.57      | 8.81       | 34.71      |
| RMS  | 12.93124G    | 42.78             | 68.20             | -25.42         | 29.12         | 3           | Horizontal | 193            | 2.35          | -       | 39.56      | 8.81       | 34.71      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT\_X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 19.39468G    | 48.56             | 83.54             | -34.98         | 45.16         | 1           | Vertical  | 234            | 1.57          | -       | 37.82      | 15.26      | 49.68      |  |
| AV   | 19.39252G    | 34.87             | 63.54             | -28.67         | 31.48         | 1           | Vertical  | 234            | 1.57          | -       | 37.81      | 15.26      | 49.68      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6465MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.3931G     | 48.47             | 83.54             | -35.07         | 45.08         | 1           | Horizontal | 76             | 1.51          | -       | 37.81      | 15.26      | 49.68      |
| AV   | 19.39824G    | 35.03             | 63.54             | -28.51         | 31.63         | 1           | Horizontal | 76             | 1.51          | -       | 37.82      | 15.26      | 49.68      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 69  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9038G      | 58.67             | 88.20             | -29.53         | 51.74         | 3           | Vertical  | 106            | 1.12          | -       | 34.92      | 5.35       | 33.34      |
| RMS  | 5.925G       | 48.04             | 68.20             | -20.16         | 40.98         | 3           | Vertical  | 106            | 1.12          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.5758G      | 103.67            | Inf               | -Inf           | 95.00         | 3           | Vertical  | 106            | 1.12          | -       | 36.05      | 5.70       | 33.08      |
| RMS  | 6.5674G      | 95.11             | Inf               | -Inf           | 86.45         | 3           | Vertical  | 106            | 1.12          | -       | 36.03      | 5.70       | 33.07      |
| PK   | 7.1554G      | 61.83             | 88.20             | -26.37         | 52.21         | 3           | Vertical  | 106            | 1.12          | -       | 37.12      | 5.98       | 33.48      |
| RMS  | 7.245G       | 51.12             | 68.20             | -17.08         | 41.29         | 3           | Vertical  | 106            | 1.12          | -       | 37.39      | 6.02       | 33.58      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 69  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.925G       | 58.67             | 88.20             | -29.53         | 51.61         | 3           | Horizontal | 284            | 2.51          | -       | 35.05      | 5.36       | 33.35      |
| RMS  | 5.925G       | 48.14             | 68.20             | -20.06         | 41.08         | 3           | Horizontal | 284            | 2.51          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.5786G      | 107.59            | Inf               | -Inf           | 98.91         | 3           | Horizontal | 284            | 2.51          | -       | 36.06      | 5.70       | 33.08      |
| RMS  | 6.5758G      | 98.82             | Inf               | -Inf           | 90.15         | 3           | Horizontal | 284            | 2.51          | -       | 36.05      | 5.70       | 33.08      |
| PK   | 7.1722G      | 61.30             | 88.20             | -26.90         | 51.62         | 3           | Horizontal | 284            | 2.51          | -       | 37.19      | 5.99       | 33.50      |
| RMS  | 7.2422G      | 51.13             | 68.20             | -17.07         | 41.31         | 3           | Horizontal | 284            | 2.51          | -       | 37.38      | 6.02       | 33.58      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 69  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.08874G    | 56.92             | 88.20             | -31.28         | 43.14         | 3           | Vertical  | 70             | 1.58          | -       | 39.70      | 8.78       | 34.70      |
| RMS  | 13.08804G    | 43.22             | 68.20             | -24.98         | 29.44         | 3           | Vertical  | 70             | 1.58          | -       | 39.70      | 8.78       | 34.70      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 69  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.09064G    | 57.70             | 88.20             | -30.50         | 43.92         | 3           | Horizontal | 328            | 2.90          | -       | 39.70      | 8.78       | 34.70      |
| RMS  | 13.0884G     | 43.19             | 68.20             | -25.01         | 29.41         | 3           | Horizontal | 328            | 2.90          | -       | 39.70      | 8.78       | 34.70      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6545MHz\_TnomVnom




EUT X\_2TX  
Setting 69  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.63852G    | 47.96             | 83.54             | -35.58         | 44.46         | 1           | Vertical  | 194            | 1.50          | -       | 37.84      | 15.36      | 49.70      |
| AV   | 19.63542G    | 34.82             | 63.54             | -28.72         | 31.32         | 1           | Vertical  | 194            | 1.50          | -       | 37.85      | 15.35      | 49.70      |



## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6545MHz\_TnomVnom




EUT X\_2TX  
Setting 69  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.63608G | 48.31    | 83.54    | -35.23 | 44.81  | 1    | Horizontal | 134     | 1.58   | -       | 37.85 | 15.35 | 49.70 |  |
| AV   | 19.63298G | 34.72    | 63.54    | -28.82 | 31.22  | 1    | Horizontal | 134     | 1.58   | -       | 37.85 | 15.35 | 49.70 |  |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6625MHz\_TnomVnom




EUT X\_2TX  
Setting 68  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6562G      | 102.61            | Inf               | -Inf           | 93.83         | 3           | Vertical  | 103            | 1.05          | -       | 36.20      | 5.70       | 33.12      |  |
| RMS  | 6.6538G      | 92.54             | Inf               | -Inf           | 83.76         | 3           | Vertical  | 103            | 1.05          | -       | 36.20      | 5.70       | 33.12      |  |
| PK   | 7.1314G      | 61.25             | 88.20             | -26.95         | 51.78         | 3           | Vertical  | 103            | 1.05          | -       | 36.95      | 5.97       | 33.45      |  |
| RMS  | 7.2178G      | 51.02             | 68.20             | -17.18         | 41.22         | 3           | Vertical  | 103            | 1.05          | -       | 37.34      | 6.01       | 33.55      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT X\_2TX  
Setting 68  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6082G      | 109.53            | Inf               | -Inf           | 100.80        | 3           | Horizontal | 280            | 1.80          | -       | 36.12      | 5.70       | 33.09      |
| RMS  | 6.6082G      | 99.18             | Inf               | -Inf           | 90.45         | 3           | Horizontal | 280            | 1.80          | -       | 36.12      | 5.70       | 33.09      |
| PK   | 7.1698G      | 61.28             | 88.20             | -26.92         | 51.61         | 3           | Horizontal | 280            | 1.80          | -       | 37.18      | 5.98       | 33.49      |
| RMS  | 7.1338G      | 51.23             | 68.20             | -16.97         | 41.74         | 3           | Horizontal | 280            | 1.80          | -       | 36.97      | 5.97       | 33.45      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT\_X\_2TX  
Setting 68  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.2462G     | 57.76             | 88.20             | -30.44         | 43.77         | 3           | Vertical  | 54             | 2.67          | -       | 39.95      | 8.75       | 34.71      |  |
| RMS  | 13.24918G    | 43.76             | 68.20             | -24.44         | 29.77         | 3           | Vertical  | 54             | 2.67          | -       | 39.95      | 8.75       | 34.71      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT\_X\_2TX  
Setting 68  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.24674G    | 58.09             | 88.20             | -30.11         | 44.10         | 3           | Horizontal | 201            | 2.48          | -       | 39.95      | 8.75       | 34.71      |  |
| RMS  | 13.24468G    | 43.79             | 68.20             | -24.41         | 29.81         | 3           | Horizontal | 201            | 2.48          | -       | 39.94      | 8.75       | 34.71      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT\_X\_2TX  
Setting 68  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.8783G     | 48.06             | 83.54             | -35.48         | 44.72         | 1           | Vertical  | 288            | 1.52          | -       | 37.59      | 15.45      | 49.70      |
| AV   | 19.87732G    | 34.91             | 63.54             | -28.63         | 31.56         | 1           | Vertical  | 288            | 1.52          | -       | 37.60      | 15.45      | 49.70      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6625MHz\_TnomVnom




EUT X\_2TX  
Setting 68  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.87514G    | 47.82             | 83.54             | -35.72         | 44.47         | 1           | Horizontal | 29             | 1.58          | -       | 37.60      | 15.45      | 49.70      |
| AV   | 19.87994G    | 34.67             | 63.54             | -28.87         | 31.33         | 1           | Horizontal | 29             | 1.58          | -       | 37.59      | 15.45      | 49.70      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6705MHz\_TnomVnom




EUT X\_2TX  
Setting 67  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.677G       | 102.34            | Inf               | -Inf           | 93.57         | 3           | Vertical  | 17             | 1.25          | -       | 36.20      | 5.70       | 33.13      |  |
| RMS  | 6.719G       | 92.20             | Inf               | -Inf           | 83.37         | 3           | Vertical  | 17             | 1.25          | -       | 36.28      | 5.70       | 33.15      |  |
| PK   | 7.165G       | 61.49             | 88.20             | -26.71         | 51.84         | 3           | Vertical  | 17             | 1.25          | -       | 37.16      | 5.98       | 33.49      |  |
| RMS  | 7.133G       | 51.15             | 68.20             | -17.05         | 41.67         | 3           | Vertical  | 17             | 1.25          | -       | 36.96      | 5.97       | 33.45      |  |



# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6705MHz\_TnomVnom




EUT\_X\_2TX  
Setting 67  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.707G       | 110.85            | Inf               | -Inf           | 102.06        | 3           | Horizontal | 285            | 1.80          | -       | 36.23      | 5.70       | 33.14      |  |
| RMS  | 6.711G       | 100.42            | Inf               | -Inf           | 91.63         | 3           | Horizontal | 285            | 1.80          | -       | 36.24      | 5.70       | 33.15      |  |
| PK   | 7.131G       | 61.93             | 88.20             | -26.27         | 52.46         | 3           | Horizontal | 285            | 1.80          | -       | 36.95      | 5.97       | 33.45      |  |
| RMS  | 7.133G       | 51.64             | 68.20             | -16.56         | 42.16         | 3           | Horizontal | 285            | 1.80          | -       | 36.96      | 5.97       | 33.45      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUT\_X\_2TX  
Setting 67  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.40572G    | 57.67             | 88.20             | -30.53         | 43.47         | 3           | Vertical  | 333            | 2.21          | -       | 40.20      | 8.72       | 34.72      |  |
| RMS  | 13.4068G     | 43.59             | 68.20             | -24.61         | 29.39         | 3           | Vertical  | 333            | 2.21          | -       | 40.20      | 8.72       | 34.72      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUT\_X\_2TX  
Setting 67  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.40864G    | 57.46             | 88.20             | -30.74         | 43.26         | 3           | Horizontal | 156            | 1.89          | -       | 40.20      | 8.72       | 34.72      |  |
| RMS  | 13.41088G    | 43.69             | 68.20             | -24.51         | 29.49         | 3           | Horizontal | 156            | 1.89          | -       | 40.20      | 8.72       | 34.72      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUT X\_2TX  
Setting 67  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.11214G    | 48.48             | 83.54             | -35.06         | 45.18         | 1           | Vertical  | 7              | 1.51          | -       | 37.49      | 15.55      | 49.74      |
| AV   | 20.11188G    | 34.98             | 63.54             | -28.56         | 31.68         | 1           | Vertical  | 7              | 1.51          | -       | 37.49      | 15.55      | 49.74      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6705MHz\_TnomVnom




EUT X\_2TX  
Setting 67  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.11484G    | 48.28             | 83.54             | -35.26         | 44.99         | 1           | Horizontal | 168            | 1.51          | -       | 37.49      | 15.55      | 49.75      |
| AV   | 20.1117G     | 35.11             | 63.54             | -28.43         | 31.81         | 1           | Horizontal | 168            | 1.51          | -       | 37.49      | 15.55      | 49.74      |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6785MHz\_TnomVnom




EUT X\_2TX  
Setting 65  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.7594G      | 102.21            | Inf               | -Inf           | 93.30         | 3           | Vertical  | 112            | 1.01          | -       | 36.38      | 5.70       | 33.17      |  |
| RMS  | 6.7546G      | 92.18             | Inf               | -Inf           | 83.26         | 3           | Vertical  | 112            | 1.01          | -       | 36.39      | 5.70       | 33.17      |  |
| PK   | 7.1786G      | 62.30             | 88.20             | -25.90         | 52.60         | 3           | Vertical  | 112            | 1.01          | -       | 37.21      | 5.99       | 33.50      |  |
| RMS  | 7.1258G      | 51.21             | 68.20             | -16.99         | 41.78         | 3           | Vertical  | 112            | 1.01          | -       | 36.91      | 5.96       | 33.44      |  |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6785MHz\_TnomVnom




EUT\_X\_2TX  
Setting 65  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.7818G      | 109.36            | Inf               | -Inf           | 100.50        | 3           | Horizontal | 293            | 1.80          | -       | 36.34      | 5.70       | 33.18      |  |
| RMS  | 6.7834G      | 97.93             | Inf               | -Inf           | 89.08         | 3           | Horizontal | 293            | 1.80          | -       | 36.33      | 5.70       | 33.18      |  |
| PK   | 7.153G       | 62.64             | 88.20             | -25.56         | 53.02         | 3           | Horizontal | 293            | 1.80          | -       | 37.11      | 5.98       | 33.47      |  |
| RMS  | 7.1386G      | 51.63             | 68.20             | -16.57         | 42.11         | 3           | Horizontal | 293            | 1.80          | -       | 37.01      | 5.97       | 33.46      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT\_X\_2TX  
Setting 65  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.57168G    | 57.91             | 88.20             | -30.29         | 43.77         | 3           | Vertical  | 215            | 2.68          | -       | 40.20      | 8.69       | 34.75      |
| RMS  | 13.56932G    | 43.33             | 68.20             | -24.87         | 29.19         | 3           | Vertical  | 215            | 2.68          | -       | 40.20      | 8.69       | 34.75      |



## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT\_X\_2TX  
Setting 65  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.56788G    | 57.39             | 88.20             | -30.81         | 43.25         | 3           | Horizontal | 90             | 1.07          | -       | 40.20      | 8.69       | 34.75      |
| RMS  | 13.57304G    | 43.31             | 68.20             | -24.89         | 29.17         | 3           | Horizontal | 90             | 1.07          | -       | 40.20      | 8.69       | 34.75      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6785MHz\_TnomVnom




EUT X\_2TX  
Setting 65  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.35582G | 48.00    | 83.54    | -35.54 | 44.54  | 1    | Vertical  | 175     | 1.53   | -       | 37.64 | 15.66 | 49.84 |  |
| AV   | 20.35298G | 34.41    | 63.54    | -29.13 | 30.95  | 1    | Vertical  | 175     | 1.53   | -       | 37.64 | 15.66 | 49.84 |  |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6785MHz\_TnomVnom




EUT X\_2TX  
Setting 65  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.35316G | 48.17    | 83.54    | -35.37 | 44.71  | 1    | Horizontal | 297     | 1.54   | -       | 37.64 | 15.66 | 49.84 |
| AV   | 20.35576G | 34.30    | 63.54    | -29.24 | 30.84  | 1    | Horizontal | 297     | 1.54   | -       | 37.64 | 15.66 | 49.84 |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_2TX  
Setting 65  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8314G      | 102.90            | Inf               | -Inf           | 93.89         | 3           | Vertical  | 29             | 2.48          | -       | 36.49      | 5.73       | 33.21      |
| RMS  | 6.8362G      | 89.87             | Inf               | -Inf           | 80.82         | 3           | Vertical  | 29             | 2.48          | -       | 36.52      | 5.74       | 33.21      |
| PK   | 7.1314G      | 61.78             | 88.20             | -26.42         | 52.31         | 3           | Vertical  | 29             | 2.48          | -       | 36.95      | 5.97       | 33.45      |
| RMS  | 7.1266G      | 51.24             | 68.20             | -16.96         | 41.81         | 3           | Vertical  | 29             | 2.48          | -       | 36.91      | 5.96       | 33.44      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_2TX  
Setting 65  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8338G      | 109.08            | Inf               | -Inf           | 100.06        | 3           | Horizontal | 287            | 1.80          | -       | 36.50      | 5.73       | 33.21      |
| RMS  | 6.8542G      | 98.28             | Inf               | -Inf           | 89.17         | 3           | Horizontal | 287            | 1.80          | -       | 36.58      | 5.75       | 33.22      |
| PK   | 7.141G       | 61.92             | 88.20             | -26.28         | 52.38         | 3           | Horizontal | 287            | 1.80          | -       | 37.03      | 5.97       | 33.46      |
| RMS  | 7.1386G      | 51.85             | 68.20             | -16.35         | 42.33         | 3           | Horizontal | 287            | 1.80          | -       | 37.01      | 5.97       | 33.46      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_2TX  
Setting 65  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.73488G    | 59.58             | 88.20             | -28.62         | 45.32         | 3           | Vertical  | 231            | 2.43          | -       | 40.43      | 8.65       | 34.82      |
| RMS  | 13.73288G    | 45.43             | 68.20             | -22.77         | 31.17         | 3           | Vertical  | 231            | 2.43          | -       | 40.43      | 8.65       | 34.82      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_2TX  
Setting 65  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.72628G    | 58.93             | 88.20             | -29.27         | 44.67         | 3           | Horizontal | 280            | 1.55          | -       | 40.43      | 8.65       | 34.82      |  |
| RMS  | 13.72996G    | 45.38             | 68.20             | -22.82         | 31.12         | 3           | Horizontal | 280            | 1.55          | -       | 40.43      | 8.65       | 34.82      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6865MHz\_TnomVnom




EUT X\_2TX  
Setting 65  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.59218G | 48.25    | 83.54    | -35.29 | 44.53  | 1    | Vertical  | 235     | 1.56   | -       | 37.81 | 15.77 | 49.86 |  |
| AV   | 20.5957G  | 34.94    | 63.54    | -28.60 | 31.22  | 1    | Vertical  | 235     | 1.56   | -       | 37.81 | 15.77 | 49.86 |  |



## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6865MHz\_TnomVnom




EUT X\_2TX  
Setting 65  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.59614G | 48.73    | 83.54    | -34.81 | 45.00  | 1    | Horizontal | 236     | 1.50   | -       | 37.82 | 15.77 | 49.86 |
| AV   | 20.59334G | 34.89    | 63.54    | -28.65 | 31.17  | 1    | Horizontal | 236     | 1.50   | -       | 37.81 | 15.77 | 49.86 |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6945MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.915G       | 99.79             | Inf               | -Inf           | 90.70         | 3           | Vertical  | 296            | 1.94          | -       | 36.52      | 5.82       | 33.25      |  |
| RMS  | 6.9126G      | 89.85             | Inf               | -Inf           | 80.79         | 3           | Vertical  | 296            | 1.94          | -       | 36.50      | 5.81       | 33.25      |  |
| PK   | 7.1502G      | 62.39             | 88.20             | -25.81         | 52.78         | 3           | Vertical  | 296            | 1.94          | -       | 37.10      | 5.98       | 33.47      |  |
| RMS  | 7.131G       | 51.28             | 68.20             | -16.92         | 41.81         | 3           | Vertical  | 296            | 1.94          | -       | 36.95      | 5.97       | 33.45      |  |

# 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

## 6945MHz\_TnomVnom




EUT X\_2TX  
Setting 66  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.939G       | 109.05            | Inf               | -Inf           | 99.76         | 3           | Horizontal | 292            | 1.80          | -       | 36.71      | 5.84       | 33.26      |  |
| RMS  | 6.9402G      | 98.82             | Inf               | -Inf           | 89.52         | 3           | Horizontal | 292            | 1.80          | -       | 36.72      | 5.84       | 33.26      |  |
| PK   | 7.1394G      | 63.88             | 88.20             | -24.32         | 54.35         | 3           | Horizontal | 292            | 1.80          | -       | 37.02      | 5.97       | 33.46      |  |
| RMS  | 7.1382G      | 52.64             | 68.20             | -15.56         | 43.12         | 3           | Horizontal | 292            | 1.80          | -       | 37.01      | 5.97       | 33.46      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.887G      | 59.87             | 88.20             | -28.33         | 45.54         | 3           | Vertical  | 19             | 2.55          | -       | 40.59      | 8.62       | 34.88      |
| RMS  | 13.8862G     | 45.99             | 68.20             | -22.21         | 31.66         | 3           | Vertical  | 19             | 2.55          | -       | 40.59      | 8.62       | 34.88      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.8856G     | 59.69             | 88.20             | -28.51         | 45.36         | 3           | Horizontal | 75             | 1.51          | -       | 40.59      | 8.62       | 34.88      |  |
| RMS  | 13.88558G    | 45.94             | 68.20             | -22.26         | 31.61         | 3           | Horizontal | 75             | 1.51          | -       | 40.59      | 8.62       | 34.88      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.83928G | 48.20    | 83.54    | -35.34 | 44.22  | 1    | Vertical  | 98      | 1.52   | -       | 37.86 | 15.88 | 49.76 |
| AV   | 20.83358G | 35.10    | 63.54    | -28.44 | 31.12  | 1    | Vertical  | 98      | 1.52   | -       | 37.87 | 15.88 | 49.77 |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 6945MHz\_TnomVnom




EUT\_X\_2TX  
Setting 66  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83588G    | 48.52             | 83.54             | -35.02         | 44.55         | 1           | Horizontal | 40             | 1.55          | -       | 37.86      | 15.88      | 49.77      |
| AV   | 20.83416G    | 35.03             | 63.54             | -28.51         | 31.05         | 1           | Horizontal | 40             | 1.55          | -       | 37.87      | 15.88      | 49.77      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT X\_2TX  
Setting 62  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9874G      | 98.45             | Inf               | -Inf           | 89.19         | 3           | Vertical  | 270            | 2.98          | -       | 36.65      | 5.89       | 33.28      |
| RMS  | 6.9874G      | 88.38             | Inf               | -Inf           | 79.12         | 3           | Vertical  | 270            | 2.98          | -       | 36.65      | 5.89       | 33.28      |
| PK   | 7.1514G      | 62.46             | 88.20             | -25.74         | 52.84         | 3           | Vertical  | 270            | 2.98          | -       | 37.11      | 5.98       | 33.47      |
| RMS  | 7.1266G      | 51.44             | 68.20             | -16.76         | 42.01         | 3           | Vertical  | 270            | 2.98          | -       | 36.91      | 5.96       | 33.44      |



## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT X\_2TX  
Setting 62  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.0274G      | 109.45            | Inf               | -Inf           | 100.15        | 3           | Horizontal | 295            | 1.80          | -       | 36.71      | 5.91       | 33.32      |
| RMS  | 7.0402G      | 99.96             | Inf               | -Inf           | 90.62         | 3           | Horizontal | 295            | 1.80          | -       | 36.76      | 5.92       | 33.34      |
| PK   | 7.1266G      | 68.08             | 88.20             | -20.12         | 58.65         | 3           | Horizontal | 295            | 1.80          | -       | 36.91      | 5.96       | 33.44      |
| RMS  | 7.125G       | 54.85             | 68.20             | -13.35         | 45.43         | 3           | Horizontal | 295            | 1.80          | -       | 36.90      | 5.96       | 33.44      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_X\_2TX  
Setting 62  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.04768G    | 59.29             | 88.20             | -28.91         | 44.70         | 3           | Vertical  | 172            | 2.24          | -       | 40.90      | 8.61       | 34.92      |
| RMS  | 14.0463G     | 45.59             | 68.20             | -22.61         | 31.00         | 3           | Vertical  | 172            | 2.24          | -       | 40.90      | 8.61       | 34.92      |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT\_X\_2TX  
Setting 62  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 14.0493G     | 59.03             | 88.20             | -29.17         | 44.44         | 3           | Horizontal | 91             | 2.24          | -       | 40.90      | 8.61       | 34.92      |  |
| RMS  | 14.0466G     | 45.45             | 68.20             | -22.75         | 30.86         | 3           | Horizontal | 91             | 2.24          | -       | 40.90      | 8.61       | 34.92      |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT X\_2TX  
Setting 62  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.07716G | 47.71    | 83.54    | -35.83 | 43.81  | 1    | Vertical  | 252     | 1.50   | -       | 37.60 | 15.98 | 49.68 |  |
| AV   | 21.07126G | 34.80    | 63.54    | -28.74 | 30.91  | 1    | Vertical  | 252     | 1.50   | -       | 37.60 | 15.98 | 49.69 |  |

## 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

### 7025MHz\_TnomVnom




EUT X\_2TX  
Setting 62  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 21.07166G | 48.37    | 83.54    | -35.17 | 44.48  | 1    | Horizontal | 224     | 1.55   | -       | 37.60 | 15.98 | 49.69 |  |
| AV   | 21.07142G | 34.70    | 63.54    | -28.84 | 30.81  | 1    | Horizontal | 224     | 1.55   | -       | 37.60 | 15.98 | 49.69 |  |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

## 6025MHz\_TnomVnom




EUT X\_2TX  
Setting 82  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.912G       | 74.57             | 88.20             | -13.63         | 67.58         | 3           | Vertical  | 293            | 1.00          | -       | 34.97      | 5.36       | 33.34      |  |
| RMS  | 5.916G       | 56.74             | 68.20             | -11.46         | 49.73         | 3           | Vertical  | 293            | 1.00          | -       | 35.00      | 5.36       | 33.35      |  |
| PK   | 5.962G       | 104.15            | Inf               | -Inf           | 96.88         | 3           | Vertical  | 293            | 1.00          | -       | 35.25      | 5.38       | 33.36      |  |
| RMS  | 6.05G        | 94.09             | Inf               | -Inf           | 86.59         | 3           | Vertical  | 293            | 1.00          | -       | 35.40      | 5.45       | 33.35      |  |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

## 6025MHz\_TnomVnom




EUT X\_2TX  
Setting 82  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.918G       | 79.02             | 88.20             | -9.18          | 72.00         | 3           | Horizontal | 297            | 1.89          | -       | 35.01      | 5.36       | 33.35      |  |
| RMS  | 5.925G       | 65.37             | 68.20             | -2.83          | 58.31         | 3           | Horizontal | 297            | 1.89          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.037G       | 110.71            | Inf               | -Inf           | 103.22        | 3           | Horizontal | 297            | 1.89          | -       | 35.40      | 5.44       | 33.35      |  |
| RMS  | 6.043G       | 100.58            | Inf               | -Inf           | 93.09         | 3           | Horizontal | 297            | 1.89          | -       | 35.40      | 5.44       | 33.35      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT\_X\_2TX  
Setting 82  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.04936G    | 57.24             | 74.00             | -16.76         | 44.29         | 3           | Vertical  | 10             | 1.27          | -       | 38.90      | 8.99       | 34.94      |
| AV   | 12.046G      | 42.53             | 54.00             | -11.47         | 29.58         | 3           | Vertical  | 10             | 1.27          | -       | 38.90      | 8.99       | 34.94      |



## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT\_X\_2TX  
Setting 82  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.0492G     | 56.77             | 74.00             | -17.23         | 43.82         | 3           | Horizontal | 106            | 2.32          | -       | 38.90      | 8.99       | 34.94      |
| AV   | 12.04616G    | 42.53             | 54.00             | -11.47         | 29.58         | 3           | Horizontal | 106            | 2.32          | -       | 38.90      | 8.99       | 34.94      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT X\_2TX  
Setting 82  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.07962G    | 47.07             | 83.54             | -36.47         | 44.97         | 1           | Vertical  | 280            | 1.50          | -       | 37.64      | 14.73      | 50.27      |
| AV   | 18.0778G     | 33.30             | 63.54             | -30.24         | 31.20         | 1           | Vertical  | 280            | 1.50          | -       | 37.64      | 14.73      | 50.27      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6025MHz\_TnomVnom




EUT X\_2TX  
Setting 82  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 18.07698G | 46.66    | 83.54    | -36.88 | 44.56  | 1    | Horizontal | 116     | 1.51   | -       | 37.64 | 14.73 | 50.27 |  |
| AV   | 18.07136G | 33.35    | 63.54    | -30.19 | 31.25  | 1    | Horizontal | 116     | 1.51   | -       | 37.64 | 14.73 | 50.27 |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT X\_2TX  
Setting 80  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9242G      | 59.36             | 88.20             | -28.84         | 52.30         | 3           | Vertical  | 318            | 2.31          | -       | 35.05      | 5.36       | 33.35      |  |
| RMS  | 5.9242G      | 49.17             | 68.20             | -19.03         | 42.11         | 3           | Vertical  | 318            | 2.31          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.1226G      | 102.50            | Inf               | -Inf           | 94.83         | 3           | Vertical  | 318            | 2.31          | -       | 35.45      | 5.52       | 33.30      |  |
| RMS  | 6.1994G      | 91.97             | Inf               | -Inf           | 83.91         | 3           | Vertical  | 318            | 2.31          | -       | 35.70      | 5.60       | 33.24      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT X\_2TX  
Setting 80  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9178G      | 65.95             | 88.20             | -22.25         | 58.93         | 3           | Horizontal | 302            | 1.80          | -       | 35.01      | 5.36       | 33.35      |  |
| RMS  | 5.9242G      | 54.47             | 68.20             | -13.73         | 47.41         | 3           | Horizontal | 302            | 1.80          | -       | 35.05      | 5.36       | 33.35      |  |
| PK   | 6.113G       | 115.11            | Inf               | -Inf           | 107.43        | 3           | Horizontal | 302            | 1.80          | -       | 35.47      | 5.51       | 33.30      |  |
| RMS  | 6.1322G      | 99.33             | Inf               | -Inf           | 91.65         | 3           | Horizontal | 302            | 1.80          | -       | 35.44      | 5.53       | 33.29      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_X\_2TX  
Setting 80  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.37004G    | 55.89             | 74.00             | -18.11         | 42.89         | 3           | Vertical  | 117            | 2.93          | -       | 38.91      | 8.93       | 34.84      |
| AV   | 12.36678G    | 42.15             | 54.00             | -11.85         | 29.16         | 3           | Vertical  | 117            | 2.93          | -       | 38.90      | 8.93       | 34.84      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_X\_2TX  
Setting 80  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.37372G    | 56.12             | 74.00             | -17.88         | 43.11         | 3           | Horizontal | 58             | 1.94          | -       | 38.92      | 8.93       | 34.84      |
| AV   | 12.37132G    | 42.09             | 54.00             | -11.91         | 29.09         | 3           | Horizontal | 58             | 1.94          | -       | 38.91      | 8.93       | 34.84      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6185MHz\_TnomVnom




EUT\_X\_2TX  
Setting 80  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.5571G     | 48.57             | 83.54             | -34.97         | 45.91         | 1           | Vertical  | 74             | 1.57          | -       | 37.78      | 14.92      | 50.04      |  |
| AV   | 18.55444G    | 34.29             | 63.54             | -29.25         | 31.64         | 1           | Vertical  | 74             | 1.57          | -       | 37.78      | 14.92      | 50.05      |  |



# 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

## 6185MHz\_TnomVnom




EUT\_X\_2TX  
Setting 80  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.55476G    | 48.21             | 83.54             | -35.33         | 45.56         | 1           | Horizontal | 43             | 1.57          | -       | 37.78      | 14.92      | 50.05      |  |
| AV   | 18.55144G    | 34.27             | 63.54             | -29.27         | 31.62         | 1           | Horizontal | 43             | 1.57          | -       | 37.78      | 14.92      | 50.05      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT X\_2TX  
Setting 81  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.899G       | 58.80             | 88.20             | -29.40         | 51.89         | 3           | Vertical  | 86             | 1.00          | -       | 34.90      | 5.35       | 33.34      |  |
| RMS  | 5.923G       | 48.32             | 68.20             | -19.88         | 41.27         | 3           | Vertical  | 86             | 1.00          | -       | 35.04      | 5.36       | 33.35      |  |
| PK   | 6.375G       | 107.44            | Inf               | -Inf           | 99.22         | 3           | Vertical  | 86             | 1.00          | -       | 35.65      | 5.69       | 33.12      |  |
| RMS  | 6.375G       | 98.60             | Inf               | -Inf           | 90.38         | 3           | Vertical  | 86             | 1.00          | -       | 35.65      | 5.69       | 33.12      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT X\_2TX  
Setting 81  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.923G       | 59.76             | 88.20             | -28.44         | 52.71         | 3           | Horizontal | 313            | 1.91          | -       | 35.04      | 5.36       | 33.35      |
| RMS  | 5.925G       | 49.88             | 68.20             | -18.32         | 42.82         | 3           | Horizontal | 313            | 1.91          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.367G       | 110.04            | Inf               | -Inf           | 101.86        | 3           | Horizontal | 313            | 1.91          | -       | 35.63      | 5.68       | 33.13      |
| RMS  | 6.369G       | 99.33             | Inf               | -Inf           | 91.14         | 3           | Horizontal | 313            | 1.91          | -       | 35.64      | 5.68       | 33.13      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT\_X\_2TX  
Setting 81  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.69312G    | 56.88             | 74.00             | -17.12         | 43.51         | 3           | Vertical  | 172            | 2.77          | -       | 39.27      | 8.86       | 34.76      |
| AV   | 12.68802G    | 42.91             | 54.00             | -11.09         | 29.56         | 3           | Vertical  | 172            | 2.77          | -       | 39.25      | 8.86       | 34.76      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT\_X\_2TX  
Setting 81  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.69156G    | 56.93             | 74.00             | -17.07         | 43.56         | 3           | Horizontal | 136            | 1.87          | -       | 39.27      | 8.86       | 34.76      |
| AV   | 12.6944G     | 42.86             | 54.00             | -11.14         | 29.48         | 3           | Horizontal | 136            | 1.87          | -       | 39.28      | 8.86       | 34.76      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT\_X\_2TX  
Setting 81  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.03494G | 49.02    | 83.54    | -34.52 | 45.56  | 1    | Vertical  | 187     | 1.50   | -       | 37.96 | 15.11 | 49.61 |  |
| AV   | 19.03828G | 34.93    | 63.54    | -28.61 | 31.47  | 1    | Vertical  | 187     | 1.50   | -       | 37.95 | 15.12 | 49.61 |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6345MHz\_TnomVnom




EUT\_X\_2TX  
Setting 81  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.03554G    | 48.21             | 83.54             | -35.33         | 44.75         | 1           | Horizontal | 320            | 1.51          | -       | 37.96      | 15.11      | 49.61      |
| AV   | 19.03212G    | 34.88             | 63.54             | -28.66         | 31.42         | 1           | Horizontal | 320            | 1.51          | -       | 37.96      | 15.11      | 49.61      |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

## 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 76  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8722G      | 59.17             | 88.20             | -29.03         | 52.32         | 3           | Vertical  | 101            | 1.00          | -       | 34.84      | 5.34       | 33.33      |
| RMS  | 5.9198G      | 48.04             | 68.20             | -20.16         | 41.01         | 3           | Vertical  | 101            | 1.00          | -       | 35.02      | 5.36       | 33.35      |
| PK   | 6.4266G      | 104.73            | Inf               | -Inf           | 96.47         | 3           | Vertical  | 101            | 1.00          | -       | 35.65      | 5.70       | 33.09      |
| RMS  | 6.4742G      | 92.54             | Inf               | -Inf           | 84.20         | 3           | Vertical  | 101            | 1.00          | -       | 35.70      | 5.70       | 33.06      |
| PK   | 7.1406G      | 62.12             | 88.20             | -26.08         | 52.59         | 3           | Vertical  | 101            | 1.00          | -       | 37.02      | 5.97       | 33.46      |
| RMS  | 7.1434G      | 50.85             | 68.20             | -17.35         | 41.29         | 3           | Vertical  | 101            | 1.00          | -       | 37.05      | 5.97       | 33.46      |



# 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

## 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 76  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8778G      | 59.38             | 88.20             | -28.82         | 52.51         | 3           | Horizontal | 288            | 1.95          | -       | 34.86      | 5.34       | 33.33      |
| RMS  | 5.925G       | 48.19             | 68.20             | -20.01         | 41.13         | 3           | Horizontal | 288            | 1.95          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.4714G      | 106.71            | Inf               | -Inf           | 98.38         | 3           | Horizontal | 288            | 1.95          | -       | 35.69      | 5.70       | 33.06      |
| RMS  | 6.477G       | 96.46             | Inf               | -Inf           | 88.11         | 3           | Horizontal | 288            | 1.95          | -       | 35.71      | 5.70       | 33.06      |
| PK   | 7.1714G      | 61.25             | 88.20             | -26.95         | 51.57         | 3           | Horizontal | 288            | 1.95          | -       | 37.19      | 5.99       | 33.50      |
| RMS  | 7.1434G      | 51.02             | 68.20             | -17.18         | 41.46         | 3           | Horizontal | 288            | 1.95          | -       | 37.05      | 5.97       | 33.46      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 76  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.01174G    | 56.74             | 88.20             | -31.46         | 42.94         | 3           | Vertical  | 154            | 2.04          | -       | 39.70      | 8.80       | 34.70      |
| RMS  | 13.01496G    | 43.07             | 68.20             | -25.13         | 29.27         | 3           | Vertical  | 154            | 2.04          | -       | 39.70      | 8.80       | 34.70      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_2TX  
Setting 76  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.01444G    | 57.08             | 88.20             | -31.12         | 43.28         | 3           | Horizontal | 325            | 1.54          | -       | 39.70      | 8.80       | 34.70      |
| RMS  | 13.01492G    | 43.16             | 68.20             | -25.04         | 29.36         | 3           | Horizontal | 325            | 1.54          | -       | 39.70      | 8.80       | 34.70      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6505MHz\_TnomVnom




EUT X\_2TX  
Setting 76  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.51012G | 49.72    | 83.54    | -33.82 | 46.22  | 1    | Vertical  | 359     | 1.53   | -       | 37.90 | 15.30 | 49.70 |
| AV   | 19.5132G  | 35.14    | 63.54    | -28.40 | 31.64  | 1    | Vertical  | 359     | 1.53   | -       | 37.89 | 15.31 | 49.70 |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6505MHz\_TnomVnom




EUT\_X\_2TX  
Setting 76  
04-A-S-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.5162G | 48.19    | 83.54    | -35.35 | 44.69  | 1    | Horizontal | 149     | 1.56   | -       | 37.89 | 15.31 | 49.70 |  |
| AV   | 19.5131G | 35.18    | 63.54    | -28.36 | 31.68  | 1    | Horizontal | 149     | 1.56   | -       | 37.89 | 15.31 | 49.70 |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT X\_2TX  
Setting 77  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6474G      | 105.53            | Inf               | -Inf           | 96.75         | 3           | Vertical  | 110            | 1.18          | -       | 36.19      | 5.70       | 33.11      |  |
| RMS  | 6.6474G      | 95.80             | Inf               | -Inf           | 87.02         | 3           | Vertical  | 110            | 1.18          | -       | 36.19      | 5.70       | 33.11      |  |
| PK   | 7.1666G      | 61.88             | 88.20             | -26.32         | 52.22         | 3           | Vertical  | 110            | 1.18          | -       | 37.17      | 5.98       | 33.49      |  |
| RMS  | 7.1336G      | 50.91             | 68.20             | -17.29         | 41.42         | 3           | Vertical  | 110            | 1.18          | -       | 36.97      | 5.97       | 33.45      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT X\_2TX  
Setting 77  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6804G      | 104.27            | Inf               | -Inf           | 95.50         | 3           | Horizontal | 323            | 1.80          | -       | 36.20      | 5.70       | 33.13      |
| RMS  | 6.6562G      | 95.41             | Inf               | -Inf           | 86.63         | 3           | Horizontal | 323            | 1.80          | -       | 36.20      | 5.70       | 33.12      |
| PK   | 7.1952G      | 61.63             | 88.20             | -26.57         | 51.87         | 3           | Horizontal | 323            | 1.80          | -       | 37.28      | 6.00       | 33.52      |
| RMS  | 7.1292G      | 50.98             | 68.20             | -17.22         | 41.54         | 3           | Horizontal | 323            | 1.80          | -       | 36.93      | 5.96       | 33.45      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT\_X\_2TX  
Setting 77  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.33498G    | 57.69             | 74.00             | -16.31         | 43.60         | 3           | Vertical  | 143            | 1.89          | -       | 40.07      | 8.73       | 34.71      |
| AV   | 13.32894G    | 44.00             | 54.00             | -10.00         | 29.92         | 3           | Vertical  | 143            | 1.89          | -       | 40.06      | 8.73       | 34.71      |



## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT\_X\_2TX  
Setting 77  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.32542G    | 58.81             | 74.00             | -15.19         | 44.74         | 3           | Horizontal | 195            | 2.55          | -       | 40.05      | 8.73       | 34.71      |
| AV   | 13.32688G    | 43.91             | 54.00             | -10.09         | 29.84         | 3           | Horizontal | 195            | 2.55          | -       | 40.05      | 8.73       | 34.71      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT\_X\_2TX  
Setting 77  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.9966G     | 46.59             | 83.54             | -36.95         | 43.38         | 1           | Vertical  | 81             | 1.56          | -       | 37.41      | 15.50      | 49.70      |
| AV   | 19.99302G    | 33.19             | 63.54             | -30.35         | 29.98         | 1           | Vertical  | 81             | 1.56          | -       | 37.41      | 15.50      | 49.70      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6665MHz\_TnomVnom




EUT\_X\_2TX  
Setting 77  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.99136G | 46.13    | 83.54    | -37.41 | 42.92  | 1    | Horizontal | 97      | 1.52   | -       | 37.41 | 15.50 | 49.70 |
| AV   | 19.99598G | 33.09    | 63.54    | -30.45 | 29.88  | 1    | Horizontal | 97      | 1.52   | -       | 37.41 | 15.50 | 49.70 |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

## 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_2TX  
Setting 73  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.7978G      | 101.95            | Inf               | -Inf           | 93.14         | 3           | Vertical  | 29             | 2.97          | -       | 36.30      | 5.70       | 33.19      |  |
| RMS  | 6.8058G      | 90.75             | Inf               | -Inf           | 81.90         | 3           | Vertical  | 29             | 2.97          | -       | 36.33      | 5.71       | 33.19      |  |
| PK   | 7.2138G      | 61.82             | 88.20             | -26.38         | 52.03         | 3           | Vertical  | 29             | 2.97          | -       | 37.33      | 6.01       | 33.55      |  |
| RMS  | 7.1386G      | 51.18             | 68.20             | -17.02         | 41.66         | 3           | Vertical  | 29             | 2.97          | -       | 37.01      | 5.97       | 33.46      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_2TX  
Setting 73  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.753G       | 111.78            | Inf               | -Inf           | 102.86        | 3           | Horizontal | 290            | 1.80          | -       | 36.39      | 5.70       | 33.17      |  |
| RMS  | 6.8554G      | 97.78             | Inf               | -Inf           | 88.66         | 3           | Horizontal | 290            | 1.80          | -       | 36.58      | 5.76       | 33.22      |  |
| PK   | 7.1386G      | 64.78             | 88.20             | -23.42         | 55.26         | 3           | Horizontal | 290            | 1.80          | -       | 37.01      | 5.97       | 33.46      |  |
| RMS  | 7.1386G      | 54.00             | 68.20             | -14.20         | 44.48         | 3           | Horizontal | 290            | 1.80          | -       | 37.01      | 5.97       | 33.46      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_2TX  
Setting 73  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.65258G    | 58.45             | 88.20             | -29.75         | 44.25         | 3           | Vertical  | 317            | 1.23          | -       | 40.31      | 8.67       | 34.78      |
| RMS  | 13.64982G    | 44.78             | 68.20             | -23.42         | 30.59         | 3           | Vertical  | 317            | 1.23          | -       | 40.30      | 8.67       | 34.78      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_2TX  
Setting 73  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.65016G    | 58.88             | 88.20             | -29.32         | 44.69         | 3           | Horizontal | 64             | 1.12          | -       | 40.30      | 8.67       | 34.78      |
| RMS  | 13.65192G    | 44.69             | 68.20             | -23.51         | 30.50         | 3           | Horizontal | 64             | 1.12          | -       | 40.30      | 8.67       | 34.78      |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6825MHz\_TnomVnom




EUT\_X\_2TX  
Setting 73  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.47786G | 47.84    | 83.54    | -35.70 | 44.32  | 1    | Vertical  | 116     | 1.56   | -       | 37.69 | 15.72 | 49.89 |  |
| AV   | 20.47766G | 34.89    | 63.54    | -28.65 | 31.38  | 1    | Vertical  | 116     | 1.56   | -       | 37.69 | 15.71 | 49.89 |  |



## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6825MHz\_TnomVnom




EUT\_X\_2TX  
Setting 73  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.47224G | 48.32    | 83.54    | -35.22 | 44.81  | 1    | Horizontal | 225     | 1.57   | -       | 37.69 | 15.71 | 49.89 |
| AV   | 20.47778G | 34.74    | 63.54    | -28.80 | 31.22  | 1    | Horizontal | 225     | 1.57   | -       | 37.69 | 15.72 | 49.89 |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

## 6985MHz\_TnomVnom




EUT X\_2TX  
Setting 75  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.9226G      | 102.42            | Inf               | -Inf           | 93.27         | 3           | Vertical  | 130            | 1.80          | -       | 36.58      | 5.82       | 33.25      |  |
| RMS  | 6.9538G      | 87.31             | Inf               | -Inf           | 77.95         | 3           | Vertical  | 130            | 1.80          | -       | 36.78      | 5.85       | 33.27      |  |
| PK   | 7.1306G      | 67.51             | 88.20             | -20.69         | 58.05         | 3           | Vertical  | 130            | 1.80          | -       | 36.94      | 5.97       | 33.45      |  |
| RMS  | 7.1298G      | 52.49             | 68.20             | -15.71         | 43.04         | 3           | Vertical  | 130            | 1.80          | -       | 36.94      | 5.96       | 33.45      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT\_X\_2TX  
Setting 75  
04-A-S-8-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 7.0402G      | 110.01            | Inf               | -Inf           | 100.67        | 3           | Horizontal | 290            | 1.79          | -       | 36.76      | 5.92       | 33.34      |  |
| RMS  | 7.0234G      | 99.32             | Inf               | -Inf           | 90.04         | 3           | Horizontal | 290            | 1.79          | -       | 36.69      | 5.91       | 33.32      |  |
| PK   | 7.1354G      | 84.06             | 88.20             | -4.14          | 74.56         | 3           | Horizontal | 290            | 1.79          | -       | 36.98      | 5.97       | 33.45      |  |
| RMS  | 7.1298G      | 67.44             | 68.20             | -0.76          | 57.99         | 3           | Horizontal | 290            | 1.79          | -       | 36.94      | 5.96       | 33.45      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT\_X\_2TX  
Setting 75  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.96536G    | 59.91             | 88.20             | -28.29         | 45.42         | 3           | Vertical  | 54             | 1.69          | -       | 40.80      | 8.61       | 34.92      |  |
| RMS  | 13.97258G    | 45.95             | 68.20             | -22.25         | 31.44         | 3           | Vertical  | 54             | 1.69          | -       | 40.82      | 8.61       | 34.92      |  |

# 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

## 6985MHz\_TnomVnom




EUT\_X\_2TX  
Setting 75  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.96876G    | 59.62             | 88.20             | -28.58         | 45.12         | 3           | Horizontal | 200            | 2.66          | -       | 40.81      | 8.61       | 34.92      |  |
| RMS  | 13.96556G    | 45.96             | 68.20             | -22.24         | 31.47         | 3           | Horizontal | 200            | 2.66          | -       | 40.80      | 8.61       | 34.92      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom




EUT X\_2TX  
Setting 75  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 20.95998G    | 47.70             | 83.54             | -35.84         | 43.83         | 1           | Vertical  | 39             | 1.56          | -       | 37.66      | 15.93      | 49.72      |  |
| AV   | 20.95468G    | 34.52             | 63.54             | -29.02         | 30.64         | 1           | Vertical  | 39             | 1.56          | -       | 37.67      | 15.93      | 49.72      |  |

## 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

### 6985MHz\_TnomVnom



EUT\_X\_2TX  
Setting 75  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.9526G  | 47.98    | 83.54    | -35.56 | 44.09  | 1    | Horizontal | 221     | 1.56   | -       | 37.68 | 15.93 | 49.72 |
| AV   | 20.95452G | 34.53    | 63.54    | -29.01 | 30.65  | 1    | Horizontal | 221     | 1.56   | -       | 37.67 | 15.93 | 49.72 |



For beamforming mode / 4T1S


**Summary**

| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.925-6.425GHz                    | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_4TX | Pass   | AV   | 17.8651G     | 48.64             | 54.00             | -5.36          | 3           | Vertical  | 39             | 1.20          | -        |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5955MHz\_TnomVnom




EUT X\_4TX  
Setting 29  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9238G      | 60.67             | 88.20             | -27.53         | 53.62         | 3           | Vertical  | 0              | 2.92          | -       | 35.04      | 5.36       | 33.35      |
| RMS  | 5.9246G      | 49.01             | 68.20             | -19.19         | 41.95         | 3           | Vertical  | 0              | 2.92          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 5.9504G      | 109.77            | Inf               | -Inf           | 102.55        | 3           | Vertical  | 0              | 2.92          | -       | 35.20      | 5.38       | 33.36      |
| RMS  | 5.9498G      | 99.91             | Inf               | -Inf           | 92.70         | 3           | Vertical  | 0              | 2.92          | -       | 35.20      | 5.37       | 33.36      |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5955MHz\_TnomVnom




EUT X\_4TX  
Setting 29  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.924G       | 67.02             | 88.20             | -21.18         | 59.97         | 3           | Horizontal | 310            | 2.06          | -       | 35.04      | 5.36       | 33.35      |
| RMS  | 5.925G       | 55.08             | 68.20             | -13.12         | 48.02         | 3           | Horizontal | 310            | 2.06          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 5.9542G      | 120.07            | Inf               | -Inf           | 112.83        | 3           | Horizontal | 310            | 2.06          | -       | 35.22      | 5.38       | 33.36      |
| RMS  | 5.951G       | 109.21            | Inf               | -Inf           | 101.99        | 3           | Horizontal | 310            | 2.06          | -       | 35.20      | 5.38       | 33.36      |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 5955MHz\_TnomVnom




EUT\_X\_4TX  
Setting 29  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.91064G    | 57.16             | 74.00             | -16.84         | 43.97         | 3           | Vertical  | 131            | 1.53          | -       | 39.17      | 8.94       | 34.92      |
| AV   | 11.90644G    | 43.23             | 54.00             | -10.77         | 30.03         | 3           | Vertical  | 131            | 1.53          | -       | 39.18      | 8.93       | 34.91      |
| PK   | 11.91404G    | 56.54             | 74.00             | -17.46         | 43.36         | 3           | Vertical  | 22             | 1.49          | -       | 39.16      | 8.94       | 34.92      |
| AV   | 11.90922G    | 43.03             | 54.00             | -10.97         | 29.84         | 3           | Vertical  | 22             | 1.49          | -       | 39.17      | 8.94       | 34.92      |
| PK   | 17.86138G    | 61.65             | 74.00             | -12.35         | 44.77         | 3           | Vertical  | 39             | 1.20          | -       | 41.88      | 9.75       | 34.75      |
| AV   | 17.8651G     | 48.64             | 54.00             | -5.36          | 31.74         | 3           | Vertical  | 39             | 1.20          | -       | 41.90      | 9.75       | 34.75      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5955MHz\_TnomVnom




EUT\_X\_4TX  
Setting 29  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 11.91332G    | 56.50             | 74.00             | -17.50         | 43.32         | 3           | Horizontal | 29             | 1.63          | -       | 39.16      | 8.94       | 34.92      |
| AV   | 11.90576G    | 43.10             | 54.00             | -10.90         | 29.90         | 3           | Horizontal | 29             | 1.63          | -       | 39.18      | 8.93       | 34.91      |
| PK   | 17.86808G    | 61.49             | 74.00             | -12.51         | 44.59         | 3           | Horizontal | 101            | 1.13          | -       | 41.90      | 9.75       | 34.75      |
| AV   | 17.86976G    | 48.41             | 54.00             | -5.59          | 31.50         | 3           | Horizontal | 101            | 1.13          | -       | 41.91      | 9.75       | 34.75      |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6175MHz\_TnomVnom




EUT X\_4TX  
Setting 28  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.9182G      | 59.35             | 88.20             | -28.85         | 52.33         | 3           | Vertical  | 112            | 1.73          | -       | 35.01      | 5.36       | 33.35      |  |
| RMS  | 5.9206G      | 46.49             | 68.20             | -21.71         | 39.46         | 3           | Vertical  | 112            | 1.73          | -       | 35.02      | 5.36       | 33.35      |  |
| PK   | 6.1678G      | 100.41            | Inf               | -Inf           | 92.60         | 3           | Vertical  | 112            | 1.73          | -       | 35.51      | 5.57       | 33.27      |  |
| RMS  | 6.1678G      | 89.35             | Inf               | -Inf           | 81.54         | 3           | Vertical  | 112            | 1.73          | -       | 35.51      | 5.57       | 33.27      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TnomVnom




EUT X\_4TX  
Setting 28  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 5.7262G      | 58.61             | 88.20             | -29.59         | 52.28         | 3           | Horizontal | 51             | 1.67          | -       | 34.30      | 5.30       | 33.27      |  |
| RMS  | 5.8774G      | 46.53             | 68.20             | -21.67         | 39.67         | 3           | Horizontal | 51             | 1.67          | -       | 34.85      | 5.34       | 33.33      |  |
| PK   | 6.1726G      | 109.69            | Inf               | -Inf           | 101.84        | 3           | Horizontal | 51             | 1.67          | -       | 35.54      | 5.57       | 33.26      |  |
| RMS  | 6.1678G      | 98.89             | Inf               | -Inf           | 91.08         | 3           | Horizontal | 51             | 1.67          | -       | 35.51      | 5.57       | 33.27      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TnomVnom




EUT\_X\_4TX  
Setting 28  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.3517G     | 56.30             | 74.00             | -17.70         | 43.35         | 3           | Vertical  | 98             | 1.53          | -       | 38.86      | 8.93       | 34.84      |  |
| AV   | 12.34574G    | 42.40             | 54.00             | -11.60         | 29.48         | 3           | Vertical  | 98             | 1.53          | -       | 38.84      | 8.93       | 34.85      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TnomVnom




EUT\_X\_4TX  
Setting 28  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.35302G    | 55.57             | 74.00             | -18.43         | 42.62         | 3           | Horizontal | 75             | 2.41          | -       | 38.86      | 8.93       | 34.84      |
| AV   | 12.34554G    | 42.37             | 54.00             | -11.63         | 29.45         | 3           | Horizontal | 75             | 2.41          | -       | 38.84      | 8.93       | 34.85      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TnomVnom




EUT\_X\_4TX  
Setting 28  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.52514G    | 48.36             | 83.54             | -35.18         | 45.73         | 1           | Vertical  | 113            | 1.53          | -       | 37.79      | 14.91      | 50.07      |  |
| AV   | 18.52348G    | 35.42             | 63.54             | -28.12         | 32.80         | 1           | Vertical  | 113            | 1.53          | -       | 37.79      | 14.91      | 50.08      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TnomVnom




EUT\_X\_4TX  
Setting 28  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 18.527G      | 48.41             | 83.54             | -35.13         | 45.78         | 1           | Horizontal | 334            | 1.50          | -       | 37.79      | 14.91      | 50.07      |  |
| AV   | 18.52936G    | 35.32             | 63.54             | -28.22         | 32.69         | 1           | Horizontal | 334            | 1.50          | -       | 37.79      | 14.91      | 50.07      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT X\_4TX  
Setting 23  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9082G      | 58.85             | 88.20             | -29.35         | 51.89         | 3           | Vertical  | 104            | 1.05          | -       | 34.95      | 5.35       | 33.34      |
| RMS  | 5.8746G      | 47.85             | 68.20             | -20.35         | 40.99         | 3           | Vertical  | 104            | 1.05          | -       | 34.85      | 5.34       | 33.33      |
| PK   | 6.4066G      | 97.73             | Inf               | -Inf           | 89.44         | 3           | Vertical  | 104            | 1.05          | -       | 35.69      | 5.70       | 33.10      |
| RMS  | 6.4066G      | 88.16             | Inf               | -Inf           | 79.87         | 3           | Vertical  | 104            | 1.05          | -       | 35.69      | 5.70       | 33.10      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT X\_4TX  
Setting 23  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9026G      | 58.65             | 88.20             | -29.55         | 51.72         | 3           | Horizontal | 292            | 1.59          | -       | 34.92      | 5.35       | 33.34      |
| RMS  | 5.8858G      | 47.86             | 68.20             | -20.34         | 40.98         | 3           | Horizontal | 292            | 1.59          | -       | 34.87      | 5.34       | 33.33      |
| PK   | 6.4066G      | 107.41            | Inf               | -Inf           | 99.12         | 3           | Horizontal | 292            | 1.59          | -       | 35.69      | 5.70       | 33.10      |
| RMS  | 6.4094G      | 96.96             | Inf               | -Inf           | 88.68         | 3           | Horizontal | 292            | 1.59          | -       | 35.68      | 5.70       | 33.10      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT\_X\_4TX  
Setting 23  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.83482G    | 56.76             | 88.20             | -31.44         | 43.23         | 3           | Vertical  | 358            | 2.11          | -       | 39.43      | 8.83       | 34.73      |  |
| AV   | 12.8297G     | 43.19             | 68.20             | -25.01         | 29.66         | 3           | Vertical  | 358            | 2.11          | -       | 39.43      | 8.83       | 34.73      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT\_X\_4TX  
Setting 23  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.82956G    | 57.00             | 88.20             | -31.20         | 43.47         | 3           | Horizontal | 81             | 2.84          | -       | 39.43      | 8.83       | 34.73      |
| AV   | 12.82758G    | 43.14             | 68.20             | -25.06         | 29.61         | 3           | Horizontal | 81             | 2.84          | -       | 39.43      | 8.83       | 34.73      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT\_X\_4TX  
Setting 23  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.24666G    | 47.88             | 83.54             | -35.66         | 44.63         | 1           | Vertical  | 310            | 1.56          | -       | 37.70      | 15.20      | 49.65      |
| AV   | 19.2444G     | 35.19             | 63.54             | -28.35         | 31.93         | 1           | Vertical  | 310            | 1.56          | -       | 37.71      | 15.20      | 49.65      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT\_X\_4TX  
Setting 23  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.24564G    | 48.26             | 83.54             | -35.28         | 45.00         | 1           | Horizontal | 305            | 1.58          | -       | 37.71      | 15.20      | 49.65      |
| AV   | 19.24478G    | 35.17             | 63.54             | -28.37         | 31.91         | 1           | Horizontal | 305            | 1.58          | -       | 37.71      | 15.20      | 49.65      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.715G       | 59.72             | 88.20             | -28.48         | 53.43         | 3           | Vertical  | 91             | 1.07          | -       | 34.26      | 5.30       | 33.27      |
| RMS  | 5.925G       | 47.84             | 68.20             | -20.36         | 40.78         | 3           | Vertical  | 91             | 1.07          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.4382G      | 99.18             | Inf               | -Inf           | 90.94         | 3           | Vertical  | 91             | 1.07          | -       | 35.62      | 5.70       | 33.08      |
| RMS  | 6.4382G      | 90.34             | Inf               | -Inf           | 82.10         | 3           | Vertical  | 91             | 1.07          | -       | 35.62      | 5.70       | 33.08      |
| PK   | 7.139G       | 61.93             | 88.20             | -26.27         | 52.41         | 3           | Vertical  | 91             | 1.07          | -       | 37.01      | 5.97       | 33.46      |
| RMS  | 7.187G       | 50.69             | 68.20             | -17.51         | 40.96         | 3           | Vertical  | 91             | 1.07          | -       | 37.25      | 5.99       | 33.51      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9166G      | 59.18             | 88.20             | -29.02         | 52.17         | 3           | Horizontal | 313            | 2.86          | -       | 35.00      | 5.36       | 33.35      |
| RMS  | 5.9198G      | 47.86             | 68.20             | -20.34         | 40.83         | 3           | Horizontal | 313            | 2.86          | -       | 35.02      | 5.36       | 33.35      |
| PK   | 6.435G       | 106.42            | Inf               | -Inf           | 98.17         | 3           | Horizontal | 313            | 2.86          | -       | 35.63      | 5.70       | 33.08      |
| RMS  | 6.4414G      | 97.66             | Inf               | -Inf           | 89.42         | 3           | Horizontal | 313            | 2.86          | -       | 35.62      | 5.70       | 33.08      |
| PK   | 7.1358G      | 61.45             | 88.20             | -26.75         | 51.94         | 3           | Horizontal | 313            | 2.86          | -       | 36.99      | 5.97       | 33.45      |
| RMS  | 7.2158G      | 50.80             | 68.20             | -17.40         | 41.01         | 3           | Horizontal | 313            | 2.86          | -       | 37.33      | 6.01       | 33.55      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 12.87252G    | 56.37             | 88.20             | -31.83         | 42.80         | 3           | Vertical  | 107            | 1.67          | -       | 39.47      | 8.83       | 34.73      |  |
| AV   | 12.875G      | 43.01             | 68.20             | -25.19         | 29.44         | 3           | Vertical  | 107            | 1.67          | -       | 39.48      | 8.82       | 34.73      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.87026G    | 56.63             | 88.20             | -31.57         | 43.06         | 3           | Horizontal | 20             | 2.32          | -       | 39.47      | 8.83       | 34.73      |
| AV   | 12.8713G     | 43.12             | 68.20             | -25.08         | 29.55         | 3           | Horizontal | 20             | 2.32          | -       | 39.47      | 8.83       | 34.73      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.3066G     | 48.71             | 83.54             | -34.83         | 45.40         | 1           | Vertical  | 253            | 1.54          | -       | 37.75      | 15.22      | 49.66      |
| AV   | 19.30026G    | 35.51             | 63.54             | -28.03         | 32.21         | 1           | Vertical  | 253            | 1.54          | -       | 37.74      | 15.22      | 49.66      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.30986G    | 48.87             | 83.54             | -34.67         | 45.56         | 1           | Horizontal | 153            | 1.50          | -       | 37.75      | 15.22      | 49.66      |
| AV   | 19.30318G    | 35.66             | 63.54             | -27.88         | 32.36         | 1           | Horizontal | 153            | 1.50          | -       | 37.74      | 15.22      | 49.66      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_X\_4TX  
Setting 31  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.848G       | 58.67             | 88.20             | -29.53         | 51.88         | 3           | Vertical  | 60             | 1.88          | -       | 34.79      | 5.32       | 33.32      |
| RMS  | 5.92G        | 47.82             | 68.20             | -20.38         | 40.79         | 3           | Vertical  | 60             | 1.88          | -       | 35.02      | 5.36       | 33.35      |
| PK   | 6.472G       | 97.66             | Inf               | -Inf           | 89.33         | 3           | Vertical  | 60             | 1.88          | -       | 35.69      | 5.70       | 33.06      |
| RMS  | 6.472G       | 88.60             | Inf               | -Inf           | 80.27         | 3           | Vertical  | 60             | 1.88          | -       | 35.69      | 5.70       | 33.06      |
| PK   | 7.201G       | 61.29             | 88.20             | -26.91         | 51.52         | 3           | Vertical  | 60             | 1.88          | -       | 37.30      | 6.00       | 33.53      |
| RMS  | 7.144G       | 50.77             | 68.20             | -17.43         | 41.21         | 3           | Vertical  | 60             | 1.88          | -       | 37.05      | 5.97       | 33.46      |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6475MHz\_TnomVnom




EUT\_X\_4TX  
Setting 31  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.878G       | 59.08             | 88.20             | -29.12         | 52.21         | 3           | Horizontal | 297            | 1.62          | -       | 34.86      | 5.34       | 33.33      |
| RMS  | 5.925G       | 47.92             | 68.20             | -20.28         | 40.86         | 3           | Horizontal | 297            | 1.62          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.478G       | 107.61            | Inf               | -Inf           | 99.25         | 3           | Horizontal | 297            | 1.62          | -       | 35.71      | 5.70       | 33.05      |
| RMS  | 6.481G       | 98.63             | Inf               | -Inf           | 90.26         | 3           | Horizontal | 297            | 1.62          | -       | 35.72      | 5.70       | 33.05      |
| PK   | 7.192G       | 61.41             | 88.20             | -26.79         | 51.66         | 3           | Horizontal | 297            | 1.62          | -       | 37.27      | 6.00       | 33.52      |
| RMS  | 7.219G       | 50.79             | 68.20             | -17.41         | 40.99         | 3           | Horizontal | 297            | 1.62          | -       | 37.34      | 6.01       | 33.55      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_X\_4TX  
Setting 31  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95366G    | 57.00             | 88.20             | -31.20         | 43.29         | 3           | Vertical  | 95             | 1.57          | -       | 39.61      | 8.81       | 34.71      |
| AV   | 12.94712G    | 43.32             | 68.20             | -24.88         | 29.63         | 3           | Vertical  | 95             | 1.57          | -       | 39.59      | 8.81       | 34.71      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_X\_4TX  
Setting 31  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.94836G    | 56.65             | 88.20             | -31.55         | 42.95         | 3           | Horizontal | 21             | 2.43          | -       | 39.60      | 8.81       | 34.71      |
| AV   | 12.95432G    | 43.42             | 68.20             | -24.78         | 29.71         | 3           | Horizontal | 21             | 2.43          | -       | 39.61      | 8.81       | 34.71      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_X\_4TX  
Setting 31  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.42874G | 48.96    | 83.54    | -34.58 | 45.54  | 1    | Vertical  | 52      | 1.54   | -       | 37.84 | 15.27 | 49.69 |  |
| AV   | 19.4241G  | 35.95    | 63.54    | -27.59 | 32.52  | 1    | Vertical  | 52      | 1.54   | -       | 37.84 | 15.27 | 49.68 |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_X\_4TX  
Setting 31  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 19.42834G | 49.58    | 83.54    | -33.96 | 46.16  | 1    | Horizontal | 199     | 1.58   | -       | 37.84 | 15.27 | 49.69 |  |
| AV   | 19.42488G | 36.06    | 63.54    | -27.48 | 32.63  | 1    | Horizontal | 199     | 1.58   | -       | 37.84 | 15.27 | 49.68 |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_X\_4TX  
Setting 27  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9158G      | 58.94             | 88.20             | -29.26         | 51.94         | 3           | Vertical  | 99             | 1.00          | -       | 34.99      | 5.36       | 33.35      |
| RMS  | 5.9242G      | 47.84             | 68.20             | -20.36         | 40.78         | 3           | Vertical  | 99             | 1.00          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.5066G      | 98.59             | Inf               | -Inf           | 90.10         | 3           | Vertical  | 99             | 1.00          | -       | 35.83      | 5.70       | 33.04      |
| RMS  | 6.5066G      | 88.30             | Inf               | -Inf           | 79.81         | 3           | Vertical  | 99             | 1.00          | -       | 35.83      | 5.70       | 33.04      |
| PK   | 7.1814G      | 61.42             | 88.20             | -26.78         | 51.71         | 3           | Vertical  | 99             | 1.00          | -       | 37.23      | 5.99       | 33.51      |
| RMS  | 7.2094G      | 50.84             | 68.20             | -17.36         | 41.06         | 3           | Vertical  | 99             | 1.00          | -       | 37.32      | 6.00       | 33.54      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_X\_4TX  
Setting 27  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8458G      | 58.32             | 88.20             | -29.88         | 51.55         | 3           | Horizontal | 55             | 1.49          | -       | 34.77      | 5.32       | 33.32      |
| RMS  | 5.9242G      | 47.86             | 68.20             | -20.34         | 40.80         | 3           | Horizontal | 55             | 1.49          | -       | 35.05      | 5.36       | 33.35      |
| PK   | 6.5122G      | 108.03            | Inf               | -Inf           | 99.53         | 3           | Horizontal | 55             | 1.49          | -       | 35.85      | 5.70       | 33.05      |
| RMS  | 6.5178G      | 97.94             | Inf               | -Inf           | 89.42         | 3           | Horizontal | 55             | 1.49          | -       | 35.87      | 5.70       | 33.05      |
| PK   | 7.1366G      | 61.09             | 88.20             | -27.11         | 51.58         | 3           | Horizontal | 55             | 1.49          | -       | 36.99      | 5.97       | 33.45      |
| RMS  | 7.131G       | 50.83             | 68.20             | -17.37         | 41.36         | 3           | Horizontal | 55             | 1.49          | -       | 36.95      | 5.97       | 33.45      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_X\_4TX  
Setting 27  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.03436G    | 57.14             | 88.20             | -31.06         | 43.35         | 3           | Vertical  | 256            | 2.26          | -       | 39.70      | 8.79       | 34.70      |
| AV   | 13.03178G    | 43.33             | 68.20             | -24.87         | 29.54         | 3           | Vertical  | 256            | 2.26          | -       | 39.70      | 8.79       | 34.70      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_X\_4TX  
Setting 27  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.02868G    | 56.50             | 88.20             | -31.70         | 42.71         | 3           | Horizontal | 61             | 2.54          | -       | 39.70      | 8.79       | 34.70      |
| AV   | 13.03168G    | 43.21             | 68.20             | -24.99         | 29.42         | 3           | Horizontal | 61             | 2.54          | -       | 39.70      | 8.79       | 34.70      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_X\_4TX  
Setting 27  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 19.54154G | 49.39    | 83.54    | -34.15 | 45.89  | 1    | Vertical  | 295     | 1.57   | -       | 37.88 | 15.32 | 49.70 |
| AV   | 19.5451G  | 35.63    | 63.54    | -27.91 | 32.13  | 1    | Vertical  | 295     | 1.57   | -       | 37.88 | 15.32 | 49.70 |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_X\_4TX  
Setting 27  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.5412G     | 49.40             | 83.54             | -34.14         | 45.90         | 1           | Horizontal | 69             | 1.53          | -       | 37.88      | 15.32      | 49.70      |
| AV   | 19.54476G    | 35.67             | 63.54             | -27.87         | 32.17         | 1           | Horizontal | 69             | 1.53          | -       | 37.88      | 15.32      | 49.70      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT\_X\_4TX  
Setting 23  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.9106G      | 58.63             | 88.20             | -29.57         | 51.65         | 3           | Vertical  | 205            | 1.80          | -       | 34.96      | 5.36       | 33.34      |
| RMS  | 5.8882G      | 47.95             | 68.20             | -20.25         | 41.07         | 3           | Vertical  | 205            | 1.80          | -       | 34.88      | 5.34       | 33.34      |
| PK   | 6.5434G      | 102.06            | Inf               | -Inf           | 93.45         | 3           | Vertical  | 205            | 1.80          | -       | 35.97      | 5.70       | 33.06      |
| RMS  | 6.5434G      | 92.26             | Inf               | -Inf           | 83.65         | 3           | Vertical  | 205            | 1.80          | -       | 35.97      | 5.70       | 33.06      |
| PK   | 7.2098G      | 61.83             | 88.20             | -26.37         | 52.05         | 3           | Vertical  | 205            | 1.80          | -       | 37.32      | 6.00       | 33.54      |
| RMS  | 7.2238G      | 50.90             | 68.20             | -17.30         | 41.10         | 3           | Vertical  | 205            | 1.80          | -       | 37.35      | 6.01       | 33.56      |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6535MHz\_TnomVnom




EUT\_X\_4TX  
Setting 23  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.8742G      | 58.52             | 88.20             | -29.68         | 51.66         | 3           | Horizontal | 286            | 1.80          | -       | 34.85      | 5.34       | 33.33      |
| RMS  | 5.8938G      | 47.91             | 68.20             | -20.29         | 41.01         | 3           | Horizontal | 286            | 1.80          | -       | 34.89      | 5.35       | 33.34      |
| PK   | 6.5406G      | 114.37            | Inf               | -Inf           | 105.77        | 3           | Horizontal | 286            | 1.80          | -       | 35.96      | 5.70       | 33.06      |
| RMS  | 6.5378G      | 104.90            | Inf               | -Inf           | 96.31         | 3           | Horizontal | 286            | 1.80          | -       | 35.95      | 5.70       | 33.06      |
| PK   | 7.2266G      | 61.42             | 88.20             | -26.78         | 51.62         | 3           | Horizontal | 286            | 1.80          | -       | 37.35      | 6.01       | 33.56      |
| RMS  | 7.1426G      | 50.86             | 68.20             | -17.34         | 41.31         | 3           | Horizontal | 286            | 1.80          | -       | 37.04      | 5.97       | 33.46      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT\_X\_4TX  
Setting 23  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.07432G    | 57.28             | 88.20             | -30.92         | 43.49         | 3           | Vertical  | 313            | 1.19          | -       | 39.70      | 8.79       | 34.70      |
| AV   | 13.06526G    | 43.34             | 68.20             | -24.86         | 29.55         | 3           | Vertical  | 313            | 1.19          | -       | 39.70      | 8.79       | 34.70      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT\_X\_4TX  
Setting 23  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.06872G    | 56.87             | 88.20             | -31.33         | 43.08         | 3           | Horizontal | 144            | 2.37          | -       | 39.70      | 8.79       | 34.70      |
| AV   | 13.07408G    | 43.44             | 68.20             | -24.76         | 29.65         | 3           | Horizontal | 144            | 2.37          | -       | 39.70      | 8.79       | 34.70      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT\_X\_4TX  
Setting 23  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.60222G    | 49.40             | 83.54             | -34.14         | 45.90         | 1           | Vertical  | 315            | 1.54          | -       | 37.86      | 15.34      | 49.70      |
| AV   | 19.60186G    | 36.24             | 63.54             | -27.30         | 32.74         | 1           | Vertical  | 315            | 1.54          | -       | 37.86      | 15.34      | 49.70      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT\_X\_4TX  
Setting 23  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.6096G     | 49.34             | 83.54             | -34.20         | 45.84         | 1           | Horizontal | 97             | 1.52          | -       | 37.86      | 15.34      | 49.70      |
| AV   | 19.6024G     | 36.29             | 63.54             | -27.25         | 32.79         | 1           | Horizontal | 97             | 1.52          | -       | 37.86      | 15.34      | 49.70      |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT X\_4TX  
Setting 32  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.6906G      | 100.22            | Inf               | -Inf           | 91.46         | 3           | Vertical  | 150            | 2.95          | -       | 36.20      | 5.70       | 33.14      |  |
| RMS  | 6.6906G      | 90.38             | Inf               | -Inf           | 81.62         | 3           | Vertical  | 150            | 2.95          | -       | 36.20      | 5.70       | 33.14      |  |
| PK   | 7.1328G      | 62.36             | 88.20             | -25.84         | 52.88         | 3           | Vertical  | 150            | 2.95          | -       | 36.96      | 5.97       | 33.45      |  |
| RMS  | 7.2406G      | 51.04             | 68.20             | -17.16         | 41.22         | 3           | Vertical  | 150            | 2.95          | -       | 37.38      | 6.02       | 33.58      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT X\_4TX  
Setting 32  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.6906G      | 110.52            | Inf               | -Inf           | 101.76        | 3           | Horizontal | 308            | 1.79          | -       | 36.20      | 5.70       | 33.14      |
| RMS  | 6.6928G      | 100.62            | Inf               | -Inf           | 91.86         | 3           | Horizontal | 308            | 1.79          | -       | 36.20      | 5.70       | 33.14      |
| PK   | 7.2318G      | 62.16             | 88.20             | -26.04         | 52.35         | 3           | Horizontal | 308            | 1.79          | -       | 37.36      | 6.02       | 33.57      |
| RMS  | 7.2384G      | 50.99             | 68.20             | -17.21         | 41.17         | 3           | Horizontal | 308            | 1.79          | -       | 37.38      | 6.02       | 33.58      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT\_X\_4TX  
Setting 32  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.38626G    | 58.48             | 74.00             | -15.52         | 44.31         | 3           | Vertical  | 181            | 1.46          | -       | 40.17      | 8.72       | 34.72      |
| AV   | 13.38898G    | 44.15             | 54.00             | -9.85          | 29.97         | 3           | Vertical  | 181            | 1.46          | -       | 40.18      | 8.72       | 34.72      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT\_X\_4TX  
Setting 32  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3949G     | 58.25             | 74.00             | -15.75         | 44.06         | 3           | Horizontal | 349            | 1.25          | -       | 40.19      | 8.72       | 34.72      |
| AV   | 13.39356G    | 44.19             | 54.00             | -9.81          | 30.00         | 3           | Horizontal | 349            | 1.25          | -       | 40.19      | 8.72       | 34.72      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT\_X\_4TX  
Setting 32  
04-A-S-8

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |
| PK   | 20.0888G | 47.66    | 83.54    | -35.88 | 44.39  | 1    | Vertical  | 51      | 1.53   | -       | 37.47 | 15.54 | 49.74 |  |
| AV   | 20.0863G | 34.26    | 63.54    | -29.28 | 30.98  | 1    | Vertical  | 51      | 1.53   | -       | 37.47 | 15.54 | 49.73 |  |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6695MHz\_TnomVnom




EUT\_X\_4TX  
Setting 32  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.08308G | 47.61    | 83.54    | -35.93 | 44.33  | 1    | Horizontal | 340     | 1.53   | -       | 37.47 | 15.54 | 49.73 |
| AV   | 20.08336G | 34.30    | 63.54    | -29.24 | 31.02  | 1    | Horizontal | 340     | 1.53   | -       | 37.47 | 15.54 | 49.73 |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT X\_4TX  
Setting 28  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8634G      | 98.81             | Inf               | -Inf           | 89.72         | 3           | Vertical  | 274            | 1.63          | -       | 36.55      | 5.76       | 33.22      |  |
| RMS  | 6.8634G      | 88.78             | Inf               | -Inf           | 79.69         | 3           | Vertical  | 274            | 1.63          | -       | 36.55      | 5.76       | 33.22      |  |
| PK   | 7.149G       | 63.01             | 88.20             | -25.19         | 53.42         | 3           | Vertical  | 274            | 1.63          | -       | 37.09      | 5.97       | 33.47      |  |
| RMS  | 7.1266G      | 51.13             | 68.20             | -17.07         | 41.70         | 3           | Vertical  | 274            | 1.63          | -       | 36.91      | 5.96       | 33.44      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT X\_4TX  
Setting 28  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8536G      | 108.65            | Inf               | -Inf           | 99.53         | 3           | Horizontal | 55             | 1.55          | -       | 36.59      | 5.75       | 33.22      |  |
| RMS  | 6.8578G      | 98.74             | Inf               | -Inf           | 89.63         | 3           | Horizontal | 55             | 1.55          | -       | 36.57      | 5.76       | 33.22      |  |
| PK   | 7.1756G      | 61.76             | 88.20             | -26.44         | 52.07         | 3           | Horizontal | 55             | 1.55          | -       | 37.20      | 5.99       | 33.50      |  |
| RMS  | 7.1266G      | 51.17             | 68.20             | -17.03         | 41.74         | 3           | Horizontal | 55             | 1.55          | -       | 36.91      | 5.96       | 33.44      |  |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT\_X\_4TX  
Setting 28  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.71224G    | 59.26             | 88.20             | -28.94         | 45.00         | 3           | Vertical  | 264            | 1.26          | -       | 40.41      | 8.66       | 34.81      |
| AV   | 13.71192G    | 45.39             | 68.20             | -22.81         | 31.13         | 3           | Vertical  | 264            | 1.26          | -       | 40.41      | 8.66       | 34.81      |

# 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

## 6855MHz\_TnomVnom




EUT\_X\_4TX  
Setting 28  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.70814G    | 59.11             | 88.20             | -29.09         | 44.85         | 3           | Horizontal | 185            | 2.64          | -       | 40.41      | 8.66       | 34.81      |  |
| AV   | 13.71004G    | 45.44             | 68.20             | -22.76         | 31.18         | 3           | Horizontal | 185            | 2.64          | -       | 40.41      | 8.66       | 34.81      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT\_X\_4TX  
Setting 28  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56206G    | 49.48             | 83.54             | -34.06         | 45.84         | 1           | Vertical  | 208            | 1.55          | -       | 37.77      | 15.75      | 49.88      |
| AV   | 20.56464G    | 36.39             | 63.54             | -27.15         | 32.73         | 1           | Vertical  | 208            | 1.55          | -       | 37.78      | 15.75      | 49.87      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT\_X\_4TX  
Setting 28  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 20.56694G    | 49.47             | 83.54             | -34.07         | 45.80         | 1           | Horizontal | 267            | 1.53          | -       | 37.78      | 15.76      | 49.87      |  |
| AV   | 20.56506G    | 36.44             | 63.54             | -27.10         | 32.78         | 1           | Horizontal | 267            | 1.53          | -       | 37.78      | 15.75      | 49.87      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 6.8714G      | 97.73             | Inf               | -Inf           | 88.68         | 3           | Vertical  | 322            | 2.25          | -       | 36.51      | 5.77       | 33.23      |  |
| RMS  | 6.869G       | 88.10             | Inf               | -Inf           | 79.03         | 3           | Vertical  | 322            | 2.25          | -       | 36.52      | 5.77       | 33.22      |  |
| PK   | 7.1414G      | 61.54             | 88.20             | -26.66         | 52.00         | 3           | Vertical  | 322            | 2.25          | -       | 37.03      | 5.97       | 33.46      |  |
| RMS  | 7.1354G      | 51.10             | 68.20             | -17.10         | 41.60         | 3           | Vertical  | 322            | 2.25          | -       | 36.98      | 5.97       | 33.45      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_4TX  
Setting 26  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.8774G      | 105.20            | Inf               | -Inf           | 96.16         | 3           | Horizontal | 307            | 2.49          | -       | 36.49      | 5.78       | 33.23      |
| RMS  | 6.8774G      | 95.99             | Inf               | -Inf           | 86.95         | 3           | Horizontal | 307            | 2.49          | -       | 36.49      | 5.78       | 33.23      |
| PK   | 7.163G       | 62.23             | 88.20             | -25.97         | 52.59         | 3           | Horizontal | 307            | 2.49          | -       | 37.15      | 5.98       | 33.49      |
| RMS  | 7.1294G      | 51.19             | 68.20             | -17.01         | 41.74         | 3           | Horizontal | 307            | 2.49          | -       | 36.94      | 5.96       | 33.45      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6875MHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.75266G    | 59.52             | 88.20             | -28.68         | 45.25         | 3           | Vertical  | 320            | 1.55          | -       | 40.45      | 8.65       | 34.83      |  |
| AV   | 13.74776G    | 46.28             | 68.20             | -21.92         | 32.00         | 3           | Vertical  | 320            | 1.55          | -       | 40.45      | 8.65       | 34.82      |  |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6875MHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|
| PK   | 13.75188G    | 59.85             | 88.20             | -28.35         | 45.58         | 3           | Horizontal | 273            | 1.22          | -       | 40.45      | 8.65       | 34.83      |  |
| AV   | 13.74758G    | 46.24             | 68.20             | -21.96         | 31.96         | 3           | Horizontal | 273            | 1.22          | -       | 40.45      | 8.65       | 34.82      |  |



## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6875MHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-S-8

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |
| PK   | 20.62308G | 49.14    | 83.54    | -34.40 | 45.36  | 1    | Vertical  | 171     | 1.51   | -       | 37.85 | 15.78 | 49.85 |
| AV   | 20.62264G | 36.12    | 63.54    | -27.42 | 32.34  | 1    | Vertical  | 171     | 1.51   | -       | 37.85 | 15.78 | 49.85 |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6875MHz\_TnomVnom




EUT\_X\_4TX  
Setting 26  
04-A-S-8

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.6279G     | 49.28             | 83.54             | -34.26         | 45.50         | 1           | Horizontal | 31             | 1.56          | -       | 37.85      | 15.78      | 49.85      |
| AV   | 20.62872G    | 36.15             | 63.54             | -27.39         | 32.37         | 1           | Horizontal | 31             | 1.56          | -       | 37.85      | 15.78      | 49.85      |

## 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6895MHz\_TnomVnom



EUT X\_4TX  
Setting 28  
04-A-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 6.9034G      | 99.72             | Inf               | -Inf           | 90.73         | 3           | Vertical  | 272            | 1.58          | -       | 36.43      | 5.80       | 33.24      |
| RMS  | 6.9034G      | 89.22             | Inf               | -Inf           | 80.23         | 3           | Vertical  | 272            | 1.58          | -       | 36.43      | 5.80       | 33.24      |
| PK   | 7.1686G      | 61.77             | 88.20             | -26.43         | 52.11         | 3           | Vertical  | 272            | 1.58          | -       | 37.17      | 5.98       | 33.49      |
| RMS  | 7.1326G      | 51.14             | 68.20             | -17.06         | 41.66         | 3           | Vertical  | 272            | 1.58          | -       | 36.96      | 5.97       | 33.45      |