




EIRP:Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




EIRP:Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




EIRP:Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




EIRP:Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




EIRP;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




EIRP;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX




EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:5955MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6195MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6415MHz;TX




EIRP:Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6435MHz;TX




EIRP:Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6475MHz;TX




EIRP:Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6515MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6535MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6695MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6875MHz;TX




EIRP:Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6895MHz;TX




EIRP:Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6995MHz;TX




EIRP:Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:7095MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:5965MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6205MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6405MHz;TX




EIRP:Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6445MHz;TX




EIRP:Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6485MHz;TX




EIRP:Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6525MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6565MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6885MHz;TX




EIRP:Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6925MHz;TX




EIRP:Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7005MHz;TX




EIRP:Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7085MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:5985MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6225MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6385MHz;TX




EIRP:Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6465MHz;TX




EIRP:Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6545MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6865MHz;TX




EIRP:Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6945MHz;TX




EIRP:Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:7025MHz;TX




EIRP:Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6025MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6185MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6345MHz;TX




EIRP;Band:6.4G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6505MHz;TX




EIRP;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX




EIRP;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6825MHz;TX




EIRP;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6985MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6105MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6265MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6425MHz;TX




EIRP;Band:6.4G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6585MHz;TX



EIRP;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6745MHz;TX



EIRP;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6905MHz;TX



## Summary


| Mode                               | EIRP<br>(dBm) | EIRP<br>(W) |
|------------------------------------|---------------|-------------|
| 5.925-6.425GHz                     | -             | -           |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 19.73         | 0.09397     |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 23.47         | 0.22233     |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 25.86         | 0.38548     |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 29.57         | 0.90573     |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 29.95         | 0.98855     |
| 6.425-6.525GHz                     | -             | -           |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 21.17         | 0.13092     |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 23.02         | 0.20045     |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 24.26         | 0.26669     |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 28.20         | 0.66069     |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 29.80         | 0.95499     |
| 6.525-6.875GHz                     | -             | -           |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 20.12         | 0.10280     |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 22.57         | 0.18072     |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 25.38         | 0.34514     |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 28.27         | 0.67143     |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | 29.83         | 0.96161     |
| 6.875-7.125GHz                     | -             | -           |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | 20.34         | 0.10814     |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | 23.21         | 0.20941     |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | 25.04         | 0.31915     |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | 27.57         | 0.57148     |

**Result**


| Mode                               | Result | EIRP<br>(dBm) | EIRP Limit<br>(dBm) |
|------------------------------------|--------|---------------|---------------------|
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX  | -      | -             | -                   |
| 5955MHz                            | Pass   | 18.89         | 30.00               |
| 6195MHz                            | Pass   | 19.73         | 30.00               |
| 6415MHz                            | Pass   | 19.26         | 30.00               |
| 6435MHz                            | Pass   | 18.36         | 30.00               |
| 6475MHz                            | Pass   | 21.17         | 30.00               |
| 6515MHz                            | Pass   | 19.64         | 30.00               |
| 6535MHz                            | Pass   | 19.66         | 30.00               |
| 6695MHz                            | Pass   | 20.12         | 30.00               |
| 6875MHz Straddle 6.525-6.875GHz    | Pass   | 18.99         | 30.00               |
| 6895MHz                            | Pass   | 18.48         | 30.00               |
| 6995MHz                            | Pass   | 20.34         | 30.00               |
| 7095MHz                            | Pass   | 19.12         | 30.00               |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX  | -      | -             | -                   |
| 5965MHz                            | Pass   | 21.45         | 30.00               |
| 6205MHz                            | Pass   | 18.89         | 30.00               |
| 6405MHz                            | Pass   | 23.47         | 30.00               |
| 6445MHz                            | Pass   | 23.02         | 30.00               |
| 6485MHz                            | Pass   | 22.79         | 30.00               |
| 6525MHz Straddle 6.425-6.525GHz    | Pass   | 21.95         | 30.00               |
| 6565MHz                            | Pass   | 22.57         | 30.00               |
| 6685MHz                            | Pass   | 21.74         | 30.00               |
| 6885MHz Straddle 6.525-6.875GHz    | Pass   | 21.54         | 30.00               |
| 6925MHz                            | Pass   | 23.21         | 30.00               |
| 7005MHz                            | Pass   | 22.65         | 30.00               |
| 7085MHz                            | Pass   | 20.94         | 30.00               |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX  | -      | -             | -                   |
| 5985MHz                            | Pass   | 25.86         | 30.00               |
| 6225MHz                            | Pass   | 25.16         | 30.00               |
| 6385MHz                            | Pass   | 24.81         | 30.00               |
| 6465MHz                            | Pass   | 24.26         | 30.00               |
| 6545MHz Straddle 6.425-6.525GHz    | Pass   | 24.19         | 30.00               |
| 6625MHz                            | Pass   | 22.93         | 30.00               |
| 6705MHz                            | Pass   | 25.38         | 30.00               |
| 6785MHz                            | Pass   | 24.63         | 30.00               |
| 6865MHz Straddle 6.525-6.875GHz    | Pass   | 25.06         | 30.00               |
| 6945MHz                            | Pass   | 25.04         | 30.00               |
| 7025MHz                            | Pass   | 23.94         | 30.00               |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX | -      | -             | -                   |
| 6025MHz                            | Pass   | 29.57         | 30.00               |
| 6185MHz                            | Pass   | 28.54         | 30.00               |
| 6345MHz                            | Pass   | 27.19         | 30.00               |
| 6505MHz Straddle 6.425-6.525GHz    | Pass   | 28.20         | 30.00               |
| 6665MHz                            | Pass   | 28.27         | 30.00               |
| 6825MHz Straddle 6.525-6.875GHz    | Pass   | 27.18         | 30.00               |
| 6985MHz                            | Pass   | 27.57         | 30.00               |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX | -      | -             | -                   |
| 6105MHz                            | Pass   | 29.95         | 30.00               |
| 6265MHz                            | Pass   | 29.81         | 30.00               |
| 6425MHz Straddle 5.925-6.425GHz    | Pass   | 29.94         | 30.00               |
| 6585MHz Straddle 6.425-6.525GHz    | Pass   | 29.80         | 30.00               |
| 6745MHz Straddle 6.525-6.875GHz    | Pass   | 29.83         | 30.00               |
| 6905MHz Straddle 6.525-6.875GHz    | Pass   | 29.79         | 30.00               |

DG = Directional Gain; Port X = Port X output power


EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX




EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX




EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX




EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX




EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX




EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX




EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP:Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




EIRP:Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




EIRP:Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




EIRP:Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




EIRP:Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




EIRP;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




EIRP;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX



EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX



EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX





**Summary**

| Mode                               | EIRP PD<br>(dBm/RBW) |
|------------------------------------|----------------------|
| 5.925-6.425GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_2TX  | 4.93                 |
| 802.11be EHT20-BF_Nss1,(MCS0)_2TX  | 4.94                 |
| 802.11be EHT20-BF_Nss1,(MCS0)_2TX  | 4.88                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_2TX  | 4.79                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_2TX  | 4.89                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_2TX  | 4.81                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_2TX  | 4.98                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_2TX  | 4.80                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_2TX  | 4.99                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_2TX | 4.90                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_2TX | 4.91                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_2TX | 4.80                 |


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


| Mode                               | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|----------------------|----------------------------|
| 802.11be EHT20-BF_Nss1,(MCS0)_2TX  | -                    | -                          |
| 5955MHz                            | 4.93                 | 5.00                       |
| 6195MHz                            | 4.94                 | 5.00                       |
| 6415MHz                            | 4.88                 | 5.00                       |
| 802.11be EHT40-BF_Nss1,(MCS0)_2TX  | -                    | -                          |
| 5965MHz                            | 4.79                 | 5.00                       |
| 6205MHz                            | 4.89                 | 5.00                       |
| 6405MHz                            | 4.81                 | 5.00                       |
| 802.11be EHT80-BF_Nss1,(MCS0)_2TX  | -                    | -                          |
| 5985MHz                            | 4.98                 | 5.00                       |
| 6225MHz                            | 4.80                 | 5.00                       |
| 6385MHz                            | 4.99                 | 5.00                       |
| 802.11be EHT160-BF_Nss1,(MCS0)_2TX | -                    | -                          |
| 6025MHz                            | 4.90                 | 5.00                       |
| 6185MHz                            | 4.91                 | 5.00                       |
| 6345MHz                            | 4.80                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX



EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX



EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX





**Summary**

| Mode                            | EIRP PD<br>(dBm/RBW) |
|---------------------------------|----------------------|
| 5.925-6.425GHz                  | -                    |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 4.85                 |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | 4.93                 |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | 4.96                 |
| 802.11be EHT160_Nss2,(MCS0)_2TX | 4.89                 |


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


| Mode                            | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss2,(MCS0)_2TX  | -      | -                    | -                          |
| 5955MHz                         | Pass   | 4.81                 | 5.00                       |
| 6195MHz                         | Pass   | 4.85                 | 5.00                       |
| 6415MHz                         | Pass   | 4.83                 | 5.00                       |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | -      | -                    | -                          |
| 5965MHz                         | Pass   | 4.93                 | 5.00                       |
| 6205MHz                         | Pass   | 4.76                 | 5.00                       |
| 6405MHz                         | Pass   | 4.90                 | 5.00                       |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -      | -                    | -                          |
| 5985MHz                         | Pass   | 4.81                 | 5.00                       |
| 6225MHz                         | Pass   | 4.96                 | 5.00                       |
| 6385MHz                         | Pass   | 4.86                 | 5.00                       |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -      | -                    | -                          |
| 6025MHz                         | Pass   | 4.89                 | 5.00                       |
| 6185MHz                         | Pass   | 4.89                 | 5.00                       |
| 6345MHz                         | Pass   | 4.82                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6025MHz;TX



EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX



EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX



**Summary**

| Mode                             | EIRP PD<br>(dBm/RBW) |
|----------------------------------|----------------------|
| 5.925-6.425GHz                   | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX   | 4.97                 |
| 802.11be EHT40_Nss1,(MCS0)_2TX   | 4.97                 |
| 802.11be EHT80_Nss1,(MCS15)_2TX  | 4.95                 |
| 802.11be EHT160_Nss1,(MCS15)_2TX | 4.95                 |
| 6.425-6.525GHz                   | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX   | 4.78                 |
| 802.11be EHT40_Nss1,(MCS0)_2TX   | 4.87                 |
| 802.11be EHT80_Nss1,(MCS15)_2TX  | 4.90                 |
| 802.11be EHT160_Nss1,(MCS15)_2TX | 4.89                 |
| 6.525-6.875GHz                   | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX   | 4.79                 |
| 802.11be EHT40_Nss1,(MCS0)_2TX   | 4.94                 |
| 802.11be EHT80_Nss1,(MCS15)_2TX  | 4.98                 |
| 802.11be EHT160_Nss1,(MCS15)_2TX | 4.68                 |
| 6.875-7.125GHz                   | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX   | 4.95                 |
| 802.11be EHT40_Nss1,(MCS0)_2TX   | 4.72                 |
| 802.11be EHT80_Nss1,(MCS15)_2TX  | 4.99                 |
| 802.11be EHT160_Nss1,(MCS15)_2TX | 4.42                 |


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


| Mode                             | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|----------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_2TX   | -      | -                    | -                          |
| 5955MHz                          | Pass   | 4.97                 | 5.00                       |
| 6195MHz                          | Pass   | 4.97                 | 5.00                       |
| 6415MHz                          | Pass   | 4.76                 | 5.00                       |
| 6435MHz                          | Pass   | 4.78                 | 5.00                       |
| 6475MHz                          | Pass   | 4.75                 | 5.00                       |
| 6515MHz                          | Pass   | 4.74                 | 5.00                       |
| 6535MHz                          | Pass   | 4.54                 | 5.00                       |
| 6695MHz                          | Pass   | 4.53                 | 5.00                       |
| 6875MHz                          | Pass   | 4.79                 | 5.00                       |
| 6895MHz                          | Pass   | 4.95                 | 5.00                       |
| 6995MHz                          | Pass   | 4.85                 | 5.00                       |
| 7095MHz                          | Pass   | 4.90                 | 5.00                       |
| 802.11be EHT40_Nss1,(MCS0)_2TX   | -      | -                    | -                          |
| 5965MHz                          | Pass   | 4.52                 | 5.00                       |
| 6205MHz                          | Pass   | 4.50                 | 5.00                       |
| 6405MHz                          | Pass   | 4.97                 | 5.00                       |
| 6445MHz                          | Pass   | 4.64                 | 5.00                       |
| 6485MHz                          | Pass   | 4.63                 | 5.00                       |
| 6525MHz                          | Pass   | 4.87                 | 5.00                       |
| 6565MHz                          | Pass   | 4.94                 | 5.00                       |
| 6685MHz                          | Pass   | 4.74                 | 5.00                       |
| 6885MHz                          | Pass   | 4.63                 | 5.00                       |
| 6925MHz                          | Pass   | 4.56                 | 5.00                       |
| 7005MHz                          | Pass   | 4.72                 | 5.00                       |
| 7085MHz                          | Pass   | 4.56                 | 5.00                       |
| 802.11be EHT80_Nss1,(MCS15)_2TX  | -      | -                    | -                          |
| 5985MHz                          | Pass   | 4.62                 | 5.00                       |
| 6225MHz                          | Pass   | 4.66                 | 5.00                       |
| 6385MHz                          | Pass   | 4.95                 | 5.00                       |
| 6465MHz                          | Pass   | 4.89                 | 5.00                       |
| 6545MHz                          | Pass   | 4.90                 | 5.00                       |
| 6625MHz                          | Pass   | 4.95                 | 5.00                       |
| 6705MHz                          | Pass   | 4.92                 | 5.00                       |
| 6785MHz                          | Pass   | 4.98                 | 5.00                       |
| 6865MHz                          | Pass   | 4.59                 | 5.00                       |
| 6945MHz                          | Pass   | 4.59                 | 5.00                       |
| 7025MHz                          | Pass   | 4.99                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS15)_2TX | -      | -                    | -                          |
| 6025MHz                          | Pass   | 3.51                 | 5.00                       |
| 6185MHz                          | Pass   | 4.95                 | 5.00                       |
| 6345MHz                          | Pass   | 4.75                 | 5.00                       |
| 6505MHz                          | Pass   | 4.89                 | 5.00                       |
| 6665MHz                          | Pass   | 4.68                 | 5.00                       |
| 6825MHz                          | Pass   | 4.30                 | 5.00                       |
| 6985MHz                          | Pass   | 4.42                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX




EIRP PSD:Band:6.2G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:5985MHz;TX




EIRP PSD:Band:6.2G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6225MHz;TX




EIRP PSD:Band:6.2G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6385MHz;TX




EIRP PSD:Band:6.4G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6465MHz;TX




EIRP PSD:Band:6.4G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6545MHz;TX




EIRP PSD:Band:6.7G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6625MHz;TX




EIRP PSD:Band:6.7G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6705MHz;TX




EIRP PSD:Band:6.7G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6785MHz;TX




EIRP PSD:Band:6.7G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6865MHz;TX




EIRP PSD:Band:7.0G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:7025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6345MHz;TX




EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6665MHz;TX



EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6825MHz;TX



EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6985MHz;TX



**Summary**

| Mode                            | EIRP PD<br>(dBm/RBW) |
|---------------------------------|----------------------|
| 5.925-6.425GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | 4.96                 |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 4.81                 |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | 4.94                 |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | 4.91                 |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | 4.85                 |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | 4.93                 |
| 802.11be EHT160_Nss1,(MCS0)_2TX | 4.89                 |
| 802.11be EHT160_Nss2,(MCS0)_2TX | 4.92                 |
| 802.11be EHT320_Nss1,(MCS0)_2TX | 4.32                 |
| 802.11be EHT320_Nss2,(MCS0)_2TX | 3.15                 |
| 6.425-6.525GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | 4.98                 |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 4.96                 |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | 4.97                 |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | 4.87                 |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | 4.86                 |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | 4.73                 |
| 802.11be EHT160_Nss1,(MCS0)_2TX | 4.64                 |
| 802.11be EHT160_Nss2,(MCS0)_2TX | 4.72                 |
| 802.11be EHT320_Nss1,(MCS0)_2TX | 1.64                 |
| 802.11be EHT320_Nss2,(MCS0)_2TX | 1.11                 |
| 6.525-6.875GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | 4.89                 |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 4.98                 |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | 4.91                 |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | 4.96                 |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | 4.94                 |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | 4.88                 |
| 802.11be EHT160_Nss1,(MCS0)_2TX | 4.81                 |
| 802.11be EHT160_Nss2,(MCS0)_2TX | 4.86                 |
| 802.11be EHT320_Nss1,(MCS0)_2TX | 0.12                 |
| 802.11be EHT320_Nss2,(MCS0)_2TX | -10.40               |
| 6.875-7.125GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_2TX  | 4.90                 |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 4.98                 |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | 4.78                 |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | 4.98                 |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | 4.66                 |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | 4.76                 |
| 802.11be EHT160_Nss1,(MCS0)_2TX | 4.87                 |
| 802.11be EHT160_Nss2,(MCS0)_2TX | 3.66                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                            | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_2TX  | -      | -                    | -                          |
| 5955MHz                         | Pass   | 4.89                 | 5.00                       |
| 6195MHz                         | Pass   | 4.96                 | 5.00                       |
| 6415MHz                         | Pass   | 4.88                 | 5.00                       |
| 6435MHz                         | Pass   | 4.98                 | 5.00                       |
| 6475MHz                         | Pass   | 4.51                 | 5.00                       |
| 6515MHz                         | Pass   | 4.97                 | 5.00                       |
| 6535MHz                         | Pass   | 4.89                 | 5.00                       |
| 6695MHz                         | Pass   | 4.69                 | 5.00                       |
| 6875MHz Straddle 6.525-6.875GHz | Pass   | 4.65                 | 5.00                       |
| 6895MHz                         | Pass   | 4.82                 | 5.00                       |
| 6995MHz                         | Pass   | 4.54                 | 5.00                       |
| 7095MHz                         | Pass   | 4.90                 | 5.00                       |
| 802.11be EHT40_Nss1,(MCS0)_2TX  | -      | -                    | -                          |
| 5965MHz                         | Pass   | 4.91                 | 5.00                       |
| 6205MHz                         | Pass   | 4.78                 | 5.00                       |
| 6405MHz                         | Pass   | 4.94                 | 5.00                       |
| 6445MHz                         | Pass   | 4.86                 | 5.00                       |
| 6485MHz                         | Pass   | 4.72                 | 5.00                       |
| 6525MHz Straddle 6.425-6.525GHz | Pass   | 4.97                 | 5.00                       |
| 6565MHz                         | Pass   | 4.76                 | 5.00                       |
| 6685MHz                         | Pass   | 4.91                 | 5.00                       |
| 6885MHz Straddle 6.525-6.875GHz | Pass   | 4.50                 | 5.00                       |
| 6925MHz                         | Pass   | 4.78                 | 5.00                       |
| 7005MHz                         | Pass   | 4.74                 | 5.00                       |
| 7085MHz                         | Pass   | 4.71                 | 5.00                       |
| 802.11be EHT80_Nss1,(MCS0)_2TX  | -      | -                    | -                          |
| 5985MHz                         | Pass   | 4.85                 | 5.00                       |
| 6225MHz                         | Pass   | 4.65                 | 5.00                       |
| 6385MHz                         | Pass   | 4.71                 | 5.00                       |
| 6465MHz                         | Pass   | 4.85                 | 5.00                       |
| 6545MHz Straddle 6.425-6.525GHz | Pass   | 4.86                 | 5.00                       |
| 6625MHz                         | Pass   | 4.94                 | 5.00                       |
| 6705MHz                         | Pass   | 4.51                 | 5.00                       |
| 6785MHz                         | Pass   | 4.52                 | 5.00                       |
| 6865MHz Straddle 6.525-6.875GHz | Pass   | 4.64                 | 5.00                       |
| 6945MHz                         | Pass   | 4.66                 | 5.00                       |
| 7025MHz                         | Pass   | 4.54                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0)_2TX | -      | -                    | -                          |
| 6025MHz                         | Pass   | 4.89                 | 5.00                       |
| 6185MHz                         | Pass   | 4.56                 | 5.00                       |
| 6345MHz                         | Pass   | 4.86                 | 5.00                       |
| 6505MHz Straddle 6.425-6.525GHz | Pass   | 4.64                 | 5.00                       |
| 6665MHz                         | Pass   | 4.79                 | 5.00                       |
| 6825MHz Straddle 6.525-6.875GHz | Pass   | 4.81                 | 5.00                       |
| 6985MHz                         | Pass   | 4.87                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0)_2TX | -      | -                    | -                          |
| 6105MHz                         | Pass   | -2.92                | 5.00                       |
| 6265MHz                         | Pass   | 4.32                 | 5.00                       |
| 6425MHz Straddle 5.925-6.425GHz | Pass   | 3.33                 | 5.00                       |
| 6585MHz Straddle 6.425-6.525GHz | Pass   | 1.64                 | 5.00                       |
| 6745MHz Straddle 6.525-6.875GHz | Pass   | 0.12                 | 5.00                       |
| 6905MHz Straddle 6.525-6.875GHz | Pass   | -10.51               | 5.00                       |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | -      | -                    | -                          |
| 5955MHz                         | Pass   | 4.61                 | 5.00                       |




## Radiated PSD Mode 4

## Appendix D.4


| Mode                            | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|----------------------|----------------------------|
| 6195MHz                         | Pass   | 4.81                 | 5.00                       |
| 6415MHz                         | Pass   | 4.62                 | 5.00                       |
| 6435MHz                         | Pass   | 4.96                 | 5.00                       |
| 6475MHz                         | Pass   | 4.80                 | 5.00                       |
| 6515MHz                         | Pass   | 4.92                 | 5.00                       |
| 6535MHz                         | Pass   | 4.94                 | 5.00                       |
| 6695MHz                         | Pass   | 4.89                 | 5.00                       |
| 6875MHz Straddle 6.525-6.875GHz | Pass   | 4.98                 | 5.00                       |
| 6895MHz                         | Pass   | 4.90                 | 5.00                       |
| 6995MHz                         | Pass   | 4.96                 | 5.00                       |
| 7095MHz                         | Pass   | 4.98                 | 5.00                       |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | -      | -                    | -                          |
| 5965MHz                         | Pass   | 4.91                 | 5.00                       |
| 6205MHz                         | Pass   | 4.79                 | 5.00                       |
| 6405MHz                         | Pass   | 4.85                 | 5.00                       |
| 6445MHz                         | Pass   | 4.73                 | 5.00                       |
| 6485MHz                         | Pass   | 4.87                 | 5.00                       |
| 6525MHz Straddle 6.425-6.525GHz | Pass   | 4.66                 | 5.00                       |
| 6565MHz                         | Pass   | 4.71                 | 5.00                       |
| 6685MHz                         | Pass   | 4.96                 | 5.00                       |
| 6885MHz Straddle 6.525-6.875GHz | Pass   | 4.59                 | 5.00                       |
| 6925MHz                         | Pass   | 4.98                 | 5.00                       |
| 7005MHz                         | Pass   | 4.79                 | 5.00                       |
| 7085MHz                         | Pass   | 4.58                 | 5.00                       |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -      | -                    | -                          |
| 5985MHz                         | Pass   | 4.04                 | 5.00                       |
| 6225MHz                         | Pass   | 4.93                 | 5.00                       |
| 6385MHz                         | Pass   | 4.84                 | 5.00                       |
| 6465MHz                         | Pass   | 4.61                 | 5.00                       |
| 6545MHz Straddle 6.425-6.525GHz | Pass   | 4.73                 | 5.00                       |
| 6625MHz                         | Pass   | 4.86                 | 5.00                       |
| 6705MHz                         | Pass   | 4.88                 | 5.00                       |
| 6785MHz                         | Pass   | 4.88                 | 5.00                       |
| 6865MHz Straddle 6.525-6.875GHz | Pass   | 4.74                 | 5.00                       |
| 6945MHz                         | Pass   | 4.68                 | 5.00                       |
| 7025MHz                         | Pass   | 4.76                 | 5.00                       |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -      | -                    | -                          |
| 6025MHz                         | Pass   | 1.87                 | 5.00                       |
| 6185MHz                         | Pass   | 4.77                 | 5.00                       |
| 6345MHz                         | Pass   | 4.92                 | 5.00                       |
| 6505MHz Straddle 6.425-6.525GHz | Pass   | 4.72                 | 5.00                       |
| 6665MHz                         | Pass   | 4.61                 | 5.00                       |
| 6825MHz Straddle 6.525-6.875GHz | Pass   | 4.86                 | 5.00                       |
| 6985MHz                         | Pass   | 3.66                 | 5.00                       |
| 802.11be EHT320_Nss2,(MCS0)_2TX | -      | -                    | -                          |
| 6105MHz                         | Pass   | -1.06                | 5.00                       |
| 6265MHz                         | Pass   | 3.15                 | 5.00                       |
| 6425MHz Straddle 5.925-6.425GHz | Pass   | 2.76                 | 5.00                       |
| 6585MHz Straddle 6.425-6.525GHz | Pass   | 1.11                 | 5.00                       |
| 6745MHz Straddle 6.525-6.875GHz | Pass   | 0.29                 | 5.00                       |
| 6905MHz Straddle 6.525-6.875GHz | Pass   | -10.40               | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX




EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX




EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6425MHz;TX




EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX




EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX




EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6515MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:7095MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6485MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6525MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6885MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7085MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6465MHz;TX




EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6545MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6865MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:7025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX




EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6825MHz;TX




EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6985MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6425MHz;TX




EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6585MHz;TX



EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6745MHz;TX



EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6905MHz;TX



**Summary**

| Mode                               | EIRP PD<br>(dBm/RBW) |
|------------------------------------|----------------------|
| 5.925-6.425GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_2TX  | 4.98                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_2TX  | 4.83                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_2TX  | 4.96                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_2TX | 4.84                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_2TX | 4.95                 |
| 6.425-6.525GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_2TX  | 4.99                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_2TX  | 4.96                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_2TX  | 4.87                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_2TX | 4.93                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_2TX | 4.93                 |
| 6.525-6.875GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_2TX  | 4.88                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_2TX  | 4.93                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_2TX  | 4.97                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_2TX | 4.86                 |
| 802.11be EHT320-BF_Nss1,(MCS0)_2TX | 4.83                 |
| 6.875-7.125GHz                     | -                    |
| 802.11be EHT20-BF_Nss1,(MCS0)_2TX  | 4.98                 |
| 802.11be EHT40-BF_Nss1,(MCS0)_2TX  | 4.90                 |
| 802.11be EHT80-BF_Nss1,(MCS0)_2TX  | 4.88                 |
| 802.11be EHT160-BF_Nss1,(MCS0)_2TX | 4.34                 |


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**


| Mode                               | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|------------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20-BF_Nss1,(MCS0)_2TX  | -      | -                    | -                          |
| 5955MHz                            | Pass   | 4.98                 | 5.00                       |
| 6195MHz                            | Pass   | 4.83                 | 5.00                       |
| 6415MHz                            | Pass   | 4.95                 | 5.00                       |
| 6435MHz                            | Pass   | 4.91                 | 5.00                       |
| 6475MHz                            | Pass   | 4.96                 | 5.00                       |
| 6515MHz                            | Pass   | 4.99                 | 5.00                       |
| 6535MHz                            | Pass   | 4.72                 | 5.00                       |
| 6695MHz                            | Pass   | 4.76                 | 5.00                       |
| 6875MHz Straddle 6.525-6.875GHz    | Pass   | 4.88                 | 5.00                       |
| 6895MHz                            | Pass   | 4.80                 | 5.00                       |
| 6995MHz                            | Pass   | 4.98                 | 5.00                       |
| 7095MHz                            | Pass   | 4.96                 | 5.00                       |
| 802.11be EHT40-BF_Nss1,(MCS0)_2TX  | -      | -                    | -                          |
| 5965MHz                            | Pass   | 4.76                 | 5.00                       |
| 6205MHz                            | Pass   | 4.83                 | 5.00                       |
| 6405MHz                            | Pass   | 4.78                 | 5.00                       |
| 6445MHz                            | Pass   | 4.80                 | 5.00                       |
| 6485MHz                            | Pass   | 4.77                 | 5.00                       |
| 6525MHz Straddle 6.425-6.525GHz    | Pass   | 4.96                 | 5.00                       |
| 6565MHz                            | Pass   | 4.93                 | 5.00                       |
| 6685MHz                            | Pass   | 4.93                 | 5.00                       |
| 6885MHz Straddle 6.525-6.875GHz    | Pass   | 4.90                 | 5.00                       |
| 6925MHz                            | Pass   | 4.90                 | 5.00                       |
| 7005MHz                            | Pass   | 4.87                 | 5.00                       |
| 7085MHz                            | Pass   | 4.81                 | 5.00                       |
| 802.11be EHT80-BF_Nss1,(MCS0)_2TX  | -      | -                    | -                          |
| 5985MHz                            | Pass   | 4.94                 | 5.00                       |
| 6225MHz                            | Pass   | 4.94                 | 5.00                       |
| 6385MHz                            | Pass   | 4.96                 | 5.00                       |
| 6465MHz                            | Pass   | 4.87                 | 5.00                       |
| 6545MHz Straddle 6.425-6.525GHz    | Pass   | 4.86                 | 5.00                       |
| 6625MHz                            | Pass   | 4.93                 | 5.00                       |
| 6705MHz                            | Pass   | 4.88                 | 5.00                       |
| 6785MHz                            | Pass   | 4.90                 | 5.00                       |
| 6865MHz Straddle 6.525-6.875GHz    | Pass   | 4.97                 | 5.00                       |
| 6945MHz                            | Pass   | 4.83                 | 5.00                       |
| 7025MHz                            | Pass   | 4.88                 | 5.00                       |
| 802.11be EHT160-BF_Nss1,(MCS0)_2TX | -      | -                    | -                          |
| 6025MHz                            | Pass   | 4.12                 | 5.00                       |
| 6185MHz                            | Pass   | 4.84                 | 5.00                       |
| 6345MHz                            | Pass   | 4.82                 | 5.00                       |
| 6505MHz Straddle 6.425-6.525GHz    | Pass   | 4.93                 | 5.00                       |
| 6665MHz                            | Pass   | 4.86                 | 5.00                       |
| 6825MHz Straddle 6.525-6.875GHz    | Pass   | 4.86                 | 5.00                       |
| 6985MHz                            | Pass   | 4.34                 | 5.00                       |
| 802.11be EHT320-BF_Nss1,(MCS0)_2TX | -      | -                    | -                          |
| 6105MHz                            | Pass   | 2.01                 | 5.00                       |
| 6265MHz                            | Pass   | 4.90                 | 5.00                       |
| 6425MHz Straddle 5.925-6.425GHz    | Pass   | 4.95                 | 5.00                       |
| 6585MHz Straddle 6.425-6.525GHz    | Pass   | 4.93                 | 5.00                       |
| 6745MHz Straddle 6.525-6.875GHz    | Pass   | 4.83                 | 5.00                       |
| 6905MHz Straddle 6.525-6.875GHz    | Pass   | -1.52                | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX




EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX




EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6425MHz;TX




EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX



EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX



EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX



**Summary**

| Mode                            | EIRP PD<br>(dBm/RBW) |
|---------------------------------|----------------------|
| 5.925-6.425GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.91                 |
| 802.11be EHT20_Nss4,(MCS0)_4TX  | 4.95                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.99                 |
| 802.11be EHT40_Nss4,(MCS0)_4TX  | 4.88                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.95                 |
| 802.11be EHT80_Nss4,(MCS0)_4TX  | 4.77                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.97                 |
| 802.11be EHT160_Nss4,(MCS0)_4TX | 4.88                 |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.80                 |
| 802.11be EHT320_Nss4,(MCS0)_4TX | 4.96                 |
| 6.425-6.525GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.97                 |
| 802.11be EHT20_Nss4,(MCS0)_4TX  | 4.75                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.92                 |
| 802.11be EHT40_Nss4,(MCS0)_4TX  | 4.74                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.55                 |
| 802.11be EHT80_Nss4,(MCS0)_4TX  | 4.81                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.85                 |
| 802.11be EHT160_Nss4,(MCS0)_4TX | 4.66                 |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.95                 |
| 802.11be EHT320_Nss4,(MCS0)_4TX | 4.96                 |
| 6.525-6.875GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.98                 |
| 802.11be EHT20_Nss4,(MCS0)_4TX  | 4.74                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.98                 |
| 802.11be EHT40_Nss4,(MCS0)_4TX  | 4.80                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.92                 |
| 802.11be EHT80_Nss4,(MCS0)_4TX  | 4.69                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.88                 |
| 802.11be EHT160_Nss4,(MCS0)_4TX | 4.87                 |
| 802.11be EHT320_Nss1,(MCS0)_4TX | 4.97                 |
| 802.11be EHT320_Nss4,(MCS0)_4TX | 4.88                 |
| 6.875-7.125GHz                  | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 4.99                 |
| 802.11be EHT20_Nss4,(MCS0)_4TX  | 4.98                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | 4.99                 |
| 802.11be EHT40_Nss4,(MCS0)_4TX  | 4.98                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | 4.69                 |
| 802.11be EHT80_Nss4,(MCS0)_4TX  | 4.93                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX | 4.78                 |
| 802.11be EHT160_Nss4,(MCS0)_4TX | 4.64                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                            | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5955MHz                         | Pass   | 4.90                 | 5.00                       |
| 6195MHz                         | Pass   | 4.88                 | 5.00                       |
| 6415MHz                         | Pass   | 4.91                 | 5.00                       |
| 6435MHz                         | Pass   | 4.95                 | 5.00                       |
| 6475MHz                         | Pass   | 4.96                 | 5.00                       |
| 6515MHz                         | Pass   | 4.97                 | 5.00                       |
| 6535MHz                         | Pass   | 4.97                 | 5.00                       |
| 6695MHz                         | Pass   | 4.98                 | 5.00                       |
| 6875MHz Straddle 6.525-6.875GHz | Pass   | 4.97                 | 5.00                       |
| 6895MHz                         | Pass   | 4.97                 | 5.00                       |
| 6995MHz                         | Pass   | 4.99                 | 5.00                       |
| 7095MHz                         | Pass   | 4.84                 | 5.00                       |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5965MHz                         | Pass   | 4.99                 | 5.00                       |
| 6205MHz                         | Pass   | 4.85                 | 5.00                       |
| 6405MHz                         | Pass   | 4.89                 | 5.00                       |
| 6445MHz                         | Pass   | 4.84                 | 5.00                       |
| 6485MHz                         | Pass   | 4.60                 | 5.00                       |
| 6525MHz Straddle 6.425-6.525GHz | Pass   | 4.92                 | 5.00                       |
| 6565MHz                         | Pass   | 4.60                 | 5.00                       |
| 6685MHz                         | Pass   | 4.65                 | 5.00                       |
| 6885MHz Straddle 6.525-6.875GHz | Pass   | 4.98                 | 5.00                       |
| 6925MHz                         | Pass   | 4.58                 | 5.00                       |
| 7005MHz                         | Pass   | 4.82                 | 5.00                       |
| 7085MHz                         | Pass   | 4.99                 | 5.00                       |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | -      | -                    | -                          |
| 5985MHz                         | Pass   | 4.73                 | 5.00                       |
| 6225MHz                         | Pass   | 4.95                 | 5.00                       |
| 6385MHz                         | Pass   | 4.57                 | 5.00                       |
| 6465MHz                         | Pass   | 4.55                 | 5.00                       |
| 6545MHz Straddle 6.425-6.525GHz | Pass   | 4.53                 | 5.00                       |
| 6625MHz                         | Pass   | 4.84                 | 5.00                       |
| 6705MHz                         | Pass   | 4.66                 | 5.00                       |
| 6785MHz                         | Pass   | 4.92                 | 5.00                       |
| 6865MHz Straddle 6.525-6.875GHz | Pass   | 4.70                 | 5.00                       |
| 6945MHz                         | Pass   | 4.69                 | 5.00                       |
| 7025MHz                         | Pass   | 4.64                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6025MHz                         | Pass   | 4.71                 | 5.00                       |
| 6185MHz                         | Pass   | 4.97                 | 5.00                       |
| 6345MHz                         | Pass   | 4.52                 | 5.00                       |
| 6505MHz Straddle 6.425-6.525GHz | Pass   | 4.85                 | 5.00                       |
| 6665MHz                         | Pass   | 4.54                 | 5.00                       |
| 6825MHz Straddle 6.525-6.875GHz | Pass   | 4.88                 | 5.00                       |
| 6985MHz                         | Pass   | 4.78                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0)_4TX | -      | -                    | -                          |
| 6105MHz                         | Pass   | 4.80                 | 5.00                       |
| 6265MHz                         | Pass   | 4.77                 | 5.00                       |
| 6425MHz Straddle 5.925-6.425GHz | Pass   | 4.60                 | 5.00                       |
| 6585MHz Straddle 6.425-6.525GHz | Pass   | 4.95                 | 5.00                       |
| 6745MHz Straddle 6.525-6.875GHz | Pass   | 4.89                 | 5.00                       |
| 6905MHz Straddle 6.525-6.875GHz | Pass   | 4.97                 | 5.00                       |
| 802.11be EHT20_Nss4,(MCS0)_4TX  | -      | -                    | -                          |
| 5955MHz                         | Pass   | 4.77                 | 5.00                       |




## Radiated PSD\_Mode 6

## Appendix D.6


| Mode                            | Result | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|----------------------|----------------------------|
| 6195MHz                         | Pass   | 4.95                 | 5.00                       |
| 6415MHz                         | Pass   | 4.66                 | 5.00                       |
| 6435MHz                         | Pass   | 4.69                 | 5.00                       |
| 6475MHz                         | Pass   | 4.75                 | 5.00                       |
| 6515MHz                         | Pass   | 4.74                 | 5.00                       |
| 6535MHz                         | Pass   | 4.74                 | 5.00                       |
| 6695MHz                         | Pass   | 4.74                 | 5.00                       |
| 6875MHz Straddle 6.525-6.875GHz | Pass   | 4.69                 | 5.00                       |
| 6895MHz                         | Pass   | 4.79                 | 5.00                       |
| 6995MHz                         | Pass   | 4.98                 | 5.00                       |
| 7095MHz                         | Pass   | 4.81                 | 5.00                       |
| 802.11be EHT40_Nss4,(MCS0)_4TX  | -      | -                    | -                          |
| 5965MHz                         | Pass   | 4.88                 | 5.00                       |
| 6205MHz                         | Pass   | 4.77                 | 5.00                       |
| 6405MHz                         | Pass   | 4.75                 | 5.00                       |
| 6445MHz                         | Pass   | 4.67                 | 5.00                       |
| 6485MHz                         | Pass   | 4.51                 | 5.00                       |
| 6525MHz Straddle 6.425-6.525GHz | Pass   | 4.74                 | 5.00                       |
| 6565MHz                         | Pass   | 4.54                 | 5.00                       |
| 6685MHz                         | Pass   | 4.80                 | 5.00                       |
| 6885MHz Straddle 6.525-6.875GHz | Pass   | 4.60                 | 5.00                       |
| 6925MHz                         | Pass   | 4.93                 | 5.00                       |
| 7005MHz                         | Pass   | 4.98                 | 5.00                       |
| 7085MHz                         | Pass   | 4.57                 | 5.00                       |
| 802.11be EHT80_Nss4,(MCS0)_4TX  | -      | -                    | -                          |
| 5985MHz                         | Pass   | 4.77                 | 5.00                       |
| 6225MHz                         | Pass   | 4.70                 | 5.00                       |
| 6385MHz                         | Pass   | 4.72                 | 5.00                       |
| 6465MHz                         | Pass   | 4.81                 | 5.00                       |
| 6545MHz Straddle 6.425-6.525GHz | Pass   | 4.73                 | 5.00                       |
| 6625MHz                         | Pass   | 4.54                 | 5.00                       |
| 6705MHz                         | Pass   | 4.63                 | 5.00                       |
| 6785MHz                         | Pass   | 4.57                 | 5.00                       |
| 6865MHz Straddle 6.525-6.875GHz | Pass   | 4.69                 | 5.00                       |
| 6945MHz                         | Pass   | 4.42                 | 5.00                       |
| 7025MHz                         | Pass   | 4.93                 | 5.00                       |
| 802.11be EHT160_Nss4,(MCS0)_4TX | -      | -                    | -                          |
| 6025MHz                         | Pass   | 4.57                 | 5.00                       |
| 6185MHz                         | Pass   | 4.88                 | 5.00                       |
| 6345MHz                         | Pass   | 4.54                 | 5.00                       |
| 6505MHz Straddle 6.425-6.525GHz | Pass   | 4.66                 | 5.00                       |
| 6665MHz                         | Pass   | 4.87                 | 5.00                       |
| 6825MHz Straddle 6.525-6.875GHz | Pass   | 4.61                 | 5.00                       |
| 6985MHz                         | Pass   | 4.64                 | 5.00                       |
| 802.11be EHT320_Nss4,(MCS0)_4TX | -      | -                    | -                          |
| 6105MHz                         | Pass   | 4.89                 | 5.00                       |
| 6265MHz                         | Pass   | 4.96                 | 5.00                       |
| 6425MHz Straddle 5.925-6.425GHz | Pass   | 4.86                 | 5.00                       |
| 6585MHz Straddle 6.425-6.525GHz | Pass   | 4.96                 | 5.00                       |
| 6745MHz Straddle 6.525-6.875GHz | Pass   | 4.88                 | 5.00                       |
| 6905MHz Straddle 6.525-6.875GHz | Pass   | 4.57                 | 5.00                       |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX



EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX



EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

