


REVISIONS

REV	DESCRIPTION	DATE	APPROVE
A	RELEASE	01/05/25	SANDY CHEN

NOTES:


1. MATERIAL: WHITE MATTE PET, T=0.076mm (KINGLABEL HTYL75(EB))
ADHESIVE: MESH ADHESIVE, T=0.03mm, OR EQUIVALENT AS APPROVED BY WNC.
2. FINISH: MATTE COATING, T=0.02mm, ONLINE PRINT, KINGLABEL PPATM(T)(30)(N)J,
OR EQUIVALENT AS APPROVED BY WNC.
3. COLOR:
a) BACKGROUND= PET COLOR (WHITE)
b) PRINTING: BLACK, CUTTING DIE: 
4. TEMPERATURE RESISTANT= 120°C.
5. PASTED OBJECT MATERIAL: METAL & PLASTIC
6. UL APPROVED: INDOOR PGDQ2, PRINTED, CM-100-KP
7. SHEET-FED (FULL SHEETS)
8. PRINTING TOLERANCE: <30mm ~120mm for ±0.3mm
9. CENTER HOLE DIE-CUT AND WASTE REMOVED.
10. TEST REQUIREMENTS OR OTHER EQUIVALENT TEST METHOD

	TEST ITEM	TEST SPEC	TEST CONDITION	CRITERIA
1	附著力測試	ISO Class.: 1 ASTM Class.: 4 B	ASTM D3359-02/ ISO 2409:2007	Detachment of small flakes of the coating at the intersections of the cuts. A cross-cut area not significantly greater than 5% is affected.



UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS
ARE IN mm AND TOLERANCES ARE:
INTEGRAL DIMENSIONS ± 0.2
1 PLACE DECIMAL ± 0.2
ANGULAR DIMENSIONS ± 2°
HOLES UNDER Ø5.00 ± 0.2

THIRD ANGLE PROJECTION

**WNC****啓碁科技股份有限公司**

20 Park Avenue II, Hsinchu Science Park, Hsinchu 308,
Taiwan, R.O.C.
Tel: 886-3-6667799 Fax: 886-3-5788726

DWG TITLE

LABEL, REGULATORY, AP5022, 97.67X97.67MM, PET, R7PB-E2

DRAWN	CATHY CHEN	01/05/25	SIZE	DWG NO.	REV
ENGR	CATHY CHEN	01/05/25	A4	4L.R7PB.E.00202	A
APVD	SANDY CHEN	01/05/25	SCALE	1/1	SHEET 1 OF 1


REVISIONS

REV	DESCRIPTION	DATE	APPROVE
A	RELEASE	08/15/25	SANDY CHEN

NOTES:


1. MATERIAL: WHITE MATTE PET, T=0.076mm (KINGLABEL HTYL75(EB))
ADHESIVE: MESH ADHESIVE, T=0.03mm, OR EQUIVALENT AS APPROVED BY WNC.
2. FINISH: MATTE COATING, T=0.02mm, ONLINE PRINT, KINGLABEL PPATM(T)(30)(N)J,
OR EQUIVALENT AS APPROVED BY WNC.
3. COLOR:
a) BACKGROUND= PET COLOR (WHITE)
b) PRINTING: BLACK, CUTTING DIE: 
4. TEMPERATURE RESISTANT= 120°C.
5. PASTED OBJECT MATERIAL: METAL & PLASTIC
6. UL APPROVED: INDOOR PGDQ2, PRINTED, CM-100-KP
7. SHEET-FED (FULL SHEETS)
8. PRINTING TOLERANCE: <30mm ~120mm for ±0.3mm
9. CENTER HOLE DIE-CUT AND WASTE REMOVED.
10. TEST REQUIREMENTS OR OTHER EQUIVALENT TEST METHOD

	TEST ITEM	TEST SPEC	TEST CONDITION	CRITERIA
1	附著力測試	ISO Class.: 1 ASTM Class.: 4 B	ASTM D3359-02/ ISO 2409:2007	Detachment of small flakes of the coating at the intersections of the cuts. A cross-cut area not significantly greater than 5% is affected.



UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS
ARE IN mm AND TOLERANCES ARE:
INTEGRAL DIMENSIONS ± 0.2
1 PLACE DECIMAL ± 0.2
ANGULAR DIMENSIONS ± 2°
HOLES UNDER Ø5.00 ± 0.2

THIRD ANGLE PROJECTION

**WNC****啓碁科技股份有限公司**

20 Park Avenue II, Hsinchu Science Park, Hsinchu 308,
Taiwan, R.O.C.
Tel: 886-3-6667799 Fax: 886-3-5788726

DWG TITLE

LABEL, REGULATORY, AP5022S6D, 97.67X97.67MM, PET, R7PB-E2

DRAWN	CATHY CHEN	08/15/25	SIZE	DWG NO.	REV
ENGR	CATHY CHEN	08/15/25	A4	4L.R7PB.E.00302	A
APVD	SANDY CHEN	08/15/25	SCALE	1/1	SHEET 1 OF 1


REVISIONS

REV	DESCRIPTION	DATE	APPROVE
A	RELEASE	01/06/26	SANDY CHEN

NOTES:


1. MATERIAL: WHITE MATTE PET, T=0.076mm (KINGLABEL HTYL75(EB))
ADHESIVE: MESH ADHESIVE, T=0.03mm, OR EQUIVALENT AS APPROVED BY WNC.
2. FINISH: MATTE COATING, T=0.02mm, ONLINE PRINT, KINGLABEL PPATM(T)(30)(N)J,
OR EQUIVALENT AS APPROVED BY WNC.
3. COLOR:
a) BACKGROUND= PET COLOR (WHITE)
b) PRINTING: BLACK, CUTTING DIE: 
4. TEMPERATURE RESISTANT= 120°C.
5. PASTED OBJECT MATERIAL: METAL & PLASTIC
6. UL APPROVED: INDOOR PGDQ2, PRINTED, CM-100-KP
7. SHEET-FED (FULL SHEETS)
8. PRINTING TOLERANCE: <30mm ~120mm for ±0.3mm
9. CENTER HOLE DIE-CUT AND WASTE REMOVED.
10. TEST REQUIREMENTS OR OTHER EQUIVALENT TEST METHOD

	TEST ITEM	TEST SPEC	TEST CONDITION	CRITERIA
1	附著力測試	ISO Class.: 1 ASTM Class.: 4 B	ASTM D3359-02/ ISO 2409:2007	Detachment of small flakes of the coating at the intersections of the cuts. A cross-cut area not significantly greater than 5% is affected.



UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN mm AND TOLERANCES ARE:
INTEGRAL DIMENSIONS ± 0.2
1 PLACE DECIMAL ± 0.2
ANGULAR DIMENSIONS ± 2°
HOLES UNDER Ø5.00 ± 0.2

THIRD ANGLE PROJECTION

**WNC****啓碁科技股份有限公司**


20 Park Avenue II, Hsinchu Science Park, Hsinchu 308,
Taiwan, R.O.C.
Tel: 886-3-6667799 Fax: 886-3-5788726

DWG TITLE


LABEL, REGULATORY, AP5022FX, 97.67X97.67MM, PET, R7PB-E2

DRAWN	CATHY CHEN	01/06/26	SIZE	DWG NO.	REV
ENGR	CATHY CHEN	01/06/26	A4	4L.R7PB.E.00402	A
APVD	SANDY CHEN	01/06/26	SCALE	1/1	SHEET 1 OF 1

Label location:Back of device for AP5022



Label location:Back of device for AP5022S6D



Label location:Back of device for AP5022FX

