


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 92  
06-U-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.61667G | 44.46    | 83.54    | -39.08 | 39.79  | 1    | Horizontal | 337     | 2.16   | -       | 37.70 | 16.59 | 49.62 |  |  |  |
| AV   | 18.6164G  | 35.80    | 63.54    | -27.74 | 31.13  | 1    | Horizontal | 337     | 2.16   | -       | 37.70 | 16.59 | 49.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_V\_4TX  
Setting 92  
06-U-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.81522G | 40.77    | 88.20    | -47.43 | 54.87  | 3    | Vertical  | 358     | 1.77   | -       | 39.43 | 11.60 | 65.13 |  |  |  |
| RMS  | 12.80328G | 34.69    | 68.20    | -33.51 | 48.84  | 3    | Vertical  | 358     | 1.77   | -       | 39.41 | 11.59 | 65.15 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_V\_4TX  
Setting 92  
06-U-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.81582G | 41.34    | 88.20    | -46.86 | 55.44  | 3    | Horizontal | 294     | 1.46   | -       | 39.43 | 11.60 | 65.13 |  |  |  |
| RMS  | 12.81336G | 34.59    | 68.20    | -33.61 | 48.71  | 3    | Horizontal | 294     | 1.46   | -       | 39.43 | 11.59 | 65.14 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT Y\_4TX  
Setting 92  
06-U-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.21295G | 35.80    | 83.54    | -47.74 | 30.57  | 1    | Vertical  | 68      | 1.87   | -       | 37.75 | 16.91 | 49.43 |  |  |  |
| AV   | 19.21703G | 28.79    | 63.54    | -34.75 | 23.54  | 1    | Vertical  | 68      | 1.87   | -       | 37.77 | 16.92 | 49.44 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 92  
06-U-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.21612G | 35.62    | 83.54    | -47.92 | 30.38  | 1    | Horizontal | 146     | 2.64   | -       | 37.76 | 16.92 | 49.44 |  |  |  |
| AV   | 19.21546G | 28.94    | 63.54    | -34.60 | 23.70  | 1    | Horizontal | 146     | 2.64   | -       | 37.76 | 16.91 | 49.43 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_V\_4TX  
Setting 90  
06-U-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.13198G | 42.09    | 88.20    | -46.11 | 55.74  | 3    | Vertical  | 157     | 1.08   | -       | 39.43 | 11.79 | 64.87 |  |  |  |
| RMS  | 13.1198G  | 35.00    | 68.20    | -33.20 | 48.71  | 3    | Vertical  | 157     | 1.08   | -       | 39.38 | 11.78 | 64.87 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-U-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.14242G | 42.53    | 88.20    | -45.67 | 56.13  | 3    | Horizontal | 13      | 1.30   | -       | 39.47 | 11.80 | 64.87 |  |  |  |
| RMS  | 13.12208G | 35.16    | 68.20    | -33.04 | 48.85  | 3    | Horizontal | 13      | 1.30   | -       | 39.39 | 11.79 | 64.87 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-U-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.69164G | 37.03    | 83.54    | -46.51 | 31.54  | 1    | Vertical  | 78      | 2.20   | -       | 37.77 | 17.19 | 49.47 |  |  |  |
| AV   | 19.69398G | 29.88    | 63.54    | -33.66 | 24.38  | 1    | Vertical  | 78      | 2.20   | -       | 37.78 | 17.19 | 49.47 |  |  |  |



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-U-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.69178G | 36.81    | 83.54    | -46.73 | 31.32  | 1    | Horizontal | 321     | 2.63   | -       | 37.77 | 17.19 | 49.47 |  |  |  |
| AV   | 19.69923G | 30.29    | 63.54    | -33.25 | 24.75  | 1    | Horizontal | 321     | 2.63   | -       | 37.80 | 17.20 | 49.46 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-U-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.35854G | 42.61    | 74.00    | -31.39 | 55.50  | 3    | Vertical  | 55      | 1.28   | -       | 40.02 | 11.93 | 64.84 |  |  |  |
| AV   | 13.37378G | 35.78    | 54.00    | -18.22 | 48.63  | 3    | Vertical  | 55      | 1.28   | -       | 40.05 | 11.94 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-U-P-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3694G | 42.93    | 74.00    | -31.07 | 55.79  | 3    | Horizontal | 318     | 2.59   | -       | 40.04 | 11.94 | 64.84 |  |  |  |
| AV   | 13.3724G | 35.55    | 54.00    | -18.45 | 48.41  | 3    | Horizontal | 318     | 2.59   | -       | 40.04 | 11.94 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT Y\_4TX  
Setting 90  
06-U-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.05941G | 43.58    | 83.54    | -39.96 | 37.84  | 1    | Vertical  | 178     | 2.92   | -       | 37.62 | 17.38 | 49.26 |  |  |  |
| AV   | 20.05203G | 36.91    | 63.54    | -26.63 | 31.19  | 1    | Vertical  | 178     | 2.92   | -       | 37.60 | 17.38 | 49.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 90  
06-U-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.05893G    | 43.01             | 83.54             | -40.53         | 37.27         | 1           | Horizontal | 146            | 2.61          | -       | 37.62      | 17.38      | 49.26      |  |  |  |
| AV   | 20.05671G    | 35.87             | 63.54             | -27.67         | 30.14         | 1           | Horizontal | 146            | 2.61          | -       | 37.61      | 17.38      | 49.26      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_V\_4TX  
Setting 91  
06-U-P-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.75734G | 41.75    | 88.20    | -46.45 | 54.07  | 3    | Vertical  | 23      | 1.22   | -       | 40.21 | 12.18 | 64.71 |  |  |  |
| RMS  | 13.75872G | 36.08    | 68.20    | -32.12 | 48.39  | 3    | Vertical  | 23      | 1.22   | -       | 40.22 | 12.18 | 64.71 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_V\_4TX  
Setting 91  
06-U-P-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7556G | 42.88    | 88.20    | -45.32 | 55.20  | 3    | Horizontal | 310     | 2.60   | -       | 40.21 | 12.18 | 64.71 |  |  |  |
| RMS  | 13.7718G | 35.39    | 68.20    | -32.81 | 47.66  | 3    | Horizontal | 310     | 2.60   | -       | 40.24 | 12.19 | 64.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT Y\_4TX  
Setting 91  
06-U-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.65817G    | 42.62             | 83.54             | -40.92         | 36.44         | 1           | Vertical  | 329            | 2.61          | -       | 37.87      | 17.46      | 49.15      |  |  |  |
| AV   | 20.65383G    | 35.33             | 63.54             | -28.21         | 29.14         | 1           | Vertical  | 329            | 2.61          | -       | 37.88      | 17.46      | 49.15      |  |  |  |



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_Y\_4TX  
Setting 91  
06-U-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.65928G | 43.12    | 83.54    | -40.42 | 36.95  | 1    | Horizontal | 334     | 1.88   | -       | 37.86 | 17.46 | 49.15 |  |  |  |
| AV   | 20.65207G | 36.97    | 63.54    | -26.57 | 30.77  | 1    | Horizontal | 334     | 1.88   | -       | 37.89 | 17.46 | 49.15 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 88  
02-D-B-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.922G       | 77.73             | 88.20             | -10.47         | 65.59         | 3           | Vertical  | 51             | 1.94          | -       | 34.14      | 8.16       | 30.16      |  |  |  |
| RMS  | 5.907G       | 67.18             | 68.20             | -1.02          | 55.07         | 3           | Vertical  | 51             | 1.94          | -       | 34.11      | 8.16       | 30.16      |  |  |  |
| PK   | 6.0195G      | 116.10            | Inf               | -Inf           | 103.79        | 3           | Vertical  | 51             | 1.94          | -       | 34.34      | 8.11       | 30.14      |  |  |  |
| RMS  | 6.0215G      | 106.57            | Inf               | -Inf           | 94.26         | 3           | Vertical  | 51             | 1.94          | -       | 34.34      | 8.11       | 30.14      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 88  
02-D-B-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.909G       | 79.20             | 88.20             | -9.00          | 67.08         | 3           | Horizontal | 91             | 1.25          | -       | 34.12      | 8.16       | 30.16      |  |  |  |
| RMS  | 5.917G       | 67.19             | 68.20             | -1.01          | 55.06         | 3           | Horizontal | 91             | 1.25          | -       | 34.13      | 8.16       | 30.16      |  |  |  |
| PK   | 5.997G       | 116.66            | Inf               | -Inf           | 104.38        | 3           | Horizontal | 91             | 1.25          | -       | 34.29      | 8.12       | 30.13      |  |  |  |
| RMS  | 5.9975G      | 106.47            | Inf               | -Inf           | 94.19         | 3           | Horizontal | 91             | 1.25          | -       | 34.29      | 8.12       | 30.13      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 80  
02-D-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.925G       | 79.95             | 88.20             | -8.25          | 67.81         | 3           | Vertical  | 52             | 1.68          | -       | 34.15      | 8.15       | 30.16      |
| RMS  | 5.925G       | 65.35             | 68.20             | -2.85          | 53.21         | 3           | Vertical  | 52             | 1.68          | -       | 34.15      | 8.15       | 30.16      |
| PK   | 6.079G       | 113.45            | Inf               | -Inf           | 101.07        | 3           | Vertical  | 52             | 1.68          | -       | 34.46      | 8.08       | 30.16      |
| RMS  | 6.0805G      | 104.44            | Inf               | -Inf           | 92.06         | 3           | Vertical  | 52             | 1.68          | -       | 34.46      | 8.08       | 30.16      |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 80  
02-D-K-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.923G       | 81.99             | 88.20             | -6.21          | 69.85         | 3           | Horizontal | 284            | 1.80          | -       | 34.15      | 8.15       | 30.16      |  |  |  |
| RMS  | 5.923G       | 68.04             | 68.20             | -0.16          | 55.90         | 3           | Horizontal | 284            | 1.80          | -       | 34.15      | 8.15       | 30.16      |  |  |  |
| PK   | 6.0335G      | 113.38            | Inf               | -Inf           | 101.05        | 3           | Horizontal | 284            | 1.80          | -       | 34.37      | 8.10       | 30.14      |  |  |  |
| RMS  | 6.087G       | 103.37            | Inf               | -Inf           | 90.99         | 3           | Horizontal | 284            | 1.80          | -       | 34.47      | 8.07       | 30.16      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 82  
06-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9178G      | 76.33             | 88.20             | -11.87         | 70.29         | 3           | Vertical  | 307            | 3.00          | -       | 32.24      | 7.56       | 33.76      |  |  |  |
| RMS  | 5.925G       | 64.60             | 68.20             | -3.60          | 58.53         | 3           | Vertical  | 307            | 3.00          | -       | 32.25      | 7.58       | 33.76      |  |  |  |
| PK   | 6.0954G      | 108.20            | Inf               | -Inf           | 101.74        | 3           | Vertical  | 307            | 3.00          | -       | 32.50      | 7.65       | 33.69      |  |  |  |
| RMS  | 6.0954G      | 97.93             | Inf               | -Inf           | 91.47         | 3           | Vertical  | 307            | 3.00          | -       | 32.50      | 7.65       | 33.69      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX



EUT\_Y\_4TX  
Setting 82  
06-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9162G      | 80.51             | 88.20             | -7.69          | 74.48         | 3           | Horizontal | 270            | 2.00          | -       | 32.23      | 7.56       | 33.76      |  |  |  |
| RMS  | 5.9242G      | 68.15             | 68.20             | -0.05          | 62.09         | 3           | Horizontal | 270            | 2.00          | -       | 32.25      | 7.57       | 33.76      |  |  |  |
| PK   | 5.9594G      | 110.33            | Inf               | -Inf           | 104.12        | 3           | Horizontal | 270            | 2.00          | -       | 32.32      | 7.64       | 33.75      |  |  |  |
| RMS  | 6.0706G      | 95.43             | Inf               | -Inf           | 88.97         | 3           | Horizontal | 270            | 2.00          | -       | 32.50      | 7.66       | 33.70      |  |  |  |




**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 6.875-7.125GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11be EHT40_Nss2,(MCS0)_2TX | Pass   | RMS  | 7.1264G      | 67.99             | 68.20             | -0.21          | 3           | Vertical  | 65             | 2.50          | -        |



5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
Setting 95  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9181G      | 80.38             | 88.20             | -7.82          | 73.28         | 3           | Vertical  | 112            | 2.47          | -       | 34.57      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.923G       | 67.21             | 68.20             | -0.99          | 60.09         | 3           | Vertical  | 112            | 2.47          | -       | 34.59      | 7.52       | 34.99      |  |  |  |
| PK   | 5.9504G      | 122.27            | Inf               | -Inf           | 115.04        | 3           | Vertical  | 112            | 2.47          | -       | 34.70      | 7.53       | 35.00      |  |  |  |
| RMS  | 5.9507G      | 112.26            | Inf               | -Inf           | 105.03        | 3           | Vertical  | 112            | 2.47          | -       | 34.70      | 7.53       | 35.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
Setting 95  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9191G      | 76.71             | 88.20             | -11.49         | 69.60         | 3           | Horizontal | 354            | 2.60          | -       | 34.58      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.9239G      | 64.79             | 68.20             | -3.41          | 57.66         | 3           | Horizontal | 354            | 2.60          | -       | 34.60      | 7.52       | 34.99      |  |  |  |
| PK   | 5.9543G      | 117.38            | Inf               | -Inf           | 110.15        | 3           | Horizontal | 354            | 2.60          | -       | 34.70      | 7.53       | 35.00      |  |  |  |
| RMS  | 5.9539G      | 107.74            | Inf               | -Inf           | 100.51        | 3           | Horizontal | 354            | 2.60          | -       | 34.70      | 7.53       | 35.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.8922G  | 46.34    | 74.00    | -27.66 | 62.00  | 3    | Vertical  | 329     | 1.88   | 108     | 39.32 | 10.87 | 65.85 |  |  |  |
| AV   | 11.91004G | 35.20    | 54.00    | -18.80 | 50.87  | 3    | Vertical  | 329     | 1.88   | 108     | 39.28 | 10.88 | 65.83 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.91596G | 45.81    | 74.00    | -28.19 | 61.49  | 3    | Horizontal | 209     | 1.80   | 108     | 39.27 | 10.88 | 65.83 |  |  |  |
| AV   | 11.89416G | 34.91    | 54.00    | -19.09 | 50.57  | 3    | Horizontal | 209     | 1.80   | 108     | 39.31 | 10.88 | 65.85 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.82012G | 45.71    | 74.00    | -28.29 | 35.37  | 1    | Vertical  | 284     | 2.55   | -       | 38.72 | 18.76 | 47.14 |  |  |  |
| AV   | 23.82546G | 35.01    | 54.00    | -18.99 | 24.69  | 1    | Vertical  | 284     | 2.55   | -       | 38.70 | 18.76 | 47.14 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.81694G | 45.70    | 74.00    | -28.30 | 35.35  | 1    | Horizontal | 341     | 2.28   | -       | 38.73 | 18.76 | 47.14 |  |  |  |
| AV   | 23.81214G | 35.03    | 54.00    | -18.97 | 24.67  | 1    | Horizontal | 341     | 2.28   | -       | 38.75 | 18.76 | 47.15 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6195MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.37732G | 45.36    | 74.00    | -28.64 | 61.15  | 3    | Vertical  | 17      | 1.05   | 108     | 38.80 | 11.02 | 65.61 |  |  |  |
| AV   | 12.39028G | 34.75    | 54.00    | -19.25 | 50.54  | 3    | Vertical  | 17      | 1.05   | 108     | 38.80 | 11.02 | 65.61 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6195MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.38916G | 45.60    | 74.00    | -28.40 | 61.39  | 3    | Horizontal | 229     | 1.80   | 108     | 38.80 | 11.02 | 65.61 |  |  |  |
| AV   | 12.39752G | 34.65    | 54.00    | -19.35 | 50.43  | 3    | Horizontal | 229     | 1.80   | 108     | 38.80 | 11.03 | 65.61 |  |  |  |



5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6195MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 18.5679G | 43.63    | 83.54    | -39.91 | 39.08  | 1    | Vertical  | 308     | 1.80   | 108     | 37.64 | 16.57 | 49.66 |  |  |  |  |
| AV   | 18.5693G | 32.68    | 63.54    | -30.86 | 28.13  | 1    | Vertical  | 308     | 1.80   | 108     | 37.64 | 16.57 | 49.66 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6195MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.58796G | 43.98    | 83.54    | -39.56 | 39.37  | 1    | Horizontal | 82      | 1.80   | 108     | 37.68 | 16.58 | 49.65 |  |  |  |
| AV   | 18.59755G | 33.13    | 63.54    | -30.41 | 28.49  | 1    | Horizontal | 82      | 1.80   | 108     | 37.70 | 16.58 | 49.64 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6415MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8188G  | 45.85    | 88.20    | -42.35 | 60.69  | 3    | Vertical  | 31      | 1.80   | 108     | 39.14 | 11.15 | 65.13 |  |  |  |
| AV   | 12.81968G | 35.20    | 68.20    | -33.00 | 50.04  | 3    | Vertical  | 31      | 1.80   | 108     | 39.14 | 11.15 | 65.13 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6415MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8412G  | 46.12    | 88.20    | -42.08 | 60.89  | 3    | Horizontal | 338     | 2.18   | 108     | 39.18 | 11.15 | 65.10 |  |  |  |
| AV   | 12.82488G | 35.37    | 68.20    | -32.83 | 50.19  | 3    | Horizontal | 338     | 2.18   | 108     | 39.15 | 11.15 | 65.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6415MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.22842G | 44.86    | 83.54    | -38.68 | 39.57  | 1    | Vertical  | 171     | 1.80   | 108     | 37.81 | 16.92 | 49.44 |  |  |  |
| AV   | 19.25807G | 33.59    | 63.54    | -29.95 | 28.24  | 1    | Vertical  | 171     | 1.80   | 108     | 37.87 | 16.94 | 49.46 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX


6415MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.26494G | 43.88    | 83.54    | -39.66 | 38.56  | 1    | Horizontal | 341     | 1.80   | 108     | 37.84 | 16.94 | 49.46 |  |  |  |
| AV   | 19.23773G | 33.76    | 63.54    | -29.78 | 28.43  | 1    | Horizontal | 341     | 1.80   | 108     | 37.85 | 16.93 | 49.45 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6435MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.86124G | 46.28    | 88.20    | -41.92 | 60.97  | 3    | Vertical  | 42      | 1.80   | 108     | 39.22 | 11.16 | 65.07 |  |  |  |  |
| AV   | 12.87868G | 35.65    | 68.20    | -32.55 | 50.28  | 3    | Vertical  | 42      | 1.80   | 108     | 39.26 | 11.16 | 65.05 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6435MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.88268G | 46.36    | 88.20    | -41.84 | 60.96  | 3    | Horizontal | 25      | 1.09   | 108     | 39.27 | 11.17 | 65.04 |  |  |  |
| AV   | 12.87776G | 35.37    | 68.20    | -32.83 | 50.00  | 3    | Horizontal | 25      | 1.09   | 108     | 39.26 | 11.16 | 65.05 |  |  |  |



6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX


6435MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.28666G | 44.88    | 83.54    | -38.66 | 39.65  | 1    | Vertical  | 237     | 1.80   | 108     | 37.75 | 16.96 | 49.48 |  |  |  |
| AV   | 19.30712G | 33.55    | 63.54    | -29.99 | 28.36  | 1    | Vertical  | 237     | 1.80   | 108     | 37.71 | 16.97 | 49.49 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6435MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.30712G | 43.99    | 83.54    | -39.55 | 38.80  | 1    | Horizontal | 63      | 1.80   | 108     | 37.71 | 16.97 | 49.49 |  |  |  |  |
| AV   | 19.29173G | 33.72    | 63.54    | -29.82 | 28.51  | 1    | Horizontal | 63      | 1.80   | 108     | 37.73 | 16.96 | 49.48 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6475MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.93852G | 46.39    | 88.20    | -41.81 | 60.72  | 3    | Vertical  | 87      | 2.81   | 108     | 39.45 | 11.18 | 64.96 |  |  |  |  |
| AV   | 12.9312G  | 35.30    | 68.20    | -32.90 | 49.67  | 3    | Vertical  | 87      | 2.81   | 108     | 39.42 | 11.18 | 64.97 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6475MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.93128G | 46.39    | 88.20    | -41.81 | 60.75  | 3    | Horizontal | 197     | 1.54   | 108     | 39.43 | 11.18 | 64.97 |  |  |  |  |
| AV   | 12.93672G | 35.31    | 68.20    | -32.89 | 49.65  | 3    | Horizontal | 197     | 1.54   | 108     | 39.45 | 11.18 | 64.97 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6475MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.4095G  | 45.52    | 83.54    | -38.02 | 40.18  | 1    | Vertical  | 357     | 1.80   | 108     | 37.86 | 17.03 | 49.55 |  |  |  |
| AV   | 19.40938G | 33.54    | 63.54    | -30.00 | 28.20  | 1    | Vertical  | 357     | 1.80   | 108     | 37.86 | 17.03 | 49.55 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6475MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.41341G | 44.56    | 83.54    | -38.98 | 39.23  | 1    | Horizontal | 17      | 1.80   | 108     | 37.85 | 17.03 | 49.55 |  |  |  |
| AV   | 19.41885G | 33.49    | 63.54    | -30.05 | 28.19  | 1    | Horizontal | 17      | 1.80   | 108     | 37.82 | 17.03 | 49.55 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6515MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.01164G | 45.34    | 88.20    | -42.86 | 59.52  | 3    | Vertical  | 34      | 1.05   | 108     | 39.50 | 11.20 | 64.88 |  |  |  |  |
| AV   | 13.01512G | 34.79    | 68.20    | -33.41 | 48.97  | 3    | Vertical  | 34      | 1.05   | 108     | 39.50 | 11.20 | 64.88 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6515MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.01492G | 45.43    | 88.20    | -42.77 | 59.61  | 3    | Horizontal | 1       | 1.80   | 108     | 39.50 | 11.20 | 64.88 |  |  |  |
| AV   | 13.04252G | 34.75    | 68.20    | -33.45 | 48.92  | 3    | Horizontal | 1       | 1.80   | 108     | 39.50 | 11.21 | 64.88 |  |  |  |



6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6515MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.55151G | 44.38    | 83.54    | -39.16 | 39.13  | 1    | Vertical  | 132     | 1.80   | 108     | 37.70 | 17.11 | 49.56 |  |  |  |
| AV   | 19.541G   | 33.87    | 63.54    | -29.67 | 28.64  | 1    | Vertical  | 132     | 1.80   | 108     | 37.70 | 17.10 | 49.57 |  |  |  |

6.425-6.525GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6515MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.55923G | 44.75    | 83.54    | -38.79 | 39.50  | 1    | Horizontal | 302     | 1.80   | 108     | 37.70 | 17.11 | 49.56 |  |  |  |  |
| AV   | 19.55887G | 33.64    | 63.54    | -29.90 | 28.39  | 1    | Horizontal | 302     | 1.80   | 108     | 37.70 | 17.11 | 49.56 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6535MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.08132G | 46.04    | 88.20    | -42.16 | 60.13  | 3    | Vertical  | 172     | 1.80   | 108     | 39.56 | 11.22 | 64.87 |  |  |  |  |
| AV   | 13.08736G | 34.94    | 68.20    | -33.26 | 49.01  | 3    | Vertical  | 172     | 1.80   | 108     | 39.57 | 11.23 | 64.87 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6535MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.07304G | 45.84    | 88.20    | -42.36 | 59.94  | 3    | Horizontal | 339     | 1.80   | 108     | 39.55 | 11.22 | 64.87 |  |  |  |
| AV   | 13.06532G | 34.76    | 68.20    | -33.44 | 48.88  | 3    | Horizontal | 339     | 1.80   | 108     | 39.53 | 11.22 | 64.87 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6535MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.58758G | 44.77    | 83.54    | -38.77 | 39.48  | 1    | Vertical  | 166     | 1.82   | 108     | 37.70 | 17.13 | 49.54 |  |  |  |
| AV   | 19.59593G | 33.64    | 63.54    | -29.90 | 28.33  | 1    | Vertical  | 166     | 1.82   | 108     | 37.70 | 17.14 | 49.53 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6535MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.58814G | 45.00    | 83.54    | -38.54 | 39.71  | 1    | Horizontal | 1       | 1.80   | 108     | 37.70 | 17.13 | 49.54 |  |  |  |
| AV   | 19.61675G | 34.02    | 63.54    | -29.52 | 28.72  | 1    | Horizontal | 1       | 1.80   | 108     | 37.67 | 17.15 | 49.52 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.40252G | 46.86    | 88.20    | -41.34 | 60.17  | 3    | Vertical  | 213     | 1.80   | 108     | 40.21 | 11.32 | 64.84 |  |  |  |
| AV   | 13.40436G | 36.74    | 68.20    | -31.46 | 50.05  | 3    | Vertical  | 213     | 1.80   | 108     | 40.21 | 11.32 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.39772G | 46.79    | 74.00    | -27.21 | 60.11  | 3    | Horizontal | 34      | 1.80   | 108     | 40.20 | 11.32 | 64.84 |  |  |  |  |
| AV   | 13.3894G  | 35.95    | 54.00    | -18.05 | 49.30  | 3    | Horizontal | 34      | 1.80   | 108     | 40.18 | 11.31 | 64.84 |  |  |  |  |



6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.08796G | 47.91    | 83.54    | -35.63 | 42.10  | 1    | Vertical  | 298     | 1.80   | 108     | 37.68 | 17.38 | 49.25 |  |  |  |
| AV   | 20.08768G | 36.86    | 63.54    | -26.68 | 31.05  | 1    | Vertical  | 298     | 1.80   | 108     | 37.68 | 17.38 | 49.25 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.0814G  | 47.04    | 83.54    | -36.50 | 41.26  | 1    | Horizontal | 360     | 2.10   | 108     | 37.66 | 17.38 | 49.26 |  |  |  |  |
| AV   | 20.07137G | 34.08    | 63.54    | -29.46 | 28.32  | 1    | Horizontal | 360     | 2.10   | 108     | 37.64 | 17.38 | 49.26 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6875MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.76096G | 47.34    | 88.20    | -40.86 | 59.93  | 3    | Vertical  | 175     | 1.80   | 108     | 40.70 | 11.42 | 64.71 |  |  |  |  |
| AV   | 13.76548G | 36.89    | 68.20    | -31.31 | 49.48  | 3    | Vertical  | 175     | 1.80   | 108     | 40.70 | 11.42 | 64.71 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6875MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.74928G | 47.95    | 88.20    | -40.25 | 60.55  | 3    | Horizontal | 121     | 1.80   | 108     | 40.70 | 11.42 | 64.72 |  |  |  |
| AV   | 13.74668G | 37.69    | 68.20    | -30.51 | 50.30  | 3    | Horizontal | 121     | 1.80   | 108     | 40.69 | 11.42 | 64.72 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6875MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.63155G    | 53.43             | 83.54             | -30.11         | 47.27         | 1           | Vertical  | 246            | 1.80          | 108     | 37.86      | 17.46      | 49.16      |  |  |  |
| AV   | 20.62388G    | 42.28             | 63.54             | -21.26         | 36.14         | 1           | Vertical  | 246            | 1.80          | 108     | 37.85      | 17.46      | 49.17      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6875MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.62772G | 46.40    | 83.54    | -37.14 | 40.24  | 1    | Horizontal | 235     | 1.80   | 108     | 37.86 | 17.46 | 49.16 |  |  |  |  |
| AV   | 20.6276G  | 35.54    | 63.54    | -28.00 | 29.38  | 1    | Horizontal | 235     | 1.80   | 108     | 37.86 | 17.46 | 49.16 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6895MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.77812G | 47.35    | 88.20    | -40.85 | 59.92  | 3    | Vertical  | 320     | 1.80   | 108     | 40.70 | 11.43 | 64.70 |  |  |  |
| AV   | 13.78908G | 36.66    | 68.20    | -31.54 | 49.23  | 3    | Vertical  | 320     | 1.80   | 108     | 40.70 | 11.43 | 64.70 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6895MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.80884G | 47.32    | 88.20    | -40.88 | 59.86  | 3    | Horizontal | 15      | 1.80   | 108     | 40.72 | 11.43 | 64.69 |  |  |  |
| AV   | 13.792G   | 36.58    | 68.20    | -31.62 | 49.15  | 3    | Horizontal | 15      | 1.80   | 108     | 40.70 | 11.43 | 64.70 |  |  |  |



6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6895MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68033G | 55.68    | 83.54    | -27.86 | 49.57  | 1    | Vertical  | 246     | 1.80   | 108     | 37.78 | 17.47 | 49.14 |  |  |  |
| AV   | 20.68184G | 43.45    | 63.54    | -20.09 | 37.35  | 1    | Vertical  | 246     | 1.80   | 108     | 37.77 | 17.47 | 49.14 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6895MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.69147G | 50.48    | 83.54    | -33.06 | 44.41  | 1    | Horizontal | 295     | 1.99   | 108     | 37.73 | 17.47 | 49.13 |  |  |  |
| AV   | 20.69159G | 38.50    | 63.54    | -25.04 | 32.43  | 1    | Horizontal | 295     | 1.99   | 108     | 37.73 | 17.47 | 49.13 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6995MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.99424G | 50.78    | 88.20    | -37.42 | 62.81  | 3    | Vertical  | 159     | 1.80   | 108     | 41.08 | 11.49 | 64.60 |  |  |  |  |
| AV   | 13.99252G | 40.06    | 68.20    | -28.14 | 52.10  | 3    | Vertical  | 159     | 1.80   | 108     | 41.07 | 11.49 | 64.60 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6995MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.98852G | 49.05    | 88.20    | -39.15 | 61.12  | 3    | Horizontal | 278     | 2.16   | 108     | 41.05 | 11.49 | 64.61 |  |  |  |
| AV   | 13.98624G | 38.34    | 68.20    | -29.86 | 50.42  | 3    | Horizontal | 278     | 2.16   | 108     | 41.04 | 11.49 | 64.61 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX


6995MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.97749G | 48.76    | 83.54    | -34.78 | 42.28  | 1    | Vertical  | 258     | 1.80   | 108     | 37.95 | 17.51 | 48.98 |  |  |  |
| AV   | 20.9876G  | 37.92    | 63.54    | -25.62 | 31.41  | 1    | Vertical  | 258     | 1.80   | 108     | 37.98 | 17.51 | 48.98 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6995MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.98456G | 46.10    | 83.54    | -37.44 | 39.60  | 1    | Horizontal | 267     | 1.87   | 108     | 37.97 | 17.51 | 48.98 |  |  |  |
| AV   | 20.98464G | 35.59    | 63.54    | -27.95 | 29.09  | 1    | Horizontal | 267     | 1.87   | 108     | 37.97 | 17.51 | 48.98 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

7095MHz\_TX




EUT\_Z\_2TX  
Setting 82  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.1001G      | 120.97            | Inf               | -Inf           | 111.95        | 3           | Vertical  | 66             | 2.24          | -       | 35.70      | 8.39       | 35.07      |  |  |  |
| RMS  | 7.1001G      | 109.74            | Inf               | -Inf           | 100.72        | 3           | Vertical  | 66             | 2.24          | -       | 35.70      | 8.39       | 35.07      |  |  |  |
| PK   | 7.1298G      | 80.55             | 88.20             | -7.65          | 71.33         | 3           | Vertical  | 66             | 2.24          | -       | 35.88      | 8.40       | 35.06      |  |  |  |
| RMS  | 7.1253G      | 67.12             | 68.20             | -1.08          | 57.93         | 3           | Vertical  | 66             | 2.24          | -       | 35.85      | 8.40       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

7095MHz\_TX




EUT\_Z\_2TX  
Setting 82  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.093G       | 112.47            | Inf               | -Inf           | 103.45        | 3           | Horizontal | 360            | 2.17          | -       | 35.70      | 8.39       | 35.07      |  |  |  |
| RMS  | 7.0903G      | 102.24            | Inf               | -Inf           | 93.22         | 3           | Horizontal | 360            | 2.17          | -       | 35.70      | 8.39       | 35.07      |  |  |  |
| PK   | 7.1255G      | 73.51             | 88.20             | -14.69         | 64.32         | 3           | Horizontal | 360            | 2.17          | -       | 35.85      | 8.40       | 35.06      |  |  |  |
| RMS  | 7.1255G      | 61.13             | 68.20             | -7.07          | 51.94         | 3           | Horizontal | 360            | 2.17          | -       | 35.85      | 8.40       | 35.06      |  |  |  |



6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

7095MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.20088G | 48.27    | 88.20    | -39.93 | 59.57  | 3    | Vertical  | 1       | 1.80   | 108     | 41.60 | 11.58 | 64.48 |  |  |  |
| AV   | 14.18616G | 37.14    | 68.20    | -31.06 | 48.52  | 3    | Vertical  | 1       | 1.80   | 108     | 41.54 | 11.57 | 64.49 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

7095MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 14.18424G | 47.50    | 88.20    | -40.70 | 58.88  | 3    | Horizontal | 60      | 1.80   | 108     | 41.54 | 11.57 | 64.49 |  |  |  |  |
| AV   | 14.1996G  | 36.51    | 68.20    | -31.69 | 47.81  | 3    | Horizontal | 60      | 1.80   | 108     | 41.60 | 11.58 | 64.48 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

7095MHz\_TX




EUT\_Z\_2TX  
SET 82  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.29879G | 43.82    | 83.54    | -39.72 | 37.04  | 1    | Vertical  | 360     | 1.80   | 82      | 38.00 | 17.62 | 48.84 |  |  |  |
| AV   | 21.27617G | 32.99    | 63.54    | -30.55 | 26.28  | 1    | Vertical  | 360     | 1.80   | 82      | 37.95 | 17.61 | 48.85 |  |  |  |

6.875-7.125GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

7095MHz\_TX




EUT\_Z\_2TX  
SET 82  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.29307G | 43.54    | 83.54    | -40.00 | 36.77  | 1    | Horizontal | 54      | 1.80   | 82      | 37.99 | 17.62 | 48.84 |  |  |  |
| AV   | 21.28256G | 32.93    | 63.54    | -30.61 | 26.20  | 1    | Horizontal | 54      | 1.80   | 82      | 37.97 | 17.61 | 48.85 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
Setting 92  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9212G      | 80.84             | 88.20             | -7.36          | 73.73         | 3           | Vertical  | 109            | 2.39          | -       | 34.58      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.9232G      | 67.29             | 68.20             | -0.91          | 60.17         | 3           | Vertical  | 109            | 2.39          | -       | 34.59      | 7.52       | 34.99      |  |  |  |
| PK   | 5.9736G      | 119.73            | Inf               | -Inf           | 112.50        | 3           | Vertical  | 109            | 2.39          | -       | 34.70      | 7.53       | 35.00      |  |  |  |
| RMS  | 5.9756G      | 109.12            | Inf               | -Inf           | 101.89        | 3           | Vertical  | 109            | 2.39          | -       | 34.70      | 7.53       | 35.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
Setting 92  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9244G      | 75.93             | 88.20             | -12.27         | 68.80         | 3           | Horizontal | 157            | 2.36          | -       | 34.60      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.9246G      | 64.95             | 68.20             | -3.25          | 57.82         | 3           | Horizontal | 157            | 2.36          | -       | 34.60      | 7.52       | 34.99      |  |  |  |
| PK   | 5.9576G      | 114.40            | Inf               | -Inf           | 107.17        | 3           | Horizontal | 157            | 2.36          | -       | 34.70      | 7.53       | 35.00      |  |  |  |
| RMS  | 5.9796G      | 104.68            | Inf               | -Inf           | 97.45         | 3           | Horizontal | 157            | 2.36          | -       | 34.70      | 7.53       | 35.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.91136G | 45.41    | 74.00    | -28.59 | 61.08  | 3    | Vertical  | 4       | 1.80   | 108     | 39.28 | 10.88 | 65.83 |  |  |  |  |
| AV   | 11.90416G | 35.05    | 54.00    | -18.95 | 50.72  | 3    | Vertical  | 4       | 1.80   | 108     | 39.29 | 10.88 | 65.84 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.90232G | 46.28    | 74.00    | -27.72 | 61.94  | 3    | Horizontal | 168     | 2.68   | 108     | 39.30 | 10.88 | 65.84 |  |  |  |  |
| AV   | 11.90496G | 34.87    | 54.00    | -19.13 | 50.54  | 3    | Horizontal | 168     | 2.68   | 108     | 39.29 | 10.88 | 65.84 |  |  |  |  |



5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


5965MHz\_TX


EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.86822G | 45.64    | 83.54    | -37.90 | 35.36  | 1    | Vertical  | 144     | 1.89   | -       | 38.64 | 18.76 | 47.12 |  |  |  |
| AV   | 23.8744G  | 34.98    | 63.54    | -28.56 | 24.69  | 1    | Vertical  | 144     | 1.89   | -       | 38.65 | 18.76 | 47.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.8678G  | 46.87    | 83.54    | -36.67 | 36.59  | 1    | Horizontal | 78      | 2.42   | -       | 38.64 | 18.76 | 47.12 |  |  |  |
| AV   | 23.86774G | 34.81    | 63.54    | -28.73 | 24.53  | 1    | Horizontal | 78      | 2.42   | -       | 38.64 | 18.76 | 47.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6205MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.4072G  | 45.28    | 74.00    | -28.72 | 61.05  | 3    | Vertical  | 250     | 2.83   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |
| AV   | 12.40912G | 34.82    | 54.00    | -19.18 | 50.59  | 3    | Vertical  | 250     | 2.83   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6205MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.37856G | 45.01    | 74.00    | -28.99 | 60.80  | 3    | Horizontal | 8       | 1.26   | 108     | 38.80 | 11.02 | 65.61 |  |  |  |
| AV   | 12.4104G  | 34.58    | 54.00    | -19.42 | 50.35  | 3    | Horizontal | 8       | 1.26   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6205MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.61836G | 44.84    | 83.54    | -38.70 | 40.16  | 1    | Vertical  | 168     | 1.80   | 108     | 37.70 | 16.60 | 49.62 |  |  |  |
| AV   | 18.62467G | 32.88    | 63.54    | -30.66 | 28.20  | 1    | Vertical  | 168     | 1.80   | 108     | 37.70 | 16.60 | 49.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6205MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.59966G | 43.97    | 83.54    | -39.57 | 39.32  | 1    | Horizontal | 12      | 2.05   | 108     | 37.70 | 16.59 | 49.64 |  |  |  |
| AV   | 18.58127G | 32.85    | 63.54    | -30.69 | 28.26  | 1    | Horizontal | 12      | 2.05   | 108     | 37.66 | 16.58 | 49.65 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6405MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.81232G | 45.91    | 88.20    | -42.29 | 60.78  | 3    | Vertical  | 69      | 1.80   | 108     | 39.12 | 11.15 | 65.14 |  |  |  |
| AV   | 12.82168G | 35.09    | 68.20    | -33.11 | 49.93  | 3    | Vertical  | 69      | 1.80   | 108     | 39.14 | 11.15 | 65.13 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6405MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.83064G | 45.87    | 88.20    | -42.33 | 60.67  | 3    | Horizontal | 78      | 1.80   | 108     | 39.16 | 11.15 | 65.11 |  |  |  |
| AV   | 12.84896G | 34.96    | 68.20    | -33.24 | 49.69  | 3    | Horizontal | 78      | 1.80   | 108     | 39.20 | 11.16 | 65.09 |  |  |  |



5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6405MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.20101G | 44.59    | 83.54    | -38.95 | 39.41  | 1    | Vertical  | 29.1    | 1.80   | 108     | 37.70 | 16.91 | 49.43 |  |  |  |
| AV   | 19.19654G | 32.93    | 63.54    | -30.61 | 27.74  | 1    | Vertical  | 29.1    | 1.80   | 108     | 37.71 | 16.90 | 49.42 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


6405MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.21964G | 44.02    | 83.54    | -39.52 | 38.76  | 1    | Horizontal | 330     | 1.80   | 108     | 37.78 | 16.92 | 49.44 |  |  |  |
| AV   | 19.24265G | 33.43    | 63.54    | -30.11 | 28.08  | 1    | Horizontal | 330     | 1.80   | 108     | 37.87 | 16.93 | 49.45 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6445MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.8852G  | 46.35    | 88.20    | -41.85 | 60.95  | 3    | Vertical  | 358     | 1.80   | 108     | 39.27 | 11.17 | 65.04 |  |  |  |  |
| AV   | 12.85888G | 35.07    | 68.20    | -33.13 | 49.76  | 3    | Vertical  | 358     | 1.80   | 108     | 39.22 | 11.16 | 65.07 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6445MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8732G  | 45.48    | 88.20    | -42.72 | 60.12  | 3    | Horizontal | 146     | 1.79   | 108     | 39.25 | 11.16 | 65.05 |  |  |  |
| AV   | 12.92056G | 35.20    | 68.20    | -33.00 | 49.63  | 3    | Horizontal | 146     | 1.79   | 108     | 39.38 | 11.18 | 64.99 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6445MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.37344G | 44.56    | 83.54    | -38.98 | 39.23  | 1    | Vertical  | 307.1   | 1.80   | 108     | 37.85 | 17.01 | 49.53 |  |  |  |
| AV   | 19.32014G | 33.56    | 63.54    | -29.98 | 28.34  | 1    | Vertical  | 307.1   | 1.80   | 108     | 37.74 | 16.98 | 49.50 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6445MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.36849G | 44.52    | 83.54    | -39.02 | 39.20  | 1    | Horizontal | 37      | 1.64   | 108     | 37.84 | 17.00 | 49.52 |  |  |  |
| AV   | 19.35162G | 34.44    | 63.54    | -29.10 | 29.16  | 1    | Horizontal | 37      | 1.64   | 108     | 37.80 | 16.99 | 49.51 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6485MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.95032G | 45.90    | 88.20    | -42.30 | 60.16  | 3    | Vertical  | 249     | 1.80   | 108     | 39.50 | 11.19 | 64.95 |  |  |  |
| AV   | 12.94024G | 34.95    | 68.20    | -33.25 | 49.27  | 3    | Vertical  | 249     | 1.80   | 108     | 39.46 | 11.18 | 64.96 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6485MHz\_TX



EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.99856G | 46.64    | 88.20    | -41.56 | 60.82  | 3    | Horizontal | 165     | 1.45   | 108     | 39.50 | 11.20 | 64.88 |  |  |  |
| AV   | 13.00552G | 35.10    | 68.20    | -33.10 | 49.28  | 3    | Horizontal | 165     | 1.45   | 108     | 39.50 | 11.20 | 64.88 |  |  |  |



6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6485MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.4172G  | 44.35    | 83.54    | -39.19 | 39.04  | 1    | Vertical  | 206     | 1.99   | 108     | 37.83 | 17.03 | 49.55 |  |  |  |
| AV   | 19.44093G | 33.65    | 63.54    | -29.89 | 28.43  | 1    | Vertical  | 206     | 1.99   | 108     | 37.74 | 17.05 | 49.57 |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6485MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.44349G | 43.97    | 83.54    | -39.57 | 38.76  | 1    | Horizontal | 261     | 1.59   | 108     | 37.73 | 17.05 | 49.57 |  |  |  |  |
| AV   | 19.48993G | 33.24    | 63.54    | -30.30 | 28.06  | 1    | Horizontal | 261     | 1.59   | 108     | 37.70 | 17.07 | 49.59 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6525MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.05864G | 45.17    | 88.20    | -43.03 | 59.30  | 3    | Vertical  | 128     | 2.95   | 108     | 39.52 | 11.22 | 64.87 |  |  |  |  |
| AV   | 13.01952G | 34.91    | 68.20    | -33.29 | 49.08  | 3    | Vertical  | 128     | 2.95   | 108     | 39.50 | 11.21 | 64.88 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6525MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.07592G | 45.53    | 88.20    | -42.67 | 59.63  | 3    | Horizontal | 356     | 1.27   | 108     | 39.55 | 11.22 | 64.87 |  |  |  |  |
| AV   | 13.07864G | 34.91    | 68.20    | -33.29 | 49.00  | 3    | Horizontal | 356     | 1.27   | 108     | 39.56 | 11.22 | 64.87 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6525MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.61017G | 44.66    | 83.54    | -38.88 | 39.37  | 1    | Vertical  | 328     | 2.08   | 108     | 37.68 | 17.14 | 49.53 |  |  |  |  |
| AV   | 19.5559G  | 33.68    | 63.54    | -29.86 | 28.43  | 1    | Vertical  | 328     | 2.08   | 108     | 37.70 | 17.11 | 49.56 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6525MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.56253G | 44.73    | 83.54    | -38.81 | 39.47  | 1    | Horizontal | 260     | 1.80   | 108     | 37.70 | 17.12 | 49.56 |  |  |  |
| AV   | 19.56773G | 33.70    | 63.54    | -29.84 | 28.43  | 1    | Horizontal | 260     | 1.80   | 108     | 37.70 | 17.12 | 49.55 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6565MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.10272G | 45.45    | 88.20    | -42.75 | 59.49  | 3    | Vertical  | 305     | 2.06   | 108     | 39.60 | 11.23 | 64.87 |  |  |  |
| AV   | 13.12752G | 34.87    | 68.20    | -33.33 | 48.90  | 3    | Vertical  | 305     | 2.06   | 108     | 39.60 | 11.24 | 64.87 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6565MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.094G   | 45.97    | 88.20    | -42.23 | 60.02  | 3    | Horizontal | 76      | 2.93   | 108     | 39.59 | 11.23 | 64.87 |  |  |  |  |
| AV   | 13.09784G | 34.63    | 68.20    | -33.57 | 48.67  | 3    | Horizontal | 76      | 2.93   | 108     | 39.60 | 11.23 | 64.87 |  |  |  |  |



6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6565MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.68501G | 43.97    | 83.54    | -39.57 | 38.51  | 1    | Vertical  | 340     | 1.80   | 108     | 37.74 | 17.19 | 49.47 |  |  |  |
| AV   | 19.67094G | 33.53    | 63.54    | -30.01 | 28.15  | 1    | Vertical  | 340     | 1.80   | 108     | 37.68 | 17.18 | 49.48 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6565MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.67142G | 43.77    | 83.54    | -39.77 | 38.38  | 1    | Horizontal | 10      | 2.09   | 108     | 37.69 | 17.18 | 49.48 |  |  |  |
| AV   | 19.65936G | 33.00    | 63.54    | -30.54 | 27.68  | 1    | Horizontal | 10      | 2.09   | 108     | 37.64 | 17.17 | 49.49 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.40944G | 46.97    | 88.20    | -41.23 | 60.27  | 3    | Vertical  | 26      | 1.80   | 108     | 40.22 | 11.32 | 64.84 |  |  |  |  |
| AV   | 13.3524G  | 36.32    | 54.00    | -17.68 | 49.76  | 3    | Vertical  | 26      | 1.80   | 108     | 40.10 | 11.30 | 64.84 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.408G   | 46.85    | 88.20    | -41.35 | 60.15  | 3    | Horizontal | 178     | 1.80   | 108     | 40.22 | 11.32 | 64.84 |  |  |  |
| AV   | 13.39048G | 36.04    | 54.00    | -17.96 | 49.39  | 3    | Horizontal | 178     | 1.80   | 108     | 40.18 | 11.31 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.04485G | 47.12    | 83.54    | -36.42 | 41.38  | 1    | Vertical  | 295     | 1.91   | 108     | 37.62 | 17.38 | 49.26 |  |  |  |  |
| AV   | 20.06443G | 36.74    | 63.54    | -26.80 | 30.99  | 1    | Vertical  | 295     | 1.91   | 108     | 37.63 | 17.38 | 49.26 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.04973G | 43.90    | 83.54    | -39.64 | 38.18  | 1    | Horizontal | 74      | 1.80   | 108     | 37.60 | 17.38 | 49.26 |  |  |  |
| AV   | 20.04101G | 33.31    | 63.54    | -30.23 | 27.55  | 1    | Horizontal | 74      | 1.80   | 108     | 37.64 | 17.38 | 49.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6885MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.76464G | 47.81    | 88.20    | -40.39 | 60.40  | 3    | Vertical  | 360     | 1.80   | 108     | 40.70 | 11.42 | 64.71 |  |  |  |  |
| AV   | 13.80512G | 36.77    | 68.20    | -31.43 | 49.32  | 3    | Vertical  | 360     | 1.80   | 108     | 40.71 | 11.43 | 64.69 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6885MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.736G   | 47.22    | 88.20    | -40.98 | 59.89  | 3    | Horizontal | 98      | 1.80   | 108     | 40.64 | 11.41 | 64.72 |  |  |  |
| AV   | 13.75688G | 36.93    | 68.20    | -31.27 | 49.52  | 3    | Horizontal | 98      | 1.80   | 108     | 40.70 | 11.42 | 64.71 |  |  |  |



6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6885MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.66363G | 51.95    | 83.54    | -31.59 | 45.78  | 1    | Vertical  | 244     | 1.79   | 108     | 37.85 | 17.46 | 49.14 |  |  |  |
| AV   | 20.66451G | 41.38    | 63.54    | -22.16 | 35.22  | 1    | Vertical  | 244     | 1.79   | 108     | 37.84 | 17.46 | 49.14 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6885MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.67106G | 46.63    | 83.54    | -36.91 | 40.49  | 1    | Horizontal | 288     | 1.95   | 108     | 37.82 | 17.46 | 49.14 |  |  |  |  |
| AV   | 20.65732G | 37.06    | 63.54    | -26.48 | 30.88  | 1    | Horizontal | 288     | 1.95   | 108     | 37.87 | 17.46 | 49.15 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6925MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.84648G | 48.09    | 88.20    | -40.11 | 60.52  | 3    | Vertical  | 113     | 1.80   | 108     | 40.79 | 11.45 | 64.67 |  |  |  |
| AV   | 13.84728G | 37.53    | 68.20    | -30.67 | 49.96  | 3    | Vertical  | 113     | 1.80   | 108     | 40.79 | 11.45 | 64.67 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6925MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.84576G | 48.31    | 88.20    | -39.89 | 60.74  | 3    | Horizontal | 350     | 1.80   | 108     | 40.79 | 11.45 | 64.67 |  |  |  |  |
| AV   | 13.8444G  | 37.30    | 68.20    | -30.90 | 49.74  | 3    | Horizontal | 350     | 1.80   | 108     | 40.79 | 11.44 | 64.67 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6925MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.78483G | 51.74    | 83.54    | -31.80 | 45.55  | 1    | Vertical  | 245     | 1.80   | 108     | 37.79 | 17.48 | 49.08 |  |  |  |
| AV   | 20.78459G | 42.21    | 63.54    | -21.33 | 36.02  | 1    | Vertical  | 245     | 1.80   | 108     | 37.79 | 17.48 | 49.08 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6925MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.79043G | 45.02    | 83.54    | -38.52 | 38.86  | 1    | Horizontal | 309     | 1.80   | 108     | 37.76 | 17.48 | 49.08 |  |  |  |
| AV   | 20.78131G | 34.02    | 63.54    | -29.52 | 27.81  | 1    | Horizontal | 309     | 1.80   | 108     | 37.81 | 17.48 | 49.08 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

7005MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.02984G | 48.65    | 88.20    | -39.55 | 60.57  | 3    | Vertical  | 24      | 1.80   | 108     | 41.16 | 11.50 | 64.58 |  |  |  |
| AV   | 14.00352G | 37.61    | 68.20    | -30.59 | 49.61  | 3    | Vertical  | 24      | 1.80   | 108     | 41.11 | 11.49 | 64.60 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

7005MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.01176G    | 48.55             | 88.20             | -39.65         | 60.52         | 3           | Horizontal | 247            | 2.81          | 108     | 41.12      | 11.50      | 64.59      |  |  |  |
| AV   | 13.9912G     | 37.44             | 68.20             | -30.76         | 49.49         | 3           | Horizontal | 247            | 2.81          | 108     | 41.06      | 11.49      | 64.60      |  |  |  |



6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


7005MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.02395G | 48.07    | 83.54    | -35.47 | 41.51  | 1    | Vertical  | 278     | 1.93   | 108     | 38.00 | 17.52 | 48.96 |  |  |  |
| AV   | 21.02443G | 36.88    | 63.54    | -26.66 | 30.32  | 1    | Vertical  | 278     | 1.93   | 108     | 38.00 | 17.52 | 48.96 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

7005MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 21.01412G | 44.77    | 83.54    | -38.77 | 38.21  | 1    | Horizontal | 238     | 1.82   | 108     | 38.00 | 17.52 | 48.96 |  |  |  |  |
| AV   | 21.00621G | 34.10    | 63.54    | -29.44 | 27.56  | 1    | Horizontal | 238     | 1.82   | 108     | 38.00 | 17.51 | 48.97 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
Setting 80  
03-E-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0898G | 117.01   | Inf      | -Inf   | 108.00 | 3    | Vertical  | 65      | 2.50   | -       | 35.70 | 8.38 | 35.07 |  |  |  |
| RMS  | 7.08G   | 106.05   | Inf      | -Inf   | 97.05  | 3    | Vertical  | 65      | 2.50   | -       | 35.70 | 8.38 | 35.08 |  |  |  |
| PK   | 7.1288G | 79.92    | 88.20    | -8.28  | 70.71  | 3    | Vertical  | 65      | 2.50   | -       | 35.87 | 8.40 | 35.06 |  |  |  |
| RMS  | 7.1264G | 67.99    | 68.20    | -0.21  | 58.79  | 3    | Vertical  | 65      | 2.50   | -       | 35.86 | 8.40 | 35.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
Setting 80  
03-E-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0904G | 108.90   | Inf      | -Inf   | 99.88  | 3    | Horizontal | 360     | 2.15   | -       | 35.70 | 8.39 | 35.07 |  |  |  |
| RMS  | 7.0704G | 99.10    | Inf      | -Inf   | 90.10  | 3    | Horizontal | 360     | 2.15   | -       | 35.70 | 8.38 | 35.08 |  |  |  |
| PK   | 7.1316G | 72.03    | 88.20    | -16.17 | 62.79  | 3    | Horizontal | 360     | 2.15   | -       | 35.89 | 8.41 | 35.06 |  |  |  |
| RMS  | 7.1262G | 60.93    | 68.20    | -7.27  | 51.73  | 3    | Horizontal | 360     | 2.15   | -       | 35.86 | 8.40 | 35.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.13416G | 48.52    | 88.20    | -39.68 | 60.15  | 3    | Vertical  | 110     | 1.80   | 108     | 41.34 | 11.55 | 64.52 |  |  |  |
| AV   | 14.18744G | 37.10    | 68.20    | -31.10 | 48.46  | 3    | Vertical  | 110     | 1.80   | 108     | 41.55 | 11.58 | 64.49 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.15488G    | 47.85             | 88.20             | -40.35         | 59.38         | 3           | Horizontal | 360            | 1.80          | 108     | 41.42      | 11.56      | 64.51      |  |  |  |
| AV   | 14.13048G    | 36.45             | 68.20             | -31.75         | 48.10         | 3           | Horizontal | 360            | 1.80          | 108     | 41.32      | 11.55      | 64.52      |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
SET 80  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.23039G | 43.63    | 83.54    | -39.91 | 37.01  | 1    | Vertical  | 30      | 1.80   | 80      | 37.90 | 17.59 | 48.87 |  |  |  |
| AV   | 21.28881G | 33.08    | 63.54    | -30.46 | 26.33  | 1    | Vertical  | 30      | 1.80   | 80      | 37.98 | 17.61 | 48.84 |  |  |  |

6.875-7.125GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

7085MHz\_TX




EUT\_Z\_2TX  
SET 80  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 21.2391G  | 43.88    | 83.54    | -39.66 | 37.24  | 1    | Horizontal | 276     | 1.80   | 80      | 37.90 | 17.60 | 48.86 |  |  |  |  |
| AV   | 21.28361G | 32.99    | 63.54    | -30.55 | 26.26  | 1    | Horizontal | 276     | 1.80   | 80      | 37.97 | 17.61 | 48.85 |  |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
Setting 91  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.911G       | 76.63             | 88.20             | -11.57         | 69.55         | 3           | Vertical  | 107            | 2.44          | -       | 34.54      | 7.52       | 34.98      |  |  |  |
| RMS  | 5.9158G      | 65.49             | 68.20             | -2.71          | 58.39         | 3           | Vertical  | 107            | 2.44          | -       | 34.56      | 7.52       | 34.98      |  |  |  |
| PK   | 5.9906G      | 116.89            | Inf               | -Inf           | 109.67        | 3           | Vertical  | 107            | 2.44          | -       | 34.70      | 7.53       | 35.01      |  |  |  |
| RMS  | 5.9958G      | 106.23            | Inf               | -Inf           | 99.01         | 3           | Vertical  | 107            | 2.44          | -       | 34.70      | 7.53       | 35.01      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
Setting 91  
03-E-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9198G | 72.03    | 88.20    | -16.17 | 64.92  | 3    | Horizontal | 157     | 2.34   | -       | 34.58 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9246G | 60.89    | 68.20    | -7.31  | 53.76  | 3    | Horizontal | 157     | 2.34   | -       | 34.60 | 7.52 | 34.99 |  |  |  |
| PK   | 6.0046G | 111.96   | Inf      | -Inf   | 104.72 | 3    | Horizontal | 157     | 2.34   | -       | 34.71 | 7.54 | 35.01 |  |  |  |
| RMS  | 5.9998G | 102.19   | Inf      | -Inf   | 94.97  | 3    | Horizontal | 157     | 2.34   | -       | 34.70 | 7.53 | 35.01 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.02088G | 44.95    | 74.00    | -29.05 | 60.61  | 3    | Vertical  | 159     | 1.76   | 108     | 39.16 | 10.92 | 65.74 |  |  |  |
| AV   | 11.9892G  | 35.21    | 54.00    | -18.79 | 50.86  | 3    | Vertical  | 159     | 1.76   | 108     | 39.20 | 10.91 | 65.76 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.00328G | 44.70    | 74.00    | -29.30 | 60.35  | 3    | Horizontal | 164     | 1.80   | 108     | 39.19 | 10.91 | 65.75 |  |  |  |
| AV   | 12.02056G | 34.34    | 54.00    | -19.66 | 50.00  | 3    | Horizontal | 164     | 1.80   | 108     | 39.16 | 10.92 | 65.74 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.937G   | 45.21    | 83.54    | -38.33 | 34.68  | 1    | Vertical  | 222     | 1.75   | -       | 38.85 | 18.77 | 47.09 |  |  |  |
| AV   | 23.93646G | 34.72    | 63.54    | -28.82 | 24.19  | 1    | Vertical  | 222     | 1.75   | -       | 38.85 | 18.77 | 47.09 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94864G | 45.68    | 83.54    | -37.86 | 35.10  | 1    | Horizontal | 290     | 2.97   | -       | 38.89 | 18.77 | 47.08 |  |  |  |
| AV   | 23.9454G  | 34.84    | 63.54    | -28.70 | 24.28  | 1    | Horizontal | 290     | 2.97   | -       | 38.88 | 18.77 | 47.09 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6225MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.4036G  | 45.86    | 74.00    | -28.14 | 61.63  | 3    | Vertical  | 77      | 1.62   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |  |
| AV   | 12.41224G | 34.75    | 54.00    | -19.25 | 50.52  | 3    | Vertical  | 77      | 1.62   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6225MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.41496G | 45.03    | 74.00    | -28.97 | 60.80  | 3    | Horizontal | 328     | 1.80   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |
| AV   | 12.38664G | 35.31    | 54.00    | -18.69 | 51.10  | 3    | Horizontal | 328     | 1.80   | 108     | 38.80 | 11.02 | 65.61 |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6225MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.6555G  | 44.80    | 83.54    | -38.74 | 40.09  | 1    | Vertical  | 182     | 1.80   | 108     | 37.69 | 16.61 | 49.59 |  |  |  |
| AV   | 18.70857G | 33.40    | 63.54    | -30.14 | 28.68  | 1    | Vertical  | 182     | 1.80   | 108     | 37.63 | 16.64 | 49.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6225MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.63696G | 43.93    | 83.54    | -39.61 | 39.24  | 1    | Horizontal | 298     | 1.62   | 108     | 37.70 | 16.60 | 49.61 |  |  |  |
| AV   | 18.70793G | 33.63    | 63.54    | -29.91 | 28.91  | 1    | Horizontal | 298     | 1.62   | 108     | 37.63 | 16.64 | 49.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6385MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.79768G | 45.88    | 88.20    | -42.32 | 60.80  | 3    | Vertical  | 135     | 1.09   | 108     | 39.10 | 11.14 | 65.16 |  |  |  |
| AV   | 12.72008G | 34.82    | 68.20    | -33.38 | 50.03  | 3    | Vertical  | 135     | 1.09   | 108     | 38.94 | 11.12 | 65.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6385MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.71896G | 45.70    | 88.20    | -42.50 | 60.91  | 3    | Horizontal | 92      | 2.27   | 108     | 38.94 | 11.12 | 65.27 |  |  |  |
| AV   | 12.7196G  | 35.14    | 68.20    | -33.06 | 50.35  | 3    | Horizontal | 92      | 2.27   | 108     | 38.94 | 11.12 | 65.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6385MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.14269G | 44.05    | 83.54    | -39.49 | 38.70  | 1    | Vertical  | 334     | 1.80   | 108     | 37.87 | 16.87 | 49.39 |  |  |  |
| AV   | 19.14589G | 33.85    | 63.54    | -29.69 | 28.49  | 1    | Vertical  | 334     | 1.80   | 108     | 37.88 | 16.87 | 49.39 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6385MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.23236G    | 44.17             | 83.54             | -39.37         | 38.86         | 1           | Horizontal | 289            | 1.50          | 108     | 37.83      | 16.92      | 49.44      |  |  |  |
| AV   | 19.08067G    | 33.27             | 63.54             | -30.27         | 28.01         | 1           | Horizontal | 289            | 1.50          | 108     | 37.78      | 16.84      | 49.36      |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6465MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.978G   | 46.87    | 88.20    | -41.33 | 61.09  | 3    | Vertical  | 122     | 1.91   | 108     | 39.50 | 11.19 | 64.91 |  |  |  |
| AV   | 12.90504G | 35.24    | 68.20    | -32.96 | 49.76  | 3    | Vertical  | 122     | 1.91   | 108     | 39.32 | 11.17 | 65.01 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6465MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8676G  | 45.73    | 88.20    | -42.47 | 60.39  | 3    | Horizontal | 330     | 1.80   | 108     | 39.24 | 11.16 | 65.06 |  |  |  |
| AV   | 12.89768G | 35.44    | 68.20    | -32.76 | 49.99  | 3    | Horizontal | 330     | 1.80   | 108     | 39.30 | 11.17 | 65.02 |  |  |  |



6.425-6.525GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6465MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.35088G | 44.43    | 83.54    | -39.11 | 39.15  | 1    | Vertical  | 16      | 1.81   | 108     | 37.80 | 16.99 | 49.51 |  |  |  |  |
| AV   | 19.36015G | 33.56    | 63.54    | -29.98 | 28.26  | 1    | Vertical  | 16      | 1.81   | 108     | 37.82 | 17.00 | 49.52 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6465MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.36751G | 44.46    | 83.54    | -39.08 | 39.14  | 1    | Horizontal | 184     | 1.68   | 108     | 37.84 | 17.00 | 49.52 |  |  |  |
| AV   | 19.32595G | 33.86    | 63.54    | -29.68 | 28.63  | 1    | Horizontal | 184     | 1.68   | 108     | 37.75 | 16.98 | 49.50 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6545MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.01032G | 45.20    | 88.20    | -43.00 | 59.38  | 3    | Vertical  | 51      | 1.80   | 108     | 39.50 | 11.20 | 64.88 |  |  |  |  |
| AV   | 13.01528G | 34.35    | 68.20    | -33.85 | 48.53  | 3    | Vertical  | 51      | 1.80   | 108     | 39.50 | 11.20 | 64.88 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6545MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.16824G | 45.39    | 88.20    | -42.81 | 59.33  | 3    | Horizontal | 159     | 1.80   | 108     | 39.67 | 11.25 | 64.86 |  |  |  |
| AV   | 13.01496G | 34.60    | 68.20    | -33.60 | 48.78  | 3    | Horizontal | 159     | 1.80   | 108     | 39.50 | 11.20 | 64.88 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6545MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.5936G  | 44.11    | 83.54    | -39.43 | 38.82  | 1    | Vertical  | 360     | 2.07   | 108     | 37.70 | 17.13 | 49.54 |  |  |  |
| AV   | 19.58529G | 33.75    | 63.54    | -29.79 | 28.46  | 1    | Vertical  | 360     | 2.07   | 108     | 37.70 | 17.13 | 49.54 |  |  |  |

6.425-6.525GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6545MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.56995G | 44.79    | 83.54    | -38.75 | 39.52  | 1    | Horizontal | 290     | 1.38   | 108     | 37.70 | 17.12 | 49.55 |  |  |  |
| AV   | 19.59568G | 33.70    | 63.54    | -29.84 | 28.39  | 1    | Horizontal | 290     | 1.38   | 108     | 37.70 | 17.14 | 49.53 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.29688G | 47.83    | 74.00    | -26.17 | 61.30  | 3    | Vertical  | 1       | 1.80   | 108     | 40.09 | 11.29 | 64.85 |  |  |  |  |
| AV   | 13.32776G | 35.91    | 54.00    | -18.09 | 49.36  | 3    | Vertical  | 1       | 1.80   | 108     | 40.10 | 11.30 | 64.85 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.2924G  | 46.62    | 74.00    | -27.38 | 60.11  | 3    | Horizontal | 360     | 1.80   | 108     | 40.08 | 11.28 | 64.85 |  |  |  |
| AV   | 13.31272G | 35.70    | 54.00    | -18.30 | 49.16  | 3    | Horizontal | 360     | 1.80   | 108     | 40.10 | 11.29 | 64.85 |  |  |  |



6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.91304G | 44.87    | 83.54    | -38.67 | 39.24  | 1    | Vertical  | 281     | 1.97   | 108     | 37.63 | 17.32 | 49.32 |  |  |  |
| AV   | 19.90761G | 33.98    | 63.54    | -29.56 | 28.36  | 1    | Vertical  | 281     | 1.97   | 108     | 37.62 | 17.32 | 49.32 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.91576G | 43.74    | 83.54    | -39.80 | 38.11  | 1    | Horizontal | 69      | 2.03   | 108     | 37.63 | 17.32 | 49.32 |  |  |  |
| AV   | 19.94421G | 33.28    | 63.54    | -30.26 | 27.55  | 1    | Horizontal | 69      | 2.03   | 108     | 37.69 | 17.34 | 49.30 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.41592G | 46.56    | 88.20    | -41.64 | 59.85  | 3    | Vertical  | 116     | 1.80   | 108     | 40.23 | 11.32 | 64.84 |  |  |  |
| AV   | 13.48072G | 36.36    | 68.20    | -31.84 | 49.55  | 3    | Vertical  | 116     | 1.80   | 108     | 40.30 | 11.34 | 64.83 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.40248G | 46.42    | 88.20    | -41.78 | 59.74  | 3    | Horizontal | 289     | 1.80   | 108     | 40.20 | 11.32 | 64.84 |  |  |  |
| AV   | 13.41016G | 36.05    | 68.20    | -32.15 | 49.35  | 3    | Horizontal | 289     | 1.80   | 108     | 40.22 | 11.32 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.16647G | 45.54    | 83.54    | -38.00 | 39.73  | 1    | Vertical  | 293     | 1.82   | 108     | 37.67 | 17.39 | 49.25 |  |  |  |
| AV   | 20.10237G | 34.74    | 63.54    | -28.80 | 28.91  | 1    | Vertical  | 293     | 1.82   | 108     | 37.70 | 17.38 | 49.25 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.03812G | 44.37    | 83.54    | -39.17 | 38.60  | 1    | Horizontal | 201     | 1.80   | 108     | 37.65 | 17.38 | 49.26 |  |  |  |  |
| AV   | 20.05378G | 33.08    | 63.54    | -30.46 | 27.35  | 1    | Horizontal | 201     | 1.80   | 108     | 37.61 | 17.38 | 49.26 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.52072G | 46.92    | 88.20    | -41.28 | 60.09  | 3    | Vertical  | 257     | 2.95   | 108     | 40.30 | 11.35 | 64.82 |  |  |  |  |
| AV   | 13.51432G | 36.08    | 68.20    | -32.12 | 49.25  | 3    | Vertical  | 257     | 2.95   | 108     | 40.30 | 11.35 | 64.82 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.55208G | 46.03    | 88.20    | -42.17 | 59.18  | 3    | Horizontal | 359     | 1.80   | 108     | 40.30 | 11.36 | 64.81 |  |  |  |  |
| AV   | 13.52168G | 35.86    | 68.20    | -32.34 | 49.03  | 3    | Horizontal | 359     | 1.80   | 108     | 40.30 | 11.35 | 64.82 |  |  |  |  |



6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.30849G | 44.32    | 83.54    | -39.22 | 38.43  | 1    | Vertical  | 360.6   | 1.80   | 108     | 37.72 | 17.41 | 49.24 |  |  |  |  |
| AV   | 20.28435G | 33.40    | 63.54    | -30.14 | 27.53  | 1    | Vertical  | 360.6   | 1.80   | 108     | 37.70 | 17.41 | 49.24 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6785MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.29458G | 43.78    | 83.54    | -39.76 | 37.91  | 1    | Horizontal | 318     | 1.80   | 108     | 37.70 | 17.41 | 49.24 |  |  |  |
| AV   | 20.29794G | 33.53    | 63.54    | -30.01 | 27.66  | 1    | Horizontal | 318     | 1.80   | 108     | 37.70 | 17.41 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6865MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.6652G  | 46.66    | 88.20    | -41.54 | 59.59  | 3    | Vertical  | 4       | 2.17   | 108     | 40.43 | 11.39 | 64.75 |  |  |  |
| AV   | 13.74152G | 35.87    | 68.20    | -32.33 | 48.50  | 3    | Vertical  | 4       | 2.17   | 108     | 40.67 | 11.42 | 64.72 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6865MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.7612G  | 46.94    | 88.20    | -41.26 | 59.53  | 3    | Horizontal | 302     | 1.06   | 108     | 40.70 | 11.42 | 64.71 |  |  |  |  |
| AV   | 13.76536G | 36.43    | 68.20    | -31.77 | 49.02  | 3    | Horizontal | 302     | 1.06   | 108     | 40.70 | 11.42 | 64.71 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6865MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.64247G | 49.64    | 83.54    | -33.90 | 43.46  | 1    | Vertical  | 244     | 1.72   | 108     | 37.88 | 17.46 | 49.16 |  |  |  |
| AV   | 20.63224G | 38.97    | 63.54    | -24.57 | 32.81  | 1    | Vertical  | 244     | 1.72   | 108     | 37.86 | 17.46 | 49.16 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6865MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.56495G | 44.17    | 83.54    | -39.37 | 38.19  | 1    | Horizontal | 295     | 1.80   | 108     | 37.73 | 17.45 | 49.20 |  |  |  |
| AV   | 20.64759G | 33.80    | 63.54    | -29.74 | 27.59  | 1    | Horizontal | 295     | 1.80   | 108     | 37.90 | 17.46 | 49.15 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9076G  | 47.63    | 88.20    | -40.57 | 59.99  | 3    | Vertical  | 105     | 2.66   | 108     | 40.82 | 11.46 | 64.64 |  |  |  |
| AV   | 13.94968G | 37.55    | 68.20    | -30.65 | 49.79  | 3    | Vertical  | 105     | 2.66   | 108     | 40.90 | 11.48 | 64.62 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.84856G | 47.30    | 88.20    | -40.90 | 59.72  | 3    | Horizontal | 133     | 1.80   | 108     | 40.80 | 11.45 | 64.67 |  |  |  |
| AV   | 13.93608G | 37.06    | 68.20    | -31.14 | 49.35  | 3    | Horizontal | 133     | 1.80   | 108     | 40.87 | 11.47 | 64.63 |  |  |  |



6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.82541G    | 49.70             | 83.54             | -33.84         | 43.47         | 1           | Vertical  | 241            | 1.80          | 108     | 37.80      | 17.49      | 49.06      |  |  |  |
| AV   | 20.80367G    | 38.29             | 63.54             | -25.25         | 32.17         | 1           | Vertical  | 241            | 1.80          | 108     | 37.71      | 17.48      | 49.07      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6945MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.8772G     | 45.67             | 83.54             | -37.87         | 39.31         | 1           | Horizontal | 79             | 2.05          | 108     | 37.90      | 17.49      | 49.03      |  |  |  |
| AV   | 20.81214G    | 34.95             | 63.54             | -28.59         | 28.79         | 1           | Horizontal | 79             | 2.05          | 108     | 37.75      | 17.48      | 49.07      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
Setting 85  
03-E-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.037G  | 115.41   | Inf      | -Inf   | 106.45 | 3    | Vertical  | 107     | 2.35   | -       | 35.70 | 8.36 | 35.10 |  |  |  |
| RMS  | 7.0142G | 104.92   | Inf      | -Inf   | 95.97  | 3    | Vertical  | 107     | 2.35   | -       | 35.70 | 8.35 | 35.10 |  |  |  |
| PK   | 7.125G  | 79.49    | 88.20    | -8.71  | 70.30  | 3    | Vertical  | 107     | 2.35   | -       | 35.85 | 8.40 | 35.06 |  |  |  |
| RMS  | 7.127G  | 67.58    | 68.20    | -0.62  | 58.38  | 3    | Vertical  | 107     | 2.35   | -       | 35.86 | 8.40 | 35.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
Setting 85  
03-E-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0414G | 107.54   | Inf      | -Inf   | 98.57  | 3    | Horizontal | 1       | 2.15   | -       | 35.70 | 8.36 | 35.09 |  |  |  |
| RMS  | 7.011G  | 97.94    | Inf      | -Inf   | 89.00  | 3    | Horizontal | 1       | 2.15   | -       | 35.70 | 8.35 | 35.11 |  |  |  |
| PK   | 7.1278G | 72.51    | 88.20    | -15.69 | 63.30  | 3    | Horizontal | 1       | 2.15   | -       | 35.87 | 8.40 | 35.06 |  |  |  |
| RMS  | 7.1258G | 61.09    | 68.20    | -7.11  | 51.90  | 3    | Horizontal | 1       | 2.15   | -       | 35.85 | 8.40 | 35.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04712G | 47.78    | 88.20    | -40.42 | 59.65  | 3    | Vertical  | 342     | 1.80   | 108     | 41.19 | 11.51 | 64.57 |  |  |  |
| AV   | 13.9828G  | 37.41    | 68.20    | -30.79 | 49.50  | 3    | Vertical  | 342     | 1.80   | 108     | 41.03 | 11.49 | 64.61 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


7025MHz\_TX


EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.98824G | 47.21    | 88.20    | -40.99 | 59.28  | 3    | Horizontal | 244     | 2.88   | 108     | 41.05 | 11.49 | 64.61 |  |  |  |  |
| AV   | 14.03592G | 37.25    | 68.20    | -30.95 | 49.15  | 3    | Horizontal | 244     | 2.88   | 108     | 41.17 | 11.51 | 64.58 |  |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
SET 85  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.01634G | 45.59    | 83.54    | -37.95 | 39.03  | 1    | Vertical  | 278     | 1.80   | 85      | 38.00 | 17.52 | 48.96 |  |  |  |
| AV   | 21.14565G | 34.24    | 63.54    | -29.30 | 27.60  | 1    | Vertical  | 278     | 1.80   | 85      | 37.99 | 17.56 | 48.91 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

7025MHz\_TX




EUT\_Z\_2TX  
SET 85  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.08571G | 44.44    | 83.54    | -39.10 | 37.90  | 1    | Horizontal | 345     | 1.42   | 85      | 37.93 | 17.54 | 48.93 |  |  |  |
| AV   | 21.08843G | 33.53    | 63.54    | -30.01 | 27.00  | 1    | Horizontal | 345     | 1.42   | 85      | 37.92 | 17.54 | 48.93 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
Setting 84  
03-E-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9212G | 81.95    | 88.20    | -6.25  | 74.84  | 3    | Vertical  | 111     | 2.37   | -       | 34.58 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9206G | 67.89    | 68.20    | -0.31  | 60.78  | 3    | Vertical  | 111     | 2.37   | -       | 34.58 | 7.52 | 34.99 |  |  |  |
| PK   | 6.0532G | 112.61   | Inf      | -Inf   | 105.23 | 3    | Vertical  | 111     | 2.37   | -       | 34.81 | 7.59 | 35.02 |  |  |  |
| RMS  | 6.0556G | 101.77   | Inf      | -Inf   | 94.38  | 3    | Vertical  | 111     | 2.37   | -       | 34.82 | 7.59 | 35.02 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
Setting 84  
03-E-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9224G | 79.55    | 88.20    | -8.65  | 72.43  | 3    | Horizontal | 351     | 2.32   | -       | 34.59 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9212G | 65.37    | 68.20    | -2.83  | 58.26  | 3    | Horizontal | 351     | 2.32   | -       | 34.58 | 7.52 | 34.99 |  |  |  |
| PK   | 6.0562G | 107.66   | Inf      | -Inf   | 100.27 | 3    | Horizontal | 351     | 2.32   | -       | 34.82 | 7.59 | 35.02 |  |  |  |
| RMS  | 6.1006G | 98.05    | Inf      | -Inf   | 90.44  | 3    | Horizontal | 351     | 2.32   | -       | 35.00 | 7.64 | 35.03 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0516G  | 45.69    | 74.00    | -28.31 | 61.41  | 3    | Vertical  | 285     | 2.31   | 108     | 39.09 | 10.92 | 65.73 |  |  |  |
| AV   | 12.19944G | 34.94    | 54.00    | -19.06 | 50.75  | 3    | Vertical  | 285     | 2.31   | 108     | 38.90 | 10.97 | 65.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.92392G    | 45.56             | 74.00             | -28.44         | 61.24         | 3           | Horizontal | 338            | 1.28          | 108     | 39.25      | 10.89      | 65.82      |  |  |  |
| AV   | 12.19272G    | 35.00             | 54.00             | -19.00         | 50.81         | 3           | Horizontal | 338            | 1.28          | 108     | 38.90      | 10.97      | 65.68      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
SET 84  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.12871G | 44.80    | 83.54    | -38.74 | 40.54  | 1    | Vertical  | 29      | 1.80   | 84      | 37.46 | 16.35 | 49.55 |  |  |  |
| AV   | 18.00211G | 33.00    | 63.54    | -30.54 | 28.72  | 1    | Vertical  | 29      | 1.80   | 84      | 37.49 | 16.28 | 49.49 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
SET 84  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.15524G | 43.52    | 83.54    | -40.02 | 39.23  | 1    | Horizontal | 130     | 1.80   | 84      | 37.49 | 16.36 | 49.56 |  |  |  |
| AV   | 18.15268G | 32.63    | 63.54    | -30.91 | 28.34  | 1    | Horizontal | 130     | 1.80   | 84      | 37.49 | 16.36 | 49.56 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.25352G | 45.01    | 74.00    | -28.99 | 60.89  | 3    | Vertical  | 187     | 1.43   | 108     | 38.80 | 10.98 | 65.66 |  |  |  |
| AV   | 12.22728G | 34.52    | 54.00    | -19.48 | 50.36  | 3    | Vertical  | 187     | 1.43   | 108     | 38.85 | 10.98 | 65.67 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.28552G | 45.16    | 74.00    | -28.84 | 61.02  | 3    | Horizontal | 214     | 2.85   | 108     | 38.80 | 10.99 | 65.65 |  |  |  |
| AV   | 12.40392G | 34.61    | 54.00    | -19.39 | 50.38  | 3    | Horizontal | 214     | 2.85   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 18.6963G  | 44.58    | 83.54    | -38.96 | 39.89  | 1    | Vertical  | 5       | 1.80   | 108     | 37.61 | 16.64 | 49.56 |  |  |  |  |
| AV   | 18.41242G | 32.77    | 63.54    | -30.77 | 28.36  | 1    | Vertical  | 5       | 1.80   | 108     | 37.60 | 16.49 | 49.68 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.45686G | 43.67    | 83.54    | -39.87 | 39.25  | 1    | Horizontal | 26      | 2.09   | 108     | 37.61 | 16.51 | 49.70 |  |  |  |
| AV   | 18.48243G | 32.99    | 63.54    | -30.55 | 28.51  | 1    | Horizontal | 26      | 2.09   | 108     | 37.66 | 16.53 | 49.71 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.79144G | 45.78    | 88.20    | -42.42 | 60.73  | 3    | Vertical  | 109     | 1.80   | 108     | 39.08 | 11.14 | 65.17 |  |  |  |
| AV   | 12.69832G | 35.05    | 54.00    | -18.95 | 50.34  | 3    | Vertical  | 109     | 1.80   | 108     | 38.90 | 11.11 | 65.30 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.72904G | 45.84    | 88.20    | -42.36 | 61.01  | 3    | Horizontal | 2       | 2.48   | 108     | 38.96 | 11.12 | 65.25 |  |  |  |
| AV   | 12.74024G | 34.98    | 68.20    | -33.22 | 50.12  | 3    | Horizontal | 2       | 2.48   | 108     | 38.98 | 11.12 | 65.24 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6345MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.12931G | 45.63    | 83.54    | -37.91 | 40.33  | 1    | Vertical  | 217     | 2.10   | 108     | 37.82 | 16.86 | 49.38 |  |  |  |
| AV   | 18.98257G | 33.96    | 63.54    | -29.58 | 28.70  | 1    | Vertical  | 217     | 2.10   | 108     | 37.80 | 16.78 | 49.32 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.10309G | 45.01    | 83.54    | -38.53 | 39.82  | 1    | Horizontal | 308     | 1.36   | 108     | 37.71 | 16.85 | 49.37 |  |  |  |
| AV   | 18.99248G | 34.11    | 63.54    | -29.43 | 28.84  | 1    | Horizontal | 308     | 1.36   | 108     | 37.80 | 16.79 | 49.32 |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6505MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.89704G | 46.04    | 88.20    | -42.16 | 60.60  | 3    | Vertical  | 357     | 1.80   | 108     | 39.29 | 11.17 | 65.02 |  |  |  |
| AV   | 12.88968G | 35.33    | 68.20    | -32.87 | 49.91  | 3    | Vertical  | 357     | 1.80   | 108     | 39.28 | 11.17 | 65.03 |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6505MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.94408G | 45.89    | 88.20    | -42.31 | 60.19  | 3    | Horizontal | 38      | 2.79   | 108     | 39.48 | 11.18 | 64.96 |  |  |  |
| AV   | 12.86888G | 35.18    | 68.20    | -33.02 | 49.84  | 3    | Horizontal | 38      | 2.79   | 108     | 39.24 | 11.16 | 65.06 |  |  |  |



6.425-6.525GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6505MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.58085G | 44.56    | 83.54    | -38.98 | 39.28  | 1    | Vertical  | 262     | 1.80   | 108     | 37.70 | 17.13 | 49.55 |  |  |  |  |
| AV   | 19.54601G | 33.65    | 63.54    | -29.89 | 28.41  | 1    | Vertical  | 262     | 1.80   | 108     | 37.70 | 17.11 | 49.57 |  |  |  |  |

6.425-6.525GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6505MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.50189G | 44.48    | 83.54    | -39.06 | 39.30  | 1    | Horizontal | 264     | 1.68   | 108     | 37.70 | 17.08 | 49.60 |  |  |  |
| AV   | 19.59972G | 34.09    | 63.54    | -29.45 | 28.78  | 1    | Horizontal | 264     | 1.68   | 108     | 37.70 | 17.14 | 49.53 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.41224G | 46.39    | 88.20    | -41.81 | 59.69  | 3    | Vertical  | 35      | 1.58   | 108     | 40.22 | 11.32 | 64.84 |  |  |  |
| AV   | 13.44264G | 36.58    | 68.20    | -31.62 | 49.80  | 3    | Vertical  | 35      | 1.58   | 108     | 40.29 | 11.33 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.4196G     | 47.29             | 88.20             | -40.91         | 60.57         | 3           | Horizontal | 360            | 2.13          | 108     | 40.24      | 11.32      | 64.84      |  |  |  |
| AV   | 13.31656G    | 36.29             | 54.00             | -17.71         | 49.75         | 3           | Horizontal | 360            | 2.13          | 108     | 40.10      | 11.29      | 64.85      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6665MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.99116G | 45.45    | 83.54    | -38.09 | 39.58  | 1    | Vertical  | 284     | 1.80   | 108     | 37.78 | 17.36 | 49.27 |  |  |  |
| AV   | 19.98765G | 34.45    | 63.54    | -29.09 | 28.58  | 1    | Vertical  | 284     | 1.80   | 108     | 37.78 | 17.36 | 49.27 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6665MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.00651G | 44.13    | 83.54    | -39.41 | 38.25  | 1    | Horizontal | 168     | 1.80   | 108     | 37.77 | 17.37 | 49.26 |  |  |  |
| AV   | 20.00011G | 33.62    | 63.54    | -29.92 | 27.71  | 1    | Horizontal | 168     | 1.80   | 108     | 37.80 | 17.37 | 49.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6825MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.5348G  | 47.17    | 88.20    | -41.03 | 60.32  | 3    | Vertical  | 77      | 1.61   | 108     | 40.30 | 11.36 | 64.81 |  |  |  |
| AV   | 13.50568G | 36.16    | 68.20    | -32.04 | 49.34  | 3    | Vertical  | 77      | 1.61   | 108     | 40.30 | 11.35 | 64.83 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6825MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.55496G    | 46.09             | 88.20             | -42.11         | 59.22         | 3           | Horizontal | 51             | 1.80          | 108     | 40.31      | 11.36      | 64.80      |  |  |  |
| AV   | 13.53544G    | 36.70             | 68.20             | -31.50         | 49.85         | 3           | Horizontal | 51             | 1.80          | 108     | 40.30      | 11.36      | 64.81      |  |  |  |



6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6825MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.48107G | 45.60    | 83.54    | -37.94 | 39.65  | 1    | Vertical  | 295     | 1.80   | 108     | 37.74 | 17.44 | 49.23 |  |  |  |
| AV   | 20.62781G | 35.19    | 63.54    | -28.35 | 29.03  | 1    | Vertical  | 295     | 1.80   | 108     | 37.86 | 17.46 | 49.16 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6825MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.40403G | 43.82    | 83.54    | -39.72 | 38.01  | 1    | Horizontal | 255     | 1.85   | 108     | 37.62 | 17.43 | 49.24 |  |  |  |
| AV   | 20.33018G | 33.59    | 63.54    | -29.95 | 27.65  | 1    | Horizontal | 255     | 1.85   | 108     | 37.76 | 17.42 | 49.24 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
Setting 75  
03-E-E-3-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 6.9322G | 108.18   | Inf      | -Inf   | 99.35  | 3    | Vertical  | 107     | 2.28   | -       | 35.64 | 8.30 | 35.11 |
| AV   | 6.9546G | 98.07    | Inf      | -Inf   | 89.26  | 3    | Vertical  | 107     | 2.28   | -       | 35.61 | 8.31 | 35.11 |
| PK   | 7.1282G | 73.02    | 88.20    | -15.18 | 63.81  | 3    | Vertical  | 107     | 2.28   | -       | 35.87 | 8.40 | 35.06 |
| RMS  | 7.1394G | 60.25    | 68.20    | -7.95  | 50.95  | 3    | Vertical  | 107     | 2.28   | -       | 35.94 | 8.41 | 35.05 |
| PK   | 7.2642G | 66.09    | 74.00    | -7.91  | 55.92  | 3    | Vertical  | 107     | 2.28   | -       | 36.66 | 8.51 | 35.00 |
| AV   | 7.2642G | 53.30    | 54.00    | -0.70  | 43.13  | 3    | Vertical  | 107     | 2.28   | -       | 36.66 | 8.51 | 35.00 |

6.875-7.125GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
Setting 75  
03-E-E-3-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0186G      | 102.11            | Inf               | -Inf           | 93.16         | 3           | Horizontal | 1              | 2.21          | -       | 35.70      | 8.35       | 35.10      |  |  |  |
| AV   | 7.0114G      | 91.13             | Inf               | -Inf           | 82.19         | 3           | Horizontal | 1              | 2.21          | -       | 35.70      | 8.35       | 35.11      |  |  |  |
| PK   | 7.1314G      | 68.29             | 88.20             | -19.91         | 59.05         | 3           | Horizontal | 1              | 2.21          | -       | 35.89      | 8.41       | 35.06      |  |  |  |
| RMS  | 7.1258G      | 54.09             | 68.20             | -14.11         | 44.90         | 3           | Horizontal | 1              | 2.21          | -       | 35.85      | 8.40       | 35.06      |  |  |  |
| PK   | 7.2906G      | 62.24             | 74.00             | -11.76         | 51.93         | 3           | Horizontal | 1              | 2.21          | -       | 36.76      | 8.54       | 34.99      |  |  |  |
| AV   | 7.2554G      | 49.61             | 54.00             | -4.39          | 39.50         | 3           | Horizontal | 1              | 2.21          | -       | 36.62      | 8.50       | 35.01      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.07528G | 48.35    | 88.20    | -39.85 | 60.18  | 3    | Vertical  | 235     | 1.08   | 108     | 41.20 | 11.52 | 64.55 |  |  |  |
| AV   | 14.03976G | 38.32    | 68.20    | -29.88 | 50.21  | 3    | Vertical  | 235     | 1.08   | 108     | 41.18 | 11.51 | 64.58 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.12232G    | 48.49             | 88.20             | -39.71         | 60.18         | 3           | Horizontal | 48             | 1.80          | 108     | 41.29      | 11.55      | 64.53      |  |  |  |
| AV   | 13.97576G    | 37.40             | 68.20             | -30.80         | 49.53         | 3           | Horizontal | 48             | 1.80          | 108     | 41.00      | 11.48      | 64.61      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6985MHz\_TX




EUT\_Z\_2TX  
SET 75  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.84247G | 44.72    | 83.54    | -38.82 | 38.41  | 1    | Vertical  | 197     | 1.80   | 75      | 37.87 | 17.49 | 49.05 |  |  |  |
| AV   | 20.92847G | 34.06    | 63.54    | -29.48 | 27.67  | 1    | Vertical  | 197     | 1.80   | 75      | 37.90 | 17.50 | 49.01 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6985MHz\_TX



EUT\_Z\_2TX  
SET 75  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.83704G | 44.53    | 83.54    | -39.01 | 38.24  | 1    | Horizontal | 78      | 1.80   | 75      | 37.85 | 17.49 | 49.05 |  |  |  |
| AV   | 20.87316G | 33.99    | 63.54    | -29.55 | 27.64  | 1    | Horizontal | 78      | 1.80   | 75      | 37.90 | 17.49 | 49.04 |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
Setting 85  
03-E-E-3-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.8758G      | 81.64             | 88.20             | -6.56          | 74.69         | 3           | Vertical  | 110            | 2.37          | -       | 34.40      | 7.52       | 34.97      |  |  |  |
| RMS  | 5.9214G      | 67.94             | 68.20             | -0.26          | 60.82         | 3           | Vertical  | 110            | 2.37          | -       | 34.59      | 7.52       | 34.99      |  |  |  |
| PK   | 6.1362G      | 109.60            | Inf               | -Inf           | 101.96        | 3           | Vertical  | 110            | 2.37          | -       | 35.00      | 7.68       | 35.04      |  |  |  |
| RMS  | 6.0606G      | 98.87             | Inf               | -Inf           | 91.45         | 3           | Vertical  | 110            | 2.37          | -       | 34.84      | 7.60       | 35.02      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
Setting 85  
03-E-E-3-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.8818G      | 77.25             | 88.20             | -10.95         | 70.27         | 3           | Horizontal | 350            | 2.40          | -       | 34.43      | 7.52       | 34.97      |  |  |  |
| RMS  | 5.9214G      | 63.82             | 68.20             | -4.38          | 56.70         | 3           | Horizontal | 350            | 2.40          | -       | 34.59      | 7.52       | 34.99      |  |  |  |
| PK   | 6.2058G      | 105.20            | Inf               | -Inf           | 97.51         | 3           | Horizontal | 350            | 2.40          | -       | 34.99      | 7.76       | 35.06      |  |  |  |
| RMS  | 6.2106G      | 94.20             | Inf               | -Inf           | 86.52         | 3           | Horizontal | 350            | 2.40          | -       | 34.98      | 7.76       | 35.06      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.3252G  | 45.64    | 74.00    | -28.36 | 61.47  | 3    | Vertical  | 359     | 2.95   | 108     | 38.80 | 11.00 | 65.63 |  |  |  |
| AV   | 12.29896G | 35.17    | 54.00    | -18.83 | 51.01  | 3    | Vertical  | 359     | 2.95   | 108     | 38.80 | 11.00 | 65.64 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.22344G | 45.68    | 74.00    | -28.32 | 61.53  | 3    | Horizontal | 343     | 1.08   | 108     | 38.85 | 10.97 | 65.67 |  |  |  |  |
| AV   | 12.20104G | 35.02    | 54.00    | -18.98 | 50.83  | 3    | Horizontal | 343     | 1.08   | 108     | 38.90 | 10.97 | 65.68 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
SET 85  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.05862G | 43.62    | 83.54    | -39.92 | 39.51  | 1    | Vertical  | 110     | 1.80   | 85      | 37.32 | 16.31 | 49.52 |  |  |  |
| AV   | 18.30669G | 32.91    | 63.54    | -30.63 | 28.60  | 1    | Vertical  | 110     | 1.80   | 85      | 37.50 | 16.44 | 49.63 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
SET 85  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.26193G | 43.95    | 83.54    | -39.59 | 39.57  | 1    | Horizontal | 211.1   | 1.80   | 85      | 37.58 | 16.41 | 49.61 |  |  |  |
| AV   | 18.08803G | 32.53    | 63.54    | -31.01 | 28.36  | 1    | Horizontal | 211.1   | 1.80   | 85      | 37.38 | 16.32 | 49.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6265MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.37448G | 46.85    | 74.00    | -27.15 | 62.65  | 3    | Vertical  | 27      | 2.95   | 108     | 38.80 | 11.02 | 65.62 |  |  |  |
| AV   | 12.36104G | 34.73    | 54.00    | -19.27 | 50.54  | 3    | Vertical  | 27      | 2.95   | 108     | 38.80 | 11.01 | 65.62 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6265MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.74632G | 45.85    | 88.20    | -42.35 | 60.96  | 3    | Horizontal | 35      | 2.91   | 108     | 38.99 | 11.13 | 65.23 |  |  |  |
| AV   | 12.71048G | 35.78    | 68.20    | -32.42 | 51.02  | 3    | Horizontal | 35      | 2.91   | 108     | 38.92 | 11.12 | 65.28 |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6265MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.72723G | 44.14    | 83.54    | -39.40 | 39.31  | 1    | Vertical  | 162     | 1.88   | 108     | 37.71 | 16.65 | 49.53 |  |  |  |
| AV   | 18.75664G | 33.57    | 63.54    | -29.97 | 28.62  | 1    | Vertical  | 162     | 1.88   | 108     | 37.79 | 16.67 | 49.51 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6265MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.69206G | 44.05    | 83.54    | -39.49 | 39.36  | 1    | Horizontal | 300     | 1.80   | 108     | 37.62 | 16.63 | 49.56 |  |  |  |
| AV   | 18.77582G | 33.91    | 63.54    | -29.63 | 28.97  | 1    | Horizontal | 300     | 1.80   | 108     | 37.75 | 16.68 | 49.49 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6425MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.85256G | 45.77    | 88.20    | -42.43 | 60.48  | 3    | Vertical  | 24      | 1.80   | 108     | 39.21 | 11.16 | 65.08 |  |  |  |
| AV   | 12.70664G | 34.84    | 68.20    | -33.36 | 50.10  | 3    | Vertical  | 24      | 1.80   | 108     | 38.91 | 11.11 | 65.28 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6425MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.70792G | 44.74    | 88.20    | -43.46 | 59.98  | 3    | Horizontal | 218     | 1.72   | 108     | 38.92 | 11.12 | 65.28 |  |  |  |
| AV   | 12.70728G | 35.03    | 68.20    | -33.17 | 50.28  | 3    | Horizontal | 218     | 1.72   | 108     | 38.91 | 11.12 | 65.28 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6425MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.48727G | 43.86    | 83.54    | -39.68 | 38.68  | 1    | Vertical  | 358     | 1.80   | 108     | 37.70 | 17.07 | 49.59 |  |  |  |
| AV   | 18.98153G | 33.81    | 63.54    | -29.73 | 28.56  | 1    | Vertical  | 358     | 1.80   | 108     | 37.80 | 16.78 | 49.33 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6425MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.44379G    | 44.99             | 83.54             | -38.55         | 39.79         | 1           | Horizontal | 104            | 1.69          | 108     | 37.72      | 17.05      | 49.57      |  |  |  |
| AV   | 19.51988G    | 33.74             | 63.54             | -29.80         | 28.54         | 1           | Horizontal | 104            | 1.69          | 108     | 37.70      | 17.09      | 49.59      |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6585MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.866G   | 45.53    | 88.20    | -42.67 | 60.20  | 3    | Vertical  | 194     | 2.35   | 108     | 39.23 | 11.16 | 65.06 |  |  |  |
| AV   | 12.92168G | 35.37    | 68.20    | -32.83 | 49.79  | 3    | Vertical  | 194     | 2.35   | 108     | 39.39 | 11.18 | 64.99 |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6585MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.9556G  | 46.08    | 88.20    | -42.12 | 60.33  | 3    | Horizontal | 224     | 1.80   | 108     | 39.50 | 11.19 | 64.94 |  |  |  |
| AV   | 13.07848G | 35.61    | 68.20    | -32.59 | 49.70  | 3    | Horizontal | 224     | 1.80   | 108     | 39.56 | 11.22 | 64.87 |  |  |  |



6.425-6.525GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6585MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.49606G | 44.09    | 83.54    | -39.45 | 38.91  | 1    | Vertical  | 1       | 1.80   | 108     | 37.70 | 17.08 | 49.60 |  |  |  |
| AV   | 19.56959G | 33.78    | 63.54    | -29.76 | 28.51  | 1    | Vertical  | 1       | 1.80   | 108     | 37.70 | 17.12 | 49.55 |  |  |  |

6.425-6.525GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6585MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.4903G  | 44.26    | 83.54    | -39.28 | 39.08  | 1    | Horizontal | 6       | 1.50   | 108     | 37.70 | 17.07 | 49.59 |  |  |  |
| AV   | 19.58877G | 33.72    | 63.54    | -29.82 | 28.43  | 1    | Horizontal | 6       | 1.50   | 108     | 37.70 | 17.13 | 49.54 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6745MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.4836G  | 46.87    | 88.20    | -41.33 | 60.06  | 3    | Vertical  | 255     | 1.80   | 108     | 40.30 | 11.34 | 64.83 |  |  |  |
| AV   | 13.50024G | 36.37    | 68.20    | -31.83 | 49.55  | 3    | Vertical  | 255     | 1.80   | 108     | 40.30 | 11.35 | 64.83 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6745MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.31528G | 46.64    | 74.00    | -27.36 | 60.10  | 3    | Horizontal | 59      | 1.09   | 108     | 40.10 | 11.29 | 64.85 |  |  |  |
| AV   | 13.40424G | 36.65    | 68.20    | -31.55 | 49.96  | 3    | Horizontal | 59      | 1.09   | 108     | 40.21 | 11.32 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6745MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.28999G | 44.69    | 83.54    | -38.85 | 38.82  | 1    | Vertical  | 296     | 1.91   | 108     | 37.70 | 17.41 | 49.24 |  |  |  |
| AV   | 20.1391G  | 33.85    | 63.54    | -29.69 | 28.01  | 1    | Vertical  | 296     | 1.91   | 108     | 37.70 | 17.39 | 49.25 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6745MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.96839G    | 44.44             | 83.54             | -39.10         | 38.63         | 1           | Horizontal | 169            | 1.78          | 108     | 37.74      | 17.35      | 49.28      |  |  |  |
| AV   | 20.05854G    | 33.70             | 63.54             | -29.84         | 27.96         | 1           | Horizontal | 169            | 1.78          | 108     | 37.62      | 17.38      | 49.26      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6905MHz\_TX




EUT\_Z\_2TX  
Setting 71  
03-E-E-3-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.7694G | 105.35   | Inf      | -Inf   | 96.68  | 3    | Vertical  | 110     | 2.24   | -       | 35.58 | 8.20 | 35.11 |  |  |  |
| RMS  | 6.7502G | 96.04    | Inf      | -Inf   | 87.47  | 3    | Vertical  | 110     | 2.24   | -       | 35.50 | 8.18 | 35.11 |  |  |  |
| PK   | 7.2734G | 67.04    | 74.00    | -6.96  | 56.83  | 3    | Vertical  | 110     | 2.24   | -       | 36.69 | 8.52 | 35.00 |  |  |  |
| RMS  | 7.2698G | 53.65    | 54.00    | -0.35  | 43.46  | 3    | Vertical  | 110     | 2.24   | -       | 36.68 | 8.51 | 35.00 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6905MHz\_TX




EUT\_Z\_2TX  
Setting 71  
03-E-E-3-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 6.7718G | 99.75    | Inf      | -Inf   | 91.07  | 3    | Horizontal | 1       | 2.20   | -       | 35.59 | 8.20 | 35.11 |  |  |  |  |
| RMS  | 6.7694G | 89.25    | Inf      | -Inf   | 80.58  | 3    | Horizontal | 1       | 2.20   | -       | 35.58 | 8.20 | 35.11 |  |  |  |  |
| PK   | 7.2758G | 60.29    | 74.00    | -13.71 | 50.07  | 3    | Horizontal | 1       | 2.20   | -       | 36.70 | 8.52 | 35.00 |  |  |  |  |
| RMS  | 7.2506G | 49.84    | 54.00    | -4.16  | 39.76  | 3    | Horizontal | 1       | 2.20   | -       | 36.60 | 8.49 | 35.01 |  |  |  |  |



6.525-6.875GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6905MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.91368G    | 47.20             | 88.20             | -41.00         | 59.55         | 3           | Vertical  | 162            | 1.08          | 108     | 40.83      | 11.46      | 64.64      |  |  |  |
| AV   | 13.95592G    | 37.68             | 68.20             | -30.52         | 49.90         | 3           | Vertical  | 162            | 1.08          | 108     | 40.92      | 11.48      | 64.62      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6905MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 14.0468G  | 47.93    | 88.20    | -40.27 | 59.80  | 3    | Horizontal | 25      | 2.26   | 108     | 41.19 | 11.51 | 64.57 |  |  |  |  |
| AV   | 13.87464G | 37.04    | 68.20    | -31.16 | 49.45  | 3    | Horizontal | 25      | 2.26   | 108     | 40.80 | 11.45 | 64.66 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6905MHz\_TX




EUT\_Z\_2TX  
SET 71  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.51872G | 43.72    | 83.54    | -39.82 | 37.80  | 1    | Vertical  | 235     | 2.08   | 71      | 37.70 | 17.44 | 49.22 |  |  |  |
| AV   | 20.47844G | 33.18    | 63.54    | -30.36 | 27.23  | 1    | Vertical  | 235     | 2.08   | 71      | 37.74 | 17.44 | 49.23 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6905MHz\_TX



EUT\_Z\_2TX  
SET 71  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.86973G    | 44.66             | 83.54             | -38.88         | 38.31         | 1           | Horizontal | 353            | 1.80          | 71      | 37.90      | 17.49      | 49.04      |  |  |  |
| AV   | 20.57242G    | 33.13             | 63.54             | -30.41         | 27.13         | 1           | Horizontal | 353            | 1.80          | 71      | 37.74      | 17.45      | 49.19      |  |  |  |




**Summary**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.925-6.425GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11be EHT320_Nss2,(MCS0)_2TX | Pass   | RMS  | 5.9214G      | 67.94             | 68.20             | -0.26          | 3           | Vertical  | 110            | 2.37          | -        |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
Setting 95  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9181G      | 80.38             | 88.20             | -7.82          | 73.28         | 3           | Vertical  | 112            | 2.47          | -       | 34.57      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.923G       | 67.21             | 68.20             | -0.99          | 60.09         | 3           | Vertical  | 112            | 2.47          | -       | 34.59      | 7.52       | 34.99      |  |  |  |
| PK   | 5.9504G      | 122.27            | Inf               | -Inf           | 115.04        | 3           | Vertical  | 112            | 2.47          | -       | 34.70      | 7.53       | 35.00      |  |  |  |
| RMS  | 5.9507G      | 112.26            | Inf               | -Inf           | 105.03        | 3           | Vertical  | 112            | 2.47          | -       | 34.70      | 7.53       | 35.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
Setting 95  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9191G      | 76.71             | 88.20             | -11.49         | 69.60         | 3           | Horizontal | 354            | 2.60          | -       | 34.58      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.9239G      | 64.79             | 68.20             | -3.41          | 57.66         | 3           | Horizontal | 354            | 2.60          | -       | 34.60      | 7.52       | 34.99      |  |  |  |
| PK   | 5.9543G      | 117.38            | Inf               | -Inf           | 110.15        | 3           | Horizontal | 354            | 2.60          | -       | 34.70      | 7.53       | 35.00      |  |  |  |
| RMS  | 5.9539G      | 107.74            | Inf               | -Inf           | 100.51        | 3           | Horizontal | 354            | 2.60          | -       | 34.70      | 7.53       | 35.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.8922G  | 46.34    | 74.00    | -27.66 | 62.00  | 3    | Vertical  | 329     | 1.88   | 108     | 39.32 | 10.87 | 65.85 |  |  |  |
| AV   | 11.91004G | 35.20    | 54.00    | -18.80 | 50.87  | 3    | Vertical  | 329     | 1.88   | 108     | 39.28 | 10.88 | 65.83 |  |  |  |



5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX


5955MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.91596G    | 45.81             | 74.00             | -28.19         | 61.49         | 3           | Horizontal | 209            | 1.80          | 108     | 39.27      | 10.88      | 65.83      |  |  |  |
| AV   | 11.89416G    | 34.91             | 54.00             | -19.09         | 50.57         | 3           | Horizontal | 209            | 1.80          | 108     | 39.31      | 10.88      | 65.85      |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.82012G | 45.71    | 74.00    | -28.29 | 35.37  | 1    | Vertical  | 284     | 2.55   | -       | 38.72 | 18.76 | 47.14 |  |  |  |
| AV   | 23.82546G | 35.01    | 54.00    | -18.99 | 24.69  | 1    | Vertical  | 284     | 2.55   | -       | 38.70 | 18.76 | 47.14 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5955MHz\_TX




EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.81694G | 45.70    | 74.00    | -28.30 | 35.35  | 1    | Horizontal | 341     | 2.28   | -       | 38.73 | 18.76 | 47.14 |  |  |  |
| AV   | 23.81214G | 35.03    | 54.00    | -18.97 | 24.67  | 1    | Horizontal | 341     | 2.28   | -       | 38.75 | 18.76 | 47.15 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX


6195MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.37732G | 45.36    | 74.00    | -28.64 | 61.15  | 3    | Vertical  | 17      | 1.05   | 108     | 38.80 | 11.02 | 65.61 |  |  |  |  |
| AV   | 12.39028G | 34.75    | 54.00    | -19.25 | 50.54  | 3    | Vertical  | 17      | 1.05   | 108     | 38.80 | 11.02 | 65.61 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6195MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.38916G | 45.60    | 74.00    | -28.40 | 61.39  | 3    | Horizontal | 229     | 1.80   | 108     | 38.80 | 11.02 | 65.61 |  |  |  |
| AV   | 12.39752G | 34.65    | 54.00    | -19.35 | 50.43  | 3    | Horizontal | 229     | 1.80   | 108     | 38.80 | 11.03 | 65.61 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6195MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.5679G | 43.63    | 83.54    | -39.91 | 39.08  | 1    | Vertical  | 308     | 1.80   | 108     | 37.64 | 16.57 | 49.66 |  |  |  |
| AV   | 18.5693G | 32.68    | 63.54    | -30.86 | 28.13  | 1    | Vertical  | 308     | 1.80   | 108     | 37.64 | 16.57 | 49.66 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX


6195MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.58796G | 43.98    | 83.54    | -39.56 | 39.37  | 1    | Horizontal | 82      | 1.80   | 108     | 37.68 | 16.58 | 49.65 |  |  |  |
| AV   | 18.59755G | 33.13    | 63.54    | -30.41 | 28.49  | 1    | Horizontal | 82      | 1.80   | 108     | 37.70 | 16.58 | 49.64 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6415MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8188G  | 45.85    | 88.20    | -42.35 | 60.69  | 3    | Vertical  | 31      | 1.80   | 108     | 39.14 | 11.15 | 65.13 |  |  |  |
| AV   | 12.81968G | 35.20    | 68.20    | -33.00 | 50.04  | 3    | Vertical  | 31      | 1.80   | 108     | 39.14 | 11.15 | 65.13 |  |  |  |



5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6415MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8412G  | 46.12    | 88.20    | -42.08 | 60.89  | 3    | Horizontal | 338     | 2.18   | 108     | 39.18 | 11.15 | 65.10 |  |  |  |
| AV   | 12.82488G | 35.37    | 68.20    | -32.83 | 50.19  | 3    | Horizontal | 338     | 2.18   | 108     | 39.15 | 11.15 | 65.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6415MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.22842G | 44.86    | 83.54    | -38.68 | 39.57  | 1    | Vertical  | 171     | 1.80   | 108     | 37.81 | 16.92 | 49.44 |  |  |  |
| AV   | 19.25807G | 33.59    | 63.54    | -29.95 | 28.24  | 1    | Vertical  | 171     | 1.80   | 108     | 37.87 | 16.94 | 49.46 |  |  |  |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6415MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.26494G | 43.88    | 83.54    | -39.66 | 38.56  | 1    | Horizontal | 341     | 1.80   | 108     | 37.84 | 16.94 | 49.46 |  |  |  |
| AV   | 19.23773G | 33.76    | 63.54    | -29.78 | 28.43  | 1    | Horizontal | 341     | 1.80   | 108     | 37.85 | 16.93 | 49.45 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6535MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.08132G    | 46.04             | 88.20             | -42.16         | 60.13         | 3           | Vertical  | 172            | 1.80          | 108     | 39.56      | 11.22      | 64.87      |  |  |  |
| AV   | 13.08736G    | 34.94             | 68.20             | -33.26         | 49.01         | 3           | Vertical  | 172            | 1.80          | 108     | 39.57      | 11.23      | 64.87      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6535MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.07304G | 45.84    | 88.20    | -42.36 | 59.94  | 3    | Horizontal | 339     | 1.80   | 108     | 39.55 | 11.22 | 64.87 |  |  |  |  |
| AV   | 13.06532G | 34.76    | 68.20    | -33.44 | 48.88  | 3    | Horizontal | 339     | 1.80   | 108     | 39.53 | 11.22 | 64.87 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6535MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.58758G    | 44.77             | 83.54             | -38.77         | 39.48         | 1           | Vertical  | 166            | 1.82          | 108     | 37.70      | 17.13      | 49.54      |  |  |  |
| AV   | 19.59593G    | 33.64             | 63.54             | -29.90         | 28.33         | 1           | Vertical  | 166            | 1.82          | 108     | 37.70      | 17.14      | 49.53      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6535MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.58814G | 45.00    | 83.54    | -38.54 | 39.71  | 1    | Horizontal | 1       | 1.80   | 108     | 37.70 | 17.13 | 49.54 |  |  |  |
| AV   | 19.61675G | 34.02    | 63.54    | -29.52 | 28.72  | 1    | Horizontal | 1       | 1.80   | 108     | 37.67 | 17.15 | 49.52 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.40252G | 46.86    | 88.20    | -41.34 | 60.17  | 3    | Vertical  | 213     | 1.80   | 108     | 40.21 | 11.32 | 64.84 |  |  |  |
| AV   | 13.40436G | 36.74    | 68.20    | -31.46 | 50.05  | 3    | Vertical  | 213     | 1.80   | 108     | 40.21 | 11.32 | 64.84 |  |  |  |



6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.39772G | 46.79    | 74.00    | -27.21 | 60.11  | 3    | Horizontal | 34      | 1.80   | 108     | 40.20 | 11.32 | 64.84 |  |  |  |  |
| AV   | 13.3894G  | 35.95    | 54.00    | -18.05 | 49.30  | 3    | Horizontal | 34      | 1.80   | 108     | 40.18 | 11.31 | 64.84 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.08796G | 47.91    | 83.54    | -35.63 | 42.10  | 1    | Vertical  | 298     | 1.80   | 108     | 37.68 | 17.38 | 49.25 |  |  |  |
| AV   | 20.08768G | 36.86    | 63.54    | -26.68 | 31.05  | 1    | Vertical  | 298     | 1.80   | 108     | 37.68 | 17.38 | 49.25 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.0814G  | 47.04    | 83.54    | -36.50 | 41.26  | 1    | Horizontal | 360     | 2.10   | 108     | 37.66 | 17.38 | 49.26 |  |  |  |
| AV   | 20.07137G | 34.08    | 63.54    | -29.46 | 28.32  | 1    | Horizontal | 360     | 2.10   | 108     | 37.64 | 17.38 | 49.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6855MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.72005G | 47.47    | 88.20    | -40.73 | 60.21  | 3    | Vertical  | 19      | 2.46   | -       | 40.58 | 11.41 | 64.73 |  |  |  |
| RMS  | 13.7229G  | 38.43    | 68.20    | -29.77 | 51.16  | 3    | Vertical  | 19      | 2.46   | -       | 40.59 | 11.41 | 64.73 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6855MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.69941G | 46.99    | 88.20    | -41.21 | 59.83  | 3    | Horizontal | 43      | 1.58   | -       | 40.50 | 11.40 | 64.74 |  |  |  |
| RMS  | 13.72356G | 37.61    | 68.20    | -30.59 | 50.34  | 3    | Horizontal | 43      | 1.58   | -       | 40.59 | 11.41 | 64.73 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6855MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.55621G    | 49.27             | 83.54             | -34.27         | 43.31         | 1           | Vertical  | 34             | 1.22          | -       | 37.71      | 17.45      | 49.20      |  |  |  |
| AV   | 20.5419G     | 39.16             | 63.54             | -24.38         | 33.22         | 1           | Vertical  | 34             | 1.22          | -       | 37.70      | 17.45      | 49.21      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6855MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.57496G    | 48.44             | 83.54             | -35.10         | 42.43         | 1           | Horizontal | 186            | 2.85          | -       | 37.75      | 17.45      | 49.19      |  |  |  |
| AV   | 20.56731G    | 38.39             | 63.54             | -25.15         | 32.40         | 1           | Horizontal | 186            | 2.85          | -       | 37.73      | 17.45      | 49.19      |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_TX  
Setting 92  
03-E-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |  |
| PK   | 5.9212G | 80.84    | 88.20    | -7.36  | 73.73  | 3    | Vertical  | 109     | 2.39   | -       | 34.58 | 7.52 | 34.99 |  |  |  |  |  |
| RMS  | 5.9232G | 67.29    | 68.20    | -0.91  | 60.17  | 3    | Vertical  | 109     | 2.39   | -       | 34.59 | 7.52 | 34.99 |  |  |  |  |  |
| PK   | 5.9736G | 119.73   | Inf      | -Inf   | 112.50 | 3    | Vertical  | 109     | 2.39   | -       | 34.70 | 7.53 | 35.00 |  |  |  |  |  |
| RMS  | 5.9756G | 109.12   | Inf      | -Inf   | 101.89 | 3    | Vertical  | 109     | 2.39   | -       | 34.70 | 7.53 | 35.00 |  |  |  |  |  |



5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
Setting 92  
03-E-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.9244G | 75.93    | 88.20    | -12.27 | 68.80  | 3    | Horizontal | 157     | 2.36   | -       | 34.60 | 7.52 | 34.99 |  |  |  |  |
| RMS  | 5.9246G | 64.95    | 68.20    | -3.25  | 57.82  | 3    | Horizontal | 157     | 2.36   | -       | 34.60 | 7.52 | 34.99 |  |  |  |  |
| PK   | 5.9576G | 114.40   | Inf      | -Inf   | 107.17 | 3    | Horizontal | 157     | 2.36   | -       | 34.70 | 7.53 | 35.00 |  |  |  |  |
| RMS  | 5.9796G | 104.68   | Inf      | -Inf   | 97.45  | 3    | Horizontal | 157     | 2.36   | -       | 34.70 | 7.53 | 35.00 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.91136G | 45.41    | 74.00    | -28.59 | 61.08  | 3    | Vertical  | 4       | 1.80   | 108     | 39.28 | 10.88 | 65.83 |  |  |  |  |
| AV   | 11.90416G | 35.05    | 54.00    | -18.95 | 50.72  | 3    | Vertical  | 4       | 1.80   | 108     | 39.29 | 10.88 | 65.84 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 11.90232G | 46.28    | 74.00    | -27.72 | 61.94  | 3    | Horizontal | 168     | 2.68   | 108     | 39.30 | 10.88 | 65.84 |  |  |  |  |
| AV   | 11.90496G | 34.87    | 54.00    | -19.13 | 50.54  | 3    | Horizontal | 168     | 2.68   | 108     | 39.29 | 10.88 | 65.84 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.86822G | 45.64    | 83.54    | -37.90 | 35.36  | 1    | Vertical  | 144     | 1.89   | -       | 38.64 | 18.76 | 47.12 |  |  |  |
| AV   | 23.8744G  | 34.98    | 63.54    | -28.56 | 24.69  | 1    | Vertical  | 144     | 1.89   | -       | 38.65 | 18.76 | 47.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5965MHz\_TX




EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.8678G  | 46.87    | 83.54    | -36.67 | 36.59  | 1    | Horizontal | 78      | 2.42   | -       | 38.64 | 18.76 | 47.12 |  |  |  |
| AV   | 23.86774G | 34.81    | 63.54    | -28.73 | 24.53  | 1    | Horizontal | 78      | 2.42   | -       | 38.64 | 18.76 | 47.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6205MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.4072G  | 45.28    | 74.00    | -28.72 | 61.05  | 3    | Vertical  | 250     | 2.83   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |
| AV   | 12.40912G | 34.82    | 54.00    | -19.18 | 50.59  | 3    | Vertical  | 250     | 2.83   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


6205MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.37856G | 45.01    | 74.00    | -28.99 | 60.80  | 3    | Horizontal | 8       | 1.26   | 108     | 38.80 | 11.02 | 65.61 |  |  |  |
| AV   | 12.4104G  | 34.58    | 54.00    | -19.42 | 50.35  | 3    | Horizontal | 8       | 1.26   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6205MHz\_TX


EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.61836G | 44.84    | 83.54    | -38.70 | 40.16  | 1    | Vertical  | 168     | 1.80   | 108     | 37.70 | 16.60 | 49.62 |  |  |  |
| AV   | 18.62467G | 32.88    | 63.54    | -30.66 | 28.20  | 1    | Vertical  | 168     | 1.80   | 108     | 37.70 | 16.60 | 49.62 |  |  |  |



5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6205MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.59966G | 43.97    | 83.54    | -39.57 | 39.32  | 1    | Horizontal | 12      | 2.05   | 108     | 37.70 | 16.59 | 49.64 |  |  |  |
| AV   | 18.58127G | 32.85    | 63.54    | -30.69 | 28.26  | 1    | Horizontal | 12      | 2.05   | 108     | 37.66 | 16.58 | 49.65 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6405MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.81232G | 45.91    | 88.20    | -42.29 | 60.78  | 3    | Vertical  | 69      | 1.80   | 108     | 39.12 | 11.15 | 65.14 |  |  |  |
| AV   | 12.82168G | 35.09    | 68.20    | -33.11 | 49.93  | 3    | Vertical  | 69      | 1.80   | 108     | 39.14 | 11.15 | 65.13 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6405MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.83064G | 45.87    | 88.20    | -42.33 | 60.67  | 3    | Horizontal | 78      | 1.80   | 108     | 39.16 | 11.15 | 65.11 |  |  |  |
| AV   | 12.84896G | 34.96    | 68.20    | -33.24 | 49.69  | 3    | Horizontal | 78      | 1.80   | 108     | 39.20 | 11.16 | 65.09 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6405MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.20101G | 44.59    | 83.54    | -38.95 | 39.41  | 1    | Vertical  | 29.1    | 1.80   | 108     | 37.70 | 16.91 | 49.43 |  |  |  |
| AV   | 19.19654G | 32.93    | 63.54    | -30.61 | 27.74  | 1    | Vertical  | 29.1    | 1.80   | 108     | 37.71 | 16.90 | 49.42 |  |  |  |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6405MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.21964G | 44.02    | 83.54    | -39.52 | 38.76  | 1    | Horizontal | 330     | 1.80   | 108     | 37.78 | 16.92 | 49.44 |  |  |  |
| AV   | 19.24265G | 33.43    | 63.54    | -30.11 | 28.08  | 1    | Horizontal | 330     | 1.80   | 108     | 37.87 | 16.93 | 49.45 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6565MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.10272G | 45.45    | 88.20    | -42.75 | 59.49  | 3    | Vertical  | 305     | 2.06   | 108     | 39.60 | 11.23 | 64.87 |  |  |  |  |
| AV   | 13.12752G | 34.87    | 68.20    | -33.33 | 48.90  | 3    | Vertical  | 305     | 2.06   | 108     | 39.60 | 11.24 | 64.87 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6565MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.094G   | 45.97    | 88.20    | -42.23 | 60.02  | 3    | Horizontal | 76      | 2.93   | 108     | 39.59 | 11.23 | 64.87 |  |  |  |  |
| AV   | 13.09784G | 34.63    | 68.20    | -33.57 | 48.67  | 3    | Horizontal | 76      | 2.93   | 108     | 39.60 | 11.23 | 64.87 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6565MHz\_TX


EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.68501G | 43.97    | 83.54    | -39.57 | 38.51  | 1    | Vertical  | 340     | 1.80   | 108     | 37.74 | 17.19 | 49.47 |  |  |  |
| AV   | 19.67094G | 33.53    | 63.54    | -30.01 | 28.15  | 1    | Vertical  | 340     | 1.80   | 108     | 37.68 | 17.18 | 49.48 |  |  |  |



6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6565MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.67142G | 43.77    | 83.54    | -39.77 | 38.38  | 1    | Horizontal | 10      | 2.09   | 108     | 37.69 | 17.18 | 49.48 |  |  |  |
| AV   | 19.65936G | 33.00    | 63.54    | -30.54 | 27.68  | 1    | Horizontal | 10      | 2.09   | 108     | 37.64 | 17.17 | 49.49 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.40944G | 46.97    | 88.20    | -41.23 | 60.27  | 3    | Vertical  | 26      | 1.80   | 108     | 40.22 | 11.32 | 64.84 |  |  |  |
| AV   | 13.3524G  | 36.32    | 54.00    | -17.68 | 49.76  | 3    | Vertical  | 26      | 1.80   | 108     | 40.10 | 11.30 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.408G   | 46.85    | 88.20    | -41.35 | 60.15  | 3    | Horizontal | 178     | 1.80   | 108     | 40.22 | 11.32 | 64.84 |  |  |  |
| AV   | 13.39048G | 36.04    | 54.00    | -17.96 | 49.39  | 3    | Horizontal | 178     | 1.80   | 108     | 40.18 | 11.31 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.04485G | 47.12    | 83.54    | -36.42 | 41.38  | 1    | Vertical  | 295     | 1.91   | 108     | 37.62 | 17.38 | 49.26 |  |  |  |
| AV   | 20.06443G | 36.74    | 63.54    | -26.80 | 30.99  | 1    | Vertical  | 295     | 1.91   | 108     | 37.63 | 17.38 | 49.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.04973G    | 43.90             | 83.54             | -39.64         | 38.18         | 1           | Horizontal | 74             | 1.80          | 108     | 37.60      | 17.38      | 49.26      |  |  |  |
| AV   | 20.04101G    | 33.31             | 63.54             | -30.23         | 27.55         | 1           | Horizontal | 74             | 1.80          | 108     | 37.64      | 17.38      | 49.26      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6845MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.68397G | 46.31    | 88.20    | -41.89 | 59.19  | 3    | Vertical  | 246     | 1.97   | -       | 40.47 | 11.40 | 64.75 |  |  |  |
| AV   | 13.69093G | 36.79    | 68.20    | -31.41 | 49.65  | 3    | Vertical  | 246     | 1.97   | -       | 40.48 | 11.40 | 64.74 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6845MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.69294G | 47.34    | 88.20    | -40.86 | 60.19  | 3    | Horizontal | 257     | 2.99   | -       | 40.49 | 11.40 | 64.74 |  |  |  |  |
| AV   | 13.69315G | 37.56    | 68.20    | -30.64 | 50.41  | 3    | Horizontal | 257     | 2.99   | -       | 40.49 | 11.40 | 64.74 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6845MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.5236G  | 50.50    | 83.54    | -33.04 | 44.58  | 1    | Vertical  | 73      | 1.25   | -       | 37.70 | 17.44 | 49.22 |  |  |  |
| AV   | 20.53353G | 41.00    | 63.54    | -22.54 | 35.07  | 1    | Vertical  | 73      | 1.25   | -       | 37.70 | 17.44 | 49.21 |  |  |  |



6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6845MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.54088G | 49.05    | 83.54    | -34.49 | 43.11  | 1    | Horizontal | 278     | 2.26   | -       | 37.70 | 17.45 | 49.21 |  |  |  |
| AV   | 20.53767G | 39.16    | 63.54    | -24.38 | 33.22  | 1    | Horizontal | 278     | 2.26   | -       | 37.70 | 17.45 | 49.21 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
Setting 91  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.911G       | 76.63             | 88.20             | -11.57         | 69.55         | 3           | Vertical  | 107            | 2.44          | -       | 34.54      | 7.52       | 34.98      |  |  |  |
| RMS  | 5.9158G      | 65.49             | 68.20             | -2.71          | 58.39         | 3           | Vertical  | 107            | 2.44          | -       | 34.56      | 7.52       | 34.98      |  |  |  |
| PK   | 5.9906G      | 116.89            | Inf               | -Inf           | 109.67        | 3           | Vertical  | 107            | 2.44          | -       | 34.70      | 7.53       | 35.01      |  |  |  |
| RMS  | 5.9958G      | 106.23            | Inf               | -Inf           | 99.01         | 3           | Vertical  | 107            | 2.44          | -       | 34.70      | 7.53       | 35.01      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
Setting 91  
03-E-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9198G | 72.03    | 88.20    | -16.17 | 64.92  | 3    | Horizontal | 157     | 2.34   | -       | 34.58 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9246G | 60.89    | 68.20    | -7.31  | 53.76  | 3    | Horizontal | 157     | 2.34   | -       | 34.60 | 7.52 | 34.99 |  |  |  |
| PK   | 6.0046G | 111.96   | Inf      | -Inf   | 104.72 | 3    | Horizontal | 157     | 2.34   | -       | 34.71 | 7.54 | 35.01 |  |  |  |
| RMS  | 5.9998G | 102.19   | Inf      | -Inf   | 94.97  | 3    | Horizontal | 157     | 2.34   | -       | 34.70 | 7.53 | 35.01 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.02088G | 44.95    | 74.00    | -29.05 | 60.61  | 3    | Vertical  | 159     | 1.76   | 108     | 39.16 | 10.92 | 65.74 |  |  |  |  |
| AV   | 11.9892G  | 35.21    | 54.00    | -18.79 | 50.86  | 3    | Vertical  | 159     | 1.76   | 108     | 39.20 | 10.91 | 65.76 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.00328G | 44.70    | 74.00    | -29.30 | 60.35  | 3    | Horizontal | 164     | 1.80   | 108     | 39.19 | 10.91 | 65.75 |  |  |  |
| AV   | 12.02056G | 34.34    | 54.00    | -19.66 | 50.00  | 3    | Horizontal | 164     | 1.80   | 108     | 39.16 | 10.92 | 65.74 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


5985MHz\_TX

EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.937G   | 45.21    | 83.54    | -38.33 | 34.68  | 1    | Vertical  | 222     | 1.75   | -       | 38.85 | 18.77 | 47.09 |  |  |  |
| AV   | 23.93646G | 34.72    | 63.54    | -28.82 | 24.19  | 1    | Vertical  | 222     | 1.75   | -       | 38.85 | 18.77 | 47.09 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5985MHz\_TX




EUT\_Z\_2TX  
SET 108

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94864G | 45.68    | 83.54    | -37.86 | 35.10  | 1    | Horizontal | 290     | 2.97   | -       | 38.89 | 18.77 | 47.08 |  |  |  |
| AV   | 23.9454G  | 34.84    | 63.54    | -28.70 | 24.28  | 1    | Horizontal | 290     | 2.97   | -       | 38.88 | 18.77 | 47.09 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6225MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.4036G  | 45.86    | 74.00    | -28.14 | 61.63  | 3    | Vertical  | 77      | 1.62   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |
| AV   | 12.41224G | 34.75    | 54.00    | -19.25 | 50.52  | 3    | Vertical  | 77      | 1.62   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6225MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.41496G | 45.03    | 74.00    | -28.97 | 60.80  | 3    | Horizontal | 328     | 1.80   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |
| AV   | 12.38664G | 35.31    | 54.00    | -18.69 | 51.10  | 3    | Horizontal | 328     | 1.80   | 108     | 38.80 | 11.02 | 65.61 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6225MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.6555G  | 44.80    | 83.54    | -38.74 | 40.09  | 1    | Vertical  | 182     | 1.80   | 108     | 37.69 | 16.61 | 49.59 |  |  |  |
| AV   | 18.70857G | 33.40    | 63.54    | -30.14 | 28.68  | 1    | Vertical  | 182     | 1.80   | 108     | 37.63 | 16.64 | 49.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6225MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.63696G | 43.93    | 83.54    | -39.61 | 39.24  | 1    | Horizontal | 298     | 1.62   | 108     | 37.70 | 16.60 | 49.61 |  |  |  |
| AV   | 18.70793G | 33.63    | 63.54    | -29.91 | 28.91  | 1    | Horizontal | 298     | 1.62   | 108     | 37.63 | 16.64 | 49.55 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6385MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.79768G | 45.88    | 88.20    | -42.32 | 60.80  | 3    | Vertical  | 135     | 1.09   | 108     | 39.10 | 11.14 | 65.16 |  |  |  |
| AV   | 12.72008G | 34.82    | 68.20    | -33.38 | 50.03  | 3    | Vertical  | 135     | 1.09   | 108     | 38.94 | 11.12 | 65.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6385MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.71896G | 45.70    | 88.20    | -42.50 | 60.91  | 3    | Horizontal | 92      | 2.27   | 108     | 38.94 | 11.12 | 65.27 |  |  |  |
| AV   | 12.7196G  | 35.14    | 68.20    | -33.06 | 50.35  | 3    | Horizontal | 92      | 2.27   | 108     | 38.94 | 11.12 | 65.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6385MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.14269G | 44.05    | 83.54    | -39.49 | 38.70  | 1    | Vertical  | 334     | 1.80   | 108     | 37.87 | 16.87 | 49.39 |  |  |  |
| AV   | 19.14589G | 33.85    | 63.54    | -29.69 | 28.49  | 1    | Vertical  | 334     | 1.80   | 108     | 37.88 | 16.87 | 49.39 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6385MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.23236G | 44.17    | 83.54    | -39.37 | 38.86  | 1    | Horizontal | 289     | 1.50   | 108     | 37.83 | 16.92 | 49.44 |  |  |  |
| AV   | 19.08067G | 33.27    | 63.54    | -30.27 | 28.01  | 1    | Horizontal | 289     | 1.50   | 108     | 37.78 | 16.84 | 49.36 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.29688G | 47.83    | 74.00    | -26.17 | 61.30  | 3    | Vertical  | 1       | 1.80   | 108     | 40.09 | 11.29 | 64.85 |  |  |  |
| AV   | 13.32776G | 35.91    | 54.00    | -18.09 | 49.36  | 3    | Vertical  | 1       | 1.80   | 108     | 40.10 | 11.30 | 64.85 |  |  |  |



6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.2924G  | 46.62    | 74.00    | -27.38 | 60.11  | 3    | Horizontal | 360     | 1.80   | 108     | 40.08 | 11.28 | 64.85 |  |  |  |  |
| AV   | 13.31272G | 35.70    | 54.00    | -18.30 | 49.16  | 3    | Horizontal | 360     | 1.80   | 108     | 40.10 | 11.29 | 64.85 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.91304G | 44.87    | 83.54    | -38.67 | 39.24  | 1    | Vertical  | 281     | 1.97   | 108     | 37.63 | 17.32 | 49.32 |  |  |  |
| AV   | 19.90761G | 33.98    | 63.54    | -29.56 | 28.36  | 1    | Vertical  | 281     | 1.97   | 108     | 37.62 | 17.32 | 49.32 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6625MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.91576G | 43.74    | 83.54    | -39.80 | 38.11  | 1    | Horizontal | 69      | 2.03   | 108     | 37.63 | 17.32 | 49.32 |  |  |  |
| AV   | 19.94421G | 33.28    | 63.54    | -30.26 | 27.55  | 1    | Horizontal | 69      | 2.03   | 108     | 37.69 | 17.34 | 49.30 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.41592G | 46.56    | 88.20    | -41.64 | 59.85  | 3    | Vertical  | 116     | 1.80   | 108     | 40.23 | 11.32 | 64.84 |  |  |  |
| AV   | 13.48072G | 36.36    | 68.20    | -31.84 | 49.55  | 3    | Vertical  | 116     | 1.80   | 108     | 40.30 | 11.34 | 64.83 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.40248G | 46.42    | 88.20    | -41.78 | 59.74  | 3    | Horizontal | 289     | 1.80   | 108     | 40.20 | 11.32 | 64.84 |  |  |  |
| AV   | 13.41016G | 36.05    | 68.20    | -32.15 | 49.35  | 3    | Horizontal | 289     | 1.80   | 108     | 40.22 | 11.32 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.16647G    | 45.54             | 83.54             | -38.00         | 39.73         | 1           | Vertical  | 293            | 1.82          | 108     | 37.67      | 17.39      | 49.25      |  |  |  |
| AV   | 20.10237G    | 34.74             | 63.54             | -28.80         | 28.91         | 1           | Vertical  | 293            | 1.82          | 108     | 37.70      | 17.38      | 49.25      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.03812G | 44.37    | 83.54    | -39.17 | 38.60  | 1    | Horizontal | 201     | 1.80   | 108     | 37.65 | 17.38 | 49.26 |  |  |  |
| AV   | 20.05378G | 33.08    | 63.54    | -30.46 | 27.35  | 1    | Horizontal | 201     | 1.80   | 108     | 37.61 | 17.38 | 49.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.52072G | 46.92    | 88.20    | -41.28 | 60.09  | 3    | Vertical  | 257     | 2.95   | 108     | 40.30 | 11.35 | 64.82 |  |  |  |  |
| AV   | 13.51432G | 36.08    | 68.20    | -32.12 | 49.25  | 3    | Vertical  | 257     | 2.95   | 108     | 40.30 | 11.35 | 64.82 |  |  |  |  |



6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.55208G | 46.03    | 88.20    | -42.17 | 59.18  | 3    | Horizontal | 359     | 1.80   | 108     | 40.30 | 11.36 | 64.81 |  |  |  |  |
| AV   | 13.52168G | 35.86    | 68.20    | -32.34 | 49.03  | 3    | Horizontal | 359     | 1.80   | 108     | 40.30 | 11.35 | 64.82 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6785MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.30849G | 44.32    | 83.54    | -39.22 | 38.43  | 1    | Vertical  | 360.6   | 1.80   | 108     | 37.72 | 17.41 | 49.24 |  |  |  |
| AV   | 20.28435G | 33.40    | 63.54    | -30.14 | 27.53  | 1    | Vertical  | 360.6   | 1.80   | 108     | 37.70 | 17.41 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.29458G | 43.78    | 83.54    | -39.76 | 37.91  | 1    | Horizontal | 318     | 1.80   | 108     | 37.70 | 17.41 | 49.24 |  |  |  |
| AV   | 20.29794G | 33.53    | 63.54    | -30.01 | 27.66  | 1    | Horizontal | 318     | 1.80   | 108     | 37.70 | 17.41 | 49.24 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
Setting 84  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9212G      | 81.95             | 88.20             | -6.25          | 74.84         | 3           | Vertical  | 111            | 2.37          | -       | 34.58      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.9206G      | 67.89             | 68.20             | -0.31          | 60.78         | 3           | Vertical  | 111            | 2.37          | -       | 34.58      | 7.52       | 34.99      |  |  |  |
| PK   | 6.0532G      | 112.61            | Inf               | -Inf           | 105.23        | 3           | Vertical  | 111            | 2.37          | -       | 34.81      | 7.59       | 35.02      |  |  |  |
| RMS  | 6.0556G      | 101.77            | Inf               | -Inf           | 94.38         | 3           | Vertical  | 111            | 2.37          | -       | 34.82      | 7.59       | 35.02      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
Setting 84  
03-E-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9224G      | 79.55             | 88.20             | -8.65          | 72.43         | 3           | Horizontal | 351            | 2.32          | -       | 34.59      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.9212G      | 65.37             | 68.20             | -2.83          | 58.26         | 3           | Horizontal | 351            | 2.32          | -       | 34.58      | 7.52       | 34.99      |  |  |  |
| PK   | 6.0562G      | 107.66            | Inf               | -Inf           | 100.27        | 3           | Horizontal | 351            | 2.32          | -       | 34.82      | 7.59       | 35.02      |  |  |  |
| RMS  | 6.1006G      | 98.05             | Inf               | -Inf           | 90.44         | 3           | Horizontal | 351            | 2.32          | -       | 35.00      | 7.64       | 35.03      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6025MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0516G  | 45.69    | 74.00    | -28.31 | 61.41  | 3    | Vertical  | 285     | 2.31   | 108     | 39.09 | 10.92 | 65.73 |  |  |  |
| AV   | 12.19944G | 34.94    | 54.00    | -19.06 | 50.75  | 3    | Vertical  | 285     | 2.31   | 108     | 38.90 | 10.97 | 65.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.92392G | 45.56    | 74.00    | -28.44 | 61.24  | 3    | Horizontal | 338     | 1.28   | 108     | 39.25 | 10.89 | 65.82 |  |  |  |
| AV   | 12.19272G | 35.00    | 54.00    | -19.00 | 50.81  | 3    | Horizontal | 338     | 1.28   | 108     | 38.90 | 10.97 | 65.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX


EUT\_Z\_2TX  
SET 84  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.12871G | 44.80    | 83.54    | -38.74 | 40.54  | 1    | Vertical  | 29      | 1.80   | 84      | 37.46 | 16.35 | 49.55 |  |  |  |
| AV   | 18.00211G | 33.00    | 63.54    | -30.54 | 28.72  | 1    | Vertical  | 29      | 1.80   | 84      | 37.49 | 16.28 | 49.49 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6025MHz\_TX




EUT\_Z\_2TX  
SET 84  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.15524G | 43.52    | 83.54    | -40.02 | 39.23  | 1    | Horizontal | 130     | 1.80   | 84      | 37.49 | 16.36 | 49.56 |  |  |  |
| AV   | 18.15268G | 32.63    | 63.54    | -30.91 | 28.34  | 1    | Horizontal | 130     | 1.80   | 84      | 37.49 | 16.36 | 49.56 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.25352G | 45.01    | 74.00    | -28.99 | 60.89  | 3    | Vertical  | 187     | 1.43   | 108     | 38.80 | 10.98 | 65.66 |  |  |  |
| AV   | 12.22728G | 34.52    | 54.00    | -19.48 | 50.36  | 3    | Vertical  | 187     | 1.43   | 108     | 38.85 | 10.98 | 65.67 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.28552G | 45.16    | 74.00    | -28.84 | 61.02  | 3    | Horizontal | 214     | 2.85   | 108     | 38.80 | 10.99 | 65.65 |  |  |  |
| AV   | 12.40392G | 34.61    | 54.00    | -19.39 | 50.38  | 3    | Horizontal | 214     | 2.85   | 108     | 38.80 | 11.03 | 65.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6185MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.6963G  | 44.58    | 83.54    | -38.96 | 39.89  | 1    | Vertical  | 5       | 1.80   | 108     | 37.61 | 16.64 | 49.56 |  |  |  |
| AV   | 18.41242G | 32.77    | 63.54    | -30.77 | 28.36  | 1    | Vertical  | 5       | 1.80   | 108     | 37.60 | 16.49 | 49.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6185MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.45686G | 43.67    | 83.54    | -39.87 | 39.25  | 1    | Horizontal | 26      | 2.09   | 108     | 37.61 | 16.51 | 49.70 |  |  |  |
| AV   | 18.48243G | 32.99    | 63.54    | -30.55 | 28.51  | 1    | Horizontal | 26      | 2.09   | 108     | 37.66 | 16.53 | 49.71 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.79144G | 45.78    | 88.20    | -42.42 | 60.73  | 3    | Vertical  | 109     | 1.80   | 108     | 39.08 | 11.14 | 65.17 |  |  |  |
| AV   | 12.69832G | 35.05    | 54.00    | -18.95 | 50.34  | 3    | Vertical  | 109     | 1.80   | 108     | 38.90 | 11.11 | 65.30 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.72904G | 45.84    | 88.20    | -42.36 | 61.01  | 3    | Horizontal | 2       | 2.48   | 108     | 38.96 | 11.12 | 65.25 |  |  |  |
| AV   | 12.74024G | 34.98    | 68.20    | -33.22 | 50.12  | 3    | Horizontal | 2       | 2.48   | 108     | 38.98 | 11.12 | 65.24 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.12931G | 45.63    | 83.54    | -37.91 | 40.33  | 1    | Vertical  | 217     | 2.10   | 108     | 37.82 | 16.86 | 49.38 |  |  |  |
| AV   | 18.98257G | 33.96    | 63.54    | -29.58 | 28.70  | 1    | Vertical  | 217     | 2.10   | 108     | 37.80 | 16.78 | 49.32 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6345MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.10309G | 45.01    | 83.54    | -38.53 | 39.82  | 1    | Horizontal | 308     | 1.36   | 108     | 37.71 | 16.85 | 49.37 |  |  |  |
| AV   | 18.99248G | 34.11    | 63.54    | -29.43 | 28.84  | 1    | Horizontal | 308     | 1.36   | 108     | 37.80 | 16.79 | 49.32 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 13.41224G | 46.39    | 88.20    | -41.81 | 59.69  | 3    | Vertical  | 35      | 1.58   | 108     | 40.22 | 11.32 | 64.84 |  |  |  |  |
| AV   | 13.44264G | 36.58    | 68.20    | -31.62 | 49.80  | 3    | Vertical  | 35      | 1.58   | 108     | 40.29 | 11.33 | 64.84 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.4196G     | 47.29             | 88.20             | -40.91         | 60.57         | 3           | Horizontal | 360            | 2.13          | 108     | 40.24      | 11.32      | 64.84      |  |  |  |
| AV   | 13.31656G    | 36.29             | 54.00             | -17.71         | 49.75         | 3           | Horizontal | 360            | 2.13          | 108     | 40.10      | 11.29      | 64.85      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.99116G | 45.45    | 83.54    | -38.09 | 39.58  | 1    | Vertical  | 284     | 1.80   | 108     | 37.78 | 17.36 | 49.27 |  |  |  |
| AV   | 19.98765G | 34.45    | 63.54    | -29.09 | 28.58  | 1    | Vertical  | 284     | 1.80   | 108     | 37.78 | 17.36 | 49.27 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.00651G | 44.13    | 83.54    | -39.41 | 38.25  | 1    | Horizontal | 168     | 1.80   | 108     | 37.77 | 17.37 | 49.26 |  |  |  |
| AV   | 20.00011G | 33.62    | 63.54    | -29.92 | 27.71  | 1    | Horizontal | 168     | 1.80   | 108     | 37.80 | 17.37 | 49.26 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6825MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.5348G  | 47.17    | 88.20    | -41.03 | 60.32  | 3    | Vertical  | 77      | 1.61   | 108     | 40.30 | 11.36 | 64.81 |  |  |  |
| AV   | 13.50568G | 36.16    | 68.20    | -32.04 | 49.34  | 3    | Vertical  | 77      | 1.61   | 108     | 40.30 | 11.35 | 64.83 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6825MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.55496G    | 46.09             | 88.20             | -42.11         | 59.22         | 3           | Horizontal | 51             | 1.80          | 108     | 40.31      | 11.36      | 64.80      |  |  |  |
| AV   | 13.53544G    | 36.70             | 68.20             | -31.50         | 49.85         | 3           | Horizontal | 51             | 1.80          | 108     | 40.30      | 11.36      | 64.81      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6825MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.48107G | 45.60    | 83.54    | -37.94 | 39.65  | 1    | Vertical  | 295     | 1.80   | 108     | 37.74 | 17.44 | 49.23 |  |  |  |  |
| AV   | 20.62781G | 35.19    | 63.54    | -28.35 | 29.03  | 1    | Vertical  | 295     | 1.80   | 108     | 37.86 | 17.46 | 49.16 |  |  |  |  |



6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6825MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.40403G    | 43.82             | 83.54             | -39.72         | 38.01         | 1           | Horizontal | 255            | 1.85          | 108     | 37.62      | 17.43      | 49.24      |  |  |  |
| AV   | 20.33018G    | 33.59             | 63.54             | -29.95         | 27.65         | 1           | Horizontal | 255            | 1.85          | 108     | 37.76      | 17.42      | 49.24      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
Setting 85  
03-E-E-3-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.8758G      | 81.64             | 88.20             | -6.56          | 74.69         | 3           | Vertical  | 110            | 2.37          | -       | 34.40      | 7.52       | 34.97      |  |  |  |
| RMS  | 5.9214G      | 67.94             | 68.20             | -0.26          | 60.82         | 3           | Vertical  | 110            | 2.37          | -       | 34.59      | 7.52       | 34.99      |  |  |  |
| PK   | 6.1362G      | 109.60            | Inf               | -Inf           | 101.96        | 3           | Vertical  | 110            | 2.37          | -       | 35.00      | 7.68       | 35.04      |  |  |  |
| RMS  | 6.0606G      | 98.87             | Inf               | -Inf           | 91.45         | 3           | Vertical  | 110            | 2.37          | -       | 34.84      | 7.60       | 35.02      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
Setting 85  
03-E-E-3-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.8818G      | 77.25             | 88.20             | -10.95         | 70.27         | 3           | Horizontal | 350            | 2.40          | -       | 34.43      | 7.52       | 34.97      |  |  |  |
| RMS  | 5.9214G      | 63.82             | 68.20             | -4.38          | 56.70         | 3           | Horizontal | 350            | 2.40          | -       | 34.59      | 7.52       | 34.99      |  |  |  |
| PK   | 6.2058G      | 105.20            | Inf               | -Inf           | 97.51         | 3           | Horizontal | 350            | 2.40          | -       | 34.99      | 7.76       | 35.06      |  |  |  |
| RMS  | 6.2106G      | 94.20             | Inf               | -Inf           | 86.52         | 3           | Horizontal | 350            | 2.40          | -       | 34.98      | 7.76       | 35.06      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6105MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.3252G  | 45.64    | 74.00    | -28.36 | 61.47  | 3    | Vertical  | 359     | 2.95   | 108     | 38.80 | 11.00 | 65.63 |  |  |  |
| AV   | 12.29896G | 35.17    | 54.00    | -18.83 | 51.01  | 3    | Vertical  | 359     | 2.95   | 108     | 38.80 | 11.00 | 65.64 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.22344G    | 45.68             | 74.00             | -28.32         | 61.53         | 3           | Horizontal | 343            | 1.08          | 108     | 38.85      | 10.97      | 65.67      |  |  |  |
| AV   | 12.20104G    | 35.02             | 54.00             | -18.98         | 50.83         | 3           | Horizontal | 343            | 1.08          | 108     | 38.90      | 10.97      | 65.68      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
SET 85  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.05862G | 43.62    | 83.54    | -39.92 | 39.51  | 1    | Vertical  | 110     | 1.80   | 85      | 37.32 | 16.31 | 49.52 |  |  |  |
| AV   | 18.30669G | 32.91    | 63.54    | -30.63 | 28.60  | 1    | Vertical  | 110     | 1.80   | 85      | 37.50 | 16.44 | 49.63 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6105MHz\_TX

EUT\_Z\_2TX  
SET 85  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.26193G | 43.95    | 83.54    | -39.59 | 39.57  | 1    | Horizontal | 211.1   | 1.80   | 85      | 37.58 | 16.41 | 49.61 |  |  |  |
| AV   | 18.08803G | 32.53    | 63.54    | -31.01 | 28.36  | 1    | Horizontal | 211.1   | 1.80   | 85      | 37.38 | 16.32 | 49.53 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6265MHz\_TX


EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.37448G | 46.85    | 74.00    | -27.15 | 62.65  | 3    | Vertical  | 27      | 2.95   | 108     | 38.80 | 11.02 | 65.62 |  |  |  |
| AV   | 12.36104G | 34.73    | 54.00    | -19.27 | 50.54  | 3    | Vertical  | 27      | 2.95   | 108     | 38.80 | 11.01 | 65.62 |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6265MHz\_TX




EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 12.74632G | 45.85    | 88.20    | -42.35 | 60.96  | 3    | Horizontal | 35      | 2.91   | 108     | 38.99 | 11.13 | 65.23 |  |  |  |  |
| AV   | 12.71048G | 35.78    | 68.20    | -32.42 | 51.02  | 3    | Horizontal | 35      | 2.91   | 108     | 38.92 | 11.12 | 65.28 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX


6265MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.72723G | 44.14    | 83.54    | -39.40 | 39.31  | 1    | Vertical  | 162     | 1.88   | 108     | 37.71 | 16.65 | 49.53 |  |  |  |
| AV   | 18.75664G | 33.57    | 63.54    | -29.97 | 28.62  | 1    | Vertical  | 162     | 1.88   | 108     | 37.79 | 16.67 | 49.51 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

6265MHz\_TX

EUT\_Z\_2TX  
SET 108  
03-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.69206G | 44.05    | 83.54    | -39.49 | 39.36  | 1    | Horizontal | 300     | 1.80   | 108     | 37.62 | 16.63 | 49.56 |  |  |  |
| AV   | 18.77582G | 33.91    | 63.54    | -29.63 | 28.97  | 1    | Horizontal | 300     | 1.80   | 108     | 37.75 | 16.68 | 49.49 |  |  |  |




**Summary**

| Mode                            | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|---------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 6.875-7.125GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11be EHT160_Nss2,(MCS0)_2TX | Pass   | AV   | 7.251G       | 53.91             | 54.00             | -0.09          | 3           | Horizontal | 310            | 1.54          | -        |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_1TX

7025MHz\_TX




EUT\_V\_1TX  
Setting 72  
03-E-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0402G      | 109.97            | Inf               | -Inf           | 100.82        | 3           | Vertical  | 3              | 2.39          | -       | 35.88      | 8.36       | 35.09      |  |  |  |
| RMS  | 7.0378G      | 99.57             | Inf               | -Inf           | 90.42         | 3           | Vertical  | 3              | 2.39          | -       | 35.88      | 8.36       | 35.09      |  |  |  |
| PK   | 7.1278G      | 76.19             | 88.20             | -12.01         | 66.84         | 3           | Vertical  | 3              | 2.39          | -       | 36.01      | 8.40       | 35.06      |  |  |  |
| RMS  | 7.125G       | 65.67             | 68.20             | -2.53          | 56.33         | 3           | Vertical  | 3              | 2.39          | -       | 36.00      | 8.40       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_1TX

7025MHz\_TX




EUT\_Y\_1TX  
Setting 72  
03-E-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.051G       | 111.43            | Inf               | -Inf           | 102.25        | 3           | Horizontal | 310            | 1.28          | -       | 35.90      | 8.37       | 35.09      |  |  |  |
| RMS  | 7.0378G      | 101.65            | Inf               | -Inf           | 92.50         | 3           | Horizontal | 310            | 1.28          | -       | 35.88      | 8.36       | 35.09      |  |  |  |
| PK   | 7.1258G      | 81.81             | 88.20             | -6.39          | 72.47         | 3           | Horizontal | 310            | 1.28          | -       | 36.00      | 8.40       | 35.06      |  |  |  |
| RMS  | 7.1254G      | 67.98             | 68.20             | -0.22          | 58.64         | 3           | Horizontal | 310            | 1.28          | -       | 36.00      | 8.40       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 75  
03-E-G-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.977G       | 103.37            | Inf               | -Inf           | 94.35         | 3           | Vertical  | 3              | 2.43          | -       | 35.80      | 8.33       | 35.11      |  |  |  |
| AV   | 7.008G       | 92.71             | Inf               | -Inf           | 83.66         | 3           | Vertical  | 3              | 2.43          | -       | 35.82      | 8.34       | 35.11      |  |  |  |
| PK   | 7.25G        | 60.66             | 74.00             | -13.34         | 50.58         | 3           | Vertical  | 3              | 2.43          | -       | 36.60      | 8.49       | 35.01      |  |  |  |
| AV   | 7.25G        | 51.67             | 54.00             | -2.33          | 41.59         | 3           | Vertical  | 3              | 2.43          | -       | 36.60      | 8.49       | 35.01      |  |  |  |
| PK   | 7.266G       | 62.58             | 74.00             | -11.42         | 52.37         | 3           | Vertical  | 3              | 2.43          | -       | 36.70      | 8.51       | 35.00      |  |  |  |
| AV   | 7.252G       | 51.82             | 54.00             | -2.18          | 41.73         | 3           | Vertical  | 3              | 2.43          | -       | 36.61      | 8.49       | 35.01      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 75  
03-E-G-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.014G       | 107.38            | Inf               | -Inf           | 98.30         | 3           | Horizontal | 310            | 1.18          | -       | 35.83      | 8.35       | 35.10      |  |  |  |
| AV   | 7.012G       | 95.23             | Inf               | -Inf           | 86.17         | 3           | Horizontal | 310            | 1.18          | -       | 35.82      | 8.35       | 35.11      |  |  |  |
| PK   | 7.25G        | 62.91             | 74.00             | -11.09         | 52.83         | 3           | Horizontal | 310            | 1.18          | -       | 36.60      | 8.49       | 35.01      |  |  |  |
| AV   | 7.25G        | 53.01             | 54.00             | -0.99          | 42.93         | 3           | Horizontal | 310            | 1.18          | -       | 36.60      | 8.49       | 35.01      |  |  |  |
| PK   | 7.274G       | 64.66             | 74.00             | -9.34          | 54.40         | 3           | Horizontal | 310            | 1.18          | -       | 36.74      | 8.52       | 35.00      |  |  |  |
| AV   | 7.251G       | 53.31             | 54.00             | -0.69          | 43.22         | 3           | Horizontal | 310            | 1.18          | -       | 36.61      | 8.49       | 35.01      |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 75  
03-E-G-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.01G        | 103.43            | Inf               | -Inf           | 94.38         | 3           | Vertical  | 4              | 2.43          | -       | 35.82      | 8.34       | 35.11      |  |  |  |
| AV   | 7.008G       | 93.21             | Inf               | -Inf           | 84.16         | 3           | Vertical  | 4              | 2.43          | -       | 35.82      | 8.34       | 35.11      |  |  |  |
| PK   | 7.25G        | 66.03             | 74.00             | -7.97          | 55.95         | 3           | Vertical  | 4              | 2.43          | -       | 36.60      | 8.49       | 35.01      |  |  |  |
| AV   | 7.251G       | 52.40             | 54.00             | -1.60          | 42.31         | 3           | Vertical  | 4              | 2.43          | -       | 36.61      | 8.49       | 35.01      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_1TX

6985MHz\_TX




EUT\_Y\_1TX  
Setting 75  
03-E-G-5-6

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.04G  | 106.99   | Inf      | -Inf   | 97.84  | 3    | Horizontal | 308     | 1.37   | -       | 35.88 | 8.36 | 35.09 |  |  |  |
| AV   | 7.012G | 95.51    | Inf      | -Inf   | 86.45  | 3    | Horizontal | 308     | 1.37   | -       | 35.82 | 8.35 | 35.11 |  |  |  |
| PK   | 7.257G | 66.00    | 74.00    | -8.00  | 55.87  | 3    | Horizontal | 308     | 1.37   | -       | 36.64 | 8.50 | 35.01 |  |  |  |
| AV   | 7.251G | 53.57    | 54.00    | -0.43  | 43.48  | 3    | Horizontal | 308     | 1.37   | -       | 36.61 | 8.49 | 35.01 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0),RU484+RU242 MRU 2\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 67  
03-E-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 7.053G       | 110.04            | Inf               | -Inf           | 100.86        | 3           | Vertical  | 0              | 2.67          | -       | 35.90      | 8.37       | 35.09      |
| RMS  | 7.0354G      | 99.92             | Inf               | -Inf           | 90.79         | 3           | Vertical  | 0              | 2.67          | -       | 35.87      | 8.36       | 35.10      |
| PK   | 7.1254G      | 76.01             | 88.20             | -12.19         | 66.67         | 3           | Vertical  | 0              | 2.67          | -       | 36.00      | 8.40       | 35.06      |
| RMS  | 7.1254G      | 62.34             | 68.20             | -5.86          | 53.00         | 3           | Vertical  | 0              | 2.67          | -       | 36.00      | 8.40       | 35.06      |

6.875-7.125GHz\_802.11be EHT80\_Nss2,(MCS0),RU484+RU242 MRU 2\_2TX

7025MHz\_TX




EUT\_Y\_2TX  
Setting 67  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0538G | 114.83   | Inf      | -Inf   | 105.65 | 3    | Horizontal | 311     | 1.32   | -       | 35.90 | 8.37 | 35.09 |  |  |  |
| RMS  | 7.0338G | 104.82   | Inf      | -Inf   | 95.69  | 3    | Horizontal | 311     | 1.32   | -       | 35.87 | 8.36 | 35.10 |  |  |  |
| PK   | 7.1262G | 80.06    | 88.20    | -8.14  | 70.72  | 3    | Horizontal | 311     | 1.32   | -       | 36.00 | 8.40 | 35.06 |  |  |  |
| RMS  | 7.1266G | 67.30    | 68.20    | -0.90  | 57.95  | 3    | Horizontal | 311     | 1.32   | -       | 36.01 | 8.40 | 35.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss2,(MCS0),RU996+RU484+RU242 MRU 5\_2TX


6985MHz\_TX

EUT\_Y\_2TX  
Setting 72  
03-E-C-6-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.012G       | 106.27            | Inf               | -Inf           | 97.21         | 3           | Vertical  | 0              | 2.57          | -       | 35.82      | 8.35       | 35.11      |  |  |  |
| AV   | 7.01G        | 93.38             | Inf               | -Inf           | 84.33         | 3           | Vertical  | 0              | 2.57          | -       | 35.82      | 8.34       | 35.11      |  |  |  |
| PK   | 7.292G       | 64.17             | 74.00             | -9.83          | 53.77         | 3           | Vertical  | 0              | 2.57          | -       | 36.85      | 8.54       | 34.99      |  |  |  |
| AV   | 7.261G       | 50.46             | 54.00             | -3.54          | 40.30         | 3           | Vertical  | 0              | 2.57          | -       | 36.67      | 8.50       | 35.01      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss2,(MCS0),RU996+RU484+RU242 MRU 5\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 72  
03-E-C-6-6

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.909G | 108.62   | Inf      | -Inf   | 99.64  | 3    | Horizontal | 310     | 1.54   | -       | 35.80 | 8.29 | 35.11 |  |  |  |
| AV   | 6.924G | 97.31    | Inf      | -Inf   | 88.33  | 3    | Horizontal | 310     | 1.54   | -       | 35.80 | 8.29 | 35.11 |  |  |  |
| PK   | 7.255G | 66.97    | 74.00    | -7.03  | 56.85  | 3    | Horizontal | 310     | 1.54   | -       | 36.63 | 8.50 | 35.01 |  |  |  |
| AV   | 7.251G | 53.91    | 54.00    | -0.09  | 43.82  | 3    | Horizontal | 310     | 1.54   | -       | 36.61 | 8.49 | 35.01 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss2,(MCS0),RU996+RU484 MRU 2\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 70  
03-E-C-6-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.016G       | 103.76            | Inf               | -Inf           | 94.68         | 3           | Vertical  | 4              | 2.80          | -       | 35.83      | 8.35       | 35.10      |  |  |  |
| AV   | 7.013G       | 92.19             | Inf               | -Inf           | 83.11         | 3           | Vertical  | 4              | 2.80          | -       | 35.83      | 8.35       | 35.10      |  |  |  |
| PK   | 7.256G       | 64.63             | 74.00             | -9.37          | 54.50         | 3           | Vertical  | 4              | 2.80          | -       | 36.64      | 8.50       | 35.01      |  |  |  |
| AV   | 7.251G       | 50.62             | 54.00             | -3.38          | 40.53         | 3           | Vertical  | 4              | 2.80          | -       | 36.61      | 8.49       | 35.01      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss2,(MCS0),RU996+RU484 MRU 2\_2TX

6985MHz\_TX




EUT\_Y\_2TX  
Setting 70  
03-E-C-6-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.005G       | 110.02            | Inf               | -Inf           | 100.98        | 3           | Horizontal | 313            | 1.32          | -       | 35.81      | 8.34       | 35.11      |  |  |  |
| AV   | 6.924G       | 97.89             | Inf               | -Inf           | 88.91         | 3           | Horizontal | 313            | 1.32          | -       | 35.80      | 8.29       | 35.11      |  |  |  |
| PK   | 7.259G       | 68.36             | 74.00             | -5.64          | 58.22         | 3           | Horizontal | 313            | 1.32          | -       | 36.65      | 8.50       | 35.01      |  |  |  |
| AV   | 7.25G        | 53.81             | 54.00             | -0.19          | 43.73         | 3           | Horizontal | 313            | 1.32          | -       | 36.60      | 8.49       | 35.01      |  |  |  |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 67  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.033G  | 113.22   | Inf      | -Inf   | 104.09 | 3    | Vertical  | 75      | 2.11   | -       | 35.87 | 8.36 | 35.10 |  |  |  |
| RMS  | 7.003G  | 102.29   | Inf      | -Inf   | 93.25  | 3    | Vertical  | 75      | 2.11   | -       | 35.81 | 8.34 | 35.11 |  |  |  |
| PK   | 7.1286G | 78.39    | 88.20    | -9.81  | 69.04  | 3    | Vertical  | 75      | 2.11   | -       | 36.01 | 8.40 | 35.06 |  |  |  |
| RMS  | 7.1282G | 65.21    | 68.20    | -2.99  | 55.86  | 3    | Vertical  | 75      | 2.11   | -       | 36.01 | 8.40 | 35.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 67  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.0038G | 113.81   | Inf      | -Inf   | 104.77 | 3    | Horizontal | 310     | 1.39   | -       | 35.81 | 8.34 | 35.11 |  |  |  |
| RMS  | 7.0038G | 104.43   | Inf      | -Inf   | 95.39  | 3    | Horizontal | 310     | 1.39   | -       | 35.81 | 8.34 | 35.11 |  |  |  |
| PK   | 7.1274G | 79.17    | 88.20    | -9.03  | 69.82  | 3    | Horizontal | 310     | 1.39   | -       | 36.01 | 8.40 | 35.06 |  |  |  |
| RMS  | 7.1266G | 67.50    | 68.20    | -0.70  | 58.15  | 3    | Horizontal | 310     | 1.39   | -       | 36.01 | 8.40 | 35.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 67  
03-E-G-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.03728G    | 63.07             | 88.20             | -25.13         | 74.69         | 3           | Vertical  | 227            | 2.14          | -       | 41.45      | 11.51      | 64.58      |  |  |  |
| RMS  | 14.03232G    | 50.19             | 68.20             | -18.01         | 61.84         | 3           | Vertical  | 227            | 2.14          | -       | 41.43      | 11.50      | 64.58      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX

7025MHz\_TX



EUT V\_4TX  
Setting 67  
03-E-G-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.03712G    | 61.55             | 88.20             | -26.65         | 73.17         | 3           | Horizontal | 227            | 2.97          | -       | 41.45      | 11.51      | 64.58      |  |  |  |
| RMS  | 14.03696G    | 49.12             | 68.20             | -19.08         | 60.74         | 3           | Horizontal | 227            | 2.97          | -       | 41.45      | 11.51      | 64.58      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 67  
03-E-G-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.10716G    | 57.16             | 83.54             | -26.38         | 50.82         | 1           | Vertical  | 144            | 1.80          | -       | 37.71      | 17.49      | 48.86      |  |  |  |
| AV   | 21.10364G    | 45.26             | 63.54             | -18.28         | 38.92         | 1           | Vertical  | 144            | 1.80          | -       | 37.71      | 17.49      | 48.86      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX


7025MHz\_TX

EUT\_V\_4TX  
Setting 67  
03-E-G-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.07356G    | 58.45             | 83.54             | -25.09         | 52.07         | 1           | Horizontal | 149            | 1.90          | -       | 37.75      | 17.50      | 48.87      |  |  |  |
| AV   | 21.10908G    | 44.96             | 63.54             | -18.58         | 38.61         | 1           | Horizontal | 149            | 1.90          | -       | 37.72      | 17.49      | 48.86      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 70  
03-E-G-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.008G       | 104.63            | Inf               | -Inf           | 95.58         | 3           | Vertical  | 289            | 2.15          | -       | 35.82      | 8.34       | 35.11      |  |  |  |
| AV   | 7.013G       | 94.89             | Inf               | -Inf           | 85.81         | 3           | Vertical  | 289            | 2.15          | -       | 35.83      | 8.35       | 35.10      |  |  |  |
| PK   | 7.428G       | 61.46             | 74.00             | -12.54         | 50.64         | 3           | Vertical  | 289            | 2.15          | -       | 37.10      | 8.66       | 34.94      |  |  |  |
| AV   | 7.278G       | 49.92             | 54.00             | -4.08          | 39.63         | 3           | Vertical  | 289            | 2.15          | -       | 36.77      | 8.52       | 35.00      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 70  
03-E-G-5-6

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 6.959G | 108.59   | Inf      | -Inf   | 99.58  | 3    | Horizontal | 307     | 1.38   | -       | 35.80 | 8.32 | 35.11 |  |  |  |  |
| AV   | 6.909G | 98.14    | Inf      | -Inf   | 89.16  | 3    | Horizontal | 307     | 1.38   | -       | 35.80 | 8.29 | 35.11 |  |  |  |  |
| PK   | 7.264G | 65.88    | 74.00    | -8.12  | 55.69  | 3    | Horizontal | 307     | 1.38   | -       | 36.68 | 8.51 | 35.00 |  |  |  |  |
| AV   | 7.252G | 53.14    | 54.00    | -0.86  | 43.05  | 3    | Horizontal | 307     | 1.38   | -       | 36.61 | 8.49 | 35.01 |  |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 67  
03-E-G-5-6

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.008G | 107.23   | Inf      | -Inf   | 98.18  | 3    | Vertical  | 76      | 2.17   | -       | 35.82 | 8.34 | 35.11 |  |  |  |
| AV   | 7.008G | 97.34    | Inf      | -Inf   | 88.29  | 3    | Vertical  | 76      | 2.17   | -       | 35.82 | 8.34 | 35.11 |  |  |  |
| PK   | 7.266G | 63.78    | 74.00    | -10.22 | 53.57  | 3    | Vertical  | 76      | 2.17   | -       | 36.70 | 8.51 | 35.00 |  |  |  |
| AV   | 7.253G | 50.58    | 54.00    | -3.42  | 40.47  | 3    | Vertical  | 76      | 2.17   | -       | 36.62 | 8.50 | 35.01 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 67  
03-E-G-5-6

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 6.923G | 110.14   | Inf      | -Inf   | 101.16 | 3    | Horizontal | 306     | 1.40   | -       | 35.80 | 8.29 | 35.11 |  |  |  |
| AV   | 6.924G | 98.84    | Inf      | -Inf   | 89.86  | 3    | Horizontal | 306     | 1.40   | -       | 35.80 | 8.29 | 35.11 |  |  |  |
| PK   | 7.259G | 64.21    | 74.00    | -9.79  | 54.07  | 3    | Horizontal | 306     | 1.40   | -       | 36.65 | 8.50 | 35.01 |  |  |  |
| AV   | 7.252G | 51.97    | 54.00    | -2.03  | 41.88  | 3    | Horizontal | 306     | 1.40   | -       | 36.61 | 8.49 | 35.01 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 2\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 68  
03-E-C-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0406G      | 111.11            | Inf               | -Inf           | 101.96        | 3           | Vertical  | 79             | 2.10          | -       | 35.88      | 8.36       | 35.09      |  |  |  |
| RMS  | 7.0026G      | 100.67            | Inf               | -Inf           | 91.63         | 3           | Vertical  | 79             | 2.10          | -       | 35.81      | 8.34       | 35.11      |  |  |  |
| PK   | 7.1282G      | 78.47             | 88.20             | -9.73          | 69.12         | 3           | Vertical  | 79             | 2.10          | -       | 36.01      | 8.40       | 35.06      |  |  |  |
| RMS  | 7.1254G      | 64.99             | 68.20             | -3.21          | 55.65         | 3           | Vertical  | 79             | 2.10          | -       | 36.00      | 8.40       | 35.06      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 2\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 68  
03-E-C-6-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.047G  | 113.66   | Inf      | -Inf   | 104.50 | 3    | Horizontal | 312     | 1.29   | -       | 35.89 | 8.36 | 35.09 |  |  |  |
| RMS  | 7.0338G | 103.55   | Inf      | -Inf   | 94.42  | 3    | Horizontal | 312     | 1.29   | -       | 35.87 | 8.36 | 35.10 |  |  |  |
| PK   | 7.1386G | 80.12    | 88.20    | -8.08  | 70.71  | 3    | Horizontal | 312     | 1.29   | -       | 36.05 | 8.41 | 35.05 |  |  |  |
| RMS  | 7.1254G | 67.16    | 68.20    | -1.04  | 57.82  | 3    | Horizontal | 312     | 1.29   | -       | 36.00 | 8.40 | 35.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 72  
03-E-C-6-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.925G       | 108.66            | Inf               | -Inf           | 99.68         | 3           | Vertical  | 77             | 2.01          | -       | 35.80      | 8.29       | 35.11      |  |  |  |
| AV   | 7.008G       | 95.80             | Inf               | -Inf           | 86.75         | 3           | Vertical  | 77             | 2.01          | -       | 35.82      | 8.34       | 35.11      |  |  |  |
| PK   | 7.27G        | 64.12             | 74.00             | -9.88          | 53.89         | 3           | Vertical  | 77             | 2.01          | -       | 36.72      | 8.51       | 35.00      |  |  |  |
| AV   | 7.251G       | 51.63             | 54.00             | -2.37          | 41.54         | 3           | Vertical  | 77             | 2.01          | -       | 36.61      | 8.49       | 35.01      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 72  
03-E-C-6-6

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.047G | 108.58   | Inf      | -Inf   | 99.42  | 3    | Horizontal | 304     | 1.39   | -       | 35.89 | 8.36 | 35.09 |  |  |  |
| AV   | 7.012G | 97.42    | Inf      | -Inf   | 88.36  | 3    | Horizontal | 304     | 1.39   | -       | 35.82 | 8.35 | 35.11 |  |  |  |
| PK   | 7.28G  | 65.85    | 74.00    | -8.15  | 55.55  | 3    | Horizontal | 304     | 1.39   | -       | 36.78 | 8.52 | 35.00 |  |  |  |
| AV   | 7.25G  | 53.57    | 54.00    | -0.43  | 43.49  | 3    | Horizontal | 304     | 1.39   | -       | 36.60 | 8.49 | 35.01 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 69  
03-E-C-6-6

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |  |
| AV   | 6.922G | 94.73    | Inf      | -Inf   | 85.75  | 3    | Vertical  | 291     | 2.09   | -       | 35.80 | 8.29 | 35.11 |  |  |  |  |  |
| PK   | 7.003G | 107.39   | Inf      | -Inf   | 98.35  | 3    | Vertical  | 291     | 2.09   | -       | 35.81 | 8.34 | 35.11 |  |  |  |  |  |
| PK   | 7.25G  | 63.14    | 74.00    | -10.86 | 53.06  | 3    | Vertical  | 291     | 2.09   | -       | 36.60 | 8.49 | 35.01 |  |  |  |  |  |
| AV   | 7.262G | 50.46    | 54.00    | -3.54  | 40.29  | 3    | Vertical  | 291     | 2.09   | -       | 36.67 | 8.51 | 35.01 |  |  |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX



EUT\_Y\_4TX  
Setting 69  
03-E-C-6-6

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 7.006G | 110.28   | Inf      | -Inf   | 101.24 | 3    | Horizontal | 317     | 1.38   | -       | 35.81 | 8.34 | 35.11 |  |  |  |
| AV   | 7.004G | 97.44    | Inf      | -Inf   | 88.40  | 3    | Horizontal | 317     | 1.38   | -       | 35.81 | 8.34 | 35.11 |  |  |  |
| PK   | 7.262G | 69.54    | 74.00    | -4.46  | 59.37  | 3    | Horizontal | 317     | 1.38   | -       | 36.67 | 8.51 | 35.01 |  |  |  |
| AV   | 7.259G | 53.73    | 54.00    | -0.27  | 43.59  | 3    | Horizontal | 317     | 1.38   | -       | 36.65 | 8.50 | 35.01 |  |  |  |






**Summary**

| Mode                                                | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.925-6.425GHz                                      | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX | Pass   | RMS  | 5.925G       | 68.17             | 68.20             | -0.03          | 3           | Horizontal | 122            | 2.52          | -        |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 81  
03-E-C-6-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9194G | 74.80    | 88.20    | -13.40 | 67.63  | 3    | Vertical  | 37      | 1.55   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.921G  | 58.74    | 68.20    | -9.46  | 51.57  | 3    | Vertical  | 37      | 1.55   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9598G | 104.17   | Inf      | -Inf   | 96.92  | 3    | Vertical  | 37      | 1.55   | -       | 34.72 | 7.53 | 35.00 |  |  |  |
| RMS  | 5.9578G | 92.90    | Inf      | -Inf   | 85.65  | 3    | Vertical  | 37      | 1.55   | -       | 34.72 | 7.53 | 35.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_1TX

5985MHz\_TX




EUT\_Y\_1TX  
Setting 81  
03-E-C-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.903G       | 84.60             | 88.20             | -3.60          | 77.45         | 3           | Horizontal | 282            | 2.00          | -       | 34.61      | 7.52       | 34.98      |  |  |  |
| RMS  | 5.925G       | 67.63             | 68.20             | -0.57          | 60.45         | 3           | Horizontal | 282            | 2.00          | -       | 34.65      | 7.52       | 34.99      |  |  |  |
| PK   | 5.9786G      | 112.42            | Inf               | -Inf           | 105.13        | 3           | Horizontal | 282            | 2.00          | -       | 34.76      | 7.53       | 35.00      |  |  |  |
| RMS  | 5.9738G      | 101.46            | Inf               | -Inf           | 94.18         | 3           | Horizontal | 282            | 2.00          | -       | 34.75      | 7.53       | 35.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0),RU484+RU242 MRU 3\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 78  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.9122G | 77.22    | 88.20    | -10.98 | 70.06  | 3    | Vertical  | 178     | 2.87   | -       | 34.62 | 7.52 | 34.98 |  |  |  |  |
| RMS  | 5.9118G | 60.71    | 68.20    | -7.49  | 53.55  | 3    | Vertical  | 178     | 2.87   | -       | 34.62 | 7.52 | 34.98 |  |  |  |  |
| PK   | 5.9754G | 106.37   | Inf      | -Inf   | 99.09  | 3    | Vertical  | 178     | 2.87   | -       | 34.75 | 7.53 | 35.00 |  |  |  |  |
| RMS  | 5.9714G | 96.28    | Inf      | -Inf   | 89.01  | 3    | Vertical  | 178     | 2.87   | -       | 34.74 | 7.53 | 35.00 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0),RU484+RU242 MRU 3\_2TX

5985MHz\_TX




EUT\_Y\_2TX  
Setting 78  
03-E-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9194G      | 85.13             | 88.20             | -3.07          | 77.96         | 3           | Horizontal | 120            | 2.53          | -       | 34.64      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.9198G      | 68.03             | 68.20             | -0.17          | 60.86         | 3           | Horizontal | 120            | 2.53          | -       | 34.64      | 7.52       | 34.99      |  |  |  |
| PK   | 5.9718G      | 113.11            | Inf               | -Inf           | 105.84        | 3           | Horizontal | 120            | 2.53          | -       | 34.74      | 7.53       | 35.00      |  |  |  |
| RMS  | 5.9702G      | 102.77            | Inf               | -Inf           | 95.50         | 3           | Horizontal | 120            | 2.53          | -       | 34.74      | 7.53       | 35.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 76  
03-E-C-6-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9066G | 84.20    | 88.20    | -4.00  | 76.63  | 3    | Vertical  | 56      | 1.80   | -       | 35.03 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.925G  | 67.08    | 68.20    | -1.12  | 59.45  | 3    | Vertical  | 56      | 1.80   | -       | 35.10 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9802G | 112.82   | Inf      | -Inf   | 105.03 | 3    | Vertical  | 56      | 1.80   | -       | 35.26 | 7.53 | 35.00 |  |  |  |
| RMS  | 5.9802G | 103.23   | Inf      | -Inf   | 95.44  | 3    | Vertical  | 56      | 1.80   | -       | 35.26 | 7.53 | 35.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 76  
03-E-C-6-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.9226G | 86.14    | 88.20    | -2.06  | 78.52  | 3    | Horizontal | 298     | 2.35   | -       | 35.09 | 7.52 | 34.99 |  |  |  |  |
| RMS  | 5.925G  | 67.68    | 68.20    | -0.52  | 60.05  | 3    | Horizontal | 298     | 2.35   | -       | 35.10 | 7.52 | 34.99 |  |  |  |  |
| PK   | 5.9722G | 114.70   | Inf      | -Inf   | 106.93 | 3    | Horizontal | 298     | 2.35   | -       | 35.24 | 7.53 | 35.00 |  |  |  |  |
| RMS  | 5.9746G | 105.93   | Inf      | -Inf   | 98.15  | 3    | Horizontal | 298     | 2.35   | -       | 35.25 | 7.53 | 35.00 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 77  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9054G | 83.17    | 88.20    | -5.03  | 76.02  | 3    | Vertical  | 235     | 1.80   | -       | 34.61 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.925G  | 65.31    | 68.20    | -2.89  | 58.13  | 3    | Vertical  | 235     | 1.80   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9746G | 109.87   | Inf      | -Inf   | 102.59 | 3    | Vertical  | 235     | 1.80   | -       | 34.75 | 7.53 | 35.00 |  |  |  |
| RMS  | 5.9726G | 99.31    | Inf      | -Inf   | 92.03  | 3    | Vertical  | 235     | 1.80   | -       | 34.75 | 7.53 | 35.00 |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 77  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9026G | 84.38    | 88.20    | -3.82  | 77.23  | 3    | Horizontal | 112     | 2.35   | -       | 34.61 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.919G  | 67.24    | 68.20    | -0.96  | 60.07  | 3    | Horizontal | 112     | 2.35   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9746G | 113.19   | Inf      | -Inf   | 105.91 | 3    | Horizontal | 112     | 2.35   | -       | 34.75 | 7.53 | 35.00 |  |  |  |
| RMS  | 5.9746G | 103.03   | Inf      | -Inf   | 95.75  | 3    | Horizontal | 112     | 2.35   | -       | 34.75 | 7.53 | 35.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 8\_1TX

6025MHz\_TX




EUTY\_1TX  
Setting 83  
03-E-C-6-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9226G      | 72.81             | 88.20             | -15.39         | 65.63         | 3           | Vertical  | 37             | 1.58          | -       | 34.65      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.9226G      | 58.40             | 68.20             | -9.80          | 51.22         | 3           | Vertical  | 37             | 1.58          | -       | 34.65      | 7.52       | 34.99      |  |  |  |
| PK   | 5.9802G      | 99.96             | Inf               | -Inf           | 92.67         | 3           | Vertical  | 37             | 1.58          | -       | 34.76      | 7.53       | 35.00      |  |  |  |
| RMS  | 5.9634G      | 90.19             | Inf               | -Inf           | 82.93         | 3           | Vertical  | 37             | 1.58          | -       | 34.73      | 7.53       | 35.00      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 8\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
Setting 83  
03-E-C-6-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9234G | 80.19    | 88.20    | -8.01  | 73.01  | 3    | Horizontal | 286     | 1.94   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9234G | 67.63    | 68.20    | -0.57  | 60.45  | 3    | Horizontal | 286     | 1.94   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.949G  | 108.03   | Inf      | -Inf   | 100.80 | 3    | Horizontal | 286     | 1.94   | -       | 34.70 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.949G  | 98.50    | Inf      | -Inf   | 91.27  | 3    | Horizontal | 286     | 1.94   | -       | 34.70 | 7.52 | 34.99 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 4\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
Setting 82  
03-E-C-6-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9194G | 72.85    | 88.20    | -15.35 | 65.68  | 3    | Vertical  | 35      | 1.50   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.925G  | 59.73    | 68.20    | -8.47  | 52.55  | 3    | Vertical  | 35      | 1.50   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9666G | 102.04   | Inf      | -Inf   | 94.78  | 3    | Vertical  | 35      | 1.50   | -       | 34.73 | 7.53 | 35.00 |  |  |  |
| RMS  | 5.9674G | 91.22    | Inf      | -Inf   | 83.96  | 3    | Vertical  | 35      | 1.50   | -       | 34.73 | 7.53 | 35.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 4\_1TX

6025MHz\_TX




EUT\_Y\_1TX  
Setting 82  
03-E-C-6-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9066G | 80.24    | 88.20    | -7.96  | 73.09  | 3    | Horizontal | 281     | 1.94   | -       | 34.61 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.921G  | 67.74    | 68.20    | -0.46  | 60.57  | 3    | Horizontal | 281     | 1.94   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9962G | 109.78   | Inf      | -Inf   | 102.47 | 3    | Horizontal | 281     | 1.94   | -       | 34.79 | 7.53 | 35.01 |  |  |  |
| RMS  | 5.9498G | 98.92    | Inf      | -Inf   | 91.69  | 3    | Horizontal | 281     | 1.94   | -       | 34.70 | 7.52 | 34.99 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0),RU996+RU484+RU242 MRU 8\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 80  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9226G | 70.89    | 88.20    | -17.31 | 63.71  | 3    | Vertical  | 121     | 1.54   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9218G | 58.13    | 68.20    | -10.07 | 50.96  | 3    | Vertical  | 121     | 1.54   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9954G | 100.41   | Inf      | -Inf   | 93.10  | 3    | Vertical  | 121     | 1.54   | -       | 34.79 | 7.53 | 35.01 |  |  |  |
| RMS  | 5.997G  | 89.84    | Inf      | -Inf   | 82.53  | 3    | Vertical  | 121     | 1.54   | -       | 34.79 | 7.53 | 35.01 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0),RU996+RU484+RU242 MRU 8\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 80  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 81.10    | 88.20    | -7.10  | 73.92  | 3    | Horizontal | 118     | 2.36   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.925G  | 67.73    | 68.20    | -0.47  | 60.55  | 3    | Horizontal | 118     | 2.36   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9906G | 109.42   | Inf      | -Inf   | 102.12 | 3    | Horizontal | 118     | 2.36   | -       | 34.78 | 7.53 | 35.01 |  |  |  |
| RMS  | 5.965G  | 99.79    | Inf      | -Inf   | 92.53  | 3    | Horizontal | 118     | 2.36   | -       | 34.73 | 7.53 | 35.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0),RU996+RU484 MRU 4\_2TX

6025MHz\_TX




EUT\_Y\_2TX  
Setting 78  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9082G | 74.10    | 88.20    | -14.10 | 66.94  | 3    | Vertical  | 178     | 2.94   | -       | 34.62 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.9234G | 60.06    | 68.20    | -8.14  | 52.88  | 3    | Vertical  | 178     | 2.94   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 6.0626G | 103.79   | Inf      | -Inf   | 96.18  | 3    | Vertical  | 178     | 2.94   | -       | 35.03 | 7.60 | 35.02 |  |  |  |
| RMS  | 6.053G  | 94.29    | Inf      | -Inf   | 86.71  | 3    | Vertical  | 178     | 2.94   | -       | 35.01 | 7.59 | 35.02 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0),RU996+RU484 MRU 4\_2TX

6025MHz\_TX




EUT Y\_2TX  
Setting 78  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9138G | 80.05    | 88.20    | -8.15  | 72.88  | 3    | Horizontal | 115     | 2.34   | -       | 34.63 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.9242G | 66.88    | 68.20    | -1.32  | 59.70  | 3    | Horizontal | 115     | 2.34   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9618G | 110.56   | Inf      | -Inf   | 103.31 | 3    | Horizontal | 115     | 2.34   | -       | 34.72 | 7.53 | 35.00 |  |  |  |
| RMS  | 5.969G  | 100.76   | Inf      | -Inf   | 93.49  | 3    | Horizontal | 115     | 2.34   | -       | 34.74 | 7.53 | 35.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 8\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 78  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 78.84    | 88.20    | -9.36  | 71.66  | 3    | Vertical  | 59      | 1.85   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.925G  | 65.56    | 68.20    | -2.64  | 58.38  | 3    | Vertical  | 59      | 1.85   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 6.005G  | 107.59   | Inf      | -Inf   | 100.24 | 3    | Vertical  | 59      | 1.85   | -       | 34.82 | 7.54 | 35.01 |  |  |  |
| RMS  | 6.0554G | 99.29    | Inf      | -Inf   | 91.71  | 3    | Vertical  | 59      | 1.85   | -       | 35.01 | 7.59 | 35.02 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 8\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 78  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9218G | 79.99    | 88.20    | -8.21  | 72.82  | 3    | Horizontal | 300     | 2.11   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9194G | 67.40    | 68.20    | -0.80  | 60.23  | 3    | Horizontal | 300     | 2.11   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| PK   | 6.0594G | 110.78   | Inf      | -Inf   | 103.18 | 3    | Horizontal | 300     | 2.11   | -       | 35.02 | 7.60 | 35.02 |  |  |  |
| RMS  | 6.0842G | 101.41   | Inf      | -Inf   | 93.75  | 3    | Horizontal | 300     | 2.11   | -       | 35.07 | 7.62 | 35.03 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 4\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 76  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.905G  | 76.95    | 88.20    | -11.25 | 69.80  | 3    | Vertical  | 237     | 1.81   | -       | 34.61 | 7.52 | 34.98 |  |  |  |  |
| RMS  | 5.925G  | 63.95    | 68.20    | -4.25  | 56.77  | 3    | Vertical  | 237     | 1.81   | -       | 34.65 | 7.52 | 34.99 |  |  |  |  |
| PK   | 6.0306G | 108.13   | Inf      | -Inf   | 100.67 | 3    | Vertical  | 237     | 1.81   | -       | 34.92 | 7.56 | 35.02 |  |  |  |  |
| RMS  | 6.0554G | 99.47    | Inf      | -Inf   | 91.89  | 3    | Vertical  | 237     | 1.81   | -       | 35.01 | 7.59 | 35.02 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 4\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 76  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 82.08    | 88.20    | -6.12  | 74.90  | 3    | Horizontal | 115     | 2.27   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9194G | 68.16    | 68.20    | -0.04  | 60.99  | 3    | Horizontal | 115     | 2.27   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| PK   | 6.0394G | 111.98   | Inf      | -Inf   | 104.47 | 3    | Horizontal | 115     | 2.27   | -       | 34.96 | 7.57 | 35.02 |  |  |  |
| RMS  | 6.0546G | 102.10   | Inf      | -Inf   | 94.52  | 3    | Horizontal | 115     | 2.27   | -       | 35.01 | 7.59 | 35.02 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 MRU 8\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 79  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9042G | 76.28    | 88.20    | -11.92 | 69.13  | 3    | Vertical  | 242     | 1.90   | -       | 34.61 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.925G  | 63.98    | 68.20    | -4.22  | 56.80  | 3    | Vertical  | 242     | 1.90   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 6.0482G | 105.58   | Inf      | -Inf   | 98.03  | 3    | Vertical  | 242     | 1.90   | -       | 34.99 | 7.58 | 35.02 |  |  |  |
| RMS  | 6.0826G | 96.72    | Inf      | -Inf   | 89.06  | 3    | Vertical  | 242     | 1.90   | -       | 35.07 | 7.62 | 35.03 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 MRU 8\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 79  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9042G | 79.22    | 88.20    | -8.98  | 72.07  | 3    | Horizontal | 116     | 2.29   | -       | 34.61 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.9226G | 67.59    | 68.20    | -0.61  | 60.41  | 3    | Horizontal | 116     | 2.29   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9642G | 109.92   | Inf      | -Inf   | 102.66 | 3    | Horizontal | 116     | 2.29   | -       | 34.73 | 7.53 | 35.00 |  |  |  |
| RMS  | 5.9642G | 100.12   | Inf      | -Inf   | 92.86  | 3    | Horizontal | 116     | 2.29   | -       | 34.73 | 7.53 | 35.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 MRU 4\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 78  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9186G | 75.97    | 88.20    | -12.23 | 68.80  | 3    | Vertical  | 239     | 2.12   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9242G | 64.99    | 68.20    | -3.21  | 57.81  | 3    | Vertical  | 239     | 2.12   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9474G | 106.19   | Inf      | -Inf   | 98.97  | 3    | Vertical  | 239     | 2.12   | -       | 34.69 | 7.52 | 34.99 |  |  |  |
| RMS  | 6.0522G | 96.83    | Inf      | -Inf   | 89.26  | 3    | Vertical  | 239     | 2.12   | -       | 35.00 | 7.59 | 35.02 |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 MRU 4\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 78  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.9234G | 80.77    | 88.20    | -7.43  | 73.59  | 3    | Horizontal | 112     | 2.38   | -       | 34.65 | 7.52 | 34.99 |  |  |  |  |
| RMS  | 5.9226G | 67.52    | 68.20    | -0.68  | 60.34  | 3    | Horizontal | 112     | 2.38   | -       | 34.65 | 7.52 | 34.99 |  |  |  |  |
| PK   | 5.9978G | 109.38   | Inf      | -Inf   | 102.06 | 3    | Horizontal | 112     | 2.38   | -       | 34.80 | 7.53 | 35.01 |  |  |  |  |
| RMS  | 5.9642G | 99.93    | Inf      | -Inf   | 92.67  | 3    | Horizontal | 112     | 2.38   | -       | 34.73 | 7.53 | 35.00 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 8\_1TX

6105MHz\_TX




EUT\_Y\_1TX  
Setting 91  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.925G  | 68.93    | 88.20    | -19.27 | 61.75  | 3    | Vertical  | 214     | 1.52   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9234G | 58.91    | 68.20    | -9.29  | 51.73  | 3    | Vertical  | 214     | 1.52   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 6.0066G | 95.39    | Inf      | -Inf   | 88.03  | 3    | Vertical  | 214     | 1.52   | -       | 34.83 | 7.54 | 35.01 |  |  |  |
| RMS  | 5.965G  | 85.96    | Inf      | -Inf   | 78.70  | 3    | Vertical  | 214     | 1.52   | -       | 34.73 | 7.53 | 35.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 8\_1TX

6105MHz\_TX




EUT\_Y\_1TX  
Setting 91  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9194G | 76.61    | 88.20    | -11.59 | 69.44  | 3    | Horizontal | 122     | 2.22   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.9202G | 67.17    | 68.20    | -1.03  | 60.00  | 3    | Horizontal | 122     | 2.22   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| PK   | 6.149G  | 104.81   | Inf      | -Inf   | 97.16  | 3    | Horizontal | 122     | 2.22   | -       | 35.00 | 7.69 | 35.04 |  |  |  |
| RMS  | 6.1354G | 94.28    | Inf      | -Inf   | 86.61  | 3    | Horizontal | 122     | 2.22   | -       | 35.03 | 7.68 | 35.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_1TX

6105MHz\_TX




EUT\_Y\_1TX  
Setting 90  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9074G | 68.60    | 88.20    | -19.60 | 61.45  | 3    | Vertical  | 217     | 1.80   | -       | 34.61 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.9074G | 58.57    | 68.20    | -9.63  | 51.42  | 3    | Vertical  | 217     | 1.80   | -       | 34.61 | 7.52 | 34.98 |  |  |  |
| PK   | 5.9706G | 94.97    | Inf      | -Inf   | 87.70  | 3    | Vertical  | 217     | 1.80   | -       | 34.74 | 7.53 | 35.00 |  |  |  |
| RMS  | 5.9482G | 86.09    | Inf      | -Inf   | 78.86  | 3    | Vertical  | 217     | 1.80   | -       | 34.70 | 7.52 | 34.99 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 4\_1TX

6105MHz\_TX




EUT\_Y\_1TX  
Setting 90  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9218G | 78.55    | 88.20    | -9.65  | 71.38  | 3    | Horizontal | 98      | 1.80   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.925G  | 67.95    | 68.20    | -0.25  | 60.77  | 3    | Horizontal | 98      | 1.80   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9626G | 104.32   | Inf      | -Inf   | 97.06  | 3    | Horizontal | 98      | 1.80   | -       | 34.73 | 7.53 | 35.00 |  |  |  |
| RMS  | 5.9642G | 95.08    | Inf      | -Inf   | 87.82  | 3    | Horizontal | 98      | 1.80   | -       | 34.73 | 7.53 | 35.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 6\_1TX

6105MHz\_TX




EUT\_Y\_1TX  
Setting 90  
03-E-G-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.925G       | 69.10             | 88.20             | -19.10         | 61.92         | 3           | Vertical  | 213            | 1.80          | -       | 34.65      | 7.52       | 34.99      |  |  |  |
| RMS  | 5.9226G      | 59.23             | 68.20             | -8.97          | 52.05         | 3           | Vertical  | 213            | 1.80          | -       | 34.65      | 7.52       | 34.99      |  |  |  |
| PK   | 5.989G       | 97.31             | Inf               | -Inf           | 90.01         | 3           | Vertical  | 213            | 1.80          | -       | 34.78      | 7.53       | 35.01      |  |  |  |
| RMS  | 6.0746G      | 87.40             | Inf               | -Inf           | 79.77         | 3           | Vertical  | 213            | 1.80          | -       | 35.05      | 7.61       | 35.03      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 6\_1TX

6105MHz\_TX




EUT\_Y\_1TX  
Setting 90  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.921G  | 78.90    | 88.20    | -9.30  | 71.73  | 3    | Horizontal | 122     | 2.52   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.925G  | 68.17    | 68.20    | -0.03  | 60.99  | 3    | Horizontal | 122     | 2.52   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9922G | 106.46   | Inf      | -Inf   | 99.16  | 3    | Horizontal | 122     | 2.52   | -       | 34.78 | 7.53 | 35.01 |  |  |  |
| RMS  | 6.1402G | 97.01    | Inf      | -Inf   | 89.35  | 3    | Horizontal | 122     | 2.52   | -       | 35.02 | 7.68 | 35.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0),3xRU996+RU484 MRU 8\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 85  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9074G | 66.83    | 88.20    | -21.37 | 59.68  | 3    | Vertical  | 128     | 1.47   | -       | 34.61 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.9098G | 55.69    | 68.20    | -12.51 | 48.53  | 3    | Vertical  | 128     | 1.47   | -       | 34.62 | 7.52 | 34.98 |  |  |  |
| PK   | 6.1402G | 96.59    | Inf      | -Inf   | 88.93  | 3    | Vertical  | 128     | 1.47   | -       | 35.02 | 7.68 | 35.04 |  |  |  |
| RMS  | 6.1354G | 85.82    | Inf      | -Inf   | 78.15  | 3    | Vertical  | 128     | 1.47   | -       | 35.03 | 7.68 | 35.04 |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0),3xRU996+RU484 MRU 8\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 85  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.8994G | 79.84    | 88.20    | -8.36  | 72.70  | 3    | Horizontal | 116     | 2.26   | -       | 34.60 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.925G  | 67.09    | 68.20    | -1.11  | 59.91  | 3    | Horizontal | 116     | 2.26   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9954G | 106.49   | Inf      | -Inf   | 99.18  | 3    | Horizontal | 116     | 2.26   | -       | 34.79 | 7.53 | 35.01 |  |  |  |
| RMS  | 6.1346G | 96.89    | Inf      | -Inf   | 89.22  | 3    | Horizontal | 116     | 2.26   | -       | 35.03 | 7.68 | 35.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0),3xRU996 MRU 4\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 85  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9162G | 67.86    | 88.20    | -20.34 | 60.69  | 3    | Vertical  | 134     | 2.97   | -       | 34.63 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.9082G | 57.67    | 68.20    | -10.53 | 50.51  | 3    | Vertical  | 134     | 2.97   | -       | 34.62 | 7.52 | 34.98 |  |  |  |
| PK   | 6.1394G | 100.68   | Inf      | -Inf   | 93.02  | 3    | Vertical  | 134     | 2.97   | -       | 35.02 | 7.68 | 35.04 |  |  |  |
| RMS  | 6.1386G | 90.41    | Inf      | -Inf   | 82.75  | 3    | Vertical  | 134     | 2.97   | -       | 35.02 | 7.68 | 35.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0),3xRU996 MRU 4\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 85  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9082G | 78.88    | 88.20    | -9.32  | 71.72  | 3    | Horizontal | 113     | 2.26   | -       | 34.62 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.925G  | 67.75    | 68.20    | -0.45  | 60.57  | 3    | Horizontal | 113     | 2.26   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 6.1466G | 107.62   | Inf      | -Inf   | 99.96  | 3    | Horizontal | 113     | 2.26   | -       | 35.01 | 7.69 | 35.04 |  |  |  |
| RMS  | 6.1378G | 97.72    | Inf      | -Inf   | 90.06  | 3    | Horizontal | 113     | 2.26   | -       | 35.02 | 7.68 | 35.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0),2xRU996+RU484 MRU 6\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 84  
03-E-I-1-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.909G  | 70.24    | 88.20    | -17.96 | 63.08  | 3    | Vertical  | 119     | 1.51   | -       | 34.62 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.925G  | 58.17    | 68.20    | -10.03 | 50.99  | 3    | Vertical  | 119     | 1.51   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.9674G | 98.20    | Inf      | -Inf   | 90.94  | 3    | Vertical  | 119     | 1.51   | -       | 34.73 | 7.53 | 35.00 |  |  |  |
| RMS  | 5.9642G | 87.71    | Inf      | -Inf   | 80.45  | 3    | Vertical  | 119     | 1.51   | -       | 34.73 | 7.53 | 35.00 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0),2xRU996+RU484 MRU 6\_2TX

6105MHz\_TX




EUT\_Y\_2TX  
Setting 84  
03-E-I-1-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9098G | 81.05    | 88.20    | -7.15  | 73.89  | 3    | Horizontal | 116     | 2.47   | -       | 34.62 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.925G  | 68.11    | 68.20    | -0.09  | 60.93  | 3    | Horizontal | 116     | 2.47   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 5.997G  | 108.19   | Inf      | -Inf   | 100.88 | 3    | Horizontal | 116     | 2.47   | -       | 34.79 | 7.53 | 35.01 |  |  |  |
| RMS  | 6.1346G | 98.69    | Inf      | -Inf   | 91.02  | 3    | Horizontal | 116     | 2.47   | -       | 35.03 | 7.68 | 35.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 83  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9226G | 77.98    | 88.20    | -10.22 | 70.80  | 3    | Vertical  | 240     | 1.80   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| RMS  | 5.925G  | 67.30    | 68.20    | -0.90  | 60.12  | 3    | Vertical  | 240     | 1.80   | -       | 34.65 | 7.52 | 34.99 |  |  |  |
| PK   | 6.1354G | 108.21   | Inf      | -Inf   | 100.54 | 3    | Vertical  | 240     | 1.80   | -       | 35.03 | 7.68 | 35.04 |  |  |  |
| RMS  | 6.1306G | 96.81    | Inf      | -Inf   | 89.14  | 3    | Vertical  | 240     | 1.80   | -       | 35.04 | 7.67 | 35.04 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 8\_4TX

6105MHz\_TX



EUT\_Y\_4TX  
Setting 83  
03-E-G-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9098G | 78.52    | 88.20    | -9.68  | 71.36  | 3    | Horizontal | 115     | 2.45   | -       | 34.62 | 7.52 | 34.98 |  |  |  |
| RMS  | 5.9194G | 68.14    | 68.20    | -0.06  | 60.97  | 3    | Horizontal | 115     | 2.45   | -       | 34.64 | 7.52 | 34.99 |  |  |  |
| PK   | 6.0738G | 109.97   | Inf      | -Inf   | 102.34 | 3    | Horizontal | 115     | 2.45   | -       | 35.05 | 7.61 | 35.03 |  |  |  |
| RMS  | 6.1346G | 100.69   | Inf      | -Inf   | 93.02  | 3    | Horizontal | 115     | 2.45   | -       | 35.03 | 7.68 | 35.04 |  |  |  |