


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 79
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	80.35	88.20	-7.85	73.17	3	Vertical	237	1.78	-	34.65	7.52	34.99			
RMS	5.9202G	67.45	68.20	-0.75	60.28	3	Vertical	237	1.78	-	34.64	7.52	34.99			
PK	6.1402G	108.58	Inf	-Inf	100.92	3	Vertical	237	1.78	-	35.02	7.68	35.04			
RMS	6.1306G	98.30	Inf	-Inf	90.63	3	Vertical	237	1.78	-	35.04	7.67	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 79
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.67	88.20	-10.53	70.49	3	Horizontal	118	2.23	-	34.65	7.52	34.99			
RMS	5.9242G	66.81	68.20	-1.39	59.63	3	Horizontal	118	2.23	-	34.65	7.52	34.99			
PK	6.0546G	110.62	Inf	-Inf	103.04	3	Horizontal	118	2.23	-	35.01	7.59	35.02			
RMS	6.1346G	101.09	Inf	-Inf	93.42	3	Horizontal	118	2.23	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 83
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	82.77	88.20	-5.43	75.59	3	Vertical	238	1.80	-	34.65	7.52	34.99			
RMS	5.925G	67.89	68.20	-0.31	60.71	3	Vertical	238	1.80	-	34.65	7.52	34.99			
PK	6.0762G	107.20	Inf	-Inf	99.57	3	Vertical	238	1.80	-	35.05	7.61	35.03			
RMS	6.0906G	96.94	Inf	-Inf	89.26	3	Vertical	238	1.80	-	35.08	7.63	35.03			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 83
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	83.38	88.20	-4.82	76.20	3	Horizontal	117	2.51	-	34.65	7.52	34.99			
RMS	5.9202G	67.55	68.20	-0.65	60.38	3	Horizontal	117	2.51	-	34.64	7.52	34.99			
PK	6.1346G	109.44	Inf	-Inf	101.77	3	Horizontal	117	2.51	-	35.03	7.68	35.04			
RMS	6.1394G	99.18	Inf	-Inf	91.52	3	Horizontal	117	2.51	-	35.02	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 84
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9058G	79.02	88.20	-9.18	71.87	3	Vertical	236	1.72	-	34.61	7.52	34.98			
RMS	5.925G	67.19	68.20	-1.01	60.01	3	Vertical	236	1.72	-	34.65	7.52	34.99			
PK	6.089G	105.83	Inf	-Inf	98.15	3	Vertical	236	1.72	-	35.08	7.63	35.03			
RMS	6.1474G	95.72	Inf	-Inf	88.06	3	Vertical	236	1.72	-	35.01	7.69	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 84
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8994G	80.71	88.20	-7.49	73.57	3	Horizontal	118	2.21	-	34.60	7.52	34.98			
RMS	5.9194G	67.56	68.20	-0.64	60.39	3	Horizontal	118	2.21	-	34.64	7.52	34.99			
PK	6.1362G	108.17	Inf	-Inf	100.50	3	Horizontal	118	2.21	-	35.03	7.68	35.04			
RMS	6.1346G	98.52	Inf	-Inf	90.85	3	Horizontal	118	2.21	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 83
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9034G	79.66	88.20	-8.54	72.51	3	Vertical	237	2.12	-	34.61	7.52	34.98			
RMS	5.925G	68.10	68.20	-0.10	60.92	3	Vertical	237	2.12	-	34.65	7.52	34.99			
PK	6.1002G	106.38	Inf	-Inf	98.67	3	Vertical	237	2.12	-	35.10	7.64	35.03			
RMS	6.1354G	96.56	Inf	-Inf	88.89	3	Vertical	237	2.12	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 83
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	79.82	88.20	-8.38	72.64	3	Horizontal	108	2.23	-	34.65	7.52	34.99			
RMS	5.9234G	67.90	68.20	-0.30	60.72	3	Horizontal	108	2.23	-	34.65	7.52	34.99			
PK	6.1354G	109.22	Inf	-Inf	101.55	3	Horizontal	108	2.23	-	35.03	7.68	35.04			
RMS	6.1346G	99.21	Inf	-Inf	91.54	3	Horizontal	108	2.23	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 85
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	78.41	88.20	-9.79	71.24	3	Vertical	237	1.79	-	34.64	7.52	34.99			
RMS	5.925G	67.48	68.20	-0.72	60.30	3	Vertical	237	1.79	-	34.65	7.52	34.99			
PK	6.0986G	106.04	Inf	-Inf	98.33	3	Vertical	237	1.79	-	35.10	7.64	35.03			
RMS	6.1314G	94.78	Inf	-Inf	87.11	3	Vertical	237	1.79	-	35.04	7.67	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 85
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	80.82	88.20	-7.38	73.64	3	Horizontal	108	2.24	-	34.65	7.52	34.99			
RMS	5.9178G	67.73	68.20	-0.47	60.56	3	Horizontal	108	2.24	-	34.64	7.52	34.99			
PK	6.1282G	108.57	Inf	-Inf	100.90	3	Horizontal	108	2.24	-	35.04	7.67	35.04			
RMS	6.1362G	97.45	Inf	-Inf	89.78	3	Horizontal	108	2.24	-	35.03	7.68	35.04			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_1TX

6905MHz_TX




EUT_Y_4TX
Setting 90
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7706G	95.03	Inf	-Inf	86.26	3	Vertical	200	2.03	-	35.68	8.20	35.11			
AV	6.7666G	84.34	Inf	-Inf	75.59	3	Vertical	200	2.03	-	35.67	8.19	35.11			
PK	7.2522G	63.02	74.00	-10.98	52.93	3	Vertical	200	2.03	-	36.61	8.49	35.01			
AV	7.2698G	52.03	54.00	-1.97	41.80	3	Vertical	200	2.03	-	36.72	8.51	35.00			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_1TX

6905MHz_TX




EUT_Y_4TX
Setting 90
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7946G	103.87	Inf	-Inf	94.98	3	Horizontal	250	1.72	-	35.78	8.22	35.11			
AV	6.7626G	92.21	Inf	-Inf	83.48	3	Horizontal	250	1.72	-	35.65	8.19	35.11			
PK	7.2714G	65.54	74.00	-8.46	55.30	3	Horizontal	250	1.72	-	36.73	8.51	35.00			
AV	7.2514G	53.54	54.00	-0.46	43.45	3	Horizontal	250	1.72	-	36.61	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX

6905MHz_TX




EUT_Y_4TX
Setting 87
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7962G	94.18	Inf	-Inf	85.29	3	Vertical	197	1.96	-	35.78	8.22	35.11			
AV	6.7482G	84.16	Inf	-Inf	75.50	3	Vertical	197	1.96	-	35.60	8.18	35.12			
PK	7.2586G	63.02	74.00	-10.98	52.88	3	Vertical	197	1.96	-	36.65	8.50	35.01			
AV	7.2506G	51.92	54.00	-2.08	41.84	3	Vertical	197	1.96	-	36.60	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX

6905MHz_TX




EUT_Y_4TX
Setting 87
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7674G	103.29	Inf	-Inf	94.53	3	Horizontal	251	1.74	-	35.67	8.20	35.11			
AV	6.7642G	92.37	Inf	-Inf	83.63	3	Horizontal	251	1.74	-	35.66	8.19	35.11			
PK	7.2794G	63.95	74.00	-10.05	53.65	3	Horizontal	251	1.74	-	36.78	8.52	35.00			
AV	7.2514G	53.44	54.00	-0.56	43.35	3	Horizontal	251	1.74	-	36.61	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_Y_1TX
Setting 82
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8362G	94.08	Inf	-Inf	85.15	3	Vertical	197	1.99	-	35.80	8.24	35.11
AV	6.829G	82.78	Inf	-Inf	73.85	3	Vertical	197	1.99	-	35.80	8.24	35.11
PK	7.2698G	62.17	74.00	-11.83	51.94	3	Vertical	197	1.99	-	36.72	8.51	35.00
AV	7.2962G	50.83	54.00	-3.17	40.40	3	Vertical	197	1.99	-	36.88	8.54	34.99

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_Y_1TX
Setting 82
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0498G	102.72	Inf	-Inf	93.55	3	Horizontal	243	1.80	-	35.90	8.36	35.09			
AV	6.8618G	89.88	Inf	-Inf	80.93	3	Horizontal	243	1.80	-	35.80	8.26	35.11			
PK	7.2546G	66.13	74.00	-7.87	56.01	3	Horizontal	243	1.80	-	36.63	8.50	35.01			
AV	7.2514G	53.32	54.00	-0.68	43.23	3	Horizontal	243	1.80	-	36.61	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 5_2TX

6905MHz_TX




EUT_Y_4TX
Setting 71
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7538G	96.96	Inf	-Inf	88.26	3	Vertical	184	2.97	-	35.62	8.19	35.11			
AV	6.7482G	86.32	Inf	-Inf	77.66	3	Vertical	184	2.97	-	35.60	8.18	35.12			
PK	7.3026G	62.74	74.00	-11.26	52.27	3	Vertical	184	2.97	-	36.91	8.55	34.99			
AV	7.301G	50.87	54.00	-3.13	40.41	3	Vertical	184	2.97	-	36.90	8.55	34.99			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 5_2TX

6905MHz_TX




EUT_Y_4TX
Setting 71
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7626G	103.68	Inf	-Inf	94.95	3	Horizontal	113	2.66	-	35.65	8.19	35.11			
AV	6.7482G	92.51	Inf	-Inf	83.85	3	Horizontal	113	2.66	-	35.60	8.18	35.12			
PK	7.281G	66.94	74.00	-7.06	56.62	3	Horizontal	113	2.66	-	36.79	8.53	35.00			
AV	7.2618G	53.58	54.00	-0.42	43.42	3	Horizontal	113	2.66	-	36.67	8.50	35.01			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Y_4TX
Setting 78
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.765G	101.95	Inf	-Inf	93.21	3	Vertical	252	1.56	-	35.66	8.19	35.11			
AV	6.7634G	91.05	Inf	-Inf	82.32	3	Vertical	252	1.56	-	35.65	8.19	35.11			
PK	7.2778G	67.46	74.00	-6.54	57.17	3	Vertical	252	1.56	-	36.77	8.52	35.00			
AV	7.2538G	53.53	54.00	-0.47	43.42	3	Vertical	252	1.56	-	36.62	8.50	35.01			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Y_4TX
Setting 78
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7626G	102.11	Inf	-Inf	93.38	3	Horizontal	241	2.96	-	35.65	8.19	35.11			
AV	6.7658G	91.38	Inf	-Inf	82.64	3	Horizontal	241	2.96	-	35.66	8.19	35.11			
PK	7.2874G	67.53	74.00	-6.47	57.18	3	Horizontal	241	2.96	-	36.82	8.53	35.00			
AV	7.2514G	53.53	54.00	-0.47	43.44	3	Horizontal	241	2.96	-	36.61	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_4TX
Setting 76
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8554G	96.87	Inf	-Inf	87.93	3	Vertical	185	1.01	-	35.80	8.25	35.11			
AV	6.8282G	85.79	Inf	-Inf	76.86	3	Vertical	185	1.01	-	35.80	8.24	35.11			
PK	7.3034G	62.05	74.00	-11.95	51.58	3	Vertical	185	1.01	-	36.91	8.55	34.99			
AV	7.2994G	50.91	54.00	-3.09	40.46	3	Vertical	185	1.01	-	36.90	8.54	34.99			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Y_4TX
Setting 76
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0106G	104.24	Inf	-Inf	95.18	3	Horizontal	114	2.65	-	35.82	8.35	35.11			
AV	6.8578G	93.27	Inf	-Inf	84.33	3	Horizontal	114	2.65	-	35.80	8.25	35.11			
PK	7.2506G	67.28	74.00	-6.72	57.20	3	Horizontal	114	2.65	-	36.60	8.49	35.01			
AV	7.2562G	53.74	54.00	-0.26	43.61	3	Horizontal	114	2.65	-	36.64	8.50	35.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 72
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8546G	104.76	Inf	-Inf	95.82	3	Vertical	248	1.71	-	35.80	8.25	35.11			
AV	7.0098G	92.08	Inf	-Inf	83.03	3	Vertical	248	1.71	-	35.82	8.34	35.11			
PK	7.2706G	67.17	74.00	-6.83	56.94	3	Vertical	248	1.71	-	36.72	8.51	35.00			
AV	7.2506G	53.61	54.00	-0.39	43.53	3	Vertical	248	1.71	-	36.60	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 72
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0058G	98.82	Inf	-Inf	89.78	3	Horizontal	200	2.03	-	35.81	8.34	35.11			
AV	6.9506G	88.57	Inf	-Inf	79.57	3	Horizontal	200	2.03	-	35.80	8.31	35.11			
PK	7.261G	65.64	74.00	-8.36	55.48	3	Horizontal	200	2.03	-	36.67	8.50	35.01			
AV	7.2514G	52.24	54.00	-1.76	42.15	3	Horizontal	200	2.03	-	36.61	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 70
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7994G	104.54	Inf	-Inf	95.63	3	Vertical	244	1.37	-	35.80	8.22	35.11			
AV	6.749G	92.95	Inf	-Inf	84.29	3	Vertical	244	1.37	-	35.60	8.18	35.12			
PK	7.2706G	66.12	74.00	-7.88	55.89	3	Vertical	244	1.37	-	36.72	8.51	35.00			
AV	7.261G	53.92	54.00	-0.08	43.76	3	Vertical	244	1.37	-	36.67	8.50	35.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 70
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7538G	103.59	Inf	-Inf	94.89	3	Horizontal	254	1.76	-	35.62	8.19	35.11			
AV	6.7634G	93.16	Inf	-Inf	84.43	3	Horizontal	254	1.76	-	35.65	8.19	35.11			
PK	7.2994G	62.95	74.00	-11.05	52.50	3	Horizontal	254	1.76	-	36.90	8.54	34.99			
AV	7.285G	51.01	54.00	-2.99	40.67	3	Horizontal	254	1.76	-	36.81	8.53	35.00			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 74
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8594G	105.06	Inf	-Inf	96.11	3	Vertical	243	1.50	-	35.80	8.26	35.11			
AV	7.005G	94.17	Inf	-Inf	85.13	3	Vertical	243	1.50	-	35.81	8.34	35.11			
PK	7.2514G	65.40	74.00	-8.60	55.31	3	Vertical	243	1.50	-	36.61	8.49	35.01			
AV	7.2554G	53.33	54.00	-0.67	43.21	3	Vertical	243	1.50	-	36.63	8.50	35.01			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 74
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8402G	104.90	Inf	-Inf	95.97	3	Horizontal	246	1.53	-	35.80	8.24	35.11			
AV	6.8602G	93.26	Inf	-Inf	84.31	3	Horizontal	246	1.53	-	35.80	8.26	35.11			
PK	7.2698G	62.16	74.00	-11.84	51.93	3	Horizontal	246	1.53	-	36.72	8.51	35.00			
AV	7.2602G	51.42	54.00	-2.58	41.27	3	Horizontal	246	1.53	-	36.66	8.50	35.01			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 72
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	6.9978G	101.79	Inf	-Inf	92.76	3	Vertical	251	2.32	-	35.80	8.34	35.11					
AV	6.7482G	91.19	Inf	-Inf	82.53	3	Vertical	251	2.32	-	35.60	8.18	35.12					
PK	7.257G	67.24	74.00	-6.76	57.11	3	Vertical	251	2.32	-	36.64	8.50	35.01					
AV	7.2506G	53.84	54.00	-0.16	43.76	3	Vertical	251	2.32	-	36.60	8.49	35.01					

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_Y_4TX
Setting 72
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.765G	101.49	Inf	-Inf	92.75	3	Horizontal	250	1.73	-	35.66	8.19	35.11			
AV	6.7658G	91.42	Inf	-Inf	82.68	3	Horizontal	250	1.73	-	35.66	8.19	35.11			
PK	7.2994G	62.80	74.00	-11.20	52.35	3	Horizontal	250	1.73	-	36.90	8.54	34.99			
AV	7.2898G	51.61	54.00	-2.39	41.23	3	Horizontal	250	1.73	-	36.84	8.53	34.99			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 70
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.7634G	102.20	Inf	-Inf	93.47	3	Vertical	248	2.38	-	35.65	8.19	35.11				
AV	6.7658G	91.30	Inf	-Inf	82.56	3	Vertical	248	2.38	-	35.66	8.19	35.11				
PK	7.2906G	65.92	74.00	-8.08	55.53	3	Vertical	248	2.38	-	36.84	8.54	34.99				
AV	7.2522G	53.38	54.00	-0.62	43.29	3	Vertical	248	2.38	-	36.61	8.49	35.01				

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Y_4TX
Setting 70
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.749G	103.51	Inf	-Inf	94.85	3	Horizontal	113	2.71	-	35.60	8.18	35.12			
AV	6.7634G	92.96	Inf	-Inf	84.23	3	Horizontal	113	2.71	-	35.65	8.19	35.11			
PK	7.2738G	68.69	74.00	-5.31	58.43	3	Horizontal	113	2.71	-	36.74	8.52	35.00			
AV	7.2714G	53.94	54.00	-0.06	43.70	3	Horizontal	113	2.71	-	36.73	8.51	35.00			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 75
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8594G	104.32	Inf	-Inf	95.37	3	Vertical	253	2.50	-	35.80	8.26	35.11			
AV	6.8634G	91.94	Inf	-Inf	82.99	3	Vertical	253	2.50	-	35.80	8.26	35.11			
PK	7.2666G	65.21	74.00	-8.79	55.00	3	Vertical	253	2.50	-	36.70	8.51	35.00			
AV	7.2514G	53.26	54.00	-0.74	43.17	3	Vertical	253	2.50	-	36.61	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Y_4TX
Setting 75
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0002G	103.73	Inf	-Inf	94.70	3	Horizontal	120	2.69	-	35.80	8.34	35.11			
AV	6.8514G	92.66	Inf	-Inf	83.72	3	Horizontal	120	2.69	-	35.80	8.25	35.11			
PK	7.253G	67.79	74.00	-6.21	57.68	3	Horizontal	120	2.69	-	36.62	8.50	35.01			
AV	7.2554G	53.58	54.00	-0.42	43.46	3	Horizontal	120	2.69	-	36.63	8.50	35.01			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

7025MHz_TX




EUTY_1TX
Setting 75
03-E-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0042G	99.76	Inf	-Inf	90.72	3	Vertical	14	2.02	-	35.81	8.34	35.11			
RMS	7.0382G	89.97	Inf	-Inf	80.82	3	Vertical	14	2.02	-	35.88	8.36	35.09			
PK	7.1258G	67.62	88.20	-20.58	58.28	3	Vertical	14	2.02	-	36.00	8.40	35.06			
RMS	7.1254G	55.05	68.20	-13.15	45.71	3	Vertical	14	2.02	-	36.00	8.40	35.06			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

7025MHz_TX




EUTY_1TX
Setting 75
03-E-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0558G	110.10	Inf	-Inf	100.92	3	Horizontal	308	2.69	-	35.90	8.37	35.09			
RMS	7.0386G	100.26	Inf	-Inf	91.11	3	Horizontal	308	2.69	-	35.88	8.36	35.09			
PK	7.1254G	78.15	88.20	-10.05	68.81	3	Horizontal	308	2.69	-	36.00	8.40	35.06			
RMS	7.1254G	63.19	68.20	-5.01	53.85	3	Horizontal	308	2.69	-	36.00	8.40	35.06			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 78
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0334G	105.47	Inf	-Inf	96.34	3	Vertical	165	1.00	-	35.87	8.36	35.10			
RMS	7.0382G	94.81	Inf	-Inf	85.66	3	Vertical	165	1.00	-	35.88	8.36	35.09			
PK	7.1254G	73.15	88.20	-15.05	63.81	3	Vertical	165	1.00	-	36.00	8.40	35.06			
RMS	7.1254G	59.50	68.20	-8.70	50.16	3	Vertical	165	1.00	-	36.00	8.40	35.06			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

7025MHz_TX




EUT_Y_2TX
Setting 78
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0574G	113.31	Inf	-Inf	104.13	3	Horizontal	109	2.97	-	35.90	8.37	35.09			
RMS	7.0338G	102.83	Inf	-Inf	93.70	3	Horizontal	109	2.97	-	35.87	8.36	35.10			
PK	7.1306G	78.14	88.20	-10.06	68.77	3	Horizontal	109	2.97	-	36.02	8.41	35.06			
RMS	7.1258G	67.82	68.20	-0.38	58.48	3	Horizontal	109	2.97	-	36.00	8.40	35.06			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 75
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0582G	112.18	Inf	-Inf	103.00	3	Vertical	239	2.50	-	35.90	8.37	35.09			
RMS	7.0282G	102.94	Inf	-Inf	93.83	3	Vertical	239	2.50	-	35.86	8.35	35.10			
PK	7.1262G	78.59	88.20	-9.61	69.25	3	Vertical	239	2.50	-	36.00	8.40	35.06			
RMS	7.1286G	67.34	68.20	-0.86	57.99	3	Vertical	239	2.50	-	36.01	8.40	35.06			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 75
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.039G	110.73	Inf	-Inf	101.58	3	Horizontal	240	1.17	-	35.88	8.36	35.09			
RMS	7.0342G	101.92	Inf	-Inf	92.79	3	Horizontal	240	1.17	-	35.87	8.36	35.10			
PK	7.125G	74.52	88.20	-13.68	65.18	3	Horizontal	240	1.17	-	36.00	8.40	35.06			
RMS	7.1294G	63.03	68.20	-5.17	53.67	3	Horizontal	240	1.17	-	36.02	8.40	35.06			

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 77
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0398G	111.81	Inf	-Inf	102.66	3	Vertical	244	1.69	-	35.88	8.36	35.09			
RMS	7.0366G	101.19	Inf	-Inf	92.06	3	Vertical	244	1.69	-	35.87	8.36	35.10			
PK	7.1282G	78.64	88.20	-9.56	69.29	3	Vertical	244	1.69	-	36.01	8.40	35.06			
RMS	7.125G	67.96	68.20	-0.24	58.62	3	Vertical	244	1.69	-	36.00	8.40	35.06			

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Y_4TX
Setting 77
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0038G	112.52	Inf	-Inf	103.48	3	Horizontal	109	3.00	-	35.81	8.34	35.11				
RMS	7.0338G	102.70	Inf	-Inf	93.57	3	Horizontal	109	3.00	-	35.87	8.36	35.10				
PK	7.1382G	79.11	88.20	-9.09	69.70	3	Horizontal	109	3.00	-	36.05	8.41	35.05				
RMS	7.1254G	68.00	68.20	-0.20	58.66	3	Horizontal	109	3.00	-	36.00	8.40	35.06				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

6985MHz_TX




EUT_Y_1TX
Setting 80
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.934G	95.18	Inf	-Inf	86.19	3	Vertical	196	2.13	-	35.80	8.30	35.11			
AV	6.908G	84.78	Inf	-Inf	75.81	3	Vertical	196	2.13	-	35.80	8.28	35.11			
PK	7.318G	59.32	74.00	-14.68	48.77	3	Vertical	196	2.13	-	36.97	8.56	34.98			
AV	7.44G	48.33	54.00	-5.67	37.50	3	Vertical	196	2.13	-	37.10	8.66	34.93			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

6985MHz_TX




EUT_Y_1TX
Setting 80
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.927G	105.58	Inf	-Inf	96.59	3	Horizontal	129	1.80	-	35.80	8.30	35.11			
AV	6.909G	93.93	Inf	-Inf	84.95	3	Horizontal	129	1.80	-	35.80	8.29	35.11			
AV	7.25G	52.64	54.00	-1.36	42.56	3	Horizontal	129	1.80	-	36.60	8.49	35.01			
PK	7.267G	66.65	74.00	-7.35	56.44	3	Horizontal	129	1.80	-	36.70	8.51	35.00			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Y_1TX
Setting 77
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.021G	94.08	Inf	-Inf	84.99	3	Vertical	102	1.88	-	35.84	8.35	35.10				
AV	6.928G	83.49	Inf	-Inf	74.50	3	Vertical	102	1.88	-	35.80	8.30	35.11				
PK	7.458G	59.85	74.00	-14.15	49.03	3	Vertical	102	1.88	-	37.08	8.67	34.93				
AV	7.449G	48.31	54.00	-5.69	37.48	3	Vertical	102	1.88	-	37.10	8.66	34.93				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Y_1TX
Setting 77
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.015G	108.16	Inf	-Inf	99.08	3	Horizontal	123	2.62	-	35.83	8.35	35.10			
AV	7.044G	95.27	Inf	-Inf	86.11	3	Horizontal	123	2.62	-	35.89	8.36	35.09			
PK	7.265G	66.53	74.00	-7.47	56.33	3	Horizontal	123	2.62	-	36.69	8.51	35.00			
AV	7.25G	53.59	54.00	-0.41	43.51	3	Horizontal	123	2.62	-	36.60	8.49	35.01			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_Y_2TX
Setting 77
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.037G	99.33	Inf	-Inf	90.20	3	Vertical	178	1.04	-	35.87	8.36	35.10			
AV	6.923G	88.91	Inf	-Inf	79.93	3	Vertical	178	1.04	-	35.80	8.29	35.11			
PK	7.256G	61.31	74.00	-12.69	51.18	3	Vertical	178	1.04	-	36.64	8.50	35.01			
AV	7.25G	49.23	54.00	-4.77	39.15	3	Vertical	178	1.04	-	36.60	8.49	35.01			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_Y_2TX
Setting 77
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.047G	107.83	Inf	-Inf	98.67	3	Horizontal	115	2.62	-	35.89	8.36	35.09			
AV	7.013G	96.52	Inf	-Inf	87.44	3	Horizontal	115	2.62	-	35.83	8.35	35.10			
PK	7.263G	67.02	74.00	-6.98	56.83	3	Horizontal	115	2.62	-	36.68	8.51	35.00			
AV	7.254G	53.78	54.00	-0.22	43.67	3	Horizontal	115	2.62	-	36.62	8.50	35.01			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 77
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.012G	99.92	Inf	-Inf	90.86	3	Vertical	177	1.12	-	35.82	8.35	35.11			
AV	6.923G	89.14	Inf	-Inf	80.16	3	Vertical	177	1.12	-	35.80	8.29	35.11			
PK	7.267G	61.85	74.00	-12.15	51.64	3	Vertical	177	1.12	-	36.70	8.51	35.00			
AV	7.257G	49.52	54.00	-4.48	39.39	3	Vertical	177	1.12	-	36.64	8.50	35.01			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Y_2TX
Setting 77
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.907G	107.53	Inf	-Inf	98.56	3	Horizontal	128	2.72	-	35.80	8.28	35.11			
AV	7.062G	96.29	Inf	-Inf	87.11	3	Horizontal	128	2.72	-	35.90	8.37	35.09			
PK	7.262G	69.33	74.00	-4.67	59.16	3	Horizontal	128	2.72	-	36.67	8.51	35.01			
AV	7.252G	53.69	54.00	-0.31	43.60	3	Horizontal	128	2.72	-	36.61	8.49	35.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Y_4TX
Setting 73
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.97G	109.68	Inf	-Inf	100.67	3	Vertical	240	1.45	-	35.80	8.32	35.11			
AV	7.005G	97.29	Inf	-Inf	88.25	3	Vertical	240	1.45	-	35.81	8.34	35.11			
PK	7.25G	66.76	74.00	-7.24	56.68	3	Vertical	240	1.45	-	36.60	8.49	35.01			
AV	7.25G	53.63	54.00	-0.37	43.55	3	Vertical	240	1.45	-	36.60	8.49	35.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Y_4TX
Setting 73
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.029G	104.80	Inf	-Inf	95.69	3	Horizontal	244	1.04	-	35.86	8.35	35.10			
AV	6.909G	95.77	Inf	-Inf	86.79	3	Horizontal	244	1.04	-	35.80	8.29	35.11			
PK	7.272G	61.24	74.00	-12.76	50.99	3	Horizontal	244	1.04	-	36.73	8.52	35.00			
AV	7.264G	49.75	54.00	-4.25	39.56	3	Horizontal	244	1.04	-	36.68	8.51	35.00			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 70
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.014G	109.70	Inf	-Inf	100.62	3	Vertical	240	2.40	-	35.83	8.35	35.10			
AV	7.008G	98.09	Inf	-Inf	89.04	3	Vertical	240	2.40	-	35.82	8.34	35.11			
PK	7.251G	66.78	74.00	-7.22	56.69	3	Vertical	240	2.40	-	36.61	8.49	35.01			
AV	7.254G	53.45	54.00	-0.55	43.34	3	Vertical	240	2.40	-	36.62	8.50	35.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 70
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.009G	105.25	Inf	-Inf	96.20	3	Horizontal	242	1.03	-	35.82	8.34	35.11			
AV	7.004G	95.52	Inf	-Inf	86.48	3	Horizontal	242	1.03	-	35.81	8.34	35.11			
PK	7.258G	60.02	74.00	-13.98	49.88	3	Horizontal	242	1.03	-	36.65	8.50	35.01			
AV	7.259G	48.88	54.00	-5.12	38.74	3	Horizontal	242	1.03	-	36.65	8.50	35.01			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Y_4TX
Setting 74
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.012G	106.27	Inf	-Inf	97.21	3	Vertical	249	2.51	-	35.82	8.35	35.11			
AV	7.007G	95.26	Inf	-Inf	86.22	3	Vertical	249	2.51	-	35.81	8.34	35.11			
PK	7.252G	66.40	74.00	-7.60	56.31	3	Vertical	249	2.51	-	36.61	8.49	35.01			
AV	7.25G	53.20	54.00	-0.80	43.12	3	Vertical	249	2.51	-	36.60	8.49	35.01			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Y_4TX
Setting 74
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.062G	107.71	Inf	-Inf	98.53	3	Horizontal	114	2.97	-	35.90	8.37	35.09			
AV	7.012G	96.55	Inf	-Inf	87.49	3	Horizontal	114	2.97	-	35.82	8.35	35.11			
PK	7.292G	66.84	74.00	-7.16	56.44	3	Horizontal	114	2.97	-	36.85	8.54	34.99			
AV	7.251G	53.47	54.00	-0.53	43.38	3	Horizontal	114	2.97	-	36.61	8.49	35.01			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 69
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.011G	106.82	Inf	-Inf	97.76	3	Vertical	241	2.37	-	35.82	8.35	35.11				
AV	7.045G	95.97	Inf	-Inf	86.81	3	Vertical	241	2.37	-	35.89	8.36	35.09				
PK	7.271G	65.01	74.00	-8.99	54.77	3	Vertical	241	2.37	-	36.73	8.51	35.00				
AV	7.259G	52.89	54.00	-1.11	42.75	3	Vertical	241	2.37	-	36.65	8.50	35.01				

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX



EUT_Y_4TX
Setting 69
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.018G	107.91	Inf	-Inf	98.82	3	Horizontal	116	2.95	-	35.84	8.35	35.10			
AV	7.039G	97.57	Inf	-Inf	88.42	3	Horizontal	116	2.95	-	35.88	8.36	35.09			
PK	7.291G	64.26	74.00	-9.74	53.86	3	Horizontal	116	2.95	-	36.85	8.54	34.99			
AV	7.251G	52.07	54.00	-1.93	41.98	3	Horizontal	116	2.95	-	36.61	8.49	35.01			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	Pass	RMS	5.925G	68.17	68.20	-0.03	3	Horizontal	122	2.52	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 81
03-E-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9194G	74.80	88.20	-13.40	67.63	3	Vertical	37	1.55	-	34.64	7.52	34.99				
RMS	5.921G	58.74	68.20	-9.46	51.57	3	Vertical	37	1.55	-	34.64	7.52	34.99				
PK	5.9598G	104.17	Inf	-Inf	96.92	3	Vertical	37	1.55	-	34.72	7.53	35.00				
RMS	5.9578G	92.90	Inf	-Inf	85.65	3	Vertical	37	1.55	-	34.72	7.53	35.00				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Y_1TX
Setting 81
03-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.903G	84.60	88.20	-3.60	77.45	3	Horizontal	282	2.00	-	34.61	7.52	34.98			
RMS	5.925G	67.63	68.20	-0.57	60.45	3	Horizontal	282	2.00	-	34.65	7.52	34.99			
PK	5.9786G	112.42	Inf	-Inf	105.13	3	Horizontal	282	2.00	-	34.76	7.53	35.00			
RMS	5.9738G	101.46	Inf	-Inf	94.18	3	Horizontal	282	2.00	-	34.75	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 78
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	77.22	88.20	-10.98	70.06	3	Vertical	178	2.87	-	34.62	7.52	34.98
RMS	5.9118G	60.71	68.20	-7.49	53.55	3	Vertical	178	2.87	-	34.62	7.52	34.98
PK	5.9754G	106.37	Inf	-Inf	99.09	3	Vertical	178	2.87	-	34.75	7.53	35.00
RMS	5.9714G	96.28	Inf	-Inf	89.01	3	Vertical	178	2.87	-	34.74	7.53	35.00

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Y_2TX
Setting 78
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	85.13	88.20	-3.07	77.96	3	Horizontal	120	2.53	-	34.64	7.52	34.99			
RMS	5.9198G	68.03	68.20	-0.17	60.86	3	Horizontal	120	2.53	-	34.64	7.52	34.99			
PK	5.9718G	113.11	Inf	-Inf	105.84	3	Horizontal	120	2.53	-	34.74	7.53	35.00			
RMS	5.9702G	102.77	Inf	-Inf	95.50	3	Horizontal	120	2.53	-	34.74	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 76
03-E-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9066G	84.20	88.20	-4.00	76.63	3	Vertical	56	1.80	-	35.03	7.52	34.98			
RMS	5.925G	67.08	68.20	-1.12	59.45	3	Vertical	56	1.80	-	35.10	7.52	34.99			
PK	5.9802G	112.82	Inf	-Inf	105.03	3	Vertical	56	1.80	-	35.26	7.53	35.00			
RMS	5.9802G	103.23	Inf	-Inf	95.44	3	Vertical	56	1.80	-	35.26	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 76
03-E-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	86.14	88.20	-2.06	78.52	3	Horizontal	298	2.35	-	35.09	7.52	34.99			
RMS	5.925G	67.68	68.20	-0.52	60.05	3	Horizontal	298	2.35	-	35.10	7.52	34.99			
PK	5.9722G	114.70	Inf	-Inf	106.93	3	Horizontal	298	2.35	-	35.24	7.53	35.00			
RMS	5.9746G	105.93	Inf	-Inf	98.15	3	Horizontal	298	2.35	-	35.25	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 77
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9054G	83.17	88.20	-5.03	76.02	3	Vertical	235	1.80	-	34.61	7.52	34.98			
RMS	5.925G	65.31	68.20	-2.89	58.13	3	Vertical	235	1.80	-	34.65	7.52	34.99			
PK	5.9746G	109.87	Inf	-Inf	102.59	3	Vertical	235	1.80	-	34.75	7.53	35.00			
RMS	5.9726G	99.31	Inf	-Inf	92.03	3	Vertical	235	1.80	-	34.75	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Y_4TX
Setting 77
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	84.38	88.20	-3.82	77.23	3	Horizontal	112	2.35	-	34.61	7.52	34.98
RMS	5.919G	67.24	68.20	-0.96	60.07	3	Horizontal	112	2.35	-	34.64	7.52	34.99
PK	5.9746G	113.19	Inf	-Inf	105.91	3	Horizontal	112	2.35	-	34.75	7.53	35.00
RMS	5.9746G	103.03	Inf	-Inf	95.75	3	Horizontal	112	2.35	-	34.75	7.53	35.00

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX

6025MHz_TX




EUTY_1TX
Setting 83
03-E-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	72.81	88.20	-15.39	65.63	3	Vertical	37	1.58	-	34.65	7.52	34.99			
RMS	5.9226G	58.40	68.20	-9.80	51.22	3	Vertical	37	1.58	-	34.65	7.52	34.99			
PK	5.9802G	99.96	Inf	-Inf	92.67	3	Vertical	37	1.58	-	34.76	7.53	35.00			
RMS	5.9634G	90.19	Inf	-Inf	82.93	3	Vertical	37	1.58	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX

6025MHz_TX




EUT_Y_1TX
Setting 83
03-E-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	80.19	88.20	-8.01	73.01	3	Horizontal	286	1.94	-	34.65	7.52	34.99			
RMS	5.9234G	67.63	68.20	-0.57	60.45	3	Horizontal	286	1.94	-	34.65	7.52	34.99			
PK	5.949G	108.03	Inf	-Inf	100.80	3	Horizontal	286	1.94	-	34.70	7.52	34.99			
RMS	5.949G	98.50	Inf	-Inf	91.27	3	Horizontal	286	1.94	-	34.70	7.52	34.99			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Y_1TX
Setting 82
03-E-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	72.85	88.20	-15.35	65.68	3	Vertical	35	1.50	-	34.64	7.52	34.99			
RMS	5.925G	59.73	68.20	-8.47	52.55	3	Vertical	35	1.50	-	34.65	7.52	34.99			
PK	5.9666G	102.04	Inf	-Inf	94.78	3	Vertical	35	1.50	-	34.73	7.53	35.00			
RMS	5.9674G	91.22	Inf	-Inf	83.96	3	Vertical	35	1.50	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX


6025MHz_TX

EUT_Y_1TX
Setting 82
03-E-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9066G	80.24	88.20	-7.96	73.09	3	Horizontal	281	1.94	-	34.61	7.52	34.98			
RMS	5.921G	67.74	68.20	-0.46	60.57	3	Horizontal	281	1.94	-	34.64	7.52	34.99			
PK	5.9962G	109.78	Inf	-Inf	102.47	3	Horizontal	281	1.94	-	34.79	7.53	35.01			
RMS	5.9498G	98.92	Inf	-Inf	91.69	3	Horizontal	281	1.94	-	34.70	7.52	34.99			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX

6025MHz_TX




EUT_Y_2TX
Setting 80
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	70.89	88.20	-17.31	63.71	3	Vertical	121	1.54	-	34.65	7.52	34.99			
RMS	5.9218G	58.13	68.20	-10.07	50.96	3	Vertical	121	1.54	-	34.64	7.52	34.99			
PK	5.9954G	100.41	Inf	-Inf	93.10	3	Vertical	121	1.54	-	34.79	7.53	35.01			
RMS	5.997G	89.84	Inf	-Inf	82.53	3	Vertical	121	1.54	-	34.79	7.53	35.01			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX

6025MHz_TX




EUT_Y_2TX
Setting 80
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	81.10	88.20	-7.10	73.92	3	Horizontal	118	2.36	-	34.65	7.52	34.99			
RMS	5.925G	67.73	68.20	-0.47	60.55	3	Horizontal	118	2.36	-	34.65	7.52	34.99			
PK	5.9906G	109.42	Inf	-Inf	102.12	3	Horizontal	118	2.36	-	34.78	7.53	35.01			
RMS	5.965G	99.79	Inf	-Inf	92.53	3	Horizontal	118	2.36	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Y_2TX
Setting 78
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9138G	80.05	88.20	-8.15	72.88	3	Horizontal	115	2.34	-	34.63	7.52	34.98			
RMS	5.9242G	66.88	68.20	-1.32	59.70	3	Horizontal	115	2.34	-	34.65	7.52	34.99			
PK	5.9618G	110.56	Inf	-Inf	103.31	3	Horizontal	115	2.34	-	34.72	7.53	35.00			
RMS	5.969G	100.76	Inf	-Inf	93.49	3	Horizontal	115	2.34	-	34.74	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Y_4TX
Setting 78
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.84	88.20	-9.36	71.66	3	Vertical	59	1.85	-	34.65	7.52	34.99			
RMS	5.925G	65.56	68.20	-2.64	58.38	3	Vertical	59	1.85	-	34.65	7.52	34.99			
PK	6.005G	107.59	Inf	-Inf	100.24	3	Vertical	59	1.85	-	34.82	7.54	35.01			
RMS	6.0554G	99.29	Inf	-Inf	91.71	3	Vertical	59	1.85	-	35.01	7.59	35.02			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Y_4TX
Setting 78
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	79.99	88.20	-8.21	72.82	3	Horizontal	300	2.11	-	34.64	7.52	34.99			
RMS	5.9194G	67.40	68.20	-0.80	60.23	3	Horizontal	300	2.11	-	34.64	7.52	34.99			
PK	6.0594G	110.78	Inf	-Inf	103.18	3	Horizontal	300	2.11	-	35.02	7.60	35.02			
RMS	6.0842G	101.41	Inf	-Inf	93.75	3	Horizontal	300	2.11	-	35.07	7.62	35.03			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 76
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.905G	76.95	88.20	-11.25	69.80	3	Vertical	237	1.81	-	34.61	7.52	34.98			
RMS	5.925G	63.95	68.20	-4.25	56.77	3	Vertical	237	1.81	-	34.65	7.52	34.99			
PK	6.0306G	108.13	Inf	-Inf	100.67	3	Vertical	237	1.81	-	34.92	7.56	35.02			
RMS	6.0554G	99.47	Inf	-Inf	91.89	3	Vertical	237	1.81	-	35.01	7.59	35.02			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 76
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	82.08	88.20	-6.12	74.90	3	Horizontal	115	2.27	-	34.65	7.52	34.99			
RMS	5.9194G	68.16	68.20	-0.04	60.99	3	Horizontal	115	2.27	-	34.64	7.52	34.99			
PK	6.0394G	111.98	Inf	-Inf	104.47	3	Horizontal	115	2.27	-	34.96	7.57	35.02			
RMS	6.0546G	102.10	Inf	-Inf	94.52	3	Horizontal	115	2.27	-	35.01	7.59	35.02			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Y_4TX
Setting 79
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9042G	76.28	88.20	-11.92	69.13	3	Vertical	242	1.90	-	34.61	7.52	34.98				
RMS	5.925G	63.98	68.20	-4.22	56.80	3	Vertical	242	1.90	-	34.65	7.52	34.99				
PK	6.0482G	105.58	Inf	-Inf	98.03	3	Vertical	242	1.90	-	34.99	7.58	35.02				
RMS	6.0826G	96.72	Inf	-Inf	89.06	3	Vertical	242	1.90	-	35.07	7.62	35.03				

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Y_4TX
Setting 79
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9042G	79.22	88.20	-8.98	72.07	3	Horizontal	116	2.29	-	34.61	7.52	34.98			
RMS	5.9226G	67.59	68.20	-0.61	60.41	3	Horizontal	116	2.29	-	34.65	7.52	34.99			
PK	5.9642G	109.92	Inf	-Inf	102.66	3	Horizontal	116	2.29	-	34.73	7.53	35.00			
RMS	5.9642G	100.12	Inf	-Inf	92.86	3	Horizontal	116	2.29	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 78
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	75.97	88.20	-12.23	68.80	3	Vertical	239	2.12	-	34.64	7.52	34.99			
RMS	5.9242G	64.99	68.20	-3.21	57.81	3	Vertical	239	2.12	-	34.65	7.52	34.99			
PK	5.9474G	106.19	Inf	-Inf	98.97	3	Vertical	239	2.12	-	34.69	7.52	34.99			
RMS	6.0522G	96.83	Inf	-Inf	89.26	3	Vertical	239	2.12	-	35.00	7.59	35.02			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Y_4TX
Setting 78
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	80.77	88.20	-7.43	73.59	3	Horizontal	112	2.38	-	34.65	7.52	34.99			
RMS	5.9226G	67.52	68.20	-0.68	60.34	3	Horizontal	112	2.38	-	34.65	7.52	34.99			
PK	5.9978G	109.38	Inf	-Inf	102.06	3	Horizontal	112	2.38	-	34.80	7.53	35.01			
RMS	5.9642G	99.93	Inf	-Inf	92.67	3	Horizontal	112	2.38	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

6105MHz_TX




EUT_Y_1TX
Setting 91
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	68.93	88.20	-19.27	61.75	3	Vertical	214	1.52	-	34.65	7.52	34.99			
RMS	5.9234G	58.91	68.20	-9.29	51.73	3	Vertical	214	1.52	-	34.65	7.52	34.99			
PK	6.0066G	95.39	Inf	-Inf	88.03	3	Vertical	214	1.52	-	34.83	7.54	35.01			
RMS	5.965G	85.96	Inf	-Inf	78.70	3	Vertical	214	1.52	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

6105MHz_TX




EUT_Y_1TX
Setting 91
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	76.61	88.20	-11.59	69.44	3	Horizontal	122	2.22	-	34.64	7.52	34.99			
RMS	5.9202G	67.17	68.20	-1.03	60.00	3	Horizontal	122	2.22	-	34.64	7.52	34.99			
PK	6.149G	104.81	Inf	-Inf	97.16	3	Horizontal	122	2.22	-	35.00	7.69	35.04			
RMS	6.1354G	94.28	Inf	-Inf	86.61	3	Horizontal	122	2.22	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Y_1TX
Setting 90
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9074G	68.60	88.20	-19.60	61.45	3	Vertical	217	1.80	-	34.61	7.52	34.98			
RMS	5.9074G	58.57	68.20	-9.63	51.42	3	Vertical	217	1.80	-	34.61	7.52	34.98			
PK	5.9706G	94.97	Inf	-Inf	87.70	3	Vertical	217	1.80	-	34.74	7.53	35.00			
RMS	5.9482G	86.09	Inf	-Inf	78.86	3	Vertical	217	1.80	-	34.70	7.52	34.99			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Y_1TX
Setting 90
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	78.55	88.20	-9.65	71.38	3	Horizontal	98	1.80	-	34.64	7.52	34.99			
RMS	5.925G	67.95	68.20	-0.25	60.77	3	Horizontal	98	1.80	-	34.65	7.52	34.99			
PK	5.9626G	104.32	Inf	-Inf	97.06	3	Horizontal	98	1.80	-	34.73	7.53	35.00			
RMS	5.9642G	95.08	Inf	-Inf	87.82	3	Horizontal	98	1.80	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Y_1TX
Setting 90
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	69.10	88.20	-19.10	61.92	3	Vertical	213	1.80	-	34.65	7.52	34.99			
RMS	5.9226G	59.23	68.20	-8.97	52.05	3	Vertical	213	1.80	-	34.65	7.52	34.99			
PK	5.989G	97.31	Inf	-Inf	90.01	3	Vertical	213	1.80	-	34.78	7.53	35.01			
RMS	6.0746G	87.40	Inf	-Inf	79.77	3	Vertical	213	1.80	-	35.05	7.61	35.03			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Y_1TX
Setting 90
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	78.90	88.20	-9.30	71.73	3	Horizontal	122	2.52	-	34.64	7.52	34.99			
RMS	5.925G	68.17	68.20	-0.03	60.99	3	Horizontal	122	2.52	-	34.65	7.52	34.99			
PK	5.9922G	106.46	Inf	-Inf	99.16	3	Horizontal	122	2.52	-	34.78	7.53	35.01			
RMS	6.1402G	97.01	Inf	-Inf	89.35	3	Horizontal	122	2.52	-	35.02	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Y_2TX
Setting 85
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9074G	66.83	88.20	-21.37	59.68	3	Vertical	128	1.47	-	34.61	7.52	34.98			
RMS	5.9098G	55.69	68.20	-12.51	48.53	3	Vertical	128	1.47	-	34.62	7.52	34.98			
PK	6.1402G	96.59	Inf	-Inf	88.93	3	Vertical	128	1.47	-	35.02	7.68	35.04			
RMS	6.1354G	85.82	Inf	-Inf	78.15	3	Vertical	128	1.47	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Y_2TX
Setting 85
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8994G	79.84	88.20	-8.36	72.70	3	Horizontal	116	2.26	-	34.60	7.52	34.98			
RMS	5.925G	67.09	68.20	-1.11	59.91	3	Horizontal	116	2.26	-	34.65	7.52	34.99			
PK	5.9954G	106.49	Inf	-Inf	99.18	3	Horizontal	116	2.26	-	34.79	7.53	35.01			
RMS	6.1346G	96.89	Inf	-Inf	89.22	3	Horizontal	116	2.26	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 85
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	67.86	88.20	-20.34	60.69	3	Vertical	134	2.97	-	34.63	7.52	34.98			
RMS	5.9082G	57.67	68.20	-10.53	50.51	3	Vertical	134	2.97	-	34.62	7.52	34.98			
PK	6.1394G	100.68	Inf	-Inf	93.02	3	Vertical	134	2.97	-	35.02	7.68	35.04			
RMS	6.1386G	90.41	Inf	-Inf	82.75	3	Vertical	134	2.97	-	35.02	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Y_2TX
Setting 85
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9082G	78.88	88.20	-9.32	71.72	3	Horizontal	113	2.26	-	34.62	7.52	34.98			
RMS	5.925G	67.75	68.20	-0.45	60.57	3	Horizontal	113	2.26	-	34.65	7.52	34.99			
PK	6.1466G	107.62	Inf	-Inf	99.96	3	Horizontal	113	2.26	-	35.01	7.69	35.04			
RMS	6.1378G	97.72	Inf	-Inf	90.06	3	Horizontal	113	2.26	-	35.02	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 84
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.905G	68.42	88.20	-19.78	61.27	3	Vertical	119	1.51	-	34.61	7.52	34.98				
RMS	5.925G	58.46	68.20	-9.74	51.28	3	Vertical	119	1.51	-	34.65	7.52	34.99				
PK	6.001G	97.68	Inf	-Inf	90.36	3	Vertical	119	1.51	-	34.80	7.53	35.01				
RMS	5.9642G	88.26	Inf	-Inf	81.00	3	Vertical	119	1.51	-	34.73	7.53	35.00				

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX




EUT_Y_2TX
Setting 84
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	80.51	88.20	-7.69	73.33	3	Horizontal	116	2.47	-	34.65	7.52	34.99			
RMS	5.9202G	68.10	68.20	-0.10	60.93	3	Horizontal	116	2.47	-	34.64	7.52	34.99			
PK	6.1234G	108.01	Inf	-Inf	100.33	3	Horizontal	116	2.47	-	35.05	7.67	35.04			
RMS	6.1346G	98.59	Inf	-Inf	90.92	3	Horizontal	116	2.47	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 83
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	77.98	88.20	-10.22	70.80	3	Vertical	240	1.80	-	34.65	7.52	34.99			
RMS	5.925G	67.30	68.20	-0.90	60.12	3	Vertical	240	1.80	-	34.65	7.52	34.99			
PK	6.1354G	108.21	Inf	-Inf	100.54	3	Vertical	240	1.80	-	35.03	7.68	35.04			
RMS	6.1306G	96.81	Inf	-Inf	89.14	3	Vertical	240	1.80	-	35.04	7.67	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 83
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	78.52	88.20	-9.68	71.36	3	Horizontal	115	2.45	-	34.62	7.52	34.98			
RMS	5.9194G	68.14	68.20	-0.06	60.97	3	Horizontal	115	2.45	-	34.64	7.52	34.99			
PK	6.0738G	109.97	Inf	-Inf	102.34	3	Horizontal	115	2.45	-	35.05	7.61	35.03			
RMS	6.1346G	100.69	Inf	-Inf	93.02	3	Horizontal	115	2.45	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 79
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	80.35	88.20	-7.85	73.17	3	Vertical	237	1.78	-	34.65	7.52	34.99			
RMS	5.9202G	67.45	68.20	-0.75	60.28	3	Vertical	237	1.78	-	34.64	7.52	34.99			
PK	6.1402G	108.58	Inf	-Inf	100.92	3	Vertical	237	1.78	-	35.02	7.68	35.04			
RMS	6.1306G	98.30	Inf	-Inf	90.63	3	Vertical	237	1.78	-	35.04	7.67	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 79
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.67	88.20	-10.53	70.49	3	Horizontal	118	2.23	-	34.65	7.52	34.99			
RMS	5.9242G	66.81	68.20	-1.39	59.63	3	Horizontal	118	2.23	-	34.65	7.52	34.99			
PK	6.0546G	110.62	Inf	-Inf	103.04	3	Horizontal	118	2.23	-	35.01	7.59	35.02			
RMS	6.1346G	101.09	Inf	-Inf	93.42	3	Horizontal	118	2.23	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 83
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	83.54	88.20	-4.66	76.36	3	Vertical	238	1.80	-	34.65	7.52	34.99				
RMS	5.925G	67.88	68.20	-0.32	60.70	3	Vertical	238	1.80	-	34.65	7.52	34.99				
PK	6.0754G	107.16	Inf	-Inf	99.53	3	Vertical	238	1.80	-	35.05	7.61	35.03				
RMS	6.0954G	96.72	Inf	-Inf	89.03	3	Vertical	238	1.80	-	35.09	7.63	35.03				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 83
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	79.98	88.20	-8.22	72.80	3	Horizontal	117	2.51	-	34.65	7.52	34.99			
RMS	5.925G	67.75	68.20	-0.45	60.57	3	Horizontal	117	2.51	-	34.65	7.52	34.99			
PK	6.0746G	110.13	Inf	-Inf	102.50	3	Horizontal	117	2.51	-	35.05	7.61	35.03			
RMS	6.1346G	99.53	Inf	-Inf	91.86	3	Horizontal	117	2.51	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 84
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9058G	79.02	88.20	-9.18	71.87	3	Vertical	236	1.72	-	34.61	7.52	34.98			
RMS	5.925G	67.19	68.20	-1.01	60.01	3	Vertical	236	1.72	-	34.65	7.52	34.99			
PK	6.089G	105.83	Inf	-Inf	98.15	3	Vertical	236	1.72	-	35.08	7.63	35.03			
RMS	6.1474G	95.72	Inf	-Inf	88.06	3	Vertical	236	1.72	-	35.01	7.69	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 84
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8994G	80.71	88.20	-7.49	73.57	3	Horizontal	118	2.21	-	34.60	7.52	34.98			
RMS	5.9194G	67.56	68.20	-0.64	60.39	3	Horizontal	118	2.21	-	34.64	7.52	34.99			
PK	6.1362G	108.17	Inf	-Inf	100.50	3	Horizontal	118	2.21	-	35.03	7.68	35.04			
RMS	6.1346G	98.52	Inf	-Inf	90.85	3	Horizontal	118	2.21	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 83
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9034G	79.66	88.20	-8.54	72.51	3	Vertical	237	2.12	-	34.61	7.52	34.98			
RMS	5.925G	68.10	68.20	-0.10	60.92	3	Vertical	237	2.12	-	34.65	7.52	34.99			
PK	6.1002G	106.38	Inf	-Inf	98.67	3	Vertical	237	2.12	-	35.10	7.64	35.03			
RMS	6.1354G	96.56	Inf	-Inf	88.89	3	Vertical	237	2.12	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Y_4TX
Setting 83
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	79.82	88.20	-8.38	72.64	3	Horizontal	108	2.23	-	34.65	7.52	34.99			
RMS	5.9234G	67.90	68.20	-0.30	60.72	3	Horizontal	108	2.23	-	34.65	7.52	34.99			
PK	6.1354G	109.22	Inf	-Inf	101.55	3	Horizontal	108	2.23	-	35.03	7.68	35.04			
RMS	6.1346G	99.21	Inf	-Inf	91.54	3	Horizontal	108	2.23	-	35.03	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Y_4TX
Setting 85
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9058G	81.38	88.20	-6.82	74.23	3	Vertical	237	1.79	-	34.61	7.52	34.98			
RMS	5.9194G	67.32	68.20	-0.88	60.15	3	Vertical	237	1.79	-	34.64	7.52	34.99			
PK	6.081G	105.55	Inf	-Inf	97.90	3	Vertical	237	1.79	-	35.06	7.62	35.03			
RMS	6.129G	94.81	Inf	-Inf	87.14	3	Vertical	237	1.79	-	35.04	7.67	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX



EUT_Y_4TX
Setting 85
03-E-I-1-10


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	80.67	88.20	-7.53	73.50	3	Horizontal	108	2.24	-	34.64	7.52	34.99			
RMS	5.921G	67.85	68.20	-0.35	60.68	3	Horizontal	108	2.24	-	34.64	7.52	34.99			
PK	6.1378G	108.29	Inf	-Inf	100.63	3	Horizontal	108	2.24	-	35.02	7.68	35.04			
RMS	6.1338G	97.39	Inf	-Inf	89.72	3	Horizontal	108	2.24	-	35.03	7.68	35.04			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6595MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6605MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

22/12/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69359G	5.97	6.8282G	-18.95	-14.32	-4.63	1


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

22/12/2025

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84859G	5.71	6.983G	-21.41	-14.79	-6.62	1


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

22/12/2025

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6595MHz_TX

22/12/2025

CF (Hz)
6.595G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Port 1
Port 2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6895MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7095MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6605MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6925MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.087599G	-4.41	7.04875G	-34.74	-29.88	-4.86	1
7.076502G	-4.67	7.05595G	-32.66	-26.06	-6.60	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

23/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.636G	-2.15	6.7491G	-48.65	-42.06	-6.59	1
6.6124G	-2.39	6.6677G	-30.30	-22.48	-7.82	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

23/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88738G	2.17	7.1222G	-43.38	-37.83	-5.55	1
6.74842G	1.66	7.0716G	-41.53	-38.30	-3.23	2

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

23/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0006G	0.68	6.7376G	-41.35	-38.83	-2.52	1
6.96081G	0.72	6.7388G	-39.44	-38.43	-1.01	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

23/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.601198G	-10.08	6.61255G	-40.57	-33.75	-6.82	1
6.602448G	-9.80	6.60995G	-39.55	-31.30	-8.25	2
6.599924G	-9.93	6.609975G	-38.80	-31.74	-7.06	3
6.597349G	-10.06	6.612875G	-40.60	-34.76	-5.84	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

23/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697474G	-9.36	6.71235G	-40.16	-31.38	-8.78	1
6.693675G	-9.84	6.709975G	-39.29	-31.65	-7.64	2
6.687427G	-9.81	6.7144G	-42.13	-35.43	-6.70	3
6.699974G	-9.65	6.676575G	-41.00	-34.76	-6.24	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

23/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.868777G	-9.92	6.89245G	-40.87	-33.66	-7.21	1
6.87375G	-9.69	6.8609G	-38.06	-31.11	-6.95	2
6.8737G	-8.69	6.8894G	-37.52	-30.07	-7.45	3
6.877424G	-8.78	6.8925G	-40.95	-32.66	-8.29	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

23/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.890001G	-9.61	6.91255G	-40.55	-32.55	-8.00	1
6.892476G	-9.55	6.90995G	-38.05	-31.63	-6.42	2
6.887502G	-8.82	6.909925G	-37.91	-31.05	-6.86	3
6.898674G	-9.37	6.912525G	-40.74	-33.49	-7.25	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

23/12/2025

CF (Hz)
6.605G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.615997G	-6.72	6.6434G	-38.32	-31.83	-6.49	1
6.619896G	-6.78	6.64165G	-38.63	-32.41	-6.22	2
6.608649G	-6.44	6.6324G	-34.64	-26.86	-7.78	3
6.621396G	-6.75	6.64155G	-38.21	-32.16	-6.05	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

23/12/2025

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.696197G	-5.88	6.65215G	-36.36	-29.92	-6.44	1
6.682451G	-5.95	6.64775G	-38.00	-30.37	-7.63	2
6.682301G	-5.94	6.7107G	-33.70	-26.31	-7.39	3
6.681501G	-5.98	6.6485G	-37.48	-30.99	-6.49	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

23/12/2025



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

23/12/2025

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9618G	-2.97	6.9877G	-30.90	-22.99	-7.91	1
6.9528G	-3.18	6.8894G	-33.22	-25.44	-7.78	2
6.9285G	-3.33	7.1114G	-52.26	-43.33	-8.93	3
6.9323G	-3.00	6.7996G	-51.89	-43.00	-8.89	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

23/12/2025

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0323G	-2.61	6.9688G	-32.02	-24.88	-7.14	1
7.0119G	-2.52	6.9696G	-32.02	-23.51	-8.51	2
6.99421G	-2.86	6.9694G	-32.58	-23.89	-8.69	3
7.0118G	-2.14	6.8771G	-51.32	-42.14	-9.18	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6595MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6875MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6895MHz_TX

23/12/2025

CF (Hz)
6.895G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.898674G	-9.52	6.913925G	-41.73	-34.84	-6.89	1
6.893675G	-8.98	6.8802G	-38.66	-30.32	-8.34	2
6.88951G	-8.83	6.9133G	-40.92	-33.87	-7.05	3
6.898749G	-9.03	6.91G	-38.57	-30.28	-8.29	4


6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6995MHz_TX

23/12/2025

CF (Hz)
6.995G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.988752G	-7.48	7.00995G	-36.93	-29.62	-7.31	1
6.987477G	-7.81	7.00995G	-37.03	-29.38	-7.65	2
6.987477G	-7.15	6.97745G	-38.80	-31.39	-7.41	3
7.001298G	-8.03	6.9766G	-39.98	-32.90	-7.08	4

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

7095MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6605MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6885MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6925MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7005MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7085MHz_TX

23/12/2025

CF (Hz)
7.085G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.073853G	-5.14	7.0475G	-35.68	-31.03	-4.65	1
7.080201G	-5.14	7.04755G	-35.18	-31.01	-4.17	2
7.077452G	-5.61	7.05105G	-34.92	-28.95	-5.97	3
7.093848G	-5.40	7.05115G	-34.88	-29.76	-5.12	4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

23/12/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.638G	-2.01	6.7565G	-49.21	-42.01	-7.20	1
6.6385G	-2.13	6.753G	-50.11	-42.13	-7.98	2
6.6413G	-1.50	6.7636G	-49.56	-41.50	-8.06	3
6.614G	-2.34	6.817G	-51.75	-42.34	-9.41	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6865MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6945MHz_TX

23/12/2025




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

7025MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

23/12/2025




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6825MHz_TX

23/12/2025



6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6985MHz_TX

23/12/2025



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6595MHz_TX

29/11/2025

CF (Hz)
6.595G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.590001G	-9.11	6.6123G	-40.24	-33.66	-6.58	1
6.597524G	-8.78	6.6126G	-40.71	-31.78	-8.93	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

29/11/2025

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691226G	-9.20	6.711225G	-39.59	-31.88	-7.71	1
6.701223G	-9.88	6.710075G	-38.76	-32.37	-6.39	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87375G	-9.22	6.89585G	-42.81	-36.06	-6.75	1
6.867527G	-8.13	6.8947G	-41.05	-34.33	-6.72	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.901223G	-9.25	6.913975G	-41.62	-35.14	-6.48	1
6.890051G	-9.17	6.915875G	-43.04	-36.52	-6.52	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

29/11/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6605MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

29/11/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

29/11/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

29/11/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7973G	-2.84	6.8273G	-29.40	-22.87	-6.53	1
6.7744G	-2.68	6.7325G	-31.85	-24.37	-7.48	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8674G	-2.74	6.9073G	-29.53	-22.75	-6.78	1
6.8538G	-2.59	6.8093G	-32.31	-23.67	-8.64	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

29/11/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74078G	0.69	6.9498G	-46.84	-39.31	-7.53	1
6.68779G	0.05	6.9418G	-47.09	-39.95	-7.14	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89158G	1.46	7.1116G	-45.38	-38.54	-6.84	1
6.76901G	1.32	7.1182G	-46.18	-38.38	-7.80	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96121G	0.34	6.694G	-46.59	-39.66	-6.93	1
6.92681G	0.58	6.6866G	-45.04	-39.42	-5.62	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.598699G	-10.20	6.611825G	-40.56	-33.10	-7.46	1
6.601248G	-10.37	6.612775G	-41.59	-34.49	-7.10	2
6.5938G	-10.94	6.614275G	-43.10	-36.42	-6.68	3
6.599999G	-9.37	6.612525G	-40.68	-33.79	-6.89	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

29/11/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

29/11/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

29/11/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.097499G	-10.46	7.080925G	-40.74	-31.29	-9.45	1
7.101248G	-11.68	7.076775G	-43.56	-36.66	-6.90	2
7.090001G	-11.27	7.11165G	-42.13	-34.62	-7.51	3
7.101248G	-11.68	7.07975G	-41.25	-34.00	-7.25	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.616197G	-6.47	6.6321G	-33.63	-27.29	-6.34	1
6.617647G	-6.64	6.6311G	-34.27	-27.21	-7.06	2
6.613698G	-6.68	6.64005G	-37.48	-31.14	-6.34	3
6.607649G	-6.70	6.6322G	-34.81	-27.60	-7.21	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

29/11/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

29/11/2025

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.930249G	-6.34	6.96025G	-37.79	-28.66	-9.13	1
6.920201G	-6.28	6.9523G	-34.85	-26.34	-8.51	2
6.922451G	-6.50	6.88855G	-38.66	-31.49	-7.17	3
6.927549G	-6.56	6.8888G	-38.42	-32.20	-6.22	4


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

29/11/2025

CF (Hz)
7.005G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.010949G	-6.26	6.9704G	-36.98	-28.62	-8.36	1
7.019996G	-6.16	6.9737G	-35.91	-27.29	-8.62	2
6.999401G	-6.50	6.97105G	-37.13	-27.37	-9.76	3
7.002401G	-6.56	6.9724G	-36.54	-27.34	-9.20	4


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

29/11/2025

CF (Hz)
7.085G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.079951G	-6.96	7.05395G	-35.14	-28.88	-6.26	1
7.092598G	-7.19	7.05115G	-35.88	-28.55	-7.33	2
7.077552G	-7.35	7.0546G	-35.21	-27.82	-7.39	3
7.070154G	-6.62	7.05095G	-36.52	-27.78	-8.74	4


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

29/11/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6373G	-4.23	6.667G	-30.59	-24.29	-6.30	1
6.6361G	-3.93	6.6676G	-31.38	-23.93	-7.45	2
6.65499G	-3.49	6.6673G	-30.75	-23.50	-7.25	3
6.6318G	-4.24	6.6673G	-31.38	-24.25	-7.13	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

29/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

29/11/2025




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

29/11/2025



6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

29/11/2025

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0187G	-4.23	6.8651G	-53.25	-44.23	-9.02	1
7.0108G	-4.06	6.9704G	-33.60	-25.06	-8.54	2
7.0133G	-4.54	6.9803G	-31.39	-24.67	-6.72	3
7.0386G	-4.32	6.9831G	-30.38	-24.43	-5.95	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

29/11/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74058G	-0.53	6.935G	-48.46	-40.53	-7.93	1
6.69119G	-1.21	6.9078G	-48.86	-41.20	-7.66	2
6.74058G	-1.57	6.9076G	-48.53	-41.33	-7.20	3
6.68819G	-1.40	6.9166G	-48.48	-41.33	-7.15	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90158G	-0.79	7.0684G	-48.81	-40.19	-8.62	1
6.76202G	-1.10	7.0692G	-49.86	-41.10	-8.76	2
6.85019G	-1.76	7.072G	-51.39	-41.69	-9.70	3
6.76242G	-1.48	7.0682G	-49.88	-40.57	-9.31	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

29/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95841G	-1.63	7.2346G	-49.84	-41.63	-8.21	1
6.90862G	-1.08	6.7384G	-47.37	-40.66	-6.71	2
6.95321G	-1.64	6.7364G	-50.27	-41.61	-8.66	3
6.96101G	-1.70	7.2474G	-50.43	-41.70	-8.73	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6595MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6605MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6595MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6605MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.690699G	7.58	6.73635G	-22.93	-12.50	-10.43	1
6.679501G	7.39	6.73145G	-21.60	-12.63	-8.97	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

21/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849549G	6.77	6.80455G	-20.81	-13.30	-7.51	1
6.840151G	7.43	6.7992G	-21.55	-12.58	-8.97	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

21/01/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6382G	7.08	6.7176G	-19.16	-13.04	-6.12	1
6.6392G	8.10	6.7238G	-17.41	-11.90	-5.51	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

21/01/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7199G	7.54	6.8027G	-20.02	-12.46	-7.56	1
6.6968G	7.62	6.8061G	-22.17	-12.49	-9.68	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

21/01/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7718G	7.73	6.8815G	-19.58	-12.27	-7.31	1
6.7746G	7.45	6.6812G	-24.83	-12.56	-12.27	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

21/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72818G	5.56	6.834G	-20.67	-14.87	-5.80	1
6.68959G	4.92	6.8292G	-21.95	-15.75	-6.20	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

21/01/2026

CF (Hz)
6.595G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.597649G	6.74	6.619325G	-21.90	-13.44	-8.46	1
6.599899G	8.34	6.62365G	-18.89	-11.89	-7.00	2
6.599849G	8.20	6.625525G	-21.24	-12.38	-8.86	3
6.599799G	8.00	6.623625G	-21.33	-12.07	-9.26	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

21/01/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697449G	8.19	6.722125G	-24.39	-11.84	-12.55	1
6.697524G	7.78	6.719175G	-22.70	-12.02	-10.68	2
6.693725G	7.36	6.717675G	-21.30	-12.72	-8.58	3
6.697399G	8.64	6.6673G	-22.10	-11.45	-10.65	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

21/01/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.857649G	7.76	6.83115G	-21.04	-12.29	-8.75	1
6.848802G	8.12	6.8301G	-21.81	-11.90	-9.91	2
6.859899G	7.55	6.831575G	-22.30	-12.57	-9.73	3
6.857499G	8.08	6.8285G	-23.82	-12.13	-11.69	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

21/01/2026

CF (Hz)
6.605G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.607299G	6.05	6.6512G	-22.62	-13.96	-8.66	1
6.611748G	7.18	6.65595G	-22.07	-12.86	-9.21	2
6.607499G	7.32	6.6549G	-19.98	-12.76	-7.22	3
6.607349G	7.63	6.6582G	-21.04	-12.37	-8.67	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

21/01/2026



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

21/01/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6404G	6.45	6.7093G	-19.43	-13.62	-5.81	1
6.6395G	7.98	6.724G	-17.28	-11.82	-5.46	2
6.6393G	8.29	6.7306G	-18.01	-11.87	-6.14	3
6.641G	7.72	6.7217G	-16.55	-12.29	-4.26	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

21/01/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7198G	7.40	6.8049G	-21.36	-12.62	-8.74	1
6.6974G	7.75	6.8027G	-19.38	-12.44	-6.94	2
6.7198G	7.79	6.8096G	-21.49	-12.23	-9.26	3
6.691G	7.90	6.8068G	-21.61	-12.10	-9.51	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

22/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

22/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6595MHz_TX

22/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

22/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

22/01/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852601G	7.91	6.88045G	-22.56	-12.13	-10.43	1
6.859924G	8.01	6.82955G	-22.29	-12.03	-10.26	2
6.859999G	7.77	6.831675G	-21.71	-12.30	-9.41	3
6.848652G	7.91	6.830275G	-22.13	-11.89	-10.24	4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6605MHz_TX

22/01/2026

CF (Hz)
6.605G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.622646G	5.82	6.65145G	-23.14	-14.45	-8.69	1
6.611048G	7.08	6.65435G	-20.65	-12.94	-7.71	2
6.619496G	7.20	6.6583G	-23.30	-12.83	-10.47	3
6.601301G	7.23	6.6553G	-20.74	-12.78	-7.96	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

22/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

22/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

22/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6376G	6.57	6.722G	-21.33	-13.88	-7.45	1
6.6396G	7.84	6.7297G	-19.42	-12.17	-7.25	2
6.6381G	8.15	6.7324G	-18.60	-11.92	-6.68	3
6.6411G	7.58	6.7256G	-18.68	-12.48	-6.20	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

22/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7167G	7.32	6.8047G	-21.31	-12.69	-8.62	1
6.6929G	8.41	6.8166G	-21.78	-11.74	-10.04	2
6.6912G	8.33	6.817G	-20.64	-11.68	-8.96	3
6.6906G	7.93	6.8122G	-22.33	-12.10	-10.23	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

22/01/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.78G	7.64	6.8896G	-22.82	-12.43	-10.39	1
6.7736G	7.74	6.6851G	-21.51	-12.27	-9.24	2
6.8014G	7.28	6.692G	-19.60	-12.76	-6.84	3
6.7728G	7.64	6.6883G	-19.13	-12.47	-6.66	4

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

22/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69019G	5.40	6.828G	-19.93	-14.78	-5.15	1
6.63961G	4.92	6.8176G	-20.64	-15.45	-5.19	2
6.68799G	4.79	6.8382G	-24.13	-17.79	-6.34	3
6.69159G	4.91	6.8282G	-21.30	-16.06	-5.24	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6595MHz_TX

30/12/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

30/12/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

30/12/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6605MHz_TX

30/12/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

30/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691198G	9.04	6.73415G	-20.70	-10.99	-9.71	1
6.689799G	9.08	6.73635G	-19.57	-10.95	-8.62	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

30/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.854248G	9.67	6.79775G	-18.80	-10.39	-8.41	1
6.842401G	8.96	6.7983G	-18.87	-11.12	-7.75	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

30/12/2025

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6373G	8.24	6.7158G	-18.31	-12.08	-6.23	1
6.641G	9.45	6.7243G	-14.51	-10.57	-3.94	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

30/12/2025

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7178G	9.12	6.8022G	-17.57	-10.91	-6.66	1
6.7178G	9.03	6.8009G	-17.18	-11.01	-6.17	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

30/12/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

30/12/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

30/12/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

30/12/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

30/12/2025

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.857499G	10.36	6.827875G	-20.81	-9.71	-11.10	1
6.851251G	9.09	6.829675G	-20.38	-10.95	-9.43	2
6.857299G	9.89	6.828675G	-21.59	-10.26	-11.33	3
6.857299G	9.16	6.831525G	-19.27	-10.92	-8.35	4


6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

30/12/2025

CF (Hz)
6.605G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.617297G	7.42	6.6521G	-22.14	-13.33	-8.81	1
6.610649G	8.90	6.6631G	-20.18	-11.58	-8.60	2
6.608699G	9.46	6.6555G	-18.29	-10.55	-7.74	3
6.608399G	8.15	6.663G	-24.59	-12.55	-12.04	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

30/12/2025

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.676502G	8.72	6.7343G	-21.64	-11.36	-10.28	1
6.681501G	9.16	6.73675G	-19.27	-10.85	-8.42	2
6.679951G	9.70	6.7336G	-16.86	-10.31	-6.55	3
6.690099G	9.22	6.63785G	-17.93	-10.86	-7.07	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

30/12/2025

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.840151G	9.48	6.89715G	-22.01	-10.54	-11.47	1
6.839901G	9.00	6.7974G	-18.19	-11.02	-7.17	2
6.839851G	9.15	6.7989G	-19.09	-10.86	-8.23	3
6.841301G	8.72	6.79905G	-20.69	-11.28	-9.41	4