


6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

30/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6359G	7.87	6.7118G	-19.14	-12.28	-6.86	1
6.6394G	9.08	6.7307G	-16.66	-10.94	-5.72	2
6.6398G	9.63	6.7255G	-15.94	-10.47	-5.47	3
6.6327G	8.54	6.7165G	-16.50	-11.50	-5.00	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

30/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7161G	8.88	6.8017G	-18.99	-11.36	-7.63	1
6.6973G	9.22	6.8055G	-17.54	-10.78	-6.76	2
6.719G	9.67	6.8065G	-18.36	-10.43	-7.93	3
6.6932G	9.00	6.8074G	-21.60	-11.02	-10.58	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

30/12/2025




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

30/12/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

18/12/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

18/12/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408752G	-3.39	6.432725G	-35.09	-28.04	-7.05	1

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.442548G	-3.86	6.449875G	-33.05	-25.28	-7.77	1

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

18/12/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882523G	-5.05	6.859275G	-34.76	-27.79	-6.97	1

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.890001G	-1.02	6.914775G	-34.57	-27.40	-7.17	1

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

18/12/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

18/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

18/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

18/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

18/12/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

18/12/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

18/12/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6525MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

18/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

18/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

18/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

18/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

22/12/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16121G	3.86	6.5472G	-39.61	-36.14	-3.47	1


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

22/12/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36959G	6.39	6.5096G	-21.63	-15.08	-6.55	1

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6425MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6585MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6745MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6905MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.948727G	-8.41	5.94045G	-37.25	-30.45	-6.80	1
5.956275G	-8.62	5.968775G	-37.32	-29.15	-8.17	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.187527G	-6.64	6.17945G	-37.00	-30.08	-6.92	1
6.192526G	-6.91	6.21135G	-37.58	-30.68	-6.90	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

18/12/2025




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6435MHz_TX

18/12/2025




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6475MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.471226G	-5.77	6.49125G	-36.56	-28.41	-8.15	1
6.482473G	-6.61	6.489925G	-36.18	-28.07	-8.11	2

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6515MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.518749G	-6.37	6.533725G	-38.59	-31.25	-7.34	1
6.508702G	-6.63	6.49575G	-39.30	-31.51	-7.79	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.871276G	-5.79	6.891725G	-36.91	-29.80	-7.11	1
6.877449G	-6.48	6.89435G	-39.47	-32.83	-6.64	2

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6895MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.897499G	-7.10	6.9125G	-38.75	-30.76	-7.99	1
6.898774G	-6.96	6.91175G	-38.13	-30.67	-7.46	2

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

18/12/2025




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7095MHz_TX

18/12/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6445MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6485MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6525MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6885MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6925MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.002601G	-0.45	7.0388G	-31.25	-24.47	-6.78	1
7.012598G	-1.60	6.97515G	-31.90	-22.28	-9.62	2

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.076252G	4.06	7.04615G	-22.84	-16.45	-6.39	1
7.070054G	2.66	7.15185G	-37.91	-36.74	-1.17	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9716G	-1.98	5.9404G	-29.52	-22.05	-7.47	1
5.9994G	-2.18	5.9427G	-28.72	-22.23	-6.49	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2123G	-2.34	6.1825G	-30.34	-22.39	-7.95	1
6.2143G	-2.01	6.1832G	-29.28	-22.05	-7.23	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3927G	-0.15	6.4277G	-28.82	-20.26	-8.56	1
6.3955G	-0.21	6.4269G	-27.94	-20.25	-7.69	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6465MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4735G	0.04	6.5065G	-26.58	-19.99	-6.59	1
6.46G	-0.28	6.5068G	-27.30	-20.30	-7.00	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6545MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

22/12/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10902G	2.32	6.431G	-38.16	-37.68	-0.48	1
6.15161G	2.57	6.4238G	-36.92	-36.73	-0.19	2


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

22/12/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3616G	3.03	6.5882G	-37.47	-36.82	-0.65	1
6.40918G	3.33	6.5898G	-38.61	-36.66	-1.95	2

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz_TX

22/12/2025

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52839G	4.61	6.8992G	-41.39	-33.85	-7.54	1
6.52759G	4.26	6.9044G	-41.17	-35.74	-5.43	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

22/12/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64221G	1.70	6.9084G	-40.64	-38.28	-2.36	1
6.60122G	1.39	6.9454G	-40.36	-38.61	-1.75	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

22/12/2025

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76342G	3.15	7.1254G	-38.90	-36.63	-2.27	1
6.80181G	2.31	7.07G	-37.74	-37.52	-0.22	2

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

22/12/2025

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01319G	4.46	7.1452G	-23.85	-15.90	-7.95	1
7.01079G	4.20	6.5976G	-40.63	-34.73	-5.90	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

22/12/2025



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6425MHz_TX

22/12/2025

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39021G	4.74	6.7222G	-21.94	-15.88	-6.06	1
6.46019G	4.99	6.739G	-21.60	-15.61	-5.99	2

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz_TX

22/12/2025

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54821G	4.26	7.3466G	-41.42	-35.06	-6.36	1
6.61299G	4.38	6.9158G	-22.86	-15.97	-6.89	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6745MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6905MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.948752G	-10.75	5.97315G	-42.68	-35.85	-6.83	1
5.947452G	-11.10	5.9699G	-39.81	-33.34	-6.47	2
5.948727G	-10.77	5.94065G	-39.74	-31.54	-8.20	3
5.961248G	-10.68	5.974325G	-43.86	-36.62	-7.24	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.196275G	-11.32	6.17585G	-44.78	-36.93	-7.85	1
6.197474G	-12.48	6.178775G	-42.43	-35.21	-7.22	2
6.191826G	-12.06	6.177475G	-43.37	-36.55	-6.82	3
6.187502G	-11.85	6.180025G	-41.53	-33.16	-8.37	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.418749G	-9.31	6.434725G	-43.05	-35.49	-7.56	1
6.421298G	-9.96	6.430275G	-39.82	-32.97	-6.85	2
6.408702G	-8.65	6.4309G	-39.54	-31.77	-7.77	3
6.41365G	-8.89	6.43005G	-38.46	-31.00	-7.46	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

18/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.430026G	-7.97	6.453125G	-40.22	-32.97	-7.25	1
6.43375G	-8.84	6.450225G	-39.00	-31.06	-7.94	2
6.438749G	-8.57	6.45385G	-41.07	-34.43	-6.64	3
6.441198G	-8.41	6.454825G	-42.18	-34.75	-7.43	4


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

18/12/2025

CF (Hz)
6.475G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.478674G	-8.55	6.491025G	-39.19	-31.56	-7.63	1
6.47375G	-8.76	6.493075G	-41.22	-31.45	-9.77	2
6.467452G	-8.64	6.492125G	-39.76	-32.74	-7.02	3
6.47625G	-8.96	6.49245G	-40.17	-32.41	-7.76	4


6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

18/12/2025

CF (Hz)
6.515G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.511251G	-8.43	6.49535G	-42.15	-34.71	-7.44	1
6.508677G	-8.84	6.5339G	-41.35	-34.14	-7.21	2
6.518699G	-7.96	6.4943G	-42.38	-34.92	-7.46	3
6.517499G	-8.38	6.499975G	-38.24	-31.22	-7.02	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

18/12/2025



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

18/12/2025

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.870001G	-7.72	6.89085G	-38.33	-30.92	-7.41	1
6.882498G	-8.69	6.862775G	-36.21	-28.85	-7.36	2
6.878749G	-8.15	6.858G	-39.14	-31.74	-7.40	3
6.881248G	-7.92	6.855775G	-41.19	-34.29	-6.90	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

18/12/2025

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.896175G	-8.17	6.87935G	-38.21	-30.94	-7.27	1
6.889926G	-8.57	6.87425G	-43.08	-36.21	-6.87	2
6.893725G	-7.91	6.8788G	-38.71	-31.46	-7.25	3
6.893675G	-7.65	6.911925G	-39.34	-31.83	-7.51	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

18/12/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

18/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

22/12/2025



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

22/12/2025

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.881201G	-4.08	6.8559G	-34.64	-24.49	-10.15	1
6.887499G	-4.94	6.85015G	-36.59	-29.93	-6.66	2
6.890949G	-4.49	6.91105G	-33.12	-25.49	-7.63	3
6.888599G	-5.12	6.8585G	-33.28	-26.68	-6.60	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

22/12/2025

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.933698G	-3.45	6.89455G	-33.12	-25.17	-7.95	1
6.931248G	-3.96	6.9633G	-37.77	-30.55	-7.22	2
6.931198G	-3.94	6.9521G	-32.82	-25.28	-7.54	3
6.927699G	-3.90	6.88755G	-36.09	-29.30	-6.79	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

22/12/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.396G	-0.22	6.3285G	-32.02	-21.44	-10.58	1
6.3988G	-0.21	6.3434G	-26.88	-20.21	-6.67	2
6.3962G	-0.22	6.427G	-27.56	-20.24	-7.32	3
6.3973G	0.02	6.4274G	-27.35	-20.03	-7.32	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

22/12/2025

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4524G	-2.53	6.4093G	-33.02	-24.70	-8.32	1
6.4799G	-2.70	6.4088G	-33.72	-24.81	-8.91	2
6.457G	-2.23	6.4232G	-28.97	-22.27	-6.70	3
6.471G	-2.53	6.42G	-30.48	-22.74	-7.74	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

22/12/2025

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5366G	-2.48	6.4894G	-32.22	-23.51	-8.71	1
6.5343G	-2.60	6.5003G	-30.71	-22.80	-7.91	2
6.5327G	-2.35	6.4906G	-32.89	-23.28	-9.61	3
6.5364G	-2.18	6.4912G	-32.84	-23.00	-9.84	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

22/12/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6167G	-3.44	6.5688G	-33.79	-25.71	-8.08	1
6.6159G	-3.16	6.5806G	-31.22	-23.19	-8.03	2
6.6169G	-2.42	6.5709G	-33.09	-23.25	-9.84	3
6.6401G	-2.72	6.5693G	-33.14	-24.92	-8.22	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

22/12/2025



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

22/12/2025

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8587G	-1.85	6.8092G	-31.93	-22.95	-8.98	1
6.8508G	-2.22	6.808G	-32.62	-23.44	-9.18	2
6.8605G	-2.13	7.009G	-51.48	-41.59	-9.89	3
6.8772G	-2.04	6.8098G	-32.14	-24.22	-7.92	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

22/12/2025

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9376G	-0.08	6.889G	-30.99	-21.13	-9.86	1
6.9598G	-1.05	6.9G	-29.42	-21.28	-8.14	2
6.9336G	-1.30	6.8897G	-31.72	-22.38	-9.34	3
6.9592G	-1.11	6.8883G	-31.55	-22.45	-9.10	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16041G	-2.13	5.9384G	-49.56	-42.13	-7.43	1
6.20979G	-1.61	6.4294G	-48.79	-41.45	-7.34	2
6.15401G	-1.19	6.4282G	-46.87	-41.14	-5.73	3
6.16061G	-1.05	6.4294G	-48.76	-41.05	-7.71	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

22/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41998G	0.04	6.5896G	-47.29	-39.73	-7.56	1
6.42138G	0.10	6.0986G	-48.03	-39.90	-8.13	2
6.40918G	0.23	6.616G	-48.92	-39.77	-9.15	3
6.42038G	0.81	6.62G	-47.53	-39.19	-8.34	4


6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

22/12/2025

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52979G	-0.09	6.7748G	-47.18	-40.09	-7.09	1
6.55939G	-0.34	6.7698G	-47.38	-40.34	-7.04	2
6.52899G	0.01	6.7722G	-46.52	-39.99	-6.53	3
6.53319G	0.17	6.7808G	-46.14	-39.65	-6.49	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

22/12/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60202G	0.31	6.949G	-45.52	-39.55	-5.97	1
6.63481G	0.36	6.9488G	-44.41	-39.64	-4.77	2
6.63761G	0.91	6.9408G	-44.40	-39.09	-5.31	3
6.64061G	0.64	6.9498G	-44.23	-39.36	-4.87	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63783G	2.66	5.9606G	-45.77	-37.34	-8.43	1
6.64103G	3.01	7.0546G	-28.15	-17.66	-10.49	2
6.64862G	3.25	5.9634G	-45.12	-36.75	-8.37	3
6.60903G	3.46	5.9482G	-45.73	-35.37	-10.36	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

22/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.94059G	-1.96	6.415G	-47.15	-41.96	-5.19	1
6.94019G	-2.24	6.4114G	-47.53	-42.24	-5.29	2
6.79983G	-2.09	6.4166G	-47.27	-41.99	-5.28	3
6.87021G	-1.52	6.4178G	-46.71	-41.33	-5.38	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

18/12/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95375G	-9.49	5.939825G	-38.60	-31.50	-7.10	1
5.959949G	-9.41	5.97015G	-38.70	-31.54	-7.16	2
5.950001G	-9.38	5.938725G	-39.74	-32.15	-7.59	3
5.962448G	-9.04	5.970925G	-39.75	-32.50	-7.25	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

18/12/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1962G	-8.93	6.17805G	-39.39	-33.13	-6.26	1
6.19375G	-9.10	6.180675G	-38.33	-31.18	-7.15	2
6.1937G	-8.14	6.1766G	-40.70	-32.98	-7.72	3
6.199974G	-8.48	6.1775G	-40.40	-33.13	-7.27	4

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412426G	-7.23	6.39705G	-39.47	-31.96	-7.51	1
6.418724G	-6.95	6.39785G	-38.89	-29.66	-9.23	2
6.4137G	-6.99	6.396625G	-39.23	-30.53	-8.70	3
6.408727G	-6.63	6.39785G	-38.62	-30.99	-7.63	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6435MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.428802G	-8.20	6.421375G	-37.30	-29.45	-7.85	1
6.441223G	-9.01	6.454275G	-42.11	-35.18	-6.93	2
6.441273G	-8.01	6.454225G	-40.96	-33.94	-7.02	3
6.441248G	-8.10	6.41435G	-42.78	-35.36	-7.42	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6475MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.481273G	-8.26	6.49385G	-41.49	-33.48	-8.01	1
6.467502G	-9.20	6.4574G	-40.92	-34.25	-6.67	2
6.476225G	-8.17	6.491225G	-39.62	-31.43	-8.19	3
6.482448G	-8.44	6.4944G	-41.57	-34.39	-7.18	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6515MHz_TX

18/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.518699G	-8.49	6.4977G	-40.00	-31.36	-8.64	1
6.508652G	-8.43	6.498125G	-39.91	-32.64	-7.27	2
6.509976G	-8.15	6.497475G	-40.23	-32.11	-8.12	3
6.521223G	-7.76	6.497425G	-39.70	-32.32	-7.38	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

18/12/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6875MHz_TX

18/12/2025




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6895MHz_TX

18/12/2025




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6995MHz_TX

18/12/2025




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

7095MHz_TX

18/12/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6445MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6485MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6525MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6885MHz_TX

22/12/2025

CF (Hz)
6.885G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.887549G	-1.94	6.85855G	-30.88	-22.25	-8.63	1
6.878752G	-2.81	6.8467G	-35.97	-28.78	-7.19	2
6.875802G	-2.29	6.84875G	-34.84	-26.30	-8.54	3
6.879251G	-2.23	6.8491G	-34.59	-25.81	-8.78	4


6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6925MHz_TX

22/12/2025

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.930249G	-1.68	6.96035G	-33.34	-25.18	-8.16	1
6.917652G	-2.60	6.96045G	-34.21	-25.59	-8.62	2
6.936347G	-2.11	6.89415G	-32.38	-23.06	-9.32	3
6.919951G	-2.25	6.8955G	-31.02	-22.87	-8.15	4

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7005MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7085MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

22/12/2025



5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

22/12/2025

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4002G	-2.43	6.4298G	-30.90	-22.64	-8.26	1
6.3973G	-2.36	6.3421G	-30.00	-22.40	-7.60	2
6.3989G	-2.43	6.3421G	-30.01	-22.45	-7.56	3
6.399G	-2.20	6.328G	-34.12	-24.70	-9.42	4

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6465MHz_TX

22/12/2025

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4586G	-2.65	6.4094G	-33.93	-24.86	-9.07	1
6.4513G	-2.70	6.4082G	-33.50	-25.33	-8.17	2
6.4801G	-2.26	6.422G	-30.05	-22.32	-7.73	3
6.4754G	-2.25	6.4206G	-31.19	-22.32	-8.87	4

6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6545MHz_TX

22/12/2025

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5333G	-2.23	6.5023G	-29.67	-22.23	-7.44	1
6.5538G	-2.75	6.5024G	-29.61	-22.75	-6.86	2
6.5514G	-2.12	6.5017G	-30.48	-22.17	-8.31	3
6.556G	-2.27	6.5008G	-31.03	-22.46	-8.57	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

22/12/2025

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6167G	-2.29	6.5677G	-33.44	-24.79	-8.65	1
6.6131G	-1.51	6.5817G	-30.11	-21.54	-8.57	2
6.6107G	-1.18	6.5686G	-31.93	-23.54	-8.39	3
6.6163G	-1.49	6.5814G	-30.24	-21.54	-8.70	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6865MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6945MHz_TX

22/12/2025




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

7025MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6505MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53259G	0.49	6.7868G	-44.91	-39.51	-5.40	1
6.53019G	0.17	6.8138G	-45.50	-39.83	-5.67	2
6.53339G	0.43	6.805G	-45.72	-39.57	-6.15	3
6.52879G	0.86	6.8012G	-44.29	-39.14	-5.15	4

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

22/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64141G	1.18	6.9676G	-43.74	-38.82	-4.92	1
6.63881G	0.96	6.933G	-39.96	-38.87	-1.09	2
6.60422G	1.33	6.947G	-41.82	-38.67	-3.15	3
6.64181G	1.52	6.9606G	-41.74	-38.48	-3.26	4


6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6825MHz_TX

22/12/2025

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76222G	2.38	7.1012G	-38.30	-37.24	-1.06	1
6.85099G	1.52	7.1246G	-43.54	-38.32	-5.22	2
6.79201G	1.69	7.1128G	-42.01	-38.31	-3.70	3
6.76282G	2.36	7.1242G	-39.82	-37.20	-2.62	4


6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6985MHz_TX

22/12/2025

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00899G	1.12	6.6732G	-42.77	-38.88	-3.89	1
7.01159G	0.82	6.7122G	-40.86	-39.18	-1.68	2
6.92282G	1.18	6.6938G	-41.21	-38.76	-2.45	3
6.95241G	1.30	6.6684G	-40.96	-38.60	-2.36	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6105MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07261G	4.57	6.9042G	-41.04	-33.70	-7.34	1
6.13939G	4.45	6.8626G	-40.62	-35.55	-5.07	2
6.06061G	4.79	6.4086G	-21.25	-15.88	-5.37	3
6.14099G	5.26	6.4058G	-21.19	-14.84	-6.35	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6265MHz_TX

22/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.22861G	3.88	6.9386G	-41.52	-35.79	-5.73	1
6.37017G	3.63	6.9902G	-42.79	-36.20	-6.59	2
6.15423G	3.82	6.5706G	-25.88	-16.39	-9.49	3
6.17022G	3.88	6.5754G	-26.53	-17.12	-9.41	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6425MHz_TX

22/12/2025




6.425-6.525GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6585MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6745MHz_TX

22/12/2025




6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6905MHz_TX

22/12/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

27/11/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961223G	-6.87	5.9723G	-37.45	-30.06	-7.39	1
5.958699G	-6.24	5.972525G	-37.40	-29.37	-8.03	2


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

27/11/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190001G	-9.15	6.230775G	-56.42	-49.15	-7.27	1
6.189951G	-10.21	6.161675G	-56.11	-50.21	-5.90	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417549G	-6.81	6.4334G	-38.71	-31.41	-7.30	1
6.421248G	-7.08	6.3994G	-37.47	-29.13	-8.34	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.431301G	-6.72	6.45195G	-38.08	-30.84	-7.24	1
6.439974G	-6.89	6.41655G	-39.13	-31.98	-7.15	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4763G	-6.54	6.48975G	-35.73	-27.75	-7.98	1
6.471326G	-6.96	6.492225G	-37.47	-31.28	-6.19	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.516325G	-9.37	6.476525G	-56.56	-49.37	-7.19	1
6.510051G	-9.51	6.479975G	-56.63	-49.51	-7.12	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538824G	-6.60	6.549625G	-35.48	-28.00	-7.48	1
6.541273G	-6.12	6.52005G	-35.61	-28.62	-6.99	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697449G	-7.42	6.6796G	-36.73	-29.15	-7.58	1
6.689951G	-7.81	6.67935G	-37.89	-29.53	-8.36	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.868927G	-10.78	6.91105G	-56.32	-50.78	-5.54	1
6.879924G	-11.74	6.9074G	-56.28	-51.72	-4.56	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.897449G	-7.21	6.94465G	-56.14	-47.21	-8.93	1
6.89375G	-7.52	6.911825G	-38.58	-31.45	-7.13	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

27/11/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

27/11/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

27/11/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

27/11/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

27/11/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

27/11/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.487449G	-1.97	6.50975G	-30.58	-22.23	-8.35	1
6.482451G	-2.61	6.5201G	-34.73	-27.99	-6.74	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.513953G	-1.96	6.49105G	-33.51	-26.98	-6.53	1
6.537497G	-2.09	6.5528G	-31.92	-22.64	-9.28	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

27/11/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

27/11/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

27/11/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

27/11/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.996302G	-2.47	6.9776G	-31.76	-23.05	-8.71	1
7.022496G	-2.81	6.97075G	-34.70	-27.67	-7.03	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.081251G	-4.28	7.00055G	-51.73	-44.28	-7.45	1
7.091348G	-5.27	6.9985G	-52.13	-45.27	-6.86	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9725G	-0.32	5.9402G	-26.91	-20.51	-6.40	1
5.9708G	-0.14	5.9382G	-29.31	-20.65	-8.66	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2163G	-0.23	6.0794G	-48.72	-40.23	-8.49	1
6.2213G	-0.19	6.1707G	-29.93	-22.15	-7.78	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3689G	-0.37	6.509G	-47.25	-40.37	-6.88	1
6.3963G	-0.16	6.4272G	-27.61	-20.19	-7.42	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4763G	-1.58	6.5073G	-28.74	-21.59	-7.15	1
6.4774G	-2.25	6.317G	-49.82	-42.25	-7.57	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

27/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

27/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

27/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

27/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

27/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8518G	-0.25	7.0001G	-47.31	-40.25	-7.06	1
6.8766G	-0.29	6.9966G	-47.32	-40.29	-7.03	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

27/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9574G	2.66	7.0713G	-43.98	-37.34	-6.64	1
6.97389G	2.45	7.0674G	-44.36	-37.54	-6.82	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

27/11/2025

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.014G	0.54	6.8649G	-47.40	-39.46	-7.94	1
7.0137G	0.36	7.1804G	-48.61	-39.64	-8.97	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

27/11/2025

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94922G	-0.67	6.279G	-46.77	-40.67	-6.10	1
6.08838G	-0.64	6.2692G	-46.57	-40.64	-5.93	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

27/11/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

27/11/2025



6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

27/11/2025

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52799G	1.60	6.8104G	-41.86	-38.40	-3.46	1
6.47821G	0.87	6.8134G	-41.85	-39.13	-2.72	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

28/11/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60062G	4.21	7.0626G	-41.68	-35.40	-6.28	1
6.63841G	4.10	7.061G	-42.99	-35.66	-7.33	2


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

28/11/2025

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74922G	2.45	7.1666G	-43.48	-37.55	-5.93	1
6.8086G	2.17	7.1288G	-42.62	-37.83	-4.79	2


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

28/11/2025

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01079G	4.92	7.1606G	-24.05	-16.79	-7.26	1
6.96161G	4.69	7.1582G	-24.58	-16.06	-8.52	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07301G	3.76	6.9038G	-42.56	-34.99	-7.57	1
6.14179G	4.25	6.8082G	-41.48	-35.75	-5.73	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15583G	5.24	6.5966G	-23.32	-14.98	-8.34	1
6.23341G	5.11	6.5674G	-22.51	-15.49	-7.02	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.46099G	4.91	6.7534G	-23.19	-15.32	-7.87	1
6.46979G	4.89	6.7498G	-22.68	-15.16	-7.52	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

28/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55101G	4.16	6.9054G	-23.57	-16.00	-7.57	1
6.55101G	3.99	6.9174G	-23.25	-16.02	-7.23	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

28/11/2025

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63903G	4.03	6.423G	-26.16	-16.01	-10.15	1
6.64343G	3.62	6.401G	-26.26	-16.45	-9.81	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

28/11/2025

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76384G	3.04	6.1642G	-44.12	-36.40	-7.72	1
6.80223G	2.97	6.1618G	-45.04	-37.03	-8.01	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

28/11/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

28/11/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417474G	-8.15	6.429875G	-38.19	-29.36	-8.83	1
6.410001G	-9.27	6.4303G	-39.03	-30.64	-8.39	2
6.420049G	-8.54	6.43455G	-41.14	-34.28	-6.86	3
6.407552G	-8.31	6.432225G	-40.11	-32.46	-7.65	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

28/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.429976G	-6.56	6.415075G	-41.05	-33.31	-7.74	1
6.430001G	-6.87	6.45235G	-38.62	-31.36	-7.26	2
6.441223G	-6.27	6.449725G	-36.44	-28.12	-8.32	3
6.437499G	-6.78	6.4181G	-38.20	-31.28	-6.92	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

28/11/2025

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.477424G	-6.67	6.4938G	-38.89	-30.78	-8.11	1
6.4737G	-6.06	6.48945G	-35.97	-27.01	-8.96	2
6.476275G	-5.91	6.489425G	-35.23	-27.74	-7.49	3
6.479974G	-6.09	6.49135G	-36.91	-29.48	-7.43	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

28/11/2025

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.519999G	-8.96	6.495575G	-42.25	-34.98	-7.27	1
6.5137G	-9.33	6.5298G	-38.77	-30.74	-8.03	2
6.521273G	-9.16	6.534G	-42.20	-34.87	-7.33	3
6.519974G	-9.41	6.529675G	-38.80	-31.69	-7.11	4

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

28/11/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

28/11/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.876325G	-8.58	6.8558G	-41.49	-34.77	-6.72	1
6.878724G	-9.41	6.89075G	-39.14	-31.75	-7.39	2
6.871201G	-7.86	6.8542G	-42.19	-34.94	-7.25	3
6.869976G	-8.03	6.8921G	-39.28	-32.21	-7.07	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.888952G	-7.30	6.91385G	-39.56	-32.32	-7.24	1
6.89625G	-7.52	6.9126G	-39.49	-32.10	-7.39	2
6.901248G	-6.60	6.87955G	-36.91	-29.45	-7.46	3
6.888677G	-6.83	6.909425G	-35.59	-28.61	-6.98	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

28/11/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

28/11/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

28/11/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

28/11/2025




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.418597G	-4.37	6.43945G	-36.38	-29.64	-6.74	1
6.420096G	-5.01	6.37005G	-37.02	-30.29	-6.73	2
6.414048G	-4.93	6.36885G	-37.24	-30.22	-7.02	3
6.407549G	-4.27	6.43105G	-32.53	-24.91	-7.62	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.447399G	-4.26	6.4733G	-34.45	-26.36	-8.09	1
6.451198G	-5.57	6.47105G	-34.29	-26.19	-8.10	2
6.452598G	-4.68	6.4706G	-34.12	-24.94	-9.18	3
6.439751G	-4.98	6.41115G	-35.58	-28.34	-7.24	4

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

28/11/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

28/11/2025



6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

28/11/2025

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.561301G	-5.52	6.52745G	-38.31	-30.26	-8.05	1
6.567849G	-6.34	6.53095G	-38.22	-31.70	-6.52	2
6.551153G	-6.05	6.6267G	-51.48	-45.02	-6.46	3
6.561301G	-5.50	6.5913G	-33.96	-27.32	-6.64	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

28/11/2025

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.670154G	-5.22	6.6487G	-37.49	-31.48	-6.01	1
6.680051G	-5.05	6.6462G	-38.08	-32.14	-5.94	2
6.681101G	-4.50	6.6512G	-35.93	-27.84	-8.09	3
6.687499G	-4.73	6.64745G	-37.22	-29.60	-7.62	4

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

28/11/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

28/11/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

28/11/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

28/11/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9765G	-0.30	5.941G	-27.16	-20.58	-6.58	1
5.9711G	-0.26	5.9403G	-26.84	-20.33	-6.51	2
5.9757G	0.18	5.9404G	-27.27	-19.98	-7.29	3
5.9949G	0.59	6.0294G	-27.94	-19.42	-8.52	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2089G	-1.95	6.1691G	-32.15	-23.05	-9.10	1
6.2167G	-1.99	6.1695G	-31.61	-23.02	-8.59	2
6.2167G	-1.72	6.1799G	-29.84	-21.86	-7.98	3
6.2309G	-0.93	6.1818G	-28.25	-21.10	-7.15	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3725G	-2.12	6.3292G	-32.28	-24.39	-7.89	1
6.3968G	-1.97	6.3294G	-32.55	-24.05	-8.50	2
6.3768G	-1.70	6.4279G	-29.63	-21.83	-7.80	3
6.3998G	-1.48	6.4271G	-28.76	-21.52	-7.24	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4762G	-1.80	6.508G	-29.87	-21.84	-8.03	1
6.4813G	-2.48	6.4203G	-31.13	-22.57	-8.56	2
6.457G	-1.83	6.4228G	-29.41	-21.84	-7.57	3
6.4771G	-1.74	6.4091G	-32.31	-22.53	-9.78	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5543G	-1.26	6.502G	-29.58	-21.32	-8.26	1
6.5338G	-1.77	6.5869G	-28.75	-21.81	-6.94	2
6.552G	-1.45	6.5006G	-30.56	-21.55	-9.01	3
6.5571G	-1.18	6.4976G	-30.67	-21.85	-8.82	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6182G	-2.35	6.5688G	-33.10	-24.67	-8.43	1
6.6364G	-2.90	6.5829G	-30.01	-22.91	-7.10	2
6.6139G	-1.71	6.5688G	-33.23	-22.92	-10.31	3
6.6174G	-1.76	6.5681G	-32.50	-23.03	-9.47	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

28/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

28/11/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8575G	-1.51	6.8232G	-27.97	-21.55	-6.42	1
6.8798G	-1.26	6.8235G	-27.90	-21.26	-6.64	2
6.8517G	-0.50	6.8089G	-31.72	-21.69	-10.03	3
6.8588G	-0.76	6.8228G	-27.60	-20.79	-6.81	4

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9333G	-1.46	6.9004G	-30.75	-21.49	-9.26	1
6.9322G	-2.13	6.9032G	-29.01	-21.93	-7.08	2
6.9338G	-1.60	6.8884G	-33.64	-24.02	-9.62	3
6.9568G	-1.88	6.8888G	-33.11	-22.99	-10.12	4

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

28/11/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

28/11/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

28/11/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

28/11/2025



6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

28/11/2025

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52879G	1.25	6.7946G	-42.96	-38.75	-4.21	1
6.56698G	1.16	6.7994G	-42.15	-38.84	-3.31	2
6.47741G	1.48	6.7904G	-41.71	-38.52	-3.19	3
6.52799G	1.45	6.8036G	-41.64	-38.55	-3.09	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

28/11/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60182G	1.96	6.9842G	-40.55	-37.50	-3.05	1
6.63981G	1.71	6.984G	-40.84	-37.80	-3.04	2
6.60821G	2.53	6.9908G	-40.22	-36.45	-3.77	3
6.60182G	2.11	6.9566G	-40.77	-37.89	-2.88	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

28/11/2025




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

28/11/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13939G	0.92	6.607G	-39.43	-38.37	-1.06	1
6.13939G	1.29	6.5926G	-40.19	-38.55	-1.64	2
6.06021G	1.81	6.905G	-44.45	-37.67	-6.78	3
6.13299G	1.21	6.6066G	-39.75	-38.32	-1.43	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

28/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15943G	5.05	6.5954G	-25.59	-15.59	-10.00	1
6.31099G	4.42	6.6074G	-26.02	-17.02	-9.00	2
6.16902G	5.21	6.6206G	-24.18	-15.82	-8.36	3
6.16942G	4.76	6.6062G	-25.42	-16.30	-9.12	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

28/11/2025

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45859G	4.15	6.7766G	-26.54	-17.62	-8.92	1
6.47499G	3.86	6.7666G	-26.80	-16.84	-9.96	2
6.45499G	4.67	6.7294G	-22.25	-15.45	-6.80	3
6.52178G	4.52	6.7518G	-24.62	-16.70	-7.92	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

28/11/2025

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55261G	4.19	6.9034G	-23.90	-16.37	-7.53	1
6.55021G	3.80	6.917G	-23.65	-16.74	-6.91	2
6.61899G	4.73	6.9342G	-23.54	-15.84	-7.70	3
6.54861G	4.41	6.899G	-23.72	-16.11	-7.61	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

28/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60783G	0.25	7.2546G	-43.01	-39.48	-3.53	1
6.65062G	-0.09	6.233G	-43.57	-39.99	-3.58	2
6.64103G	0.70	6.1774G	-43.41	-39.30	-4.11	3
6.60743G	0.29	7.2594G	-43.03	-39.50	-3.53	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

28/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76863G	-0.45	6.4238G	-43.18	-39.73	-3.45	1
6.86901G	-0.65	6.4138G	-44.76	-40.65	-4.11	2
6.95059G	0.05	6.4178G	-43.84	-39.95	-3.89	3
6.81182G	-0.14	6.4226G	-43.56	-39.70	-3.86	4