



07/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




07/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




07/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




07/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




07/12/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




08/12/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




08/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




09/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




09/12/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




09/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6595MHz;TX




09/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6695MHz;TX



09/12/2025


EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6875MHz;TX



10/12/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6895MHz;TX

CF Freq
6.895GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.81				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.57	11.65	8.99	30.77	58.81

10/12/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6995MHz;TX

CF Freq
6.995GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz



Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.93				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.23	11.80	8.91	30.88	58.93

10/12/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:7095MHz;TX

CF Freq
7.095GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.84		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.54	11.72	8.94	30.89	59.05

10/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6605MHz;TX

CF Freq
6.605GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.79		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.02	11.85	8.66	30.45	58.45


10/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX



10/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6885MHz;TX



10/12/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6925MHz;TX

CF Freq
6.925GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.89		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.38	11.74	8.97	30.80	58.84

10/12/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7005MHz;TX

CF Freq
7.005GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.94		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.21	11.80	8.90	30.89	58.94

10/12/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7085MHz;TX

CF Freq
7.085GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.86				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.49	11.74	8.94	30.89	59.04

10/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX

CF Freq
6.625GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.00	11.75	8.72	30.49	58.48


10/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX




10/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX




10/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6865MHz;TX




10/12/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6945MHz;TX




10/12/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:7025MHz;TX




10/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX




10/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6825MHz;TX



10/12/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6985MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.92
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.84
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.90
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.90
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.97
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.82
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.95
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.88
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.93
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.87
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.91
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.97
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.26
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
6595MHz	Pass	4.92	5.00
6695MHz	Pass	4.88	5.00
6875MHz	Pass	4.80	5.00
6895MHz	Pass	4.80	5.00
6995MHz	Pass	4.89	5.00
7095MHz	Pass	4.95	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
6605MHz	Pass	4.98	5.00
6685MHz	Pass	4.87	5.00
6885MHz	Pass	4.73	5.00
6925MHz	Pass	4.84	5.00
7005MHz	Pass	4.93	5.00
7085MHz	Pass	4.89	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
6625MHz	Pass	4.97	5.00
6705MHz	Pass	4.85	5.00
6785MHz	Pass	4.75	5.00
6865MHz	Pass	4.82	5.00
6945MHz	Pass	4.87	5.00
7025MHz	Pass	4.91	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6665MHz	Pass	4.89	5.00
6825MHz	Pass	4.97	5.00
6985MHz	Pass	4.26	5.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
6595MHz	Pass	4.84	5.00
6695MHz	Pass	4.71	5.00
6875MHz	Pass	4.80	5.00
6895MHz	Pass	4.84	5.00
6995MHz	Pass	4.80	5.00
7095MHz	Pass	4.88	5.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
6605MHz	Pass	4.82	5.00
6685MHz	Pass	4.78	5.00
6885MHz	Pass	4.90	5.00
6925MHz	Pass	4.77	5.00
7005MHz	Pass	4.70	5.00
7085MHz	Pass	4.87	5.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
6625MHz	Pass	4.75	5.00
6705MHz	Pass	4.90	5.00
6785MHz	Pass	4.84	5.00
6865MHz	Pass	4.76	5.00
6945MHz	Pass	4.88	5.00



Radiated PSD_Mode 2

Appendix D.2

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
7025MHz	Pass	4.97	5.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6665MHz	Pass	4.82	5.00
6825MHz	Pass	4.71	5.00
6985MHz	Pass	4.92	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

19/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6595MHz;TX

CF Freq
6.595GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
30.77s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.92				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.65	12.30	7.86	33.42	58.43

19/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX

CF Freq
6.695GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
30.77s

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.88				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.82	12.40	7.97	33.42	58.55


19/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




19/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX




20/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX



20/11/2025


EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX



20/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6605MHz;TX

CF Freq
6.605GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
47.112s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.98				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.60	12.33	7.88	33.42	58.45

20/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
47.112s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.87				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.83	12.40	7.97	33.42	58.55


20/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




20/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




20/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX




20/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX




20/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




04/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




20/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




20/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX




20/11/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX




04/12/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX




04/12/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




20/11/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX




20/11/2025

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX



19/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6595MHz;TX



19/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq
6.695GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.71				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.99	12.40	7.97	33.42	58.55

19/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX

CF Freq
6.875GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8


Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.8				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.67	12.15	8.23	33.41	58.80

19/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX

CF Freq
6.895GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
30.77s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.84				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.68	12.11	8.24	33.41	58.80

19/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX

CF Freq
6.995GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.8				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.38	11.79	8.42	33.40	58.95


19/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX



19/11/2025


EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6605MHz;TX



19/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.78	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.92	12.40	7.97	33.42	58.55

19/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX

CF Freq
6.885GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz



Page 8
Horizontal

EIRP PSD (dBm)	4.9	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.69	12.06	8.25	33.41	58.81

19/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX

CF Freq
6.925GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.77		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.97	11.97	8.28	33.41	58.84

19/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX

CF Freq
7.005GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.7		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.48	11.79	8.42	33.40	58.95

19/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX

CF Freq
7.085GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)	4.87	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.00	11.20	8.44	33.44	59.07

19/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX

CF Freq
6.625GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)	4.75	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.84	12.36	7.90	33.42	58.47


19/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




19/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




19/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




19/11/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




19/11/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




19/11/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




19/11/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX



19/11/2025

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	12.67
802.11be EHT20_Nss2,(MCS0)_2TX	16.82
802.11be EHT20_Nss1,(MCS0)_4TX	19.07
802.11be EHT20_Nss4,(MCS0)_4TX	16.79
802.11be EHT40_Nss1,(MCS0)_1TX	9.46
802.11be EHT40_Nss2,(MCS0)_2TX	13.87
802.11be EHT40_Nss1,(MCS0)_4TX	15.27
802.11be EHT40_Nss4,(MCS0)_4TX	13.56
802.11be EHT80_Nss1,(MCS0)_1TX	6.95
802.11be EHT80_Nss2,(MCS0)_2TX	11.19
802.11be EHT80_Nss1,(MCS0)_4TX	11.75
802.11be EHT80_Nss4,(MCS0)_4TX	11.07
802.11be EHT160_Nss1,(MCS0)_1TX	4.60
802.11be EHT160_Nss2,(MCS0)_2TX	7.87
802.11be EHT160_Nss1,(MCS0)_4TX	6.76
802.11be EHT160_Nss4,(MCS0)_4TX	7.88

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
6595MHz	Pass	10.73	23.00
6695MHz	Pass	12.67	23.00
6855MHz	Pass	7.90	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
6605MHz	Pass	8.77	23.00
6685MHz	Pass	9.46	23.00
6845MHz	Pass	5.98	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
6625MHz	Pass	6.63	23.00
6705MHz	Pass	6.95	23.00
6785MHz	Pass	6.71	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6665MHz	Pass	4.60	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
6595MHz	Pass	16.82	23.00
6695MHz	Pass	16.19	23.00
6855MHz	Pass	16.54	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
6605MHz	Pass	13.87	23.00
6685MHz	Pass	13.42	23.00
6845MHz	Pass	13.21	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
6625MHz	Pass	11.19	23.00
6705MHz	Pass	10.80	23.00
6785MHz	Pass	9.94	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-
6665MHz	Pass	7.87	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
6595MHz	Pass	17.43	23.00
6695MHz	Pass	17.84	23.00
6855MHz	Pass	19.07	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
6605MHz	Pass	15.27	23.00
6685MHz	Pass	14.68	23.00
6845MHz	Pass	14.82	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
6625MHz	Pass	11.75	23.00
6705MHz	Pass	11.58	23.00
6785MHz	Pass	11.43	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6665MHz	Pass	6.76	23.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-
6595MHz	Pass	15.38	23.00
6695MHz	Pass	16.39	23.00
6855MHz	Pass	16.79	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-
6605MHz	Pass	12.04	23.00
6685MHz	Pass	13.56	23.00
6845MHz	Pass	12.65	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-
6625MHz	Pass	10.72	23.00
6705MHz	Pass	11.07	23.00
6785MHz	Pass	10.92	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-



Radiated PSD_Mode 3


Appendix D.3

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6665MHz	Pass	7.88	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.




30/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6855MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6605MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6845MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6595MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6695MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6855MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6605MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6685MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6845MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6705MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6785MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6785MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6665MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6595MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6605MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6595MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6695MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6855MHz;TX




30/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6605MHz;TX




31/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX




31/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6845MHz;TX




31/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX




31/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX




31/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX




31/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX



31/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX





Summary

Mode	EIRP PD (dBm/RBW)
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	19.90
802.11be EHT20-BF_Nss1,(MCS0)_4TX	21.78
802.11be EHT40-BF_Nss1,(MCS0)_2TX	17.40
802.11be EHT40-BF_Nss1,(MCS0)_4TX	21.74
802.11be EHT80-BF_Nss1,(MCS0)_2TX	12.22
802.11be EHT80-BF_Nss1,(MCS0)_4TX	15.02
802.11be EHT160-BF_Nss1,(MCS0)_2TX	10.29
802.11be EHT160-BF_Nss1,(MCS0)_4TX	11.18

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
6595MHz	Pass	19.90	23.00
6695MHz	Pass	19.62	23.00
6855MHz	Pass	19.71	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
6605MHz	Pass	16.65	23.00
6685MHz	Pass	17.23	23.00
6845MHz	Pass	17.40	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
6625MHz	Pass	12.14	23.00
6705MHz	Pass	12.22	23.00
6785MHz	Pass	11.97	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6665MHz	Pass	10.29	23.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
6595MHz	Pass	19.99	23.00
6695MHz	Pass	21.78	23.00
6855MHz	Pass	19.97	23.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
6605MHz	Pass	18.74	23.00
6685MHz	Pass	20.99	23.00
6845MHz	Pass	21.74	23.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
6625MHz	Pass	14.29	23.00
6705MHz	Pass	15.02	23.00
6785MHz	Pass	13.98	23.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6665MHz	Pass	11.18	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

20/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6595MHz;TX

CF Freq
6.595GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
19.9				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.77	11.93	8.61	30.43	58.42

20/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX

CF Freq
6.695GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
19.62				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.64	11.60	8.85	30.55	58.56


20/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6605MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX



20/12/2025


EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX



20/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6595MHz;TX

CF Freq
6.595GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	19.99	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.76	11.88	8.64	30.45	58.44

20/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	21.78	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.49	11.60	8.86	30.56	58.57

20/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
19.97				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.55	11.54	9.02	30.73	58.77

20/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6605MHz;TX

CF Freq
6.605GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.74				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.05	11.86	8.65	30.45	58.45


20/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




20/12/2025

EIRP PSD:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX



20/12/2025

EIRP PSD:Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.98
802.11be EHT20_Nss2,(MCS0)_2TX	4.99
802.11be EHT20_Nss1,(MCS0)_4TX	4.96
802.11be EHT20_Nss4,(MCS0)_4TX	4.94
802.11be EHT40_Nss1,(MCS0)_1TX	4.96
802.11be EHT40_Nss2,(MCS0)_2TX	4.82
802.11be EHT40_Nss1,(MCS0)_4TX	4.82
802.11be EHT40_Nss4,(MCS0)_4TX	4.95
802.11be EHT80_Nss1,(MCS0)_1TX	4.96
802.11be EHT80_Nss2,(MCS0)_2TX	4.97
802.11be EHT80_Nss1,(MCS0)_4TX	4.99
802.11be EHT80_Nss4,(MCS0)_4TX	4.91
802.11be EHT160_Nss1,(MCS0)_1TX	4.95
802.11be EHT160_Nss2,(MCS0)_2TX	4.70
802.11be EHT160_Nss1,(MCS0)_4TX	4.98
802.11be EHT160_Nss4,(MCS0)_4TX	4.90
802.11be EHT320_Nss1,(MCS0)_1TX	4.92
802.11be EHT320_Nss2,(MCS0)_2TX	4.93
802.11be EHT320_Nss1,(MCS0)_4TX	4.93
802.11be EHT320_Nss4,(MCS0)_4TX	4.91
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.97
802.11be EHT20_Nss2,(MCS0)_2TX	4.93
802.11be EHT20_Nss1,(MCS0)_4TX	4.98
802.11be EHT20_Nss4,(MCS0)_4TX	4.87
802.11be EHT40_Nss1,(MCS0)_1TX	4.99
802.11be EHT40_Nss2,(MCS0)_2TX	4.99
802.11be EHT40_Nss1,(MCS0)_4TX	4.80
802.11be EHT40_Nss4,(MCS0)_4TX	4.83
802.11be EHT80_Nss1,(MCS0)_1TX	4.84
802.11be EHT80_Nss2,(MCS0)_2TX	4.96
802.11be EHT80_Nss1,(MCS0)_4TX	4.87
802.11be EHT80_Nss4,(MCS0)_4TX	4.92
802.11be EHT160_Nss1,(MCS0)_1TX	4.19
802.11be EHT160_Nss2,(MCS0)_2TX	4.90
802.11be EHT160_Nss1,(MCS0)_4TX	4.77
802.11be EHT160_Nss4,(MCS0)_4TX	4.96
802.11be EHT320_Nss1,(MCS0)_1TX	2.13
802.11be EHT320_Nss2,(MCS0)_2TX	4.47
802.11be EHT320_Nss1,(MCS0)_4TX	4.53
802.11be EHT320_Nss4,(MCS0)_4TX	3.87
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.91
802.11be EHT20_Nss2,(MCS0)_2TX	4.86
802.11be EHT20_Nss1,(MCS0)_4TX	4.90
802.11be EHT20_Nss4,(MCS0)_4TX	4.93
802.11be EHT40_Nss1,(MCS0)_1TX	4.96
802.11be EHT40_Nss2,(MCS0)_2TX	4.97
802.11be EHT40_Nss1,(MCS0)_4TX	4.97
802.11be EHT40_Nss4,(MCS0)_4TX	4.93
802.11be EHT80_Nss1,(MCS0)_1TX	4.99
802.11be EHT80_Nss2,(MCS0)_2TX	4.95
802.11be EHT80_Nss1,(MCS0)_4TX	4.99
802.11be EHT80_Nss4,(MCS0)_4TX	4.91

Mode	EIRP PD (dBm/RBW)
802.11be EHT160_Nss1,(MCS0)_1TX	4.55
802.11be EHT160_Nss2,(MCS0)_2TX	4.98
802.11be EHT160_Nss1,(MCS0)_4TX	4.95
802.11be EHT160_Nss4,(MCS0)_4TX	4.94
802.11be EHT320_Nss1,(MCS0)_1TX	2.14
802.11be EHT320_Nss2,(MCS0)_2TX	4.93
802.11be EHT320_Nss1,(MCS0)_4TX	4.74
802.11be EHT320_Nss4,(MCS0)_4TX	3.29
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	4.85
802.11be EHT20_Nss2,(MCS0)_2TX	4.92
802.11be EHT20_Nss1,(MCS0)_4TX	4.95
802.11be EHT20_Nss4,(MCS0)_4TX	4.97
802.11be EHT40_Nss1,(MCS0)_1TX	4.80
802.11be EHT40_Nss2,(MCS0)_2TX	4.90
802.11be EHT40_Nss1,(MCS0)_4TX	4.91
802.11be EHT40_Nss4,(MCS0)_4TX	4.92
802.11be EHT80_Nss1,(MCS0)_1TX	4.97
802.11be EHT80_Nss2,(MCS0)_2TX	4.63
802.11be EHT80_Nss1,(MCS0)_4TX	4.87
802.11be EHT80_Nss4,(MCS0)_4TX	4.75
802.11be EHT160_Nss1,(MCS0)_1TX	3.51
802.11be EHT160_Nss2,(MCS0)_2TX	4.71
802.11be EHT160_Nss1,(MCS0)_4TX	4.84
802.11be EHT160_Nss4,(MCS0)_4TX	4.12

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	4.87	5.00
6195MHz	Pass	4.98	5.00
6415MHz	Pass	4.92	5.00
6435MHz	Pass	4.92	5.00
6475MHz	Pass	4.79	5.00
6515MHz	Pass	4.97	5.00
6535MHz	Pass	4.91	5.00
6695MHz	Pass	4.85	5.00
6875MHz	Pass	4.91	5.00
6895MHz	Pass	4.84	5.00
6995MHz	Pass	4.85	5.00
7095MHz	Pass	4.72	5.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	4.95	5.00
6205MHz	Pass	4.65	5.00
6405MHz	Pass	4.96	5.00
6445MHz	Pass	4.82	5.00
6485MHz	Pass	4.87	5.00
6525MHz	Pass	4.99	5.00
6565MHz	Pass	4.90	5.00
6685MHz	Pass	4.89	5.00
6885MHz	Pass	4.96	5.00
6925MHz	Pass	4.77	5.00
7005MHz	Pass	4.70	5.00
7085MHz	Pass	4.80	5.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	4.72	5.00
6225MHz	Pass	4.71	5.00
6385MHz	Pass	4.96	5.00
6465MHz	Pass	4.73	5.00
6545MHz	Pass	4.84	5.00
6625MHz	Pass	4.73	5.00
6705MHz	Pass	4.88	5.00
6785MHz	Pass	4.74	5.00
6865MHz	Pass	4.99	5.00
6945MHz	Pass	4.97	5.00
7025MHz	Pass	4.82	5.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	4.85	5.00
6185MHz	Pass	4.95	5.00
6345MHz	Pass	4.93	5.00
6505MHz	Pass	4.19	5.00
6665MHz	Pass	4.19	5.00
6825MHz	Pass	4.55	5.00
6985MHz	Pass	3.51	5.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	0.65	5.00
6265MHz	Pass	4.92	5.00
6425MHz	Pass	2.45	5.00
6585MHz	Pass	2.13	5.00
6745MHz	Pass	2.14	5.00
6905MHz	Pass	-2.03	5.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.94	5.00

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6195MHz	Pass	4.99	5.00
6415MHz	Pass	4.81	5.00
6435MHz	Pass	4.77	5.00
6475MHz	Pass	4.93	5.00
6515MHz	Pass	4.78	5.00
6535MHz	Pass	4.86	5.00
6695MHz	Pass	4.85	5.00
6875MHz	Pass	4.66	5.00
6895MHz	Pass	4.75	5.00
6995MHz	Pass	4.71	5.00
7095MHz	Pass	4.92	5.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.82	5.00
6205MHz	Pass	4.82	5.00
6405MHz	Pass	4.76	5.00
6445MHz	Pass	4.83	5.00
6485MHz	Pass	4.99	5.00
6525MHz	Pass	4.89	5.00
6565MHz	Pass	4.75	5.00
6685MHz	Pass	4.97	5.00
6885MHz	Pass	4.95	5.00
6925MHz	Pass	4.71	5.00
7005MHz	Pass	4.80	5.00
7085MHz	Pass	4.90	5.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.97	5.00
6225MHz	Pass	4.92	5.00
6385MHz	Pass	4.91	5.00
6465MHz	Pass	4.96	5.00
6545MHz	Pass	4.72	5.00
6625MHz	Pass	4.95	5.00
6705MHz	Pass	4.80	5.00
6785MHz	Pass	4.76	5.00
6865MHz	Pass	4.76	5.00
6945MHz	Pass	4.54	5.00
7025MHz	Pass	4.63	5.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.70	5.00
6185MHz	Pass	4.31	5.00
6345MHz	Pass	4.40	5.00
6505MHz	Pass	4.90	5.00
6665MHz	Pass	4.98	5.00
6825MHz	Pass	4.82	5.00
6985MHz	Pass	4.71	5.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-
6105MHz	Pass	4.22	5.00
6265MHz	Pass	4.93	5.00
6425MHz	Pass	4.84	5.00
6585MHz	Pass	4.47	5.00
6745MHz	Pass	4.93	5.00
6905MHz	Pass	-0.08	5.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.80	5.00
6195MHz	Pass	4.96	5.00
6415MHz	Pass	4.94	5.00
6435MHz	Pass	4.92	5.00

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6475MHz	Pass	4.98	5.00
6515MHz	Pass	4.79	5.00
6535MHz	Pass	4.79	5.00
6695MHz	Pass	4.77	5.00
6875MHz	Pass	4.90	5.00
6895MHz	Pass	4.81	5.00
6995MHz	Pass	4.76	5.00
7095MHz	Pass	4.95	5.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.76	5.00
6205MHz	Pass	4.82	5.00
6405MHz	Pass	4.77	5.00
6445MHz	Pass	4.80	5.00
6485MHz	Pass	4.66	5.00
6525MHz	Pass	4.75	5.00
6565MHz	Pass	4.79	5.00
6685MHz	Pass	4.92	5.00
6885MHz	Pass	4.97	5.00
6925MHz	Pass	4.83	5.00
7005MHz	Pass	4.91	5.00
7085MHz	Pass	4.74	5.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.99	5.00
6225MHz	Pass	4.95	5.00
6385MHz	Pass	4.84	5.00
6465MHz	Pass	4.87	5.00
6545MHz	Pass	4.84	5.00
6625MHz	Pass	4.99	5.00
6705MHz	Pass	4.89	5.00
6785MHz	Pass	4.70	5.00
6865MHz	Pass	4.73	5.00
6945MHz	Pass	4.87	5.00
7025MHz	Pass	4.82	5.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.84	5.00
6185MHz	Pass	4.98	5.00
6345MHz	Pass	4.90	5.00
6505MHz	Pass	4.77	5.00
6665MHz	Pass	4.95	5.00
6825MHz	Pass	4.90	5.00
6985MHz	Pass	4.84	5.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.78	5.00
6265MHz	Pass	4.93	5.00
6425MHz	Pass	4.11	5.00
6585MHz	Pass	4.53	5.00
6745MHz	Pass	4.74	5.00
6905MHz	Pass	0.56	5.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.81	5.00
6195MHz	Pass	4.73	5.00
6415MHz	Pass	4.94	5.00
6435MHz	Pass	4.79	5.00
6475MHz	Pass	4.80	5.00
6515MHz	Pass	4.87	5.00
6535MHz	Pass	4.93	5.00

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6695MHz	Pass	4.87	5.00
6875MHz	Pass	4.69	5.00
6895MHz	Pass	4.91	5.00
6995MHz	Pass	4.97	5.00
7095MHz	Pass	4.96	5.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.68	5.00
6205MHz	Pass	4.88	5.00
6405MHz	Pass	4.95	5.00
6445MHz	Pass	4.83	5.00
6485MHz	Pass	4.80	5.00
6525MHz	Pass	4.74	5.00
6565MHz	Pass	4.88	5.00
6685MHz	Pass	4.89	5.00
6885MHz	Pass	4.93	5.00
6925MHz	Pass	4.88	5.00
7005MHz	Pass	4.66	5.00
7085MHz	Pass	4.92	5.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.84	5.00
6225MHz	Pass	4.63	5.00
6385MHz	Pass	4.91	5.00
6465MHz	Pass	4.92	5.00
6545MHz	Pass	4.77	5.00
6625MHz	Pass	4.73	5.00
6705MHz	Pass	4.78	5.00
6785MHz	Pass	4.91	5.00
6865MHz	Pass	4.69	5.00
6945MHz	Pass	4.62	5.00
7025MHz	Pass	4.75	5.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.90	5.00
6185MHz	Pass	4.87	5.00
6345MHz	Pass	4.77	5.00
6505MHz	Pass	4.96	5.00
6665MHz	Pass	4.94	5.00
6825MHz	Pass	4.75	5.00
6985MHz	Pass	4.12	5.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.91	5.00
6265MHz	Pass	4.74	5.00
6425MHz	Pass	4.89	5.00
6585MHz	Pass	3.87	5.00
6745MHz	Pass	3.29	5.00
6905MHz	Pass	-2.50	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

10/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.559s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.87		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.19	11.01	7.53	35.00	57.54

11/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.559s

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.98		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.52	11.09	7.75	35.05	57.89


11/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX




11/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6435MHz;TX




11/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6475MHz;TX




11/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6515MHz;TX




11/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX




11/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX




11/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6875MHz;TX




13/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6895MHz;TX




13/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6995MHz;TX




13/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:7095MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX



11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX



11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX

CF Freq
6.405GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.38s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.52	11.54	7.94	35.10	58.18

11/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6445MHz;TX

CF Freq
6.445GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.38s

Detector Type
RMS

CP BW
40MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.82				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.57	11.71	7.97	35.11	58.24


11/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6485MHz;TX




11/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6525MHz;TX




11/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX




11/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX




11/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6885MHz;TX



15/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6925MHz;TX



15/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:7005MHz;TX

CF Freq
7.005GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.38s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.7		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.07	11.40	8.34	35.11	58.94

15/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:7085MHz;TX

CF Freq
7.085GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.38s

Detector Type
RMS

CP BW
40MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.8		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.06	11.50	8.38	35.07	59.05

11/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.273s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.72				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.34	11.04	7.53	35.00	57.57

11/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.273s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.71				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.75	11.15	7.76	35.06	57.91


11/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX




11/11/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6465MHz;TX




11/11/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6545MHz;TX




15/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX




15/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX




15/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX




15/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6865MHz;TX




15/11/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6945MHz;TX




06/01/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:7025MHz;TX




12/01/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX




10/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6505MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6825MHz;TX



15/11/2025


EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6985MHz;TX



11/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	0.65	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.54	11.08	7.60	35.02	57.69

10/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.232s
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.92	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.53	11.17	7.77	35.06	57.91


23/12/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6425MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6585MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6745MHz;TX




05/01/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6905MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:5955MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6195MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6415MHz;TX




11/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6435MHz;TX




11/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6475MHz;TX




11/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6515MHz;TX




11/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6535MHz;TX



11/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6695MHz;TX



11/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6875MHz;TX

CF Freq
6.875GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.453s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.66				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.03	11.24	8.26	35.11	58.78

15/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6895MHz;TX

CF Freq
6.895GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.453s

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.75				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.94	11.28	8.27	35.11	58.81


15/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6995MHz;TX




15/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:7095MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:5965MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6205MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6405MHz;TX



11/11/2025


EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6445MHz;TX



11/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6485MHz;TX

CF Freq
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.39s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.99				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.39	11.78	7.99	35.12	58.29

11/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6525MHz;TX

CF Freq
6.525GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.39s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.57	11.76	8.01	35.12	58.33

11/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6565MHz;TX

CF Freq
6.565GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.39s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.75	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.95	11.62	8.05	35.12	58.39

11/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.39s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.97	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.10	11.50	8.14	35.12	58.55


11/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6885MHz;TX



15/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6925MHz;TX



15/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7005MHz;TX

CF Freq
7.005GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.39s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.8		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.98	11.42	8.35	35.11	58.96

15/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7085MHz;TX

CF Freq
7.085GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.39s

Detector Type
RMS

CP BW
40MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.9		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.94	11.50	8.38	35.08	59.04


11/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:5985MHz;TX



11/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6225MHz;TX



11/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6385MHz;TX

CF Freq
6.385GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.307s

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.91				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.58	11.50	7.93	35.10	58.16

11/11/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6465MHz;TX

CF Freq
6.465GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.307s

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.43	11.71	7.97	35.11	58.24


11/11/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6545MHz;TX




15/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX




15/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6705MHz;TX



15/11/2025


EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6785MHz;TX



15/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6865MHz;TX

CF Freq
6.865GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.307s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.76	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.94	11.20	8.25	35.11	58.76

15/11/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6945MHz;TX

CF Freq
6.945GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.307s
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	4.54	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.15	11.40	8.31	35.11	58.89


15/11/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:7025MHz;TX




12/01/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6025MHz;TX




13/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX




11/11/2025

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6505MHz;TX




15/11/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6665MHz;TX




15/11/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6825MHz;TX




23/12/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6985MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6105MHz;TX




06/01/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6265MHz;TX




06/01/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6425MHz;TX




06/01/2026

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6585MHz;TX




06/01/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6745MHz;TX




10/11/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6905MHz;TX




10/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




10/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




10/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX



16/11/2025


EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX



10/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX

CF Freq
6.475GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.559s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.98				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.41	11.75	7.98	35.11	58.27

16/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX

CF Freq
6.515GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.559s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.79				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.63	11.78	8.01	35.12	58.31


16/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




16/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




16/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




19/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX




19/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX



19/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX



11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX

CF Freq
5.965GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.38s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.76		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.29	11.05	7.53	35.00	57.57

11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX

CF Freq
6.205GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.38s

Detector Type
RMS

CP BW
40MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.82		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.65	11.13	7.76	35.06	57.90

11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.38s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.77				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.72	11.53	7.94	35.10	58.18

16/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX

CF Freq
6.445GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.38s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.8				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.59	11.71	7.97	35.11	58.24

16/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX

CF Freq
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.38s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.66	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.72	11.76	7.99	35.12	58.27

16/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX

CF Freq
6.525GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.38s
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)	4.75	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.71	11.76	8.01	35.12	58.33


16/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



16/11/2025


EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



16/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX

CF Freq
6.885GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.38s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.97				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.72	11.26	8.27	35.11	58.79

19/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX

CF Freq
6.925GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.38s
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.83				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.85	11.34	8.29	35.11	58.84


19/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX



19/11/2025


EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX



11/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.273s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.99				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.06	11.05	7.53	35.00	57.57

11/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.273s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.95				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.51	11.15	7.76	35.06	57.91


09/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




16/11/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




16/11/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




16/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




16/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




16/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




19/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




19/11/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




19/11/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




10/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




10/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




10/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




16/11/2025

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




16/11/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




16/11/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX



15/11/2025


EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX



11/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.232s
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.78	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.69	11.13	7.76	35.06	57.90

11/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.232s
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.93	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.53	11.04	7.71	35.05	57.84


23/12/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




09/12/2025

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




18/11/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX




19/11/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:5955MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6195MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6415MHz;TX




17/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6435MHz;TX




17/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6475MHz;TX




18/11/2025

EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6515MHz;TX




18/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6535MHz;TX




18/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6695MHz;TX




10/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6875MHz;TX




18/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6895MHz;TX




18/11/2025

EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6995MHz;TX



18/11/2025


EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:7095MHz;TX



11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:5965MHz;TX

CF Freq
5.965GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.451s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.68				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.38	11.01	7.53	35.00	57.54

11/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6205MHz;TX

CF Freq
6.205GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.451s
Detector Type
RMS
CP BW
40MHz



Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.88				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.59	11.13	7.76	35.06	57.90

10/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6405MHz;TX

CF Freq
6.405GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.451s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.95		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.53	11.54	7.94	35.10	58.18

18/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6445MHz;TX

CF Freq
6.445GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.451s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.83		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.59	11.65	7.96	35.11	58.22

18/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6485MHz;TX

CF Freq
6.485GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.451s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.8		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.57	11.76	7.98	35.12	58.27

18/11/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6525MHz;TX

CF Freq
6.525GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.451s

Detector Type
RMS

CP BW
40MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.74		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.70	11.77	8.01	35.12	58.32


18/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6565MHz;TX




18/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX




18/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6885MHz;TX



18/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6925MHz;TX



18/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7005MHz;TX

CF Freq
7.005GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.451s

Detector Type
RMS

CP BW
40MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.66		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.10	11.42	8.34	35.11	58.95

18/11/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7085MHz;TX

CF Freq
7.085GHz

Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
3.451s

Detector Type
RMS

CP BW
40MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.92		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.92	11.50	8.38	35.08	59.04

17/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.414s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.84				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.21	11.05	7.53	35.00	57.57

17/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.414s
Detector Type
RMS
CP BW
80MHz



Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.63				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.82	11.16	7.76	35.06	57.91

17/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6385MHz;TX

CF Freq
6.385GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.414s

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.91		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.54	11.50	7.91	35.09	58.13

18/11/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6465MHz;TX

CF Freq
6.465GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.414s

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.92		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.47	11.75	7.98	35.11	58.27


18/11/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6545MHz;TX



18/11/2025


EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX



18/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.414s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.78				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.29	11.50	8.14	35.12	58.55

18/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.414s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.91				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.58	11.26	8.20	35.11	58.66


18/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6865MHz;TX




18/11/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6945MHz;TX




06/01/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:7025MHz;TX



10/11/2025


EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6025MHz;TX



10/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6185MHz;TX

CF Freq
6.185GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.414s
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.87	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.55	11.00	7.67	35.04	57.79

10/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6345MHz;TX

CF Freq
6.345GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.414s
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.77	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.67	11.50	7.90	35.09	58.13


17/11/2025

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6505MHz;TX




18/11/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX




18/11/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6825MHz;TX



06/01/2026


EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6985MHz;TX



12/12/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.91				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.45	11.74	8.83	32.43	57.70

11/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.451s
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.74				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.74	11.04	7.72	35.05	57.85


23/12/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6425MHz;TX




23/12/2025

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6585MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6745MHz;TX



09/12/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6905MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.91
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.97
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.87
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.83
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.93
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.86
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.93
802.11be EHT320-BF_Nss1,(MCS0)_2TX	4.91
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.84
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.81
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.91
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.94
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.91
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.92
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.84
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.79
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.91
802.11be EHT320-BF_Nss1,(MCS0)_2TX	4.85
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.91
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.90
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.89
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.87
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.97
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.91
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.91
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.94
802.11be EHT320-BF_Nss1,(MCS0)_2TX	2.65
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.84
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.98
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.86
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.96
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.94
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.82
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.93
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.85
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.97

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.85	5.00
6195MHz	Pass	4.91	5.00
6415MHz	Pass	4.77	5.00
6435MHz	Pass	4.77	5.00
6475MHz	Pass	4.81	5.00
6515MHz	Pass	4.75	5.00
6535MHz	Pass	4.86	5.00
6695MHz	Pass	4.90	5.00
6875MHz	Pass	4.73	5.00
6895MHz	Pass	4.78	5.00
6995MHz	Pass	4.98	5.00
7095MHz	Pass	4.77	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.79	5.00
6205MHz	Pass	4.79	5.00
6405MHz	Pass	4.87	5.00
6445MHz	Pass	4.92	5.00
6485MHz	Pass	4.85	5.00
6525MHz	Pass	4.94	5.00
6565MHz	Pass	4.79	5.00
6685MHz	Pass	4.87	5.00
6885MHz	Pass	4.73	5.00
6925MHz	Pass	4.96	5.00
7005MHz	Pass	4.85	5.00
7085MHz	Pass	4.78	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.84	5.00
6225MHz	Pass	4.88	5.00
6385MHz	Pass	4.80	5.00
6465MHz	Pass	4.92	5.00
6545MHz	Pass	4.82	5.00
6625MHz	Pass	4.86	5.00
6705MHz	Pass	4.88	5.00
6785MHz	Pass	4.85	5.00
6865MHz	Pass	4.74	5.00
6945MHz	Pass	4.82	5.00
7025MHz	Pass	4.82	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.72	5.00
6185MHz	Pass	4.86	5.00
6345MHz	Pass	4.72	5.00
6505MHz	Pass	4.79	5.00
6665MHz	Pass	4.52	5.00
6825MHz	Pass	4.91	5.00
6985MHz	Pass	4.85	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	2.71	5.00
6265MHz	Pass	4.20	5.00
6425MHz	Pass	4.91	5.00
6585MHz	Pass	4.85	5.00
6745MHz	Pass	2.01	5.00
6905MHz	Pass	2.65	5.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.96	5.00

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6195MHz	Pass	4.89	5.00
6415MHz	Pass	4.97	5.00
6435MHz	Pass	4.89	5.00
6475MHz	Pass	4.77	5.00
6515MHz	Pass	4.91	5.00
6535MHz	Pass	4.83	5.00
6695MHz	Pass	4.89	5.00
6875MHz	Pass	4.82	5.00
6895MHz	Pass	4.85	5.00
6995MHz	Pass	4.82	5.00
7095MHz	Pass	4.86	5.00
802.11be EHT40-BF_Nss1.(MCS0)_4TX	-	-	-
5965MHz	Pass	4.72	5.00
6205MHz	Pass	4.79	5.00
6405MHz	Pass	4.83	5.00
6445MHz	Pass	4.81	5.00
6485MHz	Pass	4.81	5.00
6525MHz	Pass	4.91	5.00
6565MHz	Pass	4.97	5.00
6685MHz	Pass	4.78	5.00
6885MHz	Pass	4.88	5.00
6925MHz	Pass	4.89	5.00
7005MHz	Pass	4.92	5.00
7085MHz	Pass	4.94	5.00
802.11be EHT80-BF_Nss1.(MCS0)_4TX	-	-	-
5985MHz	Pass	4.93	5.00
6225MHz	Pass	4.92	5.00
6385MHz	Pass	4.88	5.00
6465MHz	Pass	4.84	5.00
6545MHz	Pass	4.81	5.00
6625MHz	Pass	4.86	5.00
6705MHz	Pass	4.80	5.00
6785MHz	Pass	4.88	5.00
6865MHz	Pass	4.91	5.00
6945MHz	Pass	4.93	5.00
7025MHz	Pass	4.86	5.00
802.11be EHT160-BF_Nss1.(MCS0)_4TX	-	-	-
6025MHz	Pass	4.79	5.00
6185MHz	Pass	4.88	5.00
6345MHz	Pass	4.93	5.00
6505MHz	Pass	4.91	5.00
6665MHz	Pass	4.88	5.00
6825MHz	Pass	4.94	5.00
6985MHz	Pass	4.97	5.00
802.11be EHT320-BF_Nss1.(MCS0)_4TX	-	-	-
6105MHz	Pass	2.76	5.00
6265MHz	Pass	4.78	5.00
6425MHz	Pass	4.84	5.00
6585MHz	Pass	4.91	5.00
6745MHz	Pass	4.84	5.00
6905MHz	Pass	1.50	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

15/11/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.85		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.40	11.51	8.98	34.76	57.54

17/11/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.91		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.75	11.72	9.11	34.60	57.87

18/11/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX

CF Freq
6.415GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.77		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.00	11.47	9.49	34.44	58.19

18/11/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX

CF Freq
6.435GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.77		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.04	11.44	9.48	34.43	58.20

18/11/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX

CF Freq
6.475GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.81	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.17	11.33	9.45	34.40	58.26

04/12/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX

CF Freq
6.515GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.75	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.61	12.56	9.61	43.02	58.33


18/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




18/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




04/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX



18/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX



18/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX

CF Freq
6.995GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.98				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.97	11.00	9.47	34.45	58.93

18/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX

CF Freq
7.095GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.77				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.78	10.68	9.53	34.35	59.05


21/11/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




21/11/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




21/11/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




21/11/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX




21/11/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX



21/11/2025


EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX



21/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX

CF Freq
6.565GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
46.111s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.79				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.74	12.30	7.87	33.43	58.39

21/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
46.111s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.87				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.79	12.40	7.95	33.42	58.53


21/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




21/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




21/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX




21/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX




21/11/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




21/11/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




21/11/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




21/11/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX




22/11/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




22/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




22/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




22/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




22/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX




22/11/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX




22/11/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




22/11/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




22/11/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




22/11/2025

EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX




22/11/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




22/11/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX



04/12/2025


EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX



22/11/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
56.695s
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.71				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.74	13.31	7.61	33.66	57.81

08/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.2				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.28	11.01	7.70	35.04	57.83


08/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6425MHz;TX




08/12/2025

EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX




05/12/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX




22/11/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX




22/11/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




22/11/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




22/11/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




22/11/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX




22/11/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX



22/11/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX



22/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq
6.535GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
47.397s

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.83				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.61	12.34	7.87	33.43	58.34

22/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq
6.695GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
47.397s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.80	12.40	7.96	33.42	58.55

22/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX

CF Freq
6.875GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
47.397s

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.82				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.49	12.27	8.21	33.41	58.78

22/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX

CF Freq
6.895GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
47.397s

Detector Type
RMS

CP BW
20MHz




Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.85				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.82	12.00	8.26	33.41	58.82


22/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




22/11/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




05/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



22/11/2025


EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX



24/11/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.83				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.18	12.61	7.90	33.48	58.20

24/11/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX

CF Freq
6.445GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.81				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.26	12.56	7.89	33.47	58.21

24/11/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX

CF Freq
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
854ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.81				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.46	12.44	7.88	33.44	58.27

24/11/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX

CF Freq
6.525GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
854ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.91				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.49	12.37	7.88	33.43	58.32


24/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




24/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




24/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




24/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




24/11/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




05/12/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




24/11/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




24/11/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




24/11/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




25/11/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX



25/11/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX



25/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX

