



25/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




25/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




25/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX



25/11/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX



25/11/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.86				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.30	11.80	8.42	33.40	58.94

25/11/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.79				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.28	13.40	7.66	33.75	57.56


26/11/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




26/11/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




05/12/2025

EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




26/11/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




26/11/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX



26/11/2025


EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX



26/11/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.76				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.51	13.40	7.66	33.70	57.71

26/11/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.78				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.08	12.71	7.90	33.49	58.16


08/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




08/12/2025

EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




26/11/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX



26/11/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX



**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	14.19
802.11be EHT20_Nss2,(MCS0)_2TX	16.32
802.11be EHT20_Nss1,(MCS0)_4TX	19.36
802.11be EHT20_Nss4,(MCS0)_4TX	15.78
802.11be EHT40_Nss1,(MCS0)_1TX	9.71
802.11be EHT40_Nss2,(MCS0)_2TX	12.81
802.11be EHT40_Nss1,(MCS0)_4TX	15.29
802.11be EHT40_Nss4,(MCS0)_4TX	13.66
802.11be EHT80_Nss1,(MCS0)_1TX	7.90
802.11be EHT80_Nss2,(MCS0)_2TX	9.90
802.11be EHT80_Nss1,(MCS0)_4TX	12.71
802.11be EHT80_Nss4,(MCS0)_4TX	8.44
802.11be EHT160_Nss1,(MCS0)_1TX	6.67
802.11be EHT160_Nss2,(MCS0)_2TX	4.70
802.11be EHT160_Nss1,(MCS0)_4TX	9.62
802.11be EHT160_Nss4,(MCS0)_4TX	8.92
802.11be EHT320_Nss1,(MCS0)_1TX	4.92
802.11be EHT320_Nss2,(MCS0)_2TX	5.27
802.11be EHT320_Nss1,(MCS0)_4TX	6.68
802.11be EHT320_Nss4,(MCS0)_4TX	5.06
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	14.44
802.11be EHT20_Nss2,(MCS0)_2TX	15.78
802.11be EHT20_Nss1,(MCS0)_4TX	16.89
802.11be EHT20_Nss4,(MCS0)_4TX	12.77
802.11be EHT40_Nss1,(MCS0)_1TX	11.34
802.11be EHT40_Nss2,(MCS0)_2TX	11.97
802.11be EHT40_Nss1,(MCS0)_4TX	13.19
802.11be EHT40_Nss4,(MCS0)_4TX	12.36
802.11be EHT80_Nss1,(MCS0)_1TX	9.89
802.11be EHT80_Nss2,(MCS0)_2TX	10.76
802.11be EHT80_Nss1,(MCS0)_4TX	11.52
802.11be EHT80_Nss4,(MCS0)_4TX	9.83
802.11be EHT160_Nss1,(MCS0)_1TX	5.03
802.11be EHT160_Nss2,(MCS0)_2TX	6.41
802.11be EHT160_Nss1,(MCS0)_4TX	7.38
802.11be EHT160_Nss4,(MCS0)_4TX	8.36

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	13.25	23.00
6195MHz	Pass	14.19	23.00
6415MHz	Pass	14.05	23.00
6535MHz	Pass	14.15	23.00
6695MHz	Pass	14.44	23.00
6855MHz	Pass	13.46	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	8.25	23.00
6205MHz	Pass	9.71	23.00
6405MHz	Pass	9.40	23.00
6565MHz	Pass	10.72	23.00
6685MHz	Pass	11.34	23.00
6845MHz	Pass	9.75	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	6.57	23.00
6225MHz	Pass	7.90	23.00
6385MHz	Pass	7.20	23.00
6625MHz	Pass	7.02	23.00
6705MHz	Pass	9.89	23.00
6785MHz	Pass	8.27	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	4.85	23.00
6185MHz	Pass	6.67	23.00
6345MHz	Pass	4.93	23.00
6665MHz	Pass	5.03	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	0.65	23.00
6265MHz	Pass	4.92	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	16.32	23.00
6195MHz	Pass	16.16	23.00
6415MHz	Pass	15.12	23.00
6535MHz	Pass	15.52	23.00
6695MHz	Pass	15.25	23.00
6855MHz	Pass	15.78	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	11.71	23.00
6205MHz	Pass	12.81	23.00
6405MHz	Pass	12.13	23.00
6565MHz	Pass	11.84	23.00
6685MHz	Pass	11.97	23.00
6845MHz	Pass	11.55	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	9.09	23.00
6225MHz	Pass	9.90	23.00
6385MHz	Pass	8.71	23.00
6625MHz	Pass	9.22	23.00
6705MHz	Pass	10.76	23.00
6785MHz	Pass	9.47	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.70	23.00
6185MHz	Pass	4.31	23.00
6345MHz	Pass	4.40	23.00
6665MHz	Pass	6.41	23.00

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-
6105MHz	Pass	4.22	23.00
6265MHz	Pass	5.27	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	15.87	23.00
6195MHz	Pass	19.04	23.00
6415MHz	Pass	19.36	23.00
6535MHz	Pass	16.89	23.00
6695MHz	Pass	15.74	23.00
6855MHz	Pass	14.08	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	13.18	23.00
6205MHz	Pass	15.29	23.00
6405MHz	Pass	14.58	23.00
6565MHz	Pass	13.19	23.00
6685MHz	Pass	10.68	23.00
6845MHz	Pass	12.41	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	10.78	23.00
6225MHz	Pass	12.71	23.00
6385MHz	Pass	12.04	23.00
6625MHz	Pass	10.97	23.00
6705MHz	Pass	11.52	23.00
6785MHz	Pass	10.33	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	9.24	23.00
6185MHz	Pass	9.62	23.00
6345MHz	Pass	9.50	17.00
6665MHz	Pass	7.38	17.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	6.68	23.00
6265MHz	Pass	6.27	23.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-
5955MHz	Pass	12.79	23.00
6195MHz	Pass	15.78	23.00
6415MHz	Pass	15.68	23.00
6535MHz	Pass	12.73	23.00
6695MHz	Pass	12.77	23.00
6855MHz	Pass	12.36	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-
5965MHz	Pass	13.18	23.00
6205MHz	Pass	13.41	23.00
6405MHz	Pass	13.66	23.00
6565MHz	Pass	12.36	23.00
6685MHz	Pass	11.73	23.00
6845MHz	Pass	10.80	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-
5985MHz	Pass	8.03	23.00
6225MHz	Pass	8.44	23.00
6385MHz	Pass	8.35	23.00
6625MHz	Pass	9.24	23.00
6705MHz	Pass	9.83	23.00
6785MHz	Pass	8.34	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-
6025MHz	Pass	8.22	23.00
6185MHz	Pass	8.77	23.00



Radiated PSD_Mode 7

Appendix D.7

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6345MHz	Pass	8.92	23.00
6665MHz	Pass	8.36	23.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.91	23.00
6265MHz	Pass	5.06	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

07/01/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.559s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
13.25		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.00	11.51	8.98	34.76	57.54

07/01/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.559s

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal


EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
14.19		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.52	11.70	9.12	34.60	57.89

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX



09/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX



16/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX

CF Freq
6.695GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
14.44		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.66	12.58	9.73	42.92	58.55

09/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6855MHz;TX

CF Freq
6.855GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal


EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
13.46		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.29	12.64	9.86	42.82	58.77

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX




11/12/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX




11/12/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX




11/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX




11/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX




12/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX




12/01/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX




07/01/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX




10/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX




12/01/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX



10/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6265MHz;TX



11/12/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
16.32		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.89	11.60	8.71	32.44	57.54

11/12/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.453s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
16.16		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.54	11.71	9.12	34.60	57.89

11/12/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6415MHz;TX

CF Freq
6.415GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.453s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)	15.12	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.65	11.46	9.48	34.44	58.19

09/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6535MHz;TX

CF Freq
6.535GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)	15.52	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.01	12.44	9.62	43.01	58.34

09/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6695MHz;TX

CF Freq
6.695GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
15.25		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.46	12.60	9.74	42.91	58.56

09/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6855MHz;TX

CF Freq
6.855GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
15.78		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.69	12.69	9.85	42.83	58.76

12/01/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:5965MHz;TX

CF Freq
5.965GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
11.71		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.33	13.40	7.64	33.75	57.55

11/12/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6205MHz;TX

CF Freq
6.205GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.39s

Detector Type
RMS

CP BW
40MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
12.81		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.95	11.70	9.14	34.59	57.91

11/12/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.39s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	12.13	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.64	11.47	9.49	34.44	58.19

09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6565MHz;TX

CF Freq
6.565GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	11.84	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.77	12.42	9.65	43.00	58.38

09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
11.97				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.81	12.56	9.73	42.93	58.54

09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6845MHz;TX

CF Freq
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz



Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
11.55				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.49	12.70	9.84	42.84	58.74

12/01/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
9.09		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.98	13.40	7.66	33.75	57.56

11/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6225MHz;TX

CF Freq
6.225GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.307s

Detector Type
RMS

CP BW
80MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
9.9		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.86	11.70	9.14	34.59	57.91

11/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.307s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
8.71				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.06	11.47	9.49	34.44	58.19

09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX

CF Freq
6.625GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
9.22				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.46	12.50	9.69	42.96	58.45


09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6705MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6785MHz;TX




12/01/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6025MHz;TX




13/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6665MHz;TX




11/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6105MHz;TX




12/01/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6265MHz;TX




12/01/2026

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



11/12/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



11/12/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX

CF Freq
6.415GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.559s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
19.36		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.42	11.46	9.49	34.44	58.19

12/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq
6.535GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
16.89		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
4.38	12.44	9.62	43.01	58.34


09/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



12/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX



12/01/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX

CF Freq
5.965GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)	13.18	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.86	13.40	7.64	33.75	57.55

11/12/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX

CF Freq
6.205GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.38s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)	15.29	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.48	11.70	9.15	34.59	57.91

11/12/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq
6.405GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.38s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
14.58				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.18	11.47	9.49	34.44	58.18

09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX

CF Freq
6.565GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
13.19				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.58	12.42	9.65	43.00	58.38


09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




16/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



11/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



11/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX

CF Freq
6.385GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.273s

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
12.04		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.64	11.51	9.49	34.46	58.16

09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX

CF Freq
6.625GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
10.97		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.71	12.50	9.69	42.96	58.45


09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




10/12/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




08/01/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




05/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




05/02/2026

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




10/12/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



11/12/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX



10/12/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.544s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
12.79		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.41	11.59	8.70	32.44	57.53

12/12/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.544s

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
15.78		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.93	11.70	9.12	34.60	57.89

12/12/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6415MHz;TX

CF Freq
6.415GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.544s

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
15.68		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.07	11.48	9.49	34.44	58.18

09/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6535MHz;TX

CF Freq
6.535GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz




Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
12.73		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.22	12.44	9.62	43.01	58.34


09/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6695MHz;TX



16/01/2026

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6855MHz;TX



12/12/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:5965MHz;TX

CF Freq
5.965GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
13.18		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.02	11.61	8.71	32.44	57.54

08/01/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6205MHz;TX

CF Freq
6.205GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
13.41		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.36	11.70	9.15	34.59	57.91


08/01/2026

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6405MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6565MHz;TX




09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX



09/01/2026

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6845MHz;TX



10/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.414s

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
8.03		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.17	11.61	8.71	32.44	57.54

08/01/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8


Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
8.44		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.33	11.70	9.15	34.59	57.91

12/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.414s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
8.35				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.30	11.52	9.48	34.46	58.15

09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX

CF Freq
6.625GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
9.24				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.44	12.50	9.69	42.96	58.45


09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX



09/01/2026

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX



10/12/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.414s

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
8.22		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.15	11.77	8.84	32.43	57.73

08/01/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6185MHz;TX

CF Freq
6.185GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
8.77		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-12.00	11.70	9.15	34.59	57.91


08/01/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6345MHz;TX



09/01/2026


EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX



12/12/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.91				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.45	11.74	8.83	32.43	57.70

04/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
5.06				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.64	13.20	7.60	33.61	57.91

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	16.65
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.44
802.11be EHT40-BF_Nss1,(MCS0)_2TX	14.29
802.11be EHT40-BF_Nss1,(MCS0)_4TX	15.12
802.11be EHT80-BF_Nss1,(MCS0)_2TX	10.66
802.11be EHT80-BF_Nss1,(MCS0)_4TX	10.77
802.11be EHT160-BF_Nss1,(MCS0)_2TX	7.91
802.11be EHT160-BF_Nss1,(MCS0)_4TX	10.27
802.11be EHT320-BF_Nss1,(MCS0)_2TX	4.20
802.11be EHT320-BF_Nss1,(MCS0)_4TX	6.21
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	16.17
802.11be EHT20-BF_Nss1,(MCS0)_4TX	19.29
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.91
802.11be EHT40-BF_Nss1,(MCS0)_4TX	14.15
802.11be EHT80-BF_Nss1,(MCS0)_2TX	10.02
802.11be EHT80-BF_Nss1,(MCS0)_4TX	12.61
802.11be EHT160-BF_Nss1,(MCS0)_2TX	4.52
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.88

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	15.77	23.00
6195MHz	Pass	15.28	23.00
6415MHz	Pass	16.65	23.00
6535MHz	Pass	13.70	23.00
6695MHz	Pass	15.93	23.00
6855MHz	Pass	16.17	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	11.35	23.00
6205MHz	Pass	12.04	23.00
6405MHz	Pass	14.29	23.00
6565MHz	Pass	13.00	23.00
6685MHz	Pass	12.12	23.00
6845MHz	Pass	13.91	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	8.69	23.00
6225MHz	Pass	10.66	23.00
6385MHz	Pass	6.30	23.00
6625MHz	Pass	10.02	23.00
6705MHz	Pass	9.98	23.00
6785MHz	Pass	9.68	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	5.52	23.00
6185MHz	Pass	6.65	23.00
6345MHz	Pass	7.91	23.00
6665MHz	Pass	4.52	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	2.71	23.00
6265MHz	Pass	4.20	23.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	14.10	23.00
6195MHz	Pass	17.44	23.00
6415MHz	Pass	15.01	23.00
6535MHz	Pass	16.09	23.00
6695MHz	Pass	19.29	23.00
6855MHz	Pass	18.85	23.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	13.02	23.00
6205MHz	Pass	15.12	23.00
6405MHz	Pass	14.95	23.00
6565MHz	Pass	12.98	23.00
6685MHz	Pass	14.15	23.00
6845MHz	Pass	13.41	23.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	9.32	23.00
6225MHz	Pass	10.77	23.00
6385MHz	Pass	9.24	23.00
6625MHz	Pass	12.57	23.00
6705MHz	Pass	12.61	23.00
6785MHz	Pass	11.56	23.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	7.56	23.00
6185MHz	Pass	10.27	23.00
6345MHz	Pass	9.78	23.00
6665MHz	Pass	4.88	23.00




Radiated PSD_Mode 8

Appendix D.8

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	2.76	23.00
6265MHz	Pass	6.21	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




22/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




22/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX



22/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX



22/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX

CF Freq
6.695GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
15.93				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.28	11.62	8.83	30.55	58.55

22/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX

CF Freq
6.855GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
16.17				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-9.36	11.53	9.02	30.73	58.77


22/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX



22/12/2025


EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX



22/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	14.29	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.05	11.94	8.39	30.30	58.19

22/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX

CF Freq
6.565GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	13	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.56	11.99	8.57	30.39	58.37

22/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)	12.12	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.06	11.63	8.81	30.54	58.54

22/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX

CF Freq
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	13.91	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.65	11.51	9.03	30.72	58.76


23/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




22/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




22/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




22/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




22/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




04/12/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




22/11/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




23/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




23/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




24/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




24/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



24/12/2025


EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX



24/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
9.32				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.83	11.46	8.11	30.14	57.64

24/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
10.77				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.46	11.50	8.04	30.22	57.91


24/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




24/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




24/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




24/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




24/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




24/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




24/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




26/11/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




26/11/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



24/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	-1.13	4.91
802.11be EHT40_Nss2,(MCS0)_2TX	-1.18	4.86
802.11be EHT80_Nss2,(MCS0)_2TX	-1.09	4.95
802.11be EHT160_Nss2,(MCS0)_2TX	-1.07	4.97
802.11be EHT320_Nss2,(MCS0)_2TX	-1.15	4.89
6.425-6.525GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	-0.25	4.76
802.11be EHT40_Nss2,(MCS0)_2TX	-0.13	4.88
802.11be EHT80_Nss2,(MCS0)_2TX	-0.17	4.84
802.11be EHT160_Nss2,(MCS0)_2TX	-0.30	4.71
802.11be EHT320_Nss2,(MCS0)_2TX	-0.21	4.80
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	-0.68	4.96
802.11be EHT40_Nss2,(MCS0)_2TX	-0.78	4.86
802.11be EHT80_Nss2,(MCS0)_2TX	-0.75	4.89
802.11be EHT160_Nss2,(MCS0)_2TX	-0.86	4.78
802.11be EHT320_Nss2,(MCS0)_2TX	-0.71	4.93
6.875-7.125GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	-0.34	4.90
802.11be EHT40_Nss2,(MCS0)_2TX	-0.26	4.98
802.11be EHT80_Nss2,(MCS0)_2TX	-0.28	4.96
802.11be EHT160_Nss2,(MCS0)_2TX	-0.48	4.76

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	6.04	-4.42	-3.71	-1.17	4.87	5.00
6195MHz	Pass	6.04	-4.26	-3.85	-1.24	4.80	5.00
6415MHz	Pass	6.04	-3.64	-4.49	-1.13	4.91	5.00
6435MHz	Pass	5.01	-3.07	-3.33	-0.25	4.76	5.00
6475MHz	Pass	5.01	-3.32	-3.32	-0.37	4.64	5.00
6515MHz	Pass	5.01	-2.97	-3.17	-0.25	4.76	5.00
6535MHz	Pass	5.64	-3.50	-4.00	-0.80	4.84	5.00
6695MHz	Pass	5.64	-3.87	-3.75	-0.91	4.73	5.00
6875MHz	Pass	5.64	-3.28	-3.85	-0.68	4.96	5.00
6895MHz	Pass	5.24	-3.14	-3.44	-0.34	4.90	5.00
6995MHz	Pass	5.24	-3.46	-3.08	-0.40	4.84	5.00
7095MHz	Pass	5.24	-3.35	-3.26	-0.36	4.88	5.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	6.04	-4.40	-3.93	-1.21	4.83	5.00
6205MHz	Pass	6.04	-4.66	-3.64	-1.18	4.86	5.00
6405MHz	Pass	6.04	-4.10	-4.17	-1.21	4.83	5.00
6445MHz	Pass	5.01	-3.13	-3.33	-0.23	4.78	5.00
6485MHz	Pass	5.01	-3.13	-3.14	-0.13	4.88	5.00
6525MHz	Pass	5.01	-3.14	-3.53	-0.34	4.67	5.00
6565MHz	Pass	5.64	-3.27	-3.95	-0.78	4.86	5.00
6685MHz	Pass	5.64	-3.90	-3.87	-0.95	4.69	5.00
6885MHz	Pass	5.64	-3.48	-3.89	-0.78	4.86	5.00
6925MHz	Pass	5.24	-3.03	-3.44	-0.26	4.98	5.00
7005MHz	Pass	5.24	-3.14	-3.44	-0.31	4.93	5.00
7085MHz	Pass	5.24	-3.13	-3.49	-0.34	4.90	5.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	6.04	-4.11	-4.31	-1.26	4.78	5.00
6225MHz	Pass	6.04	-3.94	-4.18	-1.09	4.95	5.00
6385MHz	Pass	6.04	-4.20	-4.35	-1.32	4.72	5.00
6465MHz	Pass	5.01	-3.61	-2.78	-0.20	4.81	5.00
6545MHz	Pass	5.01	-3.21	-3.11	-0.17	4.84	5.00
6625MHz	Pass	5.64	-3.74	-3.64	-0.75	4.89	5.00
6705MHz	Pass	5.64	-3.72	-3.86	-0.78	4.86	5.00
6785MHz	Pass	5.64	-3.91	-3.89	-0.96	4.68	5.00
6865MHz	Pass	5.64	-3.53	-4.04	-0.86	4.78	5.00
6945MHz	Pass	5.24	-2.78	-3.63	-0.28	4.96	5.00
7025MHz	Pass	5.24	-2.99	-3.95	-0.47	4.77	5.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	6.04	-4.16	-3.80	-1.07	4.97	5.00
6185MHz	Pass	6.04	-4.35	-3.89	-1.18	4.86	5.00
6345MHz	Pass	6.04	-4.38	-3.95	-1.20	4.84	5.00
6505MHz	Pass	5.01	-3.03	-3.37	-0.30	4.71	5.00
6665MHz	Pass	5.64	-3.61	-3.98	-0.86	4.78	5.00
6825MHz	Pass	5.64	-3.72	-3.97	-0.91	4.73	5.00
6985MHz	Pass	5.24	-3.34	-3.34	-0.48	4.76	5.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	6.04	-4.23	-4.16	-1.22	4.82	5.00
6265MHz	Pass	6.04	-4.26	-4.00	-1.15	4.89	5.00
6425MHz	Pass	6.04	-4.16	-4.23	-1.38	4.66	5.00
6585MHz	Pass	5.01	-3.20	-3.22	-0.21	4.80	5.00
6745MHz	Pass	5.64	-3.29	-3.73	-0.71	4.93	5.00
6905MHz	Pass	5.64	-6.26	-6.53	-3.42	2.22	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;




Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

11/12/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

11/12/2025



5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

11/12/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.13	-1.13	-3.64	-4.49

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6435MHz

11/12/2025

CF (Hz)
6.435G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.25	-0.25	-3.07	-3.33

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6475MHz

11/12/2025




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6515MHz

11/12/2025



6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

11/12/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.80	-0.80	-3.50	-4.00

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

11/12/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.91	-0.91	-3.87	-3.75

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6875MHz

11/12/2025

CF (Hz)
6.875G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.68	-0.68	-3.28	-3.85

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6895MHz

11/12/2025

CF (Hz)
6.895G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.34	-0.34	-3.14	-3.44

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6995MHz

11/12/2025

CF (Hz)
6.995G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.40	-0.40	-3.46	-3.08

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

7095MHz

11/12/2025

CF (Hz)
7.095G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.36	-0.36	-3.35	-3.26

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

11/12/2025

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.21	-1.21	-4.40	-3.93

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

11/12/2025

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.18	-1.18	-4.66	-3.64

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

11/12/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.21	-1.21	-4.10	-4.17

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6445MHz

11/12/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.23	-0.23	-3.13	-3.33

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6485MHz

11/12/2025

CF (Hz)
6.485G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.13	-0.13	-3.13	-3.14

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6525MHz

11/12/2025

CF (Hz)
6.525G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.34	-0.34	-3.14	-3.53

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

11/12/2025

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.78	-0.78	-3.27	-3.95

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

11/12/2025

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.95	-0.95	-3.90	-3.87

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6885MHz

11/12/2025

CF (Hz)
6.885G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.78	-0.78	-3.48	-3.89

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6925MHz

11/12/2025

CF (Hz)
6.925G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.26	-0.26	-3.03	-3.44

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

7005MHz

11/12/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

7085MHz

11/12/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

11/12/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

11/12/2025



5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

11/12/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.32	-1.32	-4.20	-4.35

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6465MHz

11/12/2025

CF (Hz)
6.465G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.20	-0.20	-3.61	-2.78

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6545MHz

11/12/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.17	-0.17	-3.21	-3.11

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

11/12/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.75	-0.75	-3.74	-3.64

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

11/12/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.78	-0.78	-3.72	-3.86

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

11/12/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.96	-0.96	-3.91	-3.89

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6865MHz

11/12/2025

CF (Hz)
6.865G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.86	-0.86	-3.53	-4.04

Sum ☒

Port 1 ☒

Port 2 ☒

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6945MHz

11/12/2025

CF (Hz)
6.945G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.28	-0.28	-2.78	-3.63

Sum ☒

Port 1 ☒

Port 2 ☒

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

7025MHz

11/12/2025

CF (Hz)
7.025G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.47	-0.47	-2.99	-3.95

Sum ☒

Port 1 ☒

Port 2 ☒

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

11/12/2025

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.07	-1.07	-4.16	-3.80

Sum ☒

Port 1 ☒

Port 2 ☒

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

11/12/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.18	-1.18	-4.35	-3.89

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

11/12/2025

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.20	-1.20	-4.38	-3.95

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6505MHz

11/12/2025

CF (Hz)
6.505G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.30	-0.30	-3.03	-3.37

Sum ☒

Port 1 ☐

Port 2 ☐

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

11/12/2025

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.86	-0.86	-3.61	-3.98

Sum ☒

Port 1 ☐

Port 2 ☐

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6825MHz

11/12/2025

CF (Hz)
6.825G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.91	-0.91	-3.72	-3.97

Sum ☒

Port 1 ☐

Port 2 ☐

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6985MHz

11/12/2025

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.48	-0.48	-3.34	-3.34

Sum ☒

Port 1 ☐


Port 2 ☐

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

11/12/2025




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6265MHz

11/12/2025



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6425MHz

11/12/2025

CF (Hz)
6.425G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.38	-1.38	-4.16	-4.23

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6585MHz

11/12/2025

CF (Hz)
6.585G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.21	-0.21	-3.20	-3.22

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6745MHz

11/12/2025

CF (Hz)
6.745G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.71	-0.71	-3.29	-3.73

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6905MHz

11/12/2025

CF (Hz)
6.905G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.42	-3.42	-6.26	-6.53

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	12.72	18.76
802.11be EHT40_Nss2,(MCS0)_2TX	9.71	15.75
802.11be EHT80_Nss2,(MCS0)_2TX	6.87	12.91
802.11be EHT160_Nss2,(MCS0)_2TX	4.26	10.30
802.11be EHT320_Nss2,(MCS0)_2TX	0.98	7.02
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	12.38	18.02
802.11be EHT40_Nss2,(MCS0)_2TX	9.54	15.18
802.11be EHT80_Nss2,(MCS0)_2TX	7.16	12.80
802.11be EHT160_Nss2,(MCS0)_2TX	3.87	9.51

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	6.04	9.37	9.71	12.54	18.58	23.00
6195MHz	Pass	6.04	9.47	10.08	12.72	18.76	23.00
6415MHz	Pass	6.04	9.93	8.98	12.41	18.45	23.00
6535MHz	Pass	5.64	9.59	9.02	12.18	17.82	23.00
6695MHz	Pass	5.64	8.83	9.66	12.20	17.84	23.00
6855MHz	Pass	5.64	9.52	9.40	12.38	18.02	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	6.04	6.26	6.98	9.58	15.62	23.00
6205MHz	Pass	6.04	5.99	7.40	9.69	15.73	23.00
6405MHz	Pass	6.04	6.82	6.65	9.71	15.75	23.00
6565MHz	Pass	5.64	6.77	6.03	9.36	15.00	23.00
6685MHz	Pass	5.64	6.67	6.66	9.54	15.18	23.00
6845MHz	Pass	5.64	6.21	6.08	9.01	14.65	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	6.04	4.12	3.80	6.85	12.89	23.00
6225MHz	Pass	6.04	3.84	3.69	6.72	12.76	23.00
6385MHz	Pass	6.04	3.95	3.95	6.87	12.91	23.00
6625MHz	Pass	5.64	3.49	3.80	6.62	12.26	23.00
6705MHz	Pass	5.64	3.72	3.48	6.52	12.16	23.00
6785MHz	Pass	5.64	3.96	4.35	7.16	12.80	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	6.04	0.52	0.80	3.65	9.69	23.00
6185MHz	Pass	6.04	1.13	1.36	4.26	10.30	23.00
6345MHz	Pass	6.04	1.04	1.61	4.25	10.29	23.00
6665MHz	Pass	5.64	1.05	0.72	3.87	9.51	23.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	6.04	-2.13	-2.01	0.80	6.84	23.00
6265MHz	Pass	6.04	-2.11	-1.72	0.98	7.02	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

12/12/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

12/12/2025



5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

11/12/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.41	12.41	9.93	8.98

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

11/12/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.18	12.18	9.59	9.02

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

11/12/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

11/12/2025



5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

12/12/2025

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.58	9.58	6.26	6.98

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

12/12/2025

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.69	9.69	5.99	7.40

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

11/12/2025

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.71	9.71	6.82	6.65

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

11/12/2025

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.36	9.36	6.77	6.03

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

11/12/2025

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.54	9.54	6.67	6.66

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

11/12/2025

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.01	9.01	6.21	6.08

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

11/12/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.85	6.85	4.12	3.80

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

11/12/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.72	6.72	3.84	3.69

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

11/12/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.87	6.87	3.95	3.95

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

12/12/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.62	6.62	3.49	3.80

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

11/12/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.52	6.52	3.72	3.48

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

12/12/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.16	7.16	3.96	4.35

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

12/12/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

12/12/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

11/12/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.25	4.25	1.04	1.61

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

11/12/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.87	3.87	1.05	0.72

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

11/12/2025

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.80	0.80	-2.13	-2.01

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6265MHz

12/12/2025

CF (Hz)
6.265G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.98	0.98	-2.11	-1.72

**Summary**

Mode	EIRP PD (dBm/RBW)
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242_1TX	4.42
802.11be EHT80_Nss2,(MCS0),RU484+RU242_2TX	4.68
802.11be EHT80_Nss1,(MCS0),RU484+RU242_4TX	4.35
802.11be EHT80_Nss4,(MCS0),RU484+RU242_4TX	4.71
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242_1TX	2.60
802.11be EHT160_Nss1,(MCS0),RU996+RU484_1TX	2.79
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242_2TX	3.74
802.11be EHT160_Nss2,(MCS0),RU996+RU484_2TX	3.93
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242_4TX	4.75
802.11be EHT160_Nss1,(MCS0),RU996+RU484_4TX	4.74
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242_4TX	3.77
802.11be EHT160_Nss4,(MCS0),RU996+RU484_4TX	4.07

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-
7025MHz	Pass	4.42	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_1TX	-	-	-
6985MHz	Pass	2.60	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-
6985MHz	Pass	2.79	5.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-
7025MHz	Pass	4.68	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 5_2TX	-	-	-
6985MHz	Pass	3.74	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-
6985MHz	Pass	3.93	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-
7025MHz	Pass	4.35	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-	-	-
6985MHz	Pass	4.75	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	4.74	5.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-
7025MHz	Pass	4.71	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-	-	-
6985MHz	Pass	3.77	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	4.07	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

26/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 2;Nant:1;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)	4.42	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.54	11.30	8.36	35.09	58.99

26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 5;Nant:1;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 8

Horizontal

EIRP PSD (dBm)	2.6	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.37	11.30	8.36	35.09	59.00


26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:1;Ch:6985MHz;TX




26/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 2;Nant:2;Ch:7025MHz;TX




26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484+RU242 MRU 5;Nant:2;Ch:6985MHz;TX




26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484 MRU 2;Nant:2;Ch:6985MHz;TX




26/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 2;Nant:4;Ch:7025MHz;TX




25/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 5;Nant:4;Ch:6985MHz;TX




26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX



26/02/2026


EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0),RU484+RU242 MRU 2;Nant:4;Ch:7025MHz;TX



26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484+RU242 MRU 5;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	3.77	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.04	11.20	8.29	35.11	58.83

26/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz



Page 8
Horizontal

EIRP PSD (dBm)	4.07	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.81	11.30	8.34	35.11	58.95

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	4.55
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	4.16
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	4.93
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	4.77
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX	3.38
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	3.89
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX	4.61
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	4.62
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	4.73
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	4.72
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX	3.01
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	2.87
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-0.96
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-0.33
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	0.56
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	2.01
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	2.81
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX	3.87
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	4.71
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	4.67
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	4.69
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	3.82
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	4.23
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	4.63
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_1TX	-2.28
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX	-2.30
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX	-2.36
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 5_2TX	-0.90
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX	-1.86
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 8_2TX	-0.14
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	-0.43
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX	0.13
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	0.52
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 5_4TX	-2.62
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX	-2.55
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 8_4TX	-2.82
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	4.68
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	4.54
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	4.67
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	4.64
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX	0.95
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	1.97
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX	3.69
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	2.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	4.23
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	4.77
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX	3.41
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	2.81

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-
5985MHz	Pass	4.55	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-
7025MHz	Pass	4.68	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX	-	-	-
6025MHz	Pass	3.38	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-	-	-
6025MHz	Pass	3.89	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX	-	-	-
6985MHz	Pass	0.95	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-
6985MHz	Pass	1.97	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-	-	-
6105MHz	Pass	-0.96	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-
6105MHz	Pass	-0.33	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	-	-	-
6105MHz	Pass	0.56	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_1TX	-	-	-
6905MHz	Pass	-2.26	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX	-	-	-
6905MHz	Pass	-2.30	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX	-	-	-
6905MHz	Pass	-2.36	5.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-
5985MHz	Pass	4.16	5.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-
7025MHz	Pass	4.54	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX	-	-	-
6025MHz	Pass	4.61	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-
6025MHz	Pass	4.62	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-
6985MHz	Pass	3.69	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-
6985MHz	Pass	2.96	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-
6105MHz	Pass	2.01	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	-	-	-
6105MHz	Pass	2.81	5.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX	-	-	-
6105MHz	Pass	3.87	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 5_2TX	-	-	-
6905MHz	Pass	-0.90	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX	-	-	-
6905MHz	Pass	-1.86	5.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 8_2TX	-	-	-
6905MHz	Pass	-0.14	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Pass	4.93	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-
7025MHz	Pass	4.67	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-
6025MHz	Pass	4.73	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-
6025MHz	Pass	4.72	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-
6985MHz	Pass	4.23	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	4.77	5.00
6105MHz	Pass	4.71	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	4.67	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-
6105MHz	Pass	4.69	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	-	-	-
6905MHz	Pass	-0.43	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX	-	-	-
6905MHz	Pass	0.13	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-
6905MHz	Pass	0.52	5.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Pass	4.77	5.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-
7025MHz	Pass	4.64	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-
6025MHz	Pass	3.01	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-
6025MHz	Pass	2.87	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-
6985MHz	Pass	3.41	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	2.81	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-
6105MHz	Pass	3.82	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	4.23	5.00
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-
6105MHz	Pass	4.63	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 5_4TX	-	-	-
6905MHz	Pass	-2.62	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX	-	-	-
6905MHz	Pass	-2.55	5.00
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-
6905MHz	Pass	-2.82	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


26/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1;Ch:5985MHz;TX




27/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 2;Nant:1;Ch:7025MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:1;Ch:6025MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:1;Ch:6025MHz;TX




28/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 3;Nant:1;Ch:6985MHz;TX



28/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:1;Ch:6985MHz;TX



27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 8;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

Horizontal

EIRP PSD (dBm)	-0.96	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.46	10.94	7.68	35.04	57.80

27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz




Page 8

Horizontal

EIRP PSD (dBm)	-0.33	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.45	10.97	7.53	35.00	57.56


27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 6;Nant:1;Ch:6105MHz;TX



14/03/2026


EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 6;Nant:1;Ch:6105MHz;TX



27/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 5;Nant:1;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	-2.26	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.96	11.10	8.22	35.11	58.69

27/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 2;Nant:1;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	-2.3	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.87	11.17	8.20	35.11	58.65


28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:1;Ch:6905MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 3;Nant:2;Ch:5985MHz;TX




28/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 2;Nant:2;Ch:7025MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484+RU242 MRU 8;Nant:2;Ch:6025MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484 MRU 4;Nant:2;Ch:6025MHz;TX



28/02/2026


EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484+RU242 MRU 3;Nant:2;Ch:6985MHz;TX



28/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484 MRU 2;Nant:2;Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.93	11.30	8.34	35.11	58.96

27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),3xRU996+RU484 MRU 8;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
2.01				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.49	10.94	7.68	35.04	57.80


27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),3xRU996 MRU 4;Nant:2;Ch:6105MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),2xRU996+RU484 MRU 6;Nant:2;Ch:6105MHz;TX




27/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0),3xRU996+RU484 MRU 5;Nant:2;Ch:6905MHz;TX




27/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0),3xRU996 MRU 2;Nant:2;Ch:6905MHz;TX




28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0),2xRU996+RU484 MRU 8;Nant:2;Ch:6905MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX




28/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 2;Nant:4;Ch:7025MHz;TX



27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:4;Ch:6025MHz;TX



27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.72				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.64	10.89	7.59	35.02	57.68

28/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 3;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.23				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.66	11.30	8.34	35.11	58.96


28/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX



28/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 8;Nant:4;Ch:6105MHz;TX



28/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.67				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.83	10.94	7.68	35.04	57.80

27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 6;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.69				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.80	10.96	7.68	35.04	57.81


27/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 5;Nant:4;Ch:6905MHz;TX




27/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 2;Nant:4;Ch:6905MHz;TX




14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX




14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX




28/02/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0),RU484+RU242 MRU 2;Nant:4;Ch:7025MHz;TX




14/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484+RU242 MRU 8;Nant:4;Ch:6025MHz;TX




14/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484+RU242 MRU 8;Nant:4;Ch:6025MHz;TX




14/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX



14/03/2026


EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX



28/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484+RU242 MRU 3;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	3.41	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.59	11.30	8.37	35.09	59.02

28/02/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)	2.81	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.16	11.30	8.36	35.09	59.00


28/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),3xRU996+RU484 MRU 8;Nant:4;Ch:6105MHz;TX



28/02/2026


EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX



27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),2xRU996+RU484 MRU 6;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.63	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-14.87	10.94	7.68	35.04	57.80

27/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0),3xRU996+RU484 MRU 5;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	-2.62	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-23.20	11.16	8.20	35.11	58.65


28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0),3xRU996 MRU 2;Nant:4;Ch:6905MHz;TX



28/02/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0),2xRU996+RU484 MRU 8;Nant:4;Ch:6905MHz;TX



**Summary**

Mode	EIRP PD (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	6.34
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	7.58
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	10.74
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	7.84
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX	3.38
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	3.89
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX	4.61
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	4.64
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	7.24
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	7.99
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX	5.20
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	4.86
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-0.96
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-0.33
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	0.46
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	2.01
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	2.81
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX	3.55
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	5.88
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	5.82
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	5.97
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	3.82
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	4.23
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	4.64

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-
5985MHz	Fail	6.34	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX	-	-	-
6025MHz	Pass	3.38	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-	-	-
6025MHz	Pass	3.89	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-	-	-
6105MHz	Pass	-0.96	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-
6105MHz	Pass	-0.33	23.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_1TX	-	-	-
6105MHz	Pass	0.46	23.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-
5985MHz	Fail	7.58	23.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX	-	-	-
6025MHz	Pass	4.61	23.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-
6025MHz	Pass	4.64	23.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-
6105MHz	Pass	2.01	23.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	-	-	-
6105MHz	Pass	2.81	23.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX	-	-	-
6105MHz	Pass	3.55	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Fail	10.74	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-
6025MHz	Fail	7.24	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-
6025MHz	Fail	7.99	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-
6105MHz	Fail	5.88	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Fail	5.82	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-
6105MHz	Fail	5.97	23.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-
5985MHz	Fail	7.84	23.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-
6025MHz	Fail	5.20	23.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-
6025MHz	Pass	4.86	23.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-
6105MHz	Pass	3.82	23.00
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	4.23	23.00
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-
6105MHz	Pass	4.64	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:1;Ch:5985MHz;TX



27/02/2026


EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:1;Ch:6025MHz;TX



27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:1;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
160MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
3.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.17	11.00	7.52	34.99	57.53

27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 8;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
-0.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.46	10.94	7.68	35.04	57.80


27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:1;Ch:6105MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 6;Nant:1;Ch:6105MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 3;Nant:2;Ch:5985MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484+RU242 MRU 8;Nant:2;Ch:6025MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484 MRU 4;Nant:2;Ch:6025MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),3xRU996+RU484 MRU 8;Nant:2;Ch:6105MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),3xRU996 MRU 4;Nant:2;Ch:6105MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),2xRU996+RU484 MRU 6;Nant:2;Ch:6105MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 8;Nant:4;Ch:6025MHz;TX




27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX



28/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 8;Nant:4;Ch:6105MHz;TX



28/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
5.82				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.68	10.94	7.68	35.04	57.80

27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 6;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
5.97				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.53	10.94	7.68	35.04	57.80

27/02/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0),RU484+RU242 MRU 3;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
7.84		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.31	10.95	7.53	35.00	57.57

27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484+RU242 MRU 8;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
5.2		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.91	10.97	7.53	35.00	57.55


27/02/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX




28/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),3xRU996+RU484 MRU 8;Nant:4;Ch:6105MHz;TX




28/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX



27/02/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),2xRU996+RU484 MRU 6;Nant:4;Ch:6105MHz;TX






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	57.16M	33.79	40.00	-6.21	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	52.31M	32.12	40.00	-7.88	-34.16	3	Vertical	342	1.00	-	66.28	19.57	0.38	54.11		
PK	57.16M	33.79	40.00	-6.21	-34.30	3	Vertical	289	2.00	"Worst"	68.09	19.25	0.45	54.00		
PK	228.85M	23.49	46.00	-22.51	-35.98	3	Vertical	18	1.00	-	59.47	15.94	1.80	53.72		
PK	441.77M	26.90	46.00	-19.10	-28.38	3	Vertical	86	2.00	-	55.28	22.75	2.47	53.60		
PK	514.03M	31.63	46.00	-14.37	-26.56	3	Vertical	189	1.00	-	58.19	23.89	2.88	53.33		
PK	745.86M	28.65	46.00	-17.35	-20.84	3	Vertical	115	1.00	-	49.49	27.66	3.80	52.30		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	207.03M	20.23	43.50	-23.27	-36.62	3	Horizontal	135	2.00	-	56.85	15.55	1.71	53.88		
PK	397.15M	20.15	46.00	-25.85	-29.74	3	Horizontal	28	1.00	-	49.89	21.62	2.49	53.85		
PK	515.97M	23.65	46.00	-22.35	-26.47	3	Horizontal	248	3.00	-	50.12	23.96	2.89	53.32		
PK	598.91M	26.71	46.00	-19.29	-23.96	3	Horizontal	297	2.00	-	50.67	25.59	3.41	52.96		
PK	649.83M	27.79	46.00	-18.21	-22.91	3	Horizontal	328	2.00	-	50.70	26.29	3.64	52.84		
PK	959.75M	32.40	46.00	-13.60	-17.53	3	Horizontal	67	1.00	"Worst"	49.93	29.64	4.53	51.70		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1.(MCS0)_1TX	Pass	RMS	7.129G	68.19	68.20	-0.01	3	Horizontal	293.9	1.22	-

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
Setting 58
03-W-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0962G	104.94	Inf	-Inf	95.92	3	Vertical	193	2.56	-	35.70	8.39	35.07			
AV	7.0976G	95.02	Inf	-Inf	86.00	3	Vertical	193	2.56	-	35.70	8.39	35.07			
PK	7.1786G	63.30	88.20	-24.90	53.74	3	Vertical	193	2.56	-	36.17	8.43	35.04			
AV	7.1944G	52.51	68.20	-15.69	42.83	3	Vertical	193	2.56	-	36.27	8.44	35.03			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Y_1TX
Setting 58
03-W-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0988G	110.06	Inf	-Inf	101.04	3	Horizontal	131	1.29	-	35.70	8.39	35.07			
AV	7.0976G	99.97	Inf	-Inf	90.95	3	Horizontal	131	1.29	-	35.70	8.39	35.07			
PK	7.1256G	65.07	88.20	-23.13	55.88	3	Horizontal	131	1.29	-	35.85	8.40	35.06			
AV	7.1256G	53.54	68.20	-14.66	44.35	3	Horizontal	131	1.29	-	35.85	8.40	35.06			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
Setting 66
06-U-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0938G	107.60	Inf	-Inf	96.66	3	Vertical	0	2.94	-	35.95	8.43	33.44				
RMS	7.0888G	96.74	Inf	-Inf	85.84	3	Vertical	0	2.94	-	35.91	8.43	33.44				
PK	7.1726G	64.80	88.20	-23.40	53.58	3	Vertical	0	2.94	-	36.25	8.45	33.48				
RMS	7.1818G	53.40	68.20	-14.80	42.17	3	Vertical	0	2.94	-	36.26	8.45	33.48				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
Setting 66
06-U-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0888G	110.99	Inf	-Inf	100.09	3	Horizontal	303	1.20	-	35.91	8.43	33.44				
RMS	7.0826G	99.74	Inf	-Inf	88.89	3	Horizontal	303	1.20	-	35.86	8.43	33.44				
PK	7.1458G	65.31	88.20	-22.89	54.15	3	Horizontal	303	1.20	-	36.18	8.44	33.46				
RMS	7.126G	54.25	68.20	-13.95	43.17	3	Horizontal	303	1.20	-	36.10	8.44	33.46				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Y_1TX
Setting 74
06-U-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0054G	108.17	Inf	-Inf	97.82	3	Vertical	349	2.70	-	35.33	8.42	33.40			
RMS	7.0126G	97.61	Inf	-Inf	87.22	3	Vertical	349	2.70	-	35.38	8.42	33.41			
PK	7.1306G	70.77	88.20	-17.43	59.67	3	Vertical	349	2.70	-	36.12	8.44	33.46			
RMS	7.1258G	57.23	68.20	-10.97	46.15	3	Vertical	349	2.70	-	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Y_1TX
Setting 74
06-U-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0306G	110.41	Inf	-Inf	99.92	3	Horizontal	304.9	1.19	-	35.48	8.42	33.41			
RMS	7.0374G	99.67	Inf	-Inf	89.14	3	Horizontal	304.9	1.19	-	35.52	8.43	33.42			
PK	7.1254G	71.10	88.20	-17.10	60.02	3	Horizontal	304.9	1.19	-	36.10	8.44	33.46			
RMS	7.125G	59.68	68.20	-8.52	48.59	3	Horizontal	304.9	1.19	-	36.10	8.44	33.45			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
Setting 77
06-U-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.039G	106.13	Inf	-Inf	95.59	3	Vertical	336	2.56	-	35.53	8.43	33.42			
RMS	7.061G	95.26	Inf	-Inf	84.57	3	Vertical	336	2.56	-	35.69	8.43	33.43			
PK	7.1305G	78.64	88.20	-9.56	67.54	3	Vertical	336	2.56	-	36.12	8.44	33.46			
RMS	7.137G	65.03	68.20	-3.17	53.90	3	Vertical	336	2.56	-	36.15	8.44	33.46			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
Setting 77
06-U-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9475G	106.93	Inf	-Inf	96.80	3	Horizontal	293.9	1.22	-	35.19	8.34	33.40			
RMS	6.971G	96.72	Inf	-Inf	86.51	3	Horizontal	293.9	1.22	-	35.24	8.37	33.40			
PK	7.13G	80.17	88.20	-8.03	69.07	3	Horizontal	293.9	1.22	-	36.12	8.44	33.46			
RMS	7.129G	68.19	68.20	-0.01	57.09	3	Horizontal	293.9	1.22	-	36.12	8.44	33.46			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 43
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0884G	106.38	Inf	-Inf	95.48	3	Vertical	327	2.56	-	35.91	8.43	33.44			
RMS	7.0888G	95.31	Inf	-Inf	84.41	3	Vertical	327	2.56	-	35.91	8.43	33.44			
PK	7.1814G	64.53	88.20	-23.67	53.30	3	Vertical	327	2.56	-	36.26	8.45	33.48			
RMS	7.1904G	53.52	68.20	-14.68	42.27	3	Vertical	327	2.56	-	36.28	8.45	33.48			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 43
06-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0914G	109.21	Inf	-Inf	98.29	3	Horizontal	288	1.38	-	35.93	8.43	33.44			
RMS	7.0988G	99.90	Inf	-Inf	88.92	3	Horizontal	288	1.38	-	35.99	8.43	33.44			
PK	7.1258G	64.65	88.20	-23.55	53.57	3	Horizontal	288	1.38	-	36.10	8.44	33.46			
RMS	7.1256G	53.95	68.20	-14.25	42.87	3	Horizontal	288	1.38	-	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 55
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0901G	105.21	Inf	-Inf	94.30	3	Vertical	323	2.67	-	35.92	8.43	33.44			
RMS	7.0703G	95.09	Inf	-Inf	84.33	3	Vertical	323	2.67	-	35.76	8.43	33.43			
PK	7.2287G	64.51	88.20	-23.69	53.12	3	Vertical	323	2.67	-	36.36	8.53	33.50			
RMS	7.2323G	53.75	68.20	-14.45	42.35	3	Vertical	323	2.67	-	36.36	8.54	33.50			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 55
06-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0664G	109.72	Inf	-Inf	98.99	3	Horizontal	285	1.37	-	35.73	8.43	33.43			
RMS	7.0775G	99.93	Inf	-Inf	89.11	3	Horizontal	285	1.37	-	35.82	8.43	33.43			
PK	7.19G	64.88	88.20	-23.32	53.63	3	Horizontal	285	1.37	-	36.28	8.45	33.48			
RMS	7.2326G	53.67	68.20	-14.53	42.26	3	Horizontal	285	1.37	-	36.37	8.54	33.50			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 65
06-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0382G	106.31	Inf	-Inf	95.77	3	Vertical	317	2.69	-	35.53	8.43	33.42				
RMS	7.0098G	96.13	Inf	-Inf	85.75	3	Vertical	317	2.69	-	35.36	8.42	33.40				
PK	7.149G	64.72	88.20	-23.48	53.55	3	Vertical	317	2.69	-	36.20	8.44	33.47				
RMS	7.1254G	54.27	68.20	-13.93	43.19	3	Vertical	317	2.69	-	36.10	8.44	33.46				

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 65
06-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0138G	109.47	Inf	-Inf	99.08	3	Horizontal	281	1.38	-	35.38	8.42	33.41				
RMS	7.0126G	100.14	Inf	-Inf	89.75	3	Horizontal	281	1.38	-	35.38	8.42	33.41				
PK	7.1278G	67.00	88.20	-21.20	55.91	3	Horizontal	281	1.38	-	36.11	8.44	33.46				
RMS	7.1258G	55.85	68.20	-12.35	44.77	3	Horizontal	281	1.38	-	36.10	8.44	33.46				

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 71
06-U-G-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.952G	104.63	Inf	-Inf	94.49	3	Vertical	311	2.73	-	35.20	8.34	33.40				
AV	6.925G	93.48	Inf	-Inf	83.53	3	Vertical	311	2.73	-	35.05	8.30	33.40				
PK	7.281G	64.88	74.00	-9.12	53.22	3	Vertical	311	2.73	-	36.52	8.66	33.52				
AV	7.25G	50.09	54.00	-3.91	38.62	3	Vertical	311	2.73	-	36.40	8.58	33.51				

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 71
06-U-G-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.008G	109.66	Inf	-Inf	99.29	3	Horizontal	273	1.41	-	35.35	8.42	33.40			
AV	6.956G	97.76	Inf	-Inf	87.60	3	Horizontal	273	1.41	-	35.21	8.35	33.40			
PK	7.273G	68.13	74.00	-5.87	56.52	3	Horizontal	273	1.41	-	36.49	8.64	33.52			
AV	7.25G	53.90	54.00	-0.10	42.43	3	Horizontal	273	1.41	-	36.40	8.58	33.51			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 38
06-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.098G	107.40	Inf	-Inf	96.43	3	Vertical	36	2.00	-	35.98	8.43	33.44				
RMS	7.0978G	97.64	Inf	-Inf	86.67	3	Vertical	36	2.00	-	35.98	8.43	33.44				
PK	7.161G	64.34	88.20	-23.86	53.15	3	Vertical	36	2.00	-	36.22	8.44	33.47				
RMS	7.1896G	53.55	68.20	-14.65	42.30	3	Vertical	36	2.00	-	36.28	8.45	33.48				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 38
06-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1018G	109.88	Inf	-Inf	98.87	3	Horizontal	276	1.39	-	36.01	8.44	33.44			
RMS	7.0888G	99.74	Inf	-Inf	88.84	3	Horizontal	276	1.39	-	35.91	8.43	33.44			
PK	7.1264G	64.45	88.20	-23.75	53.36	3	Horizontal	276	1.39	-	36.11	8.44	33.46			
RMS	7.1264G	54.18	68.20	-14.02	43.09	3	Horizontal	276	1.39	-	36.11	8.44	33.46			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 48
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.103G	108.13	Inf	-Inf	97.13	3	Vertical	34	2.08	-	36.01	8.44	33.45				
RMS	7.088G	97.30	Inf	-Inf	86.41	3	Vertical	34	2.08	-	35.90	8.43	33.44				
PK	7.1615G	64.96	88.20	-23.24	53.77	3	Vertical	34	2.08	-	36.22	8.44	33.47				
RMS	7.2278G	53.77	68.20	-14.43	42.39	3	Vertical	34	2.08	-	36.36	8.52	33.50				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 48
06-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0817G	109.58	Inf	-Inf	98.74	3	Horizontal	274	1.42	-	35.85	8.43	33.44				
RMS	7.0817G	99.79	Inf	-Inf	88.95	3	Horizontal	274	1.42	-	35.85	8.43	33.44				
PK	7.2308G	64.44	88.20	-23.76	53.05	3	Horizontal	274	1.42	-	36.36	8.53	33.50				
RMS	7.2326G	53.80	68.20	-14.40	42.39	3	Horizontal	274	1.42	-	36.37	8.54	33.50				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 60
06-U-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0126G	107.79	Inf	-Inf	97.37	3	Vertical	310	2.15	-	35.41	8.42	33.41				
AV	7.0126G	96.01	Inf	-Inf	85.62	3	Vertical	310	2.15	-	35.38	8.42	33.41				
PK	7.1254G	65.46	88.20	-22.74	54.38	3	Vertical	310	2.15	-	36.10	8.44	33.46				
AV	7.1254G	53.08	68.20	-15.12	42.00	3	Vertical	310	2.15	-	36.10	8.44	33.46				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 60
06-U-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0018G	109.43	Inf	-Inf	99.10	3	Horizontal	331	1.61	-	35.31	8.42	33.40				
AV	7.037G	98.40	Inf	-Inf	87.87	3	Horizontal	331	1.61	-	35.52	8.43	33.42				
PK	7.1274G	68.31	88.20	-19.89	57.22	3	Horizontal	331	1.61	-	36.11	8.44	33.46				
AV	7.1274G	55.13	68.20	-13.07	44.04	3	Horizontal	331	1.61	-	36.11	8.44	33.46				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3012G	59.74	74.00	-13.74	72.02	3	Vertical	42	2.20	-	40.10	12.99	64.85			
AV	13.32616G	46.01	54.00	-6.68	59.07	3	Vertical	42	2.20	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31908G	58.92	74.00	-14.45	71.31	3	Horizontal	310	1.80	-	40.10	12.99	64.85			
AV	13.32388G	46.82	54.00	-6.69	59.06	3	Horizontal	310	1.80	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.959G	45.09	83.54	-37.49	40.86	1	Vertical	341	1.67	-	37.56	16.61	48.98			
AV	19.95252G	33.78	63.54	-29.46	28.86	1	Vertical	341	1.67	-	37.59	16.61	48.98			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99428G	46.27	83.54	-36.14	42.36	1	Horizontal	301	1.94	-	37.42	16.62	49.00			
AV	19.97892G	34.85	63.54	-27.59	30.84	1	Horizontal	301	1.94	-	37.48	16.62	48.99			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6359G	60.95	88.20	-27.25	72.11	3	Vertical	315	1.72	-	40.57	13.04	64.77			
RMS	13.65123G	48.85	68.20	-19.35	59.96	3	Vertical	315	1.72	-	40.60	13.05	64.76			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65087G	60.42	88.20	-27.78	71.53	3	Horizontal	26	1.44	-	40.60	13.05	64.76			
RMS	13.641G	49.04	68.20	-19.16	60.19	3	Horizontal	26	1.44	-	40.58	13.04	64.77			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.50968G	49.33	83.54	-34.21	43.57	1	Vertical	88	1.50	-	37.58	17.08	48.90			
AV	20.442G	35.24	63.54	-28.30	29.71	1	Vertical	88	1.50	-	37.42	17.02	48.91			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5194G	49.09	83.54	-34.45	43.34	1	Horizontal	269	1.40	-	37.56	17.09	48.90			
AV	20.5314G	37.69	63.54	-25.85	31.95	1	Horizontal	269	1.40	-	37.54	17.10	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX


EUT Y_4TX
Setting 63
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9575G	107.70	Inf	-Inf	94.30	3	Vertical	76	1.97	-	35.30	8.94	30.84				
AV	6.9075G	96.59	Inf	-Inf	83.10	3	Vertical	76	1.97	-	35.30	8.98	30.79				
PK	7.127G	68.34	88.20	-19.86	54.56	3	Vertical	76	1.97	-	35.71	8.96	30.89				
AV	7.1275G	55.20	68.20	-13.00	41.42	3	Vertical	76	1.97	-	35.71	8.96	30.89				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 63
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9695G	109.91	Inf	-Inf	96.54	3	Horizontal	302	1.64	-	35.30	8.93	30.86				
AV	6.924G	98.70	Inf	-Inf	85.24	3	Horizontal	302	1.64	-	35.30	8.96	30.80				
PK	7.1445G	70.77	88.20	-17.43	56.91	3	Horizontal	302	1.64	-	35.78	8.97	30.89				
AV	7.132G	56.21	68.20	-11.99	42.40	3	Horizontal	302	1.64	-	35.73	8.97	30.89				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97147G	60.22	88.20	-27.98	70.34	3	Vertical	99	2.04	-	41.39	13.10	64.61			
RMS	13.961G	48.56	68.20	-19.64	58.75	3	Vertical	99	2.04	-	41.34	13.09	64.62			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96925G	60.55	88.20	-27.65	70.68	3	Horizontal	66	1.83	-	41.38	13.10	64.61			
RMS	13.97408G	49.47	68.20	-18.73	59.58	3	Horizontal	66	1.83	-	41.40	13.10	64.61			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.94936G	46.39	83.54	-37.15	40.01	1	Vertical	267	2.06	-	37.80	17.48	48.90			
AV	20.91984G	34.54	63.54	-29.00	28.18	1	Vertical	267	2.06	-	37.80	17.46	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 88
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94036G	46.03	83.54	-37.51	39.65	1	Horizontal	84	1.48	-	37.80	17.48	48.90			
AV	20.97636G	34.60	63.54	-28.94	28.24	1	Horizontal	84	1.48	-	37.75	17.51	48.90			

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 42
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0876G	107.07	Inf	-Inf	93.47	3	Vertical	74	2.06	-	35.55	8.94	30.89				
RMS	7.1G	97.58	Inf	-Inf	83.92	3	Vertical	74	2.06	-	35.60	8.95	30.89				
PK	7.1598G	65.32	88.20	-22.88	51.39	3	Vertical	74	2.06	-	35.84	8.98	30.89				
RMS	7.125G	55.21	68.20	-12.99	41.44	3	Vertical	74	2.06	-	35.70	8.96	30.89				

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 42
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0962G	109.25	Inf	-Inf	95.61	3	Horizontal	306	1.44	-	35.58	8.95	30.89			
RMS	7.0888G	99.66	Inf	-Inf	86.05	3	Horizontal	306	1.44	-	35.56	8.94	30.89			
PK	7.1448G	66.20	88.20	-22.00	52.34	3	Horizontal	306	1.44	-	35.78	8.97	30.89			
RMS	7.126G	55.27	68.20	-12.93	41.50	3	Horizontal	306	1.44	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 52
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0874G	106.08	Inf	-Inf	92.48	3	Vertical	73	2.05	-	35.55	8.94	30.89				
RMS	7.088G	97.12	Inf	-Inf	83.52	3	Vertical	73	2.05	-	35.55	8.94	30.89				
PK	7.1489G	65.16	88.20	-23.04	51.28	3	Vertical	73	2.05	-	35.80	8.97	30.89				
RMS	7.2329G	54.90	68.20	-13.30	40.59	3	Vertical	73	2.05	-	36.20	9.00	30.89				

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 52
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0664G	108.99	Inf	-Inf	95.48	3	Horizontal	311	1.44	-	35.47	8.93	30.89				
RMS	7.079G	100.10	Inf	-Inf	86.53	3	Horizontal	311	1.44	-	35.52	8.94	30.89				
PK	7.2041G	65.18	88.20	-23.02	51.05	3	Horizontal	311	1.44	-	36.02	9.00	30.89				
RMS	7.1318G	55.05	68.20	-13.15	41.24	3	Horizontal	311	1.44	-	35.73	8.97	30.89				

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 65
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0286G	106.27	Inf	-Inf	92.89	3	Vertical	31	2.96	-	35.36	8.91	30.89				
RMS	7.0186G	96.58	Inf	-Inf	83.22	3	Vertical	31	2.96	-	35.34	8.91	30.89				
PK	7.137G	65.58	88.20	-22.62	51.75	3	Vertical	31	2.96	-	35.75	8.97	30.89				
RMS	7.1254G	55.82	68.20	-12.38	42.05	3	Vertical	31	2.96	-	35.70	8.96	30.89				

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 65
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0166G	109.07	Inf	-Inf	95.72	3	Horizontal	306	1.32	-	35.33	8.91	30.89			
RMS	7.0378G	100.25	Inf	-Inf	86.84	3	Horizontal	306	1.32	-	35.38	8.92	30.89			
PK	7.1442G	66.76	88.20	-21.44	52.90	3	Horizontal	306	1.32	-	35.78	8.97	30.89			
RMS	7.125G	57.12	68.20	-11.08	43.35	3	Horizontal	306	1.32	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 71
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.953G	107.09	Inf	-Inf	93.69	3	Vertical	77	2.12	-	35.30	8.94	30.84			
AV	6.9274G	97.72	Inf	-Inf	84.27	3	Vertical	77	2.12	-	35.30	8.96	30.81			
PK	7.1498G	76.83	88.20	-11.37	62.95	3	Vertical	77	2.12	-	35.80	8.97	30.89			
AV	7.1306G	61.18	68.20	-7.02	47.38	3	Vertical	77	2.12	-	35.72	8.97	30.89			
PK	7.2514G	65.57	74.00	-8.43	51.14	3	Vertical	77	2.12	-	36.31	9.01	30.89			
AV	7.2506G	51.51	54.00	-2.49	37.09	3	Vertical	77	2.12	-	36.30	9.01	30.89			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX

EUT_Y_4TX
Setting 71
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	108.47	Inf	-Inf	95.00	3	Horizontal	303	1.50	-	35.30	8.97	30.80
AV	6.9538G	99.08	Inf	-Inf	85.68	3	Horizontal	303	1.50	-	35.30	8.94	30.84
PK	7.1594G	76.71	88.20	-11.49	62.78	3	Horizontal	303	1.50	-	35.84	8.98	30.89
AV	7.1346G	63.82	68.20	-4.38	50.00	3	Horizontal	303	1.50	-	35.74	8.97	30.89
PK	7.261G	65.08	74.00	-8.92	50.62	3	Horizontal	303	1.50	-	36.34	9.01	30.89
AV	7.2562G	53.83	54.00	-0.17	39.39	3	Horizontal	303	1.50	-	36.32	9.01	30.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.2506G	53.49	54.00	-0.51	3	Horizontal	278	1.48	-

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 37
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.09G	103.45	Inf	-Inf	92.54	3	Vertical	340	2.74	-	35.92	8.43	33.44				
RMS	7.0898G	93.57	Inf	-Inf	82.66	3	Vertical	340	2.74	-	35.92	8.43	33.44				
PK	7.1854G	64.51	88.20	-23.69	53.27	3	Vertical	340	2.74	-	36.27	8.45	33.48				
RMS	7.1904G	53.01	68.20	-15.19	41.76	3	Vertical	340	2.74	-	36.28	8.45	33.48				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 37
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.092G	111.41	Inf	-Inf	100.48	3	Horizontal	286	1.49	-	35.94	8.43	33.44			
RMS	7.1024G	100.13	Inf	-Inf	89.13	3	Horizontal	286	1.49	-	36.01	8.44	33.45			
PK	7.145G	66.45	88.20	-21.75	55.29	3	Horizontal	286	1.49	-	36.18	8.44	33.46			
RMS	7.1252G	53.77	68.20	-14.43	42.69	3	Horizontal	286	1.49	-	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 49
06-U-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0792G	102.84	Inf	-Inf	92.01	3	Vertical	347	2.97	-	35.83	8.43	33.43			
RMS	7.0722G	92.54	Inf	-Inf	81.76	3	Vertical	347	2.97	-	35.78	8.43	33.43			
PK	7.1252G	72.01	88.20	-16.19	60.93	3	Vertical	347	2.97	-	36.10	8.44	33.46			
RMS	7.1276G	54.04	68.20	-14.16	42.95	3	Vertical	347	2.97	-	36.11	8.44	33.46			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX



EUT_Y_2TX
Setting 49
06-U-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0744G	110.49	Inf	-Inf	99.69	3	Horizontal	278.9	1.51	-	35.80	8.43	33.43			
RMS	7.0772G	100.12	Inf	-Inf	89.30	3	Horizontal	278.9	1.51	-	35.82	8.43	33.43			
PK	7.1254G	73.08	88.20	-15.12	62.00	3	Horizontal	278.9	1.51	-	36.10	8.44	33.46			
RMS	7.1258G	55.57	68.20	-12.63	44.49	3	Horizontal	278.9	1.51	-	36.10	8.44	33.46			