


6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 65
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.026G	94.35	Inf	-Inf	81.13	3	Vertical	357	1.80	-	36.10	9.86	32.74			
RMS	7.026G	85.20	Inf	-Inf	71.98	3	Vertical	357	1.80	-	36.10	9.86	32.74			
PK	7.24G	55.58	88.20	-32.62	40.88	3	Vertical	357	1.80	-	37.08	10.28	32.66			
RMS	7.2425G	45.83	68.20	-22.37	31.12	3	Vertical	357	1.80	-	37.09	10.28	32.66			
PK	7.2625G	55.85	74.00	-18.15	41.14	3	Vertical	357	1.80	-	37.08	10.28	32.65			
AV	7.272G	46.20	54.00	-7.80	31.52	3	Vertical	357	1.80	-	37.06	10.27	32.65			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 65
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0025G	112.24	Inf	-Inf	99.18	3	Horizontal	310	1.26	-	36.01	9.80	32.75			
RMS	7.0105G	100.45	Inf	-Inf	87.34	3	Horizontal	310	1.26	-	36.04	9.82	32.75			
PK	7.1265G	64.95	88.20	-23.25	50.88	3	Horizontal	310	1.26	-	36.66	10.11	32.70			
RMS	7.126G	54.32	68.20	-13.88	40.25	3	Horizontal	310	1.26	-	36.66	10.11	32.70			
PK	7.253G	56.92	74.00	-17.08	42.20	3	Horizontal	310	1.26	-	37.09	10.28	32.65			
AV	7.274G	46.67	54.00	-7.33	32.00	3	Horizontal	310	1.26	-	37.05	10.27	32.65			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 70
06-U-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9082G	107.54	Inf	-Inf	97.73	3	Vertical	286	3.00	-	34.95	8.27	33.41			
RMS	7.0138G	91.91	Inf	-Inf	81.52	3	Vertical	286	3.00	-	35.38	8.42	33.41			
PK	7.1482G	70.99	88.20	-17.21	59.83	3	Vertical	286	3.00	-	36.19	8.44	33.47			
RMS	7.149G	54.66	68.20	-13.54	43.49	3	Vertical	286	3.00	-	36.20	8.44	33.47			
PK	7.2794G	60.28	74.00	-13.72	48.62	3	Vertical	286	3.00	-	36.52	8.66	33.52			
AV	7.2562G	47.54	54.00	-6.46	36.03	3	Vertical	286	3.00	-	36.42	8.60	33.51			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 70
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.045G	110.39	Inf	-Inf	99.81	3	Horizontal	278	1.48	-	35.57	8.43	33.42			
RMS	6.953G	99.37	Inf	-Inf	89.22	3	Horizontal	278	1.48	-	35.21	8.34	33.40			
PK	7.149G	78.11	88.20	-10.09	66.94	3	Horizontal	278	1.48	-	36.20	8.44	33.47			
RMS	7.133G	63.50	68.20	-4.70	52.39	3	Horizontal	278	1.48	-	36.13	8.44	33.46			
PK	7.2722G	67.39	74.00	-6.61	55.78	3	Horizontal	278	1.48	-	36.49	8.64	33.52			
AV	7.2506G	53.49	54.00	-0.51	42.02	3	Horizontal	278	1.48	-	36.40	8.58	33.51			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 34
06-U-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1027G	106.78	Inf	-Inf	95.78	3	Vertical	77	1.80	-	36.01	8.44	33.45			
RMS	7.1027G	96.46	Inf	-Inf	85.46	3	Vertical	77	1.80	-	36.01	8.44	33.45			
PK	7.1319G	64.22	88.20	-23.98	53.11	3	Vertical	77	1.80	-	36.13	8.44	33.46			
RMS	7.1252G	52.87	68.20	-15.33	41.79	3	Vertical	77	1.80	-	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 34
06-U-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	7.099G	110.62	Inf	-Inf	99.64	3	Horizontal	304	1.37	-	35.99	8.43	33.44
RMS	7.1028G	99.91	Inf	-Inf	88.91	3	Horizontal	304	1.37	-	36.01	8.44	33.45
PK	7.1266G	64.63	88.20	-23.57	53.54	3	Horizontal	304	1.37	-	36.11	8.44	33.46
RMS	7.125G	53.66	68.20	-14.54	42.57	3	Horizontal	304	1.37	-	36.10	8.44	33.45

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 46
06-U-P-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0666G	105.13	Inf	-Inf	94.40	3	Vertical	286	1.77	-	35.73	8.43	33.43			
RMS	7.0672G	95.23	Inf	-Inf	84.49	3	Vertical	286	1.77	-	35.74	8.43	33.43			
PK	7.179G	63.60	88.20	-24.60	52.37	3	Vertical	286	1.77	-	36.26	8.45	33.48			
RMS	7.1848G	53.13	68.20	-15.07	41.89	3	Vertical	286	1.77	-	36.27	8.45	33.48			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 46
06-U-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0966G	110.59	Inf	-Inf	99.63	3	Horizontal	302.1	1.53	-	35.97	8.43	33.44
RMS	7.1002G	99.93	Inf	-Inf	88.93	3	Horizontal	302.1	1.53	-	36.00	8.44	33.44
PK	7.1598G	63.83	88.20	-24.37	52.64	3	Horizontal	302.1	1.53	-	36.22	8.44	33.47
RMS	7.1806G	53.07	68.20	-15.13	41.84	3	Horizontal	302.1	1.53	-	36.26	8.45	33.48

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 54
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	7.0334G	108.35	Inf	-Inf	97.83	3	Vertical	285	1.68	-	35.50	8.43	33.41					
RMS	7.0338G	97.66	Inf	-Inf	87.14	3	Vertical	285	1.68	-	35.50	8.43	33.41					
PK	7.1286G	65.20	88.20	-23.00	54.11	3	Vertical	285	1.68	-	36.11	8.44	33.46					
RMS	7.2202G	53.53	68.20	-14.67	42.19	3	Vertical	285	1.68	-	36.34	8.50	33.50					

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 54
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0514G	110.21	Inf	-Inf	99.59	3	Horizontal	302	1.28	-	35.61	8.43	33.42				
RMS	7.0126G	100.14	Inf	-Inf	89.75	3	Horizontal	302	1.28	-	35.38	8.42	33.41				
PK	7.1274G	68.60	88.20	-19.60	57.51	3	Horizontal	302	1.28	-	36.11	8.44	33.46				
RMS	7.125G	56.64	68.20	-11.56	45.55	3	Horizontal	302	1.28	-	36.10	8.44	33.45				

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 88
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33019G	54.78	74.00	-19.22	37.84	3	Vertical	144	1.10	-	39.84	11.91	34.81			
AV	13.33103G	40.88	54.00	-13.12	23.92	3	Vertical	144	1.10	-	39.85	11.92	34.81			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 88
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32759G	55.19	74.00	-18.81	38.27	3	Horizontal	58	1.41	-	39.82	11.91	34.81			
AV	13.32635G	40.88	54.00	-13.12	23.97	3	Horizontal	58	1.41	-	39.81	11.91	34.81			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 88
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99004G	53.77	83.54	-29.77	47.90	1	Vertical	33	2.01	-	37.78	17.36	49.27			
AV	19.99938G	39.84	63.54	-23.70	33.93	1	Vertical	33	2.01	-	37.80	17.37	49.26			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 88
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.99504G	53.42	83.54	-30.12	47.52	1	Horizontal	212	1.99	-	37.79	17.37	49.26				
AV	19.9959G	39.88	63.54	-23.66	33.97	1	Horizontal	212	1.99	-	37.80	17.37	49.26				

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 88
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65359G	56.90	88.20	-31.30	39.39	3	Vertical	11	1.96	-	40.11	12.12	34.72			
RMS	13.65055G	43.02	68.20	-25.18	25.53	3	Vertical	11	1.96	-	40.10	12.11	34.72			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 88
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64848G	57.95	88.20	-30.25	40.46	3	Horizontal	221	1.77	-	40.10	12.11	34.72			
RMS	13.65035G	43.04	68.20	-25.16	25.55	3	Horizontal	221	1.77	-	40.10	12.11	34.72			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Y_4TX
Setting 88
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47372G	53.25	83.54	-30.29	47.29	1	Vertical	43	1.80	-	37.75	17.44	49.23			
AV	20.47589G	38.95	63.54	-24.59	32.99	1	Vertical	43	1.80	-	37.75	17.44	49.23			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 88
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47193G	53.35	83.54	-30.19	47.38	1	Horizontal	202	1.96	-	37.76	17.44	49.23			
AV	20.4772G	38.92	63.54	-24.62	32.96	1	Horizontal	202	1.96	-	37.75	17.44	49.23			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 63
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.955G	108.56	Inf	-Inf	98.40	3	Vertical	267	2.21	-	35.21	8.35	33.40				
RMS	6.957G	98.58	Inf	-Inf	88.42	3	Vertical	267	2.21	-	35.21	8.35	33.40				
PK	7.147G	67.91	88.20	-20.29	56.74	3	Vertical	267	2.21	-	36.19	8.44	33.46				
RMS	7.125G	53.66	68.20	-14.54	42.57	3	Vertical	267	2.21	-	36.10	8.44	33.45				

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 63
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9595G	111.14	Inf	-Inf	100.96	3	Horizontal	294	1.40	-	35.22	8.36	33.40			
RMS	6.9645G	100.29	Inf	-Inf	90.10	3	Horizontal	294	1.40	-	35.23	8.36	33.40			
PK	7.13G	73.76	88.20	-14.44	62.66	3	Horizontal	294	1.40	-	36.12	8.44	33.46			
RMS	7.1275G	56.53	68.20	-11.67	45.44	3	Horizontal	294	1.40	-	36.11	8.44	33.46			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 88
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96631G	54.71	88.20	-33.49	36.67	3	Vertical	8	2.17	-	40.43	12.31	34.70			
RMS	13.96549G	41.92	68.20	-26.28	23.88	3	Vertical	8	2.17	-	40.43	12.31	34.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 88
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.9735G	55.45	88.20	-32.75	37.39	3	Horizontal	337	1.93	-	40.45	12.31	34.70			
RMS	13.96521G	41.95	68.20	-26.25	23.91	3	Horizontal	337	1.93	-	40.43	12.31	34.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Y_4TX
Setting 88
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95309G	51.89	83.54	-31.65	45.47	1	Vertical	77	1.51	-	37.91	17.50	48.99			
AV	20.95021G	39.35	63.54	-24.19	32.95	1	Vertical	77	1.51	-	37.90	17.50	49.00			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_Y_4TX
Setting 88
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95855G	53.17	83.54	-30.37	46.74	1	Horizontal	116	1.96	-	37.92	17.50	48.99			
AV	20.9586G	39.42	63.54	-24.12	32.99	1	Horizontal	116	1.96	-	37.92	17.50	48.99			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1.(MCS0)_4TX	Pass	AV	13.32616G	46.01	54.00	-6.68	3	Vertical	42	2.20	-

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT V_4TX
Setting 90
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3012G	59.74	74.00	-13.74	72.02	3	Vertical	42	2.20	-	40.10	12.99	64.85			
AV	13.32616G	46.01	54.00	-6.68	59.07	3	Vertical	42	2.20	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 90
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.31908G	58.92	74.00	-14.45	71.31	3	Horizontal	310	1.80	-	40.10	12.99	64.85			
AV	13.32388G	46.82	54.00	-6.69	59.06	3	Horizontal	310	1.80	-	40.10	13.00	64.85			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_V_4TX
Setting 90
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.959G	45.09	83.54	-37.49	40.86	1	Vertical	341	1.67	-	37.56	16.61	48.98			
AV	19.95252G	33.78	63.54	-29.46	28.86	1	Vertical	341	1.67	-	37.59	16.61	48.98			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 90
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99428G	46.27	83.54	-36.14	42.36	1	Horizontal	301	1.94	-	37.42	16.62	49.00			
AV	19.97892G	34.85	63.54	-27.59	30.84	1	Horizontal	301	1.94	-	37.48	16.62	48.99			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 86
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6359G	60.95	88.20	-27.25	72.11	3	Vertical	315	1.72	-	40.57	13.04	64.77			
RMS	13.65123G	48.85	68.20	-19.35	59.96	3	Vertical	315	1.72	-	40.60	13.05	64.76			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 86
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65087G	60.42	88.20	-27.78	71.53	3	Horizontal	26	1.44	-	40.60	13.05	64.76			
RMS	13.641G	49.04	68.20	-19.16	60.19	3	Horizontal	26	1.44	-	40.58	13.04	64.77			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT Y_4TX
Setting 86
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.50968G	49.33	83.54	-34.21	43.57	1	Vertical	88	1.50	-	37.58	17.08	48.90			
AV	20.442G	35.24	63.54	-28.30	29.71	1	Vertical	88	1.50	-	37.42	17.02	48.91			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_V_4TX
Setting 86
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.5194G	49.09	83.54	-34.45	43.34	1	Horizontal	269	1.40	-	37.56	17.09	48.90				
AV	20.5314G	37.69	63.54	-25.85	31.95	1	Horizontal	269	1.40	-	37.54	17.10	48.90				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 90
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97147G	60.22	88.20	-27.98	70.34	3	Vertical	99	2.04	-	41.39	13.10	64.61			
RMS	13.961G	48.56	68.20	-19.64	58.75	3	Vertical	99	2.04	-	41.34	13.09	64.62			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 90
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96925G	60.55	88.20	-27.65	70.68	3	Horizontal	66	1.83	-	41.38	13.10	64.61			
RMS	13.97408G	49.47	68.20	-18.73	59.58	3	Horizontal	66	1.83	-	41.40	13.10	64.61			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_V_4TX
Setting 90
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94936G	46.39	83.54	-37.15	40.01	1	Vertical	267	2.06	-	37.80	17.48	48.90			
AV	20.91984G	34.54	63.54	-29.00	28.18	1	Vertical	267	2.06	-	37.80	17.46	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX



EUT_V_4TX
Setting 90
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.94036G	46.03	83.54	-37.51	39.65	1	Horizontal	84	1.48	-	37.80	17.48	48.90			
AV	20.97636G	34.60	63.54	-28.94	28.24	1	Horizontal	84	1.48	-	37.75	17.51	48.90			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1.(MCS0)_4TX	Pass	AV	13.39921G	51.57	54.00	-2.43	3	Vertical	240	2.38	-

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_V_4TX
Setting 88
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.20272G	64.77	88.20	-23.43	43.55	3	Vertical	99	2.51	-	39.71	12.98	31.47			
RMS	13.19693G	52.60	68.20	-15.60	31.39	3	Vertical	99	2.51	-	39.70	12.98	31.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX



EUT_Y_4TX
Setting 88
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.19048G	62.81	88.20	-25.39	41.61	3	Horizontal	335	2.87	-	39.70	12.97	31.47			
RMS	13.19204G	52.07	68.20	-16.13	30.87	3	Horizontal	335	2.87	-	39.70	12.97	31.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX



EUT_Y_4TX
Setting 88
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.77546G	52.60	83.54	-30.94	47.42	1	Vertical	228	1.68	-	37.50	16.59	48.91			
AV	19.79211G	41.54	63.54	-22.00	36.37	1	Vertical	228	1.68	-	37.50	16.59	48.92			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_Y_4TX
Setting 88
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.77603G	52.74	83.54	-30.80	47.56	1	Horizontal	295	1.51	-	37.50	16.59	48.91			
AV	19.79343G	41.55	63.54	-21.99	36.38	1	Horizontal	295	1.51	-	37.50	16.59	48.92			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 83
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38019G	62.69	74.00	-11.31	40.99	3	Vertical	240	2.38	-	40.22	13.00	31.52			
AV	13.39921G	51.57	54.00	-2.43	29.79	3	Vertical	240	2.38	-	40.30	13.01	31.53			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 83
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37902G	61.31	74.00	-12.69	39.61	3	Horizontal	203	1.96	-	40.22	13.00	31.52			
AV	13.39822G	50.17	54.00	-3.83	28.40	3	Horizontal	203	1.96	-	40.29	13.01	31.53			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 83
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0928G	53.10	83.54	-30.44	48.09	1	Vertical	29	1.56	-	37.29	16.70	48.98			
AV	20.08833G	41.34	63.54	-22.20	36.34	1	Vertical	29	1.56	-	37.28	16.70	48.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 83
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09505G	53.28	83.54	-30.26	48.26	1	Horizontal	269	1.81	-	37.29	16.71	48.98			
AV	20.09454G	41.45	63.54	-22.09	36.43	1	Horizontal	269	1.81	-	37.29	16.71	48.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 85
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72053G	60.97	88.20	-27.23	38.80	3	Vertical	41	2.02	-	40.74	13.06	31.63			
RMS	13.71369G	52.99	68.20	-15.21	30.83	3	Vertical	41	2.02	-	40.73	13.06	31.63			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 85
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.72359G	60.34	88.20	-27.86	38.16	3	Horizontal	22	1.71	-	40.75	13.06	31.63			
RMS	13.7106G	52.27	68.20	-15.93	30.12	3	Horizontal	22	1.71	-	40.72	13.06	31.63			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 85
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56947G	54.77	83.54	-28.77	48.95	1	Vertical	75	2.03	-	37.58	17.14	48.90			
AV	20.57103G	42.57	63.54	-20.97	36.75	1	Vertical	75	2.03	-	37.58	17.14	48.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6855MHz_TX



EUT_Y_4TX
Setting 85
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56656G	54.77	83.54	-28.77	48.96	1	Horizontal	156	1.59	-	37.57	17.14	48.90			
AV	20.57805G	42.51	63.54	-21.03	36.65	1	Horizontal	156	1.59	-	37.61	17.15	48.90			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	5.916G	68.19	68.20	-0.01	3	Vertical	306	1.00	104

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 89
70\81\89
5.72\2.91\1.04

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.9139G	63.33	88.20	-24.87	56.23	3	Vertical	328	1.73	89	34.56	7.52	34.98					
RMS	5.9235G	49.09	68.20	-19.11	41.97	3	Vertical	328	1.73	89	34.59	7.52	34.99					
PK	5.9499G	100.89	Inf	-Inf	93.66	3	Vertical	328	1.73	89	34.70	7.52	34.99					
RMS	5.9574G	90.41	Inf	-Inf	83.18	3	Vertical	328	1.73	89	34.70	7.53	35.00					

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 63
63
24.52

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	53.85	88.20	-34.35	46.76	3	Horizontal	74	1.69	63	34.55	7.52	34.98			
RMS	5.913G	43.68	68.20	-24.52	36.59	3	Horizontal	74	1.69	63	34.55	7.52	34.98			
PK	5.961G	105.75	Inf	-Inf	98.52	3	Horizontal	74	1.69	63	34.70	7.53	35.00			
RMS	5.9637G	94.21	Inf	-Inf	86.98	3	Horizontal	74	1.69	63	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT Y_1TX
Setting 65
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1016G	98.52	Inf	-Inf	89.49	3	Vertical	255	1.04	-	35.71	8.39	35.07			
RMS	7.0976G	87.98	Inf	-Inf	78.96	3	Vertical	255	1.04	-	35.70	8.39	35.07			
PK	7.192G	63.48	88.20	-24.72	53.82	3	Vertical	255	1.04	-	36.25	8.44	35.03			
RMS	7.1946G	52.58	68.20	-15.62	42.90	3	Vertical	255	1.04	-	36.27	8.44	35.03			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT Y_1TX
Setting 65
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1014G	110.07	Inf	-Inf	101.04	3	Horizontal	231	2.83	-	35.71	8.39	35.07			
RMS	7.1024G	99.88	Inf	-Inf	90.85	3	Horizontal	231	2.83	-	35.71	8.39	35.07			
PK	7.1252G	64.58	88.20	-23.62	55.39	3	Horizontal	231	2.83	-	35.85	8.40	35.06			
RMS	7.1256G	53.80	68.20	-14.40	44.61	3	Horizontal	231	2.83	-	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET93
70\85\93
7.68\4.00\2.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	78.20	88.20	-10.00	71.07	3	Vertical	323	1.63	93	34.60	7.52	34.99			
RMS	5.9242G	64.85	68.20	-3.35	57.72	3	Vertical	323	1.63	93	34.60	7.52	34.99			
PK	5.974G	101.32	Inf	-Inf	94.09	3	Vertical	323	1.63	93	34.70	7.53	35.00			
RMS	5.962G	89.59	Inf	-Inf	82.36	3	Vertical	323	1.63	93	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
SET 70
70
22.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9182G	57.30	88.20	-30.90	50.20	3	Horizontal	79	1.66	70	34.57	7.52	34.99				
RMS	5.925G	46.08	68.20	-22.12	38.95	3	Horizontal	79	1.66	70	34.60	7.52	34.99				
PK	5.9581G	104.06	Inf	-Inf	96.83	3	Horizontal	79	1.66	70	34.70	7.53	35.00				
RMS	5.9596G	93.08	Inf	-Inf	85.85	3	Horizontal	79	1.66	70	34.70	7.53	35.00				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Y_1TX
SET 91
108\87\107\97\92\90\91
-5.23\7.61\4.85\4.99\0.30\1.96\1.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0808G	104.23	Inf	-Inf	95.23	3	Vertical	310	2.92	91	35.70	8.38	35.08			
RMS	7.0949G	91.47	Inf	-Inf	82.45	3	Vertical	310	2.92	91	35.70	8.39	35.07			
PK	7.1252G	79.00	88.20	-9.20	69.81	3	Vertical	310	2.92	91	35.85	8.40	35.06			
RMS	7.1252G	66.89	68.20	-1.31	57.70	3	Vertical	310	2.92	91	35.85	8.40	35.06			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT Y_1TX
SET 79
79
13.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0742G	110.14	Inf	-Inf	101.14	3	Horizontal	303	1.86	-	35.70	8.38	35.08			
RMS	7.0859G	97.39	Inf	-Inf	88.39	3	Horizontal	303	1.86	-	35.70	8.38	35.08			
PK	7.2242G	63.98	88.20	-24.22	54.08	3	Horizontal	303	1.86	-	36.45	8.47	35.02			
RMS	7.2278G	52.30	68.20	-15.90	42.38	3	Horizontal	303	1.86	-	36.47	8.47	35.02			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET99
70\91\99
10.87\5.88\4.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9245G	76.02	88.20	-12.18	68.89	3	Vertical	325	1.54	99	34.60	7.52	34.99				
RMS	5.9235G	64.73	68.20	-3.47	57.61	3	Vertical	325	1.54	99	34.59	7.52	34.99				
PK	5.9475G	98.17	Inf	-Inf	90.95	3	Vertical	325	1.54	99	34.69	7.52	34.99				
RMS	5.9565G	87.36	Inf	-Inf	80.13	3	Vertical	325	1.54	99	34.70	7.53	35.00				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
SET 81
81
20.98

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.922G	57.89	88.20	-30.31	50.77	3	Horizontal	73	1.69	81	34.59	7.52	34.99				
RMS	5.9215G	47.22	68.20	-20.98	40.10	3	Horizontal	73	1.69	81	34.59	7.52	34.99				
PK	5.9865G	103.94	Inf	-Inf	96.72	3	Horizontal	73	1.69	81	34.70	7.53	35.01				
RMS	5.9695G	92.49	Inf	-Inf	85.26	3	Horizontal	73	1.69	81	34.70	7.53	35.00				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Y_1TX
SET 84
103\98\100\101
-2.27\3.28\1.71\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.003G	100.54	Inf	-Inf	90.20	3	Vertical	324	2.96	-	35.32	8.42	33.40			
RMS	7.011G	89.50	Inf	-Inf	79.11	3	Vertical	324	2.96	-	35.37	8.42	33.40			
PK	7.125G	68.52	88.20	-19.68	57.43	3	Vertical	324	2.96	-	36.10	8.44	33.45			
RMS	7.1262G	55.48	68.20	-12.72	44.40	3	Vertical	324	2.96	-	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Y_1TX
SET84
86
4.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.037G	110.72	Inf	-Inf	100.19	3	Horizontal	293	2.77	-	35.52	8.43	33.42			
RMS	7.0138G	99.53	Inf	-Inf	89.14	3	Horizontal	293	2.77	-	35.38	8.42	33.41			
PK	7.125G	75.83	88.20	-12.37	64.74	3	Horizontal	293	2.77	-	36.10	8.44	33.45			
RMS	7.1258G	62.56	68.20	-5.64	51.48	3	Horizontal	293	2.77	-	36.10	8.44	33.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 84
06-U-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	73.11	88.20	-15.09	67.04	3	Vertical	30	1.75	-	32.25	7.58	33.76				
RMS	5.9245G	57.92	68.20	-10.28	51.86	3	Vertical	30	1.75	-	32.25	7.57	33.76				
PK	5.958G	99.00	Inf	-Inf	92.81	3	Vertical	30	1.75	-	32.32	7.63	33.76				
RMS	5.9625G	88.29	Inf	-Inf	82.08	3	Vertical	30	1.75	-	32.32	7.64	33.75				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 84
06-U-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	83.50	88.20	-4.70	77.43	3	Horizontal	287	2.54	-	32.25	7.58	33.76			
RMS	5.925G	67.84	68.20	-0.36	61.77	3	Horizontal	287	2.54	-	32.25	7.58	33.76			
PK	5.951G	108.46	Inf	-Inf	102.30	3	Horizontal	287	2.54	-	32.30	7.62	33.76			
RMS	5.9625G	97.62	Inf	-Inf	91.41	3	Horizontal	287	2.54	-	32.32	7.64	33.75			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
SET 94
98\91\94
-6.18\2.82\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0405G	101.49	Inf	-Inf	92.52	3	Vertical	268	1.04	94	35.70	8.36	35.09			
RMS	6.953G	88.85	Inf	-Inf	80.04	3	Vertical	268	1.04	94	35.61	8.31	35.11			
PK	7.139G	80.88	88.20	-7.32	71.59	3	Vertical	268	1.04	94	35.93	8.41	35.05			
RMS	7.1365G	68.17	68.20	-0.03	58.90	3	Vertical	268	1.04	94	35.92	8.41	35.06			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
SET 84
90\85\83\84
-4.33\ -0.85\2.16\0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.961G	108.24	Inf	-Inf	99.41	3	Horizontal	306	1.80	84	35.62	8.32	35.11			
RMS	6.9245G	95.95	Inf	-Inf	87.12	3	Horizontal	306	1.80	84	35.65	8.29	35.11			
PK	7.1395G	80.20	88.20	-8.00	70.90	3	Horizontal	306	1.80	84	35.94	8.41	35.05			
RMS	7.1255G	67.49	68.20	-0.71	58.30	3	Horizontal	306	1.80	84	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT Y_1TX
SET 108
70\103\108
16.73\10.06\9.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	72.58	88.20	-15.62	65.46	3	Vertical	330	1.80	108	34.59	7.52	34.99			
RMS	5.922G	60.49	68.20	-7.71	53.37	3	Vertical	330	1.80	108	34.59	7.52	34.99			
PK	6.081G	94.62	Inf	-Inf	87.11	3	Vertical	330	1.80	108	34.92	7.62	35.03			
RMS	6.078G	82.35	Inf	-Inf	74.85	3	Vertical	330	1.80	108	34.91	7.62	35.03			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
SET96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.11	88.20	-10.09	70.98	3	Horizontal	73	1.66	100	34.60	7.52	34.99			
RMS	5.925G	67.59	68.20	-0.61	60.46	3	Horizontal	73	1.66	100	34.60	7.52	34.99			
PK	6.134G	100.68	Inf	-Inf	93.04	3	Horizontal	73	1.66	100	35.00	7.68	35.04			
RMS	6.069G	89.55	Inf	-Inf	82.09	3	Horizontal	73	1.66	100	34.88	7.61	35.03			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT Y_1TX
Setting 76
06-U-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0138G	91.96	Inf	-Inf	81.57	3	Vertical	8	2.13	-	35.38	8.42	33.41			
RMS	6.7482G	82.90	Inf	-Inf	73.98	3	Vertical	8	2.13	-	34.30	8.04	33.42			
PK	7.4762G	55.51	74.00	-18.49	43.62	3	Vertical	8	2.13	-	36.60	8.90	33.61			
AV	7.2586G	45.74	54.00	-8.26	34.21	3	Vertical	8	2.13	-	36.43	8.61	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Y_1TX
Setting 76
06-U-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9418G	102.93	Inf	-Inf	92.85	3	Horizontal	293	2.76	-	35.15	8.33	33.40			
RMS	6.7626G	92.98	Inf	-Inf	84.00	3	Horizontal	293	2.76	-	34.33	8.06	33.41			
PK	7.2778G	65.39	74.00	-8.61	53.74	3	Horizontal	293	2.76	-	36.51	8.66	33.52			
AV	7.25G	53.90	54.00	-0.10	42.43	3	Horizontal	293	2.76	-	36.40	8.58	33.51			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 61
39\53\61
7.30\4.26\2.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8851G	53.87	88.20	-34.33	46.89	3	Vertical	22	2.93	61	34.44	7.52	34.98			
RMS	5.9226G	43.20	68.20	-25.00	36.08	3	Vertical	22	2.93	61	34.59	7.52	34.99			
PK	5.9565G	99.52	Inf	-Inf	92.29	3	Vertical	22	2.93	61	34.70	7.53	35.00			
RMS	5.9538G	89.66	Inf	-Inf	82.43	3	Vertical	22	2.93	61	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 42
42
24.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9211G	53.70	88.20	-34.50	46.59	3	Horizontal	76	1.54	42	34.58	7.52	34.99			
RMS	5.9214G	43.28	68.20	-24.92	36.16	3	Horizontal	76	1.54	42	34.59	7.52	34.99			
PK	5.9616G	102.50	Inf	-Inf	95.27	3	Horizontal	76	1.54	42	34.70	7.53	35.00			
RMS	5.9514G	92.29	Inf	-Inf	85.06	3	Horizontal	76	1.54	42	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 79
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0896G	108.97	Inf	-Inf	99.96	3	Vertical	318	1.26	-	35.70	8.38	35.07			
RMS	7.0917G	97.13	Inf	-Inf	88.11	3	Vertical	318	1.26	-	35.70	8.39	35.07			
PK	7.1256G	65.19	88.20	-23.01	56.00	3	Vertical	318	1.26	-	35.85	8.40	35.06			
RMS	7.1259G	52.97	68.20	-15.23	43.77	3	Vertical	318	1.26	-	35.86	8.40	35.06			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 51
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0914G	109.40	Inf	-Inf	100.38	3	Horizontal	296	2.97	-	35.70	8.39	35.07			
RMS	7.0914G	97.10	Inf	-Inf	88.08	3	Horizontal	296	2.97	-	35.70	8.39	35.07			
PK	7.2447G	63.93	88.20	-24.27	53.88	3	Horizontal	296	2.97	-	36.57	8.49	35.01			
RMS	7.1256G	52.49	68.20	-15.71	43.30	3	Horizontal	296	2.97	-	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 81
70\75\81
2.95\1.71\0.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	59.87	88.20	-28.33	52.74	3	Vertical	35	2.02	81	34.60	7.52	34.99				
RMS	5.9206G	48.88	68.20	-19.32	41.77	3	Vertical	35	2.02	81	34.58	7.52	34.99				
PK	5.9659G	102.00	Inf	-Inf	94.77	3	Vertical	35	2.02	81	34.70	7.53	35.00				
RMS	5.9629G	91.51	Inf	-Inf	84.28	3	Vertical	35	2.02	81	34.70	7.53	35.00				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 57
57
23.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.908G	53.87	88.20	-34.33	46.80	3	Horizontal	75	1.69	57	34.53	7.52	34.98				
RMS	5.923G	44.31	68.20	-23.89	37.19	3	Horizontal	75	1.69	57	34.59	7.52	34.99				
PK	5.9605G	103.62	Inf	-Inf	96.39	3	Horizontal	75	1.69	57	34.70	7.53	35.00				
RMS	5.971G	93.40	Inf	-Inf	86.17	3	Horizontal	75	1.69	57	34.70	7.53	35.00				

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET 89
90\89
-0.22\0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0907G	109.52	Inf	-Inf	100.50	3	Vertical	319	1.30	89	35.70	8.39	35.07			
RMS	7.0826G	97.21	Inf	-Inf	88.21	3	Vertical	319	1.30	89	35.70	8.38	35.08			
PK	7.127G	79.86	88.20	-8.34	70.66	3	Vertical	319	1.30	89	35.86	8.40	35.06			
RMS	7.1252G	67.28	68.20	-0.92	58.09	3	Vertical	319	1.30	89	35.85	8.40	35.06			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 86
03-W-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0919G	109.10	Inf	-Inf	100.08	3	Horizontal	321	1.21	-	35.70	8.39	35.07				
RMS	7.0826G	97.31	Inf	-Inf	88.31	3	Horizontal	321	1.21	-	35.70	8.38	35.08				
PK	7.1294G	73.67	88.20	-14.53	64.45	3	Horizontal	321	1.21	-	35.88	8.40	35.06				
RMS	7.1255G	61.85	68.20	-6.35	52.66	3	Horizontal	321	1.21	-	35.85	8.40	35.06				

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 64
64
7.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.909G	53.43	88.20	-34.77	46.35	3	Vertical	36	1.91	64	34.54	7.52	34.98			
RMS	5.916G	41.85	68.20	-26.35	34.75	3	Vertical	36	1.91	64	34.56	7.52	34.98			
PK	5.9765G	94.78	Inf	-Inf	87.55	3	Vertical	36	1.91	64	34.70	7.53	35.00			
RMS	5.9745G	82.65	Inf	-Inf	75.42	3	Vertical	36	1.91	64	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 64
108\71\65\64
-9.12\ -1.51\ -0.22\ 0.03

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9235G	54.70	88.20	-33.50	47.58	3	Horizontal	76	1.63	64	34.59	7.52	34.99			
RMS	5.911G	43.39	68.20	-24.81	36.31	3	Horizontal	76	1.63	64	34.54	7.52	34.98			
PK	5.9695G	101.95	Inf	-Inf	94.72	3	Horizontal	76	1.63	64	34.70	7.53	35.00			
RMS	5.9785G	90.18	Inf	-Inf	82.95	3	Horizontal	76	1.63	64	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
SET92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0082G	108.13	Inf	-Inf	99.20	3	Vertical	316	1.24	94	35.70	8.34	35.11				
RMS	7.0166G	96.24	Inf	-Inf	87.29	3	Vertical	316	1.24	94	35.70	8.35	35.10				
PK	7.1252G	82.22	88.20	-5.98	73.03	3	Vertical	316	1.24	94	35.85	8.40	35.06				
RMS	7.1255G	68.07	68.20	-0.13	58.88	3	Vertical	316	1.24	94	35.85	8.40	35.06				

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 92
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0337G	105.42	Inf	-Inf	96.46	3	Horizontal	287	2.05	-	35.70	8.36	35.10			
RMS	7.0145G	93.84	Inf	-Inf	84.89	3	Horizontal	287	2.05	-	35.70	8.35	35.10			
PK	7.1273G	77.04	88.20	-11.16	67.84	3	Horizontal	287	2.05	-	35.86	8.40	35.06			
RMS	7.1258G	64.71	68.20	-3.49	55.52	3	Horizontal	287	2.05	-	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 80
06-U-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	75.11	88.20	-13.09	69.07	3	Vertical	319	2.97	-	32.24	7.56	33.76			
RMS	5.9185G	59.04	68.20	-9.16	53.00	3	Vertical	319	2.97	-	32.24	7.56	33.76			
PK	5.963G	101.96	Inf	-Inf	95.74	3	Vertical	319	2.97	-	32.33	7.64	33.75			
RMS	6.0875G	92.15	Inf	-Inf	85.69	3	Vertical	319	2.97	-	32.50	7.65	33.69			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 80
06-U-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	85.42	88.20	-2.78	79.38	3	Horizontal	289	2.31	-	32.24	7.56	33.76			
RMS	5.919G	67.60	68.20	-0.60	61.56	3	Horizontal	289	2.31	-	32.24	7.56	33.76			
PK	6.094G	109.81	Inf	-Inf	103.35	3	Horizontal	289	2.31	-	32.50	7.65	33.69			
RMS	5.9485G	99.63	Inf	-Inf	93.47	3	Horizontal	289	2.31	-	32.30	7.62	33.76			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
SET 90
108\69\107\88\97\93\91\90
-9.62\15.72\ -9.59\1.51\ -5.62\ -1.65\ -0.84\0.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9665G	103.97	Inf	-Inf	95.13	3	Vertical	360	1.02	90	35.63	8.32	35.11				
RMS	6.9625G	92.43	Inf	-Inf	83.60	3	Vertical	360	1.02	90	35.62	8.32	35.11				
PK	7.149G	80.26	88.20	-7.94	70.91	3	Vertical	360	1.02	90	35.99	8.41	35.05				
RMS	7.127G	68.09	68.20	-0.11	58.89	3	Vertical	360	1.02	90	35.86	8.40	35.06				

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
SET 85
89\76\88\82\85
-3.13\9.19\ -1.75\3.48\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.95G	107.68	Inf	-Inf	98.88	3	Horizontal	66	1.80	85	35.60	8.31	35.11			
RMS	6.909G	96.34	Inf	-Inf	87.48	3	Horizontal	66	1.80	85	35.68	8.29	35.11			
PK	7.126G	81.14	88.20	-7.06	71.94	3	Horizontal	66	1.80	85	35.86	8.40	35.06			
RMS	7.126G	67.89	68.20	-0.31	58.69	3	Horizontal	66	1.80	85	35.86	8.40	35.06			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 104
92\108\100\104
7.52\1.82\3.02\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.911G	79.32	88.20	-8.88	73.31	3	Vertical	306	1.00	104	32.22	7.55	33.76				
AV	5.916G	68.19	68.20	-0.01	62.16	3	Vertical	306	1.00	104	32.23	7.56	33.76				
PK	6.064G	101.89	Inf	-Inf	95.43	3	Vertical	306	1.00	104	32.50	7.67	33.71				
AV	6.066G	89.50	Inf	-Inf	83.04	3	Vertical	306	1.00	104	32.50	7.67	33.71				

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
SET 88
104\65\103\84\93\89\87\88
-9.75\17.51\8.85\3.25\3.26\0.65\1.26\0.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.914G	79.92	88.20	-8.28	73.89	3	Horizontal	298	2.57	88	32.23	7.56	33.76				
AV	5.925G	67.80	68.20	-0.40	61.73	3	Horizontal	298	2.57	88	32.25	7.58	33.76				
PK	6.13G	107.94	Inf	-Inf	101.36	3	Horizontal	298	2.57	88	32.62	7.63	33.67				
AV	6.152G	96.56	Inf	-Inf	89.90	3	Horizontal	298	2.57	88	32.70	7.61	33.65				

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
SET 78
108\68\88\78
-17.44\0.69\4.43\0.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.39164G	59.14	74.00	-14.86	52.16	3	Vertical	0	1.00	78	34.67	7.19	34.88			
AV	5.46G	48.59	54.00	-5.41	41.61	3	Vertical	0	1.00	78	34.60	7.25	34.87			
PK	6.773G	98.11	Inf	-Inf	89.43	3	Vertical	0	1.00	78	35.59	8.20	35.11			
RMS	6.76804G	87.37	Inf	-Inf	78.71	3	Vertical	0	1.00	78	35.57	8.20	35.11			
PK	7.2938G	65.64	74.00	-8.36	55.31	3	Vertical	0	1.00	78	36.78	8.54	34.99			
AV	7.25164G	53.89	54.00	-0.11	43.80	3	Vertical	0	1.00	78	36.61	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 78
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	60.80	74.00	-13.20	53.83	3	Horizontal	68	1.79	-	34.60	7.24	34.87
AV	5.38668G	48.56	54.00	-5.44	41.60	3	Horizontal	68	1.79	-	34.65	7.19	34.88
PK	6.80276G	103.59	Inf	-Inf	94.78	3	Horizontal	68	1.79	-	35.70	8.22	35.11
RMS	6.80524G	92.65	Inf	-Inf	83.84	3	Horizontal	68	1.79	-	35.70	8.22	35.11
PK	7.26156G	65.16	74.00	-8.84	55.02	3	Horizontal	68	1.79	-	36.65	8.50	35.01
AV	7.26156G	53.87	54.00	-0.13	43.73	3	Horizontal	68	1.79	-	36.65	8.50	35.01

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
SET 48
48
25.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.898G	54.35	88.20	-33.85	47.32	3	Vertical	64	1.80	48	34.49	7.52	34.98			
RMS	5.925G	43.13	68.20	-25.07	36.00	3	Vertical	64	1.80	48	34.60	7.52	34.99			
PK	5.9499G	102.90	Inf	-Inf	95.67	3	Vertical	64	1.80	48	34.70	7.52	34.99			
RMS	5.9598G	93.60	Inf	-Inf	86.37	3	Vertical	64	1.80	48	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 31
42\37\32\31
-2.19\ -1.32\ -0.03\ 0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8863G	54.10	88.20	-34.10	47.11	3	Horizontal	75	1.68	31	34.45	7.52	34.98			
RMS	5.9238G	43.68	68.20	-24.52	36.55	3	Horizontal	75	1.68	31	34.60	7.52	34.99			
PK	5.9535G	101.64	Inf	-Inf	94.41	3	Horizontal	75	1.68	31	34.70	7.53	35.00			
RMS	5.9535G	91.89	Inf	-Inf	84.66	3	Horizontal	75	1.68	31	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 48
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0986G	109.06	Inf	-Inf	100.04	3	Vertical	306	1.80	-	35.70	8.39	35.07				
RMS	7.0884G	97.09	Inf	-Inf	88.08	3	Vertical	306	1.80	-	35.70	8.38	35.07				
PK	7.1523G	63.33	88.20	-24.87	53.95	3	Vertical	306	1.80	-	36.01	8.42	35.05				
RMS	7.1283G	52.39	68.20	-15.81	43.18	3	Vertical	306	1.80	-	35.87	8.40	35.06				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 48
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0902G	108.86	Inf	-Inf	99.84	3	Horizontal	63	1.78	-	35.70	8.39	35.07			
RMS	7.0902G	96.84	Inf	-Inf	87.82	3	Horizontal	63	1.78	-	35.70	8.39	35.07			
PK	7.1901G	63.08	88.20	-25.12	53.43	3	Horizontal	63	1.78	-	36.24	8.44	35.03			
RMS	7.1253G	52.01	68.20	-16.19	42.82	3	Horizontal	63	1.78	-	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 53
53
24.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	54.16	88.20	-34.04	47.03	3	Vertical	63	1.78	53	34.60	7.52	34.99				
RMS	5.9194G	43.35	68.20	-24.85	36.24	3	Vertical	63	1.78	53	34.58	7.52	34.99				
PK	5.9602G	102.33	Inf	-Inf	95.10	3	Vertical	63	1.78	53	34.70	7.53	35.00				
RMS	5.9599G	92.42	Inf	-Inf	85.19	3	Vertical	63	1.78	53	34.70	7.53	35.00				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 43
52\47\44\43
-2.23\ -0.82\ -0.17\ 0.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9233G	53.59	88.20	-34.61	46.47	3	Horizontal	76	1.48	43	34.59	7.52	34.99			
RMS	5.9242G	43.60	68.20	-24.60	36.47	3	Horizontal	76	1.48	43	34.60	7.52	34.99			
PK	5.974G	102.39	Inf	-Inf	95.16	3	Horizontal	76	1.48	43	34.70	7.53	35.00			
RMS	5.9587G	91.97	Inf	-Inf	84.74	3	Horizontal	76	1.48	43	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
SET 51
51
16.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0679G	108.72	Inf	-Inf	99.73	3	Vertical	64	2.45	51	35.70	8.37	35.08				
RMS	7.0832G	97.48	Inf	-Inf	88.48	3	Vertical	64	2.45	51	35.70	8.38	35.08				
PK	7.229G	63.43	88.20	-24.77	53.51	3	Vertical	64	2.45	51	36.47	8.47	35.02				
RMS	7.1906G	51.51	68.20	-16.69	41.86	3	Vertical	64	2.45	51	36.24	8.44	35.03				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 51
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0805G	106.83	Inf	-Inf	97.83	3	Horizontal	62	1.77	-	35.70	8.38	35.08			
RMS	7.0805G	94.48	Inf	-Inf	85.48	3	Horizontal	62	1.77	-	35.70	8.38	35.08			
PK	7.1549G	63.26	88.20	-24.94	53.86	3	Horizontal	62	1.77	-	36.03	8.42	35.05			
RMS	7.2263G	51.59	68.20	-16.61	41.68	3	Horizontal	62	1.77	-	36.46	8.47	35.02			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 67
70\68\67
-0.51\ -0.01\0.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9215G	55.08	88.20	-33.12	47.96	3	Vertical	62	1.64	67	34.59	7.52	34.99			
RMS	5.9225G	45.09	68.20	-23.11	37.97	3	Vertical	62	1.64	67	34.59	7.52	34.99			
PK	5.9895G	103.58	Inf	-Inf	96.36	3	Vertical	62	1.64	67	34.70	7.53	35.01			
RMS	5.9545G	92.26	Inf	-Inf	85.03	3	Vertical	62	1.64	67	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
SET 55
67.60\55
-3.01\ -1.27\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9135G	54.24	88.20	-33.96	47.15	3	Horizontal	73	1.49	55	34.55	7.52	34.98			
RMS	5.923G	43.87	68.20	-24.33	36.75	3	Horizontal	73	1.49	55	34.59	7.52	34.99			
PK	5.9585G	101.66	Inf	-Inf	94.43	3	Horizontal	73	1.49	55	34.70	7.53	35.00			
RMS	5.9735G	91.58	Inf	-Inf	84.35	3	Horizontal	73	1.49	55	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 66
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0358G	108.81	Inf	-Inf	99.85	3	Vertical	63	2.30	-	35.70	8.36	35.10			
RMS	7.0133G	97.63	Inf	-Inf	88.68	3	Vertical	63	2.30	-	35.70	8.35	35.10			
PK	7.1261G	65.30	88.20	-22.90	56.10	3	Vertical	63	2.30	-	35.86	8.40	35.06			
RMS	7.1288G	52.96	68.20	-15.24	43.75	3	Vertical	63	2.30	-	35.87	8.40	35.06			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 66
03-W-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0094G	108.32	Inf	-Inf	99.39	3	Horizontal	63	1.22	-	35.70	8.34	35.11			
RMS	7.0346G	95.86	Inf	-Inf	86.90	3	Horizontal	63	1.22	-	35.70	8.36	35.10			
PK	7.1288G	63.45	88.20	-24.75	54.24	3	Horizontal	63	1.22	-	35.87	8.40	35.06			
RMS	7.1252G	52.12	68.20	-16.08	42.93	3	Horizontal	63	1.22	-	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 70
70
0.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	69.29	88.20	-18.91	62.16	3	Vertical	43	2.22	70	34.60	7.52	34.99				
RMS	5.9245G	53.10	68.20	-15.10	45.97	3	Vertical	43	2.22	70	34.60	7.52	34.99				
PK	6.101G	102.67	Inf	-Inf	95.06	3	Vertical	43	2.22	70	35.00	7.64	35.03				
RMS	6.0855G	91.81	Inf	-Inf	84.28	3	Vertical	43	2.22	70	34.94	7.62	35.03				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 64
70\67\65\64
-1.48\ -0.69\ -0.04\ 0.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.914G	66.96	88.20	-21.24	59.86	3	Horizontal	75	1.54	64	34.56	7.52	34.98				
RMS	5.9135G	49.82	68.20	-18.38	42.73	3	Horizontal	75	1.54	64	34.55	7.52	34.98				
PK	6.0835G	102.54	Inf	-Inf	95.02	3	Horizontal	75	1.54	64	34.93	7.62	35.03				
RMS	5.9635G	91.90	Inf	-Inf	84.67	3	Horizontal	75	1.54	64	34.70	7.53	35.00				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
SET 77
99\89\69\79\74\76\77\78\77
-15.65\ -9.76\9.02\ -0.88\3.57\1.82\0.98\ -0.24\1.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9395G	109.32	Inf	-Inf	100.51	3	Vertical	71	1.60	77	35.62	8.30	35.11			
RMS	6.9245G	98.02	Inf	-Inf	89.19	3	Vertical	71	1.60	77	35.65	8.29	35.11			
PK	7.1505G	80.68	88.20	-7.52	71.31	3	Vertical	71	1.60	77	36.00	8.42	35.05			
RMS	7.125G	66.94	68.20	-1.26	57.75	3	Vertical	71	1.60	77	35.85	8.40	35.06			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 77
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.965G	108.83	Inf	-Inf	99.99	3	Horizontal	67	1.79	-	35.63	8.32	35.11			
RMS	6.9255G	97.12	Inf	-Inf	88.28	3	Horizontal	67	1.79	-	35.65	8.30	35.11			
PK	7.131G	79.63	88.20	-8.57	70.39	3	Horizontal	67	1.79	-	35.89	8.41	35.06			
RMS	7.1255G	64.36	68.20	-3.84	55.17	3	Horizontal	67	1.79	-	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 86
70\78\86
4.22\2.41\0.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.925G	74.42	88.20	-13.78	67.29	3	Vertical	42	2.14	86	34.60	7.52	34.99					
RMS	5.92G	64.31	68.20	-3.89	57.20	3	Vertical	42	2.14	86	34.58	7.52	34.99					
PK	6.055G	101.67	Inf	-Inf	94.28	3	Vertical	42	2.14	86	34.82	7.59	35.02					
RMS	6.07G	91.52	Inf	-Inf	84.06	3	Vertical	42	2.14	86	34.88	7.61	35.03					

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 79
86\83\81\80\79
-1.24\ -0.64\ -0.40\ -0.06\ 0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.909G	72.00	88.20	-16.20	64.92	3	Horizontal	77	1.69	79	34.54	7.52	34.98			
RMS	5.918G	58.31	68.20	-9.89	51.21	3	Horizontal	77	1.69	79	34.57	7.52	34.99			
PK	6.173G	101.74	Inf	-Inf	94.07	3	Horizontal	77	1.69	79	35.00	7.72	35.05			
RMS	6.213G	91.51	Inf	-Inf	83.84	3	Horizontal	77	1.69	79	34.97	7.76	35.06			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
SET 69
89\49\69
-13.24\1.40\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	59.77	74.00	-14.23	52.80	3	Vertical	80	2.42	69	34.60	7.24	34.87
AV	5.40404G	49.30	54.00	-4.70	42.29	3	Vertical	80	2.42	69	34.69	7.20	34.88
PK	6.8102G	102.91	Inf	-Inf	94.09	3	Vertical	80	2.42	69	35.70	8.23	35.11
RMS	6.76804G	91.87	Inf	-Inf	83.21	3	Vertical	80	2.42	69	35.57	8.20	35.11
PK	7.26404G	64.45	74.00	-9.55	54.28	3	Vertical	80	2.42	69	36.66	8.51	35.00
AV	7.25412G	53.98	54.00	-0.02	43.87	3	Vertical	80	2.42	69	36.62	8.50	35.01

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 69
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.37428G	59.69	74.00	-14.31	52.80	3	Horizontal	74	1.78	-	34.60	7.18	34.89			
AV	5.40156G	48.91	54.00	-5.09	41.89	3	Horizontal	74	1.78	-	34.70	7.20	34.88			
PK	6.7482G	102.45	Inf	-Inf	93.90	3	Horizontal	74	1.78	-	35.49	8.18	35.12			
RMS	6.7482G	92.41	Inf	-Inf	83.86	3	Horizontal	74	1.78	-	35.49	8.18	35.12			
PK	7.47732G	63.76	74.00	-10.24	53.12	3	Horizontal	74	1.78	-	36.89	8.67	34.92			
AV	7.44756G	52.48	54.00	-1.52	41.75	3	Horizontal	74	1.78	-	37.00	8.66	34.93			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 52
52
25.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.8956G	53.43	88.20	-34.77	46.41	3	Vertical	61	1.77	52	34.48	7.52	34.98				
RMS	5.919G	43.06	68.20	-25.14	35.95	3	Vertical	61	1.77	52	34.58	7.52	34.99				
PK	5.9544G	102.45	Inf	-Inf	95.22	3	Vertical	61	1.77	52	34.70	7.53	35.00				
RMS	5.9538G	93.92	Inf	-Inf	86.69	3	Vertical	61	1.77	52	34.70	7.53	35.00				

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
SET 38
50\44\40\39\38
-2.57\ -1.04\ -0.16\ -0.15\ 0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9208G	53.80	88.20	-34.40	46.69	3	Horizontal	74	1.74	38	34.58	7.52	34.99				
RMS	5.9112G	43.32	68.20	-24.88	36.24	3	Horizontal	74	1.74	38	34.54	7.52	34.98				
PK	5.9616G	101.25	Inf	-Inf	94.02	3	Horizontal	74	1.74	38	34.70	7.53	35.00				
RMS	5.9586G	92.08	Inf	-Inf	84.85	3	Horizontal	74	1.74	38	34.70	7.53	35.00				

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 51
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0896G	108.43	Inf	-Inf	99.42	3	Vertical	236	2.48	-	35.70	8.38	35.07			
RMS	7.0998G	99.71	Inf	-Inf	90.69	3	Vertical	236	2.48	-	35.70	8.39	35.07			
PK	7.1259G	63.97	88.20	-24.23	54.77	3	Vertical	236	2.48	-	35.86	8.40	35.06			
RMS	7.245G	53.52	68.20	-14.68	43.47	3	Vertical	236	2.48	-	36.57	8.49	35.01			

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 51
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0971G	106.35	Inf	-Inf	97.33	3	Horizontal	242	1.80	-	35.70	8.39	35.07				
RMS	7.0965G	97.70	Inf	-Inf	88.68	3	Horizontal	242	1.80	-	35.70	8.39	35.07				
PK	7.2042G	63.41	88.20	-24.79	53.67	3	Horizontal	242	1.80	-	36.33	8.44	35.03				
RMS	7.2057G	53.51	68.20	-14.69	43.76	3	Horizontal	242	1.80	-	36.33	8.45	35.03				

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 63
70\66\64\63
-1.80\ -0.68\ -0.16\ 0.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	54.70	88.20	-33.50	47.58	3	Vertical	60	1.77	63	34.59	7.52	34.99			
RMS	5.9248G	44.27	68.20	-23.93	37.14	3	Vertical	60	1.77	63	34.60	7.52	34.99			
PK	5.9572G	102.50	Inf	-Inf	95.27	3	Vertical	60	1.77	63	34.70	7.53	35.00			
RMS	5.9623G	92.52	Inf	-Inf	85.29	3	Vertical	60	1.77	63	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
SET 48
63\55\50\49\48
-3.60\ -1.47\ -0.35\ -0.09\ 0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9218G	53.60	88.20	-34.60	46.48	3	Horizontal	75	1.52	48	34.59	7.52	34.99				
RMS	5.9239G	43.64	68.20	-24.56	36.51	3	Horizontal	75	1.52	48	34.60	7.52	34.99				
PK	5.9539G	101.30	Inf	-Inf	94.07	3	Horizontal	75	1.52	48	34.70	7.53	35.00				
RMS	5.9536G	92.35	Inf	-Inf	85.12	3	Horizontal	75	1.52	48	34.70	7.53	35.00				

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 52
03-W-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0724G	108.43	Inf	-Inf	99.43	3	Vertical	60	2.42	-	35.70	8.38	35.08				
RMS	7.0682G	95.95	Inf	-Inf	86.96	3	Vertical	60	2.42	-	35.70	8.37	35.08				
PK	7.1504G	63.26	88.20	-24.94	53.89	3	Vertical	60	2.42	-	36.00	8.42	35.05				
RMS	7.2338G	51.78	68.20	-16.42	41.82	3	Vertical	60	2.42	-	36.50	8.48	35.02				

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 52
03-W-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0772G	108.01	Inf	-Inf	99.01	3	Horizontal	311	2.94	-	35.70	8.38	35.08				
RMS	7.0913G	95.86	Inf	-Inf	86.84	3	Horizontal	311	2.94	-	35.70	8.39	35.07				
PK	7.217G	64.70	88.20	-23.50	54.86	3	Horizontal	311	2.94	-	36.40	8.46	35.02				
RMS	7.1759G	51.86	68.20	-16.34	42.31	3	Horizontal	311	2.94	-	36.16	8.43	35.04				

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 64
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	71.37	88.20	-16.83	64.25	3	Vertical	123	1.47	-	34.59	7.52	34.99			
RMS	5.9225G	60.41	68.20	-7.79	53.29	3	Vertical	123	1.47	-	34.59	7.52	34.99			
PK	5.983G	109.75	Inf	-Inf	102.52	3	Vertical	123	1.47	-	34.70	7.53	35.00			
RMS	5.9825G	100.20	Inf	-Inf	92.97	3	Vertical	123	1.47	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 64
03-W-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.916G	62.11	88.20	-26.09	55.01	3	Horizontal	113	2.25	-	34.56	7.52	34.98			
RMS	5.924G	51.55	68.20	-16.65	44.42	3	Horizontal	113	2.25	-	34.60	7.52	34.99			
PK	5.9765G	108.30	Inf	-Inf	101.07	3	Horizontal	113	2.25	-	34.70	7.53	35.00			
RMS	5.9765G	99.16	Inf	-Inf	91.93	3	Horizontal	113	2.25	-	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT Y_4TX
Setting 77
03-W-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.013G	111.72	Inf	-Inf	107.62	3	Vertical	63	2.48	-	36.80	10.03	42.73			
RMS	7.011G	100.77	Inf	-Inf	96.68	3	Vertical	63	2.48	-	36.80	10.02	42.73			
PK	7.125G	70.16	88.20	-18.04	65.69	3	Vertical	63	2.48	-	36.95	10.18	42.66			
RMS	7.1282G	57.45	68.20	-10.75	52.97	3	Vertical	63	2.48	-	36.96	10.18	42.66			

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 77
03-W-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.013G	112.18	Inf	-Inf	108.08	3	Horizontal	297	2.57	-	36.80	10.03	42.73				
RMS	7.011G	101.42	Inf	-Inf	97.33	3	Horizontal	297	2.57	-	36.80	10.02	42.73				
PK	7.125G	73.32	88.20	-14.88	68.85	3	Horizontal	297	2.57	-	36.95	10.18	42.66				
RMS	7.125G	60.98	68.20	-7.22	56.51	3	Horizontal	297	2.57	-	36.95	10.18	42.66				

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 84
70\76\84
3.44\2.05\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.06	88.20	-8.14	72.93	3	Vertical	62	1.79	84	34.60	7.52	34.99			
RMS	5.9245G	65.88	68.20	-2.32	58.75	3	Vertical	62	1.79	84	34.60	7.52	34.99			
PK	5.9975G	102.75	Inf	-Inf	95.53	3	Vertical	62	1.79	84	34.70	7.53	35.01			
RMS	5.9625G	92.74	Inf	-Inf	85.51	3	Vertical	62	1.79	84	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
SET 70
84\77\71\70
-3.36\ -1.56\ -0.13\ 0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	75.25	88.20	-12.95	68.15	3	Horizontal	74	1.61	70	34.56	7.52	34.98			
RMS	5.9145G	55.96	68.20	-12.24	48.86	3	Horizontal	74	1.61	70	34.56	7.52	34.98			
PK	6.05G	102.91	Inf	-Inf	95.55	3	Horizontal	74	1.61	70	34.80	7.58	35.02			
RMS	6.051G	92.35	Inf	-Inf	84.98	3	Horizontal	74	1.61	70	34.80	7.59	35.02			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
SET 77
82\63\81\72\76\78\77
-4.58\11.11\4.19\4.89\1.38\0.87\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.009G	108.55	Inf	-Inf	99.62	3	Vertical	238	2.35	77	35.70	8.34	35.11			
RMS	7.01G	98.49	Inf	-Inf	89.56	3	Vertical	238	2.35	77	35.70	8.34	35.11			
PK	7.1335G	78.62	88.20	-9.58	69.37	3	Vertical	238	2.35	77	35.90	8.41	35.06			
RMS	7.1295G	68.01	68.20	-0.19	58.79	3	Vertical	238	2.35	77	35.88	8.40	35.06			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 77
03-W-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.962G	106.73	Inf	-Inf	97.90	3	Horizontal	248	1.76	-	35.62	8.32	35.11			
RMS	6.9285G	96.44	Inf	-Inf	87.61	3	Horizontal	248	1.76	-	35.64	8.30	35.11			
PK	7.147G	74.42	88.20	-13.78	65.08	3	Horizontal	248	1.76	-	35.98	8.41	35.05			
RMS	7.129G	62.42	68.20	-5.78	53.21	3	Horizontal	248	1.76	-	35.87	8.40	35.06			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	85.26	88.20	-2.94	74.92	3	Vertical	52	1.80	92	34.10	8.68	32.44			
RMS	5.917G	67.89	68.20	-0.31	57.56	3	Vertical	52	1.80	92	34.10	8.67	32.44			
PK	6.14G	104.25	Inf	-Inf	93.60	3	Vertical	52	1.80	92	34.18	8.89	32.42			
RMS	6.068G	92.89	Inf	-Inf	82.39	3	Vertical	52	1.80	92	34.10	8.83	32.43			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	84.80	88.20	-3.40	74.46	3	Horizontal	291	3.00	89	34.10	8.68	32.44			
RMS	5.925G	68.03	68.20	-0.17	57.69	3	Horizontal	291	3.00	89	34.10	8.68	32.44			
PK	6.128G	108.21	Inf	-Inf	97.59	3	Horizontal	291	3.00	89	34.16	8.88	32.42			
RMS	6.069G	96.53	Inf	-Inf	86.03	3	Horizontal	291	3.00	89	34.10	8.83	32.43			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 73
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7642G	103.75	Inf	-Inf	90.39	3	Vertical	296	1.80	-	36.00	9.94	32.58			
AV	6.8026G	93.29	Inf	-Inf	79.86	3	Vertical	296	1.80	-	35.99	10.04	32.60			
PK	7.2682G	67.48	74.00	-6.52	52.80	3	Vertical	296	1.80	-	37.06	10.27	32.65			
AV	7.25G	53.06	54.00	-0.94	38.33	3	Vertical	296	1.80	-	37.10	10.28	32.65			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6905MHz_TX



EUT_Y_4TX
Setting 73
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7962G	102.49	Inf	-Inf	89.06	3	Horizontal	306	1.80	-	36.00	10.03	32.60			
AV	6.7978G	92.20	Inf	-Inf	78.77	3	Horizontal	306	1.80	-	36.00	10.03	32.60			
PK	7.257G	62.84	74.00	-11.16	48.12	3	Horizontal	306	1.80	-	37.09	10.28	32.65			
AV	7.2538G	50.98	54.00	-3.02	36.26	3	Horizontal	306	1.80	-	37.09	10.28	32.65			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.9242G	68.15	68.20	-0.05	3	Horizontal	270	2.00	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 45
05-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9094G	60.72	88.20	-27.48	52.45	3	Vertical	32	1.72	-	34.12	8.93	34.78			
RMS	5.9241G	49.20	68.20	-19.00	40.89	3	Vertical	32	1.72	-	34.15	8.94	34.78			
PK	5.964G	102.08	Inf	-Inf	93.65	3	Vertical	32	1.72	-	34.20	8.99	34.76			
RMS	5.9641G	92.15	Inf	-Inf	83.72	3	Vertical	32	1.72	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 45
05-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9164G	60.28	88.20	-27.92	52.00	3	Horizontal	279	1.80	-	34.13	8.93	34.78			
RMS	5.9151G	49.55	68.20	-18.65	41.27	3	Horizontal	279	1.80	-	34.13	8.93	34.78			
PK	5.9576G	111.38	Inf	-Inf	102.96	3	Horizontal	279	1.80	-	34.20	8.98	34.76			
RMS	5.9526G	99.78	Inf	-Inf	91.36	3	Horizontal	279	1.80	-	34.20	8.98	34.76			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 45
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91196G	41.10	74.00	-32.90	57.06	3	Vertical	130	2.89	-	38.80	11.07	65.83				
AV	11.91192G	28.44	54.00	-25.56	44.40	3	Vertical	130	2.89	-	38.80	11.07	65.83				
PK	17.87484G	51.80	74.00	-22.20	53.33	3	Vertical	338	1.98	-	47.74	14.74	64.01				
AV	17.8779G	39.36	54.00	-14.64	40.77	3	Vertical	338	1.98	-	47.86	14.74	64.01				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 45
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	11.909G	41.40	74.00	-32.60	57.36	3	Horizontal	312	1.86	-	38.80	11.07	65.83					
AV	11.90874G	30.55	54.00	-23.45	46.51	3	Horizontal	312	1.86	-	38.80	11.07	65.83					
PK	17.86452G	52.18	74.00	-21.82	54.12	3	Horizontal	88	1.80	-	47.35	14.73	64.02					
AV	17.8788G	39.38	54.00	-14.62	40.76	3	Horizontal	88	1.80	-	47.89	14.74	64.01					

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 45
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82048G	43.85	83.54	-39.69	33.51	1	Vertical	248	2.78	-	38.72	18.76	47.14			
AV	23.81676G	32.26	63.54	-31.28	21.91	1	Vertical	248	2.78	-	38.73	18.76	47.14			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 45
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81952G	43.61	83.54	-39.93	33.27	1	Horizontal	310	2.96	-	38.72	18.76	47.14			
AV	23.81136G	32.16	63.54	-31.38	21.80	1	Horizontal	310	2.96	-	38.75	18.76	47.15			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 36
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38934G	41.98	74.00	-32.02	57.54	3	Vertical	137	2.55	-	38.72	11.33	65.61			
AV	12.3894G	28.92	54.00	-25.08	44.48	3	Vertical	137	2.55	-	38.72	11.33	65.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 36
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3789G	42.63	74.00	-31.37	58.18	3	Horizontal	107	2.39	-	38.74	11.32	65.61			
AV	12.37716G	28.76	54.00	-25.24	44.30	3	Horizontal	107	2.39	-	38.75	11.32	65.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 36
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58995G	50.10	83.54	-33.44	40.08	1	Vertical	94	2.49	-	37.80	20.61	48.39			
AV	18.5809G	35.76	63.54	-27.78	25.73	1	Vertical	94	2.49	-	37.80	20.61	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 36
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58761G	49.89	83.54	-33.65	39.87	1	Horizontal	234	1.63	-	37.80	20.61	48.39			
AV	18.58617G	35.72	63.54	-27.82	25.70	1	Horizontal	234	1.63	-	37.80	20.61	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 46
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84308G	51.72	88.20	-36.48	65.72	3	Vertical	190	2.58	-	39.49	11.61	65.10			
RMS	12.84194G	39.87	68.20	-28.33	53.88	3	Vertical	190	2.58	-	39.48	11.61	65.10			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 46
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82928G	51.94	88.20	-36.26	66.00	3	Horizontal	257	2.86	-	39.46	11.60	65.12			
RMS	12.84422G	39.54	68.20	-28.66	53.53	3	Horizontal	257	2.86	-	39.49	11.61	65.09			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 46
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24485G	46.73	83.54	-36.81	36.77	1	Vertical	85	1.27	-	37.98	20.78	48.80			
AV	19.24053G	34.88	63.54	-28.66	24.94	1	Vertical	85	1.27	-	37.96	20.78	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 46
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24281G	46.79	83.54	-36.75	36.84	1	Horizontal	137	1.44	-	37.97	20.78	48.80			
AV	19.24109G	34.63	63.54	-28.91	24.69	1	Horizontal	137	1.44	-	37.96	20.78	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 48
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8622G	51.23	88.20	-36.97	65.20	3	Vertical	112	2.44	-	39.48	11.62	65.07			
RMS	12.85914G	39.72	68.20	-28.48	53.69	3	Vertical	112	2.44	-	39.48	11.62	65.07			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_V_2TX
Setting 48
06-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86024G	53.17	88.20	-35.03	67.14	3	Horizontal	160	2.38	-	39.48	11.62	65.07			
RMS	12.86034G	39.77	68.20	-28.43	53.74	3	Horizontal	160	2.38	-	39.48	11.62	65.07			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 48
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30663G	47.96	83.54	-35.58	38.15	1	Vertical	291	1.30	-	37.80	20.81	48.80			
AV	19.30001G	34.46	63.54	-29.08	24.65	1	Vertical	291	1.30	-	37.80	20.81	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 48
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30217G	47.49	83.54	-36.05	37.68	1	Horizontal	233	2.50	-	37.80	20.81	48.80			
AV	19.3002G	34.65	63.54	-28.89	24.84	1	Horizontal	233	2.50	-	37.80	20.81	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 48
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95088G	53.27	88.20	-34.93	67.04	3	Vertical	231	1.69	-	39.50	11.68	64.95			
RMS	12.95064G	40.15	68.20	-28.05	53.92	3	Vertical	231	1.69	-	39.50	11.68	64.95			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 48
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95119G	52.92	88.20	-35.28	66.69	3	Horizontal	207	1.37	-	39.50	11.68	64.95			
RMS	12.95118G	40.28	68.20	-27.92	54.05	3	Horizontal	207	1.37	-	39.50	11.68	64.95			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 48
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42878G	48.27	83.54	-35.27	38.42	1	Vertical	330	2.38	-	37.78	20.87	48.80			
AV	19.42037G	35.03	63.54	-28.51	25.14	1	Vertical	330	2.38	-	37.82	20.87	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 48
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42301G	48.38	83.54	-35.16	38.50	1	Horizontal	233	1.96	-	37.81	20.87	48.80			
AV	19.42025G	35.03	63.54	-28.51	25.14	1	Horizontal	233	1.96	-	37.82	20.87	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 36
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03136G	52.63	88.20	-35.57	66.41	3	Vertical	28	2.63	-	39.37	11.73	64.88			
RMS	13.03314G	40.02	68.20	-28.18	53.80	3	Vertical	28	2.63	-	39.37	11.73	64.88			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 36
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03014G	52.22	88.20	-35.98	65.99	3	Horizontal	319	2.95	-	39.38	11.73	64.88			
RMS	13.03002G	39.89	68.20	-28.31	53.66	3	Horizontal	319	2.95	-	39.38	11.73	64.88			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 36
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54266G	47.71	83.54	-35.83	37.92	1	Vertical	269	1.05	-	37.71	20.88	48.80			
AV	19.54212G	35.54	63.54	-28.00	25.74	1	Vertical	269	1.05	-	37.72	20.88	48.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Y_2TX
Setting 36
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54658G	48.38	83.54	-35.16	38.59	1	Horizontal	224	1.65	-	37.71	20.88	48.80			
AV	19.54039G	35.42	63.54	-28.12	25.62	1	Horizontal	224	1.65	-	37.72	20.88	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 49
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06862G	51.08	88.20	-37.12	64.90	3	Vertical	204	2.26	-	39.30	11.75	64.87			
RMS	13.06866G	39.46	68.20	-28.74	53.28	3	Vertical	204	2.26	-	39.30	11.75	64.87			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 49
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0658G	51.51	88.20	-36.69	65.33	3	Horizontal	133	1.30	-	39.30	11.75	64.87			
RMS	13.06582G	39.51	68.20	-28.69	53.33	3	Horizontal	133	1.30	-	39.30	11.75	64.87			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 49
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60643G	47.86	83.54	-35.68	38.13	1	Vertical	191	2.30	-	37.70	20.83	48.80			
AV	19.60113G	35.27	63.54	-28.27	25.53	1	Vertical	191	2.30	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 49
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60498G	48.51	83.54	-35.03	38.78	1	Horizontal	129	2.48	-	37.70	20.83	48.80			
AV	19.60031G	35.27	63.54	-28.27	25.53	1	Horizontal	129	2.48	-	37.70	20.84	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 43
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3878G	53.54	74.00	-20.46	66.35	3	Vertical	307	2.12	-	40.08	11.95	64.84			
AV	13.3874G	40.26	54.00	-13.74	53.08	3	Vertical	307	2.12	-	40.07	11.95	64.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 43
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38562G	54.31	74.00	-19.69	67.13	3	Horizontal	125	2.73	-	40.07	11.95	64.84			
AV	13.38538G	40.23	54.00	-13.77	53.05	3	Horizontal	125	2.73	-	40.07	11.95	64.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 43
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08967G	48.32	83.54	-35.22	38.59	1	Vertical	3	2.80	-	37.80	20.71	48.78			
AV	20.0801G	34.56	63.54	-28.98	24.84	1	Vertical	3	2.80	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 43
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08023G	47.59	83.54	-35.95	37.87	1	Horizontal	70	1.75	-	37.80	20.70	48.78			
AV	20.08249G	34.26	63.54	-29.28	24.54	1	Horizontal	70	1.75	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 50
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75322G	53.14	88.20	-35.06	65.46	3	Vertical	60	2.13	-	40.21	12.18	64.71			
RMS	13.75332G	39.97	68.20	-28.23	52.29	3	Vertical	60	2.13	-	40.21	12.18	64.71			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_V_2TX
Setting 50
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75076G	53.85	88.20	-34.35	66.18	3	Horizontal	40	1.32	-	40.20	12.18	64.71			
RMS	13.75078G	39.96	68.20	-28.24	52.29	3	Horizontal	40	1.32	-	40.20	12.18	64.71			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_V_2TX
Setting 50
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62808G	48.60	83.54	-34.94	37.81	1	Vertical	138	2.09	-	37.90	21.59	48.70			
AV	20.6223G	34.88	63.54	-28.66	24.10	1	Vertical	138	2.09	-	37.90	21.58	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_V_2TX
Setting 50
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6207G	48.53	83.54	-35.01	37.75	1	Horizontal	342	2.65	-	37.90	21.58	48.70			
AV	20.62043G	35.00	63.54	-28.54	24.22	1	Horizontal	342	2.65	-	37.90	21.58	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 47
06-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78668G	52.32	88.20	-35.88	64.55	3	Vertical	10	2.27	-	40.27	12.20	64.70			
RMS	13.78666G	38.48	68.20	-29.72	50.71	3	Vertical	10	2.27	-	40.27	12.20	64.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 47
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79386G	51.51	88.20	-36.69	63.71	3	Horizontal	359	2.96	-	40.29	12.20	64.69			
RMS	13.79384G	38.51	68.20	-29.69	50.71	3	Horizontal	359	2.96	-	40.29	12.20	64.69			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 47
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68099G	48.18	83.54	-35.36	37.34	1	Vertical	116	2.04	-	37.90	21.64	48.70			
AV	20.68107G	35.00	63.54	-28.54	24.16	1	Vertical	116	2.04	-	37.90	21.64	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 47
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68513G	48.30	83.54	-35.24	37.45	1	Horizontal	126	2.88	-	37.90	21.65	48.70			
AV	20.68675G	34.97	63.54	-28.57	24.12	1	Horizontal	126	2.88	-	37.90	21.65	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 48
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99018G	54.24	88.20	-33.96	66.04	3	Vertical	350	2.75	-	40.48	12.32	64.60			
RMS	13.99008G	41.02	68.20	-27.18	52.82	3	Vertical	350	2.75	-	40.48	12.32	64.60			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 48
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9873G	54.32	88.20	-33.88	66.14	3	Horizontal	308	1.84	-	40.47	12.32	64.61			
RMS	13.9871G	40.99	68.20	-27.21	52.81	3	Horizontal	308	1.84	-	40.47	12.32	64.61			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 48
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9819G	48.10	83.54	-35.44	36.89	1	Vertical	133	1.42	-	37.96	21.95	48.70			
AV	20.98014G	35.28	63.54	-28.26	24.07	1	Vertical	133	1.42	-	37.96	21.95	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 48
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.98889G	48.42	83.54	-35.12	37.18	1	Horizontal	247	2.45	-	37.98	21.96	48.70			
AV	20.98055G	35.57	63.54	-27.97	24.36	1	Horizontal	247	2.45	-	37.96	21.95	48.70			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_V_2TX
Setting 52
05-E-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1038G	105.69	Inf	-Inf	93.86	3	Vertical	354	1.05	-	36.62	9.54	34.33				
RMS	7.1028G	95.77	Inf	-Inf	83.94	3	Vertical	354	1.05	-	36.62	9.54	34.33				
PK	7.145G	65.02	88.20	-23.18	52.87	3	Vertical	354	1.05	-	36.87	9.56	34.28				
RMS	7.1413G	53.47	68.20	-14.73	41.35	3	Vertical	354	1.05	-	36.85	9.56	34.29				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_V_2TX
Setting 52
05-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0858G	110.51	Inf	-Inf	98.82	3	Horizontal	44	1.80	-	36.51	9.53	34.35			
RMS	7.0862G	100.03	Inf	-Inf	88.33	3	Horizontal	44	1.80	-	36.52	9.53	34.35			
PK	7.1312G	64.72	88.20	-23.48	52.68	3	Horizontal	44	1.80	-	36.79	9.55	34.30			
RMS	7.1259G	54.14	68.20	-14.06	42.13	3	Horizontal	44	1.80	-	36.76	9.55	34.30			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 52
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18836G	53.40	88.20	-34.80	64.81	3	Vertical	9	2.05	-	40.60	12.48	64.49			
RMS	14.18838G	41.19	68.20	-27.01	52.60	3	Vertical	9	2.05	-	40.60	12.48	64.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 52
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18828G	53.38	88.20	-34.82	64.79	3	Horizontal	150	2.32	-	40.60	12.48	64.49			
RMS	14.18832G	41.16	68.20	-27.04	52.57	3	Horizontal	150	2.32	-	40.60	12.48	64.49			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
Setting 52
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28824G	47.57	83.54	-35.97	36.34	1	Vertical	189	1.12	-	38.08	21.79	48.64			
AV	21.28171G	35.32	63.54	-28.22	24.10	1	Vertical	189	1.12	-	38.06	21.80	48.64			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 52
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28408G	47.13	83.54	-36.41	35.91	1	Horizontal	21	2.21	-	38.07	21.79	48.64			
AV	21.28386G	35.30	63.54	-28.24	24.08	1	Horizontal	21	2.21	-	38.07	21.79	48.64			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 59
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	60.33	88.20	-27.87	54.26	3	Vertical	13	2.94	-	32.25	7.58	33.76			
RMS	5.9234G	47.60	68.20	-20.60	41.54	3	Vertical	13	2.94	-	32.25	7.57	33.76			
PK	5.9482G	105.66	Inf	-Inf	99.50	3	Vertical	13	2.94	-	32.30	7.62	33.76			
RMS	5.961G	93.13	Inf	-Inf	86.92	3	Vertical	13	2.94	-	32.32	7.64	33.75			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 59
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9162G	59.53	88.20	-28.67	53.50	3	Horizontal	289	2.00	-	32.23	7.56	33.76				
RMS	5.9232G	48.65	68.20	-19.55	42.59	3	Horizontal	289	2.00	-	32.25	7.57	33.76				
PK	5.9598G	110.88	Inf	-Inf	104.67	3	Horizontal	289	2.00	-	32.32	7.64	33.75				
RMS	5.9568G	99.93	Inf	-Inf	93.75	3	Horizontal	289	2.00	-	32.31	7.63	33.76				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 59
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.93474G	42.17	74.00	-31.83	58.11	3	Vertical	98	1.06	-	38.80	11.07	65.81				
AV	11.93492G	28.32	54.00	-25.68	44.26	3	Vertical	98	1.06	-	38.80	11.07	65.81				
PK	17.8977G	53.45	74.00	-20.55	54.09	3	Vertical	257	2.30	-	48.61	14.75	64.00				
AV	17.8806G	39.32	54.00	-14.68	40.63	3	Vertical	257	2.30	-	47.96	14.74	64.01				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 59
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9318G	42.64	74.00	-31.36	58.58	3	Horizontal	291	2.98	-	38.80	11.07	65.81				
AV	11.9429G	28.27	54.00	-25.73	44.19	3	Horizontal	291	2.98	-	38.80	11.08	65.80				
PK	17.89752G	53.43	74.00	-20.57	54.07	3	Horizontal	92	1.74	-	48.61	14.75	64.00				
AV	17.8806G	39.27	54.00	-14.73	40.58	3	Horizontal	92	1.74	-	47.96	14.74	64.01				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 59
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85283G	46.37	83.54	-37.17	36.13	1	Vertical	236	2.20	-	38.61	18.76	47.13			
AV	23.85301G	31.80	63.54	-31.74	21.56	1	Vertical	236	2.20	-	38.61	18.76	47.13			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 59
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85445G	46.07	83.54	-37.47	35.83	1	Horizontal	222	1.49	-	38.61	18.76	47.13			
AV	23.84566G	31.84	63.54	-31.70	21.59	1	Horizontal	222	1.49	-	38.62	18.76	47.13			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 59
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4034G	42.65	74.00	-31.35	58.22	3	Vertical	161	1.41	-	38.69	11.34	65.60			
AV	12.39524G	28.44	54.00	-25.56	44.00	3	Vertical	161	1.41	-	38.71	11.34	65.61			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 59
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.404G	41.82	74.00	-32.18	57.39	3	Horizontal	178	1.13	-	38.69	11.34	65.60			
AV	12.39572G	28.43	54.00	-25.57	43.99	3	Horizontal	178	1.13	-	38.71	11.34	65.61			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 59
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61012G	44.30	83.54	-39.24	39.64	1	Vertical	71	1.40	-	37.70	16.59	49.63			
AV	18.61707G	29.97	63.54	-33.57	25.30	1	Vertical	71	1.40	-	37.70	16.59	49.62			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 59
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61252G	44.15	83.54	-39.39	39.49	1	Horizontal	176	2.93	-	37.70	16.59	49.63			
AV	18.6184G	29.97	63.54	-33.57	25.29	1	Horizontal	176	2.93	-	37.70	16.60	49.62			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 61
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80472G	42.36	88.20	-45.84	56.51	3	Vertical	325	2.75	-	39.41	11.59	65.15			
RMS	12.825G	28.80	68.20	-39.40	42.87	3	Vertical	325	2.75	-	39.45	11.60	65.12			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 61
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8055G	42.42	88.20	-45.78	56.57	3	Horizontal	118	2.04	-	39.41	11.59	65.15			
RMS	12.82428G	28.75	68.20	-39.45	42.82	3	Horizontal	118	2.04	-	39.45	11.60	65.12			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 61
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21123G	44.01	83.54	-39.53	38.79	1	Vertical	127	2.97	-	37.74	16.91	49.43			
AV	19.21095G	30.23	63.54	-33.31	25.01	1	Vertical	127	2.97	-	37.74	16.91	49.43			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 61
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2107G	44.28	83.54	-39.26	39.06	1	Horizontal	120	1.05	-	37.74	16.91	49.43			
AV	19.21038G	30.13	63.54	-33.41	24.91	1	Horizontal	120	1.05	-	37.74	16.91	49.43			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 61
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87632G	43.46	88.20	-44.74	57.43	3	Vertical	19	1.85	-	39.45	11.63	65.05			
RMS	12.8801G	29.18	68.20	-39.02	43.15	3	Vertical	19	1.85	-	39.44	11.64	65.05			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 61
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87506G	42.99	88.20	-45.21	56.96	3	Horizontal	281	1.81	-	39.45	11.63	65.05			
RMS	12.88082G	29.29	68.20	-38.91	43.25	3	Horizontal	281	1.81	-	39.44	11.64	65.04			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 61
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33362G	43.50	83.54	-40.04	38.25	1	Vertical	304	2.49	-	37.77	16.98	49.50			
AV	19.33008G	29.86	63.54	-33.68	24.62	1	Vertical	304	2.49	-	37.76	16.98	49.50			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 61
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33239G	43.31	83.54	-40.23	38.07	1	Horizontal	27	1.65	-	37.76	16.98	49.50			
AV	19.33056G	29.85	63.54	-33.69	24.61	1	Horizontal	27	1.65	-	37.76	16.98	49.50			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 62
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9748G	43.93	88.20	-44.27	57.65	3	Vertical	30	1.90	-	39.50	11.69	64.91			
RMS	12.95512G	30.04	68.20	-38.16	43.80	3	Vertical	30	1.90	-	39.50	11.68	64.94			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 62
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96298G	43.83	88.20	-44.37	57.57	3	Horizontal	250	1.99	-	39.50	11.69	64.93			
RMS	12.9625G	29.94	68.20	-38.26	43.68	3	Horizontal	250	1.99	-	39.50	11.69	64.93			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 62
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45314G	44.02	83.54	-39.52	38.84	1	Vertical	321	2.30	-	37.70	17.05	49.57			
AV	19.45011G	30.20	63.54	-33.34	25.02	1	Vertical	321	2.30	-	37.70	17.05	49.57			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 62
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45095G	44.03	83.54	-39.51	38.85	1	Horizontal	243	2.84	-	37.70	17.05	49.57			
AV	19.45017G	30.14	63.54	-33.40	24.96	1	Horizontal	243	2.84	-	37.70	17.05	49.57			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 62
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03818G	44.06	88.20	-44.14	57.86	3	Vertical	291	1.77	-	39.35	11.73	64.88			
RMS	13.03938G	29.88	68.20	-38.32	43.69	3	Vertical	291	1.77	-	39.34	11.73	64.88			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_V_2TX
Setting 62
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04244G	44.32	88.20	-43.88	58.13	3	Horizontal	55	2.26	-	39.33	11.74	64.88			
RMS	13.04496G	29.78	68.20	-38.42	43.60	3	Horizontal	55	2.26	-	39.32	11.74	64.88			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 62
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57025G	45.01	83.54	-38.53	39.74	1	Vertical	307	2.91	-	37.70	17.12	49.55			
AV	19.57532G	30.73	63.54	-32.81	25.46	1	Vertical	307	2.91	-	37.70	17.12	49.55			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 62
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.57444G	44.89	83.54	-38.65	39.62	1	Horizontal	202	2.48	-	37.70	17.12	49.55				
AV	19.57061G	30.79	63.54	-32.75	25.52	1	Horizontal	202	2.48	-	37.70	17.12	49.55				

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 56
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12412G	43.73	88.20	-44.47	57.41	3	Vertical	8	2.71	-	39.40	11.79	64.87			
RMS	13.142G	29.49	68.20	-38.71	43.09	3	Vertical	8	2.71	-	39.47	11.80	64.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 56
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12808G	43.51	88.20	-44.69	57.18	3	Horizontal	215	1.17	-	39.41	11.79	64.87			
RMS	13.14248G	29.25	68.20	-38.95	42.85	3	Horizontal	215	1.17	-	39.47	11.80	64.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 56
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69207G	44.62	83.54	-38.92	39.13	1	Vertical	126	2.67	-	37.77	17.19	49.47			
AV	19.69011G	30.44	63.54	-33.10	24.96	1	Vertical	126	2.67	-	37.76	17.19	49.47			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 56
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.69422G	45.10	83.54	-38.44	39.60	1	Horizontal	159	1.89	-	37.78	17.19	49.47				
AV	19.69014G	30.43	63.54	-33.11	24.95	1	Horizontal	159	1.89	-	37.76	17.19	49.47				

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 57
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36838G	43.44	74.00	-30.56	56.30	3	Vertical	352	1.38	-	40.04	11.94	64.84			
AV	13.37774G	29.47	54.00	-24.53	42.31	3	Vertical	352	1.38	-	40.06	11.94	64.84			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 57
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38362G	43.86	74.00	-30.14	56.68	3	Horizontal	135	1.75	-	40.07	11.95	64.84			
AV	13.37318G	29.62	54.00	-24.38	42.47	3	Horizontal	135	1.75	-	40.05	11.94	64.84			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 57
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05602G	44.34	83.54	-39.20	38.61	1	Vertical	301	2.23	-	37.61	17.38	49.26			
AV	20.05063G	30.09	63.54	-33.45	24.37	1	Vertical	301	2.23	-	37.60	17.38	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 57
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05245G	44.58	83.54	-38.96	38.86	1	Horizontal	246	1.35	-	37.60	17.38	49.26			
AV	20.05015G	30.15	63.54	-33.39	24.43	1	Horizontal	246	1.35	-	37.60	17.38	49.26			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 61
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75686G	43.76	88.20	-44.44	56.08	3	Vertical	156	2.84	-	40.21	12.18	64.71			
RMS	13.75962G	29.67	68.20	-38.53	41.98	3	Vertical	156	2.84	-	40.22	12.18	64.71			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 61
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77348G	43.36	88.20	-44.84	55.62	3	Horizontal	21	1.15	-	40.25	12.19	64.70			
RMS	13.75626G	29.90	68.20	-38.30	42.22	3	Horizontal	21	1.15	-	40.21	12.18	64.71			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 61
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65956G	43.84	83.54	-39.70	37.67	1	Vertical	114	1.73	-	37.86	17.46	49.15			
AV	20.65007G	30.11	63.54	-33.43	23.90	1	Vertical	114	1.73	-	37.90	17.46	49.15			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 61
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65042G	44.22	83.54	-39.32	38.01	1	Horizontal	316	1.55	-	37.90	17.46	49.15			
AV	20.65493G	30.12	63.54	-33.42	23.93	1	Horizontal	316	1.55	-	37.88	17.46	49.15			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 64
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.84856G	41.72	88.20	-46.48	53.85	3	Vertical	238	1.80	-	40.30	12.24	64.67			
RMS	13.85792G	29.41	68.20	-38.79	41.52	3	Vertical	238	1.80	-	40.32	12.24	64.67			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 64
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8578G	41.57	88.20	-46.63	53.68	3	Horizontal	234	1.55	-	40.32	12.24	64.67			
RMS	13.85024G	29.36	68.20	-38.84	41.49	3	Horizontal	234	1.55	-	40.30	12.24	64.67			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 64
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.7758G	42.52	83.54	-41.02	36.28	1	Vertical	273	2.55	-	37.85	17.48	49.09			
AV	20.77506G	30.14	63.54	-33.40	23.90	1	Vertical	273	2.55	-	37.85	17.48	49.09			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 64
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.77639G	43.11	83.54	-40.43	36.88	1	Horizontal	116	2.18	-	37.84	17.48	49.09			
AV	20.77181G	30.11	63.54	-33.43	23.85	1	Horizontal	116	2.18	-	37.87	17.48	49.09			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 62
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0034G	44.12	88.20	-44.08	55.88	3	Vertical	155	1.84	-	40.51	12.33	64.60			
RMS	14.00274G	30.05	68.20	-38.15	41.81	3	Vertical	155	1.84	-	40.51	12.33	64.60			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 62
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00328G	44.71	88.20	-43.49	56.47	3	Horizontal	148	1.25	-	40.51	12.33	64.60			
RMS	13.99614G	30.07	68.20	-38.13	41.85	3	Horizontal	148	1.25	-	40.49	12.33	64.60			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 62
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01051G	44.49	83.54	-39.05	37.95	1	Vertical	101	1.01	-	38.00	17.51	48.97			
AV	21.01028G	30.42	63.54	-33.12	23.88	1	Vertical	101	1.01	-	38.00	17.51	48.97			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 62
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01386G	43.93	83.54	-39.61	37.38	1	Horizontal	335	2.40	-	38.00	17.51	48.96			
AV	21.01033G	30.48	63.54	-33.06	23.94	1	Horizontal	335	2.40	-	38.00	17.51	48.97			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 55
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.093G	101.56	Inf	-Inf	90.63	3	Vertical	1	2.99	-	35.94	8.43	33.44			
RMS	7.0944G	90.39	Inf	-Inf	79.44	3	Vertical	1	2.99	-	35.96	8.43	33.44			
PK	7.1686G	64.08	88.20	-24.12	52.86	3	Vertical	1	2.99	-	36.24	8.45	33.47			
RMS	7.1842G	53.07	68.20	-15.13	41.83	3	Vertical	1	2.99	-	36.27	8.45	33.48			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 55
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0778G	110.36	Inf	-Inf	99.54	3	Horizontal	290	3.00	-	35.82	8.43	33.43				
RMS	7.0706G	99.92	Inf	-Inf	89.16	3	Horizontal	290	3.00	-	35.76	8.43	33.43				
PK	7.1826G	63.99	88.20	-24.21	52.75	3	Horizontal	290	3.00	-	36.27	8.45	33.48				
RMS	7.1718G	53.14	68.20	-15.06	41.93	3	Horizontal	290	3.00	-	36.24	8.45	33.48				

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 55
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16538G	45.20	88.20	-43.00	56.64	3	Vertical	127	2.48	-	40.60	12.46	64.50			
RMS	14.17486G	30.83	68.20	-37.37	42.26	3	Vertical	127	2.48	-	40.60	12.47	64.50			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 55
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16154G	45.27	88.20	-42.93	56.71	3	Horizontal	152	1.31	-	40.60	12.46	64.50			
RMS	14.17534G	30.95	68.20	-37.25	42.37	3	Horizontal	152	1.31	-	40.60	12.47	64.49			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 55
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25747G	44.54	83.54	-39.00	37.89	1	Vertical	96	1.58	-	37.91	17.60	48.86			
AV	21.25388G	30.51	63.54	-33.03	23.86	1	Vertical	96	1.58	-	37.91	17.60	48.86			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 55
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25252G	44.83	83.54	-38.71	38.18	1	Horizontal	63	2.38	-	37.91	17.60	48.86			
AV	21.25684G	30.48	63.54	-33.06	23.83	1	Horizontal	63	2.38	-	37.91	17.60	48.86			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 69
06-U-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.905G	58.88	88.20	-29.32	52.89	3	Vertical	28	1.62	-	32.21	7.54	33.76			
RMS	5.925G	47.74	68.20	-20.46	41.67	3	Vertical	28	1.62	-	32.25	7.58	33.76			
PK	5.9626G	101.73	Inf	-Inf	95.51	3	Vertical	28	1.62	-	32.33	7.64	33.75			
RMS	6.0146G	91.70	Inf	-Inf	85.31	3	Vertical	28	1.62	-	32.43	7.70	33.74			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 69
06-U-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	60.36	88.20	-27.84	54.29	3	Horizontal	280	2.00	-	32.25	7.58	33.76			
RMS	5.9238G	50.14	68.20	-18.06	44.08	3	Horizontal	280	2.00	-	32.25	7.57	33.76			
PK	5.9514G	111.68	Inf	-Inf	105.52	3	Horizontal	280	2.00	-	32.30	7.62	33.76			
RMS	5.9706G	99.98	Inf	-Inf	93.73	3	Horizontal	280	2.00	-	32.34	7.66	33.75			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 69
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.95524G	42.31	74.00	-31.69	58.20	3	Vertical	79	2.46	-	38.82	11.08	65.79				
AV	11.96148G	28.48	54.00	-25.52	44.33	3	Vertical	79	2.46	-	38.85	11.08	65.78				
PK	17.96562G	57.49	74.00	-16.51	54.89	3	Vertical	141	2.42	-	51.77	14.78	63.95				
AV	17.9688G	43.41	54.00	-10.59	40.63	3	Vertical	141	2.42	-	51.95	14.78	63.95				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 69
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96094G	42.46	74.00	-31.54	58.33	3	Horizontal	242	1.47	-	38.84	11.08	65.79			
AV	11.95578G	28.34	54.00	-25.66	44.23	3	Horizontal	242	1.47	-	38.82	11.08	65.79			
PK	17.96268G	57.12	74.00	-16.88	54.69	3	Horizontal	300	2.59	-	51.61	14.77	63.95			
AV	17.96916G	43.51	54.00	-10.49	40.71	3	Horizontal	300	2.59	-	51.97	14.78	63.95			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 69
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.92503G	46.18	83.54	-37.36	35.71	1	Vertical	338	1.88	-	38.80	18.76	47.09			
AV	23.93826G	32.07	63.54	-31.47	21.54	1	Vertical	338	1.88	-	38.85	18.77	47.09			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 69
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94855G	45.74	83.54	-37.80	35.16	1	Horizontal	43	1.15	-	38.89	18.77	47.08			
AV	23.93175G	32.00	63.54	-31.54	21.49	1	Horizontal	43	1.15	-	38.83	18.77	47.09			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 71
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4554G	42.20	74.00	-31.80	57.82	3	Vertical	164	2.52	-	38.60	11.37	65.59			
AV	12.45816G	28.45	54.00	-25.55	44.07	3	Vertical	164	2.52	-	38.60	11.37	65.59			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 71
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43986G	42.58	74.00	-31.42	58.19	3	Horizontal	280	2.99	-	38.62	11.36	65.59			
AV	12.45966G	28.44	54.00	-25.56	44.05	3	Horizontal	280	2.99	-	38.60	11.37	65.58			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 71
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67403G	43.55	83.54	-39.99	38.86	1	Vertical	318	1.77	-	37.65	16.62	49.58			
AV	18.67044G	29.65	63.54	-33.89	24.95	1	Vertical	318	1.77	-	37.66	16.62	49.58			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 71
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6721G	43.33	83.54	-40.21	38.63	1	Horizontal	274	2.14	-	37.66	16.62	49.58			
AV	18.67039G	29.68	63.54	-33.86	24.98	1	Horizontal	274	2.14	-	37.66	16.62	49.58			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 72
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.75584G	41.92	88.20	-46.28	56.44	3	Vertical	321	1.82	-	39.14	11.56	65.22			
RMS	12.7577G	28.18	68.20	-40.02	42.68	3	Vertical	321	1.82	-	39.15	11.56	65.21			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 72
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76694G	42.12	88.20	-46.08	56.55	3	Horizontal	150	2.13	-	39.20	11.57	65.20			
RMS	12.77396G	28.31	68.20	-39.89	42.69	3	Horizontal	150	2.13	-	39.24	11.57	65.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 72
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15014G	44.42	83.54	-39.12	39.04	1	Vertical	164	2.22	-	37.90	16.88	49.40			
AV	19.15138G	30.49	63.54	-33.05	25.12	1	Vertical	164	2.22	-	37.89	16.88	49.40			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 72
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.15413G	44.09	83.54	-39.45	38.73	1	Horizontal	282	2.39	-	37.88	16.88	49.40				
AV	19.15004G	30.49	63.54	-33.05	25.11	1	Horizontal	282	2.39	-	37.90	16.88	49.40				

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 65
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.945G	43.74	88.20	-44.46	57.53	3	Vertical	101	2.66	-	39.49	11.68	64.96			
RMS	12.942G	29.63	68.20	-38.57	43.44	3	Vertical	101	2.66	-	39.48	11.67	64.96			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 65
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9432G	43.09	88.20	-45.11	56.89	3	Horizontal	131	1.30	-	39.49	11.67	64.96			
RMS	12.94224G	29.62	68.20	-38.58	43.43	3	Horizontal	131	1.30	-	39.48	11.67	64.96			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 65
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.394G	43.80	83.54	-39.74	38.43	1	Vertical	145	1.45	-	37.89	17.02	49.54			
AV	19.39009G	29.98	63.54	-33.56	24.62	1	Vertical	145	1.45	-	37.88	17.02	49.54			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 65
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39007G	43.81	83.54	-39.73	38.45	1	Horizontal	46	2.26	-	37.88	17.02	49.54			
AV	19.39004G	30.00	63.54	-33.54	24.64	1	Horizontal	46	2.26	-	37.88	17.02	49.54			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 72
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08286G	43.07	88.20	-45.13	56.88	3	Vertical	175	1.61	-	39.30	11.76	64.87			
RMS	13.08034G	29.35	68.20	-38.85	43.16	3	Vertical	175	1.61	-	39.30	11.76	64.87			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 72
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08646G	42.92	88.20	-45.28	56.73	3	Horizontal	114	2.03	-	39.30	11.76	64.87			
RMS	13.07728G	29.32	68.20	-38.88	43.13	3	Horizontal	114	2.03	-	39.30	11.76	64.87			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 72
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6382G	44.91	83.54	-38.63	39.64	1	Vertical	70	2.07	-	37.62	17.16	49.51			
AV	19.63235G	30.49	63.54	-33.05	25.20	1	Vertical	70	2.07	-	37.64	17.16	49.51			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
Setting 72
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6314G	44.28	83.54	-39.26	38.99	1	Horizontal	297	2.85	-	37.64	17.16	49.51			
AV	19.63026G	30.48	63.54	-33.06	25.19	1	Horizontal	297	2.85	-	37.64	17.16	49.51			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 71
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.26194G	43.34	74.00	-30.66	56.72	3	Vertical	342	1.56	-	39.60	11.87	64.85			
AV	13.2509G	28.88	54.00	-25.12	42.26	3	Vertical	342	1.56	-	39.60	11.87	64.85			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 71
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25184G	42.81	74.00	-31.19	56.19	3	Horizontal	275	2.00	-	39.60	11.87	64.85			
AV	13.25366G	28.90	54.00	-25.10	42.28	3	Horizontal	275	2.00	-	39.60	11.87	64.85			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 71
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87091G	43.63	83.54	-39.91	38.02	1	Vertical	259	3.00	-	37.66	17.30	49.35			
AV	19.87514G	29.48	63.54	-34.06	23.87	1	Vertical	259	3.00	-	37.65	17.30	49.34			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 71
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87131G	44.03	83.54	-39.51	38.42	1	Horizontal	197	1.92	-	37.66	17.30	49.35			
AV	19.8702G	29.52	63.54	-34.02	23.92	1	Horizontal	197	1.92	-	37.66	17.29	49.35			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 72
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41918G	45.54	88.20	-42.66	58.31	3	Vertical	241	2.19	-	40.10	11.97	64.84			
RMS	13.42278G	30.19	68.20	-38.01	42.96	3	Vertical	241	2.19	-	40.10	11.97	64.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 72
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41666G	43.91	88.20	-44.29	56.68	3	Horizontal	178	3.00	-	40.10	11.97	64.84			
RMS	13.4241G	30.29	68.20	-37.91	43.06	3	Horizontal	178	3.00	-	40.10	11.97	64.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 72
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1169G	44.35	83.54	-39.19	38.51	1	Vertical	339	2.49	-	37.70	17.39	49.25			
AV	20.11887G	30.17	63.54	-33.37	24.33	1	Vertical	339	2.49	-	37.70	17.39	49.25			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 72
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11277G	44.15	83.54	-39.39	38.31	1	Horizontal	153	1.68	-	37.70	17.39	49.25			
AV	20.11271G	30.19	63.54	-33.35	24.35	1	Horizontal	153	1.68	-	37.70	17.39	49.25			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 67
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56772G	45.03	88.20	-43.17	57.38	3	Vertical	289	1.66	-	40.39	12.06	64.80			
RMS	13.55548G	30.40	68.20	-37.80	42.68	3	Vertical	289	1.66	-	40.47	12.05	64.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 67
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.55878G	44.18	88.20	-44.02	56.47	3	Horizontal	200	2.17	-	40.45	12.06	64.80			
RMS	13.55554G	30.39	68.20	-37.81	42.67	3	Horizontal	200	2.17	-	40.47	12.05	64.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 67
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35565G	44.28	83.54	-39.26	38.32	1	Vertical	120	1.02	-	37.78	17.42	49.24			
AV	20.3516G	30.07	63.54	-33.47	24.10	1	Vertical	120	1.02	-	37.79	17.42	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 67
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35553G	44.22	83.54	-39.32	38.26	1	Horizontal	225	1.35	-	37.78	17.42	49.24			
AV	20.3501G	29.99	63.54	-33.55	24.01	1	Horizontal	225	1.35	-	37.80	17.42	49.24			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 71
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71722G	43.82	88.20	-44.38	56.20	3	Vertical	42	1.86	-	40.20	12.15	64.73			
RMS	13.73996G	30.09	68.20	-38.11	42.44	3	Vertical	42	1.86	-	40.20	12.17	64.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 71
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74092G	44.50	88.20	-43.70	56.85	3	Horizontal	198	2.26	-	40.20	12.17	64.72			
RMS	13.7396G	30.11	68.20	-38.09	42.46	3	Horizontal	198	2.26	-	40.20	12.17	64.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
Setting 71
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59479G	43.94	83.54	-39.60	37.88	1	Vertical	115	2.44	-	37.79	17.45	49.18			
AV	20.59015G	29.76	63.54	-33.78	23.71	1	Vertical	115	2.44	-	37.78	17.45	49.18			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 71
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59171G	43.74	83.54	-39.80	37.69	1	Horizontal	272	2.62	-	37.78	17.45	49.18			
AV	20.59005G	29.79	63.54	-33.75	23.74	1	Horizontal	272	2.62	-	37.78	17.45	49.18			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 82
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8993G	41.32	88.20	-46.88	53.30	3	Vertical	264	2.68	-	40.40	12.27	64.65			
RMS	13.87764G	29.07	68.20	-39.13	41.12	3	Vertical	264	2.68	-	40.36	12.25	64.66			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 82
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8816G	41.45	88.20	-46.75	53.48	3	Horizontal	298	1.24	-	40.36	12.26	64.65			
RMS	13.87692G	29.03	68.20	-39.17	41.09	3	Horizontal	298	1.24	-	40.35	12.25	64.66			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 82
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83431G	42.89	83.54	-40.65	36.62	1	Vertical	308	2.26	-	37.84	17.49	49.06			
AV	20.83706G	29.94	63.54	-33.60	23.65	1	Vertical	308	2.26	-	37.85	17.49	49.05			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 82
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83428G	42.92	83.54	-40.62	36.65	1	Horizontal	201	2.23	-	37.84	17.49	49.06			
AV	20.83336G	29.95	63.54	-33.59	23.69	1	Horizontal	201	2.23	-	37.83	17.49	49.06			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 74
06-U-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0474G	101.99	Inf	-Inf	91.40	3	Vertical	352	1.10	-	35.58	8.43	33.42			
RMS	7.0498G	91.65	Inf	-Inf	81.04	3	Vertical	352	1.10	-	35.60	8.43	33.42			
PK	7.217G	64.28	88.20	-23.92	52.95	3	Vertical	352	1.10	-	36.33	8.50	33.50			
RMS	7.219G	53.90	68.20	-14.30	42.56	3	Vertical	352	1.10	-	36.34	8.50	33.50			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 74
06-U-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9962G	111.32	Inf	-Inf	101.02	3	Horizontal	293	2.80	-	35.29	8.41	33.40				
RMS	7.0162G	99.32	Inf	-Inf	88.91	3	Horizontal	293	2.80	-	35.40	8.42	33.41				
PK	7.129G	67.80	88.20	-20.40	56.70	3	Horizontal	293	2.80	-	36.12	8.44	33.46				
RMS	7.1262G	55.84	68.20	-12.36	44.76	3	Horizontal	293	2.80	-	36.10	8.44	33.46				

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 74
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05744G	43.59	88.20	-44.61	55.07	3	Vertical	78	2.84	-	40.71	12.38	64.57			
RMS	14.05864G	31.07	68.20	-37.13	42.53	3	Vertical	78	2.84	-	40.72	12.38	64.56			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 74
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.04424G	42.79	88.20	-45.41	54.31	3	Horizontal	296	1.55	-	40.68	12.37	64.57			
RMS	14.06416G	31.04	68.20	-37.16	42.49	3	Horizontal	296	1.55	-	40.73	12.38	64.56			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 74
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0756G	42.99	83.54	-40.55	36.44	1	Vertical	341	2.29	-	37.95	17.54	48.94			
AV	21.07061G	30.48	63.54	-33.06	23.92	1	Vertical	341	2.29	-	37.96	17.54	48.94			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 74
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07852G	43.14	83.54	-40.40	36.60	1	Horizontal	98	1.61	-	37.94	17.54	48.94			
AV	21.07157G	30.49	63.54	-33.05	23.93	1	Horizontal	98	1.61	-	37.96	17.54	48.94			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 84
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	73.09	88.20	-15.11	60.97	3	Vertical	106	1.53	-	34.12	8.16	30.16			
RMS	5.925G	62.34	68.20	-5.86	50.20	3	Vertical	106	1.53	-	34.15	8.15	30.16			
PK	5.9474G	105.94	Inf	-Inf	93.76	3	Vertical	106	1.53	-	34.19	8.14	30.15			
RMS	5.9738G	91.47	Inf	-Inf	79.23	3	Vertical	106	1.53	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 84
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	80.80	88.20	-7.40	68.67	3	Horizontal	128	1.76	-	34.13	8.16	30.16			
RMS	5.9162G	67.75	68.20	-0.45	55.62	3	Horizontal	128	1.76	-	34.13	8.16	30.16			
PK	6.0554G	111.01	Inf	-Inf	98.66	3	Horizontal	128	1.76	-	34.41	8.09	30.15			
RMS	6.0538G	101.22	Inf	-Inf	88.87	3	Horizontal	128	1.76	-	34.41	8.09	30.15			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 84
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0623G	41.05	74.00	-32.95	56.50	3	Vertical	318	1.80	-	39.15	11.13	65.73			
AV	12.05336G	28.19	54.00	-25.81	43.69	3	Vertical	318	1.80	-	39.11	11.12	65.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 84
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05186G	40.95	74.00	-33.05	56.45	3	Horizontal	4	1.42	-	39.11	11.12	65.73			
AV	12.05774G	28.17	54.00	-25.83	43.64	3	Horizontal	4	1.42	-	39.13	11.13	65.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 84
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07721G	43.21	83.54	-40.33	36.66	1	Vertical	6	2.86	-	37.95	17.54	48.94			
AV	21.0721G	30.47	63.54	-33.07	23.91	1	Vertical	6	2.86	-	37.96	17.54	48.94			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 84
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.07937G	43.00	83.54	-40.54	36.46	1	Horizontal	149	2.75	-	37.94	17.54	48.94			
AV	21.07587G	30.53	63.54	-33.01	23.98	1	Horizontal	149	2.75	-	37.95	17.54	48.94			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 86
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36514G	41.57	74.00	-32.43	57.10	3	Vertical	36	1.83	-	38.77	11.32	65.62			
AV	12.37786G	28.30	54.00	-25.70	43.85	3	Vertical	36	1.83	-	38.74	11.32	65.61			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 86
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38266G	41.16	74.00	-32.84	56.71	3	Horizontal	84	2.52	-	38.73	11.33	65.61			
AV	12.37762G	28.35	54.00	-25.65	43.90	3	Horizontal	84	2.52	-	38.74	11.32	65.61			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 86
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55114G	42.81	83.54	-40.73	38.33	1	Vertical	169	2.14	-	37.60	16.56	49.68			
AV	18.55497G	29.79	63.54	-33.75	25.29	1	Vertical	169	2.14	-	37.61	16.56	49.67			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 86
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	18.55078G	29.79	63.54	-33.75	25.31	1	Horizontal	276	1.82	-	37.60	16.56	49.68			
PK	18.5598G	42.99	83.54	-40.55	38.47	1	Horizontal	276	1.82	-	37.62	16.57	49.67			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 84
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68352G	41.82	74.00	-32.18	56.56	3	Vertical	314	2.10	-	39.07	11.51	65.32			
AV	12.67656G	27.66	54.00	-26.34	42.43	3	Vertical	314	2.10	-	39.05	11.51	65.33			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 84
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67824G	42.19	74.00	-31.81	56.94	3	Horizontal	24	2.15	-	39.06	11.51	65.32			
AV	12.67566G	27.64	54.00	-26.36	42.41	3	Horizontal	24	2.15	-	39.05	11.51	65.33			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 84
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03191G	45.20	83.54	-38.34	39.86	1	Vertical	65	2.39	-	37.86	16.81	49.33			
AV	19.0391G	31.04	63.54	-32.50	25.68	1	Vertical	65	2.39	-	37.88	16.81	49.33			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 84
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03728G	45.21	83.54	-38.33	39.86	1	Horizontal	318	1.19	-	37.87	16.81	49.33			
AV	19.03917G	30.83	63.54	-32.71	25.47	1	Horizontal	318	1.19	-	37.88	16.81	49.33			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 75
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02368G	42.24	88.20	-45.96	55.99	3	Vertical	311	2.26	-	39.41	11.72	64.88			
RMS	13.02302G	29.58	68.20	-38.62	43.33	3	Vertical	311	2.26	-	39.41	11.72	64.88			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 75
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01828G	41.67	88.20	-46.53	55.40	3	Horizontal	269	2.52	-	39.43	11.72	64.88			
RMS	13.02458G	29.59	68.20	-38.61	43.34	3	Horizontal	269	2.52	-	39.40	11.73	64.88			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 75
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51333G	43.51	83.54	-40.03	38.31	1	Vertical	110	1.75	-	37.70	17.09	49.59			
AV	19.51002G	30.52	63.54	-33.02	25.32	1	Vertical	110	1.75	-	37.70	17.09	49.59			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 75
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5101G	43.43	83.54	-40.11	38.23	1	Horizontal	230	2.22	-	37.70	17.09	49.59			
AV	19.51119G	30.56	63.54	-32.98	25.36	1	Horizontal	230	2.22	-	37.70	17.09	49.59			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 81
04-W-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.34296G	42.94	74.00	-31.06	55.93	3	Vertical	165	2.03	-	39.94	11.92	64.85			
AV	13.34284G	29.51	54.00	-24.49	42.50	3	Vertical	165	2.03	-	39.94	11.92	64.85			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 81
04-W-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31848G	44.61	74.00	-29.39	57.80	3	Horizontal	68	1.05	-	39.75	11.91	64.85			
AV	13.34308G	29.43	54.00	-24.57	42.42	3	Horizontal	68	1.05	-	39.94	11.92	64.85			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 81
04-W-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99219G	43.51	83.54	-40.03	37.63	1	Vertical	51	1.60	-	37.78	17.37	49.27			
AV	19.99004G	29.80	63.54	-33.74	23.93	1	Vertical	51	1.60	-	37.78	17.36	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 81
04-W-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99462G	43.84	83.54	-39.70	37.94	1	Horizontal	183	2.09	-	37.79	17.37	49.26			
AV	19.9902G	29.94	63.54	-33.60	24.07	1	Horizontal	183	2.09	-	37.78	17.36	49.27			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 80
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65072G	43.37	88.20	-44.83	55.92	3	Vertical	75	1.53	-	40.10	12.11	64.76			
RMS	13.63968G	30.39	68.20	-37.81	42.93	3	Vertical	75	1.53	-	40.12	12.11	64.77			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 80
06-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64082G	42.30	88.20	-45.90	54.84	3	Horizontal	61	2.80	-	40.12	12.11	64.77			
RMS	13.63824G	30.46	68.20	-37.74	43.00	3	Horizontal	61	2.80	-	40.12	12.11	64.77			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 80
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47613G	41.95	83.54	-41.59	35.99	1	Vertical	59	2.24	-	37.75	17.44	49.23			
AV	20.47011G	29.61	63.54	-33.93	23.64	1	Vertical	59	2.24	-	37.76	17.44	49.23			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 80
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47274G	42.68	83.54	-40.86	36.72	1	Horizontal	144	2.91	-	37.75	17.44	49.23			
AV	20.47006G	29.72	63.54	-33.82	23.75	1	Horizontal	144	2.91	-	37.76	17.44	49.23			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 86
06-U-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0405G	107.55	Inf	-Inf	97.00	3	Vertical	354	1.09	-	35.54	8.43	33.42				
RMS	7.0405G	96.22	Inf	-Inf	85.67	3	Vertical	354	1.09	-	35.54	8.43	33.42				
PK	7.1645G	77.11	88.20	-11.09	65.91	3	Vertical	354	1.09	-	36.23	8.44	33.47				
RMS	7.126G	62.94	68.20	-5.26	51.86	3	Vertical	354	1.09	-	36.10	8.44	33.46				

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 86
06-U-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9675G	109.21	Inf	-Inf	99.00	3	Horizontal	62	1.52	-	35.24	8.37	33.40			
RMS	6.96G	99.58	Inf	-Inf	89.40	3	Horizontal	62	1.52	-	35.22	8.36	33.40			
PK	7.1255G	79.95	88.20	-8.25	68.87	3	Horizontal	62	1.52	-	36.10	8.44	33.46			
RMS	7.1265G	68.11	68.20	-0.09	57.02	3	Horizontal	62	1.52	-	36.11	8.44	33.46			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 86
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97624G	42.80	88.20	-45.40	54.64	3	Vertical	241	2.29	-	40.45	12.32	64.61			
RMS	13.9778G	30.43	68.20	-37.77	42.26	3	Vertical	241	2.29	-	40.46	12.32	64.61			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 86
06-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96694G	43.00	88.20	-45.20	54.88	3	Horizontal	285	1.60	-	40.43	12.31	64.62			
RMS	13.95836G	30.58	68.20	-37.62	42.48	3	Horizontal	285	1.60	-	40.42	12.30	64.62			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 86
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95096G	43.68	83.54	-39.86	37.28	1	Vertical	208	1.11	-	37.90	17.50	49.00			
AV	20.95035G	30.02	63.54	-33.52	23.62	1	Vertical	208	1.11	-	37.90	17.50	49.00			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 86
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95703G	42.60	83.54	-40.94	36.18	1	Horizontal	267	1.91	-	37.91	17.50	48.99			
AV	20.95033G	30.05	63.54	-33.49	23.65	1	Horizontal	267	1.91	-	37.90	17.50	49.00			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 88
06-U-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	75.03	88.20	-13.17	68.96	3	Vertical	335	1.35	-	32.25	7.58	33.76			
RMS	5.925G	57.60	68.20	-10.60	51.53	3	Vertical	335	1.35	-	32.25	7.58	33.76			
PK	5.9514G	107.25	Inf	-Inf	101.09	3	Vertical	335	1.35	-	32.30	7.62	33.76			
RMS	6.1466G	91.35	Inf	-Inf	84.71	3	Vertical	335	1.35	-	32.69	7.61	33.66			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX



EUT_Y_2TX
Setting 88
06-U-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	80.62	88.20	-7.58	74.58	3	Horizontal	273	1.88	-	32.24	7.56	33.76			
RMS	5.9242G	68.08	68.20	-0.12	62.02	3	Horizontal	273	1.88	-	32.25	7.57	33.76			
PK	6.1498G	108.93	Inf	-Inf	102.27	3	Horizontal	273	1.88	-	32.70	7.61	33.65			
RMS	6.1466G	98.05	Inf	-Inf	91.41	3	Horizontal	273	1.88	-	32.69	7.61	33.66			