



***RSE TX above 1GHz_Non-Beamforming_
Radio 1_1T1S_AP5022***

Appendix F.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.4835G	49.04	54.00	-4.96	3	Horizontal	62	2.21
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.4835G	53.75	54.00	-0.25	3	Horizontal	59	2.18
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	2.4836G	73.90	74.00	-0.10	3	Horizontal	60	2.20

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3888G	44.84	54.00	-9.16	3	Vertical	245	2.06
2412MHz_TX	Pass	AV	2.4128G	104.71	Inf	-Inf	3	Vertical	245	2.06
2412MHz_TX	Pass	PK	2.3824G	57.83	74.00	-16.17	3	Vertical	245	2.06
2412MHz_TX	Pass	PK	2.4128G	107.22	Inf	-Inf	3	Vertical	245	2.06
2412MHz_TX	Pass	AV	2.3892G	46.74	54.00	-7.26	3	Horizontal	66	2.05
2412MHz_TX	Pass	AV	2.4128G	107.39	Inf	-Inf	3	Horizontal	66	2.05
2412MHz_TX	Pass	PK	2.3884G	59.20	74.00	-14.80	3	Horizontal	66	2.05
2412MHz_TX	Pass	PK	2.4128G	109.93	Inf	-Inf	3	Horizontal	66	2.05
2412MHz_TX	Pass	AV	4.82394G	29.15	54.00	-24.85	3	Vertical	10	2.18
2412MHz_TX	Pass	PK	4.827G	41.41	74.00	-32.59	3	Vertical	10	2.18
2412MHz_TX	Pass	AV	4.82406G	28.37	54.00	-25.63	3	Horizontal	84	2.86
2412MHz_TX	Pass	PK	4.82448G	40.88	74.00	-33.12	3	Horizontal	84	2.86
2437MHz_TX	Pass	AV	2.3886G	43.44	54.00	-10.56	3	Vertical	118	2.93
2437MHz_TX	Pass	AV	2.4362G	105.03	Inf	-Inf	3	Vertical	118	2.93
2437MHz_TX	Pass	AV	2.4838G	44.20	54.00	-9.80	3	Vertical	118	2.93
2437MHz_TX	Pass	PK	2.3522G	57.57	74.00	-16.43	3	Vertical	118	2.93
2437MHz_TX	Pass	PK	2.4378G	107.93	Inf	-Inf	3	Vertical	118	2.93
2437MHz_TX	Pass	PK	2.4838G	57.96	74.00	-16.04	3	Vertical	118	2.93
2437MHz_TX	Pass	AV	2.389G	43.57	54.00	-10.43	3	Horizontal	298	2.07
2437MHz_TX	Pass	AV	2.4378G	107.78	Inf	-Inf	3	Horizontal	298	2.07
2437MHz_TX	Pass	AV	2.4835G	44.59	54.00	-9.41	3	Horizontal	298	2.07
2437MHz_TX	Pass	PK	2.3514G	57.31	74.00	-16.69	3	Horizontal	298	2.07
2437MHz_TX	Pass	PK	2.4362G	110.73	Inf	-Inf	3	Horizontal	298	2.07
2437MHz_TX	Pass	PK	2.4854G	58.41	74.00	-15.59	3	Horizontal	298	2.07
2437MHz_TX	Pass	AV	4.87394G	30.25	54.00	-23.75	3	Vertical	14	1.47
2437MHz_TX	Pass	AV	7.31304G	33.35	54.00	-20.65	3	Vertical	116	2.06
2437MHz_TX	Pass	PK	4.87412G	41.97	74.00	-32.03	3	Vertical	14	1.47
2437MHz_TX	Pass	PK	7.2999G	47.25	74.00	-26.75	3	Vertical	116	2.06
2437MHz_TX	Pass	AV	4.874G	31.72	54.00	-22.28	3	Horizontal	300	2.12
2437MHz_TX	Pass	AV	7.31346G	33.34	54.00	-20.66	3	Horizontal	106	1.50
2437MHz_TX	Pass	PK	4.874G	42.00	74.00	-32.00	3	Horizontal	300	2.12
2437MHz_TX	Pass	PK	7.317G	47.33	74.00	-26.67	3	Horizontal	106	1.50
2462MHz_TX	Pass	AV	2.4612G	104.37	Inf	-Inf	3	Vertical	241	1.85
2462MHz_TX	Pass	AV	2.4835G	45.33	54.00	-8.67	3	Vertical	241	1.85
2462MHz_TX	Pass	PK	2.461G	106.96	Inf	-Inf	3	Vertical	241	1.85
2462MHz_TX	Pass	PK	2.4836G	58.19	74.00	-15.81	3	Vertical	241	1.85
2462MHz_TX	Pass	AV	2.4612G	108.98	Inf	-Inf	3	Horizontal	62	2.21
2462MHz_TX	Pass	AV	2.4835G	49.04	54.00	-4.96	3	Horizontal	62	2.21
2462MHz_TX	Pass	PK	2.4612G	111.72	Inf	-Inf	3	Horizontal	62	2.21
2462MHz_TX	Pass	PK	2.4836G	59.92	74.00	-14.08	3	Horizontal	62	2.21
2462MHz_TX	Pass	AV	4.924G	29.89	54.00	-24.11	3	Vertical	347	2.47
2462MHz_TX	Pass	AV	7.37856G	32.96	54.00	-21.04	3	Vertical	25	1.50
2462MHz_TX	Pass	PK	4.92418G	41.54	74.00	-32.46	3	Vertical	347	2.47
2462MHz_TX	Pass	PK	7.38174G	47.17	74.00	-26.83	3	Vertical	25	1.50
2462MHz_TX	Pass	AV	4.924G	29.57	54.00	-24.43	3	Horizontal	330	2.01
2462MHz_TX	Pass	AV	7.38624G	32.99	54.00	-21.01	3	Horizontal	322	1.50
2462MHz_TX	Pass	PK	4.92136G	42.36	74.00	-31.64	3	Horizontal	330	2.01
2462MHz_TX	Pass	PK	7.38336G	46.97	74.00	-27.03	3	Horizontal	322	1.50
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	50.29	54.00	-3.71	3	Vertical	242	2.05
2412MHz_TX	Pass	AV	2.4146G	97.23	Inf	-Inf	3	Vertical	242	2.05
2412MHz_TX	Pass	PK	2.3898G	66.08	74.00	-7.92	3	Vertical	242	2.05
2412MHz_TX	Pass	PK	2.4118G	108.63	Inf	-Inf	3	Vertical	242	2.05
2412MHz_TX	Pass	AV	2.39G	53.27	54.00	-0.73	3	Horizontal	67	2.06
2412MHz_TX	Pass	AV	2.4144G	99.58	Inf	-Inf	3	Horizontal	67	2.06
2412MHz_TX	Pass	PK	2.3898G	70.04	74.00	-3.96	3	Horizontal	67	2.06
2412MHz_TX	Pass	PK	2.412G	110.96	Inf	-Inf	3	Horizontal	67	2.06
2412MHz_TX	Pass	AV	4.82274G	27.82	54.00	-26.18	3	Vertical	335	2.99
2412MHz_TX	Pass	PK	4.82838G	41.28	74.00	-32.72	3	Vertical	335	2.99
2412MHz_TX	Pass	AV	4.8231G	27.85	54.00	-26.15	3	Horizontal	197	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	PK	4.82736G	41.15	74.00	-32.85	3	Horizontal	197	1.50
2417MHz_TX	Pass	AV	2.39G	49.62	54.00	-4.38	3	Vertical	225	2.86
2417MHz_TX	Pass	AV	2.4186G	97.37	Inf	-Inf	3	Vertical	225	2.86
2417MHz_TX	Pass	PK	2.39G	63.55	74.00	-10.45	3	Vertical	225	2.86
2417MHz_TX	Pass	PK	2.419G	108.55	Inf	-Inf	3	Vertical	225	2.86
2417MHz_TX	Pass	AV	2.39G	51.48	54.00	-2.52	3	Horizontal	296	2.18
2417MHz_TX	Pass	AV	2.4238G	100.96	Inf	-Inf	3	Horizontal	296	2.18
2417MHz_TX	Pass	PK	2.3898G	65.90	74.00	-8.10	3	Horizontal	296	2.18
2417MHz_TX	Pass	PK	2.4236G	112.12	Inf	-Inf	3	Horizontal	296	2.18
2437MHz_TX	Pass	AV	2.3898G	44.93	54.00	-9.07	3	Vertical	120	2.92
2437MHz_TX	Pass	AV	2.4386G	98.63	Inf	-Inf	3	Vertical	120	2.92
2437MHz_TX	Pass	AV	2.4842G	45.91	54.00	-8.09	3	Vertical	120	2.92
2437MHz_TX	Pass	PK	2.3898G	59.54	74.00	-14.46	3	Vertical	120	2.92
2437MHz_TX	Pass	PK	2.4346G	109.54	Inf	-Inf	3	Vertical	120	2.92
2437MHz_TX	Pass	PK	2.4838G	62.72	74.00	-11.28	3	Vertical	120	2.92
2437MHz_TX	Pass	AV	2.3898G	45.08	54.00	-8.92	3	Horizontal	304	1.46
2437MHz_TX	Pass	AV	2.439G	101.55	Inf	-Inf	3	Horizontal	304	1.46
2437MHz_TX	Pass	AV	2.4838G	47.24	54.00	-6.76	3	Horizontal	304	1.46
2437MHz_TX	Pass	PK	2.3898G	60.38	74.00	-13.62	3	Horizontal	304	1.46
2437MHz_TX	Pass	PK	2.437G	112.65	Inf	-Inf	3	Horizontal	304	1.46
2437MHz_TX	Pass	PK	2.4835G	68.35	74.00	-5.65	3	Horizontal	304	1.46
2437MHz_TX	Pass	AV	4.8716G	28.02	54.00	-25.98	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	7.31172G	33.76	54.00	-20.24	3	Vertical	77	1.50
2437MHz_TX	Pass	PK	4.88456G	40.99	74.00	-33.01	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	7.30086G	47.54	74.00	-26.46	3	Vertical	77	1.50
2437MHz_TX	Pass	AV	4.87094G	28.04	54.00	-25.96	3	Horizontal	240	1.50
2437MHz_TX	Pass	AV	7.31844G	33.85	54.00	-20.15	3	Horizontal	285	1.50
2437MHz_TX	Pass	PK	4.87088G	41.37	74.00	-32.63	3	Horizontal	240	1.50
2437MHz_TX	Pass	PK	7.31496G	47.46	74.00	-26.54	3	Horizontal	285	1.50
2457MHz_TX	Pass	AV	2.4506G	98.35	Inf	-Inf	3	Vertical	116	2.55
2457MHz_TX	Pass	AV	2.4835G	49.72	54.00	-4.28	3	Vertical	116	2.55
2457MHz_TX	Pass	PK	2.4546G	109.25	Inf	-Inf	3	Vertical	116	2.55
2457MHz_TX	Pass	PK	2.4842G	63.28	74.00	-10.72	3	Vertical	116	2.55
2457MHz_TX	Pass	AV	2.4584G	102.17	Inf	-Inf	3	Horizontal	64	2.17
2457MHz_TX	Pass	AV	2.4835G	53.36	54.00	-0.64	3	Horizontal	64	2.17
2457MHz_TX	Pass	PK	2.459G	113.36	Inf	-Inf	3	Horizontal	64	2.17
2457MHz_TX	Pass	PK	2.4835G	67.61	74.00	-6.39	3	Horizontal	64	2.17
2462MHz_TX	Pass	AV	2.457G	96.92	Inf	-Inf	3	Vertical	105	1.53
2462MHz_TX	Pass	AV	2.4835G	49.35	54.00	-4.65	3	Vertical	105	1.53
2462MHz_TX	Pass	PK	2.4598G	108.00	Inf	-Inf	3	Vertical	105	1.53
2462MHz_TX	Pass	PK	2.4842G	64.98	74.00	-9.02	3	Vertical	105	1.53
2462MHz_TX	Pass	AV	2.4572G	101.76	Inf	-Inf	3	Horizontal	59	2.18
2462MHz_TX	Pass	AV	2.4835G	53.75	54.00	-0.25	3	Horizontal	59	2.18
2462MHz_TX	Pass	PK	2.46G	113.29	Inf	-Inf	3	Horizontal	59	2.18
2462MHz_TX	Pass	PK	2.4836G	70.38	74.00	-3.62	3	Horizontal	59	2.18
2462MHz_TX	Pass	AV	4.93252G	28.19	54.00	-25.81	3	Vertical	172	1.82
2462MHz_TX	Pass	AV	7.38528G	33.41	54.00	-20.59	3	Vertical	221	1.50
2462MHz_TX	Pass	PK	4.92208G	41.76	74.00	-32.24	3	Vertical	172	1.82
2462MHz_TX	Pass	PK	7.37526G	46.62	74.00	-27.38	3	Vertical	221	1.50
2462MHz_TX	Pass	AV	4.93258G	28.21	54.00	-25.79	3	Horizontal	211	1.78
2462MHz_TX	Pass	AV	7.38474G	33.37	54.00	-20.63	3	Horizontal	212	1.50
2462MHz_TX	Pass	PK	4.92106G	41.61	74.00	-32.39	3	Horizontal	211	1.78
2462MHz_TX	Pass	PK	7.38498G	46.94	74.00	-27.06	3	Horizontal	212	1.50
802.11be EHT20_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	50.77	54.00	-3.23	3	Vertical	241	2.05
2412MHz_TX	Pass	AV	2.4136G	96.71	Inf	-Inf	3	Vertical	241	2.05
2412MHz_TX	Pass	PK	2.3896G	65.46	74.00	-8.54	3	Vertical	241	2.05
2412MHz_TX	Pass	PK	2.4104G	109.47	Inf	-Inf	3	Vertical	241	2.05
2412MHz_TX	Pass	AV	2.3898G	53.86	54.00	-0.14	3	Horizontal	65	2.03
2412MHz_TX	Pass	AV	2.4152G	98.82	Inf	-Inf	3	Horizontal	65	2.03
2412MHz_TX	Pass	PK	2.3886G	69.66	74.00	-4.34	3	Horizontal	65	2.03
2412MHz_TX	Pass	PK	2.4104G	111.79	Inf	-Inf	3	Horizontal	65	2.03




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_1T1S_AP5022**

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	AV	4.82214G	28.15	54.00	-25.85	3	Vertical	278	2.09
2412MHz_TX	Pass	PK	4.83552G	40.88	74.00	-33.12	3	Vertical	278	2.09
2412MHz_TX	Pass	AV	4.82472G	28.14	54.00	-25.86	3	Horizontal	17	1.19
2412MHz_TX	Pass	PK	4.82394G	41.34	74.00	-32.66	3	Horizontal	17	1.19
2412MHz_TX	Pass	PK	7.25034G	48.36	74.00	-25.64	3	Horizontal	151	2.50
2417MHz_TX	Pass	AV	2.39G	51.17	54.00	-2.83	3	Vertical	241	2.08
2417MHz_TX	Pass	AV	2.4144G	97.85	Inf	-Inf	3	Vertical	241	2.08
2417MHz_TX	Pass	PK	2.3896G	71.43	74.00	-2.57	3	Vertical	241	2.08
2417MHz_TX	Pass	PK	2.416G	111.20	Inf	-Inf	3	Vertical	241	2.08
2417MHz_TX	Pass	AV	2.39G	52.82	54.00	-1.18	3	Horizontal	296	1.80
2417MHz_TX	Pass	AV	2.4256G	100.73	Inf	-Inf	3	Horizontal	296	1.80
2417MHz_TX	Pass	PK	2.39G	73.18	74.00	-0.82	3	Horizontal	296	1.80
2417MHz_TX	Pass	PK	2.426G	113.44	Inf	-Inf	3	Horizontal	296	1.80
2437MHz_TX	Pass	AV	2.3898G	45.93	54.00	-8.07	3	Vertical	116	2.90
2437MHz_TX	Pass	AV	2.4358G	98.44	Inf	-Inf	3	Vertical	116	2.90
2437MHz_TX	Pass	AV	2.4835G	47.21	54.00	-6.79	3	Vertical	116	2.90
2437MHz_TX	Pass	PK	2.389G	64.22	74.00	-9.78	3	Vertical	116	2.90
2437MHz_TX	Pass	PK	2.4342G	111.54	Inf	-Inf	3	Vertical	116	2.90
2437MHz_TX	Pass	PK	2.4846G	69.06	74.00	-4.94	3	Vertical	116	2.90
2437MHz_TX	Pass	AV	2.3898G	46.30	54.00	-7.70	3	Horizontal	302	2.06
2437MHz_TX	Pass	AV	2.4342G	101.28	Inf	-Inf	3	Horizontal	302	2.06
2437MHz_TX	Pass	AV	2.4835G	48.86	54.00	-5.14	3	Horizontal	302	2.06
2437MHz_TX	Pass	PK	2.3898G	64.08	74.00	-9.92	3	Horizontal	302	2.06
2437MHz_TX	Pass	PK	2.4402G	114.50	Inf	-Inf	3	Horizontal	302	2.06
2437MHz_TX	Pass	PK	2.485G	73.24	74.00	-0.76	3	Horizontal	302	2.06
2437MHz_TX	Pass	AV	4.8719G	28.53	54.00	-25.47	3	Vertical	36	1.55
2437MHz_TX	Pass	AV	7.31376G	34.21	54.00	-19.79	3	Vertical	17	2.43
2437MHz_TX	Pass	PK	4.86554G	41.69	74.00	-32.31	3	Vertical	36	1.55
2437MHz_TX	Pass	PK	7.32198G	46.82	74.00	-27.18	3	Vertical	17	2.43
2437MHz_TX	Pass	AV	4.87004G	28.67	54.00	-25.33	3	Horizontal	300	2.13
2437MHz_TX	Pass	AV	7.30218G	34.15	54.00	-19.85	3	Horizontal	71	1.50
2437MHz_TX	Pass	PK	4.8689G	41.92	74.00	-32.08	3	Horizontal	300	2.13
2437MHz_TX	Pass	PK	7.3113G	47.05	74.00	-26.95	3	Horizontal	71	1.50
2457MHz_TX	Pass	AV	2.4494G	96.45	Inf	-Inf	3	Vertical	116	2.07
2457MHz_TX	Pass	AV	2.4835G	48.45	54.00	-5.55	3	Vertical	116	2.07
2457MHz_TX	Pass	PK	2.4526G	109.41	Inf	-Inf	3	Vertical	116	2.07
2457MHz_TX	Pass	PK	2.4836G	67.55	74.00	-6.45	3	Vertical	116	2.07
2457MHz_TX	Pass	AV	2.4598G	100.81	Inf	-Inf	3	Horizontal	60	2.20
2457MHz_TX	Pass	AV	2.4835G	51.41	54.00	-2.59	3	Horizontal	60	2.20
2457MHz_TX	Pass	PK	2.4576G	113.99	Inf	-Inf	3	Horizontal	60	2.20
2457MHz_TX	Pass	PK	2.4836G	73.90	74.00	-0.10	3	Horizontal	60	2.20
2462MHz_TX	Pass	AV	2.461G	95.84	Inf	-Inf	3	Vertical	113	1.95
2462MHz_TX	Pass	AV	2.4836G	50.10	54.00	-3.90	3	Vertical	113	1.95
2462MHz_TX	Pass	PK	2.4576G	109.16	Inf	-Inf	3	Vertical	113	1.95
2462MHz_TX	Pass	PK	2.4858G	64.85	74.00	-9.15	3	Vertical	113	1.95
2462MHz_TX	Pass	AV	2.4594G	100.38	Inf	-Inf	3	Horizontal	61	2.20
2462MHz_TX	Pass	AV	2.4835G	53.69	54.00	-0.31	3	Horizontal	61	2.20
2462MHz_TX	Pass	PK	2.458G	113.60	Inf	-Inf	3	Horizontal	61	2.20
2462MHz_TX	Pass	PK	2.485G	68.38	74.00	-5.62	3	Horizontal	61	2.20
2462MHz_TX	Pass	AV	4.93414G	28.44	54.00	-25.56	3	Vertical	24	1.50
2462MHz_TX	Pass	AV	7.38378G	33.88	54.00	-20.12	3	Vertical	58	1.08
2462MHz_TX	Pass	PK	4.93396G	41.79	74.00	-32.21	3	Vertical	24	1.50
2462MHz_TX	Pass	PK	7.39794G	46.82	74.00	-27.18	3	Vertical	58	1.08
2462MHz_TX	Pass	AV	4.93066G	28.48	54.00	-25.52	3	Horizontal	282	1.50
2462MHz_TX	Pass	AV	7.38102G	33.65	54.00	-20.35	3	Horizontal	54	1.50
2462MHz_TX	Pass	PK	4.91554G	41.27	74.00	-32.73	3	Horizontal	282	1.50
2462MHz_TX	Pass	PK	7.38558G	47.16	74.00	-26.84	3	Horizontal	54	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2457MHz_TX





***RSE TX above 1GHz_Non-Beamforming_
Radio 1_2T1S_AP5022***

Appendix F.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4835G	50.91	54.00	-3.09	3	Horizontal	302	1.14
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4854G	53.93	54.00	-0.07	3	Horizontal	305	1.13
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.4848G	53.45	54.00	-0.55	3	Horizontal	303	1.13

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3886G	45.19	54.00	-8.81	3	Vertical	360	3.00
2412MHz_TX	Pass	AV	2.4128G	108.06	Inf	-Inf	3	Vertical	360	3.00
2412MHz_TX	Pass	PK	2.39G	57.84	74.00	-16.16	3	Vertical	360	3.00
2412MHz_TX	Pass	PK	2.413G	110.65	Inf	-Inf	3	Vertical	360	3.00
2412MHz_TX	Pass	AV	2.3888G	48.03	54.00	-5.97	3	Horizontal	302	1.72
2412MHz_TX	Pass	AV	2.4128G	113.56	Inf	-Inf	3	Horizontal	302	1.72
2412MHz_TX	Pass	PK	2.3894G	60.12	74.00	-13.88	3	Horizontal	302	1.72
2412MHz_TX	Pass	PK	2.4128G	116.16	Inf	-Inf	3	Horizontal	302	1.72
2412MHz_TX	Pass	AV	4.82394G	29.00	54.00	-25.00	3	Vertical	8	1.86
2412MHz_TX	Pass	PK	4.82394G	41.17	74.00	-32.83	3	Vertical	8	1.86
2412MHz_TX	Pass	AV	4.824G	29.75	54.00	-24.25	3	Horizontal	290	1.10
2412MHz_TX	Pass	PK	4.82382G	41.88	74.00	-32.12	3	Horizontal	290	1.10
2437MHz_TX	Pass	AV	2.389G	43.30	54.00	-10.70	3	Vertical	320	2.01
2437MHz_TX	Pass	AV	2.4362G	106.77	Inf	-Inf	3	Vertical	320	2.01
2437MHz_TX	Pass	AV	2.4838G	44.20	54.00	-9.80	3	Vertical	320	2.01
2437MHz_TX	Pass	PK	2.379G	57.51	74.00	-16.49	3	Vertical	320	2.01
2437MHz_TX	Pass	PK	2.4362G	109.45	Inf	-Inf	3	Vertical	320	2.01
2437MHz_TX	Pass	PK	2.4938G	58.25	74.00	-15.75	3	Vertical	320	2.01
2437MHz_TX	Pass	AV	2.3898G	44.08	54.00	-9.92	3	Horizontal	305	1.42
2437MHz_TX	Pass	AV	2.4378G	114.50	Inf	-Inf	3	Horizontal	305	1.42
2437MHz_TX	Pass	AV	2.4835G	45.44	54.00	-8.56	3	Horizontal	305	1.42
2437MHz_TX	Pass	PK	2.3702G	57.52	74.00	-16.48	3	Horizontal	305	1.42
2437MHz_TX	Pass	PK	2.4378G	117.15	Inf	-Inf	3	Horizontal	305	1.42
2437MHz_TX	Pass	PK	2.4835G	59.47	74.00	-14.53	3	Horizontal	305	1.42
2437MHz_TX	Pass	AV	4.87406G	31.75	54.00	-22.25	3	Vertical	28	1.44
2437MHz_TX	Pass	AV	7.31208G	33.79	54.00	-20.21	3	Vertical	335	1.99
2437MHz_TX	Pass	PK	4.874G	42.32	74.00	-31.68	3	Vertical	28	1.44
2437MHz_TX	Pass	PK	7.30728G	46.88	74.00	-27.12	3	Vertical	335	1.99
2437MHz_TX	Pass	AV	4.87394G	34.46	54.00	-19.54	3	Horizontal	293	1.00
2437MHz_TX	Pass	AV	7.3122G	33.79	54.00	-20.21	3	Horizontal	72	1.46
2437MHz_TX	Pass	PK	4.87382G	42.73	74.00	-31.27	3	Horizontal	293	1.00
2437MHz_TX	Pass	PK	7.31436G	47.82	74.00	-26.18	3	Horizontal	72	1.46
2462MHz_TX	Pass	AV	2.4628G	108.48	Inf	-Inf	3	Vertical	19	2.83
2462MHz_TX	Pass	AV	2.4835G	46.26	54.00	-7.74	3	Vertical	19	2.83
2462MHz_TX	Pass	PK	2.4628G	111.08	Inf	-Inf	3	Vertical	19	2.83
2462MHz_TX	Pass	PK	2.4872G	60.25	74.00	-13.75	3	Vertical	19	2.83
2462MHz_TX	Pass	AV	2.4612G	114.76	Inf	-Inf	3	Horizontal	302	1.14
2462MHz_TX	Pass	AV	2.4835G	50.91	54.00	-3.09	3	Horizontal	302	1.14
2462MHz_TX	Pass	PK	2.4628G	117.33	Inf	-Inf	3	Horizontal	302	1.14
2462MHz_TX	Pass	PK	2.4835G	61.11	74.00	-12.89	3	Horizontal	302	1.14
2462MHz_TX	Pass	AV	4.92394G	30.19	54.00	-23.81	3	Vertical	343	2.41
2462MHz_TX	Pass	AV	7.38672G	33.92	54.00	-20.08	3	Vertical	353	3.00
2462MHz_TX	Pass	PK	4.92718G	41.59	74.00	-32.41	3	Vertical	343	2.41
2462MHz_TX	Pass	PK	7.38858G	47.00	74.00	-27.00	3	Vertical	353	3.00
2462MHz_TX	Pass	AV	4.924G	31.76	54.00	-22.24	3	Horizontal	328	1.62
2462MHz_TX	Pass	AV	7.38684G	33.47	54.00	-20.53	3	Horizontal	61	1.39
2462MHz_TX	Pass	PK	4.92412G	41.76	74.00	-32.24	3	Horizontal	328	1.62
2462MHz_TX	Pass	PK	7.40088G	47.39	74.00	-26.61	3	Horizontal	61	1.39
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3898G	50.08	54.00	-3.92	3	Vertical	290	1.95
2412MHz_TX	Pass	AV	2.4134G	99.04	Inf	-Inf	3	Vertical	290	1.95
2412MHz_TX	Pass	PK	2.3894G	65.43	74.00	-8.57	3	Vertical	290	1.95
2412MHz_TX	Pass	PK	2.4088G	109.41	Inf	-Inf	3	Vertical	290	1.95
2412MHz_TX	Pass	AV	2.3888G	53.19	54.00	-0.81	3	Horizontal	296	1.93
2412MHz_TX	Pass	AV	2.4176G	106.83	Inf	-Inf	3	Horizontal	296	1.93
2412MHz_TX	Pass	PK	2.3898G	71.14	74.00	-2.86	3	Horizontal	296	1.93
2412MHz_TX	Pass	PK	2.418G	117.59	Inf	-Inf	3	Horizontal	296	1.93
2412MHz_TX	Pass	AV	4.82232G	27.91	54.00	-26.09	3	Vertical	360	2.37
2412MHz_TX	Pass	PK	4.82676G	41.49	74.00	-32.51	3	Vertical	360	2.37
2412MHz_TX	Pass	AV	4.8237G	27.89	54.00	-26.11	3	Horizontal	287	1.93

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	PK	4.8303G	41.93	74.00	-32.07	3	Horizontal	287	1.93
2417MHz_TX	Pass	AV	2.3898G	49.35	54.00	-4.65	3	Vertical	289	1.92
2417MHz_TX	Pass	AV	2.4186G	99.80	Inf	-Inf	3	Vertical	289	1.92
2417MHz_TX	Pass	PK	2.3898G	64.30	74.00	-9.70	3	Vertical	289	1.92
2417MHz_TX	Pass	PK	2.4138G	109.97	Inf	-Inf	3	Vertical	289	1.92
2417MHz_TX	Pass	AV	2.39G	52.99	54.00	-1.01	3	Horizontal	298	2.20
2417MHz_TX	Pass	AV	2.4228G	107.23	Inf	-Inf	3	Horizontal	298	2.20
2417MHz_TX	Pass	PK	2.3898G	68.18	74.00	-5.82	3	Horizontal	298	2.20
2417MHz_TX	Pass	PK	2.413G	117.71	Inf	-Inf	3	Horizontal	298	2.20
2437MHz_TX	Pass	AV	2.3894G	45.39	54.00	-8.61	3	Vertical	290	1.84
2437MHz_TX	Pass	AV	2.4386G	100.34	Inf	-Inf	3	Vertical	290	1.84
2437MHz_TX	Pass	AV	2.4835G	45.91	54.00	-8.09	3	Vertical	290	1.84
2437MHz_TX	Pass	PK	2.3898G	64.41	74.00	-9.59	3	Vertical	290	1.84
2437MHz_TX	Pass	PK	2.4382G	110.31	Inf	-Inf	3	Vertical	290	1.84
2437MHz_TX	Pass	PK	2.4846G	62.77	74.00	-11.23	3	Vertical	290	1.84
2437MHz_TX	Pass	AV	2.3898G	49.66	54.00	-4.34	3	Horizontal	300	1.45
2437MHz_TX	Pass	AV	2.4422G	107.89	Inf	-Inf	3	Horizontal	300	1.45
2437MHz_TX	Pass	AV	2.4835G	51.49	54.00	-2.51	3	Horizontal	300	1.45
2437MHz_TX	Pass	PK	2.3898G	71.30	74.00	-2.70	3	Horizontal	300	1.45
2437MHz_TX	Pass	PK	2.4322G	118.17	Inf	-Inf	3	Horizontal	300	1.45
2437MHz_TX	Pass	PK	2.4835G	72.14	74.00	-1.86	3	Horizontal	300	1.45
2437MHz_TX	Pass	AV	4.87058G	28.20	54.00	-25.80	3	Vertical	26	2.55
2437MHz_TX	Pass	AV	7.31448G	33.87	54.00	-20.13	3	Vertical	48	1.19
2437MHz_TX	Pass	PK	4.86728G	41.65	74.00	-32.35	3	Vertical	26	2.55
2437MHz_TX	Pass	PK	7.32288G	47.14	74.00	-26.86	3	Vertical	48	1.19
2437MHz_TX	Pass	AV	4.8704G	28.81	54.00	-25.19	3	Horizontal	305	1.77
2437MHz_TX	Pass	AV	7.31778G	34.29	54.00	-19.71	3	Horizontal	306	1.38
2437MHz_TX	Pass	PK	4.88588G	42.45	74.00	-31.55	3	Horizontal	305	1.77
2437MHz_TX	Pass	PK	7.31682G	47.34	74.00	-26.66	3	Horizontal	306	1.38
2457MHz_TX	Pass	AV	2.4506G	99.40	Inf	-Inf	3	Vertical	102	1.50
2457MHz_TX	Pass	AV	2.4842G	50.00	54.00	-4.00	3	Vertical	102	1.50
2457MHz_TX	Pass	PK	2.4554G	109.25	Inf	-Inf	3	Vertical	102	1.50
2457MHz_TX	Pass	PK	2.4842G	64.17	74.00	-9.83	3	Vertical	102	1.50
2457MHz_TX	Pass	AV	2.4618G	107.54	Inf	-Inf	3	Horizontal	305	1.13
2457MHz_TX	Pass	AV	2.4854G	53.93	54.00	-0.07	3	Horizontal	305	1.13
2457MHz_TX	Pass	PK	2.4618G	118.21	Inf	-Inf	3	Horizontal	305	1.13
2457MHz_TX	Pass	PK	2.4856G	68.72	74.00	-5.28	3	Horizontal	305	1.13
2462MHz_TX	Pass	AV	2.4556G	97.16	Inf	-Inf	3	Vertical	106	1.54
2462MHz_TX	Pass	AV	2.4835G	46.10	54.00	-7.90	3	Vertical	106	1.54
2462MHz_TX	Pass	PK	2.4554G	107.26	Inf	-Inf	3	Vertical	106	1.54
2462MHz_TX	Pass	PK	2.4842G	60.85	74.00	-13.15	3	Vertical	106	1.54
2462MHz_TX	Pass	AV	2.4572G	105.05	Inf	-Inf	3	Horizontal	302	1.33
2462MHz_TX	Pass	AV	2.4835G	53.28	54.00	-0.72	3	Horizontal	302	1.33
2462MHz_TX	Pass	PK	2.467G	115.33	Inf	-Inf	3	Horizontal	302	1.33
2462MHz_TX	Pass	PK	2.4835G	68.33	74.00	-5.67	3	Horizontal	302	1.33
2462MHz_TX	Pass	AV	4.92946G	28.24	54.00	-25.76	3	Vertical	360	1.50
2462MHz_TX	Pass	AV	7.37556G	33.44	54.00	-20.56	3	Vertical	87	1.50
2462MHz_TX	Pass	PK	4.93222G	42.70	74.00	-31.30	3	Vertical	360	1.50
2462MHz_TX	Pass	PK	7.38114G	46.72	74.00	-27.28	3	Vertical	87	1.50
2462MHz_TX	Pass	AV	4.9294G	28.20	54.00	-25.80	3	Horizontal	330	1.82
2462MHz_TX	Pass	AV	7.37856G	33.52	54.00	-20.48	3	Horizontal	300	1.73
2462MHz_TX	Pass	PK	4.93114G	42.13	74.00	-31.87	3	Horizontal	330	1.82
2462MHz_TX	Pass	PK	7.37718G	46.74	74.00	-27.26	3	Horizontal	300	1.73
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	48.11	54.00	-5.89	3	Vertical	289	2.05
2412MHz_TX	Pass	AV	2.4078G	97.19	Inf	-Inf	3	Vertical	289	2.05
2412MHz_TX	Pass	PK	2.3884G	63.31	74.00	-10.69	3	Vertical	289	2.05
2412MHz_TX	Pass	PK	2.4104G	110.01	Inf	-Inf	3	Vertical	289	2.05
2412MHz_TX	Pass	AV	2.39G	53.17	54.00	-0.83	3	Horizontal	298	1.94
2412MHz_TX	Pass	AV	2.4174G	104.93	Inf	-Inf	3	Horizontal	298	1.94
2412MHz_TX	Pass	PK	2.39G	68.68	74.00	-5.32	3	Horizontal	298	1.94
2412MHz_TX	Pass	PK	2.4074G	117.53	Inf	-Inf	3	Horizontal	298	1.94




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_2T1S_AP5022**

Appendix F.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	AV	4.82382G	28.15	54.00	-25.85	3	Vertical	96	1.37
2412MHz_TX	Pass	PK	4.83666G	40.68	74.00	-33.32	3	Vertical	96	1.37
2412MHz_TX	Pass	AV	4.82088G	28.22	54.00	-25.78	3	Horizontal	274	2.62
2412MHz_TX	Pass	PK	4.8237G	41.23	74.00	-32.77	3	Horizontal	274	2.62
2417MHz_TX	Pass	AV	2.39G	48.57	54.00	-5.43	3	Vertical	285	1.91
2417MHz_TX	Pass	AV	2.4178G	99.04	Inf	-Inf	3	Vertical	285	1.91
2417MHz_TX	Pass	PK	2.3898G	64.83	74.00	-9.17	3	Vertical	285	1.91
2417MHz_TX	Pass	PK	2.413G	111.44	Inf	-Inf	3	Vertical	285	1.91
2417MHz_TX	Pass	AV	2.39G	53.16	54.00	-0.84	3	Horizontal	301	1.73
2417MHz_TX	Pass	AV	2.4148G	106.40	Inf	-Inf	3	Horizontal	301	1.73
2417MHz_TX	Pass	PK	2.39G	69.15	74.00	-4.85	3	Horizontal	301	1.73
2417MHz_TX	Pass	PK	2.415G	118.33	Inf	-Inf	3	Horizontal	301	1.73
2437MHz_TX	Pass	AV	2.3898G	45.05	54.00	-8.95	3	Vertical	286	1.85
2437MHz_TX	Pass	AV	2.4374G	98.45	Inf	-Inf	3	Vertical	286	1.85
2437MHz_TX	Pass	AV	2.4835G	45.58	54.00	-8.42	3	Vertical	286	1.85
2437MHz_TX	Pass	PK	2.3882G	63.07	74.00	-10.93	3	Vertical	286	1.85
2437MHz_TX	Pass	PK	2.435G	110.96	Inf	-Inf	3	Vertical	286	1.85
2437MHz_TX	Pass	PK	2.4846G	62.48	74.00	-11.52	3	Vertical	286	1.85
2437MHz_TX	Pass	AV	2.3898G	49.15	54.00	-4.85	3	Horizontal	304	1.43
2437MHz_TX	Pass	AV	2.4398G	106.39	Inf	-Inf	3	Horizontal	304	1.43
2437MHz_TX	Pass	AV	2.4846G	49.70	54.00	-4.30	3	Horizontal	304	1.43
2437MHz_TX	Pass	PK	2.3894G	72.58	74.00	-1.42	3	Horizontal	304	1.43
2437MHz_TX	Pass	PK	2.4422G	118.60	Inf	-Inf	3	Horizontal	304	1.43
2437MHz_TX	Pass	PK	2.4835G	71.74	74.00	-2.26	3	Horizontal	304	1.43
2437MHz_TX	Pass	AV	4.86788G	28.34	54.00	-25.66	3	Vertical	309	1.30
2437MHz_TX	Pass	AV	7.31376G	34.10	54.00	-19.90	3	Vertical	313	1.51
2437MHz_TX	Pass	PK	4.86272G	41.25	74.00	-32.75	3	Vertical	309	1.30
2437MHz_TX	Pass	PK	7.30644G	47.17	74.00	-26.83	3	Vertical	313	1.51
2437MHz_TX	Pass	AV	4.8698G	28.58	54.00	-25.42	3	Horizontal	298	1.04
2437MHz_TX	Pass	AV	7.31286G	34.04	54.00	-19.96	3	Horizontal	150	2.06
2437MHz_TX	Pass	PK	4.88228G	40.88	74.00	-33.12	3	Horizontal	298	1.04
2437MHz_TX	Pass	PK	7.31934G	46.74	74.00	-27.26	3	Horizontal	150	2.06
2457MHz_TX	Pass	AV	2.4586G	98.34	Inf	-Inf	3	Vertical	104	1.54
2457MHz_TX	Pass	AV	2.4835G	49.73	54.00	-4.27	3	Vertical	104	1.54
2457MHz_TX	Pass	PK	2.4538G	111.04	Inf	-Inf	3	Vertical	104	1.54
2457MHz_TX	Pass	PK	2.4835G	71.04	74.00	-2.96	3	Vertical	104	1.54
2457MHz_TX	Pass	AV	2.4498G	105.95	Inf	-Inf	3	Horizontal	302	1.76
2457MHz_TX	Pass	AV	2.4848G	53.17	54.00	-0.83	3	Horizontal	302	1.76
2457MHz_TX	Pass	PK	2.4622G	118.51	Inf	-Inf	3	Horizontal	302	1.76
2457MHz_TX	Pass	PK	2.4846G	72.09	74.00	-1.91	3	Horizontal	302	1.76
2462MHz_TX	Pass	AV	2.4562G	95.69	Inf	-Inf	3	Vertical	102	1.54
2462MHz_TX	Pass	AV	2.4838G	47.62	54.00	-6.38	3	Vertical	102	1.54
2462MHz_TX	Pass	PK	2.4588G	108.60	Inf	-Inf	3	Vertical	102	1.54
2462MHz_TX	Pass	PK	2.485G	61.71	74.00	-12.29	3	Vertical	102	1.54
2462MHz_TX	Pass	AV	2.4596G	103.81	Inf	-Inf	3	Horizontal	303	1.13
2462MHz_TX	Pass	AV	2.4848G	53.45	54.00	-0.55	3	Horizontal	303	1.13
2462MHz_TX	Pass	PK	2.4592G	116.83	Inf	-Inf	3	Horizontal	303	1.13
2462MHz_TX	Pass	PK	2.4872G	69.64	74.00	-4.36	3	Horizontal	303	1.13
2462MHz_TX	Pass	AV	4.91902G	28.48	54.00	-25.52	3	Vertical	235	2.71
2462MHz_TX	Pass	AV	7.37946G	33.82	54.00	-20.18	3	Vertical	218	1.50
2462MHz_TX	Pass	PK	4.92526G	42.68	74.00	-31.32	3	Vertical	235	2.71
2462MHz_TX	Pass	PK	7.37358G	46.76	74.00	-27.24	3	Vertical	218	1.50
2462MHz_TX	Pass	AV	4.93048G	28.50	54.00	-25.50	3	Horizontal	157	1.50
2462MHz_TX	Pass	AV	7.38294G	33.71	54.00	-20.29	3	Horizontal	73	1.98
2462MHz_TX	Pass	PK	4.9129G	41.81	74.00	-32.19	3	Horizontal	157	1.50
2462MHz_TX	Pass	PK	7.39908G	46.97	74.00	-27.03	3	Horizontal	73	1.98


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_2T2S_AP5022**

Appendix F.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.57	54.00	-0.43	3	Horizontal	301	1.76

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	48.68	54.00	-5.32	3	Vertical	360	2.70
2412MHz_TX	Pass	AV	2.4066G	99.34	Inf	-Inf	3	Vertical	360	2.70
2412MHz_TX	Pass	PK	2.3894G	64.14	74.00	-9.86	3	Vertical	360	2.70
2412MHz_TX	Pass	PK	2.4058G	112.18	Inf	-Inf	3	Vertical	360	2.70
2412MHz_TX	Pass	AV	2.39G	53.25	54.00	-0.75	3	Horizontal	304	1.24
2412MHz_TX	Pass	AV	2.4194G	103.22	Inf	-Inf	3	Horizontal	304	1.24
2412MHz_TX	Pass	PK	2.3892G	68.04	74.00	-5.96	3	Horizontal	304	1.24
2412MHz_TX	Pass	PK	2.4144G	115.52	Inf	-Inf	3	Horizontal	304	1.24
2412MHz_TX	Pass	AV	4.82202G	28.75	54.00	-25.25	3	Vertical	208	2.09
2412MHz_TX	Pass	PK	4.8372G	41.30	74.00	-32.70	3	Vertical	208	2.09
2412MHz_TX	Pass	AV	4.8297G	28.55	54.00	-25.45	3	Horizontal	38	1.50
2412MHz_TX	Pass	PK	4.83144G	41.47	74.00	-32.53	3	Horizontal	38	1.50
2417MHz_TX	Pass	AV	2.39G	48.27	54.00	-5.73	3	Vertical	360	3.00
2417MHz_TX	Pass	AV	2.4144G	100.71	Inf	-Inf	3	Vertical	360	3.00
2417MHz_TX	Pass	PK	2.3898G	62.12	74.00	-11.88	3	Vertical	360	3.00
2417MHz_TX	Pass	PK	2.4184G	113.23	Inf	-Inf	3	Vertical	360	3.00
2417MHz_TX	Pass	AV	2.39G	52.75	54.00	-1.25	3	Horizontal	296	2.16
2417MHz_TX	Pass	AV	2.416G	104.80	Inf	-Inf	3	Horizontal	296	2.16
2417MHz_TX	Pass	PK	2.39G	68.78	74.00	-5.22	3	Horizontal	296	2.16
2417MHz_TX	Pass	PK	2.4136G	117.49	Inf	-Inf	3	Horizontal	296	2.16
2437MHz_TX	Pass	AV	2.3898G	45.45	54.00	-8.55	3	Vertical	103	1.83
2437MHz_TX	Pass	AV	2.4338G	97.07	Inf	-Inf	3	Vertical	103	1.83
2437MHz_TX	Pass	AV	2.4835G	46.32	54.00	-7.68	3	Vertical	103	1.83
2437MHz_TX	Pass	PK	2.3878G	60.84	74.00	-13.16	3	Vertical	103	1.83
2437MHz_TX	Pass	PK	2.431G	109.11	Inf	-Inf	3	Vertical	103	1.83
2437MHz_TX	Pass	PK	2.4842G	63.95	74.00	-10.05	3	Vertical	103	1.83
2437MHz_TX	Pass	AV	2.3898G	50.04	54.00	-3.96	3	Horizontal	303	1.44
2437MHz_TX	Pass	AV	2.4358G	104.89	Inf	-Inf	3	Horizontal	303	1.44
2437MHz_TX	Pass	AV	2.4835G	51.36	54.00	-2.64	3	Horizontal	303	1.44
2437MHz_TX	Pass	PK	2.3882G	71.75	74.00	-2.25	3	Horizontal	303	1.44
2437MHz_TX	Pass	PK	2.4334G	117.29	Inf	-Inf	3	Horizontal	303	1.44
2437MHz_TX	Pass	PK	2.4835G	73.50	74.00	-0.50	3	Horizontal	303	1.44
2437MHz_TX	Pass	AV	4.88546G	28.89	54.00	-25.11	3	Vertical	223	1.23
2437MHz_TX	Pass	AV	7.31466G	34.64	54.00	-19.36	3	Vertical	41	1.50
2437MHz_TX	Pass	PK	4.87502G	41.48	74.00	-32.52	3	Vertical	223	1.23
2437MHz_TX	Pass	PK	7.31568G	47.44	74.00	-26.56	3	Vertical	41	1.50
2437MHz_TX	Pass	AV	4.86932G	28.85	54.00	-25.15	3	Horizontal	56	2.75
2437MHz_TX	Pass	AV	7.30992G	34.50	54.00	-19.50	3	Horizontal	206	1.50
2437MHz_TX	Pass	PK	4.88672G	41.37	74.00	-32.63	3	Horizontal	56	2.75
2437MHz_TX	Pass	PK	7.31604G	47.33	74.00	-26.67	3	Horizontal	206	1.50
2457MHz_TX	Pass	AV	2.4536G	96.54	Inf	-Inf	3	Vertical	103	1.50
2457MHz_TX	Pass	AV	2.4836G	48.94	54.00	-5.06	3	Vertical	103	1.50
2457MHz_TX	Pass	PK	2.4526G	109.69	Inf	-Inf	3	Vertical	103	1.50
2457MHz_TX	Pass	PK	2.4835G	65.49	74.00	-8.51	3	Vertical	103	1.50
2457MHz_TX	Pass	AV	2.4498G	103.74	Inf	-Inf	3	Horizontal	301	1.76
2457MHz_TX	Pass	AV	2.4835G	53.57	54.00	-0.43	3	Horizontal	301	1.76
2457MHz_TX	Pass	PK	2.4612G	116.33	Inf	-Inf	3	Horizontal	301	1.76
2457MHz_TX	Pass	PK	2.4836G	69.78	74.00	-4.22	3	Horizontal	301	1.76
2462MHz_TX	Pass	AV	2.4638G	95.02	Inf	-Inf	3	Vertical	107	1.97
2462MHz_TX	Pass	AV	2.4836G	48.23	54.00	-5.77	3	Vertical	107	1.97
2462MHz_TX	Pass	PK	2.4576G	107.77	Inf	-Inf	3	Vertical	107	1.97
2462MHz_TX	Pass	PK	2.4842G	61.33	74.00	-12.67	3	Vertical	107	1.97
2462MHz_TX	Pass	AV	2.4606G	102.59	Inf	-Inf	3	Horizontal	305	1.37
2462MHz_TX	Pass	AV	2.4848G	53.03	54.00	-0.97	3	Horizontal	305	1.37
2462MHz_TX	Pass	PK	2.4706G	115.84	Inf	-Inf	3	Horizontal	305	1.37
2462MHz_TX	Pass	PK	2.4835G	67.85	74.00	-6.15	3	Horizontal	305	1.37
2462MHz_TX	Pass	AV	4.93264G	28.97	54.00	-25.03	3	Vertical	31	1.50
2462MHz_TX	Pass	AV	7.38552G	34.27	54.00	-19.73	3	Vertical	149	1.21
2462MHz_TX	Pass	PK	4.93066G	41.36	74.00	-32.64	3	Vertical	31	1.50
2462MHz_TX	Pass	PK	7.39038G	46.51	74.00	-27.49	3	Vertical	149	1.21




***RSE TX above 1GHz_Non-Beamforming_
Radio 1_2T2S_AP5022***

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz_TX	Pass	AV	4.93096G	28.99	54.00	-25.01	3	Horizontal	204	1.70
2462MHz_TX	Pass	AV	7.3851G	34.52	54.00	-19.48	3	Horizontal	43	1.50
2462MHz_TX	Pass	PK	4.91296G	41.37	74.00	-32.63	3	Horizontal	204	1.70
2462MHz_TX	Pass	PK	7.39068G	47.31	74.00	-26.69	3	Horizontal	43	1.50


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX





***RSE TX above 1GHz_Non-Beamforming_
Radio 1_4T1S_AP5022***

Appendix F.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	2.4835G	52.88	54.00	-1.12	3	Horizontal	305	1.64
802.11g_Nss1,(6Mbps)_4TX	Pass	AV	2.4835G	53.69	54.00	-0.31	3	Horizontal	61	2.29
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	2.39G	53.93	54.00	-0.07	3	Horizontal	65	1.06

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.389G	47.65	54.00	-6.35	3	Vertical	158	1.18
2412MHz_TX	Pass	AV	2.4112G	110.83	Inf	-Inf	3	Vertical	158	1.18
2412MHz_TX	Pass	PK	2.3888G	59.31	74.00	-14.69	3	Vertical	158	1.18
2412MHz_TX	Pass	PK	2.4112G	113.40	Inf	-Inf	3	Vertical	158	1.18
2412MHz_TX	Pass	AV	2.3888G	50.48	54.00	-3.52	3	Horizontal	306	1.67
2412MHz_TX	Pass	AV	2.4128G	115.74	Inf	-Inf	3	Horizontal	306	1.67
2412MHz_TX	Pass	PK	2.3884G	60.97	74.00	-13.03	3	Horizontal	306	1.67
2412MHz_TX	Pass	PK	2.4128G	118.34	Inf	-Inf	3	Horizontal	306	1.67
2412MHz_TX	Pass	AV	4.824G	32.97	54.00	-21.03	3	Vertical	347	1.50
2412MHz_TX	Pass	PK	4.82376G	42.12	74.00	-31.88	3	Vertical	347	1.50
2412MHz_TX	Pass	AV	4.82394G	30.17	54.00	-23.83	3	Horizontal	289	1.14
2412MHz_TX	Pass	PK	4.82388G	41.30	74.00	-32.70	3	Horizontal	289	1.14
2437MHz_TX	Pass	AV	2.389G	43.85	54.00	-10.15	3	Vertical	355	2.89
2437MHz_TX	Pass	AV	2.4378G	115.17	Inf	-Inf	3	Vertical	355	2.89
2437MHz_TX	Pass	AV	2.4835G	44.89	54.00	-9.11	3	Vertical	355	2.89
2437MHz_TX	Pass	PK	2.3758G	57.20	74.00	-16.80	3	Vertical	355	2.89
2437MHz_TX	Pass	PK	2.4378G	117.73	Inf	-Inf	3	Vertical	355	2.89
2437MHz_TX	Pass	PK	2.485G	58.77	74.00	-15.23	3	Vertical	355	2.89
2437MHz_TX	Pass	AV	2.3898G	44.86	54.00	-9.14	3	Horizontal	311	1.61
2437MHz_TX	Pass	AV	2.4378G	117.01	Inf	-Inf	3	Horizontal	311	1.61
2437MHz_TX	Pass	AV	2.4835G	46.25	54.00	-7.75	3	Horizontal	311	1.61
2437MHz_TX	Pass	PK	2.3894G	57.83	74.00	-16.17	3	Horizontal	311	1.61
2437MHz_TX	Pass	PK	2.4378G	119.70	Inf	-Inf	3	Horizontal	311	1.61
2437MHz_TX	Pass	PK	2.4858G	59.35	74.00	-14.65	3	Horizontal	311	1.61
2437MHz_TX	Pass	AV	4.87394G	34.69	54.00	-19.31	3	Vertical	31	1.50
2437MHz_TX	Pass	AV	7.31022G	41.08	54.00	-12.92	3	Vertical	44	1.50
2437MHz_TX	Pass	PK	4.874G	43.03	74.00	-30.97	3	Vertical	31	1.50
2437MHz_TX	Pass	PK	7.3107G	50.46	74.00	-23.54	3	Vertical	44	1.50
2437MHz_TX	Pass	AV	4.874G	32.02	54.00	-21.98	3	Horizontal	304	1.82
2437MHz_TX	Pass	AV	7.31022G	38.03	54.00	-15.97	3	Horizontal	5	1.50
2437MHz_TX	Pass	PK	4.87394G	42.06	74.00	-31.94	3	Horizontal	304	1.82
2437MHz_TX	Pass	PK	7.3113G	48.84	74.00	-25.16	3	Horizontal	5	1.50
2457MHz_TX	Pass	AV	2.4578G	114.82	Inf	-Inf	3	Vertical	359	2.94
2457MHz_TX	Pass	AV	2.4835G	49.89	54.00	-4.11	3	Vertical	359	2.94
2457MHz_TX	Pass	PK	2.4578G	117.48	Inf	-Inf	3	Vertical	359	2.94
2457MHz_TX	Pass	PK	2.4836G	60.19	74.00	-13.81	3	Vertical	359	2.94
2457MHz_TX	Pass	AV	2.4578G	117.07	Inf	-Inf	3	Horizontal	308	1.59
2457MHz_TX	Pass	AV	2.4835G	51.28	54.00	-2.72	3	Horizontal	308	1.59
2457MHz_TX	Pass	PK	2.456G	119.67	Inf	-Inf	3	Horizontal	308	1.59
2457MHz_TX	Pass	PK	2.4835G	62.45	74.00	-11.55	3	Horizontal	308	1.59
2462MHz_TX	Pass	AV	2.4628G	114.42	Inf	-Inf	3	Vertical	357	3.00
2462MHz_TX	Pass	AV	2.4835G	51.05	54.00	-2.95	3	Vertical	357	3.00
2462MHz_TX	Pass	PK	2.4628G	117.07	Inf	-Inf	3	Vertical	357	3.00
2462MHz_TX	Pass	PK	2.4835G	61.09	74.00	-12.91	3	Vertical	357	3.00
2462MHz_TX	Pass	AV	2.4612G	116.76	Inf	-Inf	3	Horizontal	305	1.64
2462MHz_TX	Pass	AV	2.4835G	52.88	54.00	-1.12	3	Horizontal	305	1.64
2462MHz_TX	Pass	PK	2.4612G	119.41	Inf	-Inf	3	Horizontal	305	1.64
2462MHz_TX	Pass	PK	2.4835G	62.82	74.00	-11.18	3	Horizontal	305	1.64
2462MHz_TX	Pass	AV	4.924G	33.77	54.00	-20.23	3	Vertical	353	2.38
2462MHz_TX	Pass	AV	7.38516G	39.46	54.00	-14.54	3	Vertical	49	1.40
2462MHz_TX	Pass	PK	4.92394G	42.57	74.00	-31.43	3	Vertical	353	2.38
2462MHz_TX	Pass	PK	7.38534G	49.43	74.00	-24.57	3	Vertical	49	1.40
2462MHz_TX	Pass	AV	4.92406G	35.34	54.00	-18.66	3	Horizontal	327	1.39
2462MHz_TX	Pass	AV	7.38516G	35.45	54.00	-18.55	3	Horizontal	10	1.50
2462MHz_TX	Pass	PK	4.92412G	43.69	74.00	-30.31	3	Horizontal	327	1.39
2462MHz_TX	Pass	PK	7.3851G	48.50	74.00	-25.50	3	Horizontal	10	1.50
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	45.51	54.00	-8.49	3	Vertical	146	1.44
2412MHz_TX	Pass	AV	2.4134G	101.38	Inf	-Inf	3	Vertical	146	1.44
2412MHz_TX	Pass	PK	2.389G	60.06	74.00	-13.94	3	Vertical	146	1.44



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_4T1S_AP5022**

Appendix F.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	PK	2.4138G	111.71	Inf	-Inf	3	Vertical	146	1.44
2412MHz_TX	Pass	AV	2.39G	52.75	54.00	-1.25	3	Horizontal	64	1.00
2412MHz_TX	Pass	AV	2.4042G	108.31	Inf	-Inf	3	Horizontal	64	1.00
2412MHz_TX	Pass	PK	2.3894G	72.45	74.00	-1.55	3	Horizontal	64	1.00
2412MHz_TX	Pass	PK	2.4044G	118.01	Inf	-Inf	3	Horizontal	64	1.00
2412MHz_TX	Pass	AV	4.8234G	28.09	54.00	-25.91	3	Vertical	13	1.50
2412MHz_TX	Pass	PK	4.8219G	41.32	74.00	-32.68	3	Vertical	13	1.50
2412MHz_TX	Pass	AV	4.82292G	27.93	54.00	-26.07	3	Horizontal	309	1.50
2412MHz_TX	Pass	PK	4.82886G	41.47	74.00	-32.53	3	Horizontal	309	1.50
2417MHz_TX	Pass	AV	2.39G	48.01	54.00	-5.99	3	Vertical	144	1.28
2417MHz_TX	Pass	AV	2.4186G	102.67	Inf	-Inf	3	Vertical	144	1.28
2417MHz_TX	Pass	PK	2.39G	61.49	74.00	-12.51	3	Vertical	144	1.28
2417MHz_TX	Pass	PK	2.4188G	112.62	Inf	-Inf	3	Vertical	144	1.28
2417MHz_TX	Pass	AV	2.3894G	52.48	54.00	-1.52	3	Horizontal	55	1.34
2417MHz_TX	Pass	AV	2.4094G	109.57	Inf	-Inf	3	Horizontal	55	1.34
2417MHz_TX	Pass	PK	2.3894G	66.21	74.00	-7.79	3	Horizontal	55	1.34
2417MHz_TX	Pass	PK	2.4096G	119.78	Inf	-Inf	3	Horizontal	55	1.34
2437MHz_TX	Pass	AV	2.3878G	44.55	54.00	-9.45	3	Vertical	140	1.81
2437MHz_TX	Pass	AV	2.4406G	102.57	Inf	-Inf	3	Vertical	140	1.81
2437MHz_TX	Pass	AV	2.4835G	45.38	54.00	-8.62	3	Vertical	140	1.81
2437MHz_TX	Pass	PK	2.3878G	59.25	74.00	-14.75	3	Vertical	140	1.81
2437MHz_TX	Pass	PK	2.441G	113.05	Inf	-Inf	3	Vertical	140	1.81
2437MHz_TX	Pass	PK	2.4835G	64.74	74.00	-9.26	3	Vertical	140	1.81
2437MHz_TX	Pass	AV	2.3898G	49.31	54.00	-4.69	3	Horizontal	57	1.25
2437MHz_TX	Pass	AV	2.4294G	110.09	Inf	-Inf	3	Horizontal	57	1.25
2437MHz_TX	Pass	AV	2.4838G	48.73	54.00	-5.27	3	Horizontal	57	1.25
2437MHz_TX	Pass	PK	2.3894G	73.61	74.00	-0.39	3	Horizontal	57	1.25
2437MHz_TX	Pass	PK	2.4294G	119.97	Inf	-Inf	3	Horizontal	57	1.25
2437MHz_TX	Pass	PK	2.4838G	71.00	74.00	-3.00	3	Horizontal	57	1.25
2437MHz_TX	Pass	AV	4.87268G	28.09	54.00	-25.91	3	Vertical	24	2.74
2437MHz_TX	Pass	AV	7.30896G	35.47	54.00	-18.53	3	Vertical	340	1.50
2437MHz_TX	Pass	PK	4.86104G	41.12	74.00	-32.88	3	Vertical	24	2.74
2437MHz_TX	Pass	PK	7.30716G	48.49	74.00	-25.51	3	Vertical	340	1.50
2437MHz_TX	Pass	AV	4.87088G	28.35	54.00	-25.65	3	Horizontal	300	1.02
2437MHz_TX	Pass	AV	7.31844G	33.91	54.00	-20.09	3	Horizontal	294	1.50
2437MHz_TX	Pass	PK	4.86962G	41.42	74.00	-32.58	3	Horizontal	300	1.02
2437MHz_TX	Pass	PK	7.30362G	48.20	74.00	-25.80	3	Horizontal	294	1.50
2457MHz_TX	Pass	AV	2.458G	102.42	Inf	-Inf	3	Vertical	148	1.20
2457MHz_TX	Pass	AV	2.4842G	46.06	54.00	-7.94	3	Vertical	148	1.20
2457MHz_TX	Pass	PK	2.4578G	112.55	Inf	-Inf	3	Vertical	148	1.20
2457MHz_TX	Pass	PK	2.4842G	59.52	74.00	-14.48	3	Vertical	148	1.20
2457MHz_TX	Pass	AV	2.4508G	110.53	Inf	-Inf	3	Horizontal	57	1.74
2457MHz_TX	Pass	AV	2.4835G	51.95	54.00	-2.05	3	Horizontal	57	1.74
2457MHz_TX	Pass	PK	2.4514G	120.56	Inf	-Inf	3	Horizontal	57	1.74
2457MHz_TX	Pass	PK	2.484G	65.23	74.00	-8.77	3	Horizontal	57	1.74
2462MHz_TX	Pass	AV	2.4634G	100.47	Inf	-Inf	3	Vertical	147	1.19
2462MHz_TX	Pass	AV	2.4835G	47.67	54.00	-6.33	3	Vertical	147	1.19
2462MHz_TX	Pass	PK	2.4646G	110.82	Inf	-Inf	3	Vertical	147	1.19
2462MHz_TX	Pass	PK	2.4835G	63.58	74.00	-10.42	3	Vertical	147	1.19
2462MHz_TX	Pass	AV	2.4574G	108.90	Inf	-Inf	3	Horizontal	61	2.29
2462MHz_TX	Pass	AV	2.4835G	53.69	54.00	-0.31	3	Horizontal	61	2.29
2462MHz_TX	Pass	PK	2.4578G	119.35	Inf	-Inf	3	Horizontal	61	2.29
2462MHz_TX	Pass	PK	2.4838G	71.34	74.00	-2.66	3	Horizontal	61	2.29
2462MHz_TX	Pass	AV	4.93024G	28.24	54.00	-25.76	3	Vertical	252	1.50
2462MHz_TX	Pass	AV	7.39002G	33.45	54.00	-20.55	3	Vertical	360	1.50
2462MHz_TX	Pass	PK	4.93372G	41.80	74.00	-32.20	3	Vertical	252	1.50
2462MHz_TX	Pass	PK	7.38204G	47.18	74.00	-26.82	3	Vertical	360	1.50
2462MHz_TX	Pass	AV	4.91488G	28.16	54.00	-25.84	3	Horizontal	131	2.94
2462MHz_TX	Pass	AV	7.37658G	33.44	54.00	-20.56	3	Horizontal	360	2.25
2462MHz_TX	Pass	PK	4.93708G	41.80	74.00	-32.20	3	Horizontal	131	2.94
2462MHz_TX	Pass	PK	7.38594G	46.86	74.00	-27.14	3	Horizontal	360	2.25
802.11be EHT20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_4T1S_AP5022**

Appendix F.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	AV	2.3882G	48.64	54.00	-5.36	3	Vertical	0	2.94
2412MHz_TX	Pass	AV	2.4066G	104.32	Inf	-Inf	3	Vertical	0	2.94
2412MHz_TX	Pass	PK	2.3882G	66.00	74.00	-8.00	3	Vertical	0	2.94
2412MHz_TX	Pass	PK	2.4066G	116.70	Inf	-Inf	3	Vertical	0	2.94
2412MHz_TX	Pass	AV	2.39G	53.93	54.00	-0.07	3	Horizontal	65	1.06
2412MHz_TX	Pass	AV	2.4182G	107.15	Inf	-Inf	3	Horizontal	65	1.06
2412MHz_TX	Pass	PK	2.3896G	68.87	74.00	-5.13	3	Horizontal	65	1.06
2412MHz_TX	Pass	PK	2.4132G	120.22	Inf	-Inf	3	Horizontal	65	1.06
2412MHz_TX	Pass	AV	4.82418G	28.16	54.00	-25.84	3	Vertical	340	1.50
2412MHz_TX	Pass	PK	4.8345G	41.72	74.00	-32.28	3	Vertical	340	1.50
2412MHz_TX	Pass	AV	4.82574G	28.18	54.00	-25.82	3	Horizontal	132	1.50
2412MHz_TX	Pass	PK	4.81254G	41.80	74.00	-32.20	3	Horizontal	132	1.50
2437MHz_TX	Pass	AV	2.3878G	44.44	54.00	-9.56	3	Vertical	201	1.32
2437MHz_TX	Pass	AV	2.4378G	100.01	Inf	-Inf	3	Vertical	201	1.32
2437MHz_TX	Pass	AV	2.4835G	45.53	54.00	-8.47	3	Vertical	201	1.32
2437MHz_TX	Pass	PK	2.3878G	61.78	74.00	-12.22	3	Vertical	201	1.32
2437MHz_TX	Pass	PK	2.4282G	112.89	Inf	-Inf	3	Vertical	201	1.32
2437MHz_TX	Pass	PK	2.4835G	65.57	74.00	-8.43	3	Vertical	201	1.32
2437MHz_TX	Pass	AV	2.3898G	47.96	54.00	-6.04	3	Horizontal	314	1.13
2437MHz_TX	Pass	AV	2.4362G	108.96	Inf	-Inf	3	Horizontal	314	1.13
2437MHz_TX	Pass	AV	2.485G	48.85	54.00	-5.15	3	Horizontal	314	1.13
2437MHz_TX	Pass	PK	2.3858G	67.48	74.00	-6.52	3	Horizontal	314	1.13
2437MHz_TX	Pass	PK	2.4414G	121.37	Inf	-Inf	3	Horizontal	314	1.13
2437MHz_TX	Pass	PK	2.4846G	72.29	74.00	-1.71	3	Horizontal	314	1.13
2437MHz_TX	Pass	AV	4.87238G	28.37	54.00	-25.63	3	Vertical	3	1.95
2437MHz_TX	Pass	AV	7.31034G	34.18	54.00	-19.82	3	Vertical	304	2.45
2437MHz_TX	Pass	PK	4.86536G	42.04	74.00	-31.96	3	Vertical	3	1.95
2437MHz_TX	Pass	PK	7.29774G	48.06	74.00	-25.94	3	Vertical	304	2.45
2437MHz_TX	Pass	AV	4.86662G	28.44	54.00	-25.56	3	Horizontal	305	1.13
2437MHz_TX	Pass	AV	7.30776G	35.78	54.00	-18.22	3	Horizontal	73	1.50
2437MHz_TX	Pass	PK	4.86008G	41.58	74.00	-32.42	3	Horizontal	305	1.13
2437MHz_TX	Pass	PK	7.30374G	49.11	74.00	-24.89	3	Horizontal	73	1.50
2457MHz_TX	Pass	AV	2.4498G	101.18	Inf	-Inf	3	Vertical	143	2.04
2457MHz_TX	Pass	AV	2.4835G	47.33	54.00	-6.67	3	Vertical	143	2.04
2457MHz_TX	Pass	PK	2.4498G	113.62	Inf	-Inf	3	Vertical	143	2.04
2457MHz_TX	Pass	PK	2.4835G	65.69	74.00	-8.31	3	Vertical	143	2.04
2457MHz_TX	Pass	AV	2.4482G	108.87	Inf	-Inf	3	Horizontal	62	1.07
2457MHz_TX	Pass	AV	2.4835G	53.43	54.00	-0.57	3	Horizontal	62	1.07
2457MHz_TX	Pass	PK	2.4532G	121.82	Inf	-Inf	3	Horizontal	62	1.07
2457MHz_TX	Pass	PK	2.4835G	73.34	74.00	-0.66	3	Horizontal	62	1.07
2462MHz_TX	Pass	AV	2.4668G	103.82	Inf	-Inf	3	Vertical	2	2.97
2462MHz_TX	Pass	AV	2.4858G	50.96	54.00	-3.04	3	Vertical	2	2.97
2462MHz_TX	Pass	PK	2.4566G	116.53	Inf	-Inf	3	Vertical	2	2.97
2462MHz_TX	Pass	PK	2.4862G	66.22	74.00	-7.78	3	Vertical	2	2.97
2462MHz_TX	Pass	AV	2.4582G	107.24	Inf	-Inf	3	Horizontal	64	1.06
2462MHz_TX	Pass	AV	2.4848G	53.62	54.00	-0.38	3	Horizontal	64	1.06
2462MHz_TX	Pass	PK	2.4532G	119.78	Inf	-Inf	3	Horizontal	64	1.06
2462MHz_TX	Pass	PK	2.4848G	67.82	74.00	-6.18	3	Horizontal	64	1.06
2462MHz_TX	Pass	AV	4.93204G	28.59	54.00	-25.41	3	Vertical	339	1.50
2462MHz_TX	Pass	AV	7.38198G	33.98	54.00	-20.02	3	Vertical	45	1.42
2462MHz_TX	Pass	PK	4.93762G	41.90	74.00	-32.10	3	Vertical	339	1.50
2462MHz_TX	Pass	PK	7.38162G	47.19	74.00	-26.81	3	Vertical	45	1.42
2462MHz_TX	Pass	AV	4.9186G	28.57	54.00	-25.43	3	Horizontal	217	1.67
2462MHz_TX	Pass	AV	7.39368G	33.65	54.00	-20.35	3	Horizontal	0	1.50
2462MHz_TX	Pass	PK	4.93168G	41.14	74.00	-32.86	3	Horizontal	217	1.67
2462MHz_TX	Pass	PK	7.3917G	47.31	74.00	-26.69	3	Horizontal	0	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_4T4S_AP5022**

Appendix F.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	2.4835G	53.91	54.00	-0.09	3	Horizontal	302	1.14

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss4(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	51.25	54.00	-2.75	3	Vertical	360	2.99
2412MHz_TX	Pass	AV	2.4146G	101.36	Inf	-Inf	3	Vertical	360	2.99
2412MHz_TX	Pass	PK	2.388G	63.90	74.00	-10.10	3	Vertical	360	2.99
2412MHz_TX	Pass	PK	2.4068G	113.89	Inf	-Inf	3	Vertical	360	2.99
2412MHz_TX	Pass	AV	2.39G	53.46	54.00	-0.54	3	Horizontal	304	1.15
2412MHz_TX	Pass	AV	2.415G	105.15	Inf	-Inf	3	Horizontal	304	1.15
2412MHz_TX	Pass	PK	2.3896G	66.39	74.00	-7.61	3	Horizontal	304	1.15
2412MHz_TX	Pass	PK	2.4132G	117.37	Inf	-Inf	3	Horizontal	304	1.15
2412MHz_TX	Pass	AV	4.83126G	29.06	54.00	-24.94	3	Vertical	337	1.50
2412MHz_TX	Pass	PK	4.821G	41.26	74.00	-32.74	3	Vertical	337	1.50
2412MHz_TX	Pass	AV	4.82454G	29.02	54.00	-24.98	3	Horizontal	55	1.97
2412MHz_TX	Pass	AV	7.2501G	34.76	54.00	-19.24	3	Horizontal	318	1.43
2412MHz_TX	Pass	PK	4.82424G	41.37	74.00	-32.63	3	Horizontal	55	1.97
2417MHz_TX	Pass	AV	2.39G	49.90	54.00	-4.10	3	Vertical	357	2.99
2417MHz_TX	Pass	AV	2.426G	103.01	Inf	-Inf	3	Vertical	357	2.99
2417MHz_TX	Pass	PK	2.39G	63.04	74.00	-10.96	3	Vertical	357	2.99
2417MHz_TX	Pass	PK	2.4196G	115.71	Inf	-Inf	3	Vertical	357	2.99
2417MHz_TX	Pass	AV	2.39G	53.52	54.00	-0.48	3	Horizontal	302	1.25
2417MHz_TX	Pass	AV	2.4258G	107.74	Inf	-Inf	3	Horizontal	302	1.25
2417MHz_TX	Pass	PK	2.39G	66.47	74.00	-7.53	3	Horizontal	302	1.25
2417MHz_TX	Pass	PK	2.423G	119.56	Inf	-Inf	3	Horizontal	302	1.25
2437MHz_TX	Pass	AV	2.3894G	46.63	54.00	-7.37	3	Vertical	142	1.82
2437MHz_TX	Pass	AV	2.4362G	99.10	Inf	-Inf	3	Vertical	142	1.82
2437MHz_TX	Pass	AV	2.4835G	47.34	54.00	-6.66	3	Vertical	142	1.82
2437MHz_TX	Pass	PK	2.3898G	61.40	74.00	-12.60	3	Vertical	142	1.82
2437MHz_TX	Pass	PK	2.441G	111.91	Inf	-Inf	3	Vertical	142	1.82
2437MHz_TX	Pass	PK	2.4835G	64.46	74.00	-9.54	3	Vertical	142	1.82
2437MHz_TX	Pass	AV	2.3898G	52.06	54.00	-1.94	3	Horizontal	302	1.14
2437MHz_TX	Pass	AV	2.4398G	107.59	Inf	-Inf	3	Horizontal	302	1.14
2437MHz_TX	Pass	AV	2.4835G	53.91	54.00	-0.09	3	Horizontal	302	1.14
2437MHz_TX	Pass	PK	2.3882G	72.33	74.00	-1.67	3	Horizontal	302	1.14
2437MHz_TX	Pass	PK	2.4314G	119.58	Inf	-Inf	3	Horizontal	302	1.14
2437MHz_TX	Pass	PK	2.4846G	73.36	74.00	-0.64	3	Horizontal	302	1.14
2437MHz_TX	Pass	AV	4.8686G	29.17	54.00	-24.83	3	Vertical	299	1.62
2437MHz_TX	Pass	AV	7.31862G	35.15	54.00	-18.85	3	Vertical	44	1.39
2437MHz_TX	Pass	PK	4.8596G	41.00	74.00	-33.00	3	Vertical	299	1.62
2437MHz_TX	Pass	PK	7.29666G	47.17	74.00	-26.83	3	Vertical	44	1.39
2437MHz_TX	Pass	AV	4.87046G	29.58	54.00	-24.42	3	Horizontal	294	1.00
2437MHz_TX	Pass	AV	7.31514G	35.17	54.00	-18.83	3	Horizontal	39	2.29
2437MHz_TX	Pass	PK	4.88528G	41.10	74.00	-32.90	3	Horizontal	294	1.00
2437MHz_TX	Pass	PK	7.314G	47.23	74.00	-26.77	3	Horizontal	39	2.29
2457MHz_TX	Pass	AV	2.45G	98.31	Inf	-Inf	3	Vertical	139	2.07
2457MHz_TX	Pass	AV	2.4835G	47.97	54.00	-6.03	3	Vertical	139	2.07
2457MHz_TX	Pass	PK	2.4494G	110.59	Inf	-Inf	3	Vertical	139	2.07
2457MHz_TX	Pass	PK	2.484G	61.92	74.00	-12.08	3	Vertical	139	2.07
2457MHz_TX	Pass	AV	2.4526G	105.86	Inf	-Inf	3	Horizontal	304	1.00
2457MHz_TX	Pass	AV	2.4835G	53.54	54.00	-0.46	3	Horizontal	304	1.00
2457MHz_TX	Pass	PK	2.4522G	117.80	Inf	-Inf	3	Horizontal	304	1.00
2457MHz_TX	Pass	PK	2.4836G	68.25	74.00	-5.75	3	Horizontal	304	1.00
2462MHz_TX	Pass	AV	2.4548G	96.19	Inf	-Inf	3	Vertical	140	2.09
2462MHz_TX	Pass	AV	2.4852G	48.07	54.00	-5.93	3	Vertical	140	2.09
2462MHz_TX	Pass	PK	2.4684G	108.08	Inf	-Inf	3	Vertical	140	2.09
2462MHz_TX	Pass	PK	2.4856G	60.88	74.00	-13.12	3	Vertical	140	2.09
2462MHz_TX	Pass	AV	2.4606G	104.42	Inf	-Inf	3	Horizontal	303	1.14
2462MHz_TX	Pass	AV	2.4848G	53.56	54.00	-0.44	3	Horizontal	303	1.14
2462MHz_TX	Pass	PK	2.4602G	117.02	Inf	-Inf	3	Horizontal	303	1.14
2462MHz_TX	Pass	PK	2.4864G	68.00	74.00	-6.00	3	Horizontal	303	1.14
2462MHz_TX	Pass	AV	4.93564G	29.32	54.00	-24.68	3	Vertical	0	1.50
2462MHz_TX	Pass	AV	7.3773G	34.60	54.00	-19.40	3	Vertical	108	2.92
2462MHz_TX	Pass	PK	4.936G	41.51	74.00	-32.49	3	Vertical	0	1.50




***RSE TX above 1GHz_Non-Beamforming_
Radio 1_4T4S_AP5022***

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz_TX	Pass	PK	7.3791G	47.85	74.00	-26.15	3	Vertical	108	2.92
2462MHz_TX	Pass	AV	4.93072G	29.49	54.00	-24.51	3	Horizontal	304	1.50
2462MHz_TX	Pass	AV	7.38114G	34.65	54.00	-19.35	3	Horizontal	283	1.67
2462MHz_TX	Pass	PK	4.92982G	41.65	74.00	-32.35	3	Horizontal	304	1.50
2462MHz_TX	Pass	PK	7.38168G	46.91	74.00	-27.09	3	Horizontal	283	1.67

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	46.63	54.00	-7.37	31.07	3	Vertical	142	1.82	15.56	27.30	3.77	-
AV	2.4362G	99.10	Inf	-Inf	31.33	3	Vertical	142	1.82	67.77	27.50	3.83	-
AV	2.4835G	47.34	54.00	-6.66	31.70	3	Vertical	142	1.82	15.64	27.80	3.90	-
PK	2.3898G	61.40	74.00	-12.60	31.07	3	Vertical	142	1.82	30.33	27.30	3.77	-
PK	2.441G	111.91	Inf	-Inf	31.34	3	Vertical	142	1.82	80.57	27.50	3.84	-
PK	2.4835G	64.46	74.00	-9.54	31.70	3	Vertical	142	1.82	32.76	27.80	3.90	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.06	54.00	-1.94	31.07	3	Horizontal	302	1.14	20.99	27.30	3.77	-
AV	2.4398G	107.59	Inf	-Inf	31.34	3	Horizontal	302	1.14	76.25	27.50	3.84	-
AV	2.4835G	53.91	54.00	-0.09	31.70	3	Horizontal	302	1.14	22.21	27.80	3.90	-
PK	2.3882G	72.33	74.00	-1.67	31.07	3	Horizontal	302	1.14	41.26	27.30	3.77	-
PK	2.4314G	119.58	Inf	-Inf	31.33	3	Horizontal	302	1.14	88.25	27.50	3.83	-
PK	2.4846G	73.36	74.00	-0.64	31.70	3	Horizontal	302	1.14	41.66	27.80	3.90	-


2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX





***RSE TX below 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022***

Appendix F.7

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	49.4M	36.92	40.00	-3.08	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	99.84M	30.83	43.50	-12.67	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	148.34M	25.49	43.50	-18.01	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	249.22M	22.71	46.00	-23.29	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	524.7M	28.20	46.00	-17.80	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	730.34M	31.63	46.00	-14.37	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	960M	32.35	54.00	-21.65	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	99.84M	31.91	43.50	-11.59	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	200.72M	26.89	43.50	-16.61	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	309.36M	27.18	46.00	-18.82	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	429.64M	27.74	46.00	-18.26	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	582.9M	33.15	46.00	-12.85	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	955.38M	32.71	46.00	-13.29	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	49.4M	36.92	40.00	-3.08	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	61.04M	34.12	40.00	-5.88	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	146.4M	27.86	43.50	-15.64	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	218.18M	23.01	46.00	-22.99	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	396.66M	26.40	46.00	-19.60	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	493.66M	30.83	46.00	-15.17	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	97.9M	35.27	43.50	-8.23	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	148.34M	25.79	43.50	-17.71	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	249.22M	25.52	46.00	-20.48	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	528.58M	29.07	46.00	-16.93	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	747.8M	34.64	46.00	-11.36	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	901.06M	32.34	46.00	-13.66	3	Horizontal	0	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_PoE



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_PoE





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4835G	53.59	54.00	-0.41	3	Horizontal	48	2.18
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4854G	52.12	54.00	-1.88	3	Horizontal	34	2.20
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.4838G	53.69	54.00	-0.31	3	Horizontal	32	2.22

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3884G	43.67	54.00	-10.33	3	Vertical	155	2.06
2412MHz_TX	Pass	AV	2.4128G	105.57	Inf	-Inf	3	Vertical	155	2.06
2412MHz_TX	Pass	PK	2.3622G	58.64	74.00	-15.36	3	Vertical	155	2.06
2412MHz_TX	Pass	PK	2.4128G	108.17	Inf	-Inf	3	Vertical	155	2.06
2412MHz_TX	Pass	AV	2.39G	46.78	54.00	-7.22	3	Horizontal	47	2.30
2412MHz_TX	Pass	AV	2.4128G	114.15	Inf	-Inf	3	Horizontal	47	2.30
2412MHz_TX	Pass	PK	2.3898G	58.95	74.00	-15.05	3	Horizontal	47	2.30
2412MHz_TX	Pass	PK	2.4128G	116.72	Inf	-Inf	3	Horizontal	47	2.30
2412MHz_TX	Pass	AV	4.82394G	27.99	54.00	-26.01	3	Vertical	11	1.71
2412MHz_TX	Pass	PK	4.836G	42.27	74.00	-31.73	3	Vertical	11	1.71
2412MHz_TX	Pass	AV	4.824G	29.57	54.00	-24.43	3	Horizontal	22	1.50
2412MHz_TX	Pass	PK	4.8378G	42.05	74.00	-31.95	3	Horizontal	22	1.50
2437MHz_TX	Pass	AV	2.3874G	43.26	54.00	-10.74	3	Vertical	153	1.82
2437MHz_TX	Pass	AV	2.4378G	105.51	Inf	-Inf	3	Vertical	153	1.82
2437MHz_TX	Pass	AV	2.4835G	44.01	54.00	-9.99	3	Vertical	153	1.82
2437MHz_TX	Pass	PK	2.3874G	57.60	74.00	-16.40	3	Vertical	153	1.82
2437MHz_TX	Pass	PK	2.4378G	108.34	Inf	-Inf	3	Vertical	153	1.82
2437MHz_TX	Pass	PK	2.4978G	58.76	74.00	-15.24	3	Vertical	153	1.82
2437MHz_TX	Pass	AV	2.3898G	43.80	54.00	-10.20	3	Horizontal	48	2.25
2437MHz_TX	Pass	AV	2.4378G	115.05	Inf	-Inf	3	Horizontal	48	2.25
2437MHz_TX	Pass	AV	2.4838G	45.75	54.00	-8.25	3	Horizontal	48	2.25
2437MHz_TX	Pass	PK	2.3434G	57.51	74.00	-16.49	3	Horizontal	48	2.25
2437MHz_TX	Pass	PK	2.4378G	117.91	Inf	-Inf	3	Horizontal	48	2.25
2437MHz_TX	Pass	PK	2.4866G	59.03	74.00	-14.97	3	Horizontal	48	2.25
2437MHz_TX	Pass	AV	4.874G	28.45	54.00	-25.55	3	Vertical	16	1.46
2437MHz_TX	Pass	AV	7.31316G	33.34	54.00	-20.66	3	Vertical	295	1.50
2437MHz_TX	Pass	PK	4.86056G	41.71	74.00	-32.29	3	Vertical	16	1.46
2437MHz_TX	Pass	PK	7.31754G	48.41	74.00	-25.59	3	Vertical	295	1.50
2437MHz_TX	Pass	AV	4.87406G	29.81	54.00	-24.19	3	Horizontal	360	1.15
2437MHz_TX	Pass	AV	7.31172G	33.87	54.00	-20.13	3	Horizontal	60	1.50
2437MHz_TX	Pass	PK	4.87322G	41.76	74.00	-32.24	3	Horizontal	360	1.15
2437MHz_TX	Pass	PK	7.30932G	48.26	74.00	-25.74	3	Horizontal	60	1.50
2462MHz_TX	Pass	AV	2.4612G	102.61	Inf	-Inf	3	Vertical	181	1.50
2462MHz_TX	Pass	AV	2.4835G	44.81	54.00	-9.19	3	Vertical	181	1.50
2462MHz_TX	Pass	PK	2.4628G	105.18	Inf	-Inf	3	Vertical	181	1.50
2462MHz_TX	Pass	PK	2.4842G	58.83	74.00	-15.17	3	Vertical	181	1.50
2462MHz_TX	Pass	AV	2.4612G	114.00	Inf	-Inf	3	Horizontal	48	2.18
2462MHz_TX	Pass	AV	2.4835G	53.59	54.00	-0.41	3	Horizontal	48	2.18
2462MHz_TX	Pass	PK	2.4612G	116.85	Inf	-Inf	3	Horizontal	48	2.18
2462MHz_TX	Pass	PK	2.4835G	62.48	74.00	-11.52	3	Horizontal	48	2.18
2462MHz_TX	Pass	AV	4.92412G	28.01	54.00	-25.99	3	Vertical	342	1.46
2462MHz_TX	Pass	AV	7.38624G	33.04	54.00	-20.96	3	Vertical	61	1.50
2462MHz_TX	Pass	PK	4.91794G	42.37	74.00	-31.63	3	Vertical	342	1.46
2462MHz_TX	Pass	PK	7.38348G	47.10	74.00	-26.90	3	Vertical	61	1.50
2462MHz_TX	Pass	AV	4.92394G	29.38	54.00	-24.62	3	Horizontal	13	1.40
2462MHz_TX	Pass	AV	7.38528G	33.39	54.00	-20.61	3	Horizontal	315	1.50
2462MHz_TX	Pass	PK	4.9186G	41.94	74.00	-32.06	3	Horizontal	13	1.40
2462MHz_TX	Pass	PK	7.3839G	47.37	74.00	-26.63	3	Horizontal	315	1.50
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3892G	45.55	54.00	-8.45	3	Vertical	143	2.42
2412MHz_TX	Pass	AV	2.4136G	99.51	Inf	-Inf	3	Vertical	143	2.42
2412MHz_TX	Pass	PK	2.3888G	58.98	74.00	-15.02	3	Vertical	143	2.42
2412MHz_TX	Pass	PK	2.4134G	109.63	Inf	-Inf	3	Vertical	143	2.42
2412MHz_TX	Pass	AV	2.39G	50.63	54.00	-3.37	3	Horizontal	303	2.00
2412MHz_TX	Pass	AV	2.416G	106.45	Inf	-Inf	3	Horizontal	303	2.00
2412MHz_TX	Pass	PK	2.39G	66.99	74.00	-7.01	3	Horizontal	303	2.00
2412MHz_TX	Pass	PK	2.4156G	117.23	Inf	-Inf	3	Horizontal	303	2.00
2412MHz_TX	Pass	AV	4.8219G	27.96	54.00	-26.04	3	Vertical	289	1.16
2412MHz_TX	Pass	PK	4.81218G	41.62	74.00	-32.38	3	Vertical	289	1.16
2412MHz_TX	Pass	AV	4.82202G	27.94	54.00	-26.06	3	Horizontal	32	1.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	PK	4.82946G	41.63	74.00	-32.37	3	Horizontal	32	1.16
2437MHz_TX	Pass	AV	2.3898G	44.42	54.00	-9.58	3	Vertical	143	2.77
2437MHz_TX	Pass	AV	2.4386G	100.61	Inf	-Inf	3	Vertical	143	2.77
2437MHz_TX	Pass	AV	2.4842G	45.87	54.00	-8.13	3	Vertical	143	2.77
2437MHz_TX	Pass	PK	2.3886G	59.97	74.00	-14.03	3	Vertical	143	2.77
2437MHz_TX	Pass	PK	2.4386G	111.10	Inf	-Inf	3	Vertical	143	2.77
2437MHz_TX	Pass	PK	2.4842G	65.01	74.00	-8.99	3	Vertical	143	2.77
2437MHz_TX	Pass	AV	2.3898G	46.53	54.00	-7.47	3	Horizontal	36	2.07
2437MHz_TX	Pass	AV	2.441G	107.91	Inf	-Inf	3	Horizontal	36	2.07
2437MHz_TX	Pass	AV	2.4854G	49.23	54.00	-4.77	3	Horizontal	36	2.07
2437MHz_TX	Pass	PK	2.3894G	63.53	74.00	-10.47	3	Horizontal	36	2.07
2437MHz_TX	Pass	PK	2.441G	118.20	Inf	-Inf	3	Horizontal	36	2.07
2437MHz_TX	Pass	PK	2.4862G	70.78	74.00	-3.22	3	Horizontal	36	2.07
2437MHz_TX	Pass	AV	4.86914G	28.08	54.00	-25.92	3	Vertical	12	1.50
2437MHz_TX	Pass	AV	7.3122G	33.76	54.00	-20.24	3	Vertical	260	1.50
2437MHz_TX	Pass	PK	4.88552G	41.72	74.00	-32.28	3	Vertical	12	1.50
2437MHz_TX	Pass	PK	7.3176G	47.79	74.00	-26.21	3	Vertical	260	1.50
2437MHz_TX	Pass	AV	4.8692G	28.02	54.00	-25.98	3	Horizontal	21	1.29
2437MHz_TX	Pass	AV	7.31082G	33.95	54.00	-20.05	3	Horizontal	55	1.22
2437MHz_TX	Pass	PK	4.8737G	42.02	74.00	-31.98	3	Horizontal	21	1.29
2437MHz_TX	Pass	PK	7.30818G	48.33	74.00	-25.67	3	Horizontal	55	1.22
2462MHz_TX	Pass	AV	2.4678G	95.46	Inf	-Inf	3	Vertical	186	1.88
2462MHz_TX	Pass	AV	2.4835G	46.87	54.00	-7.13	3	Vertical	186	1.88
2462MHz_TX	Pass	PK	2.467G	105.67	Inf	-Inf	3	Vertical	186	1.88
2462MHz_TX	Pass	PK	2.4835G	62.61	74.00	-11.39	3	Vertical	186	1.88
2462MHz_TX	Pass	AV	2.4662G	106.98	Inf	-Inf	3	Horizontal	34	2.20
2462MHz_TX	Pass	AV	2.4854G	52.12	54.00	-1.88	3	Horizontal	34	2.20
2462MHz_TX	Pass	PK	2.466G	117.78	Inf	-Inf	3	Horizontal	34	2.20
2462MHz_TX	Pass	PK	2.4852G	68.63	74.00	-5.37	3	Horizontal	34	2.20
2462MHz_TX	Pass	AV	4.9309G	28.32	54.00	-25.68	3	Vertical	28	1.50
2462MHz_TX	Pass	AV	7.38252G	33.45	54.00	-20.55	3	Vertical	241	2.08
2462MHz_TX	Pass	PK	4.92058G	42.07	74.00	-31.93	3	Vertical	28	1.50
2462MHz_TX	Pass	PK	7.38696G	47.29	74.00	-26.71	3	Vertical	241	2.08
2462MHz_TX	Pass	AV	4.93294G	28.25	54.00	-25.75	3	Horizontal	350	1.89
2462MHz_TX	Pass	AV	7.38456G	33.48	54.00	-20.52	3	Horizontal	73	1.50
2462MHz_TX	Pass	PK	4.9336G	42.86	74.00	-31.14	3	Horizontal	350	1.89
2462MHz_TX	Pass	PK	7.39536G	46.79	74.00	-27.21	3	Horizontal	73	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	47.91	54.00	-6.09	3	Vertical	153	2.40
2412MHz_TX	Pass	AV	2.415G	97.25	Inf	-Inf	3	Vertical	153	2.40
2412MHz_TX	Pass	PK	2.3898G	64.81	74.00	-9.19	3	Vertical	153	2.40
2412MHz_TX	Pass	PK	2.4176G	111.06	Inf	-Inf	3	Vertical	153	2.40
2412MHz_TX	Pass	AV	2.389G	52.70	54.00	-1.30	3	Horizontal	304	1.46
2412MHz_TX	Pass	AV	2.4164G	104.67	Inf	-Inf	3	Horizontal	304	1.46
2412MHz_TX	Pass	PK	2.389G	68.25	74.00	-5.75	3	Horizontal	304	1.46
2412MHz_TX	Pass	PK	2.4164G	118.59	Inf	-Inf	3	Horizontal	304	1.46
2412MHz_TX	Pass	AV	4.82196G	27.43	54.00	-26.57	3	Vertical	230	1.50
2412MHz_TX	Pass	PK	4.82466G	41.70	74.00	-32.30	3	Vertical	230	1.50
2412MHz_TX	Pass	AV	4.82226G	27.46	54.00	-26.54	3	Horizontal	210	1.63
2412MHz_TX	Pass	PK	4.82346G	42.27	74.00	-31.73	3	Horizontal	210	1.63
2437MHz_TX	Pass	AV	2.3898G	43.70	54.00	-10.30	3	Vertical	145	2.36
2437MHz_TX	Pass	AV	2.4378G	97.18	Inf	-Inf	3	Vertical	145	2.36
2437MHz_TX	Pass	AV	2.4835G	44.87	54.00	-9.13	3	Vertical	145	2.36
2437MHz_TX	Pass	PK	2.363G	57.87	74.00	-16.13	3	Vertical	145	2.36
2437MHz_TX	Pass	PK	2.4354G	111.48	Inf	-Inf	3	Vertical	145	2.36
2437MHz_TX	Pass	PK	2.4854G	64.66	74.00	-9.34	3	Vertical	145	2.36
2437MHz_TX	Pass	AV	2.3898G	45.72	54.00	-8.28	3	Horizontal	55	2.38
2437MHz_TX	Pass	AV	2.4394G	104.88	Inf	-Inf	3	Horizontal	55	2.38
2437MHz_TX	Pass	AV	2.4846G	47.31	54.00	-6.69	3	Horizontal	55	2.38
2437MHz_TX	Pass	PK	2.3898G	63.70	74.00	-10.30	3	Horizontal	55	2.38
2437MHz_TX	Pass	PK	2.4394G	119.12	Inf	-Inf	3	Horizontal	55	2.38
2437MHz_TX	Pass	PK	2.4854G	71.70	74.00	-2.30	3	Horizontal	55	2.38




**RSE TX above 1GHz_Non-Beamforming_
Scan Radio 2T1S_AP5022**

Appendix F.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz_TX	Pass	AV	4.86818G	27.51	54.00	-26.49	3	Vertical	44	1.14
2437MHz_TX	Pass	AV	7.31316G	33.31	54.00	-20.69	3	Vertical	282	1.50
2437MHz_TX	Pass	PK	4.88078G	41.91	74.00	-32.09	3	Vertical	44	1.14
2437MHz_TX	Pass	PK	7.30668G	47.47	74.00	-26.53	3	Vertical	282	1.50
2437MHz_TX	Pass	AV	4.86908G	27.60	54.00	-26.40	3	Horizontal	49	1.50
2437MHz_TX	Pass	AV	7.31418G	33.42	54.00	-20.58	3	Horizontal	285	1.50
2437MHz_TX	Pass	PK	4.86218G	41.46	74.00	-32.54	3	Horizontal	49	1.50
2437MHz_TX	Pass	PK	7.32438G	47.57	74.00	-26.43	3	Horizontal	285	1.50
2462MHz_TX	Pass	AV	2.47G	92.39	Inf	-Inf	3	Vertical	184	1.88
2462MHz_TX	Pass	AV	2.4835G	45.83	54.00	-8.17	3	Vertical	184	1.88
2462MHz_TX	Pass	PK	2.4702G	105.74	Inf	-Inf	3	Vertical	184	1.88
2462MHz_TX	Pass	PK	2.4848G	59.38	74.00	-14.62	3	Vertical	184	1.88
2462MHz_TX	Pass	AV	2.469G	103.61	Inf	-Inf	3	Horizontal	32	2.22
2462MHz_TX	Pass	AV	2.4838G	53.69	54.00	-0.31	3	Horizontal	32	2.22
2462MHz_TX	Pass	PK	2.4692G	117.29	Inf	-Inf	3	Horizontal	32	2.22
2462MHz_TX	Pass	PK	2.4838G	70.24	74.00	-3.76	3	Horizontal	32	2.22
2462MHz_TX	Pass	AV	4.9321G	27.84	54.00	-26.16	3	Vertical	39	1.50
2462MHz_TX	Pass	AV	7.38072G	32.99	54.00	-21.01	3	Vertical	72	2.84
2462MHz_TX	Pass	PK	4.91986G	42.60	74.00	-31.40	3	Vertical	39	1.50
2462MHz_TX	Pass	PK	7.38324G	47.98	74.00	-26.02	3	Vertical	72	2.84
2462MHz_TX	Pass	AV	4.93294G	27.75	54.00	-26.25	3	Horizontal	201	2.75
2462MHz_TX	Pass	AV	7.38564G	32.99	54.00	-21.01	3	Horizontal	256	1.15
2462MHz_TX	Pass	PK	4.92304G	41.81	74.00	-32.19	3	Horizontal	201	2.75
2462MHz_TX	Pass	PK	7.37454G	46.96	74.00	-27.04	3	Horizontal	256	1.15


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX





***RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022***

Appendix F.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4838G	53.67	54.00	-0.33	3	Horizontal	37	2.20



RSE TX above 1GHz_Non-Beamforming_ Scan Radio 2T2S_AP5022


Appendix F.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	47.42	54.00	-6.58	3	Vertical	145	2.41
2412MHz_TX	Pass	AV	2.4158G	97.02	Inf	-Inf	3	Vertical	145	2.41
2412MHz_TX	Pass	PK	2.39G	60.08	74.00	-13.92	3	Vertical	145	2.41
2412MHz_TX	Pass	PK	2.4162G	110.93	Inf	-Inf	3	Vertical	145	2.41
2412MHz_TX	Pass	AV	2.3898G	53.49	54.00	-0.51	3	Horizontal	304	2.06
2412MHz_TX	Pass	AV	2.4138G	104.30	Inf	-Inf	3	Horizontal	304	2.06
2412MHz_TX	Pass	PK	2.39G	68.41	74.00	-5.59	3	Horizontal	304	2.06
2412MHz_TX	Pass	PK	2.4096G	116.64	Inf	-Inf	3	Horizontal	304	2.06
2412MHz_TX	Pass	AV	4.8237G	28.90	54.00	-25.10	3	Vertical	227	1.50
2412MHz_TX	Pass	PK	4.82226G	41.23	74.00	-32.77	3	Vertical	227	1.50
2412MHz_TX	Pass	AV	4.82184G	28.74	54.00	-25.26	3	Horizontal	324	1.50
2412MHz_TX	Pass	PK	4.82238G	41.44	74.00	-32.56	3	Horizontal	324	1.50
2437MHz_TX	Pass	AV	2.389G	45.30	54.00	-8.70	3	Vertical	142	2.34
2437MHz_TX	Pass	AV	2.4354G	97.48	Inf	-Inf	3	Vertical	142	2.34
2437MHz_TX	Pass	AV	2.4835G	47.65	54.00	-6.35	3	Vertical	142	2.34
2437MHz_TX	Pass	PK	2.3898G	60.64	74.00	-13.36	3	Vertical	142	2.34
2437MHz_TX	Pass	PK	2.4302G	110.41	Inf	-Inf	3	Vertical	142	2.34
2437MHz_TX	Pass	PK	2.4835G	65.61	74.00	-8.39	3	Vertical	142	2.34
2437MHz_TX	Pass	AV	2.389G	48.60	54.00	-5.40	3	Horizontal	55	2.40
2437MHz_TX	Pass	AV	2.4394G	105.82	Inf	-Inf	3	Horizontal	55	2.40
2437MHz_TX	Pass	AV	2.4835G	53.23	54.00	-0.77	3	Horizontal	55	2.40
2437MHz_TX	Pass	PK	2.389G	64.89	74.00	-9.11	3	Horizontal	55	2.40
2437MHz_TX	Pass	PK	2.439G	118.45	Inf	-Inf	3	Horizontal	55	2.40
2437MHz_TX	Pass	PK	2.4842G	72.89	74.00	-1.11	3	Horizontal	55	2.40
2437MHz_TX	Pass	AV	4.86788G	28.92	54.00	-25.08	3	Vertical	12	1.50
2437MHz_TX	Pass	AV	7.29672G	34.71	54.00	-19.29	3	Vertical	120	1.95
2437MHz_TX	Pass	PK	4.87046G	41.96	74.00	-32.04	3	Vertical	12	1.50
2437MHz_TX	Pass	PK	7.31154G	47.62	74.00	-26.38	3	Vertical	120	1.95
2437MHz_TX	Pass	AV	4.88696G	28.82	54.00	-25.18	3	Horizontal	85	2.65
2437MHz_TX	Pass	AV	7.31844G	34.65	54.00	-19.35	3	Horizontal	0	1.29
2437MHz_TX	Pass	PK	4.86548G	41.99	74.00	-32.01	3	Horizontal	85	2.65
2437MHz_TX	Pass	PK	7.31028G	47.11	74.00	-26.89	3	Horizontal	0	1.29
2457MHz_TX	Pass	AV	2.4594G	93.53	Inf	-Inf	3	Vertical	180	1.50
2457MHz_TX	Pass	AV	2.4835G	45.62	54.00	-8.38	3	Vertical	180	1.50
2457MHz_TX	Pass	PK	2.4588G	106.70	Inf	-Inf	3	Vertical	180	1.50
2457MHz_TX	Pass	PK	2.4852G	57.96	74.00	-16.04	3	Vertical	180	1.50
2457MHz_TX	Pass	AV	2.4498G	104.77	Inf	-Inf	3	Horizontal	55	2.28
2457MHz_TX	Pass	AV	2.4835G	50.60	54.00	-3.40	3	Horizontal	55	2.28
2457MHz_TX	Pass	PK	2.449G	117.25	Inf	-Inf	3	Horizontal	55	2.28
2457MHz_TX	Pass	PK	2.4835G	65.19	74.00	-8.81	3	Horizontal	55	2.28
2462MHz_TX	Pass	AV	2.4648G	92.57	Inf	-Inf	3	Vertical	184	1.50
2462MHz_TX	Pass	AV	2.4836G	46.91	54.00	-7.09	3	Vertical	184	1.50
2462MHz_TX	Pass	PK	2.4628G	105.35	Inf	-Inf	3	Vertical	184	1.50
2462MHz_TX	Pass	PK	2.486G	59.83	74.00	-14.17	3	Vertical	184	1.50
2462MHz_TX	Pass	AV	2.4692G	103.64	Inf	-Inf	3	Horizontal	37	2.20
2462MHz_TX	Pass	AV	2.4838G	53.67	54.00	-0.33	3	Horizontal	37	2.20
2462MHz_TX	Pass	PK	2.4692G	116.37	Inf	-Inf	3	Horizontal	37	2.20
2462MHz_TX	Pass	PK	2.4844G	67.86	74.00	-6.14	3	Horizontal	37	2.20
2462MHz_TX	Pass	AV	4.91548G	29.11	54.00	-24.89	3	Vertical	39	1.50
2462MHz_TX	Pass	AV	7.3815G	34.44	54.00	-19.56	3	Vertical	32	1.50
2462MHz_TX	Pass	PK	4.9348G	42.01	74.00	-31.99	3	Vertical	39	1.50
2462MHz_TX	Pass	PK	7.38966G	47.31	74.00	-26.69	3	Vertical	32	1.50
2462MHz_TX	Pass	AV	4.91476G	29.10	54.00	-24.90	3	Horizontal	0	1.50
2462MHz_TX	Pass	AV	7.38432G	34.32	54.00	-19.68	3	Horizontal	281	1.50
2462MHz_TX	Pass	PK	4.92082G	42.23	74.00	-31.77	3	Horizontal	0	1.50
2462MHz_TX	Pass	PK	7.38072G	46.88	74.00	-27.12	3	Horizontal	281	1.50


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.97333G	45.55	54.00	-8.45	Horizontal
Mode 2	Pass	AV	15.97226G	45.47	54.00	-8.53	Horizontal
Mode 3	Pass	AV	15.98128G	45.95	54.00	-8.05	Horizontal
Mode 4	Pass	AV	15.9753G	45.55	54.00	-8.45	Horizontal
Mode 5	Pass	AV	15.97657G	45.72	54.00	-8.28	Vertical
Mode 6	Pass	AV	12.21145G	44.90	54.00	-9.10	Horizontal
Mode 7	Pass	AV	11.4056G	43.55	54.00	-10.45	Horizontal
Mode 8	Pass	AV	12.20004G	45.31	54.00	-8.69	Horizontal
Mode 9	Pass	AV	15.9786G	45.52	54.00	-8.48	Horizontal
Mode 10	Pass	AV	15.96912G	45.52	54.00	-8.48	Vertical
Mode 11	Pass	AV	15.97434G	45.41	54.00	-8.59	Vertical
Mode 12	Pass	AV	15.97266G	45.10	54.00	-8.90	Horizontal
Mode 13	Pass	AV	15.9789G	45.48	54.00	-8.52	Horizontal
Mode 14	Pass	AV	15.98276G	45.43	54.00	-8.57	Horizontal
Mode 15	Pass	AV	15.97212G	45.94	54.00	-8.06	Vertical
Mode 16	Pass	AV	15.97562G	45.94	54.00	-8.06	Horizontal
Mode 17	Pass	AV	15.97553G	45.77	54.00	-8.23	Vertical
Mode 18	Pass	AV	15.97666G	45.92	54.00	-8.08	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87402G	36.06	54.00	-17.94	3	Vertical	20	1.22
Mode 1	Pass	AV	4.96052G	34.31	54.00	-19.69	3	Vertical	156	1.50
Mode 1	Pass	AV	7.31292G	39.82	54.00	-14.18	3	Vertical	308	1.64
Mode 1	Pass	AV	11.3968G	44.02	54.00	-9.98	3	Vertical	54	2.44
Mode 1	Pass	AV	12.195G	44.75	54.00	-9.25	3	Vertical	159	1.50
Mode 1	Pass	AV	15.98364G	45.51	54.00	-8.49	3	Vertical	180	1.50
Mode 1	Pass	PK	4.87405G	47.66	74.00	-26.34	3	Vertical	20	1.22
Mode 1	Pass	PK	4.96102G	46.69	74.00	-27.31	3	Vertical	156	1.50
Mode 1	Pass	PK	7.31082G	52.14	74.00	-21.86	3	Vertical	308	1.64
Mode 1	Pass	PK	11.39212G	56.41	74.00	-17.59	3	Vertical	54	2.44
Mode 1	Pass	PK	12.22164G	57.90	74.00	-16.10	3	Vertical	159	1.50
Mode 1	Pass	PK	15.98012G	58.04	74.00	-15.96	3	Vertical	180	1.50
Mode 1	Pass	AV	4.87403G	44.54	54.00	-9.46	3	Horizontal	66	2.01
Mode 1	Pass	AV	4.96053G	34.23	54.00	-19.77	3	Horizontal	13	1.50
Mode 1	Pass	AV	7.30962G	39.92	54.00	-14.08	3	Horizontal	69	1.75
Mode 1	Pass	AV	11.39908G	44.00	54.00	-10.00	3	Horizontal	110	1.50
Mode 1	Pass	AV	12.21009G	44.76	54.00	-9.24	3	Horizontal	342	2.27
Mode 1	Pass	AV	15.97333G	45.55	54.00	-8.45	3	Horizontal	281	2.64
Mode 1	Pass	PK	4.87396G	51.24	74.00	-22.76	3	Horizontal	66	2.01
Mode 1	Pass	PK	4.95849G	46.63	74.00	-27.37	3	Horizontal	13	1.50
Mode 1	Pass	PK	7.30942G	52.60	74.00	-21.40	3	Horizontal	69	1.75
Mode 1	Pass	PK	11.39794G	57.16	74.00	-16.84	3	Horizontal	110	1.50
Mode 1	Pass	PK	12.21225G	57.26	74.00	-16.74	3	Horizontal	342	2.27
Mode 1	Pass	PK	15.97589G	58.00	74.00	-16.00	3	Horizontal	281	2.64
Mode 2	Pass	AV	4.874G	35.56	54.00	-18.44	3	Vertical	330	2.32
Mode 2	Pass	AV	4.96736G	35.28	54.00	-18.72	3	Vertical	47	1.00
Mode 2	Pass	AV	7.31016G	42.60	54.00	-11.40	3	Vertical	360	1.76
Mode 2	Pass	AV	10.39786G	43.13	68.20	-25.07	3	Vertical	122	1.50
Mode 2	Pass	AV	11.39456G	43.94	54.00	-10.06	3	Vertical	146	1.92
Mode 2	Pass	AV	12.21222G	44.37	54.00	-9.63	3	Vertical	291	2.92
Mode 2	Pass	AV	15.97599G	45.43	54.00	-8.57	3	Vertical	241	3.00
Mode 2	Pass	PK	4.8744G	47.64	74.00	-26.36	3	Vertical	330	2.32
Mode 2	Pass	PK	4.96956G	47.98	74.00	-26.02	3	Vertical	47	1.00
Mode 2	Pass	PK	7.30904G	53.46	74.00	-20.54	3	Vertical	360	1.76
Mode 2	Pass	PK	10.4033G	55.43	88.20	-32.77	3	Vertical	122	1.50
Mode 2	Pass	PK	11.40484G	56.29	74.00	-17.71	3	Vertical	146	1.92
Mode 2	Pass	PK	12.20828G	56.75	74.00	-17.25	3	Vertical	291	2.92
Mode 2	Pass	PK	15.97293G	57.99	74.00	-16.01	3	Vertical	241	3.00
Mode 2	Pass	AV	4.87412G	36.26	54.00	-17.74	3	Horizontal	356	2.00
Mode 2	Pass	AV	4.9538G	37.07	54.00	-16.93	3	Horizontal	356	1.78
Mode 2	Pass	AV	7.31168G	42.68	54.00	-11.32	3	Horizontal	345	1.90
Mode 2	Pass	AV	10.40138G	44.83	68.20	-23.37	3	Horizontal	306	1.65
Mode 2	Pass	AV	11.40041G	43.97	54.00	-10.03	3	Horizontal	303	1.50
Mode 2	Pass	AV	12.21174G	44.77	54.00	-9.23	3	Horizontal	32	1.36
Mode 2	Pass	AV	15.97226G	45.47	54.00	-8.53	3	Horizontal	123	1.71
Mode 2	Pass	PK	4.88756G	49.19	74.00	-24.81	3	Horizontal	356	2.00
Mode 2	Pass	PK	4.956G	50.11	74.00	-23.89	3	Horizontal	356	1.78
Mode 2	Pass	PK	7.31116G	53.56	74.00	-20.44	3	Horizontal	345	1.90
Mode 2	Pass	PK	10.4032G	57.21	88.20	-30.99	3	Horizontal	306	1.65
Mode 2	Pass	PK	11.40216G	56.39	74.00	-17.61	3	Horizontal	303	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	12.21186G	57.00	74.00	-17.00	3	Horizontal	32	1.36
Mode 2	Pass	PK	15.97518G	57.85	74.00	-16.15	3	Horizontal	123	1.71
Mode 3	Pass	AV	4.77568G	33.66	54.00	-20.34	3	Vertical	43	1.50
Mode 3	Pass	AV	4.95148G	34.71	54.00	-19.29	3	Vertical	41	2.48
Mode 3	Pass	AV	7.31184G	41.91	54.00	-12.09	3	Vertical	3	1.24
Mode 3	Pass	AV	11.39088G	44.16	54.00	-9.84	3	Vertical	62	1.50
Mode 3	Pass	AV	11.90224G	44.07	54.00	-9.93	3	Vertical	194	1.50
Mode 3	Pass	AV	12.2G	44.86	54.00	-9.14	3	Vertical	36	1.50
Mode 3	Pass	AV	15.97736G	45.83	54.00	-8.17	3	Vertical	314	1.50
Mode 3	Pass	PK	4.79252G	46.39	74.00	-27.61	3	Vertical	43	1.50
Mode 3	Pass	PK	4.95388G	46.92	74.00	-27.08	3	Vertical	41	2.48
Mode 3	Pass	PK	7.31032G	52.82	74.00	-21.18	3	Vertical	3	1.24
Mode 3	Pass	PK	11.39668G	56.59	74.00	-17.41	3	Vertical	62	1.50
Mode 3	Pass	PK	11.91772G	56.04	74.00	-17.96	3	Vertical	194	1.50
Mode 3	Pass	PK	12.21836G	57.07	74.00	-16.93	3	Vertical	36	1.50
Mode 3	Pass	PK	15.98288G	57.89	74.00	-16.11	3	Vertical	314	1.50
Mode 3	Pass	AV	4.79388G	39.54	54.00	-14.46	3	Horizontal	360	1.43
Mode 3	Pass	AV	4.9514G	36.12	54.00	-17.88	3	Horizontal	0	1.68
Mode 3	Pass	AV	7.31164G	43.45	54.00	-10.55	3	Horizontal	354	1.41
Mode 3	Pass	AV	11.40084G	44.28	54.00	-9.72	3	Horizontal	184	1.50
Mode 3	Pass	AV	11.91976G	44.15	54.00	-9.85	3	Horizontal	203	2.32
Mode 3	Pass	AV	12.20116G	44.99	54.00	-9.01	3	Horizontal	295	1.50
Mode 3	Pass	AV	15.98128G	45.95	54.00	-8.05	3	Horizontal	119	1.50
Mode 3	Pass	PK	4.7796G	47.47	74.00	-26.53	3	Horizontal	360	1.43
Mode 3	Pass	PK	4.96636G	48.41	74.00	-25.59	3	Horizontal	0	1.68
Mode 3	Pass	PK	7.31028G	53.69	74.00	-20.31	3	Horizontal	354	1.41
Mode 3	Pass	PK	11.39972G	56.82	74.00	-17.18	3	Horizontal	184	1.50
Mode 3	Pass	PK	11.91484G	56.53	74.00	-17.47	3	Horizontal	203	2.32
Mode 3	Pass	PK	12.20396G	57.60	74.00	-16.40	3	Horizontal	295	1.50
Mode 3	Pass	PK	15.97588G	57.73	74.00	-16.27	3	Horizontal	119	1.50
Mode 4	Pass	AV	4.87398G	33.97	54.00	-20.03	3	Vertical	326	1.68
Mode 4	Pass	AV	4.95971G	34.17	54.00	-19.83	3	Vertical	116	1.50
Mode 4	Pass	AV	7.30996G	41.92	54.00	-12.08	3	Vertical	317	1.56
Mode 4	Pass	AV	11.39885G	44.36	54.00	-9.64	3	Vertical	322	2.77
Mode 4	Pass	AV	12.21113G	44.71	54.00	-9.29	3	Vertical	69	1.50
Mode 4	Pass	AV	15.97687G	45.50	54.00	-8.50	3	Vertical	112	1.50
Mode 4	Pass	PK	4.87646G	45.87	74.00	-28.13	3	Vertical	326	1.68
Mode 4	Pass	PK	4.95885G	46.85	74.00	-27.15	3	Vertical	116	1.50
Mode 4	Pass	PK	7.31472G	53.86	74.00	-20.14	3	Vertical	317	1.56
Mode 4	Pass	PK	11.40007G	57.21	74.00	-16.79	3	Vertical	322	2.77
Mode 4	Pass	PK	12.20861G	57.24	74.00	-16.76	3	Vertical	69	1.50
Mode 4	Pass	PK	15.97291G	57.41	74.00	-16.59	3	Vertical	112	1.50
Mode 4	Pass	AV	4.87398G	35.76	54.00	-18.24	3	Horizontal	323	1.42
Mode 4	Pass	AV	4.9617G	34.28	54.00	-19.72	3	Horizontal	288	1.50
Mode 4	Pass	AV	7.31032G	44.48	54.00	-9.52	3	Horizontal	7	2.02
Mode 4	Pass	AV	11.3919G	44.60	54.00	-9.40	3	Horizontal	296	1.05
Mode 4	Pass	AV	12.21245G	44.69	54.00	-9.31	3	Horizontal	24	1.54
Mode 4	Pass	AV	15.9753G	45.55	54.00	-8.45	3	Horizontal	170	1.00
Mode 4	Pass	PK	4.87432G	46.31	74.00	-27.69	3	Horizontal	323	1.42
Mode 4	Pass	PK	4.9566G	46.80	74.00	-27.20	3	Horizontal	288	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 4	Pass	PK	7.31168G	54.81	74.00	-19.19	3	Horizontal	7	2.02
Mode 4	Pass	PK	11.38578G	56.69	74.00	-17.31	3	Horizontal	296	1.05
Mode 4	Pass	PK	12.21075G	57.24	74.00	-16.76	3	Horizontal	24	1.54
Mode 4	Pass	PK	15.97248G	57.73	74.00	-16.27	3	Horizontal	170	1.00
Mode 5	Pass	AV	4.87401G	34.52	54.00	-19.48	3	Vertical	57	1.00
Mode 5	Pass	AV	4.96019G	34.80	54.00	-19.20	3	Vertical	64	1.00
Mode 5	Pass	AV	7.31022G	41.63	54.00	-12.37	3	Vertical	2	1.33
Mode 5	Pass	AV	10.40144G	44.45	68.20	-23.75	3	Vertical	13	3.00
Mode 5	Pass	AV	11.39988G	43.41	54.00	-10.59	3	Vertical	129	1.50
Mode 5	Pass	AV	12.21171G	44.76	54.00	-9.24	3	Vertical	25	1.50
Mode 5	Pass	AV	15.97657G	45.72	54.00	-8.28	3	Vertical	173	2.91
Mode 5	Pass	PK	4.87213G	47.10	74.00	-26.90	3	Vertical	57	1.00
Mode 5	Pass	PK	4.95898G	47.09	74.00	-26.91	3	Vertical	64	1.00
Mode 5	Pass	PK	7.31136G	52.59	74.00	-21.41	3	Vertical	2	1.33
Mode 5	Pass	PK	10.39622G	56.69	88.20	-31.51	3	Vertical	13	3.00
Mode 5	Pass	PK	11.4002G	55.87	74.00	-18.13	3	Vertical	129	1.50
Mode 5	Pass	PK	12.20913G	56.87	74.00	-17.13	3	Vertical	25	1.50
Mode 5	Pass	PK	15.97314G	58.17	74.00	-15.83	3	Vertical	173	2.91
Mode 5	Pass	AV	4.87529G	35.61	54.00	-18.39	3	Horizontal	358	1.61
Mode 5	Pass	AV	4.95972G	36.60	54.00	-17.40	3	Horizontal	356	1.87
Mode 5	Pass	AV	7.31022G	43.51	54.00	-10.49	3	Horizontal	356	1.46
Mode 5	Pass	AV	10.4012G	45.03	68.20	-23.17	3	Horizontal	303	1.46
Mode 5	Pass	AV	11.39927G	43.22	54.00	-10.78	3	Horizontal	98	1.50
Mode 5	Pass	AV	12.20789G	43.90	54.00	-10.10	3	Horizontal	360	1.50
Mode 5	Pass	AV	15.97541G	45.67	54.00	-8.33	3	Horizontal	59	2.34
Mode 5	Pass	PK	4.87344G	48.51	74.00	-25.49	3	Horizontal	358	1.61
Mode 5	Pass	PK	4.95945G	49.41	74.00	-24.59	3	Horizontal	356	1.87
Mode 5	Pass	PK	7.31172G	53.45	74.00	-20.55	3	Horizontal	356	1.46
Mode 5	Pass	PK	10.40558G	57.91	88.20	-30.29	3	Horizontal	303	1.46
Mode 5	Pass	PK	11.39944G	55.18	74.00	-18.82	3	Horizontal	98	1.50
Mode 5	Pass	PK	12.20952G	56.37	74.00	-17.63	3	Horizontal	360	1.50
Mode 5	Pass	PK	15.97312G	57.89	74.00	-16.11	3	Horizontal	59	2.34
Mode 6	Pass	AV	4.87392G	33.90	54.00	-20.10	3	Vertical	327	1.21
Mode 6	Pass	AV	4.96015G	34.59	54.00	-19.41	3	Vertical	63	1.24
Mode 6	Pass	AV	7.31022G	43.59	54.00	-10.41	3	Vertical	357	1.76
Mode 6	Pass	AV	11.39827G	44.82	54.00	-9.18	3	Vertical	345	2.32
Mode 6	Pass	AV	11.91233G	43.53	54.00	-10.47	3	Vertical	168	1.50
Mode 6	Pass	AV	12.21246G	44.86	54.00	-9.14	3	Vertical	23	2.52
Mode 6	Pass	AV	15.97223G	44.51	54.00	-9.49	3	Vertical	207	1.50
Mode 6	Pass	PK	4.87609G	45.85	74.00	-28.15	3	Vertical	327	1.21
Mode 6	Pass	PK	4.96069G	46.60	74.00	-27.40	3	Vertical	63	1.24
Mode 6	Pass	PK	7.31174G	53.25	74.00	-20.75	3	Vertical	357	1.76
Mode 6	Pass	PK	11.39989G	57.04	74.00	-16.96	3	Vertical	345	2.32
Mode 6	Pass	PK	11.91093G	55.97	74.00	-18.03	3	Vertical	168	1.50
Mode 6	Pass	PK	12.20926G	57.59	74.00	-16.41	3	Vertical	23	2.52
Mode 6	Pass	PK	15.97595G	57.13	74.00	-16.87	3	Vertical	207	1.50
Mode 6	Pass	AV	4.87408G	35.68	54.00	-18.32	3	Horizontal	323	1.36
Mode 6	Pass	AV	4.95762G	35.98	54.00	-18.02	3	Horizontal	0	1.95
Mode 6	Pass	AV	7.31026G	44.64	54.00	-9.36	3	Horizontal	354	1.74
Mode 6	Pass	AV	11.39938G	44.43	54.00	-9.57	3	Horizontal	289	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 6	Pass	AV	11.9089G	43.68	54.00	-10.32	3	Horizontal	351	1.50
Mode 6	Pass	AV	12.21145G	44.90	54.00	-9.10	3	Horizontal	24	1.50
Mode 6	Pass	AV	15.97295G	44.51	54.00	-9.49	3	Horizontal	268	1.50
Mode 6	Pass	PK	4.87495G	46.91	74.00	-27.09	3	Horizontal	323	1.36
Mode 6	Pass	PK	4.96237G	49.11	74.00	-24.89	3	Horizontal	0	1.95
Mode 6	Pass	PK	7.31002G	53.94	74.00	-20.06	3	Horizontal	354	1.74
Mode 6	Pass	PK	11.40147G	56.55	74.00	-17.45	3	Horizontal	289	1.50
Mode 6	Pass	PK	11.91246G	55.91	74.00	-18.09	3	Horizontal	351	1.50
Mode 6	Pass	PK	12.2093G	57.28	74.00	-16.72	3	Horizontal	24	1.50
Mode 6	Pass	PK	15.97487G	57.24	74.00	-16.76	3	Horizontal	268	1.50
Mode 7	Pass	AV	4.8778G	33.80	54.00	-20.20	3	Vertical	90	1.88
Mode 7	Pass	AV	4.95368G	34.61	54.00	-19.39	3	Vertical	251	1.50
Mode 7	Pass	AV	10.5186G	45.41	68.20	-22.79	3	Vertical	347	1.00
Mode 7	Pass	AV	11.40328G	42.73	54.00	-11.27	3	Vertical	181	1.50
Mode 7	Pass	AV	12.20244G	42.04	54.00	-11.96	3	Vertical	347	1.50
Mode 7	Pass	AV	15.93844G	34.82	54.00	-19.18	3	Vertical	179	2.54
Mode 7	Pass	PK	4.87604G	46.48	74.00	-27.52	3	Vertical	90	1.88
Mode 7	Pass	PK	4.96768G	46.92	74.00	-27.08	3	Vertical	251	1.50
Mode 7	Pass	PK	10.51412G	57.40	88.20	-30.80	3	Vertical	347	1.00
Mode 7	Pass	PK	11.40368G	54.85	74.00	-19.15	3	Vertical	181	1.50
Mode 7	Pass	PK	12.2018G	54.45	74.00	-19.55	3	Vertical	347	1.50
Mode 7	Pass	PK	15.93676G	47.22	74.00	-26.78	3	Vertical	179	2.54
Mode 7	Pass	AV	4.87812G	33.79	54.00	-20.21	3	Horizontal	214	2.40
Mode 7	Pass	AV	4.96764G	34.72	54.00	-19.28	3	Horizontal	18	2.36
Mode 7	Pass	AV	10.52124G	45.74	68.20	-22.46	3	Horizontal	84	2.44
Mode 7	Pass	AV	11.4056G	43.55	54.00	-10.45	3	Horizontal	56	1.50
Mode 7	Pass	AV	12.20004G	42.00	54.00	-12.00	3	Horizontal	52	1.50
Mode 7	Pass	AV	15.94516G	43.47	54.00	-10.53	3	Horizontal	142	2.21
Mode 7	Pass	PK	4.87744G	45.70	74.00	-28.30	3	Horizontal	214	2.40
Mode 7	Pass	PK	4.96048G	46.45	74.00	-27.55	3	Horizontal	18	2.36
Mode 7	Pass	PK	10.51636G	59.18	88.20	-29.02	3	Horizontal	84	2.44
Mode 7	Pass	PK	11.39612G	55.77	74.00	-18.23	3	Horizontal	56	1.50
Mode 7	Pass	PK	12.21916G	53.82	74.00	-20.18	3	Horizontal	52	1.50
Mode 7	Pass	PK	15.94584G	55.82	74.00	-18.18	3	Horizontal	142	2.21
Mode 8	Pass	AV	7.98384G	39.74	68.20	-28.46	3	Vertical	311	1.72
Mode 8	Pass	AV	10.39256G	44.06	68.20	-24.14	3	Vertical	30	2.06
Mode 8	Pass	AV	10.51884G	46.24	68.20	-21.96	3	Vertical	346	1.00
Mode 8	Pass	AV	11.401G	44.30	54.00	-9.70	3	Vertical	58	1.00
Mode 8	Pass	AV	12.2032G	45.07	54.00	-8.93	3	Vertical	140	1.50
Mode 8	Pass	PK	7.98888G	51.60	88.20	-36.60	3	Vertical	311	1.72
Mode 8	Pass	PK	10.3938G	56.34	88.20	-31.86	3	Vertical	30	2.06
Mode 8	Pass	PK	10.52332G	58.61	88.20	-29.59	3	Vertical	346	1.00
Mode 8	Pass	PK	11.39848G	56.56	74.00	-17.44	3	Vertical	58	1.00
Mode 8	Pass	PK	12.21976G	57.08	74.00	-16.92	3	Vertical	140	1.50
Mode 8	Pass	AV	4.96804G	36.90	54.00	-17.10	3	Horizontal	357	2.12
Mode 8	Pass	AV	7.9882G	39.59	68.20	-28.61	3	Horizontal	66	1.66
Mode 8	Pass	AV	10.40124G	45.05	68.20	-23.15	3	Horizontal	298	1.65
Mode 8	Pass	AV	10.5188G	46.85	68.20	-21.35	3	Horizontal	14	1.30
Mode 8	Pass	AV	11.40176G	44.43	54.00	-9.57	3	Horizontal	303	1.50
Mode 8	Pass	AV	12.20004G	45.31	54.00	-8.69	3	Horizontal	105	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 8	Pass	PK	4.9694G	49.54	74.00	-24.46	3	Horizontal	357	2.12
Mode 8	Pass	PK	7.9816G	52.31	88.20	-35.89	3	Horizontal	66	1.66
Mode 8	Pass	PK	10.40216G	57.38	88.20	-30.82	3	Horizontal	298	1.65
Mode 8	Pass	PK	10.51928G	60.03	88.20	-28.17	3	Horizontal	14	1.30
Mode 8	Pass	PK	11.39304G	56.79	74.00	-17.21	3	Horizontal	303	1.50
Mode 8	Pass	PK	12.20924G	57.67	74.00	-16.33	3	Horizontal	105	1.50
Mode 9	Pass	AV	4.95288G	34.86	54.00	-19.14	3	Vertical	345	2.81
Mode 9	Pass	AV	10.52096G	44.51	68.20	-23.69	3	Vertical	342	1.42
Mode 9	Pass	AV	11.3992G	43.93	54.00	-10.07	3	Vertical	0	1.50
Mode 9	Pass	AV	11.903G	44.40	54.00	-9.60	3	Vertical	351	2.03
Mode 9	Pass	AV	12.20132G	44.79	54.00	-9.21	3	Vertical	50	1.50
Mode 9	Pass	AV	15.97872G	45.42	54.00	-8.58	3	Vertical	330	1.50
Mode 9	Pass	PK	4.95048G	46.81	74.00	-27.19	3	Vertical	345	2.81
Mode 9	Pass	PK	10.51612G	57.01	88.20	-31.19	3	Vertical	342	1.42
Mode 9	Pass	PK	11.39172G	56.41	74.00	-17.59	3	Vertical	0	1.50
Mode 9	Pass	PK	11.91168G	56.48	74.00	-17.52	3	Vertical	351	2.03
Mode 9	Pass	PK	12.21276G	56.92	74.00	-17.08	3	Vertical	50	1.50
Mode 9	Pass	PK	15.97148G	57.92	74.00	-16.08	3	Vertical	330	1.50
Mode 9	Pass	AV	4.95192G	34.78	54.00	-19.22	3	Horizontal	12	2.60
Mode 9	Pass	AV	10.52144G	46.64	68.20	-21.56	3	Horizontal	88	2.44
Mode 9	Pass	AV	11.40072G	43.99	54.00	-10.01	3	Horizontal	27	1.50
Mode 9	Pass	AV	11.90188G	44.25	54.00	-9.75	3	Horizontal	343	3.00
Mode 9	Pass	AV	12.20248G	45.04	54.00	-8.96	3	Horizontal	67	1.94
Mode 9	Pass	AV	15.9786G	45.52	54.00	-8.48	3	Horizontal	155	1.50
Mode 9	Pass	PK	4.95312G	47.36	74.00	-26.64	3	Horizontal	12	2.60
Mode 9	Pass	PK	10.52096G	58.97	88.20	-29.23	3	Horizontal	88	2.44
Mode 9	Pass	PK	11.39892G	56.57	74.00	-17.43	3	Horizontal	27	1.50
Mode 9	Pass	PK	11.90104G	56.56	74.00	-17.44	3	Horizontal	343	3.00
Mode 9	Pass	PK	12.20292G	56.66	74.00	-17.34	3	Horizontal	67	1.94
Mode 9	Pass	PK	15.9832G	57.71	74.00	-16.29	3	Horizontal	155	1.50
Mode 10	Pass	AV	4.87668G	33.56	54.00	-20.44	3	Vertical	227	1.50
Mode 10	Pass	AV	4.95412G	34.28	54.00	-19.72	3	Vertical	191	1.50
Mode 10	Pass	AV	10.51868G	45.51	68.20	-22.69	3	Vertical	347	1.00
Mode 10	Pass	AV	11.40444G	43.83	54.00	-10.17	3	Vertical	220	1.50
Mode 10	Pass	AV	12.2176G	44.81	54.00	-9.19	3	Vertical	325	1.86
Mode 10	Pass	AV	15.96912G	45.52	54.00	-8.48	3	Vertical	93	1.39
Mode 10	Pass	PK	4.866G	45.74	74.00	-28.26	3	Vertical	227	1.50
Mode 10	Pass	PK	4.95288G	46.55	74.00	-27.45	3	Vertical	191	1.50
Mode 10	Pass	PK	10.52332G	58.25	88.20	-29.95	3	Vertical	347	1.00
Mode 10	Pass	PK	11.39024G	56.55	74.00	-17.45	3	Vertical	220	1.50
Mode 10	Pass	PK	12.20404G	56.79	74.00	-17.21	3	Vertical	325	1.86
Mode 10	Pass	PK	15.9726G	58.27	74.00	-15.73	3	Vertical	93	1.39
Mode 10	Pass	AV	4.8754G	33.49	54.00	-20.51	3	Horizontal	43	1.50
Mode 10	Pass	AV	4.9518G	34.38	54.00	-19.62	3	Horizontal	354	2.11
Mode 10	Pass	AV	10.51876G	47.24	68.20	-20.96	3	Horizontal	71	2.07
Mode 10	Pass	AV	11.39044G	44.00	54.00	-10.00	3	Horizontal	12	2.84
Mode 10	Pass	AV	12.20064G	45.12	54.00	-8.88	3	Horizontal	15	2.94
Mode 10	Pass	AV	15.9738G	45.43	54.00	-8.57	3	Horizontal	328	1.50
Mode 10	Pass	PK	4.88172G	45.50	74.00	-28.50	3	Horizontal	43	1.50
Mode 10	Pass	PK	4.96012G	46.56	74.00	-27.44	3	Horizontal	354	2.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 10	Pass	PK	10.52464G	59.47	88.20	-28.73	3	Horizontal	71	2.07
Mode 10	Pass	PK	11.3998G	56.36	74.00	-17.64	3	Horizontal	12	2.84
Mode 10	Pass	PK	12.21776G	57.13	74.00	-16.87	3	Horizontal	15	2.94
Mode 10	Pass	PK	15.97156G	58.67	74.00	-15.33	3	Horizontal	328	1.50
Mode 11	Pass	AV	4.9504G	34.84	54.00	-19.16	3	Vertical	56	1.20
Mode 11	Pass	AV	10.40107G	44.14	68.20	-24.06	3	Vertical	354	2.07
Mode 11	Pass	AV	10.52102G	44.17	68.20	-24.03	3	Vertical	356	1.28
Mode 11	Pass	AV	11.40167G	43.78	54.00	-10.22	3	Vertical	290	1.50
Mode 11	Pass	AV	12.21078G	43.84	54.00	-10.16	3	Vertical	57	1.50
Mode 11	Pass	AV	15.97434G	45.41	54.00	-8.59	3	Vertical	63	2.25
Mode 11	Pass	PK	4.9634G	47.22	74.00	-26.78	3	Vertical	56	1.20
Mode 11	Pass	PK	10.39914G	56.37	88.20	-31.83	3	Vertical	354	2.07
Mode 11	Pass	PK	10.52078G	56.57	88.20	-31.63	3	Vertical	356	1.28
Mode 11	Pass	PK	11.40146G	56.13	74.00	-17.87	3	Vertical	290	1.50
Mode 11	Pass	PK	12.21011G	55.97	74.00	-18.03	3	Vertical	57	1.50
Mode 11	Pass	PK	15.97308G	57.24	74.00	-16.76	3	Vertical	63	2.25
Mode 11	Pass	AV	4.96968G	36.84	54.00	-17.16	3	Horizontal	360	1.81
Mode 11	Pass	AV	10.40109G	44.90	68.20	-23.30	3	Horizontal	308	1.62
Mode 11	Pass	AV	10.51868G	45.20	68.20	-23.00	3	Horizontal	11	2.44
Mode 11	Pass	AV	11.40161G	43.61	54.00	-10.39	3	Horizontal	113	1.29
Mode 11	Pass	AV	12.2083G	43.96	54.00	-10.04	3	Horizontal	24	1.49
Mode 11	Pass	AV	15.98046G	45.37	54.00	-8.63	3	Horizontal	173	2.71
Mode 11	Pass	PK	4.96916G	49.83	74.00	-24.17	3	Horizontal	360	1.81
Mode 11	Pass	PK	10.40161G	57.68	88.20	-30.52	3	Horizontal	308	1.62
Mode 11	Pass	PK	10.51874G	56.88	88.20	-31.32	3	Horizontal	11	2.44
Mode 11	Pass	PK	11.40065G	55.84	74.00	-18.16	3	Horizontal	113	1.29
Mode 11	Pass	PK	12.20891G	56.16	74.00	-17.84	3	Horizontal	24	1.49
Mode 11	Pass	PK	15.97205G	57.53	74.00	-16.47	3	Horizontal	173	2.71
Mode 12	Pass	AV	4.96212G	34.26	54.00	-19.74	3	Vertical	8	1.50
Mode 12	Pass	AV	10.51874G	45.28	68.20	-22.92	3	Vertical	12	2.46
Mode 12	Pass	AV	11.40026G	43.56	54.00	-10.44	3	Vertical	53	2.63
Mode 12	Pass	AV	11.9112G	43.30	54.00	-10.70	3	Vertical	356	1.50
Mode 12	Pass	AV	12.195G	43.48	54.00	-10.52	3	Vertical	358	1.50
Mode 12	Pass	AV	15.97603G	44.96	54.00	-9.04	3	Vertical	4	2.33
Mode 12	Pass	PK	4.96165G	46.73	74.00	-27.27	3	Vertical	8	1.50
Mode 12	Pass	PK	10.51862G	57.52	88.20	-30.68	3	Vertical	12	2.46
Mode 12	Pass	PK	11.40156G	55.63	74.00	-18.37	3	Vertical	53	2.63
Mode 12	Pass	PK	11.9107G	56.33	74.00	-17.67	3	Vertical	356	1.50
Mode 12	Pass	PK	12.19548G	55.64	74.00	-18.36	3	Vertical	358	1.50
Mode 12	Pass	PK	15.97543G	57.09	74.00	-16.91	3	Vertical	4	2.33
Mode 12	Pass	AV	4.95758G	35.70	54.00	-18.30	3	Horizontal	357	1.79
Mode 12	Pass	AV	10.51892G	45.24	68.20	-22.96	3	Horizontal	11	2.46
Mode 12	Pass	AV	11.39888G	43.51	54.00	-10.49	3	Horizontal	125	1.50
Mode 12	Pass	AV	11.90832G	43.34	54.00	-10.66	3	Horizontal	0	1.50
Mode 12	Pass	AV	12.20987G	43.38	54.00	-10.62	3	Horizontal	168	1.50
Mode 12	Pass	AV	15.97266G	45.10	54.00	-8.90	3	Horizontal	241	1.41
Mode 12	Pass	PK	4.95902G	47.82	74.00	-26.18	3	Horizontal	357	1.79
Mode 12	Pass	PK	10.51868G	57.29	88.20	-30.91	3	Horizontal	11	2.46
Mode 12	Pass	PK	11.39785G	56.07	74.00	-17.93	3	Horizontal	125	1.50
Mode 12	Pass	PK	11.91162G	55.84	74.00	-18.16	3	Horizontal	0	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 12	Pass	PK	12.21102G	55.41	74.00	-18.59	3	Horizontal	168	1.50
Mode 12	Pass	PK	15.97352G	57.12	74.00	-16.88	3	Horizontal	241	1.41
Mode 13	Pass	AV	4.8777G	33.76	54.00	-20.24	3	Vertical	252	1.50
Mode 13	Pass	AV	4.95628G	34.28	54.00	-19.72	3	Vertical	109	1.50
Mode 13	Pass	AV	7.31013G	39.75	54.00	-14.25	3	Vertical	65	1.02
Mode 13	Pass	AV	11.39628G	44.36	54.00	-9.64	3	Vertical	16	2.44
Mode 13	Pass	AV	12.2172G	45.19	54.00	-8.81	3	Vertical	188	2.46
Mode 13	Pass	AV	13.635G	49.59	68.20	-18.61	3	Vertical	328	2.91
Mode 13	Pass	AV	15.97998G	45.40	54.00	-8.60	3	Vertical	14	1.69
Mode 13	Pass	PK	4.87352G	46.17	74.00	-27.83	3	Vertical	252	1.50
Mode 13	Pass	PK	4.95716G	46.67	74.00	-27.33	3	Vertical	109	1.50
Mode 13	Pass	PK	7.31229G	53.00	74.00	-21.00	3	Vertical	65	1.02
Mode 13	Pass	PK	11.38974G	56.19	74.00	-17.81	3	Vertical	16	2.44
Mode 13	Pass	PK	12.22416G	56.93	74.00	-17.07	3	Vertical	188	2.46
Mode 13	Pass	PK	13.64256G	60.70	88.20	-27.50	3	Vertical	328	2.91
Mode 13	Pass	PK	15.97008G	58.11	74.00	-15.89	3	Vertical	14	1.69
Mode 13	Pass	AV	4.87894G	33.87	54.00	-20.13	3	Horizontal	142	1.23
Mode 13	Pass	AV	4.95528G	34.30	54.00	-19.70	3	Horizontal	234	1.50
Mode 13	Pass	AV	7.2898G	39.70	54.00	-14.30	3	Horizontal	355	1.83
Mode 13	Pass	AV	11.39502G	44.29	54.00	-9.71	3	Horizontal	287	2.32
Mode 13	Pass	AV	12.1962G	45.13	54.00	-8.87	3	Horizontal	85	1.50
Mode 13	Pass	AV	13.635G	51.57	68.20	-16.63	3	Horizontal	320	1.02
Mode 13	Pass	AV	15.9789G	45.48	54.00	-8.52	3	Horizontal	356	3.00
Mode 13	Pass	PK	4.8769G	46.66	74.00	-27.34	3	Horizontal	142	1.23
Mode 13	Pass	PK	4.95648G	46.15	74.00	-27.85	3	Horizontal	234	1.50
Mode 13	Pass	PK	7.3175G	51.87	74.00	-22.13	3	Horizontal	355	1.83
Mode 13	Pass	PK	11.394G	56.51	74.00	-17.49	3	Horizontal	287	2.32
Mode 13	Pass	PK	12.20028G	57.78	74.00	-16.22	3	Horizontal	85	1.50
Mode 13	Pass	PK	13.66248G	63.52	88.20	-24.68	3	Horizontal	320	1.02
Mode 13	Pass	PK	15.9786G	57.42	74.00	-16.58	3	Horizontal	356	3.00
Mode 14	Pass	AV	4.95448G	33.99	54.00	-20.01	3	Vertical	61	1.00
Mode 14	Pass	AV	10.40112G	45.01	68.20	-23.19	3	Vertical	356	1.25
Mode 14	Pass	AV	11.39708G	44.56	54.00	-9.44	3	Vertical	153	1.92
Mode 14	Pass	AV	12.21872G	45.18	54.00	-8.82	3	Vertical	360	1.50
Mode 14	Pass	AV	13.64628G	47.07	68.20	-21.13	3	Vertical	330	2.77
Mode 14	Pass	AV	15.9802G	45.32	54.00	-8.68	3	Vertical	72	1.50
Mode 14	Pass	PK	4.95844G	46.24	74.00	-27.76	3	Vertical	61	1.00
Mode 14	Pass	PK	10.40256G	57.66	88.20	-30.54	3	Vertical	356	1.25
Mode 14	Pass	PK	11.39288G	56.92	74.00	-17.08	3	Vertical	153	1.92
Mode 14	Pass	PK	12.20988G	58.51	74.00	-15.49	3	Vertical	360	1.50
Mode 14	Pass	PK	13.6438G	60.01	88.20	-28.19	3	Vertical	330	2.77
Mode 14	Pass	PK	15.96504G	57.71	74.00	-16.29	3	Vertical	72	1.50
Mode 14	Pass	AV	4.97G	35.64	54.00	-18.36	3	Horizontal	7	1.39
Mode 14	Pass	AV	10.40112G	45.85	68.20	-22.35	3	Horizontal	58	1.59
Mode 14	Pass	AV	11.39396G	44.64	54.00	-9.36	3	Horizontal	194	1.50
Mode 14	Pass	AV	12.2004G	45.26	54.00	-8.74	3	Horizontal	314	1.50
Mode 14	Pass	AV	13.64884G	47.06	68.20	-21.14	3	Horizontal	127	1.50
Mode 14	Pass	AV	15.98276G	45.43	54.00	-8.57	3	Horizontal	227	3.00
Mode 14	Pass	PK	4.95972G	48.50	74.00	-25.50	3	Horizontal	7	1.39
Mode 14	Pass	PK	10.39628G	57.71	88.20	-30.49	3	Horizontal	58	1.59

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 14	Pass	PK	11.3962G	57.03	74.00	-16.97	3	Horizontal	194	1.50
Mode 14	Pass	PK	12.20208G	57.61	74.00	-16.39	3	Horizontal	314	1.50
Mode 14	Pass	PK	13.65812G	59.29	88.20	-28.91	3	Horizontal	127	1.50
Mode 14	Pass	PK	15.98064G	58.33	74.00	-15.67	3	Horizontal	227	3.00
Mode 15	Pass	AV	4.97464G	34.93	54.00	-19.07	3	Vertical	24	1.85
Mode 15	Pass	AV	11.39956G	44.79	54.00	-9.21	3	Vertical	240	1.50
Mode 15	Pass	AV	11.92242G	44.16	54.00	-9.84	3	Vertical	360	1.99
Mode 15	Pass	AV	12.2094G	44.83	54.00	-9.17	3	Vertical	119	1.50
Mode 15	Pass	AV	13.65143G	47.01	68.20	-21.19	3	Vertical	291	1.50
Mode 15	Pass	AV	15.97212G	45.94	54.00	-8.06	3	Vertical	93	1.49
Mode 15	Pass	PK	4.95862G	47.16	74.00	-26.84	3	Vertical	24	1.85
Mode 15	Pass	PK	11.3991G	56.89	74.00	-17.11	3	Vertical	240	1.50
Mode 15	Pass	PK	11.91888G	56.32	74.00	-17.68	3	Vertical	360	1.99
Mode 15	Pass	PK	12.21043G	57.55	74.00	-16.45	3	Vertical	119	1.50
Mode 15	Pass	PK	13.64842G	59.50	88.20	-28.70	3	Vertical	291	1.50
Mode 15	Pass	PK	15.97818G	57.91	74.00	-16.09	3	Vertical	93	1.49
Mode 15	Pass	AV	4.975G	36.25	54.00	-17.75	3	Horizontal	9	1.71
Mode 15	Pass	AV	11.39919G	44.81	54.00	-9.19	3	Horizontal	294	1.33
Mode 15	Pass	AV	11.89716G	44.20	54.00	-9.80	3	Horizontal	167	1.50
Mode 15	Pass	AV	12.21012G	45.01	54.00	-8.99	3	Horizontal	337	1.50
Mode 15	Pass	AV	13.64805G	46.92	68.20	-21.28	3	Horizontal	316	1.74
Mode 15	Pass	AV	15.97677G	45.87	54.00	-8.13	3	Horizontal	357	1.50
Mode 15	Pass	PK	4.95934G	48.74	74.00	-25.26	3	Horizontal	9	1.71
Mode 15	Pass	PK	11.40077G	57.53	74.00	-16.47	3	Horizontal	294	1.33
Mode 15	Pass	PK	11.90086G	56.13	74.00	-17.87	3	Horizontal	167	1.50
Mode 15	Pass	PK	12.20913G	57.24	74.00	-16.76	3	Horizontal	337	1.50
Mode 15	Pass	PK	13.64777G	58.93	88.20	-29.27	3	Horizontal	316	1.74
Mode 15	Pass	PK	15.97214G	58.78	74.00	-15.22	3	Horizontal	357	1.50
Mode 16	Pass	AV	4.87412G	34.00	54.00	-20.00	3	Vertical	44	1.50
Mode 16	Pass	AV	4.97254G	34.86	54.00	-19.14	3	Vertical	52	1.00
Mode 16	Pass	AV	7.31022G	40.05	54.00	-13.95	3	Vertical	57	2.26
Mode 16	Pass	AV	11.40042G	44.85	54.00	-9.15	3	Vertical	198	2.36
Mode 16	Pass	AV	12.19716G	45.44	54.00	-8.56	3	Vertical	4	2.14
Mode 16	Pass	AV	13.65056G	46.94	68.20	-21.26	3	Vertical	110	1.50
Mode 16	Pass	AV	15.97686G	45.84	54.00	-8.16	3	Vertical	62	2.57
Mode 16	Pass	PK	4.87542G	46.20	74.00	-27.80	3	Vertical	44	1.50
Mode 16	Pass	PK	4.9636G	47.00	74.00	-27.00	3	Vertical	52	1.00
Mode 16	Pass	PK	7.30302G	52.32	74.00	-21.68	3	Vertical	57	2.26
Mode 16	Pass	PK	11.40318G	56.77	74.00	-17.23	3	Vertical	198	2.36
Mode 16	Pass	PK	12.2133G	57.17	74.00	-16.83	3	Vertical	4	2.14
Mode 16	Pass	PK	13.64964G	58.95	88.20	-29.25	3	Vertical	110	1.50
Mode 16	Pass	PK	15.97538G	58.10	74.00	-15.90	3	Vertical	62	2.57
Mode 16	Pass	AV	4.88738G	33.99	54.00	-20.01	3	Horizontal	282	2.49
Mode 16	Pass	AV	4.96002G	34.78	54.00	-19.22	3	Horizontal	188	1.50
Mode 16	Pass	AV	7.30875G	39.87	54.00	-14.13	3	Horizontal	310	2.47
Mode 16	Pass	AV	11.40012G	44.77	54.00	-9.23	3	Horizontal	200	1.50
Mode 16	Pass	AV	12.19716G	45.21	54.00	-8.79	3	Horizontal	20	1.50
Mode 16	Pass	AV	13.65058G	46.96	68.20	-21.24	3	Horizontal	276	2.23
Mode 16	Pass	AV	15.97562G	45.94	54.00	-8.06	3	Horizontal	126	1.90
Mode 16	Pass	PK	4.86446G	46.04	74.00	-27.96	3	Horizontal	282	2.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 16	Pass	PK	4.95915G	47.77	74.00	-26.23	3	Horizontal	188	1.50
Mode 16	Pass	PK	7.30897G	52.79	74.00	-21.21	3	Horizontal	310	2.47
Mode 16	Pass	PK	11.39798G	57.30	74.00	-16.70	3	Horizontal	200	1.50
Mode 16	Pass	PK	12.21564G	57.15	74.00	-16.85	3	Horizontal	20	1.50
Mode 16	Pass	PK	13.64768G	59.30	88.20	-28.90	3	Horizontal	276	2.23
Mode 16	Pass	PK	15.97629G	58.11	74.00	-15.89	3	Horizontal	126	1.90
Mode 17	Pass	AV	4.96103G	34.71	54.00	-19.29	3	Vertical	300	1.49
Mode 17	Pass	AV	10.40114G	45.43	68.20	-22.77	3	Vertical	62	1.56
Mode 17	Pass	AV	11.40041G	44.84	54.00	-9.16	3	Vertical	8	1.50
Mode 17	Pass	AV	12.20982G	44.74	54.00	-9.26	3	Vertical	43	1.33
Mode 17	Pass	AV	13.652G	47.37	68.20	-20.83	3	Vertical	323	1.50
Mode 17	Pass	AV	15.97553G	45.77	54.00	-8.23	3	Vertical	303	1.18
Mode 17	Pass	PK	4.96015G	47.27	74.00	-26.73	3	Vertical	300	1.49
Mode 17	Pass	PK	10.39874G	58.02	88.20	-30.18	3	Vertical	62	1.56
Mode 17	Pass	PK	11.3997G	56.78	74.00	-17.22	3	Vertical	8	1.50
Mode 17	Pass	PK	12.20912G	56.98	74.00	-17.02	3	Vertical	43	1.33
Mode 17	Pass	PK	13.64925G	61.02	88.20	-27.18	3	Vertical	323	1.50
Mode 17	Pass	PK	15.97333G	57.97	74.00	-16.03	3	Vertical	303	1.18
Mode 17	Pass	AV	4.95809G	36.11	54.00	-17.89	3	Horizontal	8	1.62
Mode 17	Pass	AV	10.40127G	45.48	68.20	-22.72	3	Horizontal	62	1.56
Mode 17	Pass	AV	11.39977G	44.71	54.00	-9.29	3	Horizontal	356	1.50
Mode 17	Pass	AV	12.20782G	44.89	54.00	-9.11	3	Horizontal	357	1.50
Mode 17	Pass	AV	13.64786G	49.42	68.20	-18.78	3	Horizontal	55	1.37
Mode 17	Pass	AV	15.97689G	45.74	54.00	-8.26	3	Horizontal	31	1.50
Mode 17	Pass	PK	4.95925G	48.97	74.00	-25.03	3	Horizontal	8	1.62
Mode 17	Pass	PK	10.40188G	58.03	88.20	-30.17	3	Horizontal	62	1.56
Mode 17	Pass	PK	11.39863G	57.06	74.00	-16.94	3	Horizontal	356	1.50
Mode 17	Pass	PK	12.21189G	57.10	74.00	-16.90	3	Horizontal	357	1.50
Mode 17	Pass	PK	13.65057G	63.83	88.20	-24.37	3	Horizontal	55	1.37
Mode 17	Pass	PK	15.97271G	58.06	74.00	-15.94	3	Horizontal	31	1.50
Mode 18	Pass	AV	4.96069G	34.78	54.00	-19.22	3	Vertical	302	1.50
Mode 18	Pass	AV	11.39922G	44.78	54.00	-9.22	3	Vertical	269	1.39
Mode 18	Pass	AV	11.90923G	43.94	54.00	-10.06	3	Vertical	55	1.49
Mode 18	Pass	AV	12.21116G	44.69	54.00	-9.31	3	Vertical	209	1.87
Mode 18	Pass	AV	13.64757G	46.82	68.20	-21.38	3	Vertical	325	1.59
Mode 18	Pass	AV	15.97666G	45.92	54.00	-8.08	3	Vertical	294	1.94
Mode 18	Pass	PK	4.95962G	47.10	74.00	-26.90	3	Vertical	302	1.50
Mode 18	Pass	PK	11.40164G	57.03	74.00	-16.97	3	Vertical	269	1.39
Mode 18	Pass	PK	11.91228G	56.63	74.00	-17.37	3	Vertical	55	1.49
Mode 18	Pass	PK	12.21058G	56.33	74.00	-17.67	3	Vertical	209	1.87
Mode 18	Pass	PK	13.65158G	59.21	88.20	-28.99	3	Vertical	325	1.59
Mode 18	Pass	PK	15.97611G	57.34	74.00	-16.66	3	Vertical	294	1.94
Mode 18	Pass	AV	4.96029G	36.11	54.00	-17.89	3	Horizontal	6	1.74
Mode 18	Pass	AV	11.39769G	44.97	54.00	-9.03	3	Horizontal	39	1.49
Mode 18	Pass	AV	11.90838G	43.90	54.00	-10.10	3	Horizontal	124	2.22
Mode 18	Pass	AV	12.21168G	44.47	54.00	-9.53	3	Horizontal	75	2.12
Mode 18	Pass	AV	13.65067G	46.65	68.20	-21.55	3	Horizontal	191	2.91
Mode 18	Pass	AV	15.97303G	45.69	54.00	-8.31	3	Horizontal	64	2.57
Mode 18	Pass	PK	4.95791G	48.57	74.00	-25.43	3	Horizontal	6	1.74
Mode 18	Pass	PK	11.39839G	56.74	74.00	-17.26	3	Horizontal	39	1.49


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 18	Pass	PK	11.90948G	56.94	74.00	-17.06	3	Horizontal	124	2.22
Mode 18	Pass	PK	12.21133G	56.35	74.00	-17.65	3	Horizontal	75	2.12
Mode 18	Pass	PK	13.65227G	58.49	88.20	-29.71	3	Horizontal	191	2.91
Mode 18	Pass	PK	15.97462G	57.90	74.00	-16.10	3	Horizontal	64	2.57

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87402G	36.06	54.00	-17.94	5.53	3	Vertical	20	1.22	30.53	32.85	7.10	34.42
AV	4.96052G	34.31	54.00	-19.69	6.00	3	Vertical	156	1.50	28.31	33.24	7.16	34.40
AV	7.31292G	39.82	54.00	-14.18	10.74	3	Vertical	308	1.64	29.08	36.97	8.70	34.93
AV	11.3968G	44.02	54.00	-9.98	16.37	3	Vertical	54	2.44	27.65	39.31	10.81	33.75
AV	12.195G	44.75	54.00	-9.25	16.90	3	Vertical	159	1.50	27.85	39.40	11.09	33.59
AV	15.98364G	45.51	54.00	-8.49	17.40	3	Vertical	180	1.50	28.11	38.03	13.13	33.76
PK	4.87405G	47.66	74.00	-26.34	5.53	3	Vertical	20	1.22	42.13	32.85	7.10	34.42
PK	4.96102G	46.69	74.00	-27.31	6.00	3	Vertical	156	1.50	40.69	33.24	7.16	34.40
PK	7.31082G	52.14	74.00	-21.86	10.76	3	Vertical	308	1.64	41.38	36.98	8.70	34.92
PK	11.39212G	56.41	74.00	-17.59	16.39	3	Vertical	54	2.44	40.02	39.33	10.81	33.75
PK	12.22164G	57.90	74.00	-16.10	16.93	3	Vertical	159	1.50	40.97	39.40	11.10	33.57
PK	15.98012G	58.04	74.00	-15.96	17.41	3	Vertical	180	1.50	40.63	38.04	13.13	33.76

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87403G	44.54	54.00	-9.46	5.53	3	Horizontal	66	2.01	39.01	32.85	7.10	34.42
AV	4.96053G	34.23	54.00	-19.77	6.00	3	Horizontal	13	1.50	28.23	33.24	7.16	34.40
AV	7.30962G	39.92	54.00	-14.08	10.76	3	Horizontal	69	1.75	29.16	36.98	8.70	34.92
AV	11.39908G	44.00	54.00	-10.00	16.36	3	Horizontal	110	1.50	27.64	39.30	10.81	33.75
AV	12.21009G	44.76	54.00	-9.24	16.92	3	Horizontal	342	2.27	27.84	39.40	11.09	33.57
AV	15.97333G	45.55	54.00	-8.45	17.42	3	Horizontal	281	2.64	28.13	38.05	13.13	33.76
PK	4.87396G	51.24	74.00	-22.76	5.53	3	Horizontal	66	2.01	45.71	32.85	7.10	34.42
PK	4.95849G	46.63	74.00	-27.37	5.99	3	Horizontal	13	1.50	40.64	33.23	7.16	34.40
PK	7.30942G	52.60	74.00	-21.40	10.76	3	Horizontal	69	1.75	41.84	36.98	8.70	34.92
PK	11.39794G	57.16	74.00	-16.84	16.37	3	Horizontal	110	1.50	40.79	39.31	10.81	33.75
PK	12.21225G	57.26	74.00	-16.74	16.93	3	Horizontal	342	2.27	40.33	39.40	11.10	33.57
PK	15.97589G	58.00	74.00	-16.00	17.42	3	Horizontal	281	2.64	40.58	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.874G	35.56	54.00	-18.44	5.53	3	Vertical	330	2.32	30.03	32.85	7.10	34.42
AV	4.96736G	35.28	54.00	-18.72	6.04	3	Vertical	47	1.00	29.24	33.27	7.17	34.40
AV	7.31016G	42.60	54.00	-11.40	10.76	3	Vertical	360	1.76	31.84	36.98	8.70	34.92
AV	10.39786G	43.13	68.20	-25.07	15.53	3	Vertical	122	1.50	27.60	38.90	10.54	33.91
AV	11.39456G	43.94	54.00	-10.06	16.38	3	Vertical	146	1.92	27.56	39.32	10.81	33.75
AV	12.21222G	44.37	54.00	-9.63	16.93	3	Vertical	291	2.92	27.44	39.40	11.10	33.57
AV	15.97599G	45.43	54.00	-8.57	17.42	3	Vertical	241	3.00	28.01	38.05	13.13	33.76
PK	4.8744G	47.64	74.00	-26.36	5.53	3	Vertical	330	2.32	42.11	32.85	7.10	34.42
PK	4.96956G	47.98	74.00	-26.02	6.05	3	Vertical	47	1.00	41.93	33.28	7.17	34.40
PK	7.30904G	53.46	74.00	-20.54	10.76	3	Vertical	360	1.76	42.70	36.98	8.70	34.92
PK	10.4033G	55.43	88.20	-32.77	15.54	3	Vertical	122	1.50	39.89	38.90	10.54	33.90
PK	11.40484G	56.29	74.00	-17.71	16.34	3	Vertical	146	1.92	39.95	39.28	10.81	33.75
PK	12.20828G	56.75	74.00	-17.25	16.91	3	Vertical	291	2.92	39.84	39.40	11.09	33.58
PK	15.97293G	57.99	74.00	-16.01	17.42	3	Vertical	241	3.00	40.57	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87412G	36.26	54.00	-17.74	5.53	3	Horizontal	356	2.00	30.73	32.85	7.10	34.42
AV	4.9538G	37.07	54.00	-16.93	5.98	3	Horizontal	356	1.78	31.09	33.22	7.16	34.40
AV	7.31168G	42.68	54.00	-11.32	10.76	3	Horizontal	345	1.90	31.92	36.98	8.70	34.92
AV	10.40138G	44.83	68.20	-23.37	15.53	3	Horizontal	306	1.65	29.30	38.90	10.54	33.91
AV	11.40041G	43.97	54.00	-10.03	16.36	3	Horizontal	303	1.50	27.61	39.30	10.81	33.75
AV	12.21174G	44.77	54.00	-9.23	16.92	3	Horizontal	32	1.36	27.85	39.40	11.09	33.57
AV	15.97226G	45.47	54.00	-8.53	17.43	3	Horizontal	123	1.71	28.04	38.06	13.13	33.76
PK	4.88756G	49.19	74.00	-24.81	5.58	3	Horizontal	356	2.00	43.61	32.88	7.11	34.41
PK	4.956G	50.11	74.00	-23.89	5.98	3	Horizontal	356	1.78	44.13	33.22	7.16	34.40
PK	7.31116G	53.56	74.00	-20.44	10.76	3	Horizontal	345	1.90	42.80	36.98	8.70	34.92
PK	10.4032G	57.21	88.20	-30.99	15.54	3	Horizontal	306	1.65	41.67	38.90	10.54	33.90
PK	11.40216G	56.39	74.00	-17.61	16.35	3	Horizontal	303	1.50	40.04	39.29	10.81	33.75
PK	12.21186G	57.00	74.00	-17.00	16.92	3	Horizontal	32	1.36	40.08	39.40	11.09	33.57
PK	15.97518G	57.85	74.00	-16.15	17.42	3	Horizontal	123	1.71	40.43	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.77568G	33.66	54.00	-20.34	4.84	3	Vertical	43	1.50	28.82	32.25	7.02	34.43
AV	4.95148G	34.71	54.00	-19.29	5.96	3	Vertical	41	2.48	28.75	33.21	7.15	34.40
AV	7.31184G	41.91	54.00	-12.09	10.76	3	Vertical	3	1.24	31.15	36.98	8.70	34.92
AV	11.39088G	44.16	54.00	-9.84	16.40	3	Vertical	62	1.50	27.76	39.34	10.81	33.75
AV	11.90224G	44.07	54.00	-9.93	16.11	3	Vertical	194	1.50	27.96	38.90	10.94	33.73
AV	12.2G	44.86	54.00	-9.14	16.91	3	Vertical	36	1.50	27.95	39.40	11.09	33.58
AV	15.97736G	45.83	54.00	-8.17	17.42	3	Vertical	314	1.50	28.41	38.05	13.13	33.76
PK	4.79252G	46.39	74.00	-27.61	4.96	3	Vertical	43	1.50	41.43	32.36	7.03	34.43
PK	4.95388G	46.92	74.00	-27.08	5.98	3	Vertical	41	2.48	40.94	33.22	7.16	34.40
PK	7.31032G	52.82	74.00	-21.18	10.76	3	Vertical	3	1.24	42.06	36.98	8.70	34.92
PK	11.39668G	56.59	74.00	-17.41	16.37	3	Vertical	62	1.50	40.22	39.31	10.81	33.75
PK	11.91772G	56.04	74.00	-17.96	16.16	3	Vertical	194	1.50	39.88	38.94	10.95	33.73
PK	12.21836G	57.07	74.00	-16.93	16.93	3	Vertical	36	1.50	40.14	39.40	11.10	33.57
PK	15.98288G	57.89	74.00	-16.11	17.40	3	Vertical	314	1.50	40.49	38.03	13.13	33.76

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.79388G	39.54	54.00	-14.46	4.97	3	Horizontal	360	1.43	34.57	32.36	7.04	34.43
AV	4.9514G	36.12	54.00	-17.88	5.96	3	Horizontal	0	1.68	30.16	33.21	7.15	34.40
AV	7.31164G	43.45	54.00	-10.55	10.76	3	Horizontal	354	1.41	32.69	36.98	8.70	34.92
AV	11.40084G	44.28	54.00	-9.72	16.36	3	Horizontal	184	1.50	27.92	39.30	10.81	33.75
AV	11.91976G	44.15	54.00	-9.85	16.16	3	Horizontal	203	2.32	27.99	38.94	10.95	33.73
AV	12.20116G	44.99	54.00	-9.01	16.91	3	Horizontal	295	1.50	28.08	39.40	11.09	33.58
AV	15.98128G	45.95	54.00	-8.05	17.41	3	Horizontal	119	1.50	28.54	38.04	13.13	33.76
PK	4.7796G	47.47	74.00	-26.53	4.87	3	Horizontal	360	1.43	42.60	32.28	7.02	34.43
PK	4.96636G	48.41	74.00	-25.59	6.03	3	Horizontal	0	1.68	42.38	33.27	7.16	34.40
PK	7.31028G	53.69	74.00	-20.31	10.76	3	Horizontal	354	1.41	42.93	36.98	8.70	34.92
PK	11.39972G	56.82	74.00	-17.18	16.36	3	Horizontal	184	1.50	40.46	39.30	10.81	33.75
PK	11.91484G	56.53	74.00	-17.47	16.15	3	Horizontal	203	2.32	40.38	38.93	10.95	33.73
PK	12.20396G	57.60	74.00	-16.40	16.91	3	Horizontal	295	1.50	40.69	39.40	11.09	33.58
PK	15.97588G	57.73	74.00	-16.27	17.42	3	Horizontal	119	1.50	40.31	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87398G	33.97	54.00	-20.03	5.53	3	Vertical	326	1.68	28.44	32.85	7.10	34.42
AV	4.95971G	34.17	54.00	-19.83	6.00	3	Vertical	116	1.50	28.17	33.24	7.16	34.40
AV	7.30996G	41.92	54.00	-12.08	10.76	3	Vertical	317	1.56	31.16	36.98	8.70	34.92
AV	11.39885G	44.36	54.00	-9.64	16.36	3	Vertical	322	2.77	28.00	39.30	10.81	33.75
AV	12.21113G	44.71	54.00	-9.29	16.92	3	Vertical	69	1.50	27.79	39.40	11.09	33.57
AV	15.97687G	45.50	54.00	-8.50	17.42	3	Vertical	112	1.50	28.08	38.05	13.13	33.76
PK	4.87646G	45.87	74.00	-28.13	5.54	3	Vertical	326	1.68	40.33	32.85	7.10	34.41
PK	4.95885G	46.85	74.00	-27.15	6.00	3	Vertical	116	1.50	40.85	33.24	7.16	34.40
PK	7.31472G	53.86	74.00	-20.14	10.74	3	Vertical	317	1.56	43.12	36.97	8.70	34.93
PK	11.40007G	57.21	74.00	-16.79	16.36	3	Vertical	322	2.77	40.85	39.30	10.81	33.75
PK	12.20861G	57.24	74.00	-16.76	16.91	3	Vertical	69	1.50	40.33	39.40	11.09	33.58
PK	15.97291G	57.41	74.00	-16.59	17.42	3	Vertical	112	1.50	39.99	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87398G	35.76	54.00	-18.24	5.53	3	Horizontal	323	1.42	30.23	32.85	7.10	34.42
AV	4.9617G	34.28	54.00	-19.72	6.01	3	Horizontal	288	1.50	28.27	33.25	7.16	34.40
AV	7.31032G	44.48	54.00	-9.52	10.76	3	Horizontal	7	2.02	33.72	36.98	8.70	34.92
AV	11.3919G	44.60	54.00	-9.40	16.39	3	Horizontal	296	1.05	28.21	39.33	10.81	33.75
AV	12.21245G	44.69	54.00	-9.31	16.93	3	Horizontal	24	1.54	27.76	39.40	11.10	33.57
AV	15.9753G	45.55	54.00	-8.45	17.42	3	Horizontal	170	1.00	28.13	38.05	13.13	33.76
PK	4.87432G	46.31	74.00	-27.69	5.53	3	Horizontal	323	1.42	40.78	32.85	7.10	34.42
PK	4.9566G	46.80	74.00	-27.20	5.99	3	Horizontal	288	1.50	40.81	33.23	7.16	34.40
PK	7.31168G	54.81	74.00	-19.19	10.76	3	Horizontal	7	2.02	44.05	36.98	8.70	34.92
PK	11.38578G	56.69	74.00	-17.31	16.41	3	Horizontal	296	1.05	40.28	39.36	10.80	33.75
PK	12.21075G	57.24	74.00	-16.76	16.92	3	Horizontal	24	1.54	40.32	39.40	11.09	33.57
PK	15.97248G	57.73	74.00	-16.27	17.43	3	Horizontal	170	1.00	40.30	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87401G	34.52	54.00	-19.48	5.53	3	Vertical	57	1.00	28.99	32.85	7.10	34.42
AV	4.96019G	34.80	54.00	-19.20	6.00	3	Vertical	64	1.00	28.80	33.24	7.16	34.40
AV	7.31022G	41.63	54.00	-12.37	10.76	3	Vertical	2	1.33	30.87	36.98	8.70	34.92
AV	10.40144G	44.45	68.20	-23.75	15.53	3	Vertical	13	3.00	28.92	38.90	10.54	33.91
AV	11.39988G	43.41	54.00	-10.59	16.36	3	Vertical	129	1.50	27.05	39.30	10.81	33.75
AV	12.21171G	44.76	54.00	-9.24	16.92	3	Vertical	25	1.50	27.84	39.40	11.09	33.57
AV	15.97657G	45.72	54.00	-8.28	17.42	3	Vertical	173	2.91	28.30	38.05	13.13	33.76
PK	4.87213G	47.10	74.00	-26.90	5.51	3	Vertical	57	1.00	41.59	32.84	7.09	34.42
PK	4.95898G	47.09	74.00	-26.91	6.00	3	Vertical	64	1.00	41.09	33.24	7.16	34.40
PK	7.31136G	52.59	74.00	-21.41	10.76	3	Vertical	2	1.33	41.83	36.98	8.70	34.92
PK	10.39622G	56.69	88.20	-31.51	15.52	3	Vertical	13	3.00	41.17	38.89	10.54	33.91
PK	11.4002G	55.87	74.00	-18.13	16.36	3	Vertical	129	1.50	39.51	39.30	10.81	33.75
PK	12.20913G	56.87	74.00	-17.13	16.91	3	Vertical	25	1.50	39.96	39.40	11.09	33.58
PK	15.97314G	58.17	74.00	-15.83	17.42	3	Vertical	173	2.91	40.75	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87529G	35.61	54.00	-18.39	5.54	3	Horizontal	358	1.61	30.07	32.85	7.10	34.41
AV	4.95972G	36.60	54.00	-17.40	6.00	3	Horizontal	356	1.87	30.60	33.24	7.16	34.40
AV	7.31022G	43.51	54.00	-10.49	10.76	3	Horizontal	356	1.46	32.75	36.98	8.70	34.92
AV	10.4012G	45.03	68.20	-23.17	15.53	3	Horizontal	303	1.46	29.50	38.90	10.54	33.91
AV	11.39927G	43.22	54.00	-10.78	16.36	3	Horizontal	98	1.50	26.86	39.30	10.81	33.75
AV	12.20789G	43.90	54.00	-10.10	16.91	3	Horizontal	360	1.50	26.99	39.40	11.09	33.58
AV	15.97541G	45.67	54.00	-8.33	17.42	3	Horizontal	59	2.34	28.25	38.05	13.13	33.76
PK	4.87344G	48.51	74.00	-25.49	5.53	3	Horizontal	358	1.61	42.98	32.85	7.10	34.42
PK	4.95945G	49.41	74.00	-24.59	6.00	3	Horizontal	356	1.87	43.41	33.24	7.16	34.40
PK	7.31172G	53.45	74.00	-20.55	10.76	3	Horizontal	356	1.46	42.69	36.98	8.70	34.92
PK	10.40558G	57.91	88.20	-30.29	15.54	3	Horizontal	303	1.46	42.37	38.90	10.54	33.90
PK	11.39944G	55.18	74.00	-18.82	16.36	3	Horizontal	98	1.50	38.82	39.30	10.81	33.75
PK	12.20952G	56.37	74.00	-17.63	16.92	3	Horizontal	360	1.50	39.45	39.40	11.09	33.57
PK	15.97312G	57.89	74.00	-16.11	17.42	3	Horizontal	59	2.34	40.47	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87392G	33.90	54.00	-20.10	5.53	3	Vertical	327	1.21	28.37	32.85	7.10	34.42
AV	4.96015G	34.59	54.00	-19.41	6.00	3	Vertical	63	1.24	28.59	33.24	7.16	34.40
AV	7.31022G	43.59	54.00	-10.41	10.76	3	Vertical	357	1.76	32.83	36.98	8.70	34.92
AV	11.39827G	44.82	54.00	-9.18	16.37	3	Vertical	345	2.32	28.45	39.31	10.81	33.75
AV	11.91233G	43.53	54.00	-10.47	16.14	3	Vertical	168	1.50	27.39	38.92	10.95	33.73
AV	12.21246G	44.86	54.00	-9.14	16.93	3	Vertical	23	2.52	27.93	39.40	11.10	33.57
AV	15.97223G	44.51	54.00	-9.49	17.43	3	Vertical	207	1.50	27.08	38.06	13.13	33.76
PK	4.87609G	45.85	74.00	-28.15	5.54	3	Vertical	327	1.21	40.31	32.85	7.10	34.41
PK	4.96069G	46.60	74.00	-27.40	6.00	3	Vertical	63	1.24	40.60	33.24	7.16	34.40
PK	7.31174G	53.25	74.00	-20.75	10.76	3	Vertical	357	1.76	42.49	36.98	8.70	34.92
PK	11.39989G	57.04	74.00	-16.96	16.36	3	Vertical	345	2.32	40.68	39.30	10.81	33.75
PK	11.91093G	55.97	74.00	-18.03	16.14	3	Vertical	168	1.50	39.83	38.92	10.95	33.73
PK	12.20926G	57.59	74.00	-16.41	16.91	3	Vertical	23	2.52	40.68	39.40	11.09	33.58
PK	15.97595G	57.13	74.00	-16.87	17.42	3	Vertical	207	1.50	39.71	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87408G	35.68	54.00	-18.32	5.53	3	Horizontal	323	1.36	30.15	32.85	7.10	34.42
AV	4.95762G	35.98	54.00	-18.02	5.99	3	Horizontal	0	1.95	29.99	33.23	7.16	34.40
AV	7.31026G	44.64	54.00	-9.36	10.76	3	Horizontal	354	1.74	33.88	36.98	8.70	34.92
AV	11.39938G	44.43	54.00	-9.57	16.36	3	Horizontal	289	1.50	28.07	39.30	10.81	33.75
AV	11.9089G	43.68	54.00	-10.32	16.14	3	Horizontal	351	1.50	27.54	38.92	10.95	33.73
AV	12.21145G	44.90	54.00	-9.10	16.92	3	Horizontal	24	1.50	27.98	39.40	11.09	33.57
AV	15.97295G	44.51	54.00	-9.49	17.42	3	Horizontal	268	1.50	27.09	38.05	13.13	33.76
PK	4.87495G	46.91	74.00	-27.09	5.53	3	Horizontal	323	1.36	41.38	32.85	7.10	34.42
PK	4.96237G	49.11	74.00	-24.89	6.01	3	Horizontal	0	1.95	43.10	33.25	7.16	34.40
PK	7.31002G	53.94	74.00	-20.06	10.76	3	Horizontal	354	1.74	43.18	36.98	8.70	34.92
PK	11.40147G	56.55	74.00	-17.45	16.35	3	Horizontal	289	1.50	40.20	39.29	10.81	33.75
PK	11.91246G	55.91	74.00	-18.09	16.14	3	Horizontal	351	1.50	39.77	38.92	10.95	33.73
PK	12.2093G	57.28	74.00	-16.72	16.91	3	Horizontal	24	1.50	40.37	39.40	11.09	33.58
PK	15.97487G	57.24	74.00	-16.76	17.42	3	Horizontal	268	1.50	39.82	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8778G	33.80	54.00	-20.20	5.55	3	Vertical	90	1.88	28.25	32.86	7.10	34.41
AV	4.95368G	34.61	54.00	-19.39	5.97	3	Vertical	251	1.50	28.64	33.21	7.16	34.40
AV	10.5186G	45.41	68.20	-22.79	15.64	3	Vertical	347	1.00	29.77	38.86	10.57	33.79
AV	11.40328G	42.73	54.00	-11.27	16.35	3	Vertical	181	1.50	26.38	39.29	10.81	33.75
AV	12.20244G	42.04	54.00	-11.96	16.91	3	Vertical	347	1.50	25.13	39.40	11.09	33.58
AV	15.93844G	34.82	54.00	-19.18	17.47	3	Vertical	179	2.54	17.35	38.12	13.11	33.76
PK	4.87604G	46.48	74.00	-27.52	5.54	3	Vertical	90	1.88	40.94	32.85	7.10	34.41
PK	4.96768G	46.92	74.00	-27.08	6.04	3	Vertical	251	1.50	40.88	33.27	7.17	34.40
PK	10.51412G	57.40	88.20	-30.80	15.65	3	Vertical	347	1.00	41.75	38.87	10.57	33.79
PK	11.40368G	54.85	74.00	-19.15	16.35	3	Vertical	181	1.50	38.50	39.29	10.81	33.75
PK	12.2018G	54.45	74.00	-19.55	16.91	3	Vertical	347	1.50	37.54	39.40	11.09	33.58
PK	15.93676G	47.22	74.00	-26.78	17.48	3	Vertical	179	2.54	29.74	38.13	13.11	33.76

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87812G	33.79	54.00	-20.21	5.55	3	Horizontal	214	2.40	28.24	32.86	7.10	34.41
AV	4.96764G	34.72	54.00	-19.28	6.04	3	Horizontal	18	2.36	28.68	33.27	7.17	34.40
AV	10.52124G	45.74	68.20	-22.46	15.64	3	Horizontal	84	2.44	30.10	38.86	10.57	33.79
AV	11.4056G	43.55	54.00	-10.45	16.34	3	Horizontal	56	1.50	27.21	39.28	10.81	33.75
AV	12.20004G	42.00	54.00	-12.00	16.91	3	Horizontal	52	1.50	25.09	39.40	11.09	33.58
AV	15.94516G	43.47	54.00	-10.53	17.46	3	Horizontal	142	2.21	26.01	38.11	13.11	33.76
PK	4.87744G	45.70	74.00	-28.30	5.54	3	Horizontal	214	2.40	40.16	32.85	7.10	34.41
PK	4.96048G	46.45	74.00	-27.55	6.00	3	Horizontal	18	2.36	40.45	33.24	7.16	34.40
PK	10.51636G	59.18	88.20	-29.02	15.65	3	Horizontal	84	2.44	43.53	38.87	10.57	33.79
PK	11.39612G	55.77	74.00	-18.23	16.38	3	Horizontal	56	1.50	39.39	39.32	10.81	33.75
PK	12.21916G	53.82	74.00	-20.18	16.93	3	Horizontal	52	1.50	36.89	39.40	11.10	33.57
PK	15.94584G	55.82	74.00	-18.18	17.46	3	Horizontal	142	2.21	38.36	38.11	13.11	33.76


Radiated Emissions above 1GHz_Mode 8



Radiated Emissions above 1GHz_Mode 8




Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95288G	34.86	54.00	-19.14	5.96	3	Vertical	345	2.81	28.90	33.21	7.15	34.40
AV	10.52096G	44.51	68.20	-23.69	15.64	3	Vertical	342	1.42	28.87	38.86	10.57	33.79
AV	11.3992G	43.93	54.00	-10.07	16.36	3	Vertical	0	1.50	27.57	39.30	10.81	33.75
AV	11.903G	44.40	54.00	-9.60	16.12	3	Vertical	351	2.03	28.28	38.91	10.94	33.73
AV	12.20132G	44.79	54.00	-9.21	16.91	3	Vertical	50	1.50	27.88	39.40	11.09	33.58
AV	15.97872G	45.42	54.00	-8.58	17.41	3	Vertical	330	1.50	28.01	38.04	13.13	33.76
PK	4.95048G	46.81	74.00	-27.19	5.95	3	Vertical	345	2.81	40.86	33.20	7.15	34.40
PK	10.51612G	57.01	88.20	-31.19	15.65	3	Vertical	342	1.42	41.36	38.87	10.57	33.79
PK	11.39172G	56.41	74.00	-17.59	16.39	3	Vertical	0	1.50	40.02	39.33	10.81	33.75
PK	11.91168G	56.48	74.00	-17.52	16.14	3	Vertical	351	2.03	40.34	38.92	10.95	33.73
PK	12.21276G	56.92	74.00	-17.08	16.93	3	Vertical	50	1.50	39.99	39.40	11.10	33.57
PK	15.97148G	57.92	74.00	-16.08	17.43	3	Vertical	330	1.50	40.49	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95192G	34.78	54.00	-19.22	5.96	3	Horizontal	12	2.60	28.82	33.21	7.15	34.40
AV	10.52144G	46.64	68.20	-21.56	15.64	3	Horizontal	88	2.44	31.00	38.86	10.57	33.79
AV	11.40072G	43.99	54.00	-10.01	16.36	3	Horizontal	27	1.50	27.63	39.30	10.81	33.75
AV	11.90188G	44.25	54.00	-9.75	16.11	3	Horizontal	343	3.00	28.14	38.90	10.94	33.73
AV	12.20248G	45.04	54.00	-8.96	16.91	3	Horizontal	67	1.94	28.13	39.40	11.09	33.58
AV	15.9786G	45.52	54.00	-8.48	17.41	3	Horizontal	155	1.50	28.11	38.04	13.13	33.76
PK	4.95312G	47.36	74.00	-26.64	5.96	3	Horizontal	12	2.60	41.40	33.21	7.15	34.40
PK	10.52096G	58.97	88.20	-29.23	15.64	3	Horizontal	88	2.44	43.33	38.86	10.57	33.79
PK	11.39892G	56.57	74.00	-17.43	16.36	3	Horizontal	27	1.50	40.21	39.30	10.81	33.75
PK	11.90104G	56.56	74.00	-17.44	16.11	3	Horizontal	343	3.00	40.45	38.90	10.94	33.73
PK	12.20292G	56.66	74.00	-17.34	16.91	3	Horizontal	67	1.94	39.75	39.40	11.09	33.58
PK	15.9832G	57.71	74.00	-16.29	17.40	3	Horizontal	155	1.50	40.31	38.03	13.13	33.76

Radiated Emissions above 1GHz_Mode 10




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87668G	33.56	54.00	-20.44	5.54	3	Vertical	227	1.50	28.02	32.85	7.10	34.41		
AV	4.95412G	34.28	54.00	-19.72	5.98	3	Vertical	191	1.50	28.30	33.22	7.16	34.40		
AV	7.31009G	39.62	54.00	-14.38	10.76	3	Vertical	85	1.50	28.86	36.98	8.70	34.92		
AV	10.51868G	45.51	68.20	-22.69	15.64	3	Vertical	347	1.00	29.87	38.86	10.57	33.79		
AV	11.40444G	43.83	54.00	-10.17	16.34	3	Vertical	220	1.50	27.49	39.28	10.81	33.75		
AV	12.2176G	44.81	54.00	-9.19	16.93	3	Vertical	325	1.86	27.88	39.40	11.10	33.57		
AV	15.96912G	45.52	54.00	-8.48	17.42	3	Vertical	93	1.39	28.10	38.06	13.12	33.76		
PK	4.866G	45.74	74.00	-28.26	5.50	3	Vertical	227	1.50	40.24	32.83	7.09	34.42		
PK	4.95288G	46.55	74.00	-27.45	5.96	3	Vertical	191	1.50	40.59	33.21	7.15	34.40		
PK	7.31346G	52.11	74.00	-21.89	10.74	3	Vertical	85	1.50	41.37	36.97	8.70	34.93		
PK	10.52332G	58.25	88.20	-29.95	15.62	3	Vertical	347	1.00	42.63	38.85	10.57	33.80		
PK	11.39024G	56.55	74.00	-17.45	16.40	3	Vertical	220	1.50	40.15	39.34	10.81	33.75		
PK	12.20404G	56.79	74.00	-17.21	16.91	3	Vertical	325	1.86	39.88	39.40	11.09	33.58		
PK	15.9726G	58.27	74.00	-15.73	17.42	3	Vertical	93	1.39	40.85	38.05	13.13	33.76		

Radiated Emissions above 1GHz_Mode 10




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.8754G	33.49	54.00	-20.51	5.54	3	Horizontal	43	1.50	27.95	32.85	7.10	34.41		
AV	4.9518G	34.38	54.00	-19.62	5.96	3	Horizontal	354	2.11	28.42	33.21	7.15	34.40		
AV	7.296G	39.68	54.00	-14.32	10.79	3	Horizontal	12	1.50	28.89	37.02	8.69	34.92		
AV	10.51876G	47.24	68.20	-20.96	15.64	3	Horizontal	71	2.07	31.60	38.86	10.57	33.79		
AV	11.39044G	44.00	54.00	-10.00	16.40	3	Horizontal	12	2.84	27.60	39.34	10.81	33.75		
AV	12.20064G	45.12	54.00	-8.88	16.91	3	Horizontal	15	2.94	28.21	39.40	11.09	33.58		
AV	15.9738G	45.43	54.00	-8.57	17.42	3	Horizontal	328	1.50	28.01	38.05	13.13	33.76		
PK	4.88172G	45.50	74.00	-28.50	5.55	3	Horizontal	43	1.50	39.95	32.86	7.10	34.41		
PK	4.96012G	46.56	74.00	-27.44	6.00	3	Horizontal	354	2.11	40.56	33.24	7.16	34.40		
PK	7.30992G	52.21	74.00	-21.79	10.76	3	Horizontal	12	1.50	41.45	36.98	8.70	34.92		
PK	10.52464G	59.47	88.20	-28.73	15.62	3	Horizontal	71	2.07	43.85	38.85	10.57	33.80		
PK	11.3998G	56.36	74.00	-17.64	16.36	3	Horizontal	12	2.84	40.00	39.30	10.81	33.75		
PK	12.21776G	57.13	74.00	-16.87	16.93	3	Horizontal	15	2.94	40.20	39.40	11.10	33.57		
PK	15.97156G	58.67	74.00	-15.33	17.43	3	Horizontal	328	1.50	41.24	38.06	13.13	33.76		

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.9504G	34.84	54.00	-19.16	5.95	3	Vertical	56	1.20	28.89	33.20	7.15	34.40
AV	10.40107G	44.14	68.20	-24.06	15.53	3	Vertical	354	2.07	28.61	38.90	10.54	33.91
AV	10.52102G	44.17	68.20	-24.03	15.64	3	Vertical	356	1.28	28.53	38.86	10.57	33.79
AV	11.40167G	43.78	54.00	-10.22	16.35	3	Vertical	290	1.50	27.43	39.29	10.81	33.75
AV	12.21078G	43.84	54.00	-10.16	16.92	3	Vertical	57	1.50	26.92	39.40	11.09	33.57
AV	15.97434G	45.41	54.00	-8.59	17.42	3	Vertical	63	2.25	27.99	38.05	13.13	33.76
PK	4.9634G	47.22	74.00	-26.78	6.01	3	Vertical	56	1.20	41.21	33.25	7.16	34.40
PK	10.39914G	56.37	88.20	-31.83	15.53	3	Vertical	354	2.07	40.84	38.90	10.54	33.91
PK	10.52078G	56.57	88.20	-31.63	15.64	3	Vertical	356	1.28	40.93	38.86	10.57	33.79
PK	11.40146G	56.13	74.00	-17.87	16.35	3	Vertical	290	1.50	39.78	39.29	10.81	33.75
PK	12.21011G	55.97	74.00	-18.03	16.92	3	Vertical	57	1.50	39.05	39.40	11.09	33.57
PK	15.97308G	57.24	74.00	-16.76	17.42	3	Vertical	63	2.25	39.82	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96968G	36.84	54.00	-17.16	6.05	3	Horizontal	360	1.81	30.79	33.28	7.17	34.40
AV	10.40109G	44.90	68.20	-23.30	15.53	3	Horizontal	308	1.62	29.37	38.90	10.54	33.91
AV	10.51868G	45.20	68.20	-23.00	15.64	3	Horizontal	11	2.44	29.56	38.86	10.57	33.79
AV	11.40161G	43.61	54.00	-10.39	16.35	3	Horizontal	113	1.29	27.26	39.29	10.81	33.75
AV	12.2083G	43.96	54.00	-10.04	16.91	3	Horizontal	24	1.49	27.05	39.40	11.09	33.58
AV	15.98046G	45.37	54.00	-8.63	17.41	3	Horizontal	173	2.71	27.96	38.04	13.13	33.76
PK	4.96916G	49.83	74.00	-24.17	6.05	3	Horizontal	360	1.81	43.78	33.28	7.17	34.40
PK	10.40161G	57.68	88.20	-30.52	15.53	3	Horizontal	308	1.62	42.15	38.90	10.54	33.91
PK	10.51874G	56.88	88.20	-31.32	15.64	3	Horizontal	11	2.44	41.24	38.86	10.57	33.79
PK	11.40065G	55.84	74.00	-18.16	16.36	3	Horizontal	113	1.29	39.48	39.30	10.81	33.75
PK	12.20891G	56.16	74.00	-17.84	16.91	3	Horizontal	24	1.49	39.25	39.40	11.09	33.58
PK	15.97205G	57.53	74.00	-16.47	17.43	3	Horizontal	173	2.71	40.10	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96212G	34.26	54.00	-19.74	6.01	3	Vertical	8	1.50	28.25	33.25	7.16	34.40
AV	10.51874G	45.28	68.20	-22.92	15.64	3	Vertical	12	2.46	29.64	38.86	10.57	33.79
AV	11.40026G	43.56	54.00	-10.44	16.36	3	Vertical	53	2.63	27.20	39.30	10.81	33.75
AV	11.9112G	43.30	54.00	-10.70	16.14	3	Vertical	356	1.50	27.16	38.92	10.95	33.73
AV	12.195G	43.48	54.00	-10.52	16.90	3	Vertical	358	1.50	26.58	39.40	11.09	33.59
AV	15.97603G	44.96	54.00	-9.04	17.42	3	Vertical	4	2.33	27.54	38.05	13.13	33.76
PK	4.96165G	46.73	74.00	-27.27	6.01	3	Vertical	8	1.50	40.72	33.25	7.16	34.40
PK	10.51862G	57.52	88.20	-30.68	15.64	3	Vertical	12	2.46	41.88	38.86	10.57	33.79
PK	11.40156G	55.63	74.00	-18.37	16.35	3	Vertical	53	2.63	39.28	39.29	10.81	33.75
PK	11.9107G	56.33	74.00	-17.67	16.14	3	Vertical	356	1.50	40.19	38.92	10.95	33.73
PK	12.19548G	55.64	74.00	-18.36	16.90	3	Vertical	358	1.50	38.74	39.40	11.09	33.59
PK	15.97543G	57.09	74.00	-16.91	17.42	3	Vertical	4	2.33	39.67	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95758G	35.70	54.00	-18.30	5.99	3	Horizontal	357	1.79	29.71	33.23	7.16	34.40
AV	10.51892G	45.24	68.20	-22.96	15.64	3	Horizontal	11	2.46	29.60	38.86	10.57	33.79
AV	11.39888G	43.51	54.00	-10.49	16.36	3	Horizontal	125	1.50	27.15	39.30	10.81	33.75
AV	11.90832G	43.34	54.00	-10.66	16.14	3	Horizontal	0	1.50	27.20	38.92	10.95	33.73
AV	12.20987G	43.38	54.00	-10.62	16.92	3	Horizontal	168	1.50	26.46	39.40	11.09	33.57
AV	15.97266G	45.10	54.00	-8.90	17.42	3	Horizontal	241	1.41	27.68	38.05	13.13	33.76
PK	4.95902G	47.82	74.00	-26.18	6.00	3	Horizontal	357	1.79	41.82	33.24	7.16	34.40
PK	10.51868G	57.29	88.20	-30.91	15.64	3	Horizontal	11	2.46	41.65	38.86	10.57	33.79
PK	11.39785G	56.07	74.00	-17.93	16.37	3	Horizontal	125	1.50	39.70	39.31	10.81	33.75
PK	11.91162G	55.84	74.00	-18.16	16.14	3	Horizontal	0	1.50	39.70	38.92	10.95	33.73
PK	12.21102G	55.41	74.00	-18.59	16.92	3	Horizontal	168	1.50	38.49	39.40	11.09	33.57
PK	15.97352G	57.12	74.00	-16.88	17.42	3	Horizontal	241	1.41	39.70	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8777G	33.76	54.00	-20.24	5.55	3	Vertical	252	1.50	28.21	32.86	7.10	34.41
AV	4.95628G	34.28	54.00	-19.72	5.99	3	Vertical	109	1.50	28.29	33.23	7.16	34.40
AV	7.31013G	39.75	54.00	-14.25	10.76	3	Vertical	65	1.02	28.99	36.98	8.70	34.92
AV	11.39628G	44.36	54.00	-9.64	16.37	3	Vertical	16	2.44	27.99	39.31	10.81	33.75
AV	12.2172G	45.19	54.00	-8.81	16.93	3	Vertical	188	2.46	28.26	39.40	11.10	33.57
AV	13.635G	49.59	68.20	-18.61	19.77	3	Vertical	328	2.91	29.82	40.00	11.93	32.16
AV	15.97998G	45.40	54.00	-8.60	17.41	3	Vertical	14	1.69	27.99	38.04	13.13	33.76
PK	4.87352G	46.17	74.00	-27.83	5.53	3	Vertical	252	1.50	40.64	32.85	7.10	34.42
PK	4.95716G	46.67	74.00	-27.33	5.99	3	Vertical	109	1.50	40.68	33.23	7.16	34.40
PK	7.31229G	53.00	74.00	-21.00	10.76	3	Vertical	65	1.02	42.24	36.98	8.70	34.92
PK	11.38974G	56.19	74.00	-17.81	16.40	3	Vertical	16	2.44	39.79	39.34	10.81	33.75
PK	12.22416G	56.93	74.00	-17.07	16.94	3	Vertical	188	2.46	39.99	39.40	11.10	33.56
PK	13.64256G	60.70	88.20	-27.50	19.79	3	Vertical	328	2.91	40.91	40.00	11.94	32.15
PK	15.97008G	58.11	74.00	-15.89	17.43	3	Vertical	14	1.69	40.68	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87894G	33.87	54.00	-20.13	5.55	3	Horizontal	142	1.23	28.32	32.86	7.10	34.41
AV	4.95528G	34.30	54.00	-19.70	5.98	3	Horizontal	234	1.50	28.32	33.22	7.16	34.40
AV	7.2898G	39.70	54.00	-14.30	10.81	3	Horizontal	355	1.83	28.89	37.04	8.69	34.92
AV	11.39502G	44.29	54.00	-9.71	16.38	3	Horizontal	287	2.32	27.91	39.32	10.81	33.75
AV	12.1962G	45.13	54.00	-8.87	16.91	3	Horizontal	85	1.50	28.22	39.40	11.09	33.58
AV	13.635G	51.57	68.20	-16.63	19.77	3	Horizontal	320	1.02	31.80	40.00	11.93	32.16
AV	15.9789G	45.48	54.00	-8.52	17.41	3	Horizontal	356	3.00	28.07	38.04	13.13	33.76
PK	4.8769G	46.66	74.00	-27.34	5.54	3	Horizontal	142	1.23	41.12	32.85	7.10	34.41
PK	4.95648G	46.15	74.00	-27.85	5.99	3	Horizontal	234	1.50	40.16	33.23	7.16	34.40
PK	7.3175G	51.87	74.00	-22.13	10.73	3	Horizontal	355	1.83	41.14	36.96	8.70	34.93
PK	11.394G	56.51	74.00	-17.49	16.38	3	Horizontal	287	2.32	40.13	39.32	10.81	33.75
PK	12.20028G	57.78	74.00	-16.22	16.91	3	Horizontal	85	1.50	40.87	39.40	11.09	33.58
PK	13.66248G	63.52	88.20	-24.68	19.84	3	Horizontal	320	1.02	43.68	40.02	11.95	32.13
PK	15.9786G	57.42	74.00	-16.58	17.41	3	Horizontal	356	3.00	40.01	38.04	13.13	33.76

Radiated Emissions above 1GHz_Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95448G	33.99	54.00	-20.01	5.98	3	Vertical	61	1.00	28.01	33.22	7.16	34.40
AV	10.40112G	45.01	68.20	-23.19	15.53	3	Vertical	356	1.25	29.48	38.90	10.54	33.91
AV	11.39708G	44.56	54.00	-9.44	16.37	3	Vertical	153	1.92	28.19	39.31	10.81	33.75
AV	12.21872G	45.18	54.00	-8.82	16.93	3	Vertical	360	1.50	28.25	39.40	11.10	33.57
AV	13.64628G	47.07	68.20	-21.13	19.79	3	Vertical	330	2.77	27.28	40.00	11.94	32.15
AV	15.9802G	45.32	54.00	-8.68	17.41	3	Vertical	72	1.50	27.91	38.04	13.13	33.76
PK	4.95844G	46.24	74.00	-27.76	5.99	3	Vertical	61	1.00	40.25	33.23	7.16	34.40
PK	10.40256G	57.66	88.20	-30.54	15.54	3	Vertical	356	1.25	42.12	38.90	10.54	33.90
PK	11.39288G	56.92	74.00	-17.08	16.39	3	Vertical	153	1.92	40.53	39.33	10.81	33.75
PK	12.20988G	58.51	74.00	-15.49	16.92	3	Vertical	360	1.50	41.59	39.40	11.09	33.57
PK	13.6438G	60.01	88.20	-28.19	19.79	3	Vertical	330	2.77	40.22	40.00	11.94	32.15
PK	15.96504G	57.71	74.00	-16.29	17.43	3	Vertical	72	1.50	40.28	38.07	13.12	33.76

Radiated Emissions above 1GHz_Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97G	35.64	54.00	-18.36	6.05	3	Horizontal	7	1.39	29.59	33.28	7.17	34.40
AV	10.40112G	45.85	68.20	-22.35	15.53	3	Horizontal	58	1.59	30.32	38.90	10.54	33.91
AV	11.39396G	44.64	54.00	-9.36	16.38	3	Horizontal	194	1.50	28.26	39.32	10.81	33.75
AV	12.2004G	45.26	54.00	-8.74	16.91	3	Horizontal	314	1.50	28.35	39.40	11.09	33.58
AV	13.64884G	47.06	68.20	-21.14	19.80	3	Horizontal	127	1.50	27.26	40.00	11.94	32.14
AV	15.98276G	45.43	54.00	-8.57	17.40	3	Horizontal	227	3.00	28.03	38.03	13.13	33.76
PK	4.95972G	48.50	74.00	-25.50	6.00	3	Horizontal	7	1.39	42.50	33.24	7.16	34.40
PK	10.39628G	57.71	88.20	-30.49	15.52	3	Horizontal	58	1.59	42.19	38.89	10.54	33.91
PK	11.3962G	57.03	74.00	-16.97	16.38	3	Horizontal	194	1.50	40.65	39.32	10.81	33.75
PK	12.20208G	57.61	74.00	-16.39	16.91	3	Horizontal	314	1.50	40.70	39.40	11.09	33.58
PK	13.65812G	59.29	88.20	-28.91	19.83	3	Horizontal	127	1.50	39.46	40.02	11.95	32.14
PK	15.98064G	58.33	74.00	-15.67	17.41	3	Horizontal	227	3.00	40.92	38.04	13.13	33.76

Radiated Emissions above 1GHz_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97464G	34.93	54.00	-19.07	6.07	3	Vertical	24	1.85	28.86	33.30	7.17	34.40
AV	11.39956G	44.79	54.00	-9.21	16.36	3	Vertical	240	1.50	28.43	39.30	10.81	33.75
AV	11.92242G	44.16	54.00	-9.84	16.16	3	Vertical	360	1.99	28.00	38.94	10.95	33.73
AV	12.2094G	44.83	54.00	-9.17	16.91	3	Vertical	119	1.50	27.92	39.40	11.09	33.58
AV	13.65143G	47.01	68.20	-21.19	19.80	3	Vertical	291	1.50	27.21	40.00	11.94	32.14
AV	15.97212G	45.94	54.00	-8.06	17.43	3	Vertical	93	1.49	28.51	38.06	13.13	33.76
PK	4.95862G	47.16	74.00	-26.84	5.99	3	Vertical	24	1.85	41.17	33.23	7.16	34.40
PK	11.3991G	56.89	74.00	-17.11	16.36	3	Vertical	240	1.50	40.53	39.30	10.81	33.75
PK	11.91888G	56.32	74.00	-17.68	16.16	3	Vertical	360	1.99	40.16	38.94	10.95	33.73
PK	12.21043G	57.55	74.00	-16.45	16.92	3	Vertical	119	1.50	40.63	39.40	11.09	33.57
PK	13.64842G	59.50	88.20	-28.70	19.79	3	Vertical	291	1.50	39.71	40.00	11.94	32.15
PK	15.97818G	57.91	74.00	-16.09	17.41	3	Vertical	93	1.49	40.50	38.04	13.13	33.76

Radiated Emissions above 1GHz_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.975G	36.25	54.00	-17.75	6.07	3	Horizontal	9	1.71	30.18	33.30	7.17	34.40
AV	11.39919G	44.81	54.00	-9.19	16.36	3	Horizontal	294	1.33	28.45	39.30	10.81	33.75
AV	11.89716G	44.20	54.00	-9.80	16.10	3	Horizontal	167	1.50	28.10	38.89	10.94	33.73
AV	12.21012G	45.01	54.00	-8.99	16.92	3	Horizontal	337	1.50	28.09	39.40	11.09	33.57
AV	13.64805G	46.92	68.20	-21.28	19.79	3	Horizontal	316	1.74	27.13	40.00	11.94	32.15
AV	15.97677G	45.87	54.00	-8.13	17.42	3	Horizontal	357	1.50	28.45	38.05	13.13	33.76
PK	4.95934G	48.74	74.00	-25.26	6.00	3	Horizontal	9	1.71	42.74	33.24	7.16	34.40
PK	11.40077G	57.53	74.00	-16.47	16.36	3	Horizontal	294	1.33	41.17	39.30	10.81	33.75
PK	11.90086G	56.13	74.00	-17.87	16.11	3	Horizontal	167	1.50	40.02	38.90	10.94	33.73
PK	12.20913G	57.24	74.00	-16.76	16.91	3	Horizontal	337	1.50	40.33	39.40	11.09	33.58
PK	13.64777G	58.93	88.20	-29.27	19.79	3	Horizontal	316	1.74	39.14	40.00	11.94	32.15
PK	15.97214G	58.78	74.00	-15.22	17.43	3	Horizontal	357	1.50	41.35	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87412G	34.00	54.00	-20.00	5.53	3	Vertical	44	1.50	28.47	32.85	7.10	34.42
AV	4.97254G	34.86	54.00	-19.14	6.06	3	Vertical	52	1.00	28.80	33.29	7.17	34.40
AV	7.31022G	40.05	54.00	-13.95	10.76	3	Vertical	57	2.26	29.29	36.98	8.70	34.92
AV	11.40042G	44.85	54.00	-9.15	16.36	3	Vertical	198	2.36	28.49	39.30	10.81	33.75
AV	12.19716G	45.44	54.00	-8.56	16.91	3	Vertical	4	2.14	28.53	39.40	11.09	33.58
AV	13.65056G	46.94	68.20	-21.26	19.80	3	Vertical	110	1.50	27.14	40.00	11.94	32.14
AV	15.97686G	45.84	54.00	-8.16	17.42	3	Vertical	62	2.57	28.42	38.05	13.13	33.76
PK	4.87542G	46.20	74.00	-27.80	5.54	3	Vertical	44	1.50	40.66	32.85	7.10	34.41
PK	4.9636G	47.00	74.00	-27.00	6.01	3	Vertical	52	1.00	40.99	33.25	7.16	34.40
PK	7.30302G	52.32	74.00	-21.68	10.77	3	Vertical	57	2.26	41.55	36.99	8.70	34.92
PK	11.40318G	56.77	74.00	-17.23	16.35	3	Vertical	198	2.36	40.42	39.29	10.81	33.75
PK	12.2133G	57.17	74.00	-16.83	16.93	3	Vertical	4	2.14	40.24	39.40	11.10	33.57
PK	13.64964G	58.95	88.20	-29.25	19.80	3	Vertical	110	1.50	39.15	40.00	11.94	32.14
PK	15.97538G	58.10	74.00	-15.90	17.42	3	Vertical	62	2.57	40.68	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88738G	33.99	54.00	-20.01	5.57	3	Horizontal	282	2.49	28.42	32.87	7.11	34.41
AV	4.96002G	34.78	54.00	-19.22	6.00	3	Horizontal	188	1.50	28.78	33.24	7.16	34.40
AV	7.30875G	39.87	54.00	-14.13	10.76	3	Horizontal	310	2.47	29.11	36.98	8.70	34.92
AV	11.40012G	44.77	54.00	-9.23	16.36	3	Horizontal	200	1.50	28.41	39.30	10.81	33.75
AV	12.19716G	45.21	54.00	-8.79	16.91	3	Horizontal	20	1.50	28.30	39.40	11.09	33.58
AV	13.65058G	46.96	68.20	-21.24	19.80	3	Horizontal	276	2.23	27.16	40.00	11.94	32.14
AV	15.97562G	45.94	54.00	-8.06	17.42	3	Horizontal	126	1.90	28.52	38.05	13.13	33.76
PK	4.86446G	46.04	74.00	-27.96	5.50	3	Horizontal	282	2.49	40.54	32.83	7.09	34.42
PK	4.95915G	47.77	74.00	-26.23	6.00	3	Horizontal	188	1.50	41.77	33.24	7.16	34.40
PK	7.30897G	52.79	74.00	-21.21	10.76	3	Horizontal	310	2.47	42.03	36.98	8.70	34.92
PK	11.39798G	57.30	74.00	-16.70	16.37	3	Horizontal	200	1.50	40.93	39.31	10.81	33.75
PK	12.21564G	57.15	74.00	-16.85	16.93	3	Horizontal	20	1.50	40.22	39.40	11.10	33.57
PK	13.64768G	59.30	88.20	-28.90	19.79	3	Horizontal	276	2.23	39.51	40.00	11.94	32.15
PK	15.97629G	58.11	74.00	-15.89	17.42	3	Horizontal	126	1.90	40.69	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96103G	34.71	54.00	-19.29	6.00	3	Vertical	300	1.49	28.71	33.24	7.16	34.40
AV	10.40114G	45.43	68.20	-22.77	15.53	3	Vertical	62	1.56	29.90	38.90	10.54	33.91
AV	11.40041G	44.84	54.00	-9.16	16.36	3	Vertical	8	1.50	28.48	39.30	10.81	33.75
AV	12.20982G	44.74	54.00	-9.26	16.92	3	Vertical	43	1.33	27.82	39.40	11.09	33.57
AV	13.652G	47.37	68.20	-20.83	19.80	3	Vertical	323	1.50	27.57	40.00	11.94	32.14
AV	15.97553G	45.77	54.00	-8.23	17.42	3	Vertical	303	1.18	28.35	38.05	13.13	33.76
PK	4.96015G	47.27	74.00	-26.73	6.00	3	Vertical	300	1.49	41.27	33.24	7.16	34.40
PK	10.39874G	58.02	88.20	-30.18	15.53	3	Vertical	62	1.56	42.49	38.90	10.54	33.91
PK	11.3997G	56.78	74.00	-17.22	16.36	3	Vertical	8	1.50	40.42	39.30	10.81	33.75
PK	12.20912G	56.98	74.00	-17.02	16.91	3	Vertical	43	1.33	40.07	39.40	11.09	33.58
PK	13.64925G	61.02	88.20	-27.18	19.80	3	Vertical	323	1.50	41.22	40.00	11.94	32.14
PK	15.97333G	57.97	74.00	-16.03	17.42	3	Vertical	303	1.18	40.55	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95809G	36.11	54.00	-17.89	5.99	3	Horizontal	8	1.62	30.12	33.23	7.16	34.40
AV	10.40127G	45.48	68.20	-22.72	15.53	3	Horizontal	62	1.56	29.95	38.90	10.54	33.91
AV	11.39977G	44.71	54.00	-9.29	16.36	3	Horizontal	356	1.50	28.35	39.30	10.81	33.75
AV	12.20782G	44.89	54.00	-9.11	16.91	3	Horizontal	357	1.50	27.98	39.40	11.09	33.58
AV	13.64786G	49.42	68.20	-18.78	19.79	3	Horizontal	55	1.37	29.63	40.00	11.94	32.15
AV	15.97689G	45.74	54.00	-8.26	17.42	3	Horizontal	31	1.50	28.32	38.05	13.13	33.76
PK	4.95925G	48.97	74.00	-25.03	6.00	3	Horizontal	8	1.62	42.97	33.24	7.16	34.40
PK	10.40188G	58.03	88.20	-30.17	15.53	3	Horizontal	62	1.56	42.50	38.90	10.54	33.91
PK	11.39863G	57.06	74.00	-16.94	16.37	3	Horizontal	356	1.50	40.69	39.31	10.81	33.75
PK	12.21189G	57.10	74.00	-16.90	16.93	3	Horizontal	357	1.50	40.17	39.40	11.10	33.57
PK	13.65057G	63.83	88.20	-24.37	19.80	3	Horizontal	55	1.37	44.03	40.00	11.94	32.14
PK	15.97271G	58.06	74.00	-15.94	17.42	3	Horizontal	31	1.50	40.64	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96069G	34.78	54.00	-19.22	6.00	3	Vertical	302	1.50	28.78	33.24	7.16	34.40
AV	11.39922G	44.78	54.00	-9.22	16.36	3	Vertical	269	1.39	28.42	39.30	10.81	33.75
AV	11.90923G	43.94	54.00	-10.06	16.14	3	Vertical	55	1.49	27.80	38.92	10.95	33.73
AV	12.21116G	44.69	54.00	-9.31	16.92	3	Vertical	209	1.87	27.77	39.40	11.09	33.57
AV	13.64757G	46.82	68.20	-21.38	19.79	3	Vertical	325	1.59	27.03	40.00	11.94	32.15
AV	15.97666G	45.92	54.00	-8.08	17.42	3	Vertical	294	1.94	28.50	38.05	13.13	33.76
PK	4.95962G	47.10	74.00	-26.90	6.00	3	Vertical	302	1.50	41.10	33.24	7.16	34.40
PK	11.40164G	57.03	74.00	-16.97	16.35	3	Vertical	269	1.39	40.68	39.29	10.81	33.75
PK	11.91228G	56.63	74.00	-17.37	16.14	3	Vertical	55	1.49	40.49	38.92	10.95	33.73
PK	12.21058G	56.33	74.00	-17.67	16.92	3	Vertical	209	1.87	39.41	39.40	11.09	33.57
PK	13.65158G	59.21	88.20	-28.99	19.80	3	Vertical	325	1.59	39.41	40.00	11.94	32.14
PK	15.97611G	57.34	74.00	-16.66	17.42	3	Vertical	294	1.94	39.92	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96029G	36.11	54.00	-17.89	6.00	3	Horizontal	6	1.74	30.11	33.24	7.16	34.40
AV	11.39769G	44.97	54.00	-9.03	16.37	3	Horizontal	39	1.49	28.60	39.31	10.81	33.75
AV	11.90839G	43.90	54.00	-10.10	16.14	3	Horizontal	124	2.22	27.76	38.92	10.95	33.73
AV	12.21168G	44.47	54.00	-9.53	16.92	3	Horizontal	75	2.12	27.55	39.40	11.09	33.57
AV	13.65067G	46.65	68.20	-21.55	19.80	3	Horizontal	191	2.91	26.85	40.00	11.94	32.14
AV	15.97303G	45.69	54.00	-8.31	17.42	3	Horizontal	64	2.57	28.27	38.05	13.13	33.76
PK	4.95791G	48.57	74.00	-25.43	5.99	3	Horizontal	6	1.74	42.58	33.23	7.16	34.40
PK	11.39839G	56.74	74.00	-17.26	16.37	3	Horizontal	39	1.49	40.37	39.31	10.81	33.75
PK	11.90948G	56.94	74.00	-17.06	16.14	3	Horizontal	124	2.22	40.80	38.92	10.95	33.73
PK	12.21133G	56.35	74.00	-17.65	16.92	3	Horizontal	75	2.12	39.43	39.40	11.09	33.57
PK	13.65227G	58.49	88.20	-29.71	19.80	3	Horizontal	191	2.91	38.69	40.00	11.94	32.14
PK	15.97462G	57.90	74.00	-16.10	17.42	3	Horizontal	64	2.57	40.48	38.05	13.13	33.76