



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.15-5.25GHz_TX






5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.10	54.00	-4.90	6.13	3	Vertical	13	2.45	42.97	33.00	8.19	35.06
AV	5.455G	50.26	54.00	-3.74	6.40	3	Vertical	13	2.45	43.86	33.20	8.28	35.08
AV	5.54G	90.11	Inf	-Inf	6.58	3	Vertical	13	2.45	83.53	33.28	8.39	35.09
PK	5.295G	60.38	68.20	-7.82	6.23	3	Vertical	13	2.45	54.15	33.12	8.16	35.05
PK	5.441G	60.70	74.00	-13.30	6.36	3	Vertical	13	2.45	54.34	33.18	8.26	35.08
PK	5.464G	60.00	68.20	-8.20	6.41	3	Vertical	13	2.45	53.59	33.20	8.29	35.08
PK	5.505G	100.93	Inf	-Inf	6.46	3	Vertical	13	2.45	94.47	33.21	8.34	35.09
PK	5.761G	61.97	68.20	-6.23	7.57	3	Vertical	13	2.45	54.40	34.07	8.62	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.36	54.00	-4.64	6.13	3	Horizontal	302	1.00	43.23	33.00	8.19	35.06
AV	5.456G	53.95	54.00	-0.05	6.40	3	Horizontal	302	1.00	47.55	33.20	8.28	35.08
AV	5.543G	98.52	Inf	-Inf	6.59	3	Horizontal	302	1.00	91.93	33.29	8.39	35.09
PK	5.332G	60.74	68.20	-7.46	6.16	3	Horizontal	302	1.00	54.58	33.04	8.18	35.06
PK	5.458G	64.93	74.00	-9.07	6.40	3	Horizontal	302	1.00	58.53	33.20	8.28	35.08
PK	5.468G	64.17	68.20	-4.03	6.42	3	Horizontal	302	1.00	57.75	33.20	8.30	35.08
PK	5.546G	109.34	Inf	-Inf	6.59	3	Horizontal	302	1.00	102.75	33.29	8.39	35.09
PK	5.73G	62.10	68.20	-6.10	7.36	3	Horizontal	302	1.00	54.74	33.88	8.59	35.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022**

Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1492G	53.59	54.00	-0.41	3	Vertical	104	3.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1488G	53.92	54.00	-0.08	3	Vertical	108	3.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.148G	53.55	54.00	-0.45	3	Vertical	107	2.46
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.4072G	53.50	54.00	-0.50	3	Vertical	195	2.64
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.3614G	73.71	74.00	-0.29	3	Vertical	107	3.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.352G	53.83	54.00	-0.17	3	Vertical	354	2.60
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.388G	53.59	54.00	-0.41	3	Vertical	196	2.87
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.852G	68.08	68.20	-0.12	3	Vertical	29	2.42
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.4676G	68.05	68.20	-0.15	3	Vertical	202	2.61
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.467G	68.00	68.20	-0.20	3	Vertical	193	2.87
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.45G	53.69	54.00	-0.31	3	Vertical	199	2.49
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.6406G	67.86	68.20	-0.34	3	Vertical	27	2.55
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.6434G	67.14	68.20	-1.06	3	Vertical	26	2.48
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.649G	67.04	68.20	-1.16	3	Vertical	27	2.52



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022**

Appendix E.15

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	53.22	54.00	-0.78	3	Vertical	106	2.78
5180MHz	Pass	AV	5.1784G	106.15	Inf	-Inf	3	Vertical	106	2.78
5180MHz	Pass	PK	5.1392G	66.05	74.00	-7.95	3	Vertical	106	2.78
5180MHz	Pass	PK	5.1846G	117.75	Inf	-Inf	3	Vertical	106	2.78
5180MHz	Pass	AV	5.1492G	49.91	54.00	-4.09	3	Horizontal	77	1.08
5180MHz	Pass	AV	5.1726G	96.62	Inf	-Inf	3	Horizontal	77	1.08
5180MHz	Pass	PK	5.1484G	60.87	74.00	-13.13	3	Horizontal	77	1.08
5180MHz	Pass	PK	5.183G	107.66	Inf	-Inf	3	Horizontal	77	1.08
5180MHz	Pass	PK	10.36656G	53.92	68.20	-14.28	3	Vertical	317	1.50
5180MHz	Pass	PK	10.35444G	53.84	68.20	-14.36	3	Horizontal	247	1.41
5200MHz	Pass	AV	5.1492G	53.59	54.00	-0.41	3	Vertical	104	3.00
5200MHz	Pass	AV	5.2084G	105.97	Inf	-Inf	3	Vertical	104	3.00
5200MHz	Pass	PK	5.1468G	71.65	74.00	-2.35	3	Vertical	104	3.00
5200MHz	Pass	PK	5.2048G	117.13	Inf	-Inf	3	Vertical	104	3.00
5200MHz	Pass	AV	5.148G	50.04	54.00	-3.96	3	Horizontal	74	1.35
5200MHz	Pass	AV	5.2052G	96.54	Inf	-Inf	3	Horizontal	74	1.35
5200MHz	Pass	PK	5.1472G	62.96	74.00	-11.04	3	Horizontal	74	1.35
5200MHz	Pass	PK	5.2088G	108.21	Inf	-Inf	3	Horizontal	74	1.35
5200MHz	Pass	PK	10.4014G	53.65	68.20	-14.55	3	Vertical	240	1.50
5200MHz	Pass	PK	10.39652G	53.96	68.20	-14.24	3	Horizontal	39	1.99
5240MHz	Pass	AV	5.1482G	51.97	54.00	-2.03	3	Vertical	106	3.00
5240MHz	Pass	AV	5.2382G	107.59	Inf	-Inf	3	Vertical	106	3.00
5240MHz	Pass	AV	5.351G	51.59	54.00	-2.41	3	Vertical	106	3.00
5240MHz	Pass	PK	5.1482G	72.79	74.00	-1.21	3	Vertical	106	3.00
5240MHz	Pass	PK	5.2394G	119.40	Inf	-Inf	3	Vertical	106	3.00
5240MHz	Pass	PK	5.3504G	70.61	74.00	-3.39	3	Vertical	106	3.00
5240MHz	Pass	AV	5.1458G	49.75	54.00	-4.25	3	Horizontal	72	1.50
5240MHz	Pass	AV	5.2352G	97.37	Inf	-Inf	3	Horizontal	72	1.50
5240MHz	Pass	AV	5.3864G	50.07	54.00	-3.93	3	Horizontal	72	1.50
5240MHz	Pass	PK	5.1416G	64.41	74.00	-9.59	3	Horizontal	72	1.50
5240MHz	Pass	PK	5.2376G	108.59	Inf	-Inf	3	Horizontal	72	1.50
5240MHz	Pass	PK	5.3618G	62.99	74.00	-11.01	3	Horizontal	72	1.50
5240MHz	Pass	PK	10.4846G	54.05	68.20	-14.15	3	Vertical	314	2.32
5240MHz	Pass	PK	10.48768G	54.54	68.20	-13.66	3	Horizontal	213	1.50
5260MHz	Pass	AV	5.1478G	50.98	54.00	-3.02	3	Vertical	107	3.00
5260MHz	Pass	AV	5.2546G	106.45	Inf	-Inf	3	Vertical	107	3.00
5260MHz	Pass	AV	5.35G	53.26	54.00	-0.74	3	Vertical	107	3.00
5260MHz	Pass	PK	5.1454G	70.30	74.00	-3.70	3	Vertical	107	3.00
5260MHz	Pass	PK	5.2534G	118.51	Inf	-Inf	3	Vertical	107	3.00
5260MHz	Pass	PK	5.3614G	73.71	74.00	-0.29	3	Vertical	107	3.00
5260MHz	Pass	AV	5.146G	49.51	54.00	-4.49	3	Horizontal	16	1.01
5260MHz	Pass	AV	5.2582G	97.60	Inf	-Inf	3	Horizontal	16	1.01
5260MHz	Pass	AV	5.3902G	50.23	54.00	-3.77	3	Horizontal	16	1.01
5260MHz	Pass	PK	5.1412G	63.48	74.00	-10.52	3	Horizontal	16	1.01
5260MHz	Pass	PK	5.2528G	108.81	Inf	-Inf	3	Horizontal	16	1.01
5260MHz	Pass	PK	5.3506G	67.17	74.00	-6.83	3	Horizontal	16	1.01
5260MHz	Pass	PK	10.5156G	54.19	68.20	-14.01	3	Vertical	13	1.91
5260MHz	Pass	PK	10.52704G	54.91	68.20	-13.29	3	Horizontal	7	1.88
5300MHz	Pass	AV	5.296G	104.27	Inf	-Inf	3	Vertical	194	3.00
5300MHz	Pass	AV	5.35G	52.86	54.00	-1.14	3	Vertical	194	3.00
5300MHz	Pass	PK	5.2984G	114.71	Inf	-Inf	3	Vertical	194	3.00
5300MHz	Pass	PK	5.3508G	72.47	74.00	-1.53	3	Vertical	194	3.00
5300MHz	Pass	AV	5.3052G	95.80	Inf	-Inf	3	Horizontal	81	1.13
5300MHz	Pass	AV	5.352G	50.02	54.00	-3.98	3	Horizontal	81	1.13
5300MHz	Pass	PK	5.3024G	107.04	Inf	-Inf	3	Horizontal	81	1.13
5300MHz	Pass	PK	5.3508G	62.54	74.00	-11.46	3	Horizontal	81	1.13
5300MHz	Pass	PK	10.60388G	54.04	74.00	-19.96	3	Vertical	195	1.50
5300MHz	Pass	PK	10.60004G	54.87	74.00	-19.13	3	Horizontal	98	2.68
5320MHz	Pass	AV	5.3224G	106.42	Inf	-Inf	3	Vertical	357	2.62
5320MHz	Pass	AV	5.3608G	53.16	54.00	-0.84	3	Vertical	357	2.62



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3264G	117.59	Inf	-Inf	3	Vertical	357	2.62
5320MHz	Pass	PK	5.3592G	65.91	74.00	-8.09	3	Vertical	357	2.62
5320MHz	Pass	AV	5.3288G	96.98	Inf	-Inf	3	Horizontal	15	1.02
5320MHz	Pass	AV	5.3516G	50.06	54.00	-3.94	3	Horizontal	15	1.02
5320MHz	Pass	PK	5.3284G	108.72	Inf	-Inf	3	Horizontal	15	1.02
5320MHz	Pass	PK	5.356G	62.52	74.00	-11.48	3	Horizontal	15	1.02
5320MHz	Pass	AV	10.647G	42.50	54.00	-11.50	3	Vertical	265	1.50
5320MHz	Pass	PK	10.64668G	54.30	74.00	-19.70	3	Vertical	265	1.50
5320MHz	Pass	AV	10.633G	42.46	54.00	-11.54	3	Horizontal	65	1.50
5320MHz	Pass	PK	10.64792G	54.97	74.00	-19.03	3	Horizontal	65	1.50
5500MHz	Pass	AV	5.46G	53.68	54.00	-0.32	3	Vertical	203	2.50
5500MHz	Pass	AV	5.5024G	105.69	Inf	-Inf	3	Vertical	203	2.50
5500MHz	Pass	PK	5.4568G	64.96	74.00	-9.04	3	Vertical	203	2.50
5500MHz	Pass	PK	5.4694G	66.05	68.20	-2.15	3	Vertical	203	2.50
5500MHz	Pass	PK	5.5026G	117.73	Inf	-Inf	3	Vertical	203	2.50
5500MHz	Pass	AV	5.4588G	50.33	54.00	-3.67	3	Horizontal	14	1.25
5500MHz	Pass	AV	5.4984G	97.13	Inf	-Inf	3	Horizontal	14	1.25
5500MHz	Pass	PK	5.4594G	61.35	74.00	-12.65	3	Horizontal	14	1.25
5500MHz	Pass	PK	5.4682G	61.33	68.20	-6.87	3	Horizontal	14	1.25
5500MHz	Pass	PK	5.5014G	108.88	Inf	-Inf	3	Horizontal	14	1.25
5500MHz	Pass	AV	10.99104G	42.21	54.00	-11.79	3	Vertical	359	2.02
5500MHz	Pass	PK	11.00812G	54.64	74.00	-19.36	3	Vertical	359	2.02
5500MHz	Pass	AV	10.991G	42.21	54.00	-11.79	3	Horizontal	282	1.50
5500MHz	Pass	PK	11.00928G	54.22	74.00	-19.78	3	Horizontal	282	1.50
5580MHz	Pass	AV	5.4582G	50.45	54.00	-3.55	3	Vertical	199	2.59
5580MHz	Pass	AV	5.5782G	106.11	Inf	-Inf	3	Vertical	199	2.59
5580MHz	Pass	PK	5.4534G	67.15	74.00	-6.85	3	Vertical	199	2.59
5580MHz	Pass	PK	5.4684G	67.99	68.20	-0.21	3	Vertical	199	2.59
5580MHz	Pass	PK	5.577G	117.26	Inf	-Inf	3	Vertical	199	2.59
5580MHz	Pass	PK	5.7258G	61.92	68.20	-6.28	3	Vertical	199	2.59
5580MHz	Pass	AV	5.4396G	49.58	54.00	-4.42	3	Horizontal	163	2.07
5580MHz	Pass	AV	5.5872G	97.64	Inf	-Inf	3	Horizontal	163	2.07
5580MHz	Pass	PK	5.4468G	60.70	74.00	-13.30	3	Horizontal	163	2.07
5580MHz	Pass	PK	5.4684G	60.63	68.20	-7.57	3	Horizontal	163	2.07
5580MHz	Pass	PK	5.5866G	108.91	Inf	-Inf	3	Horizontal	163	2.07
5580MHz	Pass	PK	5.727G	61.16	68.20	-7.04	3	Horizontal	163	2.07
5580MHz	Pass	AV	11.15728G	42.57	54.00	-11.43	3	Vertical	49	1.50
5580MHz	Pass	PK	11.1554G	54.11	74.00	-19.89	3	Vertical	49	1.50
5580MHz	Pass	AV	11.15464G	42.54	54.00	-11.46	3	Horizontal	34	1.50
5580MHz	Pass	PK	11.15192G	54.38	74.00	-19.62	3	Horizontal	34	1.50
5700MHz	Pass	AV	5.702G	99.93	Inf	-Inf	3	Vertical	28	2.41
5700MHz	Pass	PK	5.6992G	111.25	Inf	-Inf	3	Vertical	28	2.41
5700MHz	Pass	PK	5.7252G	67.72	68.20	-0.48	3	Vertical	28	2.41
5700MHz	Pass	AV	5.7064G	94.61	Inf	-Inf	3	Horizontal	309	2.48
5700MHz	Pass	PK	5.7004G	106.00	Inf	-Inf	3	Horizontal	309	2.48
5700MHz	Pass	PK	5.726G	64.40	68.20	-3.80	3	Horizontal	309	2.48
5700MHz	Pass	AV	11.40064G	43.85	54.00	-10.15	3	Vertical	126	1.83
5700MHz	Pass	PK	11.39872G	55.94	74.00	-18.06	3	Vertical	126	1.83
5700MHz	Pass	AV	11.40628G	43.72	54.00	-10.28	3	Horizontal	347	1.56
5700MHz	Pass	PK	11.40696G	55.40	74.00	-18.60	3	Horizontal	347	1.56
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	50.98	54.00	-3.02	3	Vertical	29	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	105.99	Inf	-Inf	3	Vertical	29	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	64.50	74.00	-9.50	3	Vertical	29	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	65.83	68.20	-2.37	3	Vertical	29	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	116.56	Inf	-Inf	3	Vertical	29	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	68.08	68.20	-0.12	3	Vertical	29	2.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	49.98	54.00	-4.02	3	Horizontal	310	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	100.85	Inf	-Inf	3	Horizontal	310	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	62.02	74.00	-11.98	3	Horizontal	310	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	62.02	68.20	-6.18	3	Horizontal	310	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	112.07	Inf	-Inf	3	Horizontal	310	2.45
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	65.72	68.20	-2.48	3	Horizontal	310	2.45



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43048G	43.64	54.00	-10.36	3	Vertical	184	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43796G	55.47	74.00	-18.53	3	Vertical	184	1.51
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4426G	43.65	54.00	-10.35	3	Horizontal	104	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43884G	55.88	74.00	-18.12	3	Horizontal	104	1.50
5745MHz	Pass	AV	5.4546G	49.84	54.00	-4.16	3	Vertical	27	2.55
5745MHz	Pass	AV	5.7438G	106.22	Inf	-Inf	3	Vertical	27	2.55
5745MHz	Pass	PK	5.6406G	67.86	68.20	-0.34	3	Vertical	27	2.55
5745MHz	Pass	PK	5.7474G	117.08	Inf	-Inf	3	Vertical	27	2.55
5745MHz	Pass	PK	5.9622G	63.37	68.20	-4.83	3	Vertical	27	2.55
5745MHz	Pass	AV	5.4534G	49.42	54.00	-4.58	3	Horizontal	159	2.44
5745MHz	Pass	AV	5.7462G	99.35	Inf	-Inf	3	Horizontal	159	2.44
5745MHz	Pass	PK	5.6442G	63.04	68.20	-5.16	3	Horizontal	159	2.44
5745MHz	Pass	PK	5.7462G	110.46	Inf	-Inf	3	Horizontal	159	2.44
5745MHz	Pass	PK	6.0318G	63.15	68.20	-5.05	3	Horizontal	159	2.44
5745MHz	Pass	AV	11.48916G	43.67	54.00	-10.33	3	Vertical	109	2.34
5745MHz	Pass	PK	11.4832G	56.34	74.00	-17.66	3	Vertical	109	2.34
5745MHz	Pass	AV	11.48368G	43.77	54.00	-10.23	3	Horizontal	88	2.16
5745MHz	Pass	PK	11.48372G	55.76	74.00	-18.24	3	Horizontal	88	2.16
5785MHz	Pass	AV	5.77887G	103.71	Inf	-Inf	3	Vertical	199	3.00
5785MHz	Pass	PK	5.64335G	66.80	68.20	-1.40	3	Vertical	199	3.00
5785MHz	Pass	PK	5.78613G	114.04	Inf	-Inf	3	Vertical	199	3.00
5785MHz	Pass	PK	5.96763G	63.01	68.20	-5.19	3	Vertical	199	3.00
5785MHz	Pass	AV	5.78613G	95.97	Inf	-Inf	3	Horizontal	76	1.31
5785MHz	Pass	PK	5.61552G	61.43	68.20	-6.77	3	Horizontal	76	1.31
5785MHz	Pass	PK	5.78613G	107.67	Inf	-Inf	3	Horizontal	76	1.31
5785MHz	Pass	PK	5.93375G	63.93	68.20	-4.27	3	Horizontal	76	1.31
5785MHz	Pass	AV	11.56376G	43.15	54.00	-10.85	3	Vertical	51	1.50
5785MHz	Pass	PK	11.57204G	54.92	74.00	-19.08	3	Vertical	51	1.50
5785MHz	Pass	AV	11.56176G	43.28	54.00	-10.72	3	Horizontal	59	1.86
5785MHz	Pass	PK	11.56256G	55.57	74.00	-18.43	3	Horizontal	59	1.86
5825MHz	Pass	AV	5.8226G	104.40	Inf	-Inf	3	Vertical	206	2.96
5825MHz	Pass	PK	5.6474G	67.40	68.20	-0.80	3	Vertical	206	2.96
5825MHz	Pass	PK	5.8214G	114.77	Inf	-Inf	3	Vertical	206	2.96
5825MHz	Pass	PK	6.0866G	62.81	68.20	-5.39	3	Vertical	206	2.96
5825MHz	Pass	AV	5.8262G	99.08	Inf	-Inf	3	Horizontal	159	2.54
5825MHz	Pass	PK	5.651G	62.72	68.94	-6.22	3	Horizontal	159	2.54
5825MHz	Pass	PK	5.8298G	109.87	Inf	-Inf	3	Horizontal	159	2.54
5825MHz	Pass	PK	6.0146G	63.15	68.20	-5.05	3	Horizontal	159	2.54
5825MHz	Pass	AV	11.64476G	42.81	54.00	-11.19	3	Vertical	187	2.55
5825MHz	Pass	PK	11.6412G	54.49	74.00	-19.51	3	Vertical	187	2.55
5825MHz	Pass	AV	11.64524G	42.64	54.00	-11.36	3	Horizontal	138	1.04
5825MHz	Pass	PK	11.64624G	54.19	74.00	-19.81	3	Horizontal	138	1.04
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.71	54.00	-0.29	3	Vertical	105	3.00
5190MHz	Pass	AV	5.196G	100.77	Inf	-Inf	3	Vertical	105	3.00
5190MHz	Pass	PK	5.1444G	64.93	74.00	-9.07	3	Vertical	105	3.00
5190MHz	Pass	PK	5.2032G	111.82	Inf	-Inf	3	Vertical	105	3.00
5190MHz	Pass	AV	5.1488G	50.34	54.00	-3.66	3	Horizontal	73	1.29
5190MHz	Pass	AV	5.1872G	91.37	Inf	-Inf	3	Horizontal	73	1.29
5190MHz	Pass	PK	5.144G	61.10	74.00	-12.90	3	Horizontal	73	1.29
5190MHz	Pass	PK	5.182G	103.04	Inf	-Inf	3	Horizontal	73	1.29
5190MHz	Pass	PK	10.36672G	53.91	68.20	-14.29	3	Vertical	279	1.12
5190MHz	Pass	PK	10.38392G	53.92	68.20	-14.28	3	Horizontal	224	1.50
5230MHz	Pass	AV	5.1488G	53.92	54.00	-0.08	3	Vertical	108	3.00
5230MHz	Pass	AV	5.2368G	102.52	Inf	-Inf	3	Vertical	108	3.00
5230MHz	Pass	PK	5.146G	70.46	74.00	-3.54	3	Vertical	108	3.00
5230MHz	Pass	PK	5.2284G	114.39	Inf	-Inf	3	Vertical	108	3.00
5230MHz	Pass	AV	5.1488G	50.44	54.00	-3.56	3	Horizontal	74	1.08
5230MHz	Pass	AV	5.2324G	93.39	Inf	-Inf	3	Horizontal	74	1.08
5230MHz	Pass	PK	5.1452G	63.35	74.00	-10.65	3	Horizontal	74	1.08
5230MHz	Pass	PK	5.232G	105.60	Inf	-Inf	3	Horizontal	74	1.08
5230MHz	Pass	PK	10.47064G	54.30	68.20	-13.90	3	Vertical	33	2.78



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.47544G	53.56	68.20	-14.64	3	Horizontal	257	2.75
5270MHz	Pass	AV	5.2644G	101.49	Inf	-Inf	3	Vertical	106	2.52
5270MHz	Pass	AV	5.3508G	53.79	54.00	-0.21	3	Vertical	106	2.52
5270MHz	Pass	PK	5.2776G	112.89	Inf	-Inf	3	Vertical	106	2.52
5270MHz	Pass	PK	5.3512G	70.47	74.00	-3.53	3	Vertical	106	2.52
5270MHz	Pass	AV	5.256G	91.85	Inf	-Inf	3	Horizontal	73	1.31
5270MHz	Pass	AV	5.3536G	50.01	54.00	-3.99	3	Horizontal	73	1.31
5270MHz	Pass	PK	5.2724G	103.75	Inf	-Inf	3	Horizontal	73	1.31
5270MHz	Pass	PK	5.3592G	62.75	74.00	-11.25	3	Horizontal	73	1.31
5270MHz	Pass	PK	10.54G	54.11	68.20	-14.09	3	Vertical	237	1.50
5270MHz	Pass	PK	10.54408G	54.72	68.20	-13.48	3	Horizontal	209	1.50
5310MHz	Pass	AV	5.3188G	102.43	Inf	-Inf	3	Vertical	354	2.60
5310MHz	Pass	AV	5.352G	53.83	54.00	-0.17	3	Vertical	354	2.60
5310MHz	Pass	PK	5.3208G	113.51	Inf	-Inf	3	Vertical	354	2.60
5310MHz	Pass	PK	5.352G	64.91	74.00	-9.09	3	Vertical	354	2.60
5310MHz	Pass	AV	5.3232G	92.37	Inf	-Inf	3	Horizontal	16	1.08
5310MHz	Pass	AV	5.4008G	50.21	54.00	-3.79	3	Horizontal	16	1.08
5310MHz	Pass	PK	5.3204G	104.11	Inf	-Inf	3	Horizontal	16	1.08
5310MHz	Pass	PK	5.3828G	61.55	74.00	-12.45	3	Horizontal	16	1.08
5310MHz	Pass	AV	10.61816G	42.78	54.00	-11.22	3	Vertical	20	2.99
5310MHz	Pass	PK	10.61696G	54.12	74.00	-19.88	3	Vertical	20	2.99
5310MHz	Pass	AV	10.63048G	42.82	54.00	-11.18	3	Horizontal	191	1.50
5310MHz	Pass	PK	10.61544G	54.01	74.00	-19.99	3	Horizontal	191	1.50
5510MHz	Pass	AV	5.4592G	53.26	54.00	-0.74	3	Vertical	201	2.82
5510MHz	Pass	AV	5.516G	102.76	Inf	-Inf	3	Vertical	201	2.82
5510MHz	Pass	PK	5.46G	64.26	74.00	-9.74	3	Vertical	201	2.82
5510MHz	Pass	PK	5.47G	66.47	68.20	-1.73	3	Vertical	201	2.82
5510MHz	Pass	PK	5.5048G	114.69	Inf	-Inf	3	Vertical	201	2.82
5510MHz	Pass	AV	5.4592G	50.09	54.00	-3.91	3	Horizontal	164	1.93
5510MHz	Pass	AV	5.5144G	93.24	Inf	-Inf	3	Horizontal	164	1.93
5510MHz	Pass	PK	5.46G	60.95	74.00	-13.05	3	Horizontal	164	1.93
5510MHz	Pass	PK	5.4696G	61.67	68.20	-6.53	3	Horizontal	164	1.93
5510MHz	Pass	PK	5.5056G	104.59	Inf	-Inf	3	Horizontal	164	1.93
5510MHz	Pass	AV	11.02928G	42.58	54.00	-11.42	3	Vertical	56	2.70
5510MHz	Pass	PK	11.02248G	53.85	74.00	-20.15	3	Vertical	56	2.70
5510MHz	Pass	AV	11.0316G	42.63	54.00	-11.37	3	Horizontal	31	2.91
5510MHz	Pass	PK	11.02464G	53.85	74.00	-20.15	3	Horizontal	31	2.91
5550MHz	Pass	AV	5.4568G	51.40	54.00	-2.60	3	Vertical	202	2.61
5550MHz	Pass	AV	5.5388G	101.35	Inf	-Inf	3	Vertical	202	2.61
5550MHz	Pass	PK	5.4516G	64.84	74.00	-9.16	3	Vertical	202	2.61
5550MHz	Pass	PK	5.4676G	68.05	68.20	-0.15	3	Vertical	202	2.61
5550MHz	Pass	PK	5.5436G	112.63	Inf	-Inf	3	Vertical	202	2.61
5550MHz	Pass	AV	5.4536G	49.79	54.00	-4.21	3	Horizontal	164	1.65
5550MHz	Pass	AV	5.5444G	91.71	Inf	-Inf	3	Horizontal	164	1.65
5550MHz	Pass	PK	5.4524G	60.55	74.00	-13.45	3	Horizontal	164	1.65
5550MHz	Pass	PK	5.464G	61.21	68.20	-6.99	3	Horizontal	164	1.65
5550MHz	Pass	PK	5.5364G	102.84	Inf	-Inf	3	Horizontal	164	1.65
5550MHz	Pass	AV	11.10864G	42.75	54.00	-11.25	3	Vertical	360	1.50
5550MHz	Pass	PK	11.11888G	54.04	74.00	-19.96	3	Vertical	360	1.50
5550MHz	Pass	AV	11.11656G	42.66	54.00	-11.34	3	Horizontal	236	1.50
5550MHz	Pass	PK	11.10568G	53.83	74.00	-20.17	3	Horizontal	236	1.50
5670MHz	Pass	AV	5.6814G	99.12	Inf	-Inf	3	Vertical	27	2.43
5670MHz	Pass	PK	5.6748G	109.84	Inf	-Inf	3	Vertical	27	2.43
5670MHz	Pass	PK	5.748G	67.14	68.20	-1.06	3	Vertical	27	2.43
5670MHz	Pass	AV	5.667G	89.66	Inf	-Inf	3	Horizontal	166	1.50
5670MHz	Pass	PK	5.6676G	100.90	Inf	-Inf	3	Horizontal	166	1.50
5670MHz	Pass	PK	5.7828G	61.96	68.20	-6.24	3	Horizontal	166	1.50
5670MHz	Pass	AV	11.3456G	44.08	54.00	-9.92	3	Vertical	102	2.47
5670MHz	Pass	PK	11.3544G	54.82	74.00	-19.18	3	Vertical	102	2.47
5670MHz	Pass	AV	11.34992G	44.12	54.00	-9.88	3	Horizontal	61	1.77
5670MHz	Pass	PK	11.35152G	55.45	74.00	-18.55	3	Horizontal	61	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	50.55	54.00	-3.45	3	Vertical	27	2.43



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	101.71	Inf	-Inf	3	Vertical	27	2.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.446G	64.88	74.00	-9.12	3	Vertical	27	2.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	64.21	68.20	-3.99	3	Vertical	27	2.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	112.34	Inf	-Inf	3	Vertical	27	2.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8588G	66.00	68.20	-2.20	3	Vertical	27	2.43
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.44G	49.88	54.00	-4.12	3	Horizontal	156	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7016G	93.16	Inf	-Inf	3	Horizontal	156	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.446G	61.54	74.00	-12.46	3	Horizontal	156	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	61.29	68.20	-6.91	3	Horizontal	156	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.704G	103.47	Inf	-Inf	3	Horizontal	156	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9824G	63.42	68.20	-4.78	3	Horizontal	156	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4288G	43.98	54.00	-10.02	3	Vertical	90	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43568G	55.57	74.00	-18.43	3	Vertical	90	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42944G	43.92	54.00	-10.08	3	Horizontal	329	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4204G	55.42	74.00	-18.58	3	Horizontal	329	1.50
5755MHz	Pass	AV	5.4586G	50.14	54.00	-3.86	3	Vertical	26	2.48
5755MHz	Pass	AV	5.7466G	102.49	Inf	-Inf	3	Vertical	26	2.48
5755MHz	Pass	PK	5.6434G	67.14	68.20	-1.06	3	Vertical	26	2.48
5755MHz	Pass	PK	5.7442G	112.86	Inf	-Inf	3	Vertical	26	2.48
5755MHz	Pass	PK	5.9926G	62.82	68.20	-5.38	3	Vertical	26	2.48
5755MHz	Pass	AV	5.4586G	49.73	54.00	-4.27	3	Horizontal	161	2.44
5755MHz	Pass	AV	5.7466G	94.82	Inf	-Inf	3	Horizontal	161	2.44
5755MHz	Pass	PK	5.6494G	61.97	68.20	-6.23	3	Horizontal	161	2.44
5755MHz	Pass	PK	5.7514G	104.74	Inf	-Inf	3	Horizontal	161	2.44
5755MHz	Pass	PK	5.9506G	63.12	68.20	-5.08	3	Horizontal	161	2.44
5755MHz	Pass	AV	11.50808G	44.03	54.00	-9.97	3	Vertical	95	1.50
5755MHz	Pass	PK	11.52792G	55.35	74.00	-18.65	3	Vertical	95	1.50
5755MHz	Pass	AV	11.49424G	44.01	54.00	-9.99	3	Horizontal	137	1.50
5755MHz	Pass	PK	11.50256G	55.19	74.00	-18.81	3	Horizontal	137	1.50
5795MHz	Pass	AV	5.7806G	100.68	Inf	-Inf	3	Vertical	201	3.00
5795MHz	Pass	PK	5.5574G	67.05	68.20	-1.15	3	Vertical	201	3.00
5795MHz	Pass	PK	5.7782G	112.45	Inf	-Inf	3	Vertical	201	3.00
5795MHz	Pass	PK	6.0446G	63.10	68.20	-5.10	3	Vertical	201	3.00
5795MHz	Pass	AV	5.7878G	93.28	Inf	-Inf	3	Horizontal	75	1.22
5795MHz	Pass	PK	5.5334G	61.11	68.20	-7.09	3	Horizontal	75	1.22
5795MHz	Pass	PK	5.789G	104.28	Inf	-Inf	3	Horizontal	75	1.22
5795MHz	Pass	PK	6.0134G	63.01	68.20	-5.19	3	Horizontal	75	1.22
5795MHz	Pass	AV	11.57136G	43.27	54.00	-10.73	3	Vertical	325	1.83
5795MHz	Pass	PK	11.59512G	54.72	74.00	-19.28	3	Vertical	325	1.83
5795MHz	Pass	AV	11.5744G	43.41	54.00	-10.59	3	Horizontal	251	1.50
5795MHz	Pass	PK	11.5864G	55.12	74.00	-18.88	3	Horizontal	251	1.50
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	53.55	54.00	-0.45	3	Vertical	107	2.46
5210MHz	Pass	AV	5.224G	97.72	Inf	-Inf	3	Vertical	107	2.46
5210MHz	Pass	AV	5.44G	51.95	54.00	-2.05	3	Vertical	107	2.46
5210MHz	Pass	PK	5.145G	63.81	74.00	-10.19	3	Vertical	107	2.46
5210MHz	Pass	PK	5.217G	108.80	Inf	-Inf	3	Vertical	107	2.46
5210MHz	Pass	PK	5.353G	62.22	74.00	-11.78	3	Vertical	107	2.46
5210MHz	Pass	AV	5.111G	50.81	54.00	-3.19	3	Horizontal	75	1.16
5210MHz	Pass	AV	5.225G	88.71	Inf	-Inf	3	Horizontal	75	1.16
5210MHz	Pass	AV	5.454G	50.84	54.00	-3.16	3	Horizontal	75	1.16
5210MHz	Pass	PK	5.004G	61.54	74.00	-12.46	3	Horizontal	75	1.16
5210MHz	Pass	PK	5.226G	99.36	Inf	-Inf	3	Horizontal	75	1.16
5210MHz	Pass	PK	5.45G	62.09	74.00	-11.91	3	Horizontal	75	1.16
5210MHz	Pass	PK	10.41152G	54.01	68.20	-14.19	3	Vertical	251	2.95
5210MHz	Pass	PK	10.38944G	54.23	68.20	-13.97	3	Horizontal	4	1.50
5290MHz	Pass	AV	5.117G	50.66	54.00	-3.34	3	Vertical	196	2.87
5290MHz	Pass	AV	5.281G	96.55	Inf	-Inf	3	Vertical	196	2.87
5290MHz	Pass	AV	5.388G	53.59	54.00	-0.41	3	Vertical	196	2.87
5290MHz	Pass	PK	5.075G	60.84	74.00	-13.16	3	Vertical	196	2.87
5290MHz	Pass	PK	5.28G	107.65	Inf	-Inf	3	Vertical	196	2.87
5290MHz	Pass	PK	5.388G	63.36	74.00	-10.64	3	Vertical	196	2.87



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.516G	62.18	68.20	-6.02	3	Vertical	196	2.87
5290MHz	Pass	AV	5.135G	50.27	54.00	-3.73	3	Horizontal	71	1.41
5290MHz	Pass	AV	5.297G	87.74	Inf	-Inf	3	Horizontal	71	1.41
5290MHz	Pass	AV	5.445G	51.19	54.00	-2.81	3	Horizontal	71	1.41
5290MHz	Pass	PK	5.091G	60.74	74.00	-13.26	3	Horizontal	71	1.41
5290MHz	Pass	PK	5.289G	98.83	Inf	-Inf	3	Horizontal	71	1.41
5290MHz	Pass	PK	5.381G	61.41	74.00	-12.59	3	Horizontal	71	1.41
5290MHz	Pass	PK	5.464G	61.25	68.20	-6.95	3	Horizontal	71	1.41
5290MHz	Pass	PK	10.61488G	54.64	74.00	-19.36	3	Vertical	320	1.50
5290MHz	Pass	PK	10.59296G	54.16	68.20	-14.04	3	Horizontal	165	1.50
5530MHz	Pass	AV	5.35G	49.80	54.00	-4.20	3	Vertical	201	2.72
5530MHz	Pass	AV	5.441G	53.60	54.00	-0.40	3	Vertical	201	2.72
5530MHz	Pass	AV	5.517G	96.91	Inf	-Inf	3	Vertical	201	2.72
5530MHz	Pass	PK	5.303G	60.67	68.20	-7.53	3	Vertical	201	2.72
5530MHz	Pass	PK	5.437G	63.70	74.00	-10.30	3	Vertical	201	2.72
5530MHz	Pass	PK	5.468G	63.22	68.20	-4.98	3	Vertical	201	2.72
5530MHz	Pass	PK	5.525G	107.52	Inf	-Inf	3	Vertical	201	2.72
5530MHz	Pass	PK	5.727G	61.97	68.20	-6.23	3	Vertical	201	2.72
5530MHz	Pass	AV	5.35G	49.50	54.00	-4.50	3	Horizontal	13	1.13
5530MHz	Pass	AV	5.455G	51.01	54.00	-2.99	3	Horizontal	13	1.13
5530MHz	Pass	AV	5.523G	88.12	Inf	-Inf	3	Horizontal	13	1.13
5530MHz	Pass	PK	5.338G	60.97	68.20	-7.23	3	Horizontal	13	1.13
5530MHz	Pass	PK	5.457G	61.23	74.00	-12.77	3	Horizontal	13	1.13
5530MHz	Pass	PK	5.468G	60.46	68.20	-7.74	3	Horizontal	13	1.13
5530MHz	Pass	PK	5.52G	99.15	Inf	-Inf	3	Horizontal	13	1.13
5530MHz	Pass	PK	5.746G	61.78	68.20	-6.42	3	Horizontal	13	1.13
5530MHz	Pass	AV	11.06432G	43.28	54.00	-10.72	3	Vertical	265	1.50
5530MHz	Pass	PK	11.02944G	53.89	74.00	-20.11	3	Vertical	265	1.50
5530MHz	Pass	AV	11.08288G	43.03	54.00	-10.97	3	Horizontal	280	1.86
5530MHz	Pass	PK	11.09184G	53.85	74.00	-20.15	3	Horizontal	280	1.86
5610MHz	Pass	AV	5.457G	52.25	54.00	-1.75	3	Vertical	193	2.87
5610MHz	Pass	AV	5.597G	97.59	Inf	-Inf	3	Vertical	193	2.87
5610MHz	Pass	PK	5.457G	65.28	74.00	-8.72	3	Vertical	193	2.87
5610MHz	Pass	PK	5.467G	68.00	68.20	-0.20	3	Vertical	193	2.87
5610MHz	Pass	PK	5.593G	107.76	Inf	-Inf	3	Vertical	193	2.87
5610MHz	Pass	PK	5.727G	66.49	68.20	-1.71	3	Vertical	193	2.87
5610MHz	Pass	AV	5.458G	50.38	54.00	-3.62	3	Horizontal	164	1.50
5610MHz	Pass	AV	5.595G	88.87	Inf	-Inf	3	Horizontal	164	1.50
5610MHz	Pass	PK	5.44G	62.06	74.00	-11.94	3	Horizontal	164	1.50
5610MHz	Pass	PK	5.464G	61.36	68.20	-6.84	3	Horizontal	164	1.50
5610MHz	Pass	PK	5.596G	99.44	Inf	-Inf	3	Horizontal	164	1.50
5610MHz	Pass	PK	5.857G	62.11	68.20	-6.09	3	Horizontal	164	1.50
5610MHz	Pass	AV	11.25568G	43.97	54.00	-10.03	3	Vertical	347	1.50
5610MHz	Pass	PK	11.23808G	54.83	74.00	-19.17	3	Vertical	347	1.50
5610MHz	Pass	AV	11.25984G	43.84	54.00	-10.16	3	Horizontal	360	1.50
5610MHz	Pass	PK	11.20288G	54.98	74.00	-19.02	3	Horizontal	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	53.77	54.00	-0.23	3	Vertical	27	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	101.20	Inf	-Inf	3	Vertical	27	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	66.30	74.00	-7.70	3	Vertical	27	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	67.83	68.20	-0.37	3	Vertical	27	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.684G	111.40	Inf	-Inf	3	Vertical	27	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	67.88	68.20	-0.32	3	Vertical	27	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	50.54	54.00	-3.46	3	Horizontal	163	2.08
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	92.63	Inf	-Inf	3	Horizontal	163	2.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3912G	61.14	74.00	-12.86	3	Horizontal	163	2.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	60.04	68.20	-8.16	3	Horizontal	163	2.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6816G	102.77	Inf	-Inf	3	Horizontal	163	2.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	64.92	68.20	-3.28	3	Horizontal	163	2.08
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40032G	44.41	54.00	-9.59	3	Vertical	256	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39616G	55.73	74.00	-18.27	3	Vertical	256	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.4136G	44.58	54.00	-9.42	3	Horizontal	172	1.75
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3872G	55.55	74.00	-18.45	3	Horizontal	172	1.75




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	AV	5.7486G	99.37	Inf	-Inf	3	Vertical	27	2.52
5775MHz	Pass	PK	5.649G	67.04	68.20	-1.16	3	Vertical	27	2.52
5775MHz	Pass	PK	5.7438G	108.81	Inf	-Inf	3	Vertical	27	2.52
5775MHz	Pass	PK	6.0738G	62.80	68.20	-5.40	3	Vertical	27	2.52
5775MHz	Pass	AV	5.7594G	91.58	Inf	-Inf	3	Horizontal	76	1.00
5775MHz	Pass	PK	5.6214G	62.16	68.20	-6.04	3	Horizontal	76	1.00
5775MHz	Pass	PK	5.7498G	101.34	Inf	-Inf	3	Horizontal	76	1.00
5775MHz	Pass	PK	6.0642G	63.11	68.20	-5.09	3	Horizontal	76	1.00
5775MHz	Pass	AV	11.52744G	44.36	54.00	-9.64	3	Vertical	339	1.50
5775MHz	Pass	PK	11.52488G	55.06	74.00	-18.94	3	Vertical	339	1.50
5775MHz	Pass	AV	11.5276G	44.65	54.00	-9.35	3	Horizontal	33	1.06
5775MHz	Pass	PK	11.54104G	54.90	74.00	-19.10	3	Horizontal	33	1.06
802.11be EHT160_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1264G	52.28	54.00	-1.72	3	Vertical	195	2.64
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3268G	94.02	Inf	-Inf	3	Vertical	195	2.64
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4072G	53.50	54.00	-0.50	3	Vertical	195	2.64
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1492G	62.28	74.00	-11.72	3	Vertical	195	2.64
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3268G	103.47	Inf	-Inf	3	Vertical	195	2.64
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3748G	65.29	74.00	-8.71	3	Vertical	195	2.64
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5176G	61.52	68.20	-6.68	3	Vertical	195	2.64
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1252G	51.60	54.00	-2.40	3	Horizontal	73	1.22
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2248G	85.25	Inf	-Inf	3	Horizontal	73	1.22
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4552G	51.91	54.00	-2.09	3	Horizontal	73	1.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0088G	60.72	74.00	-13.28	3	Horizontal	73	1.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2644G	95.34	Inf	-Inf	3	Horizontal	73	1.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.43G	61.78	74.00	-12.22	3	Horizontal	73	1.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5092G	61.81	68.20	-6.39	3	Horizontal	73	1.22
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5464G	54.54	68.20	-13.66	3	Vertical	113	2.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.492G	54.17	68.20	-14.03	3	Horizontal	237	1.37
5570MHz	Pass	AV	5.45G	53.69	54.00	-0.31	3	Vertical	199	2.49
5570MHz	Pass	AV	5.5124G	95.06	Inf	-Inf	3	Vertical	199	2.49
5570MHz	Pass	PK	5.336G	61.42	68.20	-6.78	3	Vertical	199	2.49
5570MHz	Pass	PK	5.45G	65.61	74.00	-8.39	3	Vertical	199	2.49
5570MHz	Pass	PK	5.468G	63.73	68.20	-4.47	3	Vertical	199	2.49
5570MHz	Pass	PK	5.504G	104.09	Inf	-Inf	3	Vertical	199	2.49
5570MHz	Pass	PK	5.8556G	62.73	68.20	-5.47	3	Vertical	199	2.49
5570MHz	Pass	AV	5.4344G	51.58	54.00	-2.42	3	Horizontal	164	1.50
5570MHz	Pass	AV	5.5988G	85.63	Inf	-Inf	3	Horizontal	164	1.50
5570MHz	Pass	PK	5.3468G	60.86	68.20	-7.34	3	Horizontal	164	1.50
5570MHz	Pass	PK	5.4356G	60.54	74.00	-13.46	3	Horizontal	164	1.50
5570MHz	Pass	PK	5.4608G	60.39	68.20	-7.81	3	Horizontal	164	1.50
5570MHz	Pass	PK	5.564G	94.43	Inf	-Inf	3	Horizontal	164	1.50
5570MHz	Pass	PK	5.8316G	62.64	68.20	-5.56	3	Horizontal	164	1.50
5570MHz	Pass	AV	11.19152G	44.21	54.00	-9.79	3	Vertical	160	1.50
5570MHz	Pass	PK	11.10704G	54.73	74.00	-19.27	3	Vertical	160	1.50
5570MHz	Pass	AV	11.1912G	44.35	54.00	-9.65	3	Horizontal	351	1.35
5570MHz	Pass	PK	11.11216G	54.08	74.00	-19.92	3	Horizontal	351	1.35


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.55	54.00	-0.45	6.46	3	Vertical	107	2.46	47.09	33.40	8.09	35.03
AV	5.224G	97.72	Inf	-Inf	6.44	3	Vertical	107	2.46	91.28	33.35	8.13	35.04
AV	5.44G	51.95	54.00	-2.05	6.36	3	Vertical	107	2.46	45.59	33.18	8.26	35.08
PK	5.145G	63.81	74.00	-10.19	6.45	3	Vertical	107	2.46	57.36	33.39	8.09	35.03
PK	5.217G	108.80	Inf	-Inf	6.46	3	Vertical	107	2.46	102.34	33.37	8.13	35.04
PK	5.353G	62.22	74.00	-11.78	6.14	3	Vertical	107	2.46	56.08	33.01	8.19	35.06

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.111G	50.81	54.00	-3.19	6.38	3	Horizontal	75	1.16	44.43	33.32	8.08	35.02
AV	5.225G	88.71	Inf	-Inf	6.44	3	Horizontal	75	1.16	82.27	33.35	8.13	35.04
AV	5.454G	50.84	54.00	-3.16	6.40	3	Horizontal	75	1.16	44.44	33.20	8.28	35.08
PK	5.004G	61.54	74.00	-12.46	6.52	3	Horizontal	75	1.16	55.02	33.50	8.02	35.00
PK	5.226G	99.36	Inf	-Inf	6.44	3	Horizontal	75	1.16	92.92	33.35	8.13	35.04
PK	5.45G	62.09	74.00	-11.91	6.39	3	Horizontal	75	1.16	55.70	33.20	8.27	35.08


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.15-5.25GHz_TX






5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX



5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	50.98	54.00	-3.02	6.46	3	Vertical	107	3.00	44.52	33.40	8.09	35.03
AV	5.2546G	106.45	Inf	-Inf	6.37	3	Vertical	107	3.00	100.08	33.28	8.14	35.05
AV	5.35G	53.26	54.00	-0.74	6.13	3	Vertical	107	3.00	47.13	33.00	8.19	35.06
PK	5.1454G	70.30	74.00	-3.70	6.45	3	Vertical	107	3.00	63.85	33.39	8.09	35.03
PK	5.2534G	118.51	Inf	-Inf	6.38	3	Vertical	107	3.00	112.13	33.29	8.14	35.05
PK	5.3614G	73.71	74.00	-0.29	6.14	3	Vertical	107	3.00	67.57	33.02	8.19	35.07

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	49.51	54.00	-4.49	6.45	3	Horizontal	16	1.01	43.06	33.39	8.09	35.03
AV	5.2582G	97.60	Inf	-Inf	6.37	3	Horizontal	16	1.01	91.23	33.27	8.15	35.05
AV	5.3902G	50.23	54.00	-3.77	6.22	3	Horizontal	16	1.01	44.01	33.08	8.21	35.07
PK	5.1412G	63.48	74.00	-10.52	6.44	3	Horizontal	16	1.01	57.04	33.38	8.09	35.03
PK	5.2528G	108.81	Inf	-Inf	6.38	3	Horizontal	16	1.01	102.43	33.29	8.14	35.05
PK	5.3506G	67.17	74.00	-6.83	6.13	3	Horizontal	16	1.01	61.04	33.00	8.19	35.06


5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	51.40	54.00	-2.60	6.40	3	Vertical	202	2.61	45.00	33.20	8.28	35.08
AV	5.5388G	101.35	Inf	-Inf	6.57	3	Vertical	202	2.61	94.78	33.28	8.38	35.09
PK	5.4516G	64.84	74.00	-9.16	6.39	3	Vertical	202	2.61	58.45	33.20	8.27	35.08
PK	5.4676G	68.05	68.20	-0.15	6.41	3	Vertical	202	2.61	61.64	33.20	8.29	35.08
PK	5.5436G	112.63	Inf	-Inf	6.59	3	Vertical	202	2.61	106.04	33.29	8.39	35.09

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	49.79	54.00	-4.21	6.40	3	Horizontal	164	1.65	43.39	33.20	8.28	35.08
AV	5.5444G	91.71	Inf	-Inf	6.59	3	Horizontal	164	1.65	85.12	33.29	8.39	35.09
PK	5.4524G	60.55	74.00	-13.45	6.40	3	Horizontal	164	1.65	54.15	33.20	8.28	35.08
PK	5.464G	61.21	68.20	-6.99	6.41	3	Horizontal	164	1.65	54.80	33.20	8.29	35.08
PK	5.5364G	102.84	Inf	-Inf	6.56	3	Horizontal	164	1.65	96.28	33.27	8.38	35.09


5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	52.25	54.00	-1.75	6.40	3	Vertical	193	2.87	45.85	33.20	8.28	35.08
AV	5.597G	97.59	Inf	-Inf	6.66	3	Vertical	193	2.87	90.93	33.30	8.46	35.10
PK	5.457G	65.28	74.00	-8.72	6.40	3	Vertical	193	2.87	58.88	33.20	8.28	35.08
PK	5.467G	68.00	68.20	-0.20	6.41	3	Vertical	193	2.87	61.59	33.20	8.29	35.08
PK	5.593G	107.76	Inf	-Inf	6.65	3	Vertical	193	2.87	101.11	33.30	8.45	35.10
PK	5.727G	66.49	68.20	-1.71	7.34	3	Vertical	193	2.87	59.15	33.86	8.59	35.11

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.38	54.00	-3.62	6.40	3	Horizontal	164	1.50	43.98	33.20	8.28	35.08
AV	5.595G	88.87	Inf	-Inf	6.65	3	Horizontal	164	1.50	82.22	33.30	8.45	35.10
PK	5.44G	62.06	74.00	-11.94	6.36	3	Horizontal	164	1.50	55.70	33.18	8.26	35.08
PK	5.464G	61.36	68.20	-6.84	6.41	3	Horizontal	164	1.50	54.95	33.20	8.29	35.08
PK	5.596G	99.44	Inf	-Inf	6.66	3	Horizontal	164	1.50	92.78	33.30	8.46	35.10
PK	5.857G	62.11	68.20	-6.09	7.96	3	Horizontal	164	1.50	54.15	34.41	8.68	35.13


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX





RSE TX above 1GHz_Non-Beamforming_ Radio 2_Full RU_4T1S_AP5022

Appendix E.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.146G	53.72	54.00	-0.28	3	Horizontal	59	1.92
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.1384G	53.87	54.00	-0.13	3	Horizontal	54	1.71
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.148G	53.71	54.00	-0.29	3	Horizontal	51	1.70
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.145G	53.28	54.00	-0.72	3	Horizontal	66	1.82
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.3556G	53.67	54.00	-0.33	3	Horizontal	64	1.92
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3658G	53.70	54.00	-0.30	3	Horizontal	50	1.72
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.3626G	73.93	74.00	-0.07	3	Horizontal	63	1.83
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.3508G	53.83	54.00	-0.17	3	Horizontal	66	1.98
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.361G	53.57	54.00	-0.43	3	Horizontal	64	1.84
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.4596G	53.72	54.00	-0.28	3	Horizontal	63	2.03
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.46G	53.91	54.00	-0.09	3	Horizontal	61	1.99
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.466G	68.17	68.20	-0.03	3	Horizontal	64	1.94
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.733G	68.15	68.20	-0.05	3	Horizontal	58	2.09
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	PK	5.4692G	67.61	68.20	-0.59	3	Horizontal	59	2.08
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.6382G	67.91	68.20	-0.29	3	Horizontal	62	2.05
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.645G	66.95	68.20	-1.25	3	Horizontal	59	2.73
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.6506G	68.46	68.64	-0.18	3	Horizontal	53	1.99
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.6502G	67.57	68.35	-0.78	3	Horizontal	59	2.65



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022**

Appendix E.16

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1474G	51.50	54.00	-2.50	3	Vertical	352	2.41
5180MHz	Pass	AV	5.1874G	103.61	Inf	-Inf	3	Vertical	352	2.41
5180MHz	Pass	PK	5.1376G	60.85	74.00	-13.15	3	Vertical	352	2.41
5180MHz	Pass	PK	5.1862G	111.44	Inf	-Inf	3	Vertical	352	2.41
5180MHz	Pass	AV	5.146G	53.72	54.00	-0.28	3	Horizontal	59	1.92
5180MHz	Pass	AV	5.1874G	112.35	Inf	-Inf	3	Horizontal	59	1.92
5180MHz	Pass	PK	5.1484G	63.70	74.00	-10.30	3	Horizontal	59	1.92
5180MHz	Pass	PK	5.1862G	120.57	Inf	-Inf	3	Horizontal	59	1.92
5180MHz	Pass	PK	10.3568G	54.08	68.20	-14.12	3	Vertical	20	1.50
5180MHz	Pass	PK	10.3684G	53.93	68.20	-14.27	3	Horizontal	360	1.50
5200MHz	Pass	AV	5.1488G	51.16	54.00	-2.84	3	Vertical	351	2.37
5200MHz	Pass	AV	5.2068G	103.24	Inf	-Inf	3	Vertical	351	2.37
5200MHz	Pass	PK	5.1376G	60.74	74.00	-13.26	3	Vertical	351	2.37
5200MHz	Pass	PK	5.206G	110.46	Inf	-Inf	3	Vertical	351	2.37
5200MHz	Pass	AV	5.1476G	53.29	54.00	-0.71	3	Horizontal	59	1.79
5200MHz	Pass	AV	5.2076G	111.85	Inf	-Inf	3	Horizontal	59	1.79
5200MHz	Pass	PK	5.1468G	65.66	74.00	-8.34	3	Horizontal	59	1.79
5200MHz	Pass	PK	5.2072G	119.47	Inf	-Inf	3	Horizontal	59	1.79
5200MHz	Pass	PK	10.40512G	53.43	68.20	-14.77	3	Vertical	80	1.54
5200MHz	Pass	PK	10.40852G	53.83	68.20	-14.37	3	Horizontal	67	1.50
5240MHz	Pass	AV	5.1386G	51.18	54.00	-2.82	3	Vertical	347	1.35
5240MHz	Pass	AV	5.237G	105.72	Inf	-Inf	3	Vertical	347	1.35
5240MHz	Pass	AV	5.3774G	52.24	54.00	-1.76	3	Vertical	347	1.35
5240MHz	Pass	PK	5.1338G	64.52	74.00	-9.48	3	Vertical	347	1.35
5240MHz	Pass	PK	5.2376G	112.60	Inf	-Inf	3	Vertical	347	1.35
5240MHz	Pass	PK	5.3504G	63.96	74.00	-10.04	3	Vertical	347	1.35
5240MHz	Pass	AV	5.1362G	53.57	54.00	-0.43	3	Horizontal	52	1.50
5240MHz	Pass	AV	5.246G	114.22	Inf	-Inf	3	Horizontal	52	1.50
5240MHz	Pass	AV	5.3534G	53.31	54.00	-0.69	3	Horizontal	52	1.50
5240MHz	Pass	PK	5.1422G	72.27	74.00	-1.73	3	Horizontal	52	1.50
5240MHz	Pass	PK	5.246G	122.73	Inf	-Inf	3	Horizontal	52	1.50
5240MHz	Pass	PK	5.3504G	66.73	74.00	-7.27	3	Horizontal	52	1.50
5240MHz	Pass	PK	10.47896G	54.63	68.20	-13.57	3	Vertical	360	1.67
5240MHz	Pass	PK	10.47604G	54.55	68.20	-13.65	3	Horizontal	267	2.51
5260MHz	Pass	AV	5.1472G	51.18	54.00	-2.82	3	Vertical	349	1.31
5260MHz	Pass	AV	5.2564G	105.76	Inf	-Inf	3	Vertical	349	1.31
5260MHz	Pass	AV	5.3962G	51.75	54.00	-2.25	3	Vertical	349	1.31
5260MHz	Pass	PK	5.1376G	60.61	74.00	-13.39	3	Vertical	349	1.31
5260MHz	Pass	PK	5.2576G	112.97	Inf	-Inf	3	Vertical	349	1.31
5260MHz	Pass	PK	5.4058G	61.57	74.00	-12.43	3	Vertical	349	1.31
5260MHz	Pass	AV	5.149G	52.05	54.00	-1.95	3	Horizontal	55	1.67
5260MHz	Pass	AV	5.2666G	113.98	Inf	-Inf	3	Horizontal	55	1.67
5260MHz	Pass	AV	5.3518G	53.44	54.00	-0.56	3	Horizontal	55	1.67
5260MHz	Pass	PK	5.1478G	62.00	74.00	-12.00	3	Horizontal	55	1.67
5260MHz	Pass	PK	5.266G	122.07	Inf	-Inf	3	Horizontal	55	1.67
5260MHz	Pass	PK	5.3512G	68.38	74.00	-5.62	3	Horizontal	55	1.67
5260MHz	Pass	PK	10.52804G	54.25	68.20	-13.95	3	Vertical	98	1.47
5260MHz	Pass	PK	10.51808G	55.00	68.20	-13.20	3	Horizontal	27	1.50
5300MHz	Pass	AV	5.2972G	104.69	Inf	-Inf	3	Vertical	350	1.29
5300MHz	Pass	AV	5.3756G	51.94	54.00	-2.06	3	Vertical	350	1.29
5300MHz	Pass	PK	5.2976G	112.55	Inf	-Inf	3	Vertical	350	1.29
5300MHz	Pass	PK	5.3576G	62.27	74.00	-11.73	3	Vertical	350	1.29
5300MHz	Pass	AV	5.3064G	112.42	Inf	-Inf	3	Horizontal	51	1.48
5300MHz	Pass	AV	5.3672G	53.49	54.00	-0.51	3	Horizontal	51	1.48
5300MHz	Pass	PK	5.3064G	121.03	Inf	-Inf	3	Horizontal	51	1.48
5300MHz	Pass	PK	5.3576G	66.67	74.00	-7.33	3	Horizontal	51	1.48
5300MHz	Pass	PK	10.59004G	54.11	68.20	-14.09	3	Vertical	66	1.50
5300MHz	Pass	PK	10.59212G	53.89	68.20	-14.31	3	Horizontal	252	1.95
5320MHz	Pass	AV	5.3172G	104.29	Inf	-Inf	3	Vertical	348	1.28
5320MHz	Pass	AV	5.3698G	51.93	54.00	-2.07	3	Vertical	348	1.28



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3172G	111.76	Inf	-Inf	3	Vertical	348	1.28
5320MHz	Pass	PK	5.3664G	61.59	74.00	-12.41	3	Vertical	348	1.28
5320MHz	Pass	AV	5.3254G	111.96	Inf	-Inf	3	Horizontal	50	1.72
5320MHz	Pass	AV	5.3658G	53.70	54.00	-0.30	3	Horizontal	50	1.72
5320MHz	Pass	PK	5.3262G	120.14	Inf	-Inf	3	Horizontal	50	1.72
5320MHz	Pass	PK	5.3508G	63.29	74.00	-10.71	3	Horizontal	50	1.72
5320MHz	Pass	AV	10.64408G	44.57	54.00	-9.43	3	Vertical	333	2.43
5320MHz	Pass	PK	10.63008G	54.02	74.00	-19.98	3	Vertical	333	2.43
5320MHz	Pass	AV	10.64144G	44.25	54.00	-9.75	3	Horizontal	360	1.50
5320MHz	Pass	PK	10.64648G	54.48	74.00	-19.52	3	Horizontal	360	1.50
5500MHz	Pass	AV	5.4574G	52.03	54.00	-1.97	3	Vertical	350	3.00
5500MHz	Pass	AV	5.5054G	104.52	Inf	-Inf	3	Vertical	350	3.00
5500MHz	Pass	PK	5.4508G	61.68	74.00	-12.32	3	Vertical	350	3.00
5500MHz	Pass	PK	5.4672G	61.03	68.20	-7.17	3	Vertical	350	3.00
5500MHz	Pass	PK	5.505G	112.45	Inf	-Inf	3	Vertical	350	3.00
5500MHz	Pass	AV	5.4596G	53.72	54.00	-0.28	3	Horizontal	63	2.03
5500MHz	Pass	AV	5.5012G	110.60	Inf	-Inf	3	Horizontal	63	2.03
5500MHz	Pass	PK	5.46G	63.90	74.00	-10.10	3	Horizontal	63	2.03
5500MHz	Pass	PK	5.4698G	63.22	68.20	-4.98	3	Horizontal	63	2.03
5500MHz	Pass	PK	5.5008G	117.98	Inf	-Inf	3	Horizontal	63	2.03
5500MHz	Pass	AV	11.0058G	44.07	54.00	-9.93	3	Vertical	329	1.01
5500MHz	Pass	PK	11.00744G	54.84	74.00	-19.16	3	Vertical	329	1.01
5500MHz	Pass	AV	10.99832G	44.22	54.00	-9.78	3	Horizontal	18	1.50
5500MHz	Pass	PK	10.99104G	53.82	74.00	-20.18	3	Horizontal	18	1.50
5580MHz	Pass	AV	5.4402G	51.42	54.00	-2.58	3	Vertical	351	2.86
5580MHz	Pass	AV	5.586G	108.75	Inf	-Inf	3	Vertical	351	2.86
5580MHz	Pass	PK	5.4588G	60.33	74.00	-13.67	3	Vertical	351	2.86
5580MHz	Pass	PK	5.4696G	60.98	68.20	-7.22	3	Vertical	351	2.86
5580MHz	Pass	PK	5.586G	116.37	Inf	-Inf	3	Vertical	351	2.86
5580MHz	Pass	PK	5.7252G	60.80	68.20	-7.40	3	Vertical	351	2.86
5580MHz	Pass	AV	5.4336G	52.71	54.00	-1.29	3	Horizontal	64	2.17
5580MHz	Pass	AV	5.5818G	114.89	Inf	-Inf	3	Horizontal	64	2.17
5580MHz	Pass	PK	5.4564G	66.39	74.00	-7.61	3	Horizontal	64	2.17
5580MHz	Pass	PK	5.4624G	62.50	68.20	-5.70	3	Horizontal	64	2.17
5580MHz	Pass	PK	5.5818G	122.00	Inf	-Inf	3	Horizontal	64	2.17
5580MHz	Pass	PK	5.7276G	62.13	68.20	-6.07	3	Horizontal	64	2.17
5580MHz	Pass	AV	11.15684G	44.72	54.00	-9.28	3	Vertical	114	1.50
5580MHz	Pass	PK	11.16516G	54.95	74.00	-19.05	3	Vertical	114	1.50
5580MHz	Pass	AV	11.15252G	44.86	54.00	-9.14	3	Horizontal	94	1.50
5580MHz	Pass	PK	11.15252G	54.61	74.00	-19.39	3	Horizontal	94	1.50
5700MHz	Pass	AV	5.698G	100.06	Inf	-Inf	3	Vertical	348	1.65
5700MHz	Pass	PK	5.6976G	108.03	Inf	-Inf	3	Vertical	348	1.65
5700MHz	Pass	PK	5.7832G	62.81	68.20	-5.39	3	Vertical	348	1.65
5700MHz	Pass	AV	5.7024G	109.26	Inf	-Inf	3	Horizontal	61	2.08
5700MHz	Pass	PK	5.7028G	116.11	Inf	-Inf	3	Horizontal	61	2.08
5700MHz	Pass	PK	5.7252G	67.74	68.20	-0.46	3	Horizontal	61	2.08
5700MHz	Pass	AV	11.40272G	45.77	54.00	-8.23	3	Vertical	119	1.50
5700MHz	Pass	PK	11.39152G	55.81	74.00	-18.19	3	Vertical	119	1.50
5700MHz	Pass	AV	11.39524G	46.00	54.00	-8.00	3	Horizontal	206	1.50
5700MHz	Pass	PK	11.40836G	55.28	74.00	-18.72	3	Horizontal	206	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	51.58	54.00	-2.42	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	107.22	Inf	-Inf	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	61.05	74.00	-12.95	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	60.04	68.20	-8.16	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	114.37	Inf	-Inf	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	65.18	68.20	-3.02	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	52.51	54.00	-1.49	3	Horizontal	60	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	115.81	Inf	-Inf	3	Horizontal	60	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	64.24	74.00	-9.76	3	Horizontal	60	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	64.22	68.20	-3.98	3	Horizontal	60	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	123.50	Inf	-Inf	3	Horizontal	60	2.03
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8712G	67.31	68.20	-0.89	3	Horizontal	60	2.03



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43428G	45.56	54.00	-8.44	3	Vertical	350	2.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43648G	55.78	74.00	-18.22	3	Vertical	350	2.47
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43952G	45.48	54.00	-8.52	3	Horizontal	81	2.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43848G	55.66	74.00	-18.34	3	Horizontal	81	2.46
5745MHz	Pass	AV	5.457G	51.35	54.00	-2.65	3	Vertical	339	2.89
5745MHz	Pass	AV	5.7462G	111.39	Inf	-Inf	3	Vertical	339	2.89
5745MHz	Pass	PK	5.6406G	62.51	68.20	-5.69	3	Vertical	339	2.89
5745MHz	Pass	PK	5.7462G	118.94	Inf	-Inf	3	Vertical	339	2.89
5745MHz	Pass	PK	5.9958G	62.54	68.20	-5.66	3	Vertical	339	2.89
5745MHz	Pass	AV	5.457G	52.07	54.00	-1.93	3	Horizontal	62	2.05
5745MHz	Pass	AV	5.7486G	117.37	Inf	-Inf	3	Horizontal	62	2.05
5745MHz	Pass	PK	5.6382G	67.91	68.20	-0.29	3	Horizontal	62	2.05
5745MHz	Pass	PK	5.7486G	125.38	Inf	-Inf	3	Horizontal	62	2.05
5745MHz	Pass	PK	5.9934G	62.98	68.20	-5.22	3	Horizontal	62	2.05
5745MHz	Pass	AV	11.48256G	45.67	54.00	-8.33	3	Vertical	350	1.50
5745MHz	Pass	PK	11.49916G	55.18	74.00	-18.82	3	Vertical	350	1.50
5745MHz	Pass	AV	11.48072G	45.83	54.00	-8.17	3	Horizontal	327	1.57
5745MHz	Pass	PK	11.48356G	55.35	74.00	-18.65	3	Horizontal	327	1.57
5785MHz	Pass	AV	5.7838G	105.94	Inf	-Inf	3	Vertical	349	1.50
5785MHz	Pass	PK	5.6506G	63.00	68.64	-5.64	3	Vertical	349	1.50
5785MHz	Pass	PK	5.7838G	112.89	Inf	-Inf	3	Vertical	349	1.50
5785MHz	Pass	PK	5.9386G	62.86	68.20	-5.34	3	Vertical	349	1.50
5785MHz	Pass	AV	5.7898G	113.67	Inf	-Inf	3	Horizontal	64	2.09
5785MHz	Pass	PK	5.6434G	67.69	68.20	-0.51	3	Horizontal	64	2.09
5785MHz	Pass	PK	5.7886G	120.87	Inf	-Inf	3	Horizontal	64	2.09
5785MHz	Pass	PK	6.0322G	64.11	68.20	-4.09	3	Horizontal	64	2.09
5785MHz	Pass	AV	11.57532G	44.79	54.00	-9.21	3	Vertical	117	1.50
5785MHz	Pass	PK	11.56288G	54.68	74.00	-19.32	3	Vertical	117	1.50
5785MHz	Pass	AV	11.5606G	45.13	54.00	-8.87	3	Horizontal	189	1.50
5785MHz	Pass	PK	11.57672G	54.70	74.00	-19.30	3	Horizontal	189	1.50
5825MHz	Pass	AV	5.8238G	105.66	Inf	-Inf	3	Vertical	348	1.45
5825MHz	Pass	PK	5.5982G	60.75	68.20	-7.45	3	Vertical	348	1.45
5825MHz	Pass	PK	5.8238G	112.36	Inf	-Inf	3	Vertical	348	1.45
5825MHz	Pass	PK	5.9846G	63.48	68.20	-4.72	3	Vertical	348	1.45
5825MHz	Pass	AV	5.8286G	113.38	Inf	-Inf	3	Horizontal	58	2.14
5825MHz	Pass	PK	5.633G	66.12	68.20	-2.08	3	Horizontal	58	2.14
5825MHz	Pass	PK	5.8274G	120.46	Inf	-Inf	3	Horizontal	58	2.14
5825MHz	Pass	PK	5.9606G	63.05	68.20	-5.15	3	Horizontal	58	2.14
5825MHz	Pass	AV	11.65468G	44.71	54.00	-9.29	3	Vertical	346	1.50
5825MHz	Pass	PK	11.6482G	54.12	74.00	-19.88	3	Vertical	346	1.50
5825MHz	Pass	AV	11.64696G	44.36	54.00	-9.64	3	Horizontal	35	2.22
5825MHz	Pass	PK	11.64928G	55.26	74.00	-18.74	3	Horizontal	35	2.22
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.141G	49.53	54.00	-4.47	3	Vertical	53	1.00
5180MHz	Pass	AV	5.1766G	101.41	Inf	-Inf	3	Vertical	53	1.00
5180MHz	Pass	PK	5.1404G	61.31	74.00	-12.69	3	Vertical	53	1.00
5180MHz	Pass	PK	5.1764G	112.87	Inf	-Inf	3	Vertical	53	1.00
5180MHz	Pass	AV	5.1384G	53.87	54.00	-0.13	3	Horizontal	54	1.71
5180MHz	Pass	AV	5.1832G	111.32	Inf	-Inf	3	Horizontal	54	1.71
5180MHz	Pass	PK	5.1382G	67.11	74.00	-6.89	3	Horizontal	54	1.71
5180MHz	Pass	PK	5.1784G	123.15	Inf	-Inf	3	Horizontal	54	1.71
5180MHz	Pass	PK	10.36052G	53.65	68.20	-14.55	3	Vertical	235	1.50
5180MHz	Pass	PK	10.36532G	54.17	68.20	-14.03	3	Horizontal	325	2.87
5200MHz	Pass	AV	5.146G	49.32	54.00	-4.68	3	Vertical	54	1.10
5200MHz	Pass	AV	5.2064G	99.62	Inf	-Inf	3	Vertical	54	1.10
5200MHz	Pass	PK	5.1412G	62.42	74.00	-11.58	3	Vertical	54	1.10
5200MHz	Pass	PK	5.1964G	111.18	Inf	-Inf	3	Vertical	54	1.10
5200MHz	Pass	AV	5.148G	52.40	54.00	-1.60	3	Horizontal	49	1.78
5200MHz	Pass	AV	5.2032G	111.20	Inf	-Inf	3	Horizontal	49	1.78
5200MHz	Pass	PK	5.1472G	72.14	74.00	-1.86	3	Horizontal	49	1.78
5200MHz	Pass	PK	5.208G	122.31	Inf	-Inf	3	Horizontal	49	1.78
5200MHz	Pass	PK	10.3954G	54.33	68.20	-13.87	3	Vertical	360	1.01



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	10.40256G	53.80	68.20	-14.40	3	Horizontal	331	1.50
5240MHz	Pass	AV	5.1314G	49.08	54.00	-4.92	3	Vertical	34	1.09
5240MHz	Pass	AV	5.2382G	102.49	Inf	-Inf	3	Vertical	34	1.09
5240MHz	Pass	AV	5.3822G	49.58	54.00	-4.42	3	Vertical	34	1.09
5240MHz	Pass	PK	5.144G	63.43	74.00	-10.57	3	Vertical	34	1.09
5240MHz	Pass	PK	5.243G	114.61	Inf	-Inf	3	Vertical	34	1.09
5240MHz	Pass	PK	5.3534G	61.49	74.00	-12.51	3	Vertical	34	1.09
5240MHz	Pass	AV	5.1482G	51.45	54.00	-2.55	3	Horizontal	65	1.89
5240MHz	Pass	AV	5.246G	114.27	Inf	-Inf	3	Horizontal	65	1.89
5240MHz	Pass	AV	5.3528G	51.71	54.00	-2.29	3	Horizontal	65	1.89
5240MHz	Pass	PK	5.129G	73.60	74.00	-0.40	3	Horizontal	65	1.89
5240MHz	Pass	PK	5.2406G	126.17	Inf	-Inf	3	Horizontal	65	1.89
5240MHz	Pass	PK	5.3636G	71.21	74.00	-2.79	3	Horizontal	65	1.89
5240MHz	Pass	PK	10.4778G	53.49	68.20	-14.71	3	Vertical	143	1.50
5240MHz	Pass	PK	10.4894G	53.73	68.20	-14.47	3	Horizontal	189	2.74
5260MHz	Pass	AV	5.1238G	49.15	54.00	-4.85	3	Vertical	38	2.58
5260MHz	Pass	AV	5.2654G	104.49	Inf	-Inf	3	Vertical	38	2.58
5260MHz	Pass	AV	5.389G	49.80	54.00	-4.20	3	Vertical	38	2.58
5260MHz	Pass	PK	5.1448G	63.04	74.00	-10.96	3	Vertical	38	2.58
5260MHz	Pass	PK	5.2558G	115.18	Inf	-Inf	3	Vertical	38	2.58
5260MHz	Pass	PK	5.3536G	67.09	74.00	-6.91	3	Vertical	38	2.58
5260MHz	Pass	AV	5.1406G	50.32	54.00	-3.68	3	Horizontal	63	1.83
5260MHz	Pass	AV	5.2558G	113.70	Inf	-Inf	3	Horizontal	63	1.83
5260MHz	Pass	AV	5.3518G	51.98	54.00	-2.02	3	Horizontal	63	1.83
5260MHz	Pass	PK	5.149G	72.13	74.00	-1.87	3	Horizontal	63	1.83
5260MHz	Pass	PK	5.2558G	125.07	Inf	-Inf	3	Horizontal	63	1.83
5260MHz	Pass	PK	5.3626G	73.93	74.00	-0.07	3	Horizontal	63	1.83
5260MHz	Pass	PK	10.52144G	53.95	68.20	-14.25	3	Vertical	191	1.50
5260MHz	Pass	PK	10.52816G	54.27	68.20	-13.93	3	Horizontal	257	1.50
5300MHz	Pass	AV	5.3056G	102.21	Inf	-Inf	3	Vertical	336	2.90
5300MHz	Pass	AV	5.3508G	49.77	54.00	-4.23	3	Vertical	336	2.90
5300MHz	Pass	PK	5.3052G	113.22	Inf	-Inf	3	Vertical	336	2.90
5300MHz	Pass	PK	5.3512G	64.56	74.00	-9.44	3	Vertical	336	2.90
5300MHz	Pass	AV	5.3008G	112.02	Inf	-Inf	3	Horizontal	68	1.94
5300MHz	Pass	AV	5.3508G	53.76	54.00	-0.24	3	Horizontal	68	1.94
5300MHz	Pass	PK	5.3056G	122.89	Inf	-Inf	3	Horizontal	68	1.94
5300MHz	Pass	PK	5.3508G	73.18	74.00	-0.82	3	Horizontal	68	1.94
5300MHz	Pass	PK	10.60928G	54.40	74.00	-19.60	3	Vertical	252	1.50
5300MHz	Pass	PK	10.60008G	54.12	74.00	-19.88	3	Horizontal	80	1.50
5320MHz	Pass	AV	5.327G	99.89	Inf	-Inf	3	Vertical	24	2.93
5320MHz	Pass	AV	5.362G	49.35	54.00	-4.65	3	Vertical	24	2.93
5320MHz	Pass	PK	5.3272G	111.27	Inf	-Inf	3	Vertical	24	2.93
5320MHz	Pass	PK	5.3692G	60.90	74.00	-13.10	3	Vertical	24	2.93
5320MHz	Pass	AV	5.3258G	109.99	Inf	-Inf	3	Horizontal	66	1.89
5320MHz	Pass	AV	5.3608G	53.66	54.00	-0.34	3	Horizontal	66	1.89
5320MHz	Pass	PK	5.326G	120.80	Inf	-Inf	3	Horizontal	66	1.89
5320MHz	Pass	PK	5.361G	67.01	74.00	-6.99	3	Horizontal	66	1.89
5320MHz	Pass	AV	10.6304G	41.95	54.00	-12.05	3	Vertical	156	1.50
5320MHz	Pass	PK	10.63296G	54.05	74.00	-19.95	3	Vertical	156	1.50
5320MHz	Pass	AV	10.6406G	42.10	54.00	-11.90	3	Horizontal	16	1.50
5320MHz	Pass	PK	10.64144G	54.06	74.00	-19.94	3	Horizontal	16	1.50
5500MHz	Pass	AV	5.4598G	50.21	54.00	-3.79	3	Vertical	35	2.94
5500MHz	Pass	AV	5.505G	101.85	Inf	-Inf	3	Vertical	35	2.94
5500MHz	Pass	PK	5.4546G	61.25	74.00	-12.75	3	Vertical	35	2.94
5500MHz	Pass	PK	5.4658G	61.46	68.20	-6.74	3	Vertical	35	2.94
5500MHz	Pass	PK	5.5048G	112.94	Inf	-Inf	3	Vertical	35	2.94
5500MHz	Pass	AV	5.46G	53.91	54.00	-0.09	3	Horizontal	61	1.99
5500MHz	Pass	AV	5.5008G	111.47	Inf	-Inf	3	Horizontal	61	1.99
5500MHz	Pass	PK	5.4558G	65.90	74.00	-8.10	3	Horizontal	61	1.99
5500MHz	Pass	PK	5.4604G	67.34	68.20	-0.86	3	Horizontal	61	1.99
5500MHz	Pass	PK	5.4958G	122.88	Inf	-Inf	3	Horizontal	61	1.99
5500MHz	Pass	AV	10.99356G	41.95	54.00	-12.05	3	Vertical	168	2.46



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	11.006G	53.95	74.00	-20.05	3	Vertical	168	2.46
5500MHz	Pass	AV	11.00472G	41.71	54.00	-12.29	3	Horizontal	184	2.39
5500MHz	Pass	PK	10.99908G	53.70	74.00	-20.30	3	Horizontal	184	2.39
5580MHz	Pass	AV	5.4486G	49.33	54.00	-4.67	3	Vertical	30	1.46
5580MHz	Pass	AV	5.5746G	103.26	Inf	-Inf	3	Vertical	30	1.46
5580MHz	Pass	PK	5.4552G	61.31	74.00	-12.69	3	Vertical	30	1.46
5580MHz	Pass	PK	5.4678G	61.24	68.20	-6.96	3	Vertical	30	1.46
5580MHz	Pass	PK	5.5746G	113.43	Inf	-Inf	3	Vertical	30	1.46
5580MHz	Pass	PK	5.7294G	61.22	68.20	-6.98	3	Vertical	30	1.46
5580MHz	Pass	AV	5.4576G	51.25	54.00	-2.75	3	Horizontal	55	2.08
5580MHz	Pass	AV	5.5854G	114.82	Inf	-Inf	3	Horizontal	55	2.08
5580MHz	Pass	PK	5.4504G	66.61	74.00	-7.39	3	Horizontal	55	2.08
5580MHz	Pass	PK	5.4696G	67.70	68.20	-0.50	3	Horizontal	55	2.08
5580MHz	Pass	PK	5.5854G	124.97	Inf	-Inf	3	Horizontal	55	2.08
5580MHz	Pass	PK	5.7258G	62.42	68.20	-5.78	3	Horizontal	55	2.08
5580MHz	Pass	AV	11.1528G	42.09	54.00	-11.91	3	Vertical	178	2.85
5580MHz	Pass	PK	11.15288G	54.29	74.00	-19.71	3	Vertical	178	2.85
5580MHz	Pass	AV	11.15628G	41.99	54.00	-12.01	3	Horizontal	314	1.47
5580MHz	Pass	PK	11.15628G	54.35	74.00	-19.65	3	Horizontal	314	1.47
5700MHz	Pass	AV	5.7052G	96.33	Inf	-Inf	3	Vertical	348	1.74
5700MHz	Pass	PK	5.7048G	106.80	Inf	-Inf	3	Vertical	348	1.74
5700MHz	Pass	PK	5.788G	62.73	68.20	-5.47	3	Vertical	348	1.74
5700MHz	Pass	AV	5.6956G	106.43	Inf	-Inf	3	Horizontal	57	2.15
5700MHz	Pass	PK	5.706G	118.57	Inf	-Inf	3	Horizontal	57	2.15
5700MHz	Pass	PK	5.726G	65.03	68.20	-3.17	3	Horizontal	57	2.15
5700MHz	Pass	AV	11.40008G	43.22	54.00	-10.78	3	Vertical	163	1.59
5700MHz	Pass	PK	11.40016G	55.10	74.00	-18.90	3	Vertical	163	1.59
5700MHz	Pass	AV	11.40104G	43.26	54.00	-10.74	3	Horizontal	151	1.50
5700MHz	Pass	PK	11.40284G	55.21	74.00	-18.79	3	Horizontal	151	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	49.36	54.00	-4.64	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	104.46	Inf	-Inf	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	61.05	74.00	-12.95	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.91	68.20	-8.29	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	114.41	Inf	-Inf	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	62.90	68.20	-5.30	3	Vertical	348	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	50.52	54.00	-3.48	3	Horizontal	52	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	113.95	Inf	-Inf	3	Horizontal	52	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	66.62	74.00	-7.38	3	Horizontal	52	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	65.50	68.20	-2.70	3	Horizontal	52	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	124.18	Inf	-Inf	3	Horizontal	52	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	67.76	68.20	-0.44	3	Horizontal	52	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43684G	43.30	54.00	-10.70	3	Vertical	26	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4344G	55.65	74.00	-18.35	3	Vertical	26	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.437G	43.17	54.00	-10.83	3	Horizontal	60	2.75
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4494G	55.14	74.00	-18.86	3	Horizontal	60	2.75
5745MHz	Pass	AV	5.4558G	49.15	54.00	-4.85	3	Vertical	349	1.38
5745MHz	Pass	AV	5.7402G	104.69	Inf	-Inf	3	Vertical	349	1.38
5745MHz	Pass	PK	5.649G	61.39	68.20	-6.81	3	Vertical	349	1.38
5745MHz	Pass	PK	5.7402G	115.06	Inf	-Inf	3	Vertical	349	1.38
5745MHz	Pass	PK	5.973G	63.40	68.20	-4.80	3	Vertical	349	1.38
5745MHz	Pass	AV	5.451G	50.23	54.00	-3.77	3	Horizontal	54	1.98
5745MHz	Pass	AV	5.7402G	113.32	Inf	-Inf	3	Horizontal	54	1.98
5745MHz	Pass	PK	5.6418G	66.83	68.20	-1.37	3	Horizontal	54	1.98
5745MHz	Pass	PK	5.7414G	123.52	Inf	-Inf	3	Horizontal	54	1.98
5745MHz	Pass	PK	5.991G	63.37	68.20	-4.83	3	Horizontal	54	1.98
5745MHz	Pass	AV	11.491G	43.22	54.00	-10.78	3	Vertical	167	1.50
5745MHz	Pass	PK	11.48544G	55.48	74.00	-18.52	3	Vertical	167	1.50
5745MHz	Pass	AV	11.48492G	43.28	54.00	-10.72	3	Horizontal	273	1.78
5745MHz	Pass	PK	11.48744G	55.20	74.00	-18.80	3	Horizontal	273	1.78
5785MHz	Pass	AV	5.78008G	102.36	Inf	-Inf	3	Vertical	348	1.44
5785MHz	Pass	PK	5.58527G	61.32	68.20	-6.88	3	Vertical	348	1.44
5785MHz	Pass	PK	5.79097G	113.26	Inf	-Inf	3	Vertical	348	1.44



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	6.00635G	62.82	68.20	-5.38	3	Vertical	348	1.44
5785MHz	Pass	AV	5.78008G	111.54	Inf	-Inf	3	Horizontal	51	2.06
5785MHz	Pass	PK	5.61915G	62.35	68.20	-5.85	3	Horizontal	51	2.06
5785MHz	Pass	PK	5.79097G	121.58	Inf	-Inf	3	Horizontal	51	2.06
5785MHz	Pass	PK	5.99425G	62.73	68.20	-5.47	3	Horizontal	51	2.06
5785MHz	Pass	AV	11.56664G	42.71	54.00	-11.29	3	Vertical	332	1.50
5785MHz	Pass	PK	11.56116G	54.72	74.00	-19.28	3	Vertical	332	1.50
5785MHz	Pass	AV	11.56984G	42.82	54.00	-11.18	3	Horizontal	52	1.50
5785MHz	Pass	PK	11.57492G	54.87	74.00	-19.13	3	Horizontal	52	1.50
5825MHz	Pass	AV	5.8202G	103.46	Inf	-Inf	3	Vertical	24	1.11
5825MHz	Pass	PK	5.5394G	61.45	68.20	-6.75	3	Vertical	24	1.11
5825MHz	Pass	PK	5.8202G	113.96	Inf	-Inf	3	Vertical	24	1.11
5825MHz	Pass	PK	6.1058G	63.48	68.20	-4.72	3	Vertical	24	1.11
5825MHz	Pass	AV	5.8202G	110.99	Inf	-Inf	3	Horizontal	59	2.73
5825MHz	Pass	PK	5.645G	66.95	68.20	-1.25	3	Horizontal	59	2.73
5825MHz	Pass	PK	5.8298G	121.62	Inf	-Inf	3	Horizontal	59	2.73
5825MHz	Pass	PK	5.951G	62.94	68.20	-5.26	3	Horizontal	59	2.73
5825MHz	Pass	AV	11.64724G	42.11	54.00	-11.89	3	Vertical	82	1.50
5825MHz	Pass	PK	11.64008G	54.71	74.00	-19.29	3	Vertical	82	1.50
5825MHz	Pass	AV	11.6448G	42.29	54.00	-11.71	3	Horizontal	360	1.41
5825MHz	Pass	PK	11.65788G	55.11	74.00	-18.89	3	Horizontal	360	1.41
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.136G	49.98	54.00	-4.02	3	Vertical	54	1.00
5190MHz	Pass	AV	5.1764G	95.47	Inf	-Inf	3	Vertical	54	1.00
5190MHz	Pass	PK	5.1452G	61.31	74.00	-12.69	3	Vertical	54	1.00
5190MHz	Pass	PK	5.1768G	105.82	Inf	-Inf	3	Vertical	54	1.00
5190MHz	Pass	AV	5.148G	53.71	54.00	-0.29	3	Horizontal	51	1.70
5190MHz	Pass	AV	5.1832G	106.02	Inf	-Inf	3	Horizontal	51	1.70
5190MHz	Pass	PK	5.148G	64.72	74.00	-9.28	3	Horizontal	51	1.70
5190MHz	Pass	PK	5.1884G	117.19	Inf	-Inf	3	Horizontal	51	1.70
5190MHz	Pass	PK	10.37128G	53.77	68.20	-14.43	3	Vertical	246	1.50
5190MHz	Pass	PK	10.37992G	53.45	68.20	-14.75	3	Horizontal	60	1.94
5230MHz	Pass	AV	5.1488G	49.58	54.00	-4.42	3	Vertical	45	1.50
5230MHz	Pass	AV	5.2408G	96.09	Inf	-Inf	3	Vertical	45	1.50
5230MHz	Pass	PK	5.1316G	62.49	74.00	-11.51	3	Vertical	45	1.50
5230MHz	Pass	PK	5.2408G	107.66	Inf	-Inf	3	Vertical	45	1.50
5230MHz	Pass	AV	5.15G	53.64	54.00	-0.36	3	Horizontal	62	1.73
5230MHz	Pass	AV	5.2356G	108.13	Inf	-Inf	3	Horizontal	62	1.73
5230MHz	Pass	PK	5.138G	73.51	74.00	-0.49	3	Horizontal	62	1.73
5230MHz	Pass	PK	5.2404G	119.44	Inf	-Inf	3	Horizontal	62	1.73
5230MHz	Pass	PK	10.46392G	53.88	68.20	-14.32	3	Vertical	194	1.50
5230MHz	Pass	PK	10.45384G	53.85	68.20	-14.35	3	Horizontal	48	1.50
5270MHz	Pass	AV	5.2652G	99.30	Inf	-Inf	3	Vertical	36	2.42
5270MHz	Pass	AV	5.3504G	50.16	54.00	-3.84	3	Vertical	36	2.42
5270MHz	Pass	PK	5.2656G	110.95	Inf	-Inf	3	Vertical	36	2.42
5270MHz	Pass	PK	5.3504G	65.01	74.00	-8.99	3	Vertical	36	2.42
5270MHz	Pass	AV	5.2656G	108.59	Inf	-Inf	3	Horizontal	66	1.98
5270MHz	Pass	AV	5.3508G	53.83	54.00	-0.17	3	Horizontal	66	1.98
5270MHz	Pass	PK	5.2604G	120.82	Inf	-Inf	3	Horizontal	66	1.98
5270MHz	Pass	PK	5.3516G	71.91	74.00	-2.09	3	Horizontal	66	1.98
5270MHz	Pass	PK	10.5504G	53.95	68.20	-14.25	3	Vertical	43	1.50
5270MHz	Pass	PK	10.55384G	53.94	68.20	-14.26	3	Horizontal	177	1.50
5310MHz	Pass	AV	5.3184G	97.64	Inf	-Inf	3	Vertical	345	2.61
5310MHz	Pass	AV	5.3504G	49.93	54.00	-4.07	3	Vertical	345	2.61
5310MHz	Pass	PK	5.318G	108.74	Inf	-Inf	3	Vertical	345	2.61
5310MHz	Pass	PK	5.4052G	61.20	74.00	-12.80	3	Vertical	345	2.61
5310MHz	Pass	AV	5.3156G	108.24	Inf	-Inf	3	Horizontal	65	1.91
5310MHz	Pass	AV	5.35G	53.58	54.00	-0.42	3	Horizontal	65	1.91
5310MHz	Pass	PK	5.2956G	118.99	Inf	-Inf	3	Horizontal	65	1.91
5310MHz	Pass	PK	5.3512G	65.04	74.00	-8.96	3	Horizontal	65	1.91
5310MHz	Pass	AV	10.61824G	42.32	54.00	-11.68	3	Vertical	353	2.73
5310MHz	Pass	PK	10.61464G	54.50	74.00	-19.50	3	Vertical	353	2.73



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.62752G	42.44	54.00	-11.56	3	Horizontal	300	2.64
5310MHz	Pass	PK	10.6364G	54.33	74.00	-19.67	3	Horizontal	300	2.64
5510MHz	Pass	AV	5.46G	50.74	54.00	-3.26	3	Vertical	32	2.92
5510MHz	Pass	AV	5.5148G	99.47	Inf	-Inf	3	Vertical	32	2.92
5510MHz	Pass	PK	5.456G	61.73	74.00	-12.27	3	Vertical	32	2.92
5510MHz	Pass	PK	5.47G	62.44	68.20	-5.76	3	Vertical	32	2.92
5510MHz	Pass	PK	5.4996G	110.18	Inf	-Inf	3	Vertical	32	2.92
5510MHz	Pass	AV	5.46G	53.78	54.00	-0.22	3	Horizontal	64	1.94
5510MHz	Pass	AV	5.5056G	108.37	Inf	-Inf	3	Horizontal	64	1.94
5510MHz	Pass	PK	5.456G	66.18	74.00	-7.82	3	Horizontal	64	1.94
5510MHz	Pass	PK	5.466G	68.17	68.20	-0.03	3	Horizontal	64	1.94
5510MHz	Pass	PK	5.5212G	119.44	Inf	-Inf	3	Horizontal	64	1.94
5510MHz	Pass	AV	11.026G	42.11	54.00	-11.89	3	Vertical	76	1.69
5510MHz	Pass	PK	11.002G	53.56	74.00	-20.44	3	Vertical	76	1.69
5510MHz	Pass	AV	11.01848G	42.47	54.00	-11.53	3	Horizontal	266	1.50
5510MHz	Pass	PK	11.02752G	53.80	74.00	-20.20	3	Horizontal	266	1.50
5550MHz	Pass	AV	5.46G	49.77	54.00	-4.23	3	Vertical	16	2.89
5550MHz	Pass	AV	5.5416G	96.01	Inf	-Inf	3	Vertical	16	2.89
5550MHz	Pass	PK	5.4544G	60.36	74.00	-13.64	3	Vertical	16	2.89
5550MHz	Pass	PK	5.4624G	61.24	68.20	-6.96	3	Vertical	16	2.89
5550MHz	Pass	PK	5.5416G	107.55	Inf	-Inf	3	Vertical	16	2.89
5550MHz	Pass	AV	5.4576G	50.59	54.00	-3.41	3	Horizontal	59	2.09
5550MHz	Pass	AV	5.5456G	106.51	Inf	-Inf	3	Horizontal	59	2.09
5550MHz	Pass	PK	5.4516G	64.82	74.00	-9.18	3	Horizontal	59	2.09
5550MHz	Pass	PK	5.47G	67.45	68.20	-0.75	3	Horizontal	59	2.09
5550MHz	Pass	PK	5.556G	117.21	Inf	-Inf	3	Horizontal	59	2.09
5550MHz	Pass	AV	11.10688G	42.52	54.00	-11.48	3	Vertical	51	2.68
5550MHz	Pass	PK	11.09784G	54.47	74.00	-19.53	3	Vertical	51	2.68
5550MHz	Pass	AV	11.1088G	42.38	54.00	-11.62	3	Horizontal	44	1.50
5550MHz	Pass	PK	11.114G	54.21	74.00	-19.79	3	Horizontal	44	1.50
5670MHz	Pass	AV	5.6652G	94.68	Inf	-Inf	3	Vertical	348	1.67
5670MHz	Pass	PK	5.6652G	105.98	Inf	-Inf	3	Vertical	348	1.67
5670MHz	Pass	PK	5.7432G	63.26	68.20	-4.94	3	Vertical	348	1.67
5670MHz	Pass	AV	5.6658G	104.96	Inf	-Inf	3	Horizontal	56	2.11
5670MHz	Pass	PK	5.6856G	116.52	Inf	-Inf	3	Horizontal	56	2.11
5670MHz	Pass	PK	5.7342G	68.03	68.20	-0.17	3	Horizontal	56	2.11
5670MHz	Pass	AV	11.35936G	43.75	54.00	-10.25	3	Vertical	83	1.60
5670MHz	Pass	PK	11.34896G	55.56	74.00	-18.44	3	Vertical	83	1.60
5670MHz	Pass	AV	11.35712G	43.57	54.00	-10.43	3	Horizontal	302	1.87
5670MHz	Pass	PK	11.33968G	55.03	74.00	-18.97	3	Horizontal	302	1.87
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4472G	49.87	54.00	-4.13	3	Vertical	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	98.85	Inf	-Inf	3	Vertical	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4424G	60.85	74.00	-13.15	3	Vertical	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	60.01	68.20	-8.19	3	Vertical	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	109.57	Inf	-Inf	3	Vertical	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9608G	62.32	68.20	-5.88	3	Vertical	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.446G	50.37	54.00	-3.63	3	Horizontal	53	2.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	109.14	Inf	-Inf	3	Horizontal	53	2.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4436G	61.26	74.00	-12.74	3	Horizontal	53	2.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	61.14	68.20	-7.06	3	Horizontal	53	2.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	120.58	Inf	-Inf	3	Horizontal	53	2.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	66.16	68.20	-2.04	3	Horizontal	53	2.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40424G	43.75	54.00	-10.25	3	Vertical	285	2.75
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42688G	55.83	74.00	-18.17	3	Vertical	285	2.75
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40376G	43.63	54.00	-10.37	3	Horizontal	38	1.61
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42448G	56.06	74.00	-17.94	3	Horizontal	38	1.61
5755MHz	Pass	AV	5.4562G	49.45	54.00	-4.55	3	Vertical	348	1.50
5755MHz	Pass	AV	5.7502G	100.97	Inf	-Inf	3	Vertical	348	1.50
5755MHz	Pass	PK	5.605G	61.57	68.20	-6.63	3	Vertical	348	1.50
5755MHz	Pass	PK	5.7454G	112.39	Inf	-Inf	3	Vertical	348	1.50
5755MHz	Pass	PK	6.0118G	62.84	68.20	-5.36	3	Vertical	348	1.50
5755MHz	Pass	AV	5.4598G	50.45	54.00	-3.55	3	Horizontal	53	1.99



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	5.7454G	109.74	Inf	-Inf	3	Horizontal	53	1.99
5755MHz	Pass	PK	5.6506G	68.46	68.64	-0.18	3	Horizontal	53	1.99
5755MHz	Pass	PK	5.761G	120.59	Inf	-Inf	3	Horizontal	53	1.99
5755MHz	Pass	PK	5.9782G	63.45	68.20	-4.75	3	Horizontal	53	1.99
5755MHz	Pass	AV	11.4976G	43.57	54.00	-10.43	3	Vertical	339	1.50
5755MHz	Pass	PK	11.49088G	55.36	74.00	-18.64	3	Vertical	339	1.50
5755MHz	Pass	AV	11.52G	43.55	54.00	-10.45	3	Horizontal	329	1.80
5755MHz	Pass	PK	11.51776G	55.79	74.00	-18.21	3	Horizontal	329	1.80
5795MHz	Pass	AV	5.7902G	99.25	Inf	-Inf	3	Vertical	349	1.57
5795MHz	Pass	PK	5.5694G	61.97	68.20	-6.23	3	Vertical	349	1.57
5795MHz	Pass	PK	5.7902G	110.36	Inf	-Inf	3	Vertical	349	1.57
5795MHz	Pass	PK	6.0158G	63.23	68.20	-4.97	3	Vertical	349	1.57
5795MHz	Pass	AV	5.7902G	106.59	Inf	-Inf	3	Horizontal	61	2.78
5795MHz	Pass	PK	5.6462G	64.99	68.20	-3.21	3	Horizontal	61	2.78
5795MHz	Pass	PK	5.801G	117.08	Inf	-Inf	3	Horizontal	61	2.78
5795MHz	Pass	PK	5.9282G	62.59	68.20	-5.61	3	Horizontal	61	2.78
5795MHz	Pass	AV	11.57184G	42.99	54.00	-11.01	3	Vertical	141	2.63
5795MHz	Pass	PK	11.58264G	54.47	74.00	-19.53	3	Vertical	141	2.63
5795MHz	Pass	AV	11.57216G	43.02	54.00	-10.98	3	Horizontal	168	2.14
5795MHz	Pass	PK	11.5748G	54.91	74.00	-19.09	3	Horizontal	168	2.14
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.003G	50.07	54.00	-3.93	3	Vertical	46	1.26
5210MHz	Pass	AV	5.221G	91.16	Inf	-Inf	3	Vertical	46	1.26
5210MHz	Pass	AV	5.445G	50.77	54.00	-3.23	3	Vertical	46	1.26
5210MHz	Pass	PK	5.147G	61.13	74.00	-12.87	3	Vertical	46	1.26
5210MHz	Pass	PK	5.221G	101.74	Inf	-Inf	3	Vertical	46	1.26
5210MHz	Pass	PK	5.428G	61.98	74.00	-12.02	3	Vertical	46	1.26
5210MHz	Pass	AV	5.145G	53.28	54.00	-0.72	3	Horizontal	66	1.82
5210MHz	Pass	AV	5.221G	103.09	Inf	-Inf	3	Horizontal	66	1.82
5210MHz	Pass	AV	5.388G	51.21	54.00	-2.79	3	Horizontal	66	1.82
5210MHz	Pass	PK	5.141G	63.62	74.00	-10.38	3	Horizontal	66	1.82
5210MHz	Pass	PK	5.236G	113.75	Inf	-Inf	3	Horizontal	66	1.82
5210MHz	Pass	PK	5.421G	62.43	74.00	-11.57	3	Horizontal	66	1.82
5210MHz	Pass	PK	10.39952G	54.18	68.20	-14.02	3	Vertical	227	1.40
5210MHz	Pass	PK	10.40192G	53.49	68.20	-14.71	3	Horizontal	132	1.50
5290MHz	Pass	AV	5.043G	49.97	54.00	-4.03	3	Vertical	40	2.61
5290MHz	Pass	AV	5.26G	93.66	Inf	-Inf	3	Vertical	40	2.61
5290MHz	Pass	AV	5.422G	51.14	54.00	-2.86	3	Vertical	40	2.61
5290MHz	Pass	PK	5.133G	60.69	74.00	-13.31	3	Vertical	40	2.61
5290MHz	Pass	PK	5.28G	104.06	Inf	-Inf	3	Vertical	40	2.61
5290MHz	Pass	PK	5.452G	62.37	74.00	-11.63	3	Vertical	40	2.61
5290MHz	Pass	PK	5.478G	61.81	68.20	-6.39	3	Vertical	40	2.61
5290MHz	Pass	AV	5.148G	50.73	54.00	-3.27	3	Horizontal	64	1.84
5290MHz	Pass	AV	5.281G	103.55	Inf	-Inf	3	Horizontal	64	1.84
5290MHz	Pass	AV	5.361G	53.57	54.00	-0.43	3	Horizontal	64	1.84
5290MHz	Pass	PK	5.123G	61.42	74.00	-12.58	3	Horizontal	64	1.84
5290MHz	Pass	PK	5.321G	115.17	Inf	-Inf	3	Horizontal	64	1.84
5290MHz	Pass	PK	5.366G	63.96	74.00	-10.04	3	Horizontal	64	1.84
5290MHz	Pass	PK	5.525G	62.94	68.20	-5.26	3	Horizontal	64	1.84
5290MHz	Pass	PK	10.55104G	54.04	68.20	-14.16	3	Vertical	293	1.50
5290MHz	Pass	PK	10.57408G	54.31	68.20	-13.89	3	Horizontal	117	1.66
5530MHz	Pass	AV	5.35G	49.23	54.00	-4.77	3	Vertical	34	2.91
5530MHz	Pass	AV	5.457G	50.57	54.00	-3.43	3	Vertical	34	2.91
5530MHz	Pass	AV	5.52G	93.89	Inf	-Inf	3	Vertical	34	2.91
5530MHz	Pass	PK	5.332G	59.98	68.20	-8.22	3	Vertical	34	2.91
5530MHz	Pass	PK	5.422G	61.70	74.00	-12.30	3	Vertical	34	2.91
5530MHz	Pass	PK	5.47G	61.64	68.20	-6.56	3	Vertical	34	2.91
5530MHz	Pass	PK	5.525G	105.45	Inf	-Inf	3	Vertical	34	2.91
5530MHz	Pass	PK	5.738G	61.66	68.20	-6.54	3	Vertical	34	2.91
5530MHz	Pass	AV	5.35G	50.19	54.00	-3.81	3	Horizontal	61	2.09
5530MHz	Pass	AV	5.45G	53.59	54.00	-0.41	3	Horizontal	61	2.09
5530MHz	Pass	AV	5.541G	103.49	Inf	-Inf	3	Horizontal	61	2.09



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.328G	61.67	68.20	-6.53	3	Horizontal	61	2.09
5530MHz	Pass	PK	5.457G	63.49	74.00	-10.51	3	Horizontal	61	2.09
5530MHz	Pass	PK	5.47G	64.31	68.20	-3.89	3	Horizontal	61	2.09
5530MHz	Pass	PK	5.541G	114.70	Inf	-Inf	3	Horizontal	61	2.09
5530MHz	Pass	PK	5.753G	62.53	68.20	-5.67	3	Horizontal	61	2.09
5530MHz	Pass	AV	11.07152G	42.66	54.00	-11.34	3	Vertical	360	2.21
5530MHz	Pass	PK	11.08256G	53.90	74.00	-20.10	3	Vertical	360	2.21
5530MHz	Pass	AV	11.08688G	42.68	54.00	-11.32	3	Horizontal	304	1.04
5530MHz	Pass	PK	11.02304G	53.83	74.00	-20.17	3	Horizontal	304	1.04
5610MHz	Pass	AV	5.459G	50.16	54.00	-3.84	3	Vertical	30	1.43
5610MHz	Pass	AV	5.6G	93.77	Inf	-Inf	3	Vertical	30	1.43
5610MHz	Pass	PK	5.445G	61.62	74.00	-12.38	3	Vertical	30	1.43
5610MHz	Pass	PK	5.461G	60.89	68.20	-7.31	3	Vertical	30	1.43
5610MHz	Pass	PK	5.595G	104.29	Inf	-Inf	3	Vertical	30	1.43
5610MHz	Pass	PK	5.766G	62.51	68.20	-5.69	3	Vertical	30	1.43
5610MHz	Pass	AV	5.454G	51.44	54.00	-2.56	3	Horizontal	58	2.09
5610MHz	Pass	AV	5.596G	105.31	Inf	-Inf	3	Horizontal	58	2.09
5610MHz	Pass	PK	5.459G	65.79	74.00	-8.21	3	Horizontal	58	2.09
5610MHz	Pass	PK	5.461G	63.52	68.20	-4.68	3	Horizontal	58	2.09
5610MHz	Pass	PK	5.621G	116.06	Inf	-Inf	3	Horizontal	58	2.09
5610MHz	Pass	PK	5.733G	68.15	68.20	-0.05	3	Horizontal	58	2.09
5610MHz	Pass	AV	11.25792G	43.25	54.00	-10.75	3	Vertical	60	1.77
5610MHz	Pass	PK	11.23104G	54.82	74.00	-19.18	3	Vertical	60	1.77
5610MHz	Pass	AV	11.25152G	43.24	54.00	-10.76	3	Horizontal	25	2.54
5610MHz	Pass	PK	11.25072G	54.58	74.00	-19.42	3	Horizontal	25	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	50.05	54.00	-3.95	3	Vertical	347	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	97.47	Inf	-Inf	3	Vertical	347	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.438G	61.05	74.00	-12.95	3	Vertical	347	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4658G	59.97	68.20	-8.23	3	Vertical	347	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6756G	107.70	Inf	-Inf	3	Vertical	347	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	63.30	68.20	-4.90	3	Vertical	347	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	52.30	54.00	-1.70	3	Horizontal	54	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	107.43	Inf	-Inf	3	Horizontal	54	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.45G	65.54	74.00	-8.46	3	Horizontal	54	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	64.39	68.20	-3.81	3	Horizontal	54	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6756G	118.04	Inf	-Inf	3	Horizontal	54	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	67.64	68.20	-0.56	3	Horizontal	54	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3528G	43.87	54.00	-10.13	3	Vertical	171	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40592G	55.64	74.00	-18.36	3	Vertical	171	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35888G	43.91	54.00	-10.09	3	Horizontal	212	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38928G	55.54	74.00	-18.46	3	Horizontal	212	1.50
5775MHz	Pass	AV	5.745G	96.86	Inf	-Inf	3	Vertical	349	1.49
5775MHz	Pass	PK	5.6382G	61.70	68.20	-6.50	3	Vertical	349	1.49
5775MHz	Pass	PK	5.745G	107.74	Inf	-Inf	3	Vertical	349	1.49
5775MHz	Pass	PK	5.9658G	64.09	68.20	-4.11	3	Vertical	349	1.49
5775MHz	Pass	AV	5.7606G	105.60	Inf	-Inf	3	Horizontal	59	2.65
5775MHz	Pass	PK	5.6502G	67.57	68.35	-0.78	3	Horizontal	59	2.65
5775MHz	Pass	PK	5.7606G	116.26	Inf	-Inf	3	Horizontal	59	2.65
5775MHz	Pass	PK	6.0738G	62.80	68.20	-5.40	3	Horizontal	59	2.65
5775MHz	Pass	AV	11.53016G	43.92	54.00	-10.08	3	Vertical	241	1.50
5775MHz	Pass	PK	11.52936G	55.41	74.00	-18.59	3	Vertical	241	1.50
5775MHz	Pass	AV	11.52632G	43.70	54.00	-10.30	3	Horizontal	354	2.99
5775MHz	Pass	PK	11.56088G	55.49	74.00	-18.51	3	Horizontal	354	2.99
802.11be EHT160_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0232G	50.53	54.00	-3.47	3	Vertical	36	2.42
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.31G	90.34	Inf	-Inf	3	Vertical	36	2.42
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4552G	51.55	54.00	-2.45	3	Vertical	36	2.42
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0712G	60.86	74.00	-13.14	3	Vertical	36	2.42
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2704G	101.00	Inf	-Inf	3	Vertical	36	2.42
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4336G	61.56	74.00	-12.44	3	Vertical	36	2.42
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5248G	61.55	68.20	-6.65	3	Vertical	36	2.42
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1456G	52.99	54.00	-1.01	3	Horizontal	64	1.92




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	100.22	Inf	-Inf	3	Horizontal	64	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3556G	53.67	54.00	-0.33	3	Horizontal	64	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1432G	65.53	74.00	-8.47	3	Horizontal	64	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2812G	111.54	Inf	-Inf	3	Horizontal	64	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	68.09	74.00	-5.91	3	Horizontal	64	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4624G	62.71	68.20	-5.49	3	Horizontal	64	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5704G	54.17	68.20	-14.03	3	Vertical	153	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.49552G	54.75	68.20	-13.45	3	Horizontal	251	1.56
5570MHz	Pass	AV	5.444G	50.77	54.00	-3.23	3	Vertical	33	2.91
5570MHz	Pass	AV	5.51G	89.99	Inf	-Inf	3	Vertical	33	2.91
5570MHz	Pass	PK	5.348G	60.48	68.20	-7.72	3	Vertical	33	2.91
5570MHz	Pass	PK	5.4452G	62.56	74.00	-11.44	3	Vertical	33	2.91
5570MHz	Pass	PK	5.4656G	61.11	68.20	-7.09	3	Vertical	33	2.91
5570MHz	Pass	PK	5.54G	100.98	Inf	-Inf	3	Vertical	33	2.91
5570MHz	Pass	PK	5.864G	62.50	68.20	-5.70	3	Vertical	33	2.91
5570MHz	Pass	AV	5.4584G	53.32	54.00	-0.68	3	Horizontal	59	2.08
5570MHz	Pass	AV	5.546G	100.28	Inf	-Inf	3	Horizontal	59	2.08
5570MHz	Pass	PK	5.35G	61.27	74.00	-12.73	3	Horizontal	59	2.08
5570MHz	Pass	PK	5.4548G	67.22	74.00	-6.78	3	Horizontal	59	2.08
5570MHz	Pass	PK	5.4692G	67.61	68.20	-0.59	3	Horizontal	59	2.08
5570MHz	Pass	PK	5.5448G	112.04	Inf	-Inf	3	Horizontal	59	2.08
5570MHz	Pass	PK	5.7548G	63.52	68.20	-4.68	3	Horizontal	59	2.08
5570MHz	Pass	AV	11.14672G	43.40	54.00	-10.60	3	Vertical	211	2.30
5570MHz	Pass	PK	11.20304G	54.35	74.00	-19.65	3	Vertical	211	2.30
5570MHz	Pass	AV	11.196G	43.21	54.00	-10.79	3	Horizontal	173	1.50
5570MHz	Pass	PK	11.20304G	54.55	74.00	-19.45	3	Horizontal	173	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5190MHz_TX






5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TX






5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1238G	49.15	54.00	-4.85	6.41	3	Vertical	38	2.58	42.74	33.35	8.08	35.02
AV	5.2654G	104.49	Inf	-Inf	6.34	3	Vertical	38	2.58	98.15	33.24	8.15	35.05
AV	5.389G	49.80	54.00	-4.20	6.22	3	Vertical	38	2.58	43.58	33.08	8.21	35.07
PK	5.1448G	63.04	74.00	-10.96	6.45	3	Vertical	38	2.58	56.59	33.39	8.09	35.03
PK	5.2558G	115.18	Inf	-Inf	6.38	3	Vertical	38	2.58	108.80	33.28	8.15	35.05
PK	5.3536G	67.09	74.00	-6.91	6.14	3	Vertical	38	2.58	60.95	33.01	8.19	35.06

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1406G	50.32	54.00	-3.68	6.44	3	Horizontal	63	1.83	43.88	33.38	8.09	35.03
AV	5.2558G	113.70	Inf	-Inf	6.38	3	Horizontal	63	1.83	107.32	33.28	8.15	35.05
AV	5.3518G	51.98	54.00	-2.02	6.13	3	Horizontal	63	1.83	45.85	33.00	8.19	35.06
PK	5.149G	72.13	74.00	-1.87	6.46	3	Horizontal	63	1.83	65.67	33.40	8.09	35.03
PK	5.2558G	125.07	Inf	-Inf	6.38	3	Horizontal	63	1.83	118.69	33.28	8.15	35.05
PK	5.3626G	73.93	74.00	-0.07	6.15	3	Horizontal	63	1.83	67.78	33.03	8.19	35.07


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.16	54.00	-3.84	6.40	3	Vertical	30	1.43	43.76	33.20	8.28	35.08
AV	5.6G	93.77	Inf	-Inf	6.66	3	Vertical	30	1.43	87.11	33.30	8.46	35.10
PK	5.445G	61.62	74.00	-12.38	6.38	3	Vertical	30	1.43	55.24	33.19	8.27	35.08
PK	5.461G	60.89	68.20	-7.31	6.41	3	Vertical	30	1.43	54.48	33.20	8.29	35.08
PK	5.595G	104.29	Inf	-Inf	6.65	3	Vertical	30	1.43	97.64	33.30	8.45	35.10
PK	5.766G	62.51	68.20	-5.69	7.61	3	Vertical	30	1.43	54.90	34.10	8.63	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	51.44	54.00	-2.56	6.40	3	Horizontal	58	2.09	45.04	33.20	8.28	35.08
AV	5.596G	105.31	Inf	-Inf	6.66	3	Horizontal	58	2.09	98.65	33.30	8.46	35.10
PK	5.459G	65.79	74.00	-8.21	6.40	3	Horizontal	58	2.09	59.39	33.20	8.28	35.08
PK	5.461G	63.52	68.20	-4.68	6.41	3	Horizontal	58	2.09	57.11	33.20	8.29	35.08
PK	5.621G	116.06	Inf	-Inf	6.76	3	Horizontal	58	2.09	109.30	33.38	8.48	35.10
PK	5.733G	68.15	68.20	-0.05	7.38	3	Horizontal	58	2.09	60.77	33.90	8.59	35.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.745G	96.86	Inf	-Inf	7.47	3	Vertical	349	1.49	89.39	33.97	8.61	35.11
PK	5.6382G	61.70	68.20	-6.50	6.85	3	Vertical	349	1.49	54.85	33.45	8.50	35.10
PK	5.745G	107.74	Inf	-Inf	7.47	3	Vertical	349	1.49	100.27	33.97	8.61	35.11
PK	5.9658G	64.09	68.20	-4.11	7.95	3	Vertical	349	1.49	56.14	34.37	8.72	35.14

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7606G	105.60	Inf	-Inf	7.56	3	Horizontal	59	2.65	98.04	34.06	8.62	35.12
PK	5.6502G	67.57	68.35	-0.78	6.90	3	Horizontal	59	2.65	60.67	33.50	8.51	35.11
PK	5.7606G	116.26	Inf	-Inf	7.56	3	Horizontal	59	2.65	108.70	34.06	8.62	35.12
PK	6.0738G	62.80	68.20	-5.40	7.98	3	Horizontal	59	2.65	54.82	34.35	8.79	35.16


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022**

Appendix E.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	5.1482G	53.96	54.00	-0.04	3	Vertical	153	3.00
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	AV	5.1364G	53.55	54.00	-0.45	3	Vertical	302	2.53
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.118G	53.58	54.00	-0.42	3	Vertical	298	2.53
802.11be EHT160_Nss4,(MCS0)_4TX	Pass	AV	5.3796G	53.41	54.00	-0.59	3	Vertical	236	2.51
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	5.3608G	53.74	54.00	-0.26	3	Vertical	299	2.44
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	AV	5.3584G	53.89	54.00	-0.11	3	Vertical	297	2.52
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.378G	53.34	54.00	-0.66	3	Vertical	238	2.55
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	PK	5.7264G	68.12	68.20	-0.08	3	Vertical	334	2.91
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	AV	5.4584G	53.93	54.00	-0.07	3	Vertical	236	2.61
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.457G	53.71	54.00	-0.29	3	Vertical	236	2.74
802.11be EHT160_Nss4,(MCS0)_4TX	Pass	PK	5.468G	68.03	68.20	-0.17	3	Vertical	236	2.51
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	PK	5.651G	68.55	68.94	-0.39	3	Vertical	336	2.96
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	PK	5.6458G	67.86	68.20	-0.34	3	Vertical	323	2.62
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	PK	5.649G	66.10	68.20	-2.10	3	Vertical	321	2.62

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	53.70	54.00	-0.30	3	Vertical	153	3.00
5180MHz	Pass	AV	5.1786G	111.25	Inf	-Inf	3	Vertical	153	3.00
5180MHz	Pass	PK	5.1496G	64.22	74.00	-9.78	3	Vertical	153	3.00
5180MHz	Pass	PK	5.1772G	119.74	Inf	-Inf	3	Vertical	153	3.00
5180MHz	Pass	AV	5.1458G	50.55	54.00	-3.45	3	Horizontal	72	1.01
5180MHz	Pass	AV	5.1848G	98.42	Inf	-Inf	3	Horizontal	72	1.01
5180MHz	Pass	PK	5.1416G	61.69	74.00	-12.31	3	Horizontal	72	1.01
5180MHz	Pass	PK	5.172G	108.37	Inf	-Inf	3	Horizontal	72	1.01
5180MHz	Pass	PK	10.36768G	53.98	68.20	-14.22	3	Vertical	128	2.42
5180MHz	Pass	PK	10.36316G	53.52	68.20	-14.68	3	Horizontal	170	1.50
5200MHz	Pass	AV	5.15G	53.65	54.00	-0.35	3	Vertical	156	3.00
5200MHz	Pass	AV	5.1984G	110.93	Inf	-Inf	3	Vertical	156	3.00
5200MHz	Pass	PK	5.1468G	69.70	74.00	-4.30	3	Vertical	156	3.00
5200MHz	Pass	PK	5.1968G	119.39	Inf	-Inf	3	Vertical	156	3.00
5200MHz	Pass	AV	5.1496G	50.67	54.00	-3.33	3	Horizontal	72	1.00
5200MHz	Pass	AV	5.2048G	98.93	Inf	-Inf	3	Horizontal	72	1.00
5200MHz	Pass	PK	5.15G	61.49	74.00	-12.51	3	Horizontal	72	1.00
5200MHz	Pass	PK	5.2036G	107.69	Inf	-Inf	3	Horizontal	72	1.00
5200MHz	Pass	PK	10.40036G	54.15	68.20	-14.05	3	Vertical	343	1.50
5200MHz	Pass	PK	10.39864G	53.32	68.20	-14.88	3	Horizontal	135	1.50
5240MHz	Pass	AV	5.1482G	53.96	54.00	-0.04	3	Vertical	153	3.00
5240MHz	Pass	AV	5.2388G	113.06	Inf	-Inf	3	Vertical	153	3.00
5240MHz	Pass	AV	5.357G	52.36	54.00	-1.64	3	Vertical	153	3.00
5240MHz	Pass	PK	5.1494G	73.74	74.00	-0.26	3	Vertical	153	3.00
5240MHz	Pass	PK	5.2382G	121.23	Inf	-Inf	3	Vertical	153	3.00
5240MHz	Pass	PK	5.351G	69.58	74.00	-4.42	3	Vertical	153	3.00
5240MHz	Pass	AV	5.1314G	50.46	54.00	-3.54	3	Horizontal	14	1.18
5240MHz	Pass	AV	5.2478G	100.00	Inf	-Inf	3	Horizontal	14	1.18
5240MHz	Pass	AV	5.381G	51.23	54.00	-2.77	3	Horizontal	14	1.18
5240MHz	Pass	PK	5.15G	64.53	74.00	-9.47	3	Horizontal	14	1.18
5240MHz	Pass	PK	5.2436G	110.45	Inf	-Inf	3	Horizontal	14	1.18
5240MHz	Pass	PK	5.3528G	61.87	74.00	-12.13	3	Horizontal	14	1.18
5240MHz	Pass	PK	10.47584G	53.55	68.20	-14.65	3	Vertical	359	2.96
5240MHz	Pass	PK	10.47996G	53.66	68.20	-14.54	3	Horizontal	285	2.40
5260MHz	Pass	AV	5.143G	51.81	54.00	-2.19	3	Vertical	300	2.50
5260MHz	Pass	AV	5.2672G	111.15	Inf	-Inf	3	Vertical	300	2.50
5260MHz	Pass	AV	5.35G	53.51	54.00	-0.49	3	Vertical	300	2.50
5260MHz	Pass	PK	5.1478G	68.09	74.00	-5.91	3	Vertical	300	2.50
5260MHz	Pass	PK	5.2666G	120.10	Inf	-Inf	3	Vertical	300	2.50
5260MHz	Pass	PK	5.3548G	72.08	74.00	-1.92	3	Vertical	300	2.50
5260MHz	Pass	AV	5.1388G	50.95	54.00	-3.05	3	Horizontal	14	1.00
5260MHz	Pass	AV	5.2576G	99.69	Inf	-Inf	3	Horizontal	14	1.00
5260MHz	Pass	AV	5.35G	51.94	54.00	-2.06	3	Horizontal	14	1.00
5260MHz	Pass	PK	5.1496G	65.17	74.00	-8.83	3	Horizontal	14	1.00
5260MHz	Pass	PK	5.2546G	110.49	Inf	-Inf	3	Horizontal	14	1.00
5260MHz	Pass	PK	5.3614G	67.65	74.00	-6.35	3	Horizontal	14	1.00
5260MHz	Pass	PK	10.52984G	54.23	68.20	-13.97	3	Vertical	46	1.74
5260MHz	Pass	PK	10.5202G	54.10	68.20	-14.10	3	Horizontal	150	1.50
5300MHz	Pass	AV	5.3076G	109.10	Inf	-Inf	3	Vertical	300	2.32
5300MHz	Pass	AV	5.3544G	53.63	54.00	-0.37	3	Vertical	300	2.32
5300MHz	Pass	PK	5.3064G	118.06	Inf	-Inf	3	Vertical	300	2.32
5300MHz	Pass	PK	5.3516G	68.98	74.00	-5.02	3	Vertical	300	2.32
5300MHz	Pass	AV	5.2956G	97.14	Inf	-Inf	3	Horizontal	15	1.02
5300MHz	Pass	AV	5.362G	50.81	54.00	-3.19	3	Horizontal	15	1.02
5300MHz	Pass	PK	5.3024G	108.37	Inf	-Inf	3	Horizontal	15	1.02
5300MHz	Pass	PK	5.352G	62.50	74.00	-11.50	3	Horizontal	15	1.02
5300MHz	Pass	PK	10.59208G	53.92	68.20	-14.28	3	Vertical	225	1.14
5300MHz	Pass	PK	10.59876G	54.35	68.20	-13.85	3	Horizontal	183	1.50
5320MHz	Pass	AV	5.3274G	109.74	Inf	-Inf	3	Vertical	299	2.44
5320MHz	Pass	AV	5.3608G	53.74	54.00	-0.26	3	Vertical	299	2.44



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3264G	118.67	Inf	-Inf	3	Vertical	299	2.44
5320MHz	Pass	PK	5.359G	64.37	74.00	-9.63	3	Vertical	299	2.44
5320MHz	Pass	AV	5.3276G	98.08	Inf	-Inf	3	Horizontal	14	1.08
5320MHz	Pass	AV	5.3628G	50.61	54.00	-3.39	3	Horizontal	14	1.08
5320MHz	Pass	PK	5.3144G	108.12	Inf	-Inf	3	Horizontal	14	1.08
5320MHz	Pass	PK	5.3544G	61.31	74.00	-12.69	3	Horizontal	14	1.08
5320MHz	Pass	AV	10.63336G	43.52	54.00	-10.48	3	Vertical	248	2.56
5320MHz	Pass	PK	10.63652G	54.02	74.00	-19.98	3	Vertical	248	2.56
5320MHz	Pass	AV	10.63808G	43.51	54.00	-10.49	3	Horizontal	250	1.50
5320MHz	Pass	PK	10.64976G	54.32	74.00	-19.68	3	Horizontal	250	1.50
5500MHz	Pass	AV	5.4588G	53.54	54.00	-0.46	3	Vertical	237	2.82
5500MHz	Pass	AV	5.5074G	110.42	Inf	-Inf	3	Vertical	237	2.82
5500MHz	Pass	PK	5.4596G	63.94	74.00	-10.06	3	Vertical	237	2.82
5500MHz	Pass	PK	5.4694G	64.18	68.20	-4.02	3	Vertical	237	2.82
5500MHz	Pass	PK	5.5064G	119.01	Inf	-Inf	3	Vertical	237	2.82
5500MHz	Pass	AV	5.4594G	51.05	54.00	-2.95	3	Horizontal	68	1.17
5500MHz	Pass	AV	5.5038G	98.15	Inf	-Inf	3	Horizontal	68	1.17
5500MHz	Pass	PK	5.4576G	60.95	74.00	-13.05	3	Horizontal	68	1.17
5500MHz	Pass	PK	5.4612G	61.36	68.20	-6.84	3	Horizontal	68	1.17
5500MHz	Pass	PK	5.499G	108.64	Inf	-Inf	3	Horizontal	68	1.17
5500MHz	Pass	AV	10.9924G	43.00	54.00	-11.00	3	Vertical	322	1.50
5500MHz	Pass	PK	10.99292G	54.00	74.00	-20.00	3	Vertical	322	1.50
5500MHz	Pass	AV	11.004G	43.16	54.00	-10.84	3	Horizontal	117	2.92
5500MHz	Pass	PK	11.00988G	54.36	74.00	-19.64	3	Horizontal	117	2.92
5580MHz	Pass	AV	5.4486G	51.46	54.00	-2.54	3	Vertical	300	2.49
5580MHz	Pass	AV	5.5878G	110.43	Inf	-Inf	3	Vertical	300	2.49
5580MHz	Pass	PK	5.4312G	69.27	74.00	-4.73	3	Vertical	300	2.49
5580MHz	Pass	PK	5.4684G	64.36	68.20	-3.84	3	Vertical	300	2.49
5580MHz	Pass	PK	5.5866G	118.85	Inf	-Inf	3	Vertical	300	2.49
5580MHz	Pass	PK	5.7288G	61.81	68.20	-6.39	3	Vertical	300	2.49
5580MHz	Pass	AV	5.4492G	50.63	54.00	-3.37	3	Horizontal	307	2.44
5580MHz	Pass	AV	5.5872G	102.83	Inf	-Inf	3	Horizontal	307	2.44
5580MHz	Pass	PK	5.4528G	63.01	74.00	-10.99	3	Horizontal	307	2.44
5580MHz	Pass	PK	5.4624G	63.48	68.20	-4.72	3	Horizontal	307	2.44
5580MHz	Pass	PK	5.5866G	112.05	Inf	-Inf	3	Horizontal	307	2.44
5580MHz	Pass	PK	5.727G	61.78	68.20	-6.42	3	Horizontal	307	2.44
5580MHz	Pass	AV	11.16772G	43.29	54.00	-10.71	3	Vertical	357	1.50
5580MHz	Pass	PK	11.15696G	54.44	74.00	-19.56	3	Vertical	357	1.50
5580MHz	Pass	AV	11.15268G	43.47	54.00	-10.53	3	Horizontal	47	1.50
5580MHz	Pass	PK	11.15076G	54.97	74.00	-19.03	3	Horizontal	47	1.50
5700MHz	Pass	AV	5.6988G	104.90	Inf	-Inf	3	Vertical	334	2.91
5700MHz	Pass	PK	5.6968G	114.09	Inf	-Inf	3	Vertical	334	2.91
5700MHz	Pass	PK	5.7264G	68.12	68.20	-0.08	3	Vertical	334	2.91
5700MHz	Pass	AV	5.7048G	97.91	Inf	-Inf	3	Horizontal	311	2.49
5700MHz	Pass	PK	5.7052G	106.35	Inf	-Inf	3	Horizontal	311	2.49
5700MHz	Pass	PK	5.7256G	65.90	68.20	-2.30	3	Horizontal	311	2.49
5700MHz	Pass	AV	11.39604G	44.89	54.00	-9.11	3	Vertical	202	1.50
5700MHz	Pass	PK	11.40308G	56.43	74.00	-17.57	3	Vertical	202	1.50
5700MHz	Pass	AV	11.39316G	44.61	54.00	-9.39	3	Horizontal	33	1.50
5700MHz	Pass	PK	11.39844G	55.79	74.00	-18.21	3	Horizontal	33	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	51.76	54.00	-2.24	3	Vertical	327	2.46
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	110.45	Inf	-Inf	3	Vertical	327	2.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	64.01	74.00	-9.99	3	Vertical	327	2.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	64.59	68.20	-3.61	3	Vertical	327	2.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	120.79	Inf	-Inf	3	Vertical	327	2.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	67.60	68.20	-0.60	3	Vertical	327	2.46
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	50.55	54.00	-3.45	3	Horizontal	311	2.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	104.66	Inf	-Inf	3	Horizontal	311	2.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	61.31	74.00	-12.69	3	Horizontal	311	2.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	60.86	68.20	-7.34	3	Horizontal	311	2.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	113.48	Inf	-Inf	3	Horizontal	311	2.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	64.58	68.20	-3.62	3	Horizontal	311	2.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43144G	44.57	54.00	-9.43	3	Vertical	16	1.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44824G	55.19	74.00	-18.81	3	Vertical	16	1.74
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44068G	44.60	54.00	-9.40	3	Horizontal	194	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43968G	55.91	74.00	-18.09	3	Horizontal	194	1.50
5745MHz	Pass	AV	5.4594G	51.05	54.00	-2.95	3	Vertical	325	2.63
5745MHz	Pass	AV	5.7498G	111.57	Inf	-Inf	3	Vertical	325	2.63
5745MHz	Pass	PK	5.6514G	68.68	69.24	-0.56	3	Vertical	325	2.63
5745MHz	Pass	PK	5.7474G	120.98	Inf	-Inf	3	Vertical	325	2.63
5745MHz	Pass	PK	6.0366G	63.00	68.20	-5.20	3	Vertical	325	2.63
5745MHz	Pass	AV	5.4498G	50.63	54.00	-3.37	3	Horizontal	310	2.36
5745MHz	Pass	AV	5.7498G	105.76	Inf	-Inf	3	Horizontal	310	2.36
5745MHz	Pass	PK	5.6502G	64.02	68.35	-4.33	3	Horizontal	310	2.36
5745MHz	Pass	PK	5.7498G	114.72	Inf	-Inf	3	Horizontal	310	2.36
5745MHz	Pass	PK	5.985G	63.17	68.20	-5.03	3	Horizontal	310	2.36
5745MHz	Pass	AV	11.483G	44.60	54.00	-9.40	3	Vertical	263	1.25
5745MHz	Pass	PK	11.4814G	55.80	74.00	-18.20	3	Vertical	263	1.25
5745MHz	Pass	AV	11.49144G	44.56	54.00	-9.44	3	Horizontal	243	2.04
5745MHz	Pass	PK	11.49016G	55.43	74.00	-18.57	3	Horizontal	243	2.04
5785MHz	Pass	AV	5.77887G	109.11	Inf	-Inf	3	Vertical	30	3.00
5785MHz	Pass	PK	5.61915G	66.33	68.20	-1.87	3	Vertical	30	3.00
5785MHz	Pass	PK	5.77887G	118.67	Inf	-Inf	3	Vertical	30	3.00
5785MHz	Pass	PK	5.93496G	62.87	68.20	-5.33	3	Vertical	30	3.00
5785MHz	Pass	AV	5.78976G	102.90	Inf	-Inf	3	Horizontal	310	2.70
5785MHz	Pass	PK	5.65061G	67.94	68.65	-0.71	3	Horizontal	310	2.70
5785MHz	Pass	PK	5.79218G	112.71	Inf	-Inf	3	Horizontal	310	2.70
5785MHz	Pass	PK	5.97489G	62.55	68.20	-5.65	3	Horizontal	310	2.70
5785MHz	Pass	AV	11.57056G	44.07	54.00	-9.93	3	Vertical	360	1.50
5785MHz	Pass	PK	11.56176G	56.16	74.00	-17.84	3	Vertical	360	1.50
5785MHz	Pass	AV	11.56048G	44.28	54.00	-9.72	3	Horizontal	16	1.50
5785MHz	Pass	PK	11.57236G	54.68	74.00	-19.32	3	Horizontal	16	1.50
5825MHz	Pass	AV	5.8238G	109.22	Inf	-Inf	3	Vertical	336	2.96
5825MHz	Pass	PK	5.651G	68.55	68.94	-0.39	3	Vertical	336	2.96
5825MHz	Pass	PK	5.8274G	118.07	Inf	-Inf	3	Vertical	336	2.96
5825MHz	Pass	PK	5.9822G	63.06	68.20	-5.14	3	Vertical	336	2.96
5825MHz	Pass	AV	5.8298G	102.55	Inf	-Inf	3	Horizontal	310	2.52
5825MHz	Pass	PK	5.6474G	65.15	68.20	-3.05	3	Horizontal	310	2.52
5825MHz	Pass	PK	5.8226G	111.73	Inf	-Inf	3	Horizontal	310	2.52
5825MHz	Pass	PK	5.999G	62.82	68.20	-5.38	3	Horizontal	310	2.52
5825MHz	Pass	AV	11.64916G	43.52	54.00	-10.48	3	Vertical	135	1.50
5825MHz	Pass	PK	11.64624G	54.12	74.00	-19.88	3	Vertical	135	1.50
5825MHz	Pass	AV	11.64892G	43.54	54.00	-10.46	3	Horizontal	0	1.50
5825MHz	Pass	PK	11.65552G	54.46	74.00	-19.54	3	Horizontal	0	1.50
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	53.13	54.00	-0.87	3	Vertical	299	2.42
5190MHz	Pass	AV	5.1988G	104.19	Inf	-Inf	3	Vertical	299	2.42
5190MHz	Pass	PK	5.1444G	62.83	74.00	-11.17	3	Vertical	299	2.42
5190MHz	Pass	PK	5.1984G	113.49	Inf	-Inf	3	Vertical	299	2.42
5190MHz	Pass	AV	5.1472G	51.02	54.00	-2.98	3	Horizontal	73	1.07
5190MHz	Pass	AV	5.196G	94.11	Inf	-Inf	3	Horizontal	73	1.07
5190MHz	Pass	PK	5.144G	61.97	74.00	-12.03	3	Horizontal	73	1.07
5190MHz	Pass	PK	5.1948G	104.16	Inf	-Inf	3	Horizontal	73	1.07
5190MHz	Pass	PK	10.37408G	53.67	68.20	-14.53	3	Vertical	196	1.89
5190MHz	Pass	PK	10.38088G	53.68	68.20	-14.52	3	Horizontal	351	1.50
5230MHz	Pass	AV	5.1364G	53.55	54.00	-0.45	3	Vertical	302	2.53
5230MHz	Pass	AV	5.236G	106.23	Inf	-Inf	3	Vertical	302	2.53
5230MHz	Pass	PK	5.1348G	68.36	74.00	-5.64	3	Vertical	302	2.53
5230MHz	Pass	PK	5.218G	114.56	Inf	-Inf	3	Vertical	302	2.53
5230MHz	Pass	AV	5.144G	51.26	54.00	-2.74	3	Horizontal	14	1.07
5230MHz	Pass	AV	5.2388G	95.24	Inf	-Inf	3	Horizontal	14	1.07
5230MHz	Pass	PK	5.1448G	63.84	74.00	-10.16	3	Horizontal	14	1.07
5230MHz	Pass	PK	5.2392G	105.37	Inf	-Inf	3	Horizontal	14	1.07
5230MHz	Pass	PK	10.46424G	53.72	68.20	-14.48	3	Vertical	16	1.66



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.47216G	54.61	68.20	-13.59	3	Horizontal	250	1.70
5270MHz	Pass	AV	5.2588G	105.50	Inf	-Inf	3	Vertical	297	2.52
5270MHz	Pass	AV	5.3584G	53.89	54.00	-0.11	3	Vertical	297	2.52
5270MHz	Pass	PK	5.258G	115.40	Inf	-Inf	3	Vertical	297	2.52
5270MHz	Pass	PK	5.358G	68.76	74.00	-5.24	3	Vertical	297	2.52
5270MHz	Pass	AV	5.2588G	94.46	Inf	-Inf	3	Horizontal	14	1.01
5270MHz	Pass	AV	5.35G	51.29	54.00	-2.71	3	Horizontal	14	1.01
5270MHz	Pass	PK	5.2624G	104.14	Inf	-Inf	3	Horizontal	14	1.01
5270MHz	Pass	PK	5.352G	65.13	74.00	-8.87	3	Horizontal	14	1.01
5270MHz	Pass	PK	10.5412G	53.98	68.20	-14.22	3	Vertical	172	1.11
5270MHz	Pass	PK	10.552G	54.14	68.20	-14.06	3	Horizontal	350	1.50
5310MHz	Pass	AV	5.316G	106.20	Inf	-Inf	3	Vertical	239	2.65
5310MHz	Pass	AV	5.3532G	53.59	54.00	-0.41	3	Vertical	239	2.65
5310MHz	Pass	PK	5.2948G	115.19	Inf	-Inf	3	Vertical	239	2.65
5310MHz	Pass	PK	5.3508G	63.99	74.00	-10.01	3	Vertical	239	2.65
5310MHz	Pass	AV	5.2988G	95.42	Inf	-Inf	3	Horizontal	14	1.01
5310MHz	Pass	AV	5.3548G	50.91	54.00	-3.09	3	Horizontal	14	1.01
5310MHz	Pass	PK	5.2924G	105.02	Inf	-Inf	3	Horizontal	14	1.01
5310MHz	Pass	PK	5.3828G	61.47	74.00	-12.53	3	Horizontal	14	1.01
5310MHz	Pass	AV	10.62752G	43.41	54.00	-10.59	3	Vertical	67	1.50
5310MHz	Pass	PK	10.62912G	53.93	74.00	-20.07	3	Vertical	67	1.50
5310MHz	Pass	AV	10.62928G	43.35	54.00	-10.65	3	Horizontal	281	1.50
5310MHz	Pass	PK	10.62376G	54.21	74.00	-19.79	3	Horizontal	281	1.50
5510MHz	Pass	AV	5.4596G	53.81	54.00	-0.19	3	Vertical	237	2.45
5510MHz	Pass	AV	5.5188G	106.77	Inf	-Inf	3	Vertical	237	2.45
5510MHz	Pass	PK	5.4588G	63.87	74.00	-10.13	3	Vertical	237	2.45
5510MHz	Pass	PK	5.47G	67.48	68.20	-0.72	3	Vertical	237	2.45
5510MHz	Pass	PK	5.518G	115.96	Inf	-Inf	3	Vertical	237	2.45
5510MHz	Pass	AV	5.4568G	50.78	54.00	-3.22	3	Horizontal	66	1.26
5510MHz	Pass	AV	5.4988G	95.42	Inf	-Inf	3	Horizontal	66	1.26
5510MHz	Pass	PK	5.4244G	61.08	74.00	-12.92	3	Horizontal	66	1.26
5510MHz	Pass	PK	5.466G	61.72	68.20	-6.48	3	Horizontal	66	1.26
5510MHz	Pass	PK	5.5048G	104.95	Inf	-Inf	3	Horizontal	66	1.26
5510MHz	Pass	AV	11.03G	43.43	54.00	-10.57	3	Vertical	0	1.50
5510MHz	Pass	PK	11.0036G	54.22	74.00	-19.78	3	Vertical	0	1.50
5510MHz	Pass	AV	11.0332G	43.00	54.00	-11.00	3	Horizontal	29	2.81
5510MHz	Pass	PK	11.03104G	54.13	74.00	-19.87	3	Horizontal	29	2.81
5550MHz	Pass	AV	5.4584G	53.93	54.00	-0.07	3	Vertical	236	2.61
5550MHz	Pass	AV	5.5588G	105.64	Inf	-Inf	3	Vertical	236	2.61
5550MHz	Pass	PK	5.4588G	69.46	74.00	-4.54	3	Vertical	236	2.61
5550MHz	Pass	PK	5.4604G	67.41	68.20	-0.79	3	Vertical	236	2.61
5550MHz	Pass	PK	5.538G	115.25	Inf	-Inf	3	Vertical	236	2.61
5550MHz	Pass	AV	5.4516G	50.77	54.00	-3.23	3	Horizontal	65	1.50
5550MHz	Pass	AV	5.5588G	93.00	Inf	-Inf	3	Horizontal	65	1.50
5550MHz	Pass	PK	5.4504G	60.82	74.00	-13.18	3	Horizontal	65	1.50
5550MHz	Pass	PK	5.4664G	60.84	68.20	-7.36	3	Horizontal	65	1.50
5550MHz	Pass	PK	5.5588G	101.82	Inf	-Inf	3	Horizontal	65	1.50
5550MHz	Pass	AV	11.08432G	43.46	54.00	-10.54	3	Vertical	216	2.83
5550MHz	Pass	PK	11.082G	54.53	74.00	-19.47	3	Vertical	216	2.83
5550MHz	Pass	AV	11.08016G	43.28	54.00	-10.72	3	Horizontal	87	1.50
5550MHz	Pass	PK	11.118G	54.34	74.00	-19.66	3	Horizontal	87	1.50
5670MHz	Pass	AV	5.6676G	100.36	Inf	-Inf	3	Vertical	331	2.90
5670MHz	Pass	PK	5.6802G	110.26	Inf	-Inf	3	Vertical	331	2.90
5670MHz	Pass	PK	5.7288G	67.43	68.20	-0.77	3	Vertical	331	2.90
5670MHz	Pass	AV	5.6724G	93.79	Inf	-Inf	3	Horizontal	298	2.43
5670MHz	Pass	PK	5.6724G	103.40	Inf	-Inf	3	Horizontal	298	2.43
5670MHz	Pass	PK	5.7846G	63.86	68.20	-4.34	3	Horizontal	298	2.43
5670MHz	Pass	AV	11.32544G	44.33	54.00	-9.67	3	Vertical	251	1.06
5670MHz	Pass	PK	11.35216G	55.54	74.00	-18.46	3	Vertical	251	1.06
5670MHz	Pass	AV	11.34584G	44.58	54.00	-9.42	3	Horizontal	283	1.50
5670MHz	Pass	PK	11.35312G	55.19	74.00	-18.81	3	Horizontal	283	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	51.46	54.00	-2.54	3	Vertical	238	2.40



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6992G	106.68	Inf	-Inf	3	Vertical	238	2.40
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4592G	63.61	74.00	-10.39	3	Vertical	238	2.40
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	61.89	68.20	-6.31	3	Vertical	238	2.40
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	116.31	Inf	-Inf	3	Vertical	238	2.40
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	67.11	68.20	-1.09	3	Vertical	238	2.40
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4196G	50.40	54.00	-3.60	3	Horizontal	309	2.51
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	99.72	Inf	-Inf	3	Horizontal	309	2.51
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4388G	61.14	74.00	-12.86	3	Horizontal	309	2.51
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	59.91	68.20	-8.29	3	Horizontal	309	2.51
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	108.78	Inf	-Inf	3	Horizontal	309	2.51
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	62.82	68.20	-5.38	3	Horizontal	309	2.51
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43656G	44.68	54.00	-9.32	3	Vertical	306	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42952G	55.43	74.00	-18.57	3	Vertical	306	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4128G	44.53	54.00	-9.47	3	Horizontal	104	2.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42496G	55.22	74.00	-18.78	3	Horizontal	104	2.77
5755MHz	Pass	AV	5.4598G	50.94	54.00	-3.06	3	Vertical	323	2.62
5755MHz	Pass	AV	5.7586G	107.14	Inf	-Inf	3	Vertical	323	2.62
5755MHz	Pass	PK	5.6458G	67.86	68.20	-0.34	3	Vertical	323	2.62
5755MHz	Pass	PK	5.7598G	117.00	Inf	-Inf	3	Vertical	323	2.62
5755MHz	Pass	PK	5.9362G	63.46	68.20	-4.74	3	Vertical	323	2.62
5755MHz	Pass	AV	5.4574G	50.45	54.00	-3.55	3	Horizontal	311	2.86
5755MHz	Pass	AV	5.7406G	100.39	Inf	-Inf	3	Horizontal	311	2.86
5755MHz	Pass	PK	5.6446G	64.74	68.20	-3.46	3	Horizontal	311	2.86
5755MHz	Pass	PK	5.7586G	109.80	Inf	-Inf	3	Horizontal	311	2.86
5755MHz	Pass	PK	5.9434G	63.09	68.20	-5.11	3	Horizontal	311	2.86
5755MHz	Pass	AV	11.49496G	44.69	54.00	-9.31	3	Vertical	112	1.50
5755MHz	Pass	PK	11.52264G	56.11	74.00	-17.89	3	Vertical	112	1.50
5755MHz	Pass	AV	11.49304G	44.68	54.00	-9.32	3	Horizontal	295	1.58
5755MHz	Pass	PK	11.5124G	55.09	74.00	-18.91	3	Horizontal	295	1.58
5795MHz	Pass	AV	5.7986G	105.24	Inf	-Inf	3	Vertical	325	2.58
5795MHz	Pass	PK	5.645G	67.06	68.20	-1.14	3	Vertical	325	2.58
5795MHz	Pass	PK	5.7926G	114.65	Inf	-Inf	3	Vertical	325	2.58
5795MHz	Pass	PK	6.0914G	62.92	68.20	-5.28	3	Vertical	325	2.58
5795MHz	Pass	AV	5.789G	94.91	Inf	-Inf	3	Horizontal	73	1.00
5795MHz	Pass	PK	5.5994G	61.37	68.20	-6.83	3	Horizontal	73	1.00
5795MHz	Pass	PK	5.7914G	105.02	Inf	-Inf	3	Horizontal	73	1.00
5795MHz	Pass	PK	6.0362G	63.17	68.20	-5.03	3	Horizontal	73	1.00
5795MHz	Pass	AV	11.57032G	44.31	54.00	-9.69	3	Vertical	237	1.19
5795MHz	Pass	PK	11.58344G	54.62	74.00	-19.38	3	Vertical	237	1.19
5795MHz	Pass	AV	11.57016G	44.24	54.00	-9.76	3	Horizontal	356	1.50
5795MHz	Pass	PK	11.58432G	55.61	74.00	-18.39	3	Horizontal	356	1.50
802.11be EHT80_Nss4_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.118G	53.58	54.00	-0.42	3	Vertical	298	2.53
5210MHz	Pass	AV	5.219G	101.05	Inf	-Inf	3	Vertical	298	2.53
5210MHz	Pass	AV	5.458G	52.10	54.00	-1.90	3	Vertical	298	2.53
5210MHz	Pass	PK	5.142G	63.43	74.00	-10.57	3	Vertical	298	2.53
5210MHz	Pass	PK	5.218G	109.65	Inf	-Inf	3	Vertical	298	2.53
5210MHz	Pass	PK	5.398G	62.03	74.00	-11.97	3	Vertical	298	2.53
5210MHz	Pass	AV	5.133G	51.17	54.00	-2.83	3	Horizontal	14	1.01
5210MHz	Pass	AV	5.225G	90.67	Inf	-Inf	3	Horizontal	14	1.01
5210MHz	Pass	AV	5.429G	51.10	54.00	-2.90	3	Horizontal	14	1.01
5210MHz	Pass	PK	5.049G	62.20	74.00	-11.80	3	Horizontal	14	1.01
5210MHz	Pass	PK	5.216G	101.47	Inf	-Inf	3	Horizontal	14	1.01
5210MHz	Pass	PK	5.386G	61.96	74.00	-12.04	3	Horizontal	14	1.01
5210MHz	Pass	PK	10.42608G	54.19	68.20	-14.01	3	Vertical	360	2.83
5210MHz	Pass	PK	10.44528G	53.88	68.20	-14.32	3	Horizontal	300	1.96
5290MHz	Pass	AV	5.086G	50.93	54.00	-3.07	3	Vertical	238	2.55
5290MHz	Pass	AV	5.276G	101.82	Inf	-Inf	3	Vertical	238	2.55
5290MHz	Pass	AV	5.378G	53.34	54.00	-0.66	3	Vertical	238	2.55
5290MHz	Pass	PK	5.135G	61.52	74.00	-12.48	3	Vertical	238	2.55
5290MHz	Pass	PK	5.275G	110.63	Inf	-Inf	3	Vertical	238	2.55
5290MHz	Pass	PK	5.368G	63.90	74.00	-10.10	3	Vertical	238	2.55

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.521G	62.56	68.20	-5.64	3	Vertical	238	2.55
5290MHz	Pass	AV	5.042G	50.27	54.00	-3.73	3	Horizontal	14	1.09
5290MHz	Pass	AV	5.279G	90.86	Inf	-Inf	3	Horizontal	14	1.09
5290MHz	Pass	AV	5.437G	51.16	54.00	-2.84	3	Horizontal	14	1.09
5290MHz	Pass	PK	5.143G	61.38	74.00	-12.62	3	Horizontal	14	1.09
5290MHz	Pass	PK	5.276G	100.31	Inf	-Inf	3	Horizontal	14	1.09
5290MHz	Pass	PK	5.453G	61.30	74.00	-12.70	3	Horizontal	14	1.09
5290MHz	Pass	PK	5.512G	62.38	68.20	-5.82	3	Horizontal	14	1.09
5290MHz	Pass	PK	10.54208G	54.00	68.20	-14.20	3	Vertical	188	1.50
5290MHz	Pass	AV	10.61056G	43.41	54.00	-10.59	3	Horizontal	169	1.45
5290MHz	Pass	PK	10.57696G	54.47	68.20	-13.73	3	Horizontal	169	1.45
5530MHz	Pass	AV	5.35G	49.72	54.00	-4.28	3	Vertical	236	2.47
5530MHz	Pass	AV	5.437G	53.18	54.00	-0.82	3	Vertical	236	2.47
5530MHz	Pass	AV	5.519G	101.09	Inf	-Inf	3	Vertical	236	2.47
5530MHz	Pass	PK	5.348G	60.65	68.20	-7.55	3	Vertical	236	2.47
5530MHz	Pass	PK	5.438G	63.24	74.00	-10.76	3	Vertical	236	2.47
5530MHz	Pass	PK	5.469G	63.32	68.20	-4.88	3	Vertical	236	2.47
5530MHz	Pass	PK	5.518G	109.19	Inf	-Inf	3	Vertical	236	2.47
5530MHz	Pass	PK	5.725G	62.01	68.20	-6.19	3	Vertical	236	2.47
5530MHz	Pass	AV	5.35G	49.77	54.00	-4.23	3	Horizontal	67	1.01
5530MHz	Pass	AV	5.438G	50.80	54.00	-3.20	3	Horizontal	67	1.01
5530MHz	Pass	AV	5.519G	89.44	Inf	-Inf	3	Horizontal	67	1.01
5530MHz	Pass	PK	5.35G	61.02	74.00	-12.98	3	Horizontal	67	1.01
5530MHz	Pass	PK	5.447G	61.59	74.00	-12.41	3	Horizontal	67	1.01
5530MHz	Pass	PK	5.467G	61.06	68.20	-7.14	3	Horizontal	67	1.01
5530MHz	Pass	PK	5.522G	98.21	Inf	-Inf	3	Horizontal	67	1.01
5530MHz	Pass	PK	5.775G	62.43	68.20	-5.77	3	Horizontal	67	1.01
5530MHz	Pass	AV	11.08256G	43.19	54.00	-10.81	3	Vertical	108	2.11
5530MHz	Pass	PK	11.02096G	53.94	74.00	-20.06	3	Vertical	108	2.11
5530MHz	Pass	AV	11.08928G	43.34	54.00	-10.66	3	Horizontal	320	1.94
5530MHz	Pass	PK	11.0336G	54.65	74.00	-19.35	3	Horizontal	320	1.94
5610MHz	Pass	AV	5.457G	53.71	54.00	-0.29	3	Vertical	236	2.74
5610MHz	Pass	AV	5.599G	102.82	Inf	-Inf	3	Vertical	236	2.74
5610MHz	Pass	PK	5.458G	69.47	74.00	-4.53	3	Vertical	236	2.74
5610MHz	Pass	PK	5.461G	65.53	68.20	-2.67	3	Vertical	236	2.74
5610MHz	Pass	PK	5.598G	110.76	Inf	-Inf	3	Vertical	236	2.74
5610MHz	Pass	PK	5.739G	67.36	68.20	-0.84	3	Vertical	236	2.74
5610MHz	Pass	AV	5.45G	50.70	54.00	-3.30	3	Horizontal	67	1.30
5610MHz	Pass	AV	5.599G	89.51	Inf	-Inf	3	Horizontal	67	1.30
5610MHz	Pass	PK	5.446G	63.01	74.00	-10.99	3	Horizontal	67	1.30
5610MHz	Pass	PK	5.469G	60.68	68.20	-7.52	3	Horizontal	67	1.30
5610MHz	Pass	PK	5.577G	98.36	Inf	-Inf	3	Horizontal	67	1.30
5610MHz	Pass	PK	5.816G	62.37	68.20	-5.83	3	Horizontal	67	1.30
5610MHz	Pass	AV	11.24736G	43.90	54.00	-10.10	3	Vertical	168	1.42
5610MHz	Pass	PK	11.25952G	54.52	74.00	-19.48	3	Vertical	168	1.42
5610MHz	Pass	AV	11.24896G	43.81	54.00	-10.19	3	Horizontal	209	1.50
5610MHz	Pass	PK	11.2472G	55.09	74.00	-18.91	3	Horizontal	209	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	52.63	54.00	-1.37	3	Vertical	237	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	102.13	Inf	-Inf	3	Vertical	237	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	68.47	74.00	-5.53	3	Vertical	237	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	63.98	68.20	-4.22	3	Vertical	237	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	110.19	Inf	-Inf	3	Vertical	237	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	66.08	68.20	-2.12	3	Vertical	237	2.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	50.66	54.00	-3.34	3	Horizontal	310	2.51
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	94.23	Inf	-Inf	3	Horizontal	310	2.51
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	62.06	74.00	-11.94	3	Horizontal	310	2.51
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	60.93	68.20	-7.27	3	Horizontal	310	2.51
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6744G	104.49	Inf	-Inf	3	Horizontal	310	2.51
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8772G	62.85	68.20	-5.35	3	Horizontal	310	2.51
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39312G	44.55	54.00	-9.45	3	Vertical	330	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40416G	55.73	74.00	-18.27	3	Vertical	330	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39968G	44.58	54.00	-9.42	3	Horizontal	253	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37232G	55.66	74.00	-18.34	3	Horizontal	253	1.50
5775MHz	Pass	AV	5.7582G	103.22	Inf	-Inf	3	Vertical	321	2.62
5775MHz	Pass	PK	5.649G	66.10	68.20	-2.10	3	Vertical	321	2.62
5775MHz	Pass	PK	5.7594G	112.60	Inf	-Inf	3	Vertical	321	2.62
5775MHz	Pass	PK	5.9394G	62.87	68.20	-5.33	3	Vertical	321	2.62
5775MHz	Pass	AV	5.7606G	97.08	Inf	-Inf	3	Horizontal	310	2.57
5775MHz	Pass	PK	5.6358G	61.75	68.20	-6.45	3	Horizontal	310	2.57
5775MHz	Pass	PK	5.7594G	106.57	Inf	-Inf	3	Horizontal	310	2.57
5775MHz	Pass	PK	6.0138G	63.40	68.20	-4.80	3	Horizontal	310	2.57
5775MHz	Pass	AV	11.52136G	44.45	54.00	-9.55	3	Vertical	228	1.06
5775MHz	Pass	PK	11.53624G	55.74	74.00	-18.26	3	Vertical	228	1.06
5775MHz	Pass	AV	11.52168G	44.49	54.00	-9.51	3	Horizontal	207	2.79
5775MHz	Pass	PK	11.562G	54.76	74.00	-19.24	3	Horizontal	207	2.79
802.11be EHT160_Nss4(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1348G	51.74	54.00	-2.26	3	Vertical	236	2.51
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2788G	95.24	Inf	-Inf	3	Vertical	236	2.51
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3796G	53.41	54.00	-0.59	3	Vertical	236	2.51
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1348G	65.88	74.00	-8.12	3	Vertical	236	2.51
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2764G	104.02	Inf	-Inf	3	Vertical	236	2.51
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3568G	71.57	74.00	-2.43	3	Vertical	236	2.51
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4804G	65.24	68.20	-2.96	3	Vertical	236	2.51
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.142G	50.83	54.00	-3.17	3	Horizontal	15	3.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2728G	85.08	Inf	-Inf	3	Horizontal	15	3.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4228G	51.15	54.00	-2.85	3	Horizontal	15	3.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.01G	61.54	74.00	-12.46	3	Horizontal	15	3.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2728G	94.29	Inf	-Inf	3	Horizontal	15	3.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3532G	62.47	74.00	-11.53	3	Horizontal	15	3.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4804G	61.48	68.20	-6.72	3	Horizontal	15	3.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.51024G	53.84	68.20	-14.36	3	Vertical	297	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5752G	53.87	68.20	-14.33	3	Horizontal	156	1.50
5570MHz	Pass	AV	5.4572G	53.81	54.00	-0.19	3	Vertical	236	2.51
5570MHz	Pass	AV	5.5388G	95.75	Inf	-Inf	3	Vertical	236	2.51
5570MHz	Pass	PK	5.2952G	61.15	68.20	-7.05	3	Vertical	236	2.51
5570MHz	Pass	PK	5.4572G	71.86	74.00	-2.14	3	Vertical	236	2.51
5570MHz	Pass	PK	5.468G	68.03	68.20	-0.17	3	Vertical	236	2.51
5570MHz	Pass	PK	5.594G	104.59	Inf	-Inf	3	Vertical	236	2.51
5570MHz	Pass	PK	5.7404G	63.47	68.20	-4.73	3	Vertical	236	2.51
5570MHz	Pass	AV	5.4272G	50.74	54.00	-3.26	3	Horizontal	307	2.92
5570MHz	Pass	AV	5.5376G	88.15	Inf	-Inf	3	Horizontal	307	2.92
5570MHz	Pass	PK	5.3264G	60.58	68.20	-7.62	3	Horizontal	307	2.92
5570MHz	Pass	PK	5.4572G	63.07	74.00	-10.93	3	Horizontal	307	2.92
5570MHz	Pass	PK	5.4692G	63.31	68.20	-4.89	3	Horizontal	307	2.92
5570MHz	Pass	PK	5.5388G	96.02	Inf	-Inf	3	Horizontal	307	2.92
5570MHz	Pass	PK	5.8472G	62.65	68.20	-5.55	3	Horizontal	307	2.92
5570MHz	Pass	AV	11.19568G	43.50	54.00	-10.50	3	Vertical	320	2.44
5570MHz	Pass	PK	11.19888G	54.44	74.00	-19.56	3	Vertical	320	2.44
5570MHz	Pass	AV	11.1992G	43.40	54.00	-10.60	3	Horizontal	310	2.24
5570MHz	Pass	PK	11.1944G	54.87	74.00	-19.13	3	Horizontal	310	2.24

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	53.96	54.00	-0.04	6.46	3	Vertical	153	3.00	47.50	33.40	8.09	35.03
AV	5.2388G	113.06	Inf	-Inf	6.42	3	Vertical	153	3.00	106.64	33.32	8.14	35.04
AV	5.357G	52.36	54.00	-1.64	6.14	3	Vertical	153	3.00	46.22	33.01	8.19	35.06
PK	5.1494G	73.74	74.00	-0.26	6.46	3	Vertical	153	3.00	67.28	33.40	8.09	35.03
PK	5.2382G	121.23	Inf	-Inf	6.42	3	Vertical	153	3.00	114.81	33.32	8.14	35.04
PK	5.351G	69.58	74.00	-4.42	6.13	3	Vertical	153	3.00	63.45	33.00	8.19	35.06

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1314G	50.46	54.00	-3.54	6.43	3	Horizontal	14	1.18	44.03	33.36	8.09	35.02
AV	5.2478G	100.00	Inf	-Inf	6.40	3	Horizontal	14	1.18	93.60	33.30	8.14	35.04
AV	5.381G	51.23	54.00	-2.77	6.19	3	Horizontal	14	1.18	45.04	33.06	8.20	35.07
PK	5.15G	64.53	74.00	-9.47	6.46	3	Horizontal	14	1.18	58.07	33.40	8.09	35.03
PK	5.2436G	110.45	Inf	-Inf	6.41	3	Horizontal	14	1.18	104.04	33.31	8.14	35.04
PK	5.3528G	61.87	74.00	-12.13	6.14	3	Horizontal	14	1.18	55.73	33.01	8.19	35.06


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.118G	53.58	54.00	-0.42	6.40	3	Vertical	298	2.53	47.18	33.34	8.08	35.02
AV	5.219G	101.05	Inf	-Inf	6.45	3	Vertical	298	2.53	94.60	33.36	8.13	35.04
AV	5.458G	52.10	54.00	-1.90	6.40	3	Vertical	298	2.53	45.70	33.20	8.28	35.08
PK	5.142G	63.43	74.00	-10.57	6.44	3	Vertical	298	2.53	56.99	33.38	8.09	35.03
PK	5.218G	109.65	Inf	-Inf	6.45	3	Vertical	298	2.53	103.20	33.36	8.13	35.04
PK	5.398G	62.03	74.00	-11.97	6.24	3	Vertical	298	2.53	55.79	33.10	8.21	35.07

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.133G	51.17	54.00	-2.83	6.44	3	Horizontal	14	1.01	44.73	33.37	8.09	35.02
AV	5.225G	90.67	Inf	-Inf	6.44	3	Horizontal	14	1.01	84.23	33.35	8.13	35.04
AV	5.429G	51.10	54.00	-2.90	6.33	3	Horizontal	14	1.01	44.77	33.16	8.25	35.08
PK	5.049G	62.20	74.00	-11.80	6.53	3	Horizontal	14	1.01	55.67	33.50	8.04	35.01
PK	5.216G	101.47	Inf	-Inf	6.46	3	Horizontal	14	1.01	95.01	33.37	8.13	35.04
PK	5.386G	61.96	74.00	-12.04	6.20	3	Horizontal	14	1.01	55.76	33.07	8.20	35.07


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TX






5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	53.71	54.00	-0.29	6.40	3	Vertical	236	2.74	47.31	33.20	8.28	35.08
AV	5.599G	102.82	Inf	-Inf	6.66	3	Vertical	236	2.74	96.16	33.30	8.46	35.10
PK	5.458G	69.47	74.00	-4.53	6.40	3	Vertical	236	2.74	63.07	33.20	8.28	35.08
PK	5.461G	65.53	68.20	-2.67	6.41	3	Vertical	236	2.74	59.12	33.20	8.29	35.08
PK	5.598G	110.76	Inf	-Inf	6.66	3	Vertical	236	2.74	104.10	33.30	8.46	35.10
PK	5.739G	67.36	68.20	-0.84	7.42	3	Vertical	236	2.74	59.94	33.93	8.60	35.11

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	50.70	54.00	-3.30	6.39	3	Horizontal	67	1.30	44.31	33.20	8.27	35.08
AV	5.599G	89.51	Inf	-Inf	6.66	3	Horizontal	67	1.30	82.85	33.30	8.46	35.10
PK	5.446G	63.01	74.00	-10.99	6.38	3	Horizontal	67	1.30	56.63	33.19	8.27	35.08
PK	5.469G	60.68	68.20	-7.52	6.42	3	Horizontal	67	1.30	54.26	33.20	8.30	35.08
PK	5.577G	98.36	Inf	-Inf	6.63	3	Horizontal	67	1.30	91.73	33.30	8.43	35.10
PK	5.816G	62.37	68.20	-5.83	7.88	3	Horizontal	67	1.30	54.49	34.33	8.67	35.12


5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_1T1S_AP5022**

Appendix E.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	AV	5.139G	53.46	54.00	-0.54	3	Horizontal	60	2.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX	Pass	AV	5.3532G	53.48	54.00	-0.52	3	Horizontal	62	2.72
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	Pass	AV	5.356G	53.42	54.00	-0.58	3	Horizontal	59	2.71
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	Pass	PK	5.739G	68.11	68.20	-0.09	3	Horizontal	47	2.72
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX	Pass	PK	5.4668G	67.74	68.20	-0.46	3	Horizontal	54	2.68
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	PK	5.6214G	67.54	68.20	-0.66	3	Horizontal	58	2.08

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	50.91	54.00	-3.09	3	Vertical	131	1.50
5210MHz	Pass	AV	5.18G	85.59	Inf	-Inf	3	Vertical	131	1.50
5210MHz	Pass	AV	5.45G	51.10	54.00	-2.90	3	Vertical	131	1.50
5210MHz	Pass	PK	5.147G	63.57	74.00	-10.43	3	Vertical	131	1.50
5210MHz	Pass	PK	5.179G	96.52	Inf	-Inf	3	Vertical	131	1.50
5210MHz	Pass	PK	5.425G	61.84	74.00	-12.16	3	Vertical	131	1.50
5210MHz	Pass	AV	5.139G	53.46	54.00	-0.54	3	Horizontal	60	2.68
5210MHz	Pass	AV	5.199G	93.26	Inf	-Inf	3	Horizontal	60	2.68
5210MHz	Pass	AV	5.437G	51.18	54.00	-2.82	3	Horizontal	60	2.68
5210MHz	Pass	PK	5.15G	69.28	74.00	-4.72	3	Horizontal	60	2.68
5210MHz	Pass	PK	5.237G	104.23	Inf	-Inf	3	Horizontal	60	2.68
5210MHz	Pass	PK	5.383G	62.37	74.00	-11.63	3	Horizontal	60	2.68
5210MHz	Pass	PK	10.44032G	53.63	68.20	-14.57	3	Vertical	181	2.16
5210MHz	Pass	PK	10.38656G	53.96	68.20	-14.24	3	Horizontal	193	1.86
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.045G	50.75	54.00	-3.25	3	Vertical	146	1.81
5290MHz	Pass	AV	5.305G	86.53	Inf	-Inf	3	Vertical	146	1.81
5290MHz	Pass	AV	5.357G	51.39	54.00	-2.61	3	Vertical	146	1.81
5290MHz	Pass	PK	5.15G	60.57	74.00	-13.43	3	Vertical	146	1.81
5290MHz	Pass	PK	5.297G	97.21	Inf	-Inf	3	Vertical	146	1.81
5290MHz	Pass	PK	5.362G	67.37	74.00	-6.63	3	Vertical	146	1.81
5290MHz	Pass	PK	5.506G	61.59	68.20	-6.61	3	Vertical	146	1.81
5290MHz	Pass	AV	5.132G	50.49	54.00	-3.51	3	Horizontal	59	2.71
5290MHz	Pass	AV	5.303G	93.71	Inf	-Inf	3	Horizontal	59	2.71
5290MHz	Pass	AV	5.356G	53.42	54.00	-0.58	3	Horizontal	59	2.71
5290MHz	Pass	PK	5.073G	61.00	74.00	-13.00	3	Horizontal	59	2.71
5290MHz	Pass	PK	5.3G	104.91	Inf	-Inf	3	Horizontal	59	2.71
5290MHz	Pass	PK	5.363G	72.35	74.00	-1.65	3	Horizontal	59	2.71
5290MHz	Pass	PK	5.463G	61.86	68.20	-6.34	3	Horizontal	59	2.71
5290MHz	Pass	PK	10.55904G	53.99	68.20	-14.21	3	Vertical	312	1.50
5290MHz	Pass	PK	10.5632G	54.75	68.20	-13.45	3	Horizontal	287	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	49.42	54.00	-4.58	3	Vertical	148	1.64
5530MHz	Pass	AV	5.459G	51.35	54.00	-2.65	3	Vertical	148	1.64
5530MHz	Pass	AV	5.518G	87.74	Inf	-Inf	3	Vertical	148	1.64
5530MHz	Pass	PK	5.331G	60.63	68.20	-7.57	3	Vertical	148	1.64
5530MHz	Pass	PK	5.457G	63.21	74.00	-10.79	3	Vertical	148	1.64
5530MHz	Pass	PK	5.47G	64.58	68.20	-3.62	3	Vertical	148	1.64
5530MHz	Pass	PK	5.516G	98.42	Inf	-Inf	3	Vertical	148	1.64
5530MHz	Pass	PK	5.758G	61.81	68.20	-6.39	3	Vertical	148	1.64
5530MHz	Pass	AV	5.35G	49.45	54.00	-4.55	3	Horizontal	42	1.35
5530MHz	Pass	AV	5.452G	52.32	54.00	-1.68	3	Horizontal	42	1.35
5530MHz	Pass	AV	5.543G	91.91	Inf	-Inf	3	Horizontal	42	1.35
5530MHz	Pass	PK	5.344G	60.47	68.20	-7.73	3	Horizontal	42	1.35
5530MHz	Pass	PK	5.452G	65.86	74.00	-8.14	3	Horizontal	42	1.35
5530MHz	Pass	PK	5.47G	67.38	68.20	-0.82	3	Horizontal	42	1.35
5530MHz	Pass	PK	5.539G	102.96	Inf	-Inf	3	Horizontal	42	1.35
5530MHz	Pass	PK	5.772G	61.71	68.20	-6.49	3	Horizontal	42	1.35
5530MHz	Pass	AV	11.07632G	43.16	54.00	-10.84	3	Vertical	14	1.50
5530MHz	Pass	PK	11.0496G	53.84	74.00	-20.16	3	Vertical	14	1.50
5530MHz	Pass	AV	11.07648G	43.39	54.00	-10.61	3	Horizontal	349	1.50
5530MHz	Pass	PK	11.0896G	54.38	74.00	-19.62	3	Horizontal	349	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.431G	50.76	54.00	-3.24	3	Vertical	342	1.50
5610MHz	Pass	AV	5.625G	89.22	Inf	-Inf	3	Vertical	342	1.50
5610MHz	Pass	PK	5.453G	61.11	74.00	-12.89	3	Vertical	342	1.50
5610MHz	Pass	PK	5.469G	60.51	68.20	-7.69	3	Vertical	342	1.50
5610MHz	Pass	PK	5.623G	100.66	Inf	-Inf	3	Vertical	342	1.50
5610MHz	Pass	PK	5.742G	64.25	68.20	-3.95	3	Vertical	342	1.50
5610MHz	Pass	AV	5.449G	52.21	54.00	-1.79	3	Horizontal	47	2.72

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.58G	95.83	Inf	-Inf	3	Horizontal	47	2.72
5610MHz	Pass	PK	5.452G	67.09	74.00	-6.91	3	Horizontal	47	2.72
5610MHz	Pass	PK	5.469G	66.99	68.20	-1.21	3	Horizontal	47	2.72
5610MHz	Pass	PK	5.583G	107.40	Inf	-Inf	3	Horizontal	47	2.72
5610MHz	Pass	PK	5.739G	68.11	68.20	-0.09	3	Horizontal	47	2.72
5610MHz	Pass	AV	11.25888G	44.00	54.00	-10.00	3	Vertical	90	1.97
5610MHz	Pass	PK	11.22848G	54.93	74.00	-19.07	3	Vertical	90	1.97
5610MHz	Pass	AV	11.24832G	44.27	54.00	-9.73	3	Horizontal	311	1.50
5610MHz	Pass	PK	11.22496G	54.85	74.00	-19.15	3	Horizontal	311	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	50.34	54.00	-3.66	3	Vertical	343	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	91.42	Inf	-Inf	3	Vertical	343	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4188G	61.15	74.00	-12.85	3	Vertical	343	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	60.29	68.20	-7.91	3	Vertical	343	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	102.22	Inf	-Inf	3	Vertical	343	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	63.01	68.20	-5.19	3	Vertical	343	1.59
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	51.15	54.00	-2.85	3	Horizontal	300	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	94.91	Inf	-Inf	3	Horizontal	300	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	62.09	74.00	-11.91	3	Horizontal	300	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	62.12	68.20	-6.08	3	Horizontal	300	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6912G	105.70	Inf	-Inf	3	Horizontal	300	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	63.84	68.20	-4.36	3	Horizontal	300	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3744G	44.52	54.00	-9.48	3	Vertical	228	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41872G	55.15	74.00	-18.85	3	Vertical	228	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.396G	44.66	54.00	-9.34	3	Horizontal	357	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39248G	55.35	74.00	-18.65	3	Horizontal	357	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7462G	88.02	Inf	-Inf	3	Vertical	344	1.41
5775MHz	Pass	PK	5.6214G	63.38	68.20	-4.82	3	Vertical	344	1.41
5775MHz	Pass	PK	5.7414G	99.15	Inf	-Inf	3	Vertical	344	1.41
5775MHz	Pass	PK	5.9718G	62.92	68.20	-5.28	3	Vertical	344	1.41
5775MHz	Pass	AV	5.7618G	94.82	Inf	-Inf	3	Horizontal	58	2.08
5775MHz	Pass	PK	5.6214G	67.54	68.20	-0.66	3	Horizontal	58	2.08
5775MHz	Pass	PK	5.769G	105.87	Inf	-Inf	3	Horizontal	58	2.08
5775MHz	Pass	PK	6.0438G	63.38	68.20	-4.82	3	Horizontal	58	2.08
5775MHz	Pass	AV	11.52728G	43.93	54.00	-10.07	3	Vertical	22	1.84
5775MHz	Pass	PK	11.52088G	54.75	74.00	-19.25	3	Vertical	22	1.84
5775MHz	Pass	AV	11.51016G	44.12	54.00	-9.88	3	Horizontal	353	1.50
5775MHz	Pass	PK	11.54664G	54.52	74.00	-19.48	3	Horizontal	353	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0496G	50.69	54.00	-3.31	3	Vertical	148	1.76
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	85.47	Inf	-Inf	3	Vertical	148	1.76
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3628G	51.35	54.00	-2.65	3	Vertical	148	1.76
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0928G	61.67	74.00	-12.33	3	Vertical	148	1.76
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3232G	96.28	Inf	-Inf	3	Vertical	148	1.76
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3568G	65.14	74.00	-8.86	3	Vertical	148	1.76
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4972G	61.27	68.20	-6.93	3	Vertical	148	1.76
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1444G	52.51	54.00	-1.49	3	Horizontal	62	2.72
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3148G	91.91	Inf	-Inf	3	Horizontal	62	2.72
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3532G	53.48	54.00	-0.52	3	Horizontal	62	2.72
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1468G	67.40	74.00	-6.60	3	Horizontal	62	2.72
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3136G	102.89	Inf	-Inf	3	Horizontal	62	2.72
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35G	69.15	74.00	-4.85	3	Horizontal	62	2.72
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4648G	62.09	68.20	-6.11	3	Horizontal	62	2.72
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.44656G	54.43	68.20	-13.77	3	Vertical	307	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.42512G	53.73	68.20	-14.47	3	Horizontal	313	1.44
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1408G	50.44	54.00	-3.56	3	Vertical	138	1.55
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.274G	84.89	Inf	-Inf	3	Vertical	138	1.55
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35G	51.75	54.00	-2.25	3	Vertical	138	1.55
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.04G	61.07	74.00	-12.93	3	Vertical	138	1.55
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2752G	95.83	Inf	-Inf	3	Vertical	138	1.55
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	65.30	74.00	-8.70	3	Vertical	138	1.55




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_1T1S_AP5022**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4804G	61.46	68.20	-6.74	3	Vertical	138	1.55
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1408G	50.65	54.00	-3.35	3	Horizontal	42	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3268G	88.03	Inf	-Inf	3	Horizontal	42	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3556G	52.99	54.00	-1.01	3	Horizontal	42	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0652G	61.30	74.00	-12.70	3	Horizontal	42	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2716G	99.73	Inf	-Inf	3	Horizontal	42	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3532G	68.47	74.00	-5.53	3	Horizontal	42	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.496G	62.02	68.20	-6.18	3	Horizontal	42	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.56272G	54.14	68.20	-14.06	3	Vertical	24	2.94
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.52656G	54.11	68.20	-14.09	3	Horizontal	360	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4476G	50.91	54.00	-3.09	3	Vertical	149	1.54
5570MHz	Pass	AV	5.552G	84.34	Inf	-Inf	3	Vertical	149	1.54
5570MHz	Pass	PK	5.306G	60.71	68.20	-7.49	3	Vertical	149	1.54
5570MHz	Pass	PK	5.4368G	61.70	74.00	-12.30	3	Vertical	149	1.54
5570MHz	Pass	PK	5.4692G	61.78	68.20	-6.42	3	Vertical	149	1.54
5570MHz	Pass	PK	5.5472G	96.01	Inf	-Inf	3	Vertical	149	1.54
5570MHz	Pass	PK	5.7932G	62.83	68.20	-5.37	3	Vertical	149	1.54
5570MHz	Pass	AV	5.4512G	52.79	54.00	-1.21	3	Horizontal	55	2.68
5570MHz	Pass	AV	5.5088G	91.28	Inf	-Inf	3	Horizontal	55	2.68
5570MHz	Pass	PK	5.3456G	60.35	68.20	-7.85	3	Horizontal	55	2.68
5570MHz	Pass	PK	5.4572G	66.43	74.00	-7.57	3	Horizontal	55	2.68
5570MHz	Pass	PK	5.4692G	67.46	68.20	-0.74	3	Horizontal	55	2.68
5570MHz	Pass	PK	5.5076G	102.19	Inf	-Inf	3	Horizontal	55	2.68
5570MHz	Pass	PK	5.8544G	62.48	68.20	-5.72	3	Horizontal	55	2.68
5570MHz	Pass	AV	11.21936G	43.52	54.00	-10.48	3	Vertical	326	1.78
5570MHz	Pass	PK	11.15888G	54.30	74.00	-19.70	3	Vertical	326	1.78
5570MHz	Pass	AV	11.148G	43.73	54.00	-10.27	3	Horizontal	210	1.50
5570MHz	Pass	PK	11.08432G	55.00	74.00	-19.00	3	Horizontal	210	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4128G	50.55	54.00	-3.45	3	Vertical	346	2.93
5570MHz	Pass	AV	5.552G	85.52	Inf	-Inf	3	Vertical	346	2.93
5570MHz	Pass	PK	5.276G	60.10	68.20	-8.10	3	Vertical	346	2.93
5570MHz	Pass	PK	5.4464G	61.42	74.00	-12.58	3	Vertical	346	2.93
5570MHz	Pass	PK	5.4692G	62.55	68.20	-5.65	3	Vertical	346	2.93
5570MHz	Pass	PK	5.51G	96.68	Inf	-Inf	3	Vertical	346	2.93
5570MHz	Pass	PK	5.8688G	62.78	68.20	-5.42	3	Vertical	346	2.93
5570MHz	Pass	AV	5.4548G	53.14	54.00	-0.86	3	Horizontal	54	2.68
5570MHz	Pass	AV	5.5076G	91.79	Inf	-Inf	3	Horizontal	54	2.68
5570MHz	Pass	PK	5.3408G	61.70	68.20	-6.50	3	Horizontal	54	2.68
5570MHz	Pass	PK	5.4596G	67.38	74.00	-6.62	3	Horizontal	54	2.68
5570MHz	Pass	PK	5.4668G	67.74	68.20	-0.46	3	Horizontal	54	2.68
5570MHz	Pass	PK	5.51G	102.75	Inf	-Inf	3	Horizontal	54	2.68
5570MHz	Pass	PK	5.8544G	62.12	68.20	-6.08	3	Horizontal	54	2.68
5570MHz	Pass	AV	11.10864G	43.63	54.00	-10.37	3	Vertical	242	1.50
5570MHz	Pass	PK	11.14832G	54.55	74.00	-19.45	3	Vertical	242	1.50
5570MHz	Pass	AV	11.19056G	43.64	54.00	-10.36	3	Horizontal	174	1.49
5570MHz	Pass	PK	11.16112G	54.08	74.00	-19.92	3	Horizontal	174	1.49

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	50.91	54.00	-3.09	6.45	3	Vertical	131	1.50	44.46	33.39	8.09	35.03
AV	5.18G	85.59	Inf	-Inf	6.48	3	Vertical	131	1.50	79.11	33.40	8.11	35.03
AV	5.45G	51.10	54.00	-2.90	6.39	3	Vertical	131	1.50	44.71	33.20	8.27	35.08
PK	5.147G	63.57	74.00	-10.43	6.45	3	Vertical	131	1.50	57.12	33.39	8.09	35.03
PK	5.179G	96.52	Inf	-Inf	6.48	3	Vertical	131	1.50	90.04	33.40	8.11	35.03
PK	5.425G	61.84	74.00	-12.16	6.31	3	Vertical	131	1.50	55.53	33.15	8.24	35.08

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	53.46	54.00	-0.54	6.44	3	Horizontal	60	2.68	47.02	33.38	8.09	35.03
AV	5.199G	93.26	Inf	-Inf	6.48	3	Horizontal	60	2.68	86.78	33.40	8.12	35.04
AV	5.437G	51.18	54.00	-2.82	6.35	3	Horizontal	60	2.68	44.83	33.17	8.26	35.08
PK	5.15G	69.28	74.00	-4.72	6.46	3	Horizontal	60	2.68	62.82	33.40	8.09	35.03
PK	5.237G	104.23	Inf	-Inf	6.43	3	Horizontal	60	2.68	97.80	33.33	8.14	35.04
PK	5.383G	62.37	74.00	-11.63	6.20	3	Horizontal	60	2.68	56.17	33.07	8.20	35.07


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.431G	50.76	54.00	-3.24	6.33	3	Vertical	342	1.50	44.43	33.16	8.25	35.08
AV	5.625G	89.22	Inf	-Inf	6.79	3	Vertical	342	1.50	82.43	33.40	8.49	35.10
PK	5.453G	61.11	74.00	-12.89	6.40	3	Vertical	342	1.50	54.71	33.20	8.28	35.08
PK	5.469G	60.51	68.20	-7.69	6.42	3	Vertical	342	1.50	54.09	33.20	8.30	35.08
PK	5.623G	100.66	Inf	-Inf	6.77	3	Vertical	342	1.50	93.89	33.39	8.48	35.10
PK	5.742G	64.25	68.20	-3.95	7.44	3	Vertical	342	1.50	56.81	33.95	8.60	35.11

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.449G	52.21	54.00	-1.79	6.39	3	Horizontal	47	2.72	45.82	33.20	8.27	35.08
AV	5.58G	95.83	Inf	-Inf	6.64	3	Horizontal	47	2.72	89.19	33.30	8.44	35.10
PK	5.452G	67.09	74.00	-6.91	6.40	3	Horizontal	47	2.72	60.69	33.20	8.28	35.08
PK	5.469G	66.99	68.20	-1.21	6.42	3	Horizontal	47	2.72	60.57	33.20	8.30	35.08
PK	5.583G	107.40	Inf	-Inf	6.64	3	Horizontal	47	2.72	100.76	33.30	8.44	35.10
PK	5.739G	68.11	68.20	-0.09	7.42	3	Horizontal	47	2.72	60.69	33.93	8.60	35.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_2T1S_AP5022**

Appendix E.19

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.146G	53.75	54.00	-0.25	3	Horizontal	60	2.10
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.3964G	53.96	54.00	-0.04	3	Horizontal	57	2.15
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	5.356G	53.88	54.00	-0.12	3	Horizontal	57	2.21
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.456G	53.75	54.00	-0.25	3	Horizontal	52	2.12
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	Pass	PK	5.4656G	67.81	68.20	-0.39	3	Horizontal	53	2.07
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.6058G	67.51	68.20	-0.69	3	Horizontal	50	2.30

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.042G	50.90	54.00	-3.10	3	Vertical	216	1.50
5210MHz	Pass	AV	5.197G	83.80	Inf	-Inf	3	Vertical	216	1.50
5210MHz	Pass	AV	5.443G	51.03	54.00	-2.97	3	Vertical	216	1.50
5210MHz	Pass	PK	5.006G	60.86	74.00	-13.14	3	Vertical	216	1.50
5210MHz	Pass	PK	5.2G	93.43	Inf	-Inf	3	Vertical	216	1.50
5210MHz	Pass	PK	5.435G	61.52	74.00	-12.48	3	Vertical	216	1.50
5210MHz	Pass	AV	5.146G	53.75	54.00	-0.25	3	Horizontal	60	2.10
5210MHz	Pass	AV	5.238G	97.49	Inf	-Inf	3	Horizontal	60	2.10
5210MHz	Pass	AV	5.444G	51.29	54.00	-2.71	3	Horizontal	60	2.10
5210MHz	Pass	PK	5.147G	68.38	74.00	-5.62	3	Horizontal	60	2.10
5210MHz	Pass	PK	5.246G	108.14	Inf	-Inf	3	Horizontal	60	2.10
5210MHz	Pass	PK	5.351G	64.02	74.00	-9.98	3	Horizontal	60	2.10
5210MHz	Pass	PK	10.45744G	53.37	68.20	-14.83	3	Vertical	210	1.26
5210MHz	Pass	PK	10.38224G	53.48	68.20	-14.72	3	Horizontal	118	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.042G	50.46	54.00	-3.54	3	Vertical	213	1.50
5290MHz	Pass	AV	5.305G	82.83	Inf	-Inf	3	Vertical	213	1.50
5290MHz	Pass	AV	5.429G	50.98	54.00	-3.02	3	Vertical	213	1.50
5290MHz	Pass	PK	5.141G	60.68	74.00	-13.32	3	Vertical	213	1.50
5290MHz	Pass	PK	5.305G	93.31	Inf	-Inf	3	Vertical	213	1.50
5290MHz	Pass	PK	5.42G	61.56	74.00	-12.44	3	Vertical	213	1.50
5290MHz	Pass	PK	5.483G	62.15	68.20	-6.05	3	Vertical	213	1.50
5290MHz	Pass	AV	5.044G	50.37	54.00	-3.63	3	Horizontal	57	2.21
5290MHz	Pass	AV	5.301G	96.72	Inf	-Inf	3	Horizontal	57	2.21
5290MHz	Pass	AV	5.356G	53.88	54.00	-0.12	3	Horizontal	57	2.21
5290MHz	Pass	PK	5.051G	60.84	74.00	-13.16	3	Horizontal	57	2.21
5290MHz	Pass	PK	5.303G	107.09	Inf	-Inf	3	Horizontal	57	2.21
5290MHz	Pass	PK	5.361G	69.26	74.00	-4.74	3	Horizontal	57	2.21
5290MHz	Pass	PK	5.479G	61.53	68.20	-6.67	3	Horizontal	57	2.21
5290MHz	Pass	PK	10.58592G	53.52	68.20	-14.68	3	Vertical	143	1.50
5290MHz	Pass	PK	10.592G	53.34	68.20	-14.86	3	Horizontal	63	2.60
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	49.50	54.00	-4.50	3	Vertical	337	2.82
5530MHz	Pass	AV	5.42G	50.66	54.00	-3.34	3	Vertical	337	2.82
5530MHz	Pass	AV	5.521G	89.79	Inf	-Inf	3	Vertical	337	2.82
5530MHz	Pass	PK	5.338G	61.20	68.20	-7.00	3	Vertical	337	2.82
5530MHz	Pass	PK	5.452G	60.93	74.00	-13.07	3	Vertical	337	2.82
5530MHz	Pass	PK	5.47G	61.10	68.20	-7.10	3	Vertical	337	2.82
5530MHz	Pass	PK	5.516G	100.30	Inf	-Inf	3	Vertical	337	2.82
5530MHz	Pass	PK	5.739G	62.01	68.20	-6.19	3	Vertical	337	2.82
5530MHz	Pass	AV	5.35G	49.50	54.00	-4.50	3	Horizontal	52	2.12
5530MHz	Pass	AV	5.456G	53.75	54.00	-0.25	3	Horizontal	52	2.12
5530MHz	Pass	AV	5.52G	97.62	Inf	-Inf	3	Horizontal	52	2.12
5530MHz	Pass	PK	5.311G	60.60	68.20	-7.60	3	Horizontal	52	2.12
5530MHz	Pass	PK	5.436G	66.76	74.00	-7.24	3	Horizontal	52	2.12
5530MHz	Pass	PK	5.465G	66.69	68.20	-1.51	3	Horizontal	52	2.12
5530MHz	Pass	PK	5.52G	108.71	Inf	-Inf	3	Horizontal	52	2.12
5530MHz	Pass	PK	5.759G	62.27	68.20	-5.93	3	Horizontal	52	2.12
5530MHz	Pass	AV	11.08304G	42.73	54.00	-11.27	3	Vertical	297	1.50
5530MHz	Pass	PK	11.08064G	53.23	74.00	-20.77	3	Vertical	297	1.50
5530MHz	Pass	AV	11.08352G	42.71	54.00	-11.29	3	Horizontal	240	1.38
5530MHz	Pass	PK	11.03328G	53.52	74.00	-20.48	3	Horizontal	240	1.38
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.424G	50.42	54.00	-3.58	3	Vertical	338	2.78
5610MHz	Pass	AV	5.58G	90.68	Inf	-Inf	3	Vertical	338	2.78
5610MHz	Pass	PK	5.46G	61.17	74.00	-12.83	3	Vertical	338	2.78
5610MHz	Pass	PK	5.465G	60.54	68.20	-7.66	3	Vertical	338	2.78
5610MHz	Pass	PK	5.578G	100.63	Inf	-Inf	3	Vertical	338	2.78
5610MHz	Pass	PK	5.736G	63.13	68.20	-5.07	3	Vertical	338	2.78
5610MHz	Pass	AV	5.452G	51.72	54.00	-2.28	3	Horizontal	54	2.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.616G	99.66	Inf	-Inf	3	Horizontal	54	2.16
5610MHz	Pass	PK	5.456G	64.35	74.00	-9.65	3	Horizontal	54	2.16
5610MHz	Pass	PK	5.47G	64.16	68.20	-4.04	3	Horizontal	54	2.16
5610MHz	Pass	PK	5.586G	111.39	Inf	-Inf	3	Horizontal	54	2.16
5610MHz	Pass	PK	5.736G	67.62	68.20	-0.58	3	Horizontal	54	2.16
5610MHz	Pass	AV	11.23312G	43.59	54.00	-10.41	3	Vertical	32	1.50
5610MHz	Pass	PK	11.18384G	54.84	74.00	-19.16	3	Vertical	32	1.50
5610MHz	Pass	AV	11.24768G	43.60	54.00	-10.40	3	Horizontal	38	2.06
5610MHz	Pass	PK	11.2408G	54.38	74.00	-19.62	3	Horizontal	38	2.06
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4416G	50.47	54.00	-3.53	3	Vertical	330	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	93.41	Inf	-Inf	3	Vertical	330	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4032G	61.05	74.00	-12.95	3	Vertical	330	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	60.09	68.20	-8.11	3	Vertical	330	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6648G	103.47	Inf	-Inf	3	Vertical	330	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9852G	63.14	68.20	-5.06	3	Vertical	330	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	52.78	54.00	-1.22	3	Horizontal	52	2.31
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	102.63	Inf	-Inf	3	Horizontal	52	2.31
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	69.12	74.00	-4.88	3	Horizontal	52	2.31
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	66.44	68.20	-1.76	3	Horizontal	52	2.31
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	113.64	Inf	-Inf	3	Horizontal	52	2.31
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	66.80	68.20	-1.40	3	Horizontal	52	2.31
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3912G	44.07	54.00	-9.93	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40992G	55.96	74.00	-18.04	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3512G	44.09	54.00	-9.91	3	Horizontal	75	2.05
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38672G	55.02	74.00	-18.98	3	Horizontal	75	2.05
5775MHz	Pass	AV	5.7654G	90.59	Inf	-Inf	3	Vertical	334	2.74
5775MHz	Pass	PK	5.6046G	63.24	68.20	-4.96	3	Vertical	334	2.74
5775MHz	Pass	PK	5.7726G	101.74	Inf	-Inf	3	Vertical	334	2.74
5775MHz	Pass	PK	6.075G	62.49	68.20	-5.71	3	Vertical	334	2.74
5775MHz	Pass	AV	5.745G	98.79	Inf	-Inf	3	Horizontal	50	2.30
5775MHz	Pass	PK	5.6058G	67.51	68.20	-0.69	3	Horizontal	50	2.30
5775MHz	Pass	PK	5.7438G	109.43	Inf	-Inf	3	Horizontal	50	2.30
5775MHz	Pass	PK	5.9982G	62.90	68.20	-5.30	3	Horizontal	50	2.30
5775MHz	Pass	AV	11.52712G	43.54	54.00	-10.46	3	Vertical	19	2.92
5775MHz	Pass	PK	11.5404G	53.68	74.00	-20.32	3	Vertical	19	2.92
5775MHz	Pass	AV	11.52472G	43.31	54.00	-10.69	3	Horizontal	342	2.66
5775MHz	Pass	PK	11.51624G	54.07	74.00	-19.93	3	Horizontal	342	2.66
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.016G	50.43	54.00	-3.57	3	Vertical	214	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3124G	82.23	Inf	-Inf	3	Vertical	214	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.388G	51.28	54.00	-2.72	3	Vertical	214	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1168G	60.86	74.00	-13.14	3	Vertical	214	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3124G	93.63	Inf	-Inf	3	Vertical	214	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4456G	61.21	74.00	-12.79	3	Vertical	214	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5008G	61.69	68.20	-6.51	3	Vertical	214	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1408G	52.22	54.00	-1.78	3	Horizontal	56	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	95.67	Inf	-Inf	3	Horizontal	56	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3616G	53.66	54.00	-0.34	3	Horizontal	56	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.15G	62.95	74.00	-11.05	3	Horizontal	56	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2308G	106.29	Inf	-Inf	3	Horizontal	56	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	71.70	74.00	-2.30	3	Horizontal	56	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.484G	61.77	68.20	-6.43	3	Horizontal	56	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.43312G	53.33	68.20	-14.87	3	Vertical	7	1.37
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.42832G	53.64	68.20	-14.56	3	Horizontal	127	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.04G	50.27	54.00	-3.73	3	Vertical	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.31G	81.74	Inf	-Inf	3	Vertical	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4336G	50.97	54.00	-3.03	3	Vertical	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0832G	60.61	74.00	-13.39	3	Vertical	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3148G	92.00	Inf	-Inf	3	Vertical	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3976G	61.40	74.00	-12.60	3	Vertical	213	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_2T1S_AP5022**

Appendix E.19

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4804G	61.35	68.20	-6.85	3	Vertical	213	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	51.09	54.00	-2.91	3	Horizontal	57	2.15
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	95.58	Inf	-Inf	3	Horizontal	57	2.15
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3964G	53.96	54.00	-0.04	3	Horizontal	57	2.15
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1192G	61.17	74.00	-12.83	3	Horizontal	57	2.15
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.31G	105.53	Inf	-Inf	3	Horizontal	57	2.15
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	70.47	74.00	-3.53	3	Horizontal	57	2.15
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.508G	61.37	68.20	-6.83	3	Horizontal	57	2.15
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.508G	54.00	68.20	-14.20	3	Vertical	124	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.55312G	53.84	68.20	-14.36	3	Horizontal	315	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4476G	50.22	54.00	-3.78	3	Vertical	48	1.61
5570MHz	Pass	AV	5.54G	84.33	Inf	-Inf	3	Vertical	48	1.61
5570MHz	Pass	PK	5.2748G	60.70	68.20	-7.50	3	Vertical	48	1.61
5570MHz	Pass	PK	5.402G	60.77	74.00	-13.23	3	Vertical	48	1.61
5570MHz	Pass	PK	5.462G	60.20	68.20	-8.00	3	Vertical	48	1.61
5570MHz	Pass	PK	5.5472G	94.84	Inf	-Inf	3	Vertical	48	1.61
5570MHz	Pass	PK	5.8508G	62.71	68.20	-5.49	3	Vertical	48	1.61
5570MHz	Pass	AV	5.4512G	52.27	54.00	-1.73	3	Horizontal	59	2.24
5570MHz	Pass	AV	5.588G	95.92	Inf	-Inf	3	Horizontal	59	2.24
5570MHz	Pass	PK	5.3024G	61.27	68.20	-6.93	3	Horizontal	59	2.24
5570MHz	Pass	PK	5.4548G	67.21	74.00	-6.79	3	Horizontal	59	2.24
5570MHz	Pass	PK	5.4656G	67.48	68.20	-0.72	3	Horizontal	59	2.24
5570MHz	Pass	PK	5.546G	106.49	Inf	-Inf	3	Horizontal	59	2.24
5570MHz	Pass	PK	5.7836G	62.34	68.20	-5.86	3	Horizontal	59	2.24
5570MHz	Pass	AV	11.18512G	43.13	54.00	-10.87	3	Vertical	353	1.30
5570MHz	Pass	PK	11.19088G	53.68	74.00	-20.32	3	Vertical	353	1.30
5570MHz	Pass	AV	11.19376G	43.11	54.00	-10.89	3	Horizontal	1	2.93
5570MHz	Pass	PK	11.06768G	53.78	74.00	-20.22	3	Horizontal	1	2.93
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4548G	50.78	54.00	-3.22	3	Vertical	334	3.00
5570MHz	Pass	AV	5.5076G	87.64	Inf	-Inf	3	Vertical	334	3.00
5570MHz	Pass	PK	5.2868G	59.94	68.20	-8.26	3	Vertical	334	3.00
5570MHz	Pass	PK	5.432G	60.68	74.00	-13.32	3	Vertical	334	3.00
5570MHz	Pass	PK	5.4656G	62.02	68.20	-6.18	3	Vertical	334	3.00
5570MHz	Pass	PK	5.5076G	98.90	Inf	-Inf	3	Vertical	334	3.00
5570MHz	Pass	PK	5.8628G	61.89	68.20	-6.31	3	Vertical	334	3.00
5570MHz	Pass	AV	5.4548G	52.60	54.00	-1.40	3	Horizontal	53	2.07
5570MHz	Pass	AV	5.5376G	94.97	Inf	-Inf	3	Horizontal	53	2.07
5570MHz	Pass	PK	5.2844G	60.50	68.20	-7.70	3	Horizontal	53	2.07
5570MHz	Pass	PK	5.4596G	67.17	74.00	-6.83	3	Horizontal	53	2.07
5570MHz	Pass	PK	5.4656G	67.81	68.20	-0.39	3	Horizontal	53	2.07
5570MHz	Pass	PK	5.5688G	105.65	Inf	-Inf	3	Horizontal	53	2.07
5570MHz	Pass	PK	5.7944G	64.07	68.20	-4.13	3	Horizontal	53	2.07
5570MHz	Pass	AV	11.19184G	43.03	54.00	-10.97	3	Vertical	97	1.24
5570MHz	Pass	PK	11.19056G	53.89	74.00	-20.11	3	Vertical	97	1.24
5570MHz	Pass	AV	11.1912G	43.31	54.00	-10.69	3	Horizontal	198	1.50
5570MHz	Pass	PK	11.2008G	54.11	74.00	-19.89	3	Horizontal	198	1.50


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX

