



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.50	54.00	-4.50	6.13	3	Vertical	337	2.82	43.37	33.00	8.19	35.06
AV	5.42G	50.66	54.00	-3.34	6.30	3	Vertical	337	2.82	44.36	33.14	8.24	35.08
AV	5.521G	89.79	Inf	-Inf	6.51	3	Vertical	337	2.82	83.28	33.24	8.36	35.09
PK	5.338G	61.20	68.20	-7.00	6.14	3	Vertical	337	2.82	55.06	33.02	8.18	35.06
PK	5.452G	60.93	74.00	-13.07	6.40	3	Vertical	337	2.82	54.53	33.20	8.28	35.08
PK	5.47G	61.10	68.20	-7.10	6.42	3	Vertical	337	2.82	54.68	33.20	8.30	35.08
PK	5.516G	100.30	Inf	-Inf	6.50	3	Vertical	337	2.82	93.80	33.23	8.36	35.09
PK	5.739G	62.01	68.20	-6.19	7.42	3	Vertical	337	2.82	54.59	33.93	8.60	35.11

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.50	54.00	-4.50	6.13	3	Horizontal	52	2.12	43.37	33.00	8.19	35.06
AV	5.456G	53.75	54.00	-0.25	6.40	3	Horizontal	52	2.12	47.35	33.20	8.28	35.08
AV	5.52G	97.62	Inf	-Inf	6.51	3	Horizontal	52	2.12	91.11	33.24	8.36	35.09
PK	5.311G	60.60	68.20	-7.60	6.19	3	Horizontal	52	2.12	54.41	33.08	8.17	35.06
PK	5.436G	66.76	74.00	-7.24	6.35	3	Horizontal	52	2.12	60.41	33.17	8.26	35.08
PK	5.465G	66.69	68.20	-1.51	6.41	3	Horizontal	52	2.12	60.28	33.20	8.29	35.08
PK	5.52G	108.71	Inf	-Inf	6.51	3	Horizontal	52	2.12	102.20	33.24	8.36	35.09
PK	5.759G	62.27	68.20	-5.93	7.55	3	Horizontal	52	2.12	54.72	34.05	8.62	35.12


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_2T2S_AP5022**

Appendix E.20

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.137G	53.82	54.00	-0.18	3	Vertical	228	2.56
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.4156G	53.93	54.00	-0.07	3	Vertical	351	2.74
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	5.366G	53.74	54.00	-0.26	3	Vertical	353	2.63
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.458G	53.48	54.00	-0.52	3	Vertical	235	2.80
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	Pass	AV	5.4476G	52.61	54.00	-1.39	3	Vertical	235	2.68
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.6418G	67.97	68.20	-0.23	3	Vertical	222	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.137G	53.82	54.00	-0.18	3	Vertical	228	2.56
5210MHz	Pass	AV	5.236G	95.12	Inf	-Inf	3	Vertical	228	2.56
5210MHz	Pass	AV	5.444G	51.34	54.00	-2.66	3	Vertical	228	2.56
5210MHz	Pass	PK	5.137G	64.79	74.00	-9.21	3	Vertical	228	2.56
5210MHz	Pass	PK	5.204G	104.75	Inf	-Inf	3	Vertical	228	2.56
5210MHz	Pass	PK	5.443G	61.85	74.00	-12.15	3	Vertical	228	2.56
5210MHz	Pass	AV	5.139G	51.25	54.00	-2.75	3	Horizontal	108	1.00
5210MHz	Pass	AV	5.241G	87.89	Inf	-Inf	3	Horizontal	108	1.00
5210MHz	Pass	AV	5.422G	51.10	54.00	-2.90	3	Horizontal	108	1.00
5210MHz	Pass	PK	5.106G	61.09	74.00	-12.91	3	Horizontal	108	1.00
5210MHz	Pass	PK	5.205G	98.90	Inf	-Inf	3	Horizontal	108	1.00
5210MHz	Pass	PK	5.353G	61.87	74.00	-12.13	3	Horizontal	108	1.00
5210MHz	Pass	PK	10.38848G	53.24	68.20	-14.96	3	Vertical	344	1.50
5210MHz	Pass	PK	10.38576G	53.38	68.20	-14.82	3	Horizontal	105	1.50
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.148G	50.53	54.00	-3.47	3	Vertical	353	2.63
5290MHz	Pass	AV	5.305G	98.09	Inf	-Inf	3	Vertical	353	2.63
5290MHz	Pass	AV	5.366G	53.74	54.00	-0.26	3	Vertical	353	2.63
5290MHz	Pass	PK	5.095G	62.15	74.00	-11.85	3	Vertical	353	2.63
5290MHz	Pass	PK	5.302G	107.75	Inf	-Inf	3	Vertical	353	2.63
5290MHz	Pass	PK	5.358G	66.98	74.00	-7.02	3	Vertical	353	2.63
5290MHz	Pass	PK	5.474G	62.05	68.20	-6.15	3	Vertical	353	2.63
5290MHz	Pass	AV	5.047G	50.35	54.00	-3.65	3	Horizontal	255	1.00
5290MHz	Pass	AV	5.298G	89.70	Inf	-Inf	3	Horizontal	255	1.00
5290MHz	Pass	AV	5.425G	51.09	54.00	-2.91	3	Horizontal	255	1.00
5290MHz	Pass	PK	5.101G	60.55	74.00	-13.45	3	Horizontal	255	1.00
5290MHz	Pass	PK	5.298G	100.40	Inf	-Inf	3	Horizontal	255	1.00
5290MHz	Pass	PK	5.363G	61.71	74.00	-12.29	3	Horizontal	255	1.00
5290MHz	Pass	PK	5.468G	62.65	68.20	-5.55	3	Horizontal	255	1.00
5290MHz	Pass	PK	10.58608G	53.85	68.20	-14.35	3	Vertical	18	1.50
5290MHz	Pass	PK	10.57952G	53.65	68.20	-14.55	3	Horizontal	86	1.50
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	49.47	54.00	-4.53	3	Vertical	235	2.80
5530MHz	Pass	AV	5.458G	53.48	54.00	-0.52	3	Vertical	235	2.80
5530MHz	Pass	AV	5.523G	95.48	Inf	-Inf	3	Vertical	235	2.80
5530MHz	Pass	PK	5.326G	61.70	68.20	-6.50	3	Vertical	235	2.80
5530MHz	Pass	PK	5.452G	63.90	74.00	-10.10	3	Vertical	235	2.80
5530MHz	Pass	PK	5.462G	65.65	68.20	-2.55	3	Vertical	235	2.80
5530MHz	Pass	PK	5.558G	105.78	Inf	-Inf	3	Vertical	235	2.80
5530MHz	Pass	PK	5.773G	61.59	68.20	-6.61	3	Vertical	235	2.80
5530MHz	Pass	AV	5.35G	49.79	54.00	-4.21	3	Horizontal	251	1.01
5530MHz	Pass	AV	5.454G	51.23	54.00	-2.77	3	Horizontal	251	1.01
5530MHz	Pass	AV	5.521G	87.46	Inf	-Inf	3	Horizontal	251	1.01
5530MHz	Pass	PK	5.323G	60.25	68.20	-7.95	3	Horizontal	251	1.01
5530MHz	Pass	PK	5.453G	61.07	74.00	-12.93	3	Horizontal	251	1.01
5530MHz	Pass	PK	5.468G	61.33	68.20	-6.87	3	Horizontal	251	1.01
5530MHz	Pass	PK	5.515G	98.37	Inf	-Inf	3	Horizontal	251	1.01
5530MHz	Pass	PK	5.754G	61.82	68.20	-6.38	3	Horizontal	251	1.01
5530MHz	Pass	AV	11.09264G	43.10	54.00	-10.90	3	Vertical	72	1.50
5530MHz	Pass	PK	11.1G	54.67	74.00	-19.33	3	Vertical	72	1.50
5530MHz	Pass	AV	11.08208G	42.95	54.00	-11.05	3	Horizontal	0	1.50
5530MHz	Pass	PK	11.08368G	53.72	74.00	-20.28	3	Horizontal	0	1.50
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.453G	51.09	54.00	-2.91	3	Vertical	226	1.57
5610MHz	Pass	AV	5.579G	93.97	Inf	-Inf	3	Vertical	226	1.57
5610MHz	Pass	PK	5.452G	61.90	74.00	-12.10	3	Vertical	226	1.57
5610MHz	Pass	PK	5.467G	62.83	68.20	-5.37	3	Vertical	226	1.57
5610MHz	Pass	PK	5.584G	104.77	Inf	-Inf	3	Vertical	226	1.57
5610MHz	Pass	PK	5.743G	64.25	68.20	-3.95	3	Vertical	226	1.57
5610MHz	Pass	AV	5.449G	50.44	54.00	-3.56	3	Horizontal	110	2.96

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.619G	88.96	Inf	-Inf	3	Horizontal	110	2.96
5610MHz	Pass	PK	5.427G	60.75	74.00	-13.25	3	Horizontal	110	2.96
5610MHz	Pass	PK	5.465G	60.84	68.20	-7.36	3	Horizontal	110	2.96
5610MHz	Pass	PK	5.577G	99.43	Inf	-Inf	3	Horizontal	110	2.96
5610MHz	Pass	PK	5.732G	62.56	68.20	-5.64	3	Horizontal	110	2.96
5610MHz	Pass	AV	11.25856G	43.93	54.00	-10.07	3	Vertical	244	2.29
5610MHz	Pass	PK	11.24704G	54.92	74.00	-19.08	3	Vertical	244	2.29
5610MHz	Pass	AV	11.23472G	44.31	54.00	-9.69	3	Horizontal	253	1.38
5610MHz	Pass	PK	11.19024G	54.72	74.00	-19.28	3	Horizontal	253	1.38
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	51.61	54.00	-2.39	3	Vertical	225	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6984G	96.83	Inf	-Inf	3	Vertical	225	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.426G	64.12	74.00	-9.88	3	Vertical	225	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	63.36	68.20	-4.84	3	Vertical	225	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7068G	107.96	Inf	-Inf	3	Vertical	225	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	64.44	68.20	-3.76	3	Vertical	225	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	50.78	54.00	-3.22	3	Horizontal	124	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6948G	94.45	Inf	-Inf	3	Horizontal	124	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4092G	61.48	74.00	-12.52	3	Horizontal	124	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	61.20	68.20	-7.00	3	Horizontal	124	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7044G	104.44	Inf	-Inf	3	Horizontal	124	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	64.98	68.20	-3.22	3	Horizontal	124	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.34544G	44.34	54.00	-9.66	3	Vertical	11	2.40
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3568G	55.29	74.00	-18.71	3	Vertical	11	2.40
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38624G	44.31	54.00	-9.69	3	Horizontal	334	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36032G	55.27	74.00	-18.73	3	Horizontal	334	1.50
5775MHz	Pass	AV	5.7462G	94.19	Inf	-Inf	3	Vertical	222	1.50
5775MHz	Pass	PK	5.6418G	67.97	68.20	-0.23	3	Vertical	222	1.50
5775MHz	Pass	PK	5.7378G	104.17	Inf	-Inf	3	Vertical	222	1.50
5775MHz	Pass	PK	5.9262G	63.16	68.20	-5.04	3	Vertical	222	1.50
5775MHz	Pass	AV	5.7498G	91.57	Inf	-Inf	3	Horizontal	122	3.00
5775MHz	Pass	PK	5.6286G	64.22	68.20	-3.98	3	Horizontal	122	3.00
5775MHz	Pass	PK	5.7414G	101.41	Inf	-Inf	3	Horizontal	122	3.00
5775MHz	Pass	PK	5.9766G	62.87	68.20	-5.33	3	Horizontal	122	3.00
5775MHz	Pass	AV	11.51896G	43.79	54.00	-10.21	3	Vertical	226	1.50
5775MHz	Pass	PK	11.5132G	54.84	74.00	-19.16	3	Vertical	226	1.50
5775MHz	Pass	AV	11.5356G	43.60	54.00	-10.40	3	Horizontal	229	2.90
5775MHz	Pass	PK	11.51352G	54.85	74.00	-19.15	3	Horizontal	229	2.90
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	51.60	54.00	-2.40	3	Vertical	354	2.61
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3052G	94.49	Inf	-Inf	3	Vertical	354	2.61
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4204G	52.13	54.00	-1.87	3	Vertical	354	2.61
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1384G	61.94	74.00	-12.06	3	Vertical	354	2.61
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.268G	104.98	Inf	-Inf	3	Vertical	354	2.61
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.388G	63.67	74.00	-10.33	3	Vertical	354	2.61
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5356G	62.34	68.20	-5.86	3	Vertical	354	2.61
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0484G	50.54	54.00	-3.46	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.28G	86.03	Inf	-Inf	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4396G	51.38	54.00	-2.62	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0472G	61.18	74.00	-12.82	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2248G	97.45	Inf	-Inf	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4444G	61.27	74.00	-12.73	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5392G	61.67	68.20	-6.53	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.492G	53.21	68.20	-14.99	3	Vertical	354	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.45232G	54.28	68.20	-13.92	3	Horizontal	159	1.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1468G	51.36	54.00	-2.64	3	Vertical	351	2.74
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	94.89	Inf	-Inf	3	Vertical	351	2.74
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4156G	53.93	54.00	-0.07	3	Vertical	351	2.74
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1396G	61.87	74.00	-12.13	3	Vertical	351	2.74
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3112G	104.90	Inf	-Inf	3	Vertical	351	2.74
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4156G	64.85	74.00	-9.15	3	Vertical	351	2.74
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4876G	62.05	68.20	-6.15	3	Vertical	351	2.74




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_2T2S_AP5022**

Appendix E.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0376G	50.31	54.00	-3.69	3	Horizontal	255	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.268G	86.76	Inf	-Inf	3	Horizontal	255	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4132G	51.11	54.00	-2.89	3	Horizontal	255	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0124G	60.99	74.00	-13.01	3	Horizontal	255	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2728G	98.07	Inf	-Inf	3	Horizontal	255	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4408G	61.19	74.00	-12.81	3	Horizontal	255	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4684G	61.93	68.20	-6.27	3	Horizontal	255	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.51376G	53.36	68.20	-14.84	3	Vertical	360	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.54832G	53.90	68.20	-14.30	3	Horizontal	243	2.42
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4476G	52.61	54.00	-1.39	3	Vertical	235	2.68
5570MHz	Pass	AV	5.4932G	93.24	Inf	-Inf	3	Vertical	235	2.68
5570MHz	Pass	PK	5.312G	60.88	68.20	-7.32	3	Vertical	235	2.68
5570MHz	Pass	PK	5.4476G	65.14	74.00	-8.86	3	Vertical	235	2.68
5570MHz	Pass	PK	5.462G	64.98	68.20	-3.22	3	Vertical	235	2.68
5570MHz	Pass	PK	5.5112G	103.49	Inf	-Inf	3	Vertical	235	2.68
5570MHz	Pass	PK	5.8628G	63.32	68.20	-4.88	3	Vertical	235	2.68
5570MHz	Pass	AV	5.4476G	50.93	54.00	-3.07	3	Horizontal	250	1.00
5570MHz	Pass	AV	5.5484G	85.54	Inf	-Inf	3	Horizontal	250	1.00
5570MHz	Pass	PK	5.2904G	60.52	68.20	-7.68	3	Horizontal	250	1.00
5570MHz	Pass	PK	5.4464G	60.99	74.00	-13.01	3	Horizontal	250	1.00
5570MHz	Pass	PK	5.468G	61.95	68.20	-6.25	3	Horizontal	250	1.00
5570MHz	Pass	PK	5.504G	96.39	Inf	-Inf	3	Horizontal	250	1.00
5570MHz	Pass	PK	5.8544G	62.61	68.20	-5.59	3	Horizontal	250	1.00
5570MHz	Pass	AV	11.1912G	43.85	54.00	-10.15	3	Vertical	175	1.50
5570MHz	Pass	PK	11.15888G	54.66	74.00	-19.34	3	Vertical	175	1.50
5570MHz	Pass	AV	11.1912G	43.60	54.00	-10.40	3	Horizontal	345	1.50
5570MHz	Pass	PK	11.18544G	54.04	74.00	-19.96	3	Horizontal	345	1.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4572G	51.55	54.00	-2.45	3	Vertical	236	2.63
5570MHz	Pass	AV	5.5076G	93.68	Inf	-Inf	3	Vertical	236	2.63
5570MHz	Pass	PK	5.3408G	60.23	68.20	-7.97	3	Vertical	236	2.63
5570MHz	Pass	PK	5.4332G	63.07	74.00	-10.93	3	Vertical	236	2.63
5570MHz	Pass	PK	5.4608G	61.82	68.20	-6.38	3	Vertical	236	2.63
5570MHz	Pass	PK	5.5064G	103.83	Inf	-Inf	3	Vertical	236	2.63
5570MHz	Pass	PK	5.7392G	62.69	68.20	-5.51	3	Vertical	236	2.63
5570MHz	Pass	AV	5.4536G	50.73	54.00	-3.27	3	Horizontal	251	1.00
5570MHz	Pass	AV	5.5088G	86.00	Inf	-Inf	3	Horizontal	251	1.00
5570MHz	Pass	PK	5.3444G	60.22	68.20	-7.98	3	Horizontal	251	1.00
5570MHz	Pass	PK	5.4092G	60.94	74.00	-13.06	3	Horizontal	251	1.00
5570MHz	Pass	PK	5.4692G	61.56	68.20	-6.64	3	Horizontal	251	1.00
5570MHz	Pass	PK	5.5076G	97.15	Inf	-Inf	3	Horizontal	251	1.00
5570MHz	Pass	PK	5.8052G	62.48	68.20	-5.72	3	Horizontal	251	1.00
5570MHz	Pass	AV	11.18704G	43.57	54.00	-10.43	3	Vertical	149	1.50
5570MHz	Pass	PK	11.2024G	54.69	74.00	-19.31	3	Vertical	149	1.50
5570MHz	Pass	AV	11.19344G	43.76	54.00	-10.24	3	Horizontal	305	1.50
5570MHz	Pass	PK	11.21104G	54.38	74.00	-19.62	3	Horizontal	305	1.50


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.47	54.00	-4.53	6.13	3	Vertical	235	2.80	43.34	33.00	8.19	35.06
AV	5.458G	53.48	54.00	-0.52	6.40	3	Vertical	235	2.80	47.08	33.20	8.28	35.08
AV	5.523G	95.48	Inf	-Inf	6.52	3	Vertical	235	2.80	88.96	33.25	8.36	35.09
PK	5.326G	61.70	68.20	-6.50	6.17	3	Vertical	235	2.80	55.53	33.05	8.18	35.06
PK	5.452G	63.90	74.00	-10.10	6.40	3	Vertical	235	2.80	57.50	33.20	8.28	35.08
PK	5.462G	65.65	68.20	-2.55	6.41	3	Vertical	235	2.80	59.24	33.20	8.29	35.08
PK	5.558G	105.78	Inf	-Inf	6.61	3	Vertical	235	2.80	99.17	33.30	8.41	35.10
PK	5.773G	61.59	68.20	-6.61	7.65	3	Vertical	235	2.80	53.94	34.14	8.63	35.12

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.79	54.00	-4.21	6.13	3	Horizontal	251	1.01	43.66	33.00	8.19	35.06
AV	5.454G	51.23	54.00	-2.77	6.40	3	Horizontal	251	1.01	44.83	33.20	8.28	35.08
AV	5.521G	87.46	Inf	-Inf	6.51	3	Horizontal	251	1.01	80.95	33.24	8.36	35.09
PK	5.323G	60.25	68.20	-7.95	6.17	3	Horizontal	251	1.01	54.08	33.05	8.18	35.06
PK	5.453G	61.07	74.00	-12.93	6.40	3	Horizontal	251	1.01	54.67	33.20	8.28	35.08
PK	5.468G	61.33	68.20	-6.87	6.42	3	Horizontal	251	1.01	54.91	33.20	8.30	35.08
PK	5.515G	98.37	Inf	-Inf	6.49	3	Horizontal	251	1.01	91.88	33.23	8.35	35.09
PK	5.754G	61.82	68.20	-6.38	7.51	3	Horizontal	251	1.01	54.31	34.02	8.61	35.12


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_4T1S_AP5022**

Appendix E.21

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.134G	53.30	54.00	-0.70	3	Horizontal	54	2.17
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	5.3724G	53.84	54.00	-0.16	3	Horizontal	60	2.00
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	Pass	AV	5.351G	53.97	54.00	-0.03	3	Horizontal	65	2.00
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	Pass	PK	5.733G	67.84	68.20	-0.36	3	Horizontal	57	2.04
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	Pass	PK	5.4692G	68.10	68.20	-0.10	3	Horizontal	60	2.05
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.6358G	67.99	68.20	-0.21	3	Horizontal	50	2.27

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.142G	50.57	54.00	-3.43	3	Vertical	30	2.99
5210MHz	Pass	AV	5.197G	90.69	Inf	-Inf	3	Vertical	30	2.99
5210MHz	Pass	AV	5.456G	51.38	54.00	-2.62	3	Vertical	30	2.99
5210MHz	Pass	PK	5.146G	60.54	74.00	-13.46	3	Vertical	30	2.99
5210MHz	Pass	PK	5.198G	101.34	Inf	-Inf	3	Vertical	30	2.99
5210MHz	Pass	PK	5.424G	61.44	74.00	-12.56	3	Vertical	30	2.99
5210MHz	Pass	AV	5.134G	53.30	54.00	-0.70	3	Horizontal	54	2.17
5210MHz	Pass	AV	5.198G	101.32	Inf	-Inf	3	Horizontal	54	2.17
5210MHz	Pass	AV	5.377G	51.42	54.00	-2.58	3	Horizontal	54	2.17
5210MHz	Pass	PK	5.149G	72.26	74.00	-1.74	3	Horizontal	54	2.17
5210MHz	Pass	PK	5.183G	111.29	Inf	-Inf	3	Horizontal	54	2.17
5210MHz	Pass	PK	5.35G	63.69	74.00	-10.31	3	Horizontal	54	2.17
5210MHz	Pass	PK	10.38G	53.87	68.20	-14.33	3	Vertical	313	2.38
5210MHz	Pass	PK	10.38528G	53.46	68.20	-14.74	3	Horizontal	247	1.14
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.044G	50.27	54.00	-3.73	3	Vertical	54	1.37
5290MHz	Pass	AV	5.292G	86.95	Inf	-Inf	3	Vertical	54	1.37
5290MHz	Pass	AV	5.455G	51.00	54.00	-3.00	3	Vertical	54	1.37
5290MHz	Pass	PK	5.049G	60.54	74.00	-13.46	3	Vertical	54	1.37
5290MHz	Pass	PK	5.293G	97.47	Inf	-Inf	3	Vertical	54	1.37
5290MHz	Pass	PK	5.439G	61.53	74.00	-12.47	3	Vertical	54	1.37
5290MHz	Pass	PK	5.528G	61.70	68.20	-6.50	3	Vertical	54	1.37
5290MHz	Pass	AV	5.131G	50.45	54.00	-3.55	3	Horizontal	65	2.00
5290MHz	Pass	AV	5.301G	101.01	Inf	-Inf	3	Horizontal	65	2.00
5290MHz	Pass	AV	5.351G	53.97	54.00	-0.03	3	Horizontal	65	2.00
5290MHz	Pass	PK	5.076G	60.73	74.00	-13.27	3	Horizontal	65	2.00
5290MHz	Pass	PK	5.301G	111.11	Inf	-Inf	3	Horizontal	65	2.00
5290MHz	Pass	PK	5.351G	68.70	74.00	-5.30	3	Horizontal	65	2.00
5290MHz	Pass	PK	5.475G	62.60	68.20	-5.60	3	Horizontal	65	2.00
5290MHz	Pass	PK	10.56448G	53.31	68.20	-14.89	3	Vertical	335	1.50
5290MHz	Pass	PK	10.5808G	53.32	68.20	-14.88	3	Horizontal	10	1.29
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	49.50	54.00	-4.50	3	Vertical	52	1.02
5530MHz	Pass	AV	5.46G	50.72	54.00	-3.28	3	Vertical	52	1.02
5530MHz	Pass	AV	5.52G	89.40	Inf	-Inf	3	Vertical	52	1.02
5530MHz	Pass	PK	5.343G	60.16	68.20	-8.04	3	Vertical	52	1.02
5530MHz	Pass	PK	5.371G	60.89	74.00	-13.11	3	Vertical	52	1.02
5530MHz	Pass	PK	5.465G	61.02	68.20	-7.18	3	Vertical	52	1.02
5530MHz	Pass	PK	5.555G	99.91	Inf	-Inf	3	Vertical	52	1.02
5530MHz	Pass	PK	5.76G	61.77	68.20	-6.43	3	Vertical	52	1.02
5530MHz	Pass	AV	5.35G	49.88	54.00	-4.12	3	Horizontal	59	2.14
5530MHz	Pass	AV	5.456G	53.38	54.00	-0.62	3	Horizontal	59	2.14
5530MHz	Pass	AV	5.515G	101.90	Inf	-Inf	3	Horizontal	59	2.14
5530MHz	Pass	PK	5.344G	60.64	68.20	-7.56	3	Horizontal	59	2.14
5530MHz	Pass	PK	5.459G	65.61	74.00	-8.39	3	Horizontal	59	2.14
5530MHz	Pass	PK	5.461G	64.91	68.20	-3.29	3	Horizontal	59	2.14
5530MHz	Pass	PK	5.521G	113.44	Inf	-Inf	3	Horizontal	59	2.14
5530MHz	Pass	PK	5.761G	62.53	68.20	-5.67	3	Horizontal	59	2.14
5530MHz	Pass	AV	11.08384G	42.82	54.00	-11.18	3	Vertical	2	1.50
5530MHz	Pass	PK	11.09168G	53.95	74.00	-20.05	3	Vertical	2	1.50
5530MHz	Pass	AV	11.08368G	42.73	54.00	-11.27	3	Horizontal	255	1.40
5530MHz	Pass	PK	11.03296G	53.39	74.00	-20.61	3	Horizontal	255	1.40
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.456G	50.28	54.00	-3.72	3	Vertical	347	1.68
5610MHz	Pass	AV	5.625G	91.22	Inf	-Inf	3	Vertical	347	1.68
5610MHz	Pass	PK	5.431G	61.20	74.00	-12.80	3	Vertical	347	1.68
5610MHz	Pass	PK	5.468G	60.25	68.20	-7.95	3	Vertical	347	1.68
5610MHz	Pass	PK	5.62G	101.46	Inf	-Inf	3	Vertical	347	1.68
5610MHz	Pass	PK	5.854G	62.45	68.20	-5.75	3	Vertical	347	1.68
5610MHz	Pass	AV	5.46G	50.92	54.00	-3.08	3	Horizontal	57	2.04

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.621G	102.35	Inf	-Inf	3	Horizontal	57	2.04
5610MHz	Pass	PK	5.459G	62.08	74.00	-11.92	3	Horizontal	57	2.04
5610MHz	Pass	PK	5.469G	62.72	68.20	-5.48	3	Horizontal	57	2.04
5610MHz	Pass	PK	5.615G	112.55	Inf	-Inf	3	Horizontal	57	2.04
5610MHz	Pass	PK	5.733G	67.84	68.20	-0.36	3	Horizontal	57	2.04
5610MHz	Pass	AV	11.24608G	43.49	54.00	-10.51	3	Vertical	295	2.03
5610MHz	Pass	PK	11.25632G	54.83	74.00	-19.17	3	Vertical	295	2.03
5610MHz	Pass	AV	11.25616G	43.62	54.00	-10.38	3	Horizontal	75	1.50
5610MHz	Pass	PK	11.22512G	54.83	74.00	-19.17	3	Horizontal	75	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	50.27	54.00	-3.73	3	Vertical	347	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6948G	94.36	Inf	-Inf	3	Vertical	347	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4356G	60.38	74.00	-13.62	3	Vertical	347	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	60.42	68.20	-7.78	3	Vertical	347	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7008G	104.48	Inf	-Inf	3	Vertical	347	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9876G	63.24	68.20	-4.96	3	Vertical	347	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	50.98	54.00	-3.02	3	Horizontal	54	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.66G	105.33	Inf	-Inf	3	Horizontal	54	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4356G	61.29	74.00	-12.71	3	Horizontal	54	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	63.15	68.20	-5.05	3	Horizontal	54	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7056G	115.43	Inf	-Inf	3	Horizontal	54	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	66.62	68.20	-1.58	3	Horizontal	54	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3584G	44.39	54.00	-9.61	3	Vertical	295	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39184G	54.82	74.00	-19.18	3	Vertical	295	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3944G	43.92	54.00	-10.08	3	Horizontal	118	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.4088G	54.58	74.00	-19.42	3	Horizontal	118	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7654G	92.02	Inf	-Inf	3	Vertical	347	1.46
5775MHz	Pass	PK	5.631G	61.87	68.20	-6.33	3	Vertical	347	1.46
5775MHz	Pass	PK	5.7606G	102.62	Inf	-Inf	3	Vertical	347	1.46
5775MHz	Pass	PK	5.9346G	62.74	68.20	-5.46	3	Vertical	347	1.46
5775MHz	Pass	AV	5.7654G	102.37	Inf	-Inf	3	Horizontal	50	2.27
5775MHz	Pass	PK	5.6358G	67.99	68.20	-0.21	3	Horizontal	50	2.27
5775MHz	Pass	PK	5.7654G	112.84	Inf	-Inf	3	Horizontal	50	2.27
5775MHz	Pass	PK	6.033G	62.96	68.20	-5.24	3	Horizontal	50	2.27
5775MHz	Pass	AV	11.52712G	43.25	54.00	-10.75	3	Vertical	256	1.40
5775MHz	Pass	PK	11.53368G	53.99	74.00	-20.01	3	Vertical	256	1.40
5775MHz	Pass	AV	11.51944G	43.19	54.00	-10.81	3	Horizontal	333	1.50
5775MHz	Pass	PK	11.58888G	55.31	74.00	-18.69	3	Horizontal	333	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1468G	50.44	54.00	-3.56	3	Vertical	291	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3244G	84.78	Inf	-Inf	3	Vertical	291	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4G	51.15	54.00	-2.85	3	Vertical	291	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0316G	61.34	74.00	-12.66	3	Vertical	291	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2848G	94.14	Inf	-Inf	3	Vertical	291	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4192G	61.40	74.00	-12.60	3	Vertical	291	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.508G	61.53	68.20	-6.67	3	Vertical	291	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1456G	51.98	54.00	-2.02	3	Horizontal	67	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	99.22	Inf	-Inf	3	Horizontal	67	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4132G	53.29	54.00	-0.71	3	Horizontal	67	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1252G	62.01	74.00	-11.99	3	Horizontal	67	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2308G	109.96	Inf	-Inf	3	Horizontal	67	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.352G	67.23	74.00	-6.77	3	Horizontal	67	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5068G	62.30	68.20	-5.90	3	Horizontal	67	2.07
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.49552G	54.02	68.20	-14.18	3	Vertical	71	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.45872G	53.27	68.20	-14.93	3	Horizontal	188	2.71
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0448G	50.47	54.00	-3.53	3	Vertical	49	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3124G	86.71	Inf	-Inf	3	Vertical	49	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.418G	51.11	54.00	-2.89	3	Vertical	49	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0004G	61.24	74.00	-12.76	3	Vertical	49	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3268G	97.14	Inf	-Inf	3	Vertical	49	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3868G	62.16	74.00	-11.84	3	Vertical	49	1.00




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_4T1S_AP5022**

Appendix E.21

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5368G	61.50	68.20	-6.70	3	Vertical	49	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1348G	52.26	54.00	-1.74	3	Horizontal	60	2.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	99.46	Inf	-Inf	3	Horizontal	60	2.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3724G	53.84	54.00	-0.16	3	Horizontal	60	2.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1384G	63.26	74.00	-10.74	3	Horizontal	60	2.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3112G	109.42	Inf	-Inf	3	Horizontal	60	2.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.352G	69.74	74.00	-4.26	3	Horizontal	60	2.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.496G	61.54	68.20	-6.66	3	Horizontal	60	2.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5272G	52.91	68.20	-15.29	3	Vertical	104	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.43152G	53.40	68.20	-14.80	3	Horizontal	189	1.43
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.45G	50.46	54.00	-3.54	3	Vertical	33	2.66
5570MHz	Pass	AV	5.4944G	88.52	Inf	-Inf	3	Vertical	33	2.66
5570MHz	Pass	PK	5.348G	60.28	68.20	-7.92	3	Vertical	33	2.66
5570MHz	Pass	PK	5.4392G	61.19	74.00	-12.81	3	Vertical	33	2.66
5570MHz	Pass	PK	5.4668G	60.75	68.20	-7.45	3	Vertical	33	2.66
5570MHz	Pass	PK	5.5148G	99.00	Inf	-Inf	3	Vertical	33	2.66
5570MHz	Pass	PK	5.8676G	62.39	68.20	-5.81	3	Vertical	33	2.66
5570MHz	Pass	AV	5.4548G	53.21	54.00	-0.79	3	Horizontal	60	2.05
5570MHz	Pass	AV	5.5508G	100.12	Inf	-Inf	3	Horizontal	60	2.05
5570MHz	Pass	PK	5.3252G	60.96	68.20	-7.24	3	Horizontal	60	2.05
5570MHz	Pass	PK	5.4512G	67.57	74.00	-6.43	3	Horizontal	60	2.05
5570MHz	Pass	PK	5.4692G	68.10	68.20	-0.10	3	Horizontal	60	2.05
5570MHz	Pass	PK	5.5856G	110.85	Inf	-Inf	3	Horizontal	60	2.05
5570MHz	Pass	PK	5.8616G	63.07	68.20	-5.13	3	Horizontal	60	2.05
5570MHz	Pass	AV	11.1816G	43.17	54.00	-10.83	3	Vertical	351	1.88
5570MHz	Pass	PK	11.21968G	54.32	74.00	-19.68	3	Vertical	351	1.88
5570MHz	Pass	AV	11.19056G	43.29	54.00	-10.71	3	Horizontal	216	1.50
5570MHz	Pass	PK	11.14544G	54.45	74.00	-19.55	3	Horizontal	216	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.438G	50.44	54.00	-3.56	3	Vertical	34	2.84
5570MHz	Pass	AV	5.51G	89.06	Inf	-Inf	3	Vertical	34	2.84
5570MHz	Pass	PK	5.2772G	59.88	68.20	-8.32	3	Vertical	34	2.84
5570MHz	Pass	PK	5.4404G	61.53	74.00	-12.47	3	Vertical	34	2.84
5570MHz	Pass	PK	5.4692G	61.26	68.20	-6.94	3	Vertical	34	2.84
5570MHz	Pass	PK	5.51G	98.57	Inf	-Inf	3	Vertical	34	2.84
5570MHz	Pass	PK	5.8172G	63.67	68.20	-4.53	3	Vertical	34	2.84
5570MHz	Pass	AV	5.4584G	51.92	54.00	-2.08	3	Horizontal	60	2.08
5570MHz	Pass	AV	5.54G	99.52	Inf	-Inf	3	Horizontal	60	2.08
5570MHz	Pass	PK	5.3024G	60.53	68.20	-7.67	3	Horizontal	60	2.08
5570MHz	Pass	PK	5.4512G	66.42	74.00	-7.58	3	Horizontal	60	2.08
5570MHz	Pass	PK	5.4668G	65.26	68.20	-2.94	3	Horizontal	60	2.08
5570MHz	Pass	PK	5.5508G	109.61	Inf	-Inf	3	Horizontal	60	2.08
5570MHz	Pass	PK	5.774G	62.86	68.20	-5.34	3	Horizontal	60	2.08
5570MHz	Pass	AV	11.10192G	43.30	54.00	-10.70	3	Vertical	220	1.20
5570MHz	Pass	PK	11.15088G	54.04	74.00	-19.96	3	Vertical	220	1.20
5570MHz	Pass	AV	11.14864G	43.13	54.00	-10.87	3	Horizontal	80	1.50
5570MHz	Pass	PK	11.116G	53.99	74.00	-20.01	3	Horizontal	80	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	50.57	54.00	-3.43	6.44	3	Vertical	30	2.99	44.13	33.38	8.09	35.03
AV	5.197G	90.69	Inf	-Inf	6.48	3	Vertical	30	2.99	84.21	33.40	8.12	35.04
AV	5.456G	51.38	54.00	-2.62	6.40	3	Vertical	30	2.99	44.98	33.20	8.28	35.08
PK	5.146G	60.54	74.00	-13.46	6.45	3	Vertical	30	2.99	54.09	33.39	8.09	35.03
PK	5.198G	101.34	Inf	-Inf	6.48	3	Vertical	30	2.99	94.86	33.40	8.12	35.04
PK	5.424G	61.44	74.00	-12.56	6.31	3	Vertical	30	2.99	55.13	33.15	8.24	35.08

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	53.30	54.00	-0.70	6.44	3	Horizontal	54	2.17	46.86	33.37	8.09	35.02
AV	5.198G	101.32	Inf	-Inf	6.48	3	Horizontal	54	2.17	94.84	33.40	8.12	35.04
AV	5.377G	51.42	54.00	-2.58	6.18	3	Horizontal	54	2.17	45.24	33.05	8.20	35.07
PK	5.149G	72.26	74.00	-1.74	6.46	3	Horizontal	54	2.17	65.80	33.40	8.09	35.03
PK	5.183G	111.29	Inf	-Inf	6.48	3	Horizontal	54	2.17	104.81	33.40	8.11	35.03
PK	5.35G	63.69	74.00	-10.31	6.13	3	Horizontal	54	2.17	57.56	33.00	8.19	35.06


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	50.28	54.00	-3.72	6.40	3	Vertical	347	1.68	43.88	33.20	8.28	35.08
AV	5.625G	91.22	Inf	-Inf	6.79	3	Vertical	347	1.68	84.43	33.40	8.49	35.10
PK	5.431G	61.20	74.00	-12.80	6.33	3	Vertical	347	1.68	54.87	33.16	8.25	35.08
PK	5.468G	60.25	68.20	-7.95	6.42	3	Vertical	347	1.68	53.83	33.20	8.30	35.08
PK	5.62G	101.46	Inf	-Inf	6.76	3	Vertical	347	1.68	94.70	33.38	8.48	35.10
PK	5.854G	62.45	68.20	-5.75	7.96	3	Vertical	347	1.68	54.49	34.41	8.68	35.13

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.92	54.00	-3.08	6.41	3	Horizontal	57	2.04	44.51	33.20	8.29	35.08
AV	5.621G	102.35	Inf	-Inf	6.76	3	Horizontal	57	2.04	95.59	33.38	8.48	35.10
PK	5.459G	62.08	74.00	-11.92	6.40	3	Horizontal	57	2.04	55.68	33.20	8.28	35.08
PK	5.469G	62.72	68.20	-5.48	6.42	3	Horizontal	57	2.04	56.30	33.20	8.30	35.08
PK	5.615G	112.55	Inf	-Inf	6.74	3	Horizontal	57	2.04	105.81	33.36	8.48	35.10
PK	5.733G	67.84	68.20	-0.36	7.38	3	Horizontal	57	2.04	60.46	33.90	8.59	35.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_4T4S_AP5022**

Appendix E.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.138G	53.67	54.00	-0.33	3	Vertical	185	2.87
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	5.4204G	53.86	54.00	-0.14	3	Vertical	232	2.56
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	Pass	AV	5.358G	53.22	54.00	-0.78	3	Vertical	235	2.31
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	Pass	AV	5.458G	53.94	54.00	-0.06	3	Vertical	236	2.90
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	Pass	AV	5.456G	53.64	54.00	-0.36	3	Vertical	235	2.91
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.6058G	68.02	68.20	-0.18	3	Vertical	24	2.76



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_4T4S_AP5022**

Appendix E.22

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.138G	53.67	54.00	-0.33	3	Vertical	185	2.87
5210MHz	Pass	AV	5.241G	97.69	Inf	-Inf	3	Vertical	185	2.87
5210MHz	Pass	AV	5.438G	51.19	54.00	-2.81	3	Vertical	185	2.87
5210MHz	Pass	PK	5.141G	68.07	74.00	-5.93	3	Vertical	185	2.87
5210MHz	Pass	PK	5.197G	106.43	Inf	-Inf	3	Vertical	185	2.87
5210MHz	Pass	PK	5.353G	61.75	74.00	-12.25	3	Vertical	185	2.87
5210MHz	Pass	AV	5.024G	50.62	54.00	-3.38	3	Horizontal	255	1.05
5210MHz	Pass	AV	5.239G	87.96	Inf	-Inf	3	Horizontal	255	1.05
5210MHz	Pass	AV	5.439G	51.22	54.00	-2.78	3	Horizontal	255	1.05
5210MHz	Pass	PK	5.101G	61.81	74.00	-12.19	3	Horizontal	255	1.05
5210MHz	Pass	PK	5.243G	96.59	Inf	-Inf	3	Horizontal	255	1.05
5210MHz	Pass	PK	5.436G	62.23	74.00	-11.77	3	Horizontal	255	1.05
5210MHz	Pass	PK	10.45968G	53.92	68.20	-14.28	3	Vertical	114	1.50
5210MHz	Pass	PK	10.41616G	54.34	68.20	-13.86	3	Horizontal	340	1.74
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.148G	50.29	54.00	-3.71	3	Vertical	235	2.31
5290MHz	Pass	AV	5.297G	95.99	Inf	-Inf	3	Vertical	235	2.31
5290MHz	Pass	AV	5.358G	53.22	54.00	-0.78	3	Vertical	235	2.31
5290MHz	Pass	PK	5.132G	60.51	74.00	-13.49	3	Vertical	235	2.31
5290MHz	Pass	PK	5.297G	104.71	Inf	-Inf	3	Vertical	235	2.31
5290MHz	Pass	PK	5.358G	67.71	74.00	-6.29	3	Vertical	235	2.31
5290MHz	Pass	PK	5.525G	62.10	68.20	-6.10	3	Vertical	235	2.31
5290MHz	Pass	AV	5.043G	50.39	54.00	-3.61	3	Horizontal	13	1.00
5290MHz	Pass	AV	5.299G	86.14	Inf	-Inf	3	Horizontal	13	1.00
5290MHz	Pass	AV	5.359G	51.55	54.00	-2.45	3	Horizontal	13	1.00
5290MHz	Pass	PK	5.129G	61.10	74.00	-12.90	3	Horizontal	13	1.00
5290MHz	Pass	PK	5.293G	95.50	Inf	-Inf	3	Horizontal	13	1.00
5290MHz	Pass	PK	5.352G	64.69	74.00	-9.31	3	Horizontal	13	1.00
5290MHz	Pass	PK	5.464G	61.31	68.20	-6.89	3	Horizontal	13	1.00
5290MHz	Pass	PK	10.55984G	54.19	68.20	-14.01	3	Vertical	108	2.43
5290MHz	Pass	PK	10.59248G	54.22	68.20	-13.98	3	Horizontal	38	1.50
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	49.50	54.00	-4.50	3	Vertical	235	2.48
5530MHz	Pass	AV	5.457G	52.96	54.00	-1.04	3	Vertical	235	2.48
5530MHz	Pass	AV	5.519G	97.85	Inf	-Inf	3	Vertical	235	2.48
5530MHz	Pass	PK	5.325G	60.92	68.20	-7.28	3	Vertical	235	2.48
5530MHz	Pass	PK	5.458G	65.09	74.00	-8.91	3	Vertical	235	2.48
5530MHz	Pass	PK	5.461G	64.29	68.20	-3.91	3	Vertical	235	2.48
5530MHz	Pass	PK	5.518G	105.72	Inf	-Inf	3	Vertical	235	2.48
5530MHz	Pass	PK	5.765G	61.57	68.20	-6.63	3	Vertical	235	2.48
5530MHz	Pass	AV	5.35G	49.69	54.00	-4.31	3	Horizontal	103	1.00
5530MHz	Pass	AV	5.459G	50.49	54.00	-3.51	3	Horizontal	103	1.00
5530MHz	Pass	AV	5.499G	84.73	Inf	-Inf	3	Horizontal	103	1.00
5530MHz	Pass	PK	5.285G	60.44	68.20	-7.76	3	Horizontal	103	1.00
5530MHz	Pass	PK	5.454G	61.35	74.00	-12.65	3	Horizontal	103	1.00
5530MHz	Pass	PK	5.465G	60.67	68.20	-7.53	3	Horizontal	103	1.00
5530MHz	Pass	PK	5.498G	93.51	Inf	-Inf	3	Horizontal	103	1.00
5530MHz	Pass	PK	5.773G	62.20	68.20	-6.00	3	Horizontal	103	1.00
5530MHz	Pass	AV	11.0568G	43.10	54.00	-10.90	3	Vertical	173	1.81
5530MHz	Pass	PK	11.07808G	54.09	74.00	-19.91	3	Vertical	173	1.81
5530MHz	Pass	AV	11.0936G	43.31	54.00	-10.69	3	Horizontal	179	1.52
5530MHz	Pass	PK	11.04272G	53.75	74.00	-20.25	3	Horizontal	179	1.52
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.458G	53.94	54.00	-0.06	3	Vertical	236	2.90
5610MHz	Pass	AV	5.579G	101.37	Inf	-Inf	3	Vertical	236	2.90
5610MHz	Pass	PK	5.459G	69.56	74.00	-4.44	3	Vertical	236	2.90
5610MHz	Pass	PK	5.466G	65.72	68.20	-2.48	3	Vertical	236	2.90
5610MHz	Pass	PK	5.578G	109.84	Inf	-Inf	3	Vertical	236	2.90
5610MHz	Pass	PK	5.739G	68.06	68.20	-0.14	3	Vertical	236	2.90
5610MHz	Pass	AV	5.459G	50.78	54.00	-3.22	3	Horizontal	255	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.619G	90.89	Inf	-Inf	3	Horizontal	255	1.00
5610MHz	Pass	PK	5.457G	61.45	74.00	-12.55	3	Horizontal	255	1.00
5610MHz	Pass	PK	5.466G	61.06	68.20	-7.14	3	Horizontal	255	1.00
5610MHz	Pass	PK	5.584G	99.06	Inf	-Inf	3	Horizontal	255	1.00
5610MHz	Pass	PK	5.803G	62.97	68.20	-5.23	3	Horizontal	255	1.00
5610MHz	Pass	AV	11.25856G	44.02	54.00	-9.98	3	Vertical	148	1.14
5610MHz	Pass	PK	11.2312G	55.13	74.00	-18.87	3	Vertical	148	1.14
5610MHz	Pass	AV	11.25008G	43.97	54.00	-10.03	3	Horizontal	343	2.79
5610MHz	Pass	PK	11.20032G	55.00	74.00	-19.00	3	Horizontal	343	2.79
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX										
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	51.84	54.00	-2.16	3	Vertical	188	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	101.34	Inf	-Inf	3	Vertical	188	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	66.33	74.00	-7.67	3	Vertical	188	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	67.13	68.20	-1.07	3	Vertical	188	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6648G	110.95	Inf	-Inf	3	Vertical	188	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	64.39	68.20	-3.81	3	Vertical	188	2.96
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	50.57	54.00	-3.43	3	Horizontal	159	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	91.76	Inf	-Inf	3	Horizontal	159	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4104G	60.77	74.00	-13.23	3	Horizontal	159	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	60.02	68.20	-8.18	3	Horizontal	159	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.684G	100.66	Inf	-Inf	3	Horizontal	159	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9156G	63.53	68.20	-4.67	3	Horizontal	159	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39008G	44.44	54.00	-9.56	3	Vertical	109	2.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.352G	55.45	74.00	-18.55	3	Vertical	109	2.68
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36336G	44.45	54.00	-9.55	3	Horizontal	53	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41232G	55.34	74.00	-18.66	3	Horizontal	53	2.10
5775MHz	Pass	AV	5.7462G	98.85	Inf	-Inf	3	Vertical	24	2.76
5775MHz	Pass	PK	5.6058G	68.02	68.20	-0.18	3	Vertical	24	2.76
5775MHz	Pass	PK	5.7462G	107.68	Inf	-Inf	3	Vertical	24	2.76
5775MHz	Pass	PK	6.0618G	63.12	68.20	-5.08	3	Vertical	24	2.76
5775MHz	Pass	AV	5.7438G	93.37	Inf	-Inf	3	Horizontal	113	2.85
5775MHz	Pass	PK	5.6022G	63.22	68.20	-4.98	3	Horizontal	113	2.85
5775MHz	Pass	PK	5.7438G	100.78	Inf	-Inf	3	Horizontal	113	2.85
5775MHz	Pass	PK	5.9478G	63.72	68.20	-4.48	3	Horizontal	113	2.85
5775MHz	Pass	AV	11.52216G	43.78	54.00	-10.22	3	Vertical	147	1.50
5775MHz	Pass	PK	11.5132G	54.30	74.00	-19.70	3	Vertical	147	1.50
5775MHz	Pass	AV	11.52968G	43.93	54.00	-10.07	3	Horizontal	195	1.25
5775MHz	Pass	PK	11.53704G	54.03	74.00	-19.97	3	Horizontal	195	1.25
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 6_4TX										
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0952G	51.19	54.00	-2.81	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3184G	93.81	Inf	-Inf	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3796G	52.63	54.00	-1.37	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1312G	64.17	74.00	-9.83	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3184G	101.70	Inf	-Inf	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.358G	69.78	74.00	-4.22	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4612G	63.83	68.20	-4.37	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0184G	50.38	54.00	-3.62	3	Horizontal	12	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2644G	83.54	Inf	-Inf	3	Horizontal	12	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4576G	51.13	54.00	-2.87	3	Horizontal	12	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.004G	61.52	74.00	-12.48	3	Horizontal	12	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2632G	94.37	Inf	-Inf	3	Horizontal	12	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.358G	64.09	74.00	-9.91	3	Horizontal	12	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.55G	61.67	68.20	-6.53	3	Horizontal	12	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50576G	53.79	68.20	-14.41	3	Vertical	186	1.69
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.46608G	53.75	68.20	-14.45	3	Horizontal	15	1.50
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX										
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1372G	50.80	54.00	-3.20	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2788G	94.56	Inf	-Inf	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4204G	53.86	54.00	-0.14	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1372G	63.25	74.00	-10.75	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2788G	102.63	Inf	-Inf	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3592G	71.94	74.00	-2.06	3	Vertical	232	2.56




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_4T4S_AP5022**

Appendix E.22

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5416G	62.58	68.20	-5.62	3	Vertical	232	2.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0448G	50.42	54.00	-3.58	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2788G	86.08	Inf	-Inf	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4444G	51.15	54.00	-2.85	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1408G	61.10	74.00	-12.90	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2668G	94.42	Inf	-Inf	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3772G	64.28	74.00	-9.72	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5092G	61.14	68.20	-7.06	3	Horizontal	256	1.00
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.4936G	54.22	68.20	-13.98	3	Vertical	298	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.55632G	53.81	68.20	-14.39	3	Horizontal	24	1.50
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.456G	53.64	54.00	-0.36	3	Vertical	235	2.91
5570MHz	Pass	AV	5.5388G	95.65	Inf	-Inf	3	Vertical	235	2.91
5570MHz	Pass	PK	5.3348G	60.93	68.20	-7.27	3	Vertical	235	2.91
5570MHz	Pass	PK	5.4572G	72.64	74.00	-1.36	3	Vertical	235	2.91
5570MHz	Pass	PK	5.4608G	67.53	68.20	-0.67	3	Vertical	235	2.91
5570MHz	Pass	PK	5.5376G	103.37	Inf	-Inf	3	Vertical	235	2.91
5570MHz	Pass	PK	5.7392G	63.97	68.20	-4.23	3	Vertical	235	2.91
5570MHz	Pass	AV	5.4572G	50.98	54.00	-3.02	3	Horizontal	114	2.90
5570MHz	Pass	AV	5.5988G	87.85	Inf	-Inf	3	Horizontal	114	2.90
5570MHz	Pass	PK	5.3084G	60.41	68.20	-7.79	3	Horizontal	114	2.90
5570MHz	Pass	PK	5.4548G	64.57	74.00	-9.43	3	Horizontal	114	2.90
5570MHz	Pass	PK	5.4692G	63.51	68.20	-4.69	3	Horizontal	114	2.90
5570MHz	Pass	PK	5.5832G	97.10	Inf	-Inf	3	Horizontal	114	2.90
5570MHz	Pass	PK	5.8544G	63.14	68.20	-5.06	3	Horizontal	114	2.90
5570MHz	Pass	AV	11.19664G	43.69	54.00	-10.31	3	Vertical	188	1.50
5570MHz	Pass	PK	11.18448G	54.31	74.00	-19.69	3	Vertical	188	1.50
5570MHz	Pass	AV	11.22G	43.73	54.00	-10.27	3	Horizontal	233	1.50
5570MHz	Pass	PK	11.15024G	53.92	74.00	-20.08	3	Horizontal	233	1.50
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4392G	52.95	54.00	-1.05	3	Vertical	235	2.52
5570MHz	Pass	AV	5.5388G	95.48	Inf	-Inf	3	Vertical	235	2.52
5570MHz	Pass	PK	5.3096G	61.21	68.20	-6.99	3	Vertical	235	2.52
5570MHz	Pass	PK	5.4392G	69.68	74.00	-4.32	3	Vertical	235	2.52
5570MHz	Pass	PK	5.462G	66.61	68.20	-1.59	3	Vertical	235	2.52
5570MHz	Pass	PK	5.5388G	104.53	Inf	-Inf	3	Vertical	235	2.52
5570MHz	Pass	PK	5.8616G	62.81	68.20	-5.39	3	Vertical	235	2.52
5570MHz	Pass	AV	5.4152G	50.54	54.00	-3.46	3	Horizontal	302	2.91
5570MHz	Pass	AV	5.5184G	86.37	Inf	-Inf	3	Horizontal	302	2.91
5570MHz	Pass	PK	5.3336G	60.58	68.20	-7.62	3	Horizontal	302	2.91
5570MHz	Pass	PK	5.3828G	61.87	74.00	-12.13	3	Horizontal	302	2.91
5570MHz	Pass	PK	5.4692G	61.25	68.20	-6.95	3	Horizontal	302	2.91
5570MHz	Pass	PK	5.5448G	95.88	Inf	-Inf	3	Horizontal	302	2.91
5570MHz	Pass	PK	5.858G	62.82	68.20	-5.38	3	Horizontal	302	2.91
5570MHz	Pass	AV	11.188G	43.44	54.00	-10.56	3	Vertical	182	1.50
5570MHz	Pass	PK	11.21008G	54.39	74.00	-19.61	3	Vertical	182	1.50
5570MHz	Pass	AV	11.1832G	43.51	54.00	-10.49	3	Horizontal	166	1.69
5570MHz	Pass	PK	11.07024G	53.86	74.00	-20.14	3	Horizontal	166	1.69


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	53.94	54.00	-0.06	6.40	3	Vertical	236	2.90	47.54	33.20	8.28	35.08
AV	5.579G	101.37	Inf	-Inf	6.63	3	Vertical	236	2.90	94.74	33.30	8.43	35.10
PK	5.459G	69.56	74.00	-4.44	6.40	3	Vertical	236	2.90	63.16	33.20	8.28	35.08
PK	5.466G	65.72	68.20	-2.48	6.41	3	Vertical	236	2.90	59.31	33.20	8.29	35.08
PK	5.578G	109.84	Inf	-Inf	6.63	3	Vertical	236	2.90	103.21	33.30	8.43	35.10
PK	5.739G	68.06	68.20	-0.14	7.42	3	Vertical	236	2.90	60.64	33.93	8.60	35.11

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.78	54.00	-3.22	6.40	3	Horizontal	255	1.00	44.38	33.20	8.28	35.08
AV	5.619G	90.89	Inf	-Inf	6.76	3	Horizontal	255	1.00	84.13	33.38	8.48	35.10
PK	5.457G	61.45	74.00	-12.55	6.40	3	Horizontal	255	1.00	55.05	33.20	8.28	35.08
PK	5.466G	61.06	68.20	-7.14	6.41	3	Horizontal	255	1.00	54.65	33.20	8.29	35.08
PK	5.584G	99.06	Inf	-Inf	6.64	3	Horizontal	255	1.00	92.42	33.30	8.44	35.10
PK	5.803G	62.97	68.20	-5.23	7.85	3	Horizontal	255	1.00	55.12	34.31	8.66	35.12


5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX





***RSE TX below 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022***

Appendix E.23

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	61.04M	35.91	40.00	-4.09	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_
Scan Radio 2T1S_AP5022**


Appendix E.23

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	61.04M	35.91	40.00	-4.09	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	94.02M	29.84	43.50	-13.66	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	187.14M	22.72	43.50	-20.78	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	274.44M	28.80	46.00	-17.20	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	483.96M	24.87	46.00	-21.13	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	575.14M	34.71	46.00	-11.29	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	39.7M	27.36	40.00	-12.64	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	92.08M	28.26	43.50	-15.24	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	206.54M	27.32	43.50	-16.18	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	332.64M	30.11	46.00	-15.89	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	485.9M	28.90	46.00	-17.10	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	573.2M	35.59	46.00	-10.41	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	37.76M	30.71	40.00	-9.29	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	90.14M	25.43	43.50	-18.07	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	206.54M	29.76	43.50	-13.74	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	390.84M	25.19	46.00	-20.81	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	482.02M	28.77	46.00	-17.23	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	575.14M	36.14	46.00	-9.86	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	90.14M	27.82	43.50	-15.68	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	204.6M	28.81	43.50	-14.69	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	288.02M	31.19	46.00	-14.81	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	400.54M	29.50	46.00	-16.50	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	482.02M	31.83	46.00	-14.17	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	575.14M	35.81	46.00	-10.19	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T1S_AP5022

Appendix E.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.1464G	73.92	74.00	-0.08	3	Vertical	336	1.02
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.1456G	73.62	74.00	-0.38	3	Vertical	338	1.01
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.34	54.00	-0.66	3	Vertical	340	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.147G	53.87	54.00	-0.13	3	Vertical	341	1.00
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3504G	53.73	54.00	-0.27	3	Vertical	338	1.00
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.61	54.00	-0.39	3	Vertical	336	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	53.27	54.00	-0.73	3	Vertical	343	1.04
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.353G	53.88	54.00	-0.12	3	Vertical	340	1.00
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.3568G	73.56	74.00	-0.44	3	Vertical	353	1.01
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.728G	67.93	68.20	-0.27	3	Vertical	341	1.01
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7268G	67.04	68.20	-1.16	3	Vertical	344	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7402G	67.86	68.20	-0.34	3	Vertical	352	1.01
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.46G	53.74	54.00	-0.26	3	Vertical	342	1.01
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4656G	67.46	68.20	-0.74	3	Vertical	337	1.01
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.9414G	60.55	68.20	-7.65	3	Horizontal	55	1.00
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.927G	60.70	68.20	-7.50	3	Horizontal	59	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.6486G	66.09	68.20	-2.11	3	Vertical	339	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.649G	64.47	68.20	-3.73	3	Vertical	343	1.01

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	52.30	54.00	-1.70	3	Vertical	0	1.00
5180MHz	Pass	AV	5.184G	108.29	Inf	-Inf	3	Vertical	0	1.00
5180MHz	Pass	PK	5.1492G	70.02	74.00	-3.98	3	Vertical	0	1.00
5180MHz	Pass	PK	5.1836G	119.03	Inf	-Inf	3	Vertical	0	1.00
5180MHz	Pass	AV	5.1492G	49.26	54.00	-4.74	3	Horizontal	38	1.12
5180MHz	Pass	AV	5.1842G	104.98	Inf	-Inf	3	Horizontal	38	1.12
5180MHz	Pass	PK	5.149G	66.99	74.00	-7.01	3	Horizontal	38	1.12
5180MHz	Pass	PK	5.1836G	114.88	Inf	-Inf	3	Horizontal	38	1.12
5180MHz	Pass	PK	10.35648G	53.14	68.20	-15.06	3	Vertical	116	2.95
5180MHz	Pass	PK	10.36376G	53.53	68.20	-14.67	3	Horizontal	352	1.71
5200MHz	Pass	AV	5.15G	52.95	54.00	-1.05	3	Vertical	336	1.02
5200MHz	Pass	AV	5.2056G	107.90	Inf	-Inf	3	Vertical	336	1.02
5200MHz	Pass	PK	5.1464G	73.92	74.00	-0.08	3	Vertical	336	1.02
5200MHz	Pass	PK	5.196G	118.14	Inf	-Inf	3	Vertical	336	1.02
5200MHz	Pass	AV	5.1496G	50.98	54.00	-3.02	3	Horizontal	38	1.05
5200MHz	Pass	AV	5.1992G	105.82	Inf	-Inf	3	Horizontal	38	1.05
5200MHz	Pass	PK	5.1492G	71.55	74.00	-2.45	3	Horizontal	38	1.05
5200MHz	Pass	PK	5.2044G	115.87	Inf	-Inf	3	Horizontal	38	1.05
5200MHz	Pass	PK	10.40114G	53.59	68.20	-14.61	3	Vertical	4	2.18
5200MHz	Pass	PK	10.39922G	54.58	68.20	-13.62	3	Horizontal	357	2.06
5240MHz	Pass	AV	5.147G	45.53	54.00	-8.47	3	Vertical	347	1.01
5240MHz	Pass	AV	5.2418G	107.71	Inf	-Inf	3	Vertical	347	1.01
5240MHz	Pass	AV	5.3594G	46.39	54.00	-7.61	3	Vertical	347	1.01
5240MHz	Pass	PK	5.147G	59.53	74.00	-14.47	3	Vertical	347	1.01
5240MHz	Pass	PK	5.2424G	117.90	Inf	-Inf	3	Vertical	347	1.01
5240MHz	Pass	PK	5.3666G	59.69	74.00	-14.31	3	Vertical	347	1.01
5240MHz	Pass	AV	5.1488G	44.78	54.00	-9.22	3	Horizontal	31	1.00
5240MHz	Pass	AV	5.2436G	105.18	Inf	-Inf	3	Horizontal	31	1.00
5240MHz	Pass	AV	5.3576G	45.34	54.00	-8.66	3	Horizontal	31	1.00
5240MHz	Pass	PK	5.1476G	57.94	74.00	-16.06	3	Horizontal	31	1.00
5240MHz	Pass	PK	5.234G	115.22	Inf	-Inf	3	Horizontal	31	1.00
5240MHz	Pass	PK	5.3708G	58.63	74.00	-15.37	3	Horizontal	31	1.00
5240MHz	Pass	PK	10.47544G	52.79	68.20	-15.41	3	Vertical	5	2.11
5240MHz	Pass	PK	10.4761G	53.23	68.20	-14.97	3	Horizontal	355	1.05
5260MHz	Pass	AV	5.1496G	44.88	54.00	-9.12	3	Vertical	337	1.03
5260MHz	Pass	AV	5.2654G	108.24	Inf	-Inf	3	Vertical	337	1.03
5260MHz	Pass	AV	5.3512G	46.83	54.00	-7.17	3	Vertical	337	1.03
5260MHz	Pass	PK	5.14G	58.29	74.00	-15.71	3	Vertical	337	1.03
5260MHz	Pass	PK	5.2558G	118.42	Inf	-Inf	3	Vertical	337	1.03
5260MHz	Pass	PK	5.3608G	62.68	74.00	-11.32	3	Vertical	337	1.03
5260MHz	Pass	AV	5.149G	44.26	54.00	-9.74	3	Horizontal	35	1.12
5260MHz	Pass	AV	5.254G	105.22	Inf	-Inf	3	Horizontal	35	1.12
5260MHz	Pass	AV	5.359G	45.32	54.00	-8.68	3	Horizontal	35	1.12
5260MHz	Pass	PK	5.137G	57.36	74.00	-16.64	3	Horizontal	35	1.12
5260MHz	Pass	PK	5.2588G	115.27	Inf	-Inf	3	Horizontal	35	1.12
5260MHz	Pass	PK	5.3842G	58.73	74.00	-15.27	3	Horizontal	35	1.12
5260MHz	Pass	PK	10.5134G	52.75	68.20	-15.45	3	Vertical	360	1.49
5260MHz	Pass	PK	10.51742G	52.34	68.20	-15.86	3	Horizontal	341	1.50
5300MHz	Pass	AV	5.306G	108.72	Inf	-Inf	3	Vertical	341	1.00
5300MHz	Pass	AV	5.3508G	50.68	54.00	-3.32	3	Vertical	341	1.00
5300MHz	Pass	PK	5.296G	118.74	Inf	-Inf	3	Vertical	341	1.00
5300MHz	Pass	PK	5.3508G	71.03	74.00	-2.97	3	Vertical	341	1.00
5300MHz	Pass	AV	5.3036G	105.24	Inf	-Inf	3	Horizontal	32	1.13
5300MHz	Pass	AV	5.3536G	47.55	54.00	-6.45	3	Horizontal	32	1.13
5300MHz	Pass	PK	5.304G	115.85	Inf	-Inf	3	Horizontal	32	1.13
5300MHz	Pass	PK	5.354G	66.54	74.00	-7.46	3	Horizontal	32	1.13
5300MHz	Pass	AV	10.60426G	38.28	54.00	-15.72	3	Vertical	329	1.50
5300MHz	Pass	PK	10.59322G	52.38	68.20	-15.82	3	Vertical	329	1.50
5300MHz	Pass	AV	10.60276G	38.31	54.00	-15.69	3	Horizontal	25	1.50
5300MHz	Pass	PK	10.59664G	52.43	68.20	-15.77	3	Horizontal	25	1.50



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio 2T1S AP5022**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3158G	108.64	Inf	-Inf	3	Vertical	338	1.00
5320MHz	Pass	AV	5.3504G	53.73	54.00	-0.27	3	Vertical	338	1.00
5320MHz	Pass	PK	5.3152G	118.83	Inf	-Inf	3	Vertical	338	1.00
5320MHz	Pass	PK	5.3602G	68.61	74.00	-5.39	3	Vertical	338	1.00
5320MHz	Pass	AV	5.3234G	104.69	Inf	-Inf	3	Horizontal	33	1.14
5320MHz	Pass	AV	5.353G	49.10	54.00	-4.90	3	Horizontal	33	1.14
5320MHz	Pass	PK	5.3182G	115.44	Inf	-Inf	3	Horizontal	33	1.14
5320MHz	Pass	PK	5.3534G	62.52	74.00	-11.48	3	Horizontal	33	1.14
5320MHz	Pass	AV	10.65278G	38.10	54.00	-15.90	3	Vertical	310	2.56
5320MHz	Pass	PK	10.63916G	52.00	74.00	-22.00	3	Vertical	310	2.56
5320MHz	Pass	AV	10.65152G	38.16	54.00	-15.84	3	Horizontal	132	1.50
5320MHz	Pass	PK	10.63664G	52.50	74.00	-21.50	3	Horizontal	132	1.50
5500MHz	Pass	AV	5.4592G	49.94	54.00	-4.06	3	Vertical	332	1.00
5500MHz	Pass	AV	5.5034G	107.10	Inf	-Inf	3	Vertical	332	1.00
5500MHz	Pass	PK	5.4598G	66.01	74.00	-7.99	3	Vertical	332	1.00
5500MHz	Pass	PK	5.4686G	65.73	68.20	-2.47	3	Vertical	332	1.00
5500MHz	Pass	PK	5.5036G	117.61	Inf	-Inf	3	Vertical	332	1.00
5500MHz	Pass	AV	5.4584G	46.97	54.00	-7.03	3	Horizontal	52	1.50
5500MHz	Pass	AV	5.5028G	102.69	Inf	-Inf	3	Horizontal	52	1.50
5500MHz	Pass	PK	5.4576G	61.89	74.00	-12.11	3	Horizontal	52	1.50
5500MHz	Pass	PK	5.4688G	61.49	68.20	-6.71	3	Horizontal	52	1.50
5500MHz	Pass	PK	5.5028G	113.22	Inf	-Inf	3	Horizontal	52	1.50
5500MHz	Pass	AV	10.99628G	38.25	54.00	-15.75	3	Vertical	266	1.29
5500MHz	Pass	PK	11.00114G	52.15	74.00	-21.85	3	Vertical	266	1.29
5500MHz	Pass	AV	10.99394G	38.33	54.00	-15.67	3	Horizontal	242	1.05
5500MHz	Pass	PK	11.01224G	52.72	74.00	-21.28	3	Horizontal	242	1.05
5580MHz	Pass	AV	5.445G	45.35	54.00	-8.65	3	Vertical	337	1.01
5580MHz	Pass	AV	5.574G	108.23	Inf	-Inf	3	Vertical	337	1.01
5580MHz	Pass	PK	5.4552G	58.40	74.00	-15.60	3	Vertical	337	1.01
5580MHz	Pass	PK	5.4642G	60.80	68.20	-7.40	3	Vertical	337	1.01
5580MHz	Pass	PK	5.5788G	118.69	Inf	-Inf	3	Vertical	337	1.01
5580MHz	Pass	PK	5.73G	59.40	68.20	-8.80	3	Vertical	337	1.01
5580MHz	Pass	AV	5.445G	44.54	54.00	-9.46	3	Horizontal	45	1.00
5580MHz	Pass	AV	5.5842G	103.73	Inf	-Inf	3	Horizontal	45	1.00
5580MHz	Pass	PK	5.454G	58.25	74.00	-15.75	3	Horizontal	45	1.00
5580MHz	Pass	PK	5.4612G	57.77	68.20	-10.43	3	Horizontal	45	1.00
5580MHz	Pass	PK	5.5836G	115.14	Inf	-Inf	3	Horizontal	45	1.00
5580MHz	Pass	PK	5.7288G	58.45	68.20	-9.75	3	Horizontal	45	1.00
5580MHz	Pass	AV	11.1627G	38.42	54.00	-15.58	3	Vertical	298	1.50
5580MHz	Pass	PK	11.14968G	52.58	74.00	-21.42	3	Vertical	298	1.50
5580MHz	Pass	AV	11.1624G	38.47	54.00	-15.53	3	Horizontal	95	1.50
5580MHz	Pass	PK	11.15994G	52.60	74.00	-21.40	3	Horizontal	95	1.50
5700MHz	Pass	AV	5.6984G	103.03	Inf	-Inf	3	Vertical	341	1.01
5700MHz	Pass	PK	5.704G	113.35	Inf	-Inf	3	Vertical	341	1.01
5700MHz	Pass	PK	5.728G	67.93	68.20	-0.27	3	Vertical	341	1.01
5700MHz	Pass	AV	5.6944G	100.94	Inf	-Inf	3	Horizontal	62	1.00
5700MHz	Pass	PK	5.7044G	111.70	Inf	-Inf	3	Horizontal	62	1.00
5700MHz	Pass	PK	5.7252G	67.48	68.20	-0.72	3	Horizontal	62	1.00
5700MHz	Pass	AV	11.41326G	38.48	54.00	-15.52	3	Vertical	360	1.50
5700MHz	Pass	PK	11.41188G	52.27	74.00	-21.73	3	Vertical	360	1.50
5700MHz	Pass	AV	11.40858G	38.47	54.00	-15.53	3	Horizontal	298	2.99
5700MHz	Pass	PK	11.40864G	52.31	74.00	-21.69	3	Horizontal	298	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.16	54.00	-8.84	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	107.20	Inf	-Inf	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4296G	57.99	74.00	-16.01	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	58.52	68.20	-9.68	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	117.02	Inf	-Inf	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	60.48	68.20	-7.72	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	44.38	54.00	-9.62	3	Horizontal	62	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	105.36	Inf	-Inf	3	Horizontal	62	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.438G	57.63	74.00	-16.37	3	Horizontal	62	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.84	68.20	-10.36	3	Horizontal	62	1.00



RSE TX above 1GHz_Non-Beamforming_ Scan Radio 2T1S_AP5022

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	116.19	Inf	-Inf	3	Horizontal	62	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	60.00	68.20	-8.20	3	Horizontal	62	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44588G	38.54	54.00	-15.46	3	Vertical	340	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.449G	52.25	74.00	-21.75	3	Vertical	340	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45326G	38.49	54.00	-15.51	3	Horizontal	32	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43682G	52.24	74.00	-21.76	3	Horizontal	32	1.50
5745MHz	Pass	AV	5.4486G	44.85	54.00	-9.15	3	Vertical	348	1.01
5745MHz	Pass	AV	5.7498G	106.88	Inf	-Inf	3	Vertical	348	1.01
5745MHz	Pass	PK	5.625G	58.73	68.20	-9.47	3	Vertical	348	1.01
5745MHz	Pass	PK	5.7498G	116.78	Inf	-Inf	3	Vertical	348	1.01
5745MHz	Pass	PK	5.9274G	59.22	68.20	-8.98	3	Vertical	348	1.01
5745MHz	Pass	AV	5.4582G	44.28	54.00	-9.72	3	Horizontal	61	1.02
5745MHz	Pass	AV	5.7498G	104.94	Inf	-Inf	3	Horizontal	61	1.02
5745MHz	Pass	PK	5.571G	58.28	68.20	-9.92	3	Horizontal	61	1.02
5745MHz	Pass	PK	5.7498G	115.21	Inf	-Inf	3	Horizontal	61	1.02
5745MHz	Pass	PK	5.9394G	59.52	68.20	-8.68	3	Horizontal	61	1.02
5745MHz	Pass	AV	11.4798G	38.47	54.00	-15.53	3	Vertical	158	1.50
5745MHz	Pass	PK	11.50128G	52.31	74.00	-21.69	3	Vertical	158	1.50
5745MHz	Pass	AV	11.49846G	38.38	54.00	-15.62	3	Horizontal	70	2.29
5745MHz	Pass	PK	11.48214G	52.07	74.00	-21.93	3	Horizontal	70	2.29
5785MHz	Pass	AV	5.7778G	107.84	Inf	-Inf	3	Vertical	340	1.00
5785MHz	Pass	PK	5.6182G	59.21	68.20	-8.99	3	Vertical	340	1.00
5785MHz	Pass	PK	5.7886G	117.98	Inf	-Inf	3	Vertical	340	1.00
5785MHz	Pass	PK	5.971G	59.89	68.20	-8.31	3	Vertical	340	1.00
5785MHz	Pass	AV	5.7898G	105.87	Inf	-Inf	3	Horizontal	59	1.01
5785MHz	Pass	PK	5.617G	58.49	68.20	-9.71	3	Horizontal	59	1.01
5785MHz	Pass	PK	5.7886G	115.80	Inf	-Inf	3	Horizontal	59	1.01
5785MHz	Pass	PK	5.935G	59.56	68.20	-8.64	3	Horizontal	59	1.01
5785MHz	Pass	AV	11.57822G	38.19	54.00	-15.81	3	Vertical	113	1.25
5785MHz	Pass	PK	11.56196G	52.15	74.00	-21.85	3	Vertical	113	1.25
5785MHz	Pass	AV	11.58368G	38.29	54.00	-15.71	3	Horizontal	196	2.36
5785MHz	Pass	PK	11.57432G	53.05	74.00	-20.95	3	Horizontal	196	2.36
5825MHz	Pass	AV	5.8274G	107.53	Inf	-Inf	3	Vertical	336	1.02
5825MHz	Pass	PK	5.5598G	59.75	68.20	-8.45	3	Vertical	336	1.02
5825MHz	Pass	PK	5.8262G	117.10	Inf	-Inf	3	Vertical	336	1.02
5825MHz	Pass	PK	5.927G	59.86	68.20	-8.34	3	Vertical	336	1.02
5825MHz	Pass	AV	5.8238G	104.76	Inf	-Inf	3	Horizontal	55	1.00
5825MHz	Pass	PK	5.6474G	58.05	68.20	-10.15	3	Horizontal	55	1.00
5825MHz	Pass	PK	5.819G	115.38	Inf	-Inf	3	Horizontal	55	1.00
5825MHz	Pass	PK	5.9414G	60.55	68.20	-7.65	3	Horizontal	55	1.00
5825MHz	Pass	AV	11.6626G	37.82	54.00	-16.18	3	Vertical	261	1.50
5825MHz	Pass	PK	11.65786G	51.28	74.00	-22.72	3	Vertical	261	1.50
5825MHz	Pass	AV	11.66404G	37.90	54.00	-16.10	3	Horizontal	29	1.50
5825MHz	Pass	PK	11.65966G	52.24	74.00	-21.76	3	Horizontal	29	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.148G	53.53	54.00	-0.47	3	Vertical	343	1.00
5180MHz	Pass	AV	5.1808G	106.76	Inf	-Inf	3	Vertical	343	1.00
5180MHz	Pass	PK	5.1406G	70.23	74.00	-3.77	3	Vertical	343	1.00
5180MHz	Pass	PK	5.1758G	119.26	Inf	-Inf	3	Vertical	343	1.00
5180MHz	Pass	AV	5.1494G	50.74	54.00	-3.26	3	Horizontal	38	1.13
5180MHz	Pass	AV	5.1872G	103.92	Inf	-Inf	3	Horizontal	38	1.13
5180MHz	Pass	PK	5.1416G	67.07	74.00	-6.93	3	Horizontal	38	1.13
5180MHz	Pass	PK	5.1846G	116.57	Inf	-Inf	3	Horizontal	38	1.13
5180MHz	Pass	PK	10.35946G	52.67	68.20	-15.53	3	Vertical	3	1.00
5180MHz	Pass	PK	10.3459G	52.93	68.20	-15.27	3	Horizontal	341	1.40
5200MHz	Pass	AV	5.15G	52.14	54.00	-1.86	3	Vertical	338	1.01
5200MHz	Pass	AV	5.208G	106.33	Inf	-Inf	3	Vertical	338	1.01
5200MHz	Pass	PK	5.1456G	73.62	74.00	-0.38	3	Vertical	338	1.01
5200MHz	Pass	PK	5.2076G	119.20	Inf	-Inf	3	Vertical	338	1.01
5200MHz	Pass	AV	5.1492G	49.97	54.00	-4.03	3	Horizontal	35	1.30
5200MHz	Pass	AV	5.2068G	103.83	Inf	-Inf	3	Horizontal	35	1.30
5200MHz	Pass	PK	5.1464G	69.08	74.00	-4.92	3	Horizontal	35	1.30



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio 2T1S_AP5022**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	5.2068G	117.32	Inf	-Inf	3	Horizontal	35	1.30
5200MHz	Pass	PK	10.39202G	53.23	68.20	-14.97	3	Vertical	0	1.50
5200MHz	Pass	PK	10.4G	52.94	68.20	-15.26	3	Horizontal	338	1.66
5240MHz	Pass	AV	5.1482G	45.93	54.00	-8.07	3	Vertical	340	1.00
5240MHz	Pass	AV	5.243G	107.06	Inf	-Inf	3	Vertical	340	1.00
5240MHz	Pass	AV	5.3552G	46.72	54.00	-7.28	3	Vertical	340	1.00
5240MHz	Pass	PK	5.1464G	61.99	74.00	-12.01	3	Vertical	340	1.00
5240MHz	Pass	PK	5.2484G	119.55	Inf	-Inf	3	Vertical	340	1.00
5240MHz	Pass	PK	5.3702G	59.19	74.00	-14.81	3	Vertical	340	1.00
5240MHz	Pass	AV	5.1494G	45.16	54.00	-8.84	3	Horizontal	32	1.17
5240MHz	Pass	AV	5.2394G	104.59	Inf	-Inf	3	Horizontal	32	1.17
5240MHz	Pass	AV	5.354G	45.49	54.00	-8.51	3	Horizontal	32	1.17
5240MHz	Pass	PK	5.1482G	60.27	74.00	-13.73	3	Horizontal	32	1.17
5240MHz	Pass	PK	5.2316G	118.09	Inf	-Inf	3	Horizontal	32	1.17
5240MHz	Pass	PK	5.354G	58.07	74.00	-15.93	3	Horizontal	32	1.17
5240MHz	Pass	PK	10.47454G	53.40	68.20	-14.80	3	Vertical	4	2.10
5240MHz	Pass	PK	10.48036G	53.79	68.20	-14.41	3	Horizontal	341	1.41
5260MHz	Pass	AV	5.149G	45.76	54.00	-8.24	3	Vertical	360	1.01
5260MHz	Pass	AV	5.2546G	107.24	Inf	-Inf	3	Vertical	360	1.01
5260MHz	Pass	AV	5.3518G	47.19	54.00	-6.81	3	Vertical	360	1.01
5260MHz	Pass	PK	5.1472G	59.89	74.00	-14.11	3	Vertical	360	1.01
5260MHz	Pass	PK	5.257G	119.93	Inf	-Inf	3	Vertical	360	1.01
5260MHz	Pass	PK	5.3524G	64.36	74.00	-9.64	3	Vertical	360	1.01
5260MHz	Pass	AV	5.149G	44.65	54.00	-9.35	3	Horizontal	33	1.13
5260MHz	Pass	AV	5.2618G	104.66	Inf	-Inf	3	Horizontal	33	1.13
5260MHz	Pass	AV	5.3572G	45.81	54.00	-8.19	3	Horizontal	33	1.13
5260MHz	Pass	PK	5.149G	58.09	74.00	-15.91	3	Horizontal	33	1.13
5260MHz	Pass	PK	5.2642G	116.98	Inf	-Inf	3	Horizontal	33	1.13
5260MHz	Pass	PK	5.3518G	63.59	74.00	-10.41	3	Horizontal	33	1.13
5260MHz	Pass	PK	10.51598G	52.21	68.20	-15.99	3	Vertical	360	1.50
5260MHz	Pass	PK	10.51784G	52.96	68.20	-15.24	3	Horizontal	339	1.52
5300MHz	Pass	AV	5.306G	107.12	Inf	-Inf	3	Vertical	346	1.01
5300MHz	Pass	AV	5.3504G	50.99	54.00	-3.01	3	Vertical	346	1.01
5300MHz	Pass	PK	5.3084G	119.46	Inf	-Inf	3	Vertical	346	1.01
5300MHz	Pass	PK	5.3508G	72.34	74.00	-1.66	3	Vertical	346	1.01
5300MHz	Pass	AV	5.2944G	104.40	Inf	-Inf	3	Horizontal	31	1.00
5300MHz	Pass	AV	5.352G	48.52	54.00	-5.48	3	Horizontal	31	1.00
5300MHz	Pass	PK	5.2988G	116.86	Inf	-Inf	3	Horizontal	31	1.00
5300MHz	Pass	PK	5.3512G	69.74	74.00	-4.26	3	Horizontal	31	1.00
5300MHz	Pass	AV	10.60234G	38.49	54.00	-15.51	3	Vertical	190	1.64
5300MHz	Pass	PK	10.60168G	52.52	74.00	-21.48	3	Vertical	190	1.64
5300MHz	Pass	AV	10.60258G	38.49	54.00	-15.51	3	Horizontal	339	2.70
5300MHz	Pass	PK	10.60456G	52.33	74.00	-21.67	3	Horizontal	339	2.70
5320MHz	Pass	AV	5.3226G	107.63	Inf	-Inf	3	Vertical	336	1.00
5320MHz	Pass	AV	5.35G	53.61	54.00	-0.39	3	Vertical	336	1.00
5320MHz	Pass	PK	5.3128G	120.70	Inf	-Inf	3	Vertical	336	1.00
5320MHz	Pass	PK	5.3602G	68.80	74.00	-5.20	3	Vertical	336	1.00
5320MHz	Pass	AV	5.324G	103.79	Inf	-Inf	3	Horizontal	37	1.29
5320MHz	Pass	AV	5.3514G	49.86	54.00	-4.14	3	Horizontal	37	1.29
5320MHz	Pass	PK	5.3214G	115.95	Inf	-Inf	3	Horizontal	37	1.29
5320MHz	Pass	PK	5.3594G	64.48	74.00	-9.52	3	Horizontal	37	1.29
5320MHz	Pass	AV	10.65122G	38.52	54.00	-15.48	3	Vertical	147	2.62
5320MHz	Pass	PK	10.64936G	51.79	74.00	-22.21	3	Vertical	147	2.62
5320MHz	Pass	AV	10.64798G	38.70	54.00	-15.30	3	Horizontal	360	2.57
5320MHz	Pass	PK	10.6532G	52.45	74.00	-21.55	3	Horizontal	360	2.57
5500MHz	Pass	AV	5.4596G	52.58	54.00	-1.42	3	Vertical	336	1.00
5500MHz	Pass	AV	5.502G	106.73	Inf	-Inf	3	Vertical	336	1.00
5500MHz	Pass	PK	5.4594G	68.83	74.00	-5.17	3	Vertical	336	1.00
5500MHz	Pass	PK	5.4698G	66.74	68.20	-1.46	3	Vertical	336	1.00
5500MHz	Pass	PK	5.507G	119.38	Inf	-Inf	3	Vertical	336	1.00
5500MHz	Pass	AV	5.4596G	49.15	54.00	-4.85	3	Horizontal	54	1.16
5500MHz	Pass	AV	5.5046G	102.06	Inf	-Inf	3	Horizontal	54	1.16



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio 2T1S AP5022**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.4594G	64.84	74.00	-9.16	3	Horizontal	54	1.16
5500MHz	Pass	PK	5.4602G	62.13	68.20	-6.07	3	Horizontal	54	1.16
5500MHz	Pass	PK	5.4968G	115.11	Inf	-Inf	3	Horizontal	54	1.16
5500MHz	Pass	AV	11.003G	38.61	54.00	-15.39	3	Vertical	74	2.67
5500MHz	Pass	PK	11.0141G	51.95	74.00	-22.05	3	Vertical	74	2.67
5500MHz	Pass	AV	10.9994G	38.57	54.00	-15.43	3	Horizontal	294	1.50
5500MHz	Pass	PK	10.988G	52.66	74.00	-21.34	3	Horizontal	294	1.50
5580MHz	Pass	AV	5.4528G	45.54	54.00	-8.46	3	Vertical	338	1.01
5580MHz	Pass	AV	5.577G	107.16	Inf	-Inf	3	Vertical	338	1.01
5580MHz	Pass	PK	5.4522G	59.36	74.00	-14.64	3	Vertical	338	1.01
5580MHz	Pass	PK	5.4696G	58.78	68.20	-9.42	3	Vertical	338	1.01
5580MHz	Pass	PK	5.577G	119.39	Inf	-Inf	3	Vertical	338	1.01
5580MHz	Pass	PK	5.7282G	59.05	68.20	-9.15	3	Vertical	338	1.01
5580MHz	Pass	AV	5.4474G	44.90	54.00	-9.10	3	Horizontal	49	1.02
5580MHz	Pass	AV	5.5824G	103.58	Inf	-Inf	3	Horizontal	49	1.02
5580MHz	Pass	PK	5.442G	58.16	74.00	-15.84	3	Horizontal	49	1.02
5580MHz	Pass	PK	5.4642G	57.42	68.20	-10.78	3	Horizontal	49	1.02
5580MHz	Pass	PK	5.5872G	116.02	Inf	-Inf	3	Horizontal	49	1.02
5580MHz	Pass	PK	5.7264G	58.57	68.20	-9.63	3	Horizontal	49	1.02
5580MHz	Pass	AV	11.16486G	38.72	54.00	-15.28	3	Vertical	303	2.58
5580MHz	Pass	PK	11.14656G	52.46	74.00	-21.54	3	Vertical	303	2.58
5580MHz	Pass	AV	11.1567G	38.74	54.00	-15.26	3	Horizontal	126	1.49
5580MHz	Pass	PK	11.15634G	52.48	74.00	-21.52	3	Horizontal	126	1.49
5700MHz	Pass	AV	5.7044G	101.57	Inf	-Inf	3	Vertical	344	1.00
5700MHz	Pass	PK	5.6968G	114.81	Inf	-Inf	3	Vertical	344	1.00
5700MHz	Pass	PK	5.7268G	67.04	68.20	-1.16	3	Vertical	344	1.00
5700MHz	Pass	AV	5.6948G	99.39	Inf	-Inf	3	Horizontal	62	1.01
5700MHz	Pass	PK	5.7048G	112.76	Inf	-Inf	3	Horizontal	62	1.01
5700MHz	Pass	PK	5.7252G	66.83	68.20	-1.37	3	Horizontal	62	1.01
5700MHz	Pass	AV	11.41146G	38.75	54.00	-15.25	3	Vertical	61	1.50
5700MHz	Pass	PK	11.41368G	52.24	74.00	-21.76	3	Vertical	61	1.50
5700MHz	Pass	AV	11.40348G	38.73	54.00	-15.27	3	Horizontal	228	2.37
5700MHz	Pass	PK	11.41194G	53.02	74.00	-20.98	3	Horizontal	228	2.37
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	45.20	54.00	-8.80	3	Vertical	341	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	106.49	Inf	-Inf	3	Vertical	341	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	57.91	74.00	-16.09	3	Vertical	341	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.86	68.20	-10.34	3	Vertical	341	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	119.53	Inf	-Inf	3	Vertical	341	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	60.41	68.20	-7.79	3	Vertical	341	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	44.81	54.00	-9.19	3	Horizontal	62	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	104.92	Inf	-Inf	3	Horizontal	62	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	57.43	74.00	-16.57	3	Horizontal	62	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.21	68.20	-10.99	3	Horizontal	62	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	116.66	Inf	-Inf	3	Horizontal	62	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9288G	59.48	68.20	-8.72	3	Horizontal	62	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44612G	38.97	54.00	-15.03	3	Vertical	18	1.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45182G	52.25	74.00	-21.75	3	Vertical	18	1.78
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43958G	38.68	54.00	-15.32	3	Horizontal	284	1.44
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44384G	52.37	74.00	-21.63	3	Horizontal	284	1.44
5745MHz	Pass	AV	5.445G	45.02	54.00	-8.98	3	Vertical	349	1.01
5745MHz	Pass	AV	5.7474G	106.27	Inf	-Inf	3	Vertical	349	1.01
5745MHz	Pass	PK	5.6382G	58.62	68.20	-9.58	3	Vertical	349	1.01
5745MHz	Pass	PK	5.7426G	118.52	Inf	-Inf	3	Vertical	349	1.01
5745MHz	Pass	PK	5.9382G	60.09	68.20	-8.11	3	Vertical	349	1.01
5745MHz	Pass	AV	5.4474G	44.59	54.00	-9.41	3	Horizontal	62	1.00
5745MHz	Pass	AV	5.7474G	104.51	Inf	-Inf	3	Horizontal	62	1.00
5745MHz	Pass	PK	5.6418G	58.76	68.20	-9.44	3	Horizontal	62	1.00
5745MHz	Pass	PK	5.7522G	116.63	Inf	-Inf	3	Horizontal	62	1.00
5745MHz	Pass	PK	5.997G	59.71	68.20	-8.49	3	Horizontal	62	1.00
5745MHz	Pass	AV	11.4939G	38.76	54.00	-15.24	3	Vertical	195	1.22
5745MHz	Pass	PK	11.50164G	52.20	74.00	-21.80	3	Vertical	195	1.22
5745MHz	Pass	AV	11.4924G	38.75	54.00	-15.25	3	Horizontal	107	1.50



RSE TX above 1GHz_Non-Beamforming_ Scan Radio 2T1S_AP5022

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	11.4948G	52.26	74.00	-21.74	3	Horizontal	107	1.50
5785MHz	Pass	AV	5.779G	107.48	Inf	-Inf	3	Vertical	339	1.01
5785MHz	Pass	PK	5.6206G	58.65	68.20	-9.55	3	Vertical	339	1.01
5785MHz	Pass	PK	5.7766G	118.82	Inf	-Inf	3	Vertical	339	1.01
5785MHz	Pass	PK	5.9602G	59.80	68.20	-8.40	3	Vertical	339	1.01
5785MHz	Pass	AV	5.7874G	105.38	Inf	-Inf	3	Horizontal	59	1.02
5785MHz	Pass	PK	5.6206G	58.50	68.20	-9.70	3	Horizontal	59	1.02
5785MHz	Pass	PK	5.7826G	117.79	Inf	-Inf	3	Horizontal	59	1.02
5785MHz	Pass	PK	5.9314G	59.02	68.20	-9.18	3	Horizontal	59	1.02
5785MHz	Pass	AV	11.573G	38.49	54.00	-15.51	3	Vertical	196	1.52
5785MHz	Pass	PK	11.56454G	52.52	74.00	-21.48	3	Vertical	196	1.52
5785MHz	Pass	AV	11.57606G	38.76	54.00	-15.24	3	Horizontal	168	1.50
5785MHz	Pass	PK	11.57594G	52.30	74.00	-21.70	3	Horizontal	168	1.50
5825MHz	Pass	AV	5.8214G	107.37	Inf	-Inf	3	Vertical	337	1.01
5825MHz	Pass	PK	5.5622G	59.47	68.20	-8.73	3	Vertical	337	1.01
5825MHz	Pass	PK	5.8262G	119.67	Inf	-Inf	3	Vertical	337	1.01
5825MHz	Pass	PK	5.9258G	60.03	68.20	-8.17	3	Vertical	337	1.01
5825MHz	Pass	AV	5.8226G	104.57	Inf	-Inf	3	Horizontal	59	1.00
5825MHz	Pass	PK	5.5286G	58.10	68.20	-10.10	3	Horizontal	59	1.00
5825MHz	Pass	PK	5.8238G	116.95	Inf	-Inf	3	Horizontal	59	1.00
5825MHz	Pass	PK	5.927G	60.70	68.20	-7.50	3	Horizontal	59	1.00
5825MHz	Pass	AV	11.66074G	38.13	54.00	-15.87	3	Vertical	185	1.50
5825MHz	Pass	PK	11.6491G	51.50	74.00	-22.50	3	Vertical	185	1.50
5825MHz	Pass	AV	11.6632G	38.12	54.00	-15.88	3	Horizontal	213	1.50
5825MHz	Pass	PK	11.66386G	51.67	74.00	-22.33	3	Horizontal	213	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	52.70	54.00	-1.30	3	Vertical	339	1.00
5190MHz	Pass	AV	5.2032G	102.93	Inf	-Inf	3	Vertical	339	1.00
5190MHz	Pass	PK	5.142G	65.47	74.00	-8.53	3	Vertical	339	1.00
5190MHz	Pass	PK	5.2052G	116.64	Inf	-Inf	3	Vertical	339	1.00
5190MHz	Pass	AV	5.148G	49.70	54.00	-4.30	3	Horizontal	39	1.14
5190MHz	Pass	AV	5.1944G	100.56	Inf	-Inf	3	Horizontal	39	1.14
5190MHz	Pass	PK	5.15G	62.54	74.00	-11.46	3	Horizontal	39	1.14
5190MHz	Pass	PK	5.192G	112.53	Inf	-Inf	3	Horizontal	39	1.14
5190MHz	Pass	PK	10.38156G	52.53	68.20	-15.67	3	Vertical	348	1.12
5190MHz	Pass	PK	10.36524G	51.80	68.20	-16.40	3	Horizontal	286	1.50
5230MHz	Pass	AV	5.148G	53.34	54.00	-0.66	3	Vertical	340	1.00
5230MHz	Pass	AV	5.238G	103.73	Inf	-Inf	3	Vertical	340	1.00
5230MHz	Pass	PK	5.1412G	72.11	74.00	-1.89	3	Vertical	340	1.00
5230MHz	Pass	PK	5.2332G	116.95	Inf	-Inf	3	Vertical	340	1.00
5230MHz	Pass	AV	5.1496G	50.27	54.00	-3.73	3	Horizontal	34	1.12
5230MHz	Pass	AV	5.2444G	101.49	Inf	-Inf	3	Horizontal	34	1.12
5230MHz	Pass	PK	5.1496G	67.56	74.00	-6.44	3	Horizontal	34	1.12
5230MHz	Pass	PK	5.2444G	113.78	Inf	-Inf	3	Horizontal	34	1.12
5230MHz	Pass	PK	10.47044G	51.73	68.20	-16.47	3	Vertical	33	1.50
5230MHz	Pass	PK	10.43456G	52.63	68.20	-15.57	3	Horizontal	355	1.00
5270MHz	Pass	AV	5.2832G	103.53	Inf	-Inf	3	Vertical	343	1.01
5270MHz	Pass	AV	5.3508G	51.90	54.00	-2.10	3	Vertical	343	1.01
5270MHz	Pass	PK	5.2856G	115.79	Inf	-Inf	3	Vertical	343	1.01
5270MHz	Pass	PK	5.3512G	72.07	74.00	-1.93	3	Vertical	343	1.01
5270MHz	Pass	AV	5.2764G	100.70	Inf	-Inf	3	Horizontal	33	1.18
5270MHz	Pass	AV	5.3516G	48.73	54.00	-5.27	3	Horizontal	33	1.18
5270MHz	Pass	PK	5.2716G	112.84	Inf	-Inf	3	Horizontal	33	1.18
5270MHz	Pass	PK	5.3628G	67.44	74.00	-6.56	3	Horizontal	33	1.18
5270MHz	Pass	PK	10.51168G	51.91	68.20	-16.29	3	Vertical	15	1.50
5270MHz	Pass	PK	10.5112G	52.35	68.20	-15.85	3	Horizontal	199	1.50
5310MHz	Pass	AV	5.3232G	103.06	Inf	-Inf	3	Vertical	343	1.04
5310MHz	Pass	AV	5.3504G	53.27	54.00	-0.73	3	Vertical	343	1.04
5310MHz	Pass	PK	5.3204G	115.35	Inf	-Inf	3	Vertical	343	1.04
5310MHz	Pass	PK	5.3512G	65.94	74.00	-8.06	3	Vertical	343	1.04
5310MHz	Pass	AV	5.3168G	99.92	Inf	-Inf	3	Horizontal	32	1.00
5310MHz	Pass	AV	5.3516G	50.83	54.00	-3.17	3	Horizontal	32	1.00



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio 2T1S AP5022**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	5.3192G	112.61	Inf	-Inf	3	Horizontal	32	1.00
5310MHz	Pass	PK	5.3516G	62.92	74.00	-11.08	3	Horizontal	32	1.00
5310MHz	Pass	AV	10.60944G	38.91	54.00	-15.09	3	Vertical	297	1.50
5310MHz	Pass	PK	10.608G	52.54	74.00	-21.46	3	Vertical	297	1.50
5310MHz	Pass	AV	10.6092G	39.01	54.00	-14.99	3	Horizontal	174	1.50
5310MHz	Pass	PK	10.64184G	52.20	74.00	-21.80	3	Horizontal	174	1.50
5510MHz	Pass	AV	5.46G	52.44	54.00	-1.56	3	Vertical	343	1.01
5510MHz	Pass	AV	5.5052G	103.90	Inf	-Inf	3	Vertical	343	1.01
5510MHz	Pass	PK	5.4596G	65.08	74.00	-8.92	3	Vertical	343	1.01
5510MHz	Pass	PK	5.4676G	66.65	68.20	-1.55	3	Vertical	343	1.01
5510MHz	Pass	PK	5.5196G	116.39	Inf	-Inf	3	Vertical	343	1.01
5510MHz	Pass	AV	5.4592G	50.26	54.00	-3.74	3	Horizontal	33	1.00
5510MHz	Pass	AV	5.5016G	100.43	Inf	-Inf	3	Horizontal	33	1.00
5510MHz	Pass	PK	5.4564G	62.04	74.00	-11.96	3	Horizontal	33	1.00
5510MHz	Pass	PK	5.466G	63.74	68.20	-4.46	3	Horizontal	33	1.00
5510MHz	Pass	PK	5.5112G	113.59	Inf	-Inf	3	Horizontal	33	1.00
5510MHz	Pass	AV	11.0368G	39.21	54.00	-14.79	3	Vertical	309	1.50
5510MHz	Pass	PK	11.00932G	52.28	74.00	-21.72	3	Vertical	309	1.50
5510MHz	Pass	AV	11.03668G	39.40	54.00	-14.60	3	Horizontal	248	2.07
5510MHz	Pass	PK	10.99228G	52.02	74.00	-21.98	3	Horizontal	248	2.07
5550MHz	Pass	AV	5.4544G	46.68	54.00	-7.32	3	Vertical	338	1.01
5550MHz	Pass	AV	5.5472G	101.92	Inf	-Inf	3	Vertical	338	1.01
5550MHz	Pass	PK	5.4544G	68.54	74.00	-5.46	3	Vertical	338	1.01
5550MHz	Pass	PK	5.4696G	66.75	68.20	-1.45	3	Vertical	338	1.01
5550MHz	Pass	PK	5.5444G	114.73	Inf	-Inf	3	Vertical	338	1.01
5550MHz	Pass	AV	5.4544G	45.62	54.00	-8.38	3	Horizontal	39	1.00
5550MHz	Pass	AV	5.5492G	98.01	Inf	-Inf	3	Horizontal	39	1.00
5550MHz	Pass	PK	5.4536G	65.18	74.00	-8.82	3	Horizontal	39	1.00
5550MHz	Pass	PK	5.4688G	62.50	68.20	-5.70	3	Horizontal	39	1.00
5550MHz	Pass	PK	5.5392G	110.48	Inf	-Inf	3	Horizontal	39	1.00
5550MHz	Pass	AV	11.1222G	39.15	54.00	-14.85	3	Vertical	91	1.50
5550MHz	Pass	PK	11.10804G	53.32	74.00	-20.68	3	Vertical	91	1.50
5550MHz	Pass	AV	11.0736G	39.10	54.00	-14.90	3	Horizontal	194	2.19
5550MHz	Pass	PK	11.12964G	52.23	74.00	-21.77	3	Horizontal	194	2.19
5670MHz	Pass	AV	5.6652G	99.55	Inf	-Inf	3	Vertical	352	1.01
5670MHz	Pass	PK	5.6526G	112.30	Inf	-Inf	3	Vertical	352	1.01
5670MHz	Pass	PK	5.7402G	67.86	68.20	-0.34	3	Vertical	352	1.01
5670MHz	Pass	AV	5.6844G	97.28	Inf	-Inf	3	Horizontal	61	1.01
5670MHz	Pass	PK	5.6874G	109.66	Inf	-Inf	3	Horizontal	61	1.01
5670MHz	Pass	PK	5.727G	66.27	68.20	-1.93	3	Horizontal	61	1.01
5670MHz	Pass	AV	11.32356G	39.29	54.00	-14.71	3	Vertical	111	1.40
5670MHz	Pass	PK	11.34672G	52.15	74.00	-21.85	3	Vertical	111	1.40
5670MHz	Pass	AV	11.31408G	39.28	54.00	-14.72	3	Horizontal	189	1.50
5670MHz	Pass	PK	11.35668G	52.35	74.00	-21.65	3	Horizontal	189	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4124G	46.09	54.00	-7.91	3	Vertical	337	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	104.13	Inf	-Inf	3	Vertical	337	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.416G	58.15	74.00	-15.85	3	Vertical	337	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	58.20	68.20	-10.00	3	Vertical	337	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	116.35	Inf	-Inf	3	Vertical	337	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	64.91	68.20	-3.29	3	Vertical	337	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4184G	45.25	54.00	-8.75	3	Horizontal	60	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	102.42	Inf	-Inf	3	Horizontal	60	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4568G	57.86	74.00	-16.14	3	Horizontal	60	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	57.14	68.20	-11.06	3	Horizontal	60	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.722G	115.19	Inf	-Inf	3	Horizontal	60	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	62.58	68.20	-5.62	3	Horizontal	60	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41052G	39.34	54.00	-14.66	3	Vertical	156	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40932G	53.12	74.00	-20.88	3	Vertical	156	2.96
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41088G	39.28	54.00	-14.72	3	Horizontal	161	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42648G	52.24	74.00	-21.76	3	Horizontal	161	1.50
5755MHz	Pass	AV	5.455G	45.95	54.00	-8.05	3	Vertical	339	1.01
5755MHz	Pass	AV	5.7514G	104.84	Inf	-Inf	3	Vertical	339	1.01



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio 2T1S_AP5022**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	PK	5.6446G	59.88	68.20	-8.32	3	Vertical	339	1.01
5755MHz	Pass	PK	5.749G	117.25	Inf	-Inf	3	Vertical	339	1.01
5755MHz	Pass	PK	5.953G	60.12	68.20	-8.08	3	Vertical	339	1.01
5755MHz	Pass	AV	5.4562G	44.72	54.00	-9.28	3	Horizontal	29	2.03
5755MHz	Pass	AV	5.7514G	101.34	Inf	-Inf	3	Horizontal	29	2.03
5755MHz	Pass	PK	5.6482G	58.33	68.20	-9.87	3	Horizontal	29	2.03
5755MHz	Pass	PK	5.7442G	112.79	Inf	-Inf	3	Horizontal	29	2.03
5755MHz	Pass	PK	5.9506G	59.55	68.20	-8.65	3	Horizontal	29	2.03
5755MHz	Pass	AV	11.49752G	39.43	54.00	-14.57	3	Vertical	145	1.38
5755MHz	Pass	PK	11.5262G	52.48	74.00	-21.52	3	Vertical	145	1.38
5755MHz	Pass	AV	11.49596G	39.18	54.00	-14.82	3	Horizontal	215	1.27
5755MHz	Pass	PK	11.53556G	52.45	74.00	-21.55	3	Horizontal	215	1.27
5795MHz	Pass	AV	5.7914G	105.75	Inf	-Inf	3	Vertical	339	1.00
5795MHz	Pass	PK	5.6486G	66.09	68.20	-2.11	3	Vertical	339	1.00
5795MHz	Pass	PK	5.7938G	117.88	Inf	-Inf	3	Vertical	339	1.00
5795MHz	Pass	PK	5.9318G	65.12	68.20	-3.08	3	Vertical	339	1.00
5795MHz	Pass	AV	5.7974G	103.45	Inf	-Inf	3	Horizontal	59	1.00
5795MHz	Pass	PK	5.6486G	62.57	68.20	-5.63	3	Horizontal	59	1.00
5795MHz	Pass	PK	5.7818G	115.53	Inf	-Inf	3	Horizontal	59	1.00
5795MHz	Pass	PK	5.9282G	63.24	68.20	-4.96	3	Horizontal	59	1.00
5795MHz	Pass	AV	11.5804G	39.18	54.00	-14.82	3	Vertical	0	1.13
5795MHz	Pass	PK	11.58016G	52.09	74.00	-21.91	3	Vertical	0	1.13
5795MHz	Pass	AV	11.5786G	39.12	54.00	-14.88	3	Horizontal	175	1.50
5795MHz	Pass	PK	11.57644G	52.42	74.00	-21.58	3	Horizontal	175	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	53.87	54.00	-0.13	3	Vertical	341	1.00
5210MHz	Pass	AV	5.223G	100.66	Inf	-Inf	3	Vertical	341	1.00
5210MHz	Pass	AV	5.351G	50.67	54.00	-3.33	3	Vertical	341	1.00
5210MHz	Pass	PK	5.149G	66.51	74.00	-7.49	3	Vertical	341	1.00
5210MHz	Pass	PK	5.223G	112.65	Inf	-Inf	3	Vertical	341	1.00
5210MHz	Pass	PK	5.356G	62.78	74.00	-11.22	3	Vertical	341	1.00
5210MHz	Pass	AV	5.148G	50.87	54.00	-3.13	3	Horizontal	36	1.17
5210MHz	Pass	AV	5.199G	97.78	Inf	-Inf	3	Horizontal	36	1.17
5210MHz	Pass	AV	5.35G	48.06	54.00	-5.94	3	Horizontal	36	1.17
5210MHz	Pass	PK	5.144G	62.33	74.00	-11.67	3	Horizontal	36	1.17
5210MHz	Pass	PK	5.222G	110.61	Inf	-Inf	3	Horizontal	36	1.17
5210MHz	Pass	PK	5.397G	59.74	74.00	-14.26	3	Horizontal	36	1.17
5210MHz	Pass	PK	10.41376G	52.27	68.20	-15.93	3	Vertical	357	2.04
5210MHz	Pass	PK	10.4092G	51.86	68.20	-16.34	3	Horizontal	295	1.50
5290MHz	Pass	AV	5.14G	47.07	54.00	-6.93	3	Vertical	340	1.00
5290MHz	Pass	AV	5.308G	99.92	Inf	-Inf	3	Vertical	340	1.00
5290MHz	Pass	AV	5.353G	53.88	54.00	-0.12	3	Vertical	340	1.00
5290MHz	Pass	PK	5.145G	58.66	74.00	-15.34	3	Vertical	340	1.00
5290MHz	Pass	PK	5.303G	111.69	Inf	-Inf	3	Vertical	340	1.00
5290MHz	Pass	PK	5.358G	64.80	74.00	-9.20	3	Vertical	340	1.00
5290MHz	Pass	PK	5.535G	59.68	68.20	-8.52	3	Vertical	340	1.00
5290MHz	Pass	AV	5.148G	46.26	54.00	-7.74	3	Horizontal	36	1.17
5290MHz	Pass	AV	5.279G	96.34	Inf	-Inf	3	Horizontal	36	1.17
5290MHz	Pass	AV	5.352G	50.12	54.00	-3.88	3	Horizontal	36	1.17
5290MHz	Pass	PK	5.147G	59.07	74.00	-14.93	3	Horizontal	36	1.17
5290MHz	Pass	PK	5.324G	107.98	Inf	-Inf	3	Horizontal	36	1.17
5290MHz	Pass	PK	5.355G	61.60	74.00	-12.40	3	Horizontal	36	1.17
5290MHz	Pass	PK	5.503G	59.02	68.20	-9.18	3	Horizontal	36	1.17
5290MHz	Pass	AV	10.61192G	39.29	54.00	-14.71	3	Vertical	153	1.50
5290MHz	Pass	PK	10.63712G	51.87	74.00	-22.13	3	Vertical	153	1.50
5290MHz	Pass	AV	10.61912G	39.34	54.00	-14.66	3	Horizontal	243	1.50
5290MHz	Pass	PK	10.60448G	52.25	74.00	-21.75	3	Horizontal	243	1.50
5530MHz	Pass	AV	5.35G	47.64	54.00	-6.36	3	Vertical	342	1.01
5530MHz	Pass	AV	5.46G	53.74	54.00	-0.26	3	Vertical	342	1.01
5530MHz	Pass	AV	5.542G	100.72	Inf	-Inf	3	Vertical	342	1.01
5530MHz	Pass	PK	5.325G	59.23	68.20	-8.97	3	Vertical	342	1.01
5530MHz	Pass	PK	5.455G	65.59	74.00	-8.41	3	Vertical	342	1.01



RSE TX above 1GHz_Non-Beamforming_ Scan Radio 2T1S_AP5022

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.467G	66.23	68.20	-1.97	3	Vertical	342	1.01
5530MHz	Pass	PK	5.54G	113.45	Inf	-Inf	3	Vertical	342	1.01
5530MHz	Pass	PK	5.77G	60.20	68.20	-8.00	3	Vertical	342	1.01
5530MHz	Pass	AV	5.35G	45.37	54.00	-8.63	3	Horizontal	55	1.50
5530MHz	Pass	AV	5.451G	50.19	54.00	-3.81	3	Horizontal	55	1.50
5530MHz	Pass	AV	5.541G	96.20	Inf	-Inf	3	Horizontal	55	1.50
5530MHz	Pass	PK	5.345G	58.61	68.20	-9.59	3	Horizontal	55	1.50
5530MHz	Pass	PK	5.451G	62.31	74.00	-11.69	3	Horizontal	55	1.50
5530MHz	Pass	PK	5.464G	62.48	68.20	-5.72	3	Horizontal	55	1.50
5530MHz	Pass	PK	5.532G	108.39	Inf	-Inf	3	Horizontal	55	1.50
5530MHz	Pass	PK	5.776G	59.03	68.20	-9.17	3	Horizontal	55	1.50
5530MHz	Pass	AV	11.05544G	39.46	54.00	-14.54	3	Vertical	123	1.50
5530MHz	Pass	PK	11.04656G	52.20	74.00	-21.80	3	Vertical	123	1.50
5530MHz	Pass	AV	11.00552G	39.42	54.00	-14.58	3	Horizontal	335	1.50
5530MHz	Pass	PK	11G	52.28	74.00	-21.72	3	Horizontal	335	1.50
5610MHz	Pass	AV	5.459G	47.54	54.00	-6.46	3	Vertical	339	1.01
5610MHz	Pass	AV	5.582G	98.51	Inf	-Inf	3	Vertical	339	1.01
5610MHz	Pass	PK	5.459G	63.58	74.00	-10.42	3	Vertical	339	1.01
5610MHz	Pass	PK	5.469G	64.81	68.20	-3.39	3	Vertical	339	1.01
5610MHz	Pass	PK	5.597G	110.73	Inf	-Inf	3	Vertical	339	1.01
5610MHz	Pass	PK	5.733G	67.64	68.20	-0.56	3	Vertical	339	1.01
5610MHz	Pass	AV	5.454G	46.02	54.00	-7.98	3	Horizontal	55	1.05
5610MHz	Pass	AV	5.597G	94.22	Inf	-Inf	3	Horizontal	55	1.05
5610MHz	Pass	PK	5.46G	60.76	74.00	-13.24	3	Horizontal	55	1.05
5610MHz	Pass	PK	5.463G	60.88	68.20	-7.32	3	Horizontal	55	1.05
5610MHz	Pass	PK	5.597G	106.38	Inf	-Inf	3	Horizontal	55	1.05
5610MHz	Pass	PK	5.729G	63.33	68.20	-4.87	3	Horizontal	55	1.05
5610MHz	Pass	AV	11.24928G	39.79	54.00	-14.21	3	Vertical	189	1.50
5610MHz	Pass	PK	11.16408G	52.28	74.00	-21.72	3	Vertical	189	1.50
5610MHz	Pass	AV	11.27904G	39.62	54.00	-14.38	3	Horizontal	54	1.53
5610MHz	Pass	PK	11.1636G	52.14	74.00	-21.86	3	Horizontal	54	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	48.73	54.00	-5.27	3	Vertical	347	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.72G	100.49	Inf	-Inf	3	Vertical	347	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	64.92	74.00	-9.08	3	Vertical	347	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	63.73	68.20	-4.47	3	Vertical	347	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6852G	112.16	Inf	-Inf	3	Vertical	347	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	67.36	68.20	-0.84	3	Vertical	347	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.31	54.00	-6.69	3	Horizontal	59	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7092G	98.69	Inf	-Inf	3	Horizontal	59	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	63.81	74.00	-10.19	3	Horizontal	59	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	61.57	68.20	-6.63	3	Horizontal	59	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6996G	111.01	Inf	-Inf	3	Horizontal	59	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	65.79	68.20	-2.41	3	Horizontal	59	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.33272G	39.72	54.00	-14.28	3	Vertical	238	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40424G	52.15	74.00	-21.85	3	Vertical	238	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41576G	39.89	54.00	-14.11	3	Horizontal	281	1.31
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34232G	52.42	74.00	-21.58	3	Horizontal	281	1.31
5775MHz	Pass	AV	5.7666G	101.84	Inf	-Inf	3	Vertical	343	1.01
5775MHz	Pass	PK	5.649G	64.47	68.20	-3.73	3	Vertical	343	1.01
5775MHz	Pass	PK	5.7618G	114.71	Inf	-Inf	3	Vertical	343	1.01
5775MHz	Pass	PK	5.9286G	62.70	68.20	-5.50	3	Vertical	343	1.01
5775MHz	Pass	AV	5.7666G	97.11	Inf	-Inf	3	Horizontal	31	2.12
5775MHz	Pass	PK	5.6466G	60.85	68.20	-7.35	3	Horizontal	31	2.12
5775MHz	Pass	PK	5.7438G	109.50	Inf	-Inf	3	Horizontal	31	2.12
5775MHz	Pass	PK	5.9262G	60.68	68.20	-7.52	3	Horizontal	31	2.12
5775MHz	Pass	AV	11.53512G	39.66	54.00	-14.34	3	Vertical	215	1.63
5775MHz	Pass	PK	11.54328G	52.45	74.00	-21.55	3	Vertical	215	1.63
5775MHz	Pass	AV	11.49192G	39.48	54.00	-14.52	3	Horizontal	196	1.50
5775MHz	Pass	PK	11.52936G	52.26	74.00	-21.74	3	Horizontal	196	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	50.94	54.00	-3.06	3	Vertical	353	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	95.60	Inf	-Inf	3	Vertical	353	1.01




RSE TX above 1GHz_Non-Beamforming_ Scan Radio 2T1S_AP5022

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	51.80	54.00	-2.20	3	Vertical	353	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	73.53	74.00	-0.47	3	Vertical	353	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3244G	106.78	Inf	-Inf	3	Vertical	353	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	73.56	74.00	-0.44	3	Vertical	353	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5068G	63.00	68.20	-5.20	3	Vertical	353	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1384G	48.45	54.00	-5.55	3	Horizontal	32	1.11
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3088G	92.71	Inf	-Inf	3	Horizontal	32	1.11
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3628G	49.77	54.00	-4.23	3	Horizontal	32	1.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1432G	68.46	74.00	-5.54	3	Horizontal	32	1.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.292G	104.11	Inf	-Inf	3	Horizontal	32	1.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	71.26	74.00	-2.74	3	Horizontal	32	1.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.478G	59.54	68.20	-8.66	3	Horizontal	32	1.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5416G	51.82	68.20	-16.38	3	Vertical	176	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5528G	51.89	68.20	-16.31	3	Horizontal	168	2.03
5570MHz	Pass	AV	5.3912G	47.79	54.00	-6.21	3	Vertical	337	1.01
5570MHz	Pass	AV	5.5448G	94.63	Inf	-Inf	3	Vertical	337	1.01
5570MHz	Pass	PK	5.3444G	59.35	68.20	-8.85	3	Vertical	337	1.01
5570MHz	Pass	PK	5.4488G	66.59	74.00	-7.41	3	Vertical	337	1.01
5570MHz	Pass	PK	5.4656G	67.46	68.20	-0.74	3	Vertical	337	1.01
5570MHz	Pass	PK	5.5472G	106.39	Inf	-Inf	3	Vertical	337	1.01
5570MHz	Pass	PK	5.7284G	63.07	68.20	-5.13	3	Vertical	337	1.01
5570MHz	Pass	AV	5.4536G	46.94	54.00	-7.06	3	Horizontal	36	1.01
5570MHz	Pass	AV	5.5436G	90.62	Inf	-Inf	3	Horizontal	36	1.01
5570MHz	Pass	PK	5.3288G	58.05	68.20	-10.15	3	Horizontal	36	1.01
5570MHz	Pass	PK	5.4584G	64.15	74.00	-9.85	3	Horizontal	36	1.01
5570MHz	Pass	PK	5.468G	65.58	68.20	-2.62	3	Horizontal	36	1.01
5570MHz	Pass	PK	5.5412G	103.02	Inf	-Inf	3	Horizontal	36	1.01
5570MHz	Pass	PK	5.7284G	61.32	68.20	-6.88	3	Horizontal	36	1.01
5570MHz	Pass	AV	11.2384G	40.27	54.00	-13.73	3	Vertical	209	1.50
5570MHz	Pass	PK	11.19808G	52.59	74.00	-21.41	3	Vertical	209	1.50
5570MHz	Pass	AV	11.24896G	40.02	54.00	-13.98	3	Horizontal	347	2.60
5570MHz	Pass	PK	11.09536G	52.91	74.00	-21.09	3	Horizontal	347	2.60


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5200MHz_TX






5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5230MHz_TX






5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.87	54.00	-0.13	2.52	3	Vertical	341	1.00	51.35	33.39	6.66	37.53
AV	5.223G	100.66	Inf	-Inf	2.59	3	Vertical	341	1.00	98.07	33.41	6.71	37.53
AV	5.351G	50.67	54.00	-3.33	2.27	3	Vertical	341	1.00	48.40	33.10	6.70	37.53
PK	5.149G	66.51	74.00	-7.49	2.53	3	Vertical	341	1.00	63.98	33.40	6.66	37.53
PK	5.223G	112.65	Inf	-Inf	2.59	3	Vertical	341	1.00	110.06	33.41	6.71	37.53
PK	5.356G	62.78	74.00	-11.22	2.28	3	Vertical	341	1.00	60.50	33.11	6.70	37.53

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.87	54.00	-3.13	2.52	3	Horizontal	36	1.17	48.35	33.39	6.66	37.53
AV	5.199G	97.78	Inf	-Inf	2.68	3	Horizontal	36	1.17	95.10	33.50	6.71	37.53
AV	5.35G	48.06	54.00	-5.94	2.27	3	Horizontal	36	1.17	45.79	33.10	6.70	37.53
PK	5.144G	62.33	74.00	-11.67	2.51	3	Horizontal	36	1.17	59.82	33.38	6.66	37.53
PK	5.222G	110.61	Inf	-Inf	2.59	3	Horizontal	36	1.17	108.02	33.41	6.71	37.53
PK	5.397G	59.74	74.00	-14.26	2.35	3	Horizontal	36	1.17	57.39	33.19	6.70	37.54




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX






5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.64	54.00	-6.36	2.27	3	Vertical	342	1.01	45.37	33.10	6.70	37.53
AV	5.46G	53.74	54.00	-0.26	2.44	3	Vertical	342	1.01	51.30	33.22	6.76	37.54
AV	5.542G	100.72	Inf	-Inf	2.69	3	Vertical	342	1.01	98.03	33.38	6.84	37.53
PK	5.325G	59.23	68.20	-8.97	2.27	3	Vertical	342	1.01	56.96	33.10	6.70	37.53
PK	5.455G	65.59	74.00	-8.41	2.42	3	Vertical	342	1.01	63.17	33.21	6.75	37.54
PK	5.467G	66.23	68.20	-1.97	2.46	3	Vertical	342	1.01	63.77	33.23	6.77	37.54
PK	5.54G	113.45	Inf	-Inf	2.69	3	Vertical	342	1.01	110.76	33.38	6.84	37.53
PK	5.77G	60.20	68.20	-8.00	4.00	3	Vertical	342	1.01	56.20	34.22	7.23	37.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	45.37	54.00	-8.63	2.27	3	Horizontal	55	1.50	43.10	33.10	6.70	37.53
AV	5.451G	50.19	54.00	-3.81	2.41	3	Horizontal	55	1.50	47.78	33.20	6.75	37.54
AV	5.541G	96.20	Inf	-Inf	2.69	3	Horizontal	55	1.50	93.51	33.38	6.84	37.53
PK	5.345G	58.61	68.20	-9.59	2.27	3	Horizontal	55	1.50	56.34	33.10	6.70	37.53
PK	5.451G	62.31	74.00	-11.69	2.41	3	Horizontal	55	1.50	59.90	33.20	6.75	37.54
PK	5.464G	62.48	68.20	-5.72	2.45	3	Horizontal	55	1.50	60.03	33.23	6.76	37.54
PK	5.532G	108.39	Inf	-Inf	2.66	3	Horizontal	55	1.50	105.73	33.36	6.83	37.53
PK	5.776G	59.03	68.20	-9.17	4.05	3	Horizontal	55	1.50	54.98	34.26	7.24	37.45


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	107.53	Inf	-Inf	4.13	3	Vertical	336	1.02	103.40	34.40	7.16	37.43
PK	5.5598G	59.75	68.20	-8.45	2.74	3	Vertical	336	1.02	57.01	33.40	6.86	37.52
PK	5.8262G	117.10	Inf	-Inf	4.13	3	Vertical	336	1.02	112.97	34.40	7.16	37.43
PK	5.927G	59.86	68.20	-8.34	3.74	3	Vertical	336	1.02	56.12	34.45	6.68	37.39

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	104.76	Inf	-Inf	4.15	3	Horizontal	55	1.00	100.61	34.40	7.18	37.43
PK	5.6474G	58.05	68.20	-10.15	3.09	3	Horizontal	55	1.00	54.96	33.59	6.99	37.49
PK	5.819G	115.38	Inf	-Inf	4.17	3	Horizontal	55	1.00	111.21	34.40	7.20	37.43
PK	5.9414G	60.55	68.20	-7.65	3.64	3	Horizontal	55	1.00	56.91	34.42	6.61	37.39


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.8214G	107.37	Inf	-Inf	4.16	3	Vertical	337	1.01	103.21	34.40	7.19	37.43				
PK	5.5622G	59.47	68.20	-8.73	2.74	3	Vertical	337	1.01	56.73	33.40	6.86	37.52				
PK	5.8262G	119.67	Inf	-Inf	4.13	3	Vertical	337	1.01	115.54	34.40	7.16	37.43				
PK	5.9258G	60.03	68.20	-8.17	3.74	3	Vertical	337	1.01	56.29	34.45	6.69	37.40				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	5.8226G	104.57	Inf	-Inf	4.15	3	Horizontal	59	1.00	100.42	34.40	7.18	37.43			
PK	5.5286G	58.10	68.20	-10.10	2.66	3	Horizontal	59	1.00	55.44	33.36	6.83	37.53			
PK	5.8238G	116.95	Inf	-Inf	4.15	3	Horizontal	59	1.00	112.80	34.40	7.18	37.43			
PK	5.927G	60.70	68.20	-7.50	3.74	3	Horizontal	59	1.00	56.96	34.45	6.68	37.39			


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX





5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	101.84	Inf	-Inf	3.97	3	Vertical	343	1.01	97.87	34.20	7.22	37.45
PK	5.649G	64.47	68.20	-3.73	3.11	3	Vertical	343	1.01	61.36	33.60	7.00	37.49
PK	5.7618G	114.71	Inf	-Inf	3.94	3	Vertical	343	1.01	110.77	34.17	7.22	37.45
PK	5.9286G	62.70	68.20	-5.50	3.72	3	Vertical	343	1.01	58.98	34.44	6.67	37.39

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	97.11	Inf	-Inf	3.97	3	Horizontal	31	2.12	93.14	34.20	7.22	37.45
PK	5.6466G	60.85	68.20	-7.35	3.09	3	Horizontal	31	2.12	57.76	33.59	6.99	37.49
PK	5.7438G	109.50	Inf	-Inf	3.78	3	Horizontal	31	2.12	105.72	34.06	7.18	37.46
PK	5.9262G	60.68	68.20	-7.52	3.73	3	Horizontal	31	2.12	56.95	34.45	6.68	37.40


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T2S_AP5022

Appendix E.25

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1492G	53.88	54.00	-0.12	3	Vertical	336	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1492G	53.45	54.00	-0.55	3	Vertical	343	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.20	54.00	-0.80	3	Vertical	336	1.00
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3502G	53.79	54.00	-0.21	3	Vertical	344	1.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.3504G	53.86	54.00	-0.14	3	Vertical	341	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.357G	53.81	54.00	-0.19	3	Vertical	0	1.01
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.1456G	53.94	54.00	-0.06	3	Vertical	344	1.01
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.7252G	67.92	68.20	-0.28	3	Horizontal	61	1.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.47G	67.42	68.20	-0.78	3	Vertical	340	1.01
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.733G	68.15	68.20	-0.05	3	Vertical	338	1.00
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.4644G	67.17	68.20	-1.03	3	Vertical	340	1.00
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.9378G	60.21	68.20	-7.99	3	Horizontal	57	1.01
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.6486G	64.89	68.20	-3.31	3	Vertical	337	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.6502G	65.21	68.35	-3.14	3	Vertical	343	1.01



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio 2T2S_AP5022**

Appendix E.25

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	53.65	54.00	-0.35	3	Vertical	353	1.01
5180MHz	Pass	AV	5.1838G	104.70	Inf	-Inf	3	Vertical	353	1.01
5180MHz	Pass	PK	5.1408G	71.88	74.00	-2.12	3	Vertical	353	1.01
5180MHz	Pass	PK	5.1876G	118.25	Inf	-Inf	3	Vertical	353	1.01
5180MHz	Pass	AV	5.1494G	49.74	54.00	-4.26	3	Horizontal	39	1.20
5180MHz	Pass	AV	5.1874G	100.71	Inf	-Inf	3	Horizontal	39	1.20
5180MHz	Pass	PK	5.1422G	66.52	74.00	-7.48	3	Horizontal	39	1.20
5180MHz	Pass	PK	5.1846G	114.08	Inf	-Inf	3	Horizontal	39	1.20
5180MHz	Pass	PK	10.3636G	52.23	68.20	-15.97	3	Vertical	6	1.99
5180MHz	Pass	PK	10.3592G	53.86	68.20	-14.34	3	Horizontal	354	1.55
5200MHz	Pass	AV	5.1492G	53.88	54.00	-0.12	3	Vertical	336	1.50
5200MHz	Pass	AV	5.202G	104.89	Inf	-Inf	3	Vertical	336	1.50
5200MHz	Pass	PK	5.1492G	72.03	74.00	-1.97	3	Vertical	336	1.50
5200MHz	Pass	PK	5.2024G	117.20	Inf	-Inf	3	Vertical	336	1.50
5200MHz	Pass	AV	5.1492G	51.57	54.00	-2.43	3	Horizontal	37	1.24
5200MHz	Pass	AV	5.202G	102.43	Inf	-Inf	3	Horizontal	37	1.24
5200MHz	Pass	PK	5.1496G	69.98	74.00	-4.02	3	Horizontal	37	1.24
5200MHz	Pass	PK	5.2012G	114.64	Inf	-Inf	3	Horizontal	37	1.24
5200MHz	Pass	PK	10.40096G	52.60	68.20	-15.60	3	Vertical	349	1.70
5200MHz	Pass	PK	10.39658G	54.72	68.20	-13.48	3	Horizontal	339	1.50
5240MHz	Pass	AV	5.1494G	46.38	54.00	-7.62	3	Vertical	339	1.00
5240MHz	Pass	AV	5.2424G	104.99	Inf	-Inf	3	Vertical	339	1.00
5240MHz	Pass	AV	5.3576G	47.30	54.00	-6.70	3	Vertical	339	1.00
5240MHz	Pass	PK	5.1488G	60.58	74.00	-13.42	3	Vertical	339	1.00
5240MHz	Pass	PK	5.243G	117.32	Inf	-Inf	3	Vertical	339	1.00
5240MHz	Pass	PK	5.3618G	59.70	74.00	-14.30	3	Vertical	339	1.00
5240MHz	Pass	AV	5.1494G	45.51	54.00	-8.49	3	Horizontal	31	1.00
5240MHz	Pass	AV	5.2466G	102.78	Inf	-Inf	3	Horizontal	31	1.00
5240MHz	Pass	AV	5.3834G	46.15	54.00	-7.85	3	Horizontal	31	1.00
5240MHz	Pass	PK	5.1488G	58.33	74.00	-15.67	3	Horizontal	31	1.00
5240MHz	Pass	PK	5.249G	115.36	Inf	-Inf	3	Horizontal	31	1.00
5240MHz	Pass	PK	5.3798G	59.11	74.00	-14.89	3	Horizontal	31	1.00
5240MHz	Pass	PK	10.4815G	52.43	68.20	-15.77	3	Vertical	360	1.50
5240MHz	Pass	PK	10.47928G	53.18	68.20	-15.02	3	Horizontal	339	1.50
5260MHz	Pass	AV	5.1466G	45.51	54.00	-8.49	3	Vertical	336	1.01
5260MHz	Pass	AV	5.2582G	104.86	Inf	-Inf	3	Vertical	336	1.01
5260MHz	Pass	AV	5.3512G	47.52	54.00	-6.48	3	Vertical	336	1.01
5260MHz	Pass	PK	5.1436G	58.47	74.00	-15.53	3	Vertical	336	1.01
5260MHz	Pass	PK	5.2606G	116.80	Inf	-Inf	3	Vertical	336	1.01
5260MHz	Pass	PK	5.353G	62.44	74.00	-11.56	3	Vertical	336	1.01
5260MHz	Pass	AV	5.1454G	44.93	54.00	-9.07	3	Horizontal	33	1.16
5260MHz	Pass	AV	5.2672G	102.89	Inf	-Inf	3	Horizontal	33	1.16
5260MHz	Pass	AV	5.3554G	46.35	54.00	-7.65	3	Horizontal	33	1.16
5260MHz	Pass	PK	5.1106G	57.54	74.00	-16.46	3	Horizontal	33	1.16
5260MHz	Pass	PK	5.263G	114.50	Inf	-Inf	3	Horizontal	33	1.16
5260MHz	Pass	PK	5.3536G	60.68	74.00	-13.32	3	Horizontal	33	1.16
5260MHz	Pass	PK	10.514G	51.91	68.20	-16.29	3	Vertical	348	1.50
5260MHz	Pass	PK	10.51784G	52.55	68.20	-15.65	3	Horizontal	338	1.50
5300MHz	Pass	AV	5.3076G	105.84	Inf	-Inf	3	Vertical	339	1.00
5300MHz	Pass	AV	5.3508G	53.40	54.00	-0.60	3	Vertical	339	1.00
5300MHz	Pass	PK	5.2916G	118.11	Inf	-Inf	3	Vertical	339	1.00
5300MHz	Pass	PK	5.3516G	72.58	74.00	-1.42	3	Vertical	339	1.00
5300MHz	Pass	AV	5.2964G	101.32	Inf	-Inf	3	Horizontal	40	1.50
5300MHz	Pass	AV	5.3508G	49.76	54.00	-4.24	3	Horizontal	40	1.50
5300MHz	Pass	PK	5.2976G	114.01	Inf	-Inf	3	Horizontal	40	1.50
5300MHz	Pass	PK	5.352G	67.05	74.00	-6.95	3	Horizontal	40	1.50
5300MHz	Pass	AV	10.60702G	38.93	54.00	-15.07	3	Vertical	63	1.50
5300MHz	Pass	PK	10.6046G	51.84	74.00	-22.16	3	Vertical	63	1.50
5300MHz	Pass	AV	10.60606G	38.78	54.00	-15.22	3	Horizontal	236	1.18
5300MHz	Pass	PK	10.6093G	52.05	74.00	-21.95	3	Horizontal	236	1.18



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio 2T2S AP5022**

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3182G	105.95	Inf	-Inf	3	Vertical	344	1.00
5320MHz	Pass	AV	5.3502G	53.79	54.00	-0.21	3	Vertical	344	1.00
5320MHz	Pass	PK	5.312G	118.88	Inf	-Inf	3	Vertical	344	1.00
5320MHz	Pass	PK	5.3594G	67.65	74.00	-6.35	3	Vertical	344	1.00
5320MHz	Pass	AV	5.327G	103.44	Inf	-Inf	3	Horizontal	30	1.01
5320MHz	Pass	AV	5.35G	51.73	54.00	-2.27	3	Horizontal	30	1.01
5320MHz	Pass	PK	5.3212G	115.35	Inf	-Inf	3	Horizontal	30	1.01
5320MHz	Pass	PK	5.36G	66.07	74.00	-7.93	3	Horizontal	30	1.01
5320MHz	Pass	AV	10.64462G	38.94	54.00	-15.06	3	Vertical	82	1.50
5320MHz	Pass	PK	10.63538G	51.74	74.00	-22.26	3	Vertical	82	1.50
5320MHz	Pass	AV	10.655G	38.87	54.00	-15.13	3	Horizontal	315	1.90
5320MHz	Pass	PK	10.65146G	52.37	74.00	-21.63	3	Horizontal	315	1.90
5500MHz	Pass	AV	5.46G	51.58	54.00	-2.42	3	Vertical	336	1.00
5500MHz	Pass	AV	5.5072G	105.27	Inf	-Inf	3	Vertical	336	1.00
5500MHz	Pass	PK	5.4596G	67.31	74.00	-6.69	3	Vertical	336	1.00
5500MHz	Pass	PK	5.4604G	65.41	68.20	-2.79	3	Vertical	336	1.00
5500MHz	Pass	PK	5.501G	117.22	Inf	-Inf	3	Vertical	336	1.00
5500MHz	Pass	AV	5.46G	49.45	54.00	-4.55	3	Horizontal	39	1.01
5500MHz	Pass	AV	5.5016G	101.95	Inf	-Inf	3	Horizontal	39	1.01
5500MHz	Pass	PK	5.4596G	64.17	74.00	-9.83	3	Horizontal	39	1.01
5500MHz	Pass	PK	5.4698G	62.09	68.20	-6.11	3	Horizontal	39	1.01
5500MHz	Pass	PK	5.5014G	114.04	Inf	-Inf	3	Horizontal	39	1.01
5500MHz	Pass	AV	10.99334G	38.85	54.00	-15.15	3	Vertical	28	2.54
5500MHz	Pass	PK	11.00588G	52.13	74.00	-21.87	3	Vertical	28	2.54
5500MHz	Pass	AV	10.99274G	39.03	54.00	-14.97	3	Horizontal	4	1.85
5500MHz	Pass	PK	10.99496G	52.94	74.00	-21.06	3	Horizontal	4	1.85
5580MHz	Pass	AV	5.4318G	46.31	54.00	-7.69	3	Vertical	334	1.01
5580MHz	Pass	AV	5.577G	105.47	Inf	-Inf	3	Vertical	334	1.01
5580MHz	Pass	PK	5.4582G	58.85	74.00	-15.15	3	Vertical	334	1.01
5580MHz	Pass	PK	5.4678G	57.76	68.20	-10.44	3	Vertical	334	1.01
5580MHz	Pass	PK	5.589G	118.48	Inf	-Inf	3	Vertical	334	1.01
5580MHz	Pass	PK	5.7282G	58.95	68.20	-9.25	3	Vertical	334	1.01
5580MHz	Pass	AV	5.457G	45.32	54.00	-8.68	3	Horizontal	51	1.00
5580MHz	Pass	AV	5.5776G	102.39	Inf	-Inf	3	Horizontal	51	1.00
5580MHz	Pass	PK	5.4534G	57.63	74.00	-16.37	3	Horizontal	51	1.00
5580MHz	Pass	PK	5.4672G	57.93	68.20	-10.27	3	Horizontal	51	1.00
5580MHz	Pass	PK	5.5818G	115.67	Inf	-Inf	3	Horizontal	51	1.00
5580MHz	Pass	PK	5.7264G	58.84	68.20	-9.36	3	Horizontal	51	1.00
5580MHz	Pass	AV	11.16018G	39.10	54.00	-14.90	3	Vertical	53	2.62
5580MHz	Pass	PK	11.15676G	52.90	74.00	-21.10	3	Vertical	53	2.62
5580MHz	Pass	AV	11.1612G	39.00	54.00	-15.00	3	Horizontal	90	2.47
5580MHz	Pass	PK	11.16042G	52.39	74.00	-21.61	3	Horizontal	90	2.47
5700MHz	Pass	AV	5.704G	100.49	Inf	-Inf	3	Vertical	339	1.01
5700MHz	Pass	PK	5.6992G	113.32	Inf	-Inf	3	Vertical	339	1.01
5700MHz	Pass	PK	5.7252G	66.65	68.20	-1.55	3	Vertical	339	1.01
5700MHz	Pass	AV	5.7064G	98.62	Inf	-Inf	3	Horizontal	61	1.00
5700MHz	Pass	PK	5.708G	111.12	Inf	-Inf	3	Horizontal	61	1.00
5700MHz	Pass	PK	5.7252G	67.92	68.20	-0.28	3	Horizontal	61	1.00
5700MHz	Pass	AV	11.4078G	39.01	54.00	-14.99	3	Vertical	95	1.50
5700MHz	Pass	PK	11.4111G	52.31	74.00	-21.69	3	Vertical	95	1.50
5700MHz	Pass	AV	11.41272G	39.16	54.00	-14.84	3	Horizontal	360	1.50
5700MHz	Pass	PK	11.40804G	52.63	74.00	-21.37	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4344G	45.66	54.00	-8.34	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	105.06	Inf	-Inf	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.426G	59.20	74.00	-14.80	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.29	68.20	-10.91	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	117.29	Inf	-Inf	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	60.03	68.20	-8.17	3	Vertical	343	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.16	54.00	-8.84	3	Horizontal	59	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	103.71	Inf	-Inf	3	Horizontal	59	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	58.07	74.00	-15.93	3	Horizontal	59	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.99	68.20	-11.21	3	Horizontal	59	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	115.55	Inf	-Inf	3	Horizontal	59	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8964G	60.43	68.20	-7.77	3	Horizontal	59	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44558G	39.12	54.00	-14.88	3	Vertical	218	2.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44012G	52.04	74.00	-21.96	3	Vertical	218	2.82
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4523G	39.05	54.00	-14.95	3	Horizontal	99	2.78
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44264G	52.26	74.00	-21.74	3	Horizontal	99	2.78
5745MHz	Pass	AV	5.4558G	45.47	54.00	-8.53	3	Vertical	338	1.01
5745MHz	Pass	AV	5.7414G	104.96	Inf	-Inf	3	Vertical	338	1.01
5745MHz	Pass	PK	5.5878G	59.00	68.20	-9.20	3	Vertical	338	1.01
5745MHz	Pass	PK	5.7402G	117.50	Inf	-Inf	3	Vertical	338	1.01
5745MHz	Pass	PK	5.937G	60.08	68.20	-8.12	3	Vertical	338	1.01
5745MHz	Pass	AV	5.4558G	45.16	54.00	-8.84	3	Horizontal	59	1.00
5745MHz	Pass	AV	5.7522G	103.37	Inf	-Inf	3	Horizontal	59	1.00
5745MHz	Pass	PK	5.5422G	58.82	68.20	-9.38	3	Horizontal	59	1.00
5745MHz	Pass	PK	5.7534G	115.64	Inf	-Inf	3	Horizontal	59	1.00
5745MHz	Pass	PK	6.0354G	59.47	68.20	-8.73	3	Horizontal	59	1.00
5745MHz	Pass	AV	11.49672G	38.94	54.00	-15.06	3	Vertical	137	1.80
5745MHz	Pass	PK	11.48568G	52.07	74.00	-21.93	3	Vertical	137	1.80
5745MHz	Pass	AV	11.49324G	39.08	54.00	-14.92	3	Horizontal	204	2.25
5745MHz	Pass	PK	11.49114G	52.45	74.00	-21.55	3	Horizontal	204	2.25
5785MHz	Pass	AV	5.7826G	105.95	Inf	-Inf	3	Vertical	340	1.02
5785MHz	Pass	PK	5.5054G	59.26	68.20	-8.94	3	Vertical	340	1.02
5785MHz	Pass	PK	5.779G	118.30	Inf	-Inf	3	Vertical	340	1.02
5785MHz	Pass	PK	5.9542G	60.00	68.20	-8.20	3	Vertical	340	1.02
5785MHz	Pass	AV	5.7922G	104.08	Inf	-Inf	3	Horizontal	58	1.03
5785MHz	Pass	PK	5.6062G	58.00	68.20	-10.20	3	Horizontal	58	1.03
5785MHz	Pass	PK	5.791G	116.11	Inf	-Inf	3	Horizontal	58	1.03
5785MHz	Pass	PK	5.9818G	60.09	68.20	-8.11	3	Horizontal	58	1.03
5785MHz	Pass	AV	11.57954G	38.97	54.00	-15.03	3	Vertical	90	1.50
5785MHz	Pass	PK	11.56082G	52.09	74.00	-21.91	3	Vertical	90	1.50
5785MHz	Pass	AV	11.57324G	39.01	54.00	-14.99	3	Horizontal	286	1.50
5785MHz	Pass	PK	11.57108G	52.33	74.00	-21.67	3	Horizontal	286	1.50
5825MHz	Pass	AV	5.8286G	105.45	Inf	-Inf	3	Vertical	337	1.01
5825MHz	Pass	PK	5.633G	58.98	68.20	-9.22	3	Vertical	337	1.01
5825MHz	Pass	PK	5.8286G	117.41	Inf	-Inf	3	Vertical	337	1.01
5825MHz	Pass	PK	5.9306G	59.84	68.20	-8.36	3	Vertical	337	1.01
5825MHz	Pass	AV	5.8322G	103.21	Inf	-Inf	3	Horizontal	57	1.01
5825MHz	Pass	PK	5.645G	59.25	68.20	-8.95	3	Horizontal	57	1.01
5825MHz	Pass	PK	5.8322G	114.92	Inf	-Inf	3	Horizontal	57	1.01
5825MHz	Pass	PK	5.9378G	60.21	68.20	-7.99	3	Horizontal	57	1.01
5825MHz	Pass	AV	11.66158G	38.43	54.00	-15.57	3	Vertical	12	1.54
5825MHz	Pass	PK	11.65186G	51.68	74.00	-22.32	3	Vertical	12	1.54
5825MHz	Pass	AV	11.6635G	38.71	54.00	-15.29	3	Horizontal	219	1.50
5825MHz	Pass	PK	11.66356G	51.39	74.00	-22.61	3	Horizontal	219	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.31	54.00	-0.69	3	Vertical	345	1.00
5190MHz	Pass	AV	5.1972G	101.10	Inf	-Inf	3	Vertical	345	1.00
5190MHz	Pass	PK	5.1476G	66.56	74.00	-7.44	3	Vertical	345	1.00
5190MHz	Pass	PK	5.1988G	113.08	Inf	-Inf	3	Vertical	345	1.00
5190MHz	Pass	AV	5.1456G	50.19	54.00	-3.81	3	Horizontal	38	1.39
5190MHz	Pass	AV	5.1892G	98.53	Inf	-Inf	3	Horizontal	38	1.39
5190MHz	Pass	PK	5.146G	63.63	74.00	-10.37	3	Horizontal	38	1.39
5190MHz	Pass	PK	5.204G	111.63	Inf	-Inf	3	Horizontal	38	1.39
5190MHz	Pass	PK	10.3866G	52.27	68.20	-15.93	3	Vertical	55	1.50
5190MHz	Pass	PK	10.39308G	52.40	68.20	-15.80	3	Horizontal	286	1.50
5230MHz	Pass	AV	5.1492G	53.45	54.00	-0.55	3	Vertical	343	1.00
5230MHz	Pass	AV	5.2436G	101.78	Inf	-Inf	3	Vertical	343	1.00
5230MHz	Pass	PK	5.1416G	70.88	74.00	-3.12	3	Vertical	343	1.00
5230MHz	Pass	PK	5.2264G	114.29	Inf	-Inf	3	Vertical	343	1.00
5230MHz	Pass	AV	5.1492G	50.06	54.00	-3.94	3	Horizontal	35	1.27
5230MHz	Pass	AV	5.2364G	99.30	Inf	-Inf	3	Horizontal	35	1.27
5230MHz	Pass	PK	5.1492G	66.74	74.00	-7.26	3	Horizontal	35	1.27



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio 2T2S AP5022**

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	5.2168G	111.71	Inf	-Inf	3	Horizontal	35	1.27
5230MHz	Pass	PK	10.45436G	51.72	68.20	-16.48	3	Vertical	120	1.50
5230MHz	Pass	PK	10.4606G	52.14	68.20	-16.06	3	Horizontal	356	1.01
5270MHz	Pass	AV	5.284G	101.95	Inf	-Inf	3	Vertical	337	1.00
5270MHz	Pass	AV	5.3516G	52.66	54.00	-1.34	3	Vertical	337	1.00
5270MHz	Pass	PK	5.2824G	114.58	Inf	-Inf	3	Vertical	337	1.00
5270MHz	Pass	PK	5.3512G	73.57	74.00	-0.43	3	Vertical	337	1.00
5270MHz	Pass	AV	5.2692G	99.32	Inf	-Inf	3	Horizontal	33	1.17
5270MHz	Pass	AV	5.3504G	49.25	54.00	-4.75	3	Horizontal	33	1.17
5270MHz	Pass	PK	5.2756G	111.76	Inf	-Inf	3	Horizontal	33	1.17
5270MHz	Pass	PK	5.3544G	65.79	74.00	-8.21	3	Horizontal	33	1.17
5270MHz	Pass	PK	10.5352G	51.90	68.20	-16.30	3	Vertical	285	1.50
5270MHz	Pass	PK	10.5532G	51.96	68.20	-16.24	3	Horizontal	8	1.85
5310MHz	Pass	AV	5.3208G	102.61	Inf	-Inf	3	Vertical	341	1.00
5310MHz	Pass	AV	5.3504G	53.86	54.00	-0.14	3	Vertical	341	1.00
5310MHz	Pass	PK	5.3064G	116.54	Inf	-Inf	3	Vertical	341	1.00
5310MHz	Pass	PK	5.3504G	66.47	74.00	-7.53	3	Vertical	341	1.00
5310MHz	Pass	AV	5.324G	97.68	Inf	-Inf	3	Horizontal	39	1.49
5310MHz	Pass	AV	5.3512G	49.76	54.00	-4.24	3	Horizontal	39	1.49
5310MHz	Pass	PK	5.3264G	109.82	Inf	-Inf	3	Horizontal	39	1.49
5310MHz	Pass	PK	5.3508G	62.89	74.00	-11.11	3	Horizontal	39	1.49
5310MHz	Pass	PK	10.60884G	52.31	74.00	-21.69	3	Vertical	307	1.50
5310MHz	Pass	PK	10.6104G	51.77	74.00	-22.23	3	Horizontal	94	1.50
5510MHz	Pass	AV	5.4596G	52.43	54.00	-1.57	3	Vertical	340	1.01
5510MHz	Pass	AV	5.5076G	102.92	Inf	-Inf	3	Vertical	340	1.01
5510MHz	Pass	PK	5.4548G	65.40	74.00	-8.60	3	Vertical	340	1.01
5510MHz	Pass	PK	5.47G	67.42	68.20	-0.78	3	Vertical	340	1.01
5510MHz	Pass	PK	5.5196G	115.06	Inf	-Inf	3	Vertical	340	1.01
5510MHz	Pass	AV	5.454G	50.03	54.00	-3.97	3	Horizontal	49	1.01
5510MHz	Pass	AV	5.5156G	99.65	Inf	-Inf	3	Horizontal	49	1.01
5510MHz	Pass	PK	5.4544G	62.53	74.00	-11.47	3	Horizontal	49	1.01
5510MHz	Pass	PK	5.4696G	63.19	68.20	-5.01	3	Horizontal	49	1.01
5510MHz	Pass	PK	5.512G	112.50	Inf	-Inf	3	Horizontal	49	1.01
5510MHz	Pass	AV	11.03692G	39.42	54.00	-14.58	3	Vertical	257	1.50
5510MHz	Pass	PK	11.00368G	52.71	74.00	-21.29	3	Vertical	257	1.50
5510MHz	Pass	AV	10.99G	39.38	54.00	-14.62	3	Horizontal	307	1.33
5510MHz	Pass	PK	11.02108G	52.30	74.00	-21.70	3	Horizontal	307	1.33
5550MHz	Pass	AV	5.4584G	48.46	54.00	-5.54	3	Vertical	334	1.00
5550MHz	Pass	AV	5.5492G	102.40	Inf	-Inf	3	Vertical	334	1.00
5550MHz	Pass	PK	5.4592G	67.26	74.00	-6.74	3	Vertical	334	1.00
5550MHz	Pass	PK	5.4688G	67.05	68.20	-1.15	3	Vertical	334	1.00
5550MHz	Pass	PK	5.5492G	114.24	Inf	-Inf	3	Vertical	334	1.00
5550MHz	Pass	AV	5.4592G	46.75	54.00	-7.25	3	Horizontal	42	1.01
5550MHz	Pass	AV	5.5468G	98.43	Inf	-Inf	3	Horizontal	42	1.01
5550MHz	Pass	PK	5.4592G	62.64	74.00	-11.36	3	Horizontal	42	1.01
5550MHz	Pass	PK	5.4636G	63.89	68.20	-4.31	3	Horizontal	42	1.01
5550MHz	Pass	PK	5.5652G	110.33	Inf	-Inf	3	Horizontal	42	1.01
5550MHz	Pass	AV	11.07204G	39.25	54.00	-14.75	3	Vertical	259	1.50
5550MHz	Pass	PK	11.12652G	52.55	74.00	-21.45	3	Vertical	259	1.50
5550MHz	Pass	AV	11.07396G	39.19	54.00	-14.81	3	Horizontal	124	2.08
5550MHz	Pass	PK	11.1204G	51.98	74.00	-22.02	3	Horizontal	124	2.08
5670MHz	Pass	AV	5.6658G	98.59	Inf	-Inf	3	Vertical	339	1.01
5670MHz	Pass	PK	5.6574G	111.39	Inf	-Inf	3	Vertical	339	1.01
5670MHz	Pass	PK	5.7276G	66.26	68.20	-1.94	3	Vertical	339	1.01
5670MHz	Pass	AV	5.667G	96.14	Inf	-Inf	3	Horizontal	58	1.00
5670MHz	Pass	PK	5.6808G	108.46	Inf	-Inf	3	Horizontal	58	1.00
5670MHz	Pass	PK	5.7264G	65.70	68.20	-2.50	3	Horizontal	58	1.00
5670MHz	Pass	AV	11.35584G	39.69	54.00	-14.31	3	Vertical	16	1.00
5670MHz	Pass	PK	11.33544G	52.20	74.00	-21.80	3	Vertical	16	1.00
5670MHz	Pass	AV	11.32824G	39.57	54.00	-14.43	3	Horizontal	170	2.83
5670MHz	Pass	PK	11.33244G	52.08	74.00	-21.92	3	Horizontal	170	2.83
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	46.62	54.00	-7.38	3	Vertical	338	1.01



RSE TX above 1GHz_Non-Beamforming_ Scan Radio 2T2S_AP5022

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7112G	103.15	Inf	-Inf	3	Vertical	338	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4148G	58.84	74.00	-15.16	3	Vertical	338	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	57.92	68.20	-10.28	3	Vertical	338	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	114.60	Inf	-Inf	3	Vertical	338	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	64.04	68.20	-4.16	3	Vertical	338	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4268G	45.53	54.00	-8.47	3	Horizontal	63	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	101.11	Inf	-Inf	3	Horizontal	63	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4472G	57.92	74.00	-16.08	3	Horizontal	63	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	58.72	68.20	-9.48	3	Horizontal	63	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	113.23	Inf	-Inf	3	Horizontal	63	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	62.16	68.20	-6.04	3	Horizontal	63	1.01
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41652G	39.55	54.00	-14.45	3	Vertical	171	2.91
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40872G	51.85	74.00	-22.15	3	Vertical	171	2.91
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40932G	39.58	54.00	-14.42	3	Horizontal	332	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39036G	52.14	74.00	-21.86	3	Horizontal	332	1.50
5755MHz	Pass	AV	5.4574G	45.90	54.00	-8.10	3	Vertical	345	1.01
5755MHz	Pass	AV	5.761G	102.95	Inf	-Inf	3	Vertical	345	1.01
5755MHz	Pass	PK	5.6422G	60.40	68.20	-7.80	3	Vertical	345	1.01
5755MHz	Pass	PK	5.7394G	115.58	Inf	-Inf	3	Vertical	345	1.01
5755MHz	Pass	PK	5.9254G	59.65	68.20	-8.55	3	Vertical	345	1.01
5755MHz	Pass	AV	5.4598G	45.15	54.00	-8.85	3	Horizontal	62	1.00
5755MHz	Pass	AV	5.767G	101.41	Inf	-Inf	3	Horizontal	62	1.00
5755MHz	Pass	PK	5.6338G	63.21	68.20	-4.99	3	Horizontal	62	1.00
5755MHz	Pass	PK	5.7478G	114.07	Inf	-Inf	3	Horizontal	62	1.00
5755MHz	Pass	PK	5.9386G	60.99	68.20	-7.21	3	Horizontal	62	1.00
5755MHz	Pass	AV	11.4968G	39.44	54.00	-14.56	3	Vertical	304	1.07
5755MHz	Pass	PK	11.492G	52.56	74.00	-21.44	3	Vertical	304	1.07
5755MHz	Pass	AV	11.48168G	39.34	54.00	-14.66	3	Horizontal	128	2.53
5755MHz	Pass	PK	11.53592G	51.70	74.00	-22.30	3	Horizontal	128	2.53
5795MHz	Pass	AV	5.789G	103.54	Inf	-Inf	3	Vertical	337	1.00
5795MHz	Pass	PK	5.6486G	64.89	68.20	-3.31	3	Vertical	337	1.00
5795MHz	Pass	PK	5.783G	115.90	Inf	-Inf	3	Vertical	337	1.00
5795MHz	Pass	PK	5.9222G	65.04	70.27	-5.23	3	Vertical	337	1.00
5795MHz	Pass	AV	5.7902G	101.95	Inf	-Inf	3	Horizontal	58	1.00
5795MHz	Pass	PK	5.6498G	63.28	68.20	-4.92	3	Horizontal	58	1.00
5795MHz	Pass	PK	5.8022G	113.37	Inf	-Inf	3	Horizontal	58	1.00
5795MHz	Pass	PK	5.939G	63.56	68.20	-4.64	3	Horizontal	58	1.00
5795MHz	Pass	AV	11.584G	39.29	54.00	-14.71	3	Vertical	247	1.22
5795MHz	Pass	PK	11.60164G	52.01	74.00	-21.99	3	Vertical	247	1.22
5795MHz	Pass	AV	11.57284G	39.28	54.00	-14.72	3	Horizontal	179	1.50
5795MHz	Pass	PK	11.5684G	51.76	74.00	-22.24	3	Horizontal	179	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.20	54.00	-0.80	3	Vertical	336	1.00
5210MHz	Pass	AV	5.221G	98.43	Inf	-Inf	3	Vertical	336	1.00
5210MHz	Pass	AV	5.37G	50.84	54.00	-3.16	3	Vertical	336	1.00
5210MHz	Pass	PK	5.146G	64.83	74.00	-9.17	3	Vertical	336	1.00
5210MHz	Pass	PK	5.24G	110.13	Inf	-Inf	3	Vertical	336	1.00
5210MHz	Pass	PK	5.386G	61.65	74.00	-12.35	3	Vertical	336	1.00
5210MHz	Pass	AV	5.148G	50.41	54.00	-3.59	3	Horizontal	39	1.50
5210MHz	Pass	AV	5.216G	95.13	Inf	-Inf	3	Horizontal	39	1.50
5210MHz	Pass	AV	5.365G	48.04	54.00	-5.96	3	Horizontal	39	1.50
5210MHz	Pass	PK	5.121G	62.81	74.00	-11.19	3	Horizontal	39	1.50
5210MHz	Pass	PK	5.214G	107.45	Inf	-Inf	3	Horizontal	39	1.50
5210MHz	Pass	PK	5.359G	60.49	74.00	-13.51	3	Horizontal	39	1.50
5210MHz	Pass	PK	10.36528G	51.49	68.20	-16.71	3	Vertical	48	1.50
5210MHz	Pass	PK	10.43608G	52.33	68.20	-15.87	3	Horizontal	339	2.63
5290MHz	Pass	AV	5.141G	47.89	54.00	-6.11	3	Vertical	0	1.01
5290MHz	Pass	AV	5.304G	98.45	Inf	-Inf	3	Vertical	0	1.01
5290MHz	Pass	AV	5.357G	53.81	54.00	-0.19	3	Vertical	0	1.01
5290MHz	Pass	PK	5.144G	59.32	74.00	-14.68	3	Vertical	0	1.01
5290MHz	Pass	PK	5.299G	110.92	Inf	-Inf	3	Vertical	0	1.01
5290MHz	Pass	PK	5.36G	65.51	74.00	-8.49	3	Vertical	0	1.01



RSE TX above 1GHz_Non-Beamforming_ Scan Radio 2T2S_AP5022

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.52G	59.94	68.20	-8.26	3	Vertical	0	1.01
5290MHz	Pass	AV	5.142G	46.85	54.00	-7.15	3	Horizontal	30	1.01
5290MHz	Pass	AV	5.322G	96.27	Inf	-Inf	3	Horizontal	30	1.01
5290MHz	Pass	AV	5.351G	51.60	54.00	-2.40	3	Horizontal	30	1.01
5290MHz	Pass	PK	5.139G	58.30	74.00	-15.70	3	Horizontal	30	1.01
5290MHz	Pass	PK	5.287G	107.87	Inf	-Inf	3	Horizontal	30	1.01
5290MHz	Pass	PK	5.359G	63.27	74.00	-10.73	3	Horizontal	30	1.01
5290MHz	Pass	PK	5.473G	59.52	68.20	-8.68	3	Horizontal	30	1.01
5290MHz	Pass	PK	10.5992G	51.87	68.20	-16.33	3	Vertical	221	2.43
5290MHz	Pass	PK	10.5872G	52.64	68.20	-15.56	3	Horizontal	248	1.50
5530MHz	Pass	AV	5.35G	48.13	54.00	-5.87	3	Vertical	342	1.01
5530MHz	Pass	AV	5.441G	53.59	54.00	-0.41	3	Vertical	342	1.01
5530MHz	Pass	AV	5.547G	100.28	Inf	-Inf	3	Vertical	342	1.01
5530MHz	Pass	PK	5.346G	60.04	68.20	-8.16	3	Vertical	342	1.01
5530MHz	Pass	PK	5.441G	67.42	74.00	-6.58	3	Vertical	342	1.01
5530MHz	Pass	PK	5.466G	67.16	68.20	-1.04	3	Vertical	342	1.01
5530MHz	Pass	PK	5.539G	111.27	Inf	-Inf	3	Vertical	342	1.01
5530MHz	Pass	PK	5.732G	60.09	68.20	-8.11	3	Vertical	342	1.01
5530MHz	Pass	AV	5.35G	46.74	54.00	-7.26	3	Horizontal	38	1.01
5530MHz	Pass	AV	5.45G	51.32	54.00	-2.68	3	Horizontal	38	1.01
5530MHz	Pass	AV	5.538G	96.64	Inf	-Inf	3	Horizontal	38	1.01
5530MHz	Pass	PK	5.344G	58.96	68.20	-9.24	3	Horizontal	38	1.01
5530MHz	Pass	PK	5.454G	63.05	74.00	-10.95	3	Horizontal	38	1.01
5530MHz	Pass	PK	5.462G	62.58	68.20	-5.62	3	Horizontal	38	1.01
5530MHz	Pass	PK	5.543G	109.28	Inf	-Inf	3	Horizontal	38	1.01
5530MHz	Pass	PK	5.769G	58.91	68.20	-9.29	3	Horizontal	38	1.01
5530MHz	Pass	AV	11.09216G	39.98	54.00	-14.02	3	Vertical	206	1.51
5530MHz	Pass	PK	11.07056G	52.08	74.00	-21.92	3	Vertical	206	1.51
5530MHz	Pass	AV	11.03888G	39.99	54.00	-14.01	3	Horizontal	69	1.50
5530MHz	Pass	PK	11.07896G	52.53	74.00	-21.47	3	Horizontal	69	1.50
5610MHz	Pass	AV	5.459G	50.49	54.00	-3.51	3	Vertical	338	1.00
5610MHz	Pass	AV	5.579G	98.73	Inf	-Inf	3	Vertical	338	1.00
5610MHz	Pass	PK	5.46G	66.57	74.00	-7.43	3	Vertical	338	1.00
5610MHz	Pass	PK	5.464G	67.69	68.20	-0.51	3	Vertical	338	1.00
5610MHz	Pass	PK	5.578G	109.68	Inf	-Inf	3	Vertical	338	1.00
5610MHz	Pass	PK	5.733G	68.15	68.20	-0.05	3	Vertical	338	1.00
5610MHz	Pass	AV	5.459G	48.07	54.00	-5.93	3	Horizontal	41	1.00
5610MHz	Pass	AV	5.579G	95.16	Inf	-Inf	3	Horizontal	41	1.00
5610MHz	Pass	PK	5.459G	62.28	74.00	-11.72	3	Horizontal	41	1.00
5610MHz	Pass	PK	5.464G	64.59	68.20	-3.61	3	Horizontal	41	1.00
5610MHz	Pass	PK	5.608G	106.88	Inf	-Inf	3	Horizontal	41	1.00
5610MHz	Pass	PK	5.738G	64.84	68.20	-3.36	3	Horizontal	41	1.00
5610MHz	Pass	AV	11.2296G	39.89	54.00	-14.11	3	Vertical	84	1.58
5610MHz	Pass	PK	11.26848G	52.01	74.00	-21.99	3	Vertical	84	1.58
5610MHz	Pass	AV	11.27928G	40.03	54.00	-13.97	3	Horizontal	62	1.50
5610MHz	Pass	PK	11.23584G	52.00	74.00	-22.00	3	Horizontal	62	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	49.41	54.00	-4.59	3	Vertical	353	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	100.55	Inf	-Inf	3	Vertical	353	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	62.90	74.00	-11.10	3	Vertical	353	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	65.27	68.20	-2.93	3	Vertical	353	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.684G	111.80	Inf	-Inf	3	Vertical	353	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	67.39	68.20	-0.81	3	Vertical	353	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	47.53	54.00	-6.47	3	Horizontal	62	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7068G	98.03	Inf	-Inf	3	Horizontal	62	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4188G	61.19	74.00	-12.81	3	Horizontal	62	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	62.95	68.20	-5.25	3	Horizontal	62	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	109.63	Inf	-Inf	3	Horizontal	62	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	66.95	68.20	-1.25	3	Horizontal	62	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.4112G	40.11	54.00	-13.89	3	Vertical	271	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34088G	52.26	74.00	-21.74	3	Vertical	271	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3272G	40.21	54.00	-13.79	3	Horizontal	61	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.33968G	52.59	74.00	-21.41	3	Horizontal	61	1.50




**RSE TX above 1GHz_Non-Beamforming_
Scan Radio 2T2S_AP5022**

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	AV	5.7882G	100.79	Inf	-Inf	3	Vertical	343	1.01
5775MHz	Pass	PK	5.6502G	65.21	68.35	-3.14	3	Vertical	343	1.01
5775MHz	Pass	PK	5.7882G	112.97	Inf	-Inf	3	Vertical	343	1.01
5775MHz	Pass	PK	5.9286G	63.57	68.20	-4.63	3	Vertical	343	1.01
5775MHz	Pass	AV	5.781G	98.84	Inf	-Inf	3	Horizontal	60	1.01
5775MHz	Pass	PK	5.6262G	64.51	68.20	-3.69	3	Horizontal	60	1.01
5775MHz	Pass	PK	5.7822G	110.63	Inf	-Inf	3	Horizontal	60	1.01
5775MHz	Pass	PK	5.9394G	61.41	68.20	-6.79	3	Horizontal	60	1.01
5775MHz	Pass	AV	11.57472G	40.10	54.00	-13.90	3	Vertical	3	2.51
5775MHz	Pass	PK	11.60616G	52.48	74.00	-21.52	3	Vertical	3	2.51
5775MHz	Pass	AV	11.49048G	40.08	54.00	-13.92	3	Horizontal	112	1.62
5775MHz	Pass	PK	11.53632G	51.81	74.00	-22.19	3	Horizontal	112	1.62
802.11be EHT160_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1456G	53.94	54.00	-0.06	3	Vertical	344	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	95.53	Inf	-Inf	3	Vertical	344	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3712G	53.82	54.00	-0.18	3	Vertical	344	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.142G	70.03	74.00	-3.97	3	Vertical	344	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3148G	106.56	Inf	-Inf	3	Vertical	344	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	68.32	74.00	-5.68	3	Vertical	344	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	60.78	68.20	-7.42	3	Vertical	344	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.118G	51.40	54.00	-2.60	3	Horizontal	30	1.14
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	92.07	Inf	-Inf	3	Horizontal	30	1.14
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3628G	51.10	54.00	-2.90	3	Horizontal	30	1.14
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	64.88	74.00	-9.12	3	Horizontal	30	1.14
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2728G	104.03	Inf	-Inf	3	Horizontal	30	1.14
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35G	64.21	74.00	-9.79	3	Horizontal	30	1.14
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4684G	59.84	68.20	-8.36	3	Horizontal	30	1.14
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5684G	51.88	68.20	-16.32	3	Vertical	76	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5532G	51.62	68.20	-16.58	3	Horizontal	104	1.50
5570MHz	Pass	AV	5.4452G	50.48	54.00	-3.52	3	Vertical	340	1.00
5570MHz	Pass	AV	5.5472G	94.92	Inf	-Inf	3	Vertical	340	1.00
5570MHz	Pass	PK	5.3372G	60.60	68.20	-7.60	3	Vertical	340	1.00
5570MHz	Pass	PK	5.4596G	66.40	74.00	-7.60	3	Vertical	340	1.00
5570MHz	Pass	PK	5.4644G	67.17	68.20	-1.03	3	Vertical	340	1.00
5570MHz	Pass	PK	5.5112G	105.19	Inf	-Inf	3	Vertical	340	1.00
5570MHz	Pass	PK	5.7488G	63.21	68.20	-4.99	3	Vertical	340	1.00
5570MHz	Pass	AV	5.4332G	48.40	54.00	-5.60	3	Horizontal	52	1.50
5570MHz	Pass	AV	5.5388G	89.62	Inf	-Inf	3	Horizontal	52	1.50
5570MHz	Pass	PK	5.3264G	58.22	68.20	-9.98	3	Horizontal	52	1.50
5570MHz	Pass	PK	5.4332G	62.41	74.00	-11.59	3	Horizontal	52	1.50
5570MHz	Pass	PK	5.4632G	62.36	68.20	-5.84	3	Horizontal	52	1.50
5570MHz	Pass	PK	5.5388G	101.92	Inf	-Inf	3	Horizontal	52	1.50
5570MHz	Pass	PK	5.7284G	59.49	68.20	-8.71	3	Horizontal	52	1.50
5570MHz	Pass	AV	11.24896G	41.03	54.00	-12.97	3	Vertical	141	1.50
5570MHz	Pass	PK	11.1376G	52.10	74.00	-21.90	3	Vertical	141	1.50
5570MHz	Pass	AV	11.0224G	41.18	54.00	-12.82	3	Horizontal	125	1.50
5570MHz	Pass	PK	11.16448G	52.11	74.00	-21.89	3	Horizontal	125	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5200MHz_TX






5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5230MHz_TX






5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX






5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.49	54.00	-3.51	2.44	3	Vertical	338	1.00	48.05	33.22	6.76	37.54
AV	5.579G	98.73	Inf	-Inf	2.77	3	Vertical	338	1.00	95.96	33.40	6.88	37.51
PK	5.46G	66.57	74.00	-7.43	2.44	3	Vertical	338	1.00	64.13	33.22	6.76	37.54
PK	5.464G	67.69	68.20	-0.51	2.45	3	Vertical	338	1.00	65.24	33.23	6.76	37.54
PK	5.578G	109.68	Inf	-Inf	2.77	3	Vertical	338	1.00	106.91	33.40	6.88	37.51
PK	5.733G	68.15	68.20	-0.05	3.70	3	Vertical	338	1.00	64.45	34.00	7.16	37.46

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.07	54.00	-5.93	2.44	3	Horizontal	41	1.00	45.63	33.22	6.76	37.54
AV	5.579G	95.16	Inf	-Inf	2.77	3	Horizontal	41	1.00	92.39	33.40	6.88	37.51
PK	5.459G	62.28	74.00	-11.72	2.44	3	Horizontal	41	1.00	59.84	33.22	6.76	37.54
PK	5.464G	64.59	68.20	-3.61	2.45	3	Horizontal	41	1.00	62.14	33.23	6.76	37.54
PK	5.608G	106.88	Inf	-Inf	2.85	3	Horizontal	41	1.00	104.03	33.43	6.92	37.50
PK	5.738G	64.84	68.20	-3.36	3.74	3	Horizontal	41	1.00	61.10	34.03	7.17	37.46


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	105.45	Inf	-Inf	4.12	3	Vertical	337	1.01	101.33	34.40	7.15	37.43
PK	5.633G	58.98	68.20	-9.22	3.00	3	Vertical	337	1.01	55.98	33.53	6.96	37.49
PK	5.8286G	117.41	Inf	-Inf	4.12	3	Vertical	337	1.01	113.29	34.40	7.15	37.43
PK	5.9306G	59.84	68.20	-8.36	3.71	3	Vertical	337	1.01	56.13	34.44	6.66	37.39

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	103.21	Inf	-Inf	4.11	3	Horizontal	57	1.01	99.10	34.40	7.14	37.43
PK	5.645G	59.25	68.20	-8.95	3.08	3	Horizontal	57	1.01	56.17	33.58	6.99	37.49
PK	5.8322G	114.92	Inf	-Inf	4.11	3	Horizontal	57	1.01	110.81	34.40	7.14	37.43
PK	5.9378G	60.21	68.20	-7.99	3.66	3	Horizontal	57	1.01	56.55	34.42	6.63	37.39


5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.789G	103.54	Inf	-Inf	4.16	3	Vertical	337	1.00	99.38	34.33	7.27	37.44
PK	5.6486G	64.89	68.20	-3.31	3.09	3	Vertical	337	1.00	61.80	33.59	6.99	37.49
PK	5.783G	115.90	Inf	-Inf	4.12	3	Vertical	337	1.00	111.78	34.30	7.26	37.44
PK	5.9222G	65.04	70.27	-5.23	3.76	3	Vertical	337	1.00	61.28	34.46	6.70	37.40

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)			(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7902G	101.95	Inf	-Inf	4.17	3	Horizontal	58	1.00	97.78	34.34	7.27	37.44
PK	5.6498G	63.28	68.20	-4.92	3.11	3	Horizontal	58	1.00	60.17	33.60	7.00	37.49
PK	5.8022G	113.37	Inf	-Inf	4.24	3	Horizontal	58	1.00	109.13	34.40	7.28	37.44
PK	5.939G	63.56	68.20	-4.64	3.65	3	Horizontal	58	1.00	59.91	34.42	6.62	37.39




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.97333G	45.55	54.00	-8.45	Horizontal
Mode 2	Pass	AV	15.97226G	45.47	54.00	-8.53	Horizontal
Mode 3	Pass	AV	15.98128G	45.95	54.00	-8.05	Horizontal
Mode 4	Pass	AV	15.9753G	45.55	54.00	-8.45	Horizontal
Mode 5	Pass	AV	15.97657G	45.72	54.00	-8.28	Vertical
Mode 6	Pass	AV	12.21145G	44.90	54.00	-9.10	Horizontal
Mode 7	Pass	AV	11.4056G	43.55	54.00	-10.45	Horizontal
Mode 8	Pass	AV	12.20004G	45.31	54.00	-8.69	Horizontal
Mode 9	Pass	AV	15.9786G	45.52	54.00	-8.48	Horizontal
Mode 10	Pass	AV	15.96912G	45.52	54.00	-8.48	Vertical
Mode 11	Pass	AV	15.97434G	45.41	54.00	-8.59	Vertical
Mode 12	Pass	AV	15.97266G	45.10	54.00	-8.90	Horizontal
Mode 13	Pass	AV	15.9789G	45.48	54.00	-8.52	Horizontal
Mode 14	Pass	AV	15.98276G	45.43	54.00	-8.57	Horizontal
Mode 15	Pass	AV	15.97212G	45.94	54.00	-8.06	Vertical
Mode 16	Pass	AV	15.97562G	45.94	54.00	-8.06	Horizontal
Mode 17	Pass	AV	15.97553G	45.77	54.00	-8.23	Vertical
Mode 18	Pass	AV	15.97666G	45.92	54.00	-8.08	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87402G	36.06	54.00	-17.94	3	Vertical	20	1.22
Mode 1	Pass	AV	4.96052G	34.31	54.00	-19.69	3	Vertical	156	1.50
Mode 1	Pass	AV	7.31292G	39.82	54.00	-14.18	3	Vertical	308	1.64
Mode 1	Pass	AV	11.3968G	44.02	54.00	-9.98	3	Vertical	54	2.44
Mode 1	Pass	AV	12.195G	44.75	54.00	-9.25	3	Vertical	159	1.50
Mode 1	Pass	AV	15.98364G	45.51	54.00	-8.49	3	Vertical	180	1.50
Mode 1	Pass	PK	4.87405G	47.66	74.00	-26.34	3	Vertical	20	1.22
Mode 1	Pass	PK	4.96102G	46.69	74.00	-27.31	3	Vertical	156	1.50
Mode 1	Pass	PK	7.31082G	52.14	74.00	-21.86	3	Vertical	308	1.64
Mode 1	Pass	PK	11.39212G	56.41	74.00	-17.59	3	Vertical	54	2.44
Mode 1	Pass	PK	12.22164G	57.90	74.00	-16.10	3	Vertical	159	1.50
Mode 1	Pass	PK	15.98012G	58.04	74.00	-15.96	3	Vertical	180	1.50
Mode 1	Pass	AV	4.87403G	44.54	54.00	-9.46	3	Horizontal	66	2.01
Mode 1	Pass	AV	4.96053G	34.23	54.00	-19.77	3	Horizontal	13	1.50
Mode 1	Pass	AV	7.30962G	39.92	54.00	-14.08	3	Horizontal	69	1.75
Mode 1	Pass	AV	11.39908G	44.00	54.00	-10.00	3	Horizontal	110	1.50
Mode 1	Pass	AV	12.21009G	44.76	54.00	-9.24	3	Horizontal	342	2.27
Mode 1	Pass	AV	15.97333G	45.55	54.00	-8.45	3	Horizontal	281	2.64
Mode 1	Pass	PK	4.87396G	51.24	74.00	-22.76	3	Horizontal	66	2.01
Mode 1	Pass	PK	4.95849G	46.63	74.00	-27.37	3	Horizontal	13	1.50
Mode 1	Pass	PK	7.30942G	52.60	74.00	-21.40	3	Horizontal	69	1.75
Mode 1	Pass	PK	11.39794G	57.16	74.00	-16.84	3	Horizontal	110	1.50
Mode 1	Pass	PK	12.21225G	57.26	74.00	-16.74	3	Horizontal	342	2.27
Mode 1	Pass	PK	15.97589G	58.00	74.00	-16.00	3	Horizontal	281	2.64
Mode 2	Pass	AV	4.874G	35.56	54.00	-18.44	3	Vertical	330	2.32
Mode 2	Pass	AV	4.96736G	35.28	54.00	-18.72	3	Vertical	47	1.00
Mode 2	Pass	AV	7.31016G	42.60	54.00	-11.40	3	Vertical	360	1.76
Mode 2	Pass	AV	10.39786G	43.13	68.20	-25.07	3	Vertical	122	1.50
Mode 2	Pass	AV	11.39456G	43.94	54.00	-10.06	3	Vertical	146	1.92
Mode 2	Pass	AV	12.21222G	44.37	54.00	-9.63	3	Vertical	291	2.92
Mode 2	Pass	AV	15.97599G	45.43	54.00	-8.57	3	Vertical	241	3.00
Mode 2	Pass	PK	4.8744G	47.64	74.00	-26.36	3	Vertical	330	2.32
Mode 2	Pass	PK	4.96956G	47.98	74.00	-26.02	3	Vertical	47	1.00
Mode 2	Pass	PK	7.30904G	53.46	74.00	-20.54	3	Vertical	360	1.76
Mode 2	Pass	PK	10.4033G	55.43	88.20	-32.77	3	Vertical	122	1.50
Mode 2	Pass	PK	11.40484G	56.29	74.00	-17.71	3	Vertical	146	1.92
Mode 2	Pass	PK	12.20828G	56.75	74.00	-17.25	3	Vertical	291	2.92
Mode 2	Pass	PK	15.97293G	57.99	74.00	-16.01	3	Vertical	241	3.00
Mode 2	Pass	AV	4.87412G	36.26	54.00	-17.74	3	Horizontal	356	2.00
Mode 2	Pass	AV	4.9538G	37.07	54.00	-16.93	3	Horizontal	356	1.78
Mode 2	Pass	AV	7.31168G	42.68	54.00	-11.32	3	Horizontal	345	1.90
Mode 2	Pass	AV	10.40138G	44.83	68.20	-23.37	3	Horizontal	306	1.65
Mode 2	Pass	AV	11.40041G	43.97	54.00	-10.03	3	Horizontal	303	1.50
Mode 2	Pass	AV	12.21174G	44.77	54.00	-9.23	3	Horizontal	32	1.36
Mode 2	Pass	AV	15.97226G	45.47	54.00	-8.53	3	Horizontal	123	1.71
Mode 2	Pass	PK	4.88756G	49.19	74.00	-24.81	3	Horizontal	356	2.00
Mode 2	Pass	PK	4.956G	50.11	74.00	-23.89	3	Horizontal	356	1.78
Mode 2	Pass	PK	7.31116G	53.56	74.00	-20.44	3	Horizontal	345	1.90
Mode 2	Pass	PK	10.4032G	57.21	88.20	-30.99	3	Horizontal	306	1.65
Mode 2	Pass	PK	11.40216G	56.39	74.00	-17.61	3	Horizontal	303	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	12.21186G	57.00	74.00	-17.00	3	Horizontal	32	1.36
Mode 2	Pass	PK	15.97518G	57.85	74.00	-16.15	3	Horizontal	123	1.71
Mode 3	Pass	AV	4.77568G	33.66	54.00	-20.34	3	Vertical	43	1.50
Mode 3	Pass	AV	4.95148G	34.71	54.00	-19.29	3	Vertical	41	2.48
Mode 3	Pass	AV	7.31184G	41.91	54.00	-12.09	3	Vertical	3	1.24
Mode 3	Pass	AV	11.39088G	44.16	54.00	-9.84	3	Vertical	62	1.50
Mode 3	Pass	AV	11.90224G	44.07	54.00	-9.93	3	Vertical	194	1.50
Mode 3	Pass	AV	12.2G	44.86	54.00	-9.14	3	Vertical	36	1.50
Mode 3	Pass	AV	15.97736G	45.83	54.00	-8.17	3	Vertical	314	1.50
Mode 3	Pass	PK	4.79252G	46.39	74.00	-27.61	3	Vertical	43	1.50
Mode 3	Pass	PK	4.95388G	46.92	74.00	-27.08	3	Vertical	41	2.48
Mode 3	Pass	PK	7.31032G	52.82	74.00	-21.18	3	Vertical	3	1.24
Mode 3	Pass	PK	11.39668G	56.59	74.00	-17.41	3	Vertical	62	1.50
Mode 3	Pass	PK	11.91772G	56.04	74.00	-17.96	3	Vertical	194	1.50
Mode 3	Pass	PK	12.21836G	57.07	74.00	-16.93	3	Vertical	36	1.50
Mode 3	Pass	PK	15.98288G	57.89	74.00	-16.11	3	Vertical	314	1.50
Mode 3	Pass	AV	4.79388G	39.54	54.00	-14.46	3	Horizontal	360	1.43
Mode 3	Pass	AV	4.9514G	36.12	54.00	-17.88	3	Horizontal	0	1.68
Mode 3	Pass	AV	7.31164G	43.45	54.00	-10.55	3	Horizontal	354	1.41
Mode 3	Pass	AV	11.40084G	44.28	54.00	-9.72	3	Horizontal	184	1.50
Mode 3	Pass	AV	11.91976G	44.15	54.00	-9.85	3	Horizontal	203	2.32
Mode 3	Pass	AV	12.20116G	44.99	54.00	-9.01	3	Horizontal	295	1.50
Mode 3	Pass	AV	15.98128G	45.95	54.00	-8.05	3	Horizontal	119	1.50
Mode 3	Pass	PK	4.7796G	47.47	74.00	-26.53	3	Horizontal	360	1.43
Mode 3	Pass	PK	4.96636G	48.41	74.00	-25.59	3	Horizontal	0	1.68
Mode 3	Pass	PK	7.31028G	53.69	74.00	-20.31	3	Horizontal	354	1.41
Mode 3	Pass	PK	11.39972G	56.82	74.00	-17.18	3	Horizontal	184	1.50
Mode 3	Pass	PK	11.91484G	56.53	74.00	-17.47	3	Horizontal	203	2.32
Mode 3	Pass	PK	12.20396G	57.60	74.00	-16.40	3	Horizontal	295	1.50
Mode 3	Pass	PK	15.97588G	57.73	74.00	-16.27	3	Horizontal	119	1.50
Mode 4	Pass	AV	4.87398G	33.97	54.00	-20.03	3	Vertical	326	1.68
Mode 4	Pass	AV	4.95971G	34.17	54.00	-19.83	3	Vertical	116	1.50
Mode 4	Pass	AV	7.30996G	41.92	54.00	-12.08	3	Vertical	317	1.56
Mode 4	Pass	AV	11.39885G	44.36	54.00	-9.64	3	Vertical	322	2.77
Mode 4	Pass	AV	12.21113G	44.71	54.00	-9.29	3	Vertical	69	1.50
Mode 4	Pass	AV	15.97687G	45.50	54.00	-8.50	3	Vertical	112	1.50
Mode 4	Pass	PK	4.87646G	45.87	74.00	-28.13	3	Vertical	326	1.68
Mode 4	Pass	PK	4.95885G	46.85	74.00	-27.15	3	Vertical	116	1.50
Mode 4	Pass	PK	7.31472G	53.86	74.00	-20.14	3	Vertical	317	1.56
Mode 4	Pass	PK	11.40007G	57.21	74.00	-16.79	3	Vertical	322	2.77
Mode 4	Pass	PK	12.20861G	57.24	74.00	-16.76	3	Vertical	69	1.50
Mode 4	Pass	PK	15.97291G	57.41	74.00	-16.59	3	Vertical	112	1.50
Mode 4	Pass	AV	4.87398G	35.76	54.00	-18.24	3	Horizontal	323	1.42
Mode 4	Pass	AV	4.9617G	34.28	54.00	-19.72	3	Horizontal	288	1.50
Mode 4	Pass	AV	7.31032G	44.48	54.00	-9.52	3	Horizontal	7	2.02
Mode 4	Pass	AV	11.3919G	44.60	54.00	-9.40	3	Horizontal	296	1.05
Mode 4	Pass	AV	12.21245G	44.69	54.00	-9.31	3	Horizontal	24	1.54
Mode 4	Pass	AV	15.9753G	45.55	54.00	-8.45	3	Horizontal	170	1.00
Mode 4	Pass	PK	4.87432G	46.31	74.00	-27.69	3	Horizontal	323	1.42
Mode 4	Pass	PK	4.9566G	46.80	74.00	-27.20	3	Horizontal	288	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 4	Pass	PK	7.31168G	54.81	74.00	-19.19	3	Horizontal	7	2.02
Mode 4	Pass	PK	11.38578G	56.69	74.00	-17.31	3	Horizontal	296	1.05
Mode 4	Pass	PK	12.21075G	57.24	74.00	-16.76	3	Horizontal	24	1.54
Mode 4	Pass	PK	15.97248G	57.73	74.00	-16.27	3	Horizontal	170	1.00
Mode 5	Pass	AV	4.87401G	34.52	54.00	-19.48	3	Vertical	57	1.00
Mode 5	Pass	AV	4.96019G	34.80	54.00	-19.20	3	Vertical	64	1.00
Mode 5	Pass	AV	7.31022G	41.63	54.00	-12.37	3	Vertical	2	1.33
Mode 5	Pass	AV	10.40144G	44.45	68.20	-23.75	3	Vertical	13	3.00
Mode 5	Pass	AV	11.39988G	43.41	54.00	-10.59	3	Vertical	129	1.50
Mode 5	Pass	AV	12.21171G	44.76	54.00	-9.24	3	Vertical	25	1.50
Mode 5	Pass	AV	15.97657G	45.72	54.00	-8.28	3	Vertical	173	2.91
Mode 5	Pass	PK	4.87213G	47.10	74.00	-26.90	3	Vertical	57	1.00
Mode 5	Pass	PK	4.95898G	47.09	74.00	-26.91	3	Vertical	64	1.00
Mode 5	Pass	PK	7.31136G	52.59	74.00	-21.41	3	Vertical	2	1.33
Mode 5	Pass	PK	10.39622G	56.69	88.20	-31.51	3	Vertical	13	3.00
Mode 5	Pass	PK	11.4002G	55.87	74.00	-18.13	3	Vertical	129	1.50
Mode 5	Pass	PK	12.20913G	56.87	74.00	-17.13	3	Vertical	25	1.50
Mode 5	Pass	PK	15.97314G	58.17	74.00	-15.83	3	Vertical	173	2.91
Mode 5	Pass	AV	4.87529G	35.61	54.00	-18.39	3	Horizontal	358	1.61
Mode 5	Pass	AV	4.95972G	36.60	54.00	-17.40	3	Horizontal	356	1.87
Mode 5	Pass	AV	7.31022G	43.51	54.00	-10.49	3	Horizontal	356	1.46
Mode 5	Pass	AV	10.4012G	45.03	68.20	-23.17	3	Horizontal	303	1.46
Mode 5	Pass	AV	11.39927G	43.22	54.00	-10.78	3	Horizontal	98	1.50
Mode 5	Pass	AV	12.20789G	43.90	54.00	-10.10	3	Horizontal	360	1.50
Mode 5	Pass	AV	15.97541G	45.67	54.00	-8.33	3	Horizontal	59	2.34
Mode 5	Pass	PK	4.87344G	48.51	74.00	-25.49	3	Horizontal	358	1.61
Mode 5	Pass	PK	4.95945G	49.41	74.00	-24.59	3	Horizontal	356	1.87
Mode 5	Pass	PK	7.31172G	53.45	74.00	-20.55	3	Horizontal	356	1.46
Mode 5	Pass	PK	10.40558G	57.91	88.20	-30.29	3	Horizontal	303	1.46
Mode 5	Pass	PK	11.39944G	55.18	74.00	-18.82	3	Horizontal	98	1.50
Mode 5	Pass	PK	12.20952G	56.37	74.00	-17.63	3	Horizontal	360	1.50
Mode 5	Pass	PK	15.97312G	57.89	74.00	-16.11	3	Horizontal	59	2.34
Mode 6	Pass	AV	4.87392G	33.90	54.00	-20.10	3	Vertical	327	1.21
Mode 6	Pass	AV	4.96015G	34.59	54.00	-19.41	3	Vertical	63	1.24
Mode 6	Pass	AV	7.31022G	43.59	54.00	-10.41	3	Vertical	357	1.76
Mode 6	Pass	AV	11.39827G	44.82	54.00	-9.18	3	Vertical	345	2.32
Mode 6	Pass	AV	11.91233G	43.53	54.00	-10.47	3	Vertical	168	1.50
Mode 6	Pass	AV	12.21246G	44.86	54.00	-9.14	3	Vertical	23	2.52
Mode 6	Pass	AV	15.97223G	44.51	54.00	-9.49	3	Vertical	207	1.50
Mode 6	Pass	PK	4.87609G	45.85	74.00	-28.15	3	Vertical	327	1.21
Mode 6	Pass	PK	4.96069G	46.60	74.00	-27.40	3	Vertical	63	1.24
Mode 6	Pass	PK	7.31174G	53.25	74.00	-20.75	3	Vertical	357	1.76
Mode 6	Pass	PK	11.39989G	57.04	74.00	-16.96	3	Vertical	345	2.32
Mode 6	Pass	PK	11.91093G	55.97	74.00	-18.03	3	Vertical	168	1.50
Mode 6	Pass	PK	12.20926G	57.59	74.00	-16.41	3	Vertical	23	2.52
Mode 6	Pass	PK	15.97595G	57.13	74.00	-16.87	3	Vertical	207	1.50
Mode 6	Pass	AV	4.87408G	35.68	54.00	-18.32	3	Horizontal	323	1.36
Mode 6	Pass	AV	4.95762G	35.98	54.00	-18.02	3	Horizontal	0	1.95
Mode 6	Pass	AV	7.31026G	44.64	54.00	-9.36	3	Horizontal	354	1.74
Mode 6	Pass	AV	11.39938G	44.43	54.00	-9.57	3	Horizontal	289	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 6	Pass	AV	11.9089G	43.68	54.00	-10.32	3	Horizontal	351	1.50
Mode 6	Pass	AV	12.21145G	44.90	54.00	-9.10	3	Horizontal	24	1.50
Mode 6	Pass	AV	15.97295G	44.51	54.00	-9.49	3	Horizontal	268	1.50
Mode 6	Pass	PK	4.87495G	46.91	74.00	-27.09	3	Horizontal	323	1.36
Mode 6	Pass	PK	4.96237G	49.11	74.00	-24.89	3	Horizontal	0	1.95
Mode 6	Pass	PK	7.31002G	53.94	74.00	-20.06	3	Horizontal	354	1.74
Mode 6	Pass	PK	11.40147G	56.55	74.00	-17.45	3	Horizontal	289	1.50
Mode 6	Pass	PK	11.91246G	55.91	74.00	-18.09	3	Horizontal	351	1.50
Mode 6	Pass	PK	12.2093G	57.28	74.00	-16.72	3	Horizontal	24	1.50
Mode 6	Pass	PK	15.97487G	57.24	74.00	-16.76	3	Horizontal	268	1.50
Mode 7	Pass	AV	4.8778G	33.80	54.00	-20.20	3	Vertical	90	1.88
Mode 7	Pass	AV	4.95368G	34.61	54.00	-19.39	3	Vertical	251	1.50
Mode 7	Pass	AV	10.5186G	45.41	68.20	-22.79	3	Vertical	347	1.00
Mode 7	Pass	AV	11.40328G	42.73	54.00	-11.27	3	Vertical	181	1.50
Mode 7	Pass	AV	12.20244G	42.04	54.00	-11.96	3	Vertical	347	1.50
Mode 7	Pass	AV	15.93844G	34.82	54.00	-19.18	3	Vertical	179	2.54
Mode 7	Pass	PK	4.87604G	46.48	74.00	-27.52	3	Vertical	90	1.88
Mode 7	Pass	PK	4.96768G	46.92	74.00	-27.08	3	Vertical	251	1.50
Mode 7	Pass	PK	10.51412G	57.40	88.20	-30.80	3	Vertical	347	1.00
Mode 7	Pass	PK	11.40368G	54.85	74.00	-19.15	3	Vertical	181	1.50
Mode 7	Pass	PK	12.2018G	54.45	74.00	-19.55	3	Vertical	347	1.50
Mode 7	Pass	PK	15.93676G	47.22	74.00	-26.78	3	Vertical	179	2.54
Mode 7	Pass	AV	4.87812G	33.79	54.00	-20.21	3	Horizontal	214	2.40
Mode 7	Pass	AV	4.96764G	34.72	54.00	-19.28	3	Horizontal	18	2.36
Mode 7	Pass	AV	10.52124G	45.74	68.20	-22.46	3	Horizontal	84	2.44
Mode 7	Pass	AV	11.4056G	43.55	54.00	-10.45	3	Horizontal	56	1.50
Mode 7	Pass	AV	12.20004G	42.00	54.00	-12.00	3	Horizontal	52	1.50
Mode 7	Pass	AV	15.94516G	43.47	54.00	-10.53	3	Horizontal	142	2.21
Mode 7	Pass	PK	4.87744G	45.70	74.00	-28.30	3	Horizontal	214	2.40
Mode 7	Pass	PK	4.96048G	46.45	74.00	-27.55	3	Horizontal	18	2.36
Mode 7	Pass	PK	10.51636G	59.18	88.20	-29.02	3	Horizontal	84	2.44
Mode 7	Pass	PK	11.39612G	55.77	74.00	-18.23	3	Horizontal	56	1.50
Mode 7	Pass	PK	12.21916G	53.82	74.00	-20.18	3	Horizontal	52	1.50
Mode 7	Pass	PK	15.94584G	55.82	74.00	-18.18	3	Horizontal	142	2.21
Mode 8	Pass	AV	7.98384G	39.74	68.20	-28.46	3	Vertical	311	1.72
Mode 8	Pass	AV	10.39256G	44.06	68.20	-24.14	3	Vertical	30	2.06
Mode 8	Pass	AV	10.51884G	46.24	68.20	-21.96	3	Vertical	346	1.00
Mode 8	Pass	AV	11.401G	44.30	54.00	-9.70	3	Vertical	58	1.00
Mode 8	Pass	AV	12.2032G	45.07	54.00	-8.93	3	Vertical	140	1.50
Mode 8	Pass	PK	7.98888G	51.60	88.20	-36.60	3	Vertical	311	1.72
Mode 8	Pass	PK	10.3938G	56.34	88.20	-31.86	3	Vertical	30	2.06
Mode 8	Pass	PK	10.52332G	58.61	88.20	-29.59	3	Vertical	346	1.00
Mode 8	Pass	PK	11.39848G	56.56	74.00	-17.44	3	Vertical	58	1.00
Mode 8	Pass	PK	12.21976G	57.08	74.00	-16.92	3	Vertical	140	1.50
Mode 8	Pass	AV	4.96804G	36.90	54.00	-17.10	3	Horizontal	357	2.12
Mode 8	Pass	AV	7.9882G	39.59	68.20	-28.61	3	Horizontal	66	1.66
Mode 8	Pass	AV	10.40124G	45.05	68.20	-23.15	3	Horizontal	298	1.65
Mode 8	Pass	AV	10.5188G	46.85	68.20	-21.35	3	Horizontal	14	1.30
Mode 8	Pass	AV	11.40176G	44.43	54.00	-9.57	3	Horizontal	303	1.50
Mode 8	Pass	AV	12.20004G	45.31	54.00	-8.69	3	Horizontal	105	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 8	Pass	PK	4.9694G	49.54	74.00	-24.46	3	Horizontal	357	2.12
Mode 8	Pass	PK	7.9816G	52.31	88.20	-35.89	3	Horizontal	66	1.66
Mode 8	Pass	PK	10.40216G	57.38	88.20	-30.82	3	Horizontal	298	1.65
Mode 8	Pass	PK	10.51928G	60.03	88.20	-28.17	3	Horizontal	14	1.30
Mode 8	Pass	PK	11.39304G	56.79	74.00	-17.21	3	Horizontal	303	1.50
Mode 8	Pass	PK	12.20924G	57.67	74.00	-16.33	3	Horizontal	105	1.50
Mode 9	Pass	AV	4.95288G	34.86	54.00	-19.14	3	Vertical	345	2.81
Mode 9	Pass	AV	10.52096G	44.51	68.20	-23.69	3	Vertical	342	1.42
Mode 9	Pass	AV	11.3992G	43.93	54.00	-10.07	3	Vertical	0	1.50
Mode 9	Pass	AV	11.903G	44.40	54.00	-9.60	3	Vertical	351	2.03
Mode 9	Pass	AV	12.20132G	44.79	54.00	-9.21	3	Vertical	50	1.50
Mode 9	Pass	AV	15.97872G	45.42	54.00	-8.58	3	Vertical	330	1.50
Mode 9	Pass	PK	4.95048G	46.81	74.00	-27.19	3	Vertical	345	2.81
Mode 9	Pass	PK	10.51612G	57.01	88.20	-31.19	3	Vertical	342	1.42
Mode 9	Pass	PK	11.39172G	56.41	74.00	-17.59	3	Vertical	0	1.50
Mode 9	Pass	PK	11.91168G	56.48	74.00	-17.52	3	Vertical	351	2.03
Mode 9	Pass	PK	12.21276G	56.92	74.00	-17.08	3	Vertical	50	1.50
Mode 9	Pass	PK	15.97148G	57.92	74.00	-16.08	3	Vertical	330	1.50
Mode 9	Pass	AV	4.95192G	34.78	54.00	-19.22	3	Horizontal	12	2.60
Mode 9	Pass	AV	10.52144G	46.64	68.20	-21.56	3	Horizontal	88	2.44
Mode 9	Pass	AV	11.40072G	43.99	54.00	-10.01	3	Horizontal	27	1.50
Mode 9	Pass	AV	11.90188G	44.25	54.00	-9.75	3	Horizontal	343	3.00
Mode 9	Pass	AV	12.20248G	45.04	54.00	-8.96	3	Horizontal	67	1.94
Mode 9	Pass	AV	15.9786G	45.52	54.00	-8.48	3	Horizontal	155	1.50
Mode 9	Pass	PK	4.95312G	47.36	74.00	-26.64	3	Horizontal	12	2.60
Mode 9	Pass	PK	10.52096G	58.97	88.20	-29.23	3	Horizontal	88	2.44
Mode 9	Pass	PK	11.39892G	56.57	74.00	-17.43	3	Horizontal	27	1.50
Mode 9	Pass	PK	11.90104G	56.56	74.00	-17.44	3	Horizontal	343	3.00
Mode 9	Pass	PK	12.20292G	56.66	74.00	-17.34	3	Horizontal	67	1.94
Mode 9	Pass	PK	15.9832G	57.71	74.00	-16.29	3	Horizontal	155	1.50
Mode 10	Pass	AV	4.87668G	33.56	54.00	-20.44	3	Vertical	227	1.50
Mode 10	Pass	AV	4.95412G	34.28	54.00	-19.72	3	Vertical	191	1.50
Mode 10	Pass	AV	10.51868G	45.51	68.20	-22.69	3	Vertical	347	1.00
Mode 10	Pass	AV	11.40444G	43.83	54.00	-10.17	3	Vertical	220	1.50
Mode 10	Pass	AV	12.2176G	44.81	54.00	-9.19	3	Vertical	325	1.86
Mode 10	Pass	AV	15.96912G	45.52	54.00	-8.48	3	Vertical	93	1.39
Mode 10	Pass	PK	4.866G	45.74	74.00	-28.26	3	Vertical	227	1.50
Mode 10	Pass	PK	4.95288G	46.55	74.00	-27.45	3	Vertical	191	1.50
Mode 10	Pass	PK	10.52332G	58.25	88.20	-29.95	3	Vertical	347	1.00
Mode 10	Pass	PK	11.39024G	56.55	74.00	-17.45	3	Vertical	220	1.50
Mode 10	Pass	PK	12.20404G	56.79	74.00	-17.21	3	Vertical	325	1.86
Mode 10	Pass	PK	15.9726G	58.27	74.00	-15.73	3	Vertical	93	1.39
Mode 10	Pass	AV	4.8754G	33.49	54.00	-20.51	3	Horizontal	43	1.50
Mode 10	Pass	AV	4.9518G	34.38	54.00	-19.62	3	Horizontal	354	2.11
Mode 10	Pass	AV	10.51876G	47.24	68.20	-20.96	3	Horizontal	71	2.07
Mode 10	Pass	AV	11.39044G	44.00	54.00	-10.00	3	Horizontal	12	2.84
Mode 10	Pass	AV	12.20064G	45.12	54.00	-8.88	3	Horizontal	15	2.94
Mode 10	Pass	AV	15.9738G	45.43	54.00	-8.57	3	Horizontal	328	1.50
Mode 10	Pass	PK	4.88172G	45.50	74.00	-28.50	3	Horizontal	43	1.50
Mode 10	Pass	PK	4.96012G	46.56	74.00	-27.44	3	Horizontal	354	2.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 10	Pass	PK	10.52464G	59.47	88.20	-28.73	3	Horizontal	71	2.07
Mode 10	Pass	PK	11.3998G	56.36	74.00	-17.64	3	Horizontal	12	2.84
Mode 10	Pass	PK	12.21776G	57.13	74.00	-16.87	3	Horizontal	15	2.94
Mode 10	Pass	PK	15.97156G	58.67	74.00	-15.33	3	Horizontal	328	1.50
Mode 11	Pass	AV	4.9504G	34.84	54.00	-19.16	3	Vertical	56	1.20
Mode 11	Pass	AV	10.40107G	44.14	68.20	-24.06	3	Vertical	354	2.07
Mode 11	Pass	AV	10.52102G	44.17	68.20	-24.03	3	Vertical	356	1.28
Mode 11	Pass	AV	11.40167G	43.78	54.00	-10.22	3	Vertical	290	1.50
Mode 11	Pass	AV	12.21078G	43.84	54.00	-10.16	3	Vertical	57	1.50
Mode 11	Pass	AV	15.97434G	45.41	54.00	-8.59	3	Vertical	63	2.25
Mode 11	Pass	PK	4.9634G	47.22	74.00	-26.78	3	Vertical	56	1.20
Mode 11	Pass	PK	10.39914G	56.37	88.20	-31.83	3	Vertical	354	2.07
Mode 11	Pass	PK	10.52078G	56.57	88.20	-31.63	3	Vertical	356	1.28
Mode 11	Pass	PK	11.40146G	56.13	74.00	-17.87	3	Vertical	290	1.50
Mode 11	Pass	PK	12.21011G	55.97	74.00	-18.03	3	Vertical	57	1.50
Mode 11	Pass	PK	15.97308G	57.24	74.00	-16.76	3	Vertical	63	2.25
Mode 11	Pass	AV	4.96968G	36.84	54.00	-17.16	3	Horizontal	360	1.81
Mode 11	Pass	AV	10.40109G	44.90	68.20	-23.30	3	Horizontal	308	1.62
Mode 11	Pass	AV	10.51868G	45.20	68.20	-23.00	3	Horizontal	11	2.44
Mode 11	Pass	AV	11.40161G	43.61	54.00	-10.39	3	Horizontal	113	1.29
Mode 11	Pass	AV	12.2083G	43.96	54.00	-10.04	3	Horizontal	24	1.49
Mode 11	Pass	AV	15.98046G	45.37	54.00	-8.63	3	Horizontal	173	2.71
Mode 11	Pass	PK	4.96916G	49.83	74.00	-24.17	3	Horizontal	360	1.81
Mode 11	Pass	PK	10.40161G	57.68	88.20	-30.52	3	Horizontal	308	1.62
Mode 11	Pass	PK	10.51874G	56.88	88.20	-31.32	3	Horizontal	11	2.44
Mode 11	Pass	PK	11.40065G	55.84	74.00	-18.16	3	Horizontal	113	1.29
Mode 11	Pass	PK	12.20891G	56.16	74.00	-17.84	3	Horizontal	24	1.49
Mode 11	Pass	PK	15.97205G	57.53	74.00	-16.47	3	Horizontal	173	2.71
Mode 12	Pass	AV	4.96212G	34.26	54.00	-19.74	3	Vertical	8	1.50
Mode 12	Pass	AV	10.51874G	45.28	68.20	-22.92	3	Vertical	12	2.46
Mode 12	Pass	AV	11.40026G	43.56	54.00	-10.44	3	Vertical	53	2.63
Mode 12	Pass	AV	11.9112G	43.30	54.00	-10.70	3	Vertical	356	1.50
Mode 12	Pass	AV	12.195G	43.48	54.00	-10.52	3	Vertical	358	1.50
Mode 12	Pass	AV	15.97603G	44.96	54.00	-9.04	3	Vertical	4	2.33
Mode 12	Pass	PK	4.96165G	46.73	74.00	-27.27	3	Vertical	8	1.50
Mode 12	Pass	PK	10.51862G	57.52	88.20	-30.68	3	Vertical	12	2.46
Mode 12	Pass	PK	11.40156G	55.63	74.00	-18.37	3	Vertical	53	2.63
Mode 12	Pass	PK	11.9107G	56.33	74.00	-17.67	3	Vertical	356	1.50
Mode 12	Pass	PK	12.19548G	55.64	74.00	-18.36	3	Vertical	358	1.50
Mode 12	Pass	PK	15.97543G	57.09	74.00	-16.91	3	Vertical	4	2.33
Mode 12	Pass	AV	4.95758G	35.70	54.00	-18.30	3	Horizontal	357	1.79
Mode 12	Pass	AV	10.51892G	45.24	68.20	-22.96	3	Horizontal	11	2.46
Mode 12	Pass	AV	11.39888G	43.51	54.00	-10.49	3	Horizontal	125	1.50
Mode 12	Pass	AV	11.90832G	43.34	54.00	-10.66	3	Horizontal	0	1.50
Mode 12	Pass	AV	12.20987G	43.38	54.00	-10.62	3	Horizontal	168	1.50
Mode 12	Pass	AV	15.97266G	45.10	54.00	-8.90	3	Horizontal	241	1.41
Mode 12	Pass	PK	4.95902G	47.82	74.00	-26.18	3	Horizontal	357	1.79
Mode 12	Pass	PK	10.51868G	57.29	88.20	-30.91	3	Horizontal	11	2.46
Mode 12	Pass	PK	11.39785G	56.07	74.00	-17.93	3	Horizontal	125	1.50
Mode 12	Pass	PK	11.91162G	55.84	74.00	-18.16	3	Horizontal	0	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 12	Pass	PK	12.21102G	55.41	74.00	-18.59	3	Horizontal	168	1.50
Mode 12	Pass	PK	15.97352G	57.12	74.00	-16.88	3	Horizontal	241	1.41
Mode 13	Pass	AV	4.8777G	33.76	54.00	-20.24	3	Vertical	252	1.50
Mode 13	Pass	AV	4.95628G	34.28	54.00	-19.72	3	Vertical	109	1.50
Mode 13	Pass	AV	7.31013G	39.75	54.00	-14.25	3	Vertical	65	1.02
Mode 13	Pass	AV	11.39628G	44.36	54.00	-9.64	3	Vertical	16	2.44
Mode 13	Pass	AV	12.2172G	45.19	54.00	-8.81	3	Vertical	188	2.46
Mode 13	Pass	AV	13.635G	49.59	68.20	-18.61	3	Vertical	328	2.91
Mode 13	Pass	AV	15.97998G	45.40	54.00	-8.60	3	Vertical	14	1.69
Mode 13	Pass	PK	4.87352G	46.17	74.00	-27.83	3	Vertical	252	1.50
Mode 13	Pass	PK	4.95716G	46.67	74.00	-27.33	3	Vertical	109	1.50
Mode 13	Pass	PK	7.31229G	53.00	74.00	-21.00	3	Vertical	65	1.02
Mode 13	Pass	PK	11.38974G	56.19	74.00	-17.81	3	Vertical	16	2.44
Mode 13	Pass	PK	12.22416G	56.93	74.00	-17.07	3	Vertical	188	2.46
Mode 13	Pass	PK	13.64256G	60.70	88.20	-27.50	3	Vertical	328	2.91
Mode 13	Pass	PK	15.97008G	58.11	74.00	-15.89	3	Vertical	14	1.69
Mode 13	Pass	AV	4.87894G	33.87	54.00	-20.13	3	Horizontal	142	1.23
Mode 13	Pass	AV	4.95528G	34.30	54.00	-19.70	3	Horizontal	234	1.50
Mode 13	Pass	AV	7.2898G	39.70	54.00	-14.30	3	Horizontal	355	1.83
Mode 13	Pass	AV	11.39502G	44.29	54.00	-9.71	3	Horizontal	287	2.32
Mode 13	Pass	AV	12.1962G	45.13	54.00	-8.87	3	Horizontal	85	1.50
Mode 13	Pass	AV	13.635G	51.57	68.20	-16.63	3	Horizontal	320	1.02
Mode 13	Pass	AV	15.9789G	45.48	54.00	-8.52	3	Horizontal	356	3.00
Mode 13	Pass	PK	4.8769G	46.66	74.00	-27.34	3	Horizontal	142	1.23
Mode 13	Pass	PK	4.95648G	46.15	74.00	-27.85	3	Horizontal	234	1.50
Mode 13	Pass	PK	7.3175G	51.87	74.00	-22.13	3	Horizontal	355	1.83
Mode 13	Pass	PK	11.394G	56.51	74.00	-17.49	3	Horizontal	287	2.32
Mode 13	Pass	PK	12.20028G	57.78	74.00	-16.22	3	Horizontal	85	1.50
Mode 13	Pass	PK	13.66248G	63.52	88.20	-24.68	3	Horizontal	320	1.02
Mode 13	Pass	PK	15.9786G	57.42	74.00	-16.58	3	Horizontal	356	3.00
Mode 14	Pass	AV	4.95448G	33.99	54.00	-20.01	3	Vertical	61	1.00
Mode 14	Pass	AV	10.40112G	45.01	68.20	-23.19	3	Vertical	356	1.25
Mode 14	Pass	AV	11.39708G	44.56	54.00	-9.44	3	Vertical	153	1.92
Mode 14	Pass	AV	12.21872G	45.18	54.00	-8.82	3	Vertical	360	1.50
Mode 14	Pass	AV	13.64628G	47.07	68.20	-21.13	3	Vertical	330	2.77
Mode 14	Pass	AV	15.9802G	45.32	54.00	-8.68	3	Vertical	72	1.50
Mode 14	Pass	PK	4.95844G	46.24	74.00	-27.76	3	Vertical	61	1.00
Mode 14	Pass	PK	10.40256G	57.66	88.20	-30.54	3	Vertical	356	1.25
Mode 14	Pass	PK	11.39288G	56.92	74.00	-17.08	3	Vertical	153	1.92
Mode 14	Pass	PK	12.20988G	58.51	74.00	-15.49	3	Vertical	360	1.50
Mode 14	Pass	PK	13.6438G	60.01	88.20	-28.19	3	Vertical	330	2.77
Mode 14	Pass	PK	15.96504G	57.71	74.00	-16.29	3	Vertical	72	1.50
Mode 14	Pass	AV	4.97G	35.64	54.00	-18.36	3	Horizontal	7	1.39
Mode 14	Pass	AV	10.40112G	45.85	68.20	-22.35	3	Horizontal	58	1.59
Mode 14	Pass	AV	11.39396G	44.64	54.00	-9.36	3	Horizontal	194	1.50
Mode 14	Pass	AV	12.2004G	45.26	54.00	-8.74	3	Horizontal	314	1.50
Mode 14	Pass	AV	13.64884G	47.06	68.20	-21.14	3	Horizontal	127	1.50
Mode 14	Pass	AV	15.98276G	45.43	54.00	-8.57	3	Horizontal	227	3.00
Mode 14	Pass	PK	4.95972G	48.50	74.00	-25.50	3	Horizontal	7	1.39
Mode 14	Pass	PK	10.39628G	57.71	88.20	-30.49	3	Horizontal	58	1.59

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 14	Pass	PK	11.3962G	57.03	74.00	-16.97	3	Horizontal	194	1.50
Mode 14	Pass	PK	12.20208G	57.61	74.00	-16.39	3	Horizontal	314	1.50
Mode 14	Pass	PK	13.65812G	59.29	88.20	-28.91	3	Horizontal	127	1.50
Mode 14	Pass	PK	15.98064G	58.33	74.00	-15.67	3	Horizontal	227	3.00
Mode 15	Pass	AV	4.97464G	34.93	54.00	-19.07	3	Vertical	24	1.85
Mode 15	Pass	AV	11.39956G	44.79	54.00	-9.21	3	Vertical	240	1.50
Mode 15	Pass	AV	11.92242G	44.16	54.00	-9.84	3	Vertical	360	1.99
Mode 15	Pass	AV	12.2094G	44.83	54.00	-9.17	3	Vertical	119	1.50
Mode 15	Pass	AV	13.65143G	47.01	68.20	-21.19	3	Vertical	291	1.50
Mode 15	Pass	AV	15.97212G	45.94	54.00	-8.06	3	Vertical	93	1.49
Mode 15	Pass	PK	4.95862G	47.16	74.00	-26.84	3	Vertical	24	1.85
Mode 15	Pass	PK	11.3991G	56.89	74.00	-17.11	3	Vertical	240	1.50
Mode 15	Pass	PK	11.91888G	56.32	74.00	-17.68	3	Vertical	360	1.99
Mode 15	Pass	PK	12.21043G	57.55	74.00	-16.45	3	Vertical	119	1.50
Mode 15	Pass	PK	13.64842G	59.50	88.20	-28.70	3	Vertical	291	1.50
Mode 15	Pass	PK	15.97818G	57.91	74.00	-16.09	3	Vertical	93	1.49
Mode 15	Pass	AV	4.975G	36.25	54.00	-17.75	3	Horizontal	9	1.71
Mode 15	Pass	AV	11.39919G	44.81	54.00	-9.19	3	Horizontal	294	1.33
Mode 15	Pass	AV	11.89716G	44.20	54.00	-9.80	3	Horizontal	167	1.50
Mode 15	Pass	AV	12.21012G	45.01	54.00	-8.99	3	Horizontal	337	1.50
Mode 15	Pass	AV	13.64805G	46.92	68.20	-21.28	3	Horizontal	316	1.74
Mode 15	Pass	AV	15.97677G	45.87	54.00	-8.13	3	Horizontal	357	1.50
Mode 15	Pass	PK	4.95934G	48.74	74.00	-25.26	3	Horizontal	9	1.71
Mode 15	Pass	PK	11.40077G	57.53	74.00	-16.47	3	Horizontal	294	1.33
Mode 15	Pass	PK	11.90086G	56.13	74.00	-17.87	3	Horizontal	167	1.50
Mode 15	Pass	PK	12.20913G	57.24	74.00	-16.76	3	Horizontal	337	1.50
Mode 15	Pass	PK	13.64777G	58.93	88.20	-29.27	3	Horizontal	316	1.74
Mode 15	Pass	PK	15.97214G	58.78	74.00	-15.22	3	Horizontal	357	1.50
Mode 16	Pass	AV	4.87412G	34.00	54.00	-20.00	3	Vertical	44	1.50
Mode 16	Pass	AV	4.97254G	34.86	54.00	-19.14	3	Vertical	52	1.00
Mode 16	Pass	AV	7.31022G	40.05	54.00	-13.95	3	Vertical	57	2.26
Mode 16	Pass	AV	11.40042G	44.85	54.00	-9.15	3	Vertical	198	2.36
Mode 16	Pass	AV	12.19716G	45.44	54.00	-8.56	3	Vertical	4	2.14
Mode 16	Pass	AV	13.65056G	46.94	68.20	-21.26	3	Vertical	110	1.50
Mode 16	Pass	AV	15.97686G	45.84	54.00	-8.16	3	Vertical	62	2.57
Mode 16	Pass	PK	4.87542G	46.20	74.00	-27.80	3	Vertical	44	1.50
Mode 16	Pass	PK	4.9636G	47.00	74.00	-27.00	3	Vertical	52	1.00
Mode 16	Pass	PK	7.30302G	52.32	74.00	-21.68	3	Vertical	57	2.26
Mode 16	Pass	PK	11.40318G	56.77	74.00	-17.23	3	Vertical	198	2.36
Mode 16	Pass	PK	12.2133G	57.17	74.00	-16.83	3	Vertical	4	2.14
Mode 16	Pass	PK	13.64964G	58.95	88.20	-29.25	3	Vertical	110	1.50
Mode 16	Pass	PK	15.97538G	58.10	74.00	-15.90	3	Vertical	62	2.57
Mode 16	Pass	AV	4.88738G	33.99	54.00	-20.01	3	Horizontal	282	2.49
Mode 16	Pass	AV	4.96002G	34.78	54.00	-19.22	3	Horizontal	188	1.50
Mode 16	Pass	AV	7.30875G	39.87	54.00	-14.13	3	Horizontal	310	2.47
Mode 16	Pass	AV	11.40012G	44.77	54.00	-9.23	3	Horizontal	200	1.50
Mode 16	Pass	AV	12.19716G	45.21	54.00	-8.79	3	Horizontal	20	1.50
Mode 16	Pass	AV	13.65058G	46.96	68.20	-21.24	3	Horizontal	276	2.23
Mode 16	Pass	AV	15.97562G	45.94	54.00	-8.06	3	Horizontal	126	1.90
Mode 16	Pass	PK	4.86446G	46.04	74.00	-27.96	3	Horizontal	282	2.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 16	Pass	PK	4.95915G	47.77	74.00	-26.23	3	Horizontal	188	1.50
Mode 16	Pass	PK	7.30897G	52.79	74.00	-21.21	3	Horizontal	310	2.47
Mode 16	Pass	PK	11.39798G	57.30	74.00	-16.70	3	Horizontal	200	1.50
Mode 16	Pass	PK	12.21564G	57.15	74.00	-16.85	3	Horizontal	20	1.50
Mode 16	Pass	PK	13.64768G	59.30	88.20	-28.90	3	Horizontal	276	2.23
Mode 16	Pass	PK	15.97629G	58.11	74.00	-15.89	3	Horizontal	126	1.90
Mode 17	Pass	AV	4.96103G	34.71	54.00	-19.29	3	Vertical	300	1.49
Mode 17	Pass	AV	10.40114G	45.43	68.20	-22.77	3	Vertical	62	1.56
Mode 17	Pass	AV	11.40041G	44.84	54.00	-9.16	3	Vertical	8	1.50
Mode 17	Pass	AV	12.20982G	44.74	54.00	-9.26	3	Vertical	43	1.33
Mode 17	Pass	AV	13.652G	47.37	68.20	-20.83	3	Vertical	323	1.50
Mode 17	Pass	AV	15.97553G	45.77	54.00	-8.23	3	Vertical	303	1.18
Mode 17	Pass	PK	4.96015G	47.27	74.00	-26.73	3	Vertical	300	1.49
Mode 17	Pass	PK	10.39874G	58.02	88.20	-30.18	3	Vertical	62	1.56
Mode 17	Pass	PK	11.3997G	56.78	74.00	-17.22	3	Vertical	8	1.50
Mode 17	Pass	PK	12.20912G	56.98	74.00	-17.02	3	Vertical	43	1.33
Mode 17	Pass	PK	13.64925G	61.02	88.20	-27.18	3	Vertical	323	1.50
Mode 17	Pass	PK	15.97333G	57.97	74.00	-16.03	3	Vertical	303	1.18
Mode 17	Pass	AV	4.95809G	36.11	54.00	-17.89	3	Horizontal	8	1.62
Mode 17	Pass	AV	10.40127G	45.48	68.20	-22.72	3	Horizontal	62	1.56
Mode 17	Pass	AV	11.39977G	44.71	54.00	-9.29	3	Horizontal	356	1.50
Mode 17	Pass	AV	12.20782G	44.89	54.00	-9.11	3	Horizontal	357	1.50
Mode 17	Pass	AV	13.64786G	49.42	68.20	-18.78	3	Horizontal	55	1.37
Mode 17	Pass	AV	15.97689G	45.74	54.00	-8.26	3	Horizontal	31	1.50
Mode 17	Pass	PK	4.95925G	48.97	74.00	-25.03	3	Horizontal	8	1.62
Mode 17	Pass	PK	10.40188G	58.03	88.20	-30.17	3	Horizontal	62	1.56
Mode 17	Pass	PK	11.39863G	57.06	74.00	-16.94	3	Horizontal	356	1.50
Mode 17	Pass	PK	12.21189G	57.10	74.00	-16.90	3	Horizontal	357	1.50
Mode 17	Pass	PK	13.65057G	63.83	88.20	-24.37	3	Horizontal	55	1.37
Mode 17	Pass	PK	15.97271G	58.06	74.00	-15.94	3	Horizontal	31	1.50
Mode 18	Pass	AV	4.96069G	34.78	54.00	-19.22	3	Vertical	302	1.50
Mode 18	Pass	AV	11.39922G	44.78	54.00	-9.22	3	Vertical	269	1.39
Mode 18	Pass	AV	11.90923G	43.94	54.00	-10.06	3	Vertical	55	1.49
Mode 18	Pass	AV	12.21116G	44.69	54.00	-9.31	3	Vertical	209	1.87
Mode 18	Pass	AV	13.64757G	46.82	68.20	-21.38	3	Vertical	325	1.59
Mode 18	Pass	AV	15.97666G	45.92	54.00	-8.08	3	Vertical	294	1.94
Mode 18	Pass	PK	4.95962G	47.10	74.00	-26.90	3	Vertical	302	1.50
Mode 18	Pass	PK	11.40164G	57.03	74.00	-16.97	3	Vertical	269	1.39
Mode 18	Pass	PK	11.91228G	56.63	74.00	-17.37	3	Vertical	55	1.49
Mode 18	Pass	PK	12.21058G	56.33	74.00	-17.67	3	Vertical	209	1.87
Mode 18	Pass	PK	13.65158G	59.21	88.20	-28.99	3	Vertical	325	1.59
Mode 18	Pass	PK	15.97611G	57.34	74.00	-16.66	3	Vertical	294	1.94
Mode 18	Pass	AV	4.96029G	36.11	54.00	-17.89	3	Horizontal	6	1.74
Mode 18	Pass	AV	11.39769G	44.97	54.00	-9.03	3	Horizontal	39	1.49
Mode 18	Pass	AV	11.90838G	43.90	54.00	-10.10	3	Horizontal	124	2.22
Mode 18	Pass	AV	12.21168G	44.47	54.00	-9.53	3	Horizontal	75	2.12
Mode 18	Pass	AV	13.65067G	46.65	68.20	-21.55	3	Horizontal	191	2.91
Mode 18	Pass	AV	15.97303G	45.69	54.00	-8.31	3	Horizontal	64	2.57
Mode 18	Pass	PK	4.95791G	48.57	74.00	-25.43	3	Horizontal	6	1.74
Mode 18	Pass	PK	11.39839G	56.74	74.00	-17.26	3	Horizontal	39	1.49




Co-Location

Appendix F


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 18	Pass	PK	11.90948G	56.94	74.00	-17.06	3	Horizontal	124	2.22
Mode 18	Pass	PK	12.21133G	56.35	74.00	-17.65	3	Horizontal	75	2.12
Mode 18	Pass	PK	13.65227G	58.49	88.20	-29.71	3	Horizontal	191	2.91
Mode 18	Pass	PK	15.97462G	57.90	74.00	-16.10	3	Horizontal	64	2.57

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87402G	36.06	54.00	-17.94	5.53	3	Vertical	20	1.22	30.53	32.85	7.10	34.42
AV	4.96052G	34.31	54.00	-19.69	6.00	3	Vertical	156	1.50	28.31	33.24	7.16	34.40
AV	7.31292G	39.82	54.00	-14.18	10.74	3	Vertical	308	1.64	29.08	36.97	8.70	34.93
AV	11.3968G	44.02	54.00	-9.98	16.37	3	Vertical	54	2.44	27.65	39.31	10.81	33.75
AV	12.195G	44.75	54.00	-9.25	16.90	3	Vertical	159	1.50	27.85	39.40	11.09	33.59
AV	15.98364G	45.51	54.00	-8.49	17.40	3	Vertical	180	1.50	28.11	38.03	13.13	33.76
PK	4.87405G	47.66	74.00	-26.34	5.53	3	Vertical	20	1.22	42.13	32.85	7.10	34.42
PK	4.96102G	46.69	74.00	-27.31	6.00	3	Vertical	156	1.50	40.69	33.24	7.16	34.40
PK	7.31082G	52.14	74.00	-21.86	10.76	3	Vertical	308	1.64	41.38	36.98	8.70	34.92
PK	11.39212G	56.41	74.00	-17.59	16.39	3	Vertical	54	2.44	40.02	39.33	10.81	33.75
PK	12.22164G	57.90	74.00	-16.10	16.93	3	Vertical	159	1.50	40.97	39.40	11.10	33.57
PK	15.98012G	58.04	74.00	-15.96	17.41	3	Vertical	180	1.50	40.63	38.04	13.13	33.76

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87403G	44.54	54.00	-9.46	5.53	3	Horizontal	66	2.01	39.01	32.85	7.10	34.42
AV	4.96053G	34.23	54.00	-19.77	6.00	3	Horizontal	13	1.50	28.23	33.24	7.16	34.40
AV	7.30962G	39.92	54.00	-14.08	10.76	3	Horizontal	69	1.75	29.16	36.98	8.70	34.92
AV	11.39908G	44.00	54.00	-10.00	16.36	3	Horizontal	110	1.50	27.64	39.30	10.81	33.75
AV	12.21009G	44.76	54.00	-9.24	16.92	3	Horizontal	342	2.27	27.84	39.40	11.09	33.57
AV	15.97333G	45.55	54.00	-8.45	17.42	3	Horizontal	281	2.64	28.13	38.05	13.13	33.76
PK	4.87396G	51.24	74.00	-22.76	5.53	3	Horizontal	66	2.01	45.71	32.85	7.10	34.42
PK	4.95849G	46.63	74.00	-27.37	5.99	3	Horizontal	13	1.50	40.64	33.23	7.16	34.40
PK	7.30942G	52.60	74.00	-21.40	10.76	3	Horizontal	69	1.75	41.84	36.98	8.70	34.92
PK	11.39794G	57.16	74.00	-16.84	16.37	3	Horizontal	110	1.50	40.79	39.31	10.81	33.75
PK	12.21225G	57.26	74.00	-16.74	16.93	3	Horizontal	342	2.27	40.33	39.40	11.10	33.57
PK	15.97589G	58.00	74.00	-16.00	17.42	3	Horizontal	281	2.64	40.58	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.874G	35.56	54.00	-18.44	5.53	3	Vertical	330	2.32	30.03	32.85	7.10	34.42
AV	4.96736G	35.28	54.00	-18.72	6.04	3	Vertical	47	1.00	29.24	33.27	7.17	34.40
AV	7.31016G	42.60	54.00	-11.40	10.76	3	Vertical	360	1.76	31.84	36.98	8.70	34.92
AV	10.39786G	43.13	68.20	-25.07	15.53	3	Vertical	122	1.50	27.60	38.90	10.54	33.91
AV	11.39456G	43.94	54.00	-10.06	16.38	3	Vertical	146	1.92	27.56	39.32	10.81	33.75
AV	12.21222G	44.37	54.00	-9.63	16.93	3	Vertical	291	2.92	27.44	39.40	11.10	33.57
AV	15.97599G	45.43	54.00	-8.57	17.42	3	Vertical	241	3.00	28.01	38.05	13.13	33.76
PK	4.8744G	47.64	74.00	-26.36	5.53	3	Vertical	330	2.32	42.11	32.85	7.10	34.42
PK	4.96956G	47.98	74.00	-26.02	6.05	3	Vertical	47	1.00	41.93	33.28	7.17	34.40
PK	7.30904G	53.46	74.00	-20.54	10.76	3	Vertical	360	1.76	42.70	36.98	8.70	34.92
PK	10.4033G	55.43	88.20	-32.77	15.54	3	Vertical	122	1.50	39.89	38.90	10.54	33.90
PK	11.40484G	56.29	74.00	-17.71	16.34	3	Vertical	146	1.92	39.95	39.28	10.81	33.75
PK	12.20828G	56.75	74.00	-17.25	16.91	3	Vertical	291	2.92	39.84	39.40	11.09	33.58
PK	15.97293G	57.99	74.00	-16.01	17.42	3	Vertical	241	3.00	40.57	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87412G	36.26	54.00	-17.74	5.53	3	Horizontal	356	2.00	30.73	32.85	7.10	34.42
AV	4.9538G	37.07	54.00	-16.93	5.98	3	Horizontal	356	1.78	31.09	33.22	7.16	34.40
AV	7.31168G	42.68	54.00	-11.32	10.76	3	Horizontal	345	1.90	31.92	36.98	8.70	34.92
AV	10.40138G	44.83	68.20	-23.37	15.53	3	Horizontal	306	1.65	29.30	38.90	10.54	33.91
AV	11.40041G	43.97	54.00	-10.03	16.36	3	Horizontal	303	1.50	27.61	39.30	10.81	33.75
AV	12.21174G	44.77	54.00	-9.23	16.92	3	Horizontal	32	1.36	27.85	39.40	11.09	33.57
AV	15.97226G	45.47	54.00	-8.53	17.43	3	Horizontal	123	1.71	28.04	38.06	13.13	33.76
PK	4.88756G	49.19	74.00	-24.81	5.58	3	Horizontal	356	2.00	43.61	32.88	7.11	34.41
PK	4.956G	50.11	74.00	-23.89	5.98	3	Horizontal	356	1.78	44.13	33.22	7.16	34.40
PK	7.31116G	53.56	74.00	-20.44	10.76	3	Horizontal	345	1.90	42.80	36.98	8.70	34.92
PK	10.4032G	57.21	88.20	-30.99	15.54	3	Horizontal	306	1.65	41.67	38.90	10.54	33.90
PK	11.40216G	56.39	74.00	-17.61	16.35	3	Horizontal	303	1.50	40.04	39.29	10.81	33.75
PK	12.21186G	57.00	74.00	-17.00	16.92	3	Horizontal	32	1.36	40.08	39.40	11.09	33.57
PK	15.97518G	57.85	74.00	-16.15	17.42	3	Horizontal	123	1.71	40.43	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.77568G	33.66	54.00	-20.34	4.84	3	Vertical	43	1.50	28.82	32.25	7.02	34.43
AV	4.95148G	34.71	54.00	-19.29	5.96	3	Vertical	41	2.48	28.75	33.21	7.15	34.40
AV	7.31184G	41.91	54.00	-12.09	10.76	3	Vertical	3	1.24	31.15	36.98	8.70	34.92
AV	11.39088G	44.16	54.00	-9.84	16.40	3	Vertical	62	1.50	27.76	39.34	10.81	33.75
AV	11.90224G	44.07	54.00	-9.93	16.11	3	Vertical	194	1.50	27.96	38.90	10.94	33.73
AV	12.2G	44.86	54.00	-9.14	16.91	3	Vertical	36	1.50	27.95	39.40	11.09	33.58
AV	15.97736G	45.83	54.00	-8.17	17.42	3	Vertical	314	1.50	28.41	38.05	13.13	33.76
PK	4.79252G	46.39	74.00	-27.61	4.96	3	Vertical	43	1.50	41.43	32.36	7.03	34.43
PK	4.95388G	46.92	74.00	-27.08	5.98	3	Vertical	41	2.48	40.94	33.22	7.16	34.40
PK	7.31032G	52.82	74.00	-21.18	10.76	3	Vertical	3	1.24	42.06	36.98	8.70	34.92
PK	11.39668G	56.59	74.00	-17.41	16.37	3	Vertical	62	1.50	40.22	39.31	10.81	33.75
PK	11.91772G	56.04	74.00	-17.96	16.16	3	Vertical	194	1.50	39.88	38.94	10.95	33.73
PK	12.21836G	57.07	74.00	-16.93	16.93	3	Vertical	36	1.50	40.14	39.40	11.10	33.57
PK	15.98288G	57.89	74.00	-16.11	17.40	3	Vertical	314	1.50	40.49	38.03	13.13	33.76

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.79388G	39.54	54.00	-14.46	4.97	3	Horizontal	360	1.43	34.57	32.36	7.04	34.43
AV	4.9514G	36.12	54.00	-17.88	5.96	3	Horizontal	0	1.68	30.16	33.21	7.15	34.40
AV	7.31164G	43.45	54.00	-10.55	10.76	3	Horizontal	354	1.41	32.69	36.98	8.70	34.92
AV	11.40084G	44.28	54.00	-9.72	16.36	3	Horizontal	184	1.50	27.92	39.30	10.81	33.75
AV	11.91976G	44.15	54.00	-9.85	16.16	3	Horizontal	203	2.32	27.99	38.94	10.95	33.73
AV	12.20116G	44.99	54.00	-9.01	16.91	3	Horizontal	295	1.50	28.08	39.40	11.09	33.58
AV	15.98128G	45.95	54.00	-8.05	17.41	3	Horizontal	119	1.50	28.54	38.04	13.13	33.76
PK	4.7796G	47.47	74.00	-26.53	4.87	3	Horizontal	360	1.43	42.60	32.28	7.02	34.43
PK	4.96636G	48.41	74.00	-25.59	6.03	3	Horizontal	0	1.68	42.38	33.27	7.16	34.40
PK	7.31028G	53.69	74.00	-20.31	10.76	3	Horizontal	354	1.41	42.93	36.98	8.70	34.92
PK	11.39972G	56.82	74.00	-17.18	16.36	3	Horizontal	184	1.50	40.46	39.30	10.81	33.75
PK	11.91484G	56.53	74.00	-17.47	16.15	3	Horizontal	203	2.32	40.38	38.93	10.95	33.73
PK	12.20396G	57.60	74.00	-16.40	16.91	3	Horizontal	295	1.50	40.69	39.40	11.09	33.58
PK	15.97588G	57.73	74.00	-16.27	17.42	3	Horizontal	119	1.50	40.31	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87398G	33.97	54.00	-20.03	5.53	3	Vertical	326	1.68	28.44	32.85	7.10	34.42
AV	4.95971G	34.17	54.00	-19.83	6.00	3	Vertical	116	1.50	28.17	33.24	7.16	34.40
AV	7.30996G	41.92	54.00	-12.08	10.76	3	Vertical	317	1.56	31.16	36.98	8.70	34.92
AV	11.39885G	44.36	54.00	-9.64	16.36	3	Vertical	322	2.77	28.00	39.30	10.81	33.75
AV	12.21113G	44.71	54.00	-9.29	16.92	3	Vertical	69	1.50	27.79	39.40	11.09	33.57
AV	15.97687G	45.50	54.00	-8.50	17.42	3	Vertical	112	1.50	28.08	38.05	13.13	33.76
PK	4.87646G	45.87	74.00	-28.13	5.54	3	Vertical	326	1.68	40.33	32.85	7.10	34.41
PK	4.95885G	46.85	74.00	-27.15	6.00	3	Vertical	116	1.50	40.85	33.24	7.16	34.40
PK	7.31472G	53.86	74.00	-20.14	10.74	3	Vertical	317	1.56	43.12	36.97	8.70	34.93
PK	11.40007G	57.21	74.00	-16.79	16.36	3	Vertical	322	2.77	40.85	39.30	10.81	33.75
PK	12.20861G	57.24	74.00	-16.76	16.91	3	Vertical	69	1.50	40.33	39.40	11.09	33.58
PK	15.97291G	57.41	74.00	-16.59	17.42	3	Vertical	112	1.50	39.99	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87398G	35.76	54.00	-18.24	5.53	3	Horizontal	323	1.42	30.23	32.85	7.10	34.42
AV	4.9617G	34.28	54.00	-19.72	6.01	3	Horizontal	288	1.50	28.27	33.25	7.16	34.40
AV	7.31032G	44.48	54.00	-9.52	10.76	3	Horizontal	7	2.02	33.72	36.98	8.70	34.92
AV	11.3919G	44.60	54.00	-9.40	16.39	3	Horizontal	296	1.05	28.21	39.33	10.81	33.75
AV	12.21245G	44.69	54.00	-9.31	16.93	3	Horizontal	24	1.54	27.76	39.40	11.10	33.57
AV	15.9753G	45.55	54.00	-8.45	17.42	3	Horizontal	170	1.00	28.13	38.05	13.13	33.76
PK	4.87432G	46.31	74.00	-27.69	5.53	3	Horizontal	323	1.42	40.78	32.85	7.10	34.42
PK	4.9566G	46.80	74.00	-27.20	5.99	3	Horizontal	288	1.50	40.81	33.23	7.16	34.40
PK	7.31168G	54.81	74.00	-19.19	10.76	3	Horizontal	7	2.02	44.05	36.98	8.70	34.92
PK	11.38578G	56.69	74.00	-17.31	16.41	3	Horizontal	296	1.05	40.28	39.36	10.80	33.75
PK	12.21075G	57.24	74.00	-16.76	16.92	3	Horizontal	24	1.54	40.32	39.40	11.09	33.57
PK	15.97248G	57.73	74.00	-16.27	17.43	3	Horizontal	170	1.00	40.30	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87401G	34.52	54.00	-19.48	5.53	3	Vertical	57	1.00	28.99	32.85	7.10	34.42
AV	4.96019G	34.80	54.00	-19.20	6.00	3	Vertical	64	1.00	28.80	33.24	7.16	34.40
AV	7.31022G	41.63	54.00	-12.37	10.76	3	Vertical	2	1.33	30.87	36.98	8.70	34.92
AV	10.40144G	44.45	68.20	-23.75	15.53	3	Vertical	13	3.00	28.92	38.90	10.54	33.91
AV	11.39988G	43.41	54.00	-10.59	16.36	3	Vertical	129	1.50	27.05	39.30	10.81	33.75
AV	12.21171G	44.76	54.00	-9.24	16.92	3	Vertical	25	1.50	27.84	39.40	11.09	33.57
AV	15.97657G	45.72	54.00	-8.28	17.42	3	Vertical	173	2.91	28.30	38.05	13.13	33.76
PK	4.87213G	47.10	74.00	-26.90	5.51	3	Vertical	57	1.00	41.59	32.84	7.09	34.42
PK	4.95898G	47.09	74.00	-26.91	6.00	3	Vertical	64	1.00	41.09	33.24	7.16	34.40
PK	7.31136G	52.59	74.00	-21.41	10.76	3	Vertical	2	1.33	41.83	36.98	8.70	34.92
PK	10.39622G	56.69	88.20	-31.51	15.52	3	Vertical	13	3.00	41.17	38.89	10.54	33.91
PK	11.4002G	55.87	74.00	-18.13	16.36	3	Vertical	129	1.50	39.51	39.30	10.81	33.75
PK	12.20913G	56.87	74.00	-17.13	16.91	3	Vertical	25	1.50	39.96	39.40	11.09	33.58
PK	15.97314G	58.17	74.00	-15.83	17.42	3	Vertical	173	2.91	40.75	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87529G	35.61	54.00	-18.39	5.54	3	Horizontal	358	1.61	30.07	32.85	7.10	34.41
AV	4.95972G	36.60	54.00	-17.40	6.00	3	Horizontal	356	1.87	30.60	33.24	7.16	34.40
AV	7.31022G	43.51	54.00	-10.49	10.76	3	Horizontal	356	1.46	32.75	36.98	8.70	34.92
AV	10.4012G	45.03	68.20	-23.17	15.53	3	Horizontal	303	1.46	29.50	38.90	10.54	33.91
AV	11.39927G	43.22	54.00	-10.78	16.36	3	Horizontal	98	1.50	26.86	39.30	10.81	33.75
AV	12.20789G	43.90	54.00	-10.10	16.91	3	Horizontal	360	1.50	26.99	39.40	11.09	33.58
AV	15.97541G	45.67	54.00	-8.33	17.42	3	Horizontal	59	2.34	28.25	38.05	13.13	33.76
PK	4.87344G	48.51	74.00	-25.49	5.53	3	Horizontal	358	1.61	42.98	32.85	7.10	34.42
PK	4.95945G	49.41	74.00	-24.59	6.00	3	Horizontal	356	1.87	43.41	33.24	7.16	34.40
PK	7.31172G	53.45	74.00	-20.55	10.76	3	Horizontal	356	1.46	42.69	36.98	8.70	34.92
PK	10.40558G	57.91	88.20	-30.29	15.54	3	Horizontal	303	1.46	42.37	38.90	10.54	33.90
PK	11.39944G	55.18	74.00	-18.82	16.36	3	Horizontal	98	1.50	38.82	39.30	10.81	33.75
PK	12.20952G	56.37	74.00	-17.63	16.92	3	Horizontal	360	1.50	39.45	39.40	11.09	33.57
PK	15.97312G	57.89	74.00	-16.11	17.42	3	Horizontal	59	2.34	40.47	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87392G	33.90	54.00	-20.10	5.53	3	Vertical	327	1.21	28.37	32.85	7.10	34.42
AV	4.96015G	34.59	54.00	-19.41	6.00	3	Vertical	63	1.24	28.59	33.24	7.16	34.40
AV	7.31022G	43.59	54.00	-10.41	10.76	3	Vertical	357	1.76	32.83	36.98	8.70	34.92
AV	11.39827G	44.82	54.00	-9.18	16.37	3	Vertical	345	2.32	28.45	39.31	10.81	33.75
AV	11.91233G	43.53	54.00	-10.47	16.14	3	Vertical	168	1.50	27.39	38.92	10.95	33.73
AV	12.21246G	44.86	54.00	-9.14	16.93	3	Vertical	23	2.52	27.93	39.40	11.10	33.57
AV	15.97223G	44.51	54.00	-9.49	17.43	3	Vertical	207	1.50	27.08	38.06	13.13	33.76
PK	4.87609G	45.85	74.00	-28.15	5.54	3	Vertical	327	1.21	40.31	32.85	7.10	34.41
PK	4.96069G	46.60	74.00	-27.40	6.00	3	Vertical	63	1.24	40.60	33.24	7.16	34.40
PK	7.31174G	53.25	74.00	-20.75	10.76	3	Vertical	357	1.76	42.49	36.98	8.70	34.92
PK	11.39989G	57.04	74.00	-16.96	16.36	3	Vertical	345	2.32	40.68	39.30	10.81	33.75
PK	11.91093G	55.97	74.00	-18.03	16.14	3	Vertical	168	1.50	39.83	38.92	10.95	33.73
PK	12.20926G	57.59	74.00	-16.41	16.91	3	Vertical	23	2.52	40.68	39.40	11.09	33.58
PK	15.97595G	57.13	74.00	-16.87	17.42	3	Vertical	207	1.50	39.71	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87408G	35.68	54.00	-18.32	5.53	3	Horizontal	323	1.36	30.15	32.85	7.10	34.42
AV	4.95762G	35.98	54.00	-18.02	5.99	3	Horizontal	0	1.95	29.99	33.23	7.16	34.40
AV	7.31026G	44.64	54.00	-9.36	10.76	3	Horizontal	354	1.74	33.88	36.98	8.70	34.92
AV	11.39938G	44.43	54.00	-9.57	16.36	3	Horizontal	289	1.50	28.07	39.30	10.81	33.75
AV	11.9089G	43.68	54.00	-10.32	16.14	3	Horizontal	351	1.50	27.54	38.92	10.95	33.73
AV	12.21145G	44.90	54.00	-9.10	16.92	3	Horizontal	24	1.50	27.98	39.40	11.09	33.57
AV	15.97295G	44.51	54.00	-9.49	17.42	3	Horizontal	268	1.50	27.09	38.05	13.13	33.76
PK	4.87495G	46.91	74.00	-27.09	5.53	3	Horizontal	323	1.36	41.38	32.85	7.10	34.42
PK	4.96237G	49.11	74.00	-24.89	6.01	3	Horizontal	0	1.95	43.10	33.25	7.16	34.40
PK	7.31002G	53.94	74.00	-20.06	10.76	3	Horizontal	354	1.74	43.18	36.98	8.70	34.92
PK	11.40147G	56.55	74.00	-17.45	16.35	3	Horizontal	289	1.50	40.20	39.29	10.81	33.75
PK	11.91246G	55.91	74.00	-18.09	16.14	3	Horizontal	351	1.50	39.77	38.92	10.95	33.73
PK	12.2093G	57.28	74.00	-16.72	16.91	3	Horizontal	24	1.50	40.37	39.40	11.09	33.58
PK	15.97487G	57.24	74.00	-16.76	17.42	3	Horizontal	268	1.50	39.82	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8778G	33.80	54.00	-20.20	5.55	3	Vertical	90	1.88	28.25	32.86	7.10	34.41
AV	4.95368G	34.61	54.00	-19.39	5.97	3	Vertical	251	1.50	28.64	33.21	7.16	34.40
AV	10.5186G	45.41	68.20	-22.79	15.64	3	Vertical	347	1.00	29.77	38.86	10.57	33.79
AV	11.40328G	42.73	54.00	-11.27	16.35	3	Vertical	181	1.50	26.38	39.29	10.81	33.75
AV	12.20244G	42.04	54.00	-11.96	16.91	3	Vertical	347	1.50	25.13	39.40	11.09	33.58
AV	15.93844G	34.82	54.00	-19.18	17.47	3	Vertical	179	2.54	17.35	38.12	13.11	33.76
PK	4.87604G	46.48	74.00	-27.52	5.54	3	Vertical	90	1.88	40.94	32.85	7.10	34.41
PK	4.96768G	46.92	74.00	-27.08	6.04	3	Vertical	251	1.50	40.88	33.27	7.17	34.40
PK	10.51412G	57.40	88.20	-30.80	15.65	3	Vertical	347	1.00	41.75	38.87	10.57	33.79
PK	11.40368G	54.85	74.00	-19.15	16.35	3	Vertical	181	1.50	38.50	39.29	10.81	33.75
PK	12.2018G	54.45	74.00	-19.55	16.91	3	Vertical	347	1.50	37.54	39.40	11.09	33.58
PK	15.93676G	47.22	74.00	-26.78	17.48	3	Vertical	179	2.54	29.74	38.13	13.11	33.76

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87812G	33.79	54.00	-20.21	5.55	3	Horizontal	214	2.40	28.24	32.86	7.10	34.41
AV	4.96764G	34.72	54.00	-19.28	6.04	3	Horizontal	18	2.36	28.68	33.27	7.17	34.40
AV	10.52124G	45.74	68.20	-22.46	15.64	3	Horizontal	84	2.44	30.10	38.86	10.57	33.79
AV	11.4056G	43.55	54.00	-10.45	16.34	3	Horizontal	56	1.50	27.21	39.28	10.81	33.75
AV	12.20004G	42.00	54.00	-12.00	16.91	3	Horizontal	52	1.50	25.09	39.40	11.09	33.58
AV	15.94516G	43.47	54.00	-10.53	17.46	3	Horizontal	142	2.21	26.01	38.11	13.11	33.76
PK	4.87744G	45.70	74.00	-28.30	5.54	3	Horizontal	214	2.40	40.16	32.85	7.10	34.41
PK	4.96048G	46.45	74.00	-27.55	6.00	3	Horizontal	18	2.36	40.45	33.24	7.16	34.40
PK	10.51636G	59.18	88.20	-29.02	15.65	3	Horizontal	84	2.44	43.53	38.87	10.57	33.79
PK	11.39612G	55.77	74.00	-18.23	16.38	3	Horizontal	56	1.50	39.39	39.32	10.81	33.75
PK	12.21916G	53.82	74.00	-20.18	16.93	3	Horizontal	52	1.50	36.89	39.40	11.10	33.57
PK	15.94584G	55.82	74.00	-18.18	17.46	3	Horizontal	142	2.21	38.36	38.11	13.11	33.76

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	7.98384G	39.74	68.20	-28.46	11.44	3	Vertical	311	1.72	28.30	37.30	8.30	34.16
AV	10.39256G	44.06	68.20	-24.14	15.51	3	Vertical	30	2.06	28.55	38.89	10.54	33.92
AV	10.51884G	46.24	68.20	-21.96	15.64	3	Vertical	346	1.00	30.60	38.86	10.57	33.79
AV	11.401G	44.30	54.00	-9.70	16.36	3	Vertical	58	1.00	27.94	39.30	10.81	33.75
AV	12.2032G	45.07	54.00	-8.93	16.91	3	Vertical	140	1.50	28.16	39.40	11.09	33.58
PK	7.98888G	51.60	88.20	-36.60	11.44	3	Vertical	311	1.72	40.16	37.30	8.29	34.15
PK	10.3938G	56.34	88.20	-31.86	15.51	3	Vertical	30	2.06	40.83	38.89	10.54	33.92
PK	10.52332G	58.61	88.20	-29.59	15.62	3	Vertical	346	1.00	42.99	38.85	10.57	33.80
PK	11.39848G	56.56	74.00	-17.44	16.37	3	Vertical	58	1.00	40.19	39.31	10.81	33.75
PK	12.21976G	57.08	74.00	-16.92	16.93	3	Vertical	140	1.50	40.15	39.40	11.10	33.57

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96804G	36.90	54.00	-17.10	6.04	3	Horizontal	357	2.12	30.86	33.27	7.17	34.40
AV	7.9882G	39.59	68.20	-28.61	11.44	3	Horizontal	66	1.66	28.15	37.30	8.29	34.15
AV	10.40124G	45.05	68.20	-23.15	15.53	3	Horizontal	298	1.65	29.52	38.90	10.54	33.91
AV	10.5188G	46.85	68.20	-21.35	15.64	3	Horizontal	14	1.30	31.21	38.86	10.57	33.79
AV	11.40176G	44.43	54.00	-9.57	16.35	3	Horizontal	303	1.50	28.08	39.29	10.81	33.75
AV	12.20004G	45.31	54.00	-8.69	16.91	3	Horizontal	105	1.50	28.40	39.40	11.09	33.58
PK	4.9694G	49.54	74.00	-24.46	6.05	3	Horizontal	357	2.12	43.49	33.28	7.17	34.40
PK	7.9816G	52.31	88.20	-35.89	11.44	3	Horizontal	66	1.66	40.87	37.30	8.30	34.16
PK	10.40216G	57.38	88.20	-30.82	15.53	3	Horizontal	298	1.65	41.85	38.90	10.54	33.91
PK	10.51928G	60.03	88.20	-28.17	15.64	3	Horizontal	14	1.30	44.39	38.86	10.57	33.79
PK	11.39304G	56.79	74.00	-17.21	16.39	3	Horizontal	303	1.50	40.40	39.33	10.81	33.75
PK	12.20924G	57.67	74.00	-16.33	16.91	3	Horizontal	105	1.50	40.76	39.40	11.09	33.58

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95288G	34.86	54.00	-19.14	5.96	3	Vertical	345	2.81	28.90	33.21	7.15	34.40
AV	10.52096G	44.51	68.20	-23.69	15.64	3	Vertical	342	1.42	28.87	38.86	10.57	33.79
AV	11.3992G	43.93	54.00	-10.07	16.36	3	Vertical	0	1.50	27.57	39.30	10.81	33.75
AV	11.903G	44.40	54.00	-9.60	16.12	3	Vertical	351	2.03	28.28	38.91	10.94	33.73
AV	12.20132G	44.79	54.00	-9.21	16.91	3	Vertical	50	1.50	27.88	39.40	11.09	33.58
AV	15.97872G	45.42	54.00	-8.58	17.41	3	Vertical	330	1.50	28.01	38.04	13.13	33.76
PK	4.95048G	46.81	74.00	-27.19	5.95	3	Vertical	345	2.81	40.86	33.20	7.15	34.40
PK	10.51612G	57.01	88.20	-31.19	15.65	3	Vertical	342	1.42	41.36	38.87	10.57	33.79
PK	11.39172G	56.41	74.00	-17.59	16.39	3	Vertical	0	1.50	40.02	39.33	10.81	33.75
PK	11.91168G	56.48	74.00	-17.52	16.14	3	Vertical	351	2.03	40.34	38.92	10.95	33.73
PK	12.21276G	56.92	74.00	-17.08	16.93	3	Vertical	50	1.50	39.99	39.40	11.10	33.57
PK	15.97148G	57.92	74.00	-16.08	17.43	3	Vertical	330	1.50	40.49	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95192G	34.78	54.00	-19.22	5.96	3	Horizontal	12	2.60	28.82	33.21	7.15	34.40
AV	10.52144G	46.64	68.20	-21.56	15.64	3	Horizontal	88	2.44	31.00	38.86	10.57	33.79
AV	11.40072G	43.99	54.00	-10.01	16.36	3	Horizontal	27	1.50	27.63	39.30	10.81	33.75
AV	11.90188G	44.25	54.00	-9.75	16.11	3	Horizontal	343	3.00	28.14	38.90	10.94	33.73
AV	12.20248G	45.04	54.00	-8.96	16.91	3	Horizontal	67	1.94	28.13	39.40	11.09	33.58
AV	15.9786G	45.52	54.00	-8.48	17.41	3	Horizontal	155	1.50	28.11	38.04	13.13	33.76
PK	4.95312G	47.36	74.00	-26.64	5.96	3	Horizontal	12	2.60	41.40	33.21	7.15	34.40
PK	10.52096G	58.97	88.20	-29.23	15.64	3	Horizontal	88	2.44	43.33	38.86	10.57	33.79
PK	11.39892G	56.57	74.00	-17.43	16.36	3	Horizontal	27	1.50	40.21	39.30	10.81	33.75
PK	11.90104G	56.56	74.00	-17.44	16.11	3	Horizontal	343	3.00	40.45	38.90	10.94	33.73
PK	12.20292G	56.66	74.00	-17.34	16.91	3	Horizontal	67	1.94	39.75	39.40	11.09	33.58
PK	15.9832G	57.71	74.00	-16.29	17.40	3	Horizontal	155	1.50	40.31	38.03	13.13	33.76

Radiated Emissions above 1GHz_Mode 10




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87668G	33.56	54.00	-20.44	5.54	3	Vertical	227	1.50	28.02	32.85	7.10	34.41		
AV	4.95412G	34.28	54.00	-19.72	5.98	3	Vertical	191	1.50	28.30	33.22	7.16	34.40		
AV	7.31009G	39.62	54.00	-14.38	10.76	3	Vertical	85	1.50	28.86	36.98	8.70	34.92		
AV	10.51868G	45.51	68.20	-22.69	15.64	3	Vertical	347	1.00	29.87	38.86	10.57	33.79		
AV	11.40444G	43.83	54.00	-10.17	16.34	3	Vertical	220	1.50	27.49	39.28	10.81	33.75		
AV	12.2176G	44.81	54.00	-9.19	16.93	3	Vertical	325	1.86	27.88	39.40	11.10	33.57		
AV	15.96912G	45.52	54.00	-8.48	17.42	3	Vertical	93	1.39	28.10	38.06	13.12	33.76		
PK	4.866G	45.74	74.00	-28.26	5.50	3	Vertical	227	1.50	40.24	32.83	7.09	34.42		
PK	4.95288G	46.55	74.00	-27.45	5.96	3	Vertical	191	1.50	40.59	33.21	7.15	34.40		
PK	7.31346G	52.11	74.00	-21.89	10.74	3	Vertical	85	1.50	41.37	36.97	8.70	34.93		
PK	10.52332G	58.25	88.20	-29.95	15.62	3	Vertical	347	1.00	42.63	38.85	10.57	33.80		
PK	11.39024G	56.55	74.00	-17.45	16.40	3	Vertical	220	1.50	40.15	39.34	10.81	33.75		
PK	12.20404G	56.79	74.00	-17.21	16.91	3	Vertical	325	1.86	39.88	39.40	11.09	33.58		
PK	15.9726G	58.27	74.00	-15.73	17.42	3	Vertical	93	1.39	40.85	38.05	13.13	33.76		

Radiated Emissions above 1GHz_Mode 10




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.8754G	33.49	54.00	-20.51	5.54	3	Horizontal	43	1.50	27.95	32.85	7.10	34.41		
AV	4.9518G	34.38	54.00	-19.62	5.96	3	Horizontal	354	2.11	28.42	33.21	7.15	34.40		
AV	7.296G	39.68	54.00	-14.32	10.79	3	Horizontal	12	1.50	28.89	37.02	8.69	34.92		
AV	10.51876G	47.24	68.20	-20.96	15.64	3	Horizontal	71	2.07	31.60	38.86	10.57	33.79		
AV	11.39044G	44.00	54.00	-10.00	16.40	3	Horizontal	12	2.84	27.60	39.34	10.81	33.75		
AV	12.20064G	45.12	54.00	-8.88	16.91	3	Horizontal	15	2.94	28.21	39.40	11.09	33.58		
AV	15.9738G	45.43	54.00	-8.57	17.42	3	Horizontal	328	1.50	28.01	38.05	13.13	33.76		
PK	4.88172G	45.50	74.00	-28.50	5.55	3	Horizontal	43	1.50	39.95	32.86	7.10	34.41		
PK	4.96012G	46.56	74.00	-27.44	6.00	3	Horizontal	354	2.11	40.56	33.24	7.16	34.40		
PK	7.30992G	52.21	74.00	-21.79	10.76	3	Horizontal	12	1.50	41.45	36.98	8.70	34.92		
PK	10.52464G	59.47	88.20	-28.73	15.62	3	Horizontal	71	2.07	43.85	38.85	10.57	33.80		
PK	11.3998G	56.36	74.00	-17.64	16.36	3	Horizontal	12	2.84	40.00	39.30	10.81	33.75		
PK	12.21776G	57.13	74.00	-16.87	16.93	3	Horizontal	15	2.94	40.20	39.40	11.10	33.57		
PK	15.97156G	58.67	74.00	-15.33	17.43	3	Horizontal	328	1.50	41.24	38.06	13.13	33.76		

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.9504G	34.84	54.00	-19.16	5.95	3	Vertical	56	1.20	28.89	33.20	7.15	34.40
AV	10.40107G	44.14	68.20	-24.06	15.53	3	Vertical	354	2.07	28.61	38.90	10.54	33.91
AV	10.52102G	44.17	68.20	-24.03	15.64	3	Vertical	356	1.28	28.53	38.86	10.57	33.79
AV	11.40167G	43.78	54.00	-10.22	16.35	3	Vertical	290	1.50	27.43	39.29	10.81	33.75
AV	12.21078G	43.84	54.00	-10.16	16.92	3	Vertical	57	1.50	26.92	39.40	11.09	33.57
AV	15.97434G	45.41	54.00	-8.59	17.42	3	Vertical	63	2.25	27.99	38.05	13.13	33.76
PK	4.9634G	47.22	74.00	-26.78	6.01	3	Vertical	56	1.20	41.21	33.25	7.16	34.40
PK	10.39914G	56.37	88.20	-31.83	15.53	3	Vertical	354	2.07	40.84	38.90	10.54	33.91
PK	10.52078G	56.57	88.20	-31.63	15.64	3	Vertical	356	1.28	40.93	38.86	10.57	33.79
PK	11.40146G	56.13	74.00	-17.87	16.35	3	Vertical	290	1.50	39.78	39.29	10.81	33.75
PK	12.21011G	55.97	74.00	-18.03	16.92	3	Vertical	57	1.50	39.05	39.40	11.09	33.57
PK	15.97308G	57.24	74.00	-16.76	17.42	3	Vertical	63	2.25	39.82	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96968G	36.84	54.00	-17.16	6.05	3	Horizontal	360	1.81	30.79	33.28	7.17	34.40
AV	10.40109G	44.90	68.20	-23.30	15.53	3	Horizontal	308	1.62	29.37	38.90	10.54	33.91
AV	10.51868G	45.20	68.20	-23.00	15.64	3	Horizontal	11	2.44	29.56	38.86	10.57	33.79
AV	11.40161G	43.61	54.00	-10.39	16.35	3	Horizontal	113	1.29	27.26	39.29	10.81	33.75
AV	12.2083G	43.96	54.00	-10.04	16.91	3	Horizontal	24	1.49	27.05	39.40	11.09	33.58
AV	15.98046G	45.37	54.00	-8.63	17.41	3	Horizontal	173	2.71	27.96	38.04	13.13	33.76
PK	4.96916G	49.83	74.00	-24.17	6.05	3	Horizontal	360	1.81	43.78	33.28	7.17	34.40
PK	10.40161G	57.68	88.20	-30.52	15.53	3	Horizontal	308	1.62	42.15	38.90	10.54	33.91
PK	10.51874G	56.88	88.20	-31.32	15.64	3	Horizontal	11	2.44	41.24	38.86	10.57	33.79
PK	11.40065G	55.84	74.00	-18.16	16.36	3	Horizontal	113	1.29	39.48	39.30	10.81	33.75
PK	12.20891G	56.16	74.00	-17.84	16.91	3	Horizontal	24	1.49	39.25	39.40	11.09	33.58
PK	15.97205G	57.53	74.00	-16.47	17.43	3	Horizontal	173	2.71	40.10	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96212G	34.26	54.00	-19.74	6.01	3	Vertical	8	1.50	28.25	33.25	7.16	34.40
AV	10.51874G	45.28	68.20	-22.92	15.64	3	Vertical	12	2.46	29.64	38.86	10.57	33.79
AV	11.40026G	43.56	54.00	-10.44	16.36	3	Vertical	53	2.63	27.20	39.30	10.81	33.75
AV	11.9112G	43.30	54.00	-10.70	16.14	3	Vertical	356	1.50	27.16	38.92	10.95	33.73
AV	12.195G	43.48	54.00	-10.52	16.90	3	Vertical	358	1.50	26.58	39.40	11.09	33.59
AV	15.97603G	44.96	54.00	-9.04	17.42	3	Vertical	4	2.33	27.54	38.05	13.13	33.76
PK	4.96165G	46.73	74.00	-27.27	6.01	3	Vertical	8	1.50	40.72	33.25	7.16	34.40
PK	10.51862G	57.52	88.20	-30.68	15.64	3	Vertical	12	2.46	41.88	38.86	10.57	33.79
PK	11.40156G	55.63	74.00	-18.37	16.35	3	Vertical	53	2.63	39.28	39.29	10.81	33.75
PK	11.9107G	56.33	74.00	-17.67	16.14	3	Vertical	356	1.50	40.19	38.92	10.95	33.73
PK	12.19548G	55.64	74.00	-18.36	16.90	3	Vertical	358	1.50	38.74	39.40	11.09	33.59
PK	15.97543G	57.09	74.00	-16.91	17.42	3	Vertical	4	2.33	39.67	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95758G	35.70	54.00	-18.30	5.99	3	Horizontal	357	1.79	29.71	33.23	7.16	34.40
AV	10.51892G	45.24	68.20	-22.96	15.64	3	Horizontal	11	2.46	29.60	38.86	10.57	33.79
AV	11.39888G	43.51	54.00	-10.49	16.36	3	Horizontal	125	1.50	27.15	39.30	10.81	33.75
AV	11.90832G	43.34	54.00	-10.66	16.14	3	Horizontal	0	1.50	27.20	38.92	10.95	33.73
AV	12.20987G	43.38	54.00	-10.62	16.92	3	Horizontal	168	1.50	26.46	39.40	11.09	33.57
AV	15.97266G	45.10	54.00	-8.90	17.42	3	Horizontal	241	1.41	27.68	38.05	13.13	33.76
PK	4.95902G	47.82	74.00	-26.18	6.00	3	Horizontal	357	1.79	41.82	33.24	7.16	34.40
PK	10.51868G	57.29	88.20	-30.91	15.64	3	Horizontal	11	2.46	41.65	38.86	10.57	33.79
PK	11.39785G	56.07	74.00	-17.93	16.37	3	Horizontal	125	1.50	39.70	39.31	10.81	33.75
PK	11.91162G	55.84	74.00	-18.16	16.14	3	Horizontal	0	1.50	39.70	38.92	10.95	33.73
PK	12.21102G	55.41	74.00	-18.59	16.92	3	Horizontal	168	1.50	38.49	39.40	11.09	33.57
PK	15.97352G	57.12	74.00	-16.88	17.42	3	Horizontal	241	1.41	39.70	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8777G	33.76	54.00	-20.24	5.55	3	Vertical	252	1.50	28.21	32.86	7.10	34.41
AV	4.95628G	34.28	54.00	-19.72	5.99	3	Vertical	109	1.50	28.29	33.23	7.16	34.40
AV	7.31013G	39.75	54.00	-14.25	10.76	3	Vertical	65	1.02	28.99	36.98	8.70	34.92
AV	11.39628G	44.36	54.00	-9.64	16.37	3	Vertical	16	2.44	27.99	39.31	10.81	33.75
AV	12.2172G	45.19	54.00	-8.81	16.93	3	Vertical	188	2.46	28.26	39.40	11.10	33.57
AV	13.635G	49.59	68.20	-18.61	19.77	3	Vertical	328	2.91	29.82	40.00	11.93	32.16
AV	15.97998G	45.40	54.00	-8.60	17.41	3	Vertical	14	1.69	27.99	38.04	13.13	33.76
PK	4.87352G	46.17	74.00	-27.83	5.53	3	Vertical	252	1.50	40.64	32.85	7.10	34.42
PK	4.95716G	46.67	74.00	-27.33	5.99	3	Vertical	109	1.50	40.68	33.23	7.16	34.40
PK	7.31229G	53.00	74.00	-21.00	10.76	3	Vertical	65	1.02	42.24	36.98	8.70	34.92
PK	11.38974G	56.19	74.00	-17.81	16.40	3	Vertical	16	2.44	39.79	39.34	10.81	33.75
PK	12.22416G	56.93	74.00	-17.07	16.94	3	Vertical	188	2.46	39.99	39.40	11.10	33.56
PK	13.64256G	60.70	88.20	-27.50	19.79	3	Vertical	328	2.91	40.91	40.00	11.94	32.15
PK	15.97008G	58.11	74.00	-15.89	17.43	3	Vertical	14	1.69	40.68	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87894G	33.87	54.00	-20.13	5.55	3	Horizontal	142	1.23	28.32	32.86	7.10	34.41
AV	4.95528G	34.30	54.00	-19.70	5.98	3	Horizontal	234	1.50	28.32	33.22	7.16	34.40
AV	7.2898G	39.70	54.00	-14.30	10.81	3	Horizontal	355	1.83	28.89	37.04	8.69	34.92
AV	11.39502G	44.29	54.00	-9.71	16.38	3	Horizontal	287	2.32	27.91	39.32	10.81	33.75
AV	12.1962G	45.13	54.00	-8.87	16.91	3	Horizontal	85	1.50	28.22	39.40	11.09	33.58
AV	13.635G	51.57	68.20	-16.63	19.77	3	Horizontal	320	1.02	31.80	40.00	11.93	32.16
AV	15.9789G	45.48	54.00	-8.52	17.41	3	Horizontal	356	3.00	28.07	38.04	13.13	33.76
PK	4.8769G	46.66	74.00	-27.34	5.54	3	Horizontal	142	1.23	41.12	32.85	7.10	34.41
PK	4.95648G	46.15	74.00	-27.85	5.99	3	Horizontal	234	1.50	40.16	33.23	7.16	34.40
PK	7.3175G	51.87	74.00	-22.13	10.73	3	Horizontal	355	1.83	41.14	36.96	8.70	34.93
PK	11.394G	56.51	74.00	-17.49	16.38	3	Horizontal	287	2.32	40.13	39.32	10.81	33.75
PK	12.20028G	57.78	74.00	-16.22	16.91	3	Horizontal	85	1.50	40.87	39.40	11.09	33.58
PK	13.66248G	63.52	88.20	-24.68	19.84	3	Horizontal	320	1.02	43.68	40.02	11.95	32.13
PK	15.9786G	57.42	74.00	-16.58	17.41	3	Horizontal	356	3.00	40.01	38.04	13.13	33.76

Radiated Emissions above 1GHz_Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95448G	33.99	54.00	-20.01	5.98	3	Vertical	61	1.00	28.01	33.22	7.16	34.40
AV	10.40112G	45.01	68.20	-23.19	15.53	3	Vertical	356	1.25	29.48	38.90	10.54	33.91
AV	11.39708G	44.56	54.00	-9.44	16.37	3	Vertical	153	1.92	28.19	39.31	10.81	33.75
AV	12.21872G	45.18	54.00	-8.82	16.93	3	Vertical	360	1.50	28.25	39.40	11.10	33.57
AV	13.64628G	47.07	68.20	-21.13	19.79	3	Vertical	330	2.77	27.28	40.00	11.94	32.15
AV	15.9802G	45.32	54.00	-8.68	17.41	3	Vertical	72	1.50	27.91	38.04	13.13	33.76
PK	4.95844G	46.24	74.00	-27.76	5.99	3	Vertical	61	1.00	40.25	33.23	7.16	34.40
PK	10.40256G	57.66	88.20	-30.54	15.54	3	Vertical	356	1.25	42.12	38.90	10.54	33.90
PK	11.39288G	56.92	74.00	-17.08	16.39	3	Vertical	153	1.92	40.53	39.33	10.81	33.75
PK	12.20988G	58.51	74.00	-15.49	16.92	3	Vertical	360	1.50	41.59	39.40	11.09	33.57
PK	13.6438G	60.01	88.20	-28.19	19.79	3	Vertical	330	2.77	40.22	40.00	11.94	32.15
PK	15.96504G	57.71	74.00	-16.29	17.43	3	Vertical	72	1.50	40.28	38.07	13.12	33.76

Radiated Emissions above 1GHz_Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97G	35.64	54.00	-18.36	6.05	3	Horizontal	7	1.39	29.59	33.28	7.17	34.40
AV	10.40112G	45.85	68.20	-22.35	15.53	3	Horizontal	58	1.59	30.32	38.90	10.54	33.91
AV	11.39396G	44.64	54.00	-9.36	16.38	3	Horizontal	194	1.50	28.26	39.32	10.81	33.75
AV	12.2004G	45.26	54.00	-8.74	16.91	3	Horizontal	314	1.50	28.35	39.40	11.09	33.58
AV	13.64884G	47.06	68.20	-21.14	19.80	3	Horizontal	127	1.50	27.26	40.00	11.94	32.14
AV	15.98276G	45.43	54.00	-8.57	17.40	3	Horizontal	227	3.00	28.03	38.03	13.13	33.76
PK	4.95972G	48.50	74.00	-25.50	6.00	3	Horizontal	7	1.39	42.50	33.24	7.16	34.40
PK	10.39628G	57.71	88.20	-30.49	15.52	3	Horizontal	58	1.59	42.19	38.89	10.54	33.91
PK	11.3962G	57.03	74.00	-16.97	16.38	3	Horizontal	194	1.50	40.65	39.32	10.81	33.75
PK	12.20208G	57.61	74.00	-16.39	16.91	3	Horizontal	314	1.50	40.70	39.40	11.09	33.58
PK	13.65812G	59.29	88.20	-28.91	19.83	3	Horizontal	127	1.50	39.46	40.02	11.95	32.14
PK	15.98064G	58.33	74.00	-15.67	17.41	3	Horizontal	227	3.00	40.92	38.04	13.13	33.76

Radiated Emissions above 1GHz_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97464G	34.93	54.00	-19.07	6.07	3	Vertical	24	1.85	28.86	33.30	7.17	34.40
AV	11.39956G	44.79	54.00	-9.21	16.36	3	Vertical	240	1.50	28.43	39.30	10.81	33.75
AV	11.92242G	44.16	54.00	-9.84	16.16	3	Vertical	360	1.99	28.00	38.94	10.95	33.73
AV	12.2094G	44.83	54.00	-9.17	16.91	3	Vertical	119	1.50	27.92	39.40	11.09	33.58
AV	13.65143G	47.01	68.20	-21.19	19.80	3	Vertical	291	1.50	27.21	40.00	11.94	32.14
AV	15.97212G	45.94	54.00	-8.06	17.43	3	Vertical	93	1.49	28.51	38.06	13.13	33.76
PK	4.95862G	47.16	74.00	-26.84	5.99	3	Vertical	24	1.85	41.17	33.23	7.16	34.40
PK	11.3991G	56.89	74.00	-17.11	16.36	3	Vertical	240	1.50	40.53	39.30	10.81	33.75
PK	11.91888G	56.32	74.00	-17.68	16.16	3	Vertical	360	1.99	40.16	38.94	10.95	33.73
PK	12.21043G	57.55	74.00	-16.45	16.92	3	Vertical	119	1.50	40.63	39.40	11.09	33.57
PK	13.64842G	59.50	88.20	-28.70	19.79	3	Vertical	291	1.50	39.71	40.00	11.94	32.15
PK	15.97818G	57.91	74.00	-16.09	17.41	3	Vertical	93	1.49	40.50	38.04	13.13	33.76

Radiated Emissions above 1GHz_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.975G	36.25	54.00	-17.75	6.07	3	Horizontal	9	1.71	30.18	33.30	7.17	34.40
AV	11.39919G	44.81	54.00	-9.19	16.36	3	Horizontal	294	1.33	28.45	39.30	10.81	33.75
AV	11.89716G	44.20	54.00	-9.80	16.10	3	Horizontal	167	1.50	28.10	38.89	10.94	33.73
AV	12.21012G	45.01	54.00	-8.99	16.92	3	Horizontal	337	1.50	28.09	39.40	11.09	33.57
AV	13.64805G	46.92	68.20	-21.28	19.79	3	Horizontal	316	1.74	27.13	40.00	11.94	32.15
AV	15.97677G	45.87	54.00	-8.13	17.42	3	Horizontal	357	1.50	28.45	38.05	13.13	33.76
PK	4.95934G	48.74	74.00	-25.26	6.00	3	Horizontal	9	1.71	42.74	33.24	7.16	34.40
PK	11.40077G	57.53	74.00	-16.47	16.36	3	Horizontal	294	1.33	41.17	39.30	10.81	33.75
PK	11.90086G	56.13	74.00	-17.87	16.11	3	Horizontal	167	1.50	40.02	38.90	10.94	33.73
PK	12.20913G	57.24	74.00	-16.76	16.91	3	Horizontal	337	1.50	40.33	39.40	11.09	33.58
PK	13.64777G	58.93	88.20	-29.27	19.79	3	Horizontal	316	1.74	39.14	40.00	11.94	32.15
PK	15.97214G	58.78	74.00	-15.22	17.43	3	Horizontal	357	1.50	41.35	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87412G	34.00	54.00	-20.00	5.53	3	Vertical	44	1.50	28.47	32.85	7.10	34.42
AV	4.97254G	34.86	54.00	-19.14	6.06	3	Vertical	52	1.00	28.80	33.29	7.17	34.40
AV	7.31022G	40.05	54.00	-13.95	10.76	3	Vertical	57	2.26	29.29	36.98	8.70	34.92
AV	11.40042G	44.85	54.00	-9.15	16.36	3	Vertical	198	2.36	28.49	39.30	10.81	33.75
AV	12.19716G	45.44	54.00	-8.56	16.91	3	Vertical	4	2.14	28.53	39.40	11.09	33.58
AV	13.65056G	46.94	68.20	-21.26	19.80	3	Vertical	110	1.50	27.14	40.00	11.94	32.14
AV	15.97686G	45.84	54.00	-8.16	17.42	3	Vertical	62	2.57	28.42	38.05	13.13	33.76
PK	4.87542G	46.20	74.00	-27.80	5.54	3	Vertical	44	1.50	40.66	32.85	7.10	34.41
PK	4.9636G	47.00	74.00	-27.00	6.01	3	Vertical	52	1.00	40.99	33.25	7.16	34.40
PK	7.30302G	52.32	74.00	-21.68	10.77	3	Vertical	57	2.26	41.55	36.99	8.70	34.92
PK	11.40318G	56.77	74.00	-17.23	16.35	3	Vertical	198	2.36	40.42	39.29	10.81	33.75
PK	12.2133G	57.17	74.00	-16.83	16.93	3	Vertical	4	2.14	40.24	39.40	11.10	33.57
PK	13.64964G	58.95	88.20	-29.25	19.80	3	Vertical	110	1.50	39.15	40.00	11.94	32.14
PK	15.97538G	58.10	74.00	-15.90	17.42	3	Vertical	62	2.57	40.68	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.88738G	33.99	54.00	-20.01	5.57	3	Horizontal	282	2.49	28.42	32.87	7.11	34.41
AV	4.96002G	34.78	54.00	-19.22	6.00	3	Horizontal	188	1.50	28.78	33.24	7.16	34.40
AV	7.30875G	39.87	54.00	-14.13	10.76	3	Horizontal	310	2.47	29.11	36.98	8.70	34.92
AV	11.40012G	44.77	54.00	-9.23	16.36	3	Horizontal	200	1.50	28.41	39.30	10.81	33.75
AV	12.19716G	45.21	54.00	-8.79	16.91	3	Horizontal	20	1.50	28.30	39.40	11.09	33.58
AV	13.65058G	46.96	68.20	-21.24	19.80	3	Horizontal	276	2.23	27.16	40.00	11.94	32.14
AV	15.97562G	45.94	54.00	-8.06	17.42	3	Horizontal	126	1.90	28.52	38.05	13.13	33.76
PK	4.86446G	46.04	74.00	-27.96	5.50	3	Horizontal	282	2.49	40.54	32.83	7.09	34.42
PK	4.95915G	47.77	74.00	-26.23	6.00	3	Horizontal	188	1.50	41.77	33.24	7.16	34.40
PK	7.30897G	52.79	74.00	-21.21	10.76	3	Horizontal	310	2.47	42.03	36.98	8.70	34.92
PK	11.39798G	57.30	74.00	-16.70	16.37	3	Horizontal	200	1.50	40.93	39.31	10.81	33.75
PK	12.21564G	57.15	74.00	-16.85	16.93	3	Horizontal	20	1.50	40.22	39.40	11.10	33.57
PK	13.64768G	59.30	88.20	-28.90	19.79	3	Horizontal	276	2.23	39.51	40.00	11.94	32.15
PK	15.97629G	58.11	74.00	-15.89	17.42	3	Horizontal	126	1.90	40.69	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96103G	34.71	54.00	-19.29	6.00	3	Vertical	300	1.49	28.71	33.24	7.16	34.40
AV	10.40114G	45.43	68.20	-22.77	15.53	3	Vertical	62	1.56	29.90	38.90	10.54	33.91
AV	11.40041G	44.84	54.00	-9.16	16.36	3	Vertical	8	1.50	28.48	39.30	10.81	33.75
AV	12.20982G	44.74	54.00	-9.26	16.92	3	Vertical	43	1.33	27.82	39.40	11.09	33.57
AV	13.652G	47.37	68.20	-20.83	19.80	3	Vertical	323	1.50	27.57	40.00	11.94	32.14
AV	15.97553G	45.77	54.00	-8.23	17.42	3	Vertical	303	1.18	28.35	38.05	13.13	33.76
PK	4.96015G	47.27	74.00	-26.73	6.00	3	Vertical	300	1.49	41.27	33.24	7.16	34.40
PK	10.39874G	58.02	88.20	-30.18	15.53	3	Vertical	62	1.56	42.49	38.90	10.54	33.91
PK	11.3997G	56.78	74.00	-17.22	16.36	3	Vertical	8	1.50	40.42	39.30	10.81	33.75
PK	12.20912G	56.98	74.00	-17.02	16.91	3	Vertical	43	1.33	40.07	39.40	11.09	33.58
PK	13.64925G	61.02	88.20	-27.18	19.80	3	Vertical	323	1.50	41.22	40.00	11.94	32.14
PK	15.97333G	57.97	74.00	-16.03	17.42	3	Vertical	303	1.18	40.55	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95809G	36.11	54.00	-17.89	5.99	3	Horizontal	8	1.62	30.12	33.23	7.16	34.40
AV	10.40127G	45.48	68.20	-22.72	15.53	3	Horizontal	62	1.56	29.95	38.90	10.54	33.91
AV	11.39977G	44.71	54.00	-9.29	16.36	3	Horizontal	356	1.50	28.35	39.30	10.81	33.75
AV	12.20782G	44.89	54.00	-9.11	16.91	3	Horizontal	357	1.50	27.98	39.40	11.09	33.58
AV	13.64786G	49.42	68.20	-18.78	19.79	3	Horizontal	55	1.37	29.63	40.00	11.94	32.15
AV	15.97689G	45.74	54.00	-8.26	17.42	3	Horizontal	31	1.50	28.32	38.05	13.13	33.76
PK	4.95925G	48.97	74.00	-25.03	6.00	3	Horizontal	8	1.62	42.97	33.24	7.16	34.40
PK	10.40188G	58.03	88.20	-30.17	15.53	3	Horizontal	62	1.56	42.50	38.90	10.54	33.91
PK	11.39863G	57.06	74.00	-16.94	16.37	3	Horizontal	356	1.50	40.69	39.31	10.81	33.75
PK	12.21189G	57.10	74.00	-16.90	16.93	3	Horizontal	357	1.50	40.17	39.40	11.10	33.57
PK	13.65057G	63.83	88.20	-24.37	19.80	3	Horizontal	55	1.37	44.03	40.00	11.94	32.14
PK	15.97271G	58.06	74.00	-15.94	17.42	3	Horizontal	31	1.50	40.64	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96069G	34.78	54.00	-19.22	6.00	3	Vertical	302	1.50	28.78	33.24	7.16	34.40
AV	11.39922G	44.78	54.00	-9.22	16.36	3	Vertical	269	1.39	28.42	39.30	10.81	33.75
AV	11.90923G	43.94	54.00	-10.06	16.14	3	Vertical	55	1.49	27.80	38.92	10.95	33.73
AV	12.21116G	44.69	54.00	-9.31	16.92	3	Vertical	209	1.87	27.77	39.40	11.09	33.57
AV	13.64757G	46.82	68.20	-21.38	19.79	3	Vertical	325	1.59	27.03	40.00	11.94	32.15
AV	15.97666G	45.92	54.00	-8.08	17.42	3	Vertical	294	1.94	28.50	38.05	13.13	33.76
PK	4.95962G	47.10	74.00	-26.90	6.00	3	Vertical	302	1.50	41.10	33.24	7.16	34.40
PK	11.40164G	57.03	74.00	-16.97	16.35	3	Vertical	269	1.39	40.68	39.29	10.81	33.75
PK	11.91228G	56.63	74.00	-17.37	16.14	3	Vertical	55	1.49	40.49	38.92	10.95	33.73
PK	12.21058G	56.33	74.00	-17.67	16.92	3	Vertical	209	1.87	39.41	39.40	11.09	33.57
PK	13.65158G	59.21	88.20	-28.99	19.80	3	Vertical	325	1.59	39.41	40.00	11.94	32.14
PK	15.97611G	57.34	74.00	-16.66	17.42	3	Vertical	294	1.94	39.92	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96029G	36.11	54.00	-17.89	6.00	3	Horizontal	6	1.74	30.11	33.24	7.16	34.40
AV	11.39769G	44.97	54.00	-9.03	16.37	3	Horizontal	39	1.49	28.60	39.31	10.81	33.75
AV	11.90839G	43.90	54.00	-10.10	16.14	3	Horizontal	124	2.22	27.76	38.92	10.95	33.73
AV	12.21168G	44.47	54.00	-9.53	16.92	3	Horizontal	75	2.12	27.55	39.40	11.09	33.57
AV	13.65067G	46.65	68.20	-21.55	19.80	3	Horizontal	191	2.91	26.85	40.00	11.94	32.14
AV	15.97303G	45.69	54.00	-8.31	17.42	3	Horizontal	64	2.57	28.27	38.05	13.13	33.76
PK	4.95791G	48.57	74.00	-25.43	5.99	3	Horizontal	6	1.74	42.58	33.23	7.16	34.40
PK	11.39839G	56.74	74.00	-17.26	16.37	3	Horizontal	39	1.49	40.37	39.31	10.81	33.75
PK	11.90948G	56.94	74.00	-17.06	16.14	3	Horizontal	124	2.22	40.80	38.92	10.95	33.73
PK	12.21133G	56.35	74.00	-17.65	16.92	3	Horizontal	75	2.12	39.43	39.40	11.09	33.57
PK	13.65227G	58.49	88.20	-29.71	19.80	3	Horizontal	191	2.91	38.69	40.00	11.94	32.14
PK	15.97462G	57.90	74.00	-16.10	17.42	3	Horizontal	64	2.57	40.48	38.05	13.13	33.76