


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6895MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7095MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6445MHz_TX

24/12/2025



6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6485MHz_TX

24/12/2025

CF (Hz)
6.485G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.490249G	4.28	6.5576G	-43.54	-35.48	-8.06	1
6.480201G	3.47	6.54995G	-41.17	-36.53	-4.64	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6525MHz_TX

24/12/2025

CF (Hz)
6.525G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.519951G	-0.29	6.5565G	-31.13	-24.25	-6.88	1
6.527499G	-1.33	6.48795G	-33.60	-27.50	-6.10	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.556052G	-0.47	6.53435G	-30.41	-22.19	-8.22	1
6.567649G	-0.45	6.59665G	-31.34	-24.21	-7.13	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.679901G	-0.40	6.65465G	-30.63	-21.14	-9.49	1
6.681551G	-0.58	6.64815G	-33.61	-26.44	-7.17	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6885MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6925MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9705G	3.42	6.1075G	-41.57	-36.03	-5.54	1
5.9942G	2.98	6.1137G	-42.89	-37.02	-5.87	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2088G	0.69	6.1828G	-26.75	-19.48	-7.27	1
6.2111G	0.55	6.1825G	-27.46	-19.59	-7.87	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41559G	2.53	6.5096G	-44.62	-37.47	-7.15	1
6.392G	2.18	6.5086G	-44.92	-37.82	-7.10	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6465MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4583G	2.40	6.5922G	-46.18	-37.60	-8.58	1
6.4777G	2.05	6.5872G	-45.14	-37.95	-7.19	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6545MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5375G	2.16	6.5026G	-25.26	-17.94	-7.32	1
6.5347G	1.16	6.5026G	-27.08	-18.87	-8.21	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6133G	2.20	6.5828G	-25.53	-17.97	-7.56	1
6.6356G	0.91	6.5836G	-26.05	-19.10	-6.95	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6919G	1.94	6.6634G	-25.69	-18.06	-7.63	1
6.6944G	1.41	6.8324G	-46.83	-38.59	-8.24	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7722G	2.44	6.9103G	-45.42	-37.56	-7.86	1
6.7973G	1.35	6.7433G	-25.80	-18.67	-7.13	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

25/12/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20919G	3.42	6.4688G	-36.88	-36.58	-0.30	1
6.15601G	3.37	6.4654G	-37.05	-36.62	-0.43	2


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

25/12/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.32101G	4.10	6.689G	-40.12	-35.90	-4.22	1
6.40798G	4.24	6.6418G	-37.80	-35.76	-2.04	2

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

25/12/2025



6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

25/12/2025

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76841G	3.11	7.0752G	-36.62	-36.52	-0.10	1
6.80041G	3.34	6.9896G	-25.83	-16.98	-8.85	2

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

25/12/2025

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92921G	2.00	6.6336G	-41.03	-38.00	-3.03	1
7.04738G	2.08	7.3008G	-39.98	-37.92	-2.06	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96783G	1.04	6.6962G	-41.60	-38.96	-2.64	1
6.14099G	1.20	6.5906G	-40.09	-38.79	-1.30	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

25/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15863G	6.00	6.5962G	-21.98	-14.05	-7.93	1
6.30859G	5.33	6.5654G	-21.66	-15.26	-6.40	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6425MHz_TX

25/12/2025

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47179G	5.75	6.7366G	-21.40	-14.40	-7.00	1
6.46179G	5.03	6.727G	-22.22	-15.18	-7.04	2

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz_TX

25/12/2025

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55101G	5.30	7.3762G	-40.07	-34.70	-5.37	1
6.53901G	4.48	6.9318G	-23.69	-15.60	-8.09	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6745MHz_TX

25/12/2025

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64143G	4.79	5.9454G	-41.49	-34.05	-7.44	1
6.71581G	4.44	7.0742G	-24.52	-15.62	-8.90	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6905MHz_TX

25/12/2025

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93859G	0.08	7.4106G	-42.57	-39.92	-2.65	1
6.80183G	-1.39	7.4906G	-42.37	-41.39	-0.98	2


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

24/12/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.951301G	-7.81	5.94005G	-36.47	-30.40	-6.07	1
5.947577G	-8.01	5.970025G	-36.85	-28.85	-8.00	2
5.960024G	-7.40	5.939875G	-36.61	-29.10	-7.51	3
5.9538G	-7.06	5.97215G	-38.14	-31.56	-6.58	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

24/12/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198774G	-8.34	6.175375G	-41.59	-34.76	-6.83	1
6.198749G	-8.93	6.174875G	-41.43	-35.72	-5.71	2
6.201298G	-7.35	6.178725G	-38.39	-30.62	-7.77	3
6.197499G	-7.87	6.174375G	-41.56	-33.67	-7.89	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.477499G	-6.80	6.494675G	-40.16	-33.26	-6.90	1
6.479974G	-7.06	6.4539G	-41.64	-34.38	-7.26	2
6.467502G	-6.58	6.4938G	-39.58	-32.32	-7.26	3
6.471251G	-7.21	6.458775G	-37.91	-30.72	-7.19	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.519974G	-6.97	6.493425G	-41.91	-35.05	-6.86	1
6.510026G	-7.38	6.4961G	-40.56	-33.44	-7.12	2
6.507477G	-6.55	6.49895G	-37.61	-29.94	-7.67	3
6.513675G	-7.95	6.494275G	-42.17	-35.53	-6.64	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.530001G	-7.12	6.520025G	-36.77	-29.56	-7.21	1
6.539999G	-8.19	6.55425G	-41.65	-34.35	-7.30	2
6.528802G	-7.17	6.51705G	-38.68	-32.29	-6.39	3
6.536225G	-7.83	6.552875G	-39.70	-32.89	-6.81	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

24/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.687527G	-7.08	6.67665G	-39.43	-32.42	-7.01	1
6.690076G	-7.82	6.675425G	-41.14	-33.88	-7.26	2
6.692401G	-7.07	6.7107G	-37.17	-28.66	-8.51	3
6.692476G	-7.34	6.6812G	-35.99	-28.78	-7.21	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

24/12/2025

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.870001G	-7.65	6.8534G	-42.59	-35.50	-7.09	1
6.879974G	-7.83	6.894725G	-41.19	-33.82	-7.37	2
6.876275G	-6.46	6.88975G	-36.05	-28.86	-7.19	3
6.879949G	-7.40	6.85445G	-41.75	-33.88	-7.87	4


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

24/12/2025

CF (Hz)
6.895G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.889951G	-7.54	6.90975G	-36.48	-30.03	-6.45	1
6.902498G	-8.05	6.910975G	-37.66	-31.32	-6.34	2
6.901223G	-7.50	6.87945G	-36.97	-29.86	-7.11	3
6.899999G	-6.76	6.874375G	-41.40	-33.26	-8.14	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

24/12/2025



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

24/12/2025

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961301G	-4.58	6.0485G	-53.12	-44.58	-8.54	1
5.961051G	-4.63	6.04515G	-52.82	-44.63	-8.19	2
5.962201G	-4.48	5.9908G	-32.13	-24.59	-7.54	3
5.973598G	-4.42	5.93885G	-31.56	-25.03	-6.53	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

24/12/2025

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.208899G	-5.27	6.29755G	-52.43	-45.27	-7.16	1
6.195952G	-6.03	6.28305G	-52.67	-46.03	-6.64	2
6.207499G	-5.15	6.169G	-36.79	-30.74	-6.05	3
6.198452G	-5.19	6.16745G	-37.64	-31.06	-6.58	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.416647G	-4.59	6.47645G	-52.00	-44.59	-7.41	1
6.409849G	-4.94	6.48265G	-52.25	-44.94	-7.31	2
6.398852G	-4.44	6.32945G	-52.11	-44.44	-7.67	3
6.408549G	-4.70	6.4324G	-33.03	-26.48	-6.55	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.437402G	-4.31	6.408G	-37.06	-30.23	-6.83	1
6.450499G	-4.90	6.3707G	-52.43	-44.90	-7.53	2
6.458647G	-3.92	6.47215G	-33.17	-25.38	-7.79	3
6.448899G	-4.67	6.4725G	-33.19	-26.26	-6.93	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

24/12/2025

CF (Hz)
6.885G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.887649G	-4.39	6.95205G	-51.10	-44.39	-6.71	1
6.893698G	-5.20	6.9576G	-51.07	-45.20	-5.87	2
6.879851G	-4.12	6.8477G	-35.28	-29.89	-5.39	3
6.872503G	-4.60	6.91225G	-33.01	-26.53	-6.48	4


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

24/12/2025

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.927349G	-3.72	6.8878G	-37.02	-30.23	-6.79	1
6.920051G	-4.10	6.99485G	-50.83	-43.87	-6.96	2
6.930099G	-2.44	7.00415G	-51.45	-42.44	-9.01	3
6.928849G	-3.66	6.84765G	-50.90	-43.66	-7.24	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

25/12/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9727G	2.99	6.1158G	-43.47	-37.01	-6.46	1
5.978G	2.72	6.1136G	-43.28	-37.28	-6.00	2
5.9724G	3.54	6.1247G	-43.86	-36.46	-7.40	3
5.9701G	3.72	6.1235G	-39.72	-36.28	-3.44	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

25/12/2025

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2097G	-2.35	6.183G	-29.19	-22.39	-6.80	1
6.2353G	-2.52	6.352G	-49.04	-42.52	-6.52	2
6.2154G	-2.14	6.364G	-49.37	-42.14	-7.23	3
6.2373G	-2.04	6.402G	-49.70	-42.04	-7.66	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

25/12/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.399G	-1.97	6.2247G	-49.12	-41.97	-7.15	1
6.4017G	-2.55	6.23G	-49.50	-42.55	-6.95	2
6.3717G	-1.13	6.2202G	-49.22	-41.13	-8.09	3
6.3917G	-1.72	6.227G	-49.37	-41.72	-7.65	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

25/12/2025

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4565G	-1.64	6.3315G	-49.26	-41.64	-7.62	1
6.4772G	-2.46	6.3163G	-49.85	-42.46	-7.39	2
6.4597G	-1.53	6.2894G	-49.48	-41.53	-7.95	3
6.479G	-1.45	6.3348G	-49.18	-41.45	-7.73	4


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

25/12/2025

CF (Hz)
6.545G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5323G	-1.61	6.3935G	-49.32	-41.61	-7.71	1
6.5588G	-2.27	6.4201G	-49.48	-42.27	-7.21	2
6.5375G	-1.07	6.5029G	-28.25	-21.08	-7.17	3
6.5342G	-1.23	6.413G	-49.24	-41.23	-8.01	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

25/12/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.612G	-1.25	6.4652G	-48.72	-41.25	-7.47	1
6.6128G	-2.27	6.8153G	-49.13	-42.27	-6.86	2
6.6136G	-0.92	6.5829G	-28.45	-20.93	-7.52	3
6.6138G	-1.32	6.5834G	-28.01	-21.32	-6.69	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

25/12/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

25/12/2025



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

25/12/2025

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0131G	3.03	6.874G	-40.86	-36.97	-3.89	1
7.0138G	2.15	7.1513G	-42.83	-37.85	-4.98	2
7.0137G	3.35	7.1697G	-41.21	-36.61	-4.60	3
7.0168G	3.35	6.8602G	-40.57	-36.65	-3.92	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

25/12/2025

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94942G	1.55	6.3206G	-44.41	-38.20	-6.21	1
6.10038G	1.60	6.318G	-45.29	-38.40	-6.89	2
5.96002G	2.32	6.3322G	-43.53	-37.68	-5.85	3
6.05779G	1.80	6.3038G	-44.26	-38.20	-6.06	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

25/12/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16121G	-0.35	6.4278G	-45.49	-40.14	-5.35	1
6.15801G	-0.54	6.4292G	-44.92	-40.44	-4.48	2
6.1972G	0.50	6.4918G	-45.74	-39.50	-6.24	3
6.20919G	0.45	6.4578G	-45.68	-39.55	-6.13	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

25/12/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40778G	1.49	6.5932G	-44.06	-38.51	-5.55	1
6.40219G	1.25	6.0814G	-45.97	-38.75	-7.22	2
6.36919G	1.88	6.6226G	-44.86	-37.83	-7.03	3
6.36819G	1.62	6.6194G	-45.20	-38.02	-7.18	4

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

25/12/2025

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52979G	1.33	6.7834G	-44.66	-38.67	-5.99	1
6.48261G	0.12	6.7756G	-44.62	-39.88	-4.74	2
6.53239G	1.51	6.7934G	-43.24	-38.41	-4.83	3
6.47721G	1.05	6.8092G	-44.84	-38.95	-5.89	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

25/12/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60721G	1.25	6.9582G	-43.00	-38.29	-4.71	1
6.63801G	0.82	6.9542G	-42.24	-39.18	-3.06	2
6.64221G	1.60	6.9638G	-42.28	-37.53	-4.75	3
6.60821G	1.52	6.9476G	-41.28	-38.33	-2.95	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

25/12/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

25/12/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14899G	0.58	6.8226G	-44.16	-39.42	-4.74	1
6.15259G	0.39	6.5874G	-41.64	-39.07	-2.57	2
5.96823G	1.53	6.6106G	-38.67	-37.83	-0.84	3
6.14739G	1.35	6.593G	-40.10	-38.62	-1.48	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

25/12/2025

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.30779G	1.19	6.7554G	-39.46	-38.81	-0.65	1
6.30939G	0.51	6.7494G	-41.13	-39.29	-1.84	2
6.16902G	2.00	6.775G	-38.54	-37.85	-0.69	3
6.30139G	1.46	6.7826G	-40.36	-38.54	-1.82	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45819G	4.32	7.1642G	-40.79	-35.68	-5.11	1
6.47139G	3.54	7.1634G	-41.49	-36.42	-5.07	2
6.45979G	5.05	6.7262G	-23.52	-15.18	-8.34	3
6.46059G	4.94	6.7138G	-23.49	-15.14	-8.35	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54941G	4.49	7.385G	-40.36	-35.51	-4.85	1
6.54021G	4.03	7.381G	-39.92	-33.42	-6.50	2
6.55061G	5.28	6.9442G	-23.52	-15.06	-8.46	3
6.53541G	5.19	6.913G	-22.58	-15.10	-7.48	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

24/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407402G	-5.53	6.4294G	-34.01	-27.13	-6.88	1
6.421223G	-6.21	6.398275G	-36.79	-30.29	-6.50	2
6.421248G	-4.57	6.432G	-36.60	-28.81	-7.79	3
6.419949G	-6.04	6.4313G	-36.58	-29.71	-6.87	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6435MHz_TX

24/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.428777G	-5.72	6.4176G	-38.12	-28.66	-9.46	1
6.439949G	-6.24	6.4538G	-39.61	-31.08	-8.53	2
6.427502G	-5.84	6.455325G	-39.76	-32.79	-6.97	3
6.433675G	-7.26	6.4509G	-37.52	-29.01	-8.51	4


6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6475MHz_TX

24/12/2025

CF (Hz)
6.475G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.468677G	-4.56	6.457225G	-36.43	-29.64	-6.79	1
6.478749G	-5.00	6.45745G	-36.39	-29.30	-7.09	2
6.476275G	-4.16	6.4574G	-36.39	-28.61	-7.78	3
6.478724G	-5.15	6.49165G	-36.16	-28.84	-7.32	4


6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6515MHz_TX

24/12/2025

CF (Hz)
6.515G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.508727G	-3.92	6.498175G	-35.65	-27.52	-8.13	1
6.519949G	-4.77	6.497175G	-36.58	-29.57	-7.01	2
6.513725G	-4.39	6.532625G	-36.37	-27.79	-8.58	3
6.522473G	-4.56	6.4974G	-36.84	-28.29	-8.55	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

24/12/2025



6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6875MHz_TX

24/12/2025

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.880024G	-5.94	6.853625G	-40.11	-32.23	-7.88	1
6.880049G	-6.25	6.894175G	-39.13	-32.02	-7.11	2
6.882498G	-5.11	6.855975G	-37.52	-30.73	-6.79	3
6.881223G	-5.67	6.857475G	-37.48	-28.75	-8.73	4

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6895MHz_TX

24/12/2025

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89625G	-5.96	6.874775G	-39.46	-32.07	-7.39	1
6.900074G	-5.98	6.8774G	-37.51	-30.63	-6.88	2
6.901198G	-5.34	6.87915G	-35.42	-28.54	-6.88	3
6.901198G	-5.81	6.8804G	-34.82	-27.78	-7.04	4

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6995MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

7095MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6445MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6485MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6525MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6885MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6925MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7005MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7085MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

25/12/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9739G	2.57	6.1154G	-45.10	-37.26	-7.84	1
5.9677G	2.37	5.9427G	-23.69	-17.66	-6.03	2
5.9689G	3.35	5.9415G	-23.63	-16.72	-6.91	3
5.9824G	3.39	6.1211G	-40.68	-36.61	-4.07	4


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

25/12/2025

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2198G	-0.76	6.3608G	-48.69	-40.76	-7.93	1
6.2177G	-0.87	6.3519G	-48.51	-40.87	-7.64	2
6.2128G	-0.42	6.1813G	-27.44	-20.45	-6.99	3
6.2358G	0.03	6.2737G	-29.49	-20.96	-8.53	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6465MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6545MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6865MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8544G	0.07	6.9984G	-46.64	-39.93	-6.71	1
6.8811G	-0.77	6.9939G	-47.14	-40.77	-6.37	2
6.857G	0.97	6.8215G	-27.07	-19.04	-8.03	3
6.8513G	-0.16	6.907G	-27.00	-20.18	-6.82	4

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6945MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9331G	0.59	6.7849G	-46.87	-39.41	-7.46	1
6.9337G	-0.75	7.0768G	-48.22	-40.75	-7.47	2
6.9329G	0.93	7.0733G	-48.16	-39.07	-9.09	3
6.9421G	0.50	6.9013G	-27.90	-19.50	-8.40	4

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

7025MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

25/12/2025



6.425-6.525GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6505MHz_TX

25/12/2025

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48281G	2.56	6.7928G	-40.23	-36.25	-3.98	1
6.52799G	2.22	6.8026G	-38.99	-37.78	-1.21	2
6.47161G	3.39	6.8364G	-39.27	-36.61	-2.66	3
6.52879G	3.23	6.7918G	-38.44	-36.77	-1.67	4

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

25/12/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58982G	3.20	6.9616G	-38.25	-36.80	-1.45	1
6.60142G	2.76	7.0614G	-42.76	-35.89	-6.87	2
6.64101G	4.07	6.8428G	-24.64	-17.44	-7.20	3
6.58842G	4.15	6.8188G	-23.80	-16.16	-7.64	4

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6825MHz_TX

25/12/2025




6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6985MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6105MHz_TX

25/12/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13939G	0.80	6.7746G	-43.85	-39.20	-4.65	1
6.13699G	0.67	6.6886G	-43.71	-39.33	-4.38	2
6.13779G	1.39	6.7574G	-41.92	-38.61	-3.31	3
6.14019G	1.30	6.795G	-43.91	-38.70	-5.21	4


5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6265MHz_TX

25/12/2025

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23381G	4.39	6.963G	-39.66	-35.46	-4.20	1
6.31139G	3.94	7.0094G	-40.56	-35.93	-4.63	2
6.23061G	5.39	7.0638G	-40.14	-33.63	-6.51	3
6.22981G	4.98	6.5734G	-23.56	-15.26	-8.30	4


5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6425MHz_TX

25/12/2025

CF (Hz)
6.425G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45899G	4.56	6.761G	-25.67	-16.22	-9.45	1
6.45939G	3.78	7.2238G	-41.71	-34.05	-7.66	2
6.45739G	5.47	6.7518G	-22.27	-14.96	-7.31	3
6.46899G	5.28	6.725G	-20.88	-14.86	-6.02	4


6.425-6.525GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6585MHz_TX

25/12/2025

CF (Hz)
6.585G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55341G	3.96	7.3846G	-40.98	-36.04	-4.94	1
6.55141G	3.50	7.385G	-40.76	-32.92	-7.84	2
6.55141G	4.56	6.9266G	-24.36	-15.62	-8.74	3
6.54021G	4.63	6.897G	-23.45	-15.49	-7.96	4

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6745MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6905MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.481298G	-4.39	6.4903G	-34.46	-25.15	-9.31	1
6.477399G	-4.18	6.455475G	-36.96	-24.61	-12.35	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.517449G	-2.51	6.530625G	-32.73	-22.59	-10.14	1
6.507477G	-2.14	6.4953G	-35.02	-27.78	-7.24	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.879974G	-5.98	6.85615G	-38.46	-30.89	-7.57	1
6.869926G	-5.60	6.856475G	-37.98	-30.10	-7.88	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.888702G	-4.94	6.91385G	-37.27	-29.02	-8.25	1
6.901198G	-4.90	6.91005G	-34.89	-25.86	-9.03	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.997474G	-5.94	6.9757G	-38.74	-29.82	-8.92	1
6.998724G	-6.95	6.945825G	-58.19	-46.95	-11.24	2

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

25/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.087477G	-5.75	7.076925G	-37.47	-27.60	-9.87	1
7.099974G	-6.11	7.077825G	-37.44	-29.89	-7.55	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

25/12/2025

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.967449G	3.51	6.05505G	-45.72	-36.49	-9.23	1
5.968649G	3.11	5.9347G	-25.83	-18.21	-7.62	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

25/12/2025

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.200001G	-0.60	6.1774G	-29.23	-22.67	-6.56	1
6.199901G	-1.63	6.1746G	-31.73	-24.80	-6.93	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.401201G	-0.22	6.38035G	-28.50	-20.40	-8.10	1
6.402501G	-0.05	6.37545G	-30.28	-22.97	-7.31	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.447549G	-0.73	6.40885G	-33.50	-26.23	-7.27	1
6.449999G	-1.12	6.40745G	-34.23	-26.66	-7.57	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.488749G	-0.62	6.4559G	-30.39	-23.34	-7.05	1
6.487649G	-0.87	6.4554G	-31.09	-21.79	-9.30	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.528799G	-1.42	6.49015G	-33.11	-26.17	-6.94	1
6.520301G	-1.80	6.4887G	-34.17	-26.90	-7.27	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.889949G	-1.83	6.8489G	-34.47	-27.17	-7.30	1
6.887499G	-2.05	6.91755G	-33.56	-26.47	-7.09	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.920051G	-3.42	6.89995G	-31.61	-24.27	-7.34	1
6.920051G	-4.34	6.8874G	-37.55	-30.85	-6.70	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

25/12/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9724G	1.34	5.9401G	-26.03	-18.79	-7.24	1
5.9771G	0.84	5.9398G	-27.02	-19.20	-7.82	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2134G	1.52	6.1825G	-26.77	-18.49	-8.28	1
6.2204G	1.50	6.3505G	-45.08	-38.50	-6.58	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3733G	0.10	6.3401G	-29.04	-20.13	-8.91	1
6.3974G	0.11	6.3419G	-28.31	-19.97	-8.34	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4566G	2.37	6.5911G	-41.70	-37.63	-4.07	1
6.4774G	2.17	6.6128G	-44.15	-37.82	-6.33	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8528G	2.18	6.9902G	-40.74	-37.82	-2.92	1
6.8777G	1.88	6.9909G	-42.07	-38.12	-3.95	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9322G	2.02	7.0705G	-40.42	-37.98	-2.44	1
6.9317G	1.62	7.0721G	-41.28	-38.02	-3.26	2

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

25/12/2025



6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

25/12/2025

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48161G	4.09	6.901G	-40.81	-33.40	-7.41	1
6.53199G	4.12	6.668G	-24.10	-16.37	-7.73	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

25/12/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63901G	3.73	7.0644G	-43.99	-36.27	-7.72	1
6.63581G	3.82	6.8338G	-26.60	-16.24	-10.36	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

25/12/2025

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79541G	1.84	7.1444G	-42.05	-37.71	-4.34	1
6.80001G	2.20	6.9716G	-25.81	-17.88	-7.93	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

25/12/2025

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95961G	3.38	6.585G	-41.95	-34.93	-7.02	1
6.95961G	3.33	7.1478G	-24.62	-17.65	-6.97	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39421G	4.01	6.7254G	-23.12	-16.24	-6.88	1
6.47139G	3.69	6.7122G	-23.41	-16.66	-6.75	2

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

25/12/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55061G	2.57	6.9158G	-28.76	-18.69	-10.07	1
6.55901G	2.71	6.8966G	-26.00	-17.32	-8.68	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

25/12/2025

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63743G	2.85	6.047G	-44.35	-37.15	-7.20	1
6.64023G	2.99	7.0574G	-26.40	-17.47	-8.93	2

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

25/12/2025

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.94899G	-1.22	6.413G	-44.74	-41.22	-3.52	1
6.93939G	-1.27	6.4234G	-43.88	-40.58	-3.30	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

25/12/2025

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.956425G	-10.34	5.9377G	-41.51	-30.53	-10.98	1
5.959949G	-10.24	5.96975G	-39.34	-30.24	-9.10	2
5.950026G	-9.84	5.969725G	-38.70	-31.44	-7.26	3
5.953675G	-9.36	5.9378G	-40.71	-32.15	-8.56	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

25/12/2025

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.189951G	-11.60	6.179525G	-42.32	-33.22	-9.10	1
6.188702G	-13.02	6.210175G	-42.72	-34.93	-7.79	2
6.192476G	-11.98	6.209775G	-41.57	-32.57	-9.00	3
6.199899G	-11.75	6.17695G	-43.94	-36.69	-7.25	4

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417474G	-7.25	6.431175G	-38.35	-27.47	-10.88	1
6.419974G	-7.72	6.399725G	-38.12	-27.85	-10.27	2
6.417474G	-6.51	6.4297G	-36.66	-27.42	-9.24	3
6.418724G	-7.17	6.396725G	-38.94	-32.19	-6.75	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.441248G	-5.94	6.450225G	-35.86	-27.29	-8.57	1
6.441173G	-5.85	6.420425G	-35.47	-26.13	-9.34	2
6.433775G	-5.72	6.45065G	-35.65	-26.57	-9.08	3
6.43375G	-5.43	6.4498G	-35.46	-26.59	-8.87	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

25/12/2025



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

25/12/2025

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.871201G	-8.48	6.89395G	-41.12	-34.04	-7.08	1
6.8737G	-8.06	6.85975G	-38.25	-28.79	-9.46	2
6.867427G	-8.43	6.8899G	-38.29	-28.87	-9.42	3
6.872451G	-8.48	6.856075G	-41.33	-33.49	-7.84	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

25/12/2025

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.890001G	-6.58	6.913975G	-39.30	-29.81	-9.49	1
6.899924G	-6.84	6.91035G	-36.68	-27.67	-9.01	2
6.897499G	-6.25	6.880975G	-35.40	-26.94	-8.46	3
6.888702G	-6.32	6.87485G	-40.12	-32.96	-7.16	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

25/12/2025




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

25/12/2025



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

25/12/2025

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958952G	-6.27	5.93745G	-34.90	-26.66	-8.24	1
5.960051G	-6.97	5.9348G	-36.19	-30.12	-6.07	2
5.967599G	-6.20	5.9375G	-34.34	-27.06	-7.28	3
5.967449G	-6.43	6.003G	-38.35	-30.96	-7.39	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

25/12/2025

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.213848G	-6.54	6.17265G	-37.41	-30.07	-7.34	1
6.199901G	-7.31	6.16895G	-39.35	-32.85	-6.50	2
6.201351G	-6.67	6.1673G	-39.24	-32.75	-6.49	3
6.208749G	-5.89	6.16805G	-38.57	-30.77	-7.80	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

25/12/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

25/12/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

25/12/2025




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

25/12/2025



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

25/12/2025

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8534G	-7.00	6.997G	-53.44	-47.00	-6.44	1
6.8561G	-7.66	7.0003G	-53.78	-47.66	-6.12	2
6.8528G	-7.30	6.9976G	-54.03	-47.30	-6.73	3
6.8768G	-7.15	7.0099G	-54.07	-46.75	-7.32	4

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

25/12/2025

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9338G	-5.51	6.7849G	-53.35	-45.51	-7.84	1
6.9376G	-6.40	6.8887G	-37.14	-28.66	-8.48	2
6.9339G	-6.14	6.9015G	-34.85	-26.15	-8.70	3
6.9336G	-5.89	6.891G	-35.87	-28.17	-7.70	4

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

25/12/2025



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

25/12/2025

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15701G	-2.42	6.4284G	-50.51	-41.82	-8.69	1
6.16001G	-3.42	6.4278G	-50.97	-42.83	-8.14	2
6.15941G	-2.37	5.943G	-49.79	-41.66	-8.13	3
6.16021G	-2.33	6.4284G	-50.60	-41.73	-8.87	4

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

25/12/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36819G	-2.35	6.1022G	-50.63	-41.76	-8.87	1
6.42158G	-2.16	6.5878G	-50.51	-41.67	-8.84	2
6.37139G	-1.77	6.0998G	-50.27	-41.53	-8.74	3
6.37099G	-1.80	6.1012G	-50.80	-41.45	-9.35	4

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48041G	-2.96	6.2594G	-51.21	-42.78	-8.43	1
6.56319G	-3.27	6.9032G	-51.64	-43.27	-8.37	2
6.47921G	-2.71	6.2594G	-51.20	-42.71	-8.49	3
6.47981G	-2.65	6.2602G	-51.12	-42.45	-8.67	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60701G	-1.62	6.9092G	-49.17	-41.14	-8.03	1
6.63821G	-2.22	6.9316G	-50.28	-42.22	-8.06	2
6.58922G	-1.29	6.9408G	-48.30	-41.29	-7.01	3
6.60202G	-1.39	6.9102G	-48.35	-40.87	-7.48	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85039G	-2.32	6.5798G	-50.85	-41.89	-8.96	1
6.79741G	-2.48	7.0694G	-50.69	-42.03	-8.66	2
6.74842G	-2.03	7.0822G	-51.48	-42.00	-9.48	3
6.79861G	-2.52	6.5818G	-50.36	-41.89	-8.47	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

25/12/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95701G	0.76	6.7016G	-41.17	-39.24	-1.93	1
6.95721G	0.98	6.5884G	-42.79	-37.41	-5.38	2
7.00859G	0.67	6.6816G	-41.52	-39.33	-2.19	3
7.01099G	0.87	6.6956G	-39.43	-39.13	-0.30	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

21/01/2026




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6435MHz_TX

21/01/2026




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6475MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4737G	-7.63	6.46115G	-36.02	-29.30	-6.72	1
6.469926G	-6.59	6.46085G	-35.62	-28.47	-7.15	2

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6515MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.521198G	-7.57	6.4966G	-39.42	-32.99	-6.43	1
6.5137G	-6.41	6.532875G	-38.36	-31.14	-7.22	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz_TX

21/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6895MHz_TX

21/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

21/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7095MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

21/01/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.973898G	-4.84	5.99135G	-31.96	-25.55	-6.41	1
5.959251G	-4.19	6.0023G	-35.14	-30.42	-4.72	2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

21/01/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.216497G	-4.88	6.2404G	-36.58	-30.65	-5.93	1
6.209999G	-4.34	6.23225G	-33.26	-25.53	-7.73	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

21/01/2026




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6445MHz_TX

21/01/2026




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6485MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.471203G	-3.54	6.4513G	-33.86	-27.74	-6.12	1
6.492348G	-3.63	6.46365G	-28.98	-23.75	-5.23	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6525MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.518952G	-4.09	6.48645G	-35.90	-30.70	-5.20	1
6.527299G	-3.47	6.5034G	-29.21	-23.50	-5.71	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6885MHz_TX

21/01/2026




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6925MHz_TX

21/01/2026




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

21/01/2026




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3761G	-1.94	6.3424G	-29.92	-22.01	-7.91	1
6.3713G	-1.78	6.3425G	-28.83	-21.83	-7.00	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6465MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4572G	-1.38	6.4097G	-31.68	-23.66	-8.02	1
6.4483G	-1.31	6.422G	-28.50	-21.33	-7.17	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6545MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.557G	-1.18	6.5027G	-27.23	-21.26	-5.97	1
6.51411G	-1.12	6.5027G	-26.70	-21.24	-5.46	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6112G	-1.85	6.5684G	-31.90	-24.53	-7.37	1
6.6169G	-1.46	6.5817G	-29.02	-21.51	-7.51	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8788G	-1.74	6.8026G	-33.15	-25.43	-7.72	1
6.8504G	-1.27	6.8215G	-29.20	-21.32	-7.88	2

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9587G	-0.91	6.9032G	-26.79	-20.93	-5.86	1
6.9526G	-1.07	6.902G	-28.26	-21.09	-7.17	2

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

21/01/2026




6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44202G	1.63	6.2606G	-49.27	-38.37	-10.90	1
6.44981G	1.66	6.4226G	-27.27	-18.34	-8.93	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

21/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63741G	1.35	6.4216G	-48.17	-38.44	-9.73	1
6.60841G	1.61	6.4212G	-47.94	-38.39	-9.55	2


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

21/01/2026

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79981G	1.19	6.581G	-46.51	-38.81	-7.70	1
6.74862G	1.80	6.5824G	-45.31	-37.68	-7.63	2


6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

21/01/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.90942G	1.89	6.74G	-40.35	-38.11	-2.24	1
6.95241G	1.74	6.7202G	-40.87	-38.19	-2.68	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

21/01/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14099G	2.70	5.6238G	-39.27	-36.87	-2.40	1
6.14059G	2.34	5.6294G	-39.64	-36.81	-2.83	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

21/01/2026

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31059G	2.49	6.7494G	-40.36	-37.22	-3.14	1
6.23101G	2.88	6.749G	-38.75	-36.89	-1.86	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6425MHz_TX

21/01/2026




6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz_TX

21/01/2026



6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6745MHz_TX

21/01/2026

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60863G	2.80	6.165G	-38.71	-36.99	-1.72	1
6.60344G	2.76	6.1734G	-38.92	-36.99	-1.93	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6905MHz_TX

21/01/2026

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.81142G	4.08	6.235G	-39.58	-35.92	-3.66	1
6.85821G	4.31	6.1698G	-40.56	-35.69	-4.87	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417474G	5.27	6.39365G	-29.97	-22.38	-7.59	1
6.411151G	5.59	6.383275G	-39.96	-34.17	-5.79	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

21/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532501G	5.45	6.5032G	-38.14	-34.05	-4.09	1
6.537424G	6.35	6.513G	-29.44	-22.14	-7.30	2