





5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6345MHz

21/01/2026




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6665MHz

21/01/2026





5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX
EBW
6105MHz

21/01/2026


5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX
EBW
6265MHz

21/01/2026



Summary

Mode	EIRP (dBm)	EIRP (W)
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	25.07	0.32137
802.11be EHT20_Nss1,(MCS0)_2TX	25.60	0.36308
802.11be EHT20_Nss2,(MCS0)_2TX	28.61	0.72611
802.11be EHT20_Nss1,(MCS0)_4TX	31.01	1.26183
802.11be EHT20_Nss4,(MCS0)_4TX	31.71	1.48252
802.11be EHT20-BF_Nss1,(MCS0)_2TX	28.61	0.72611
802.11be EHT20-BF_Nss1,(MCS0)_4TX	35.83	3.82825
802.11be EHT40_Nss1,(MCS0)_1TX	24.87	0.30690
802.11be EHT40_Nss1,(MCS0)_2TX	24.95	0.31261
802.11be EHT40_Nss2,(MCS0)_2TX	27.96	0.62517
802.11be EHT40_Nss1,(MCS0)_4TX	31.11	1.29122
802.11be EHT40_Nss4,(MCS0)_4TX	31.64	1.45881
802.11be EHT40-BF_Nss1,(MCS0)_2TX	27.96	0.62517
802.11be EHT40-BF_Nss1,(MCS0)_4TX	35.88	3.87258
802.11be EHT80_Nss1,(MCS0)_1TX	25.33	0.34119
802.11be EHT80_Nss1,(MCS0)_2TX	25.36	0.34356
802.11be EHT80_Nss2,(MCS0)_2TX	28.37	0.68707
802.11be EHT80_Nss1,(MCS0)_4TX	31.56	1.43219
802.11be EHT80_Nss4,(MCS0)_4TX	31.76	1.49968
802.11be EHT80-BF_Nss1,(MCS0)_2TX	28.37	0.68707
802.11be EHT80-BF_Nss1,(MCS0)_4TX	35.98	3.96278
802.11be EHT160_Nss1,(MCS0)_1TX	23.39	0.21827
802.11be EHT160_Nss1,(MCS0)_2TX	23.41	0.21928
802.11be EHT160_Nss2,(MCS0)_2TX	26.42	0.43853
802.11be EHT160_Nss1,(MCS0)_4TX	28.70	0.74131
802.11be EHT160_Nss4,(MCS0)_4TX	28.57	0.71945
802.11be EHT160-BF_Nss1,(MCS0)_2TX	26.42	0.43853
802.11be EHT160-BF_Nss1,(MCS0)_4TX	34.72	2.96483



Average Power_Mode 1

Appendix C.1

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	2.52	22.35				22.35	24.87	36.00
6695MHz	Pass	2.52	22.45				22.45	24.97	36.00
6855MHz	Pass	2.52	22.55				22.55	25.07	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	2.52	22.35				22.35	24.87	36.00
6685MHz	Pass	2.52	22.32				22.32	24.84	36.00
6845MHz	Pass	2.52	22.31				22.31	24.83	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	2.52	22.12				22.12	24.64	36.00
6705MHz	Pass	2.52	22.76				22.76	25.28	36.00
6785MHz	Pass	2.52	22.81				22.81	25.33	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	2.52	20.87				20.87	23.39	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	2.52	19.56	19.45			22.52	25.04	36.00
6695MHz	Pass	2.52	19.51	19.62			22.58	25.10	36.00
6855MHz	Pass	2.52	20.35	19.77			23.08	25.60	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	2.52	19.13	19.23			22.19	24.71	36.00
6685MHz	Pass	2.52	19.46	19.38			22.43	24.95	36.00
6845MHz	Pass	2.52	19.32	19.29			22.32	24.84	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	2.52	19.65	19.26			22.47	24.99	36.00
6705MHz	Pass	2.52	19.65	19.94			22.81	25.33	36.00
6785MHz	Pass	2.52	19.77	19.88			22.84	25.36	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	2.52	17.63	18.11			20.89	23.41	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	2.52	22.57	22.46			25.53	28.05	36.00
6695MHz	Pass	2.52	22.52	22.63			25.59	28.11	36.00
6855MHz	Pass	2.52	23.36	22.78			26.09	28.61	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	2.52	22.14	22.24			25.20	27.72	36.00
6685MHz	Pass	2.52	22.47	22.39			25.44	27.96	36.00
6845MHz	Pass	2.52	22.33	22.3			25.33	27.85	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	2.52	22.66	22.27			25.48	28.00	36.00
6705MHz	Pass	2.52	22.66	22.95			25.82	28.34	36.00
6785MHz	Pass	2.52	22.78	22.89			25.85	28.37	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	2.52	20.64	21.12			23.90	26.42	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	2.52	21.98	22.56	22.55	22.76	28.49	31.01	36.00
6695MHz	Pass	2.52	21.17	22.21	21.77	21.57	27.72	30.24	36.00
6855MHz	Pass	2.52	22.77	21.84	22.45	21.94	28.29	30.81	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	2.52	22.22	22.33	22.53	22.74	28.48	31.00	36.00
6685MHz	Pass	2.52	22.19	22.43	22.88	22.48	28.52	31.04	36.00
6845MHz	Pass	2.52	22.72	22.44	22.54	22.56	28.59	31.11	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	2.52	22.53	22.21	22.35	22.57	28.44	30.96	36.00
6705MHz	Pass	2.52	22.33	23.01	23.04	22.72	28.80	31.32	36.00
6785MHz	Pass	2.52	22.9	23.29	23.34	22.5	29.04	31.56	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-



Average Power_Mode 1

Appendix C.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6665MHz	Pass	2.52	19.46	20.5	20.53	20.06	26.18	28.70	36.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	2.52	22.35	22.72	22.49	22.9	28.64	31.16	36.00
6695MHz	Pass	2.52	22.53	23.61	23.47	22.98	29.19	31.71	36.00
6855MHz	Pass	2.52	23.5	22.66	23.22	22.77	29.07	31.59	36.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	2.52	22.25	22.1	22.85	22.55	28.47	30.99	36.00
6685MHz	Pass	2.52	22.31	23.56	23.51	22.92	29.12	31.64	36.00
6845MHz	Pass	2.52	22.23	21.95	22.05	22.13	28.11	30.63	36.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	2.52	22.31	22.52	22.74	22.87	28.64	31.16	36.00
6705MHz	Pass	2.52	22.37	23.43	23.55	22.76	29.07	31.59	36.00
6785MHz	Pass	2.52	22.79	23.55	23.84	22.55	29.24	31.76	36.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	2.52	19.32	20.38	20.44	19.89	26.05	28.57	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	5.53	19.56	19.45			22.52	28.05	36.00
6695MHz	Pass	5.53	19.51	19.62			22.58	28.11	36.00
6855MHz	Pass	5.53	20.35	19.77			23.08	28.61	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	5.53	19.13	19.23			22.19	27.72	36.00
6685MHz	Pass	5.53	19.46	19.38			22.43	27.96	36.00
6845MHz	Pass	5.53	19.32	19.29			22.32	27.85	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	5.53	19.65	19.26			22.47	28.00	36.00
6705MHz	Pass	5.53	19.65	19.94			22.81	28.34	36.00
6785MHz	Pass	5.53	19.77	19.88			22.84	28.37	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	5.53	17.63	18.11			20.89	26.42	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	8.54	20.73	21.31	21.3	21.51	27.24	35.78	36.00
6695MHz	Pass	8.54	20.67	21.71	21.27	21.07	27.22	35.76	36.00
6855MHz	Pass	8.54	21.77	20.84	21.45	20.94	27.29	35.83	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	8.54	20.97	21.08	21.28	21.49	27.23	35.77	36.00
6685MHz	Pass	8.54	20.94	21.18	21.63	21.23	27.27	35.81	36.00
6845MHz	Pass	8.54	21.47	21.19	21.29	21.31	27.34	35.88	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	8.54	21.53	21.21	21.35	21.57	27.44	35.98	36.00
6705MHz	Pass	8.54	20.83	21.51	21.54	21.22	27.30	35.84	36.00
6785MHz	Pass	8.54	21.15	21.54	21.59	20.75	27.29	35.83	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	8.54	19.46	20.5	20.53	20.06	26.18	34.72	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Average Power_Mode 2

Appendix C.2

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	22.57	0.18072	22.68	0.18535
802.11be EHT20_Nss1,(MCS0)_2TX	22.92	0.19588	23.03	0.20091
802.11be EHT20_Nss2,(MCS0)_2TX	25.93	0.39174	26.04	0.40179
802.11be EHT20_Nss1,(MCS0)_4TX	28.32	0.67920	28.43	0.69663
802.11be EHT20_Nss4,(MCS0)_4TX	28.90	0.77625	29.01	0.79616
802.11be EHT20-BF_Nss1,(MCS0)_2TX	22.92	0.19588	26.04	0.40179
802.11be EHT20-BF_Nss1,(MCS0)_4TX	28.32	0.67920	34.45	2.78612
802.11be EHT40_Nss1,(MCS0)_1TX	22.66	0.18450	22.77	0.18923
802.11be EHT40_Nss1,(MCS0)_2TX	22.67	0.18493	22.78	0.18967
802.11be EHT40_Nss2,(MCS0)_2TX	25.68	0.36983	25.79	0.37931
802.11be EHT40_Nss1,(MCS0)_4TX	29.07	0.80724	29.18	0.82794
802.11be EHT40_Nss4,(MCS0)_4TX	28.90	0.77625	29.01	0.79616
802.11be EHT40-BF_Nss1,(MCS0)_2TX	22.67	0.18493	25.79	0.37931
802.11be EHT40-BF_Nss1,(MCS0)_4TX	29.07	0.80724	35.20	3.31131
802.11be EHT80_Nss1,(MCS0)_1TX	22.53	0.17906	22.64	0.18365
802.11be EHT80_Nss1,(MCS0)_2TX	22.29	0.16943	22.40	0.17378
802.11be EHT80_Nss2,(MCS0)_2TX	25.30	0.33884	25.41	0.34754
802.11be EHT80_Nss1,(MCS0)_4TX	28.72	0.74473	28.83	0.76384
802.11be EHT80_Nss4,(MCS0)_4TX	28.84	0.76560	28.95	0.78524
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.29	0.16943	25.41	0.34754
802.11be EHT80-BF_Nss1,(MCS0)_4TX	28.72	0.74473	34.85	3.05492
802.11be EHT160_Nss1,(MCS0)_1TX	22.34	0.17140	22.45	0.17579
802.11be EHT160_Nss1,(MCS0)_2TX	20.35	0.10839	20.46	0.11117
802.11be EHT160_Nss2,(MCS0)_2TX	23.36	0.21677	23.47	0.22233
802.11be EHT160_Nss1,(MCS0)_4TX	26.08	0.40551	26.19	0.41591
802.11be EHT160_Nss4,(MCS0)_4TX	26.29	0.42560	26.40	0.43652
802.11be EHT160-BF_Nss1,(MCS0)_2TX	20.35	0.10839	23.47	0.22233
802.11be EHT160-BF_Nss1,(MCS0)_4TX	26.08	0.40551	32.21	1.66341
802.11be EHT320_Nss1,(MCS0)_1TX	21.55	0.14289	21.66	0.14655
802.11be EHT320_Nss1,(MCS0)_2TX	20.63	0.11561	20.74	0.11858
802.11be EHT320_Nss2,(MCS0)_2TX	23.64	0.23121	23.75	0.23714
802.11be EHT320_Nss1,(MCS0)_4TX	25.77	0.37757	25.88	0.38726
802.11be EHT320_Nss4,(MCS0)_4TX	25.64	0.36644	25.75	0.37584
802.11be EHT320-BF_Nss1,(MCS0)_2TX	20.63	0.11561	23.75	0.23714
802.11be EHT320-BF_Nss1,(MCS0)_4TX	25.77	0.37757	31.90	1.54882
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	22.54	0.17947	22.65	0.18408
802.11be EHT20_Nss1,(MCS0)_2TX	23.10	0.20417	23.21	0.20941
802.11be EHT20_Nss2,(MCS0)_2TX	26.11	0.40832	26.22	0.41879
802.11be EHT20_Nss1,(MCS0)_4TX	28.98	0.79068	29.09	0.81096
802.11be EHT20_Nss4,(MCS0)_4TX	29.09	0.81096	29.20	0.83176
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.10	0.20417	26.22	0.41879
802.11be EHT20-BF_Nss1,(MCS0)_4TX	28.98	0.79068	35.11	3.24340
802.11be EHT40_Nss1,(MCS0)_1TX	22.66	0.18450	22.77	0.18923
802.11be EHT40_Nss1,(MCS0)_2TX	23.23	0.21038	23.34	0.21577
802.11be EHT40_Nss2,(MCS0)_2TX	26.24	0.42073	26.35	0.43152
802.11be EHT40_Nss1,(MCS0)_4TX	29.21	0.83368	29.32	0.85507
802.11be EHT40_Nss4,(MCS0)_4TX	29.28	0.84723	29.39	0.86896
802.11be EHT40-BF_Nss1,(MCS0)_2TX	23.23	0.21038	26.35	0.43152
802.11be EHT40-BF_Nss1,(MCS0)_4TX	29.21	0.83368	35.34	3.41979
802.11be EHT80_Nss1,(MCS0)_1TX	22.65	0.18408	22.76	0.18880
802.11be EHT80_Nss1,(MCS0)_2TX	22.98	0.19861	23.09	0.20370
802.11be EHT80_Nss2,(MCS0)_2TX	25.99	0.39719	26.10	0.40738
802.11be EHT80_Nss1,(MCS0)_4TX	29.11	0.81470	29.22	0.83560

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
802.11be EHT80_Nss4,(MCS0)_4TX	29.08	0.80910	29.19	0.82985
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.98	0.19861	26.10	0.40738
802.11be EHT80-BF_Nss1,(MCS0)_4TX	29.11	0.81470	35.24	3.34195
802.11be EHT160_Nss1,(MCS0)_1TX	19.06	0.08054	19.17	0.08260
802.11be EHT160_Nss1,(MCS0)_2TX	18.75	0.07499	18.86	0.07691
802.11be EHT160_Nss2,(MCS0)_2TX	21.76	0.14997	21.87	0.15382
802.11be EHT160_Nss1,(MCS0)_4TX	23.40	0.21878	23.51	0.22439
802.11be EHT160_Nss4,(MCS0)_4TX	23.63	0.23067	23.74	0.23659
802.11be EHT160-BF_Nss1,(MCS0)_2TX	18.75	0.07499	21.87	0.15382
802.11be EHT160-BF_Nss1,(MCS0)_4TX	23.40	0.21878	29.53	0.89743



Average Power_Mode 2

Appendix C.2

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	0.11	22.42				22.42	22.53	36.00
6195MHz	Pass	0.11	22.03				22.03	22.14	36.00
6415MHz	Pass	0.11	22.57				22.57	22.68	36.00
6535MHz	Pass	0.11	21.88				21.88	21.99	36.00
6695MHz	Pass	0.11	22.54				22.54	22.65	36.00
6855MHz	Pass	0.11	22.13				22.13	22.24	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	0.11	21.43				21.43	21.54	36.00
6205MHz	Pass	0.11	22.66				22.66	22.77	36.00
6405MHz	Pass	0.11	22.66				22.66	22.77	36.00
6565MHz	Pass	0.11	22.66				22.66	22.77	36.00
6685MHz	Pass	0.11	22.37				22.37	22.48	36.00
6845MHz	Pass	0.11	22.33				22.33	22.44	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	22.02				22.02	22.13	36.00
6225MHz	Pass	0.11	22.36				22.36	22.47	36.00
6385MHz	Pass	0.11	22.53				22.53	22.64	36.00
6625MHz	Pass	0.11	22.61				22.61	22.72	36.00
6705MHz	Pass	0.11	22.37				22.37	22.48	36.00
6785MHz	Pass	0.11	22.65				22.65	22.76	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	20.88				20.88	20.99	36.00
6185MHz	Pass	0.11	20.57				20.57	20.68	36.00
6345MHz	Pass	0.11	22.34				22.34	22.45	36.00
6665MHz	Pass	0.11	19.06				19.06	19.17	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	20.78				20.78	20.89	36.00
6265MHz	Pass	0.11	21.55				21.55	21.66	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	0.11	19.67	20.13			22.92	23.03	36.00
6195MHz	Pass	0.11	19.16	19.38			22.28	22.39	36.00
6415MHz	Pass	0.11	19.70	19.27			22.50	22.61	36.00
6535MHz	Pass	0.11	18.08	18.57			21.34	21.45	36.00
6695MHz	Pass	0.11	19.75	20.40			23.10	23.21	36.00
6855MHz	Pass	0.11	19.17	19.58			22.39	22.50	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	0.11	18.43	18.33			21.39	21.50	36.00
6205MHz	Pass	0.11	19.97	19.22			22.62	22.73	36.00
6405MHz	Pass	0.11	19.48	19.83			22.67	22.78	36.00
6565MHz	Pass	0.11	20.58	19.82			23.23	23.34	36.00
6685MHz	Pass	0.11	19.82	19.55			22.70	22.81	36.00
6845MHz	Pass	0.11	19.69	19.12			22.42	22.53	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	18.77	19.04			21.92	22.03	36.00
6225MHz	Pass	0.11	19.27	19.08			22.19	22.30	36.00
6385MHz	Pass	0.11	19.50	19.05			22.29	22.40	36.00
6625MHz	Pass	0.11	19.70	19.24			22.49	22.60	36.00
6705MHz	Pass	0.11	19.46	19.12			22.30	22.41	36.00
6785MHz	Pass	0.11	19.87	20.06			22.98	23.09	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	16.37	16.82			19.61	19.72	36.00
6185MHz	Pass	0.11	16.40	16.26			19.34	19.45	36.00
6345MHz	Pass	0.11	17.40	17.28			20.35	20.46	36.00
6665MHz	Pass	0.11	15.88	15.59			18.75	18.86	36.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	17.67	17.56			20.63	20.74	36.00
6265MHz	Pass	0.11	17.83	17.34			20.60	20.71	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	0.11	22.68	23.14			25.93	26.04	36.00
6195MHz	Pass	0.11	22.17	22.39			25.29	25.40	36.00
6415MHz	Pass	0.11	22.71	22.28			25.51	25.62	36.00
6535MHz	Pass	0.11	21.09	21.58			24.35	24.46	36.00
6695MHz	Pass	0.11	22.76	23.41			26.11	26.22	36.00
6855MHz	Pass	0.11	22.18	22.59			25.40	25.51	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	0.11	21.44	21.34			24.40	24.51	36.00
6205MHz	Pass	0.11	22.98	22.23			25.63	25.74	36.00
6405MHz	Pass	0.11	22.49	22.84			25.68	25.79	36.00
6565MHz	Pass	0.11	23.59	22.83			26.24	26.35	36.00
6685MHz	Pass	0.11	22.83	22.56			25.71	25.82	36.00
6845MHz	Pass	0.11	22.70	22.13			25.43	25.54	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	21.78	22.05			24.93	25.04	36.00
6225MHz	Pass	0.11	22.28	22.09			25.20	25.31	36.00
6385MHz	Pass	0.11	22.51	22.06			25.30	25.41	36.00
6625MHz	Pass	0.11	22.71	22.25			25.50	25.61	36.00
6705MHz	Pass	0.11	22.47	22.13			25.31	25.42	36.00
6785MHz	Pass	0.11	22.88	23.07			25.99	26.10	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	19.38	19.83			22.62	22.73	36.00
6185MHz	Pass	0.11	19.41	19.27			22.35	22.46	36.00
6345MHz	Pass	0.11	20.41	20.29			23.36	23.47	36.00
6665MHz	Pass	0.11	18.89	18.60			21.76	21.87	36.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	20.68	20.57			23.64	23.75	36.00
6265MHz	Pass	0.11	20.84	20.35			23.61	23.72	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	0.11	20.71	20.99	20.40	21.43	26.92	27.03	36.00
6195MHz	Pass	0.11	21.57	21.81	22.58	23.08	28.32	28.43	36.00
6415MHz	Pass	0.11	22.05	22.38	22.14	22.56	28.31	28.42	36.00
6535MHz	Pass	0.11	20.73	21.32	20.48	21.33	27.00	27.11	36.00
6695MHz	Pass	0.11	22.53	22.93	23.01	23.33	28.98	29.09	36.00
6855MHz	Pass	0.11	22.38	22.57	22.97	23.34	28.85	28.96	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	0.11	21.59	21.63	21.11	21.35	27.45	27.56	36.00
6205MHz	Pass	0.11	22.98	22.26	22.82	23.95	29.07	29.18	36.00
6405MHz	Pass	0.11	22.19	22.54	22.26	22.75	28.46	28.57	36.00
6565MHz	Pass	0.11	23.23	22.45	23.18	23.79	29.21	29.32	36.00
6685MHz	Pass	0.11	22.43	22.25	23.22	23.37	28.87	28.98	36.00
6845MHz	Pass	0.11	22.25	21.77	22.40	23.32	28.49	28.60	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	20.99	21.17	20.61	21.17	27.01	27.12	36.00
6225MHz	Pass	0.11	22.18	22.09	22.43	23.84	28.72	28.83	36.00
6385MHz	Pass	0.11	22.35	22.91	22.31	23.05	28.69	28.80	36.00
6625MHz	Pass	0.11	22.85	22.45	23.20	23.28	28.98	29.09	36.00
6705MHz	Pass	0.11	22.58	22.36	23.10	23.02	28.80	28.91	36.00
6785MHz	Pass	0.11	22.56	22.91	23.47	23.34	29.11	29.22	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	19.06	18.65	18.73	18.86	24.85	24.96	36.00
6185MHz	Pass	0.11	18.17	18.20	18.31	19.00	24.45	24.56	36.00



Average Power_Mode 2

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6345MHz	Pass	0.11	19.89	19.61	19.97	20.70	26.08	26.19	36.00
6665MHz	Pass	0.11	17.26	17.01	17.54	17.66	23.40	23.51	36.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	18.76	18.61	18.53	18.44	24.61	24.72	36.00
6265MHz	Pass	0.11	19.62	19.12	20.31	19.87	25.77	25.88	36.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	0.11	20.68	21.17	20.31	21.40	26.93	27.04	36.00
6195MHz	Pass	0.11	22.03	22.17	22.85	23.54	28.71	28.82	36.00
6415MHz	Pass	0.11	22.70	22.96	22.77	23.08	28.90	29.01	36.00
6535MHz	Pass	0.11	21.90	22.38	21.50	22.43	28.09	28.20	36.00
6695MHz	Pass	0.11	22.61	22.96	23.16	23.51	29.09	29.20	36.00
6855MHz	Pass	0.11	22.53	22.74	23.03	23.44	28.97	29.08	36.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	0.11	20.09	20.42	20.14	20.55	26.32	26.43	36.00
6205MHz	Pass	0.11	22.62	22.09	22.62	23.38	28.72	28.83	36.00
6405MHz	Pass	0.11	22.80	23.05	22.56	23.07	28.90	29.01	36.00
6565MHz	Pass	0.11	23.08	22.64	23.29	23.92	29.28	29.39	36.00
6685MHz	Pass	0.11	22.67	22.28	23.18	23.40	28.92	29.03	36.00
6845MHz	Pass	0.11	21.82	21.62	22.24	23.10	28.25	28.36	36.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	20.65	20.67	20.10	20.82	26.59	26.70	36.00
6225MHz	Pass	0.11	22.55	22.14	22.51	23.86	28.84	28.95	36.00
6385MHz	Pass	0.11	22.66	22.87	22.42	23.12	28.80	28.91	36.00
6625MHz	Pass	0.11	22.70	22.12	22.87	22.86	28.67	28.78	36.00
6705MHz	Pass	0.11	22.42	22.25	22.81	22.66	28.56	28.67	36.00
6785MHz	Pass	0.11	22.61	22.90	23.44	23.25	29.08	29.19	36.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	19.79	19.46	19.06	19.61	25.51	25.62	36.00
6185MHz	Pass	0.11	18.27	18.10	18.24	18.92	24.41	24.52	36.00
6345MHz	Pass	0.11	19.99	19.74	20.31	20.94	26.29	26.40	36.00
6665MHz	Pass	0.11	17.60	17.19	17.74	17.89	23.63	23.74	36.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	18.92	18.83	19.79	19.17	25.21	25.32	36.00
6265MHz	Pass	0.11	19.47	19.05	20.06	19.84	25.64	25.75	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	3.12	19.67	20.13			22.92	26.04	36.00
6195MHz	Pass	3.12	19.16	19.38			22.28	25.40	36.00
6415MHz	Pass	3.12	19.70	19.27			22.50	25.62	36.00
6535MHz	Pass	3.12	18.08	18.57			21.34	24.46	36.00
6695MHz	Pass	3.12	19.75	20.40			23.10	26.22	36.00
6855MHz	Pass	3.12	19.17	19.58			22.39	25.51	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	3.12	18.43	18.33			21.39	24.51	36.00
6205MHz	Pass	3.12	19.97	19.22			22.62	25.74	36.00
6405MHz	Pass	3.12	19.48	19.83			22.67	25.79	36.00
6565MHz	Pass	3.12	20.58	19.82			23.23	26.35	36.00
6685MHz	Pass	3.12	19.82	19.55			22.70	25.82	36.00
6845MHz	Pass	3.12	19.69	19.12			22.42	25.54	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	3.12	18.77	19.04			21.92	25.04	36.00
6225MHz	Pass	3.12	19.27	19.08			22.19	25.31	36.00
6385MHz	Pass	3.12	19.50	19.05			22.29	25.41	36.00
6625MHz	Pass	3.12	19.70	19.24			22.49	25.61	36.00
6705MHz	Pass	3.12	19.46	19.12			22.30	25.42	36.00
6785MHz	Pass	3.12	19.87	20.06			22.98	26.10	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-



Average Power_Mode 2

Appendix C.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6025MHz	Pass	3.12	16.37	16.82			19.61	22.73	36.00
6185MHz	Pass	3.12	16.40	16.26			19.34	22.46	36.00
6345MHz	Pass	3.12	17.40	17.28			20.35	23.47	36.00
6665MHz	Pass	3.12	15.88	15.59			18.75	21.87	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	3.12	17.67	17.56			20.63	23.75	36.00
6265MHz	Pass	3.12	17.83	17.34			20.60	23.72	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.13	20.71	20.99	20.40	21.43	26.92	33.05	36.00
6195MHz	Pass	6.13	21.57	21.81	22.58	23.08	28.32	34.45	36.00
6415MHz	Pass	6.13	22.05	22.38	22.14	22.56	28.31	34.44	36.00
6535MHz	Pass	6.13	20.73	21.32	20.48	21.33	27.00	33.13	36.00
6695MHz	Pass	6.13	22.53	22.93	23.01	23.33	28.98	35.11	36.00
6855MHz	Pass	6.13	22.38	22.57	22.97	23.34	28.85	34.98	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.13	21.59	21.63	21.11	21.35	27.45	33.58	36.00
6205MHz	Pass	6.13	22.98	22.26	22.82	23.95	29.07	35.20	36.00
6405MHz	Pass	6.13	22.19	22.54	22.26	22.75	28.46	34.59	36.00
6565MHz	Pass	6.13	23.23	22.45	23.18	23.79	29.21	35.34	36.00
6685MHz	Pass	6.13	22.43	22.25	23.22	23.37	28.87	35.00	36.00
6845MHz	Pass	6.13	22.25	21.77	22.40	23.32	28.49	34.62	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.13	20.99	21.17	20.61	21.17	27.01	33.14	36.00
6225MHz	Pass	6.13	22.18	22.09	22.43	23.84	28.72	34.85	36.00
6385MHz	Pass	6.13	22.35	22.91	22.31	23.05	28.69	34.82	36.00
6625MHz	Pass	6.13	22.85	22.45	23.20	23.28	28.98	35.11	36.00
6705MHz	Pass	6.13	22.58	22.36	23.10	23.02	28.80	34.93	36.00
6785MHz	Pass	6.13	22.56	22.91	23.47	23.34	29.11	35.24	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.13	19.06	18.65	18.73	18.86	24.85	30.98	36.00
6185MHz	Pass	6.13	18.17	18.20	18.31	19.00	24.45	30.58	36.00
6345MHz	Pass	6.13	19.89	19.61	19.97	20.70	26.08	32.21	36.00
6665MHz	Pass	6.13	17.26	17.01	17.54	17.66	23.40	29.53	36.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13	18.76	18.61	18.53	18.44	24.61	30.74	36.00
6265MHz	Pass	6.13	19.62	19.12	20.31	19.87	25.77	31.90	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	21.82	0.15205	35.80	3.80189
802.11be EHT20_Nss1,(MCS0)_2TX	21.76	0.14997	35.74	3.74973
802.11be EHT20_Nss2,(MCS0)_2TX	21.76	0.14997	35.74	3.74973
802.11be EHT20_Nss1,(MCS0)_4TX	19.07	0.08072	33.05	2.01837
802.11be EHT20_Nss4,(MCS0)_4TX	21.90	0.15488	35.88	3.87258
802.11be EHT20-BF_Nss1,(MCS0)_2TX	21.76	0.14997	35.74	3.74973
802.11be EHT20-BF_Nss1,(MCS0)_4TX	18.96	0.07870	35.95	3.93550
802.11be EHT40_Nss1,(MCS0)_1TX	21.97	0.15740	35.95	3.93550
802.11be EHT40_Nss1,(MCS0)_2TX	21.84	0.15276	35.82	3.81944
802.11be EHT40_Nss2,(MCS0)_2TX	21.84	0.15276	35.82	3.81944
802.11be EHT40_Nss1,(MCS0)_4TX	21.93	0.15596	35.91	3.89942
802.11be EHT40_Nss4,(MCS0)_4TX	21.94	0.15631	35.92	3.90841
802.11be EHT40-BF_Nss1,(MCS0)_2TX	21.84	0.15276	35.82	3.81944
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.97	0.07889	35.96	3.94457
802.11be EHT80_Nss1,(MCS0)_1TX	21.98	0.15776	35.96	3.94457
802.11be EHT80_Nss1,(MCS0)_2TX	21.91	0.15524	35.89	3.88150
802.11be EHT80_Nss2,(MCS0)_2TX	21.91	0.15524	35.89	3.88150
802.11be EHT80_Nss1,(MCS0)_4TX	21.96	0.15704	35.94	3.92645
802.11be EHT80_Nss4,(MCS0)_4TX	21.93	0.15596	35.91	3.89942
802.11be EHT80-BF_Nss1,(MCS0)_2TX	21.91	0.15524	35.89	3.88150
802.11be EHT80-BF_Nss1,(MCS0)_4TX	18.96	0.07870	35.95	3.93550
802.11be EHT160_Nss1,(MCS0)_1TX	20.87	0.12218	34.85	3.05492
802.11be EHT160_Nss1,(MCS0)_2TX	21.92	0.15560	35.90	3.89045
802.11be EHT160_Nss2,(MCS0)_2TX	21.92	0.15560	35.90	3.89045
802.11be EHT160_Nss1,(MCS0)_4TX	21.99	0.15812	35.97	3.95367
802.11be EHT160_Nss4,(MCS0)_4TX	21.87	0.15382	35.85	3.84592
802.11be EHT160-BF_Nss1,(MCS0)_2TX	21.92	0.15560	35.90	3.89045
802.11be EHT160-BF_Nss1,(MCS0)_4TX	18.78	0.07551	35.77	3.77572



Average Power_Mode 3

Appendix C.3

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.98	21.56				21.56	35.54	36.00
6695MHz	Pass	13.98	21.77				21.77	35.75	36.00
6855MHz	Pass	13.98	21.82				21.82	35.80	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.98	21.8				21.80	35.78	36.00
6685MHz	Pass	13.98	21.89				21.89	35.87	36.00
6845MHz	Pass	13.98	21.97				21.97	35.95	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.98	21.98				21.98	35.96	36.00
6705MHz	Pass	13.98	21.8				21.80	35.78	36.00
6785MHz	Pass	13.98	21.77				21.77	35.75	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.98	20.87				20.87	34.85	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.98	18.76	18.73			21.76	35.74	36.00
6695MHz	Pass	13.98	18.88	18.43			21.67	35.65	36.00
6855MHz	Pass	13.98	19.28	18.14			21.76	35.74	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.98	18.8	18.39			21.61	35.59	36.00
6685MHz	Pass	13.98	19.22	18.39			21.84	35.82	36.00
6845MHz	Pass	13.98	19.28	18.25			21.81	35.79	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.98	19.29	18.47			21.91	35.89	36.00
6705MHz	Pass	13.98	19.28	18.22			21.79	35.77	36.00
6785MHz	Pass	13.98	18.91	18.74			21.84	35.82	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.98	19.19	18.62			21.92	35.90	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.98	18.76	18.73			21.76	35.74	36.00
6695MHz	Pass	13.98	18.88	18.43			21.67	35.65	36.00
6855MHz	Pass	13.98	19.28	18.14			21.76	35.74	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.98	18.8	18.39			21.61	35.59	36.00
6685MHz	Pass	13.98	19.22	18.39			21.84	35.82	36.00
6845MHz	Pass	13.98	19.28	18.25			21.81	35.79	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.98	19.29	18.47			21.91	35.89	36.00
6705MHz	Pass	13.98	19.28	18.22			21.79	35.77	36.00
6785MHz	Pass	13.98	18.91	18.74			21.84	35.82	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.98	19.19	18.62			21.92	35.90	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.98	12.96	13.06	12.17	13.48	18.96	32.94	36.00
6695MHz	Pass	13.98	13	13.26	12.14	13.66	19.07	33.05	36.00
6855MHz	Pass	13.98	13.26	12.39	13.01	13.35	19.04	33.02	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.98	15.66	15.44	15.97	15.9	21.77	35.75	36.00
6685MHz	Pass	13.98	15.81	15.55	15.99	15.98	21.86	35.84	36.00
6845MHz	Pass	13.98	16.3	15.54	15.63	16.13	21.93	35.91	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.98	16.01	15.72	15.66	16.25	21.94	35.92	36.00
6705MHz	Pass	13.98	16.43	15.51	15.63	16.12	21.96	35.94	36.00
6785MHz	Pass	13.98	15.67	15.67	15.56	16.22	21.81	35.79	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-



Average Power_Mode 3

Appendix C.3

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6665MHz	Pass	13.98	16.3	15.87	15.55	16.14	21.99	35.97	36.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.98	16.02	15.96	15.26	16.1	21.87	35.85	36.00
6695MHz	Pass	13.98	16.15	16.1	15.02	16.15	21.90	35.88	36.00
6855MHz	Pass	13.98	16.13	15.12	15.87	15.9	21.79	35.77	36.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.98	15.85	15.47	16.19	15.87	21.87	35.85	36.00
6685MHz	Pass	13.98	16.01	15.69	15.89	16.07	21.94	35.92	36.00
6845MHz	Pass	13.98	16.32	15.5	15.87	15.89	21.93	35.91	36.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.98	15.96	15.62	15.51	16.05	21.81	35.79	36.00
6705MHz	Pass	13.98	16.26	15.5	15.66	16.09	21.91	35.89	36.00
6785MHz	Pass	13.98	16.03	15.73	15.75	16.11	21.93	35.91	36.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.98	16.13	15.9	15.41	15.92	21.87	35.85	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.98	18.76	18.73			21.76	35.74	36.00
6695MHz	Pass	13.98	18.88	18.43			21.67	35.65	36.00
6855MHz	Pass	13.98	19.28	18.14			21.76	35.74	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.98	18.8	18.39			21.61	35.59	36.00
6685MHz	Pass	13.98	19.22	18.39			21.84	35.82	36.00
6845MHz	Pass	13.98	19.28	18.25			21.81	35.79	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.98	19.29	18.47			21.91	35.89	36.00
6705MHz	Pass	13.98	19.28	18.22			21.79	35.77	36.00
6785MHz	Pass	13.98	18.91	18.74			21.84	35.82	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.98	19.19	18.62			21.92	35.90	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	16.99	12.96	13.06	12.17	13.48	18.96	35.95	36.00
6695MHz	Pass	16.99	12.79	12.84	12.15	13.11	18.76	35.75	36.00
6855MHz	Pass	16.99	13.00	12.30	12.85	13.01	18.82	35.81	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	16.99	12.63	12.76	13.19	13.18	18.97	35.96	36.00
6685MHz	Pass	16.99	12.79	12.63	12.92	13.13	18.89	35.88	36.00
6845MHz	Pass	16.99	12.97	12.67	12.62	13.07	18.86	35.85	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	16.99	12.93	12.79	12.55	13.35	18.94	35.93	36.00
6705MHz	Pass	16.99	13.13	12.70	12.52	13.36	18.96	35.95	36.00
6785MHz	Pass	16.99	12.56	12.65	12.64	13.37	18.84	35.83	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	16.99	12.98	12.71	12.30	13.00	18.78	35.77	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Average Power_Mode 4

Appendix C.4

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	22.57	0.18072	34.14	2.59418
802.11be EHT20_Nss1,(MCS0)_2TX	23.95	0.24831	35.52	3.56451
802.11be EHT20_Nss2,(MCS0)_2TX	23.95	0.24831	35.52	3.56451
802.11be EHT20_Nss1,(MCS0)_4TX	21.59	0.14421	33.16	2.07014
802.11be EHT20_Nss4,(MCS0)_4TX	24.37	0.27353	35.94	3.92645
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.95	0.24831	35.52	3.56451
802.11be EHT20-BF_Nss1,(MCS0)_4TX	21.36	0.13677	35.94	3.92645
802.11be EHT40_Nss1,(MCS0)_1TX	22.66	0.18450	34.23	2.64850
802.11be EHT40_Nss1,(MCS0)_2TX	24.36	0.27290	35.93	3.91742
802.11be EHT40_Nss2,(MCS0)_2TX	24.36	0.27290	35.93	3.91742
802.11be EHT40_Nss1,(MCS0)_4TX	24.21	0.26363	35.78	3.78443
802.11be EHT40_Nss4,(MCS0)_4TX	24.27	0.26730	35.84	3.83707
802.11be EHT40-BF_Nss1,(MCS0)_2TX	24.36	0.27290	35.93	3.91742
802.11be EHT40-BF_Nss1,(MCS0)_4TX	21.26	0.13366	35.84	3.83707
802.11be EHT80_Nss1,(MCS0)_1TX	22.53	0.17906	34.10	2.57040
802.11be EHT80_Nss1,(MCS0)_2TX	24.38	0.27416	35.95	3.93550
802.11be EHT80_Nss2,(MCS0)_2TX	24.38	0.27416	35.95	3.93550
802.11be EHT80_Nss1,(MCS0)_4TX	24.39	0.27479	35.96	3.94457
802.11be EHT80_Nss4,(MCS0)_4TX	24.32	0.27040	35.89	3.88150
802.11be EHT80-BF_Nss1,(MCS0)_2TX	24.38	0.27416	35.95	3.93550
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.33	0.13583	35.91	3.89942
802.11be EHT160_Nss1,(MCS0)_1TX	22.34	0.17140	33.91	2.46037
802.11be EHT160_Nss1,(MCS0)_2TX	23.36	0.21677	34.93	3.11172
802.11be EHT160_Nss2,(MCS0)_2TX	23.36	0.21677	34.93	3.11172
802.11be EHT160_Nss1,(MCS0)_4TX	24.36	0.27290	35.93	3.91742
802.11be EHT160_Nss4,(MCS0)_4TX	24.41	0.27606	35.98	3.96278
802.11be EHT160-BF_Nss1,(MCS0)_2TX	23.36	0.21677	34.93	3.11172
802.11be EHT160-BF_Nss1,(MCS0)_4TX	21.34	0.13614	35.92	3.90841
802.11be EHT320_Nss1,(MCS0)_1TX	21.55	0.14289	33.12	2.05116
802.11be EHT320_Nss1,(MCS0)_2TX	23.61	0.22961	35.18	3.29610
802.11be EHT320_Nss2,(MCS0)_2TX	23.61	0.22961	35.18	3.29610
802.11be EHT320_Nss1,(MCS0)_4TX	24.37	0.27353	35.94	3.92645
802.11be EHT320_Nss4,(MCS0)_4TX	24.34	0.27164	35.91	3.89942
802.11be EHT320-BF_Nss1,(MCS0)_2TX	23.61	0.22961	35.18	3.29610
802.11be EHT320-BF_Nss1,(MCS0)_4TX	21.40	0.13804	35.98	3.96278
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	22.54	0.17947	34.11	2.57632
802.11be EHT20_Nss1,(MCS0)_2TX	24.33	0.27102	35.90	3.89045
802.11be EHT20_Nss2,(MCS0)_2TX	24.33	0.27102	35.90	3.89045
802.11be EHT20_Nss1,(MCS0)_4TX	21.35	0.13646	32.92	1.95884
802.11be EHT20_Nss4,(MCS0)_4TX	24.36	0.27290	35.93	3.91742
802.11be EHT20-BF_Nss1,(MCS0)_2TX	24.33	0.27102	35.90	3.89045
802.11be EHT20-BF_Nss1,(MCS0)_4TX	21.35	0.13646	35.93	3.91742
802.11be EHT40_Nss1,(MCS0)_1TX	22.66	0.18450	34.23	2.64850
802.11be EHT40_Nss1,(MCS0)_2TX	24.39	0.27479	35.96	3.94457
802.11be EHT40_Nss2,(MCS0)_2TX	24.39	0.27479	35.96	3.94457
802.11be EHT40_Nss1,(MCS0)_4TX	24.33	0.27102	35.90	3.89045
802.11be EHT40_Nss4,(MCS0)_4TX	24.29	0.26853	35.86	3.85478
802.11be EHT40-BF_Nss1,(MCS0)_2TX	24.39	0.27479	35.96	3.94457
802.11be EHT40-BF_Nss1,(MCS0)_4TX	21.35	0.13646	35.93	3.91742
802.11be EHT80_Nss1,(MCS0)_1TX	22.65	0.18408	34.22	2.64241
802.11be EHT80_Nss1,(MCS0)_2TX	24.36	0.27290	35.93	3.91742
802.11be EHT80_Nss2,(MCS0)_2TX	24.36	0.27290	35.93	3.91742
802.11be EHT80_Nss1,(MCS0)_4TX	24.33	0.27102	35.90	3.89045

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
802.11be EHT80_Nss4,(MCS0)_4TX	24.36	0.27290	35.93	3.91742
802.11be EHT80-BF_Nss1,(MCS0)_2TX	24.36	0.27290	35.93	3.91742
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.32	0.13552	35.90	3.89045
802.11be EHT160_Nss1,(MCS0)_1TX	19.06	0.08054	30.63	1.15611
802.11be EHT160_Nss1,(MCS0)_2TX	21.76	0.14997	33.33	2.15278
802.11be EHT160_Nss2,(MCS0)_2TX	21.76	0.14997	33.33	2.15278
802.11be EHT160_Nss1,(MCS0)_4TX	23.40	0.21878	34.97	3.14051
802.11be EHT160_Nss4,(MCS0)_4TX	23.63	0.23067	35.20	3.31131
802.11be EHT160-BF_Nss1,(MCS0)_2TX	21.76	0.14997	33.33	2.15278
802.11be EHT160-BF_Nss1,(MCS0)_4TX	21.18	0.13122	35.76	3.76704



Average Power_Mode 4

Appendix C.4

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	11.57	20.97				20.97	32.54	36.00
6195MHz	Pass	11.57	22.03				22.03	33.60	36.00
6415MHz	Pass	11.57	22.57				22.57	34.14	36.00
6535MHz	Pass	11.57	21.88				21.88	33.45	36.00
6695MHz	Pass	11.57	22.54				22.54	34.11	36.00
6855MHz	Pass	11.57	22.13				22.13	33.70	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	11.57	20.19				20.19	31.76	36.00
6205MHz	Pass	11.57	22.66				22.66	34.23	36.00
6405MHz	Pass	11.57	22.66				22.66	34.23	36.00
6565MHz	Pass	11.57	22.66				22.66	34.23	36.00
6685MHz	Pass	11.57	22.37				22.37	33.94	36.00
6845MHz	Pass	11.57	22.33				22.33	33.90	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	11.57	21.08				21.08	32.65	36.00
6225MHz	Pass	11.57	22.36				22.36	33.93	36.00
6385MHz	Pass	11.57	22.53				22.53	34.10	36.00
6625MHz	Pass	11.57	22.61				22.61	34.18	36.00
6705MHz	Pass	11.57	22.37				22.37	33.94	36.00
6785MHz	Pass	11.57	22.65				22.65	34.22	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	19.63				19.63	31.20	36.00
6185MHz	Pass	11.57	20.57				20.57	32.14	36.00
6345MHz	Pass	11.57	22.34				22.34	33.91	36.00
6665MHz	Pass	11.57	19.06				19.06	30.63	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	18.83				18.83	30.40	36.00
6265MHz	Pass	11.57	21.55				21.55	33.12	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	11.57	19.84	20.19			23.03	34.60	36.00
6195MHz	Pass	11.57	20.97	20.90			23.95	35.52	36.00
6415MHz	Pass	11.57	20.98	20.83			23.92	35.49	36.00
6535MHz	Pass	11.57	20.86	21.30			24.10	35.67	36.00
6695MHz	Pass	11.57	21.55	21.08			24.33	35.90	36.00
6855MHz	Pass	11.57	21.08	21.50			24.31	35.88	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	11.57	19.83	19.85			22.85	34.42	36.00
6205MHz	Pass	11.57	21.70	20.85			24.31	35.88	36.00
6405MHz	Pass	11.57	21.47	21.23			24.36	35.93	36.00
6565MHz	Pass	11.57	21.53	21.21			24.38	35.95	36.00
6685MHz	Pass	11.57	21.21	21.54			24.39	35.96	36.00
6845MHz	Pass	11.57	21.33	21.10			24.23	35.80	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	11.57	20.60	20.82			23.72	35.29	36.00
6225MHz	Pass	11.57	21.42	21.24			24.34	35.91	36.00
6385MHz	Pass	11.57	21.57	21.16			24.38	35.95	36.00
6625MHz	Pass	11.57	21.50	21.19			24.36	35.93	36.00
6705MHz	Pass	11.57	21.36	20.98			24.18	35.75	36.00
6785MHz	Pass	11.57	21.19	21.20			24.21	35.78	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	19.16	18.93			22.06	33.63	36.00
6185MHz	Pass	11.57	19.41	19.27			22.35	33.92	36.00
6345MHz	Pass	11.57	20.41	20.29			23.36	34.93	36.00
6665MHz	Pass	11.57	18.89	18.60			21.76	33.33	36.00



Average Power_Mode 4

Appendix C.4

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	18.23	18.25			21.25	32.82	36.00
6265MHz	Pass	11.57	20.84	20.35			23.61	35.18	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	11.57	19.84	20.19			23.03	34.60	36.00
6195MHz	Pass	11.57	20.97	20.90			23.95	35.52	36.00
6415MHz	Pass	11.57	20.98	20.83			23.92	35.49	36.00
6535MHz	Pass	11.57	20.86	21.30			24.10	35.67	36.00
6695MHz	Pass	11.57	21.55	21.08			24.33	35.90	36.00
6855MHz	Pass	11.57	21.08	21.50			24.31	35.88	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	11.57	19.83	19.85			22.85	34.42	36.00
6205MHz	Pass	11.57	21.70	20.85			24.31	35.88	36.00
6405MHz	Pass	11.57	21.47	21.23			24.36	35.93	36.00
6565MHz	Pass	11.57	21.53	21.21			24.38	35.95	36.00
6685MHz	Pass	11.57	21.21	21.54			24.39	35.96	36.00
6845MHz	Pass	11.57	21.33	21.10			24.23	35.80	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	11.57	20.60	20.82			23.72	35.29	36.00
6225MHz	Pass	11.57	21.42	21.24			24.34	35.91	36.00
6385MHz	Pass	11.57	21.57	21.16			24.38	35.95	36.00
6625MHz	Pass	11.57	21.50	21.19			24.36	35.93	36.00
6705MHz	Pass	11.57	21.36	20.98			24.18	35.75	36.00
6785MHz	Pass	11.57	21.19	21.20			24.21	35.78	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	19.16	18.93			22.06	33.63	36.00
6185MHz	Pass	11.57	19.41	19.27			22.35	33.92	36.00
6345MHz	Pass	11.57	20.41	20.29			23.36	34.93	36.00
6665MHz	Pass	11.57	18.89	18.60			21.76	33.33	36.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	18.23	18.25			21.25	32.82	36.00
6265MHz	Pass	11.57	20.84	20.35			23.61	35.18	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	11.57	15.35	15.36	15.23	15.69	21.43	33.00	36.00
6195MHz	Pass	11.57	15.54	15.15	15.66	15.83	21.57	33.14	36.00
6415MHz	Pass	11.57	15.60	15.26	16.02	15.37	21.59	33.16	36.00
6535MHz	Pass	11.57	15.59	15.15	15.42	15.03	21.32	32.89	36.00
6695MHz	Pass	11.57	15.42	15.00	15.35	15.52	21.35	32.92	36.00
6855MHz	Pass	11.57	15.29	15.03	15.39	15.39	21.30	32.87	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	11.57	18.02	17.86	18.10	18.70	24.20	35.77	36.00
6205MHz	Pass	11.57	18.59	17.56	18.13	18.41	24.21	35.78	36.00
6405MHz	Pass	11.57	18.09	17.80	18.35	18.18	24.13	35.70	36.00
6565MHz	Pass	11.57	18.12	17.75	18.40	18.36	24.19	35.76	36.00
6685MHz	Pass	11.57	17.57	18.24	18.53	18.82	24.33	35.90	36.00
6845MHz	Pass	11.57	17.83	17.48	18.44	18.79	24.19	35.76	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	11.57	18.07	18.00	18.06	18.31	24.13	35.70	36.00
6225MHz	Pass	11.57	18.26	17.99	18.03	18.59	24.24	35.81	36.00
6385MHz	Pass	11.57	18.24	17.84	18.56	18.77	24.39	35.96	36.00
6625MHz	Pass	11.57	18.18	17.59	18.42	18.32	24.16	35.73	36.00
6705MHz	Pass	11.57	18.03	17.76	18.45	18.52	24.22	35.79	36.00
6785MHz	Pass	11.57	18.32	18.13	18.60	18.18	24.33	35.90	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	17.64	17.40	17.92	17.72	23.69	35.26	36.00
6185MHz	Pass	11.57	18.16	18.05	18.59	18.54	24.36	35.93	36.00



Average Power_Mode 4

Appendix C.4

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6345MHz	Pass	11.57	18.27	18.07	18.46	18.30	24.30	35.87	36.00
6665MHz	Pass	11.57	17.26	17.01	17.54	17.66	23.40	34.97	36.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	17.01	16.82	17.45	16.87	23.07	34.64	36.00
6265MHz	Pass	11.57	18.51	17.95	18.55	18.35	24.37	35.94	36.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	11.57	18.21	18.13	18.17	18.86	24.37	35.94	36.00
6195MHz	Pass	11.57	18.04	17.77	18.44	18.30	24.17	35.74	36.00
6415MHz	Pass	11.57	18.20	17.76	18.64	18.22	24.24	35.81	36.00
6535MHz	Pass	11.57	18.30	18.16	18.22	18.38	24.29	35.86	36.00
6695MHz	Pass	11.57	18.16	17.79	18.46	18.89	24.36	35.93	36.00
6855MHz	Pass	11.57	17.83	17.91	18.34	18.74	24.24	35.81	36.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	11.57	17.92	17.92	18.26	18.66	24.22	35.79	36.00
6205MHz	Pass	11.57	18.70	17.59	18.06	18.56	24.27	35.84	36.00
6405MHz	Pass	11.57	18.14	17.98	18.40	18.45	24.27	35.84	36.00
6565MHz	Pass	11.57	18.12	17.58	18.70	18.60	24.29	35.86	36.00
6685MHz	Pass	11.57	17.65	18.21	18.52	18.62	24.29	35.86	36.00
6845MHz	Pass	11.57	17.78	17.64	18.53	18.61	24.18	35.75	36.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	11.57	18.27	18.16	18.36	18.39	24.32	35.89	36.00
6225MHz	Pass	11.57	18.18	17.82	17.78	18.55	24.11	35.68	36.00
6385MHz	Pass	11.57	18.25	17.64	18.52	18.69	24.31	35.88	36.00
6625MHz	Pass	11.57	18.13	17.81	18.59	18.76	24.36	35.93	36.00
6705MHz	Pass	11.57	18.03	17.63	18.39	18.68	24.22	35.79	36.00
6785MHz	Pass	11.57	18.23	17.96	18.77	18.31	24.35	35.92	36.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	17.25	17.05	17.58	17.29	23.32	34.89	36.00
6185MHz	Pass	11.57	18.27	18.10	18.24	18.92	24.41	35.98	36.00
6345MHz	Pass	11.57	18.11	17.88	18.34	18.29	24.18	35.75	36.00
6665MHz	Pass	11.57	17.60	17.19	17.74	17.89	23.63	35.20	36.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	17.44	17.05	17.95	17.65	23.56	35.13	36.00
6265MHz	Pass	11.57	18.56	17.57	18.56	18.51	24.34	35.91	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	11.57	19.84	20.19			23.03	34.60	36.00
6195MHz	Pass	11.57	20.97	20.90			23.95	35.52	36.00
6415MHz	Pass	11.57	20.98	20.83			23.92	35.49	36.00
6535MHz	Pass	11.57	20.86	21.30			24.10	35.67	36.00
6695MHz	Pass	11.57	21.55	21.08			24.33	35.90	36.00
6855MHz	Pass	11.57	21.08	21.50			24.31	35.88	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	11.57	19.83	19.85			22.85	34.42	36.00
6205MHz	Pass	11.57	21.70	20.85			24.31	35.88	36.00
6405MHz	Pass	11.57	21.47	21.23			24.36	35.93	36.00
6565MHz	Pass	11.57	21.53	21.21			24.38	35.95	36.00
6685MHz	Pass	11.57	21.21	21.54			24.39	35.96	36.00
6845MHz	Pass	11.57	21.33	21.10			24.23	35.80	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	11.57	20.60	20.82			23.72	35.29	36.00
6225MHz	Pass	11.57	21.42	21.24			24.34	35.91	36.00
6385MHz	Pass	11.57	21.57	21.16			24.38	35.95	36.00
6625MHz	Pass	11.57	21.50	21.19			24.36	35.93	36.00
6705MHz	Pass	11.57	21.36	20.98			24.18	35.75	36.00
6785MHz	Pass	11.57	21.19	21.20			24.21	35.78	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-



Average Power_Mode 4

Appendix C.4

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6025MHz	Pass	11.57	19.16	18.93			22.06	33.63	36.00
6185MHz	Pass	11.57	19.41	19.27			22.35	33.92	36.00
6345MHz	Pass	11.57	20.41	20.29			23.36	34.93	36.00
6665MHz	Pass	11.57	18.89	18.60			21.76	33.33	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	18.23	18.25			21.25	32.82	36.00
6265MHz	Pass	11.57	20.84	20.35			23.61	35.18	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	14.58	15.26	15.09	14.99	15.27	21.17	35.75	36.00
6195MHz	Pass	14.58	15.28	14.91	15.44	15.46	21.30	35.88	36.00
6415MHz	Pass	14.58	15.51	14.96	15.82	14.99	21.36	35.94	36.00
6535MHz	Pass	14.58	15.59	15.15	15.42	15.03	21.32	35.90	36.00
6695MHz	Pass	14.58	15.42	15.00	15.35	15.52	21.35	35.93	36.00
6855MHz	Pass	14.58	15.29	15.03	15.39	15.39	21.30	35.88	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	14.58	15.15	14.88	15.10	15.64	21.22	35.80	36.00
6205MHz	Pass	14.58	15.56	14.48	15.11	15.41	21.18	35.76	36.00
6405MHz	Pass	14.58	15.42	14.86	15.44	15.21	21.26	35.84	36.00
6565MHz	Pass	14.58	15.23	14.67	15.40	15.31	21.18	35.76	36.00
6685MHz	Pass	14.58	14.83	15.27	15.57	15.61	21.35	35.93	36.00
6845MHz	Pass	14.58	15.23	14.73	15.56	15.58	21.31	35.89	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	14.58	15.33	15.32	15.21	15.38	21.33	35.91	36.00
6225MHz	Pass	14.58	15.37	15.06	15.01	15.58	21.28	35.86	36.00
6385MHz	Pass	14.58	15.22	14.78	15.63	15.57	21.33	35.91	36.00
6625MHz	Pass	14.58	15.22	14.61	15.29	15.45	21.17	35.75	36.00
6705MHz	Pass	14.58	15.26	14.69	15.71	15.43	21.31	35.89	36.00
6785MHz	Pass	14.58	15.26	15.18	15.62	15.12	21.32	35.90	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	14.58	15.14	15.03	15.31	15.18	21.19	35.77	36.00
6185MHz	Pass	14.58	15.19	15.21	15.45	15.35	21.32	35.90	36.00
6345MHz	Pass	14.58	15.36	15.23	15.46	15.22	21.34	35.92	36.00
6665MHz	Pass	14.58	15.09	14.81	15.37	15.34	21.18	35.76	36.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	14.58	15.49	15.13	15.63	15.21	21.39	35.97	36.00
6265MHz	Pass	14.58	15.62	15.03	15.60	15.25	21.40	35.98	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	18.38	0.06887
802.11be EHT20_Nss2,(MCS0)_2TX	16.78	0.04764
802.11be EHT20_Nss1,(MCS0)_4TX	15.16	0.03281
802.11be EHT20_Nss4,(MCS0)_4TX	17.26	0.05321
802.11be EHT40_Nss1,(MCS0)_1TX	21.07	0.12794
802.11be EHT40_Nss2,(MCS0)_2TX	21.20	0.13183
802.11be EHT40_Nss1,(MCS0)_4TX	17.51	0.05636
802.11be EHT40_Nss4,(MCS0)_4TX	20.00	0.10000
802.11be EHT80_Nss1,(MCS0)_1TX	23.51	0.22439
802.11be EHT80_Nss2,(MCS0)_2TX	22.35	0.17179
802.11be EHT80_Nss1,(MCS0)_4TX	20.53	0.11298
802.11be EHT80_Nss4,(MCS0)_4TX	21.97	0.15740
802.11be EHT160_Nss1,(MCS0)_1TX	23.52	0.22491
802.11be EHT160_Nss2,(MCS0)_2TX	24.75	0.29854
802.11be EHT160_Nss1,(MCS0)_4TX	24.05	0.25410
802.11be EHT160_Nss4,(MCS0)_4TX	25.37	0.34435
802.11be EHT320_Nss1,(MCS0)_1TX	23.98	0.25003
802.11be EHT320_Nss2,(MCS0)_2TX	24.10	0.25704
802.11be EHT320_Nss1,(MCS0)_4TX	25.61	0.36392
802.11be EHT320_Nss4,(MCS0)_4TX	25.66	0.36813
6.425-6.525GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	16.70	0.04677
802.11be EHT20_Nss2,(MCS0)_2TX	16.87	0.04864
802.11be EHT20_Nss1,(MCS0)_4TX	15.90	0.03890
802.11be EHT20_Nss4,(MCS0)_4TX	18.22	0.06637
802.11be EHT40_Nss1,(MCS0)_1TX	19.12	0.08166
802.11be EHT40_Nss2,(MCS0)_2TX	20.31	0.10740
802.11be EHT40_Nss1,(MCS0)_4TX	18.01	0.06324
802.11be EHT40_Nss4,(MCS0)_4TX	20.03	0.10069
802.11be EHT80_Nss1,(MCS0)_1TX	22.26	0.16827
802.11be EHT80_Nss2,(MCS0)_2TX	22.16	0.16444
802.11be EHT80_Nss1,(MCS0)_4TX	20.48	0.11169
802.11be EHT80_Nss4,(MCS0)_4TX	22.86	0.19320
802.11be EHT160_Nss1,(MCS0)_1TX	22.03	0.15959
802.11be EHT160_Nss2,(MCS0)_2TX	23.19	0.20845
802.11be EHT160_Nss1,(MCS0)_4TX	23.20	0.20893
802.11be EHT160_Nss4,(MCS0)_4TX	23.56	0.22699
802.11be EHT320_Nss1,(MCS0)_1TX	22.15	0.16406
802.11be EHT320_Nss2,(MCS0)_2TX	24.10	0.25704
802.11be EHT320_Nss1,(MCS0)_4TX	23.40	0.21878
802.11be EHT320_Nss4,(MCS0)_4TX	23.31	0.21429
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	18.32	0.06792
802.11be EHT20_Nss2,(MCS0)_2TX	16.71	0.04688
802.11be EHT20_Nss1,(MCS0)_4TX	14.66	0.02924
802.11be EHT20_Nss4,(MCS0)_4TX	17.12	0.05152
802.11be EHT40_Nss1,(MCS0)_1TX	21.38	0.13740
802.11be EHT40_Nss2,(MCS0)_2TX	19.52	0.08954
802.11be EHT40_Nss1,(MCS0)_4TX	17.45	0.05559
802.11be EHT40_Nss4,(MCS0)_4TX	20.19	0.10447
802.11be EHT80_Nss1,(MCS0)_1TX	24.15	0.26002
802.11be EHT80_Nss2,(MCS0)_2TX	22.74	0.18793
802.11be EHT80_Nss1,(MCS0)_4TX	20.35	0.10839
802.11be EHT80_Nss4,(MCS0)_4TX	22.94	0.19679

Mode	EIRP (dBm)	EIRP (W)
802.11be EHT160_Nss1,(MCS0)_1TX	21.74	0.14928
802.11be EHT160_Nss2,(MCS0)_2TX	23.29	0.21330
802.11be EHT160_Nss1,(MCS0)_4TX	22.96	0.19770
802.11be EHT160_Nss4,(MCS0)_4TX	25.27	0.33651
802.11be EHT320_Nss1,(MCS0)_1TX	22.01	0.15885
802.11be EHT320_Nss2,(MCS0)_2TX	23.47	0.22233
802.11be EHT320_Nss1,(MCS0)_4TX	24.24	0.26546
802.11be EHT320_Nss4,(MCS0)_4TX	23.81	0.24044
6.875-7.125GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	18.72	0.07447
802.11be EHT20_Nss2,(MCS0)_2TX	18.56	0.07178
802.11be EHT20_Nss1,(MCS0)_4TX	15.29	0.03381
802.11be EHT20_Nss4,(MCS0)_4TX	16.59	0.04560
802.11be EHT40_Nss1,(MCS0)_1TX	21.30	0.13490
802.11be EHT40_Nss2,(MCS0)_2TX	20.51	0.11246
802.11be EHT40_Nss1,(MCS0)_4TX	18.33	0.06808
802.11be EHT40_Nss4,(MCS0)_4TX	19.01	0.07962
802.11be EHT80_Nss1,(MCS0)_1TX	24.60	0.28840
802.11be EHT80_Nss2,(MCS0)_2TX	22.84	0.19231
802.11be EHT80_Nss1,(MCS0)_4TX	19.97	0.09931
802.11be EHT80_Nss4,(MCS0)_4TX	22.03	0.15959
802.11be EHT160_Nss1,(MCS0)_1TX	22.02	0.15922
802.11be EHT160_Nss2,(MCS0)_2TX	23.82	0.24099
802.11be EHT160_Nss1,(MCS0)_4TX	23.31	0.21429
802.11be EHT160_Nss4,(MCS0)_4TX	23.80	0.23988

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-
5955MHz	Pass	18.38	30.00
6195MHz	Pass	17.48	30.00
6415MHz	Pass	18.33	30.00
6435MHz	Pass	15.97	30.00
6475MHz	Pass	16.70	30.00
6515MHz	Pass	16.18	30.00
6535MHz	Pass	16.06	30.00
6695MHz	Pass	16.21	30.00
6875MHz	Pass	18.32	30.00
6895MHz	Pass	17.86	30.00
6995MHz	Pass	18.72	30.00
7095MHz	Pass	18.44	30.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-
5965MHz	Pass	20.85	30.00
6205MHz	Pass	21.07	30.00
6405MHz	Pass	20.64	30.00
6445MHz	Pass	18.63	30.00
6485MHz	Pass	19.12	30.00
6525MHz	Pass	18.73	30.00
6565MHz	Pass	20.40	30.00
6685MHz	Pass	21.05	30.00
6885MHz	Pass	21.38	30.00
6925MHz	Pass	21.30	30.00
7005MHz	Pass	20.27	30.00
7085MHz	Pass	20.85	30.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-
5985MHz	Pass	23.32	30.00
6225MHz	Pass	23.51	30.00
6385MHz	Pass	22.81	30.00
6465MHz	Pass	21.50	30.00
6545MHz	Pass	22.26	30.00
6625MHz	Pass	23.37	30.00
6705MHz	Pass	23.83	30.00
6785MHz	Pass	24.15	30.00
6865MHz	Pass	23.85	30.00
6945MHz	Pass	24.60	30.00
7025MHz	Pass	21.03	30.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-
6025MHz	Pass	23.37	30.00
6185MHz	Pass	23.52	30.00
6345MHz	Pass	23.08	30.00
6505MHz	Pass	22.03	30.00
6665MHz	Pass	21.72	30.00
6825MHz	Pass	21.74	30.00
6985MHz	Pass	22.02	30.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-
6105MHz	Pass	23.98	30.00
6265MHz	Pass	23.01	30.00
6425MHz	Pass	22.27	30.00
6585MHz	Pass	22.15	30.00
6745MHz	Pass	22.01	30.00
6905MHz	Pass	18.04	30.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	16.78	30.00

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6195MHz	Pass	16.15	30.00
6415MHz	Pass	16.76	30.00
6435MHz	Pass	16.87	30.00
6475MHz	Pass	16.75	30.00
6515MHz	Pass	15.31	30.00
6535MHz	Pass	16.71	30.00
6695MHz	Pass	15.75	30.00
6875MHz	Pass	16.37	30.00
6895MHz	Pass	17.68	30.00
6995MHz	Pass	16.57	30.00
7095MHz	Pass	18.56	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	19.45	30.00
6205MHz	Pass	21.20	30.00
6405MHz	Pass	19.94	30.00
6445MHz	Pass	19.61	30.00
6485MHz	Pass	20.31	30.00
6525MHz	Pass	19.53	30.00
6565MHz	Pass	19.52	30.00
6685MHz	Pass	19.02	30.00
6885MHz	Pass	19.38	30.00
6925MHz	Pass	19.68	30.00
7005MHz	Pass	20.51	30.00
7085MHz	Pass	19.82	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	21.55	30.00
6225MHz	Pass	21.97	30.00
6385MHz	Pass	22.35	30.00
6465MHz	Pass	22.16	30.00
6545MHz	Pass	21.92	30.00
6625MHz	Pass	22.39	30.00
6705MHz	Pass	21.11	30.00
6785MHz	Pass	22.74	30.00
6865MHz	Pass	21.57	30.00
6945MHz	Pass	22.84	30.00
7025MHz	Pass	21.99	30.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-
6025MHz	Pass	23.57	30.00
6185MHz	Pass	24.75	30.00
6345MHz	Pass	24.16	30.00
6505MHz	Pass	23.19	30.00
6665MHz	Pass	21.77	30.00
6825MHz	Pass	23.29	30.00
6985MHz	Pass	23.82	30.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-
6105MHz	Pass	24.10	30.00
6265MHz	Pass	23.59	30.00
6425MHz	Pass	24.01	30.00
6585MHz	Pass	24.10	30.00
6745MHz	Pass	23.47	30.00
6905MHz	Pass	19.38	30.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	15.16	30.00
6195MHz	Pass	14.03	30.00
6415MHz	Pass	14.47	30.00
6435MHz	Pass	14.63	30.00

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6475MHz	Pass	15.90	30.00
6515MHz	Pass	14.91	30.00
6535MHz	Pass	14.57	30.00
6695MHz	Pass	14.66	30.00
6875MHz	Pass	14.39	30.00
6895MHz	Pass	14.49	30.00
6995MHz	Pass	15.29	30.00
7095MHz	Pass	14.50	30.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	17.42	30.00
6205MHz	Pass	16.46	30.00
6405MHz	Pass	17.51	30.00
6445MHz	Pass	17.85	30.00
6485MHz	Pass	18.01	30.00
6525MHz	Pass	17.42	30.00
6565MHz	Pass	17.22	30.00
6685MHz	Pass	17.45	30.00
6885MHz	Pass	16.78	30.00
6925MHz	Pass	17.86	30.00
7005MHz	Pass	17.52	30.00
7085MHz	Pass	18.33	30.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	20.30	30.00
6225MHz	Pass	19.69	30.00
6385MHz	Pass	20.53	30.00
6465MHz	Pass	20.48	30.00
6545MHz	Pass	19.98	30.00
6625MHz	Pass	20.35	30.00
6705MHz	Pass	20.34	30.00
6785MHz	Pass	20.14	30.00
6865MHz	Pass	20.09	30.00
6945MHz	Pass	19.97	30.00
7025MHz	Pass	19.84	30.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	23.12	30.00
6185MHz	Pass	21.71	30.00
6345MHz	Pass	24.05	30.00
6505MHz	Pass	23.20	30.00
6665MHz	Pass	22.96	30.00
6825MHz	Pass	22.59	30.00
6985MHz	Pass	23.31	30.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	23.86	30.00
6265MHz	Pass	24.82	30.00
6425MHz	Pass	25.61	30.00
6585MHz	Pass	23.40	30.00
6745MHz	Pass	24.24	30.00
6905MHz	Pass	19.89	30.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-
5955MHz	Pass	17.26	30.00
6195MHz	Pass	16.37	30.00
6415MHz	Pass	16.66	30.00
6435MHz	Pass	16.34	30.00
6475MHz	Pass	18.22	30.00
6515MHz	Pass	17.53	30.00
6535MHz	Pass	17.12	30.00

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6695MHz	Pass	16.35	30.00
6875MHz	Pass	16.21	30.00
6895MHz	Pass	16.57	30.00
6995MHz	Pass	16.59	30.00
7095MHz	Pass	16.36	30.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-
5965MHz	Pass	20.00	30.00
6205MHz	Pass	18.87	30.00
6405MHz	Pass	19.51	30.00
6445MHz	Pass	19.50	30.00
6485MHz	Pass	20.03	30.00
6525MHz	Pass	19.65	30.00
6565MHz	Pass	19.73	30.00
6685MHz	Pass	20.19	30.00
6885MHz	Pass	19.34	30.00
6925MHz	Pass	18.73	30.00
7005MHz	Pass	18.75	30.00
7085MHz	Pass	19.01	30.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-
5985MHz	Pass	21.93	30.00
6225MHz	Pass	21.80	30.00
6385MHz	Pass	21.97	30.00
6465MHz	Pass	22.12	30.00
6545MHz	Pass	22.86	30.00
6625MHz	Pass	22.68	30.00
6705MHz	Pass	22.94	30.00
6785MHz	Pass	22.25	30.00
6865MHz	Pass	21.59	30.00
6945MHz	Pass	22.03	30.00
7025MHz	Pass	21.69	30.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-
6025MHz	Pass	24.06	30.00
6185MHz	Pass	24.43	30.00
6345MHz	Pass	25.37	30.00
6505MHz	Pass	23.56	30.00
6665MHz	Pass	25.27	30.00
6825MHz	Pass	24.61	30.00
6985MHz	Pass	23.80	30.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-
6105MHz	Pass	23.88	30.00
6265MHz	Pass	25.66	30.00
6425MHz	Pass	24.80	30.00
6585MHz	Pass	23.31	30.00
6745MHz	Pass	23.81	30.00
6905MHz	Pass	19.88	30.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

10/12/2025

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz



Page 9

Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
18.38		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.87	11.51	8.98	34.76	57.54

09/12/2025

EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz




Page 9

Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
17.48		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.21	11.71	9.12	34.60	57.88


09/12/2025

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6415MHz;TX




29/11/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6435MHz;TX




29/11/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6475MHz;TX




29/11/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6515MHz;TX




29/11/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6535MHz;TX




29/11/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6695MHz;TX




09/12/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6875MHz;TX




09/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6895MHz;TX




09/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:6995MHz;TX




09/12/2025


EIRP:Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:1;Ch:7095MHz;TX



EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:5965MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6205MHz;TX




09/12/2025

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6405MHz;TX




29/11/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6445MHz;TX




29/11/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6485MHz;TX




29/11/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6525MHz;TX




09/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6565MHz;TX




09/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6685MHz;TX




09/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6885MHz;TX




09/12/2025

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:6925MHz;TX




09/12/2025

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:7005MHz;TX




09/12/2025


EIRP:Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:1;Ch:7085MHz;TX



EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:5985MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6225MHz;TX




29/11/2025

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6385MHz;TX




29/11/2025

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6465MHz;TX




30/11/2025

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6545MHz;TX




09/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6625MHz;TX




09/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6705MHz;TX




09/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6785MHz;TX




09/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6865MHz;TX




09/12/2025

EIRP:Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:6945MHz;TX




09/12/2025

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:1;Ch:7025MHz;TX




29/11/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6025MHz;TX




09/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6185MHz;TX




27/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6345MHz;TX




27/12/2025

EIRP;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6505MHz;TX




27/12/2025

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6665MHz;TX




30/11/2025

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6825MHz;TX




09/12/2025

EIRP;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:1;Ch:6985MHz;TX




09/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6105MHz;TX




27/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6265MHz;TX




27/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6425MHz;TX



27/12/2025


EIRP;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6585MHz;TX



27/12/2025

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6745MHz;TX

CF Freq
6.745GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
22.01				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
7.01	10.50	9.77	42.89	58.62

17/01/2026

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:1;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.04				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.86	10.91	9.42	34.44	58.83


02/12/2025

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:5955MHz;TX




02/12/2025

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6195MHz;TX




02/12/2025

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6415MHz;TX




02/12/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6435MHz;TX




02/12/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6475MHz;TX




17/01/2026

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6515MHz;TX




02/12/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6535MHz;TX




02/12/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6695MHz;TX




02/12/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6875MHz;TX




02/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6895MHz;TX




18/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6995MHz;TX




03/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:7095MHz;TX




02/12/2025

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:5965MHz;TX




02/12/2025

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6205MHz;TX




02/12/2025

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6405MHz;TX




02/12/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6445MHz;TX




02/12/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6485MHz;TX




02/12/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6525MHz;TX




02/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6565MHz;TX




02/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6685MHz;TX




02/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6885MHz;TX




03/12/2025

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6925MHz;TX




19/12/2025

EIRP;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7005MHz;TX



03/12/2025


EIRP;Band:7.0G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:7085MHz;TX



02/12/2025

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
21.55		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.44	13.40	7.68	33.75	57.58

02/12/2025

EIRP;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
21.97		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
3.23	13.20	7.62	33.61	57.93


02/12/2025

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6385MHz;TX




02/12/2025

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6465MHz;TX




02/12/2025

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6545MHz;TX




10/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX




10/12/2025

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6705MHz;TX




02/12/2025

EIRP;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6785MHz;TX




02/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6865MHz;TX




10/12/2025

EIRP:Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6945MHz;TX




10/12/2025

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:7025MHz;TX




10/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6025MHz;TX




10/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX




10/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX




27/12/2025

EIRP;Band:6.4G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6505MHz;TX




27/12/2025

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6665MHz;TX




27/12/2025

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6825MHz;TX



02/12/2025


EIRP;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6985MHz;TX



02/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
24.1				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.77	13.39	7.64	33.68	57.76

27/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
23.59				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
10.17	10.80	9.35	43.11	57.98


27/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6425MHz;TX




27/12/2025

EIRP;Band:6.4G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6585MHz;TX




27/12/2025

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6745MHz;TX




19/12/2025

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6905MHz;TX




02/12/2025

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



02/12/2025

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



02/12/2025

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX

CF Freq
6.415GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
14.47				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.50	12.64	7.90	33.48	58.19

02/12/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX

CF Freq
6.435GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz




Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
14.63				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.44	12.56	7.89	33.47	58.21


02/12/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




02/12/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX




03/12/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




03/12/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




03/12/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX




16/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX




16/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




16/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




02/12/2025

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




02/12/2025

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




02/12/2025

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




02/12/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX




02/12/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX




02/12/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX




03/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




03/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




03/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




03/12/2025

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




03/12/2025

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX




03/12/2025

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX




02/12/2025

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




02/12/2025

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




02/12/2025

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




02/12/2025

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




02/12/2025

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




03/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




03/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




03/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




03/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




03/12/2025

EIRP:Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




03/12/2025

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




16/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




16/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




16/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




02/12/2025

EIRP;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




03/12/2025

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




03/12/2025

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




03/12/2025

EIRP;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




16/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




02/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




02/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




27/12/2025

EIRP;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




27/12/2025

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX




17/12/2025

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX




03/12/2025

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:5955MHz;TX




03/12/2025

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6195MHz;TX




03/12/2025

EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6415MHz;TX




03/12/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6435MHz;TX




03/12/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6475MHz;TX




03/12/2025

EIRP:Band:6.4G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6515MHz;TX




04/12/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6535MHz;TX




04/12/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6695MHz;TX




04/12/2025

EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6875MHz;TX




04/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6895MHz;TX




04/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6995MHz;TX




04/12/2025

EIRP:Band:7.0G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:7095MHz;TX




03/12/2025

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:5965MHz;TX




03/12/2025

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6205MHz;TX




03/12/2025

EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6405MHz;TX




03/12/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6445MHz;TX




03/12/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6485MHz;TX




03/12/2025

EIRP:Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6525MHz;TX




04/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6565MHz;TX




04/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX




04/12/2025

EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6885MHz;TX




04/12/2025

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6925MHz;TX




04/12/2025

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7005MHz;TX




04/12/2025

EIRP:Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7085MHz;TX




03/12/2025

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:5985MHz;TX




03/12/2025

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6225MHz;TX




03/12/2025

EIRP:Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6385MHz;TX




03/12/2025

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6465MHz;TX




04/12/2025

EIRP:Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6545MHz;TX




04/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX




04/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX




04/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX




04/12/2025

EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6865MHz;TX




04/12/2025

EIRP:Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6945MHz;TX




03/12/2025

EIRP;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:7025MHz;TX




03/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6025MHz;TX




03/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6185MHz;TX




03/12/2025

EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6345MHz;TX




03/12/2025

EIRP;Band:6.4G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6505MHz;TX




04/12/2025

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX




04/12/2025

EIRP;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6825MHz;TX



04/12/2025


EIRP;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6985MHz;TX



03/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
23.88				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
5.55	13.39	7.64	33.68	57.76

28/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6265MHz;TX

CF Freq
6.265GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
25.66				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
12.24	10.80	9.35	43.11	57.98


28/12/2025

EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6425MHz;TX



28/12/2025

EIRP;Band:6.4G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6585MHz;TX



28/12/2025

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6745MHz;TX

CF Freq
6.745GHz

Span
800MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.57ms

Detector Type
RMS

CP BW
320MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
23.81		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
8.81	10.50	9.77	42.89	58.62

17/12/2025

EIRP;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
800MHz


RBW
1MHz

VBW
3MHz

Sweep Time
4ms

Detector Type
RMS

CP BW
320MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
19.88		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.82	11.99	8.27	33.41	58.83

Summary


Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.04	0.05058
802.11be EHT20-BF_Nss1,(MCS0)_4TX	19.30	0.08511
802.11be EHT40-BF_Nss1,(MCS0)_2TX	21.17	0.13092
802.11be EHT40-BF_Nss1,(MCS0)_4TX	19.00	0.07943
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.96	0.19770
802.11be EHT80-BF_Nss1,(MCS0)_4TX	20.25	0.10593
802.11be EHT160-BF_Nss1,(MCS0)_2TX	22.58	0.18113
802.11be EHT160-BF_Nss1,(MCS0)_4TX	23.25	0.21135
802.11be EHT320-BF_Nss1,(MCS0)_2TX	24.35	0.27227
802.11be EHT320-BF_Nss1,(MCS0)_4TX	25.64	0.36644
6.425-6.525GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	18.12	0.06486
802.11be EHT20-BF_Nss1,(MCS0)_4TX	19.26	0.08433
802.11be EHT40-BF_Nss1,(MCS0)_2TX	19.92	0.09817
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.44	0.06982
802.11be EHT80-BF_Nss1,(MCS0)_2TX	22.41	0.17418
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.38	0.13740
802.11be EHT160-BF_Nss1,(MCS0)_2TX	22.72	0.18707
802.11be EHT160-BF_Nss1,(MCS0)_4TX	21.67	0.14689
802.11be EHT320-BF_Nss1,(MCS0)_2TX	24.22	0.26424
802.11be EHT320-BF_Nss1,(MCS0)_4TX	23.42	0.21979
6.525-6.875GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	16.55	0.04519
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.02	0.03999
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.57	0.11402
802.11be EHT40-BF_Nss1,(MCS0)_4TX	18.96	0.07870
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.11	0.20464
802.11be EHT80-BF_Nss1,(MCS0)_4TX	23.96	0.24889
802.11be EHT160-BF_Nss1,(MCS0)_2TX	24.33	0.27102
802.11be EHT160-BF_Nss1,(MCS0)_4TX	23.05	0.20184
802.11be EHT320-BF_Nss1,(MCS0)_2TX	24.18	0.26182
802.11be EHT320-BF_Nss1,(MCS0)_4TX	23.69	0.23388
6.875-7.125GHz	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	18.12	0.06486
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.71	0.05902
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.59	0.11455
802.11be EHT40-BF_Nss1,(MCS0)_4TX	19.29	0.08492
802.11be EHT80-BF_Nss1,(MCS0)_2TX	21.32	0.13552
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.36	0.17219
802.11be EHT160-BF_Nss1,(MCS0)_2TX	22.16	0.16444
802.11be EHT160-BF_Nss1,(MCS0)_4TX	22.42	0.17458

Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	17.04	30.00
6195MHz	Pass	16.58	30.00
6415MHz	Pass	16.05	30.00
6435MHz	Pass	15.32	30.00
6475MHz	Pass	16.71	30.00
6515MHz	Pass	18.12	30.00
6535MHz	Pass	16.18	30.00
6695MHz	Pass	15.33	30.00
6875MHz	Pass	16.55	30.00
6895MHz	Pass	18.12	30.00
6995MHz	Pass	16.69	30.00
7095MHz	Pass	16.43	30.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	20.97	30.00
6205MHz	Pass	21.17	30.00
6405MHz	Pass	18.76	30.00
6445MHz	Pass	18.98	30.00
6485MHz	Pass	19.92	30.00
6525MHz	Pass	18.82	30.00
6565MHz	Pass	20.00	30.00
6685MHz	Pass	20.57	30.00
6885MHz	Pass	19.90	30.00
6925MHz	Pass	17.80	30.00
7005MHz	Pass	20.59	30.00
7085MHz	Pass	20.41	30.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	22.79	30.00
6225MHz	Pass	21.27	30.00
6385MHz	Pass	22.96	30.00
6465MHz	Pass	21.74	30.00
6545MHz	Pass	22.41	30.00
6625MHz	Pass	23.10	30.00
6705MHz	Pass	23.11	30.00
6785MHz	Pass	22.67	30.00
6865MHz	Pass	20.88	30.00
6945MHz	Pass	21.32	30.00
7025MHz	Pass	21.14	30.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	22.22	30.00
6185MHz	Pass	22.21	30.00
6345MHz	Pass	22.58	30.00
6505MHz	Pass	22.72	30.00
6665MHz	Pass	22.31	30.00
6825MHz	Pass	24.33	30.00
6985MHz	Pass	22.16	30.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	24.05	30.00
6265MHz	Pass	24.18	30.00
6425MHz	Pass	24.35	30.00
6585MHz	Pass	24.22	30.00
6745MHz	Pass	24.18	30.00
6905MHz	Pass	20.88	30.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	17.47	30.00


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
6195MHz	Pass	16.60	30.00
6415MHz	Pass	19.30	30.00
6435MHz	Pass	16.39	30.00
6475MHz	Pass	15.08	30.00
6515MHz	Pass	19.26	30.00
6535MHz	Pass	14.01	30.00
6695MHz	Pass	16.02	30.00
6875MHz	Pass	15.05	30.00
6895MHz	Pass	17.15	30.00
6995MHz	Pass	17.71	30.00
7095MHz	Pass	14.91	30.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	17.28	30.00
6205MHz	Pass	18.68	30.00
6405MHz	Pass	19.00	30.00
6445MHz	Pass	18.44	30.00
6485MHz	Pass	18.08	30.00
6525MHz	Pass	17.36	30.00
6565MHz	Pass	15.88	30.00
6685MHz	Pass	18.96	30.00
6885MHz	Pass	17.24	30.00
6925MHz	Pass	16.41	30.00
7005MHz	Pass	19.29	30.00
7085MHz	Pass	18.55	30.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	19.74	30.00
6225MHz	Pass	18.61	30.00
6385MHz	Pass	20.25	30.00
6465MHz	Pass	21.38	30.00
6545MHz	Pass	18.94	30.00
6625MHz	Pass	21.18	30.00
6705MHz	Pass	23.96	30.00
6785MHz	Pass	18.17	30.00
6865MHz	Pass	19.61	30.00
6945MHz	Pass	20.42	30.00
7025MHz	Pass	22.36	30.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	23.25	30.00
6185MHz	Pass	21.29	30.00
6345MHz	Pass	22.77	30.00
6505MHz	Pass	21.67	30.00
6665MHz	Pass	21.80	30.00
6825MHz	Pass	23.05	30.00
6985MHz	Pass	22.42	30.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	24.46	30.00
6265MHz	Pass	25.21	30.00
6425MHz	Pass	25.64	30.00
6585MHz	Pass	23.42	30.00
6745MHz	Pass	23.69	30.00
6905MHz	Pass	23.25	30.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.




16/01/2026

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX



16/01/2026


EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX



16/01/2026

EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX

CF Freq
6.475GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
16.71				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.30	11.30	9.44	34.40	58.27

16/01/2026

EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX

CF Freq
6.515GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.12				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.12	11.11	9.41	34.38	58.32


16/01/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




16/01/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




16/01/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX




26/12/2025

EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX




26/12/2025

EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX




14/01/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




15/01/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




14/01/2026

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




15/01/2026

EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX




17/12/2025

EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX



17/12/2025


EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX



17/12/2025

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX

CF Freq
6.565GHz
Span
100MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 9
Vertical

EIRP (dBm)	20	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.53	10.84	9.37	34.39	58.39

17/12/2025

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
100MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 9
Vertical

EIRP (dBm)	20.57	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.27	10.63	9.34	34.41	58.54


18/12/2025

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




18/12/2025

EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




18/12/2025

EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX



18/12/2025


EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX



18/12/2025

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
22.79				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.52	11.57	9.01	34.75	57.58

18/12/2025

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
21.27				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.45	11.70	9.17	34.58	57.93

18/12/2025

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
22.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.33	11.53	9.47	34.46	58.15

18/12/2025

EIRP:Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX

CF Freq
6.465GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
21.74				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.21	11.34	9.45	34.41	58.25


18/12/2025

EIRP:Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




18/12/2025

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




18/12/2025

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX



18/12/2025


EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX



18/12/2025

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX

CF Freq
6.865GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
20.88		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.89	10.97	9.39	34.43	58.78

18/12/2025

EIRP:Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX

CF Freq
6.945GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
21.32		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.57	10.99	9.44	34.44	58.88

18/12/2025

EIRP;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX

CF Freq
7.025GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
21.14				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.96	10.95	9.49	34.42	58.98

18/12/2025

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
160MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
22.22				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
1.91	11.65	9.04	34.72	57.64


18/12/2025

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




26/12/2025

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




26/12/2025

EIRP;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX




26/12/2025

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




26/12/2025

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX




18/12/2025

EIRP;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX




19/12/2025

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




26/12/2025

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




26/12/2025

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6425MHz;TX




26/12/2025

EIRP;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX




26/12/2025

EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX




19/12/2025

EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX




17/12/2025

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX



17/12/2025

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX



17/12/2025

EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX

CF Freq
6.415GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
19.3		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.47	11.47	9.49	34.44	58.19

17/12/2025

EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX

CF Freq
6.435GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS

CP BW
20MHz




Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
16.39		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.43	11.43	9.47	34.43	58.21


04/12/2025

EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX




04/12/2025

EIRP:Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX




16/01/2026

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX



17/12/2025


EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX



17/12/2025

EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX

CF Freq
6.875GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
15.05				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.76	10.95	9.40	34.43	58.79

17/12/2025

EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX

CF Freq
6.895GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
17.15				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.72	10.91	9.41	34.44	58.81

17/12/2025

EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX

CF Freq
6.995GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 9
Vertical

EIRP (dBm)	17.71	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.26	11.00	9.48	34.45	58.94

17/12/2025

EIRP:Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX

CF Freq
7.095GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
20MHz




Page 10
Horizontal

EIRP (dBm)	14.91	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.71	10.63	9.53	34.34	59.06


17/12/2025

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




17/12/2025

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




17/12/2025

EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX



19/12/2025


EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX



19/12/2025

EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX

CF Freq
6.485GHz
Span
100MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.08				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.98	11.26	9.43	34.39	58.28

19/12/2025

EIRP:Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX

CF Freq
6.525GHz
Span
100MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
40MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
17.36				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.94	11.05	9.40	34.38	58.33


19/12/2025

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




19/12/2025

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




19/12/2025

EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX




19/12/2025

EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX




19/12/2025

EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX



19/12/2025


EIRP:Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX



19/12/2025

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
19.74		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-0.53	11.57	9.01	34.75	57.58

19/12/2025

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
200MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS
CP BW
80MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
18.61		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-2.21	11.70	9.17	34.58	57.93


19/12/2025

EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




19/12/2025

EIRP:Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX




19/12/2025

EIRP:Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX




19/12/2025

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




20/12/2025

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




20/12/2025

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




20/12/2025

EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




20/12/2025

EIRP:Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




20/12/2025

EIRP;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




20/12/2025

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




16/01/2026

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




20/12/2025

EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




20/12/2025

EIRP;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




20/12/2025

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




20/12/2025

EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




14/01/2026

EIRP;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




20/12/2025

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




20/12/2025

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




20/12/2025

EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX



20/12/2025


EIRP;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX



26/12/2025

EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX

CF Freq
6.745GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 10
Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
23.69				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.68	11.60	8.95	30.60	58.62

16/01/2026

EIRP;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
800MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.57ms
Detector Type
RMS
CP BW
320MHz



Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
23.25				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.35	10.91	9.42	34.44	58.83

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	9.74	0.00942	15.42	0.03483
802.11be EHT20_Nss2,(MCS0)_2TX	12.75	0.01884	18.43	0.06966
802.11be EHT40_Nss1,(MCS0)_2TX	12.69	0.01858	18.37	0.06871
802.11be EHT40_Nss2,(MCS0)_2TX	15.70	0.03715	21.38	0.13740
802.11be EHT80_Nss1,(MCS0)_2TX	15.33	0.03412	21.01	0.12618
802.11be EHT80_Nss2,(MCS0)_2TX	18.34	0.06823	24.02	0.25235
802.11be EHT160_Nss1,(MCS0)_2TX	18.19	0.06592	23.87	0.24378
802.11be EHT160_Nss2,(MCS0)_2TX	21.20	0.13183	26.88	0.48753
802.11be EHT320_Nss1,(MCS0)_2TX	20.88	0.12246	26.56	0.45290
802.11be EHT320_Nss2,(MCS0)_2TX	23.89	0.24491	29.57	0.90573
6.425-6.525GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	10.57	0.01140	15.45	0.03508
802.11be EHT20_Nss2,(MCS0)_2TX	13.58	0.02280	18.46	0.07015
802.11be EHT40_Nss1,(MCS0)_2TX	13.55	0.02265	18.43	0.06966
802.11be EHT40_Nss2,(MCS0)_2TX	16.56	0.04529	21.44	0.13932
802.11be EHT80_Nss1,(MCS0)_2TX	16.08	0.04055	20.96	0.12474
802.11be EHT80_Nss2,(MCS0)_2TX	19.09	0.08110	23.97	0.24946
802.11be EHT160_Nss1,(MCS0)_2TX	18.92	0.07798	23.80	0.23988
802.11be EHT160_Nss2,(MCS0)_2TX	21.93	0.15596	26.81	0.47973
802.11be EHT320_Nss1,(MCS0)_2TX	21.10	0.12882	25.98	0.39628
802.11be EHT320_Nss2,(MCS0)_2TX	24.11	0.25763	28.99	0.79250
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	10.23	0.01054	15.36	0.03436
802.11be EHT20_Nss2,(MCS0)_2TX	13.24	0.02109	18.37	0.06871
802.11be EHT40_Nss1,(MCS0)_2TX	13.26	0.02118	18.39	0.06902
802.11be EHT40_Nss2,(MCS0)_2TX	16.27	0.04236	21.40	0.13804
802.11be EHT80_Nss1,(MCS0)_2TX	15.99	0.03972	21.12	0.12942
802.11be EHT80_Nss2,(MCS0)_2TX	19.00	0.07943	24.13	0.25882
802.11be EHT160_Nss1,(MCS0)_2TX	18.49	0.07063	23.62	0.23014
802.11be EHT160_Nss2,(MCS0)_2TX	21.50	0.14125	26.63	0.46026
802.11be EHT320_Nss1,(MCS0)_2TX	20.64	0.11588	25.77	0.37757
802.11be EHT320_Nss2,(MCS0)_2TX	23.65	0.23174	28.78	0.75509
6.875-7.125GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	10.89	0.01227	15.65	0.03673
802.11be EHT20_Nss2,(MCS0)_2TX	13.90	0.02455	18.66	0.07345
802.11be EHT40_Nss1,(MCS0)_2TX	13.77	0.02382	18.53	0.07129
802.11be EHT40_Nss2,(MCS0)_2TX	16.78	0.04764	21.54	0.14256
802.11be EHT80_Nss1,(MCS0)_2TX	16.40	0.04365	21.16	0.13062
802.11be EHT80_Nss2,(MCS0)_2TX	19.41	0.08730	24.17	0.26122
802.11be EHT160_Nss1,(MCS0)_2TX	18.77	0.07534	23.53	0.22542
802.11be EHT160_Nss2,(MCS0)_2TX	21.78	0.15066	26.54	0.45082

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.68	6.45	6.97	9.73	15.41	30.00
6195MHz	Pass	5.68	6.46	6.76	9.62	15.30	30.00
6415MHz	Pass	5.68	6.7	6.75	9.74	15.42	30.00
6435MHz	Pass	4.88	7.5	7.62	10.57	15.45	30.00
6475MHz	Pass	4.88	6.98	7.28	10.14	15.02	30.00
6515MHz	Pass	4.88	7.06	7.68	10.39	15.27	30.00
6535MHz	Pass	5.13	7.13	7.31	10.23	15.36	30.00
6695MHz	Pass	5.13	7.01	7.29	10.16	15.29	30.00
6875MHz	Pass	5.13	6.95	7.26	10.12	15.25	30.00
6895MHz	Pass	4.76	7.98	7.25	10.64	15.40	30.00
6995MHz	Pass	4.76	7.46	7.44	10.46	15.22	30.00
7095MHz	Pass	4.76	7.58	8.16	10.89	15.65	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.68	9.45	9.81	12.64	18.32	30.00
6205MHz	Pass	5.68	9.16	9.97	12.59	18.27	30.00
6405MHz	Pass	5.68	9.83	9.53	12.69	18.37	30.00
6445MHz	Pass	4.88	10.15	10.32	13.25	18.13	30.00
6485MHz	Pass	4.88	10.42	10.42	13.43	18.31	30.00
6525MHz	Pass	4.88	10.32	10.75	13.55	18.43	30.00
6565MHz	Pass	5.13	10.43	9.97	13.22	18.35	30.00
6685MHz	Pass	5.13	10.15	10.34	13.26	18.39	30.00
6885MHz	Pass	5.13	10.17	10.08	13.14	18.27	30.00
6925MHz	Pass	4.76	10.97	10.53	13.77	18.53	30.00
7005MHz	Pass	4.76	10.89	10.3	13.62	18.38	30.00
7085MHz	Pass	4.76	10.68	10.59	13.65	18.41	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.68	11.68	12.81	15.29	20.97	30.00
6225MHz	Pass	5.68	12.3	12.33	15.33	21.01	30.00
6385MHz	Pass	5.68	11.87	12.37	15.14	20.82	30.00
6465MHz	Pass	4.88	12.84	13.14	16.00	20.88	30.00
6545MHz	Pass	4.88	13.12	13.01	16.08	20.96	30.00
6625MHz	Pass	5.13	12.38	12.94	15.68	20.81	30.00
6705MHz	Pass	5.13	12.8	12.92	15.87	21.00	30.00
6785MHz	Pass	5.13	12.57	13.36	15.99	21.12	30.00
6865MHz	Pass	5.13	12.45	13.01	15.75	20.88	30.00
6945MHz	Pass	4.76	13.31	13.08	16.21	20.97	30.00
7025MHz	Pass	4.76	13.66	13.1	16.40	21.16	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.68	15.11	14.95	18.04	23.72	30.00
6185MHz	Pass	5.68	15.2	15.15	18.19	23.87	30.00
6345MHz	Pass	5.68	14.98	15.31	18.16	23.84	30.00
6505MHz	Pass	4.88	15.82	16	18.92	23.80	30.00
6665MHz	Pass	5.13	15.29	15.48	18.40	23.53	30.00
6825MHz	Pass	5.13	15.3	15.66	18.49	23.62	30.00
6985MHz	Pass	4.76	15.83	15.69	18.77	23.53	30.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.68	18.06	17.41	20.76	26.44	30.00
6265MHz	Pass	5.68	17.75	17.99	20.88	26.56	30.00
6425MHz	Pass	5.68	17.92	17.56	20.75	26.43	30.00
6585MHz	Pass	4.88	17.78	18.38	21.10	25.98	30.00
6745MHz	Pass	5.13	17.71	17.55	20.64	25.77	30.00
6905MHz	Pass	5.13	16.9	16.86	19.89	25.02	30.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.68	9.46	9.98	12.74	18.42	30.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6195MHz	Pass	5.68	9.47	9.77	12.63	18.31	30.00
6415MHz	Pass	5.68	9.71	9.76	12.75	18.43	30.00
6435MHz	Pass	4.88	10.51	10.63	13.58	18.46	30.00
6475MHz	Pass	4.88	9.99	10.29	13.15	18.03	30.00
6515MHz	Pass	4.88	10.07	10.69	13.40	18.28	30.00
6535MHz	Pass	5.13	10.14	10.32	13.24	18.37	30.00
6695MHz	Pass	5.13	10.02	10.3	13.17	18.30	30.00
6875MHz	Pass	5.13	9.96	10.27	13.13	18.26	30.00
6895MHz	Pass	4.76	10.99	10.26	13.65	18.41	30.00
6995MHz	Pass	4.76	10.47	10.45	13.47	18.23	30.00
7095MHz	Pass	4.76	10.59	11.17	13.90	18.66	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.68	12.46	12.82	15.65	21.33	30.00
6205MHz	Pass	5.68	12.17	12.98	15.60	21.28	30.00
6405MHz	Pass	5.68	12.84	12.54	15.70	21.38	30.00
6445MHz	Pass	4.88	13.16	13.33	16.26	21.14	30.00
6485MHz	Pass	4.88	13.43	13.43	16.44	21.32	30.00
6525MHz	Pass	4.88	13.33	13.76	16.56	21.44	30.00
6565MHz	Pass	5.13	13.44	12.98	16.23	21.36	30.00
6685MHz	Pass	5.13	13.16	13.35	16.27	21.40	30.00
6885MHz	Pass	5.13	13.18	13.09	16.15	21.28	30.00
6925MHz	Pass	4.76	13.98	13.54	16.78	21.54	30.00
7005MHz	Pass	4.76	13.9	13.31	16.63	21.39	30.00
7085MHz	Pass	4.76	13.69	13.6	16.66	21.42	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.68	14.69	15.82	18.30	23.98	30.00
6225MHz	Pass	5.68	15.31	15.34	18.34	24.02	30.00
6385MHz	Pass	5.68	14.88	15.38	18.15	23.83	30.00
6465MHz	Pass	4.88	15.85	16.15	19.01	23.89	30.00
6545MHz	Pass	4.88	16.13	16.02	19.09	23.97	30.00
6625MHz	Pass	5.13	15.39	15.95	18.69	23.82	30.00
6705MHz	Pass	5.13	15.81	15.93	18.88	24.01	30.00
6785MHz	Pass	5.13	15.58	16.37	19.00	24.13	30.00
6865MHz	Pass	5.13	15.46	16.02	18.76	23.89	30.00
6945MHz	Pass	4.76	16.32	16.09	19.22	23.98	30.00
7025MHz	Pass	4.76	16.67	16.11	19.41	24.17	30.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.68	18.12	17.96	21.05	26.73	30.00
6185MHz	Pass	5.68	18.21	18.16	21.20	26.88	30.00
6345MHz	Pass	5.68	17.99	18.32	21.17	26.85	30.00
6505MHz	Pass	4.88	18.83	19.01	21.93	26.81	30.00
6665MHz	Pass	5.13	18.3	18.49	21.41	26.54	30.00
6825MHz	Pass	5.13	18.31	18.67	21.50	26.63	30.00
6985MHz	Pass	4.76	18.84	18.7	21.78	26.54	30.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.68	21.07	20.42	23.77	29.45	30.00
6265MHz	Pass	5.68	20.76	21	23.89	29.57	30.00
6425MHz	Pass	5.68	20.93	20.57	23.76	29.44	30.00
6585MHz	Pass	4.88	20.79	21.39	24.11	28.99	30.00
6745MHz	Pass	5.13	20.72	20.56	23.65	28.78	30.00
6905MHz	Pass	5.13	19.91	19.87	22.90	28.03	30.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	22.51	0.17824	28.19	0.65917
802.11be EHT20_Nss2,(MCS0)_2TX	25.52	0.35645	31.20	1.31826
802.11be EHT40_Nss1,(MCS0)_2TX	22.52	0.17865	28.20	0.66069
802.11be EHT40_Nss2,(MCS0)_2TX	25.53	0.35727	31.21	1.32130
802.11be EHT80_Nss1,(MCS0)_2TX	22.54	0.17947	28.22	0.66374
802.11be EHT80_Nss2,(MCS0)_2TX	25.55	0.35892	31.23	1.32739
802.11be EHT160_Nss1,(MCS0)_2TX	22.76	0.18880	28.44	0.69823
802.11be EHT160_Nss2,(MCS0)_2TX	25.77	0.37757	31.45	1.39637
802.11be EHT320_Nss1,(MCS0)_2TX	22.38	0.17298	28.06	0.63973
802.11be EHT320_Nss2,(MCS0)_2TX	25.39	0.34594	31.07	1.27938
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	22.48	0.17701	27.61	0.57677
802.11be EHT20_Nss2,(MCS0)_2TX	25.49	0.35400	30.62	1.15345
802.11be EHT40_Nss1,(MCS0)_2TX	22.55	0.17989	27.68	0.58614
802.11be EHT40_Nss2,(MCS0)_2TX	25.56	0.35975	30.69	1.17220
802.11be EHT80_Nss1,(MCS0)_2TX	22.62	0.18281	27.75	0.59566
802.11be EHT80_Nss2,(MCS0)_2TX	25.63	0.36559	30.76	1.19124
802.11be EHT160_Nss1,(MCS0)_2TX	21.81	0.15171	26.94	0.49431
802.11be EHT160_Nss2,(MCS0)_2TX	24.82	0.30339	29.95	0.98855

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.68	19.04	19.65	22.37	28.05	36.00
6195MHz	Pass	5.68	19.05	19.90	22.51	28.19	36.00
6415MHz	Pass	5.68	19.19	19.60	22.41	28.09	36.00
6535MHz	Pass	5.13	19.44	19.29	22.38	27.51	36.00
6695MHz	Pass	5.13	19.06	19.85	22.48	27.61	36.00
6855MHz	Pass	5.13	19.46	19.30	22.39	27.52	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.68	19.18	19.82	22.52	28.20	36.00
6205MHz	Pass	5.68	19.09	19.86	22.50	28.18	36.00
6405MHz	Pass	5.68	19.44	19.22	22.34	28.02	36.00
6565MHz	Pass	5.13	19.33	19.08	22.22	27.35	36.00
6685MHz	Pass	5.13	19.23	19.81	22.54	27.67	36.00
6845MHz	Pass	5.13	19.39	19.68	22.55	27.68	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.68	19.08	19.75	22.44	28.12	36.00
6225MHz	Pass	5.68	19.25	19.80	22.54	28.22	36.00
6385MHz	Pass	5.68	19.31	19.29	22.31	27.99	36.00
6625MHz	Pass	5.13	19.21	19.63	22.44	27.57	36.00
6705MHz	Pass	5.13	19.03	19.63	22.35	27.48	36.00
6785MHz	Pass	5.13	19.57	19.64	22.62	27.75	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.68	18.64	19.24	21.96	27.64	36.00
6185MHz	Pass	5.68	19.04	19.97	22.54	28.22	36.00
6345MHz	Pass	5.68	19.61	19.88	22.76	28.44	36.00
6665MHz	Pass	5.13	18.71	18.88	21.81	26.94	36.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.68	18.97	19.29	22.14	27.82	36.00
6265MHz	Pass	5.68	19.15	19.58	22.38	28.06	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.68	22.05	22.66	25.38	31.06	36.00
6195MHz	Pass	5.68	22.06	22.91	25.52	31.20	36.00
6415MHz	Pass	5.68	22.20	22.61	25.42	31.10	36.00
6535MHz	Pass	5.13	22.45	22.30	25.39	30.52	36.00
6695MHz	Pass	5.13	22.07	22.86	25.49	30.62	36.00
6855MHz	Pass	5.13	22.47	22.31	25.40	30.53	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.68	22.19	22.83	25.53	31.21	36.00
6205MHz	Pass	5.68	22.10	22.87	25.51	31.19	36.00
6405MHz	Pass	5.68	22.45	22.23	25.35	31.03	36.00
6565MHz	Pass	5.13	22.34	22.09	25.23	30.36	36.00
6685MHz	Pass	5.13	22.24	22.82	25.55	30.68	36.00
6845MHz	Pass	5.13	22.40	22.69	25.56	30.69	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.68	22.09	22.76	25.45	31.13	36.00
6225MHz	Pass	5.68	22.26	22.81	25.55	31.23	36.00
6385MHz	Pass	5.68	22.32	22.30	25.32	31.00	36.00
6625MHz	Pass	5.13	22.22	22.64	25.45	30.58	36.00
6705MHz	Pass	5.13	22.04	22.64	25.36	30.49	36.00
6785MHz	Pass	5.13	22.58	22.65	25.63	30.76	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.68	21.65	22.25	24.97	30.65	36.00
6185MHz	Pass	5.68	22.05	22.98	25.55	31.23	36.00
6345MHz	Pass	5.68	22.62	22.89	25.77	31.45	36.00
6665MHz	Pass	5.13	21.72	21.89	24.82	29.95	36.00



Average Power_Mode 8

Appendix C.8

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.68	21.98	22.30	25.15	30.83	36.00
6265MHz	Pass	5.68	22.16	22.59	25.39	31.07	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

Summary

Mode	EIRP PD (dBm/RBW)
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_1TX	12.67
802.11be EHT20_Nss2,(MCS0)_2TX	15.68
802.11be EHT20_Nss1,(MCS0)_4TX	22.99
802.11be EHT20_Nss4,(MCS0)_4TX	18.24
802.11be EHT40_Nss1,(MCS0)_1TX	9.69
802.11be EHT40_Nss2,(MCS0)_2TX	11.97
802.11be EHT40_Nss1,(MCS0)_4TX	20.59
802.11be EHT40_Nss4,(MCS0)_4TX	14.90
802.11be EHT80_Nss1,(MCS0)_1TX	7.00
802.11be EHT80_Nss2,(MCS0)_2TX	9.29
802.11be EHT80_Nss1,(MCS0)_4TX	18.00
802.11be EHT80_Nss4,(MCS0)_4TX	12.17
802.11be EHT160_Nss1,(MCS0)_1TX	2.51
802.11be EHT160_Nss2,(MCS0)_2TX	4.80
802.11be EHT160_Nss1,(MCS0)_4TX	13.39
802.11be EHT160_Nss4,(MCS0)_4TX	7.30

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6595MHz	Pass	2.52	8.52				11.04	23.00
6695MHz	Pass	2.52	10.06				12.58	23.00
6855MHz	Pass	2.52	10.15				12.67	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6605MHz	Pass	2.52	5.59				8.11	23.00
6685MHz	Pass	2.52	6.61				9.13	23.00
6845MHz	Pass	2.52	7.17				9.69	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6625MHz	Pass	2.52	3.11				5.63	23.00
6705MHz	Pass	2.52	4.07				6.59	23.00
6785MHz	Pass	2.52	4.48				7.00	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6665MHz	Pass	2.52	-0.01				2.51	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6595MHz	Pass	2.52	8.43	9.15			14.26	23.00
6695MHz	Pass	2.52	10.07	9.52			15.27	23.00
6855MHz	Pass	2.52	10.85	9.39			15.68	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6605MHz	Pass	2.52	5.41	6.10			11.22	23.00
6685MHz	Pass	2.52	6.40	5.90			11.62	23.00
6845MHz	Pass	2.52	7.23	5.92			11.97	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6625MHz	Pass	2.52	3.01	3.04			8.52	23.00
6705MHz	Pass	2.52	3.95	3.85			9.29	23.00
6785MHz	Pass	2.52	4.44	3.70			9.28	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6665MHz	Pass	2.52	0.04	-1.50			4.80	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6595MHz	Pass	8.54	7.40	9.15	8.61	8.87	22.98	23.00
6695MHz	Pass	8.54	9.30	8.27	8.13	8.68	22.99	23.00
6855MHz	Pass	8.54	9.62	7.75	8.42	8.25	22.93	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6605MHz	Pass	8.54	4.67	5.68	6.00	5.87	20.01	23.00
6685MHz	Pass	8.54	5.78	5.79	6.84	6.35	20.59	23.00
6845MHz	Pass	8.54	6.73	5.80	5.93	5.77	20.49	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	8.54	2.05	2.76	3.32	2.90	17.27	23.00
6705MHz	Pass	8.54	3.11	3.64	3.96	3.70	18.00	23.00
6785MHz	Pass	8.54	3.74	3.60	4.21	3.56	17.98	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6665MHz	Pass	8.54	-0.01	-1.72	-0.61	-1.66	13.39	23.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
6595MHz	Pass	2.52	7.59	9.18	8.80	9.00	17.08	23.00
6695MHz	Pass	2.52	9.18	10.15	10.14	9.71	18.24	23.00
6855MHz	Pass	2.52	10.03	9.07	9.66	9.24	17.96	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
6605MHz	Pass	2.52	4.62	5.47	6.00	5.98	13.97	23.00
6685MHz	Pass	2.52	5.80	6.67	6.91	6.54	14.90	23.00
6845MHz	Pass	2.52	6.61	5.37	5.54	5.54	14.18	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
6625MHz	Pass	2.52	2.23	3.19	3.67	3.25	11.46	23.00
6705MHz	Pass	2.52	3.08	4.20	4.06	3.66	12.17	23.00
6785MHz	Pass	2.52	3.57	4.18	4.54	3.24	12.16	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-



PSD_Mode 1

Appendix D.1

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6665MHz	Pass	2.52	-0.04	-1.78	-0.96	-1.67	7.30	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6595MHz

16/01/2026

CF (Hz)
6.595G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.52	8.52	8.52

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

16/01/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.06	10.06	10.06

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

16/01/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.15	10.15	10.15

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6605MHz

16/01/2026

CF (Hz)
6.605G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.59	5.59	5.59

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

16/01/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.61	6.61	6.61

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

16/01/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.17	7.17	7.17

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

16/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

16/01/2026



6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6595MHz

16/01/2026

CF (Hz)
6.595G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.74	11.74	8.43	9.15

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

16/01/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.75	12.75	10.07	9.52

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

16/01/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.16	13.16	10.85	9.39

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6605MHz

16/01/2026

CF (Hz)
6.605G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.70	8.70	5.41	6.10

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

16/01/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.10	9.10	6.40	5.90

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

16/01/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.45	9.45	7.23	5.92

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

16/01/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.00	6.00	3.01	3.04

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

16/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.77	6.77	3.95	3.85

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

16/01/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.76	6.76	4.44	3.70

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

16/01/2026



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.28	2.28	0.04	-1.50

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6595MHz

16/01/2026

CF (Hz)
6.595G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.44	14.44	7.40	9.15	8.61	8.87

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

16/01/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.45	14.45	9.30	8.27	8.13	8.68

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6855MHz

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6605MHz

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6845MHz

16/01/2026



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

16/01/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.73	8.73	2.05	2.76	3.32	2.90

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

16/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.46	9.46	3.11	3.64	3.96	3.70

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

16/01/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.44	9.44	3.74	3.60	4.21	3.56

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

16/01/2026

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.85	4.85	-0.01	-1.72	-0.61	-1.66

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6595MHz

16/01/2026

CF (Hz)
6.595G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.56	14.56	7.59	9.18	8.80	9.00

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6695MHz

16/01/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.72	15.72	9.18	10.15	10.14	9.71

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6855MHz

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6605MHz

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6685MHz

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6845MHz

16/01/2026



6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6625MHz

16/01/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.94	8.94	2.23	3.19	3.67	3.25

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6705MHz

16/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.65	9.65	3.08	4.20	4.06	3.66

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6785MHz

16/01/2026




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.64	9.64	3.57	4.18	4.54	3.24

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6665MHz

16/01/2026



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.78	4.78	-0.04	-1.78	-0.96	-1.67

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	10.79	10.90
802.11be EHT20_Nss2,(MCS0)_2TX	13.75	13.86
802.11be EHT20_Nss1,(MCS0)_4TX	16.70	22.83
802.11be EHT20_Nss4,(MCS0)_4TX	17.15	17.26
802.11be EHT40_Nss1,(MCS0)_1TX	8.08	8.19
802.11be EHT40_Nss2,(MCS0)_2TX	11.15	11.26
802.11be EHT40_Nss1,(MCS0)_4TX	14.59	20.72
802.11be EHT40_Nss4,(MCS0)_4TX	14.51	14.62
802.11be EHT80_Nss1,(MCS0)_1TX	5.07	5.18
802.11be EHT80_Nss2,(MCS0)_2TX	8.07	8.18
802.11be EHT80_Nss1,(MCS0)_4TX	11.48	17.61
802.11be EHT80_Nss4,(MCS0)_4TX	11.42	11.53
802.11be EHT160_Nss1,(MCS0)_1TX	1.75	1.86
802.11be EHT160_Nss2,(MCS0)_2TX	3.17	3.28
802.11be EHT160_Nss1,(MCS0)_4TX	5.97	12.10
802.11be EHT160_Nss4,(MCS0)_4TX	5.87	5.98
802.11be EHT320_Nss1,(MCS0)_1TX	-2.03	-1.92
802.11be EHT320_Nss2,(MCS0)_2TX	0.60	0.71
802.11be EHT320_Nss1,(MCS0)_4TX	2.62	8.75
802.11be EHT320_Nss4,(MCS0)_4TX	2.47	2.58
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	9.54	9.65
802.11be EHT20_Nss2,(MCS0)_2TX	13.05	13.16
802.11be EHT20_Nss1,(MCS0)_4TX	16.12	22.25
802.11be EHT20_Nss4,(MCS0)_4TX	16.07	16.18
802.11be EHT40_Nss1,(MCS0)_1TX	7.22	7.33
802.11be EHT40_Nss2,(MCS0)_2TX	10.24	10.35
802.11be EHT40_Nss1,(MCS0)_4TX	13.51	19.64
802.11be EHT40_Nss4,(MCS0)_4TX	13.20	13.31
802.11be EHT80_Nss1,(MCS0)_1TX	4.45	4.56
802.11be EHT80_Nss2,(MCS0)_2TX	7.31	7.42
802.11be EHT80_Nss1,(MCS0)_4TX	10.71	16.84
802.11be EHT80_Nss4,(MCS0)_4TX	10.70	10.81
802.11be EHT160_Nss1,(MCS0)_1TX	-1.21	-1.10
802.11be EHT160_Nss2,(MCS0)_2TX	0.45	0.56
802.11be EHT160_Nss1,(MCS0)_4TX	2.89	9.02
802.11be EHT160_Nss4,(MCS0)_4TX	3.67	3.78

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	0.11	9.96				9.96	10.07	23.00
6195MHz	Pass	0.11	10.79				10.79	10.90	23.00
6415MHz	Pass	0.11	9.75				9.75	9.86	23.00
6535MHz	Pass	0.11	8.24				8.24	8.35	23.00
6695MHz	Pass	0.11	9.54				9.54	9.65	23.00
6855MHz	Pass	0.11	9.49				9.49	9.60	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	0.11	4.31				4.31	4.42	23.00
6205MHz	Pass	0.11	8.08				8.08	8.19	23.00
6405MHz	Pass	0.11	7.05				7.05	7.16	23.00
6565MHz	Pass	0.11	7.22				7.22	7.33	23.00
6685MHz	Pass	0.11	6.61				6.61	6.72	23.00
6845MHz	Pass	0.11	7.15				7.15	7.26	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	2.21				2.21	2.32	23.00
6225MHz	Pass	0.11	5.07				5.07	5.18	23.00
6385MHz	Pass	0.11	4.40				4.40	4.51	23.00
6625MHz	Pass	0.11	4.42				4.42	4.53	23.00
6705MHz	Pass	0.11	4.27				4.27	4.38	23.00
6785MHz	Pass	0.11	4.45				4.45	4.56	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	-1.22				-1.22	-1.11	23.00
6185MHz	Pass	0.11	0.60				0.60	0.71	23.00
6345MHz	Pass	0.11	1.75				1.75	1.86	23.00
6665MHz	Pass	0.11	-1.21				-1.21	-1.10	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-2.46				-2.46	-2.35	23.00
6265MHz	Pass	0.11	-2.03				-2.03	-1.92	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	0.11	9.86	10.14			12.95	13.06	23.00
6195MHz	Pass	0.11	10.78	10.75			13.75	13.86	23.00
6415MHz	Pass	0.11	9.85	10.18			12.98	13.09	23.00
6535MHz	Pass	0.11	8.04	8.97			11.46	11.57	23.00
6695MHz	Pass	0.11	9.80	9.61			12.63	12.74	23.00
6855MHz	Pass	0.11	9.75	10.41			13.05	13.16	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	0.11	4.94	4.90			7.84	7.95	23.00
6205MHz	Pass	0.11	8.31	8.13			11.15	11.26	23.00
6405MHz	Pass	0.11	7.33	7.36			10.33	10.44	23.00
6565MHz	Pass	0.11	7.07	6.78			9.89	10.00	23.00
6685MHz	Pass	0.11	6.62	7.39			9.97	10.08	23.00
6845MHz	Pass	0.11	7.12	7.39			10.24	10.35	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	2.56	2.57			5.53	5.64	23.00
6225MHz	Pass	0.11	5.01	5.24			8.07	8.18	23.00
6385MHz	Pass	0.11	4.34	4.63			7.44	7.55	23.00
6625MHz	Pass	0.11	4.47	4.28			7.31	7.42	23.00
6705MHz	Pass	0.11	4.30	3.66			6.86	6.97	23.00
6785MHz	Pass	0.11	4.26	4.33			7.20	7.31	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	0.35	0.16			3.09	3.20	23.00
6185MHz	Pass	0.11	0.05	-0.36			2.76	2.87	23.00
6345MHz	Pass	0.11	-0.10	0.54			3.17	3.28	23.00
6665MHz	Pass	0.11	-2.19	-2.75			0.45	0.56	23.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-2.58	-2.19			0.60	0.71	23.00
6265MHz	Pass	0.11	-2.31	-2.46			0.48	0.59	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.13	6.46	6.77	6.12	7.16	12.48	18.61	23.00
6195MHz	Pass	6.13	10.56	10.43	11.02	11.01	16.70	22.83	23.00
6415MHz	Pass	6.13	9.11	9.64	9.24	9.76	15.33	21.46	23.00
6535MHz	Pass	6.13	7.45	7.96	7.01	7.84	13.47	19.60	23.00
6695MHz	Pass	6.13	9.74	9.56	9.54	10.35	15.72	21.85	23.00
6855MHz	Pass	6.13	9.68	10.48	9.76	10.76	16.12	22.25	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.13	5.51	5.52	5.32	5.66	11.48	17.61	23.00
6205MHz	Pass	6.13	8.54	8.48	8.77	8.98	14.59	20.72	23.00
6405MHz	Pass	6.13	6.67	6.57	6.44	6.98	12.55	18.68	23.00
6565MHz	Pass	6.13	7.35	7.07	7.86	8.02	13.51	19.64	23.00
6685MHz	Pass	6.13	6.99	7.24	7.10	7.83	13.21	19.34	23.00
6845MHz	Pass	6.13	6.88	7.24	7.04	7.52	13.10	19.23	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.13	2.82	3.12	2.30	2.96	8.69	14.82	23.00
6225MHz	Pass	6.13	5.33	5.51	5.48	6.01	11.48	17.61	23.00
6385MHz	Pass	6.13	5.04	4.69	4.63	5.47	10.90	17.03	23.00
6625MHz	Pass	6.13	4.73	4.66	4.35	5.35	10.71	16.84	23.00
6705MHz	Pass	6.13	4.43	3.94	4.37	4.70	10.30	16.43	23.00
6785MHz	Pass	6.13	4.59	4.61	4.52	5.17	10.48	16.61	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.13	-1.53	-1.05	-1.94	-1.12	4.37	10.50	23.00
6185MHz	Pass	6.13	-0.84	-1.08	-0.23	-0.87	5.12	11.25	23.00
6345MHz	Pass	6.13	-0.22	0.11	0.20	-0.02	5.97	12.10	23.00
6665MHz	Pass	6.13	-3.21	-3.63	-2.79	-2.62	2.89	9.02	23.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13	-4.81	-4.25	-4.52	-4.53	1.38	7.51	23.00
6265MHz	Pass	6.13	-3.03	-3.40	-2.62	-3.72	2.62	8.75	23.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	0.11	7.88	8.42	7.75	9.14	14.20	14.31	23.00
6195MHz	Pass	0.11	10.95	10.99	11.47	11.48	17.15	17.26	23.00
6415MHz	Pass	0.11	9.42	9.76	9.65	10.16	15.59	15.70	23.00
6535MHz	Pass	0.11	8.48	8.94	8.25	8.85	14.47	14.58	23.00
6695MHz	Pass	0.11	9.75	9.68	9.54	10.38	15.72	15.83	23.00
6855MHz	Pass	0.11	9.58	10.48	9.81	10.69	16.07	16.18	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	0.11	5.15	5.19	4.78	5.01	10.92	11.03	23.00
6205MHz	Pass	0.11	8.60	8.38	8.76	8.91	14.51	14.62	23.00
6405MHz	Pass	0.11	7.82	7.61	7.67	8.05	13.68	13.79	23.00
6565MHz	Pass	0.11	7.16	6.71	7.65	7.75	13.20	13.31	23.00
6685MHz	Pass	0.11	6.73	7.10	7.05	7.77	13.00	13.11	23.00
6845MHz	Pass	0.11	6.41	6.72	6.46	7.25	12.64	12.75	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	2.85	3.03	2.26	2.95	8.70	8.81	23.00
6225MHz	Pass	0.11	5.22	5.36	5.39	6.19	11.42	11.53	23.00
6385MHz	Pass	0.11	4.77	4.88	4.51	5.23	10.69	10.80	23.00
6625MHz	Pass	0.11	4.56	4.75	4.72	5.29	10.70	10.81	23.00
6705MHz	Pass	0.11	4.38	3.98	4.22	4.63	10.23	10.34	23.00
6785MHz	Pass	0.11	4.59	4.63	4.56	5.11	10.45	10.56	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	-0.84	-0.34	-1.10	-0.44	5.18	5.29	23.00
6185MHz	Pass	0.11	-1.15	-1.46	-0.70	-1.18	4.66	4.77	23.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6345MHz	Pass	0.11	-0.35	-0.03	0.10	0.09	5.87	5.98	23.00
6665MHz	Pass	0.11	-2.22	-2.64	-2.33	-1.71	3.67	3.78	23.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-4.32	-4.12	-3.32	-3.69	2.07	2.18	23.00
6265MHz	Pass	0.11	-3.40	-3.52	-2.76	-3.85	2.47	2.58	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5955MHz

17/01/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.96	9.96	9.96

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6195MHz

17/01/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.79	10.79	10.79

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6415MHz

17/01/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.75	9.75	9.75

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6535MHz

20/01/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.24	8.24	8.24

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

17/01/2026




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.54	9.54	9.54

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

17/01/2026



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.49	9.49	9.49


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5965MHz

19/01/2026

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.31	4.31	4.31


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6205MHz

17/01/2026

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.08	8.08	8.08

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6405MHz

17/01/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.05	7.05	7.05

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6565MHz

17/01/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.22	7.22	7.22

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

17/01/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.61	6.61	6.61

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

17/01/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.15	7.15	7.15

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5985MHz

19/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6225MHz

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6385MHz

17/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

17/01/2026



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

17/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.27	4.27	4.27

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

17/01/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.45	4.45	4.45