



16/12/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6405MHz;TX



17/12/2025


EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6445MHz;TX



17/12/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6485MHz;TX

CF Freq
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.95				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.39	12.41	7.88	33.43	58.30

17/12/2025

EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6525MHz;TX

CF Freq
6.525GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.458s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.8				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.60	12.37	7.88	33.43	58.32

17/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6565MHz;TX

CF Freq
6.565GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.458s
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.75				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.78	12.30	7.87	33.43	58.39

17/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.458s
Detector Type
RMS
CP BW
40MHz



Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.73				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.94	12.40	7.95	33.42	58.54

17/12/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6885MHz;TX

CF Freq
6.885GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.458s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.94				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.68	12.03	8.25	33.41	58.81

18/12/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6925MHz;TX

CF Freq
6.925GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.458s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.7				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.09	11.96	8.30	33.40	58.85

18/12/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7005MHz;TX

CF Freq
7.005GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.458s

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.78				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.40	11.79	8.42	33.40	58.95

18/12/2025

EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:7085MHz;TX

CF Freq
7.085GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.458s

Detector Type
RMS

CP BW
40MHz



Page 8


Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.76				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.94	11.34	8.43	33.44	59.05

16/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.413s
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.98				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.10	13.40	7.66	33.75	57.57

16/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
3.413s
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.89				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-13.81	13.20	7.60	33.61	57.91


16/12/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6385MHz;TX




17/12/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6465MHz;TX




17/12/2025

EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6545MHz;TX




17/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX




17/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX



17/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX



17/12/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6865MHz;TX

CF Freq
6.865GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.413s

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.76				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.43	12.35	8.19	33.41	58.76

18/12/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6945MHz;TX

CF Freq
6.945GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
3.413s

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.69				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.15	11.93	8.31	33.40	58.86


18/12/2025

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:7025MHz;TX




03/12/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6025MHz;TX




16/12/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6185MHz;TX




16/12/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6345MHz;TX




16/12/2025

EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6505MHz;TX




17/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX




17/12/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6825MHz;TX




04/12/2025

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6985MHz;TX




03/12/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6105MHz;TX




28/12/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6265MHz;TX




28/12/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6425MHz;TX




28/12/2025

EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6585MHz;TX




28/12/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6745MHz;TX



17/12/2025

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6905MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.93
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.96
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.80
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.94
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.92
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.90
802.11be EHT160-BF_Nss1,(MCS0)_2TX	3.28
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.81
802.11be EHT320-BF_Nss1,(MCS0)_2TX	1.42
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.88
6.425-6.525GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.91
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.92
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.92
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.95
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.92
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.93
802.11be EHT160-BF_Nss1,(MCS0)_2TX	2.66
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.85
802.11be EHT320-BF_Nss1,(MCS0)_2TX	1.58
802.11be EHT320-BF_Nss1,(MCS0)_4TX	4.76
6.525-6.875GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.93
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.97
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.95
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.94
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.92
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.95
802.11be EHT160-BF_Nss1,(MCS0)_2TX	3.19
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.89
802.11be EHT320-BF_Nss1,(MCS0)_2TX	1.20
802.11be EHT320-BF_Nss1,(MCS0)_4TX	2.50
6.875-7.125GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.88
802.11be EHT20-BF_Nss1,(MCS0)_4TX	4.98
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.99
802.11be EHT40-BF_Nss1,(MCS0)_4TX	4.96
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.86
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.81
802.11be EHT160-BF_Nss1,(MCS0)_2TX	0.87
802.11be EHT160-BF_Nss1,(MCS0)_4TX	4.79

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.92	5.00
6195MHz	Pass	4.93	5.00
6415MHz	Pass	4.86	5.00
6435MHz	Pass	4.91	5.00
6475MHz	Pass	4.90	5.00
6515MHz	Pass	4.89	5.00
6535MHz	Pass	4.90	5.00
6695MHz	Pass	4.93	5.00
6875MHz	Pass	4.93	5.00
6895MHz	Pass	4.88	5.00
6995MHz	Pass	4.85	5.00
7095MHz	Pass	4.79	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.80	5.00
6205MHz	Pass	4.73	5.00
6405MHz	Pass	4.78	5.00
6445MHz	Pass	4.92	5.00
6485MHz	Pass	4.86	5.00
6525MHz	Pass	4.75	5.00
6565MHz	Pass	4.68	5.00
6685MHz	Pass	4.88	5.00
6885MHz	Pass	4.95	5.00
6925MHz	Pass	4.98	5.00
7005MHz	Pass	4.73	5.00
7085MHz	Pass	4.99	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.92	5.00
6225MHz	Pass	4.87	5.00
6385MHz	Pass	4.87	5.00
6465MHz	Pass	4.92	5.00
6545MHz	Pass	4.88	5.00
6625MHz	Pass	4.83	5.00
6705MHz	Pass	4.88	5.00
6785MHz	Pass	4.92	5.00
6865MHz	Pass	4.89	5.00
6945MHz	Pass	4.84	5.00
7025MHz	Pass	4.86	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	2.62	5.00
6185MHz	Pass	2.71	5.00
6345MHz	Pass	3.28	5.00
6505MHz	Pass	2.66	5.00
6665MHz	Pass	3.19	5.00
6825MHz	Pass	3.11	5.00
6985MHz	Pass	0.87	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	1.08	5.00
6265MHz	Pass	0.94	5.00
6425MHz	Pass	1.42	5.00
6585MHz	Pass	1.58	5.00
6745MHz	Pass	1.20	5.00
6905MHz	Pass	-1.07	5.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.86	5.00

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6195MHz	Pass	4.80	5.00
6415MHz	Pass	4.96	5.00
6435MHz	Pass	4.92	5.00
6475MHz	Pass	4.87	5.00
6515MHz	Pass	4.90	5.00
6535MHz	Pass	4.84	5.00
6695MHz	Pass	4.88	5.00
6875MHz	Pass	4.97	5.00
6895MHz	Pass	4.98	5.00
6995MHz	Pass	4.95	5.00
7095MHz	Pass	4.87	5.00
802.11be EHT40-BF_Nss1.(MCS0)_4TX	-	-	-
5965MHz	Pass	4.88	5.00
6205MHz	Pass	4.94	5.00
6405MHz	Pass	4.85	5.00
6445MHz	Pass	4.86	5.00
6485MHz	Pass	4.94	5.00
6525MHz	Pass	4.95	5.00
6565MHz	Pass	4.94	5.00
6685MHz	Pass	4.90	5.00
6885MHz	Pass	4.90	5.00
6925MHz	Pass	4.94	5.00
7005MHz	Pass	4.96	5.00
7085MHz	Pass	4.96	5.00
802.11be EHT80-BF_Nss1.(MCS0)_4TX	-	-	-
5985MHz	Pass	4.73	5.00
6225MHz	Pass	4.90	5.00
6385MHz	Pass	4.87	5.00
6465MHz	Pass	4.93	5.00
6545MHz	Pass	4.83	5.00
6625MHz	Pass	4.84	5.00
6705MHz	Pass	4.95	5.00
6785MHz	Pass	4.79	5.00
6865MHz	Pass	4.80	5.00
6945MHz	Pass	4.67	5.00
7025MHz	Pass	4.81	5.00
802.11be EHT160-BF_Nss1.(MCS0)_4TX	-	-	-
6025MHz	Pass	4.75	5.00
6185MHz	Pass	4.81	5.00
6345MHz	Pass	4.80	5.00
6505MHz	Pass	4.85	5.00
6665MHz	Pass	4.89	5.00
6825MHz	Pass	4.81	5.00
6985MHz	Pass	4.79	5.00
802.11be EHT320-BF_Nss1.(MCS0)_4TX	-	-	-
6105MHz	Pass	4.81	5.00
6265MHz	Pass	4.83	5.00
6425MHz	Pass	4.88	5.00
6585MHz	Pass	4.76	5.00
6745MHz	Pass	2.50	5.00
6905MHz	Pass	0.21	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

16/01/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.92		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.33	11.51	8.98	34.76	57.54

16/01/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.93		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.81	11.70	9.13	34.59	57.90

16/01/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX

CF Freq
6.415GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.86		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.92	11.46	9.48	34.44	58.20

16/01/2026

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX

CF Freq
6.435GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.91		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.89	11.45	9.48	34.43	58.20


16/01/2026

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX




16/01/2026

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX




16/01/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX



16/01/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX



16/01/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX

CF Freq
6.875GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.93				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.86	10.96	9.40	34.43	58.78

16/01/2026

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX

CF Freq
6.895GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 7


Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.88				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.98	10.92	9.41	34.43	58.80

17/12/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX

CF Freq
6.995GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.85				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.14	10.99	9.48	34.45	58.95

17/12/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX

CF Freq
7.095GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 7
Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.79				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.76	10.68	9.53	34.35	59.05


14/01/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX



15/01/2026


EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX



15/01/2026

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)	4.78	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.93	11.50	9.50	34.45	58.16

15/01/2026

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX

CF Freq
6.445GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)	4.92	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.01	11.36	9.45	34.41	58.25


17/12/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX




17/12/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX




17/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX



17/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX



18/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX

CF Freq
6.885GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 7

Vertical

EIRP PSD (dBm)	4.95	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.92	10.92	9.41	34.43	58.81

18/12/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX

CF Freq
6.925GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 7

Vertical

EIRP PSD (dBm)	4.98	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.92	10.91	9.42	34.44	58.83

18/12/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX

CF Freq
7.005GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.73		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.35	10.96	9.49	34.42	58.97

18/12/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX

CF Freq
7.085GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 7


Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.99		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.49	10.72	9.52	34.36	59.04

18/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	4.92	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.33	11.54	8.99	34.76	57.56

18/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX

CF Freq
6.225GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	4.87	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.83	11.71	9.12	34.60	57.89


18/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




18/12/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX




18/12/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




18/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




18/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




18/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




18/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX



18/12/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX



18/12/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

Vertical

EIRP PSD (dBm)	4.86	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.11	11.00	9.48	34.45	58.94

18/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 7

Vertical

EIRP PSD (dBm)	2.62	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.63	11.53	8.99	34.76	57.55


18/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




26/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




18/12/2025

EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX




18/12/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




18/12/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX




18/12/2025

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX




19/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




26/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




19/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6425MHz;TX




26/12/2025

EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX




26/12/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX



19/12/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX



14/01/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.86		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.37	11.50	8.97	34.77	57.53

16/01/2026

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.8		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-15.84	11.73	9.11	34.61	57.87

17/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX

CF Freq
6.415GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.96				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.83	11.45	9.48	34.44	58.20

17/12/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6435MHz;TX

CF Freq
6.435GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8


Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.92				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.95	11.41	9.47	34.42	58.23

17/12/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6475MHz;TX

CF Freq
6.475GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.87				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.10	11.34	9.45	34.40	58.26

17/12/2025

EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6515MHz;TX

CF Freq
6.515GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.9				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.29	11.16	9.42	34.38	58.31

16/01/2026

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX

CF Freq
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.84	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.57	10.94	9.38	34.39	58.36

17/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz



Page 8
Horizontal

EIRP PSD (dBm)	4.88	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.97	10.63	9.34	34.41	58.55

17/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6875MHz;TX

CF Freq
6.875GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.97				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.87	10.93	9.40	34.43	58.80

17/12/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6895MHz;TX

CF Freq
6.895GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.98				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.91	10.91	9.42	34.44	58.82


17/12/2025

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6995MHz;TX




16/01/2026

EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:7095MHz;TX




17/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX



17/12/2025


EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX



17/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX

CF Freq
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.85				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.80	11.52	9.48	34.46	58.15

19/12/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6445MHz;TX

CF Freq
6.445GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
4.86				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.94	11.45	9.48	34.43	58.20

19/12/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6485MHz;TX

CF Freq
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.94				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.04	11.33	9.45	34.40	58.26

19/12/2025

EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6525MHz;TX

CF Freq
6.525GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.95				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.39	11.02	9.40	34.38	58.34


19/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX



19/12/2025


EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX



14/01/2026

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6885MHz;TX

CF Freq
6.885GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)	4.9	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.99	10.91	9.42	34.44	58.82

19/12/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6925MHz;TX

CF Freq
6.925GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz



Page 8
Horizontal

EIRP PSD (dBm)	4.94	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.95	10.92	9.42	34.44	58.83

19/12/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7005MHz;TX

CF Freq
7.005GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.96		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.09	10.97	9.49	34.43	58.96

19/12/2025

EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:7085MHz;TX

CF Freq
7.085GHz

Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.96		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-18.52	10.72	9.52	34.36	59.04


19/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX



19/12/2025


EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX



19/12/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX

CF Freq
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.87				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-16.88	11.48	9.49	34.44	58.18

19/12/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6465MHz;TX

CF Freq
6.465GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz



Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.93				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.09	11.29	9.44	34.40	58.27

19/12/2025

EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6545MHz;TX

CF Freq
6.545GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.83				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.49	11.04	9.40	34.38	58.34

19/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX

CF Freq
6.625GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.84				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-17.87	10.70	9.34	34.40	58.47


20/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6865MHz;TX




20/12/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6945MHz;TX




20/12/2025

EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:7025MHz;TX




16/01/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




16/01/2026

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




20/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




20/12/2025

EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6505MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




20/12/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6825MHz;TX




14/01/2026

EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6985MHz;TX




20/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




20/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




20/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6425MHz;TX




20/12/2025

EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6585MHz;TX




26/12/2025

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6745MHz;TX



16/01/2026

EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	-0.83	4.85
802.11be EHT40_Nss2,(MCS0)_2TX	-0.73	4.95
802.11be EHT80_Nss2,(MCS0)_2TX	-0.84	4.84
802.11be EHT160_Nss2,(MCS0)_2TX	-0.70	4.98
802.11be EHT320_Nss2,(MCS0)_2TX	-0.76	4.92
6.425-6.525GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	0.08	4.96
802.11be EHT40_Nss2,(MCS0)_2TX	0.04	4.92
802.11be EHT80_Nss2,(MCS0)_2TX	0.03	4.91
802.11be EHT160_Nss2,(MCS0)_2TX	0.08	4.96
802.11be EHT320_Nss2,(MCS0)_2TX	0.01	4.89
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	-0.20	4.93
802.11be EHT40_Nss2,(MCS0)_2TX	-0.19	4.94
802.11be EHT80_Nss2,(MCS0)_2TX	-0.24	4.89
802.11be EHT160_Nss2,(MCS0)_2TX	-0.23	4.90
802.11be EHT320_Nss2,(MCS0)_2TX	-0.37	4.76
6.875-7.125GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	0.19	4.95
802.11be EHT40_Nss2,(MCS0)_2TX	0.23	4.99
802.11be EHT80_Nss2,(MCS0)_2TX	0.08	4.84
802.11be EHT160_Nss2,(MCS0)_2TX	0.02	4.78

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.68	-4.09	-3.52	-0.83	Inf	4.85	5.00
6195MHz	Pass	5.68	-4.13	-3.62	-0.92	Inf	4.76	5.00
6415MHz	Pass	5.68	-3.86	-3.79	-0.88	Inf	4.80	5.00
6435MHz	Pass	4.88	-3.13	-2.64	0.05	Inf	4.93	5.00
6475MHz	Pass	4.88	-3.22	-2.81	-0.05	Inf	4.83	5.00
6515MHz	Pass	4.88	-3.23	-2.50	0.08	Inf	4.96	5.00
6535MHz	Pass	5.13	-3.45	-2.90	-0.20	Inf	4.93	5.00
6695MHz	Pass	5.13	-3.53	-3.11	-0.34	Inf	4.79	5.00
6875MHz	Pass	5.13	-3.28	-3.26	-0.32	Inf	4.81	5.00
6895MHz	Pass	4.76	-2.65	-3.30	0.01	Inf	4.77	5.00
6995MHz	Pass	4.76	-2.81	-2.91	0.09	Inf	4.85	5.00
7095MHz	Pass	4.76	-2.99	-2.59	0.19	Inf	4.95	5.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.68	-3.99	-3.51	-0.78	Inf	4.90	5.00
6205MHz	Pass	5.68	-4.22	-3.46	-0.86	Inf	4.82	5.00
6405MHz	Pass	5.68	-3.56	-3.82	-0.73	Inf	4.95	5.00
6445MHz	Pass	4.88	-3.10	-3.03	-0.07	Inf	4.81	5.00
6485MHz	Pass	4.88	-2.88	-2.93	0.04	Inf	4.92	5.00
6525MHz	Pass	4.88	-3.28	-2.73	-0.04	Inf	4.84	5.00
6565MHz	Pass	5.13	-2.97	-3.39	-0.19	Inf	4.94	5.00
6685MHz	Pass	5.13	-3.31	-3.04	-0.24	Inf	4.89	5.00
6885MHz	Pass	5.13	-3.20	-3.29	-0.31	Inf	4.82	5.00
6925MHz	Pass	4.76	-2.44	-3.01	0.21	Inf	4.97	5.00
7005MHz	Pass	4.76	-2.57	-3.10	0.17	Inf	4.93	5.00
7085MHz	Pass	4.76	-2.65	-2.84	0.23	Inf	4.99	5.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.68	-4.57	-3.35	-0.91	Inf	4.77	5.00
6225MHz	Pass	5.68	-3.71	-3.78	-0.84	Inf	4.84	5.00
6385MHz	Pass	5.68	-4.11	-3.73	-0.91	Inf	4.77	5.00
6465MHz	Pass	4.88	-3.17	-2.86	-0.01	Inf	4.87	5.00
6545MHz	Pass	4.88	-3.03	-2.80	0.03	Inf	4.91	5.00
6625MHz	Pass	5.13	-3.61	-3.05	-0.32	Inf	4.81	5.00
6705MHz	Pass	5.13	-3.19	-3.31	-0.24	Inf	4.89	5.00
6785MHz	Pass	5.13	-3.56	-2.94	-0.35	Inf	4.78	5.00
6865MHz	Pass	5.13	-3.68	-3.04	-0.36	Inf	4.77	5.00
6945MHz	Pass	4.76	-2.89	-3.01	0.05	Inf	4.81	5.00
7025MHz	Pass	4.76	-2.70	-3.12	0.08	Inf	4.84	5.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	5.68	-3.67	-3.74	-0.70	Inf	4.98	5.00
6185MHz	Pass	5.68	-3.82	-3.77	-0.92	Inf	4.76	5.00
6345MHz	Pass	5.68	-3.96	-3.43	-0.84	Inf	4.84	5.00
6505MHz	Pass	4.88	-3.07	-2.78	0.08	Inf	4.96	5.00
6665MHz	Pass	5.13	-3.21	-3.12	-0.23	Inf	4.90	5.00
6825MHz	Pass	5.13	-3.53	-2.96	-0.28	Inf	4.85	5.00
6985MHz	Pass	4.76	-2.80	-2.92	0.02	Inf	4.78	5.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	5.68	-3.38	-4.15	-0.76	Inf	4.92	5.00
6265MHz	Pass	5.68	-3.93	-3.54	-0.85	Inf	4.83	5.00
6425MHz	Pass	5.68	-3.54	-3.79	-0.79	Inf	4.89	5.00
6585MHz	Pass	4.88	-3.33	-2.63	0.01	Inf	4.89	5.00
6745MHz	Pass	5.13	-3.30	-3.42	-0.37	Inf	4.76	5.00
6905MHz	Pass	5.13	-4.41	-4.40	-1.49	Inf	3.64	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

21/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

21/01/2026



5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

21/01/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.88	-0.88	-3.86	-3.79

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6435MHz

21/01/2026

CF (Hz)
6.435G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.05	0.05	-3.13	-2.64

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6475MHz

21/01/2026

CF (Hz)
6.475G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.05	-0.05	-3.22	-2.81

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6515MHz

21/01/2026

CF (Hz)
6.515G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.08	0.08	-3.23	-2.50

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

21/01/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.20	-0.20	-3.45	-2.90

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

21/01/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.34	-0.34	-3.53	-3.11

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6875MHz

21/01/2026

CF (Hz)
6.875G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.32	-0.32	-3.28	-3.26

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6895MHz

21/01/2026

CF (Hz)
6.895G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.447

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.01	0.01	-2.65	-3.30

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6995MHz

21/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

7095MHz

21/01/2026



5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

21/01/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.78	-0.78	-3.99	-3.51

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

21/01/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.86	-0.86	-4.22	-3.46

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

21/01/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.73	-0.73	-3.56	-3.82

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6445MHz

21/01/2026

CF (Hz)
6.445G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.07	-0.07	-3.10	-3.03

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6485MHz

21/01/2026

CF (Hz)
6.485G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.04	0.04	-2.88	-2.93

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6525MHz

21/01/2026

CF (Hz)
6.525G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.04	-0.04	-3.28	-2.73

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

21/01/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.19	-0.19	-2.97	-3.39

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

21/01/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.24	-0.24	-3.31	-3.04

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6885MHz

21/01/2026

CF (Hz)
6.885G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.31	-0.31	-3.20	-3.29

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6925MHz

21/01/2026

CF (Hz)
6.925G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.21	0.21	-2.44	-3.01

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

7005MHz

21/01/2026

CF (Hz)
7.005G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.17	0.17	-2.57	-3.10

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

7085MHz

21/01/2026

CF (Hz)
7.085G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.384

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.23	0.23	-2.65	-2.84

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

21/01/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.91	-0.91	-4.57	-3.35

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

21/01/2026

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.84	-0.84	-3.71	-3.78

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

21/01/2026

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.91	-0.91	-4.11	-3.73

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6465MHz

21/01/2026

CF (Hz)
6.465G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.01	-0.01	-3.17	-2.86

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6545MHz

21/01/2026

CF (Hz)
6.545G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.03	0.03	-3.03	-2.80

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

21/01/2026

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.32	-0.32	-3.61	-3.05

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

21/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.24	-0.24	-3.19	-3.31

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

21/01/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.35	-0.35	-3.56	-2.94

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6865MHz

21/01/2026

CF (Hz)
6.865G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.36	-0.36	-3.68	-3.04

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6945MHz

21/01/2026

CF (Hz)
6.945G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.05	0.05	-2.89	-3.01

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

7025MHz

21/01/2026

CF (Hz)
7.025G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.303

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.08	0.08	-2.70	-3.12

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

21/01/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.259

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.70	-0.70	-3.67	-3.74


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

21/01/2026

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.259
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.92	-0.92	-3.82	-3.77


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

21/01/2026

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.259
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.84	-0.84	-3.96	-3.43

6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6505MHz

21/01/2026




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

21/01/2026



6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6825MHz

21/01/2026

CF (Hz)
6.825G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.259

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.28	-0.28	-3.53	-2.96

Sum ☒

Port 1 ☐

Port 2 ☐

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6985MHz

21/01/2026

CF (Hz)
6.985G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.259

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.02	0.02	-2.80	-2.92

Sum ☒

Port 1 ☐


Port 2 ☐

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

21/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6265MHz

21/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6425MHz

21/01/2026

CF (Hz)
6.425G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.303
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.79	-0.79	-3.54	-3.79


6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6585MHz

21/01/2026

CF (Hz)
6.585G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.303
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.01	0.01	-3.33	-2.63

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6745MHz

21/01/2026




6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6905MHz

21/01/2026



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	12.88	18.56
802.11be EHT40_Nss2,(MCS0)_2TX	10.38	16.06
802.11be EHT80_Nss2,(MCS0)_2TX	7.31	12.99
802.11be EHT160_Nss2,(MCS0)_2TX	4.69	10.37
802.11be EHT320_Nss2,(MCS0)_2TX	1.48	7.16
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	13.16	18.29
802.11be EHT40_Nss2,(MCS0)_2TX	9.67	14.80
802.11be EHT80_Nss2,(MCS0)_2TX	6.84	11.97
802.11be EHT160_Nss2,(MCS0)_2TX	3.01	8.14

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	5.68	9.79	10.19	12.88	18.56	23.00
6195MHz	Pass	5.68	9.57	10.17	12.79	18.47	23.00
6415MHz	Pass	5.68	9.60	9.58	12.52	18.20	23.00
6535MHz	Pass	5.13	10.01	10.28	13.16	18.29	23.00
6695MHz	Pass	5.13	9.33	9.57	12.40	17.53	23.00
6855MHz	Pass	5.13	9.66	9.84	12.65	17.78	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	5.68	7.15	7.65	10.38	16.06	23.00
6205MHz	Pass	5.68	6.92	7.51	10.18	15.86	23.00
6405MHz	Pass	5.68	7.43	7.03	10.24	15.92	23.00
6565MHz	Pass	5.13	7.08	6.10	9.55	14.68	23.00
6685MHz	Pass	5.13	6.66	6.78	9.65	14.78	23.00
6845MHz	Pass	5.13	6.46	6.95	9.67	14.80	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	5.68	3.81	4.62	7.24	12.92	23.00
6225MHz	Pass	5.68	4.41	4.53	7.31	12.99	23.00
6385MHz	Pass	5.68	4.07	4.05	7.06	12.74	23.00
6625MHz	Pass	5.13	3.64	4.21	6.77	11.90	23.00
6705MHz	Pass	5.13	3.47	3.57	6.52	11.65	23.00
6785MHz	Pass	5.13	3.62	4.36	6.84	11.97	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	5.68	0.29	0.50	3.31	8.99	23.00
6185MHz	Pass	5.68	1.88	1.69	4.69	10.37	23.00
6345MHz	Pass	5.68	1.55	1.62	4.42	10.10	23.00
6665MHz	Pass	5.13	-0.30	0.28	3.01	8.14	23.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	5.68	-2.38	-2.33	0.63	6.31	23.00
6265MHz	Pass	5.68	-1.60	-1.26	1.48	7.16	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

21/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

21/01/2026



5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

21/01/2026

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.52	12.52	9.60	9.58

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

21/01/2026

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.16	13.16	10.01	10.28

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

21/01/2026

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.40	12.40	9.33	9.57

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

21/01/2026

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.65	12.65	9.66	9.84

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

21/01/2026

CF (Hz)
5.965G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.38	10.38	7.15	7.65

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

21/01/2026

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.18	10.18	6.92	7.51

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

21/01/2026

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.24	10.24	7.43	7.03

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

21/01/2026

CF (Hz)
6.565G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.55	9.55	7.08	6.10

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

21/01/2026

CF (Hz)
6.685G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.65	9.65	6.66	6.78

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

21/01/2026

CF (Hz)
6.845G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.67	9.67	6.46	6.95

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

21/01/2026



6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

21/01/2026

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.52	6.52	3.47	3.57

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

21/01/2026

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.84	6.84	3.62	4.36

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

02/02/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.31	3.31	0.29	0.50

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

21/01/2026

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.69	4.69	1.88	1.69

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

21/01/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.42	4.42	1.55	1.62

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

19/12/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.01	3.01	-0.30	0.28

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

02/02/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6265MHz

21/01/2026



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	2.09	2.20
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX	5.42	5.53
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	6.34	12.47
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX	8.49	8.60
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	-1.24	-1.13
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-1.12	-1.01
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	2.85	2.96
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	2.98	3.09
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	4.30	10.43
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	4.27	10.40
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	5.05	5.16
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	5.09	5.20
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-4.47	-4.36
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-2.65	-2.54
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	-2.49	-2.38
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	-1.59	-1.48
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	0.59	0.70
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX	0.56	0.67
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	1.34	7.47
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	1.37	7.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	1.24	7.37
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	1.91	2.02
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	2.01	2.12
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	2.05	2.16

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	2.09				2.09	2.20	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	-1.24				-1.24	-1.13	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	-1.12				-1.12	-1.01	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-4.47				-4.47	-4.36	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-2.65				-2.65	-2.54	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-2.49				-2.49	-2.38	23.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	2.34	2.60			5.42	5.53	23.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	0.14	0.47			2.85	2.96	23.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	0.31	0.17			2.98	3.09	23.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-5.04	-4.08			-1.59	-1.48	23.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-2.74	-2.03			0.59	0.70	23.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-2.76	-2.01			0.56	0.67	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.13	0.19	0.33	0.99	0.00	6.34	12.47	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.13	-1.55	-1.20	-0.92	-1.61	4.30	10.43	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.13	-1.56	-1.64	-0.85	-1.87	4.27	10.40	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13	-5.26	-4.57	-4.24	-4.54	1.34	7.47	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13	-5.18	-4.44	-4.20	-4.55	1.37	7.50	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13	-5.22	-4.42	-4.42	-4.82	1.24	7.37	23.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	0.11	2.27	2.57	2.81	2.48	8.49	8.60	23.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	-1.55	-1.20	-0.92	-1.61	4.30	4.41	23.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	0.11	-0.78	-0.71	-0.09	-1.07	5.09	5.20	23.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-4.67	-4.01	-3.49	-4.17	1.91	2.02	23.00
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-4.45	-3.83	-3.47	-4.02	2.01	2.12	23.00
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	0.11	-4.46	-3.52	-3.56	-3.90	2.05	2.16	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

PSD

5985MHz

27/02/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.09	2.09	2.09

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

PSD

6025MHz

27/02/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.24	-1.24	-1.24

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

PSD

6025MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

PSD

6105MHz

24/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

PSD

6105MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

PSD

6105MHz

27/02/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX

PSD

5985MHz

27/02/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

PSD

6025MHz

27/02/2026



5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

PSD

6025MHz

27/02/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.98	2.98	0.31	0.17

Sum ☒

Port 1 ☐

Port 2 ☐

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

PSD

6105MHz

24/03/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.59	-1.59	-5.04	-4.08

Sum ☒

Port 1 ☐


Port 2 ☐

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

PSD

6105MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

PSD

6105MHz

27/02/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

PSD

5985MHz

24/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

6025MHz

27/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_4_4TX

PSD

6025MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_8_4TX

PSD

6105MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

PSD

6105MHz

27/02/2026

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.37	1.37	-5.18	-4.44	-4.20	-4.55


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

PSD

6105MHz

27/02/2026

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.24	1.24	-5.22	-4.42	-4.42	-4.82

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX

PSD

5985MHz

27/02/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

6025MHz

27/02/2026



5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU_4_4TX

PSD

6025MHz

27/02/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.09	5.09	-0.78	-0.71	-0.09	-1.07

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU_8_4TX

PSD

6105MHz

27/02/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.91	1.91	-4.67	-4.01	-3.49	-4.17

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

PSD

6105MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

PSD

6105MHz

27/02/2026



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	0.04	11.61
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX	1.87	13.44
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	3.93	18.51
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX	3.97	15.54
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	-1.92	9.65
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-2.03	9.54
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	0.13	11.70
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	0.32	11.89
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	1.40	15.98
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	1.70	16.28
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	1.60	13.17
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	1.51	13.08
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-6.16	5.41
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-6.14	5.43
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	-6.01	5.56
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	-3.84	7.73
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	-3.28	8.29
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX	-3.15	8.42
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-2.51	12.07
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-1.99	12.59
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-1.34	13.24
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	-1.20	10.37
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	-0.83	10.74
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	-0.83	10.74

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	11.57	0.04				0.04	11.61	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	-1.92				-1.92	9.65	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	-2.03				-2.03	9.54	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	-6.16				-6.16	5.41	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	-6.14				-6.14	5.43	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	-6.01				-6.01	5.56	23.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	11.57	-1.13	-1.10			1.87	13.44	23.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	-2.55	-2.47			0.13	11.70	23.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	-2.41	-2.66			0.32	11.89	23.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	-7.09	-6.44			-3.84	7.73	23.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	-6.53	-5.90			-3.28	8.29	23.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	-6.54	-5.69			-3.15	8.42	23.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	14.58	-2.05	-1.91	-1.83	-2.33	3.93	18.51	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	14.58	-4.27	-4.29	-3.82	-4.52	1.40	15.98	23.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	14.58	-4.10	-4.35	-3.49	-4.63	1.70	16.28	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	14.58	-8.86	-8.13	-8.11	-8.70	-2.51	12.07	23.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	14.58	-8.26	-7.60	-7.70	-7.98	-1.99	12.59	23.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	14.58	-7.64	-6.94	-7.02	-7.56	-1.34	13.24	23.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	11.57	-2.10	-1.85	-1.67	-2.26	3.97	15.54	23.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	-4.10	-4.02	-3.49	-4.37	1.60	13.17	23.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	11.57	-4.20	-4.47	-3.80	-4.76	1.51	13.08	23.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	-7.47	-7.10	-6.94	-7.23	-1.20	10.37	23.00
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	-7.28	-6.52	-6.38	-6.92	-0.83	10.74	23.00
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	11.57	-7.19	-6.36	-6.55	-7.00	-0.83	10.74	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

PSD

5985MHz

24/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

PSD

6025MHz

27/02/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

PSD

6025MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

PSD

6105MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

PSD

6105MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

PSD

6105MHz

27/02/2026



5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX

PSD

5985MHz

24/03/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.87	1.87	-1.13	-1.10

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

PSD

6025MHz

27/02/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.13	0.13	-2.55	-2.47

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

PSD

6025MHz

27/02/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.32	0.32	-2.41	-2.66

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

PSD

6105MHz

24/03/2026

CF (Hz)
6.105G


Span (Hz)
480M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.84	-3.84	-7.09	-6.44

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

PSD

6105MHz

27/02/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.28	-3.28	-6.53	-5.90

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

PSD

6105MHz

27/02/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.15	-3.15	-6.54	-5.69

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

PSD

5985MHz

24/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

6025MHz

24/03/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_4_4TX

PSD

6025MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_8_4TX

PSD

6105MHz

24/03/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

PSD

6105MHz

24/03/2026




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.99	-1.99	-8.26	-7.60	-7.70	-7.98

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

PSD

6105MHz

27/02/2026



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.34	-1.34	-7.64	-6.94	-7.02	-7.56

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX

PSD

5985MHz

24/03/2026

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.97	3.97	-2.10	-1.85	-1.67	-2.26

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

PSD

6025MHz

27/02/2026

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.60	1.60	-4.10	-4.02	-3.49	-4.37

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU_4_4TX

PSD

6025MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU_8_4TX

PSD

6105MHz

24/03/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

PSD

6105MHz

27/02/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

PSD

6105MHz

27/02/2026



**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242_1TX	4.72
802.11be EHT80_Nss2,(MCS0),RU484+RU242_2TX	4.48
802.11be EHT80_Nss1,(MCS0),RU484+RU242_4TX	4.64
802.11be EHT80_Nss4,(MCS0),RU484+RU242_4TX	4.94
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242_1TX	1.69
802.11be EHT160_Nss1,(MCS0),RU996+RU484_1TX	1.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242_2TX	3.49
802.11be EHT160_Nss2,(MCS0),RU996+RU484_2TX	3.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242_4TX	4.55
802.11be EHT160_Nss1,(MCS0),RU996+RU484_4TX	4.63
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242_4TX	3.34
802.11be EHT160_Nss4,(MCS0),RU996+RU484_4TX	2.98
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484_1TX	-0.69
802.11be EHT320_Nss1,(MCS0),3xRU996_1TX	-0.68
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484_1TX	-0.61
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484_2TX	1.07
802.11be EHT320_Nss2,(MCS0),3xRU996_2TX	0.98
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484_2TX	1.04
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484_4TX	3.07
802.11be EHT320_Nss1,(MCS0),3xRU996_4TX	3.05
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484_4TX	3.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484_4TX	1.49
802.11be EHT320_Nss4,(MCS0),3xRU996_4TX	1.48
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484_4TX	1.63
6.525-6.875GHz	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484_1TX	-6.77
802.11be EHT320_Nss1,(MCS0),3xRU996_1TX	-6.84
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484_1TX	-6.77
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484_2TX	-4.51
802.11be EHT320_Nss2,(MCS0),3xRU996_2TX	-4.48
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484_2TX	-4.54
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484_4TX	-4.12
802.11be EHT320_Nss1,(MCS0),3xRU996_4TX	-3.96
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484_4TX	-4.10
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484_4TX	-4.81
802.11be EHT320_Nss4,(MCS0),3xRU996_4TX	-4.55
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484_4TX	-4.59
6.875-7.125GHz	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242_1TX	1.94
802.11be EHT80_Nss2,(MCS0),RU484+RU242_2TX	4.59
802.11be EHT80_Nss1,(MCS0),RU484+RU242_4TX	4.60
802.11be EHT80_Nss4,(MCS0),RU484+RU242_4TX	4.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242_1TX	-1.85
802.11be EHT160_Nss1,(MCS0),RU996+RU484_1TX	-1.20
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242_2TX	3.62
802.11be EHT160_Nss2,(MCS0),RU996+RU484_2TX	3.56
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242_4TX	1.67
802.11be EHT160_Nss1,(MCS0),RU996+RU484_4TX	2.90
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242_4TX	1.11
802.11be EHT160_Nss4,(MCS0),RU996+RU484_4TX	0.19

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	-	-	-
5985MHz	Pass	4.72	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-
7025MHz	Pass	1.94	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX	-	-	-
6025MHz	Pass	1.69	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX	-	-	-
6025MHz	Pass	1.50	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX	-	-	-
6985MHz	Pass	-1.85	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-
6985MHz	Pass	-1.20	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX	-	-	-
6105MHz	Pass	-0.69	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX	-	-	-
6105MHz	Pass	-0.68	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX	-	-	-
6105MHz	Pass	-0.61	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_1TX	-	-	-
6905MHz	Pass	-6.77	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX	-	-	-
6905MHz	Pass	-6.84	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_1TX	-	-	-
6905MHz	Pass	-6.77	5.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX	-	-	-
5985MHz	Pass	4.48	5.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-
7025MHz	Pass	4.59	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-
6025MHz	Pass	3.49	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX	-	-	-
6025MHz	Pass	3.57	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX	-	-	-
6985MHz	Pass	3.62	5.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-
6985MHz	Pass	3.56	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	-	-	-
6105MHz	Pass	1.07	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX	-	-	-
6105MHz	Pass	0.98	5.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX	-	-	-
6105MHz	Pass	1.04	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 5_2TX	-	-	-
6905MHz	Pass	-4.51	5.00
802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX	-	-	-
6905MHz	Pass	-4.48	5.00
802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 9_2TX	-	-	-
6905MHz	Pass	-4.54	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-
5985MHz	Pass	4.64	5.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-
7025MHz	Pass	4.60	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-
6025MHz	Pass	4.55	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6025MHz	Pass	4.63	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-
6985MHz	Pass	1.67	5.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	2.90	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-
6105MHz	Pass	3.07	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	3.05	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-
6105MHz	Pass	3.00	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX	-	-	-
6905MHz	Pass	-4.12	5.00
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX	-	-	-
6905MHz	Pass	-3.96	5.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX	-	-	-
6905MHz	Pass	-4.10	5.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-
5985MHz	Pass	4.94	5.00
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-
7025MHz	Pass	4.57	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-
6025MHz	Pass	3.34	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-
6025MHz	Pass	2.98	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-
6985MHz	Pass	1.11	5.00
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-
6985MHz	Pass	0.19	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	-	-	-
6105MHz	Pass	1.49	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX	-	-	-
6105MHz	Pass	1.48	5.00
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX	-	-	-
6105MHz	Pass	1.63	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 5_4TX	-	-	-
6905MHz	Pass	-4.81	5.00
802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX	-	-	-
6905MHz	Pass	-4.55	5.00
802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 9_4TX	-	-	-
6905MHz	Pass	-4.59	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

13/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 4;Nant:1;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.72		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.34	11.50	8.13	30.14	57.57

14/03/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 2;Nant:1;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
1.94		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-23.28	11.80	8.92	30.89	58.99


13/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 7;Nant:1;Ch:6025MHz;TX




13/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:1;Ch:6025MHz;TX




14/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 3;Nant:1;Ch:6985MHz;TX




14/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:1;Ch:6985MHz;TX




14/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 8;Nant:1;Ch:6105MHz;TX



14/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:1;Ch:6105MHz;TX



14/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 6;Nant:1;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

Vertical

EIRP PSD (dBm)	-0.61	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-24.72	11.49	8.12	30.13	57.61

14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+RU484 MRU 5;Nant:1;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

Vertical

EIRP PSD (dBm)	-6.77	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-32.37	11.50	9.07	30.67	58.70

14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 2;Nant:1;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

Vertical

EIRP PSD (dBm)	-6.84	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-32.26	11.58	8.98	30.62	58.64

14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 9;Nant:1;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

Vertical

EIRP PSD (dBm)	-6.77	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-32.29	11.54	9.02	30.73	58.77

13/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 4;Nant:2;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

Vertical

EIRP PSD (dBm)	4.48	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.58	11.50	8.13	30.14	57.57

14/03/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:2,(M0),RU484+RU242 MRU 2;Nant:2;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 7

Vertical

EIRP PSD (dBm)	4.59	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.63	11.80	8.92	30.89	58.99


19/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484+RU242 MRU 7;Nant:2;Ch:6025MHz;TX




19/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484 MRU 4;Nant:2;Ch:6025MHz;TX




19/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484+RU242 MRU 3;Nant:2;Ch:6985MHz;TX




19/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:2,(M0),RU996+RU484 MRU 2;Nant:2;Ch:6985MHz;TX




19/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),3xRU996+RU484 MRU 8;Nant:2;Ch:6105MHz;TX



14/03/2026


EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),3xRU996 MRU 4;Nant:2;Ch:6105MHz;TX



14/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0),2xRU996+RU484 MRU 6;Nant:2;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 7
Vertical

EIRP PSD (dBm)	1.04	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-23.21	11.40	8.04	30.19	57.80

14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0),3xRU996+RU484 MRU 5;Nant:2;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz



Page 7
Vertical

EIRP PSD (dBm)	-4.51	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-30.11	11.50	9.07	30.67	58.70

14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0),3xRU996 MRU 2;Nant:2;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
-4.48		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-30.07	11.50	9.06	30.67	58.70

14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:2,(M0),2xRU996+RU484 MRU 9;Nant:2;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz




Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
-4.54		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-30.06	11.54	9.02	30.73	58.77


13/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 4;Nant:4;Ch:5985MHz;TX



14/03/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0),RU484+RU242 MRU 2;Nant:4;Ch:7025MHz;TX



19/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 7;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.55		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.69	11.40	8.06	30.17	57.75

19/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX

CF Freq
6.025GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
4.63		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.59	11.40	8.09	30.15	57.68

14/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484+RU242 MRU 3;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
1.67				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-23.60	11.75	8.97	30.80	58.85

14/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
2.9				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.38	11.74	8.97	30.80	58.85


19/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+ RU484 MRU 8;Nant:4;Ch:6105MHz;TX



19/03/2026


EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX



14/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+ RU484 MRU 6;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
3				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-21.26	11.40	8.04	30.19	57.81

14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996+ RU484 MRU 5;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz
Span
480MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
320MHz




Page 8
Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
-4.12				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-29.71	11.50	9.07	30.67	58.69


14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),3xRU996 MRU 2;Nant:4;Ch:6905MHz;TX



14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0),2xRU996+RU484 MRU 9;Nant:4;Ch:6905MHz;TX



13/03/2026

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0),RU484+RU242 MRU 4;Nant:4;Ch:5985MHz;TX

CF Freq
5.985GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz



Page 7

Vertical

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.94				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-19.12	11.50	8.13	30.14	57.57

14/03/2026

EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:4,(M0),RU484+RU242 MRU 2;Nant:4;Ch:7025MHz;TX

CF Freq
7.025GHz

Span
120MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
80MHz




Page 8

Horizontal

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
4.57				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-20.66	11.80	8.92	30.89	59.00


19/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484+RU242 MRU 7;Nant:4;Ch:6025MHz;TX



14/03/2026

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484 MRU 4;Nant:4;Ch:6025MHz;TX



14/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484+RU242 MRU 3;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
1.11				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-24.12	11.80	8.92	30.89	59.00

14/03/2026

EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:4,(M0),RU996+RU484 MRU 2;Nant:4;Ch:6985MHz;TX

CF Freq
6.985GHz

Span
240MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
160MHz




Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
0.19				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-25.09	11.74	8.97	30.80	58.85


19/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),3xRU996+RU484 MRU 8;Nant:4;Ch:6105MHz;TX



19/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),3xRU996 MRU 4;Nant:4;Ch:6105MHz;TX



14/03/2026

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0),2xRU996+RU484 MRU 6;Nant:4;Ch:6105MHz;TX

CF Freq
6.105GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz



Page 8

Horizontal

EIRP PSD (dBm)	1.63	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-22.64	11.40	8.05	30.18	57.80

17/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0),3xRU996+RU484 MRU 5;Nant:4;Ch:6905MHz;TX

CF Freq
6.905GHz

Span
480MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
320MHz




Page 8

Horizontal

EIRP PSD (dBm)	-4.81	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-30.33	11.54	9.02	30.73	58.77


14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0),3xRU996 MRU 2;Nant:4;Ch:6905MHz;TX



14/03/2026

EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:4,(M0),2xRU996+RU484 MRU 9;Nant:4;Ch:6905MHz;TX






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	54.74M	30.73	40.00	-9.27	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	54.74M	30.73	40.00	-9.27	-34.18	3	Vertical	215	1.00	"Worst"	64.91	19.44	0.42	54.04		
PK	233.7M	22.73	46.00	-23.27	-35.18	3	Vertical	334	1.00	-	57.91	16.68	1.82	53.68		
PK	435.95M	22.60	46.00	-23.40	-28.48	3	Vertical	29	2.00	-	51.08	22.67	2.48	53.63		
PK	584.36M	26.90	46.00	-19.10	-24.47	3	Vertical	73	1.00	-	51.37	25.22	3.31	53.00		
PK	833.16M	26.05	46.00	-19.95	-19.34	3	Vertical	168	1.00	-	45.39	28.33	4.23	51.90		
PK	948.59M	30.37	46.00	-15.63	-17.76	3	Vertical	194	2.00	-	48.13	29.42	4.53	51.71		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	260.38M	22.03	46.00	-23.97	-33.74	3	Horizontal	114	1.00	-	55.77	17.89	1.95	53.58		
PK	407.33M	19.96	46.00	-26.04	-29.49	3	Horizontal	237	2.00	-	49.45	21.81	2.50	53.80		
PK	577.57M	21.78	46.00	-24.22	-24.78	3	Horizontal	88	2.00	-	46.56	24.98	3.26	53.02		
PK	792.42M	24.20	46.00	-21.80	-19.81	3	Horizontal	169	3.00	-	44.01	28.11	4.01	51.93		
PK	909.31M	27.72	46.00	-18.28	-17.92	3	Horizontal	338	1.00	"Worst"	45.64	29.24	4.58	51.74		
PK	967.02M	31.39	54.00	-22.61	-17.44	3	Horizontal	13	2.00	-	48.83	29.72	4.54	51.70		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1.(MCS0)_4TX	Pass	AV	13.32112G	46.81	54.00	-7.19	3	Vertical	216	1.80	-

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 90
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3306G	58.87	74.00	-15.13	40.85	3	Vertical	216	1.80	-	40.10	11.30	33.38			
AV	13.32112G	46.81	54.00	-7.19	28.81	3	Vertical	216	1.80	-	40.10	11.29	33.39			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 90
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32799G	58.97	74.00	-15.03	40.95	3	Horizontal	104	1.90	-	40.10	11.30	33.38			
AV	13.3156G	46.67	54.00	-7.33	28.68	3	Horizontal	104	1.90	-	40.10	11.29	33.40			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 90
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0082G	48.87	83.54	-34.67	43.87	1	Vertical	219	1.42	-	37.37	16.63	49.00			
AV	20.0001G	36.46	63.54	-27.08	31.44	1	Vertical	219	1.42	-	37.40	16.62	49.00			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX



EUT_Z_4TX
Setting 90
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00694G	48.15	83.54	-35.39	43.15	1	Horizontal	290	1.58	-	37.37	16.63	49.00			
AV	19.98678G	36.13	63.54	-27.41	31.05	1	Horizontal	290	1.58	-	37.45	16.62	48.99			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	RMS	5.9238G	68.15	68.20	-0.05	3	Vertical	276	2.46	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 96
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	76.87	88.20	-11.33	69.75	3	Vertical	39	2.54	-	34.59	7.52	34.99			
RMS	5.925G	66.54	68.20	-1.66	59.41	3	Vertical	39	2.54	-	34.60	7.52	34.99			
PK	5.952G	113.67	Inf	-Inf	106.44	3	Vertical	39	2.54	-	34.70	7.53	35.00			
RMS	5.9574G	103.62	Inf	-Inf	96.39	3	Vertical	39	2.54	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5955MHz_TX

EUT_Z_1TX
Setting 96
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	68.27	88.20	-19.93	61.16	3	Horizontal	135	2.29	-	34.58	7.52	34.99			
RMS	5.925G	57.71	68.20	-10.49	50.58	3	Horizontal	135	2.29	-	34.60	7.52	34.99			
PK	5.9532G	103.39	Inf	-Inf	96.16	3	Horizontal	135	2.29	-	34.70	7.53	35.00			
RMS	5.9488G	93.19	Inf	-Inf	85.96	3	Horizontal	135	2.29	-	34.70	7.52	34.99			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 89
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.18	88.20	-9.02	72.05	3	Vertical	38	2.51	-	34.60	7.52	34.99			
RMS	5.925G	67.52	68.20	-0.68	60.39	3	Vertical	38	2.51	-	34.60	7.52	34.99			
PK	5.9776G	111.07	Inf	-Inf	103.84	3	Vertical	38	2.51	-	34.70	7.53	35.00			
RMS	5.9712G	100.27	Inf	-Inf	93.04	3	Vertical	38	2.51	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 89
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9244G	68.15	88.20	-20.05	61.02	3	Horizontal	132	2.10	-	34.60	7.52	34.99			
RMS	5.925G	56.33	68.20	-11.87	49.20	3	Horizontal	132	2.10	-	34.60	7.52	34.99			
PK	5.9742G	100.13	Inf	-Inf	92.90	3	Horizontal	132	2.10	-	34.70	7.53	35.00			
RMS	5.9602G	89.25	Inf	-Inf	82.02	3	Horizontal	132	2.10	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 94
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	79.76	88.20	-8.44	72.65	3	Vertical	36	2.55	-	34.58	7.52	34.99			
RMS	5.9246G	68.01	68.20	-0.19	60.88	3	Vertical	36	2.55	-	34.60	7.52	34.99			
PK	5.9646G	107.59	Inf	-Inf	100.36	3	Vertical	36	2.55	-	34.70	7.53	35.00			
RMS	5.9762G	97.64	Inf	-Inf	90.41	3	Vertical	36	2.55	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
Setting 94
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9126G	65.44	88.20	-22.76	58.35	3	Horizontal	296	1.80	-	34.55	7.52	34.98			
RMS	5.9086G	54.33	68.20	-13.87	47.26	3	Horizontal	296	1.80	-	34.53	7.52	34.98			
PK	5.9862G	96.09	Inf	-Inf	88.87	3	Horizontal	296	1.80	-	34.70	7.53	35.01			
RMS	5.9962G	84.95	Inf	-Inf	77.73	3	Horizontal	296	1.80	-	34.70	7.53	35.01			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 90
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.12	88.20	-8.08	72.99	3	Vertical	36	2.80	-	34.60	7.52	34.99			
AV	5.9245G	68.04	68.20	-0.16	60.91	3	Vertical	36	2.80	-	34.60	7.52	34.99			
PK	5.9675G	104.51	Inf	-Inf	97.28	3	Vertical	36	2.80	-	34.70	7.53	35.00			
AV	5.9675G	94.93	Inf	-Inf	87.70	3	Vertical	36	2.80	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 90
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	70.01	88.20	-18.19	62.88	3	Horizontal	136	2.55	-	34.60	7.52	34.99			
AV	5.925G	57.91	68.20	-10.29	50.78	3	Horizontal	136	2.55	-	34.60	7.52	34.99			
PK	5.95G	92.05	Inf	-Inf	84.81	3	Horizontal	136	2.55	-	34.70	7.53	34.99			
AV	5.9485G	82.88	Inf	-Inf	75.66	3	Horizontal	136	2.55	-	34.69	7.52	34.99			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Z_1TX
Setting 101
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.33	88.20	-9.87	71.20	3	Vertical	37	1.80	-	34.60	7.52	34.99			
RMS	5.925G	67.36	68.20	-0.84	60.23	3	Vertical	37	1.80	-	34.60	7.52	34.99			
PK	5.9881G	99.44	Inf	-Inf	92.22	3	Vertical	37	1.80	-	34.70	7.53	35.01			
RMS	5.9965G	88.98	Inf	-Inf	81.76	3	Vertical	37	1.80	-	34.70	7.53	35.01			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Z_1TX
Setting 101
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9195G	68.07	88.20	-20.13	60.96	3	Horizontal	319	2.34	-	34.58	7.52	34.99			
RMS	5.9174G	57.26	68.20	-10.94	50.16	3	Horizontal	319	2.34	-	34.57	7.52	34.99			
PK	6.1351G	95.81	Inf	-Inf	88.17	3	Horizontal	319	2.34	-	35.00	7.68	35.04			
RMS	6.1337G	84.84	Inf	-Inf	77.20	3	Horizontal	319	2.34	-	35.00	7.68	35.04			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_1TX
Setting 96
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9244G	80.17	88.20	-8.03	73.04	3	Vertical	276	2.46	-	34.60	7.52	34.99			
RMS	5.9238G	68.15	68.20	-0.05	61.02	3	Vertical	276	2.46	-	34.60	7.52	34.99			
PK	5.9538G	115.27	Inf	-Inf	108.04	3	Vertical	276	2.46	-	34.70	7.53	35.00			
RMS	5.9536G	104.62	Inf	-Inf	97.39	3	Vertical	276	2.46	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 99
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	77.91	88.20	-10.29	70.81	3	Vertical	202	2.14	-	34.56	7.52	34.98			
RMS	5.9226G	67.71	68.20	-0.49	60.59	3	Vertical	202	2.14	-	34.59	7.52	34.99			
PK	5.9682G	101.22	Inf	-Inf	93.99	3	Vertical	202	2.14	-	34.70	7.53	35.00			
RMS	5.9674G	91.26	Inf	-Inf	84.03	3	Vertical	202	2.14	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	77.90	88.20	-10.30	70.77	3	Vertical	279	2.72	-	34.60	7.52	34.99			
RMS	5.9238G	66.74	68.20	-1.46	59.61	3	Vertical	279	2.72	-	34.60	7.52	34.99			
PK	5.959G	111.01	Inf	-Inf	103.78	3	Vertical	279	2.72	-	34.70	7.53	35.00			
RMS	5.9588G	100.77	Inf	-Inf	93.54	3	Vertical	279	2.72	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	68.54	88.20	-19.66	61.41	3	Horizontal	142	1.80	-	34.60	7.52	34.99			
RMS	5.925G	57.38	68.20	-10.82	50.25	3	Horizontal	142	1.80	-	34.60	7.52	34.99			
PK	5.9514G	100.08	Inf	-Inf	92.85	3	Horizontal	142	1.80	-	34.70	7.53	35.00			
RMS	5.95G	90.18	Inf	-Inf	82.94	3	Horizontal	142	1.80	-	34.70	7.53	34.99			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 94
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9082G	78.59	88.20	-9.61	71.52	3	Vertical	281	2.09	-	34.53	7.52	34.98				
RMS	5.9246G	68.03	68.20	-0.17	60.90	3	Vertical	281	2.09	-	34.60	7.52	34.99				
PK	5.9946G	108.54	Inf	-Inf	101.32	3	Vertical	281	2.09	-	34.70	7.53	35.01				
RMS	5.9738G	98.71	Inf	-Inf	91.48	3	Vertical	281	2.09	-	34.70	7.53	35.00				

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 94
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	69.42	88.20	-18.78	62.29	3	Horizontal	140	1.80	-	34.60	7.52	34.99			
RMS	5.9246G	58.61	68.20	-9.59	51.48	3	Horizontal	140	1.80	-	34.60	7.52	34.99			
PK	5.9506G	96.58	Inf	-Inf	89.35	3	Horizontal	140	1.80	-	34.70	7.53	35.00			
RMS	5.9602G	87.12	Inf	-Inf	79.89	3	Horizontal	140	1.80	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 89
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	81.68	88.20	-6.52	74.57	3	Vertical	280	2.16	-	34.58	7.52	34.99			
RMS	5.9194G	67.77	68.20	-0.43	60.66	3	Vertical	280	2.16	-	34.58	7.52	34.99			
PK	6.0482G	104.63	Inf	-Inf	97.27	3	Vertical	280	2.16	-	34.80	7.58	35.02			
RMS	5.9642G	94.48	Inf	-Inf	87.25	3	Vertical	280	2.16	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 89
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	68.52	88.20	-19.68	61.40	3	Horizontal	303	2.23	-	34.59	7.52	34.99			
RMS	5.9226G	56.49	68.20	-11.71	49.37	3	Horizontal	303	2.23	-	34.59	7.52	34.99			
PK	6.0994G	93.75	Inf	-Inf	86.14	3	Horizontal	303	2.23	-	35.00	7.64	35.03			
RMS	6.1018G	84.64	Inf	-Inf	77.03	3	Horizontal	303	2.23	-	35.00	7.64	35.03			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 99
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9162G	77.91	88.20	-10.29	70.81	3	Vertical	202	2.14	-	34.56	7.52	34.98				
RMS	5.9226G	67.71	68.20	-0.49	60.59	3	Vertical	202	2.14	-	34.59	7.52	34.99				
PK	5.9682G	101.22	Inf	-Inf	93.99	3	Vertical	202	2.14	-	34.70	7.53	35.00				
RMS	5.9674G	91.26	Inf	-Inf	84.03	3	Vertical	202	2.14	-	34.70	7.53	35.00				

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 99
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	69.86	88.20	-18.34	62.75	3	Horizontal	320	2.39	-	34.58	7.52	34.99			
RMS	5.9202G	57.58	68.20	-10.62	50.47	3	Horizontal	320	2.39	-	34.58	7.52	34.99			
PK	6.1346G	94.27	Inf	-Inf	86.63	3	Horizontal	320	2.39	-	35.00	7.68	35.04			
RMS	6.1402G	84.11	Inf	-Inf	76.47	3	Horizontal	320	2.39	-	35.00	7.68	35.04			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 87
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9169G	78.09	88.20	-10.11	70.99	3	Vertical	201	2.50	-	34.57	7.52	34.99			
RMS	5.9213G	67.68	68.20	-0.52	60.56	3	Vertical	201	2.50	-	34.59	7.52	34.99			
PK	5.9565G	117.90	Inf	-Inf	110.67	3	Vertical	201	2.50	-	34.70	7.53	35.00			
RMS	5.9563G	108.24	Inf	-Inf	101.01	3	Vertical	201	2.50	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 87
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	71.02	88.20	-17.18	63.89	3	Horizontal	142	2.97	-	34.60	7.52	34.99				
RMS	5.925G	60.80	68.20	-7.40	53.67	3	Horizontal	142	2.97	-	34.60	7.52	34.99				
PK	5.9502G	109.29	Inf	-Inf	102.06	3	Horizontal	142	2.97	-	34.70	7.53	35.00				
RMS	5.9554G	97.93	Inf	-Inf	90.70	3	Horizontal	142	2.97	-	34.70	7.53	35.00				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 90
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	78.76	88.20	-9.44	71.63	3	Vertical	293	2.16	-	34.60	7.52	34.99			
RMS	5.9234G	67.12	68.20	-1.08	60.00	3	Vertical	293	2.16	-	34.59	7.52	34.99			
PK	5.9684G	105.40	Inf	-Inf	98.17	3	Vertical	293	2.16	-	34.70	7.53	35.00			
RMS	5.9536G	95.59	Inf	-Inf	88.36	3	Vertical	293	2.16	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 90
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.90	88.20	-9.30	71.77	3	Horizontal	142	2.98	-	34.60	7.52	34.99			
RMS	5.925G	68.12	68.20	-0.08	60.99	3	Horizontal	142	2.98	-	34.60	7.52	34.99			
PK	5.9554G	106.17	Inf	-Inf	98.94	3	Horizontal	142	2.98	-	34.70	7.53	35.00			
RMS	5.9552G	95.84	Inf	-Inf	88.61	3	Horizontal	142	2.98	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 97
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9222G	60.80	74.00	-13.20	45.84	3	Vertical	154	1.80	-	39.26	10.88	35.18			
AV	11.93225G	48.79	54.00	-5.21	33.84	3	Vertical	154	1.80	-	39.24	10.89	35.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 97
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92395G	60.07	74.00	-13.93	45.11	3	Horizontal	220	1.94	-	39.25	10.89	35.18			
AV	11.9272G	48.33	54.00	-5.67	33.37	3	Horizontal	220	1.94	-	39.25	10.89	35.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 97
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85724G	69.43	74.00	-4.57	59.19	1	Vertical	57	1.50	-	38.61	18.76	47.13			
AV	23.85196G	56.83	63.54	-6.71	46.60	1	Vertical	57	1.50	-	38.60	18.76	47.13			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 97
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85154G	62.41	74.00	-11.59	52.18	1	Horizontal	71	1.50	-	38.60	18.76	47.13			
AV	23.8465G	50.21	63.54	-13.33	39.97	1	Horizontal	71	1.50	-	38.61	18.76	47.13			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 99
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41305G	60.66	74.00	-13.34	45.71	3	Vertical	242	1.80	-	38.80	11.03	34.88			
AV	12.4105G	48.20	54.00	-5.80	33.26	3	Vertical	242	1.80	-	38.80	11.03	34.89			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 99
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41055G	59.58	74.00	-14.42	44.64	3	Horizontal	302	1.50	-	38.80	11.03	34.89			
AV	12.41115G	48.55	54.00	-5.45	33.61	3	Horizontal	302	1.50	-	38.80	11.03	34.89			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 99
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61722G	62.68	74.00	-11.32	58.01	1	Vertical	49	1.50	-	37.70	16.59	49.62			
AV	18.60708G	50.90	63.54	-12.64	46.24	1	Vertical	49	1.50	-	37.70	16.59	49.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 99
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6165G	63.23	74.00	-10.77	58.56	1	Horizontal	56	1.46	-	37.70	16.59	49.62			
AV	18.60648G	51.04	63.54	-12.50	46.38	1	Horizontal	56	1.46	-	37.70	16.59	49.63			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 98
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8089G	61.76	88.20	-26.44	45.67	3	Vertical	250	1.80	-	39.12	11.14	34.17			
AV	12.8038G	49.04	68.20	-19.16	32.97	3	Vertical	250	1.80	-	39.11	11.14	34.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 98
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8138G	60.35	88.20	-27.85	44.23	3	Horizontal	231	2.40	-	39.13	11.15	34.16			
AV	12.8037G	48.93	68.20	-19.27	32.86	3	Horizontal	231	2.40	-	39.11	11.14	34.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 98
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20012G	64.98	74.00	-9.02	59.68	1	Vertical	67	1.50	-	37.60	16.50	48.80			
AV	19.2054G	52.89	63.54	-10.65	47.56	1	Vertical	67	1.50	-	37.63	16.50	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6405MHz_TX

EUT_Z_4TX
Setting 98
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21584G	59.56	74.00	-14.44	54.16	1	Horizontal	65	1.50	-	37.70	16.50	48.80			
AV	19.2072G	47.46	63.54	-16.08	42.12	1	Horizontal	65	1.50	-	37.64	16.50	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 96
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12855G	58.89	88.20	-29.31	41.67	3	Vertical	295	2.29	-	39.60	11.24	33.62			
AV	13.1348G	46.55	68.20	-21.65	29.32	3	Vertical	295	2.29	-	39.60	11.24	33.61			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 96
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12895G	59.35	88.20	-28.85	42.13	3	Horizontal	48	1.56	-	39.60	11.24	33.62			
AV	13.13485G	46.74	68.20	-21.46	29.51	3	Horizontal	48	1.56	-	39.60	11.24	33.61			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 96
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69686G	66.65	74.00	-7.35	61.14	1	Vertical	56.6	1.70	-	37.79	17.19	49.47			
AV	19.69176G	54.88	63.54	-8.66	49.39	1	Vertical	56.6	1.70	-	37.77	17.19	49.47			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6565MHz_TX

EUT_Z_4TX
Setting 96
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70232G	62.81	74.00	-11.19	57.34	1	Horizontal	59	1.61	-	37.69	16.58	48.80			
AV	19.68708G	49.52	63.54	-14.02	44.10	1	Horizontal	59	1.61	-	37.65	16.57	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 96
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36785G	61.25	74.00	-12.75	43.14	3	Vertical	300	2.91	-	40.14	11.31	33.34			
AV	13.3732G	49.48	54.00	-4.52	31.35	3	Vertical	300	2.91	-	40.15	11.31	33.33			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 96
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3733G	61.02	74.00	-12.98	42.89	3	Horizontal	129	1.81	-	40.15	11.31	33.33			
AV	13.37305G	49.18	54.00	-4.82	31.05	3	Horizontal	129	1.81	-	40.15	11.31	33.33			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 96
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04042G	61.29	74.00	-12.71	55.53	1	Vertical	55	1.50	-	37.64	17.38	49.26			
AV	20.04018G	48.62	63.54	-14.92	42.86	1	Vertical	55	1.50	-	37.64	17.38	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 96
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0565G	59.34	74.00	-14.66	53.61	1	Horizontal	60	1.68	-	37.61	17.38	49.26			
AV	20.04624G	47.51	63.54	-16.03	41.77	1	Horizontal	60	1.68	-	37.62	17.38	49.26			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 96
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6789G	64.19	88.20	-24.01	45.67	3	Vertical	159	2.07	-	40.46	11.40	33.34			
AV	13.6981G	51.31	68.20	-16.89	32.76	3	Vertical	159	2.07	-	40.50	11.40	33.35			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 96
03-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7125G	62.93	88.20	-25.27	44.34	3	Horizontal	26	1.77	-	40.55	11.41	33.37			
AV	13.69355G	51.13	68.20	-17.07	32.59	3	Horizontal	26	1.77	-	40.49	11.40	33.35			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 96
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.54106G	61.60	74.00	-12.40	55.66	1	Vertical	54	1.44	-	37.70	17.45	49.21			
AV	20.53122G	49.69	63.54	-13.85	43.76	1	Vertical	54	1.44	-	37.70	17.44	49.21			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Z_4TX
Setting 96
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.54622G	58.11	74.00	-15.89	52.17	1	Horizontal	59	1.63	-	37.70	17.45	49.21			
AV	20.5311G	44.13	63.54	-19.41	38.20	1	Horizontal	59	1.63	-	37.70	17.44	49.21			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 89
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	76.77	88.20	-11.43	69.65	3	Vertical	204	2.35	-	34.59	7.52	34.99			
RMS	5.9166G	67.17	68.20	-1.03	60.06	3	Vertical	204	2.35	-	34.57	7.52	34.98			
PK	5.9566G	111.53	Inf	-Inf	104.30	3	Vertical	204	2.35	-	34.70	7.53	35.00			
RMS	5.9762G	103.11	Inf	-Inf	95.88	3	Vertical	204	2.35	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 89
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.923G	65.50	88.20	-22.70	58.38	3	Horizontal	296	2.16	-	34.59	7.52	34.99				
RMS	5.923G	55.70	68.20	-12.50	48.58	3	Horizontal	296	2.16	-	34.59	7.52	34.99				
PK	5.9986G	100.36	Inf	-Inf	93.14	3	Horizontal	296	2.16	-	34.70	7.53	35.01				
RMS	5.9938G	91.48	Inf	-Inf	84.26	3	Horizontal	296	2.16	-	34.70	7.53	35.01				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 82
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9074G	78.72	88.20	-9.48	71.65	3	Vertical	206	2.35	-	34.53	7.52	34.98			
RMS	5.917G	68.13	68.20	-0.07	61.03	3	Vertical	206	2.35	-	34.57	7.52	34.99			
PK	6.0066G	107.63	Inf	-Inf	100.39	3	Vertical	206	2.35	-	34.71	7.54	35.01			
RMS	5.9962G	97.39	Inf	-Inf	90.17	3	Vertical	206	2.35	-	34.70	7.53	35.01			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX



EUT_Z_4TX
Setting 82
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	71.31	88.20	-16.89	64.18	3	Horizontal	146	1.80	-	34.60	7.52	34.99			
RMS	5.925G	57.66	68.20	-10.54	50.53	3	Horizontal	146	1.80	-	34.60	7.52	34.99			
PK	5.9506G	94.29	Inf	-Inf	87.06	3	Horizontal	146	1.80	-	34.70	7.53	35.00			
RMS	5.965G	84.25	Inf	-Inf	77.02	3	Horizontal	146	1.80	-	34.70	7.53	35.00			