


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 85
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	77.68	88.20	-10.52	70.58	3	Vertical	202	2.54	-	34.56	7.52	34.98			
RMS	5.9162G	67.57	68.20	-0.63	60.47	3	Vertical	202	2.54	-	34.56	7.52	34.98			
PK	6.1818G	104.96	Inf	-Inf	97.28	3	Vertical	202	2.54	-	35.00	7.73	35.05			
RMS	6.1562G	95.05	Inf	-Inf	87.39	3	Vertical	202	2.54	-	35.00	7.70	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 85
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	66.38	88.20	-21.82	59.26	3	Horizontal	304	2.37	-	34.59	7.52	34.99			
RMS	5.9186G	55.94	68.20	-12.26	48.84	3	Horizontal	304	2.37	-	34.57	7.52	34.99			
PK	6.2002G	93.69	Inf	-Inf	85.99	3	Horizontal	304	2.37	-	35.00	7.75	35.05			
RMS	6.1386G	84.29	Inf	-Inf	76.65	3	Horizontal	304	2.37	-	35.00	7.68	35.04			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 89
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9224G	78.69	88.20	-9.51	71.57	3	Vertical	202	2.62	-	34.59	7.52	34.99			
RMS	5.9247G	67.63	68.20	-0.57	60.50	3	Vertical	202	2.62	-	34.60	7.52	34.99			
PK	5.9475G	117.13	Inf	-Inf	109.91	3	Vertical	202	2.62	-	34.69	7.52	34.99			
RMS	5.9473G	105.55	Inf	-Inf	98.33	3	Vertical	202	2.62	-	34.69	7.52	34.99			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 89
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9249G	69.99	88.20	-18.21	62.86	3	Horizontal	141	2.97	-	34.60	7.52	34.99			
RMS	5.925G	59.18	68.20	-9.02	52.05	3	Horizontal	141	2.97	-	34.60	7.52	34.99			
PK	5.9573G	106.18	Inf	-Inf	98.95	3	Horizontal	141	2.97	-	34.70	7.53	35.00			
RMS	5.9564G	96.05	Inf	-Inf	88.82	3	Horizontal	141	2.97	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 87
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	78.96	88.20	-9.24	71.83	3	Vertical	205	2.27	-	34.60	7.52	34.99			
RMS	5.925G	67.58	68.20	-0.62	60.45	3	Vertical	205	2.27	-	34.60	7.52	34.99			
PK	5.9558G	112.82	Inf	-Inf	105.59	3	Vertical	205	2.27	-	34.70	7.53	35.00			
RMS	5.9762G	103.07	Inf	-Inf	95.84	3	Vertical	205	2.27	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 87
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	71.98	88.20	-16.22	64.85	3	Horizontal	141	3.00	-	34.60	7.52	34.99			
RMS	5.925G	61.52	68.20	-6.68	54.39	3	Horizontal	141	3.00	-	34.60	7.52	34.99			
PK	5.9556G	101.77	Inf	-Inf	94.54	3	Horizontal	141	3.00	-	34.70	7.53	35.00			
RMS	5.9472G	91.96	Inf	-Inf	84.74	3	Horizontal	141	3.00	-	34.69	7.52	34.99			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 90
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	78.13	88.20	-10.07	71.01	3	Vertical	77	2.97	-	34.59	7.52	34.99			
RMS	5.9222G	67.16	68.20	-1.04	60.04	3	Vertical	77	2.97	-	34.59	7.52	34.99			
PK	5.9758G	110.19	Inf	-Inf	102.96	3	Vertical	77	2.97	-	34.70	7.53	35.00			
RMS	5.9538G	99.85	Inf	-Inf	92.62	3	Vertical	77	2.97	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 90
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9066G	70.74	88.20	-17.46	63.67	3	Horizontal	144	1.75	-	34.53	7.52	34.98			
RMS	5.9086G	57.84	68.20	-10.36	50.77	3	Horizontal	144	1.75	-	34.53	7.52	34.98			
PK	5.9678G	97.86	Inf	-Inf	90.63	3	Horizontal	144	1.75	-	34.70	7.53	35.00			
RMS	5.9674G	88.29	Inf	-Inf	81.06	3	Horizontal	144	1.75	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 86
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9162G	80.91	88.20	-7.29	73.81	3	Vertical	281	2.96	-	34.56	7.52	34.98			
RMS	5.9162G	67.49	68.20	-0.71	60.39	3	Vertical	281	2.96	-	34.56	7.52	34.98			
PK	5.9762G	104.91	Inf	-Inf	97.68	3	Vertical	281	2.96	-	34.70	7.53	35.00			
RMS	5.9962G	94.19	Inf	-Inf	86.97	3	Vertical	281	2.96	-	34.70	7.53	35.01			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 86
03-E-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	73.58	88.20	-14.62	66.45	3	Horizontal	196	2.06	-	34.60	7.52	34.99			
RMS	5.925G	60.18	68.20	-8.02	53.05	3	Horizontal	196	2.06	-	34.60	7.52	34.99			
PK	6.0906G	95.52	Inf	-Inf	87.96	3	Horizontal	196	2.06	-	34.96	7.63	35.03			
RMS	6.0874G	85.01	Inf	-Inf	77.46	3	Horizontal	196	2.06	-	34.95	7.63	35.03			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 89
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	78.55	88.20	-9.65	71.43	3	Vertical	37	3.00	-	34.59	7.52	34.99			
RMS	5.9226G	67.67	68.20	-0.53	60.55	3	Vertical	37	3.00	-	34.59	7.52	34.99			
PK	5.9698G	103.46	Inf	-Inf	96.23	3	Vertical	37	3.00	-	34.70	7.53	35.00			
RMS	5.9682G	92.71	Inf	-Inf	85.48	3	Vertical	37	3.00	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX



EUT_Z_4TX
Setting 89
03-E-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	71.15	88.20	-17.05	64.02	3	Horizontal	146	1.80	-	34.60	7.52	34.99			
RMS	5.925G	57.82	68.20	-10.38	50.69	3	Horizontal	146	1.80	-	34.60	7.52	34.99			
PK	6.2434G	91.01	Inf	-Inf	83.37	3	Horizontal	146	1.80	-	34.91	7.79	35.06			
RMS	6.213G	79.91	Inf	-Inf	72.24	3	Horizontal	146	1.80	-	34.97	7.76	35.06			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	RMS	13.57519G	46.55	68.20	-21.65	3	Horizontal	303	1.48	-

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 85
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24556G	55.55	88.20	-32.65	67.55	3	Vertical	343	1.63	-	39.88	12.98	64.86			
RMS	13.24565G	45.31	68.20	-22.89	57.31	3	Vertical	343	1.63	-	39.88	12.98	64.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 85
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.23542G	56.01	88.20	-32.19	68.05	3	Horizontal	198	1.55	-	39.84	12.98	64.86			
RMS	13.24031G	44.28	68.20	-23.92	56.30	3	Horizontal	198	1.55	-	39.86	12.98	64.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 85
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8687G	46.30	83.54	-37.24	41.02	1	Vertical	228	1.80	-	37.63	16.60	48.95			
AV	19.86033G	34.54	63.54	-29.00	29.22	1	Vertical	228	1.80	-	37.66	16.60	48.94			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 85
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87059G	46.03	83.54	-37.51	40.76	1	Horizontal	23	1.65	-	37.62	16.60	48.95			
AV	19.87617G	34.02	63.54	-29.52	28.77	1	Horizontal	23	1.65	-	37.60	16.60	48.95			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 86
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40934G	57.42	88.20	-30.78	68.93	3	Vertical	104	1.55	-	40.32	13.01	64.84			
RMS	13.40895G	46.15	68.20	-22.05	57.66	3	Vertical	104	1.55	-	40.32	13.01	64.84			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 86
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.42026G	57.67	88.20	-30.53	69.16	3	Horizontal	300	1.95	-	40.34	13.01	64.84				
RMS	13.4088G	45.76	68.20	-22.44	57.27	3	Horizontal	300	1.95	-	40.32	13.01	64.84				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 86
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12847G	45.51	83.54	-38.03	40.44	1	Vertical	64	1.45	-	37.30	16.74	48.97			
AV	20.12628G	32.89	63.54	-30.65	27.83	1	Vertical	64	1.45	-	37.30	16.73	48.97			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 86
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.115G	44.95	83.54	-38.59	39.91	1	Horizontal	348	1.35	-	37.30	16.72	48.98			
AV	20.12505G	32.87	63.54	-30.67	27.81	1	Horizontal	348	1.35	-	37.30	16.73	48.97			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 86
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56826G	57.07	88.20	-31.13	68.34	3	Vertical	328	1.80	-	40.50	13.03	64.80			
RMS	13.56859G	45.52	68.20	-22.68	56.79	3	Vertical	328	1.80	-	40.50	13.03	64.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 86
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.58038G	58.11	88.20	-30.09	69.37	3	Horizontal	303	1.48	-	40.50	13.03	64.79			
RMS	13.57519G	46.55	68.20	-21.65	57.82	3	Horizontal	303	1.48	-	40.50	13.03	64.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 86
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34168G	47.19	83.54	-36.35	41.72	1	Vertical	228	1.50	-	37.47	16.93	48.93			
AV	20.35272G	34.67	63.54	-28.87	29.16	1	Vertical	228	1.50	-	37.50	16.94	48.93			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX



EUT_V_4TX
Setting 86
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35665G	46.54	83.54	-37.00	41.03	1	Horizontal	3	1.41	-	37.50	16.94	48.93			
AV	20.3562G	34.71	63.54	-28.83	29.20	1	Horizontal	3	1.41	-	37.50	16.94	48.93			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	RMS	5.9228G	68.18	68.20	-0.02	3	Vertical	0	1.44	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 88
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9148G	80.49	88.20	-7.71	68.36	3	Vertical	2	1.72	-	34.13	8.16	30.16			
RMS	5.925G	65.66	68.20	-2.54	53.52	3	Vertical	2	1.72	-	34.15	8.15	30.16			
PK	5.9536G	118.66	Inf	-Inf	106.46	3	Vertical	2	1.72	-	34.21	8.14	30.15			
RMS	5.9574G	108.10	Inf	-Inf	95.90	3	Vertical	2	1.72	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
Setting 88
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	81.92	88.20	-6.28	69.78	3	Horizontal	2	1.78	-	34.14	8.16	30.16			
RMS	5.924G	68.13	68.20	-0.07	55.99	3	Horizontal	2	1.78	-	34.15	8.15	30.16			
PK	5.9496G	121.60	Inf	-Inf	109.41	3	Horizontal	2	1.78	-	34.20	8.14	30.15			
RMS	5.949G	111.42	Inf	-Inf	99.23	3	Horizontal	2	1.78	-	34.20	8.14	30.15			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 85
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	74.63	88.20	-13.57	62.49	3	Vertical	0	1.80	-	34.15	8.15	30.16			
RMS	5.9248G	63.18	68.20	-5.02	51.04	3	Vertical	0	1.80	-	34.15	8.15	30.16			
PK	5.9684G	116.08	Inf	-Inf	103.85	3	Vertical	0	1.80	-	34.24	8.13	30.14			
RMS	5.9688G	105.01	Inf	-Inf	92.78	3	Vertical	0	1.80	-	34.24	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
Setting 85
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	78.28	88.20	-9.92	66.14	3	Horizontal	2	1.77	-	34.15	8.15	30.16			
RMS	5.925G	67.43	68.20	-0.77	55.29	3	Horizontal	2	1.77	-	34.15	8.15	30.16			
PK	5.9684G	119.40	Inf	-Inf	107.17	3	Horizontal	2	1.77	-	34.24	8.13	30.14			
RMS	5.9564G	108.85	Inf	-Inf	96.65	3	Horizontal	2	1.77	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 89
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	76.89	88.20	-11.31	64.75	3	Vertical	0	1.79	-	34.14	8.16	30.16			
RMS	5.9238G	64.92	68.20	-3.28	52.78	3	Vertical	0	1.79	-	34.15	8.15	30.16			
PK	5.9718G	113.00	Inf	-Inf	100.77	3	Vertical	0	1.79	-	34.24	8.13	30.14			
RMS	5.9738G	102.63	Inf	-Inf	90.39	3	Vertical	0	1.79	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
Setting 89
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	79.09	88.20	-9.11	66.95	3	Horizontal	1	1.76	-	34.14	8.16	30.16			
RMS	5.9238G	68.02	68.20	-0.18	55.88	3	Horizontal	1	1.76	-	34.15	8.15	30.16			
PK	5.9698G	115.54	Inf	-Inf	103.31	3	Horizontal	1	1.76	-	34.24	8.13	30.14			
RMS	5.9738G	105.39	Inf	-Inf	93.15	3	Horizontal	1	1.76	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	80.77	88.20	-7.43	68.63	3	Vertical	360	1.70	-	34.15	8.15	30.16				
RMS	5.925G	64.95	68.20	-3.25	52.81	3	Vertical	360	1.70	-	34.15	8.15	30.16				
PK	5.96G	108.78	Inf	-Inf	96.56	3	Vertical	360	1.70	-	34.22	8.14	30.14				
RMS	5.9625G	98.19	Inf	-Inf	85.96	3	Vertical	360	1.70	-	34.23	8.14	30.14				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	83.30	88.20	-4.90	71.16	3	Horizontal	0	1.82	-	34.15	8.15	30.16				
RMS	5.925G	67.97	68.20	-0.23	55.83	3	Horizontal	0	1.82	-	34.15	8.15	30.16				
PK	5.96G	110.57	Inf	-Inf	98.35	3	Horizontal	0	1.82	-	34.22	8.14	30.14				
RMS	5.949G	100.54	Inf	-Inf	88.35	3	Horizontal	0	1.82	-	34.20	8.14	30.15				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	76.96	88.20	-11.24	64.84	3	Vertical	360	1.55	-	34.12	8.16	30.16			
RMS	5.925G	65.39	68.20	-2.81	53.25	3	Vertical	360	1.55	-	34.15	8.15	30.16			
PK	6.141G	105.51	Inf	-Inf	93.08	3	Vertical	360	1.55	-	34.58	8.04	30.19			
RMS	6.141G	95.00	Inf	-Inf	82.57	3	Vertical	360	1.55	-	34.58	8.04	30.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Y_1TX
Setting 80
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	80.26	88.20	-7.94	68.12	3	Horizontal	0	1.80	-	34.14	8.16	30.16			
RMS	5.9226G	68.08	68.20	-0.12	55.94	3	Horizontal	0	1.80	-	34.15	8.15	30.16			
PK	6.1418G	108.09	Inf	-Inf	95.66	3	Horizontal	0	1.80	-	34.58	8.04	30.19			
RMS	5.9482G	97.27	Inf	-Inf	85.08	3	Horizontal	0	1.80	-	34.20	8.14	30.15			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 83
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9192G	80.98	88.20	-7.22	68.84	3	Vertical	0	1.44	-	34.14	8.16	30.16			
RMS	5.9228G	68.18	68.20	-0.02	56.04	3	Vertical	0	1.44	-	34.15	8.15	30.16			
PK	5.9462G	121.01	Inf	-Inf	108.83	3	Vertical	0	1.44	-	34.19	8.14	30.15			
RMS	5.9514G	111.64	Inf	-Inf	99.45	3	Vertical	0	1.44	-	34.20	8.14	30.15			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 83
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9144G	79.18	88.20	-9.02	67.05	3	Horizontal	0	1.77	-	34.13	8.16	30.16			
RMS	5.9244G	67.26	68.20	-0.94	55.12	3	Horizontal	0	1.77	-	34.15	8.15	30.16			
PK	5.957G	122.34	Inf	-Inf	110.14	3	Horizontal	0	1.77	-	34.21	8.14	30.15			
RMS	5.9538G	112.69	Inf	-Inf	100.49	3	Horizontal	0	1.77	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 83
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.33	88.20	-9.87	66.19	3	Vertical	1	1.80	-	34.15	8.15	30.16			
RMS	5.925G	68.03	68.20	-0.17	55.89	3	Vertical	1	1.80	-	34.15	8.15	30.16			
PK	5.9708G	118.49	Inf	-Inf	106.26	3	Vertical	1	1.80	-	34.24	8.13	30.14			
RMS	5.9712G	108.99	Inf	-Inf	96.76	3	Vertical	1	1.80	-	34.24	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 83
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9248G	78.88	88.20	-9.32	66.74	3	Horizontal	0	1.80	-	34.15	8.15	30.16			
RMS	5.925G	67.97	68.20	-0.23	55.83	3	Horizontal	0	1.80	-	34.15	8.15	30.16			
PK	5.9756G	119.55	Inf	-Inf	107.31	3	Horizontal	0	1.80	-	34.25	8.13	30.14			
RMS	5.96G	109.05	Inf	-Inf	96.83	3	Horizontal	0	1.80	-	34.22	8.14	30.14			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 87
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9066G	79.64	88.20	-8.56	67.53	3	Vertical	0	1.68	-	34.11	8.16	30.16			
RMS	5.907G	67.94	68.20	-0.26	55.83	3	Vertical	0	1.68	-	34.11	8.16	30.16			
PK	5.9878G	116.95	Inf	-Inf	104.67	3	Vertical	0	1.68	-	34.28	8.13	30.13			
RMS	5.9714G	106.80	Inf	-Inf	94.57	3	Vertical	0	1.68	-	34.24	8.13	30.14			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 87
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.909G	79.08	88.20	-9.12	66.96	3	Horizontal	4	1.80	-	34.12	8.16	30.16			
RMS	5.9246G	67.42	68.20	-0.78	55.28	3	Horizontal	4	1.80	-	34.15	8.15	30.16			
PK	5.9954G	116.51	Inf	-Inf	104.23	3	Horizontal	4	1.80	-	34.29	8.12	30.13			
RMS	5.9938G	106.85	Inf	-Inf	94.57	3	Horizontal	4	1.80	-	34.29	8.12	30.13			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 77
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9225G	80.75	88.20	-7.45	68.61	3	Vertical	1	1.61	-	34.15	8.15	30.16			
RMS	5.9215G	67.48	68.20	-0.72	55.34	3	Vertical	1	1.61	-	34.14	8.16	30.16			
PK	6.0855G	113.25	Inf	-Inf	100.87	3	Vertical	1	1.61	-	34.47	8.07	30.16			
RMS	6.0565G	102.92	Inf	-Inf	90.57	3	Vertical	1	1.61	-	34.41	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 77
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	84.00	88.20	-4.20	71.86	3	Horizontal	0	1.80	-	34.14	8.16	30.16			
RMS	5.9195G	68.06	68.20	-0.14	55.92	3	Horizontal	0	1.80	-	34.14	8.16	30.16			
PK	5.962G	111.73	Inf	-Inf	99.51	3	Horizontal	0	1.80	-	34.22	8.14	30.14			
RMS	5.96G	101.77	Inf	-Inf	89.55	3	Horizontal	0	1.80	-	34.22	8.14	30.14			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 77
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	78.69	88.20	-9.51	66.55	3	Vertical	0	1.49	-	34.14	8.16	30.16			
RMS	5.9226G	67.15	68.20	-1.05	55.01	3	Vertical	0	1.49	-	34.15	8.15	30.16			
PK	6.0802G	108.98	Inf	-Inf	96.60	3	Vertical	0	1.49	-	34.46	8.08	30.16			
RMS	6.1426G	99.11	Inf	-Inf	86.67	3	Vertical	0	1.49	-	34.59	8.04	30.19			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 77
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	80.04	88.20	-8.16	67.90	3	Horizontal	2	1.77	-	34.15	8.15	30.16			
RMS	5.925G	67.47	68.20	-0.73	55.33	3	Horizontal	2	1.77	-	34.15	8.15	30.16			
PK	6.1346G	108.59	Inf	-Inf	96.15	3	Horizontal	2	1.77	-	34.57	8.05	30.18			
RMS	6.1394G	98.98	Inf	-Inf	86.55	3	Horizontal	2	1.77	-	34.58	8.04	30.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 80
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9208G	81.40	88.20	-6.80	69.26	3	Vertical	360	1.19	-	34.14	8.16	30.16			
RMS	5.9213G	67.18	68.20	-1.02	55.04	3	Vertical	360	1.19	-	34.14	8.16	30.16			
PK	5.9457G	128.44	Inf	-Inf	116.26	3	Vertical	360	1.19	-	34.19	8.14	30.15			
RMS	5.956G	118.11	Inf	-Inf	105.91	3	Vertical	360	1.19	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 80
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9221G	80.85	88.20	-7.35	68.71	3	Horizontal	355	1.77	-	34.14	8.16	30.16				
RMS	5.9224G	65.82	68.20	-2.38	53.69	3	Horizontal	355	1.77	-	34.14	8.15	30.16				
PK	5.952G	128.83	Inf	-Inf	116.64	3	Horizontal	355	1.77	-	34.20	8.14	30.15				
RMS	5.9471G	118.22	Inf	-Inf	106.04	3	Horizontal	355	1.77	-	34.19	8.14	30.15				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.90496G	62.25	74.00	-11.75	76.05	3	Vertical	164	1.50	-	39.30	12.74	65.84				
AV	11.91039G	48.91	54.00	-5.09	62.70	3	Vertical	164	1.50	-	39.30	12.74	65.83				
PK	17.86659G	59.17	74.00	-14.83	61.41	3	Vertical	235	1.49	-	46.57	15.21	64.02				
AV	17.8671G	45.96	54.00	-8.04	48.20	3	Vertical	235	1.49	-	46.57	15.21	64.02				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 96
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90964G	62.94	74.00	-11.06	76.73	3	Horizontal	154	1.49	-	39.30	12.74	65.83			
AV	11.90928G	50.61	54.00	-3.39	64.40	3	Horizontal	154	1.49	-	39.30	12.74	65.83			
PK	17.87064G	62.99	74.00	-11.01	65.22	3	Horizontal	162	1.50	-	46.58	15.21	64.02			
AV	17.8653G	50.57	54.00	-3.43	52.82	3	Horizontal	162	1.50	-	46.56	15.21	64.02			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 96
02-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82198G	72.91	83.54	-10.63	63.97	1	Vertical	211	1.83	-	38.90	17.94	47.90			
AV	23.81712G	62.05	63.54	-1.49	53.11	1	Vertical	211	1.83	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_V_4TX
Setting 96
02-D-C-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8221G	74.85	83.54	-8.69	65.91	1	Horizontal	219	1.89	-	38.90	17.94	47.90			
AV	23.8224G	63.32	63.54	-0.22	54.38	1	Horizontal	219	1.89	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Y_4TX
Setting 99
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38958G	64.82	74.00	-9.18	78.88	3	Vertical	219	1.50	-	38.70	12.85	65.61			
AV	12.38958G	52.49	54.00	-1.51	66.55	3	Vertical	219	1.50	-	38.70	12.85	65.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 99
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38505G	62.05	74.00	-11.95	76.11	3	Horizontal	221	1.50	-	38.70	12.85	65.61			
AV	12.38967G	49.87	54.00	-4.13	63.93	3	Horizontal	221	1.50	-	38.70	12.85	65.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 99
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59154G	57.48	83.54	-26.06	52.31	1	Vertical	350	1.54	-	37.67	16.15	48.65			
AV	18.58644G	44.61	63.54	-18.93	39.47	1	Vertical	350	1.54	-	37.65	16.14	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 99
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59376G	60.69	83.54	-22.85	55.52	1	Horizontal	224	1.62	-	37.68	16.15	48.66			
AV	18.58407G	47.05	63.54	-16.49	41.92	1	Horizontal	224	1.62	-	37.64	16.14	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 97
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82904G	62.46	88.20	-25.74	75.64	3	Vertical	202	1.49	-	39.02	12.92	65.12			
RMS	12.82925G	50.84	68.20	-17.36	64.02	3	Vertical	202	1.49	-	39.02	12.92	65.12			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 97
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83246G	61.24	88.20	-26.96	74.40	3	Horizontal	174	1.51	-	39.03	12.92	65.11			
RMS	12.833G	49.61	68.20	-18.59	62.77	3	Horizontal	174	1.51	-	39.03	12.92	65.11			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 97
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25349G	60.00	83.54	-23.54	54.46	1	Vertical	356	1.75	-	37.88	16.51	48.85			
AV	19.2438G	48.92	63.54	-14.62	43.40	1	Vertical	356	1.75	-	37.86	16.51	48.85			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 97
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23087G	55.69	83.54	-27.85	50.25	1	Horizontal	225	1.63	-	37.79	16.50	48.85			
AV	19.24104G	44.36	63.54	-19.18	38.85	1	Horizontal	225	1.63	-	37.85	16.51	48.85			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0703G	63.70	88.20	-24.50	76.13	3	Vertical	218	1.50	-	39.48	12.96	64.87			
RMS	13.07075G	52.18	68.20	-16.02	64.61	3	Vertical	218	1.50	-	39.48	12.96	64.87			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07075G	62.25	88.20	-25.95	74.68	3	Horizontal	210	2.19	-	39.48	12.96	64.87			
RMS	13.07069G	50.97	68.20	-17.23	63.40	3	Horizontal	210	2.19	-	39.48	12.96	64.87			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59141G	49.66	83.54	-33.88	44.34	1	Vertical	292	2.10	-	37.60	16.56	48.84			
AV	19.59741G	38.50	63.54	-25.04	33.18	1	Vertical	292	2.10	-	37.60	16.56	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59339G	53.80	83.54	-29.74	48.48	1	Horizontal	236	1.83	-	37.60	16.56	48.84			
AV	19.60878G	41.22	63.54	-22.32	35.92	1	Horizontal	236	1.83	-	37.58	16.56	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38778G	63.78	74.00	-10.22	75.36	3	Vertical	208	1.50	-	40.25	13.01	64.84			
AV	13.38802G	51.42	54.00	-2.58	63.00	3	Vertical	208	1.50	-	40.25	13.01	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39324G	62.65	74.00	-11.35	74.21	3	Horizontal	119	1.75	-	40.27	13.01	64.84			
AV	13.39306G	51.18	54.00	-2.82	62.74	3	Horizontal	119	1.75	-	40.27	13.01	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09157G	47.48	83.54	-36.06	42.48	1	Vertical	270	2.06	-	37.28	16.70	48.98			
AV	20.07591G	35.01	63.54	-28.53	30.05	1	Vertical	270	2.06	-	37.25	16.69	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09484G	48.89	83.54	-34.65	43.87	1	Horizontal	103	1.56	-	37.29	16.71	48.98			
AV	20.07099G	37.09	63.54	-26.45	32.16	1	Horizontal	103	1.56	-	37.24	16.68	48.99			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71585G	62.46	88.20	-25.74	73.40	3	Vertical	143	1.50	-	40.73	13.06	64.73			
RMS	13.71099G	50.75	68.20	-17.45	61.70	3	Vertical	143	1.50	-	40.72	13.06	64.73			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70859G	60.56	88.20	-27.64	71.52	3	Horizontal	114	1.52	-	40.72	13.05	64.73			
RMS	13.70994G	49.28	68.20	-18.92	60.23	3	Horizontal	114	1.52	-	40.72	13.06	64.73			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57214G	60.38	83.54	-23.16	54.55	1	Vertical	200	1.65	-	37.59	17.14	48.90			
AV	20.56212G	48.10	63.54	-15.44	42.32	1	Vertical	200	1.65	-	37.55	17.13	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 96
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57229G	58.78	83.54	-24.76	52.95	1	Horizontal	141	2.09	-	37.59	17.14	48.90			
AV	20.56248G	47.60	63.54	-15.94	41.82	1	Horizontal	141	2.09	-	37.55	17.13	48.90			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 79
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9212G	80.81	88.20	-7.39	68.67	3	Vertical	-0	1.23	-	34.14	8.16	30.16			
AV	5.9206G	68.02	68.20	-0.18	55.88	3	Vertical	-0	1.23	-	34.14	8.16	30.16			
PK	5.981G	124.91	Inf	-Inf	112.66	3	Vertical	-0	1.23	-	34.26	8.13	30.14			
RMS	5.956G	114.98	Inf	-Inf	102.78	3	Vertical	-0	1.23	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 79
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9216G	79.97	88.20	-8.23	67.83	3	Horizontal	356	1.82	-	34.14	8.16	30.16				
AV	5.9222G	67.89	68.20	-0.31	55.75	3	Horizontal	356	1.82	-	34.14	8.16	30.16				
PK	5.962G	125.07	Inf	-Inf	112.85	3	Horizontal	356	1.82	-	34.22	8.14	30.14				
RMS	5.9672G	114.80	Inf	-Inf	102.58	3	Horizontal	356	1.82	-	34.23	8.13	30.14				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 83
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9206G	78.27	88.20	-9.93	66.13	3	Vertical	-0	1.34	-	34.14	8.16	30.16			
RMS	5.921G	67.65	68.20	-0.55	55.51	3	Vertical	-0	1.34	-	34.14	8.16	30.16			
PK	5.9962G	122.85	Inf	-Inf	110.57	3	Vertical	-0	1.34	-	34.29	8.12	30.13			
RMS	5.9758G	111.99	Inf	-Inf	99.75	3	Vertical	-0	1.34	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 83
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	79.30	88.20	-8.90	67.16	3	Horizontal	355	1.82	-	34.14	8.16	30.16			
RMS	5.9222G	67.42	68.20	-0.78	55.28	3	Horizontal	355	1.82	-	34.14	8.16	30.16			
PK	5.957G	121.63	Inf	-Inf	109.43	3	Horizontal	355	1.82	-	34.21	8.14	30.15			
RMS	5.9722G	112.00	Inf	-Inf	99.77	3	Horizontal	355	1.82	-	34.24	8.13	30.14			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 71
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	83.45	88.20	-4.75	71.32	3	Vertical	360	1.44	-	34.13	8.16	30.16			
RMS	5.9158G	67.38	68.20	-0.82	55.25	3	Vertical	360	1.44	-	34.13	8.16	30.16			
PK	6.051G	118.02	Inf	-Inf	105.68	3	Vertical	360	1.44	-	34.40	8.09	30.15			
RMS	6.051G	107.77	Inf	-Inf	95.43	3	Vertical	360	1.44	-	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 71
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	84.29	88.20	-3.91	72.15	3	Horizontal	355	1.84	-	34.14	8.16	30.16			
RMS	5.9226G	66.82	68.20	-1.38	54.68	3	Horizontal	355	1.84	-	34.15	8.15	30.16			
PK	5.9674G	117.01	Inf	-Inf	104.79	3	Horizontal	355	1.84	-	34.23	8.13	30.14			
RMS	6.0522G	106.71	Inf	-Inf	94.37	3	Horizontal	355	1.84	-	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 96
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9146G	78.85	88.20	-9.35	66.72	3	Vertical	360	1.34	-	34.13	8.16	30.16				
RMS	5.921G	67.27	68.20	-0.93	55.13	3	Vertical	360	1.34	-	34.14	8.16	30.16				
PK	6.081G	115.25	Inf	-Inf	102.87	3	Vertical	360	1.34	-	34.46	8.08	30.16				
RMS	6.1458G	104.68	Inf	-Inf	92.24	3	Vertical	360	1.34	-	34.59	8.04	30.19				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 70
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	79.51	88.20	-8.69	67.37	3	Horizontal	356	1.80	-	34.14	8.16	30.16			
RMS	5.917G	67.28	68.20	-0.92	55.15	3	Horizontal	356	1.80	-	34.13	8.16	30.16			
PK	6.1578G	114.03	Inf	-Inf	101.59	3	Horizontal	356	1.80	-	34.60	8.03	30.19			
RMS	6.1426G	104.16	Inf	-Inf	91.72	3	Horizontal	356	1.80	-	34.59	8.04	30.19			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 81
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9244G	79.52	88.20	-8.68	67.38	3	Vertical	360	1.30	-	34.15	8.15	30.16				
RMS	5.9248G	67.18	68.20	-1.02	55.04	3	Vertical	360	1.30	-	34.15	8.15	30.16				
PK	5.9467G	124.42	Inf	-Inf	112.24	3	Vertical	360	1.30	-	34.19	8.14	30.15				
RMS	5.9463G	114.44	Inf	-Inf	102.26	3	Vertical	360	1.30	-	34.19	8.14	30.15				

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 81
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9171G	77.84	88.20	-10.36	65.71	3	Horizontal	2	1.76	-	34.13	8.16	30.16			
RMS	5.9246G	66.45	68.20	-1.75	54.31	3	Horizontal	2	1.76	-	34.15	8.15	30.16			
PK	5.9521G	126.37	Inf	-Inf	114.18	3	Horizontal	2	1.76	-	34.20	8.14	30.15			
RMS	5.9525G	115.77	Inf	-Inf	103.57	3	Horizontal	2	1.76	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 79
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9196G	77.66	88.20	-10.54	65.52	3	Vertical	-0	1.36	-	34.14	8.16	30.16
RMS	5.925G	67.38	68.20	-0.82	55.24	3	Vertical	-0	1.36	-	34.15	8.15	30.16
PK	5.9558G	121.02	Inf	-Inf	108.82	3	Vertical	-0	1.36	-	34.21	8.14	30.15
RMS	5.9762G	110.99	Inf	-Inf	98.75	3	Vertical	-0	1.36	-	34.25	8.13	30.14

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 79
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	69.08	88.20	-19.12	56.94	3	Horizontal	15	1.80	-	34.15	8.15	30.16			
RMS	5.925G	57.66	68.20	-10.54	45.52	3	Horizontal	15	1.80	-	34.15	8.15	30.16			
PK	5.9596G	112.12	Inf	-Inf	99.90	3	Horizontal	15	1.80	-	34.22	8.14	30.14			
RMS	5.9576G	102.00	Inf	-Inf	89.79	3	Horizontal	15	1.80	-	34.22	8.14	30.15			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 84
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9158G	80.46	88.20	-7.74	68.33	3	Vertical	-0	1.56	-	34.13	8.16	30.16			
RMS	5.9162G	67.00	68.20	-1.20	54.87	3	Vertical	-0	1.56	-	34.13	8.16	30.16			
PK	5.9874G	118.16	Inf	-Inf	105.89	3	Vertical	-0	1.56	-	34.27	8.13	30.13			
RMS	5.9562G	108.60	Inf	-Inf	96.40	3	Vertical	-0	1.56	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 84
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9182G	78.31	88.20	-9.89	66.17	3	Horizontal	356	1.80	-	34.14	8.16	30.16			
RMS	5.9198G	66.98	68.20	-1.22	54.84	3	Horizontal	356	1.80	-	34.14	8.16	30.16			
PK	5.9798G	120.04	Inf	-Inf	107.79	3	Horizontal	356	1.80	-	34.26	8.13	30.14			
RMS	5.9798G	108.98	Inf	-Inf	96.73	3	Horizontal	356	1.80	-	34.26	8.13	30.14			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 70
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9154G	86.62	88.20	-1.58	74.49	3	Vertical	360	1.42	-	34.13	8.16	30.16			
RMS	5.915G	67.90	68.20	-0.30	55.77	3	Vertical	360	1.42	-	34.13	8.16	30.16			
PK	6.083G	115.59	Inf	-Inf	103.21	3	Vertical	360	1.42	-	34.47	8.07	30.16			
RMS	6.0878G	104.95	Inf	-Inf	92.57	3	Vertical	360	1.42	-	34.48	8.07	30.17			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT_Y_4TX
Setting 70
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9214G	87.71	88.20	-0.49	75.57	3	Horizontal	357	1.80	-	34.14	8.16	30.16			
RMS	5.9218G	66.58	68.20	-1.62	54.44	3	Horizontal	357	1.80	-	34.14	8.16	30.16			
PK	6.1014G	115.39	Inf	-Inf	103.00	3	Horizontal	357	1.80	-	34.50	8.06	30.17			
RMS	6.1002G	103.76	Inf	-Inf	91.37	3	Horizontal	357	1.80	-	34.50	8.06	30.17			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
Setting 72
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	83.46	88.20	-4.74	71.32	3	Vertical	360	1.54	-	34.15	8.15	30.16			
RMS	5.9242G	66.32	68.20	-1.88	54.18	3	Vertical	360	1.54	-	34.15	8.15	30.16			
PK	6.1474G	112.14	Inf	-Inf	99.70	3	Vertical	360	1.54	-	34.59	8.04	30.19			
RMS	6.1474G	101.68	Inf	-Inf	89.24	3	Vertical	360	1.54	-	34.59	8.04	30.19			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX



EUT_Y_4TX
Setting 72
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9002G	84.20	88.20	-4.00	72.11	3	Horizontal	356	1.77	-	34.10	8.16	30.17			
RMS	5.9202G	67.30	68.20	-0.90	55.16	3	Horizontal	356	1.77	-	34.14	8.16	30.16			
PK	6.141G	113.36	Inf	-Inf	100.93	3	Horizontal	356	1.77	-	34.58	8.04	30.19			
RMS	6.1426G	101.82	Inf	-Inf	89.38	3	Horizontal	356	1.77	-	34.59	8.04	30.19			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	RMS	7.1267G	68.19	68.20	-0.01	3	Vertical	349	2.24	84

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
SET 97
100\88\104\96\99\98\97
-2.96\9.80\ -4.71\3.30\ -1.17\ -0.24\1.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9235G	79.76	88.20	-8.44	69.43	3	Vertical	318	1.00	97	34.10	8.67	32.44			
RMS	5.9241G	66.65	68.20	-1.55	56.31	3	Vertical	318	1.00	97	34.10	8.68	32.44			
PK	5.9577G	112.14	Inf	-Inf	101.76	3	Vertical	318	1.00	97	34.10	8.72	32.44			
RMS	5.9631G	101.54	Inf	-Inf	91.16	3	Vertical	318	1.00	97	34.10	8.72	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
SET 97
97
3.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9241G	75.36	88.20	-12.84	65.02	3	Horizontal	165	3.00	97	34.10	8.68	32.44			
RMS	5.9241G	64.62	68.20	-3.58	54.28	3	Horizontal	165	3.00	97	34.10	8.68	32.44			
PK	5.9496G	108.49	Inf	-Inf	98.12	3	Horizontal	165	3.00	97	34.10	8.71	32.44			
RMS	5.9502G	97.47	Inf	-Inf	87.10	3	Horizontal	165	3.00	97	34.10	8.71	32.44			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 62
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0933G	110.16	Inf	-Inf	98.41	3	Vertical	157.9	3.00	-	36.56	9.53	34.34			
RMS	7.1012G	99.78	Inf	-Inf	87.96	3	Vertical	157.9	3.00	-	36.61	9.54	34.33			
PK	7.1315G	64.31	88.20	-23.89	52.27	3	Vertical	157.9	3.00	-	36.79	9.55	34.30			
RMS	7.1255G	54.58	68.20	-13.62	42.58	3	Vertical	157.9	3.00	-	36.75	9.55	34.30			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 62
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0942G	102.47	Inf	-Inf	90.71	3	Horizontal	183	1.00	-	36.57	9.53	34.34			
RMS	7.0963G	92.17	Inf	-Inf	80.40	3	Horizontal	183	1.00	-	36.58	9.53	34.34			
PK	7.1342G	64.71	88.20	-23.49	52.64	3	Horizontal	183	1.00	-	36.81	9.55	34.29			
RMS	7.1399G	53.60	68.20	-14.60	41.49	3	Horizontal	183	1.00	-	36.84	9.56	34.29			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 75
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9188G	64.36	88.20	-23.84	56.06	3	Vertical	140	2.30	-	34.14	8.94	34.78			
RMS	5.9248G	52.57	68.20	-15.63	44.26	3	Vertical	140	2.30	-	34.15	8.94	34.78			
PK	5.9551G	110.05	Inf	-Inf	101.63	3	Vertical	140	2.30	-	34.20	8.98	34.76			
RMS	5.9599G	99.81	Inf	-Inf	91.39	3	Vertical	140	2.30	-	34.20	8.98	34.76			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 75
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8333G	60.87	88.20	-27.33	52.98	3	Horizontal	180	1.80	-	33.87	8.84	34.82			
RMS	5.9245G	49.63	68.20	-18.57	41.32	3	Horizontal	180	1.80	-	34.15	8.94	34.78			
PK	5.9635G	97.95	Inf	-Inf	89.52	3	Horizontal	180	1.80	-	34.20	8.99	34.76			
RMS	5.9599G	87.14	Inf	-Inf	78.72	3	Horizontal	180	1.80	-	34.20	8.98	34.76			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 73
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0938G	110.24	Inf	-Inf	98.49	3	Vertical	156.9	2.46	-	36.56	9.53	34.34			
RMS	7.0788G	98.86	Inf	-Inf	87.23	3	Vertical	156.9	2.46	-	36.47	9.52	34.36			
PK	7.1748G	65.58	88.20	-22.62	53.30	3	Vertical	156.9	2.46	-	36.95	9.58	34.25			
RMS	7.1294G	53.98	68.20	-14.22	41.95	3	Vertical	156.9	2.46	-	36.78	9.55	34.30			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 73
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0704G	102.03	Inf	-Inf	90.46	3	Horizontal	182	1.00	-	36.42	9.52	34.37			
RMS	7.0688G	92.23	Inf	-Inf	80.67	3	Horizontal	182	1.00	-	36.41	9.52	34.37			
PK	7.1662G	63.52	88.20	-24.68	51.28	3	Horizontal	182	1.00	-	36.93	9.57	34.26			
RMS	7.1812G	53.70	68.20	-14.50	41.40	3	Horizontal	182	1.00	-	36.96	9.58	34.24			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
SET 88
96\58\95\77\86\90\88
-9.46\17.68\ -8.22\15.13\3.75\ -2.71\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	81.93	88.20	-6.27	73.62	3	Vertical	123	2.27	88	34.15	8.94	34.78			
RMS	5.925G	67.97	68.20	-0.23	59.66	3	Vertical	123	2.27	88	34.15	8.94	34.78			
PK	5.9895G	112.97	Inf	-Inf	104.50	3	Vertical	123	2.27	88	34.20	9.02	34.75			
RMS	5.977G	100.88	Inf	-Inf	92.43	3	Vertical	123	2.27	88	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_1TX
SET 88
88
10.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9195G	70.28	88.20	-17.92	61.98	3	Horizontal	167	1.00	88	34.14	8.94	34.78			
RMS	5.923G	58.05	68.20	-10.15	49.74	3	Horizontal	167	1.00	88	34.15	8.94	34.78			
PK	5.9835G	104.15	Inf	-Inf	95.69	3	Horizontal	167	1.00	88	34.20	9.01	34.75			
RMS	5.9755G	91.67	Inf	-Inf	83.22	3	Horizontal	167	1.00	88	34.20	9.00	34.75			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 83
05-X-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.988G	109.56	Inf	-Inf	98.44	3	Vertical	153	2.49	-	36.10	9.47	34.45			
RMS	6.996G	99.46	Inf	-Inf	88.33	3	Vertical	153	2.49	-	36.10	9.48	34.45			
PK	7.128G	76.44	88.20	-11.76	64.42	3	Vertical	153	2.49	-	36.77	9.55	34.30			
RMS	7.1255G	65.51	68.20	-2.69	53.51	3	Vertical	153	2.49	-	36.75	9.55	34.30			
PK	7.2555G	58.85	74.00	-15.15	46.35	3	Vertical	153	2.49	-	37.01	9.64	34.15			
AV	7.256G	48.03	54.00	-5.97	35.53	3	Vertical	153	2.49	-	37.01	9.64	34.15			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 83
05-X-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0065G	101.09	Inf	-Inf	89.92	3	Horizontal	174	1.03	-	36.13	9.48	34.44			
RMS	7.0135G	91.18	Inf	-Inf	79.97	3	Horizontal	174	1.03	-	36.15	9.49	34.43			
PK	7.127G	66.07	88.20	-22.13	54.06	3	Horizontal	174	1.03	-	36.76	9.55	34.30			
RMS	7.126G	55.28	68.20	-12.92	43.27	3	Horizontal	174	1.03	-	36.76	9.55	34.30			
PK	7.251G	55.52	74.00	-18.48	43.04	3	Horizontal	174	1.03	-	37.00	9.64	34.16			
AV	7.2665G	46.24	54.00	-7.76	33.70	3	Horizontal	174	1.03	-	37.03	9.65	34.14			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 91
04-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	79.86	88.20	-8.34	79.00	3	Vertical	102	2.96	-	35.09	9.05	43.28			
RMS	5.9242G	66.44	68.20	-1.76	65.57	3	Vertical	102	2.96	-	35.10	9.05	43.28			
PK	5.961G	106.37	Inf	-Inf	105.29	3	Vertical	102	2.96	-	35.22	9.10	43.24			
RMS	5.949G	96.46	Inf	-Inf	95.43	3	Vertical	102	2.96	-	35.20	9.08	43.25			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 91
04-W-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	74.41	88.20	-13.79	73.56	3	Horizontal	193	1.00	-	35.08	9.05	43.28			
RMS	5.925G	63.37	68.20	-4.83	62.50	3	Horizontal	193	1.00	-	35.10	9.05	43.28			
PK	5.9666G	98.79	Inf	-Inf	97.69	3	Horizontal	193	1.00	-	35.23	9.10	43.23			
RMS	5.9626G	88.17	Inf	-Inf	87.08	3	Horizontal	193	1.00	-	35.23	9.10	43.24			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 80
05-X-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.908G	105.67	Inf	-Inf	94.67	3	Vertical	156	2.42	-	36.02	9.42	34.44			
RMS	6.921G	95.63	Inf	-Inf	84.60	3	Vertical	156	2.42	-	36.04	9.43	34.44			
PK	7.126G	77.75	88.20	-10.45	65.74	3	Vertical	156	2.42	-	36.76	9.55	34.30			
RMS	7.137G	66.40	68.20	-1.80	54.31	3	Vertical	156	2.42	-	36.82	9.56	34.29			
PK	7.265G	64.63	74.00	-9.37	52.09	3	Vertical	156	2.42	-	37.03	9.65	34.14			
AV	7.253G	53.82	54.00	-0.18	41.33	3	Vertical	156	2.42	-	37.01	9.64	34.16			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 80
05-X-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.965G	99.19	Inf	-Inf	88.08	3	Horizontal	217.1	3.00	-	36.10	9.46	34.45			
RMS	7.042G	89.29	Inf	-Inf	77.92	3	Horizontal	217.1	3.00	-	36.27	9.50	34.40			
PK	7.15G	71.14	88.20	-17.06	58.96	3	Horizontal	217.1	3.00	-	36.90	9.56	34.28			
RMS	7.13G	58.85	68.20	-9.35	46.82	3	Horizontal	217.1	3.00	-	36.78	9.55	34.30			
PK	7.267G	58.98	74.00	-15.02	46.44	3	Horizontal	217.1	3.00	-	37.03	9.65	34.14			
AV	7.276G	48.14	54.00	-5.86	35.56	3	Horizontal	217.1	3.00	-	37.05	9.66	34.13			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Z_1TX
Setting 87
05-X-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	79.36	88.20	-8.84	71.05	3	Vertical	98.9	3.00	-	34.15	8.94	34.78			
RMS	5.9235G	67.94	68.20	-0.26	59.63	3	Vertical	98.9	3.00	-	34.15	8.94	34.78			
PK	5.9653G	104.04	Inf	-Inf	95.61	3	Vertical	98.9	3.00	-	34.20	8.99	34.76			
RMS	5.962G	94.60	Inf	-Inf	86.17	3	Vertical	98.9	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Z_1TX
Setting 87
05-X-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.907G	54.07	88.20	-34.13	45.82	3	Horizontal	227	2.52	-	34.11	8.92	34.78			
RMS	5.9224G	43.92	68.20	-24.28	35.62	3	Horizontal	227	2.52	-	34.14	8.94	34.78			
PK	6.2073G	87.27	Inf	-Inf	78.42	3	Horizontal	227	2.52	-	34.31	9.13	34.59			
RMS	6.2139G	75.47	Inf	-Inf	66.58	3	Horizontal	227	2.52	-	34.33	9.15	34.59			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Z_1TX
Setting 79
05-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8554G	99.79	Inf	-Inf	88.92	3	Vertical	99	1.80	-	35.91	9.39	34.43			
AV	6.8106G	90.02	Inf	-Inf	79.10	3	Vertical	99	1.80	-	35.98	9.36	34.42			
PK	7.25G	63.28	74.00	-10.72	50.80	3	Vertical	99	1.80	-	37.00	9.64	34.16			
AV	7.2538G	53.50	54.00	-0.50	41.01	3	Vertical	99	1.80	-	37.01	9.64	34.16			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Z_1TX
Setting 79
05-X-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.7946G	93.24	Inf	-Inf	82.30	3	Horizontal	73	1.80	-	36.01	9.35	34.42				
AV	6.8586G	82.94	Inf	-Inf	72.06	3	Horizontal	73	1.80	-	35.92	9.39	34.43				
PK	7.25G	59.78	74.00	-14.22	47.30	3	Horizontal	73	1.80	-	37.00	9.64	34.16				
AV	7.25G	50.25	54.00	-3.75	37.77	3	Horizontal	73	1.80	-	37.00	9.64	34.16				

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 86
84\94\80\87\85\86
2.68\ -7.02\9.63\ -0.57\1.18\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9151G	79.44	88.20	-8.76	73.41	3	Vertical	124	2.31	86	32.23	7.56	33.76			
RMS	5.9247G	67.89	68.20	-0.31	61.83	3	Vertical	124	2.31	86	32.25	7.57	33.76			
PK	5.9604G	117.57	Inf	-Inf	111.36	3	Vertical	124	2.31	86	32.32	7.64	33.75			
RMS	5.9511G	108.60	Inf	-Inf	102.44	3	Vertical	124	2.31	86	32.30	7.62	33.76			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 86
86
10.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9202G	68.08	88.20	-20.12	62.03	3	Horizontal	92	2.20	86	32.24	7.57	33.76				
RMS	5.9232G	57.31	68.20	-10.89	51.25	3	Horizontal	92	2.20	86	32.25	7.57	33.76				
PK	5.9484G	106.79	Inf	-Inf	100.63	3	Horizontal	92	2.20	86	32.30	7.62	33.76				
RMS	5.9559G	98.59	Inf	-Inf	92.41	3	Horizontal	92	2.20	86	32.31	7.63	33.76				

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 89
58\98\62\80\89\93\91\90\89
13.62\9.04\13.52\9.25\1.03\1.71\0.30\0.12\1.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0875G	115.95	Inf	-Inf	105.06	3	Vertical	360	2.27	89	35.90	8.43	33.44			
RMS	7.0881G	105.15	Inf	-Inf	94.26	3	Vertical	360	2.27	89	35.90	8.43	33.44			
PK	7.1259G	79.87	88.20	-8.33	68.79	3	Vertical	360	2.27	89	36.10	8.44	33.46			
RMS	7.1259G	66.90	68.20	-1.30	55.82	3	Vertical	360	2.27	89	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
SET 89
89
5.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0896G	109.85	Inf	-Inf	98.94	3	Horizontal	183	1.01	89	35.92	8.43	33.44			
RMS	7.1022G	98.61	Inf	-Inf	87.60	3	Horizontal	183	1.01	89	36.01	8.44	33.44			
PK	7.1262G	77.98	88.20	-10.22	66.90	3	Horizontal	183	1.01	89	36.10	8.44	33.46			
RMS	7.1277G	62.25	68.20	-5.95	51.16	3	Horizontal	183	1.01	89	36.11	8.44	33.46			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 84
96\56\100\78\89\84\86\85\84
-18.59\16.15\19.77\7.03\8.48\1.14\3.52\2.00\0.87

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9212G	79.21	88.20	-8.99	73.16	3	Vertical	119	2.28	84	32.24	7.57	33.76			
RMS	5.925G	67.33	68.20	-0.87	61.26	3	Vertical	119	2.28	84	32.25	7.58	33.76			
PK	5.9635G	116.05	Inf	-Inf	109.83	3	Vertical	119	2.28	84	32.33	7.64	33.75			
RMS	5.971G	105.27	Inf	-Inf	99.02	3	Vertical	119	2.28	84	32.34	7.66	33.75			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 84
84
10.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9242G	67.06	88.20	-21.14	61.00	3	Horizontal	226	2.57	84	32.25	7.57	33.76				
RMS	5.9248G	57.87	68.20	-10.33	51.81	3	Horizontal	226	2.57	84	32.25	7.57	33.76				
PK	5.9521G	105.90	Inf	-Inf	99.74	3	Horizontal	226	2.57	84	32.30	7.62	33.76				
RMS	5.9701G	96.42	Inf	-Inf	90.17	3	Horizontal	226	2.57	84	32.34	7.66	33.75				

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 84
71\108\67\87\77\82\84
13.80\ -14.44\13.71\ -4.79\11.75\4.17\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0859G	112.60	Inf	-Inf	101.72	3	Vertical	349	2.24	84	35.89	8.43	33.44			
RMS	7.0733G	101.30	Inf	-Inf	90.51	3	Vertical	349	2.24	84	35.79	8.43	33.43			
PK	7.127G	79.02	88.20	-9.18	67.93	3	Vertical	349	2.24	84	36.11	8.44	33.46			
RMS	7.1267G	68.19	68.20	-0.01	57.10	3	Vertical	349	2.24	84	36.11	8.44	33.46			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
SET 84
84
6.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0769G	106.05	Inf	-Inf	95.23	3	Horizontal	239	2.24	84	35.82	8.43	33.43			
RMS	7.0838G	94.79	Inf	-Inf	83.93	3	Horizontal	239	2.24	84	35.87	8.43	33.44			
PK	7.1279G	74.29	88.20	-13.91	63.20	3	Horizontal	239	2.24	84	36.11	8.44	33.46			
RMS	7.1258G	61.78	68.20	-6.42	50.70	3	Horizontal	239	2.24	84	36.10	8.44	33.46			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 86
90\68\94\81\87\84\85\86
-5.40\14.72\9.86\8.69\0.65\4.17\2.57\0.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9225G	77.82	88.20	-10.38	71.77	3	Vertical	115	2.28	86	32.24	7.57	33.76			
RMS	5.924G	67.92	68.20	-0.28	61.86	3	Vertical	115	2.28	86	32.25	7.57	33.76			
PK	5.972G	113.29	Inf	-Inf	107.04	3	Vertical	115	2.28	86	32.34	7.66	33.75			
RMS	5.971G	103.36	Inf	-Inf	97.11	3	Vertical	115	2.28	86	32.34	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 86
86
10.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	66.89	88.20	-21.31	60.83	3	Horizontal	226	2.58	86	32.25	7.57	33.76			
RMS	5.9115G	57.27	68.20	-10.93	51.26	3	Horizontal	226	2.58	86	32.22	7.55	33.76			
PK	5.968G	102.62	Inf	-Inf	96.38	3	Horizontal	226	2.58	86	32.34	7.65	33.75			
RMS	5.971G	93.83	Inf	-Inf	87.58	3	Horizontal	226	2.58	86	32.34	7.66	33.75			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
SET 89
83\103\79\91\85\88\89
5.13\ -6.80\9.65\ -0.63\4.46\1.66\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	7.0112G	111.15	Inf	-Inf	100.76	3	Vertical	348	2.25	89	35.37	8.42	33.40					
RMS	7.0163G	100.50	Inf	-Inf	90.09	3	Vertical	348	2.25	89	35.40	8.42	33.41					
PK	7.1264G	79.36	88.20	-8.84	68.27	3	Vertical	348	2.25	89	36.11	8.44	33.46					
RMS	7.1267G	67.85	68.20	-0.35	56.76	3	Vertical	348	2.25	89	36.11	8.44	33.46					

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
SET 89
89
4.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9995G	106.05	Inf	-Inf	95.73	3	Horizontal	178	2.44	89	35.30	8.42	33.40				
RMS	6.9965G	94.87	Inf	-Inf	84.57	3	Horizontal	178	2.44	89	35.29	8.41	33.40				
PK	7.1261G	76.41	88.20	-11.79	65.33	3	Horizontal	178	2.44	89	36.10	8.44	33.46				
RMS	7.1261G	63.56	68.20	-4.64	52.48	3	Horizontal	178	2.44	89	36.10	8.44	33.46				

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 79
90\56\94\75\84\80\78\79
-8.46\15.14\11.94\4.04\4.41\0.72\1.25\0.47

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.918G	78.44	88.20	-9.76	72.40	3	Vertical	128	2.28	79	32.24	7.56	33.76			
RMS	5.9205G	67.73	68.20	-0.47	61.68	3	Vertical	128	2.28	79	32.24	7.57	33.76			
PK	5.9675G	108.04	Inf	-Inf	101.80	3	Vertical	128	2.28	79	32.34	7.65	33.75			
RMS	5.96G	98.13	Inf	-Inf	91.92	3	Vertical	128	2.28	79	32.32	7.64	33.75			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 79
79
9.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9195G	70.46	88.20	-17.74	64.41	3	Horizontal	233	2.61	79	32.24	7.57	33.76			
RMS	5.92G	58.82	68.20	-9.38	52.77	3	Horizontal	233	2.61	79	32.24	7.57	33.76			
PK	5.9615G	98.77	Inf	-Inf	92.56	3	Horizontal	233	2.61	79	32.32	7.64	33.75			
RMS	5.96G	89.99	Inf	-Inf	83.78	3	Horizontal	233	2.61	79	32.32	7.64	33.75			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
SET 80
90\60\94\77\85\81\79\80
-7.50\12.16\10.49\2.62\4.28\0.61\1.51\0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0315G	108.35	Inf	-Inf	97.85	3	Vertical	323	2.14	80	35.49	8.42	33.41				
RMS	6.96G	99.02	Inf	-Inf	88.84	3	Vertical	323	2.14	80	35.22	8.36	33.40				
PK	7.126G	79.64	88.20	-8.56	68.56	3	Vertical	323	2.14	80	36.10	8.44	33.46				
RMS	7.125G	67.61	68.20	-0.59	56.52	3	Vertical	323	2.14	80	36.10	8.44	33.45				

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
SET 80
80
3.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.008G	101.72	Inf	-Inf	91.35	3	Horizontal	207	2.32	80	35.35	8.42	33.40				
RMS	7.0085G	92.56	Inf	-Inf	82.19	3	Horizontal	207	2.32	80	35.35	8.42	33.40				
PK	7.164G	75.83	88.20	-12.37	64.63	3	Horizontal	207	2.32	80	36.23	8.44	33.47				
RMS	7.1275G	64.41	68.20	-3.79	53.32	3	Horizontal	207	2.32	80	36.11	8.44	33.46				

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 83
90\72\94\83\88\86\85\84\83
-4.43\10.07\7.16\0.52\2.75\2.09\0.81\0.43\0.68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.925G	79.14	88.20	-9.06	73.07	3	Vertical	121	2.28	83	32.25	7.58	33.76					
RMS	5.921G	67.52	68.20	-0.68	61.47	3	Vertical	121	2.28	83	32.24	7.57	33.76					
PK	5.971G	105.37	Inf	-Inf	99.12	3	Vertical	121	2.28	83	32.34	7.66	33.75					
RMS	6.15G	96.48	Inf	-Inf	89.82	3	Vertical	121	2.28	83	32.70	7.61	33.65					

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 83
83
11.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	65.81	88.20	-22.39	59.75	3	Horizontal	209	2.54	83	32.25	7.57	33.76			
RMS	5.925G	56.48	68.20	-11.72	50.41	3	Horizontal	209	2.54	83	32.25	7.58	33.76			
PK	6.142G	97.48	Inf	-Inf	90.85	3	Horizontal	209	2.54	83	32.67	7.62	33.66			
RMS	6.15G	88.74	Inf	-Inf	82.08	3	Horizontal	209	2.54	83	32.70	7.61	33.65			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




EUT Y_2TX
Setting 76
06-K-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.941G	99.50	Inf	-Inf	89.42	3	Vertical	347	2.92	-	35.15	8.33	33.40			
RMS	6.9362G	89.75	Inf	-Inf	79.71	3	Vertical	347	2.92	-	35.12	8.32	33.40			
PK	7.261G	66.85	74.00	-7.15	55.31	3	Vertical	347	2.92	-	36.44	8.61	33.51			
AV	7.261G	53.91	54.00	-0.09	42.37	3	Vertical	347	2.92	-	36.44	8.61	33.51			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 76
06-K-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0466G	100.94	Inf	-Inf	90.35	3	Horizontal	290	2.18	-	35.58	8.43	33.42			
RMS	7.0618G	90.69	Inf	-Inf	80.00	3	Horizontal	290	2.18	-	35.69	8.43	33.43			
PK	7.261G	65.21	74.00	-8.79	53.67	3	Horizontal	290	2.18	-	36.44	8.61	33.51			
AV	7.2514G	53.43	54.00	-0.57	41.94	3	Horizontal	290	2.18	-	36.41	8.59	33.51			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 82
90\66\94\80\87\84\83\82
-5.78\15.40\9.02\5.78\3.81\0.93\1.04\0.98

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9181G	76.80	88.20	-11.40	70.76	3	Vertical	123	2.30	82	32.24	7.56	33.76				
RMS	5.9229G	67.22	68.20	-0.98	61.16	3	Vertical	123	2.30	82	32.25	7.57	33.76				
PK	5.9577G	118.74	Inf	-Inf	112.55	3	Vertical	123	2.30	82	32.32	7.63	33.76				
RMS	5.9529G	109.14	Inf	-Inf	102.96	3	Vertical	123	2.30	82	32.31	7.63	33.76				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Z_4TX
SET 82
82
3.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9148G	75.35	88.20	-12.85	69.32	3	Horizontal	229	2.39	82	32.23	7.56	33.76				
RMS	5.925G	64.63	68.20	-3.57	58.56	3	Horizontal	229	2.39	82	32.25	7.58	33.76				
PK	5.9499G	117.38	Inf	-Inf	111.22	3	Horizontal	229	2.39	82	32.30	7.62	33.76				
RMS	5.9565G	107.95	Inf	-Inf	101.77	3	Horizontal	229	2.39	82	32.31	7.63	33.76				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 86
45\85\105\95\90\88\87\86
12.47\1.16\11.83\7.55\3.15\1.60\1.13\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1004G	117.15	Inf	-Inf	106.15	3	Vertical	319	2.23	86	36.00	8.44	33.44			
RMS	7.0905G	108.53	Inf	-Inf	97.62	3	Vertical	319	2.23	86	35.92	8.43	33.44			
PK	7.1328G	78.60	88.20	-9.60	67.49	3	Vertical	319	2.23	86	36.13	8.44	33.46			
RMS	7.1253G	68.03	68.20	-0.17	56.95	3	Vertical	319	2.23	86	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 80
86\69\85\77\81\79\80
-4.25\10.20\3.24\3.50\1.69\2.02\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0863G	117.38	Inf	-Inf	106.50	3	Horizontal	186	2.21	80	35.89	8.43	33.44			
RMS	7.101G	108.83	Inf	-Inf	97.83	3	Horizontal	186	2.21	80	36.00	8.44	33.44			
PK	7.1262G	78.54	88.20	-9.66	67.46	3	Horizontal	186	2.21	80	36.10	8.44	33.46			
RMS	7.1262G	67.89	68.20	-0.31	56.81	3	Horizontal	186	2.21	80	36.10	8.44	33.46			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 81
90\50\94\72\83\78\80\81\82\81
-13.73\16.09\18.58\10.98\2.16\5.40\2.29\1.26\0.29\0.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9227G	77.01	88.20	-11.19	70.95	3	Vertical	120	2.27	81	32.25	7.57	33.76			
RMS	5.923G	67.70	68.20	-0.50	61.64	3	Vertical	120	2.27	81	32.25	7.57	33.76			
PK	5.968G	117.30	Inf	-Inf	111.06	3	Vertical	120	2.27	81	32.34	7.65	33.75			
RMS	5.968G	106.49	Inf	-Inf	100.25	3	Vertical	120	2.27	81	32.34	7.65	33.75			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 81
81
1.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9215G	77.99	88.20	-10.21	71.94	3	Horizontal	252	2.51	81	32.24	7.57	33.76				
RMS	5.9212G	66.86	68.20	-1.34	60.81	3	Horizontal	252	2.51	81	32.24	7.57	33.76				
PK	5.9512G	114.66	Inf	-Inf	108.50	3	Horizontal	252	2.51	81	32.30	7.62	33.76				
RMS	5.9659G	104.59	Inf	-Inf	98.36	3	Horizontal	252	2.51	81	32.33	7.65	33.75				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 82
54\94\50\72\83\78\80\81\82
13.74\14.50\13.91\13.53\0.32\8.44\3.83\2.40\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0904G	114.06	Inf	-Inf	103.15	3	Vertical	356	2.03	82	35.92	8.43	33.44			
RMS	7.0703G	103.13	Inf	-Inf	92.37	3	Vertical	356	2.03	82	35.76	8.43	33.43			
PK	7.127G	78.49	88.20	-9.71	67.40	3	Vertical	356	2.03	82	36.11	8.44	33.46			
RMS	7.127G	67.68	68.20	-0.52	56.59	3	Vertical	356	2.03	82	36.11	8.44	33.46			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 77
82\51\81\66\73\76\77\80\79\78\77
-7.71\13.64\5.45\13.80\12.49\5.88\3.89\4.16\2.19\0.43\3.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0946G	114.06	Inf	-Inf	103.11	3	Horizontal	304	2.18	77	35.96	8.43	33.44			
RMS	7.0841G	103.47	Inf	-Inf	92.61	3	Horizontal	304	2.18	77	35.87	8.43	33.44			
PK	7.1267G	74.74	88.20	-13.46	63.65	3	Horizontal	304	2.18	77	36.11	8.44	33.46			
RMS	7.1291G	64.31	68.20	-3.89	53.21	3	Horizontal	304	2.18	77	36.12	8.44	33.46			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 85
90\58\94\76\85\89\87\86\85
-7.90\15.66\13.63\10.56\0.80\6.25\3.19\1.10\1.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9225G	76.76	88.20	-11.44	70.71	3	Vertical	115	2.27	85	32.24	7.57	33.76			
RMS	5.9175G	66.93	68.20	-1.27	60.89	3	Vertical	115	2.27	85	32.24	7.56	33.76			
PK	5.963G	114.63	Inf	-Inf	108.41	3	Vertical	115	2.27	85	32.33	7.64	33.75			
RMS	5.973G	103.92	Inf	-Inf	97.66	3	Vertical	115	2.27	85	32.35	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 85
85
2.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.912G	75.28	88.20	-12.92	69.27	3	Horizontal	288	2.34	85	32.22	7.55	33.76			
RMS	5.9215G	66.13	68.20	-2.07	60.08	3	Horizontal	288	2.34	85	32.24	7.57	33.76			
PK	5.976G	113.00	Inf	-Inf	106.73	3	Horizontal	288	2.34	85	32.35	7.67	33.75			
RMS	5.9765G	103.27	Inf	-Inf	97.00	3	Horizontal	288	2.34	85	32.35	7.67	33.75			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 84
64\104\65\84
13.71\10.16\13.64\0.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0154G	112.88	Inf	-Inf	102.48	3	Vertical	345	2.22	84	35.39	8.42	33.41			
RMS	6.9956G	102.11	Inf	-Inf	91.81	3	Vertical	345	2.22	84	35.29	8.41	33.40			
PK	7.1267G	79.65	88.20	-8.55	68.56	3	Vertical	345	2.22	84	36.11	8.44	33.46			
RMS	7.1258G	68.10	68.20	-0.10	57.02	3	Vertical	345	2.22	84	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
SET 83
84\80\82\83
-0.82\3.02\0.93\0.20

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0037G	113.69	Inf	-Inf	103.35	3	Horizontal	299	2.19	83	35.32	8.42	33.40				
RMS	7.0136G	103.12	Inf	-Inf	92.73	3	Horizontal	299	2.19	83	35.38	8.42	33.41				
PK	7.1285G	79.54	88.20	-8.66	68.45	3	Horizontal	299	2.19	83	36.11	8.44	33.46				
RMS	7.1288G	68.00	68.20	-0.20	56.90	3	Horizontal	299	2.19	83	36.12	8.44	33.46				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 77
90\50\94\72\83\78\76\77
-11.20\16.03\16.33\6.27\5.28\1.00\2.04\0.82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	80.10	88.20	-8.10	74.03	3	Vertical	126	2.31	77	32.25	7.58	33.76			
RMS	5.923G	67.38	68.20	-0.82	61.32	3	Vertical	126	2.31	77	32.25	7.57	33.76			
PK	5.9675G	110.26	Inf	-Inf	104.02	3	Vertical	126	2.31	77	32.34	7.65	33.75			
RMS	5.9625G	99.75	Inf	-Inf	93.54	3	Vertical	126	2.31	77	32.32	7.64	33.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 77
77
0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9215G	78.43	88.20	-9.77	72.38	3	Horizontal	216	2.25	77	32.24	7.57	33.76				
RMS	5.924G	67.74	68.20	-0.46	61.68	3	Horizontal	216	2.25	77	32.25	7.57	33.76				
PK	6.0495G	108.33	Inf	-Inf	101.87	3	Horizontal	216	2.25	77	32.50	7.68	33.72				
RMS	6.0895G	99.12	Inf	-Inf	92.66	3	Horizontal	216	2.25	77	32.50	7.65	33.69				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 77
01-C-R-5
FSP

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1686G	56.78	74.00	-17.22	41.22	3	Vertical	155	1.80	76	39.13	11.19	34.76			
AV	12.16189G	47.79	54.00	-6.21	32.20	3	Vertical	155	1.80	76	39.15	11.19	34.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 77
01-C-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.16796G	56.96	74.00	-17.04	41.40	3	Horizontal	232	1.80	76	39.13	11.19	34.76			
AV	12.15869G	47.40	54.00	-6.60	31.79	3	Horizontal	232	1.80	76	39.17	11.19	34.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 77
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07994G	62.00	83.54	-21.54	57.43	1	Vertical	304	2.44	-	37.26	15.74	48.43			
AV	18.07768G	52.23	63.54	-11.31	47.66	1	Vertical	304	2.44	-	37.26	15.74	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 77
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07255G	62.12	83.54	-21.42	57.56	1	Horizontal	317	1.53	-	37.25	15.74	48.43			
AV	18.074G	52.76	63.54	-10.78	48.20	1	Horizontal	317	1.53	-	37.25	15.74	48.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 69
01-C-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.33452G	57.07	74.00	-16.93	41.79	3	Vertical	358	1.80	69	38.83	11.30	34.85			
AV	12.51769G	46.95	54.00	-7.05	31.89	3	Vertical	358	1.80	69	38.60	11.41	34.95			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
SET 69
01-C-R-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39206G	56.46	74.00	-17.54	47.42	3	Horizontal	8	1.80	69	38.70	14.08	43.74			
AV	12.38726G	46.22	54.00	-7.78	37.19	3	Horizontal	8	1.80	69	38.70	14.07	43.74			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 69
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55646G	63.47	83.54	-20.07	58.45	1	Vertical	191	2.28	-	37.53	16.12	48.63			
AV	18.55287G	53.58	63.54	-9.96	48.58	1	Vertical	191	2.28	-	37.51	16.12	48.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 69
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55825G	63.21	83.54	-20.33	58.19	1	Horizontal	118	2.05	-	37.53	16.12	48.63			
AV	18.55781G	53.52	63.54	-10.02	48.50	1	Horizontal	118	2.05	-	37.53	16.12	48.63			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 76
01-C-R-5
FSP

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.73507G	57.07	88.20	-31.13	41.38	3	Vertical	149	1.80	76	39.10	11.55	34.96			
RMS	12.72579G	47.54	68.20	-20.66	31.86	3	Vertical	149	1.80	76	39.10	11.54	34.96			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
SET 76
01-C-R-5
FSP

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77472G	57.96	88.20	-30.24	42.10	3	Horizontal	62	2.26	76	39.25	11.57	34.96			
RMS	12.7875G	48.07	68.20	-20.13	32.12	3	Horizontal	62	2.26	76	39.33	11.58	34.96			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 76
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03271G	63.10	83.54	-20.44	57.75	1	Vertical	200	1.56	-	37.77	16.47	48.89			
AV	19.0389G	53.99	63.54	-9.55	48.62	1	Vertical	200	1.56	-	37.78	16.48	48.89			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 76
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0343G	63.46	83.54	-20.08	58.10	1	Horizontal	334	1.18	-	37.77	16.48	48.89			
AV	19.03547G	53.83	63.54	-9.71	48.47	1	Horizontal	334	1.18	-	37.77	16.48	48.89			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Z_4TX
Setting 73
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01327G	58.10	88.20	-30.10	45.84	3	Vertical	83	2.45	-	40.85	14.85	43.44			
RMS	13.00995G	48.70	68.20	-19.50	36.46	3	Vertical	83	2.45	-	40.84	14.85	43.45			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Z_4TX
Setting 73
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.00852G	58.49	88.20	-29.71	46.26	3	Horizontal	31	2.46	-	40.83	14.85	43.45			
RMS	13.01473G	48.57	68.20	-19.63	36.30	3	Horizontal	31	2.46	-	40.86	14.85	43.44			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX



EUT_Z_4TX
Setting 73
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51044G	64.09	83.54	-19.45	58.82	1	Vertical	40	1.28	-	37.52	16.55	48.80			
AV	19.51008G	54.05	63.54	-9.49	48.78	1	Vertical	40	1.28	-	37.52	16.55	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz_TX




EUT_Z_4TX
Setting 73
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51911G	64.52	83.54	-19.02	59.24	1	Horizontal	271	2.07	-	37.54	16.55	48.81			
AV	19.5148G	54.21	63.54	-9.33	48.94	1	Horizontal	271	2.07	-	37.53	16.55	48.81			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 74
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33415G	57.18	74.00	-16.82	44.90	3	Vertical	64	1.56	-	40.33	15.25	43.30			
AV	13.32602G	47.60	54.00	-6.40	34.97	3	Vertical	64	1.56	-	40.70	15.24	43.31			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 74
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32883G	57.00	74.00	-17.00	44.50	3	Horizontal	294	1.49	-	40.57	15.24	43.31			
AV	13.32532G	47.90	54.00	-6.10	35.23	3	Horizontal	294	1.49	-	40.74	15.24	43.31			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 74
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.99661G	64.85	83.54	-18.69	59.82	1	Vertical	260	2.75	-	37.41	16.62	49.00				
AV	19.99735G	54.64	63.54	-8.90	49.61	1	Vertical	260	2.75	-	37.41	16.62	49.00				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 74
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99674G	64.98	83.54	-18.56	59.95	1	Horizontal	251	1.37	-	37.41	16.62	49.00			
AV	19.99092G	54.62	63.54	-8.92	49.56	1	Horizontal	251	1.37	-	37.44	16.62	49.00			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 73
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65252G	58.44	88.20	-29.76	45.96	3	Vertical	329	1.39	-	40.11	15.65	43.28			
RMS	13.65399G	48.97	68.20	-19.23	36.49	3	Vertical	329	1.39	-	40.11	15.65	43.28			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 73
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64841G	58.25	88.20	-29.95	45.78	3	Horizontal	2	1.56	-	40.10	15.64	43.27			
RMS	13.64847G	48.03	68.20	-20.17	35.56	3	Horizontal	2	1.56	-	40.10	15.64	43.27			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 73
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47533G	64.83	83.54	-18.71	59.18	1	Vertical	133	1.38	-	37.50	17.05	48.90			
AV	20.47897G	54.54	63.54	-9.00	48.86	1	Vertical	133	1.38	-	37.52	17.06	48.90			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6825MHz_TX




EUT_Z_4TX
Setting 73
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47442G	64.57	83.54	-18.97	58.93	1	Horizontal	0	2.77	-	37.50	17.05	48.91			
AV	20.47988G	54.70	63.54	-8.84	49.02	1	Horizontal	0	2.77	-	37.52	17.06	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 76
90\50\94\72\83\78\76
-11.32\12.00\15.20\3.71\6.52\1.73\0.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9605G	108.63	Inf	-Inf	98.45	3	Vertical	319	2.11	76	35.22	8.36	33.40			
RMS	6.9605G	99.75	Inf	-Inf	89.57	3	Vertical	319	2.11	76	35.22	8.36	33.40			
PK	7.129G	78.10	88.20	-10.10	67.00	3	Vertical	319	2.11	76	36.12	8.44	33.46			
RMS	7.131G	68.08	68.20	-0.12	56.98	3	Vertical	319	2.11	76	36.12	8.44	33.46			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 74
76\69\74
-1.51\7.07\0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9575G	108.24	Inf	-Inf	98.08	3	Horizontal	170	2.21	75	35.21	8.35	33.40				
RMS	6.9625G	100.03	Inf	-Inf	89.84	3	Horizontal	170	2.21	75	35.23	8.36	33.40				
PK	7.1525G	78.01	88.20	-10.19	66.83	3	Horizontal	170	2.21	75	36.21	8.44	33.47				
RMS	7.1325G	68.11	68.20	-0.09	57.00	3	Horizontal	170	2.21	75	36.13	8.44	33.46				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 74
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96523G	58.51	88.20	-29.69	45.51	3	Vertical	235	2.94	-	40.33	16.04	43.37			
RMS	13.9711G	48.85	68.20	-19.35	35.84	3	Vertical	235	2.94	-	40.34	16.04	43.37			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 74
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97351G	58.22	88.20	-29.98	45.19	3	Horizontal	95	1.82	-	40.35	16.05	43.37			
RMS	13.96708G	48.06	68.20	-20.14	35.06	3	Horizontal	95	1.82	-	40.33	16.04	43.37			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 74
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95453G	64.64	83.54	-18.90	58.26	1	Vertical	22	2.34	-	37.79	17.49	48.90			
AV	20.9599G	54.89	63.54	-8.65	48.52	1	Vertical	22	2.34	-	37.78	17.49	48.90			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 74
04-W-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95953G	64.69	83.54	-18.85	58.32	1	Horizontal	291	2.79	-	37.78	17.49	48.90			
AV	20.95747G	54.80	63.54	-8.74	48.42	1	Horizontal	291	2.79	-	37.79	17.49	48.90			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 79
90\59\94\77\85\81\79\80\79
-7.69\14.33\ -9.30\2.17\ -3.74\ -0.01\1.10\ -0.09\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.909G	78.11	88.20	-10.09	72.10	3	Vertical	122	2.39	79	32.22	7.55	33.76			
RMS	5.923G	67.77	68.20	-0.43	61.71	3	Vertical	122	2.39	79	32.25	7.57	33.76			
PK	6.203G	106.63	Inf	-Inf	99.86	3	Vertical	122	2.39	79	32.81	7.58	33.62			
RMS	6.149G	97.62	Inf	-Inf	90.96	3	Vertical	122	2.39	79	32.70	7.61	33.65			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 79
79
0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	76.10	88.20	-12.10	70.07	3	Horizontal	294	2.38	79	32.23	7.56	33.76			
RMS	5.921G	67.93	68.20	-0.27	61.88	3	Horizontal	294	2.38	79	32.24	7.57	33.76			
PK	6.066G	106.48	Inf	-Inf	100.02	3	Horizontal	294	2.38	79	32.50	7.67	33.71			
RMS	6.139G	96.08	Inf	-Inf	89.46	3	Horizontal	294	2.38	79	32.66	7.62	33.66			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 75
06-K-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8546G	100.62	Inf	-Inf	91.21	3	Vertical	8.9	2.28	-	34.63	8.19	33.41			
RMS	6.9506G	91.69	Inf	-Inf	81.55	3	Vertical	8.9	2.28	-	35.20	8.34	33.40			
PK	7.2506G	64.57	74.00	-9.43	53.10	3	Vertical	8.9	2.28	-	36.40	8.58	33.51			
AV	7.2506G	53.53	54.00	-0.47	42.06	3	Vertical	8.9	2.28	-	36.40	8.58	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 75
06-K-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0314G	100.40	Inf	-Inf	89.90	3	Horizontal	39	1.76	-	35.49	8.42	33.41			
RMS	6.7666G	91.24	Inf	-Inf	82.26	3	Horizontal	39	1.76	-	34.33	8.06	33.41			
PK	7.2506G	63.69	74.00	-10.31	52.22	3	Horizontal	39	1.76	-	36.40	8.58	33.51			
AV	7.2522G	53.43	54.00	-0.57	41.94	3	Horizontal	39	1.76	-	36.41	8.59	33.51			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 81
90\63\94\79\86\83\82\81
-6.75\15.53\7.48\7.53\3.97\0.87\0.07\3.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9172G	77.09	88.20	-11.11	71.06	3	Vertical	125	2.64	81	32.23	7.56	33.76
RMS	5.9232G	64.64	68.20	-3.56	58.58	3	Vertical	125	2.64	81	32.25	7.57	33.76
PK	5.9613G	115.71	Inf	-Inf	109.50	3	Vertical	125	2.64	81	32.32	7.64	33.75
RMS	5.961G	107.87	Inf	-Inf	101.66	3	Vertical	125	2.64	81	32.32	7.64	33.75

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 81
81
2.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9235G	76.44	88.20	-11.76	70.38	3	Horizontal	230	2.38	81	32.25	7.57	33.76				
RMS	5.9247G	65.44	68.20	-2.76	59.38	3	Horizontal	230	2.38	81	32.25	7.57	33.76				
PK	5.9574G	115.30	Inf	-Inf	109.12	3	Horizontal	230	2.38	81	32.31	7.63	33.76				
RMS	5.9565G	107.83	Inf	-Inf	101.65	3	Horizontal	230	2.38	81	32.31	7.63	33.76				

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 86
52\92\72\82\87\89\88\87\86
13.48\ -2.76\12.06\5.03\0.75\ -0.43\ -0.19\ -0.33\0.87

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0983G	114.60	Inf	-Inf	103.62	3	Vertical	354	2.22	86	35.99	8.43	33.44			
RMS	7.0872G	104.86	Inf	-Inf	93.97	3	Vertical	354	2.22	86	35.90	8.43	33.44			
PK	7.125G	78.19	88.20	-10.01	67.10	3	Vertical	354	2.22	86	36.10	8.44	33.45			
RMS	7.1256G	67.33	68.20	-0.87	56.25	3	Vertical	354	2.22	86	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
SET 83
86\81\83
-1.22\1.94\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.092G	116.67	Inf	-Inf	105.74	3	Horizontal	206	2.24	83	35.94	8.43	33.44			
RMS	7.0926G	106.27	Inf	-Inf	95.34	3	Horizontal	206	2.24	83	35.94	8.43	33.44			
PK	7.125G	78.42	88.20	-9.78	67.33	3	Horizontal	206	2.24	83	36.10	8.44	33.45			
RMS	7.1253G	67.72	68.20	-0.48	56.64	3	Horizontal	206	2.24	83	36.10	8.44	33.46			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
SET 80
90\50\94\72\83\78\80\81\80
-13.74\15.99\19.16\9.27\2.74\2.70\0.87\0.15\0.90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	74.86	88.20	-13.34	68.79	3	Vertical	120	2.51	80	32.25	7.58	33.76				
RMS	5.925G	67.30	68.20	-0.90	61.23	3	Vertical	120	2.51	80	32.25	7.58	33.76				
PK	5.9629G	113.89	Inf	-Inf	107.67	3	Vertical	120	2.51	80	32.33	7.64	33.75				
RMS	5.9713G	104.66	Inf	-Inf	98.41	3	Vertical	120	2.51	80	32.34	7.66	33.75				

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT_Z_4TX
SET 80
80
2.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9224G	75.20	88.20	-13.00	69.15	3	Horizontal	224	2.25	80	32.24	7.57	33.76			
RMS	5.925G	65.30	68.20	-2.90	59.23	3	Horizontal	224	2.25	80	32.25	7.58	33.76			
PK	5.9671G	111.98	Inf	-Inf	105.75	3	Horizontal	224	2.25	80	32.33	7.65	33.75			
RMS	5.9674G	104.05	Inf	-Inf	97.82	3	Horizontal	224	2.25	80	32.33	7.65	33.75			

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 82
58\98\54\76\87\82\84\83\82
13.94\13.49\13.57\11.28\6.91\0.98\2.55\1.42\0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0787G	111.14	Inf	-Inf	100.31	3	Vertical	345	2.03	82	35.83	8.43	33.43			
RMS	7.0733G	101.04	Inf	-Inf	90.25	3	Vertical	345	2.03	82	35.79	8.43	33.43			
PK	7.1312G	81.63	88.20	-6.57	70.53	3	Vertical	345	2.03	82	36.12	8.44	33.46			
RMS	7.1258G	67.41	68.20	-0.79	56.33	3	Vertical	345	2.03	82	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
SET 78
82\56\81\69\75\78
-6.43\13.19\5.42\13.57\8.13\0.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0739G	112.58	Inf	-Inf	101.79	3	Horizontal	200	2.25	78	35.79	8.43	33.43			
RMS	7.0823G	102.68	Inf	-Inf	91.83	3	Horizontal	200	2.25	78	35.86	8.43	33.44			
PK	7.127G	77.62	88.20	-10.58	66.53	3	Horizontal	200	2.25	78	36.11	8.44	33.46			
RMS	7.1276G	67.90	68.20	-0.30	56.81	3	Horizontal	200	2.25	78	36.11	8.44	33.46			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 84
90\55\94\75\84\88\86\85\84
-8.60\16.00\12.36\12.26\0.75\1.92\0.41\0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	77.35	88.20	-10.85	71.32	3	Vertical	76	2.52	84	32.23	7.56	33.76			
RMS	5.914G	67.35	68.20	-0.85	61.32	3	Vertical	76	2.52	84	32.23	7.56	33.76			
PK	5.97G	112.17	Inf	-Inf	105.92	3	Vertical	76	2.52	84	32.34	7.66	33.75			
RMS	5.974G	103.78	Inf	-Inf	97.52	3	Vertical	76	2.52	84	32.35	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
SET 84
84
3.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	75.24	88.20	-12.96	69.21	3	Horizontal	290	2.34	84	32.23	7.56	33.76			
RMS	5.9135G	64.61	68.20	-3.59	58.59	3	Horizontal	290	2.34	84	32.23	7.55	33.76			
PK	6.014G	110.26	Inf	-Inf	103.87	3	Horizontal	290	2.34	84	32.43	7.70	33.74			
RMS	5.976G	102.41	Inf	-Inf	96.14	3	Horizontal	290	2.34	84	32.35	7.67	33.75			

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_2TX
SET 86
72\108\81\94\88\85\86\87\86
12.52\6.80\4.89\5.05\1.02\1.68\0.54\0.50\0.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	7.0124G	110.27	Inf	-Inf	99.89	3	Vertical	348	2.23	86	35.37	8.42	33.41					
RMS	7.0172G	99.83	Inf	-Inf	89.42	3	Vertical	348	2.23	86	35.40	8.42	33.41					
PK	7.1267G	77.98	88.20	-10.22	66.89	3	Vertical	348	2.23	86	36.11	8.44	33.46					
RMS	7.1276G	67.40	68.20	-0.80	56.31	3	Vertical	348	2.23	86	36.11	8.44	33.46					

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_2TX
SET 83
86\76\85\81\83
-2.36\11.07\1.56\2.38\0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0031G	112.11	Inf	-Inf	101.77	3	Horizontal	194	2.22	83	35.32	8.42	33.40			
RMS	7.0223G	101.31	Inf	-Inf	90.87	3	Horizontal	194	2.22	83	35.43	8.42	33.41			
PK	7.1273G	78.60	88.20	-9.60	67.51	3	Horizontal	194	2.22	83	36.11	8.44	33.46			
RMS	7.1279G	68.02	68.20	-0.18	56.93	3	Horizontal	194	2.22	83	36.11	8.44	33.46			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 80
90\51\94\73\83\78\80
-9.72\13.80\12.64\3.89\3.04\0.75\0.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.915G	81.25	88.20	-6.95	75.22	3	Vertical	86	2.36	80	32.23	7.56	33.76				
RMS	5.9145G	68.05	68.20	-0.15	62.02	3	Vertical	86	2.36	80	32.23	7.56	33.76				
PK	5.987G	108.36	Inf	-Inf	102.05	3	Vertical	86	2.36	80	32.37	7.69	33.75				
RMS	6.0535G	99.09	Inf	-Inf	92.63	3	Vertical	86	2.36	80	32.50	7.68	33.72				

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
SET 80
80
0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	79.13	88.20	-9.07	73.10	3	Horizontal	299	2.36	80	32.23	7.56	33.76			
RMS	5.9145G	68.10	68.20	-0.10	62.07	3	Horizontal	299	2.36	80	32.23	7.56	33.76			
PK	6.083G	107.14	Inf	-Inf	100.68	3	Horizontal	299	2.36	80	32.50	7.66	33.70			
RMS	5.996G	99.15	Inf	-Inf	92.81	3	Horizontal	299	2.36	80	32.39	7.70	33.75			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 78
90\54\94\74\84\79\77\78
-8.81\12.55\11.82\2.91\4.42\0.75\1.55\0.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.989G	107.53	Inf	-Inf	97.25	3	Vertical	321	2.26	78	35.28	8.40	33.40			
RMS	7.007G	98.94	Inf	-Inf	88.58	3	Vertical	321	2.26	78	35.34	8.42	33.40			
PK	7.1685G	79.10	88.20	-9.10	67.88	3	Vertical	321	2.26	78	36.24	8.45	33.47			
RMS	7.127G	67.31	68.20	-0.89	56.22	3	Vertical	321	2.26	78	36.11	8.44	33.46			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
SET 76
78\72\75\76
-1.46\3.71\1.75\0.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9615G	108.24	Inf	-Inf	98.06	3	Horizontal	167	2.22	76	35.22	8.36	33.40			
RMS	6.9615G	100.55	Inf	-Inf	90.37	3	Horizontal	167	2.22	76	35.22	8.36	33.40			
PK	7.1415G	78.36	88.20	-9.84	67.21	3	Horizontal	167	2.22	76	36.17	8.44	33.46			
RMS	7.125G	67.70	68.20	-0.50	56.61	3	Horizontal	167	2.22	76	36.10	8.44	33.45			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 80
90\67\94\81\75\78\79\80
-5.66\9.57\7.46\0.15\3.94\2.18\1.75\0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.04	88.20	-9.16	72.97	3	Vertical	120	2.67	80	32.25	7.58	33.76			
RMS	5.909G	67.34	68.20	-0.86	61.33	3	Vertical	120	2.67	80	32.22	7.55	33.76			
PK	6.149G	105.01	Inf	-Inf	98.35	3	Vertical	120	2.67	80	32.70	7.61	33.65			
RMS	6.149G	96.11	Inf	-Inf	89.45	3	Vertical	120	2.67	80	32.70	7.61	33.65			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
SET 80
80
0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	76.57	88.20	-11.63	70.52	3	Horizontal	202	2.40	80	32.24	7.57	33.76			
RMS	5.913G	68.00	68.20	-0.20	61.98	3	Horizontal	202	2.40	80	32.23	7.55	33.76			
PK	6.214G	108.21	Inf	-Inf	101.36	3	Horizontal	202	2.40	80	32.86	7.60	33.61			
RMS	6.214G	98.09	Inf	-Inf	91.24	3	Horizontal	202	2.40	80	32.86	7.60	33.61			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6905MHz_TX




EUT_Y_4TX
Setting 76
06-K-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.801G	99.75	Inf	-Inf	90.66	3	Vertical	177	1.83	-	34.40	8.10	33.41			
RMS	6.8026G	88.93	Inf	-Inf	79.83	3	Vertical	177	1.83	-	34.41	8.10	33.41			
PK	7.2682G	62.04	74.00	-11.96	50.46	3	Vertical	177	1.83	-	36.47	8.63	33.52			
AV	7.2506G	47.99	54.00	-6.01	36.52	3	Vertical	177	1.83	-	36.40	8.58	33.51			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6905MHz_TX



EUT_Y_4TX
Setting 76
06-K-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0538G	102.12	Inf	-Inf	91.48	3	Horizontal	288	2.16	-	35.63	8.43	33.42			
RMS	6.9474G	90.63	Inf	-Inf	80.51	3	Horizontal	288	2.16	-	35.18	8.34	33.40			
PK	7.257G	66.74	74.00	-7.26	55.22	3	Horizontal	288	2.16	-	36.43	8.60	33.51			
AV	7.2514G	53.63	54.00	-0.37	42.14	3	Horizontal	288	2.16	-	36.41	8.59	33.51			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	AV	7.255G	53.79	54.00	-0.21	3	Horizontal	206	1.80	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 59
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9222G	60.28	88.20	-27.92	51.98	3	Vertical	141.9	2.20	-	34.14	8.94	34.78			
RMS	5.9148G	49.51	68.20	-18.69	41.23	3	Vertical	141.9	2.20	-	34.13	8.93	34.78			
PK	5.9518G	111.16	Inf	-Inf	102.75	3	Vertical	141.9	2.20	-	34.20	8.97	34.76			
RMS	5.9506G	99.81	Inf	-Inf	91.40	3	Vertical	141.9	2.20	-	34.20	8.97	34.76			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 59
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8966G	60.51	88.20	-27.69	52.30	3	Horizontal	92	1.01	-	34.09	8.91	34.79			
RMS	5.8958G	49.13	68.20	-19.07	40.93	3	Horizontal	92	1.01	-	34.08	8.91	34.79			
PK	5.963G	102.04	Inf	-Inf	93.61	3	Horizontal	92	1.01	-	34.20	8.99	34.76			
RMS	5.9542G	91.55	Inf	-Inf	83.13	3	Horizontal	92	1.01	-	34.20	8.98	34.76			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 63
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0863G	110.92	Inf	-Inf	99.22	3	Vertical	353	1.80	-	36.52	9.53	34.35				
RMS	7.0879G	100.31	Inf	-Inf	88.60	3	Vertical	353	1.80	-	36.53	9.53	34.35				
PK	7.1275G	64.77	88.20	-23.43	52.75	3	Vertical	353	1.80	-	36.77	9.55	34.30				
RMS	7.1258G	54.32	68.20	-13.88	42.32	3	Vertical	353	1.80	-	36.75	9.55	34.30				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 63
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0939G	105.66	Inf	-Inf	93.91	3	Horizontal	9	2.99	-	36.56	9.53	34.34				
RMS	7.0912G	94.58	Inf	-Inf	82.84	3	Horizontal	9	2.99	-	36.55	9.53	34.34				
PK	7.1408G	64.39	88.20	-23.81	52.28	3	Horizontal	9	2.99	-	36.84	9.56	34.29				
RMS	7.1266G	53.61	68.20	-14.59	41.60	3	Horizontal	9	2.99	-	36.76	9.55	34.30				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 86
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	78.12	88.20	-10.08	72.06	3	Vertical	354	2.06	-	32.25	7.57	33.76			
RMS	5.925G	66.01	68.20	-2.19	59.94	3	Vertical	354	2.06	-	32.25	7.58	33.76			
PK	5.9506G	114.99	Inf	-Inf	108.83	3	Vertical	354	2.06	-	32.30	7.62	33.76			
RMS	5.9576G	105.20	Inf	-Inf	99.01	3	Vertical	354	2.06	-	32.32	7.63	33.76			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 86
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9234G	70.47	88.20	-17.73	64.41	3	Horizontal	91	1.05	-	32.25	7.57	33.76				
RMS	5.9236G	57.89	68.20	-10.31	51.83	3	Horizontal	91	1.05	-	32.25	7.57	33.76				
PK	5.9526G	106.40	Inf	-Inf	100.23	3	Horizontal	91	1.05	-	32.31	7.62	33.76				
RMS	5.9508G	95.71	Inf	-Inf	89.55	3	Horizontal	91	1.05	-	32.30	7.62	33.76				

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 63
05-X-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0838G	111.03	Inf	-Inf	99.35	3	Vertical	347	1.80	-	36.50	9.53	34.35				
RMS	7.082G	100.10	Inf	-Inf	88.43	3	Vertical	347	1.80	-	36.49	9.53	34.35				
PK	7.1254G	69.88	88.20	-18.32	57.88	3	Vertical	347	1.80	-	36.75	9.55	34.30				
RMS	7.1278G	53.89	68.20	-14.31	41.87	3	Vertical	347	1.80	-	36.77	9.55	34.30				

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 63
05-X-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0878G	102.78	Inf	-Inf	91.07	3	Horizontal	14	1.80	-	36.53	9.53	34.35				
RMS	7.0708G	91.04	Inf	-Inf	79.47	3	Horizontal	14	1.80	-	36.42	9.52	34.37				
PK	7.1542G	64.75	88.20	-23.45	52.55	3	Horizontal	14	1.80	-	36.91	9.56	34.27				
RMS	7.1684G	53.79	68.20	-14.41	41.53	3	Horizontal	14	1.80	-	36.94	9.57	34.25				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 80
05-X-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9018G	69.51	88.20	-18.69	61.28	3	Vertical	339	1.80	-	34.10	8.92	34.79			
RMS	5.9226G	52.93	68.20	-15.27	44.62	3	Vertical	339	1.80	-	34.15	8.94	34.78			
PK	5.9922G	110.62	Inf	-Inf	102.14	3	Vertical	339	1.80	-	34.20	9.02	34.74			
RMS	5.9734G	99.90	Inf	-Inf	91.45	3	Vertical	339	1.80	-	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 80
05-X-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	67.86	88.20	-20.34	59.56	3	Horizontal	76	1.03	-	34.14	8.94	34.78			
RMS	5.9242G	50.63	68.20	-17.57	42.32	3	Horizontal	76	1.03	-	34.15	8.94	34.78			
PK	5.9554G	104.30	Inf	-Inf	95.88	3	Horizontal	76	1.03	-	34.20	8.98	34.76			
RMS	5.997G	94.01	Inf	-Inf	85.52	3	Horizontal	76	1.03	-	34.20	9.03	34.74			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 79
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9994G	110.38	Inf	-Inf	99.25	3	Vertical	85	3.00	-	36.10	9.48	34.45				
RMS	6.9954G	100.12	Inf	-Inf	88.99	3	Vertical	85	3.00	-	36.10	9.48	34.45				
PK	7.1346G	75.26	88.20	-12.94	63.19	3	Vertical	85	3.00	-	36.81	9.55	34.29				
RMS	7.125G	61.74	68.20	-6.46	49.74	3	Vertical	85	3.00	-	36.75	9.55	34.30				

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 79
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0194G	106.48	Inf	-Inf	95.24	3	Horizontal	203	2.53	-	36.18	9.49	34.43			
RMS	7.0186G	96.28	Inf	-Inf	85.05	3	Horizontal	203	2.53	-	36.17	9.49	34.43			
PK	7.1338G	71.02	88.20	-17.18	58.96	3	Horizontal	203	2.53	-	36.80	9.55	34.29			
RMS	7.125G	57.40	68.20	-10.80	45.40	3	Horizontal	203	2.53	-	36.75	9.55	34.30			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 88
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.922G	77.70	88.20	-10.50	69.40	3	Vertical	320.1	3.00	-	34.14	8.94	34.78				
RMS	5.9235G	64.49	68.20	-3.71	56.18	3	Vertical	320.1	3.00	-	34.15	8.94	34.78				
PK	5.952G	112.96	Inf	-Inf	104.55	3	Vertical	320.1	3.00	-	34.20	8.97	34.76				
RMS	5.962G	97.85	Inf	-Inf	89.42	3	Vertical	320.1	3.00	-	34.20	8.99	34.76				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 88
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	72.97	88.20	-15.23	64.69	3	Horizontal	260	1.04	-	34.13	8.93	34.78			
RMS	5.922G	59.41	68.20	-8.79	51.11	3	Horizontal	260	1.04	-	34.14	8.94	34.78			
PK	5.962G	103.26	Inf	-Inf	94.83	3	Horizontal	260	1.04	-	34.20	8.99	34.76			
RMS	5.963G	92.39	Inf	-Inf	83.96	3	Horizontal	260	1.04	-	34.20	8.99	34.76			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 81
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	6.956G	106.84	Inf	-Inf	95.73	3	Vertical	161	1.80	-	36.10	9.45	34.44				
RMS	6.956G	96.20	Inf	-Inf	85.09	3	Vertical	161	1.80	-	36.10	9.45	34.44				
PK	7.143G	80.40	88.20	-7.80	68.26	3	Vertical	161	1.80	-	36.86	9.56	34.28				
RMS	7.125G	67.52	68.20	-0.68	55.52	3	Vertical	161	1.80	-	36.75	9.55	34.30				

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 81
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.974G	98.86	Inf	-Inf	87.75	3	Horizontal	252	1.97	-	36.10	9.46	34.45			
RMS	6.964G	88.71	Inf	-Inf	77.59	3	Horizontal	252	1.97	-	36.10	9.46	34.44			
PK	7.128G	75.11	88.20	-13.09	63.09	3	Horizontal	252	1.97	-	36.77	9.55	34.30			
RMS	7.125G	61.80	68.20	-6.40	49.80	3	Horizontal	252	1.97	-	36.75	9.55	34.30			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 89
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	80.05	88.20	-8.15	71.74	3	Vertical	125	2.43	-	34.15	8.94	34.78			
RMS	5.925G	67.98	68.20	-0.22	59.67	3	Vertical	125	2.43	-	34.15	8.94	34.78			
PK	5.961G	114.06	Inf	-Inf	105.63	3	Vertical	125	2.43	-	34.20	8.99	34.76			
RMS	6.002G	96.29	Inf	-Inf	87.80	3	Vertical	125	2.43	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 89
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.901G	74.45	88.20	-13.75	66.22	3	Horizontal	262	1.12	-	34.10	8.92	34.79			
RMS	5.925G	61.71	68.20	-6.49	53.40	3	Horizontal	262	1.12	-	34.15	8.94	34.78			
PK	5.959G	105.33	Inf	-Inf	96.91	3	Horizontal	262	1.12	-	34.20	8.98	34.76			
RMS	6.15G	87.68	Inf	-Inf	79.01	3	Horizontal	262	1.12	-	34.20	9.10	34.63			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Z_2TX
Setting 76
05-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	6.761G	112.07	Inf	-Inf	101.06	3	Vertical	327	2.32	-	36.08	9.35	34.42				
AV	6.7578G	102.69	Inf	-Inf	91.68	3	Vertical	327	2.32	-	36.08	9.35	34.42				
PK	7.257G	67.50	74.00	-6.50	55.00	3	Vertical	327	2.32	-	37.01	9.64	34.15				
AV	7.2538G	53.69	54.00	-0.31	41.20	3	Vertical	327	2.32	-	37.01	9.64	34.16				

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 76
05-X-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.761G	102.03	Inf	-Inf	91.02	3	Horizontal	256	2.33	-	36.08	9.35	34.42			
AV	6.7514G	90.37	Inf	-Inf	79.34	3	Horizontal	256	2.33	-	36.10	9.35	34.42			
PK	7.2826G	61.15	74.00	-12.85	48.54	3	Horizontal	256	2.33	-	37.07	9.66	34.12			
AV	7.2634G	49.72	54.00	-4.28	37.18	3	Horizontal	256	2.33	-	37.03	9.65	34.14			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 93
05-X-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9154G	78.99	88.20	-9.21	70.71	3	Vertical	22	1.80	-	34.13	8.93	34.78
RMS	5.9248G	67.96	68.20	-0.24	59.65	3	Vertical	22	1.80	-	34.15	8.94	34.78
PK	5.953G	118.78	Inf	-Inf	110.36	3	Vertical	22	1.80	-	34.20	8.98	34.76
RMS	5.95G	108.22	Inf	-Inf	99.81	3	Vertical	22	1.80	-	34.20	8.97	34.76

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 93
05-X-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9246G	78.35	88.20	-9.85	70.04	3	Horizontal	93	1.80	-	34.15	8.94	34.78			
RMS	5.9248G	66.72	68.20	-1.48	58.41	3	Horizontal	93	1.80	-	34.15	8.94	34.78			
PK	5.9618G	115.39	Inf	-Inf	106.96	3	Horizontal	93	1.80	-	34.20	8.99	34.76			
RMS	5.9624G	106.17	Inf	-Inf	97.74	3	Horizontal	93	1.80	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 93
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.89962G	48.44	74.00	-25.56	42.07	3	Vertical	6	1.80	-	38.70	13.61	45.94				
AV	11.90796G	34.85	54.00	-19.15	28.48	3	Vertical	6	1.80	-	38.70	13.61	45.94				
PK	17.9124G	64.56	74.00	-9.44	48.59	3	Vertical	42	2.78	-	43.50	17.75	45.28				
AV	17.9148G	51.32	54.00	-2.68	35.33	3	Vertical	42	2.78	-	43.52	17.75	45.28				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 93
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91312G	48.08	74.00	-25.92	41.70	3	Horizontal	109	1.80	-	38.70	13.62	45.94				
AV	11.91102G	34.97	54.00	-19.03	28.60	3	Horizontal	109	1.80	-	38.70	13.61	45.94				
PK	17.8958G	63.08	74.00	-10.92	47.30	3	Horizontal	38	2.24	-	43.32	17.74	45.28				
AV	17.9116G	50.34	54.00	-3.66	34.38	3	Horizontal	38	2.24	-	43.49	17.75	45.28				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 93
05-X-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8061G	71.86	83.54	-11.68	62.91	1	Vertical	328	1.59	-	38.90	17.95	47.90			
AV	23.8033G	60.30	63.54	-3.24	51.35	1	Vertical	328	1.59	-	38.90	17.95	47.90			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 93
05-X-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8196G	67.42	74.00	-6.58	58.48	1	Horizontal	312	1.58	-	38.90	17.94	47.90			
AV	23.8156G	56.02	63.54	-7.52	47.07	1	Horizontal	312	1.58	-	38.90	17.95	47.90			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 99
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37938G	57.68	74.00	-16.32	50.78	3	Vertical	18	1.80	-	38.64	13.84	45.58			
AV	12.3891G	43.77	54.00	-10.23	36.87	3	Vertical	18	1.80	-	38.62	13.85	45.57			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 99
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3894G	51.27	74.00	-22.73	44.37	3	Horizontal	322	2.08	-	38.62	13.85	45.57			
AV	12.39204G	36.28	54.00	-17.72	29.38	3	Horizontal	322	2.08	-	38.62	13.85	45.57			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Z_4TX
Setting 99
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5641G	60.89	83.54	-22.65	55.84	1	Vertical	357	1.80	-	37.56	16.13	48.64			
AV	18.5693G	47.25	63.54	-16.29	42.18	1	Vertical	357	1.80	-	37.58	16.13	48.64			
PK	24.7871G	67.75	97.74	-29.99	57.51	1	Vertical	358	1.60	-	39.15	18.73	47.64			
RMS	24.7819G	56.89	77.74	-20.85	46.68	1	Vertical	358	1.60	-	39.13	18.72	47.64			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 99
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5763G	51.30	83.54	-32.24	46.20	1	Horizontal	246	1.80	-	37.61	16.14	48.65			
AV	18.5863G	41.36	63.54	-22.18	36.22	1	Horizontal	246	1.80	-	37.65	16.14	48.65			
PK	24.7791G	60.32	97.74	-37.42	50.12	1	Horizontal	344	1.57	-	39.12	18.72	47.64			
RMS	24.7792G	48.64	77.74	-29.10	38.44	1	Horizontal	344	1.57	-	39.12	18.72	47.64			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 97
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81872G	64.64	88.20	-23.56	42.42	3	Vertical	313	2.04	-	39.94	14.04	31.76			
RMS	12.81992G	51.22	68.20	-16.98	29.00	3	Vertical	313	2.04	-	39.94	14.04	31.76			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 97
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81884G	61.36	88.20	-26.84	39.14	3	Horizontal	38	1.30	-	39.94	14.04	31.76			
RMS	12.83918G	48.45	68.20	-19.75	26.16	3	Horizontal	38	1.30	-	39.98	14.05	31.74			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 97
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	19.2492G	60.00	83.54	-23.54	54.44	1	Vertical	359	1.72	-	37.90	16.51	48.85				
AV	19.2496G	47.79	63.54	-15.75	42.23	1	Vertical	359	1.72	-	37.90	16.51	48.85				
PK	25.6447G	62.37	97.74	-35.37	51.84	1	Vertical	343	1.62	-	38.73	19.23	47.43				
RMS	25.6656G	50.04	77.74	-27.70	39.47	1	Vertical	343	1.62	-	38.76	19.24	47.43				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 97
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2445G	55.91	83.54	-27.63	50.38	1	Horizontal	311	1.71	-	37.87	16.51	48.85			
AV	19.247G	43.18	63.54	-20.36	37.64	1	Horizontal	311	1.71	-	37.88	16.51	48.85			
PK	25.675G	57.76	97.74	-39.98	47.15	1	Horizontal	340	1.58	-	38.80	19.25	47.44			
RMS	25.6577G	45.18	77.74	-32.56	34.64	1	Horizontal	340	1.58	-	38.73	19.24	47.43			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8637G	59.40	88.20	-28.80	51.13	3	Vertical	238	1.80	-	40.00	14.06	45.79			
RMS	12.86952G	45.77	68.20	-22.43	37.50	3	Vertical	238	1.80	-	40.00	14.07	45.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87822G	49.75	88.20	-38.45	41.49	3	Horizontal	281	1.56	-	40.00	14.07	45.81			
RMS	12.87048G	39.97	68.20	-28.23	31.70	3	Horizontal	281	1.56	-	40.00	14.07	45.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.3081G	55.90	83.54	-27.64	50.60	1	Vertical	317	1.80	-	37.62	16.52	48.84				
AV	19.3089G	43.44	63.54	-20.10	38.14	1	Vertical	317	1.80	-	37.62	16.52	48.84				
PK	25.7474G	66.39	97.74	-31.35	55.57	1	Vertical	345	1.59	-	38.99	19.28	47.45				
RMS	25.7459G	52.91	77.74	-24.83	42.09	1	Vertical	345	1.59	-	38.99	19.28	47.45				

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6435MHz_TX

EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.3039G	56.15	83.54	-27.39	50.86	1	Horizontal	311	1.68	-	37.61	16.52	48.84			
AV	19.3077G	42.75	63.54	-20.79	37.45	1	Horizontal	311	1.68	-	37.62	16.52	48.84			
PK	25.7421G	62.88	97.74	-34.86	52.08	1	Horizontal	336	1.59	-	38.98	19.27	47.45			
RMS	25.7422G	49.29	77.74	-28.45	38.49	1	Horizontal	336	1.59	-	38.98	19.27	47.45			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9569G	59.03	88.20	-29.17	50.61	3	Vertical	28	1.57	-	40.19	14.11	45.88			
RMS	12.96014G	46.65	68.20	-21.55	38.24	3	Vertical	28	1.57	-	40.18	14.11	45.88			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95216G	53.49	88.20	-34.71	45.07	3	Horizontal	229	2.60	-	40.20	14.10	45.88			
RMS	12.9602G	39.77	68.20	-28.43	31.36	3	Horizontal	229	2.60	-	40.18	14.11	45.88			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4181G	53.00	83.54	-30.54	47.63	1	Vertical	283	1.64	-	37.66	16.53	48.82			
AV	19.4268G	41.55	63.54	-21.99	36.18	1	Vertical	283	1.64	-	37.65	16.53	48.81			
PK	25.8993G	64.72	97.74	-33.02	54.16	1	Vertical	345	1.79	-	38.70	19.34	47.48			
RMS	25.9042G	53.52	77.74	-24.22	42.96	1	Vertical	345	1.79	-	38.70	19.34	47.48			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.4322G	53.41	83.54	-30.13	48.05	1	Horizontal	308	1.80	-	37.64	16.53	48.81			
AV	19.4322G	42.98	63.54	-20.56	37.62	1	Horizontal	308	1.80	-	37.64	16.53	48.81			
PK	25.9044G	58.36	97.74	-39.38	47.80	1	Horizontal	313	1.80	-	38.70	19.34	47.48			
RMS	25.9015G	47.42	77.74	-30.32	36.86	1	Horizontal	313	1.80	-	38.70	19.34	47.48			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02142G	60.80	88.20	-27.40	52.54	3	Vertical	20	1.80	-	40.01	14.13	45.88			
RMS	13.04224G	48.38	68.20	-19.82	40.15	3	Vertical	20	1.80	-	39.93	14.14	45.84			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0372G	57.92	88.20	-30.28	49.68	3	Horizontal	194	2.72	-	39.95	14.14	45.85			
RMS	13.04488G	45.01	68.20	-23.19	36.78	3	Horizontal	194	2.72	-	39.92	14.15	45.84			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6515MHz_TX

EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5562G	56.93	83.54	-26.61	51.60	1	Vertical	344	1.67	-	37.60	16.55	48.82			
AV	19.5527G	45.00	63.54	-18.54	39.67	1	Vertical	344	1.67	-	37.60	16.55	48.82			
PK	26.0578G	67.79	97.74	-29.95	57.14	1	Vertical	345	1.79	-	38.75	19.39	47.49			
RMS	26.0581G	58.37	77.74	-19.37	47.72	1	Vertical	345	1.79	-	38.75	19.39	47.49			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.538G	52.67	83.54	-30.87	47.36	1	Horizontal	306	1.64	-	37.58	16.55	48.82			
AV	19.5391G	40.64	63.54	-22.90	35.33	1	Horizontal	306	1.64	-	37.58	16.55	48.82			
PK	26.0636G	66.46	97.74	-31.28	55.78	1	Horizontal	332	1.56	-	38.78	19.39	47.49			
RMS	26.063G	54.66	77.74	-23.08	43.98	1	Horizontal	332	1.56	-	38.78	19.39	47.49			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07594G	59.01	88.20	-29.19	50.73	3	Vertical	139	1.10	-	39.90	14.16	45.78			
RMS	13.06724G	46.15	68.20	-22.05	37.89	3	Vertical	139	1.10	-	39.90	14.16	45.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06982G	55.47	88.20	-32.73	47.20	3	Horizontal	12	1.23	-	39.90	14.16	45.79			
RMS	13.0679G	43.09	68.20	-25.11	34.83	3	Horizontal	12	1.23	-	39.90	14.16	45.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.6089G	59.52	83.54	-24.02	54.22	1	Vertical	343	1.59	-	37.58	16.56	48.84				
AV	19.6094G	49.14	63.54	-14.40	43.84	1	Vertical	343	1.59	-	37.58	16.56	48.84				
PK	26.1377G	73.49	97.74	-24.25	62.80	1	Vertical	340	1.59	-	38.77	19.39	47.47				
RMS	26.1379G	62.56	77.74	-15.18	51.87	1	Vertical	340	1.59	-	38.77	19.39	47.47				

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6535MHz_TX

EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6271G	53.04	83.54	-30.50	47.78	1	Horizontal	298	1.65	-	37.55	16.56	48.85			
AV	19.6038G	42.20	63.54	-21.34	36.89	1	Horizontal	298	1.65	-	37.59	16.56	48.84			
PK	26.1383G	70.00	97.74	-27.74	59.31	1	Horizontal	332	1.57	-	38.77	19.39	47.47			
RMS	26.1431G	59.05	77.74	-18.69	48.39	1	Horizontal	332	1.57	-	38.74	19.39	47.47			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38994G	59.96	74.00	-14.04	50.47	3	Vertical	233	2.00	-	40.40	14.30	45.21			
AV	13.3795G	46.92	54.00	-7.08	37.45	3	Vertical	233	2.00	-	40.40	14.30	45.23			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40494G	54.26	88.20	-33.94	44.71	3	Horizontal	226	1.80	-	40.42	14.31	45.18			
AV	13.37746G	43.87	54.00	-10.13	34.40	3	Horizontal	226	1.80	-	40.40	14.30	45.23			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.0757G	58.61	83.54	-24.93	53.65	1	Vertical	4	1.59	-	37.25	16.69	48.98				
AV	20.086G	47.76	63.54	-15.78	42.77	1	Vertical	4	1.59	-	37.27	16.70	48.98				
PK	26.7769G	55.51	97.74	-42.23	44.07	1	Vertical	360	1.80	-	39.45	19.45	47.46				
RMS	26.7771G	44.56	77.74	-33.18	33.12	1	Vertical	360	1.80	-	39.45	19.45	47.46				

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.0864G	51.22	83.54	-32.32	46.23	1	Horizontal	329	1.80	-	37.27	16.70	48.98				
AV	20.0865G	40.65	63.54	-22.89	35.66	1	Horizontal	329	1.80	-	37.27	16.70	48.98				
PK	26.7681G	55.21	97.74	-42.53	43.75	1	Horizontal	323	1.58	-	39.46	19.45	47.45				
RMS	26.7788G	43.46	77.74	-34.28	32.03	1	Horizontal	323	1.58	-	39.44	19.45	47.46				

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74418G	61.76	88.20	-26.44	51.75	3	Vertical	2	1.51	-	40.61	14.46	45.06			
RMS	13.73818G	49.00	68.20	-19.20	38.98	3	Vertical	2	1.51	-	40.62	14.46	45.06			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7392G	58.74	88.20	-29.46	48.72	3	Horizontal	334	1.14	-	40.62	14.46	45.06			
RMS	13.73884G	46.11	68.20	-22.09	36.09	3	Horizontal	334	1.14	-	40.62	14.46	45.06			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.6039G	64.35	83.54	-19.19	58.39	1	Vertical	347	1.66	-	37.69	17.17	48.90				
AV	20.6248G	52.95	63.54	-10.59	47.01	1	Vertical	347	1.66	-	37.65	17.19	48.90				
PK	27.5062G	58.39	97.74	-39.35	46.43	1	Vertical	337	1.57	-	39.45	19.91	47.40				
RMS	27.5075G	46.78	77.74	-30.96	34.83	1	Vertical	337	1.57	-	39.44	19.91	47.40				

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.6254G	51.88	83.54	-31.66	45.94	1	Horizontal	328.2	1.80	-	37.65	17.19	48.90				
AV	20.6243G	40.75	63.54	-22.79	34.81	1	Horizontal	328.2	1.80	-	37.65	17.19	48.90				
PK	27.4923G	50.96	97.74	-46.78	39.01	1	Horizontal	326	1.55	-	39.45	19.90	47.40				
RMS	27.4937G	39.04	77.74	-38.70	27.08	1	Horizontal	326	1.55	-	39.46	19.90	47.40				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78658G	61.84	88.20	-26.36	51.83	3	Vertical	242	2.55	-	40.60	14.48	45.07			
RMS	13.79606G	49.34	68.20	-18.86	39.33	3	Vertical	242	2.55	-	40.60	14.49	45.08			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79666G	57.79	88.20	-30.41	47.78	3	Horizontal	113	2.39	-	40.60	14.49	45.08			
RMS	13.799G	44.56	68.20	-23.64	34.55	3	Horizontal	113	2.39	-	40.60	14.49	45.08			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.687G	65.13	83.54	-18.41	59.25	1	Vertical	346	1.61	-	37.53	17.25	48.90			
AV	20.6858G	53.74	63.54	-9.80	47.87	1	Vertical	346	1.61	-	37.53	17.24	48.90			
PK	27.5764G	55.18	97.74	-42.56	43.33	1	Vertical	332	1.59	-	39.31	19.97	47.43			
RMS	27.5745G	44.18	77.74	-33.56	32.34	1	Vertical	332	1.59	-	39.30	19.97	47.43			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 96
05-X-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6909G	54.31	83.54	-29.23	48.44	1	Horizontal	42	1.66	-	37.52	17.25	48.90			
AV	20.6851G	40.87	63.54	-22.67	35.00	1	Horizontal	42	1.66	-	37.53	17.24	48.90			
PK	27.595G	52.47	97.74	-45.27	40.46	1	Horizontal	347	1.60	-	39.46	19.99	47.44			
RMS	27.5868G	40.07	77.74	-37.67	28.13	1	Horizontal	347	1.60	-	39.39	19.98	47.43			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0005G	62.52	88.20	-25.68	52.26	3	Vertical	20	1.80	-	40.80	14.58	45.12			
RMS	13.97716G	49.22	68.20	-18.98	38.96	3	Vertical	20	1.80	-	40.80	14.57	45.11			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 96
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97506G	58.97	88.20	-29.23	48.71	3	Horizontal	318	1.41	-	40.80	14.57	45.11			
RMS	13.97836G	42.80	68.20	-25.40	32.55	3	Horizontal	318	1.41	-	40.80	14.57	45.12			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_2TX
Setting 96
05-X-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.9862G	68.37	83.54	-15.17	62.02	1	Vertical	346	1.66	-	37.73	17.52	48.90				
AV	20.9822G	56.14	63.54	-7.40	49.79	1	Vertical	346	1.66	-	37.74	17.51	48.90				
PK	27.9754G	56.20	97.74	-41.54	43.97	1	Vertical	331	1.56	-	39.50	20.32	47.59				
RMS	27.9799G	45.06	77.74	-32.68	32.81	1	Vertical	331	1.56	-	39.52	20.32	47.59				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6995MHz_TX

EUT_Z_2TX
Setting 96
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	20.9799G	56.90	83.54	-26.64	50.55	1	Horizontal	286	1.80	-	37.74	17.51	48.90				
AV	20.9815G	45.69	63.54	-17.85	39.34	1	Horizontal	286	1.80	-	37.74	17.51	48.90				
PK	27.9894G	55.21	97.74	-42.53	42.92	1	Horizontal	323	1.56	-	39.56	20.33	47.60				
RMS	27.9708G	42.07	77.74	-35.67	29.87	1	Horizontal	323	1.56	-	39.48	20.31	47.59				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 41
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0864G	105.82	Inf	-Inf	94.12	3	Vertical	342	1.80	-	36.52	9.53	34.35				
RMS	7.087G	95.22	Inf	-Inf	83.52	3	Vertical	342	1.80	-	36.52	9.53	34.35				
PK	7.1436G	64.37	88.20	-23.83	52.23	3	Vertical	342	1.80	-	36.86	9.56	34.28				
RMS	7.1254G	53.39	68.20	-14.81	41.39	3	Vertical	342	1.80	-	36.75	9.55	34.30				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 41
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1038G	109.31	Inf	-Inf	97.48	3	Horizontal	204.9	1.80	-	36.62	9.54	34.33				
RMS	7.1039G	98.35	Inf	-Inf	86.52	3	Horizontal	204.9	1.80	-	36.62	9.54	34.33				
PK	7.1254G	63.92	88.20	-24.28	51.92	3	Horizontal	204.9	1.80	-	36.75	9.55	34.30				
RMS	7.127G	53.28	68.20	-14.92	41.27	3	Horizontal	204.9	1.80	-	36.76	9.55	34.30				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 97
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18988G	61.68	88.20	-26.52	51.16	3	Vertical	22	1.80	-	40.80	14.72	45.00			
RMS	14.19084G	51.95	68.20	-16.25	41.43	3	Vertical	22	1.80	-	40.80	14.72	45.00			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 97
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19084G	57.61	88.20	-30.59	47.09	3	Horizontal	335	1.80	-	40.80	14.72	45.00			
RMS	14.19168G	43.90	68.20	-24.30	33.38	3	Horizontal	335	1.80	-	40.80	14.72	45.00			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 97
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	21.2802G	68.57	83.54	-14.97	62.21	1	Vertical	314	1.61	-	37.72	17.43	48.79				
AV	21.2849G	57.23	63.54	-6.31	50.91	1	Vertical	314	1.61	-	37.69	17.42	48.79				
PK	28.3805G	53.68	97.74	-44.06	41.33	1	Vertical	340	1.59	-	39.56	20.31	47.52				
RMS	28.3804G	41.32	77.74	-36.42	28.97	1	Vertical	340	1.59	-	39.56	20.31	47.52				

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


7095MHz_TX

EUT_Z_4TX
Setting 97
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.2796G	57.58	83.54	-25.96	51.22	1	Horizontal	50	1.80	-	37.72	17.43	48.79			
AV	21.2799G	46.30	63.54	-17.24	39.94	1	Horizontal	50	1.80	-	37.72	17.43	48.79			
PK	28.3828G	47.75	97.74	-49.99	35.39	1	Horizontal	312	1.80	-	39.57	20.31	47.52			
RMS	28.3827G	35.37	77.74	-42.37	23.01	1	Horizontal	312	1.80	-	39.57	20.31	47.52			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 46
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	60.11	88.20	-28.09	51.81	3	Vertical	349	2.36	-	34.14	8.94	34.78			
RMS	5.9214G	49.43	68.20	-18.77	41.13	3	Vertical	349	2.36	-	34.14	8.94	34.78			
PK	5.9558G	107.67	Inf	-Inf	99.25	3	Vertical	349	2.36	-	34.20	8.98	34.76			
RMS	5.9592G	97.40	Inf	-Inf	88.98	3	Vertical	349	2.36	-	34.20	8.98	34.76			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 46
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	60.48	88.20	-27.72	52.18	3	Horizontal	209	2.48	-	34.14	8.94	34.78			
RMS	5.9204G	49.79	68.20	-18.41	41.49	3	Horizontal	209	2.48	-	34.14	8.94	34.78			
PK	5.9826G	110.58	Inf	-Inf	102.12	3	Horizontal	209	2.48	-	34.20	9.01	34.75			
RMS	5.9828G	100.26	Inf	-Inf	91.80	3	Horizontal	209	2.48	-	34.20	9.01	34.75			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 44
05-X-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0886G	105.21	Inf	-Inf	93.50	3	Vertical	353	1.80	-	36.53	9.53	34.35				
RMS	7.0889G	95.36	Inf	-Inf	83.65	3	Vertical	353	1.80	-	36.53	9.53	34.35				
PK	7.217G	64.39	88.20	-23.81	51.98	3	Vertical	353	1.80	-	37.00	9.61	34.20				
RMS	7.2311G	53.88	68.20	-14.32	41.44	3	Vertical	353	1.80	-	37.00	9.62	34.18				

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 44
05-X-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.079G	110.09	Inf	-Inf	98.46	3	Horizontal	303	1.80	-	36.47	9.52	34.36				
RMS	7.0805G	100.28	Inf	-Inf	88.64	3	Horizontal	303	1.80	-	36.48	9.52	34.36				
PK	7.2056G	64.87	88.20	-23.33	52.48	3	Horizontal	303	1.80	-	37.00	9.60	34.21				
RMS	7.2254G	53.86	68.20	-14.34	41.44	3	Horizontal	303	1.80	-	37.00	9.61	34.19				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 57
05-X-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.752G	66.39	88.20	-21.81	58.90	3	Vertical	344	2.50	-	33.61	8.74	34.86				
RMS	5.919G	49.52	68.20	-18.68	41.22	3	Vertical	344	2.50	-	34.14	8.94	34.78				
PK	5.961G	107.81	Inf	-Inf	99.38	3	Vertical	344	2.50	-	34.20	8.99	34.76				
RMS	6.0005G	97.05	Inf	-Inf	88.56	3	Vertical	344	2.50	-	34.20	9.03	34.74				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 57
05-X-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.737G	64.92	88.20	-23.28	57.51	3	Horizontal	216	2.41	-	33.55	8.73	34.87			
RMS	5.922G	49.85	68.20	-18.35	41.55	3	Horizontal	216	2.41	-	34.14	8.94	34.78			
PK	5.984G	109.63	Inf	-Inf	101.17	3	Horizontal	216	2.41	-	34.20	9.01	34.75			
RMS	5.984G	100.38	Inf	-Inf	91.92	3	Horizontal	216	2.41	-	34.20	9.01	34.75			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 51
05-X-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.041G	110.16	Inf	-Inf	98.80	3	Vertical	0	1.80	-	36.26	9.50	34.40			
RMS	7.0422G	98.66	Inf	-Inf	87.29	3	Vertical	0	1.80	-	36.27	9.50	34.40			
PK	7.2202G	64.86	88.20	-23.34	52.44	3	Vertical	0	1.80	-	37.00	9.61	34.19			
RMS	7.1766G	53.78	68.20	-14.42	41.50	3	Vertical	0	1.80	-	36.95	9.58	34.25			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 51
05-X-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0418G	110.10	Inf	-Inf	98.73	3	Horizontal	199	1.80	-	36.27	9.50	34.40			
RMS	7.039G	99.50	Inf	-Inf	88.14	3	Horizontal	199	1.80	-	36.26	9.50	34.40			
PK	7.1338G	64.93	88.20	-23.27	52.87	3	Horizontal	199	1.80	-	36.80	9.55	34.29			
RMS	7.1258G	54.30	68.20	-13.90	42.30	3	Horizontal	199	1.80	-	36.75	9.55	34.30			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 75
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	72.07	88.20	-16.13	63.77	3	Vertical	89.9	1.80	-	34.14	8.94	34.78			
RMS	5.924G	57.90	68.20	-10.30	49.59	3	Vertical	89.9	1.80	-	34.15	8.94	34.78			
PK	5.959G	107.43	Inf	-Inf	99.01	3	Vertical	89.9	1.80	-	34.20	8.98	34.76			
RMS	5.961G	96.70	Inf	-Inf	88.27	3	Vertical	89.9	1.80	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.909G	71.39	88.20	-16.81	63.12	3	Horizontal	232	2.20	-	34.12	8.93	34.78				
RMS	5.922G	57.11	68.20	-11.09	48.81	3	Horizontal	232	2.20	-	34.14	8.94	34.78				
PK	5.949G	111.89	Inf	-Inf	103.48	3	Horizontal	232	2.20	-	34.20	8.97	34.76				
RMS	6.085G	100.15	Inf	-Inf	91.63	3	Horizontal	232	2.20	-	34.13	9.07	34.68				

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 70
05-X-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.914G	107.55	Inf	-Inf	96.54	3	Vertical	0	1.80	-	36.03	9.42	34.44			
RMS	6.963G	93.00	Inf	-Inf	81.88	3	Vertical	0	1.80	-	36.10	9.46	34.44			
PK	7.131G	69.43	88.20	-18.77	57.39	3	Vertical	0	1.80	-	36.79	9.55	34.30			
RMS	7.1365G	57.30	68.20	-10.90	45.21	3	Vertical	0	1.80	-	36.82	9.56	34.29			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 70
05-X-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.917G	110.05	Inf	-Inf	99.03	3	Horizontal	205	1.80	-	36.03	9.43	34.44			
RMS	7.0615G	100.15	Inf	-Inf	88.65	3	Horizontal	205	1.80	-	36.37	9.51	34.38			
PK	7.144G	75.05	88.20	-13.15	62.91	3	Horizontal	205	1.80	-	36.86	9.56	34.28			
RMS	7.125G	60.13	68.20	-8.07	48.13	3	Horizontal	205	1.80	-	36.75	9.55	34.30			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 84
05-X-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.91	88.20	-10.29	69.60	3	Vertical	351	1.80	-	34.15	8.94	34.78			
RMS	5.925G	66.98	68.20	-1.22	58.67	3	Vertical	351	1.80	-	34.15	8.94	34.78			
PK	5.949G	111.07	Inf	-Inf	102.66	3	Vertical	351	1.80	-	34.20	8.97	34.76			
RMS	5.949G	95.43	Inf	-Inf	87.02	3	Vertical	351	1.80	-	34.20	8.97	34.76			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 84
05-X-C-6-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	78.98	88.20	-9.22	70.68	3	Horizontal	207	2.29	-	34.14	8.94	34.78			
RMS	5.922G	67.53	68.20	-0.67	59.23	3	Horizontal	207	2.29	-	34.14	8.94	34.78			
PK	6.245G	111.34	Inf	-Inf	102.30	3	Horizontal	207	2.29	-	34.39	9.21	34.56			
RMS	6.244G	101.06	Inf	-Inf	92.03	3	Horizontal	207	2.29	-	34.39	9.20	34.56			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 70
05-X-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.747G	107.06	Inf	-Inf	96.02	3	Vertical	0	1.80	-	36.10	9.35	34.41			
AV	6.749G	98.58	Inf	-Inf	87.54	3	Vertical	0	1.80	-	36.10	9.35	34.41			
PK	7.25G	59.81	74.00	-14.19	47.33	3	Vertical	0	1.80	-	37.00	9.64	34.16			
AV	7.253G	49.32	54.00	-4.68	36.83	3	Vertical	0	1.80	-	37.01	9.64	34.16			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_Z_4TX
Setting 70
05-X-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.751G	109.51	Inf	-Inf	98.48	3	Horizontal	206	1.80	-	36.10	9.35	34.42				
AV	6.753G	98.40	Inf	-Inf	87.38	3	Horizontal	206	1.80	-	36.09	9.35	34.42				
PK	7.285G	65.17	74.00	-8.83	52.55	3	Horizontal	206	1.80	-	37.07	9.67	34.12				
AV	7.255G	53.79	54.00	-0.21	41.29	3	Horizontal	206	1.80	-	37.01	9.64	34.15				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	RMS	7.125G	68.10	68.20	-0.10	3	Horizontal	277	1.96	-

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 98
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9216G	77.38	88.20	-10.82	65.24	3	Vertical	318	2.80	-	34.14	8.16	30.16			
RMS	5.924G	65.83	68.20	-2.37	53.69	3	Vertical	318	2.80	-	34.15	8.15	30.16			
PK	5.9598G	116.52	Inf	-Inf	104.30	3	Vertical	318	2.80	-	34.22	8.14	30.14			
RMS	5.9526G	106.60	Inf	-Inf	94.40	3	Vertical	318	2.80	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 98
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	78.78	88.20	-9.42	66.64	3	Horizontal	25	1.80	-	34.15	8.15	30.16			
RMS	5.9246G	67.73	68.20	-0.47	55.59	3	Horizontal	25	1.80	-	34.15	8.15	30.16			
PK	5.9562G	117.84	Inf	-Inf	105.64	3	Horizontal	25	1.80	-	34.21	8.14	30.15			
RMS	5.9598G	108.24	Inf	-Inf	96.02	3	Horizontal	25	1.80	-	34.22	8.14	30.14			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
Setting 90
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0918G	107.77	Inf	-Inf	94.14	3	Vertical	74	1.38	-	35.57	8.95	30.89				
RMS	7.0938G	98.07	Inf	-Inf	84.43	3	Vertical	74	1.38	-	35.58	8.95	30.89				
PK	7.1258G	75.73	88.20	-12.47	61.96	3	Vertical	74	1.38	-	35.70	8.96	30.89				
RMS	7.125G	60.09	68.20	-8.11	46.32	3	Vertical	74	1.38	-	35.70	8.96	30.89				

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
Setting 90
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1012G	112.97	Inf	-Inf	99.31	3	Horizontal	295	2.36	-	35.60	8.95	30.89			
RMS	7.0914G	104.10	Inf	-Inf	90.47	3	Horizontal	295	2.36	-	35.57	8.95	30.89			
PK	7.1374G	83.62	88.20	-4.58	69.79	3	Horizontal	295	2.36	-	35.75	8.97	30.89			
RMS	7.1262G	67.83	68.20	-0.37	54.06	3	Horizontal	295	2.36	-	35.70	8.96	30.89			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 92
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9186G	76.87	88.20	-11.33	64.73	3	Vertical	316	2.90	-	34.14	8.16	30.16				
RMS	5.925G	65.76	68.20	-2.44	53.62	3	Vertical	316	2.90	-	34.15	8.15	30.16				
PK	5.9674G	113.45	Inf	-Inf	101.23	3	Vertical	316	2.90	-	34.23	8.13	30.14				
RMS	5.9586G	102.91	Inf	-Inf	90.69	3	Vertical	316	2.90	-	34.22	8.14	30.14				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 92
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	77.49	88.20	-10.71	65.35	3	Horizontal	22	1.70	-	34.14	8.16	30.16			
RMS	5.925G	67.95	68.20	-0.25	55.81	3	Horizontal	22	1.70	-	34.15	8.15	30.16			
PK	5.977G	113.74	Inf	-Inf	101.50	3	Horizontal	22	1.70	-	34.25	8.13	30.14			
RMS	5.971G	104.42	Inf	-Inf	92.19	3	Horizontal	22	1.70	-	34.24	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX

EUT_Y_2TX
Setting 92
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91605G	45.35	74.00	-28.65	59.13	3	Vertical	336	2.74	-	39.30	12.75	65.83			
AV	11.9163G	34.43	54.00	-19.57	48.21	3	Vertical	336	2.74	-	39.30	12.75	65.83			
PK	17.8728G	52.49	74.00	-21.51	54.70	3	Vertical	234	1.80	-	46.59	15.21	64.01			
AV	17.8747G	41.02	54.00	-12.98	43.22	3	Vertical	234	1.80	-	46.60	15.21	64.01			