


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 92
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9171G	44.84	74.00	-29.16	58.61	3	Horizontal	180	1.75	-	39.30	12.75	65.82				
AV	11.93545G	34.35	54.00	-19.65	48.10	3	Horizontal	180	1.75	-	39.30	12.76	65.81				
PK	17.8803G	51.34	74.00	-22.66	53.51	3	Horizontal	355	1.80	-	46.62	15.22	64.01				
AV	17.87485G	41.14	54.00	-12.86	43.34	3	Horizontal	355	1.80	-	46.60	15.21	64.01				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 92
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81406G	49.93	74.00	-24.07	40.98	1	Vertical	146	1.47	-	38.90	17.95	47.90			
AV	23.81394G	39.04	54.00	-14.96	30.09	1	Vertical	146	1.47	-	38.90	17.95	47.90			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 92
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83191G	49.78	74.00	-24.22	40.85	1	Horizontal	18	1.99	-	38.90	17.93	47.90			
AV	23.82021G	39.19	54.00	-14.81	30.25	1	Horizontal	18	1.99	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3984G	44.74	74.00	-29.26	58.80	3	Vertical	107	1.80	-	38.70	12.85	65.61			
AV	12.403G	34.28	54.00	-19.72	48.33	3	Vertical	107	1.80	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3585G	45.45	74.00	-28.55	59.52	3	Horizontal	201	1.89	-	38.70	12.85	65.62			
AV	12.2915G	34.50	54.00	-19.50	48.61	3	Horizontal	201	1.89	-	38.70	12.84	65.65			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62756G	46.68	83.54	-36.86	41.54	1	Vertical	161	1.80	108	37.64	16.18	48.68			
AV	18.58076G	35.79	63.54	-27.75	30.68	1	Vertical	161	1.80	108	37.62	16.14	48.65			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.64004G	46.93	83.54	-36.61	41.80	1	Horizontal	357	1.80	108	37.62	16.19	48.68				
AV	18.6022G	35.89	63.54	-27.65	30.69	1	Horizontal	357	1.80	108	37.70	16.16	48.66				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80531G	43.83	88.20	-44.37	57.15	3	Vertical	10	1.54	-	38.92	12.91	65.15			
RMS	12.80538G	32.93	68.20	-35.27	46.25	3	Vertical	10	1.54	-	38.92	12.91	65.15			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80793G	44.11	88.20	-44.09	57.41	3	Horizontal	282	2.07	-	38.93	12.92	65.15			
RMS	12.8114G	33.25	68.20	-34.95	46.52	3	Horizontal	282	2.07	-	38.95	12.92	65.14			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.2222G	47.71	83.54	-35.83	42.34	1	Vertical	13	1.84	108	37.73	16.50	48.86				
AV	19.20916G	36.31	63.54	-27.23	31.02	1	Vertical	13	1.84	108	37.65	16.50	48.86				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.2234G	46.64	83.54	-36.90	41.26	1	Horizontal	250	1.80	108	37.74	16.50	48.86				
AV	19.21516G	36.17	63.54	-27.37	30.84	1	Horizontal	250	1.80	108	37.69	16.50	48.86				

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89321G	44.36	88.20	-43.84	57.27	3	Vertical	271	2.24	-	39.19	12.93	65.03			
RMS	12.88562G	33.83	68.20	-34.37	46.77	3	Vertical	271	2.24	-	39.17	12.93	65.04			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89363G	45.25	88.20	-42.95	58.16	3	Horizontal	229	1.48	-	39.19	12.93	65.03			
RMS	12.88909G	33.58	68.20	-34.62	46.50	3	Horizontal	229	1.48	-	39.18	12.93	65.03			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.36564G	46.93	83.54	-36.61	41.54	1	Vertical	356	1.42	108	37.70	16.52	48.83			
AV	19.30796G	35.85	63.54	-27.69	30.55	1	Vertical	356	1.42	108	37.62	16.52	48.84			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.33748G	46.83	83.54	-36.71	41.47	1	Horizontal	0	0.00	108	37.67	16.52	48.83				
AV	19.37444G	35.94	63.54	-27.60	30.54	1	Horizontal	0	0.00	108	37.70	16.53	48.83				

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.96503G	44.22	88.20	-43.98	56.88	3	Vertical	169	1.25	-	39.33	12.94	64.93				
RMS	12.96502G	33.11	68.20	-35.09	45.77	3	Vertical	169	1.25	-	39.33	12.94	64.93				

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.97263G	44.56	88.20	-43.64	57.19	3	Horizontal	334	1.71	-	39.35	12.94	64.92			
RMS	12.96504G	32.98	68.20	-35.22	45.64	3	Horizontal	334	1.71	-	39.33	12.94	64.93			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.48868G	46.30	83.54	-37.24	41.04	1	Vertical	261	1.80	108	37.52	16.54	48.80			
AV	19.4734G	35.35	63.54	-28.19	30.07	1	Vertical	261	1.80	108	37.55	16.54	48.81			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT Y_2TX
SET 108
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.44892G	46.20	83.54	-37.34	40.87	1	Horizontal	287	1.80	108	37.60	16.54	48.81			
AV	19.4658G	35.15	63.54	-28.39	29.85	1	Horizontal	287	1.80	108	37.57	16.54	48.81			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05341G	44.69	88.20	-43.51	57.20	3	Vertical	295	1.63	-	39.41	12.95	64.87			
RMS	13.05428G	34.36	68.20	-33.84	46.86	3	Vertical	295	1.63	-	39.42	12.95	64.87			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04747G	45.36	88.20	-42.84	57.89	3	Horizontal	102	2.89	-	39.40	12.95	64.88			
RMS	13.04563G	34.36	68.20	-33.84	46.89	3	Horizontal	102	2.89	-	39.40	12.95	64.88			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.59628G	46.32	83.54	-37.22	41.00	1	Vertical	305	1.83	108	37.60	16.56	48.84				
AV	19.57356G	35.54	63.54	-28.00	30.21	1	Vertical	305	1.83	108	37.60	16.56	48.83				

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.56668G	46.34	83.54	-37.20	41.01	1	Horizontal	19	1.83	108	37.60	16.56	48.83			
AV	19.54588G	35.54	63.54	-28.00	30.22	1	Horizontal	19	1.83	108	37.59	16.55	48.82			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12923G	45.49	88.20	-42.71	57.73	3	Vertical	134	2.64	-	39.66	12.97	64.87			
RMS	13.12552G	34.30	68.20	-33.90	46.56	3	Vertical	134	2.64	-	39.65	12.96	64.87			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12889G	45.97	88.20	-42.23	58.22	3	Horizontal	289	2.81	-	39.66	12.96	64.87			
RMS	13.12501G	34.64	68.20	-33.56	46.90	3	Horizontal	289	2.81	-	39.65	12.96	64.87			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.71828G	47.09	83.54	-36.45	41.77	1	Vertical	105	1.80	108	37.63	16.58	48.89			
AV	19.72204G	36.35	63.54	-27.19	31.05	1	Vertical	105	1.80	108	37.61	16.58	48.89			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.67228G	47.13	83.54	-36.41	41.84	1	Horizontal	1	1.80	108	37.59	16.57	48.87			
AV	19.72564G	36.59	63.54	-26.95	31.30	1	Horizontal	1	1.80	108	37.60	16.58	48.89			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37315G	45.87	74.00	-28.13	57.52	3	Vertical	119	2.65	-	40.19	13.00	64.84			
AV	13.3738G	34.76	54.00	-19.24	46.40	3	Vertical	119	2.65	-	40.20	13.00	64.84			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37306G	46.03	74.00	-27.97	57.68	3	Horizontal	338	2.43	-	40.19	13.00	64.84			
AV	13.37342G	34.82	54.00	-19.18	46.47	3	Horizontal	338	2.43	-	40.19	13.00	64.84			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.0182G	46.71	83.54	-36.83	41.74	1	Vertical	193	1.80	108	37.33	16.64	49.00				
AV	20.03756G	35.77	63.54	-27.77	30.86	1	Vertical	193	1.80	108	37.25	16.65	48.99				

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.02796G	46.07	83.54	-37.47	41.12	1	Horizontal	329	1.80	108	37.29	16.65	48.99			
AV	20.01804G	35.93	63.54	-27.61	30.96	1	Horizontal	329	1.80	108	37.33	16.64	49.00			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76936G	45.58	88.20	-42.62	56.39	3	Vertical	323	2.50	-	40.84	13.06	64.71			
RMS	13.77286G	34.73	68.20	-33.47	45.52	3	Vertical	323	2.50	-	40.85	13.06	64.70			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76683G	45.19	88.20	-43.01	56.01	3	Horizontal	199	2.61	-	40.83	13.06	64.71			
RMS	13.7705G	33.97	68.20	-34.23	44.78	3	Horizontal	199	2.61	-	40.84	13.06	64.71			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68972G	48.16	83.54	-35.38	42.29	1	Vertical	322	1.80	108	37.52	17.25	48.90			
AV	20.67428G	36.94	63.54	-26.60	31.06	1	Vertical	322	1.80	108	37.55	17.23	48.90			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6674G	47.62	83.54	-35.92	41.72	1	Horizontal	360	1.89	108	37.57	17.23	48.90			
AV	20.619G	37.01	63.54	-26.53	31.07	1	Horizontal	360	1.89	108	37.66	17.18	48.90			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85097G	44.96	88.20	-43.24	55.45	3	Vertical	99	1.68	-	41.10	13.08	64.67			
RMS	13.84502G	33.93	68.20	-34.27	44.44	3	Vertical	99	1.68	-	41.08	13.08	64.67			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85475G	44.52	88.20	-43.68	55.00	3	Horizontal	254	2.22	-	41.11	13.08	64.67			
RMS	13.85016G	33.97	68.20	-34.23	44.46	3	Horizontal	254	2.22	-	41.10	13.08	64.67			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.75332G	49.36	83.54	-34.18	43.16	1	Vertical	315	1.80	108	37.79	17.31	48.90				
AV	20.75636G	38.27	63.54	-25.27	32.09	1	Vertical	315	1.80	108	37.77	17.31	48.90				

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.78364G	49.14	83.54	-34.40	43.04	1	Horizontal	42	1.73	108	37.67	17.33	48.90			
AV	20.76228G	38.02	63.54	-25.52	31.86	1	Horizontal	42	1.73	108	37.75	17.31	48.90			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00692G	46.52	88.20	-41.68	56.50	3	Vertical	166	1.53	-	41.51	13.11	64.60			
RMS	14.00501G	35.26	68.20	-32.94	45.25	3	Vertical	166	1.53	-	41.51	13.10	64.60			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00853G	46.35	88.20	-41.85	56.31	3	Horizontal	163	2.21	-	41.52	13.11	64.59			
RMS	14.00502G	35.90	68.20	-32.30	45.89	3	Horizontal	163	2.21	-	41.51	13.10	64.60			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.03244G	48.13	83.54	-35.41	41.74	1	Vertical	340	1.80	108	37.76	17.52	48.89			
AV	21.0506G	37.28	63.54	-26.26	30.85	1	Vertical	340	1.80	108	37.80	17.51	48.88			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.023G	47.60	83.54	-35.94	41.22	1	Horizontal	156	1.41	108	37.75	17.52	48.89			
AV	20.98956G	36.82	63.54	-26.72	30.48	1	Horizontal	156	1.41	108	37.72	17.52	48.90			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 84
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0856G	108.41	Inf	-Inf	94.82	3	Vertical	332	2.99	-	35.54	8.94	30.89				
RMS	7.0774G	97.80	Inf	-Inf	84.24	3	Vertical	332	2.99	-	35.51	8.94	30.89				
PK	7.1336G	74.61	88.20	-13.59	60.80	3	Vertical	332	2.99	-	35.73	8.97	30.89				
RMS	7.1264G	64.60	68.20	-3.60	50.82	3	Vertical	332	2.99	-	35.71	8.96	30.89				

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 84
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.086G	110.24	Inf	-Inf	96.65	3	Horizontal	287	2.43	-	35.54	8.94	30.89			
RMS	7.0774G	100.71	Inf	-Inf	87.15	3	Horizontal	287	2.43	-	35.51	8.94	30.89			
PK	7.1336G	77.73	88.20	-10.47	63.92	3	Horizontal	287	2.43	-	35.73	8.97	30.89			
RMS	7.1264G	67.24	68.20	-0.96	53.46	3	Horizontal	287	2.43	-	35.71	8.96	30.89			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 84
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1574G	46.88	88.20	-41.32	56.12	3	Vertical	309	1.00	-	42.03	13.24	64.51			
RMS	14.17225G	36.64	68.20	-31.56	45.80	3	Vertical	309	1.00	-	42.09	13.25	64.50			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 84
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.15695G	47.11	88.20	-41.09	56.35	3	Horizontal	288	1.80	-	42.03	13.24	64.51			
RMS	14.1455G	36.47	68.20	-31.73	45.77	3	Horizontal	288	1.80	-	41.98	13.23	64.51			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET 84
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.267G	48.24	83.54	-35.30	41.80	1	Vertical	244	1.80	84	37.80	17.43	48.79			
AV	21.29292G	37.21	63.54	-26.33	30.93	1	Vertical	244	1.80	84	37.64	17.42	48.78			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET 84
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.22908G	47.96	83.54	-35.58	41.55	1	Horizontal	204	1.80	84	37.77	17.45	48.81			
AV	21.27604G	37.29	63.54	-26.25	30.91	1	Horizontal	204	1.80	84	37.74	17.43	48.79			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 95
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	77.85	88.20	-10.35	65.73	3	Vertical	330	3.00	-	34.12	8.16	30.16
RMS	5.909G	66.91	68.20	-1.29	54.79	3	Vertical	330	3.00	-	34.12	8.16	30.16
PK	6.0038G	108.51	Inf	-Inf	96.21	3	Vertical	330	3.00	-	34.31	8.12	30.13
RMS	5.9998G	99.36	Inf	-Inf	87.07	3	Vertical	330	3.00	-	34.30	8.12	30.13

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 95
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	79.05	88.20	-9.15	66.91	3	Horizontal	4	1.70	-	34.14	8.16	30.16			
RMS	5.911G	68.09	68.20	-0.11	55.97	3	Horizontal	4	1.70	-	34.12	8.16	30.16			
PK	6.005G	112.46	Inf	-Inf	100.16	3	Horizontal	4	1.70	-	34.31	8.12	30.13			
RMS	6.0002G	102.47	Inf	-Inf	90.18	3	Horizontal	4	1.70	-	34.30	8.12	30.13			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 89
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9938G	107.85	Inf	-Inf	94.52	3	Vertical	335	2.94	-	35.30	8.91	30.88			
RMS	6.9974G	96.75	Inf	-Inf	83.44	3	Vertical	335	2.94	-	35.30	8.90	30.89			
PK	7.1254G	73.16	88.20	-15.04	59.39	3	Vertical	335	2.94	-	35.70	8.96	30.89			
RMS	7.125G	62.17	68.20	-6.03	48.40	3	Vertical	335	2.94	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 89
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0238G	108.25	Inf	-Inf	94.88	3	Horizontal	277	1.96	-	35.35	8.91	30.89			
RMS	6.9954G	98.59	Inf	-Inf	85.27	3	Horizontal	277	1.96	-	35.30	8.90	30.88			
PK	7.125G	78.75	88.20	-9.45	64.98	3	Horizontal	277	1.96	-	35.70	8.96	30.89			
RMS	7.125G	68.10	68.20	-0.10	54.33	3	Horizontal	277	1.96	-	35.70	8.96	30.89			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 85
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9205G	81.04	88.20	-7.16	68.90	3	Vertical	329	2.94	-	34.14	8.16	30.16			
RMS	5.9205G	65.14	68.20	-3.06	53.00	3	Vertical	329	2.94	-	34.14	8.16	30.16			
PK	6.0845G	104.45	Inf	-Inf	92.07	3	Vertical	329	2.94	-	34.47	8.07	30.16			
RMS	6.09G	94.79	Inf	-Inf	82.41	3	Vertical	329	2.94	-	34.48	8.07	30.17			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 85
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9205G	82.46	88.20	-5.74	70.32	3	Horizontal	281	2.60	-	34.14	8.16	30.16			
RMS	5.925G	67.90	68.20	-0.30	55.76	3	Horizontal	281	2.60	-	34.15	8.15	30.16			
PK	6.088G	110.05	Inf	-Inf	97.67	3	Horizontal	281	2.60	-	34.48	8.07	30.17			
RMS	6.1015G	99.82	Inf	-Inf	87.43	3	Horizontal	281	2.60	-	34.50	8.06	30.17			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 85
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9525G	101.95	Inf	-Inf	88.55	3	Vertical	330	2.98	-	35.30	8.94	30.84			
RMS	6.9525G	92.96	Inf	-Inf	79.56	3	Vertical	330	2.98	-	35.30	8.94	30.84			
PK	7.1325G	76.04	88.20	-12.16	62.23	3	Vertical	330	2.98	-	35.73	8.97	30.89			
RMS	7.126G	64.07	68.20	-4.13	50.30	3	Vertical	330	2.98	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 85
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9265G	106.31	Inf	-Inf	92.86	3	Horizontal	282	1.90	-	35.30	8.96	30.81			
RMS	6.911G	96.85	Inf	-Inf	83.36	3	Horizontal	282	1.90	-	35.30	8.98	30.79			
PK	7.1645G	79.21	88.20	-8.99	65.26	3	Horizontal	282	1.90	-	35.86	8.98	30.89			
RMS	7.1255G	67.41	68.20	-0.79	53.64	3	Horizontal	282	1.90	-	35.70	8.96	30.89			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 88
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8737G	76.08	88.20	-12.12	64.09	3	Vertical	332	2.90	-	33.99	8.18	30.18			
RMS	5.8791G	64.10	68.20	-4.10	52.08	3	Vertical	332	2.90	-	34.02	8.17	30.17			
PK	6.1482G	102.69	Inf	-Inf	90.24	3	Vertical	332	2.90	-	34.60	8.04	30.19			
RMS	6.1491G	92.26	Inf	-Inf	79.81	3	Vertical	332	2.90	-	34.60	8.04	30.19			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 88
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	80.73	88.20	-7.47	68.60	3	Horizontal	280	2.53	-	34.13	8.16	30.16			
RMS	5.9169G	68.02	68.20	-0.18	55.89	3	Horizontal	280	2.53	-	34.13	8.16	30.16			
PK	6.2094G	108.26	Inf	-Inf	95.84	3	Horizontal	280	2.53	-	34.60	8.03	30.21			
RMS	6.0708G	97.95	Inf	-Inf	85.59	3	Horizontal	280	2.53	-	34.44	8.08	30.16			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 77
02-D-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.801G	94.66	Inf	-Inf	80.96	3	Vertical	205	2.46	-	35.30	9.07	30.67			
RMS	6.8G	84.55	Inf	-Inf	70.85	3	Vertical	205	2.46	-	35.30	9.07	30.67			
PK	7.28G	63.22	74.00	-10.78	48.68	3	Vertical	205	2.46	-	36.42	9.01	30.89			
RMS	7.28G	50.98	54.00	-3.02	36.44	3	Vertical	205	2.46	-	36.42	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_Y_2TX
Setting 77
02-D-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.801G	103.01	Inf	-Inf	89.31	3	Horizontal	277	1.80	-	35.30	9.07	30.67			
RMS	6.767G	92.79	Inf	-Inf	79.19	3	Horizontal	277	1.80	-	35.23	9.00	30.63			
PK	7.26G	67.22	74.00	-6.78	52.76	3	Horizontal	277	1.80	-	36.34	9.01	30.89			
RMS	7.301G	53.85	54.00	-0.15	39.22	3	Horizontal	277	1.80	-	36.50	9.02	30.89			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	RMS	5.911G	68.09	68.20	-0.11	3	Horizontal	4	1.70	-

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 98
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9216G	77.38	88.20	-10.82	65.24	3	Vertical	318	2.80	-	34.14	8.16	30.16				
RMS	5.924G	65.83	68.20	-2.37	53.69	3	Vertical	318	2.80	-	34.15	8.15	30.16				
PK	5.9598G	116.52	Inf	-Inf	104.30	3	Vertical	318	2.80	-	34.22	8.14	30.14				
RMS	5.9526G	106.60	Inf	-Inf	94.40	3	Vertical	318	2.80	-	34.21	8.14	30.15				

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 98
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9248G	78.78	88.20	-9.42	66.64	3	Horizontal	25	1.80	-	34.15	8.15	30.16			
RMS	5.9246G	67.73	68.20	-0.47	55.59	3	Horizontal	25	1.80	-	34.15	8.15	30.16			
PK	5.9562G	117.84	Inf	-Inf	105.64	3	Horizontal	25	1.80	-	34.21	8.14	30.15			
RMS	5.9598G	108.24	Inf	-Inf	96.02	3	Horizontal	25	1.80	-	34.22	8.14	30.14			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5965MHz_TX


EUT_Y_2TX
Setting 92
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9186G	76.87	88.20	-11.33	64.73	3	Vertical	316	2.90	-	34.14	8.16	30.16				
RMS	5.925G	65.76	68.20	-2.44	53.62	3	Vertical	316	2.90	-	34.15	8.15	30.16				
PK	5.9674G	113.45	Inf	-Inf	101.23	3	Vertical	316	2.90	-	34.23	8.13	30.14				
RMS	5.9586G	102.91	Inf	-Inf	90.69	3	Vertical	316	2.90	-	34.22	8.14	30.14				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 92
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	77.49	88.20	-10.71	65.35	3	Horizontal	22	1.70	-	34.14	8.16	30.16			
RMS	5.925G	67.95	68.20	-0.25	55.81	3	Horizontal	22	1.70	-	34.15	8.15	30.16			
PK	5.977G	113.74	Inf	-Inf	101.50	3	Horizontal	22	1.70	-	34.25	8.13	30.14			
RMS	5.971G	104.42	Inf	-Inf	92.19	3	Horizontal	22	1.70	-	34.24	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 92
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.91605G	45.35	74.00	-28.65	59.13	3	Vertical	336	2.74	-	39.30	12.75	65.83				
AV	11.9163G	34.43	54.00	-19.57	48.21	3	Vertical	336	2.74	-	39.30	12.75	65.83				
PK	17.8728G	52.49	74.00	-21.51	54.70	3	Vertical	234	1.80	-	46.59	15.21	64.01				
AV	17.8747G	41.02	54.00	-12.98	43.22	3	Vertical	234	1.80	-	46.60	15.21	64.01				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 92
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9171G	44.84	74.00	-29.16	58.61	3	Horizontal	180	1.75	-	39.30	12.75	65.82				
AV	11.93545G	34.35	54.00	-19.65	48.10	3	Horizontal	180	1.75	-	39.30	12.76	65.81				
PK	17.8803G	51.34	74.00	-22.66	53.51	3	Horizontal	355	1.80	-	46.62	15.22	64.01				
AV	17.87485G	41.14	54.00	-12.86	43.34	3	Horizontal	355	1.80	-	46.60	15.21	64.01				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 92
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81406G	49.93	74.00	-24.07	40.98	1	Vertical	146	1.47	-	38.90	17.95	47.90			
AV	23.81394G	39.04	54.00	-14.96	30.09	1	Vertical	146	1.47	-	38.90	17.95	47.90			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 92
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83191G	49.78	74.00	-24.22	40.85	1	Horizontal	18	1.99	-	38.90	17.93	47.90			
AV	23.82021G	39.19	54.00	-14.81	30.25	1	Horizontal	18	1.99	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3984G	44.74	74.00	-29.26	58.80	3	Vertical	107	1.80	-	38.70	12.85	65.61			
AV	12.403G	34.28	54.00	-19.72	48.33	3	Vertical	107	1.80	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3585G	45.45	74.00	-28.55	59.52	3	Horizontal	201	1.89	-	38.70	12.85	65.62			
AV	12.2915G	34.50	54.00	-19.50	48.61	3	Horizontal	201	1.89	-	38.70	12.84	65.65			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6205MHz_TX

EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62756G	46.68	83.54	-36.86	41.54	1	Vertical	161	1.80	108	37.64	16.18	48.68			
AV	18.58076G	35.79	63.54	-27.75	30.68	1	Vertical	161	1.80	108	37.62	16.14	48.65			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.64004G	46.93	83.54	-36.61	41.80	1	Horizontal	357	1.80	108	37.62	16.19	48.68			
AV	18.6022G	35.89	63.54	-27.65	30.69	1	Horizontal	357	1.80	108	37.70	16.16	48.66			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80531G	43.83	88.20	-44.37	57.15	3	Vertical	10	1.54	-	38.92	12.91	65.15			
RMS	12.80538G	32.93	68.20	-35.27	46.25	3	Vertical	10	1.54	-	38.92	12.91	65.15			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80793G	44.11	88.20	-44.09	57.41	3	Horizontal	282	2.07	-	38.93	12.92	65.15			
RMS	12.8114G	33.25	68.20	-34.95	46.52	3	Horizontal	282	2.07	-	38.95	12.92	65.14			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2222G	47.71	83.54	-35.83	42.34	1	Vertical	13	1.84	108	37.73	16.50	48.86			
AV	19.20916G	36.31	63.54	-27.23	31.02	1	Vertical	13	1.84	108	37.65	16.50	48.86			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2234G	46.64	83.54	-36.90	41.26	1	Horizontal	250	1.80	108	37.74	16.50	48.86			
AV	19.21516G	36.17	63.54	-27.37	30.84	1	Horizontal	250	1.80	108	37.69	16.50	48.86			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12923G	45.49	88.20	-42.71	57.73	3	Vertical	134	2.64	-	39.66	12.97	64.87			
RMS	13.12552G	34.30	68.20	-33.90	46.56	3	Vertical	134	2.64	-	39.65	12.96	64.87			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12889G	45.97	88.20	-42.23	58.22	3	Horizontal	289	2.81	-	39.66	12.96	64.87			
RMS	13.12501G	34.64	68.20	-33.56	46.90	3	Horizontal	289	2.81	-	39.65	12.96	64.87			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.71828G	47.09	83.54	-36.45	41.77	1	Vertical	105	1.80	108	37.63	16.58	48.89			
AV	19.72204G	36.35	63.54	-27.19	31.05	1	Vertical	105	1.80	108	37.61	16.58	48.89			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.67228G	47.13	83.54	-36.41	41.84	1	Horizontal	1	1.80	108	37.59	16.57	48.87			
AV	19.72564G	36.59	63.54	-26.95	31.30	1	Horizontal	1	1.80	108	37.60	16.58	48.89			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37315G	45.87	74.00	-28.13	57.52	3	Vertical	119	2.65	-	40.19	13.00	64.84			
AV	13.3738G	34.76	54.00	-19.24	46.40	3	Vertical	119	2.65	-	40.20	13.00	64.84			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37306G	46.03	74.00	-27.97	57.68	3	Horizontal	338	2.43	-	40.19	13.00	64.84			
AV	13.37342G	34.82	54.00	-19.18	46.47	3	Horizontal	338	2.43	-	40.19	13.00	64.84			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.0182G	46.71	83.54	-36.83	41.74	1	Vertical	193	1.80	108	37.33	16.64	49.00				
AV	20.03756G	35.77	63.54	-27.77	30.86	1	Vertical	193	1.80	108	37.25	16.65	48.99				

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
SET 108
02-D-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.02796G	46.07	83.54	-37.47	41.12	1	Horizontal	329	1.80	108	37.29	16.65	48.99			
AV	20.01804G	35.93	63.54	-27.61	30.96	1	Horizontal	329	1.80	108	37.33	16.64	49.00			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
06-U-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68109G	59.03	88.20	-29.17	41.46	3	Vertical	197	2.39	-	40.16	12.13	34.72			
RMS	13.68463G	49.91	68.20	-18.29	32.33	3	Vertical	197	2.39	-	40.17	12.13	34.72			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
06-U-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69694G	59.73	88.20	-28.47	42.12	3	Horizontal	346	2.44	-	40.19	12.14	34.72			
RMS	13.69904G	49.65	68.20	-18.55	32.03	3	Horizontal	346	2.44	-	40.20	12.14	34.72			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
06-U-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53166G	45.29	83.54	-38.25	39.55	1	Vertical	269	2.88	-	37.54	17.10	48.90			
AV	20.52566G	35.72	63.54	-27.82	29.97	1	Vertical	269	2.88	-	37.55	17.10	48.90			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
06-U-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53828G	45.58	83.54	-37.96	39.85	1	Horizontal	140	1.15	-	37.52	17.11	48.90			
AV	20.52632G	35.71	63.54	-27.83	29.96	1	Horizontal	140	1.15	-	37.55	17.10	48.90			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 95
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9106G	77.85	88.20	-10.35	65.73	3	Vertical	330	3.00	-	34.12	8.16	30.16			
RMS	5.909G	66.91	68.20	-1.29	54.79	3	Vertical	330	3.00	-	34.12	8.16	30.16			
PK	6.0038G	108.51	Inf	-Inf	96.21	3	Vertical	330	3.00	-	34.31	8.12	30.13			
RMS	5.9998G	99.36	Inf	-Inf	87.07	3	Vertical	330	3.00	-	34.30	8.12	30.13			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 95
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	79.05	88.20	-9.15	66.91	3	Horizontal	4	1.70	-	34.14	8.16	30.16			
RMS	5.911G	68.09	68.20	-0.11	55.97	3	Horizontal	4	1.70	-	34.12	8.16	30.16			
PK	6.005G	112.46	Inf	-Inf	100.16	3	Horizontal	4	1.70	-	34.31	8.12	30.13			
RMS	6.0002G	102.47	Inf	-Inf	90.18	3	Horizontal	4	1.70	-	34.30	8.12	30.13			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 85
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9205G	81.04	88.20	-7.16	68.90	3	Vertical	329	2.94	-	34.14	8.16	30.16			
RMS	5.9205G	65.14	68.20	-3.06	53.00	3	Vertical	329	2.94	-	34.14	8.16	30.16			
PK	6.0845G	104.45	Inf	-Inf	92.07	3	Vertical	329	2.94	-	34.47	8.07	30.16			
RMS	6.09G	94.79	Inf	-Inf	82.41	3	Vertical	329	2.94	-	34.48	8.07	30.17			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 85
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9205G	82.46	88.20	-5.74	70.32	3	Horizontal	281	2.60	-	34.14	8.16	30.16			
RMS	5.925G	67.90	68.20	-0.30	55.76	3	Horizontal	281	2.60	-	34.15	8.15	30.16			
PK	6.088G	110.05	Inf	-Inf	97.67	3	Horizontal	281	2.60	-	34.48	8.07	30.17			
RMS	6.1015G	99.82	Inf	-Inf	87.43	3	Horizontal	281	2.60	-	34.50	8.06	30.17			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 88
02-D-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8737G	76.08	88.20	-12.12	64.09	3	Vertical	332	2.90	-	33.99	8.18	30.18			
RMS	5.8791G	64.10	68.20	-4.10	52.08	3	Vertical	332	2.90	-	34.02	8.17	30.17			
PK	6.1482G	102.69	Inf	-Inf	90.24	3	Vertical	332	2.90	-	34.60	8.04	30.19			
RMS	6.1491G	92.26	Inf	-Inf	79.81	3	Vertical	332	2.90	-	34.60	8.04	30.19			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX



EUT_Y_2TX
Setting 88
02-D-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	80.73	88.20	-7.47	68.60	3	Horizontal	280	2.53	-	34.13	8.16	30.16			
RMS	5.9169G	68.02	68.20	-0.18	55.89	3	Horizontal	280	2.53	-	34.13	8.16	30.16			
PK	6.2094G	108.26	Inf	-Inf	95.84	3	Horizontal	280	2.53	-	34.60	8.03	30.21			
RMS	6.0708G	97.95	Inf	-Inf	85.59	3	Horizontal	280	2.53	-	34.44	8.08	30.16			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX	Pass	RMS	5.9226G	68.14	68.20	-0.06	3	Horizontal	281	1.62	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

5985MHz_TX




EUT_Z_1TX
Setting 82
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	69.22	88.20	-18.98	63.18	3	Vertical	257	2.52	-	32.24	7.56	33.76			
RMS	5.925G	55.75	68.20	-12.45	49.68	3	Vertical	257	2.52	-	32.25	7.58	33.76			
PK	5.955G	94.74	Inf	-Inf	88.56	3	Vertical	257	2.52	-	32.31	7.63	33.76			
RMS	5.9535G	84.36	Inf	-Inf	78.18	3	Vertical	257	2.52	-	32.31	7.63	33.76			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

5985MHz_TX




EUT_Z_1TX
Setting 82
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	79.54	88.20	-8.66	73.48	3	Horizontal	288	1.80	-	32.25	7.57	33.76			
RMS	5.9245G	66.23	68.20	-1.97	60.17	3	Horizontal	288	1.80	-	32.25	7.57	33.76			
PK	5.955G	108.30	Inf	-Inf	102.12	3	Horizontal	288	1.80	-	32.31	7.63	33.76			
RMS	5.9725G	97.34	Inf	-Inf	91.09	3	Horizontal	288	1.80	-	32.34	7.66	33.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

6025MHz_TX




EUT_Z_1TX
Setting 81
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	67.15	88.20	-21.05	61.09	3	Vertical	222	2.64	-	32.25	7.57	33.76			
RMS	5.9234G	54.39	68.20	-13.81	48.33	3	Vertical	222	2.64	-	32.25	7.57	33.76			
PK	6.0458G	94.27	Inf	-Inf	87.82	3	Vertical	222	2.64	-	32.49	7.68	33.72			
RMS	5.9482G	83.68	Inf	-Inf	77.52	3	Vertical	222	2.64	-	32.30	7.62	33.76			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

6025MHz_TX




EUT_Z_1TX
Setting 81
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	74.12	88.20	-14.08	68.06	3	Horizontal	288	1.76	-	32.25	7.57	33.76			
RMS	5.9226G	61.97	68.20	-6.23	55.91	3	Horizontal	288	1.76	-	32.25	7.57	33.76			
PK	5.993G	105.01	Inf	-Inf	98.67	3	Horizontal	288	1.76	-	32.39	7.70	33.75			
RMS	5.9978G	94.02	Inf	-Inf	87.66	3	Horizontal	288	1.76	-	32.40	7.71	33.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	64.92	88.20	-23.28	58.86	3	Vertical	222	2.62	-	32.25	7.57	33.76			
RMS	5.9242G	52.55	68.20	-15.65	46.49	3	Vertical	222	2.62	-	32.25	7.57	33.76			
PK	5.9482G	94.56	Inf	-Inf	88.40	3	Vertical	222	2.62	-	32.30	7.62	33.76			
RMS	5.949G	84.37	Inf	-Inf	78.21	3	Vertical	222	2.62	-	32.30	7.62	33.76			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	74.07	88.20	-14.13	68.01	3	Horizontal	285	1.85	-	32.25	7.57	33.76			
RMS	5.925G	61.23	68.20	-6.97	55.16	3	Horizontal	285	1.85	-	32.25	7.58	33.76			
PK	5.9626G	105.19	Inf	-Inf	98.97	3	Horizontal	285	1.85	-	32.33	7.64	33.75			
RMS	5.9674G	94.50	Inf	-Inf	88.27	3	Horizontal	285	1.85	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

6105MHz_TX




EUT_Z_1TX
Setting 93
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.897G	64.77	88.20	-23.43	58.82	3	Vertical	170	2.12	-	32.19	7.52	33.76			
RMS	5.9002G	54.29	68.20	-13.91	48.32	3	Vertical	170	2.12	-	32.20	7.53	33.76			
PK	6.0122G	90.92	Inf	-Inf	84.54	3	Vertical	170	2.12	-	32.42	7.70	33.74			
RMS	6.0578G	80.37	Inf	-Inf	73.91	3	Vertical	170	2.12	-	32.50	7.67	33.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

6105MHz_TX




EUT_Z_1TX
Setting 93
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	78.31	88.20	-9.89	72.27	3	Horizontal	284	1.80	-	32.24	7.56	33.76			
RMS	5.925G	67.86	68.20	-0.34	61.79	3	Horizontal	284	1.80	-	32.25	7.58	33.76			
PK	5.9962G	103.01	Inf	-Inf	96.67	3	Horizontal	284	1.80	-	32.39	7.70	33.75			
RMS	6.0026G	92.49	Inf	-Inf	86.12	3	Horizontal	284	1.80	-	32.41	7.71	33.75			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX


6105MHz_TX

EUT_Z_1TX
Setting 92
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9018G	62.17	88.20	-26.03	56.20	3	Vertical	150	2.28	-	32.20	7.53	33.76			
RMS	5.8978G	51.39	68.20	-16.81	45.42	3	Vertical	150	2.28	-	32.20	7.53	33.76			
PK	5.9962G	90.81	Inf	-Inf	84.47	3	Vertical	150	2.28	-	32.39	7.70	33.75			
RMS	5.9674G	80.55	Inf	-Inf	74.32	3	Vertical	150	2.28	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Z_1TX
Setting 92
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	78.98	88.20	-9.22	72.92	3	Horizontal	281	1.76	-	32.25	7.57	33.76			
RMS	5.9242G	67.78	68.20	-0.42	61.72	3	Horizontal	281	1.76	-	32.25	7.57	33.76			
PK	5.9674G	104.02	Inf	-Inf	97.79	3	Horizontal	281	1.76	-	32.33	7.65	33.75			
RMS	5.9986G	92.74	Inf	-Inf	86.38	3	Horizontal	281	1.76	-	32.40	7.71	33.75			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Z_1TX
Setting 88
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9242G	65.85	88.20	-22.35	59.79	3	Vertical	218	1.80	-	32.25	7.57	33.76				
RMS	5.925G	53.84	68.20	-14.36	47.77	3	Vertical	218	1.80	-	32.25	7.58	33.76				
PK	5.9482G	90.10	Inf	-Inf	83.94	3	Vertical	218	1.80	-	32.30	7.62	33.76				
RMS	5.949G	79.51	Inf	-Inf	73.35	3	Vertical	218	1.80	-	32.30	7.62	33.76				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Z_1TX
Setting 88
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	78.62	88.20	-9.58	72.56	3	Horizontal	280	1.80	-	32.25	7.57	33.76			
RMS	5.9242G	66.66	68.20	-1.54	60.60	3	Horizontal	280	1.80	-	32.25	7.57	33.76			
PK	6.001G	103.11	Inf	-Inf	96.75	3	Horizontal	280	1.80	-	32.40	7.71	33.75			
RMS	6.0018G	92.35	Inf	-Inf	85.99	3	Horizontal	280	1.80	-	32.40	7.71	33.75			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT_Z_2TX
Setting 84
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	67.86	88.20	-20.34	61.79	3	Vertical	145	1.84	-	32.25	7.58	33.76			
RMS	5.925G	53.93	68.20	-14.27	47.86	3	Vertical	145	1.84	-	32.25	7.58	33.76			
PK	5.976G	97.81	Inf	-Inf	91.54	3	Vertical	145	1.84	-	32.35	7.67	33.75			
RMS	5.9715G	87.70	Inf	-Inf	81.45	3	Vertical	145	1.84	-	32.34	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX


5985MHz_TX

EUT_Z_2TX
Setting 84
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	81.39	88.20	-6.81	75.33	3	Horizontal	289	1.83	-	32.25	7.57	33.76			
RMS	5.925G	67.14	68.20	-1.06	61.07	3	Horizontal	289	1.83	-	32.25	7.58	33.76			
PK	5.973G	109.10	Inf	-Inf	102.84	3	Horizontal	289	1.83	-	32.35	7.66	33.75			
RMS	5.973G	97.99	Inf	-Inf	91.73	3	Horizontal	289	1.83	-	32.35	7.66	33.75			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX




EUT_Z_2TX
Setting 87
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	66.25	88.20	-21.95	60.19	3	Vertical	145	2.93	-	32.25	7.57	33.76			
RMS	5.925G	55.57	68.20	-12.63	49.50	3	Vertical	145	2.93	-	32.25	7.58	33.76			
PK	6.1018G	95.71	Inf	-Inf	89.24	3	Vertical	145	2.93	-	32.51	7.64	33.68			
RMS	6.0874G	85.43	Inf	-Inf	78.97	3	Vertical	145	2.93	-	32.50	7.65	33.69			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX


6025MHz_TX

EUT_Z_2TX
Setting 87
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	79.36	88.20	-8.84	73.32	3	Horizontal	289	1.87	-	32.24	7.56	33.76			
RMS	5.9178G	67.68	68.20	-0.52	61.64	3	Horizontal	289	1.87	-	32.24	7.56	33.76			
PK	6.0042G	105.73	Inf	-Inf	99.36	3	Horizontal	289	1.87	-	32.41	7.71	33.75			
RMS	6.053G	94.95	Inf	-Inf	88.49	3	Horizontal	289	1.87	-	32.50	7.68	33.72			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_TX
Setting 84
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9114G	73.07	88.20	-15.13	67.06	3	Vertical	352	2.95	-	32.22	7.55	33.76			
RMS	5.9162G	61.01	68.20	-7.19	54.98	3	Vertical	352	2.95	-	32.23	7.56	33.76			
PK	6.0522G	100.73	Inf	-Inf	94.27	3	Vertical	352	2.95	-	32.50	7.68	33.72			
RMS	6.0474G	90.39	Inf	-Inf	83.94	3	Vertical	352	2.95	-	32.49	7.68	33.72			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 84
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	78.82	88.20	-9.38	72.76	3	Horizontal	283	1.85	-	32.25	7.57	33.76			
RMS	5.9242G	67.25	68.20	-0.95	61.19	3	Horizontal	283	1.85	-	32.25	7.57	33.76			
PK	5.9658G	105.66	Inf	-Inf	99.43	3	Horizontal	283	1.85	-	32.33	7.65	33.75			
RMS	5.9482G	95.51	Inf	-Inf	89.35	3	Horizontal	283	1.85	-	32.30	7.62	33.76			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 90
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	72.95	88.20	-15.25	66.92	3	Vertical	353	2.96	-	32.23	7.56	33.76			
RMS	5.9218G	62.46	68.20	-5.74	56.41	3	Vertical	353	2.96	-	32.24	7.57	33.76			
PK	6.137G	98.95	Inf	-Inf	92.34	3	Vertical	353	2.96	-	32.65	7.62	33.66			
RMS	6.1506G	88.42	Inf	-Inf	81.76	3	Vertical	353	2.96	-	32.70	7.61	33.65			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 90
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9226G	79.94	88.20	-8.26	73.88	3	Horizontal	281	1.80	-	32.25	7.57	33.76				
RMS	5.925G	67.86	68.20	-0.34	61.79	3	Horizontal	281	1.80	-	32.25	7.58	33.76				
PK	5.9498G	102.46	Inf	-Inf	96.30	3	Horizontal	281	1.80	-	32.30	7.62	33.76				
RMS	5.9682G	92.42	Inf	-Inf	86.18	3	Horizontal	281	1.80	-	32.34	7.65	33.75				

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Z_2TX
Setting 91
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9226G	73.21	88.20	-14.99	67.15	3	Vertical	342	2.96	-	32.25	7.57	33.76				
RMS	5.925G	62.82	68.20	-5.38	56.75	3	Vertical	342	2.96	-	32.25	7.58	33.76				
PK	6.113G	99.45	Inf	-Inf	92.94	3	Vertical	342	2.96	-	32.55	7.64	33.68				
RMS	6.1498G	89.03	Inf	-Inf	82.37	3	Vertical	342	2.96	-	32.70	7.61	33.65				

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Z_2TX
Setting 91
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	78.08	88.20	-10.12	72.05	3	Horizontal	281	1.73	-	32.23	7.56	33.76			
RMS	5.925G	67.67	68.20	-0.53	61.60	3	Horizontal	281	1.73	-	32.25	7.58	33.76			
PK	6.1594G	103.99	Inf	-Inf	97.31	3	Horizontal	281	1.73	-	32.72	7.61	33.65			
RMS	6.0002G	92.96	Inf	-Inf	86.60	3	Horizontal	281	1.73	-	32.40	7.71	33.75			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX


6105MHz_TX

EUT_Z_2TX
Setting 86
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9114G	72.58	88.20	-15.62	66.57	3	Vertical	347	2.86	-	32.22	7.55	33.76			
RMS	5.925G	62.19	68.20	-6.01	56.12	3	Vertical	347	2.86	-	32.25	7.58	33.76			
PK	6.1354G	99.85	Inf	-Inf	93.25	3	Vertical	347	2.86	-	32.64	7.62	33.66			
RMS	6.1362G	89.60	Inf	-Inf	83.00	3	Vertical	347	2.86	-	32.64	7.62	33.66			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX


6105MHz_TX

EUT_Z_2TX
Setting 86
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	78.88	88.20	-9.32	72.82	3	Horizontal	288	1.80	-	32.25	7.57	33.76			
RMS	5.9234G	67.59	68.20	-0.61	61.53	3	Horizontal	288	1.80	-	32.25	7.57	33.76			
PK	5.961G	103.88	Inf	-Inf	97.67	3	Horizontal	288	1.80	-	32.32	7.64	33.75			
RMS	5.9674G	92.81	Inf	-Inf	86.58	3	Horizontal	288	1.80	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Z_4TX
Setting 78
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	78.73	88.20	-9.47	72.69	3	Vertical	359	2.05	-	32.24	7.56	33.76			
RMS	5.923G	64.18	68.20	-4.02	58.12	3	Vertical	359	2.05	-	32.25	7.57	33.76			
PK	5.988G	108.87	Inf	-Inf	102.55	3	Vertical	359	2.05	-	32.38	7.69	33.75			
RMS	5.973G	98.27	Inf	-Inf	92.01	3	Vertical	359	2.05	-	32.35	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 78
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	81.43	88.20	-6.77	75.38	3	Horizontal	289	1.57	-	32.24	7.57	33.76			
RMS	5.923G	67.42	68.20	-0.78	61.36	3	Horizontal	289	1.57	-	32.25	7.57	33.76			
PK	5.983G	112.04	Inf	-Inf	105.74	3	Horizontal	289	1.57	-	32.37	7.68	33.75			
RMS	5.973G	101.84	Inf	-Inf	95.58	3	Horizontal	289	1.57	-	32.35	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 100
06-U-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97408G	58.91	74.00	-15.09	43.59	3	Vertical	213	1.99	-	38.90	11.08	34.66			
AV	11.97716G	47.30	54.00	-6.70	31.97	3	Vertical	213	1.99	-	38.91	11.08	34.66			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 100
06-U-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97736G	59.39	74.00	-14.61	44.06	3	Horizontal	326	1.29	-	38.91	11.08	34.66			
AV	11.97256G	47.42	54.00	-6.58	32.11	3	Horizontal	326	1.29	-	38.89	11.08	34.66			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 79
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	73.92	88.20	-14.28	67.88	3	Vertical	347	1.68	-	32.24	7.56	33.76			
RMS	5.9162G	64.36	68.20	-3.84	58.33	3	Vertical	347	1.68	-	32.23	7.56	33.76			
PK	6.1018G	105.95	Inf	-Inf	99.48	3	Vertical	347	1.68	-	32.51	7.64	33.68			
RMS	6.101G	94.94	Inf	-Inf	88.49	3	Vertical	347	1.68	-	32.50	7.64	33.69			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT_Z_4TX
Setting 79
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	78.12	88.20	-10.08	72.11	3	Horizontal	289	1.57	-	32.22	7.55	33.76			
RMS	5.9226G	67.25	68.20	-0.95	61.19	3	Horizontal	289	1.57	-	32.25	7.57	33.76			
PK	6.0426G	108.91	Inf	-Inf	102.46	3	Horizontal	289	1.57	-	32.49	7.68	33.72			
RMS	5.9978G	98.47	Inf	-Inf	92.11	3	Horizontal	289	1.57	-	32.40	7.71	33.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Z_4TX
Setting 76
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9114G	75.70	88.20	-12.50	69.69	3	Vertical	357	2.78	-	32.22	7.55	33.76			
RMS	5.921G	61.81	68.20	-6.39	55.76	3	Vertical	357	2.78	-	32.24	7.57	33.76			
PK	5.9658G	104.77	Inf	-Inf	98.54	3	Vertical	357	2.78	-	32.33	7.65	33.75			
RMS	5.9658G	94.91	Inf	-Inf	88.68	3	Vertical	357	2.78	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Z_4TX
Setting 76
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	79.55	88.20	-8.65	73.49	3	Horizontal	286	1.57	-	32.25	7.57	33.76			
RMS	5.913G	64.94	68.20	-3.26	58.92	3	Horizontal	286	1.57	-	32.23	7.55	33.76			
PK	5.9626G	108.83	Inf	-Inf	102.61	3	Horizontal	286	1.57	-	32.33	7.64	33.75			
RMS	5.9626G	98.82	Inf	-Inf	92.60	3	Horizontal	286	1.57	-	32.33	7.64	33.75			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 81
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	73.40	88.20	-14.80	67.35	3	Vertical	343	1.56	-	32.24	7.57	33.76			
RMS	5.921G	62.94	68.20	-5.26	56.89	3	Vertical	343	1.56	-	32.24	7.57	33.76			
PK	6.0954G	102.86	Inf	-Inf	96.40	3	Vertical	343	1.56	-	32.50	7.65	33.69			
RMS	6.1362G	92.27	Inf	-Inf	85.67	3	Vertical	343	1.56	-	32.64	7.62	33.66			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 81
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	78.45	88.20	-9.75	72.44	3	Horizontal	281	1.62	-	32.22	7.55	33.76			
RMS	5.9226G	68.14	68.20	-0.06	62.08	3	Horizontal	281	1.62	-	32.25	7.57	33.76			
PK	5.9626G	106.10	Inf	-Inf	99.88	3	Horizontal	281	1.62	-	32.33	7.64	33.75			
RMS	6.153G	95.66	Inf	-Inf	88.99	3	Horizontal	281	1.62	-	32.71	7.61	33.65			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Z_4TX
Setting 78
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	74.93	88.20	-13.27	68.87	3	Vertical	335	2.24	-	32.25	7.57	33.76			
RMS	5.9242G	63.65	68.20	-4.55	57.59	3	Vertical	335	2.24	-	32.25	7.57	33.76			
PK	6.0698G	102.13	Inf	-Inf	95.68	3	Vertical	335	2.24	-	32.50	7.66	33.71			
RMS	6.069G	91.79	Inf	-Inf	85.33	3	Vertical	335	2.24	-	32.50	7.67	33.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Z_4TX
Setting 78
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	76.12	88.20	-12.08	70.06	3	Horizontal	281	1.62	-	32.25	7.57	33.76			
RMS	5.9178G	66.09	68.20	-2.11	60.05	3	Horizontal	281	1.62	-	32.24	7.56	33.76			
PK	6.153G	106.29	Inf	-Inf	99.62	3	Horizontal	281	1.62	-	32.71	7.61	33.65			
RMS	6.1578G	95.55	Inf	-Inf	88.87	3	Horizontal	281	1.62	-	32.72	7.61	33.65			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 73
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	73.96	88.20	-14.24	67.90	3	Vertical	336	2.16	-	32.25	7.57	33.76			
RMS	5.9242G	60.25	68.20	-7.95	54.19	3	Vertical	336	2.16	-	32.25	7.57	33.76			
PK	6.129G	101.14	Inf	-Inf	94.56	3	Vertical	336	2.16	-	32.62	7.63	33.67			
RMS	6.069G	91.16	Inf	-Inf	84.70	3	Vertical	336	2.16	-	32.50	7.67	33.71			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 73
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	75.91	88.20	-12.29	69.85	3	Horizontal	275	1.58	-	32.25	7.57	33.76			
RMS	5.9226G	64.32	68.20	-3.88	58.26	3	Horizontal	275	1.58	-	32.25	7.57	33.76			
PK	6.1386G	105.87	Inf	-Inf	99.26	3	Horizontal	275	1.58	-	32.65	7.62	33.66			
RMS	6.133G	95.44	Inf	-Inf	88.85	3	Horizontal	275	1.58	-	32.63	7.62	33.66			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 83
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.91G	78.11	88.20	-10.09	72.10	3	Vertical	356	1.98	-	32.22	7.55	33.76			
RMS	5.923G	64.75	68.20	-3.45	58.69	3	Vertical	356	1.98	-	32.25	7.57	33.76			
PK	5.994G	107.31	Inf	-Inf	100.97	3	Vertical	356	1.98	-	32.39	7.70	33.75			
RMS	5.973G	96.02	Inf	-Inf	89.76	3	Vertical	356	1.98	-	32.35	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 83
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	83.11	88.20	-5.09	77.05	3	Horizontal	291	1.54	-	32.25	7.57	33.76			
RMS	5.923G	68.09	68.20	-0.11	62.03	3	Horizontal	291	1.54	-	32.25	7.57	33.76			
PK	5.951G	109.15	Inf	-Inf	102.99	3	Horizontal	291	1.54	-	32.30	7.62	33.76			
RMS	5.973G	98.83	Inf	-Inf	92.57	3	Horizontal	291	1.54	-	32.35	7.66	33.75			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 82
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	77.93	88.20	-10.27	71.90	3	Vertical	355	1.60	-	32.23	7.56	33.76			
RMS	5.9202G	65.42	68.20	-2.78	59.37	3	Vertical	355	1.60	-	32.24	7.57	33.76			
PK	6.0458G	103.47	Inf	-Inf	97.02	3	Vertical	355	1.60	-	32.49	7.68	33.72			
RMS	6.0882G	93.43	Inf	-Inf	86.97	3	Vertical	355	1.60	-	32.50	7.65	33.69			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT_Z_4TX
Setting 82
06-U-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	79.99	88.20	-8.21	73.98	3	Horizontal	288	1.74	-	32.22	7.55	33.76			
RMS	5.9218G	67.01	68.20	-1.19	60.96	3	Horizontal	288	1.74	-	32.24	7.57	33.76			
PK	5.9994G	107.12	Inf	-Inf	100.76	3	Horizontal	288	1.74	-	32.40	7.71	33.75			
RMS	6.001G	96.09	Inf	-Inf	89.73	3	Horizontal	288	1.74	-	32.40	7.71	33.75			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 79
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	74.40	88.20	-13.80	68.35	3	Vertical	358	1.43	-	32.24	7.57	33.76			
RMS	5.925G	63.52	68.20	-4.68	57.45	3	Vertical	358	1.43	-	32.25	7.58	33.76			
PK	6.0346G	104.08	Inf	-Inf	97.65	3	Vertical	358	1.43	-	32.47	7.69	33.73			
RMS	6.0466G	93.19	Inf	-Inf	86.74	3	Vertical	358	1.43	-	32.49	7.68	33.72			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Z_4TX
Setting 79
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9098G	79.56	88.20	-8.64	73.55	3	Horizontal	286	1.65	-	32.22	7.55	33.76			
RMS	5.9226G	65.30	68.20	-2.90	59.24	3	Horizontal	286	1.65	-	32.25	7.57	33.76			
PK	5.9898G	106.90	Inf	-Inf	100.58	3	Horizontal	286	1.65	-	32.38	7.69	33.75			
RMS	5.9674G	96.41	Inf	-Inf	90.18	3	Horizontal	286	1.65	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 84
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	73.17	88.20	-15.03	67.11	3	Vertical	343	1.54	-	32.25	7.57	33.76			
RMS	5.925G	62.71	68.20	-5.49	56.64	3	Vertical	343	1.54	-	32.25	7.58	33.76			
PK	6.1354G	101.17	Inf	-Inf	94.57	3	Vertical	343	1.54	-	32.64	7.62	33.66			
RMS	6.0962G	90.00	Inf	-Inf	83.54	3	Vertical	343	1.54	-	32.50	7.65	33.69			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 84
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9098G	77.89	88.20	-10.31	71.88	3	Horizontal	281	1.71	-	32.22	7.55	33.76			
RMS	5.9098G	66.40	68.20	-1.80	60.39	3	Horizontal	281	1.71	-	32.22	7.55	33.76			
PK	5.969G	103.67	Inf	-Inf	97.43	3	Horizontal	281	1.71	-	32.34	7.65	33.75			
RMS	5.9674G	93.28	Inf	-Inf	87.05	3	Horizontal	281	1.71	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Z_4TX
Setting 81
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	71.68	88.20	-16.52	65.62	3	Vertical	341	1.80	-	32.25	7.57	33.76			
RMS	5.9242G	61.63	68.20	-6.57	55.57	3	Vertical	341	1.80	-	32.25	7.57	33.76			
PK	6.1498G	100.40	Inf	-Inf	93.74	3	Vertical	341	1.80	-	32.70	7.61	33.65			
RMS	6.0962G	89.91	Inf	-Inf	83.45	3	Vertical	341	1.80	-	32.50	7.65	33.69			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 81
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	75.80	88.20	-12.40	69.76	3	Horizontal	288	2.02	-	32.24	7.56	33.76			
RMS	5.925G	64.54	68.20	-3.66	58.47	3	Horizontal	288	2.02	-	32.25	7.58	33.76			
PK	6.1546G	103.78	Inf	-Inf	97.11	3	Horizontal	288	2.02	-	32.71	7.61	33.65			
RMS	6.1482G	93.32	Inf	-Inf	86.68	3	Horizontal	288	2.02	-	32.69	7.61	33.66			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 77
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	74.60	88.20	-13.60	68.54	3	Vertical	335	1.80	-	32.25	7.57	33.76			
RMS	5.925G	60.85	68.20	-7.35	54.78	3	Vertical	335	1.80	-	32.25	7.58	33.76			
PK	6.1002G	101.83	Inf	-Inf	95.38	3	Vertical	335	1.80	-	32.50	7.64	33.69			
RMS	6.1362G	90.37	Inf	-Inf	83.77	3	Vertical	335	1.80	-	32.64	7.62	33.66			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX



EUT_Z_4TX
Setting 77
06-U-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	77.78	88.20	-10.42	71.72	3	Horizontal	278	1.56	-	32.25	7.57	33.76			
RMS	5.9242G	63.25	68.20	-4.95	57.19	3	Horizontal	278	1.56	-	32.25	7.57	33.76			
PK	5.9706G	102.99	Inf	-Inf	96.74	3	Horizontal	278	1.56	-	32.34	7.66	33.75			
RMS	6.0098G	92.82	Inf	-Inf	86.44	3	Horizontal	278	1.56	-	32.42	7.70	33.74			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX	Pass	RMS	5.9202G	68.12	68.20	-0.08	3	Horizontal	2	1.58	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

5985MHz_TX




EUT_Z_1TX
Setting 75
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	83.85	88.20	-4.35	77.78	3	Vertical	0	1.64	-	32.25	7.58	33.76			
RMS	5.9205G	65.83	68.20	-2.37	59.78	3	Vertical	0	1.64	-	32.24	7.57	33.76			
PK	5.979G	113.79	Inf	-Inf	107.51	3	Vertical	0	1.64	-	32.36	7.67	33.75			
RMS	5.9725G	102.24	Inf	-Inf	95.99	3	Vertical	0	1.64	-	32.34	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX


5985MHz_TX

EUT_Z_1TX
Setting 75
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	84.89	88.20	-3.31	78.84	3	Horizontal	0	1.65	-	32.24	7.57	33.76			
RMS	5.925G	67.99	68.20	-0.21	61.92	3	Horizontal	0	1.65	-	32.25	7.58	33.76			
PK	5.954G	115.15	Inf	-Inf	108.97	3	Horizontal	0	1.65	-	32.31	7.63	33.76			
RMS	5.973G	103.55	Inf	-Inf	97.29	3	Horizontal	0	1.65	-	32.35	7.66	33.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9082G	79.11	88.20	-9.09	73.11	3	Vertical	0	1.65	-	32.22	7.54	33.76				
RMS	5.925G	66.10	68.20	-2.10	60.03	3	Vertical	0	1.65	-	32.25	7.58	33.76				
PK	5.9498G	110.90	Inf	-Inf	104.74	3	Vertical	0	1.65	-	32.30	7.62	33.76				
RMS	5.9658G	99.94	Inf	-Inf	93.71	3	Vertical	0	1.65	-	32.33	7.65	33.75				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

6025MHz_TX




EUT_Z_1TX
Setting 78
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9226G	81.20	88.20	-7.00	75.14	3	Horizontal	0	1.66	-	32.25	7.57	33.76				
RMS	5.9218G	68.11	68.20	-0.09	62.06	3	Horizontal	0	1.66	-	32.24	7.57	33.76				
PK	5.9658G	112.42	Inf	-Inf	106.19	3	Horizontal	0	1.66	-	32.33	7.65	33.75				
RMS	5.9482G	101.61	Inf	-Inf	95.45	3	Horizontal	0	1.66	-	32.30	7.62	33.76				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Z_1TX
Setting 75
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9146G	79.24	88.20	-8.96	73.21	3	Vertical	0	1.62	-	32.23	7.56	33.76			
RMS	5.9234G	63.55	68.20	-4.65	57.49	3	Vertical	0	1.62	-	32.25	7.57	33.76			
PK	5.961G	110.50	Inf	-Inf	104.29	3	Vertical	0	1.62	-	32.32	7.64	33.75			
RMS	5.9666G	99.72	Inf	-Inf	93.49	3	Vertical	0	1.62	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Z_1TX
Setting 75
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9146G	78.86	88.20	-9.34	72.83	3	Horizontal	15	1.66	-	32.23	7.56	33.76			
RMS	5.925G	61.61	68.20	-6.59	55.54	3	Horizontal	15	1.66	-	32.25	7.58	33.76			
PK	5.9498G	107.98	Inf	-Inf	101.82	3	Horizontal	15	1.66	-	32.30	7.62	33.76			
RMS	5.9482G	97.30	Inf	-Inf	91.14	3	Horizontal	15	1.66	-	32.30	7.62	33.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX


6105MHz_TX

EUT_Z_1TX
Setting 77
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	77.76	88.20	-10.44	71.72	3	Vertical	0	1.66	-	32.24	7.56	33.76
RMS	5.9226G	64.34	68.20	-3.86	58.28	3	Vertical	0	1.66	-	32.25	7.57	33.76
PK	5.969G	107.17	Inf	-Inf	100.93	3	Vertical	0	1.66	-	32.34	7.65	33.75
RMS	5.9674G	95.87	Inf	-Inf	89.64	3	Vertical	0	1.66	-	32.33	7.65	33.75

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX


6105MHz_TX

EUT_Z_1TX
Setting 77
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	79.47	88.20	-8.73	73.43	3	Horizontal	0	1.68	-	32.24	7.56	33.76			
RMS	5.9202G	66.36	68.20	-1.84	60.31	3	Horizontal	0	1.68	-	32.24	7.57	33.76			
PK	5.9642G	107.95	Inf	-Inf	101.72	3	Horizontal	0	1.68	-	32.33	7.65	33.75			
RMS	5.9626G	97.35	Inf	-Inf	91.13	3	Horizontal	0	1.68	-	32.33	7.64	33.75			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Z_1TX
Setting 74
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	74.97	88.20	-13.23	68.93	3	Vertical	0	1.66	-	32.24	7.56	33.76			
RMS	5.925G	63.07	68.20	-5.13	57.00	3	Vertical	0	1.66	-	32.25	7.58	33.76			
PK	5.9674G	106.62	Inf	-Inf	100.39	3	Vertical	0	1.66	-	32.33	7.65	33.75			
RMS	5.9674G	96.01	Inf	-Inf	89.78	3	Vertical	0	1.66	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX


6105MHz_TX

EUT_Z_1TX
Setting 74
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	77.17	88.20	-11.03	71.13	3	Horizontal	0	1.67	-	32.24	7.56	33.76			
RMS	5.9226G	64.76	68.20	-3.44	58.70	3	Horizontal	0	1.67	-	32.25	7.57	33.76			
PK	5.9642G	108.70	Inf	-Inf	102.47	3	Horizontal	0	1.67	-	32.33	7.65	33.75			
RMS	5.9482G	97.58	Inf	-Inf	91.42	3	Horizontal	0	1.67	-	32.30	7.62	33.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX


6105MHz_TX

EUT_Z_1TX
Setting 70
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	74.77	88.20	-13.43	68.73	3	Vertical	0	1.68	-	32.24	7.56	33.76			
RMS	5.925G	60.61	68.20	-7.59	54.54	3	Vertical	0	1.68	-	32.25	7.58	33.76			
PK	5.9674G	106.71	Inf	-Inf	100.48	3	Vertical	0	1.68	-	32.33	7.65	33.75			
RMS	5.9674G	95.79	Inf	-Inf	89.56	3	Vertical	0	1.68	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Z_1TX
Setting 70
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	77.34	88.20	-10.86	71.28	3	Horizontal	0	1.67	-	32.25	7.57	33.76			
RMS	5.9242G	62.38	68.20	-5.82	56.32	3	Horizontal	0	1.67	-	32.25	7.57	33.76			
PK	5.9706G	108.92	Inf	-Inf	102.67	3	Horizontal	0	1.67	-	32.34	7.66	33.75			
RMS	5.9482G	97.38	Inf	-Inf	91.22	3	Horizontal	0	1.67	-	32.30	7.62	33.76			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT_Z_2TX
Setting 71
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.922G	87.00	88.20	-1.20	80.95	3	Vertical	0	1.64	-	32.24	7.57	33.76				
RMS	5.917G	65.12	68.20	-3.08	59.09	3	Vertical	0	1.64	-	32.23	7.56	33.76				
PK	5.972G	114.94	Inf	-Inf	108.69	3	Vertical	0	1.64	-	32.34	7.66	33.75				
RMS	5.976G	104.74	Inf	-Inf	98.47	3	Vertical	0	1.64	-	32.35	7.67	33.75				

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT_Z_2TX
Setting 71
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	83.64	88.20	-4.56	77.57	3	Horizontal	0	1.73	-	32.25	7.58	33.76			
RMS	5.9195G	66.47	68.20	-1.73	60.42	3	Horizontal	0	1.73	-	32.24	7.57	33.76			
PK	5.996G	115.46	Inf	-Inf	109.12	3	Horizontal	0	1.73	-	32.39	7.70	33.75			
RMS	5.974G	105.07	Inf	-Inf	98.81	3	Horizontal	0	1.73	-	32.35	7.66	33.75			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX




EUT_Z_2TX
Setting 75
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	81.85	88.20	-6.35	75.81	3	Vertical	0	1.66	-	32.24	7.56	33.76			
RMS	5.9218G	67.06	68.20	-1.14	61.01	3	Vertical	0	1.66	-	32.24	7.57	33.76			
PK	6.0586G	112.13	Inf	-Inf	105.67	3	Vertical	0	1.66	-	32.50	7.67	33.71			
RMS	6.0514G	102.32	Inf	-Inf	95.86	3	Vertical	0	1.66	-	32.50	7.68	33.72			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX




EUT_Z_2TX
Setting 75
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	81.79	88.20	-6.41	75.74	3	Horizontal	0	1.65	-	32.24	7.57	33.76			
RMS	5.925G	67.94	68.20	-0.26	61.87	3	Horizontal	0	1.65	-	32.25	7.58	33.76			
PK	5.9626G	113.26	Inf	-Inf	107.04	3	Horizontal	0	1.65	-	32.33	7.64	33.75			
RMS	5.969G	103.07	Inf	-Inf	96.83	3	Horizontal	0	1.65	-	32.34	7.65	33.75			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 73
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9082G	82.50	88.20	-5.70	76.50	3	Vertical	0	1.67	-	32.22	7.54	33.76			
RMS	5.9218G	66.12	68.20	-2.08	60.07	3	Vertical	0	1.67	-	32.24	7.57	33.76			
PK	5.9642G	113.32	Inf	-Inf	107.09	3	Vertical	0	1.67	-	32.33	7.65	33.75			
RMS	6.0562G	102.39	Inf	-Inf	95.93	3	Vertical	0	1.67	-	32.50	7.67	33.71			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 73
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	83.20	88.20	-5.00	77.14	3	Horizontal	4	1.72	-	32.25	7.57	33.76			
RMS	5.925G	67.11	68.20	-1.09	61.04	3	Horizontal	4	1.72	-	32.25	7.58	33.76			
PK	5.9626G	113.10	Inf	-Inf	106.88	3	Horizontal	4	1.72	-	32.33	7.64	33.75			
RMS	5.9986G	103.10	Inf	-Inf	96.74	3	Horizontal	4	1.72	-	32.40	7.71	33.75			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 74
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	80.99	88.20	-7.21	74.98	3	Vertical	4	1.59	-	32.22	7.55	33.76
RMS	5.9202G	67.43	68.20	-0.77	61.38	3	Vertical	4	1.59	-	32.24	7.57	33.76
PK	6.129G	110.82	Inf	-Inf	104.24	3	Vertical	4	1.59	-	32.62	7.63	33.67
RMS	6.133G	99.00	Inf	-Inf	92.41	3	Vertical	4	1.59	-	32.63	7.62	33.66

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX


6105MHz_TX

EUT_Z_2TX
Setting 74
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	82.55	88.20	-5.65	76.51	3	Horizontal	2	1.58	-	32.24	7.56	33.76			
RMS	5.9202G	68.12	68.20	-0.08	62.07	3	Horizontal	2	1.58	-	32.24	7.57	33.76			
PK	6.0698G	109.72	Inf	-Inf	103.27	3	Horizontal	2	1.58	-	32.50	7.66	33.71			
RMS	6.1394G	99.14	Inf	-Inf	92.52	3	Horizontal	2	1.58	-	32.66	7.62	33.66			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Z_2TX
Setting 72
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	79.75	88.20	-8.45	73.71	3	Vertical	3	1.69	-	32.24	7.56	33.76			
RMS	5.9218G	66.93	68.20	-1.27	60.88	3	Vertical	3	1.69	-	32.24	7.57	33.76			
PK	6.1386G	110.35	Inf	-Inf	103.74	3	Vertical	3	1.69	-	32.65	7.62	33.66			
RMS	6.1378G	99.31	Inf	-Inf	92.70	3	Vertical	3	1.69	-	32.65	7.62	33.66			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Z_2TX
Setting 72
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.9242G	80.95	88.20	-7.25	74.89	3	Horizontal	5	1.69	-	32.25	7.57	33.76					
RMS	5.9242G	67.74	68.20	-0.46	61.68	3	Horizontal	5	1.69	-	32.25	7.57	33.76					
PK	5.9498G	110.46	Inf	-Inf	104.30	3	Horizontal	5	1.69	-	32.30	7.62	33.76					
RMS	6.1298G	99.83	Inf	-Inf	93.25	3	Horizontal	5	1.69	-	32.62	7.63	33.67					

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX




EUT_Z_2TX
Setting 68
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	78.26	88.20	-9.94	72.20	3	Vertical	6	1.66	-	32.25	7.57	33.76			
RMS	5.9226G	65.23	68.20	-2.97	59.17	3	Vertical	6	1.66	-	32.25	7.57	33.76			
PK	6.0666G	109.95	Inf	-Inf	103.49	3	Vertical	6	1.66	-	32.50	7.67	33.71			
RMS	6.1314G	99.42	Inf	-Inf	92.84	3	Vertical	6	1.66	-	32.63	7.62	33.67			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX




EUT_Z_2TX
Setting 68
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	80.51	88.20	-7.69	74.45	3	Horizontal	4	1.72	-	32.25	7.57	33.76			
RMS	5.9242G	66.16	68.20	-2.04	60.10	3	Horizontal	4	1.72	-	32.25	7.57	33.76			
PK	6.1162G	110.19	Inf	-Inf	103.68	3	Horizontal	4	1.72	-	32.56	7.63	33.68			
RMS	6.1298G	99.67	Inf	-Inf	93.09	3	Horizontal	4	1.72	-	32.62	7.63	33.67			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Z_4TX
Setting 67
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	85.89	88.20	-2.31	79.86	3	Vertical	7	1.59	-	32.23	7.56	33.76			
RMS	5.916G	65.65	68.20	-2.55	59.62	3	Vertical	7	1.59	-	32.23	7.56	33.76			
PK	5.996G	121.54	Inf	-Inf	115.20	3	Vertical	7	1.59	-	32.39	7.70	33.75			
RMS	5.971G	110.80	Inf	-Inf	104.55	3	Vertical	7	1.59	-	32.34	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 67
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	87.90	88.20	-0.30	81.85	3	Horizontal	3	1.69	-	32.24	7.57	33.76			
RMS	5.922G	65.90	68.20	-2.30	59.85	3	Horizontal	3	1.69	-	32.24	7.57	33.76			
PK	5.982G	121.83	Inf	-Inf	115.54	3	Horizontal	3	1.69	-	32.36	7.68	33.75			
RMS	5.972G	110.86	Inf	-Inf	104.61	3	Horizontal	3	1.69	-	32.34	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_2TX
Setting 67
06-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.98872G	57.10	74.00	-16.90	41.72	3	Vertical	2	1.80	-	38.95	11.09	34.66				
AV	11.98176G	45.18	54.00	-8.82	29.82	3	Vertical	2	1.80	-	38.93	11.09	34.66				
PK	17.97004G	52.58	74.00	-21.42	20.13	3	Vertical	8	2.42	-	52.02	14.78	34.35				
AV	17.9738G	41.49	54.00	-12.51	8.84	3	Vertical	8	2.42	-	52.23	14.78	34.36				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_2TX
Setting 67
06-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.98424G	57.11	74.00	-16.89	41.74	3	Horizontal	97	1.07	-	38.94	11.09	34.66				
AV	11.98496G	45.26	54.00	-8.74	29.89	3	Horizontal	97	1.07	-	38.94	11.09	34.66				
PK	17.96732G	53.60	74.00	-20.40	21.30	3	Horizontal	48	2.22	-	51.87	14.78	34.35				
AV	17.9742G	40.81	54.00	-13.19	8.13	3	Horizontal	48	2.22	-	52.26	14.78	34.36				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_2TX
Setting 67
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95512G	57.01	83.54	-26.53	47.73	1	Vertical	144	1.26	-	38.99	18.19	47.90			
AV	23.9576G	45.88	63.54	-17.66	36.60	1	Vertical	144	1.26	-	38.98	18.20	47.90			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_TX
Setting 67
06-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.957779G	57.21	83.54	-26.33	47.93	1	Horizontal	233	2.89	-	38.98	18.20	47.90			
AV	23.95784G	45.94	63.54	-17.60	36.66	1	Horizontal	233	2.89	-	38.98	18.20	47.90			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT_Z_4TX
Setting 68
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	82.80	88.20	-5.40	76.75	3	Vertical	7	1.53	-	32.24	7.57	33.76			
RMS	5.921G	66.47	68.20	-1.73	60.42	3	Vertical	7	1.53	-	32.24	7.57	33.76			
PK	6.1002G	118.18	Inf	-Inf	111.73	3	Vertical	7	1.53	-	32.50	7.64	33.69			
RMS	5.9658G	107.59	Inf	-Inf	101.36	3	Vertical	7	1.53	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT_Z_4TX
Setting 68
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	79.83	88.20	-8.37	73.80	3	Horizontal	4	1.66	-	32.23	7.56	33.76			
RMS	5.9226G	67.47	68.20	-0.73	61.41	3	Horizontal	4	1.66	-	32.25	7.57	33.76			
PK	5.9626G	119.14	Inf	-Inf	112.92	3	Horizontal	4	1.66	-	32.33	7.64	33.75			
RMS	6.0522G	107.66	Inf	-Inf	101.20	3	Horizontal	4	1.66	-	32.50	7.68	33.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Z_4TX
Setting 66
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9162G	79.78	88.20	-8.42	73.75	3	Vertical	9	1.52	-	32.23	7.56	33.76			
RMS	5.921G	66.36	68.20	-1.84	60.31	3	Vertical	9	1.52	-	32.24	7.57	33.76			
PK	5.961G	118.21	Inf	-Inf	112.00	3	Vertical	9	1.52	-	32.32	7.64	33.75			
RMS	5.9658G	107.82	Inf	-Inf	101.59	3	Vertical	9	1.52	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Z_4TX
Setting 66
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	84.05	88.20	-4.15	78.03	3	Horizontal	4	1.63	-	32.23	7.55	33.76			
RMS	5.9218G	66.89	68.20	-1.31	60.84	3	Horizontal	4	1.63	-	32.24	7.57	33.76			
PK	6.0026G	118.81	Inf	-Inf	112.44	3	Horizontal	4	1.63	-	32.41	7.71	33.75			
RMS	6.0522G	108.12	Inf	-Inf	101.66	3	Horizontal	4	1.63	-	32.50	7.68	33.72			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX


6105MHz_TX

EUT_Z_4TX
Setting 66
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9098G	79.11	88.20	-9.09	73.10	3	Vertical	9	1.61	-	32.22	7.55	33.76			
RMS	5.921G	66.46	68.20	-1.74	60.41	3	Vertical	9	1.61	-	32.24	7.57	33.76			
PK	6.121G	115.22	Inf	-Inf	108.68	3	Vertical	9	1.61	-	32.58	7.63	33.67			
RMS	6.1458G	104.59	Inf	-Inf	97.95	3	Vertical	9	1.61	-	32.68	7.62	33.66			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 66
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9066G	80.45	88.20	-7.75	74.46	3	Horizontal	4	1.66	-	32.21	7.54	33.76				
RMS	5.9218G	67.24	68.20	-0.96	61.19	3	Horizontal	4	1.66	-	32.24	7.57	33.76				
PK	6.2026G	114.87	Inf	-Inf	108.10	3	Horizontal	4	1.66	-	32.81	7.58	33.62				
RMS	6.1322G	105.00	Inf	-Inf	98.42	3	Horizontal	4	1.66	-	32.63	7.62	33.67				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 65
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9114G	78.58	88.20	-9.62	72.57	3	Vertical	10	1.53	-	32.22	7.55	33.76			
RMS	5.921G	66.42	68.20	-1.78	60.37	3	Vertical	10	1.53	-	32.24	7.57	33.76			
PK	6.1466G	116.55	Inf	-Inf	109.91	3	Vertical	10	1.53	-	32.69	7.61	33.66			
RMS	6.141G	104.95	Inf	-Inf	98.33	3	Vertical	10	1.53	-	32.66	7.62	33.66			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Z_4TX
Setting 65
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9066G	78.24	88.20	-9.96	72.25	3	Horizontal	5	1.54	-	32.21	7.54	33.76			
RMS	5.9218G	66.25	68.20	-1.95	60.20	3	Horizontal	5	1.54	-	32.24	7.57	33.76			
PK	6.1626G	115.08	Inf	-Inf	108.40	3	Horizontal	5	1.54	-	32.73	7.60	33.65			
RMS	6.1322G	105.28	Inf	-Inf	98.70	3	Horizontal	5	1.54	-	32.63	7.62	33.67			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 62
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.9162G	78.54	88.20	-9.66	72.51	3	Vertical	10	1.59	-	32.23	7.56	33.76					
RMS	5.921G	65.58	68.20	-2.62	59.53	3	Vertical	10	1.59	-	32.24	7.57	33.76					
PK	6.1402G	115.69	Inf	-Inf	109.07	3	Vertical	10	1.59	-	32.66	7.62	33.66					
RMS	6.1258G	105.28	Inf	-Inf	98.72	3	Vertical	10	1.59	-	32.60	7.63	33.67					

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX


6105MHz_TX

EUT_Z_4TX
Setting 62
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	79.53	88.20	-8.67	73.48	3	Horizontal	6	1.63	-	32.24	7.57	33.76			
RMS	5.9218G	66.00	68.20	-2.20	59.95	3	Horizontal	6	1.63	-	32.24	7.57	33.76			
PK	5.9914G	115.38	Inf	-Inf	109.06	3	Horizontal	6	1.63	-	32.38	7.69	33.75			
RMS	6.1322G	105.59	Inf	-Inf	99.01	3	Horizontal	6	1.63	-	32.63	7.62	33.67			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 66
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.917G	84.47	88.20	-3.73	78.44	3	Vertical	12	1.56	-	32.23	7.56	33.76			
RMS	5.9165G	61.96	68.20	-6.24	55.93	3	Vertical	12	1.56	-	32.23	7.56	33.76			
PK	5.971G	115.88	Inf	-Inf	109.63	3	Vertical	12	1.56	-	32.34	7.66	33.75			
RMS	5.971G	106.59	Inf	-Inf	100.34	3	Vertical	12	1.56	-	32.34	7.66	33.75			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX


5985MHz_TX

EUT_Z_4TX
Setting 66
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	88.05	88.20	-0.15	82.00	3	Horizontal	8	1.57	-	32.24	7.57	33.76			
RMS	5.922G	64.50	68.20	-3.70	58.45	3	Horizontal	8	1.57	-	32.24	7.57	33.76			
PK	5.981G	118.36	Inf	-Inf	112.07	3	Horizontal	8	1.57	-	32.36	7.68	33.75			
RMS	6.002G	106.93	Inf	-Inf	100.57	3	Horizontal	8	1.57	-	32.40	7.71	33.75			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 69
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	77.38	88.20	-10.82	71.34	3	Vertical	12	1.53	-	32.24	7.56	33.76			
RMS	5.925G	64.39	68.20	-3.81	58.32	3	Vertical	12	1.53	-	32.25	7.58	33.76			
PK	6.1018G	113.82	Inf	-Inf	107.35	3	Vertical	12	1.53	-	32.51	7.64	33.68			
RMS	6.0562G	103.78	Inf	-Inf	97.32	3	Vertical	12	1.53	-	32.50	7.67	33.71			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX


6025MHz_TX

EUT_Z_4TX
Setting 69
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	79.56	88.20	-8.64	73.50	3	Horizontal	12	1.60	-	32.25	7.57	33.76			
RMS	5.9242G	65.51	68.20	-2.69	59.45	3	Horizontal	12	1.60	-	32.25	7.57	33.76			
PK	6.0634G	117.43	Inf	-Inf	110.97	3	Horizontal	12	1.60	-	32.50	7.67	33.71			
RMS	5.9618G	104.25	Inf	-Inf	98.04	3	Horizontal	12	1.60	-	32.32	7.64	33.75			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU_4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 65
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	79.29	88.20	-8.91	73.26	3	Vertical	12	1.61	-	32.23	7.56	33.76
RMS	5.925G	62.12	68.20	-6.08	56.05	3	Vertical	12	1.61	-	32.25	7.58	33.76
PK	6.0458G	113.56	Inf	-Inf	107.11	3	Vertical	12	1.61	-	32.49	7.68	33.72
RMS	6.0562G	103.87	Inf	-Inf	97.41	3	Vertical	12	1.61	-	32.50	7.67	33.71

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU_4_4TX


6025MHz_TX

EUT_Z_4TX
Setting 65
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	81.10	88.20	-7.10	75.04	3	Horizontal	14	1.72	-	32.25	7.57	33.76			
RMS	5.9242G	63.08	68.20	-5.12	57.02	3	Horizontal	14	1.72	-	32.25	7.57	33.76			
PK	6.0426G	116.92	Inf	-Inf	110.47	3	Horizontal	14	1.72	-	32.49	7.68	33.72			
RMS	5.9642G	103.89	Inf	-Inf	97.66	3	Horizontal	14	1.72	-	32.33	7.65	33.75			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX


6105MHz_TX

EUT_Z_4TX
Setting 70
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.921G	82.78	88.20	-5.42	76.73	3	Vertical	11	1.63	-	32.24	7.57	33.76				
RMS	5.9202G	67.19	68.20	-1.01	61.14	3	Vertical	11	1.63	-	32.24	7.57	33.76				
PK	6.0682G	111.54	Inf	-Inf	105.08	3	Vertical	11	1.63	-	32.50	7.67	33.71				
RMS	6.137G	101.13	Inf	-Inf	94.52	3	Vertical	11	1.63	-	32.65	7.62	33.66				

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 70
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	84.10	88.20	-4.10	78.06	3	Horizontal	14	1.56	-	32.24	7.56	33.76			
RMS	5.9194G	68.09	68.20	-0.11	62.05	3	Horizontal	14	1.56	-	32.24	7.56	33.76			
PK	6.201G	114.13	Inf	-Inf	107.37	3	Horizontal	14	1.56	-	32.80	7.58	33.62			
RMS	6.1426G	101.84	Inf	-Inf	95.21	3	Horizontal	14	1.56	-	32.67	7.62	33.66			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX

EUT_Z_4TX
Setting 68
06-U-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	81.32	88.20	-6.88	75.27	3	Vertical	13	1.63	-	32.24	7.57	33.76			
RMS	5.9202G	66.73	68.20	-1.47	60.68	3	Vertical	13	1.63	-	32.24	7.57	33.76			
PK	6.1434G	112.03	Inf	-Inf	105.40	3	Vertical	13	1.63	-	32.67	7.62	33.66			
RMS	6.1466G	101.63	Inf	-Inf	94.99	3	Vertical	13	1.63	-	32.69	7.61	33.66			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 68
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	83.18	88.20	-5.02	77.17	3	Horizontal	15	1.51	-	32.22	7.55	33.76			
RMS	5.9234G	67.63	68.20	-0.57	61.57	3	Horizontal	15	1.51	-	32.25	7.57	33.76			
PK	6.0634G	114.29	Inf	-Inf	107.83	3	Horizontal	15	1.51	-	32.50	7.67	33.71			
RMS	6.141G	101.89	Inf	-Inf	95.27	3	Horizontal	15	1.51	-	32.66	7.62	33.66			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX


6105MHz_TX

EUT_Z_4TX
Setting 64
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	79.51	88.20	-8.69	73.47	3	Vertical	13	1.52	-	32.24	7.56	33.76			
RMS	5.9242G	64.40	68.20	-3.80	58.34	3	Vertical	13	1.52	-	32.25	7.57	33.76			
PK	6.1306G	112.96	Inf	-Inf	106.38	3	Vertical	13	1.52	-	32.62	7.63	33.67			
RMS	6.1314G	101.94	Inf	-Inf	95.36	3	Vertical	13	1.52	-	32.63	7.62	33.67			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX



EUT_Z_4TX
Setting 64
06-U-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	81.81	88.20	-6.39	75.75	3	Horizontal	15	1.62	-	32.25	7.57	33.76			
RMS	5.9226G	66.02	68.20	-2.18	59.96	3	Horizontal	15	1.62	-	32.25	7.57	33.76			
PK	6.0634G	114.82	Inf	-Inf	108.36	3	Horizontal	15	1.62	-	32.50	7.67	33.71			
RMS	6.1426G	102.61	Inf	-Inf	95.98	3	Horizontal	15	1.62	-	32.67	7.62	33.66			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	RMS	5.913G	68.18	68.20	-0.02	3	Horizontal	212	3.00	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

5985MHz_TX




EUT_Z_1TX
Setting 85
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.9234G	82.85	88.20	-5.35	71.07	3	Vertical	146	1.80	-	34.10	10.12	32.44
RMS	5.9246G	67.58	68.20	-0.62	55.80	3	Vertical	146	1.80	-	34.10	10.12	32.44
PK	6.0006G	108.11	Inf	-Inf	96.26	3	Vertical	146	1.80	-	34.10	10.19	32.44
RMS	5.9698G	95.38	Inf	-Inf	83.56	3	Vertical	146	1.80	-	34.10	10.16	32.44

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

5985MHz_TX




EUT_Z_1TX
Setting 85
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	75.80	88.20	-12.40	64.02	3	Horizontal	185	2.98	-	34.10	10.12	32.44
RMS	5.9242G	61.56	68.20	-6.64	49.78	3	Horizontal	185	2.98	-	34.10	10.12	32.44
PK	5.9886G	103.38	Inf	-Inf	91.54	3	Horizontal	185	2.98	-	34.10	10.18	32.44
RMS	5.9914G	91.13	Inf	-Inf	79.29	3	Horizontal	185	2.98	-	34.10	10.18	32.44

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

7025MHz_TX




EUT_Z_1TX
Setting 82
02-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0386G	107.49	Inf	-Inf	94.08	3	Vertical	148	2.31	-	35.38	8.92	30.89			
RMS	7.0382G	97.60	Inf	-Inf	84.19	3	Vertical	148	2.31	-	35.38	8.92	30.89			
PK	7.125G	78.58	88.20	-9.62	64.81	3	Vertical	148	2.31	-	35.70	8.96	30.89			
RMS	7.125G	68.13	68.20	-0.07	54.36	3	Vertical	148	2.31	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

7025MHz_TX




EUT_Z_1TX
Setting 82
02-D-S-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0266G	99.07	Inf	-Inf	85.70	3	Horizontal	187	2.38	-	35.35	8.91	30.89			
RMS	7.039G	89.52	Inf	-Inf	76.11	3	Horizontal	187	2.38	-	35.38	8.92	30.89			
PK	7.1262G	69.80	88.20	-18.40	56.03	3	Horizontal	187	2.38	-	35.70	8.96	30.89			
RMS	7.1258G	58.75	68.20	-9.45	44.98	3	Horizontal	187	2.38	-	35.70	8.96	30.89			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

6025MHz_TX




EUT_Z_1TX
Setting 86
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9245G	81.91	88.20	-6.29	70.13	3	Vertical	142	1.80	-	34.10	10.12	32.44			
RMS	5.921G	66.84	68.20	-1.36	55.07	3	Vertical	142	1.80	-	34.10	10.11	32.44			
PK	6.0865G	107.88	Inf	-Inf	95.93	3	Vertical	142	1.80	-	34.10	10.28	32.43			
RMS	6.0875G	94.84	Inf	-Inf	82.89	3	Vertical	142	1.80	-	34.10	10.28	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

6025MHz_TX




EUT_Z_1TX
Setting 86
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	72.74	88.20	-15.46	60.96	3	Horizontal	188	2.95	-	34.10	10.12	32.44			
RMS	5.9205G	59.41	68.20	-8.79	47.64	3	Horizontal	188	2.95	-	34.10	10.11	32.44			
PK	5.9545G	99.55	Inf	-Inf	87.74	3	Horizontal	188	2.95	-	34.10	10.15	32.44			
RMS	5.964G	87.05	Inf	-Inf	75.23	3	Horizontal	188	2.95	-	34.10	10.16	32.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Z_1TX
Setting 85
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	82.74	88.20	-5.46	70.97	3	Vertical	140	3.00	-	34.10	10.11	32.44			
RMS	5.922G	67.75	68.20	-0.45	55.97	3	Vertical	140	3.00	-	34.10	10.12	32.44			
PK	6.06G	108.48	Inf	-Inf	96.56	3	Vertical	140	3.00	-	34.10	10.25	32.43			
RMS	6.0485G	95.96	Inf	-Inf	84.05	3	Vertical	140	3.00	-	34.10	10.24	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Z_1TX
Setting 85
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.918G	73.73	88.20	-14.47	61.96	3	Horizontal	186	2.98	-	34.10	10.11	32.44			
RMS	5.9215G	60.80	68.20	-7.40	49.02	3	Horizontal	186	2.98	-	34.10	10.12	32.44			
PK	5.997G	101.03	Inf	-Inf	89.18	3	Horizontal	186	2.98	-	34.10	10.19	32.44			
RMS	5.9485G	88.53	Inf	-Inf	76.73	3	Horizontal	186	2.98	-	34.10	10.14	32.44			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

6985MHz_TX




EUT_Z_1TX
Setting 83
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.006G	104.00	Inf	-Inf	89.75	3	Vertical	157	1.80	-	36.02	10.98	32.75			
RMS	6.9225G	92.92	Inf	-Inf	78.67	3	Vertical	157	1.80	-	35.95	10.99	32.69			
PK	7.134G	78.44	88.20	-9.76	63.11	3	Vertical	157	1.80	-	36.70	11.33	32.70			
RMS	7.127G	67.49	68.20	-0.71	52.22	3	Vertical	157	1.80	-	36.66	11.31	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX


6985MHz_TX

EUT_Z_1TX
Setting 83
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0605G	94.52	Inf	-Inf	79.86	3	Horizontal	20	1.80	-	36.26	11.13	32.73			
RMS	7.0615G	83.40	Inf	-Inf	68.73	3	Horizontal	20	1.80	-	36.27	11.13	32.73			
PK	7.1485G	70.65	88.20	-17.55	55.18	3	Horizontal	20	1.80	-	36.79	11.37	32.69			
RMS	7.127G	60.00	68.20	-8.20	44.73	3	Horizontal	20	1.80	-	36.66	11.31	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Z_1TX
Setting 82
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9325G	103.75	Inf	-Inf	89.52	3	Vertical	155	1.80	-	35.94	10.99	32.70			
RMS	6.9225G	93.70	Inf	-Inf	79.45	3	Vertical	155	1.80	-	35.95	10.99	32.69			
PK	7.1605G	79.31	88.20	-8.89	63.76	3	Vertical	155	1.80	-	36.84	11.40	32.69			
RMS	7.1345G	67.67	68.20	-0.53	52.33	3	Vertical	155	1.80	-	36.71	11.33	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Z_1TX
Setting 82
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.908G	92.60	Inf	-Inf	78.30	3	Horizontal	188	1.80	-	35.98	11.00	32.68			
RMS	6.9085G	82.61	Inf	-Inf	68.31	3	Horizontal	188	1.80	-	35.98	11.00	32.68			
PK	7.2165G	67.98	88.20	-20.22	52.08	3	Horizontal	188	1.80	-	37.03	11.54	32.67			
RMS	7.2345G	57.33	68.20	-10.87	41.34	3	Horizontal	188	1.80	-	37.07	11.58	32.66			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

6105MHz_TX




EUT_Z_1TX
Setting 90
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	78.50	88.20	-9.70	66.73	3	Vertical	142	1.80	-	34.10	10.11	32.44			
RMS	5.9202G	67.90	68.20	-0.30	56.13	3	Vertical	142	1.80	-	34.10	10.11	32.44			
PK	6.1018G	104.14	Inf	-Inf	92.18	3	Vertical	142	1.80	-	34.10	10.29	32.43			
RMS	6.0722G	93.88	Inf	-Inf	81.95	3	Vertical	142	1.80	-	34.10	10.26	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

6105MHz_TX




EUT_Z_1TX
Setting 90
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	70.17	88.20	-18.03	58.39	3	Horizontal	182	2.95	-	34.10	10.12	32.44			
RMS	5.9234G	60.43	68.20	-7.77	48.65	3	Horizontal	182	2.95	-	34.10	10.12	32.44			
PK	6.0162G	97.29	Inf	-Inf	85.42	3	Horizontal	182	2.95	-	34.10	10.21	32.44			
RMS	6.0026G	86.55	Inf	-Inf	74.70	3	Horizontal	182	2.95	-	34.10	10.19	32.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Z_1TX
Setting 89
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	78.91	88.20	-9.29	67.14	3	Vertical	142	1.80	-	34.10	10.11	32.44			
RMS	5.925G	67.49	68.20	-0.71	55.71	3	Vertical	142	1.80	-	34.10	10.12	32.44			
PK	6.0642G	105.15	Inf	-Inf	93.23	3	Vertical	142	1.80	-	34.10	10.25	32.43			
RMS	6.0722G	94.14	Inf	-Inf	82.21	3	Vertical	142	1.80	-	34.10	10.26	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Z_1TX
Setting 89
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	65.91	88.20	-22.29	54.13	3	Horizontal	83	1.80	-	34.10	10.12	32.44			
RMS	5.925G	55.63	68.20	-12.57	43.85	3	Horizontal	83	1.80	-	34.10	10.12	32.44			
PK	6.0914G	92.28	Inf	-Inf	80.33	3	Horizontal	83	1.80	-	34.10	10.28	32.43			
RMS	6.0674G	81.55	Inf	-Inf	69.62	3	Horizontal	83	1.80	-	34.10	10.26	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Z_1TX
Setting 88
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	79.12	88.20	-9.08	67.34	3	Vertical	142	1.80	-	34.10	10.12	32.44			
RMS	5.9242G	67.75	68.20	-0.45	55.97	3	Vertical	142	1.80	-	34.10	10.12	32.44			
PK	6.0682G	106.43	Inf	-Inf	94.50	3	Vertical	142	1.80	-	34.10	10.26	32.43			
RMS	6.0746G	95.11	Inf	-Inf	83.18	3	Vertical	142	1.80	-	34.10	10.26	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Z_1TX
Setting 88
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	70.22	88.20	-17.98	58.44	3	Horizontal	180	3.00	-	34.10	10.12	32.44			
RMS	5.925G	59.56	68.20	-8.64	47.78	3	Horizontal	180	3.00	-	34.10	10.12	32.44			
PK	6.0802G	96.80	Inf	-Inf	84.86	3	Horizontal	180	3.00	-	34.10	10.27	32.43			
RMS	5.9922G	86.52	Inf	-Inf	74.68	3	Horizontal	180	3.00	-	34.10	10.18	32.44			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_1TX

6905MHz_TX




EUT_Z_1TX
Setting 75
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.765G	100.40	Inf	-Inf	85.99	3	Vertical	135	1.80	-	36.00	10.99	32.58
RMS	6.7994G	89.61	Inf	-Inf	75.16	3	Vertical	135	1.80	-	36.00	11.05	32.60
PK	7.2002G	73.08	88.20	-15.12	57.24	3	Vertical	135	1.80	-	37.00	11.51	32.67
RMS	7.1698G	55.85	68.20	-12.35	40.23	3	Vertical	135	1.80	-	36.88	11.43	32.69
PK	7.2698G	66.22	74.00	-7.78	50.16	3	Vertical	135	1.80	-	37.06	11.65	32.65
AV	7.25G	53.93	54.00	-0.07	37.88	3	Vertical	135	1.80	-	37.10	11.61	32.66

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_1TX

6905MHz_TX




EUT_Z_1TX
Setting 75
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8338G	92.26	Inf	-Inf	77.93	3	Horizontal	179	1.00	-	35.93	11.03	32.63			
RMS	6.8698G	81.15	Inf	-Inf	66.84	3	Horizontal	179	1.00	-	35.94	11.02	32.65			
PK	7.2034G	59.57	88.20	-28.63	43.71	3	Horizontal	179	1.00	-	37.01	11.52	32.67			
RMS	7.1994G	47.69	68.20	-20.51	31.85	3	Horizontal	179	1.00	-	37.00	11.51	32.67			
PK	7.2842G	59.31	74.00	-14.69	43.25	3	Horizontal	179	1.00	-	37.03	11.67	32.64			
AV	7.285G	47.95	54.00	-6.05	31.88	3	Horizontal	179	1.00	-	37.03	11.68	32.64			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX

6905MHz_TX




EUT_Z_1TX
Setting 71
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.805G	99.65	Inf	-Inf	85.22	3	Vertical	138	1.80	-	35.99	11.05	32.61			
RMS	6.8002G	88.72	Inf	-Inf	74.27	3	Vertical	138	1.80	-	36.00	11.05	32.60			
PK	7.201G	70.36	88.20	-17.84	54.52	3	Vertical	138	1.80	-	37.00	11.51	32.67			
RMS	7.201G	55.82	68.20	-12.38	39.98	3	Vertical	138	1.80	-	37.00	11.51	32.67			
PK	7.2714G	66.12	74.00	-7.88	50.06	3	Vertical	138	1.80	-	37.06	11.65	32.65			
AV	7.2506G	53.66	54.00	-0.34	37.60	3	Vertical	138	1.80	-	37.10	11.61	32.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX

6905MHz_TX




EUT_Z_1TX
Setting 71
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7578G	91.12	Inf	-Inf	76.72	3	Horizontal	181	1.00	-	36.00	10.97	32.57			
RMS	6.749G	81.26	Inf	-Inf	66.86	3	Horizontal	181	1.00	-	36.00	10.96	32.56			
PK	7.2322G	58.09	88.20	-30.11	42.12	3	Horizontal	181	1.00	-	37.06	11.57	32.66			
RMS	7.2426G	47.37	68.20	-20.83	31.35	3	Horizontal	181	1.00	-	37.09	11.59	32.66			
PK	7.2866G	59.33	74.00	-14.67	43.26	3	Horizontal	181	1.00	-	37.03	11.68	32.64			
AV	7.2786G	47.95	54.00	-6.05	31.89	3	Horizontal	181	1.00	-	37.04	11.66	32.64			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_1TX

6905MHz_TX




EUT_Z_1TX
Setting 79
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8858G	101.16	Inf	-Inf	86.85	3	Vertical	133	1.80	-	35.97	11.01	32.67
RMS	6.8498G	90.08	Inf	-Inf	75.79	3	Vertical	133	1.80	-	35.90	11.03	32.64
PK	7.129G	71.49	88.20	-16.71	56.21	3	Vertical	133	1.80	-	36.67	11.31	32.70
RMS	7.1666G	58.77	68.20	-9.43	43.17	3	Vertical	133	1.80	-	36.87	11.42	32.69
PK	7.253G	64.14	74.00	-9.86	48.09	3	Vertical	133	1.80	-	37.09	11.61	32.65
AV	7.2514G	53.52	54.00	-0.48	37.46	3	Vertical	133	1.80	-	37.10	11.61	32.65

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_1TX

6905MHz_TX




EUT_Z_1TX
Setting 79
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8378G	93.11	Inf	-Inf	78.79	3	Horizontal	179	1.00	-	35.92	11.03	32.63			
RMS	6.869G	83.30	Inf	-Inf	68.99	3	Horizontal	179	1.00	-	35.94	11.02	32.65			
PK	7.1578G	60.24	88.20	-27.96	44.71	3	Horizontal	179	1.00	-	36.83	11.39	32.69			
RMS	7.125G	49.06	68.20	-19.14	33.81	3	Horizontal	179	1.00	-	36.65	11.30	32.70			
PK	7.2778G	58.39	74.00	-15.61	42.33	3	Horizontal	179	1.00	-	37.04	11.66	32.64			
AV	7.2874G	47.90	54.00	-6.10	31.83	3	Horizontal	179	1.00	-	37.03	11.68	32.64			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT_Z_2TX
Setting 83
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9222G	82.16	88.20	-6.04	70.38	3	Vertical	21	1.80	-	34.10	10.12	32.44				
RMS	5.9234G	67.95	68.20	-0.25	56.17	3	Vertical	21	1.80	-	34.10	10.12	32.44				
PK	5.9722G	108.74	Inf	-Inf	96.92	3	Vertical	21	1.80	-	34.10	10.16	32.44				
RMS	5.9986G	98.39	Inf	-Inf	86.54	3	Vertical	21	1.80	-	34.10	10.19	32.44				

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX

5985MHz_TX




EUT_Z_2TX
Setting 83
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	75.22	88.20	-12.98	63.44	3	Horizontal	258	1.00	-	34.10	10.12	32.44			
RMS	5.9246G	62.64	68.20	-5.56	50.86	3	Horizontal	258	1.00	-	34.10	10.12	32.44			
PK	5.979G	103.78	Inf	-Inf	91.95	3	Horizontal	258	1.00	-	34.10	10.17	32.44			
RMS	5.9962G	92.71	Inf	-Inf	80.86	3	Horizontal	258	1.00	-	34.10	10.19	32.44			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

7025MHz_TX




EUT_Z_2TX
Setting 81
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0286G	108.75	Inf	-Inf	94.34	3	Vertical	342	1.80	-	36.11	11.04	32.74			
RMS	7.0386G	99.00	Inf	-Inf	84.52	3	Vertical	342	1.80	-	36.15	11.07	32.74			
PK	7.125G	78.67	88.20	-9.53	63.42	3	Vertical	342	1.80	-	36.65	11.30	32.70			
RMS	7.125G	67.91	68.20	-0.29	52.66	3	Vertical	342	1.80	-	36.65	11.30	32.70			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

7025MHz_TX




EUT_Z_2TX
Setting 81
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9942G	101.25	Inf	-Inf	87.05	3	Horizontal	24	1.00	-	35.99	10.96	32.75			
RMS	6.9962G	91.28	Inf	-Inf	77.08	3	Horizontal	24	1.00	-	35.99	10.96	32.75			
PK	7.1266G	70.56	88.20	-17.64	55.29	3	Horizontal	24	1.00	-	36.66	11.31	32.70			
RMS	7.1254G	60.46	68.20	-7.74	45.21	3	Horizontal	24	1.00	-	36.65	11.30	32.70			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX




EUT_Z_2TX
Setting 84
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	78.76	88.20	-9.44	66.99	3	Vertical	21	1.80	-	34.10	10.11	32.44			
RMS	5.9205G	67.93	68.20	-0.27	56.16	3	Vertical	21	1.80	-	34.10	10.11	32.44			
PK	6.0865G	108.54	Inf	-Inf	96.59	3	Vertical	21	1.80	-	34.10	10.28	32.43			
RMS	6.087G	97.79	Inf	-Inf	85.84	3	Vertical	21	1.80	-	34.10	10.28	32.43			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

6025MHz_TX




EUT_Z_2TX
Setting 84
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	70.09	88.20	-18.11	58.31	3	Horizontal	81	1.00	-	34.10	10.12	32.44			
RMS	5.917G	59.49	68.20	-8.71	47.72	3	Horizontal	81	1.00	-	34.10	10.11	32.44			
PK	6.09G	98.77	Inf	-Inf	86.82	3	Horizontal	81	1.00	-	34.10	10.28	32.43			
RMS	6.1015G	89.19	Inf	-Inf	77.23	3	Horizontal	81	1.00	-	34.10	10.29	32.43			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 83
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9185G	79.71	88.20	-8.49	67.94	3	Vertical	352	1.80	-	34.10	10.11	32.44			
RMS	5.925G	67.44	68.20	-0.76	55.66	3	Vertical	352	1.80	-	34.10	10.12	32.44			
PK	6.0465G	107.48	Inf	-Inf	95.57	3	Vertical	352	1.80	-	34.10	10.24	32.43			
RMS	6.0525G	97.05	Inf	-Inf	85.14	3	Vertical	352	1.80	-	34.10	10.24	32.43			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 83
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9225G	73.50	88.20	-14.70	61.72	3	Horizontal	65	1.00	-	34.10	10.12	32.44			
RMS	5.9215G	61.72	68.20	-6.48	49.94	3	Horizontal	65	1.00	-	34.10	10.12	32.44			
PK	6.0475G	101.64	Inf	-Inf	89.73	3	Horizontal	65	1.00	-	34.10	10.24	32.43			
RMS	6.0485G	90.82	Inf	-Inf	78.91	3	Horizontal	65	1.00	-	34.10	10.24	32.43			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_Z_2TX
Setting 81
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9945G	105.45	Inf	-Inf	91.25	3	Vertical	360	1.80	-	35.99	10.96	32.75				
RMS	7.0015G	94.67	Inf	-Inf	80.45	3	Vertical	360	1.80	-	36.01	10.96	32.75				
PK	7.1435G	79.37	88.20	-8.83	63.96	3	Vertical	360	1.80	-	36.76	11.35	32.70				
RMS	7.128G	67.71	68.20	-0.49	52.43	3	Vertical	360	1.80	-	36.67	11.31	32.70				

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_Z_2TX
Setting 81
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.925G	98.24	Inf	-Inf	83.99	3	Horizontal	245	1.00	-	35.95	10.99	32.69			
RMS	6.9085G	88.13	Inf	-Inf	73.83	3	Horizontal	245	1.00	-	35.98	11.00	32.68			
PK	7.1295G	71.41	88.20	-16.79	56.11	3	Horizontal	245	1.00	-	36.68	11.32	32.70			
RMS	7.125G	60.32	68.20	-7.88	45.07	3	Horizontal	245	1.00	-	36.65	11.30	32.70			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Z_2TX
Setting 81
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.018G	105.73	Inf	-Inf	91.39	3	Vertical	0	1.80	-	36.07	11.01	32.74			
RMS	6.9205G	95.08	Inf	-Inf	80.81	3	Vertical	0	1.80	-	35.96	11.00	32.69			
PK	7.1435G	79.62	88.20	-8.58	64.21	3	Vertical	0	1.80	-	36.76	11.35	32.70			
RMS	7.1255G	67.91	68.20	-0.29	52.65	3	Vertical	0	1.80	-	36.65	11.31	32.70			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX


6985MHz_TX

EUT_Z_2TX
Setting 81
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9265G	99.50	Inf	-Inf	85.26	3	Horizontal	262	1.00	-	35.95	10.99	32.70			
RMS	6.9225G	89.34	Inf	-Inf	75.09	3	Horizontal	262	1.00	-	35.95	10.99	32.69			
PK	7.1505G	71.67	88.20	-16.53	56.19	3	Horizontal	262	1.00	-	36.80	11.37	32.69			
RMS	7.1265G	60.50	68.20	-7.70	45.23	3	Horizontal	262	1.00	-	36.66	11.31	32.70			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 90
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.909G	78.71	88.20	-9.49	66.95	3	Vertical	352	1.80	-	34.10	10.10	32.44			
RMS	5.925G	67.95	68.20	-0.25	56.17	3	Vertical	352	1.80	-	34.10	10.12	32.44			
PK	6.1266G	104.41	Inf	-Inf	92.36	3	Vertical	352	1.80	-	34.15	10.32	32.42			
RMS	6.1394G	94.36	Inf	-Inf	82.27	3	Vertical	352	1.80	-	34.18	10.33	32.42			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_TX
Setting 90
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	72.54	88.20	-15.66	60.76	3	Horizontal	64	1.00	-	34.10	10.12	32.44			
RMS	5.9226G	61.86	68.20	-6.34	50.08	3	Horizontal	64	1.00	-	34.10	10.12	32.44			
PK	6.0722G	98.28	Inf	-Inf	86.35	3	Horizontal	64	1.00	-	34.10	10.26	32.43			
RMS	6.0746G	87.59	Inf	-Inf	75.66	3	Horizontal	64	1.00	-	34.10	10.26	32.43			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX




EUT_Z_2TX
Setting 88
01-C-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9058G	78.60	88.20	-9.60	66.84	3	Vertical	22	1.80	-	34.10	10.10	32.44			
RMS	5.925G	67.90	68.20	-0.30	56.12	3	Vertical	22	1.80	-	34.10	10.12	32.44			
PK	6.081G	106.15	Inf	-Inf	94.21	3	Vertical	22	1.80	-	34.10	10.27	32.43			
RMS	6.1386G	95.70	Inf	-Inf	83.61	3	Vertical	22	1.80	-	34.18	10.33	32.42			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX




EUT_Z_2TX
Setting 88
01-C-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	73.35	88.20	-14.85	61.58	3	Horizontal	259	1.00	-	34.10	10.11	32.44			
RMS	5.9242G	63.33	68.20	-4.87	51.55	3	Horizontal	259	1.00	-	34.10	10.12	32.44			
PK	6.1162G	100.34	Inf	-Inf	88.33	3	Horizontal	259	1.00	-	34.13	10.31	32.43			
RMS	6.1362G	89.83	Inf	-Inf	77.75	3	Horizontal	259	1.00	-	34.17	10.33	32.42			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 5_2TX

6905MHz_TX




EUT_Z_2TX
Setting 74
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7882G	101.82	Inf	-Inf	87.38	3	Vertical	0	1.80	-	36.00	11.03	32.59			
RMS	6.8762G	91.52	Inf	-Inf	77.21	3	Vertical	0	1.80	-	35.95	11.02	32.66			
PK	7.2698G	65.98	74.00	-8.02	49.92	3	Vertical	0	1.80	-	37.06	11.65	32.65			
RMS	7.2514G	53.95	54.00	-0.05	37.89	3	Vertical	0	1.80	-	37.10	11.61	32.65			
PK	7.1906G	72.52	88.20	-15.68	56.76	3	Vertical	0	1.80	-	36.96	11.48	32.68			
AV	7.2034G	56.46	68.20	-11.74	40.60	3	Vertical	0	1.80	-	37.01	11.52	32.67			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 5_2TX

6905MHz_TX




EUT_Z_2TX
Setting 74
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7666G	90.98	Inf	-Inf	76.57	3	Horizontal	235	1.80	-	36.00	10.99	32.58			
RMS	6.7482G	80.17	Inf	-Inf	65.77	3	Horizontal	235	1.80	-	36.01	10.95	32.56			
PK	7.1978G	61.78	88.20	-26.42	45.96	3	Horizontal	235	1.80	-	36.99	11.50	32.67			
RMS	7.1874G	47.54	68.20	-20.66	31.79	3	Horizontal	235	1.80	-	36.95	11.48	32.68			
PK	7.277G	59.39	74.00	-14.61	43.32	3	Horizontal	235	1.80	-	37.05	11.66	32.64			
AV	7.2874G	48.07	54.00	-5.93	32.00	3	Horizontal	235	1.80	-	37.03	11.68	32.64			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX


6905MHz_TX

EUT_Z_2TX
Setting 74
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7938G	101.52	Inf	-Inf	87.08	3	Vertical	3	1.80	-	36.00	11.04	32.60
RMS	6.8018G	91.01	Inf	-Inf	76.56	3	Vertical	3	1.80	-	36.00	11.05	32.60
PK	7.181G	70.11	88.20	-18.09	54.41	3	Vertical	3	1.80	-	36.92	11.46	32.68
RMS	7.193G	55.34	68.20	-12.86	39.56	3	Vertical	3	1.80	-	36.97	11.49	32.68
PK	7.2802G	68.37	74.00	-5.63	52.30	3	Vertical	3	1.80	-	37.04	11.67	32.64
AV	7.2506G	53.71	54.00	-0.29	37.65	3	Vertical	3	1.80	-	37.10	11.61	32.65

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 74
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8178G	94.59	Inf	-Inf	80.21	3	Horizontal	243	1.00	-	35.96	11.04	32.62			
RMS	6.7978G	83.98	Inf	-Inf	69.53	3	Horizontal	243	1.00	-	36.00	11.05	32.60			
PK	7.2394G	60.65	88.20	-27.55	44.64	3	Horizontal	243	1.00	-	37.08	11.59	32.66			
RMS	7.2434G	48.48	68.20	-19.72	32.46	3	Horizontal	243	1.00	-	37.09	11.59	32.66			
PK	7.2802G	61.13	74.00	-12.87	45.06	3	Horizontal	243	1.00	-	37.04	11.67	32.64			
AV	7.2794G	48.87	54.00	-5.13	32.81	3	Horizontal	243	1.00	-	37.04	11.66	32.64			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 9_2TX

6905MHz_TX




EUT_Z_2TX
Setting 76
01-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8586G	103.86	Inf	-Inf	89.57	3	Vertical	1	1.80	-	35.92	11.02	32.65
RMS	6.8762G	93.01	Inf	-Inf	78.70	3	Vertical	1	1.80	-	35.95	11.02	32.66
PK	7.1666G	73.06	88.20	-15.14	57.46	3	Vertical	1	1.80	-	36.87	11.42	32.69
RMS	7.1666G	58.80	68.20	-9.40	43.20	3	Vertical	1	1.80	-	36.87	11.42	32.69
PK	7.2546G	64.80	74.00	-9.20	48.74	3	Vertical	1	1.80	-	37.09	11.62	32.65
AV	7.2506G	53.17	54.00	-0.83	37.11	3	Vertical	1	1.80	-	37.10	11.61	32.65

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 9_2TX

6905MHz_TX




EUT_Z_2TX
Setting 76
01-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8842G	95.98	Inf	-Inf	81.66	3	Horizontal	243	1.03	-	35.97	11.01	32.66			
RMS	6.8778G	85.42	Inf	-Inf	71.11	3	Horizontal	243	1.03	-	35.96	11.01	32.66			
PK	7.1314G	59.77	88.20	-28.43	44.46	3	Horizontal	243	1.03	-	36.69	11.32	32.70			
RMS	7.1906G	48.23	68.20	-19.97	32.47	3	Horizontal	243	1.03	-	36.96	11.48	32.68			
PK	7.2794G	59.92	74.00	-14.08	43.86	3	Horizontal	243	1.03	-	37.04	11.66	32.64			
AV	7.2698G	48.18	54.00	-5.82	32.12	3	Horizontal	243	1.03	-	37.06	11.65	32.65			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 77
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	81.55	88.20	-6.65	69.77	3	Vertical	21	3.00	-	34.10	10.12	32.44			
RMS	5.9205G	67.06	68.20	-1.14	55.29	3	Vertical	21	3.00	-	34.10	10.11	32.44			
PK	5.9755G	111.83	Inf	-Inf	100.00	3	Vertical	21	3.00	-	34.10	10.17	32.44			
RMS	5.9955G	102.04	Inf	-Inf	90.19	3	Vertical	21	3.00	-	34.10	10.19	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 77
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	81.13	88.20	-7.07	69.35	3	Horizontal	224	3.00	-	34.10	10.12	32.44			
RMS	5.924G	68.01	68.20	-0.19	56.23	3	Horizontal	224	3.00	-	34.10	10.12	32.44			
PK	5.994G	111.33	Inf	-Inf	99.49	3	Horizontal	224	3.00	-	34.10	10.18	32.44			
RMS	5.994G	101.07	Inf	-Inf	89.23	3	Horizontal	224	3.00	-	34.10	10.18	32.44			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Z_4TX
Setting 74
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.031G	108.50	Inf	-Inf	94.07	3	Vertical	14	1.80	-	36.12	11.05	32.74
AV	7.0358G	98.67	Inf	-Inf	84.21	3	Vertical	14	1.80	-	36.14	11.06	32.74
PK	7.1264G	77.01	88.20	-11.19	61.74	3	Vertical	14	1.80	-	36.66	11.31	32.70
RMS	7.1258G	64.68	68.20	-3.52	49.42	3	Vertical	14	1.80	-	36.65	11.31	32.70
PK	7.2716G	61.17	74.00	-12.83	45.11	3	Vertical	14	1.80	-	37.06	11.65	32.65
AV	7.2518G	49.83	54.00	-4.17	33.77	3	Vertical	14	1.80	-	37.10	11.61	32.65

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Z_4TX
Setting 74
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.04G	109.50	Inf	-Inf	95.00	3	Horizontal	210	1.79	-	36.16	11.07	32.73			
AV	6.9998G	99.81	Inf	-Inf	85.60	3	Horizontal	210	1.79	-	36.00	10.96	32.75			
PK	7.13G	78.05	88.20	-10.15	62.75	3	Horizontal	210	1.79	-	36.68	11.32	32.70			
RMS	7.1252G	66.82	68.20	-1.38	51.57	3	Horizontal	210	1.79	-	36.65	11.30	32.70			
PK	7.2554G	64.31	74.00	-9.69	48.25	3	Horizontal	210	1.79	-	37.09	11.62	32.65			
AV	7.2506G	50.96	54.00	-3.04	34.90	3	Horizontal	210	1.79	-	37.10	11.61	32.65			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	75.10	88.20	-13.10	63.33	3	Vertical	22	1.79	-	34.10	10.11	32.44			
RMS	5.921G	63.10	68.20	-5.10	51.33	3	Vertical	22	1.79	-	34.10	10.11	32.44			
PK	6.041G	106.94	Inf	-Inf	95.05	3	Vertical	22	1.79	-	34.10	10.23	32.44			
RMS	6.0858G	96.91	Inf	-Inf	84.96	3	Vertical	22	1.79	-	34.10	10.28	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	78.72	88.20	-9.48	66.95	3	Horizontal	211	3.00	-	34.10	10.11	32.44			
RMS	5.9234G	66.69	68.20	-1.51	54.91	3	Horizontal	211	3.00	-	34.10	10.12	32.44			
PK	6.0882G	110.64	Inf	-Inf	98.69	3	Horizontal	211	3.00	-	34.10	10.28	32.43			
RMS	6.0882G	100.09	Inf	-Inf	88.14	3	Horizontal	211	3.00	-	34.10	10.28	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 76
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	76.83	88.20	-11.37	65.06	3	Vertical	21	1.80	-	34.10	10.11	32.44			
RMS	5.921G	63.94	68.20	-4.26	52.17	3	Vertical	21	1.80	-	34.10	10.11	32.44			
PK	6.0562G	107.49	Inf	-Inf	95.57	3	Vertical	21	1.80	-	34.10	10.25	32.43			
RMS	6.061G	97.48	Inf	-Inf	85.56	3	Vertical	21	1.80	-	34.10	10.25	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 76
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.909G	79.92	88.20	-8.28	68.16	3	Horizontal	212	3.00	-	34.10	10.10	32.44			
RMS	5.9234G	66.65	68.20	-1.55	54.87	3	Horizontal	212	3.00	-	34.10	10.12	32.44			
PK	6.0586G	111.03	Inf	-Inf	99.11	3	Horizontal	212	3.00	-	34.10	10.25	32.43			
RMS	6.0634G	99.69	Inf	-Inf	87.77	3	Horizontal	212	3.00	-	34.10	10.25	32.43			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Z_2TX
Setting 70
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.029G	104.60	Inf	-Inf	90.18	3	Vertical	1	1.80	-	36.12	11.04	32.74			
AV	6.9201G	94.05	Inf	-Inf	79.78	3	Vertical	1	1.80	-	35.96	11.00	32.69			
PK	7.15G	73.17	88.20	-15.03	57.69	3	Vertical	1	1.80	-	36.80	11.37	32.69			
RMS	7.1313G	58.21	68.20	-9.99	42.90	3	Vertical	1	1.80	-	36.69	11.32	32.70			
PK	7.2622G	62.13	74.00	-11.87	46.07	3	Vertical	1	1.80	-	37.08	11.63	32.65			
AV	7.2567G	51.09	54.00	-2.91	35.03	3	Vertical	1	1.80	-	37.09	11.62	32.65			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Z_2TX
Setting 70
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9696G	108.07	Inf	-Inf	93.89	3	Horizontal	208	1.80	-	35.94	10.97	32.73			
AV	7.0048G	96.14	Inf	-Inf	81.90	3	Horizontal	208	1.80	-	36.02	10.97	32.75			
PK	7.1467G	75.30	88.20	-12.90	59.85	3	Horizontal	208	1.80	-	36.78	11.36	32.69			
RMS	7.1302G	61.63	68.20	-6.57	46.33	3	Horizontal	208	1.80	-	36.68	11.32	32.70			
PK	7.26G	64.45	74.00	-9.55	48.39	3	Horizontal	208	1.80	-	37.08	11.63	32.65			
AV	7.25G	53.90	54.00	-0.10	37.85	3	Horizontal	208	1.80	-	37.10	11.61	32.66			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 71
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0026G	105.10	Inf	-Inf	90.87	3	Vertical	2	1.80	-	36.01	10.97	32.75			
AV	6.9201G	95.72	Inf	-Inf	81.45	3	Vertical	2	1.80	-	35.96	11.00	32.69			
PK	7.15G	74.87	88.20	-13.33	59.39	3	Vertical	2	1.80	-	36.80	11.37	32.69			
RMS	7.1313G	60.31	68.20	-7.89	45.00	3	Vertical	2	1.80	-	36.69	11.32	32.70			
PK	7.2743G	63.16	74.00	-10.84	47.11	3	Vertical	2	1.80	-	37.05	11.65	32.65			
AV	7.2512G	53.25	54.00	-0.75	37.19	3	Vertical	2	1.80	-	37.10	11.61	32.65			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT_Z_4TX
Setting 71
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9289G	106.30	Inf	-Inf	92.07	3	Horizontal	319	1.80	-	35.94	10.99	32.70			
AV	6.9234G	96.07	Inf	-Inf	81.82	3	Horizontal	319	1.80	-	35.95	10.99	32.69			
PK	7.1654G	74.23	88.20	-13.97	58.65	3	Horizontal	319	1.80	-	36.86	11.41	32.69			
RMS	7.139G	61.04	68.20	-7.16	45.67	3	Horizontal	319	1.80	-	36.73	11.34	32.70			
PK	7.26G	65.08	74.00	-8.92	49.02	3	Horizontal	319	1.80	-	37.08	11.63	32.65			
AV	7.25G	53.89	54.00	-0.11	37.84	3	Horizontal	319	1.80	-	37.10	11.61	32.66			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 81
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9202G	77.69	88.20	-10.51	65.92	3	Vertical	20	1.80	-	34.10	10.11	32.44				
RMS	5.9106G	65.45	68.20	-2.75	53.68	3	Vertical	20	1.80	-	34.10	10.11	32.44				
PK	6.2118G	104.57	Inf	-Inf	92.35	3	Vertical	20	1.80	-	34.22	10.41	32.41				
RMS	6.1362G	94.21	Inf	-Inf	82.13	3	Vertical	20	1.80	-	34.17	10.33	32.42				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 81
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9094G	79.90	88.20	-8.30	68.14	3	Horizontal	212	3.00	-	34.10	10.10	32.44			
RMS	5.913G	68.18	68.20	-0.02	56.41	3	Horizontal	212	3.00	-	34.10	10.11	32.44			
PK	6.1494G	108.28	Inf	-Inf	96.16	3	Horizontal	212	3.00	-	34.20	10.34	32.42			
RMS	6.063G	97.28	Inf	-Inf	85.36	3	Horizontal	212	3.00	-	34.10	10.25	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 79
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9218G	75.79	88.20	-12.41	63.65	3	Vertical	23	2.37	-	34.14	8.16	30.16				
RMS	5.921G	67.56	68.20	-0.64	55.42	3	Vertical	23	2.37	-	34.14	8.16	30.16				
PK	6.141G	106.26	Inf	-Inf	93.83	3	Vertical	23	2.37	-	34.58	8.04	30.19				
RMS	6.1538G	96.42	Inf	-Inf	83.97	3	Vertical	23	2.37	-	34.60	8.04	30.19				

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 79
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.913G	76.54	88.20	-11.66	64.41	3	Horizontal	212	2.55	-	34.13	8.16	30.16			
RMS	5.913G	66.30	68.20	-1.90	54.17	3	Horizontal	212	2.55	-	34.13	8.16	30.16			
PK	6.1362G	105.90	Inf	-Inf	93.46	3	Horizontal	212	2.55	-	34.57	8.05	30.18			
RMS	6.1362G	96.06	Inf	-Inf	83.62	3	Horizontal	212	2.55	-	34.57	8.05	30.18			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 79
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9154G	76.53	88.20	-11.67	64.40	3	Vertical	24	2.19	-	34.13	8.16	30.16			
RMS	5.921G	67.80	68.20	-0.40	55.66	3	Vertical	24	2.19	-	34.14	8.16	30.16			
PK	6.0786G	106.32	Inf	-Inf	93.94	3	Vertical	24	2.19	-	34.46	8.08	30.16			
RMS	6.0658G	97.05	Inf	-Inf	84.70	3	Vertical	24	2.19	-	34.43	8.08	30.16			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 79
02-D-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	78.67	88.20	-9.53	66.53	3	Horizontal	307	2.37	-	34.14	8.16	30.16			
RMS	5.9218G	67.69	68.20	-0.51	55.55	3	Horizontal	307	2.37	-	34.14	8.16	30.16			
PK	6.1418G	107.81	Inf	-Inf	95.38	3	Horizontal	307	2.37	-	34.58	8.04	30.19			
RMS	6.137G	97.64	Inf	-Inf	85.21	3	Horizontal	307	2.37	-	34.57	8.04	30.18			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_Z_4TX
Setting 71
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7498G	101.75	Inf	-Inf	87.35	3	Vertical	0	1.80	-	36.00	10.96	32.56			
AV	6.881G	91.51	Inf	-Inf	77.20	3	Vertical	0	1.80	-	35.96	11.01	32.66			
PK	7.201G	70.71	88.20	-17.49	54.87	3	Vertical	0	1.80	-	37.00	11.51	32.67			
RMS	7.2042G	55.31	68.20	-12.89	39.45	3	Vertical	0	1.80	-	37.01	11.52	32.67			
PK	7.2826G	63.90	74.00	-10.10	47.84	3	Vertical	0	1.80	-	37.03	11.67	32.64			
AV	7.2538G	52.98	54.00	-1.02	36.93	3	Vertical	0	1.80	-	37.09	11.61	32.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_Z_4TX
Setting 71
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8714G	102.42	Inf	-Inf	88.11	3	Horizontal	249	1.80	-	35.94	11.02	32.65			
AV	6.8618G	91.77	Inf	-Inf	77.48	3	Horizontal	249	1.80	-	35.92	11.02	32.65			
PK	7.2026G	70.89	88.20	-17.31	55.03	3	Horizontal	249	1.80	-	37.01	11.52	32.67			
RMS	7.1834G	56.42	68.20	-11.78	40.71	3	Horizontal	249	1.80	-	36.93	11.46	32.68			
PK	7.2538G	68.63	74.00	-5.37	52.58	3	Horizontal	249	1.80	-	37.09	11.61	32.65			
AV	7.2634G	53.95	54.00	-0.05	37.90	3	Horizontal	249	1.80	-	37.07	11.63	32.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX


6905MHz_TX

EUT_Z_4TX
Setting 69
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7594G	102.83	Inf	-Inf	88.43	3	Vertical	0	1.80	-	36.00	10.97	32.57			
AV	6.7498G	90.23	Inf	-Inf	75.83	3	Vertical	0	1.80	-	36.00	10.96	32.56			
PK	7.2186G	65.88	88.20	-22.32	49.96	3	Vertical	0	1.80	-	37.04	11.55	32.67			
RMS	7.1722G	52.87	68.20	-15.33	37.23	3	Vertical	0	1.80	-	36.89	11.43	32.68			
PK	7.2586G	63.75	74.00	-10.25	47.70	3	Vertical	0	1.80	-	37.08	11.62	32.65			
AV	7.2538G	51.71	54.00	-2.29	35.66	3	Vertical	0	1.80	-	37.09	11.61	32.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.769G	102.09	Inf	-Inf	87.68	3	Horizontal	240	1.78	-	36.00	10.99	32.58
AV	6.7994G	91.27	Inf	-Inf	76.82	3	Horizontal	240	1.78	-	36.00	11.05	32.60
PK	7.1882G	70.50	88.20	-17.70	54.75	3	Horizontal	240	1.78	-	36.95	11.48	32.68
RMS	7.1754G	55.10	68.20	-13.10	39.44	3	Horizontal	240	1.78	-	36.90	11.44	32.68
PK	7.2778G	66.56	74.00	-7.44	50.50	3	Horizontal	240	1.78	-	37.04	11.66	32.64
AV	7.25G	53.88	54.00	-0.12	37.83	3	Horizontal	240	1.78	-	37.10	11.61	32.66

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz_TX




EUT_Z_4TX
Setting 70
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.833G	102.74	Inf	-Inf	88.40	3	Vertical	0	1.80	-	35.93	11.04	32.63			
RMS	6.881G	93.05	Inf	-Inf	78.74	3	Vertical	0	1.80	-	35.96	11.01	32.66			
PK	7.1722G	69.94	88.20	-18.26	54.30	3	Vertical	0	1.80	-	36.89	11.43	32.68			
RMS	7.1418G	55.30	68.20	-12.90	39.90	3	Vertical	0	1.80	-	36.75	11.35	32.70			
PK	7.2554G	63.71	74.00	-10.29	47.65	3	Vertical	0	1.80	-	37.09	11.62	32.65			
AV	7.2538G	51.01	54.00	-2.99	34.96	3	Vertical	0	1.80	-	37.09	11.61	32.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz_TX




EUT_Z_4TX
Setting 70
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8586G	104.51	Inf	-Inf	90.22	3	Horizontal	206	1.80	-	35.92	11.02	32.65			
AV	6.9546G	93.92	Inf	-Inf	79.75	3	Horizontal	206	1.80	-	35.91	10.98	32.72			
PK	7.1466G	69.54	88.20	-18.66	54.09	3	Horizontal	206	1.80	-	36.78	11.36	32.69			
RMS	7.1354G	57.43	68.20	-10.77	42.09	3	Horizontal	206	1.80	-	36.71	11.33	32.70			
PK	7.2682G	65.48	74.00	-8.52	49.43	3	Horizontal	206	1.80	-	37.06	11.64	32.65			
AV	7.25G	53.32	54.00	-0.68	37.27	3	Horizontal	206	1.80	-	37.10	11.61	32.66			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 79
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	83.02	88.20	-5.18	75.85	3	Vertical	168	2.09	-	34.64	7.52	34.99			
RMS	5.9238G	66.91	68.20	-1.29	59.73	3	Vertical	168	2.09	-	34.65	7.52	34.99			
PK	5.979G	110.11	Inf	-Inf	102.82	3	Vertical	168	2.09	-	34.76	7.53	35.00			
RMS	5.9966G	99.90	Inf	-Inf	92.59	3	Vertical	168	2.09	-	34.79	7.53	35.01			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 4_4TX

5985MHz_TX




EUT_Z_4TX
Setting 79
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	82.33	88.20	-5.87	75.16	3	Horizontal	127	2.46	-	34.64	7.52	34.99			
RMS	5.925G	66.97	68.20	-1.23	59.79	3	Horizontal	127	2.46	-	34.65	7.52	34.99			
PK	5.9778G	111.83	Inf	-Inf	104.54	3	Horizontal	127	2.46	-	34.76	7.53	35.00			
RMS	5.9762G	100.26	Inf	-Inf	92.98	3	Horizontal	127	2.46	-	34.75	7.53	35.00			

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Z_4TX
Setting 77
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0425G	107.24	Inf	-Inf	92.72	3	Vertical	1	1.80	-	36.17	11.08	32.73
AV	7.0397G	97.98	Inf	-Inf	83.48	3	Vertical	1	1.80	-	36.16	11.07	32.73
PK	7.1265G	76.57	88.20	-11.63	61.30	3	Vertical	1	1.80	-	36.66	11.31	32.70
RMS	7.1251G	65.51	68.20	-2.69	50.26	3	Vertical	1	1.80	-	36.65	11.30	32.70
PK	7.2588G	62.68	74.00	-11.32	46.63	3	Vertical	1	1.80	-	37.08	11.62	32.65
AV	7.2539G	51.45	54.00	-2.55	35.39	3	Vertical	1	1.80	-	37.09	11.62	32.65

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Z_4TX
Setting 77
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0376G	107.86	Inf	-Inf	93.39	3	Horizontal	210	1.79	-	36.15	11.06	32.74			
AV	7.0026G	98.11	Inf	-Inf	83.88	3	Horizontal	210	1.79	-	36.01	10.97	32.75			
PK	7.1258G	77.23	88.20	-10.97	61.97	3	Horizontal	210	1.79	-	36.65	11.31	32.70			
RMS	7.1251G	67.17	68.20	-1.03	51.92	3	Horizontal	210	1.79	-	36.65	11.30	32.70			
PK	7.2525G	63.06	74.00	-10.94	47.01	3	Horizontal	210	1.79	-	37.09	11.61	32.65			
AV	7.25G	51.98	54.00	-2.02	35.93	3	Horizontal	210	1.79	-	37.10	11.61	32.66			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 80
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	75.89	88.20	-12.31	68.72	3	Vertical	197	1.80	-	34.64	7.52	34.99			
RMS	5.9234G	63.76	68.20	-4.44	56.58	3	Vertical	197	1.80	-	34.65	7.52	34.99			
PK	6.093G	106.29	Inf	-Inf	98.60	3	Vertical	197	1.80	-	35.09	7.63	35.03			
RMS	6.0914G	96.08	Inf	-Inf	88.40	3	Vertical	197	1.80	-	35.08	7.63	35.03			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

6025MHz_TX




EUT_Z_4TX
Setting 80
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	81.64	88.20	-6.56	74.47	3	Horizontal	123	2.32	-	34.64	7.52	34.99			
RMS	5.9186G	68.03	68.20	-0.17	60.86	3	Horizontal	123	2.32	-	34.64	7.52	34.99			
PK	6.061G	108.51	Inf	-Inf	100.91	3	Horizontal	123	2.32	-	35.02	7.60	35.02			
RMS	6.1018G	98.16	Inf	-Inf	90.45	3	Horizontal	123	2.32	-	35.10	7.64	35.03			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX

EUT_Z_4TX
Setting 79
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9178G	80.48	88.20	-7.72	73.31	3	Vertical	170	2.18	-	34.64	7.52	34.99			
RMS	5.921G	65.37	68.20	-2.83	58.20	3	Vertical	170	2.18	-	34.64	7.52	34.99			
PK	6.0314G	108.03	Inf	-Inf	100.56	3	Vertical	170	2.18	-	34.93	7.56	35.02			
RMS	5.997G	97.43	Inf	-Inf	90.12	3	Vertical	170	2.18	-	34.79	7.53	35.01			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU_4_4TX


6025MHz_TX

EUT_Z_4TX
Setting 79
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9114G	80.94	88.20	-7.26	73.78	3	Horizontal	29	2.30	-	34.62	7.52	34.98			
RMS	5.9122G	67.75	68.20	-0.45	60.59	3	Horizontal	29	2.30	-	34.62	7.52	34.98			
PK	6.0594G	109.40	Inf	-Inf	101.80	3	Horizontal	29	2.30	-	35.02	7.60	35.02			
RMS	6.0514G	98.58	Inf	-Inf	91.01	3	Horizontal	29	2.30	-	35.00	7.59	35.02			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Z_4TX
Setting 74
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9179G	104.54	Inf	-Inf	90.27	3	Vertical	3	1.80	-	35.96	11.00	32.69			
AV	6.9223G	93.90	Inf	-Inf	79.64	3	Vertical	3	1.80	-	35.96	10.99	32.69			
PK	7.1511G	75.57	88.20	-12.63	60.08	3	Vertical	3	1.80	-	36.80	11.38	32.69			
RMS	7.1269G	60.83	68.20	-7.37	45.56	3	Vertical	3	1.80	-	36.66	11.31	32.70			
PK	7.2523G	63.67	74.00	-10.33	47.61	3	Vertical	3	1.80	-	37.10	11.61	32.65			
AV	7.25G	53.28	54.00	-0.72	37.23	3	Vertical	3	1.80	-	37.10	11.61	32.66			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX


6985MHz_TX

EUT_Z_4TX
Setting 74
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0037G	105.44	Inf	-Inf	91.21	3	Horizontal	214	1.80	-	36.01	10.97	32.75			
AV	6.9223G	94.54	Inf	-Inf	80.28	3	Horizontal	214	1.80	-	35.96	10.99	32.69			
PK	7.1258G	75.77	88.20	-12.43	60.51	3	Horizontal	214	1.80	-	36.65	11.31	32.70			
RMS	7.1269G	62.94	68.20	-5.26	47.67	3	Horizontal	214	1.80	-	36.66	11.31	32.70			
PK	7.2556G	65.66	74.00	-8.34	49.60	3	Horizontal	214	1.80	-	37.09	11.62	32.65			
AV	7.2512G	53.89	54.00	-0.11	37.83	3	Horizontal	214	1.80	-	37.10	11.61	32.65			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 70
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9289G	103.26	Inf	-Inf	89.03	3	Vertical	2	1.80	-	35.94	10.99	32.70
AV	6.9223G	93.62	Inf	-Inf	79.36	3	Vertical	2	1.80	-	35.96	10.99	32.69
PK	7.15G	74.77	88.20	-13.43	59.29	3	Vertical	2	1.80	-	36.80	11.37	32.69
RMS	7.1291G	56.85	68.20	-11.35	41.56	3	Vertical	2	1.80	-	36.67	11.32	32.70
PK	7.2622G	63.13	74.00	-10.87	47.07	3	Vertical	2	1.80	-	37.08	11.63	32.65
AV	7.2556G	51.74	54.00	-2.26	35.68	3	Vertical	2	1.80	-	37.09	11.62	32.65

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX


6985MHz_TX

EUT_Z_4TX
Setting 70
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0235G	106.02	Inf	-Inf	91.65	3	Horizontal	210	1.80	-	36.09	11.02	32.74			
AV	6.9223G	94.82	Inf	-Inf	80.56	3	Horizontal	210	1.80	-	35.96	10.99	32.69			
PK	7.1467G	75.29	88.20	-12.91	59.84	3	Horizontal	210	1.80	-	36.78	11.36	32.69			
RMS	7.1258G	58.87	68.20	-9.33	43.61	3	Horizontal	210	1.80	-	36.65	11.31	32.70			
PK	7.2622G	66.66	74.00	-7.34	50.60	3	Horizontal	210	1.80	-	37.08	11.63	32.65			
AV	7.25G	53.05	54.00	-0.95	37.00	3	Horizontal	210	1.80	-	37.10	11.61	32.66			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 84
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9074G	78.60	88.20	-9.60	71.45	3	Vertical	198	2.29	-	34.61	7.52	34.98			
RMS	5.9106G	67.46	68.20	-0.74	60.30	3	Vertical	198	2.29	-	34.62	7.52	34.98			
PK	6.137G	105.71	Inf	-Inf	98.04	3	Vertical	198	2.29	-	35.03	7.68	35.04			
RMS	6.1386G	95.07	Inf	-Inf	87.41	3	Vertical	198	2.29	-	35.02	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 84
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9146G	79.11	88.20	-9.09	71.94	3	Horizontal	28	2.25	-	34.63	7.52	34.98			
RMS	5.9234G	67.39	68.20	-0.81	60.21	3	Horizontal	28	2.25	-	34.65	7.52	34.99			
PK	6.1386G	106.05	Inf	-Inf	98.39	3	Horizontal	28	2.25	-	35.02	7.68	35.04			
RMS	6.1378G	96.14	Inf	-Inf	88.48	3	Horizontal	28	2.25	-	35.02	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 80
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	76.80	88.20	-11.40	64.68	3	Vertical	25	2.36	-	34.12	8.16	30.16			
RMS	5.9242G	67.22	68.20	-0.98	55.08	3	Vertical	25	2.36	-	34.15	8.15	30.16			
PK	6.1482G	104.68	Inf	-Inf	92.23	3	Vertical	25	2.36	-	34.60	8.04	30.19			
RMS	6.1386G	95.15	Inf	-Inf	82.72	3	Vertical	25	2.36	-	34.58	8.04	30.19			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 80
02-D-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.909G	77.11	88.20	-11.09	64.99	3	Horizontal	213	2.29	-	34.12	8.16	30.16			
RMS	5.925G	67.37	68.20	-0.83	55.23	3	Horizontal	213	2.29	-	34.15	8.15	30.16			
PK	6.1434G	105.42	Inf	-Inf	92.98	3	Horizontal	213	2.29	-	34.59	8.04	30.19			
RMS	6.1338G	95.72	Inf	-Inf	83.28	3	Horizontal	213	2.29	-	34.57	8.05	30.18			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 80
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.906G	75.72	88.20	-12.48	63.96	3	Vertical	23	1.79	-	34.10	10.10	32.44			
RMS	5.925G	64.42	68.20	-3.78	52.64	3	Vertical	23	1.79	-	34.10	10.12	32.44			
PK	6.131G	103.61	Inf	-Inf	91.55	3	Vertical	23	1.79	-	34.16	10.32	32.42			
RMS	6.137G	93.75	Inf	-Inf	81.67	3	Vertical	23	1.79	-	34.17	10.33	32.42			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 80
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.907G	78.37	88.20	-9.83	66.61	3	Horizontal	212	3.00	-	34.10	10.10	32.44			
RMS	5.925G	67.64	68.20	-0.56	55.86	3	Horizontal	212	3.00	-	34.10	10.12	32.44			
PK	6.131G	107.19	Inf	-Inf	95.13	3	Horizontal	212	3.00	-	34.16	10.32	32.42			
RMS	6.136G	96.91	Inf	-Inf	84.83	3	Horizontal	212	3.00	-	34.17	10.33	32.42			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8015G	99.55	Inf	-Inf	85.10	3	Vertical	3	1.80	-	36.00	11.05	32.60
AV	6.803G	88.93	Inf	-Inf	74.49	3	Vertical	3	1.80	-	35.99	11.05	32.60
PK	7.1915G	65.82	88.20	-22.38	50.04	3	Vertical	3	1.80	-	36.97	11.49	32.68
RMS	7.2035G	51.31	68.20	-16.89	35.45	3	Vertical	3	1.80	-	37.01	11.52	32.67
PK	7.28G	63.72	74.00	-10.28	47.65	3	Vertical	3	1.80	-	37.04	11.67	32.64
AV	7.2515G	50.27	54.00	-3.73	34.21	3	Vertical	3	1.80	-	37.10	11.61	32.65

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 5_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.866G	100.88	Inf	-Inf	86.58	3	Horizontal	208	1.80	-	35.93	11.02	32.65
AV	6.8825G	90.59	Inf	-Inf	76.28	3	Horizontal	208	1.80	-	35.96	11.01	32.66
PK	7.19G	73.22	88.20	-14.98	57.46	3	Horizontal	208	1.80	-	36.96	11.48	32.68
RMS	7.19G	55.33	68.20	-12.87	39.57	3	Horizontal	208	1.80	-	36.96	11.48	32.68
PK	7.271G	67.55	74.00	-6.45	51.49	3	Horizontal	208	1.80	-	37.06	11.65	32.65
AV	7.253G	53.21	54.00	-0.79	37.16	3	Horizontal	208	1.80	-	37.09	11.61	32.65

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8G	99.71	Inf	-Inf	85.26	3	Vertical	0	1.80	-	36.00	11.05	32.60			
AV	6.767G	88.88	Inf	-Inf	74.47	3	Vertical	0	1.80	-	36.00	10.99	32.58			
PK	7.2035G	67.81	88.20	-20.39	51.95	3	Vertical	0	1.80	-	37.01	11.52	32.67			
RMS	7.1945G	52.72	68.20	-15.48	36.93	3	Vertical	0	1.80	-	36.98	11.49	32.68			
PK	7.253G	64.19	74.00	-9.81	48.14	3	Vertical	0	1.80	-	37.09	11.61	32.65			
AV	7.2515G	51.08	54.00	-2.92	35.02	3	Vertical	0	1.80	-	37.10	11.61	32.65			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9215G	101.79	Inf	-Inf	87.52	3	Horizontal	211	1.80	-	35.96	11.00	32.69
AV	6.9425G	90.77	Inf	-Inf	76.58	3	Horizontal	211	1.80	-	35.91	10.99	32.71
PK	7.211G	70.94	88.20	-17.26	55.06	3	Horizontal	211	1.80	-	37.02	11.53	32.67
RMS	7.181G	55.24	68.20	-12.96	39.54	3	Horizontal	211	1.80	-	36.92	11.46	32.68
PK	7.271G	69.04	74.00	-4.96	52.98	3	Horizontal	211	1.80	-	37.06	11.65	32.65
AV	7.253G	53.56	54.00	-0.44	37.51	3	Horizontal	211	1.80	-	37.09	11.61	32.65

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz_TX




EUT_Z_4TX
Setting 74
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.873G	101.87	Inf	-Inf	87.56	3	Vertical	4	1.80	-	35.95	11.02	32.66			
AV	6.8826G	91.61	Inf	-Inf	77.29	3	Vertical	4	1.80	-	35.97	11.01	32.66			
PK	7.1514G	71.69	88.20	-16.51	56.19	3	Vertical	4	1.80	-	36.81	11.38	32.69			
RMS	7.1306G	56.16	68.20	-12.04	40.86	3	Vertical	4	1.80	-	36.68	11.32	32.70			
PK	7.2714G	62.48	74.00	-11.52	46.42	3	Vertical	4	1.80	-	37.06	11.65	32.65			
AV	7.25G	52.00	54.00	-2.00	35.95	3	Vertical	4	1.80	-	37.10	11.61	32.66			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 9_4TX

6905MHz_TX

EUT_Z_4TX
Setting 74
01-C-L-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.865G	103.37	Inf	-Inf	89.07	3	Horizontal	243	1.80	-	35.93	11.02	32.65			
AV	6.8618G	92.87	Inf	-Inf	78.58	3	Horizontal	243	1.80	-	35.92	11.02	32.65			
PK	7.1674G	72.59	88.20	-15.61	56.99	3	Horizontal	243	1.80	-	36.87	11.42	32.69			
RMS	7.1306G	58.59	68.20	-9.61	43.29	3	Horizontal	243	1.80	-	36.68	11.32	32.70			
PK	7.265G	66.20	74.00	-7.80	50.14	3	Horizontal	243	1.80	-	37.07	11.64	32.65			
AV	7.25G	53.70	54.00	-0.30	37.65	3	Horizontal	243	1.80	-	37.10	11.61	32.66			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6595MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6605MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6595MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.591351G	7.44	6.619425G	-22.48	-12.77	-9.71	1
6.597474G	8.43	6.6216G	-23.77	-11.61	-12.16	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

16/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.702423G	9.15	6.72595G	-25.00	-11.95	-13.05	1
6.693475G	8.58	6.72105G	-23.39	-11.42	-11.97	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

16/01/2026

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.856125G	10.17	6.829275G	-18.65	-9.87	-8.78	1
6.85385G	8.66	6.83325G	-19.91	-11.59	-8.32	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6605MHz_TX

16/01/2026

CF (Hz)
6.605G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.612448G	7.45	6.6537G	-23.53	-12.56	-10.97	1
6.612498G	7.91	6.6514G	-18.34	-12.33	-6.01	2