


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688299G	8.36	6.73535G	-21.27	-11.74	-9.53	1
6.677702G	8.17	6.72915G	-18.01	-11.84	-6.17	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852648G	6.40	6.8964G	-23.49	-13.66	-9.83	1
6.849949G	5.06	6.8069G	-22.00	-15.21	-6.79	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6177G	7.59	6.7223G	-20.07	-12.75	-7.32	1
6.6389G	7.67	6.7123G	-17.62	-12.38	-5.24	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6981G	8.50	6.8068G	-19.26	-11.67	-7.59	1
6.714G	8.58	6.8046G	-18.91	-11.46	-7.45	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

16/01/2026

CF (Hz)
6.595G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.597199G	6.98	6.6208G	-25.48	-12.92	-12.56	1
6.599774G	8.59	6.6227G	-19.90	-11.49	-8.41	2
6.598749G	8.10	6.618975G	-16.75	-11.95	-4.80	3
6.598724G	8.34	6.622075G	-20.69	-11.79	-8.90	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

16/01/2026

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.702348G	8.22	6.7208G	-23.64	-11.84	-11.80	1
6.697474G	8.09	6.67205G	-19.92	-11.98	-7.94	2
6.697349G	7.74	6.7193G	-22.73	-12.26	-10.47	3
6.693725G	8.43	6.670825G	-20.89	-11.63	-9.26	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

16/01/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.857399G	7.18	6.829975G	-21.16	-12.91	-8.25	1
6.858649G	5.13	6.8115G	-39.65	-34.87	-4.78	2
6.860024G	6.07	6.879125G	-23.59	-14.03	-9.56	3
6.8537G	5.51	6.83075G	-26.75	-14.52	-12.23	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

16/01/2026

CF (Hz)
6.605G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.611048G	6.53	6.6495G	-21.91	-13.60	-8.31	1
6.615947G	7.54	6.6527G	-19.89	-12.47	-7.42	2
6.609799G	7.85	6.65885G	-21.92	-12.29	-9.63	3
6.602251G	7.80	6.6561G	-20.78	-12.26	-8.52	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

16/01/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.699746G	7.78	6.737G	-25.24	-12.25	-12.99	1
6.692048G	7.56	6.64G	-18.79	-12.44	-6.35	2
6.693998G	8.55	6.73395G	-17.22	-11.46	-5.76	3
6.681701G	8.33	6.63405G	-20.87	-11.79	-9.08	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

16/01/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.855997G	8.45	6.89355G	-19.63	-11.58	-8.05	1
6.842601G	7.54	6.80465G	-19.91	-12.62	-7.29	2
6.849799G	7.95	6.8909G	-19.01	-12.08	-6.93	3
6.847899G	7.77	6.7977G	-20.99	-12.33	-8.66	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6364G	6.97	6.7218G	-21.28	-13.13	-8.15	1
6.6356G	7.51	6.7161G	-17.64	-12.81	-4.83	2
6.6377G	7.93	6.716G	-16.13	-12.11	-4.02	3
6.6376G	7.97	6.7245G	-20.71	-12.03	-8.68	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7183G	7.86	6.804G	-21.29	-12.15	-9.14	1
6.6985G	8.17	6.8122G	-21.67	-11.83	-9.84	2
6.7099G	8.73	6.8107G	-19.58	-11.33	-8.25	3
6.6923G	8.31	6.8106G	-22.33	-11.70	-10.63	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6595MHz_TX

16/01/2026

CF (Hz)
6.595G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.597474G	7.18	6.61885G	-23.49	-12.93	-10.56	1
6.59585G	8.07	6.6223G	-20.95	-12.00	-8.95	2
6.598574G	7.89	6.621775G	-22.14	-12.11	-10.03	3
6.601198G	8.30	6.620875G	-19.07	-11.50	-7.57	4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

16/01/2026

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697374G	8.67	6.7204G	-22.63	-11.33	-11.30	1
6.699824G	9.18	6.723825G	-19.92	-10.83	-9.09	2
6.697399G	9.24	6.73055G	-22.76	-11.96	-10.80	3
6.688502G	8.92	6.66805G	-21.57	-11.14	-10.43	4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

16/01/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85625G	9.23	6.88155G	-21.27	-10.79	-10.48	1
6.847352G	8.46	6.831525G	-21.55	-11.56	-9.99	2
6.853975G	8.87	6.880275G	-18.96	-11.26	-7.70	3
6.853825G	8.42	6.878475G	-21.30	-11.60	-9.70	4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6605MHz_TX

16/01/2026

CF (Hz)
6.605G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.610149G	6.71	6.65295G	-24.44	-13.30	-11.14	1
6.611298G	7.49	6.6522G	-20.34	-12.58	-7.76	2
6.619746G	8.04	6.65755G	-21.97	-12.03	-9.94	3
6.612498G	7.85	6.65705G	-21.75	-12.17	-9.58	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

20/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

20/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962748G	9.16	5.9781G	-17.88	-10.91	-6.97	1
5.962573G	9.64	5.978925G	-18.68	-10.42	-8.26	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197724G	10.20	6.1721G	-17.23	-10.21	-7.02	1
6.192526G	10.03	6.172625G	-18.25	-10.14	-8.11	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

20/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.969549G	9.37	6.01005G	-17.54	-10.66	-6.88	1
5.971648G	9.31	6.0087G	-17.22	-10.70	-6.52	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

17/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.212048G	10.45	6.2514G	-17.06	-9.58	-7.48	1
6.214048G	10.35	6.2532G	-17.78	-9.65	-8.13	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

20/01/2026

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.396152G	7.55	6.44575G	-19.66	-12.90	-6.76	1
6.412798G	8.04	6.4464G	-17.70	-11.98	-5.72	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

17/01/2026

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.558852G	9.25	6.6141G	-19.74	-10.87	-8.87	1
6.567749G	8.85	6.512G	-20.67	-11.46	-9.21	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697897G	8.91	6.72805G	-17.74	-11.16	-6.58	1
6.671403G	9.57	6.62925G	-18.11	-10.59	-7.52	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.850999G	9.38	6.88845G	-16.70	-10.77	-5.93	1
6.850149G	9.57	6.89235G	-18.30	-10.55	-7.75	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

17/01/2026

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3769G	6.25	6.5482G	-37.89	-33.29	-4.60	1
6.3738G	6.39	6.5615G	-35.35	-32.94	-2.41	2


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

17/01/2026

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6112G	9.28	6.5192G	-20.18	-10.78	-9.40	1
6.6186G	8.99	6.7384G	-22.43	-11.04	-11.39	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94962G	6.46	6.1836G	-20.29	-13.74	-6.55	1
6.08858G	6.36	6.2008G	-22.65	-15.00	-7.65	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

17/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20859G	6.16	6.3668G	-24.77	-15.56	-9.21	1
6.21059G	5.81	6.3472G	-24.47	-14.36	-10.11	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

19/01/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36919G	6.34	6.505G	-23.36	-14.67	-8.69	1
6.37519G	7.02	6.5082G	-20.44	-13.54	-6.90	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

17/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60242G	2.44	6.9596G	-39.21	-37.56	-1.65	1
6.60841G	2.05	6.9776G	-41.25	-37.33	-3.92	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

17/01/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06181G	5.58	6.4334G	-21.56	-15.67	-5.89	1
6.13379G	5.85	6.4346G	-21.08	-15.68	-5.40	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

17/01/2026

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21901G	5.97	6.5886G	-22.84	-14.29	-8.55	1
6.30979G	5.63	6.5858G	-22.70	-14.45	-8.25	2


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

17/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957149G	9.51	5.979275G	-17.77	-10.56	-7.21	1
5.951026G	9.58	5.98075G	-19.54	-10.48	-9.06	2
5.959549G	9.81	5.9818G	-17.83	-10.20	-7.63	3
5.957574G	10.17	5.9821G	-18.51	-9.94	-8.57	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

17/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1938G	10.04	6.172225G	-17.73	-9.86	-7.87	1
6.193925G	9.95	6.17265G	-17.59	-10.14	-7.45	2
6.198674G	10.42	6.233475G	-22.94	-13.43	-9.51	3
6.190651G	10.20	6.172575G	-15.80	-9.80	-6.00	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

20/01/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411226G	4.92	6.4644G	-38.15	-28.94	-9.21	1
6.417349G	5.35	6.46495G	-35.55	-28.55	-7.00	2
6.408752G	5.47	6.393175G	-22.15	-14.64	-7.51	3
6.409951G	5.52	6.4402G	-23.25	-15.44	-7.81	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

20/01/2026

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.541223G	3.49	6.584975G	-40.37	-36.44	-3.93	1
6.537499G	4.86	6.514475G	-22.72	-15.33	-7.39	2
6.528777G	3.43	6.557675G	-24.54	-16.66	-7.88	3
6.541173G	4.62	6.51135G	-25.22	-15.76	-9.46	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

17/01/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.973198G	9.94	6.0154G	-17.54	-10.13	-7.41	1
5.973448G	9.47	5.9197G	-18.71	-10.57	-8.14	2
5.973348G	10.79	6.0188G	-15.60	-9.22	-6.38	3
5.962051G	10.23	6.01275G	-16.66	-9.78	-6.88	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

17/01/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.210649G	10.70	6.25165G	-15.46	-9.34	-6.12	1
6.20615G	10.38	6.2564G	-17.87	-9.74	-8.13	2
6.208549G	10.63	6.15275G	-17.75	-9.39	-8.36	3
6.202151G	11.15	6.258G	-17.77	-8.85	-8.92	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

20/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

20/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

17/01/2026



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

19/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

17/01/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.07061G	4.47	6.8798G	-40.81	-35.53	-5.28	1
6.13619G	4.78	6.8758G	-42.09	-34.55	-7.54	2
6.07061G	5.28	6.4042G	-21.41	-15.23	-6.18	3
6.13219G	4.58	6.8506G	-40.17	-34.30	-5.87	4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

17/01/2026

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23061G	5.28	6.591G	-25.12	-14.89	-10.23	1
6.29299G	5.04	6.6202G	-26.23	-15.72	-10.51	2
6.23061G	5.76	6.5966G	-24.05	-14.28	-9.77	3
6.15703G	4.68	6.593G	-25.43	-15.46	-9.97	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

17/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958924G	9.62	5.98015G	-16.86	-10.39	-6.47	1
5.948627G	9.59	5.98055G	-18.08	-10.50	-7.58	2
5.958674G	10.41	5.9862G	-17.31	-9.61	-7.70	3
5.961298G	10.45	5.987475G	-20.93	-10.09	-10.84	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

17/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.193825G	10.28	6.169725G	-19.37	-9.93	-9.44	1
6.197374G	10.32	6.2206G	-19.37	-9.76	-9.61	2
6.192301G	10.71	6.220275G	-15.52	-9.33	-6.19	3
6.191151G	10.76	6.170775G	-16.51	-9.48	-7.03	4

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

20/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

20/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

17/01/2026

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691226G	9.12	6.66875G	-22.35	-10.92	-11.43	1
6.696075G	8.79	6.72105G	-19.92	-11.22	-8.70	2
6.700074G	8.67	6.669G	-19.51	-11.33	-8.18	3
6.701148G	9.33	6.66915G	-19.01	-10.69	-8.32	4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

17/01/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.848677G	9.12	6.880025G	-22.00	-10.95	-11.05	1
6.849926G	9.52	6.880025G	-19.94	-10.49	-9.45	2
6.861023G	8.93	6.880775G	-21.04	-11.10	-9.94	3
6.856025G	10.19	6.880725G	-18.47	-9.83	-8.64	4

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

20/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

17/01/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688749G	8.87	6.7341G	-19.72	-11.14	-8.58	1
6.682351G	9.07	6.6325G	-17.33	-10.98	-6.35	2
6.681751G	8.92	6.6287G	-17.78	-11.08	-6.70	3
6.681501G	9.76	6.6337G	-16.33	-10.34	-5.99	4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

17/01/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.837352G	5.71	6.8072G	-19.60	-14.30	-5.30	1
6.849849G	6.17	6.89025G	-21.39	-13.84	-7.55	2
6.848799G	5.91	6.8985G	-24.60	-14.40	-10.20	3
6.852648G	6.30	6.8923G	-21.19	-13.82	-7.37	4


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

17/01/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9714G	9.59	6.0732G	-14.97	-10.89	-4.08	1
5.9693G	9.12	6.0822G	-18.56	-12.74	-5.82	2
5.9776G	9.70	6.0824G	-14.14	-10.74	-3.40	3
6.0007G	9.91	6.0631G	-14.02	-10.30	-3.72	4


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

17/01/2026

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2191G	9.74	6.3135G	-17.12	-10.36	-6.76	1
6.214G	10.15	6.3212G	-14.75	-9.90	-4.85	2
6.209G	9.77	6.3242G	-18.01	-10.25	-7.76	3
6.22G	10.83	6.3287G	-16.79	-9.23	-7.56	4


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

20/01/2026

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.378G	4.85	6.5379G	-36.23	-35.15	-1.08	1
6.3773G	5.43	6.5693G	-38.94	-34.57	-4.37	2
6.3723G	4.75	6.4767G	-24.27	-16.62	-7.65	3
6.3709G	5.43	6.4824G	-23.98	-15.12	-8.86	4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

17/01/2026

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59691G	9.23	6.7315G	-19.04	-10.77	-8.27	1
6.6193G	9.06	6.5127G	-19.30	-11.15	-8.15	2
6.6357G	8.93	6.4747G	-20.21	-12.04	-8.17	3
6.6093G	9.91	6.5131G	-17.48	-10.29	-7.19	4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

17/01/2026

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6978G	8.83	6.6035G	-19.89	-11.18	-8.71	1
6.6928G	8.44	6.8129G	-20.36	-11.58	-8.78	2
6.6899G	8.84	6.5888G	-18.69	-11.28	-7.41	3
6.694G	9.59	6.8121G	-18.95	-10.41	-8.54	4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

17/01/2026

CF (Hz)
6.785G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7972G	9.12	6.8863G	-18.63	-10.96	-7.67	1
6.772G	9.42	6.8888G	-18.27	-10.69	-7.58	2
6.7984G	8.87	6.8938G	-19.64	-11.13	-8.51	3
6.7804G	9.68	6.8834G	-15.38	-10.32	-5.06	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

17/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.04899G	6.79	6.202G	-19.85	-14.48	-5.37	1
6.04859G	6.87	6.196G	-20.00	-14.07	-5.93	2
6.04779G	7.21	6.205G	-17.00	-13.90	-3.10	3
6.05039G	6.96	6.2024G	-18.43	-14.22	-4.21	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

19/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10962G	3.64	6.5566G	-40.76	-35.86	-4.90	1
6.21199G	3.77	6.4682G	-37.95	-36.23	-1.72	2
6.16021G	4.03	6.58G	-39.05	-31.06	-7.99	3
6.20899G	3.71	6.5008G	-38.92	-36.29	-2.63	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6105MHz_TX

17/01/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.12939G	4.02	6.7878G	-40.79	-35.98	-4.81	1
6.20937G	4.52	6.7558G	-40.19	-35.34	-4.85	2
6.14939G	4.95	6.4346G	-22.39	-16.49	-5.90	3
6.13899G	4.47	6.8514G	-41.10	-35.53	-5.57	4


5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6265MHz_TX

17/01/2026

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21741G	4.74	6.5798G	-25.85	-15.28	-10.57	1
6.29659G	4.73	6.587G	-25.43	-15.47	-9.96	2
6.23181G	5.76	6.5982G	-23.48	-14.28	-9.20	3
6.23221G	4.44	6.579G	-25.60	-15.58	-10.02	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6595MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6605MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6595MHz_TX

23/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.598824G	1.37	6.61435G	-32.37	-24.21	-8.16	1
6.593725G	1.59	6.6143G	-30.68	-24.89	-5.79	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

23/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.698749G	1.34	6.72735G	-46.77	-38.66	-8.11	1
6.692526G	1.05	6.714225G	-32.94	-25.08	-7.86	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6605MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

23/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688449G	2.68	6.71725G	-28.27	-21.90	-6.37	1
6.690099G	2.01	6.7472G	-44.43	-37.99	-6.44	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

23/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.853698G	2.45	6.881G	-30.15	-23.22	-6.93	1
6.841401G	1.48	6.80675G	-31.92	-25.01	-6.91	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

23/01/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6374G	2.89	6.7173G	-34.35	-28.40	-5.95	1
6.636G	1.88	6.7475G	-44.55	-38.12	-6.43	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

23/01/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7167G	2.47	6.8281G	-43.55	-37.34	-6.21	1
6.6964G	1.86	6.8276G	-45.42	-38.14	-7.28	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

23/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7934G	2.35	6.9083G	-44.56	-37.65	-6.91	1
6.7945G	1.91	6.9101G	-45.20	-38.09	-7.11	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

23/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69079G	2.84	6.9306G	-39.17	-37.16	-2.01	1
6.68919G	1.86	6.9076G	-39.35	-38.00	-1.35	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

23/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

23/01/2026

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6371G	-0.79	6.7572G	-47.43	-40.79	-6.64	1
6.6377G	-1.34	6.7511G	-47.77	-41.34	-6.43	2
6.65349G	-1.06	6.7489G	-47.61	-40.91	-6.70	3
6.618G	-0.29	6.7548G	-48.05	-40.29	-7.76	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

23/01/2026

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7186G	-0.20	6.8296G	-47.11	-40.20	-6.91	1
6.6936G	-1.23	6.6493G	-31.12	-23.93	-7.19	2
6.7189G	-0.91	6.8289G	-47.90	-40.86	-7.04	3
6.6912G	-0.35	6.6627G	-27.55	-20.36	-7.19	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

23/01/2026

CF (Hz)
6.785G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7801G	-1.14	6.9449G	-47.11	-41.14	-5.97	1
6.8015G	-1.10	6.9108G	-48.09	-41.10	-6.99	2
6.7943G	-0.76	6.9121G	-47.79	-40.76	-7.03	3
6.7812G	-0.76	6.9559G	-48.54	-40.76	-7.78	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

23/01/2026

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72778G	-0.22	6.9072G	-47.07	-39.36	-7.71	1
6.69479G	-0.75	6.9072G	-47.87	-40.17	-7.70	2
6.72798G	-0.95	6.9088G	-48.52	-40.79	-7.73	3
6.64221G	-0.33	6.9086G	-47.94	-39.67	-8.27	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6595MHz_TX

24/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

24/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

24/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852501G	-1.42	6.869975G	-30.67	-23.77	-6.90	1
6.851201G	-2.80	6.869975G	-31.75	-25.01	-6.74	2
6.85375G	-1.59	6.838225G	-32.70	-24.68	-8.02	3
6.853725G	-1.19	6.837725G	-32.98	-25.02	-7.96	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6605MHz_TX

24/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.617497G	-1.11	6.6427G	-32.71	-27.66	-5.05	1
6.609999G	-1.12	6.6409G	-32.67	-26.67	-6.00	2
6.619996G	-0.70	6.64G	-31.63	-25.93	-5.70	3
6.6068G	-1.15	6.64345G	-34.39	-27.64	-6.75	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

24/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

24/01/2026



6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

24/01/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6391G	-0.65	6.6706G	-29.24	-20.97	-8.27	1
6.6317G	-0.96	6.6684G	-30.33	-20.97	-9.36	2
6.6379G	-1.12	6.7004G	-35.42	-26.99	-8.43	3
6.6098G	-0.62	6.5673G	-32.04	-23.17	-8.87	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

24/01/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6963G	-0.45	6.7484G	-29.12	-20.52	-8.60	1
6.712G	-0.95	6.6615G	-29.67	-21.00	-8.67	2
6.716G	-1.14	6.7487G	-29.63	-21.21	-8.42	3
6.6942G	-0.43	6.6486G	-30.81	-23.07	-7.74	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

24/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7747G	-0.90	6.9452G	-48.93	-40.90	-8.03	1
6.7702G	-0.99	6.7296G	-30.82	-23.19	-7.63	2
6.7737G	-0.88	6.7412G	-29.61	-20.99	-8.62	3
6.7719G	-0.39	6.7315G	-29.85	-20.88	-8.97	4

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK


6665MHz_TX

24/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74078G	-0.16	6.9352G	-48.63	-40.16	-8.47	1
6.68979G	-0.53	6.9564G	-49.90	-40.53	-9.37	2
6.74138G	-1.12	6.9274G	-49.77	-41.12	-8.65	3
6.64101G	-0.90	6.925G	-49.40	-40.90	-8.50	4

Summary




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

20/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

29/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

29/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

29/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

29/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

20/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

29/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.951301G	2.44	5.99G	-42.43	-37.56	-4.87	1
5.953725G	3.12	5.986125G	-41.14	-35.53	-5.61	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.191301G	3.60	6.226975G	-42.67	-36.18	-6.49	1
6.197524G	3.64	6.175275G	-29.99	-22.73	-7.26	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

21/01/2026



6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

21/01/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.698749G	4.34	6.728425G	-39.44	-34.72	-4.72	1
6.698699G	3.58	6.726975G	-39.23	-36.20	-3.03	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

21/01/2026

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.853775G	4.58	6.8338G	-30.85	-22.78	-8.07	1
6.848752G	4.05	6.835725G	-28.27	-21.80	-6.47	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

29/01/2026

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962701G	3.05	5.93525G	-25.10	-17.65	-7.45	1
5.980046G	3.21	5.9349G	-25.30	-17.47	-7.83	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

21/01/2026

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.209599G	4.99	6.27415G	-39.56	-35.01	-4.55	1
6.191253G	4.14	6.2675G	-41.69	-35.46	-6.23	2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

21/01/2026

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.393603G	5.20	6.46665G	-40.23	-34.80	-5.43	1
6.410099G	4.85	6.4712G	-41.95	-34.73	-7.22	2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

21/01/2026

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.559251G	4.94	6.6303G	-39.39	-34.95	-4.44	1
6.556202G	4.64	6.64125G	-39.82	-35.36	-4.46	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

21/01/2026

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.673753G	4.63	6.74785G	-35.92	-35.08	-0.84	1
6.691298G	5.20	6.7793G	-38.70	-32.25	-6.45	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

21/01/2026

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.847299G	4.88	6.90975G	-40.77	-35.12	-5.65	1
6.831303G	4.50	6.81645G	-24.39	-17.38	-7.01	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

29/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9707G	4.06	6.1123G	-39.45	-35.94	-3.51	1
5.9974G	4.16	6.1103G	-40.53	-35.53	-5.00	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

21/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2357G	4.79	6.349G	-38.09	-33.81	-4.28	1
6.2162G	4.41	6.3448G	-38.08	-35.20	-2.88	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

21/01/2026

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3979G	4.72	6.5077G	-38.94	-34.88	-4.06	1
6.3698G	4.43	6.5076G	-39.05	-35.33	-3.72	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

21/01/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6187G	4.93	6.7911G	-40.04	-35.07	-4.97	1
6.6167G	4.57	6.7834G	-39.90	-35.43	-4.47	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

29/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96222G	2.33	6.2674G	-40.99	-37.31	-3.68	1
6.08838G	2.29	6.2704G	-43.27	-37.69	-5.58	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

17/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20859G	6.16	6.3668G	-24.77	-15.56	-9.21	1
6.21059G	5.81	6.3472G	-24.47	-14.36	-10.11	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

19/01/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36919G	6.34	6.505G	-23.36	-14.67	-8.69	1
6.37519G	7.02	6.5082G	-20.44	-13.54	-6.90	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

17/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60242G	2.44	6.9596G	-39.21	-37.56	-1.65	1
6.60841G	2.05	6.9776G	-41.25	-37.33	-3.92	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

29/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

21/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.951251G	-1.96	5.941175G	-30.09	-22.06	-8.03	1
5.958749G	-2.05	5.937775G	-32.44	-26.20	-6.24	2
5.948802G	-2.32	5.97255G	-33.14	-23.75	-9.39	3
5.959999G	-1.71	5.97005G	-30.32	-24.33	-5.99	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

21/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201223G	-1.75	6.179575G	-31.36	-24.70	-6.66	1
6.187527G	-1.88	6.2098G	-31.50	-23.44	-8.06	2
6.187552G	-1.76	6.1757G	-33.91	-27.42	-6.49	3
6.199999G	-1.26	6.176025G	-33.74	-26.58	-7.16	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

21/01/2026

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.690026G	-2.05	6.676225G	-34.39	-26.32	-8.07	1
6.698824G	-2.64	6.675875G	-34.56	-28.08	-6.48	2
6.687552G	-2.02	6.709675G	-30.81	-24.42	-6.39	3
6.687527G	-1.89	6.674525G	-35.27	-28.39	-6.88	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

21/01/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.861248G	-1.95	6.834975G	-35.46	-28.66	-6.80	1
6.8537G	-1.88	6.83335G	-36.86	-29.92	-6.94	2
6.859999G	-1.45	6.838775G	-31.97	-23.70	-8.27	3
6.848752G	-2.07	6.838475G	-32.03	-24.70	-7.33	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

21/01/2026



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

21/01/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9711G	1.61	5.9405G	-25.61	-18.46	-7.15	1
5.9778G	1.40	5.94G	-26.40	-18.68	-7.72	2
5.9737G	1.47	5.9417G	-24.49	-18.67	-5.82	3
5.972G	1.54	5.9407G	-25.48	-18.54	-6.94	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

21/01/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.211G	1.64	6.1805G	-26.96	-18.47	-8.49	1
6.2126G	1.52	6.1817G	-26.48	-18.53	-7.95	2
6.2363G	1.22	6.1804G	-26.69	-18.96	-7.73	3
6.2105G	2.16	6.1801G	-27.34	-17.97	-9.37	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

29/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94982G	0.52	6.287G	-46.07	-39.48	-6.59	1
6.10078G	0.50	6.286G	-46.71	-39.50	-7.21	2
5.96142G	1.20	6.309G	-46.45	-38.80	-7.65	3
6.08838G	0.80	6.3218G	-46.87	-39.20	-7.67	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20839G	1.21	6.4598G	-44.11	-38.39	-5.72	1
6.15941G	1.40	5.9284G	-44.38	-37.86	-6.52	2
6.21159G	1.77	6.4726G	-43.04	-37.96	-5.08	3
6.21019G	1.77	6.4772G	-44.38	-37.49	-6.89	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

29/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

21/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958724G	1.37	5.93865G	-29.73	-20.97	-8.76	1
5.956225G	1.00	5.937325G	-31.00	-23.40	-7.60	2
5.948727G	0.82	5.973725G	-31.54	-24.56	-6.98	3
5.959949G	1.59	5.97345G	-31.17	-23.94	-7.23	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

21/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197499G	0.94	6.179975G	-28.76	-20.83	-7.93	1
6.188827G	0.54	6.17775G	-30.41	-22.62	-7.79	2
6.202498G	1.17	6.176125G	-31.40	-24.30	-7.10	3
6.201273G	1.37	6.1782G	-29.89	-22.03	-7.86	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

21/01/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412501G	0.88	6.432525G	-30.34	-22.54	-7.80	1
6.412476G	0.67	6.3959G	-31.36	-24.33	-7.03	2
6.421198G	1.47	6.3975G	-29.84	-21.87	-7.97	3
6.408752G	1.44	6.39685G	-30.43	-23.70	-6.73	4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

21/01/2026

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538699G	1.52	6.518G	-30.48	-21.54	-8.94	1
6.539949G	1.08	6.51655G	-31.21	-23.08	-8.13	2
6.537424G	0.70	6.51665G	-31.46	-23.96	-7.50	3
6.528727G	1.04	6.517675G	-30.79	-22.01	-8.78	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

21/01/2026



5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

21/01/2026

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.952403G	1.42	5.93545G	-27.92	-20.70	-7.22	1
5.957602G	1.43	5.93735G	-27.25	-19.00	-8.25	2
5.961451G	1.87	5.93635G	-27.82	-19.87	-7.95	3
5.962551G	2.02	5.93265G	-29.01	-21.92	-7.09	4

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

21/01/2026

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.199701G	2.22	6.24065G	-30.79	-22.43	-8.36	1
6.201251G	1.10	6.1806G	-27.56	-19.48	-8.08	2
6.196302G	1.57	6.17655G	-27.74	-20.78	-6.96	3
6.218747G	1.82	6.17565G	-28.43	-20.85	-7.58	4

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

21/01/2026

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407749G	2.18	6.37565G	-27.79	-21.10	-6.69	1
6.416197G	1.26	6.4374G	-29.50	-22.20	-7.30	2
6.407549G	1.86	6.37655G	-27.66	-20.57	-7.09	3
6.407349G	1.67	6.4327G	-26.94	-19.75	-7.19	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

21/01/2026

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.568899G	1.53	6.5309G	-30.42	-22.57	-7.85	1
6.568399G	0.90	6.5911G	-27.70	-19.96	-7.74	2
6.551103G	1.93	6.58685G	-24.74	-18.25	-6.49	3
6.562551G	2.22	6.5364G	-27.89	-20.27	-7.62	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

21/01/2026



5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

21/01/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9692G	1.79	5.9402G	-25.83	-18.42	-7.41	1
5.9739G	1.60	5.9404G	-26.49	-18.41	-8.08	2
5.95891G	1.68	5.9409G	-25.78	-18.44	-7.34	3
5.9731G	1.69	5.9405G	-25.95	-18.45	-7.50	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

21/01/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2175G	1.53	6.1816G	-27.06	-18.50	-8.56	1
6.2163G	1.31	6.1801G	-28.13	-18.90	-9.23	2
6.2103G	1.27	6.1817G	-26.84	-18.74	-8.10	3
6.2176G	2.02	6.1806G	-27.60	-18.01	-9.59	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4011G	1.58	6.5166G	-47.56	-38.42	-9.14	1
6.3963G	0.96	6.5151G	-47.88	-39.04	-8.84	2
6.3971G	2.36	6.3414G	-26.64	-17.71	-8.93	3
6.3731G	2.15	6.3424G	-25.38	-17.96	-7.42	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.616G	1.46	6.5809G	-26.68	-18.69	-7.99	1
6.6368G	1.15	6.5829G	-24.97	-18.89	-6.08	2
6.6375G	1.87	6.5813G	-26.68	-18.16	-8.52	3
6.59571G	2.16	6.5814G	-25.70	-17.85	-7.85	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6941G	1.34	6.5447G	-46.51	-38.66	-7.85	1
6.6875G	0.92	6.6614G	-27.61	-19.13	-8.48	2
6.693G	1.75	6.8377G	-47.16	-38.25	-8.91	3
6.6988G	2.24	6.6614G	-26.12	-17.83	-8.29	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7777G	1.38	6.625G	-45.30	-38.62	-6.68	1
6.7711G	1.29	6.9176G	-47.89	-38.71	-9.18	2
6.7689G	2.06	6.9132G	-46.50	-37.94	-8.56	3
6.771G	1.65	6.7403G	-26.94	-18.66	-8.28	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

29/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96282G	0.42	6.307G	-46.47	-39.58	-6.89	1
6.04799G	0.14	6.381G	-47.05	-39.86	-7.19	2
5.94982G	0.57	6.3352G	-47.07	-39.43	-7.64	3
6.08838G	0.42	6.3264G	-47.23	-39.58	-7.65	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

19/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10962G	3.64	6.5566G	-40.76	-35.86	-4.90	1
6.21199G	3.77	6.4682G	-37.95	-36.23	-1.72	2
6.16021G	4.03	6.58G	-39.05	-31.06	-7.99	3
6.20899G	3.71	6.5008G	-38.92	-36.29	-2.63	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

19/01/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6105MHz_TX

29/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14139G	-0.82	6.5962G	-44.47	-40.82	-3.65	1
6.14859G	-0.52	6.631G	-44.79	-40.52	-4.27	2
6.14099G	-0.00	6.8014G	-45.56	-40.00	-5.56	3
6.13899G	-0.30	6.783G	-45.68	-40.30	-5.38	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6265MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21861G	2.51	6.9978G	-43.05	-37.49	-5.56	1
6.29299G	1.83	6.9606G	-43.00	-38.17	-4.83	2
6.23141G	2.59	6.905G	-43.10	-37.41	-5.69	3
6.36617G	2.45	6.9882G	-43.16	-37.55	-5.61	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6525MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

24/12/2025

CF (Hz)
6.885G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.877402G	-1.09	6.9751G	-46.55	-41.09	-5.46	1


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

24/12/2025

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.936147G	0.06	7.0021G	-46.27	-39.94	-6.33	1

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

24/12/2025




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

25/12/2025

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48041G	6.43	6.6608G	-19.46	-13.83	-5.63	1


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

25/12/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63941G	5.52	6.8284G	-23.86	-14.64	-9.22	1

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

25/12/2025




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6425MHz_TX

25/12/2025




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6585MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6745MHz_TX

25/12/2025




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6905MHz_TX

25/12/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

24/12/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6435MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6475MHz_TX

24/12/2025




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6515MHz_TX

24/12/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

24/12/2025



6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

24/12/2025

