




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

PSD

2462MHz

18/12/2025




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

PSD

2437MHz

18/12/2025






2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

2437MHz

18/12/2025





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	-0.58
802.11g_Nss1,(6Mbps)_2TX	-4.80
802.11be EHT20_Nss1,(MCS0)_2TX	-4.60

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AI-TP05360_2T1S_AP5022FX**

Appendix D.2

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.03	-3.37	-3.82	-0.58	7.97
2437MHz	Pass	6.03	-3.38	-3.22	-1.16	7.97
2462MHz	Pass	6.03	-3.43	-4.18	-0.78	7.97
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.03	-9.80	-10.17	-7.44	7.97
2437MHz	Pass	6.03	-6.16	-8.24	-4.80	7.97
2462MHz	Pass	6.03	-10.76	-11.17	-8.85	7.97
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	6.03	-10.50	-11.09	-8.22	7.97
2437MHz	Pass	6.03	-6.11	-7.30	-4.60	7.97
2462MHz	Pass	6.03	-10.92	-11.64	-9.14	7.97


DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

PSD

2412MHz

18/12/2025




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

PSD

2437MHz

18/12/2025






2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

2437MHz

18/12/2025





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	-3.99

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AI-TP05360_2T2S_AP5022FX**

Appendix D.3

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	3.02	-9.69	-10.68	-7.49	8.00
2437MHz	Pass	3.02	-7.54	-5.99	-3.99	8.00
2462MHz	Pass	3.02	-9.52	-9.87	-8.21	8.00

DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

2437MHz

18/12/2025





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_4TX	1.42
802.11g_Nss1,(6Mbps)_4TX	-4.02
802.11be EHT20_Nss1,(MCS0)_4TX	-4.78

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AI-TP05360_4T1S_AP5022FX**

Appendix D.4

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	9.04	-4.69	-3.91	-2.78	-3.43	1.17	4.96
2437MHz	Pass	9.04	-3.66	-3.42	-3.52	-3.02	1.42	4.96
2462MHz	Pass	9.04	-2.60	-4.74	-4.76	-3.73	0.76	4.96
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	9.04	-10.06	-10.60	-9.93	-9.21	-5.73	4.96
2437MHz	Pass	9.04	-8.40	-9.21	-7.10	-8.56	-4.02	4.96
2462MHz	Pass	9.04	-11.12	-11.29	-11.35	-11.00	-6.99	4.96
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	9.04	-10.56	-9.96	-9.40	-9.75	-5.34	4.96
2437MHz	Pass	9.04	-8.26	-8.49	-9.59	-8.74	-4.78	4.96
2462MHz	Pass	9.04	-9.98	-11.31	-10.01	-11.45	-6.59	4.96


DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

PSD

2437MHz

18/12/2025




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.42	1.42	-3.66	-3.42	-3.52	-3.02

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

PSD

2437MHz

18/12/2025




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-4.02	-4.02	-8.40	-9.21	-7.10	-8.56

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

2437MHz

18/12/2025





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11be EHT20_Nss4,(MCS0)_4TX	-2.86

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AI-TP05360_4T4S_AP5022FX**

Appendix D.5

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	3.02	-9.18	-10.09	-8.14	-8.78	-4.63	8.00
2437MHz	Pass	3.02	-7.80	-7.34	-7.49	-7.43	-2.86	8.00
2462MHz	Pass	3.02	-8.95	-10.36	-9.03	-10.27	-4.99	8.00


DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

2437MHz

18/12/2025





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX	-2.74
802.11g_Nss1,(6Mbps)_1TX	-8.33
802.11be EHT20_Nss1,(MCS0)_1TX	-8.03

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AI-TQ08055_1T1S_AP5022FX**

Appendix D.6

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	5.62	-4.09	-4.09	8.00
2437MHz	Pass	5.62	-2.74	-2.74	8.00
2462MHz	Pass	5.62	-3.24	-3.24	8.00
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	5.62	-10.49	-10.49	8.00
2437MHz	Pass	5.62	-8.33	-8.33	8.00
2462MHz	Pass	5.62	-10.65	-10.65	8.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	5.62	-11.99	-11.99	8.00
2437MHz	Pass	5.62	-8.03	-8.03	8.00
2462MHz	Pass	5.62	-11.47	-11.47	8.00

DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

PSD

2437MHz

18/12/2025

CF (Hz)
2.437G


Span (Hz)
30M

RBW (Hz)
3k

VBW (Hz)
10k

Sweep Time (s)
1.4m

Detector Type
Peak



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.74	-2.74	-2.74

Port 1

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

PSD

2437MHz

18/12/2025

CF (Hz)
2.437G


Span (Hz)
30M

RBW (Hz)
3k

VBW (Hz)
10k

Sweep Time (s)
1.4m

Detector Type
Peak



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.33	-8.33	-8.33

Port 1




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

2437MHz

18/12/2025





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	-0.26
802.11g_Nss1,(6Mbps)_2TX	-4.71
802.11be EHT20_Nss1,(MCS0)_2TX	-6.00

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AI-TQ08055_2T1S_AP5022FX**

Appendix D.7

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.62	-3.77	-2.83	-0.26	8.00
2437MHz	Pass	5.62	-2.53	-2.20	-0.68	8.00
2462MHz	Pass	5.62	-2.18	-4.00	-1.26	8.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.62	-11.29	-10.77	-9.20	8.00
2437MHz	Pass	5.62	-7.25	-6.66	-4.71	8.00
2462MHz	Pass	5.62	-10.04	-12.45	-9.00	8.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.62	-10.22	-11.58	-9.35	8.00
2437MHz	Pass	5.62	-8.35	-7.83	-6.00	8.00
2462MHz	Pass	5.62	-12.67	-12.82	-11.12	8.00


DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

PSD

2412MHz

18/12/2025




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

PSD

2437MHz

18/12/2025





2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

2437MHz

18/12/2025

CF (Hz)
2.437G


Span (Hz)
30M

RBW (Hz)
3k

VBW (Hz)
10k

Sweep Time (s)
1.4m

Detector Type
Peak



Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-6.00	-6.00	-8.35	-7.83



Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	-5.68

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AI-TQ08055_2T2S_AP5022FX**

Appendix D.8

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	5.62	-10.23	-10.28	-7.94	8.00
2437MHz	Pass	5.62	-7.43	-8.54	-5.68	8.00
2462MHz	Pass	5.62	-11.49	-11.16	-8.89	8.00


DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

2437MHz

18/12/2025





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_4TX	1.94
802.11g_Nss1,(6Mbps)_4TX	-5.55
802.11be EHT20_Nss1,(MCS0)_4TX	-5.85

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AI-TQ08055_4T1S_AP5022FX**

Appendix D.9

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	8.63	-2.92	-4.71	-1.91	-2.36	1.94	5.37
2437MHz	Pass	8.63	-2.04	-3.70	-2.86	-3.95	1.09	5.37
2462MHz	Pass	8.63	-2.79	-4.00	-3.50	-3.96	0.52	5.37
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	8.63	-11.66	-10.95	-11.53	-12.10	-7.84	5.37
2437MHz	Pass	8.63	-7.87	-10.01	-10.19	-9.07	-5.55	5.37
2462MHz	Pass	8.63	-13.18	-12.79	-14.11	-13.43	-8.50	5.37
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	8.63	-12.02	-12.84	-12.77	-11.86	-7.96	5.37
2437MHz	Pass	8.63	-9.84	-10.40	-9.23	-9.95	-5.85	5.37
2462MHz	Pass	8.63	-13.44	-14.26	-13.85	-14.20	-9.36	5.37


DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

PSD

2412MHz

18/12/2025




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.94	1.94	-2.92	-4.71	-1.91	-2.36

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

PSD

2437MHz

18/12/2025




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.55	-5.55	-7.87	-10.01	-10.19	-9.07

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

2437MHz

18/12/2025





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11be EHT20_Nss4,(MCS0)_4TX	-4.09

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AI-TQ08055_4T4S_AP5022FX**

Appendix D.10

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	5.62	-11.95	-12.25	-11.09	-10.83	-6.38	8.00
2437MHz	Pass	5.62	-8.57	-8.77	-8.94	-8.61	-4.09	8.00
2462MHz	Pass	5.62	-11.76	-13.43	-12.60	-12.16	-8.23	8.00

DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.



2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

2437MHz

18/12/2025





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_1TX	-2.14
802.11g_Nss1,(6Mbps)_1TX	-9.37
802.11be EHT20_Nss1,(MCS0)_1TX	-8.41

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_1T1S_AP5022FX**

Appendix D.11

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	9.72	-2.57	-2.57	4.28
2437MHz	Pass	9.72	-2.14	-2.14	4.28
2462MHz	Pass	9.72	-2.49	-2.49	4.28
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-
2412MHz	Pass	9.72	-10.62	-10.62	4.28
2437MHz	Pass	9.72	-9.37	-9.37	4.28
2462MHz	Pass	9.72	-10.94	-10.94	4.28
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
2412MHz	Pass	9.72	-10.45	-10.45	4.28
2437MHz	Pass	9.72	-8.41	-8.41	4.28
2462MHz	Pass	9.72	-11.02	-11.02	4.28

DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

PSD

2437MHz

09/02/2026

CF (Hz)
2.437G


Span (Hz)
30M

RBW (Hz)
3k

VBW (Hz)
10k

Sweep Time (s)
4.424m

Detector Type
Peak



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.14	-2.14	-2.14

Port 1

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

PSD

2437MHz

09/02/2026

CF (Hz)
2.437G


Span (Hz)
30M

RBW (Hz)
3k

VBW (Hz)
10k

Sweep Time (s)
4.424m

Detector Type
Peak



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-9.37	-9.37	-9.37

Port 1




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

2437MHz

09/02/2026





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	-0.73
802.11g_Nss1,(6Mbps)_2TX	-6.40
802.11be EHT20_Nss1,(MCS0)_2TX	-6.77

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T1S_AP5022FX**

Appendix D.12

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	9.72	-3.36	-3.63	-1.80	4.28
2437MHz	Pass	9.72	-2.84	-3.13	-0.73	4.28
2462MHz	Pass	9.72	-3.47	-4.21	-2.40	4.28
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	9.72	-10.89	-9.76	-8.17	4.28
2437MHz	Pass	9.72	-8.60	-9.51	-6.40	4.28
2462MHz	Pass	9.72	-13.36	-13.05	-10.56	4.28
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	9.72	-10.19	-10.25	-8.46	4.28
2437MHz	Pass	9.72	-8.25	-8.79	-6.77	4.28
2462MHz	Pass	9.72	-13.54	-12.43	-10.65	4.28


DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

PSD

2437MHz

09/02/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.73	-0.73	-2.84	-3.13

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

PSD

2437MHz

09/02/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.40	-6.40	-8.60	-9.51




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

2437MHz

09/02/2026





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	-7.68

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T2S_AP5022FX**

Appendix D.13

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	9.72	-9.72	-10.23	-8.06	4.28
2437MHz	Pass	9.72	-9.29	-9.11	-7.68	4.28
2462MHz	Pass	9.72	-12.13	-10.92	-9.97	4.28

DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

2437MHz

09/02/2026





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_4TX	0.94
802.11g_Nss1,(6Mbps)_4TX	-5.63
802.11be EHT20_Nss1,(MCS0)_4TX	-6.45

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T1S_AP5022FX**

Appendix D.14

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	12.73	-4.42	-4.55	-3.58	-4.09	0.58	1.27
2437MHz	Pass	12.73	-3.97	-3.73	-3.25	-4.52	0.94	1.27
2462MHz	Pass	12.73	-5.45	-4.41	-5.76	-4.97	-0.16	1.27
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	12.73	-11.09	-10.49	-11.93	-11.83	-7.03	1.27
2437MHz	Pass	12.73	-9.56	-9.23	-10.80	-10.32	-5.63	1.27
2462MHz	Pass	12.73	-14.69	-15.45	-15.77	-15.01	-11.05	1.27
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	12.73	-11.52	-11.10	-12.28	-11.35	-7.61	1.27
2437MHz	Pass	12.73	-10.01	-10.21	-10.37	-10.47	-6.45	1.27
2462MHz	Pass	12.73	-15.33	-16.10	-16.74	-16.09	-12.13	1.27


DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

PSD

2437MHz

10/02/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

PSD

2437MHz

10/02/2026






2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

2437MHz

10/02/2026





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11be EHT20_Nss4,(MCS0)_4TX	-4.98

RBW = 3kHz;



**PSD_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T4S_AP5022FX**

Appendix D.15

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
2412MHz	Pass	9.72	-10.26	-11.52	-10.39	-10.24	-6.35	4.28
2437MHz	Pass	9.72	-9.40	-10.36	-9.59	-10.74	-4.98	4.28
2462MHz	Pass	9.72	-13.13	-14.10	-14.09	-13.63	-9.41	4.28

DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.




2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

2437MHz

10/02/2026





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11b_Nss1,(1Mbps)_2TX	1.52
802.11g_Nss1,(6Mbps)_2TX	-4.83
802.11be EHT20_Nss1,(MCS0)_2TX	-4.99

RBW = 3kHz;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	4.23	-2.23	-1.46	0.42	8.00
2437MHz	Pass	4.23	-1.80	0.49	1.52	8.00
2462MHz	Pass	4.23	-2.21	-1.78	0.32	8.00
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
2412MHz	Pass	4.23	-7.01	-7.86	-5.67	8.00
2437MHz	Pass	4.23	-7.43	-7.08	-4.83	8.00
2462MHz	Pass	4.23	-9.96	-9.38	-6.98	8.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	4.23	-11.69	-10.78	-9.11	8.00
2437MHz	Pass	4.23	-7.06	-6.00	-4.99	8.00
2462MHz	Pass	4.23	-11.42	-10.42	-8.71	8.00

DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

PSD

2437MHz

19/12/2025

CF (Hz)
2.437G


Span (Hz)
30M

RBW (Hz)
3k

VBW (Hz)
10k

Sweep Time (s)
1.4m

Detector Type
Peak



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.52	1.52	-1.80	0.49

Sum ☒

Port 1 ☐

Port 2 ☐

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

PSD

2437MHz

19/12/2025

CF (Hz)
2.437G


Span (Hz)
30M

RBW (Hz)
3k

VBW (Hz)
10k

Sweep Time (s)
1.4m

Detector Type
Peak



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.83	-4.83	-7.43	-7.08

Sum ☒

Port 1 ☐


Port 2 ☐

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

2437MHz

19/12/2025





Summary

Mode	PD (dBm/RBW)
2.4-2.4835GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	-5.57

RBW = 3kHz;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
2412MHz	Pass	2.86	-9.86	-9.05	-7.06	8.00
2437MHz	Pass	2.86	-7.37	-7.04	-5.57	8.00
2462MHz	Pass	2.86	-9.75	-10.07	-7.38	8.00

DG = Directional Gain; RBW = 3kHz;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

2437MHz

19/12/2025

CF (Hz)
2.437G
Span (Hz)
30M
RBW (Hz)
3k
VBW (Hz)
10k
Sweep Time (s)
1.4m
Detector Type
Peak



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.57	-5.57	-7.37	-7.04



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TP05360_1T1S_AP5022FX**

Appendix E.1

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.43641G	13.02	-16.98	2.11885G	-55.77	2.4G	-27.31	2.4G	-27.14	2.51294G	-52.48	22.0022G	-46.20	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.43941G	9.25	-20.75	1.75537G	-56.27	2.39864G	-34.84	2.4G	-34.41	2.50134G	-52.87	21.53019G	-44.25	1
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	2.44459G	9.21	-20.79	2.14564G	-55.57	2.39704G	-36.92	2.4G	-36.44	2.50398G	-53.19	21.53581G	-46.41	1



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TP05360_1T1S_AP5022FX**

Appendix E.1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43641G	13.02	-16.98	2.11885G	-55.77	2.4G	-27.31	2.4G	-27.14	2.51294G	-52.48	22.0022G	-46.20	1
2437MHz	Pass	2.43641G	13.02	-16.98	2.14215G	-56.61	2.39736G	-51.44	2.4G	-53.68	2.51214G	-53.11	21.85329G	-46.11	1
2462MHz	Pass	2.43641G	13.02	-16.98	2.17943G	-55.74	2.39664G	-52.14	2.4G	-55.19	2.50142G	-53.39	21.54705G	-46.52	1
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43941G	9.25	-20.75	1.75537G	-56.27	2.39864G	-34.84	2.4G	-34.41	2.50134G	-52.87	21.53019G	-44.25	1
2437MHz	Pass	2.43941G	9.25	-20.75	2.30758G	-56.03	2.39888G	-44.89	2.4G	-45.35	2.50422G	-52.60	22.00782G	-45.99	1
2462MHz	Pass	2.43941G	9.25	-20.75	2.14215G	-55.78	2.39816G	-51.97	2.4G	-54.96	2.51966G	-53.32	21.61167G	-46.12	1
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44459G	9.21	-20.79	2.14564G	-55.57	2.39704G	-36.92	2.4G	-36.44	2.50398G	-53.19	21.53581G	-46.41	1
2437MHz	Pass	2.44459G	9.21	-20.79	1.72508G	-54.99	2.39784G	-41.08	2.4G	-41.65	2.51262G	-53.53	21.6201G	-46.38	1
2462MHz	Pass	2.44459G	9.21	-20.79	2.06992G	-55.72	2.39968G	-52.81	2.4G	-54.44	2.51494G	-53.51	21.79148G	-45.66	1


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43641G	13.02	-16.98	2.11885G	-55.77	2.4G	-27.31	2.4G	-27.14	2.51294G	-52.48	22.0022G	-46.20	1


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSEndB


2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43941G	9.25	-20.75	1.75537G	-56.27	2.39864G	-34.84	2.4G	-34.41	2.50134G	-52.87	21.53019G	-44.25	1





**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TP05360_2T1S_AP5022FX**

Appendix E.2

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43741G	12.03	-17.97	1.98837G	-55.72	2.4G	-28.10	2.4G	-27.66	2.50894G	-53.43	21.53019G	-45.70	1
802.11g_Nss1,(6Mbps)_2TX	Pass	2.44208G	9.24	-20.76	2.30059G	-55.99	2.39864G	-34.43	2.4G	-33.72	2.50102G	-52.73	21.57233G	-46.00	1
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	2.44192G	9.42	-20.58	2.13283G	-54.82	2.39912G	-35.42	2.4G	-38.38	2.50302G	-53.08	21.44028G	-45.70	2



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TP05360_2T1S_AP5022FX**

Appendix E.2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43741G	12.03	-17.97	1.98837G	-55.72	2.4G	-28.10	2.4G	-27.66	2.50894G	-53.43	21.53019G	-45.70	1
2412MHz	Pass	2.43741G	12.03	-17.97	2.09788G	-55.10	2.4G	-37.12	2.4G	-35.03	2.51998G	-53.30	21.60886G	-45.61	2
2437MHz	Pass	2.43741G	12.03	-17.97	1.81129G	-56.14	2.39304G	-51.23	2.4G	-52.65	2.51382G	-53.52	21.95162G	-46.33	1
2437MHz	Pass	2.43741G	12.03	-17.97	2.19574G	-56.29	2.39976G	-51.41	2.4G	-53.55	2.5047G	-52.90	21.53862G	-46.42	2
2462MHz	Pass	2.43741G	12.03	-17.97	2.17593G	-55.60	2.39936G	-52.23	2.4G	-54.42	2.52094G	-52.99	21.66224G	-45.53	1
2462MHz	Pass	2.43741G	12.03	-17.97	1.84507G	-55.90	2.4G	-51.27	2.4G	-53.73	2.50614G	-53.34	21.61448G	-46.41	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44208G	9.24	-20.76	2.30059G	-55.99	2.39864G	-34.43	2.4G	-33.72	2.50102G	-52.73	21.57233G	-46.00	1
2412MHz	Pass	2.44208G	9.24	-20.76	2.19574G	-55.50	2.39584G	-36.69	2.4G	-35.55	2.5147G	-53.94	21.46557G	-45.98	2
2437MHz	Pass	2.44208G	9.24	-20.76	1.89051G	-55.20	2.39952G	-44.69	2.4G	-46.37	2.50342G	-53.83	21.5049G	-46.44	1
2437MHz	Pass	2.44208G	9.24	-20.76	2.15613G	-56.08	2.4G	-41.60	2.4G	-41.45	2.51894G	-53.63	21.79148G	-45.56	2
2462MHz	Pass	2.44208G	9.24	-20.76	2.13283G	-56.21	2.4G	-51.58	2.4G	-56.24	2.51918G	-52.89	21.73248G	-45.77	1
2462MHz	Pass	2.44208G	9.24	-20.76	2.01516G	-55.96	2.39616G	-52.77	2.4G	-54.97	2.51774G	-53.83	21.63976G	-45.65	2
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	9.42	-20.58	2.16778G	-56.26	2.39704G	-37.23	2.4G	-38.43	2.51222G	-53.22	21.55829G	-46.55	1
2412MHz	Pass	2.44192G	9.42	-20.58	2.18875G	-55.33	2.4G	-38.84	2.4G	-36.53	2.50006G	-53.37	21.61167G	-44.92	2
2437MHz	Pass	2.44192G	9.42	-20.58	2.0373G	-55.88	2.4G	-39.07	2.4G	-41.58	2.52262G	-53.24	21.48243G	-44.84	1
2437MHz	Pass	2.44192G	9.42	-20.58	2.13283G	-54.82	2.39912G	-35.42	2.4G	-38.38	2.50302G	-53.08	21.44028G	-45.70	2
2462MHz	Pass	2.44192G	9.42	-20.58	2.18059G	-55.56	2.3928G	-52.30	2.4G	-54.02	2.50358G	-53.52	21.48524G	-46.60	1
2462MHz	Pass	2.44192G	9.42	-20.58	1.90915G	-56.22	2.39576G	-52.37	2.4G	-55.91	2.5231G	-53.84	21.60886G	-46.11	2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43741G	12.03	-17.97	1.98837G	-55.72	2.4G	-28.10	2.4G	-27.66	2.50894G	-53.43	21.53019G	-45.70	1
2.43741G	12.03	-17.97	2.09788G	-55.10	2.4G	-37.12	2.4G	-35.03	2.51998G	-53.30	21.60886G	-45.61	2

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44208G	9.24	-20.76	2.30099G	-55.99	2.39864G	-34.43	2.4G	-33.72	2.50102G	-52.73	21.57233G	-46.00	1
2.44208G	9.24	-20.76	2.19574G	-55.50	2.39584G	-36.69	2.4G	-35.55	2.5147G	-53.94	21.46557G	-45.98	2

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


CSEndB

2437MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	9.42	-20.58	2.0373G	-55.88	2.4G	-39.07	2.4G	-41.58	2.52262G	-53.24	21.48243G	-44.84	1
2.44192G	9.42	-20.58	2.13283G	-54.82	2.39912G	-35.42	2.4G	-38.38	2.50302G	-53.08	21.44028G	-45.70	2



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TP05360_2T2S_AP5022FX**

Appendix E.3

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	2.44459G	9.10	-20.90	1.86837G	-55.89	2.39704G	-35.68	2.4G	-36.73	2.51782G	-53.50	21.57233G	-46.11	1



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TP05360_2T2S_AP5022FX**

Appendix E.3

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44459G	9.10	-20.90	1.86837G	-55.89	2.39704G	-35.68	2.4G	-36.73	2.51782G	-53.50	21.57233G	-46.11	1
2412MHz	Pass	2.44459G	9.10	-20.90	2.1305G	-56.54	2.39832G	-39.01	2.4G	-36.44	2.52022G	-53.83	22.0022G	-46.37	2
2437MHz	Pass	2.44459G	9.10	-20.90	2.15846G	-56.09	2.39808G	-41.53	2.4G	-44.35	2.50086G	-53.86	21.56671G	-46.57	1
2437MHz	Pass	2.44459G	9.10	-20.90	1.7111G	-56.58	2.39872G	-38.89	2.4G	-40.60	2.51302G	-52.89	21.58638G	-46.33	2
2462MHz	Pass	2.44459G	9.10	-20.90	2.06526G	-55.67	2.39544G	-52.23	2.4G	-55.79	2.50446G	-52.93	21.99096G	-45.49	1
2462MHz	Pass	2.44459G	9.10	-20.90	1.74605G	-56.17	2.39992G	-52.16	2.4G	-53.26	2.51246G	-52.92	21.61167G	-45.46	2




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

CSEndB

2412MHz

18/12/2025





**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TP05360_4T1S_AP5022FX**

Appendix E.4

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	2.43641G	12.80	-17.20	2.13982G	-55.84	2.4G	-25.03	2.4G	-25.95	2.50398G	-53.67	21.55548G	-45.52	1
802.11g_Nss1,(6Mbps)_4TX	Pass	2.44192G	8.97	-21.03	1.82294G	-55.87	2.39832G	-35.97	2.4G	-35.27	2.51014G	-52.56	21.59481G	-45.69	1
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	2.44192G	7.44	-22.56	1.78216G	-55.43	2.4G	-37.30	2.4G	-35.29	2.5015G	-53.47	21.55267G	-45.15	3

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43641G	12.80	-17.20	2.13982G	-55.84	2.4G	-25.03	2.4G	-25.95	2.50398G	-53.67	21.55548G	-45.52	1
2412MHz	Pass	2.43641G	12.80	-17.20	1.89167G	-56.08	2.4G	-34.74	2.4G	-36.70	2.51222G	-53.36	21.60324G	-45.52	2
2412MHz	Pass	2.43641G	12.80	-17.20	2.07341G	-55.64	2.39856G	-35.29	2.4G	-37.15	2.50606G	-52.61	21.60605G	-45.92	3
2412MHz	Pass	2.43641G	12.80	-17.20	2.16079G	-55.97	2.4G	-32.43	2.4G	-33.56	2.5079G	-53.05	21.57795G	-45.85	4
2437MHz	Pass	2.43641G	12.80	-17.20	2.16545G	-55.52	2.39368G	-50.45	2.4G	-52.59	2.50878G	-53.18	22.00782G	-45.93	1
2437MHz	Pass	2.43641G	12.80	-17.20	1.79381G	-56.23	2.39984G	-50.61	2.4G	-54.02	2.51038G	-52.97	21.98534G	-44.03	2
2437MHz	Pass	2.43641G	12.80	-17.20	2.11885G	-55.73	2.39984G	-51.23	2.4G	-52.75	2.51558G	-53.65	21.60043G	-45.98	3
2437MHz	Pass	2.43641G	12.80	-17.20	2.30059G	-55.99	2.39992G	-51.33	2.4G	-52.99	2.51134G	-52.59	21.97691G	-45.45	4
2462MHz	Pass	2.43641G	12.80	-17.20	1.9208G	-54.57	2.4G	-51.61	2.4G	-54.46	2.5131G	-53.38	21.95443G	-46.19	1
2462MHz	Pass	2.43641G	12.80	-17.20	2.19108G	-56.23	2.4G	-51.22	2.4G	-53.97	2.52046G	-52.76	21.5611G	-45.92	2
2462MHz	Pass	2.43641G	12.80	-17.20	2.30641G	-55.78	2.39984G	-52.08	2.4G	-55.06	2.5211G	-53.64	21.55267G	-44.73	3
2462MHz	Pass	2.43641G	12.80	-17.20	1.97089G	-56.16	2.39984G	-51.66	2.4G	-54.74	2.51582G	-52.22	21.51333G	-45.70	4
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	8.97	-21.03	1.82294G	-55.87	2.39832G	-35.97	2.4G	-35.27	2.51014G	-52.56	21.59481G	-45.69	1
2412MHz	Pass	2.44192G	8.97	-21.03	2.17826G	-56.24	2.39704G	-37.74	2.4G	-36.20	2.50958G	-52.31	21.46838G	-45.72	2
2412MHz	Pass	2.44192G	8.97	-21.03	2.18875G	-56.06	2.4G	-41.42	2.4G	-36.37	2.5179G	-53.93	21.58076G	-45.95	3
2412MHz	Pass	2.44192G	8.97	-21.03	1.90682G	-56.16	2.4G	-40.62	2.4G	-37.78	2.52222G	-53.92	21.53862G	-45.07	4
2437MHz	Pass	2.44192G	8.97	-21.03	2.06409G	-54.85	2.3996G	-43.95	2.4G	-46.17	2.50702G	-52.99	21.97129G	-45.57	1
2437MHz	Pass	2.44192G	8.97	-21.03	1.95924G	-56.11	2.3964G	-39.42	2.4G	-42.43	2.51622G	-53.97	21.55829G	-46.13	2
2437MHz	Pass	2.44192G	8.97	-21.03	2.1538G	-55.34	2.39792G	-38.83	2.4G	-38.48	2.51406G	-53.07	21.99096G	-45.41	3
2437MHz	Pass	2.44192G	8.97	-21.03	1.88002G	-56.53	2.39672G	-38.51	2.4G	-40.61	2.52062G	-53.20	21.52738G	-46.04	4
2462MHz	Pass	2.44192G	8.97	-21.03	1.73207G	-55.50	2.3932G	-52.81	2.4G	-54.55	2.50462G	-54.03	21.98815G	-45.71	1
2462MHz	Pass	2.44192G	8.97	-21.03	2.30292G	-56.21	2.39384G	-51.35	2.4G	-55.50	2.50454G	-53.68	23.4716G	-46.33	2
2462MHz	Pass	2.44192G	8.97	-21.03	1.80197G	-56.40	2.39752G	-51.36	2.4G	-54.25	2.50142G	-53.26	21.61729G	-46.15	3
2462MHz	Pass	2.44192G	8.97	-21.03	2.17826G	-55.84	2.39768G	-52.73	2.4G	-53.63	2.50774G	-53.63	21.63695G	-46.13	4
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	7.44	-22.56	2.17943G	-55.23	2.39704G	-36.60	2.4G	-37.72	2.5067G	-53.85	21.52738G	-46.18	1
2412MHz	Pass	2.44192G	7.44	-22.56	2.05011G	-56.12	2.4G	-39.70	2.4G	-35.88	2.50126G	-53.94	22.0022G	-44.47	2
2412MHz	Pass	2.44192G	7.44	-22.56	1.78216G	-55.43	2.4G	-37.30	2.4G	-35.29	2.5015G	-53.47	21.55267G	-45.15	3
2412MHz	Pass	2.44192G	7.44	-22.56	2.19224G	-56.16	2.4G	-39.37	2.4G	-36.06	2.50582G	-53.35	21.56391G	-44.73	4
2437MHz	Pass	2.44192G	7.44	-22.56	2.01516G	-56.34	2.39984G	-44.07	2.4G	-46.06	2.51942G	-53.21	22.00782G	-45.45	1
2437MHz	Pass	2.44192G	7.44	-22.56	2.19923G	-56.22	2.3996G	-39.15	2.4G	-43.50	2.51238G	-52.55	21.99096G	-44.99	2
2437MHz	Pass	2.44192G	7.44	-22.56	2.1538G	-56.33	2.39984G	-40.32	2.4G	-40.70	2.50294G	-53.57	21.63695G	-45.81	3
2437MHz	Pass	2.44192G	7.44	-22.56	2.18292G	-56.20	2.4G	-38.33	2.4G	-40.44	2.50198G	-53.12	21.55548G	-45.45	4
2462MHz	Pass	2.44192G	7.44	-22.56	1.74954G	-56.10	2.39992G	-52.58	2.4G	-55.18	2.50382G	-52.62	21.52738G	-45.98	1
2462MHz	Pass	2.44192G	7.44	-22.56	2.14797G	-54.79	2.39816G	-52.31	2.4G	-55.94	2.5215G	-53.06	21.592G	-45.87	2
2462MHz	Pass	2.44192G	7.44	-22.56	2.01167G	-56.49	2.39424G	-52.44	2.4G	-54.99	2.52102G	-53.45	21.57514G	-46.01	3
2462MHz	Pass	2.44192G	7.44	-22.56	2.14797G	-56.02	2.392G	-52.67	2.4G	-54.63	2.51662G	-52.03	21.60886G	-46.00	4

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX



CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2
Port 3
Port 4



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43641G	12.80	-17.20	2.13982G	-55.84	2.4G	-25.03	2.4G	-25.95	2.50398G	-53.67	2.155548G	-45.52	1
2.43641G	12.80	-17.20	1.89167G	-56.08	2.4G	-34.74	2.4G	-36.70	2.51222G	-53.36	2.160324G	-45.52	2
2.43641G	12.80	-17.20	2.07341G	-55.64	2.39856G	-35.29	2.4G	-37.15	2.50606G	-52.61	2.160605G	-45.92	3
2.43641G	12.80	-17.20	2.16079G	-55.97	2.4G	-32.43	2.4G	-33.56	2.5079G	-53.05	2.157795G	-45.85	4

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX



CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2
Port 3
Port 4




Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	8.97	-21.03	1.82294G	-55.87	2.39832G	-35.97	2.4G	-35.27	2.51014G	-52.56	2.159481G	-45.69	1
2.44192G	8.97	-21.03	2.17826G	-56.24	2.39704G	-37.74	2.4G	-36.20	2.50958G	-52.31	2.146838G	-45.72	2
2.44192G	8.97	-21.03	2.18875G	-56.06	2.4G	-41.42	2.4G	-36.37	2.5179G	-53.93	2.158076G	-45.95	3
2.44192G	8.97	-21.03	1.90682G	-56.16	2.4G	-40.62	2.4G	-37.78	2.52222G	-53.92	2.153862G	-45.07	4

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	7.44	-22.56	2.17943G	-55.23	2.39704G	-36.60	2.4G	-37.72	2.5067G	-53.85	21.52738G	-46.18	1
2.44192G	7.44	-22.56	2.05011G	-56.12	2.4G	-39.70	2.4G	-35.88	2.50126G	-53.94	22.0022G	-44.47	2
2.44192G	7.44	-22.56	1.78216G	-55.43	2.4G	-37.30	2.4G	-35.29	2.5015G	-53.47	21.55267G	-45.15	3
2.44192G	7.44	-22.56	2.19224G	-56.16	2.4G	-39.37	2.4G	-36.06	2.50582G	-53.35	21.56391G	-44.73	4



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TP05360_4T4S_AP5022FX**

Appendix E.5

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	2.44192G	7.99	-22.01	1.77051G	-55.72	2.39808G	-32.23	2.4G	-36.90	2.50254G	-53.44	21.51052G	-45.93	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	7.99	-22.01	1.77051G	-55.72	2.39808G	-32.23	2.4G	-36.90	2.50254G	-53.44	21.51052G	-45.93	1
2412MHz	Pass	2.44192G	7.99	-22.01	2.04662G	-56.20	2.39824G	-38.83	2.4G	-37.33	2.50358G	-53.66	21.59481G	-44.86	2
2412MHz	Pass	2.44192G	7.99	-22.01	1.6412G	-55.88	2.4G	-35.60	2.4G	-34.65	2.51758G	-53.31	21.63133G	-45.90	3
2412MHz	Pass	2.44192G	7.99	-22.01	2.30059G	-55.30	2.4G	-39.33	2.4G	-36.37	2.52262G	-53.08	21.60886G	-45.64	4
2437MHz	Pass	2.44192G	7.99	-22.01	2.02099G	-55.77	2.39936G	-42.88	2.4G	-46.55	2.5015G	-53.16	21.95443G	-46.19	1
2437MHz	Pass	2.44192G	7.99	-22.01	1.97905G	-56.58	2.39992G	-41.33	2.4G	-44.94	2.51318G	-53.12	21.60043G	-45.87	2
2437MHz	Pass	2.44192G	7.99	-22.01	2.13749G	-55.78	2.39928G	-36.99	2.4G	-37.11	2.50414G	-52.96	21.61167G	-45.46	3
2437MHz	Pass	2.44192G	7.99	-22.01	2.15496G	-55.80	2.39976G	-37.92	2.4G	-38.57	2.50294G	-53.47	21.51895G	-45.14	4
2462MHz	Pass	2.44192G	7.99	-22.01	2.15263G	-56.05	2.3968G	-52.58	2.4G	-53.86	2.50974G	-53.19	21.59762G	-43.97	1
2462MHz	Pass	2.44192G	7.99	-22.01	1.87886G	-56.10	2.4G	-52.08	2.4G	-54.33	2.5155G	-53.00	21.60886G	-45.54	2
2462MHz	Pass	2.44192G	7.99	-22.01	2.10487G	-55.84	2.39832G	-51.90	2.4G	-53.68	2.51686G	-53.32	21.592G	-46.03	3
2462MHz	Pass	2.44192G	7.99	-22.01	2.11652G	-54.66	2.39776G	-51.86	2.4G	-54.42	2.50366G	-53.33	21.62291G	-46.11	4

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX



CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2
Port 3
Port 4



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	7.99	-22.01	1.77051G	-55.72	2.39808G	-32.23	2.4G	-36.90	2.50254G	-53.44	21.51052G	-45.93	1
2.44192G	7.99	-22.01	2.04662G	-56.20	2.39824G	-38.83	2.4G	-37.33	2.50358G	-53.66	21.59481G	-44.86	2
2.44192G	7.99	-22.01	1.6412G	-55.88	2.4G	-35.60	2.4G	-34.65	2.51758G	-53.31	21.63133G	-45.90	3
2.44192G	7.99	-22.01	2.30059G	-55.30	2.4G	-39.33	2.4G	-36.37	2.52262G	-53.08	21.60886G	-45.64	4



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TQ08055_1T1S_AP5022FX**

Appendix E.6

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.43641G	12.56	-17.44	2.1072G	-55.94	2.4G	-27.26	2.4G	-27.07	2.50358G	-53.00	21.65662G	-44.32	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.44192G	8.96	-21.04	1.95109G	-55.23	2.39704G	-37.51	2.4G	-38.28	2.50222G	-53.61	21.61167G	-45.44	1
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	2.44459G	8.33	-21.67	2.18059G	-55.76	2.4G	-39.46	2.4G	-37.73	2.50166G	-53.70	21.52738G	-45.91	1



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TQ08055_1T1S_AP5022FX**

Appendix E.6

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43641G	12.56	-17.44	2.1072G	-55.94	2.4G	-27.26	2.4G	-27.07	2.50358G	-53.00	21.65662G	-44.32	1
2437MHz	Pass	2.43641G	12.56	-17.44	1.84158G	-56.32	2.39864G	-51.67	2.4G	-52.96	2.5091G	-53.32	21.99658G	-46.11	1
2462MHz	Pass	2.43641G	12.56	-17.44	2.17244G	-55.78	2.39768G	-51.62	2.4G	-54.14	2.50662G	-53.63	21.71281G	-46.59	1
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	8.96	-21.04	1.95109G	-55.23	2.39704G	-37.51	2.4G	-38.28	2.50222G	-53.61	21.61167G	-45.44	1
2437MHz	Pass	2.44192G	8.96	-21.04	2.06293G	-56.13	2.39952G	-44.37	2.4G	-44.95	2.50046G	-53.64	21.58919G	-45.97	1
2462MHz	Pass	2.44192G	8.96	-21.04	1.72391G	-55.52	2.39616G	-52.93	2.4G	-56.37	2.5175G	-53.30	21.60324G	-45.19	1
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44459G	8.33	-21.67	2.18059G	-55.76	2.4G	-39.46	2.4G	-37.73	2.50166G	-53.70	21.52738G	-45.91	1
2437MHz	Pass	2.44459G	8.33	-21.67	2.17011G	-55.66	2.39912G	-44.74	2.4G	-45.72	2.51742G	-52.86	21.47119G	-45.56	1
2462MHz	Pass	2.44459G	8.33	-21.67	2.15263G	-55.14	2.39728G	-51.95	2.4G	-56.14	2.51094G	-53.54	21.48805G	-45.59	1


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak







**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TQ08055_2T1S_AP5022FX**

Appendix E.7

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43758G	13.04	-16.96	1.91264G	-56.15	2.4G	-25.36	2.4G	-27.39	2.50038G	-53.90	21.90948G	-46.22	1
802.11g_Nss1,(6Mbps)_2TX	Pass	2.44192G	9.50	-20.50	1.96623G	-54.97	2.4G	-40.10	2.4G	-37.58	2.5123G	-52.97	21.58076G	-45.20	2
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	2.44459G	7.76	-22.24	1.428G	-55.61	2.4G	-39.66	2.4G	-36.76	2.51902G	-53.17	21.89543G	-45.64	2



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TQ08055_2T1S_AP5022FX**

Appendix E.7

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43758G	13.04	-16.96	1.91264G	-56.15	2.4G	-25.36	2.4G	-27.39	2.50038G	-53.90	21.90948G	-46.22	1
2412MHz	Pass	2.43758G	13.04	-16.96	2.1072G	-55.54	2.39856G	-36.09	2.4G	-36.76	2.52046G	-53.62	21.95443G	-45.95	2
2437MHz	Pass	2.43758G	13.04	-16.96	2.15263G	-55.90	2.39976G	-50.89	2.4G	-53.58	2.51358G	-52.77	21.55829G	-45.82	1
2437MHz	Pass	2.43758G	13.04	-16.96	1.74838G	-55.20	2.39856G	-50.68	2.4G	-53.96	2.51366G	-52.98	21.9432G	-46.50	2
2462MHz	Pass	2.43758G	13.04	-16.96	1.90099G	-55.77	2.39992G	-51.79	2.4G	-55.03	2.50766G	-53.07	21.51052G	-45.49	1
2462MHz	Pass	2.43758G	13.04	-16.96	1.64819G	-56.31	2.39464G	-51.63	2.4G	-53.67	2.50974G	-53.14	21.55548G	-44.87	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	9.50	-20.50	1.87536G	-56.83	2.39704G	-38.83	2.4G	-38.42	2.50094G	-53.32	21.57233G	-46.59	1
2412MHz	Pass	2.44192G	9.50	-20.50	1.96623G	-54.97	2.4G	-40.10	2.4G	-37.58	2.5123G	-52.97	21.58076G	-45.20	2
2437MHz	Pass	2.44192G	9.50	-20.50	2.13982G	-56.74	2.3996G	-43.64	2.4G	-45.03	2.52038G	-52.94	21.52738G	-45.95	1
2437MHz	Pass	2.44192G	9.50	-20.50	2.19574G	-56.23	2.3992G	-39.33	2.4G	-41.28	2.51366G	-53.23	21.57514G	-45.42	2
2462MHz	Pass	2.44192G	9.50	-20.50	2.30525G	-55.32	2.3996G	-52.82	2.4G	-55.09	2.50486G	-52.85	21.57514G	-46.62	1
2462MHz	Pass	2.44192G	9.50	-20.50	2.17244G	-55.40	2.39152G	-51.89	2.4G	-55.86	2.50286G	-53.53	21.48243G	-45.94	2
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44459G	7.76	-22.24	2.00584G	-56.24	2.4G	-39.04	2.4G	-38.01	2.52198G	-53.86	21.95724G	-45.00	1
2412MHz	Pass	2.44459G	7.76	-22.24	1.428G	-55.61	2.4G	-39.66	2.4G	-36.76	2.51902G	-53.17	21.89543G	-45.64	2
2437MHz	Pass	2.44459G	7.76	-22.24	2.12584G	-56.10	2.39896G	-44.23	2.4G	-44.79	2.50246G	-52.26	21.59762G	-45.44	1
2437MHz	Pass	2.44459G	7.76	-22.24	2.12118G	-56.22	2.39992G	-41.36	2.4G	-40.28	2.52214G	-53.41	21.94882G	-45.04	2
2462MHz	Pass	2.44459G	7.76	-22.24	2.13749G	-56.15	2.4G	-52.85	2.4G	-56.22	2.50822G	-52.89	21.58919G	-46.19	1
2462MHz	Pass	2.44459G	7.76	-22.24	1.90565G	-56.26	2.39568G	-52.77	2.4G	-55.83	2.51374G	-53.72	21.415G	-45.40	2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSEndB

2412MHz

18/12/2025




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSEndB

2412MHz

18/12/2025





2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44459G	7.76	-22.24	2.00584G	-56.24	2.4G	-39.04	2.4G	-38.01	2.52198G	-53.86	21.95724G	-45.00	1
2.44459G	7.76	-22.24	1.428G	-55.61	2.4G	-39.66	2.4G	-36.76	2.51902G	-53.17	21.89543G	-45.64	2



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TQ08055_2T2S_AP5022FX**

Appendix E.8

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	2.44192G	7.85	-22.15	2.18292G	-56.20	2.4G	-38.85	2.4G	-34.03	2.50214G	-52.25	21.59481G	-45.26	2



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TQ08055_2T2S_AP5022FX**

Appendix E.8

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	7.85	-22.15	2.17011G	-56.14	2.39704G	-38.71	2.4G	-37.07	2.50534G	-52.77	21.55267G	-45.81	1
2412MHz	Pass	2.44192G	7.85	-22.15	2.18292G	-56.20	2.4G	-38.85	2.4G	-34.03	2.50214G	-52.25	21.59481G	-45.26	2
2437MHz	Pass	2.44192G	7.85	-22.15	2.19224G	-56.12	2.39928G	-42.80	2.4G	-45.76	2.50518G	-53.00	21.97972G	-45.24	1
2437MHz	Pass	2.44192G	7.85	-22.15	1.83342G	-56.24	2.39504G	-41.70	2.4G	-42.73	2.50246G	-53.01	21.58919G	-46.27	2
2462MHz	Pass	2.44192G	7.85	-22.15	1.7775G	-55.58	2.39784G	-53.11	2.4G	-56.54	2.5231G	-52.96	21.58076G	-45.53	1
2462MHz	Pass	2.44192G	7.85	-22.15	1.97206G	-56.50	2.39784G	-52.96	2.4G	-56.17	2.51174G	-53.41	21.6201G	-45.78	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

CSEndB

2412MHz

18/12/2025





**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TQ08055_4T1S_AP5022FX**

Appendix E.9

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	2.43657G	12.97	-17.03	1.92429G	-55.62	2.4G	-26.11	2.4G	-26.49	2.50302G	-52.98	21.8842G	-45.81	1
802.11g_Nss1,(6Mbps)_4TX	Pass	2.43941G	7.12	-22.88	2.15263G	-55.99	2.4G	-43.07	2.4G	-37.55	2.51918G	-53.64	22.0022G	-45.67	3
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	2.44192G	6.28	-23.72	2.03613G	-56.17	2.4G	-39.49	2.4G	-36.55	2.51126G	-52.82	23.39855G	-46.10	3

Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43657G	12.97	-17.03	1.92429G	-55.62	2.4G	-26.11	2.4G	-26.49	2.50302G	-52.98	21.8842G	-45.81	1
2412MHz	Pass	2.43657G	12.97	-17.03	2.19574G	-56.10	2.4G	-37.79	2.4G	-37.16	2.50062G	-53.21	21.61448G	-45.35	2
2412MHz	Pass	2.43657G	12.97	-17.03	1.97555G	-55.03	2.39752G	-35.45	2.4G	-36.56	2.50574G	-52.95	21.61167G	-45.46	3
2412MHz	Pass	2.43657G	12.97	-17.03	2.02565G	-56.05	2.4G	-31.85	2.4G	-32.36	2.52014G	-52.82	21.98815G	-45.57	4
2437MHz	Pass	2.43657G	12.97	-17.03	1.87536G	-56.16	2.39896G	-50.72	2.4G	-53.49	2.51998G	-53.15	21.49929G	-45.77	1
2437MHz	Pass	2.43657G	12.97	-17.03	1.84158G	-55.96	2.39704G	-51.03	2.4G	-53.04	2.50094G	-53.32	21.62291G	-46.70	2
2437MHz	Pass	2.43657G	12.97	-17.03	2.19108G	-55.87	2.39504G	-50.80	2.4G	-53.58	2.5139G	-52.25	21.88981G	-45.52	3
2437MHz	Pass	2.43657G	12.97	-17.03	1.79148G	-55.67	2.398G	-51.41	2.4G	-53.80	2.5123G	-53.08	21.93477G	-46.32	4
2462MHz	Pass	2.43657G	12.97	-17.03	2.14681G	-56.04	2.3996G	-52.04	2.4G	-55.07	2.52294G	-53.46	21.58357G	-45.53	1
2462MHz	Pass	2.43657G	12.97	-17.03	1.83459G	-56.36	2.3984G	-51.41	2.4G	-53.60	2.51542G	-53.59	21.99096G	-44.63	2
2462MHz	Pass	2.43657G	12.97	-17.03	2.16312G	-56.70	2.39744G	-52.60	2.4G	-54.93	2.51094G	-53.33	21.57514G	-45.56	3
2462MHz	Pass	2.43657G	12.97	-17.03	1.83342G	-55.06	2.4G	-52.58	2.4G	-53.93	2.50798G	-53.29	22.00782G	-45.86	4
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43941G	7.12	-22.88	2.1503G	-56.03	2.39856G	-40.61	2.4G	-39.71	2.5207G	-53.18	21.99658G	-46.83	1
2412MHz	Pass	2.43941G	7.12	-22.88	2.06992G	-55.98	2.39992G	-42.68	2.4G	-39.20	2.50454G	-52.72	21.42343G	-46.72	2
2412MHz	Pass	2.43941G	7.12	-22.88	2.15263G	-55.99	2.4G	-43.07	2.4G	-37.55	2.51918G	-53.64	22.0022G	-45.67	3
2412MHz	Pass	2.43941G	7.12	-22.88	2.15613G	-55.63	2.4G	-43.09	2.4G	-37.85	2.51094G	-53.33	21.58076G	-44.92	4
2437MHz	Pass	2.43941G	7.12	-22.88	1.73673G	-55.25	2.39952G	-48.87	2.4G	-47.64	2.50254G	-53.43	22.00501G	-44.56	1
2437MHz	Pass	2.43941G	7.12	-22.88	1.82294G	-55.06	2.39928G	-47.85	2.4G	-49.58	2.51854G	-53.63	21.67348G	-46.69	2
2437MHz	Pass	2.43941G	7.12	-22.88	2.17011G	-54.39	2.39768G	-47.14	2.4G	-48.80	2.50966G	-53.94	21.95162G	-46.53	3
2437MHz	Pass	2.43941G	7.12	-22.88	2.18176G	-55.94	2.39928G	-45.18	2.4G	-46.84	2.50294G	-53.43	23.33393G	-44.92	4
2462MHz	Pass	2.43941G	7.12	-22.88	2.19341G	-56.69	2.39224G	-52.97	2.4G	-56.92	2.5011G	-52.76	21.48805G	-45.87	1
2462MHz	Pass	2.43941G	7.12	-22.88	2.06875G	-56.31	2.39248G	-52.97	2.4G	-55.94	2.5103G	-53.57	21.68472G	-45.79	2
2462MHz	Pass	2.43941G	7.12	-22.88	2.00934G	-55.68	2.3976G	-52.96	2.4G	-56.47	2.50582G	-53.46	21.89262G	-46.05	3
2462MHz	Pass	2.43941G	7.12	-22.88	2.12234G	-56.49	2.39528G	-52.03	2.4G	-56.58	2.51022G	-52.63	23.20469G	-46.60	4
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	6.28	-23.72	2.13516G	-55.93	2.4G	-40.42	2.4G	-38.93	2.5227G	-53.43	21.94601G	-46.27	1
2412MHz	Pass	2.44192G	6.28	-23.72	2.15846G	-55.72	2.4G	-40.27	2.4G	-37.02	2.5127G	-53.23	21.52738G	-45.74	2
2412MHz	Pass	2.44192G	6.28	-23.72	2.03613G	-56.17	2.4G	-39.49	2.4G	-36.55	2.51126G	-52.82	23.39855G	-46.10	3
2412MHz	Pass	2.44192G	6.28	-23.72	2.00118G	-55.86	2.4G	-38.78	2.4G	-37.22	2.50966G	-53.39	21.55267G	-45.07	4
2437MHz	Pass	2.44192G	6.28	-23.72	1.9208G	-54.57	2.39936G	-47.83	2.4G	-49.34	2.51894G	-52.97	21.56952G	-44.79	1
2437MHz	Pass	2.44192G	6.28	-23.72	2.12817G	-56.35	2.39968G	-44.22	2.4G	-45.59	2.50806G	-53.31	21.58357G	-45.91	2
2437MHz	Pass	2.44192G	6.28	-23.72	2.1538G	-55.62	2.39944G	-38.69	2.4G	-41.55	2.51022G	-52.65	21.474G	-46.08	3
2437MHz	Pass	2.44192G	6.28	-23.72	2.19923G	-56.26	2.39984G	-41.70	2.4G	-41.75	2.50966G	-53.24	21.51614G	-46.28	4
2462MHz	Pass	2.44192G	6.28	-23.72	1.80663G	-55.91	2.39024G	-53.32	2.4G	-57.42	2.50046G	-53.11	21.54705G	-45.98	1
2462MHz	Pass	2.44192G	6.28	-23.72	2.11302G	-56.02	2.39704G	-53.20	2.4G	-56.02	2.50222G	-53.36	21.99096G	-45.79	2
2462MHz	Pass	2.44192G	6.28	-23.72	1.8043G	-54.68	2.39784G	-53.16	2.4G	-56.37	2.5103G	-53.87	21.60324G	-45.99	3
2462MHz	Pass	2.44192G	6.28	-23.72	2.16545G	-55.50	2.39528G	-53.50	2.4G	-55.99	2.50014G	-53.38	21.76057G	-44.92	4

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2
Port 3
Port 4



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43657G	12.97	-17.03	1.92429G	-55.62	2.4G	-26.11	2.4G	-26.49	2.50302G	-52.98	21.8842G	-45.81	1
2.43657G	12.97	-17.03	2.19574G	-56.10	2.4G	-37.79	2.4G	-37.16	2.50062G	-53.21	21.61448G	-45.35	2
2.43657G	12.97	-17.03	1.97555G	-55.03	2.39752G	-35.45	2.4G	-36.56	2.50574G	-52.95	21.61167G	-45.46	3
2.43657G	12.97	-17.03	2.02565G	-56.05	2.4G	-31.85	2.4G	-32.36	2.52014G	-52.82	21.98815G	-45.57	4

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
PeakPort 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43941G	7.12	-22.88	2.1503G	-56.03	2.39856G	-40.61	2.4G	-39.71	2.5207G	-53.18	21.99658G	-46.83	1
2.43941G	7.12	-22.88	2.06992G	-55.98	2.39992G	-42.68	2.4G	-39.20	2.50454G	-52.72	21.42343G	-46.72	2
2.43941G	7.12	-22.88	2.15263G	-55.99	2.4G	-43.07	2.4G	-37.55	2.51918G	-53.64	22.0022G	-45.67	3
2.43941G	7.12	-22.88	2.15613G	-55.63	2.4G	-43.09	2.4G	-37.85	2.51094G	-53.33	21.58076G	-44.92	4

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX



CSEndB

2412MHz

18/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2
Port 3
Port 4



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	6.28	-23.72	2.13516G	-55.93	2.4G	-40.42	2.4G	-38.93	2.5227G	-53.43	21.94601G	-46.27	1
2.44192G	6.28	-23.72	2.15846G	-55.72	2.4G	-40.27	2.4G	-37.02	2.5127G	-53.23	21.52738G	-45.74	2
2.44192G	6.28	-23.72	2.03613G	-56.17	2.4G	-39.49	2.4G	-36.55	2.51126G	-52.82	23.39855G	-46.10	3
2.44192G	6.28	-23.72	2.00118G	-55.86	2.4G	-38.78	2.4G	-37.22	2.50966G	-53.39	21.55267G	-45.07	4



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AI-TQ08055_4T4S_AP5022FX**

Appendix E.10

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	2.44192G	6.82	-23.18	2.04312G	-56.27	2.4G	-38.60	2.4G	-36.82	2.50166G	-53.37	21.97972G	-46.25	3



**CSE (NdB Down) Non-Beamforming_
Radio 1_AI-TQ08055_4T4S_AP5022FX**

Appendix E.10

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	6.82	-23.18	1.7344G	-55.68	2.39992G	-40.63	2.4G	-37.37	2.51782G	-53.41	21.55829G	-45.84	1
2412MHz	Pass	2.44192G	6.82	-23.18	2.30059G	-55.89	2.4G	-39.64	2.4G	-38.53	2.5015G	-53.51	21.49929G	-45.65	2
2412MHz	Pass	2.44192G	6.82	-23.18	2.04312G	-56.27	2.4G	-38.60	2.4G	-36.82	2.50166G	-53.37	21.97972G	-46.25	3
2412MHz	Pass	2.44192G	6.82	-23.18	2.15263G	-55.93	2.4G	-37.74	2.4G	-37.68	2.50478G	-53.50	21.651G	-45.65	4
2437MHz	Pass	2.44192G	6.82	-23.18	1.93711G	-55.85	2.3996G	-46.58	2.4G	-47.53	2.50958G	-53.33	21.54424G	-45.37	1
2437MHz	Pass	2.44192G	6.82	-23.18	1.71809G	-56.10	2.3996G	-40.69	2.4G	-43.83	2.51358G	-53.35	21.651G	-46.19	2
2437MHz	Pass	2.44192G	6.82	-23.18	2.15729G	-55.62	2.39976G	-38.43	2.4G	-38.96	2.51038G	-53.29	21.48524G	-45.65	3
2437MHz	Pass	2.44192G	6.82	-23.18	1.83692G	-56.18	2.39944G	-41.80	2.4G	-42.98	2.51958G	-53.67	21.99939G	-46.70	4
2462MHz	Pass	2.44192G	6.82	-23.18	1.86371G	-55.80	2.39384G	-53.04	2.4G	-56.67	2.50326G	-53.44	21.99377G	-46.25	1
2462MHz	Pass	2.44192G	6.82	-23.18	2.06176G	-56.31	2.39872G	-53.20	2.4G	-55.84	2.51022G	-53.60	21.55548G	-45.60	2
2462MHz	Pass	2.44192G	6.82	-23.18	1.88235G	-55.81	2.3956G	-52.80	2.4G	-56.54	2.50094G	-53.64	21.7971G	-46.14	3
2462MHz	Pass	2.44192G	6.82	-23.18	2.11768G	-55.20	2.39376G	-53.12	2.4G	-56.02	2.50926G	-53.19	21.44028G	-45.61	4

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

CSEndB

2412MHz

18/12/2025



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	6.82	-23.18	1.7344G	-55.68	2.39992G	-40.63	2.4G	-37.37	2.51782G	-53.41	21.55829G	-45.84	1
2.44192G	6.82	-23.18	2.30099G	-55.89	2.4G	-39.64	2.4G	-38.53	2.5015G	-53.51	21.49929G	-45.65	2
2.44192G	6.82	-23.18	2.04312G	-56.27	2.4G	-38.60	2.4G	-36.82	2.50166G	-53.37	21.97972G	-46.25	3
2.44192G	6.82	-23.18	2.15263G	-55.93	2.4G	-37.74	2.4G	-37.68	2.50478G	-53.30	21.651G	-45.65	4



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_1T1S_AP5022FX**

Appendix E.11

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.43607G	12.71	-17.29	1.62838G	-55.29	2.4G	-27.39	2.4G	-26.54	2.51414G	-52.98	21.77462G	-43.43	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.43941G	7.97	-22.03	2.13749G	-54.20	2.39856G	-36.50	2.4G	-35.50	2.50134G	-53.79	16.46736G	-42.58	1
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	2.44459G	8.03	-21.97	1.94876G	-53.75	2.4G	-39.80	2.4G	-36.65	2.50342G	-53.91	24.86795G	-42.41	1



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_1T1S_AP5022FX**

Appendix E.11

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43607G	12.71	-17.29	1.62838G	-55.29	2.4G	-27.39	2.4G	-26.54	2.51414G	-52.98	21.77462G	-43.43	1
2437MHz	Pass	2.43607G	12.71	-17.29	2.30641G	-54.37	2.39848G	-51.55	2.4G	-52.29	2.51406G	-52.52	17.13042G	-42.77	1
2462MHz	Pass	2.43607G	12.71	-17.29	2.14914G	-55.41	2.39768G	-53.12	2.4G	-52.95	2.51166G	-53.75	21.46838G	-42.01	1
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43941G	7.97	-22.03	2.13749G	-54.20	2.39856G	-36.50	2.4G	-35.50	2.50134G	-53.79	16.46736G	-42.58	1
2437MHz	Pass	2.43941G	7.97	-22.03	2.16312G	-54.06	2.39992G	-48.37	2.4G	-48.42	2.51126G	-53.14	24.39032G	-42.51	1
2462MHz	Pass	2.43941G	7.97	-22.03	2.1072G	-55.40	2.39592G	-52.27	2.4G	-54.40	2.5235G	-53.38	24.14589G	-42.80	1
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44459G	8.03	-21.97	1.94876G	-53.75	2.4G	-39.80	2.4G	-36.65	2.50342G	-53.91	24.86795G	-42.41	1
2437MHz	Pass	2.44459G	8.03	-21.97	1.94992G	-54.90	2.39968G	-45.47	2.4G	-46.35	2.50238G	-53.48	21.83362G	-43.19	1
2462MHz	Pass	2.44459G	8.03	-21.97	2.30292G	-54.36	2.39776G	-52.65	2.4G	-55.13	2.51078G	-52.61	17.13603G	-42.89	1


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

CSEndB

2412MHz

09/02/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43607G	12.71	-17.29	1.62838G	-55.29	2.4G	-27.39	2.4G	-26.54	2.51414G	-52.98	21.77462G	-43.43	1


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

CSEndB

2412MHz

09/02/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43941G	7.97	-22.03	2.13749G	-54.20	2.39656G	-36.50	2.4G	-35.50	2.50134G	-53.79	16.46736G	-42.58	1



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX


CSEndB

2412MHz

09/02/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44459G	8.03	-21.97	1.94876G	-53.75	2.4G	-39.80	2.4G	-36.65	2.50342G	-53.91	24.86795G	-42.41	1



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T1S_AP5022FX**

Appendix E.12

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43741G	13.37	-16.63	2.30408G	-55.11	2.4G	-27.36	2.4G	-27.86	2.51446G	-53.70	24.20489G	-42.52	1
802.11g_Nss1,(6Mbps)_2TX	Pass	2.44192G	7.98	-22.02	2.14098G	-54.74	2.39952G	-40.33	2.4G	-35.73	2.50534G	-52.32	24.43247G	-43.41	2
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	2.44459G	7.26	-22.74	2.15263G	-55.06	2.39992G	-38.91	2.4G	-35.54	2.50062G	-53.33	16.37745G	-42.57	2



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T1S_AP5022FX**

Appendix E.12

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43741G	13.37	-16.63	2.30408G	-55.11	2.4G	-27.36	2.4G	-27.86	2.51446G	-53.70	24.20489G	-42.52	1
2412MHz	Pass	2.43741G	13.37	-16.63	2.15147G	-55.20	2.39856G	-36.01	2.4G	-36.14	2.5227G	-53.64	23.20188G	-42.65	2
2437MHz	Pass	2.43741G	13.37	-16.63	2.30991G	-55.21	2.39896G	-50.63	2.4G	-52.66	2.50286G	-53.67	24.82581G	-42.51	1
2437MHz	Pass	2.43741G	13.37	-16.63	2.30991G	-53.31	2.3948G	-51.41	2.4G	-52.11	2.52118G	-53.46	16.38026G	-42.34	2
2462MHz	Pass	2.43741G	13.37	-16.63	1.89284G	-54.70	2.39728G	-51.15	2.4G	-53.45	2.5191G	-53.58	16.61065G	-42.52	1
2462MHz	Pass	2.43741G	13.37	-16.63	2.13749G	-54.45	2.4G	-52.18	2.4G	-53.15	2.50654G	-52.04	16.37464G	-43.02	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	7.98	-22.02	1.97089G	-55.16	2.39704G	-37.25	2.4G	-36.96	2.5011G	-53.66	24.18242G	-43.14	1
2412MHz	Pass	2.44192G	7.98	-22.02	2.14098G	-54.74	2.39952G	-40.33	2.4G	-35.73	2.50534G	-52.32	24.43247G	-43.41	2
2437MHz	Pass	2.44192G	7.98	-22.02	2.18176G	-54.43	2.3996G	-47.08	2.4G	-48.55	2.50678G	-53.92	24.15151G	-42.46	1
2437MHz	Pass	2.44192G	7.98	-22.02	2.14797G	-55.34	2.39856G	-45.72	2.4G	-47.54	2.50238G	-53.58	24.15151G	-42.36	2
2462MHz	Pass	2.44192G	7.98	-22.02	2.14914G	-54.46	2.39624G	-53.79	2.4G	-53.59	2.51294G	-52.94	24.49709G	-42.72	1
2462MHz	Pass	2.44192G	7.98	-22.02	2.15613G	-54.11	2.39024G	-53.39	2.4G	-54.07	2.50494G	-53.02	24.88481G	-42.37	2
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44459G	7.26	-22.74	2.30641G	-53.29	2.39704G	-37.18	2.4G	-35.60	2.5023G	-53.41	21.69595G	-43.20	1
2412MHz	Pass	2.44459G	7.26	-22.74	2.15263G	-55.06	2.39992G	-38.91	2.4G	-35.54	2.50062G	-53.33	16.37745G	-42.57	2
2437MHz	Pass	2.44459G	7.26	-22.74	2.30758G	-53.70	2.39936G	-47.62	2.4G	-46.74	2.5079G	-53.45	24.18523G	-42.60	1
2437MHz	Pass	2.44459G	7.26	-22.74	2.30175G	-53.20	2.39984G	-41.81	2.4G	-41.81	2.51262G	-53.28	24.18242G	-42.40	2
2462MHz	Pass	2.44459G	7.26	-22.74	2.15962G	-54.83	2.39872G	-53.00	2.4G	-54.27	2.51878G	-53.66	16.39993G	-43.16	1
2462MHz	Pass	2.44459G	7.26	-22.74	1.62722G	-54.58	2.39336G	-53.42	2.4G	-54.30	2.5155G	-53.30	23.2075G	-42.97	2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

CSEndB

2412MHz

09/02/2026




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

CSEndB

2412MHz

09/02/2026





2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


CSEndB

2412MHz

09/02/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44459G	7.26	-22.74	2.30641G	-53.29	2.39704G	-37.18	2.4G	-35.60	2.5023G	-53.41	21.69995G	-43.20	1
2.44459G	7.26	-22.74	2.15263G	-55.06	2.39992G	-38.91	2.4G	-35.54	2.50062G	-53.33	16.37745G	-42.57	2



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T2S_AP5022FX**

Appendix E.13

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	2.44459G	5.97	-24.03	1.79614G	-55.36	2.4G	-38.79	2.4G	-34.24	2.52038G	-53.72	16.38307G	-42.85	2



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T2S_AP5022FX**

Appendix E.13

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44459G	5.97	-24.03	2.13516G	-55.27	2.4G	-39.07	2.4G	-36.70	2.50822G	-53.31	23.54746G	-41.72	1
2412MHz	Pass	2.44459G	5.97	-24.03	1.79614G	-55.36	2.4G	-38.79	2.4G	-34.24	2.52038G	-53.72	16.38307G	-42.85	2
2437MHz	Pass	2.44459G	5.97	-24.03	2.17011G	-54.72	2.39832G	-48.09	2.4G	-50.75	2.5075G	-53.94	16.35779G	-43.36	1
2437MHz	Pass	2.44459G	5.97	-24.03	2.18991G	-54.37	2.39824G	-47.20	2.4G	-49.33	2.50614G	-53.36	21.74653G	-42.59	2
2462MHz	Pass	2.44459G	5.97	-24.03	2.30408G	-54.62	2.39496G	-52.78	2.4G	-54.32	2.51686G	-52.84	15.07943G	-41.94	1
2462MHz	Pass	2.44459G	5.97	-24.03	1.76702G	-55.55	2.39616G	-52.18	2.4G	-55.01	2.51822G	-53.28	21.4459G	-41.87	2




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

CSEndB

2412MHz

10/02/2026





**CSE (NdB Down)_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T1S_AP5022FX**

Appendix E.14

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	2.43641G	12.37	-17.63	2.10254G	-54.25	2.4G	-35.76	2.4G	-36.13	2.52214G	-52.94	21.45995G	-42.63	1
802.11g_Nss1,(6Mbps)_4TX	Pass	2.43941G	6.44	-23.56	2.18525G	-54.34	2.4G	-41.93	2.4G	-35.83	2.51438G	-53.67	21.96567G	-42.62	2
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	2.43941G	5.62	-24.38	2.12118G	-54.88	2.4G	-37.70	2.4G	-35.87	2.50198G	-52.92	24.14589G	-43.23	3

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43641G	12.37	-17.63	2.10254G	-54.25	2.4G	-35.76	2.4G	-36.13	2.52214G	-52.94	21.45995G	-42.63	1
2412MHz	Pass	2.43641G	12.37	-17.63	2.08623G	-55.20	2.396G	-41.15	2.4G	-42.33	2.51006G	-53.81	24.15713G	-42.56	2
2412MHz	Pass	2.43641G	12.37	-17.63	2.14215G	-54.68	2.4G	-39.92	2.4G	-38.93	2.50446G	-53.52	24.48585G	-42.89	3
2412MHz	Pass	2.43641G	12.37	-17.63	2.30408G	-55.09	2.4G	-38.54	2.4G	-37.45	2.51086G	-53.58	16.25664G	-42.25	4
2437MHz	Pass	2.43641G	12.37	-17.63	2.1538G	-55.07	2.39824G	-51.68	2.4G	-52.01	2.50302G	-53.90	24.88481G	-42.59	1
2437MHz	Pass	2.43641G	12.37	-17.63	2.14681G	-54.80	2.39608G	-51.26	2.4G	-51.24	2.52302G	-53.17	16.38869G	-43.38	2
2437MHz	Pass	2.43641G	12.37	-17.63	2.14564G	-55.31	2.3976G	-51.62	2.4G	-53.25	2.52046G	-52.95	16.3915G	-42.17	3
2437MHz	Pass	2.43641G	12.37	-17.63	2.01982G	-55.13	2.39864G	-51.87	2.4G	-52.07	2.5123G	-53.47	23.55588G	-43.14	4
2462MHz	Pass	2.43641G	12.37	-17.63	2.14448G	-54.84	2.39456G	-52.77	2.4G	-53.37	2.51942G	-52.77	24.60947G	-43.12	1
2462MHz	Pass	2.43641G	12.37	-17.63	2.30525G	-55.05	2.39592G	-51.44	2.4G	-51.20	2.51798G	-53.64	24.82581G	-41.23	2
2462MHz	Pass	2.43641G	12.37	-17.63	2.30758G	-55.13	2.3988G	-52.46	2.4G	-52.57	2.5019G	-53.31	21.7971G	-42.94	3
2462MHz	Pass	2.43641G	12.37	-17.63	2.12817G	-55.55	2.39736G	-52.95	2.4G	-53.53	2.50134G	-52.99	24.4999G	-42.87	4
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43941G	6.44	-23.56	2.14797G	-54.50	2.39984G	-41.26	2.4G	-39.16	2.5035G	-52.99	16.3325G	-42.87	1
2412MHz	Pass	2.43941G	6.44	-23.56	2.18525G	-54.34	2.4G	-41.93	2.4G	-35.83	2.51438G	-53.67	21.96567G	-42.62	2
2412MHz	Pass	2.43941G	6.44	-23.56	1.8276G	-54.82	2.4G	-41.85	2.4G	-37.07	2.50422G	-53.47	21.51614G	-42.74	3
2412MHz	Pass	2.43941G	6.44	-23.56	2.02332G	-54.65	2.4G	-42.19	2.4G	-37.58	2.50214G	-52.56	24.56452G	-42.32	4
2437MHz	Pass	2.43941G	6.44	-23.56	2.13632G	-54.66	2.3992G	-50.63	2.4G	-50.44	2.5023G	-53.59	21.59481G	-43.04	1
2437MHz	Pass	2.43941G	6.44	-23.56	2.07458G	-54.89	2.39648G	-47.80	2.4G	-49.97	2.50982G	-53.23	21.72967G	-42.56	2
2437MHz	Pass	2.43941G	6.44	-23.56	2.17127G	-55.24	2.39696G	-48.58	2.4G	-50.49	2.50318G	-53.41	24.56452G	-42.94	3
2437MHz	Pass	2.43941G	6.44	-23.56	1.74721G	-54.98	2.39808G	-50.47	2.4G	-49.68	2.50934G	-53.24	21.415G	-43.70	4
2462MHz	Pass	2.43941G	6.44	-23.56	1.98604G	-55.32	2.39472G	-53.35	2.4G	-55.41	2.50982G	-53.15	16.42802G	-42.75	1
2462MHz	Pass	2.43941G	6.44	-23.56	2.30408G	-54.68	2.3912G	-53.99	2.4G	-55.82	2.52318G	-53.78	23.1485G	-42.82	2
2462MHz	Pass	2.43941G	6.44	-23.56	2.14797G	-54.98	2.39256G	-54.03	2.4G	-54.21	2.51926G	-53.86	16.35779G	-42.80	3
2462MHz	Pass	2.43941G	6.44	-23.56	2.1305G	-55.68	2.39776G	-53.88	2.4G	-54.42	2.51086G	-53.46	24.50271G	-42.75	4
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43941G	5.62	-24.38	1.9441G	-54.55	2.4G	-40.30	2.4G	-37.35	2.52246G	-53.08	24.50271G	-42.68	1
2412MHz	Pass	2.43941G	5.62	-24.38	1.7577G	-55.28	2.4G	-39.91	2.4G	-37.25	2.50686G	-53.07	21.77462G	-42.69	2
2412MHz	Pass	2.43941G	5.62	-24.38	2.12118G	-54.88	2.4G	-37.70	2.4G	-35.87	2.50198G	-52.92	24.14589G	-43.23	3
2412MHz	Pass	2.43941G	5.62	-24.38	2.01516G	-54.98	2.39992G	-39.33	2.4G	-36.58	2.51278G	-53.07	16.44769G	-42.79	4
2437MHz	Pass	2.43941G	5.62	-24.38	1.86837G	-55.18	2.39904G	-49.49	2.4G	-50.07	2.52054G	-53.65	17.07984G	-42.92	1
2437MHz	Pass	2.43941G	5.62	-24.38	1.98371G	-55.00	2.39912G	-47.53	2.4G	-47.18	2.50222G	-53.89	17.15289G	-43.30	2
2437MHz	Pass	2.43941G	5.62	-24.38	2.11652G	-55.88	2.39728G	-43.00	2.4G	-43.99	2.5031G	-53.53	24.53361G	-42.94	3
2437MHz	Pass	2.43941G	5.62	-24.38	2.15729G	-54.81	2.39944G	-43.67	2.4G	-45.29	2.5107G	-53.21	21.71843G	-42.73	4
2462MHz	Pass	2.43941G	5.62	-24.38	2.30874G	-53.77	2.39568G	-53.45	2.4G	-54.24	2.5195G	-53.68	24.89324G	-41.92	1
2462MHz	Pass	2.43941G	5.62	-24.38	2.11535G	-54.22	2.39664G	-53.75	2.4G	-54.29	2.51406G	-53.75	16.40555G	-43.11	2
2462MHz	Pass	2.43941G	5.62	-24.38	2.13982G	-55.12	2.39512G	-53.63	2.4G	-54.29	2.50518G	-54.01	21.43747G	-41.70	3
2462MHz	Pass	2.43941G	5.62	-24.38	2.1538G	-55.03	2.39504G	-53.59	2.4G	-54.47	2.51846G	-53.23	21.474G	-42.63	4

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX



CSEndB

2412MHz

10/02/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2
Port 3
Port 4



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43641G	12.37	-17.63	2.10254G	-54.25	2.4G	-35.76	2.4G	-36.13	2.52214G	-52.94	21.45995G	-42.63	1
2.43641G	12.37	-17.63	2.08623G	-55.20	2.396G	-41.15	2.4G	-42.33	2.51006G	-53.81	24.15713G	-42.56	2
2.43641G	12.37	-17.63	2.14215G	-54.68	2.4G	-39.92	2.4G	-38.93	2.50446G	-53.52	24.48585G	-42.89	3
2.43641G	12.37	-17.63	2.30408G	-55.09	2.4G	-38.54	2.4G	-37.45	2.51086G	-53.38	16.25664G	-42.25	4

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX



CSEndB

2412MHz

10/02/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2
Port 3
Port 4



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43941G	6.44	-23.56	2.14797G	-54.50	2.39984G	-41.26	2.4G	-39.16	2.5035G	-52.99	16.3325G	-42.87	1
2.43941G	6.44	-23.56	2.18525G	-54.34	2.4G	-41.93	2.4G	-35.83	2.51438G	-53.67	21.96567G	-42.62	2
2.43941G	6.44	-23.56	1.8276G	-54.82	2.4G	-41.85	2.4G	-37.07	2.50422G	-53.47	21.51614G	-42.74	3
2.43941G	6.44	-23.56	2.02332G	-54.65	2.4G	-42.19	2.4G	-37.58	2.50214G	-52.56	24.56452G	-42.32	4



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX



CSEndB

2412MHz

10/02/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2
Port 3
Port 4



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43941G	5.62	-24.38	1.9441G	-54.55	2.4G	-40.30	2.4G	-37.35	2.52246G	-53.08	24.50271G	-42.68	1
2.43941G	5.62	-24.38	1.7577G	-55.28	2.4G	-39.91	2.4G	-37.25	2.50686G	-53.07	21.77462G	-42.69	2
2.43941G	5.62	-24.38	2.12118G	-54.88	2.4G	-37.70	2.4G	-35.87	2.50198G	-52.92	24.14589G	-43.23	3
2.43941G	5.62	-24.38	2.01516G	-54.98	2.39992G	-39.33	2.4G	-36.58	2.51278G	-53.07	16.44769G	-42.79	4



**CSE (NdB Down)_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T4S_AP5022FX**

Appendix E.15

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	2.43958G	5.93	-24.07	2.1771G	-55.02	2.4G	-38.46	2.4G	-33.12	2.5135G	-53.09	23.16255G	-42.08	3



**CSE (NdB Down) Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T4S_AP5022FX**

Appendix E.15

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43958G	5.93	-24.07	2.15496G	-54.84	2.4G	-40.18	2.4G	-37.25	2.50046G	-53.18	16.51793G	-42.76	1
2412MHz	Pass	2.43958G	5.93	-24.07	1.95691G	-54.87	2.4G	-38.92	2.4G	-35.95	2.50734G	-53.28	21.48805G	-42.91	2
2412MHz	Pass	2.43958G	5.93	-24.07	2.1771G	-55.02	2.4G	-38.46	2.4G	-33.12	2.5135G	-53.09	23.16255G	-42.08	3
2412MHz	Pass	2.43958G	5.93	-24.07	2.14331G	-53.98	2.39984G	-38.31	2.4G	-33.86	2.5031G	-53.37	15.07663G	-42.82	4
2437MHz	Pass	2.43958G	5.93	-24.07	2.30641G	-54.63	2.39976G	-48.59	2.4G	-49.11	2.50246G	-54.17	24.61509G	-42.98	1
2437MHz	Pass	2.43958G	5.93	-24.07	2.12118G	-55.28	2.39728G	-45.14	2.4G	-42.61	2.51206G	-52.97	24.2667G	-42.76	2
2437MHz	Pass	2.43958G	5.93	-24.07	2.12933G	-55.31	2.39896G	-43.34	2.4G	-47.37	2.50798G	-53.22	24.54485G	-42.38	3
2437MHz	Pass	2.43958G	5.93	-24.07	2.30991G	-55.35	2.39976G	-46.10	2.4G	-47.09	2.51438G	-53.45	24.50271G	-42.87	4
2462MHz	Pass	2.43958G	5.93	-24.07	2.05244G	-55.20	2.39664G	-53.26	2.4G	-55.17	2.5183G	-53.61	16.38869G	-42.74	1
2462MHz	Pass	2.43958G	5.93	-24.07	2.00235G	-54.50	2.39744G	-53.54	2.4G	-53.77	2.5079G	-53.13	23.19626G	-42.34	2
2462MHz	Pass	2.43958G	5.93	-24.07	2.17943G	-54.70	2.39904G	-54.00	2.4G	-54.56	2.50902G	-52.36	24.82581G	-43.14	3
2462MHz	Pass	2.43958G	5.93	-24.07	2.09904G	-54.23	2.3948G	-53.39	2.4G	-54.43	2.5071G	-53.51	24.50552G	-42.56	4

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX



CSEndB

2412MHz

10/02/2026

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2
Port 3
Port 4



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43958G	5.93	-24.07	2.15496G	-54.84	2.4G	-40.18	2.4G	-37.25	2.50046G	-53.18	16.51793G	-42.76	1
2.43958G	5.93	-24.07	1.95691G	-54.87	2.4G	-38.92	2.4G	-35.95	2.50734G	-53.28	21.48805G	-42.91	2
2.43958G	5.93	-24.07	2.1771G	-55.02	2.4G	-38.46	2.4G	-33.12	2.5135G	-53.09	23.16255G	-42.08	3
2.43958G	5.93	-24.07	2.14331G	-53.98	2.39984G	-38.31	2.4G	-33.86	2.5031G	-53.37	15.07663G	-42.82	4



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43741G	14.68	-15.32	2.06642G	-55.46	2.4G	-29.73	2.4G	-28.24	2.50774G	-52.85	21.47681G	-44.22	2
802.11g_Nss1,(6Mbps)_2TX	Pass	2.44192G	10.47	-19.53	2.30641G	-55.46	2.39992G	-37.33	2.4G	-33.05	2.50526G	-52.64	21.53862G	-44.82	2
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	2.44192G	9.40	-20.60	1.74372G	-55.94	2.4G	-39.20	2.4G	-35.12	2.50142G	-52.69	21.58638G	-43.95	2

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43741G	14.68	-15.32	1.95691G	-55.35	2.4G	-36.04	2.4G	-39.05	2.50374G	-52.81	21.53581G	-44.89	1
2412MHz	Pass	2.43741G	14.68	-15.32	2.06642G	-55.46	2.4G	-29.73	2.4G	-28.24	2.50774G	-52.85	21.47681G	-44.22	2
2437MHz	Pass	2.43741G	14.68	-15.32	1.9872G	-55.56	2.39392G	-50.48	2.4G	-51.42	2.50446G	-52.57	21.55829G	-44.06	1
2437MHz	Pass	2.43741G	14.68	-15.32	2.11419G	-54.91	2.39328G	-49.93	2.4G	-52.72	2.51246G	-52.73	21.51614G	-43.85	2
2462MHz	Pass	2.43741G	14.68	-15.32	2.10603G	-55.45	2.39928G	-51.50	2.4G	-51.84	2.51694G	-52.72	21.59762G	-43.72	1
2462MHz	Pass	2.43741G	14.68	-15.32	1.95109G	-55.40	2.39712G	-51.40	2.4G	-54.26	2.5155G	-52.99	21.56391G	-44.44	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	10.47	-19.53	2.30408G	-55.66	2.39864G	-38.77	2.4G	-34.50	2.51406G	-52.82	21.98534G	-43.70	1
2412MHz	Pass	2.44192G	10.47	-19.53	2.30641G	-55.46	2.39992G	-37.33	2.4G	-33.05	2.50526G	-52.64	21.53862G	-44.82	2
2437MHz	Pass	2.44192G	10.47	-19.53	1.88585G	-54.78	2.39576G	-45.13	2.4G	-47.25	2.51782G	-52.46	21.59762G	-43.73	1
2437MHz	Pass	2.44192G	10.47	-19.53	2.30874G	-55.03	2.39984G	-39.41	2.4G	-42.75	2.50486G	-52.93	21.61167G	-44.41	2
2462MHz	Pass	2.44192G	10.47	-19.53	2.16312G	-55.01	2.3976G	-51.91	2.4G	-54.56	2.5011G	-52.69	21.63414G	-43.68	1
2462MHz	Pass	2.44192G	10.47	-19.53	1.87886G	-56.26	2.39792G	-52.12	2.4G	-53.91	2.51046G	-52.35	21.57795G	-43.96	2
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	9.40	-20.60	2.09205G	-55.13	2.4G	-38.77	2.4G	-35.97	2.51078G	-52.51	21.49929G	-44.80	1
2412MHz	Pass	2.44192G	9.40	-20.60	1.74372G	-55.94	2.4G	-39.20	2.4G	-35.12	2.50142G	-52.69	21.58638G	-43.95	2
2437MHz	Pass	2.44192G	9.40	-20.60	2.30408G	-54.05	2.39992G	-42.62	2.4G	-43.05	2.51998G	-52.47	21.51052G	-44.16	1
2437MHz	Pass	2.44192G	9.40	-20.60	2.00468G	-55.41	2.39904G	-41.05	2.4G	-41.56	2.50214G	-52.95	22.00501G	-44.38	2
2462MHz	Pass	2.44192G	9.40	-20.60	2.19224G	-54.84	2.39984G	-52.16	2.4G	-55.58	2.5083G	-53.12	21.58919G	-43.96	1
2462MHz	Pass	2.44192G	9.40	-20.60	1.89284G	-55.41	2.3912G	-52.31	2.4G	-56.04	2.5195G	-53.12	21.42624G	-45.37	2

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


CSEndB

2412MHz

19/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43741G	14.68	-15.32	1.95691G	-55.35	2.4G	-36.04	2.4G	-39.05	2.50374G	-52.81	21.53581G	-44.89	1
2.43741G	14.68	-15.32	2.06642G	-55.46	2.4G	-29.73	2.4G	-28.24	2.50774G	-52.85	21.47681G	-44.22	2

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


CSEndB

2412MHz

19/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	10.47	-19.53	2.30408G	-55.66	2.39864G	-38.77	2.4G	-34.50	2.51406G	-52.82	21.98534G	-43.70	1
2.44192G	10.47	-19.53	2.30641G	-55.46	2.39992G	-37.33	2.4G	-33.05	2.50526G	-52.64	21.53862G	-44.82	2



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


CSEndB

2412MHz

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

19/12/2025

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	9.40	-20.60	2.09205G	-55.13	2.4G	-38.77	2.4G	-35.97	2.51078G	-52.51	21.49929G	-44.80	1
2.44192G	9.40	-20.60	1.74372G	-55.94	2.4G	-39.20	2.4G	-35.12	2.50142G	-52.69	21.58638G	-43.95	2



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	2.44192G	9.16	-20.84	2.11419G	-55.45	2.4G	-36.82	2.4G	-32.21	2.5155G	-52.63	21.63695G	-44.59	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44192G	9.16	-20.84	1.72508G	-55.59	2.4G	-36.02	2.4G	-35.49	2.50678G	-52.33	21.99377G	-44.85	1
2412MHz	Pass	2.44192G	9.16	-20.84	2.11419G	-55.45	2.4G	-36.82	2.4G	-32.21	2.5155G	-52.63	21.63695G	-44.59	2
2437MHz	Pass	2.44192G	9.16	-20.84	2.13982G	-55.27	2.39936G	-42.86	2.4G	-46.26	2.50478G	-53.19	21.49929G	-44.63	1
2437MHz	Pass	2.44192G	9.16	-20.84	2.18875G	-55.47	2.39984G	-40.95	2.4G	-42.59	2.50998G	-51.90	21.51614G	-44.61	2
2462MHz	Pass	2.44192G	9.16	-20.84	2.17593G	-54.23	2.39936G	-51.12	2.4G	-54.50	2.51182G	-52.56	21.51333G	-44.54	1
2462MHz	Pass	2.44192G	9.16	-20.84	1.82876G	-55.41	2.39144G	-52.35	2.4G	-55.72	2.51958G	-52.93	21.95443G	-44.65	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


CSEndB

2412MHz

19/12/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak

Port 1
Port 2



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.44192G	9.16	-20.84	1.72508G	-55.59	2.4G	-36.02	2.4G	-35.49	2.50678G	-52.33	21.99377G	-44.85	1
2.44192G	9.16	-20.84	2.11419G	-55.45	2.4G	-36.82	2.4G	-32.21	2.5155G	-52.63	21.63695G	-44.59	2



**RSE TX below 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_4T1S_AP5022FX**

Appendix F.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	QP	31.66M	32.93	40.00	-7.07	3	Vertical	336	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	94.02M	30.82	43.50	-12.68	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	260.86M	27.03	46.00	-18.97	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	464.56M	31.32	46.00	-14.68	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	549.92M	31.08	46.00	-14.92	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	714.82M	33.06	46.00	-12.94	3	Vertical	0	1.00
2437MHz_Adapter	Pass	QP	31.66M	32.93	40.00	-7.07	3	Vertical	336	1.00
2437MHz_Adapter	Pass	PK	30M	30.38	40.00	-9.62	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	95.96M	31.41	43.50	-12.09	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	245.34M	34.97	46.00	-11.03	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	315.18M	31.20	46.00	-14.80	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	569.32M	29.29	46.00	-16.71	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	716.76M	35.22	46.00	-10.78	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	39.7M	30.81	40.00	-9.19	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	115.36M	24.50	43.50	-19.00	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	284.14M	27.38	46.00	-18.62	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	443.22M	33.45	46.00	-12.55	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	563.5M	31.49	46.00	-14.51	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	712.88M	33.29	46.00	-12.71	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	39.7M	25.86	40.00	-14.14	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	202.66M	31.49	43.50	-12.01	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	245.34M	35.85	46.00	-10.15	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	336.52M	34.38	46.00	-11.62	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	460.68M	32.50	46.00	-13.50	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	573.2M	32.33	46.00	-13.67	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_1T1S_AP5022FX**

Appendix F.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.4835G	50.09	54.00	-3.91	3	Vertical	45	3.00
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.4854G	53.61	54.00	-0.39	3	Vertical	46	3.00
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	2.4836G	53.98	54.00	-0.02	3	Vertical	68	2.35

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	47.79	54.00	-6.21	3	Vertical	47	2.86
2412MHz	Pass	AV	2.4112G	107.68	Inf	-Inf	3	Vertical	47	2.86
2412MHz	Pass	PK	2.389G	59.80	74.00	-14.20	3	Vertical	47	2.86
2412MHz	Pass	PK	2.4112G	109.98	Inf	-Inf	3	Vertical	47	2.86
2412MHz	Pass	AV	2.3898G	46.55	54.00	-7.45	3	Horizontal	293	1.12
2412MHz	Pass	AV	2.4112G	99.42	Inf	-Inf	3	Horizontal	293	1.12
2412MHz	Pass	PK	2.3858G	58.63	74.00	-15.37	3	Horizontal	293	1.12
2412MHz	Pass	PK	2.4112G	101.76	Inf	-Inf	3	Horizontal	293	1.12
2437MHz	Pass	AV	2.3898G	46.43	54.00	-7.57	3	Vertical	164	2.82
2437MHz	Pass	AV	2.4362G	108.95	Inf	-Inf	3	Vertical	164	2.82
2437MHz	Pass	AV	2.4835G	47.51	54.00	-6.49	3	Vertical	164	2.82
2437MHz	Pass	PK	2.3726G	59.06	74.00	-14.94	3	Vertical	164	2.82
2437MHz	Pass	PK	2.4362G	111.38	Inf	-Inf	3	Vertical	164	2.82
2437MHz	Pass	PK	2.4854G	59.56	74.00	-14.44	3	Vertical	164	2.82
2437MHz	Pass	AV	2.3866G	46.11	54.00	-7.89	3	Horizontal	99	1.56
2437MHz	Pass	AV	2.4378G	101.92	Inf	-Inf	3	Horizontal	99	1.56
2437MHz	Pass	AV	2.4942G	47.04	54.00	-6.96	3	Horizontal	99	1.56
2437MHz	Pass	PK	2.339G	58.42	74.00	-15.58	3	Horizontal	99	1.56
2437MHz	Pass	PK	2.4378G	104.33	Inf	-Inf	3	Horizontal	99	1.56
2437MHz	Pass	PK	2.4882G	59.45	74.00	-14.55	3	Horizontal	99	1.56
2462MHz	Pass	AV	2.4612G	108.50	Inf	-Inf	3	Vertical	45	3.00
2462MHz	Pass	AV	2.4835G	50.09	54.00	-3.91	3	Vertical	45	3.00
2462MHz	Pass	PK	2.4612G	110.89	Inf	-Inf	3	Vertical	45	3.00
2462MHz	Pass	PK	2.4836G	60.56	74.00	-13.44	3	Vertical	45	3.00
2462MHz	Pass	AV	2.4612G	100.98	Inf	-Inf	3	Horizontal	100	1.03
2462MHz	Pass	AV	2.4835G	47.60	54.00	-6.40	3	Horizontal	100	1.03
2462MHz	Pass	PK	2.4612G	103.67	Inf	-Inf	3	Horizontal	100	1.03
2462MHz	Pass	PK	2.4866G	59.74	74.00	-14.26	3	Horizontal	100	1.03
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.49	54.00	-0.51	3	Vertical	47	2.86
2412MHz	Pass	AV	2.409G	102.74	Inf	-Inf	3	Vertical	47	2.86
2412MHz	Pass	PK	2.39G	66.79	74.00	-7.21	3	Vertical	47	2.86
2412MHz	Pass	PK	2.406G	110.40	Inf	-Inf	3	Vertical	47	2.86
2412MHz	Pass	AV	2.3898G	49.36	54.00	-4.64	3	Horizontal	293	1.07
2412MHz	Pass	AV	2.406G	94.92	Inf	-Inf	3	Horizontal	293	1.07
2412MHz	Pass	PK	2.3898G	62.03	74.00	-11.97	3	Horizontal	293	1.07
2412MHz	Pass	PK	2.4062G	102.41	Inf	-Inf	3	Horizontal	293	1.07
2417MHz	Pass	AV	2.39G	52.74	54.00	-1.26	3	Vertical	43	3.00
2417MHz	Pass	AV	2.4108G	102.14	Inf	-Inf	3	Vertical	43	3.00
2417MHz	Pass	PK	2.39G	62.47	74.00	-11.53	3	Vertical	43	3.00
2417MHz	Pass	PK	2.411G	109.96	Inf	-Inf	3	Vertical	43	3.00
2417MHz	Pass	AV	2.39G	49.45	54.00	-4.55	3	Horizontal	100	2.23
2417MHz	Pass	AV	2.4192G	96.36	Inf	-Inf	3	Horizontal	100	2.23
2417MHz	Pass	PK	2.387G	58.63	74.00	-15.37	3	Horizontal	100	2.23
2417MHz	Pass	PK	2.421G	104.34	Inf	-Inf	3	Horizontal	100	2.23
2437MHz	Pass	AV	2.3898G	50.85	54.00	-3.15	3	Vertical	165	2.82
2437MHz	Pass	AV	2.4342G	105.60	Inf	-Inf	3	Vertical	165	2.82
2437MHz	Pass	AV	2.4835G	51.99	54.00	-2.01	3	Vertical	165	2.82
2437MHz	Pass	PK	2.389G	59.79	74.00	-14.21	3	Vertical	165	2.82
2437MHz	Pass	PK	2.4382G	113.29	Inf	-Inf	3	Vertical	165	2.82
2437MHz	Pass	PK	2.4838G	63.67	74.00	-10.33	3	Vertical	165	2.82
2437MHz	Pass	AV	2.3758G	49.31	54.00	-4.69	3	Horizontal	98	1.58
2437MHz	Pass	AV	2.441G	98.59	Inf	-Inf	3	Horizontal	98	1.58
2437MHz	Pass	AV	2.4858G	49.96	54.00	-4.04	3	Horizontal	98	1.58
2437MHz	Pass	PK	2.357G	59.01	74.00	-14.99	3	Horizontal	98	1.58
2437MHz	Pass	PK	2.4386G	106.62	Inf	-Inf	3	Horizontal	98	1.58
2437MHz	Pass	PK	2.4854G	59.48	74.00	-14.52	3	Horizontal	98	1.58
2457MHz	Pass	AV	2.459G	103.75	Inf	-Inf	3	Vertical	47	3.00
2457MHz	Pass	AV	2.484G	53.08	54.00	-0.92	3	Vertical	47	3.00
2457MHz	Pass	PK	2.461G	111.79	Inf	-Inf	3	Vertical	47	3.00




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_1T1S_AP5022FX**

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.4838G	63.23	74.00	-10.77	3	Vertical	47	3.00
2457MHz	Pass	AV	2.451G	97.32	Inf	-Inf	3	Horizontal	99	1.23
2457MHz	Pass	AV	2.484G	50.67	54.00	-3.33	3	Horizontal	99	1.23
2457MHz	Pass	PK	2.451G	105.01	Inf	-Inf	3	Horizontal	99	1.23
2457MHz	Pass	PK	2.4846G	60.33	74.00	-13.67	3	Horizontal	99	1.23
2462MHz	Pass	AV	2.4592G	103.90	Inf	-Inf	3	Vertical	46	3.00
2462MHz	Pass	AV	2.4854G	53.61	54.00	-0.39	3	Vertical	46	3.00
2462MHz	Pass	PK	2.4636G	111.57	Inf	-Inf	3	Vertical	46	3.00
2462MHz	Pass	PK	2.4842G	64.42	74.00	-9.58	3	Vertical	46	3.00
2462MHz	Pass	AV	2.4592G	96.68	Inf	-Inf	3	Horizontal	100	1.05
2462MHz	Pass	AV	2.4836G	50.88	54.00	-3.12	3	Horizontal	100	1.05
2462MHz	Pass	PK	2.4636G	104.30	Inf	-Inf	3	Horizontal	100	1.05
2462MHz	Pass	PK	2.4852G	60.22	74.00	-13.78	3	Horizontal	100	1.05
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.37	54.00	-0.63	3	Vertical	28	3.00
2412MHz	Pass	AV	2.4082G	101.06	Inf	-Inf	3	Vertical	28	3.00
2412MHz	Pass	PK	2.39G	64.47	74.00	-9.53	3	Vertical	28	3.00
2412MHz	Pass	PK	2.4076G	112.48	Inf	-Inf	3	Vertical	28	3.00
2412MHz	Pass	AV	2.3898G	49.26	54.00	-4.74	3	Horizontal	95	1.39
2412MHz	Pass	AV	2.4068G	92.54	Inf	-Inf	3	Horizontal	95	1.39
2412MHz	Pass	PK	2.3894G	59.25	74.00	-14.75	3	Horizontal	95	1.39
2412MHz	Pass	PK	2.4078G	103.76	Inf	-Inf	3	Horizontal	95	1.39
2417MHz	Pass	AV	2.39G	53.75	54.00	-0.25	3	Vertical	29	2.73
2417MHz	Pass	AV	2.4146G	102.05	Inf	-Inf	3	Vertical	29	2.73
2417MHz	Pass	PK	2.39G	67.40	74.00	-6.60	3	Vertical	29	2.73
2417MHz	Pass	PK	2.4128G	113.31	Inf	-Inf	3	Vertical	29	2.73
2417MHz	Pass	AV	2.39G	49.83	54.00	-4.17	3	Horizontal	98	2.67
2417MHz	Pass	AV	2.4256G	96.02	Inf	-Inf	3	Horizontal	98	2.67
2417MHz	Pass	PK	2.39G	61.88	74.00	-12.12	3	Horizontal	98	2.67
2417MHz	Pass	PK	2.4254G	107.66	Inf	-Inf	3	Horizontal	98	2.67
2437MHz	Pass	AV	2.3898G	49.52	54.00	-4.48	3	Vertical	311	2.68
2437MHz	Pass	AV	2.4414G	103.43	Inf	-Inf	3	Vertical	311	2.68
2437MHz	Pass	AV	2.4842G	53.18	54.00	-0.82	3	Vertical	311	2.68
2437MHz	Pass	PK	2.3894G	61.74	74.00	-12.26	3	Vertical	311	2.68
2437MHz	Pass	PK	2.4454G	114.35	Inf	-Inf	3	Vertical	311	2.68
2437MHz	Pass	PK	2.4862G	70.32	74.00	-3.68	3	Vertical	311	2.68
2437MHz	Pass	AV	2.387G	48.27	54.00	-5.73	3	Horizontal	97	1.57
2437MHz	Pass	AV	2.443G	98.21	Inf	-Inf	3	Horizontal	97	1.57
2437MHz	Pass	AV	2.4842G	50.18	54.00	-3.82	3	Horizontal	97	1.57
2437MHz	Pass	PK	2.3462G	59.05	74.00	-14.95	3	Horizontal	97	1.57
2437MHz	Pass	PK	2.443G	109.31	Inf	-Inf	3	Horizontal	97	1.57
2437MHz	Pass	PK	2.485G	66.45	74.00	-7.55	3	Horizontal	97	1.57
2457MHz	Pass	AV	2.4578G	104.31	Inf	-Inf	3	Vertical	68	2.35
2457MHz	Pass	AV	2.4836G	53.98	54.00	-0.02	3	Vertical	68	2.35
2457MHz	Pass	PK	2.4534G	115.55	Inf	-Inf	3	Vertical	68	2.35
2457MHz	Pass	PK	2.4838G	64.88	74.00	-9.12	3	Vertical	68	2.35
2457MHz	Pass	AV	2.456G	96.93	Inf	-Inf	3	Horizontal	98	1.44
2457MHz	Pass	AV	2.4836G	50.51	54.00	-3.49	3	Horizontal	98	1.44
2457MHz	Pass	PK	2.4598G	107.90	Inf	-Inf	3	Horizontal	98	1.44
2457MHz	Pass	PK	2.4835G	62.27	74.00	-11.73	3	Horizontal	98	1.44
2462MHz	Pass	AV	2.4596G	102.52	Inf	-Inf	3	Vertical	67	2.36
2462MHz	Pass	AV	2.4844G	53.23	54.00	-0.77	3	Vertical	67	2.36
2462MHz	Pass	PK	2.4576G	113.83	Inf	-Inf	3	Vertical	67	2.36
2462MHz	Pass	PK	2.4864G	66.42	74.00	-7.58	3	Vertical	67	2.36
2462MHz	Pass	AV	2.4596G	95.28	Inf	-Inf	3	Horizontal	98	1.46
2462MHz	Pass	AV	2.4844G	50.39	54.00	-3.61	3	Horizontal	98	1.46
2462MHz	Pass	PK	2.4574G	106.25	Inf	-Inf	3	Horizontal	98	1.46
2462MHz	Pass	PK	2.487G	61.31	74.00	-12.69	3	Horizontal	98	1.46


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2457MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_2T1S_AP5022FX**

Appendix F.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4835G	51.76	54.00	-2.24	3	Vertical	339	3.00
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4836G	53.64	54.00	-0.36	3	Vertical	63	2.70
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.39G	53.87	54.00	-0.13	3	Vertical	342	1.88

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	49.38	54.00	-4.62	3	Vertical	339	2.74
2412MHz	Pass	AV	2.4112G	111.35	Inf	-Inf	3	Vertical	339	2.74
2412MHz	Pass	PK	2.3896G	60.31	74.00	-13.69	3	Vertical	339	2.74
2412MHz	Pass	PK	2.4112G	113.69	Inf	-Inf	3	Vertical	339	2.74
2412MHz	Pass	AV	2.39G	46.64	54.00	-7.36	3	Horizontal	313	1.22
2412MHz	Pass	AV	2.4128G	104.21	Inf	-Inf	3	Horizontal	313	1.22
2412MHz	Pass	PK	2.371G	58.92	74.00	-15.08	3	Horizontal	313	1.22
2412MHz	Pass	PK	2.4128G	106.52	Inf	-Inf	3	Horizontal	313	1.22
2437MHz	Pass	AV	2.3898G	46.59	54.00	-7.41	3	Vertical	341	2.85
2437MHz	Pass	AV	2.4378G	112.62	Inf	-Inf	3	Vertical	341	2.85
2437MHz	Pass	AV	2.4842G	47.39	54.00	-6.61	3	Vertical	341	2.85
2437MHz	Pass	PK	2.3574G	59.02	74.00	-14.98	3	Vertical	341	2.85
2437MHz	Pass	PK	2.4378G	114.99	Inf	-Inf	3	Vertical	341	2.85
2437MHz	Pass	PK	2.4838G	60.00	74.00	-14.00	3	Vertical	341	2.85
2437MHz	Pass	AV	2.3898G	46.18	54.00	-7.82	3	Horizontal	153	1.50
2437MHz	Pass	AV	2.4362G	105.05	Inf	-Inf	3	Horizontal	153	1.50
2437MHz	Pass	AV	2.4854G	47.06	54.00	-6.94	3	Horizontal	153	1.50
2437MHz	Pass	PK	2.3758G	58.55	74.00	-15.45	3	Horizontal	153	1.50
2437MHz	Pass	PK	2.4362G	107.49	Inf	-Inf	3	Horizontal	153	1.50
2437MHz	Pass	PK	2.499G	59.26	74.00	-14.74	3	Horizontal	153	1.50
2462MHz	Pass	AV	2.4612G	112.17	Inf	-Inf	3	Vertical	339	3.00
2462MHz	Pass	AV	2.4835G	51.76	54.00	-2.24	3	Vertical	339	3.00
2462MHz	Pass	PK	2.4612G	114.52	Inf	-Inf	3	Vertical	339	3.00
2462MHz	Pass	PK	2.4838G	61.03	74.00	-12.97	3	Vertical	339	3.00
2462MHz	Pass	AV	2.4612G	104.69	Inf	-Inf	3	Horizontal	152	1.22
2462MHz	Pass	AV	2.4835G	47.62	54.00	-6.38	3	Horizontal	152	1.22
2462MHz	Pass	PK	2.461G	107.13	Inf	-Inf	3	Horizontal	152	1.22
2462MHz	Pass	PK	2.4896G	59.85	74.00	-14.15	3	Horizontal	152	1.22
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.49	54.00	-0.51	3	Vertical	343	1.87
2412MHz	Pass	AV	2.4072G	105.11	Inf	-Inf	3	Vertical	343	1.87
2412MHz	Pass	PK	2.39G	64.93	74.00	-9.07	3	Vertical	343	1.87
2412MHz	Pass	PK	2.4068G	112.49	Inf	-Inf	3	Vertical	343	1.87
2412MHz	Pass	AV	2.39G	49.65	54.00	-4.35	3	Horizontal	313	1.23
2412MHz	Pass	AV	2.4172G	97.82	Inf	-Inf	3	Horizontal	313	1.23
2412MHz	Pass	PK	2.3898G	59.38	74.00	-14.62	3	Horizontal	313	1.23
2412MHz	Pass	PK	2.417G	105.73	Inf	-Inf	3	Horizontal	313	1.23
2417MHz	Pass	AV	2.3896G	52.60	54.00	-1.40	3	Vertical	65	2.63
2417MHz	Pass	AV	2.412G	107.76	Inf	-Inf	3	Vertical	65	2.63
2417MHz	Pass	PK	2.3894G	62.89	74.00	-11.11	3	Vertical	65	2.63
2417MHz	Pass	PK	2.412G	115.07	Inf	-Inf	3	Vertical	65	2.63
2417MHz	Pass	AV	2.3884G	49.31	54.00	-4.69	3	Horizontal	155	1.72
2417MHz	Pass	AV	2.4222G	97.79	Inf	-Inf	3	Horizontal	155	1.72
2417MHz	Pass	PK	2.3682G	58.98	74.00	-15.02	3	Horizontal	155	1.72
2417MHz	Pass	PK	2.422G	105.93	Inf	-Inf	3	Horizontal	155	1.72
2437MHz	Pass	AV	2.3882G	50.09	54.00	-3.91	3	Vertical	286	1.73
2437MHz	Pass	AV	2.433G	107.14	Inf	-Inf	3	Vertical	286	1.73
2437MHz	Pass	AV	2.4835G	51.75	54.00	-2.25	3	Vertical	286	1.73
2437MHz	Pass	PK	2.3886G	60.40	74.00	-13.60	3	Vertical	286	1.73
2437MHz	Pass	PK	2.433G	114.52	Inf	-Inf	3	Vertical	286	1.73
2437MHz	Pass	PK	2.4835G	62.93	74.00	-11.07	3	Vertical	286	1.73
2437MHz	Pass	AV	2.3886G	49.23	54.00	-4.77	3	Horizontal	153	1.79
2437MHz	Pass	AV	2.4422G	101.07	Inf	-Inf	3	Horizontal	153	1.79
2437MHz	Pass	AV	2.4938G	49.86	54.00	-4.14	3	Horizontal	153	1.79
2437MHz	Pass	PK	2.3674G	58.84	74.00	-15.16	3	Horizontal	153	1.79
2437MHz	Pass	PK	2.4418G	108.56	Inf	-Inf	3	Horizontal	153	1.79
2437MHz	Pass	PK	2.4846G	60.87	74.00	-13.13	3	Horizontal	153	1.79
2457MHz	Pass	AV	2.4622G	108.34	Inf	-Inf	3	Vertical	64	2.62
2457MHz	Pass	AV	2.4835G	53.16	54.00	-0.84	3	Vertical	64	2.62
2457MHz	Pass	PK	2.462G	116.04	Inf	-Inf	3	Vertical	64	2.62




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_2T1S_AP5022FX**

Appendix F.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.487G	63.41	74.00	-10.59	3	Vertical	64	2.62
2457MHz	Pass	AV	2.452G	99.79	Inf	-Inf	3	Horizontal	154	1.69
2457MHz	Pass	AV	2.4864G	50.48	54.00	-3.52	3	Horizontal	154	1.69
2457MHz	Pass	PK	2.452G	107.01	Inf	-Inf	3	Horizontal	154	1.69
2457MHz	Pass	PK	2.4986G	59.58	74.00	-14.42	3	Horizontal	154	1.69
2462MHz	Pass	AV	2.457G	106.25	Inf	-Inf	3	Vertical	63	2.70
2462MHz	Pass	AV	2.4836G	53.64	54.00	-0.36	3	Vertical	63	2.70
2462MHz	Pass	PK	2.467G	113.79	Inf	-Inf	3	Vertical	63	2.70
2462MHz	Pass	PK	2.4836G	65.63	74.00	-8.37	3	Vertical	63	2.70
2462MHz	Pass	AV	2.457G	97.35	Inf	-Inf	3	Horizontal	153	1.69
2462MHz	Pass	AV	2.491G	50.03	54.00	-3.97	3	Horizontal	153	1.69
2462MHz	Pass	PK	2.4564G	104.76	Inf	-Inf	3	Horizontal	153	1.69
2462MHz	Pass	PK	2.493G	59.66	74.00	-14.34	3	Horizontal	153	1.69
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.87	54.00	-0.13	3	Vertical	342	1.88
2412MHz	Pass	AV	2.4044G	103.15	Inf	-Inf	3	Vertical	342	1.88
2412MHz	Pass	PK	2.3898G	65.30	74.00	-8.70	3	Vertical	342	1.88
2412MHz	Pass	PK	2.4046G	113.75	Inf	-Inf	3	Vertical	342	1.88
2412MHz	Pass	AV	2.3898G	48.92	54.00	-5.08	3	Horizontal	313	1.24
2412MHz	Pass	AV	2.4146G	95.93	Inf	-Inf	3	Horizontal	313	1.24
2412MHz	Pass	PK	2.3896G	59.18	74.00	-14.82	3	Horizontal	313	1.24
2412MHz	Pass	PK	2.4148G	106.91	Inf	-Inf	3	Horizontal	313	1.24
2417MHz	Pass	AV	2.3898G	53.50	54.00	-0.50	3	Vertical	65	2.62
2417MHz	Pass	AV	2.4146G	106.07	Inf	-Inf	3	Vertical	65	2.62
2417MHz	Pass	PK	2.3898G	67.28	74.00	-6.72	3	Vertical	65	2.62
2417MHz	Pass	PK	2.4122G	116.87	Inf	-Inf	3	Vertical	65	2.62
2417MHz	Pass	AV	2.39G	48.43	54.00	-5.57	3	Horizontal	155	1.75
2417MHz	Pass	AV	2.4246G	96.36	Inf	-Inf	3	Horizontal	155	1.75
2417MHz	Pass	PK	2.3898G	59.14	74.00	-14.86	3	Horizontal	155	1.75
2417MHz	Pass	PK	2.4244G	106.40	Inf	-Inf	3	Horizontal	155	1.75
2437MHz	Pass	AV	2.3898G	51.52	54.00	-2.48	3	Vertical	288	1.74
2437MHz	Pass	AV	2.4326G	105.81	Inf	-Inf	3	Vertical	288	1.74
2437MHz	Pass	AV	2.4835G	52.67	54.00	-1.33	3	Vertical	288	1.74
2437MHz	Pass	PK	2.389G	67.81	74.00	-6.19	3	Vertical	288	1.74
2437MHz	Pass	PK	2.4326G	117.59	Inf	-Inf	3	Vertical	288	1.74
2437MHz	Pass	PK	2.485G	73.04	74.00	-0.96	3	Vertical	288	1.74
2437MHz	Pass	AV	2.3886G	49.07	54.00	-4.93	3	Horizontal	153	1.80
2437MHz	Pass	AV	2.4394G	99.92	Inf	-Inf	3	Horizontal	153	1.80
2437MHz	Pass	AV	2.485G	50.86	54.00	-3.14	3	Horizontal	153	1.80
2437MHz	Pass	PK	2.387G	62.00	74.00	-12.00	3	Horizontal	153	1.80
2437MHz	Pass	PK	2.4346G	110.69	Inf	-Inf	3	Horizontal	153	1.80
2437MHz	Pass	PK	2.485G	68.68	74.00	-5.32	3	Horizontal	153	1.80
2457MHz	Pass	AV	2.4596G	106.60	Inf	-Inf	3	Vertical	64	2.64
2457MHz	Pass	AV	2.4844G	52.87	54.00	-1.13	3	Vertical	64	2.64
2457MHz	Pass	PK	2.46G	117.87	Inf	-Inf	3	Vertical	64	2.64
2457MHz	Pass	PK	2.4835G	69.43	74.00	-4.57	3	Vertical	64	2.64
2457MHz	Pass	AV	2.4496G	98.13	Inf	-Inf	3	Horizontal	153	1.69
2457MHz	Pass	AV	2.4848G	49.18	54.00	-4.82	3	Horizontal	153	1.69
2457MHz	Pass	PK	2.4546G	108.59	Inf	-Inf	3	Horizontal	153	1.69
2457MHz	Pass	PK	2.4842G	59.63	74.00	-14.37	3	Horizontal	153	1.69
2462MHz	Pass	AV	2.4596G	104.48	Inf	-Inf	3	Vertical	65	2.60
2462MHz	Pass	AV	2.4854G	53.83	54.00	-0.17	3	Vertical	65	2.60
2462MHz	Pass	PK	2.4648G	115.87	Inf	-Inf	3	Vertical	65	2.60
2462MHz	Pass	PK	2.4856G	65.12	74.00	-8.88	3	Vertical	65	2.60
2462MHz	Pass	AV	2.457G	95.79	Inf	-Inf	3	Horizontal	154	1.70
2462MHz	Pass	AV	2.4848G	49.39	54.00	-4.61	3	Horizontal	154	1.70
2462MHz	Pass	PK	2.4572G	106.22	Inf	-Inf	3	Horizontal	154	1.70
2462MHz	Pass	PK	2.4906G	60.03	74.00	-13.97	3	Horizontal	154	1.70

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX

