



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2412MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_2T2S_AP5022FX**

Appendix F.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4848G	53.89	54.00	-0.11	3	Vertical	64	2.72



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_2T2S_AP5022FX**


Appendix F.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.88	54.00	-1.12	3	Vertical	340	1.91
2412MHz	Pass	AV	2.4068G	102.08	Inf	-Inf	3	Vertical	340	1.91
2412MHz	Pass	PK	2.39G	64.04	74.00	-9.96	3	Vertical	340	1.91
2412MHz	Pass	PK	2.406G	112.34	Inf	-Inf	3	Vertical	340	1.91
2412MHz	Pass	AV	2.387G	48.52	54.00	-5.48	3	Horizontal	310	1.23
2412MHz	Pass	AV	2.417G	94.27	Inf	-Inf	3	Horizontal	310	1.23
2412MHz	Pass	PK	2.3884G	59.05	74.00	-14.95	3	Horizontal	310	1.23
2412MHz	Pass	PK	2.4182G	104.52	Inf	-Inf	3	Horizontal	310	1.23
2417MHz	Pass	AV	2.39G	53.07	54.00	-0.93	3	Vertical	64	2.60
2417MHz	Pass	AV	2.412G	105.03	Inf	-Inf	3	Vertical	64	2.60
2417MHz	Pass	PK	2.3898G	68.36	74.00	-5.64	3	Vertical	64	2.60
2417MHz	Pass	PK	2.4124G	115.30	Inf	-Inf	3	Vertical	64	2.60
2417MHz	Pass	AV	2.3898G	48.62	54.00	-5.38	3	Horizontal	314	1.22
2417MHz	Pass	AV	2.4118G	95.72	Inf	-Inf	3	Horizontal	314	1.22
2417MHz	Pass	PK	2.3898G	59.23	74.00	-14.77	3	Horizontal	314	1.22
2417MHz	Pass	PK	2.4112G	105.50	Inf	-Inf	3	Horizontal	314	1.22
2437MHz	Pass	AV	2.3898G	51.11	54.00	-2.89	3	Vertical	289	2.85
2437MHz	Pass	AV	2.433G	105.72	Inf	-Inf	3	Vertical	289	2.85
2437MHz	Pass	AV	2.4838G	53.19	54.00	-0.81	3	Vertical	289	2.85
2437MHz	Pass	PK	2.3894G	66.56	74.00	-7.44	3	Vertical	289	2.85
2437MHz	Pass	PK	2.4354G	116.24	Inf	-Inf	3	Vertical	289	2.85
2437MHz	Pass	PK	2.4862G	69.04	74.00	-4.96	3	Vertical	289	2.85
2437MHz	Pass	AV	2.3898G	48.73	54.00	-5.27	3	Horizontal	154	1.69
2437MHz	Pass	AV	2.4446G	98.30	Inf	-Inf	3	Horizontal	154	1.69
2437MHz	Pass	AV	2.485G	49.63	54.00	-4.37	3	Horizontal	154	1.69
2437MHz	Pass	PK	2.3886G	60.44	74.00	-13.56	3	Horizontal	154	1.69
2437MHz	Pass	PK	2.4454G	108.73	Inf	-Inf	3	Horizontal	154	1.69
2437MHz	Pass	PK	2.4835G	62.12	74.00	-11.88	3	Horizontal	154	1.69
2457MHz	Pass	AV	2.4622G	105.42	Inf	-Inf	3	Vertical	64	2.65
2457MHz	Pass	AV	2.4835G	53.60	54.00	-0.40	3	Vertical	64	2.65
2457MHz	Pass	PK	2.461G	115.66	Inf	-Inf	3	Vertical	64	2.65
2457MHz	Pass	PK	2.484G	66.37	74.00	-7.63	3	Vertical	64	2.65
2457MHz	Pass	AV	2.452G	96.93	Inf	-Inf	3	Horizontal	153	1.69
2457MHz	Pass	AV	2.4842G	49.44	54.00	-4.56	3	Horizontal	153	1.69
2457MHz	Pass	PK	2.4522G	107.19	Inf	-Inf	3	Horizontal	153	1.69
2457MHz	Pass	PK	2.4862G	60.40	74.00	-13.60	3	Horizontal	153	1.69
2462MHz	Pass	AV	2.457G	104.33	Inf	-Inf	3	Vertical	64	2.72
2462MHz	Pass	AV	2.4848G	53.89	54.00	-0.11	3	Vertical	64	2.72
2462MHz	Pass	PK	2.457G	115.12	Inf	-Inf	3	Vertical	64	2.72
2462MHz	Pass	PK	2.4866G	66.23	74.00	-7.77	3	Vertical	64	2.72
2462MHz	Pass	AV	2.4568G	95.50	Inf	-Inf	3	Horizontal	153	1.72
2462MHz	Pass	AV	2.4844G	49.45	54.00	-4.55	3	Horizontal	153	1.72
2462MHz	Pass	PK	2.457G	105.80	Inf	-Inf	3	Horizontal	153	1.72
2462MHz	Pass	PK	2.4876G	60.62	74.00	-13.38	3	Horizontal	153	1.72


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_4T1S_AP5022FX**

Appendix F.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	2.3884G	50.53	54.00	-3.47	3	Vertical	324	1.50
802.11g_Nss1,(6Mbps)_4TX	Pass	AV	2.4835G	53.92	54.00	-0.08	3	Vertical	326	2.78
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	2.4836G	53.91	54.00	-0.09	3	Vertical	287	2.80

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3884G	50.53	54.00	-3.47	3	Vertical	324	1.50
2412MHz	Pass	AV	2.4128G	113.64	Inf	-Inf	3	Vertical	324	1.50
2412MHz	Pass	PK	2.3882G	60.87	74.00	-13.13	3	Vertical	324	1.50
2412MHz	Pass	PK	2.4128G	116.05	Inf	-Inf	3	Vertical	324	1.50
2412MHz	Pass	AV	2.39G	46.87	54.00	-7.13	3	Horizontal	199	1.98
2412MHz	Pass	AV	2.4128G	108.21	Inf	-Inf	3	Horizontal	199	1.98
2412MHz	Pass	PK	2.39G	58.85	74.00	-15.15	3	Horizontal	199	1.98
2412MHz	Pass	PK	2.4128G	110.73	Inf	-Inf	3	Horizontal	199	1.98
2437MHz	Pass	AV	2.3898G	46.85	54.00	-7.15	3	Vertical	324	1.74
2437MHz	Pass	AV	2.4362G	114.75	Inf	-Inf	3	Vertical	324	1.74
2437MHz	Pass	AV	2.4842G	47.67	54.00	-6.33	3	Vertical	324	1.74
2437MHz	Pass	PK	2.3814G	59.00	74.00	-15.00	3	Vertical	324	1.74
2437MHz	Pass	PK	2.4378G	117.20	Inf	-Inf	3	Vertical	324	1.74
2437MHz	Pass	PK	2.4898G	60.36	74.00	-13.64	3	Vertical	324	1.74
2437MHz	Pass	AV	2.3874G	46.16	54.00	-7.84	3	Horizontal	197	1.92
2437MHz	Pass	AV	2.4378G	108.71	Inf	-Inf	3	Horizontal	197	1.92
2437MHz	Pass	AV	2.493G	47.02	54.00	-6.98	3	Horizontal	197	1.92
2437MHz	Pass	PK	2.3418G	58.60	74.00	-15.40	3	Horizontal	197	1.92
2437MHz	Pass	PK	2.4378G	111.07	Inf	-Inf	3	Horizontal	197	1.92
2437MHz	Pass	PK	2.4838G	59.90	74.00	-14.10	3	Horizontal	197	1.92
2462MHz	Pass	AV	2.4628G	114.11	Inf	-Inf	3	Vertical	286	2.05
2462MHz	Pass	AV	2.4835G	48.88	54.00	-5.12	3	Vertical	286	2.05
2462MHz	Pass	PK	2.4628G	116.64	Inf	-Inf	3	Vertical	286	2.05
2462MHz	Pass	PK	2.4874G	60.99	74.00	-13.01	3	Vertical	286	2.05
2462MHz	Pass	AV	2.4612G	107.66	Inf	-Inf	3	Horizontal	195	1.85
2462MHz	Pass	AV	2.4835G	47.78	54.00	-6.22	3	Horizontal	195	1.85
2462MHz	Pass	PK	2.461G	110.00	Inf	-Inf	3	Horizontal	195	1.85
2462MHz	Pass	PK	2.4896G	60.13	74.00	-13.87	3	Horizontal	195	1.85
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.73	54.00	-0.27	3	Vertical	335	2.95
2412MHz	Pass	AV	2.4098G	110.71	Inf	-Inf	3	Vertical	335	2.95
2412MHz	Pass	PK	2.3898G	66.03	74.00	-7.97	3	Vertical	335	2.95
2412MHz	Pass	PK	2.4094G	118.44	Inf	-Inf	3	Vertical	335	2.95
2412MHz	Pass	AV	2.3652G	49.07	54.00	-4.93	3	Horizontal	197	2.00
2412MHz	Pass	AV	2.413G	101.89	Inf	-Inf	3	Horizontal	197	2.00
2412MHz	Pass	PK	2.3752G	59.55	74.00	-14.45	3	Horizontal	197	2.00
2412MHz	Pass	PK	2.413G	109.18	Inf	-Inf	3	Horizontal	197	2.00
2417MHz	Pass	AV	2.3892G	53.83	54.00	-0.17	3	Vertical	325	2.99
2417MHz	Pass	AV	2.4148G	111.36	Inf	-Inf	3	Vertical	325	2.99
2417MHz	Pass	PK	2.3888G	64.61	74.00	-9.39	3	Vertical	325	2.99
2417MHz	Pass	PK	2.4146G	118.77	Inf	-Inf	3	Vertical	325	2.99
2417MHz	Pass	AV	2.39G	49.04	54.00	-4.96	3	Horizontal	236	1.43
2417MHz	Pass	AV	2.4098G	102.91	Inf	-Inf	3	Horizontal	236	1.43
2417MHz	Pass	PK	2.3888G	59.05	74.00	-14.95	3	Horizontal	236	1.43
2417MHz	Pass	PK	2.4114G	110.41	Inf	-Inf	3	Horizontal	236	1.43
2437MHz	Pass	AV	2.3898G	53.22	54.00	-0.78	3	Vertical	335	3.00
2437MHz	Pass	AV	2.435G	113.14	Inf	-Inf	3	Vertical	335	3.00
2437MHz	Pass	AV	2.4838G	53.54	54.00	-0.46	3	Vertical	335	3.00
2437MHz	Pass	PK	2.3894G	64.76	74.00	-9.24	3	Vertical	335	3.00
2437MHz	Pass	PK	2.4346G	120.71	Inf	-Inf	3	Vertical	335	3.00
2437MHz	Pass	PK	2.4835G	67.47	74.00	-6.53	3	Vertical	335	3.00
2437MHz	Pass	AV	2.3894G	50.45	54.00	-3.55	3	Horizontal	235	1.11
2437MHz	Pass	AV	2.431G	104.46	Inf	-Inf	3	Horizontal	235	1.11
2437MHz	Pass	AV	2.487G	50.41	54.00	-3.59	3	Horizontal	235	1.11
2437MHz	Pass	PK	2.389G	60.95	74.00	-13.05	3	Horizontal	235	1.11
2437MHz	Pass	PK	2.4314G	112.04	Inf	-Inf	3	Horizontal	235	1.11
2437MHz	Pass	PK	2.4866G	60.04	74.00	-13.96	3	Horizontal	235	1.11
2457MHz	Pass	AV	2.454G	112.31	Inf	-Inf	3	Vertical	326	2.78
2457MHz	Pass	AV	2.4835G	53.92	54.00	-0.08	3	Vertical	326	2.78
2457MHz	Pass	PK	2.4544G	120.16	Inf	-Inf	3	Vertical	326	2.78




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_4T1S_AP5022FX**

Appendix F.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.4836G	63.45	74.00	-10.55	3	Vertical	326	2.78
2457MHz	Pass	AV	2.4506G	102.63	Inf	-Inf	3	Horizontal	238	1.23
2457MHz	Pass	AV	2.4962G	50.18	54.00	-3.82	3	Horizontal	238	1.23
2457MHz	Pass	PK	2.4514G	110.22	Inf	-Inf	3	Horizontal	238	1.23
2457MHz	Pass	PK	2.496G	59.76	74.00	-14.24	3	Horizontal	238	1.23
2462MHz	Pass	AV	2.4636G	108.47	Inf	-Inf	3	Vertical	288	2.03
2462MHz	Pass	AV	2.4844G	53.07	54.00	-0.93	3	Vertical	288	2.03
2462MHz	Pass	PK	2.4638G	116.06	Inf	-Inf	3	Vertical	288	2.03
2462MHz	Pass	PK	2.4835G	63.93	74.00	-10.07	3	Vertical	288	2.03
2462MHz	Pass	AV	2.4556G	100.37	Inf	-Inf	3	Horizontal	237	1.00
2462MHz	Pass	AV	2.4946G	49.73	54.00	-4.27	3	Horizontal	237	1.00
2462MHz	Pass	PK	2.4564G	107.82	Inf	-Inf	3	Horizontal	237	1.00
2462MHz	Pass	PK	2.4954G	59.80	74.00	-14.20	3	Horizontal	237	1.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3894G	53.82	54.00	-0.18	3	Vertical	326	1.50
2412MHz	Pass	AV	2.4166G	107.13	Inf	-Inf	3	Vertical	326	1.50
2412MHz	Pass	PK	2.3894G	66.29	74.00	-7.71	3	Vertical	326	1.50
2412MHz	Pass	PK	2.4164G	116.76	Inf	-Inf	3	Vertical	326	1.50
2412MHz	Pass	AV	2.3894G	48.98	54.00	-5.02	3	Horizontal	235	1.40
2412MHz	Pass	AV	2.4038G	99.80	Inf	-Inf	3	Horizontal	235	1.40
2412MHz	Pass	PK	2.3888G	59.35	74.00	-14.65	3	Horizontal	235	1.40
2412MHz	Pass	PK	2.4038G	110.90	Inf	-Inf	3	Horizontal	235	1.40
2417MHz	Pass	AV	2.3896G	53.32	54.00	-0.68	3	Vertical	321	1.87
2417MHz	Pass	AV	2.4214G	108.56	Inf	-Inf	3	Vertical	321	1.87
2417MHz	Pass	PK	2.39G	66.10	74.00	-7.90	3	Vertical	321	1.87
2417MHz	Pass	PK	2.4164G	118.74	Inf	-Inf	3	Vertical	321	1.87
2417MHz	Pass	AV	2.39G	48.83	54.00	-5.17	3	Horizontal	235	1.43
2417MHz	Pass	AV	2.4088G	100.96	Inf	-Inf	3	Horizontal	235	1.43
2417MHz	Pass	PK	2.39G	58.79	74.00	-15.21	3	Horizontal	235	1.43
2417MHz	Pass	PK	2.4136G	111.89	Inf	-Inf	3	Horizontal	235	1.43
2437MHz	Pass	AV	2.3874G	51.73	54.00	-2.27	3	Vertical	292	2.95
2437MHz	Pass	AV	2.4374G	110.32	Inf	-Inf	3	Vertical	292	2.95
2437MHz	Pass	AV	2.4835G	53.08	54.00	-0.92	3	Vertical	292	2.95
2437MHz	Pass	PK	2.387G	67.55	74.00	-6.45	3	Vertical	292	2.95
2437MHz	Pass	PK	2.4426G	121.27	Inf	-Inf	3	Vertical	292	2.95
2437MHz	Pass	PK	2.4835G	71.24	74.00	-2.76	3	Vertical	292	2.95
2437MHz	Pass	AV	2.389G	48.91	54.00	-5.09	3	Horizontal	237	1.07
2437MHz	Pass	AV	2.4338G	101.77	Inf	-Inf	3	Horizontal	237	1.07
2437MHz	Pass	AV	2.4842G	49.63	54.00	-4.37	3	Horizontal	237	1.07
2437MHz	Pass	PK	2.389G	63.23	74.00	-10.77	3	Horizontal	237	1.07
2437MHz	Pass	PK	2.4342G	112.03	Inf	-Inf	3	Horizontal	237	1.07
2437MHz	Pass	PK	2.4846G	62.28	74.00	-11.72	3	Horizontal	237	1.07
2457MHz	Pass	AV	2.4576G	108.68	Inf	-Inf	3	Vertical	290	2.75
2457MHz	Pass	AV	2.4835G	53.64	54.00	-0.36	3	Vertical	290	2.75
2457MHz	Pass	PK	2.4628G	119.78	Inf	-Inf	3	Vertical	290	2.75
2457MHz	Pass	PK	2.4836G	68.34	74.00	-5.66	3	Vertical	290	2.75
2457MHz	Pass	AV	2.4488G	99.68	Inf	-Inf	3	Horizontal	238	1.25
2457MHz	Pass	AV	2.4836G	49.19	54.00	-4.81	3	Horizontal	238	1.25
2457MHz	Pass	PK	2.449G	109.97	Inf	-Inf	3	Horizontal	238	1.25
2457MHz	Pass	PK	2.487G	60.15	74.00	-13.85	3	Horizontal	238	1.25
2462MHz	Pass	AV	2.4626G	108.01	Inf	-Inf	3	Vertical	287	2.80
2462MHz	Pass	AV	2.4836G	53.91	54.00	-0.09	3	Vertical	287	2.80
2462MHz	Pass	PK	2.4578G	118.67	Inf	-Inf	3	Vertical	287	2.80
2462MHz	Pass	PK	2.4882G	67.32	74.00	-6.68	3	Vertical	287	2.80
2462MHz	Pass	AV	2.4638G	98.94	Inf	-Inf	3	Horizontal	236	1.05
2462MHz	Pass	AV	2.4956G	49.26	54.00	-4.74	3	Horizontal	236	1.05
2462MHz	Pass	PK	2.4688G	109.87	Inf	-Inf	3	Horizontal	236	1.05
2462MHz	Pass	PK	2.4964G	59.79	74.00	-14.21	3	Horizontal	236	1.05


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_4T4S_AP5022FX**

Appendix F.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	2.4835G	53.90	54.00	-0.10	3	Vertical	0	2.99



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_4T4S_AP5022FX**


Appendix F.6

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss4_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.33	54.00	-0.67	3	Vertical	208	1.80
2412MHz	Pass	AV	2.417G	104.84	Inf	-Inf	3	Vertical	208	1.80
2412MHz	Pass	PK	2.3896G	64.16	74.00	-9.84	3	Vertical	208	1.80
2412MHz	Pass	PK	2.41G	113.83	Inf	-Inf	3	Vertical	208	1.80
2412MHz	Pass	AV	2.39G	49.58	54.00	-4.42	3	Horizontal	155	1.50
2412MHz	Pass	AV	2.4194G	98.36	Inf	-Inf	3	Horizontal	155	1.50
2412MHz	Pass	PK	2.3894G	59.36	74.00	-14.64	3	Horizontal	155	1.50
2412MHz	Pass	PK	2.418G	106.97	Inf	-Inf	3	Horizontal	155	1.50
2417MHz	Pass	AV	2.39G	52.85	54.00	-1.15	3	Vertical	207	2.66
2417MHz	Pass	AV	2.4234G	106.33	Inf	-Inf	3	Vertical	207	2.66
2417MHz	Pass	PK	2.39G	63.66	74.00	-10.34	3	Vertical	207	2.66
2417MHz	Pass	PK	2.4152G	116.16	Inf	-Inf	3	Vertical	207	2.66
2417MHz	Pass	AV	2.39G	50.48	54.00	-3.52	3	Horizontal	97	1.50
2417MHz	Pass	AV	2.4246G	99.65	Inf	-Inf	3	Horizontal	97	1.50
2417MHz	Pass	PK	2.39G	65.22	74.00	-8.78	3	Horizontal	97	1.50
2417MHz	Pass	PK	2.4234G	108.63	Inf	-Inf	3	Horizontal	97	1.50
2437MHz	Pass	AV	2.3898G	53.17	54.00	-0.83	3	Vertical	310	3.00
2437MHz	Pass	AV	2.4358G	109.66	Inf	-Inf	3	Vertical	310	3.00
2437MHz	Pass	AV	2.4838G	53.57	54.00	-0.43	3	Vertical	310	3.00
2437MHz	Pass	PK	2.3894G	71.53	74.00	-2.47	3	Vertical	310	3.00
2437MHz	Pass	PK	2.435G	118.22	Inf	-Inf	3	Vertical	310	3.00
2437MHz	Pass	PK	2.4835G	67.45	74.00	-6.55	3	Vertical	310	3.00
2437MHz	Pass	AV	2.389G	48.89	54.00	-5.11	3	Horizontal	96	1.10
2437MHz	Pass	AV	2.4446G	99.89	Inf	-Inf	3	Horizontal	96	1.10
2437MHz	Pass	AV	2.4835G	49.53	54.00	-4.47	3	Horizontal	96	1.10
2437MHz	Pass	PK	2.3898G	62.23	74.00	-11.77	3	Horizontal	96	1.10
2437MHz	Pass	PK	2.4378G	110.22	Inf	-Inf	3	Horizontal	96	1.10
2437MHz	Pass	PK	2.4835G	63.12	74.00	-10.88	3	Horizontal	96	1.10
2457MHz	Pass	AV	2.4492G	107.29	Inf	-Inf	3	Vertical	0	2.99
2457MHz	Pass	AV	2.4835G	53.90	54.00	-0.10	3	Vertical	0	2.99
2457MHz	Pass	PK	2.4488G	117.54	Inf	-Inf	3	Vertical	0	2.99
2457MHz	Pass	PK	2.4838G	66.51	74.00	-7.49	3	Vertical	0	2.99
2457MHz	Pass	AV	2.4584G	99.25	Inf	-Inf	3	Horizontal	142	1.50
2457MHz	Pass	AV	2.4835G	50.17	54.00	-3.83	3	Horizontal	142	1.50
2457MHz	Pass	PK	2.4592G	108.52	Inf	-Inf	3	Horizontal	142	1.50
2457MHz	Pass	PK	2.4838G	60.72	74.00	-13.28	3	Horizontal	142	1.50
2462MHz	Pass	AV	2.4542G	105.59	Inf	-Inf	3	Vertical	0	3.00
2462MHz	Pass	AV	2.4844G	53.01	54.00	-0.99	3	Vertical	0	3.00
2462MHz	Pass	PK	2.4538G	115.89	Inf	-Inf	3	Vertical	0	3.00
2462MHz	Pass	PK	2.4835G	63.77	74.00	-10.23	3	Vertical	0	3.00
2462MHz	Pass	AV	2.4634G	97.04	Inf	-Inf	3	Horizontal	144	1.50
2462MHz	Pass	AV	2.4854G	49.91	54.00	-4.09	3	Horizontal	144	1.50
2462MHz	Pass	PK	2.4644G	106.73	Inf	-Inf	3	Horizontal	144	1.50
2462MHz	Pass	PK	2.4848G	60.07	74.00	-13.93	3	Horizontal	144	1.50


2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2457MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_4T1S_AP5022FX**

Appendix F.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	30M	36.26	40.00	-3.74	3	Horizontal	0	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_4T1S_AP5022FX**


Appendix F.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	90.14M	33.72	43.50	-9.78	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	311.3M	27.17	46.00	-18.83	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	449.04M	30.80	46.00	-15.20	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	549.92M	30.30	46.00	-15.70	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	716.76M	31.66	46.00	-14.34	3	Vertical	360	1.00
2437MHz_Adapter	Pass	QP	31.59M	35.72	40.00	-4.28	3	Vertical	107	1.00
2437MHz_Adapter	Pass	PK	30M	36.26	40.00	-3.74	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	94.02M	29.22	43.50	-14.28	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	245.34M	34.63	46.00	-11.37	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	315.18M	29.59	46.00	-16.41	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	437.4M	27.78	46.00	-18.22	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	573.2M	28.68	46.00	-17.32	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	35.82M	35.47	40.00	-4.53	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	113.42M	26.43	43.50	-17.07	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	264.74M	27.27	46.00	-18.73	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	330.7M	29.56	46.00	-16.44	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	452.92M	34.05	46.00	-11.95	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	553.8M	29.63	46.00	-16.37	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	117.3M	24.03	43.50	-19.47	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	264.74M	34.53	46.00	-11.47	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	330.7M	35.03	46.00	-10.97	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	460.68M	29.68	46.00	-16.32	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	579.02M	32.14	46.00	-13.86	3	Horizontal	360	1.00
2437MHz_PoE	Pass	QP	36.56M	31.55	40.00	-8.45	3	Horizontal	6	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_1T1S_AP5022FX**

Appendix F.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.4835G	51.98	54.00	-2.02	3	Horizontal	7	1.50
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.4838G	53.89	54.00	-0.11	3	Horizontal	6	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.90	54.00	-0.10	3	Horizontal	7	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	46.35	54.00	-7.65	3	Vertical	346	1.00
2412MHz	Pass	AV	2.4128G	100.15	Inf	-Inf	3	Vertical	346	1.00
2412MHz	Pass	PK	2.3716G	58.62	74.00	-15.38	3	Vertical	346	1.00
2412MHz	Pass	PK	2.413G	102.50	Inf	-Inf	3	Vertical	346	1.00
2412MHz	Pass	AV	2.3898G	48.68	54.00	-5.32	3	Horizontal	346	2.12
2412MHz	Pass	AV	2.4128G	110.56	Inf	-Inf	3	Horizontal	346	2.12
2412MHz	Pass	PK	2.3896G	60.02	74.00	-13.98	3	Horizontal	346	2.12
2412MHz	Pass	PK	2.4128G	112.84	Inf	-Inf	3	Horizontal	346	2.12
2437MHz	Pass	AV	2.3886G	46.22	54.00	-7.78	3	Vertical	345	1.14
2437MHz	Pass	AV	2.4362G	101.66	Inf	-Inf	3	Vertical	345	1.14
2437MHz	Pass	AV	2.4978G	47.00	54.00	-7.00	3	Vertical	345	1.14
2437MHz	Pass	PK	2.3654G	58.85	74.00	-15.15	3	Vertical	345	1.14
2437MHz	Pass	PK	2.4362G	104.15	Inf	-Inf	3	Vertical	345	1.14
2437MHz	Pass	PK	2.4946G	59.40	74.00	-14.60	3	Vertical	345	1.14
2437MHz	Pass	AV	2.3898G	46.50	54.00	-7.50	3	Horizontal	352	1.50
2437MHz	Pass	AV	2.4362G	111.18	Inf	-Inf	3	Horizontal	352	1.50
2437MHz	Pass	AV	2.4838G	48.19	54.00	-5.81	3	Horizontal	352	1.50
2437MHz	Pass	PK	2.337G	59.23	74.00	-14.77	3	Horizontal	352	1.50
2437MHz	Pass	PK	2.4378G	113.54	Inf	-Inf	3	Horizontal	352	1.50
2437MHz	Pass	PK	2.4918G	59.99	74.00	-14.01	3	Horizontal	352	1.50
2462MHz	Pass	AV	2.4612G	101.40	Inf	-Inf	3	Vertical	339	1.08
2462MHz	Pass	AV	2.4835G	47.46	54.00	-6.54	3	Vertical	339	1.08
2462MHz	Pass	PK	2.4612G	103.79	Inf	-Inf	3	Vertical	339	1.08
2462MHz	Pass	PK	2.4866G	60.08	74.00	-13.92	3	Vertical	339	1.08
2462MHz	Pass	AV	2.4612G	111.16	Inf	-Inf	3	Horizontal	7	1.50
2462MHz	Pass	AV	2.4835G	51.98	54.00	-2.02	3	Horizontal	7	1.50
2462MHz	Pass	PK	2.461G	113.55	Inf	-Inf	3	Horizontal	7	1.50
2462MHz	Pass	PK	2.4835G	63.15	74.00	-10.85	3	Horizontal	7	1.50
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	49.40	54.00	-4.60	3	Vertical	345	1.00
2412MHz	Pass	AV	2.4158G	93.78	Inf	-Inf	3	Vertical	345	1.00
2412MHz	Pass	PK	2.3896G	59.74	74.00	-14.26	3	Vertical	345	1.00
2412MHz	Pass	PK	2.4162G	101.90	Inf	-Inf	3	Vertical	345	1.00
2412MHz	Pass	AV	2.39G	53.72	54.00	-0.28	3	Horizontal	343	1.50
2412MHz	Pass	AV	2.4158G	103.33	Inf	-Inf	3	Horizontal	343	1.50
2412MHz	Pass	PK	2.39G	66.76	74.00	-7.24	3	Horizontal	343	1.50
2412MHz	Pass	PK	2.4162G	111.50	Inf	-Inf	3	Horizontal	343	1.50
2417MHz	Pass	AV	2.388G	49.41	54.00	-4.59	3	Vertical	347	1.08
2417MHz	Pass	AV	2.4244G	95.30	Inf	-Inf	3	Vertical	347	1.08
2417MHz	Pass	PK	2.3896G	58.74	74.00	-15.26	3	Vertical	347	1.08
2417MHz	Pass	PK	2.4242G	103.47	Inf	-Inf	3	Vertical	347	1.08
2417MHz	Pass	AV	2.39G	51.80	54.00	-2.20	3	Horizontal	343	1.50
2417MHz	Pass	AV	2.4228G	105.44	Inf	-Inf	3	Horizontal	343	1.50
2417MHz	Pass	PK	2.3898G	61.09	74.00	-12.91	3	Horizontal	343	1.50
2417MHz	Pass	PK	2.4212G	113.65	Inf	-Inf	3	Horizontal	343	1.50
2437MHz	Pass	AV	2.361G	49.04	54.00	-4.96	3	Vertical	345	1.00
2437MHz	Pass	AV	2.431G	97.91	Inf	-Inf	3	Vertical	345	1.00
2437MHz	Pass	AV	2.4846G	49.91	54.00	-4.09	3	Vertical	345	1.00
2437MHz	Pass	PK	2.3578G	58.86	74.00	-15.14	3	Vertical	345	1.00
2437MHz	Pass	PK	2.4298G	105.28	Inf	-Inf	3	Vertical	345	1.00
2437MHz	Pass	PK	2.4854G	60.49	74.00	-13.51	3	Vertical	345	1.00
2437MHz	Pass	AV	2.3898G	50.88	54.00	-3.12	3	Horizontal	8	1.01
2437MHz	Pass	AV	2.441G	107.19	Inf	-Inf	3	Horizontal	8	1.01
2437MHz	Pass	AV	2.4835G	53.05	54.00	-0.95	3	Horizontal	8	1.01
2437MHz	Pass	PK	2.3898G	60.69	74.00	-13.31	3	Horizontal	8	1.01
2437MHz	Pass	PK	2.4386G	115.04	Inf	-Inf	3	Horizontal	8	1.01
2437MHz	Pass	PK	2.4838G	64.45	74.00	-9.55	3	Horizontal	8	1.01
2457MHz	Pass	AV	2.459G	95.92	Inf	-Inf	3	Vertical	342	1.07
2457MHz	Pass	AV	2.4844G	50.01	54.00	-3.99	3	Vertical	342	1.07
2457MHz	Pass	PK	2.4612G	103.91	Inf	-Inf	3	Vertical	342	1.07




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_1T1S_AP5022FX**

Appendix F.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.4924G	59.51	74.00	-14.49	3	Vertical	342	1.07
2457MHz	Pass	AV	2.4542G	106.35	Inf	-Inf	3	Horizontal	6	1.50
2457MHz	Pass	AV	2.4838G	53.89	54.00	-0.11	3	Horizontal	6	1.50
2457MHz	Pass	PK	2.4612G	114.13	Inf	-Inf	3	Horizontal	6	1.50
2457MHz	Pass	PK	2.4835G	64.39	74.00	-9.61	3	Horizontal	6	1.50
2462MHz	Pass	AV	2.459G	93.79	Inf	-Inf	3	Vertical	339	1.08
2462MHz	Pass	AV	2.4996G	50.43	54.00	-3.57	3	Vertical	339	1.08
2462MHz	Pass	PK	2.4636G	101.55	Inf	-Inf	3	Vertical	339	1.08
2462MHz	Pass	PK	2.4836G	59.64	74.00	-14.36	3	Vertical	339	1.08
2462MHz	Pass	AV	2.456G	104.14	Inf	-Inf	3	Horizontal	8	1.50
2462MHz	Pass	AV	2.4836G	53.73	54.00	-0.27	3	Horizontal	8	1.50
2462MHz	Pass	PK	2.456G	111.71	Inf	-Inf	3	Horizontal	8	1.50
2462MHz	Pass	PK	2.4836G	64.47	74.00	-9.53	3	Horizontal	8	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	48.56	54.00	-5.44	3	Vertical	345	1.00
2412MHz	Pass	AV	2.4152G	91.67	Inf	-Inf	3	Vertical	345	1.00
2412MHz	Pass	PK	2.39G	59.38	74.00	-14.62	3	Vertical	345	1.00
2412MHz	Pass	PK	2.4148G	103.06	Inf	-Inf	3	Vertical	345	1.00
2412MHz	Pass	AV	2.39G	53.26	54.00	-0.74	3	Horizontal	343	1.50
2412MHz	Pass	AV	2.4178G	101.83	Inf	-Inf	3	Horizontal	343	1.50
2412MHz	Pass	PK	2.39G	64.44	74.00	-9.56	3	Horizontal	343	1.50
2412MHz	Pass	PK	2.4178G	113.71	Inf	-Inf	3	Horizontal	343	1.50
2417MHz	Pass	AV	2.39G	48.85	54.00	-5.15	3	Vertical	346	1.04
2417MHz	Pass	AV	2.4258G	94.89	Inf	-Inf	3	Vertical	346	1.04
2417MHz	Pass	PK	2.39G	60.19	74.00	-13.81	3	Vertical	346	1.04
2417MHz	Pass	PK	2.4228G	106.33	Inf	-Inf	3	Vertical	346	1.04
2417MHz	Pass	AV	2.39G	52.88	54.00	-1.12	3	Horizontal	344	1.50
2417MHz	Pass	AV	2.4254G	104.31	Inf	-Inf	3	Horizontal	344	1.50
2417MHz	Pass	PK	2.39G	66.47	74.00	-7.53	3	Horizontal	344	1.50
2417MHz	Pass	PK	2.4198G	115.78	Inf	-Inf	3	Horizontal	344	1.50
2437MHz	Pass	AV	2.3478G	48.11	54.00	-5.89	3	Vertical	345	1.00
2437MHz	Pass	AV	2.4314G	96.15	Inf	-Inf	3	Vertical	345	1.00
2437MHz	Pass	AV	2.4974G	48.99	54.00	-5.01	3	Vertical	345	1.00
2437MHz	Pass	PK	2.3606G	58.71	74.00	-15.29	3	Vertical	345	1.00
2437MHz	Pass	PK	2.4334G	107.48	Inf	-Inf	3	Vertical	345	1.00
2437MHz	Pass	PK	2.4842G	61.12	74.00	-12.88	3	Vertical	345	1.00
2437MHz	Pass	AV	2.3898G	49.90	54.00	-4.10	3	Horizontal	9	1.50
2437MHz	Pass	AV	2.4442G	105.52	Inf	-Inf	3	Horizontal	9	1.50
2437MHz	Pass	AV	2.4854G	53.26	54.00	-0.74	3	Horizontal	9	1.50
2437MHz	Pass	PK	2.3894G	63.46	74.00	-10.54	3	Horizontal	9	1.50
2437MHz	Pass	PK	2.4338G	116.74	Inf	-Inf	3	Horizontal	9	1.50
2437MHz	Pass	PK	2.4846G	72.71	74.00	-1.29	3	Horizontal	9	1.50
2457MHz	Pass	AV	2.4606G	92.84	Inf	-Inf	3	Vertical	339	1.07
2457MHz	Pass	AV	2.4835G	49.08	54.00	-4.92	3	Vertical	339	1.07
2457MHz	Pass	PK	2.4598G	104.43	Inf	-Inf	3	Vertical	339	1.07
2457MHz	Pass	PK	2.4838G	59.37	74.00	-14.63	3	Vertical	339	1.07
2457MHz	Pass	AV	2.4558G	103.60	Inf	-Inf	3	Horizontal	6	1.50
2457MHz	Pass	AV	2.4835G	53.44	54.00	-0.56	3	Horizontal	6	1.50
2457MHz	Pass	PK	2.4532G	114.63	Inf	-Inf	3	Horizontal	6	1.50
2457MHz	Pass	PK	2.4835G	67.08	74.00	-6.92	3	Horizontal	6	1.50
2462MHz	Pass	AV	2.4608G	92.10	Inf	-Inf	3	Vertical	340	1.05
2462MHz	Pass	AV	2.495G	49.03	54.00	-4.97	3	Vertical	340	1.05
2462MHz	Pass	PK	2.4584G	103.42	Inf	-Inf	3	Vertical	340	1.05
2462MHz	Pass	PK	2.484G	60.11	74.00	-13.89	3	Vertical	340	1.05
2462MHz	Pass	AV	2.459G	102.42	Inf	-Inf	3	Horizontal	7	1.50
2462MHz	Pass	AV	2.4835G	53.90	54.00	-0.10	3	Horizontal	7	1.50
2462MHz	Pass	PK	2.4578G	113.81	Inf	-Inf	3	Horizontal	7	1.50
2462MHz	Pass	PK	2.4864G	66.38	74.00	-7.62	3	Horizontal	7	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2462MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_2T1S_AP5022FX**

Appendix F.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4835G	52.10	54.00	-1.90	3	Horizontal	353	1.50
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4836G	53.80	54.00	-0.20	3	Vertical	356	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.97	54.00	-0.03	3	Vertical	356	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	49.41	54.00	-4.59	3	Vertical	11	1.12
2412MHz	Pass	AV	2.4112G	110.36	Inf	-Inf	3	Vertical	11	1.12
2412MHz	Pass	PK	2.3884G	59.90	74.00	-14.10	3	Vertical	11	1.12
2412MHz	Pass	PK	2.4112G	112.68	Inf	-Inf	3	Vertical	11	1.12
2412MHz	Pass	AV	2.39G	47.87	54.00	-6.13	3	Horizontal	344	1.50
2412MHz	Pass	AV	2.4128G	110.48	Inf	-Inf	3	Horizontal	344	1.50
2412MHz	Pass	PK	2.372G	58.91	74.00	-15.09	3	Horizontal	344	1.50
2412MHz	Pass	PK	2.4128G	112.83	Inf	-Inf	3	Horizontal	344	1.50
2437MHz	Pass	AV	2.3898G	46.92	54.00	-7.08	3	Vertical	12	1.50
2437MHz	Pass	AV	2.4362G	111.61	Inf	-Inf	3	Vertical	12	1.50
2437MHz	Pass	AV	2.4838G	47.66	54.00	-6.34	3	Vertical	12	1.50
2437MHz	Pass	PK	2.3686G	58.51	74.00	-15.49	3	Vertical	12	1.50
2437MHz	Pass	PK	2.4362G	114.12	Inf	-Inf	3	Vertical	12	1.50
2437MHz	Pass	PK	2.4854G	59.79	74.00	-14.21	3	Vertical	12	1.50
2437MHz	Pass	AV	2.3894G	46.61	54.00	-7.39	3	Horizontal	353	1.35
2437MHz	Pass	AV	2.4378G	112.35	Inf	-Inf	3	Horizontal	353	1.35
2437MHz	Pass	AV	2.4842G	48.07	54.00	-5.93	3	Horizontal	353	1.35
2437MHz	Pass	PK	2.3646G	58.76	74.00	-15.24	3	Horizontal	353	1.35
2437MHz	Pass	PK	2.4378G	114.79	Inf	-Inf	3	Horizontal	353	1.35
2437MHz	Pass	PK	2.4858G	60.92	74.00	-13.08	3	Horizontal	353	1.35
2462MHz	Pass	AV	2.4612G	109.09	Inf	-Inf	3	Vertical	14	1.50
2462MHz	Pass	AV	2.4835G	50.07	54.00	-3.93	3	Vertical	14	1.50
2462MHz	Pass	PK	2.4612G	111.44	Inf	-Inf	3	Vertical	14	1.50
2462MHz	Pass	PK	2.484G	60.39	74.00	-13.61	3	Vertical	14	1.50
2462MHz	Pass	AV	2.4612G	111.57	Inf	-Inf	3	Horizontal	353	1.50
2462MHz	Pass	AV	2.4835G	52.10	54.00	-1.90	3	Horizontal	353	1.50
2462MHz	Pass	PK	2.4612G	113.99	Inf	-Inf	3	Horizontal	353	1.50
2462MHz	Pass	PK	2.4835G	61.73	74.00	-12.27	3	Horizontal	353	1.50
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	50.69	54.00	-3.31	3	Vertical	345	1.50
2412MHz	Pass	AV	2.4184G	104.65	Inf	-Inf	3	Vertical	345	1.50
2412MHz	Pass	PK	2.3892G	61.48	74.00	-12.52	3	Vertical	345	1.50
2412MHz	Pass	PK	2.4182G	113.08	Inf	-Inf	3	Vertical	345	1.50
2412MHz	Pass	AV	2.39G	53.37	54.00	-0.63	3	Horizontal	345	1.64
2412MHz	Pass	AV	2.406G	104.66	Inf	-Inf	3	Horizontal	345	1.64
2412MHz	Pass	PK	2.39G	67.03	74.00	-6.97	3	Horizontal	345	1.64
2412MHz	Pass	PK	2.4064G	112.05	Inf	-Inf	3	Horizontal	345	1.64
2417MHz	Pass	AV	2.39G	51.18	54.00	-2.82	3	Vertical	345	1.50
2417MHz	Pass	AV	2.4232G	107.17	Inf	-Inf	3	Vertical	345	1.50
2417MHz	Pass	PK	2.389G	62.22	74.00	-11.78	3	Vertical	345	1.50
2417MHz	Pass	PK	2.4234G	115.75	Inf	-Inf	3	Vertical	345	1.50
2417MHz	Pass	AV	2.39G	53.31	54.00	-0.69	3	Horizontal	345	1.50
2417MHz	Pass	AV	2.4212G	106.84	Inf	-Inf	3	Horizontal	345	1.50
2417MHz	Pass	PK	2.39G	64.38	74.00	-9.62	3	Horizontal	345	1.50
2417MHz	Pass	PK	2.4212G	114.58	Inf	-Inf	3	Horizontal	345	1.50
2437MHz	Pass	AV	2.3882G	51.73	54.00	-2.27	3	Vertical	347	1.50
2437MHz	Pass	AV	2.4338G	108.39	Inf	-Inf	3	Vertical	347	1.50
2437MHz	Pass	AV	2.4835G	53.17	54.00	-0.83	3	Vertical	347	1.50
2437MHz	Pass	PK	2.3894G	62.89	74.00	-11.11	3	Vertical	347	1.50
2437MHz	Pass	PK	2.4434G	117.00	Inf	-Inf	3	Vertical	347	1.50
2437MHz	Pass	PK	2.4842G	64.84	74.00	-9.16	3	Vertical	347	1.50
2437MHz	Pass	AV	2.3898G	50.39	54.00	-3.61	3	Horizontal	0	1.02
2437MHz	Pass	AV	2.431G	108.69	Inf	-Inf	3	Horizontal	0	1.02
2437MHz	Pass	AV	2.4835G	53.78	54.00	-0.22	3	Horizontal	0	1.02
2437MHz	Pass	PK	2.3898G	59.78	74.00	-14.22	3	Horizontal	0	1.02
2437MHz	Pass	PK	2.4314G	116.21	Inf	-Inf	3	Horizontal	0	1.02
2437MHz	Pass	PK	2.4862G	65.20	74.00	-8.80	3	Horizontal	0	1.02
2457MHz	Pass	AV	2.4496G	106.58	Inf	-Inf	3	Vertical	355	1.50
2457MHz	Pass	AV	2.4835G	53.64	54.00	-0.36	3	Vertical	355	1.50
2457MHz	Pass	PK	2.4532G	114.61	Inf	-Inf	3	Vertical	355	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_2T1S_AP5022FX**

Appendix F.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.4835G	65.61	74.00	-8.39	3	Vertical	355	1.50
2457MHz	Pass	AV	2.456G	106.32	Inf	-Inf	3	Horizontal	8	1.50
2457MHz	Pass	AV	2.4846G	52.63	54.00	-1.37	3	Horizontal	8	1.50
2457MHz	Pass	PK	2.4612G	114.02	Inf	-Inf	3	Horizontal	8	1.50
2457MHz	Pass	PK	2.4844G	62.96	74.00	-11.04	3	Horizontal	8	1.50
2462MHz	Pass	AV	2.4546G	103.02	Inf	-Inf	3	Vertical	356	1.50
2462MHz	Pass	AV	2.4836G	53.80	54.00	-0.20	3	Vertical	356	1.50
2462MHz	Pass	PK	2.4546G	110.87	Inf	-Inf	3	Vertical	356	1.50
2462MHz	Pass	PK	2.4838G	65.52	74.00	-8.48	3	Vertical	356	1.50
2462MHz	Pass	AV	2.4564G	103.41	Inf	-Inf	3	Horizontal	354	1.50
2462MHz	Pass	AV	2.484G	51.80	54.00	-2.20	3	Horizontal	354	1.50
2462MHz	Pass	PK	2.4564G	110.97	Inf	-Inf	3	Horizontal	354	1.50
2462MHz	Pass	PK	2.4838G	62.43	74.00	-11.57	3	Horizontal	354	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.23	54.00	-1.77	3	Vertical	350	1.50
2412MHz	Pass	AV	2.418G	102.01	Inf	-Inf	3	Vertical	350	1.50
2412MHz	Pass	PK	2.39G	62.78	74.00	-11.22	3	Vertical	350	1.50
2412MHz	Pass	PK	2.418G	113.84	Inf	-Inf	3	Vertical	350	1.50
2412MHz	Pass	AV	2.3894G	53.36	54.00	-0.64	3	Horizontal	346	1.50
2412MHz	Pass	AV	2.419G	103.12	Inf	-Inf	3	Horizontal	346	1.50
2412MHz	Pass	PK	2.389G	64.71	74.00	-9.29	3	Horizontal	346	1.50
2412MHz	Pass	PK	2.419G	113.28	Inf	-Inf	3	Horizontal	346	1.50
2417MHz	Pass	AV	2.39G	52.48	54.00	-1.52	3	Vertical	347	1.50
2417MHz	Pass	AV	2.4228G	104.75	Inf	-Inf	3	Vertical	347	1.50
2417MHz	Pass	PK	2.39G	66.52	74.00	-7.48	3	Vertical	347	1.50
2417MHz	Pass	PK	2.4252G	115.85	Inf	-Inf	3	Vertical	347	1.50
2417MHz	Pass	AV	2.3896G	53.19	54.00	-0.81	3	Horizontal	343	1.55
2417MHz	Pass	AV	2.4242G	105.69	Inf	-Inf	3	Horizontal	343	1.55
2417MHz	Pass	PK	2.39G	67.81	74.00	-6.19	3	Horizontal	343	1.55
2417MHz	Pass	PK	2.424G	116.30	Inf	-Inf	3	Horizontal	343	1.55
2437MHz	Pass	AV	2.3898G	50.81	54.00	-3.19	3	Vertical	354	1.50
2437MHz	Pass	AV	2.443G	105.33	Inf	-Inf	3	Vertical	354	1.50
2437MHz	Pass	AV	2.4835G	52.41	54.00	-1.59	3	Vertical	354	1.50
2437MHz	Pass	PK	2.3898G	66.47	74.00	-7.53	3	Vertical	354	1.50
2437MHz	Pass	PK	2.4454G	116.67	Inf	-Inf	3	Vertical	354	1.50
2437MHz	Pass	PK	2.4854G	69.69	74.00	-4.31	3	Vertical	354	1.50
2437MHz	Pass	AV	2.3894G	49.82	54.00	-4.18	3	Horizontal	350	1.57
2437MHz	Pass	AV	2.4342G	106.10	Inf	-Inf	3	Horizontal	350	1.57
2437MHz	Pass	AV	2.4842G	52.81	54.00	-1.19	3	Horizontal	350	1.57
2437MHz	Pass	PK	2.3898G	62.26	74.00	-11.74	3	Horizontal	350	1.57
2437MHz	Pass	PK	2.4318G	117.36	Inf	-Inf	3	Horizontal	350	1.57
2437MHz	Pass	PK	2.4842G	70.56	74.00	-3.44	3	Horizontal	350	1.57
2457MHz	Pass	AV	2.4506G	104.07	Inf	-Inf	3	Vertical	356	1.50
2457MHz	Pass	AV	2.4835G	53.97	54.00	-0.03	3	Vertical	356	1.50
2457MHz	Pass	PK	2.4482G	114.02	Inf	-Inf	3	Vertical	356	1.50
2457MHz	Pass	PK	2.4838G	68.62	74.00	-5.38	3	Vertical	356	1.50
2457MHz	Pass	AV	2.4516G	103.16	Inf	-Inf	3	Horizontal	5	1.50
2457MHz	Pass	AV	2.4838G	52.57	54.00	-1.43	3	Horizontal	5	1.50
2457MHz	Pass	PK	2.4562G	113.74	Inf	-Inf	3	Horizontal	5	1.50
2457MHz	Pass	PK	2.4838G	67.49	74.00	-6.51	3	Horizontal	5	1.50
2462MHz	Pass	AV	2.453G	102.02	Inf	-Inf	3	Vertical	350	1.03
2462MHz	Pass	AV	2.4856G	53.45	54.00	-0.55	3	Vertical	350	1.03
2462MHz	Pass	PK	2.4534G	113.19	Inf	-Inf	3	Vertical	350	1.03
2462MHz	Pass	PK	2.488G	65.04	74.00	-8.96	3	Vertical	350	1.03
2462MHz	Pass	AV	2.4568G	101.79	Inf	-Inf	3	Horizontal	353	1.50
2462MHz	Pass	AV	2.4844G	53.08	54.00	-0.92	3	Horizontal	353	1.50
2462MHz	Pass	PK	2.4586G	112.27	Inf	-Inf	3	Horizontal	353	1.50
2462MHz	Pass	PK	2.4838G	64.44	74.00	-9.56	3	Horizontal	353	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_2T2S_AP5022FX**

Appendix F.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4842G	53.94	54.00	-0.06	3	Vertical	360	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_2T2S_AP5022FX**


Appendix F.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.39	54.00	-2.61	3	Vertical	10	1.50
2412MHz	Pass	AV	2.4038G	101.62	Inf	-Inf	3	Vertical	10	1.50
2412MHz	Pass	PK	2.3898G	62.30	74.00	-11.70	3	Vertical	10	1.50
2412MHz	Pass	PK	2.4042G	112.50	Inf	-Inf	3	Vertical	10	1.50
2412MHz	Pass	AV	2.39G	53.66	54.00	-0.34	3	Horizontal	341	1.50
2412MHz	Pass	AV	2.4202G	101.73	Inf	-Inf	3	Horizontal	341	1.50
2412MHz	Pass	PK	2.39G	64.08	74.00	-9.92	3	Horizontal	341	1.50
2412MHz	Pass	PK	2.409G	112.11	Inf	-Inf	3	Horizontal	341	1.50
2417MHz	Pass	AV	2.39G	51.82	54.00	-2.18	3	Vertical	349	1.08
2417MHz	Pass	AV	2.4256G	104.50	Inf	-Inf	3	Vertical	349	1.08
2417MHz	Pass	PK	2.39G	64.57	74.00	-9.43	3	Vertical	349	1.08
2417MHz	Pass	PK	2.4256G	115.31	Inf	-Inf	3	Vertical	349	1.08
2417MHz	Pass	AV	2.39G	52.14	54.00	-1.86	3	Horizontal	342	2.15
2417MHz	Pass	AV	2.425G	104.72	Inf	-Inf	3	Horizontal	342	2.15
2417MHz	Pass	PK	2.3898G	65.67	74.00	-8.33	3	Horizontal	342	2.15
2417MHz	Pass	PK	2.4258G	115.34	Inf	-Inf	3	Horizontal	342	2.15
2437MHz	Pass	AV	2.3894G	51.23	54.00	-2.77	3	Vertical	12	1.50
2437MHz	Pass	AV	2.4358G	105.13	Inf	-Inf	3	Vertical	12	1.50
2437MHz	Pass	AV	2.4835G	51.28	54.00	-2.72	3	Vertical	12	1.50
2437MHz	Pass	PK	2.3898G	67.87	74.00	-6.13	3	Vertical	12	1.50
2437MHz	Pass	PK	2.4342G	116.53	Inf	-Inf	3	Vertical	12	1.50
2437MHz	Pass	PK	2.4846G	71.45	74.00	-2.55	3	Vertical	12	1.50
2437MHz	Pass	AV	2.3898G	49.13	54.00	-4.87	3	Horizontal	351	1.50
2437MHz	Pass	AV	2.4342G	105.06	Inf	-Inf	3	Horizontal	351	1.50
2437MHz	Pass	AV	2.4835G	53.40	54.00	-0.60	3	Horizontal	351	1.50
2437MHz	Pass	PK	2.3886G	61.23	74.00	-12.77	3	Horizontal	351	1.50
2437MHz	Pass	PK	2.439G	116.03	Inf	-Inf	3	Horizontal	351	1.50
2437MHz	Pass	PK	2.4838G	73.72	74.00	-0.28	3	Horizontal	351	1.50
2457MHz	Pass	AV	2.4496G	102.74	Inf	-Inf	3	Vertical	354	1.50
2457MHz	Pass	AV	2.4835G	52.44	54.00	-1.56	3	Vertical	354	1.50
2457MHz	Pass	PK	2.449G	113.49	Inf	-Inf	3	Vertical	354	1.50
2457MHz	Pass	PK	2.4835G	66.92	74.00	-7.08	3	Vertical	354	1.50
2457MHz	Pass	AV	2.4526G	103.42	Inf	-Inf	3	Horizontal	352	1.73
2457MHz	Pass	AV	2.4835G	53.53	54.00	-0.47	3	Horizontal	352	1.73
2457MHz	Pass	PK	2.4516G	114.55	Inf	-Inf	3	Horizontal	352	1.73
2457MHz	Pass	PK	2.484G	70.20	74.00	-3.80	3	Horizontal	352	1.73
2462MHz	Pass	AV	2.4546G	101.38	Inf	-Inf	3	Vertical	360	1.50
2462MHz	Pass	AV	2.4842G	53.94	54.00	-0.06	3	Vertical	360	1.50
2462MHz	Pass	PK	2.4594G	112.76	Inf	-Inf	3	Vertical	360	1.50
2462MHz	Pass	PK	2.4854G	66.08	74.00	-7.92	3	Vertical	360	1.50
2462MHz	Pass	AV	2.4578G	101.60	Inf	-Inf	3	Horizontal	6	1.50
2462MHz	Pass	AV	2.4835G	52.30	54.00	-1.70	3	Horizontal	6	1.50
2462MHz	Pass	PK	2.4566G	112.37	Inf	-Inf	3	Horizontal	6	1.50
2462MHz	Pass	PK	2.4862G	62.81	74.00	-11.19	3	Horizontal	6	1.50


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_4T1S_AP5022FX**

Appendix F.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	2.4835G	53.29	54.00	-0.71	3	Vertical	2	1.50
802.11g_Nss1,(6Mbps)_4TX	Pass	AV	2.39G	53.93	54.00	-0.07	3	Horizontal	4	1.50
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	2.4852G	53.82	54.00	-0.18	3	Vertical	352	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.67	54.00	-1.33	3	Vertical	360	1.50
2412MHz	Pass	AV	2.4128G	115.91	Inf	-Inf	3	Vertical	360	1.50
2412MHz	Pass	PK	2.3882G	61.98	74.00	-12.02	3	Vertical	360	1.50
2412MHz	Pass	PK	2.4128G	118.31	Inf	-Inf	3	Vertical	360	1.50
2412MHz	Pass	AV	2.3886G	50.72	54.00	-3.28	3	Horizontal	14	1.50
2412MHz	Pass	AV	2.4128G	116.04	Inf	-Inf	3	Horizontal	14	1.50
2412MHz	Pass	PK	2.3882G	61.22	74.00	-12.78	3	Horizontal	14	1.50
2412MHz	Pass	PK	2.4128G	118.37	Inf	-Inf	3	Horizontal	14	1.50
2437MHz	Pass	AV	2.3898G	47.43	54.00	-6.57	3	Vertical	357	1.50
2437MHz	Pass	AV	2.4362G	115.54	Inf	-Inf	3	Vertical	357	1.50
2437MHz	Pass	AV	2.4835G	48.29	54.00	-5.71	3	Vertical	357	1.50
2437MHz	Pass	PK	2.3382G	58.69	74.00	-15.31	3	Vertical	357	1.50
2437MHz	Pass	PK	2.4362G	117.93	Inf	-Inf	3	Vertical	357	1.50
2437MHz	Pass	PK	2.4842G	60.35	74.00	-13.65	3	Vertical	357	1.50
2437MHz	Pass	AV	2.3898G	47.50	54.00	-6.50	3	Horizontal	14	1.80
2437MHz	Pass	AV	2.4362G	117.83	Inf	-Inf	3	Horizontal	14	1.80
2437MHz	Pass	AV	2.4838G	48.63	54.00	-5.37	3	Horizontal	14	1.80
2437MHz	Pass	PK	2.3882G	59.99	74.00	-14.01	3	Horizontal	14	1.80
2437MHz	Pass	PK	2.4362G	120.21	Inf	-Inf	3	Horizontal	14	1.80
2437MHz	Pass	PK	2.487G	61.20	74.00	-12.80	3	Horizontal	14	1.80
2457MHz	Pass	AV	2.4562G	115.95	Inf	-Inf	3	Vertical	2	1.50
2457MHz	Pass	AV	2.4836G	52.06	54.00	-1.94	3	Vertical	2	1.50
2457MHz	Pass	PK	2.4562G	118.47	Inf	-Inf	3	Vertical	2	1.50
2457MHz	Pass	PK	2.4835G	62.27	74.00	-11.73	3	Vertical	2	1.50
2457MHz	Pass	AV	2.4562G	117.65	Inf	-Inf	3	Horizontal	11	1.74
2457MHz	Pass	AV	2.4835G	52.34	54.00	-1.66	3	Horizontal	11	1.74
2457MHz	Pass	PK	2.456G	120.13	Inf	-Inf	3	Horizontal	11	1.74
2457MHz	Pass	PK	2.4835G	62.06	74.00	-11.94	3	Horizontal	11	1.74
2462MHz	Pass	AV	2.4612G	115.48	Inf	-Inf	3	Vertical	2	1.50
2462MHz	Pass	AV	2.4835G	53.29	54.00	-0.71	3	Vertical	2	1.50
2462MHz	Pass	PK	2.461G	117.98	Inf	-Inf	3	Vertical	2	1.50
2462MHz	Pass	PK	2.4838G	62.73	74.00	-11.27	3	Vertical	2	1.50
2462MHz	Pass	AV	2.4612G	115.84	Inf	-Inf	3	Horizontal	12	1.50
2462MHz	Pass	AV	2.4835G	52.81	54.00	-1.19	3	Horizontal	12	1.50
2462MHz	Pass	PK	2.4612G	118.21	Inf	-Inf	3	Horizontal	12	1.50
2462MHz	Pass	PK	2.4836G	62.69	74.00	-11.31	3	Horizontal	12	1.50
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	51.51	54.00	-2.49	3	Vertical	350	1.50
2412MHz	Pass	AV	2.4196G	109.60	Inf	-Inf	3	Vertical	350	1.50
2412MHz	Pass	PK	2.3898G	61.20	74.00	-12.80	3	Vertical	350	1.50
2412MHz	Pass	PK	2.4192G	117.06	Inf	-Inf	3	Vertical	350	1.50
2412MHz	Pass	AV	2.39G	53.93	54.00	-0.07	3	Horizontal	4	1.50
2412MHz	Pass	AV	2.4102G	108.74	Inf	-Inf	3	Horizontal	4	1.50
2412MHz	Pass	PK	2.39G	66.31	74.00	-7.69	3	Horizontal	4	1.50
2412MHz	Pass	PK	2.4094G	116.34	Inf	-Inf	3	Horizontal	4	1.50
2417MHz	Pass	AV	2.3898G	52.91	54.00	-1.09	3	Vertical	350	1.50
2417MHz	Pass	AV	2.4246G	111.84	Inf	-Inf	3	Vertical	350	1.50
2417MHz	Pass	PK	2.3898G	62.24	74.00	-11.76	3	Vertical	350	1.50
2417MHz	Pass	PK	2.4242G	119.36	Inf	-Inf	3	Vertical	350	1.50
2417MHz	Pass	AV	2.3892G	52.62	54.00	-1.38	3	Horizontal	3	1.50
2417MHz	Pass	AV	2.4148G	111.25	Inf	-Inf	3	Horizontal	3	1.50
2417MHz	Pass	PK	2.3894G	62.88	74.00	-11.12	3	Horizontal	3	1.50
2417MHz	Pass	PK	2.4144G	118.84	Inf	-Inf	3	Horizontal	3	1.50
2437MHz	Pass	AV	2.3894G	50.18	54.00	-3.82	3	Vertical	350	1.50
2437MHz	Pass	AV	2.4446G	112.01	Inf	-Inf	3	Vertical	350	1.50
2437MHz	Pass	AV	2.4838G	53.06	54.00	-0.94	3	Vertical	350	1.50
2437MHz	Pass	PK	2.3878G	60.55	74.00	-13.45	3	Vertical	350	1.50
2437MHz	Pass	PK	2.4434G	119.99	Inf	-Inf	3	Vertical	350	1.50
2437MHz	Pass	PK	2.4842G	66.06	74.00	-7.94	3	Vertical	350	1.50
2437MHz	Pass	AV	2.3894G	51.13	54.00	-2.87	3	Horizontal	3	1.01



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_4T1S_AP5022FX**

Appendix F.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	AV	2.4342G	112.28	Inf	-Inf	3	Horizontal	3	1.01
2437MHz	Pass	AV	2.4842G	52.50	54.00	-1.50	3	Horizontal	3	1.01
2437MHz	Pass	PK	2.3898G	63.20	74.00	-10.80	3	Horizontal	3	1.01
2437MHz	Pass	PK	2.4322G	119.17	Inf	-Inf	3	Horizontal	3	1.01
2437MHz	Pass	PK	2.4835G	64.20	74.00	-9.80	3	Horizontal	3	1.01
2457MHz	Pass	AV	2.4498G	110.21	Inf	-Inf	3	Vertical	13	1.50
2457MHz	Pass	AV	2.4835G	53.68	54.00	-0.32	3	Vertical	13	1.50
2457MHz	Pass	PK	2.4496G	117.54	Inf	-Inf	3	Vertical	13	1.50
2457MHz	Pass	PK	2.484G	63.86	74.00	-10.14	3	Vertical	13	1.50
2457MHz	Pass	AV	2.454G	110.85	Inf	-Inf	3	Horizontal	360	1.50
2457MHz	Pass	AV	2.4852G	53.79	54.00	-0.21	3	Horizontal	360	1.50
2457MHz	Pass	PK	2.4544G	118.57	Inf	-Inf	3	Horizontal	360	1.50
2457MHz	Pass	PK	2.4836G	64.33	74.00	-9.67	3	Horizontal	360	1.50
2462MHz	Pass	AV	2.4548G	107.78	Inf	-Inf	3	Vertical	13	1.75
2462MHz	Pass	AV	2.4835G	53.36	54.00	-0.64	3	Vertical	13	1.75
2462MHz	Pass	PK	2.4546G	115.47	Inf	-Inf	3	Vertical	13	1.75
2462MHz	Pass	PK	2.4835G	64.15	74.00	-9.85	3	Vertical	13	1.75
2462MHz	Pass	AV	2.4582G	107.85	Inf	-Inf	3	Horizontal	354	1.50
2462MHz	Pass	AV	2.4835G	53.79	54.00	-0.21	3	Horizontal	354	1.50
2462MHz	Pass	PK	2.4578G	115.13	Inf	-Inf	3	Horizontal	354	1.50
2462MHz	Pass	PK	2.4836G	64.74	74.00	-9.26	3	Horizontal	354	1.50
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	52.79	54.00	-1.21	3	Vertical	350	1.50
2412MHz	Pass	AV	2.4206G	107.65	Inf	-Inf	3	Vertical	350	1.50
2412MHz	Pass	PK	2.3892G	66.02	74.00	-7.98	3	Vertical	350	1.50
2412MHz	Pass	PK	2.4208G	118.68	Inf	-Inf	3	Vertical	350	1.50
2412MHz	Pass	AV	2.39G	53.28	54.00	-0.72	3	Horizontal	350	1.50
2412MHz	Pass	AV	2.4194G	106.83	Inf	-Inf	3	Horizontal	350	1.50
2412MHz	Pass	PK	2.39G	65.77	74.00	-8.23	3	Horizontal	350	1.50
2412MHz	Pass	PK	2.4198G	117.62	Inf	-Inf	3	Horizontal	350	1.50
2417MHz	Pass	AV	2.39G	53.00	54.00	-1.00	3	Vertical	352	1.50
2417MHz	Pass	AV	2.4258G	109.75	Inf	-Inf	3	Vertical	352	1.50
2417MHz	Pass	PK	2.39G	65.69	74.00	-8.31	3	Vertical	352	1.50
2417MHz	Pass	PK	2.426G	120.58	Inf	-Inf	3	Vertical	352	1.50
2417MHz	Pass	AV	2.39G	53.06	54.00	-0.94	3	Horizontal	349	1.50
2417MHz	Pass	AV	2.4242G	109.01	Inf	-Inf	3	Horizontal	349	1.50
2417MHz	Pass	PK	2.39G	65.73	74.00	-8.27	3	Horizontal	349	1.50
2417MHz	Pass	PK	2.4198G	119.91	Inf	-Inf	3	Horizontal	349	1.50
2437MHz	Pass	AV	2.3898G	50.87	54.00	-3.13	3	Vertical	349	1.50
2437MHz	Pass	AV	2.4358G	109.99	Inf	-Inf	3	Vertical	349	1.50
2437MHz	Pass	AV	2.4858G	52.19	54.00	-1.81	3	Vertical	349	1.50
2437MHz	Pass	PK	2.3894G	63.35	74.00	-10.65	3	Vertical	349	1.50
2437MHz	Pass	PK	2.4354G	120.85	Inf	-Inf	3	Vertical	349	1.50
2437MHz	Pass	PK	2.4862G	69.59	74.00	-4.41	3	Vertical	349	1.50
2437MHz	Pass	AV	2.3898G	50.92	54.00	-3.08	3	Horizontal	351	1.50
2437MHz	Pass	AV	2.4346G	109.90	Inf	-Inf	3	Horizontal	351	1.50
2437MHz	Pass	AV	2.4842G	52.56	54.00	-1.44	3	Horizontal	351	1.50
2437MHz	Pass	PK	2.3898G	66.41	74.00	-7.59	3	Horizontal	351	1.50
2437MHz	Pass	PK	2.4294G	120.55	Inf	-Inf	3	Horizontal	351	1.50
2437MHz	Pass	PK	2.4846G	70.43	74.00	-3.57	3	Horizontal	351	1.50
2457MHz	Pass	AV	2.451G	108.18	Inf	-Inf	3	Vertical	354	1.49
2457MHz	Pass	AV	2.4835G	53.77	54.00	-0.23	3	Vertical	354	1.49
2457MHz	Pass	PK	2.4558G	118.52	Inf	-Inf	3	Vertical	354	1.49
2457MHz	Pass	PK	2.4835G	67.32	74.00	-6.68	3	Vertical	354	1.49
2457MHz	Pass	AV	2.4518G	107.15	Inf	-Inf	3	Horizontal	12	1.50
2457MHz	Pass	AV	2.4835G	52.99	54.00	-1.01	3	Horizontal	12	1.50
2457MHz	Pass	PK	2.4516G	117.66	Inf	-Inf	3	Horizontal	12	1.50
2457MHz	Pass	PK	2.4838G	67.67	74.00	-6.33	3	Horizontal	12	1.50
2462MHz	Pass	AV	2.4558G	105.83	Inf	-Inf	3	Vertical	352	1.50
2462MHz	Pass	AV	2.4852G	53.82	54.00	-0.18	3	Vertical	352	1.50
2462MHz	Pass	PK	2.4608G	116.15	Inf	-Inf	3	Vertical	352	1.50
2462MHz	Pass	PK	2.485G	65.04	74.00	-8.96	3	Vertical	352	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_4T1S_AP5022FX**

Appendix F.11

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	AV	2.4596G	105.53	Inf	-Inf	3	Horizontal	353	1.50
2462MHz	Pass	AV	2.4864G	53.24	54.00	-0.76	3	Horizontal	353	1.50
2462MHz	Pass	PK	2.4596G	116.22	Inf	-Inf	3	Horizontal	353	1.50
2462MHz	Pass	PK	2.4862G	66.26	74.00	-7.74	3	Horizontal	353	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_4T4S_AP5022FX**

Appendix F.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	2.39G	53.89	54.00	-0.11	3	Horizontal	4	1.01



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TQ08055_4T4S_AP5022FX**


Appendix F.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.43	54.00	-1.57	3	Vertical	348	1.50
2412MHz	Pass	AV	2.4194G	106.25	Inf	-Inf	3	Vertical	348	1.50
2412MHz	Pass	PK	2.39G	63.56	74.00	-10.44	3	Vertical	348	1.50
2412MHz	Pass	PK	2.4178G	115.60	Inf	-Inf	3	Vertical	348	1.50
2412MHz	Pass	AV	2.39G	53.89	54.00	-0.11	3	Horizontal	4	1.01
2412MHz	Pass	AV	2.4196G	104.98	Inf	-Inf	3	Horizontal	4	1.01
2412MHz	Pass	PK	2.3896G	65.61	74.00	-8.39	3	Horizontal	4	1.01
2412MHz	Pass	PK	2.42G	114.91	Inf	-Inf	3	Horizontal	4	1.01
2417MHz	Pass	AV	2.39G	52.66	54.00	-1.34	3	Vertical	350	1.50
2417MHz	Pass	AV	2.4246G	109.17	Inf	-Inf	3	Vertical	350	1.50
2417MHz	Pass	PK	2.39G	64.02	74.00	-9.98	3	Vertical	350	1.50
2417MHz	Pass	PK	2.4234G	118.04	Inf	-Inf	3	Vertical	350	1.50
2417MHz	Pass	AV	2.39G	53.39	54.00	-0.61	3	Horizontal	5	1.00
2417MHz	Pass	AV	2.4246G	107.87	Inf	-Inf	3	Horizontal	5	1.00
2417MHz	Pass	PK	2.39G	66.75	74.00	-7.25	3	Horizontal	5	1.00
2417MHz	Pass	PK	2.42G	118.76	Inf	-Inf	3	Horizontal	5	1.00
2437MHz	Pass	AV	2.3898G	51.47	54.00	-2.53	3	Vertical	353	1.50
2437MHz	Pass	AV	2.4446G	109.33	Inf	-Inf	3	Vertical	353	1.50
2437MHz	Pass	AV	2.4842G	53.41	54.00	-0.59	3	Vertical	353	1.50
2437MHz	Pass	PK	2.3898G	66.04	74.00	-7.96	3	Vertical	353	1.50
2437MHz	Pass	PK	2.4358G	119.28	Inf	-Inf	3	Vertical	353	1.50
2437MHz	Pass	PK	2.4862G	70.66	74.00	-3.34	3	Vertical	353	1.50
2437MHz	Pass	AV	2.3898G	51.93	54.00	-2.07	3	Horizontal	3	1.50
2437MHz	Pass	AV	2.4358G	108.93	Inf	-Inf	3	Horizontal	3	1.50
2437MHz	Pass	AV	2.4838G	53.31	54.00	-0.69	3	Horizontal	3	1.50
2437MHz	Pass	PK	2.3898G	66.62	74.00	-7.38	3	Horizontal	3	1.50
2437MHz	Pass	PK	2.4358G	118.94	Inf	-Inf	3	Horizontal	3	1.50
2437MHz	Pass	PK	2.4846G	71.31	74.00	-2.69	3	Horizontal	3	1.50
2457MHz	Pass	AV	2.4556G	106.25	Inf	-Inf	3	Vertical	360	1.50
2457MHz	Pass	AV	2.4836G	53.88	54.00	-0.12	3	Vertical	360	1.50
2457MHz	Pass	PK	2.4496G	116.80	Inf	-Inf	3	Vertical	360	1.50
2457MHz	Pass	PK	2.4835G	67.95	74.00	-6.05	3	Vertical	360	1.50
2457MHz	Pass	AV	2.4558G	107.23	Inf	-Inf	3	Horizontal	8	1.50
2457MHz	Pass	AV	2.4836G	53.69	54.00	-0.31	3	Horizontal	8	1.50
2457MHz	Pass	PK	2.449G	115.70	Inf	-Inf	3	Horizontal	8	1.50
2457MHz	Pass	PK	2.484G	65.67	74.00	-8.33	3	Horizontal	8	1.50
2462MHz	Pass	AV	2.4606G	104.61	Inf	-Inf	3	Vertical	360	1.50
2462MHz	Pass	AV	2.4835G	53.65	54.00	-0.35	3	Vertical	360	1.50
2462MHz	Pass	PK	2.459G	114.22	Inf	-Inf	3	Vertical	360	1.50
2462MHz	Pass	PK	2.4836G	63.78	74.00	-10.22	3	Vertical	360	1.50
2462MHz	Pass	AV	2.4546G	104.28	Inf	-Inf	3	Horizontal	351	1.50
2462MHz	Pass	AV	2.4842G	53.88	54.00	-0.12	3	Horizontal	351	1.50
2462MHz	Pass	PK	2.4644G	114.34	Inf	-Inf	3	Horizontal	351	1.50
2462MHz	Pass	PK	2.4844G	63.93	74.00	-10.07	3	Horizontal	351	1.50


2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2412MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2412MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T1S_AP5022FX**

Appendix F.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	33.88M	36.50	40.00	-3.50	3	Horizontal	360	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T1S_AP5022FX**


Appendix F.13

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	35.82M	35.46	40.00	-4.54	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	253.1M	29.49	46.00	-16.51	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	452.92M	31.88	46.00	-14.12	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	710.94M	40.62	46.00	-5.38	3	Vertical	360	1.00
2437MHz_Adapter	Pass	QP	64.52M	34.10	40.00	-5.90	3	Vertical	91	1.00
2437MHz_Adapter	Pass	QP	89.8M	33.29	43.50	-10.21	3	Vertical	52	1.22
2437MHz_Adapter	Pass	PK	30M	34.62	40.00	-5.38	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	88M	36.43	43.50	-7.07	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	243.4M	33.67	46.00	-12.33	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	328.76M	29.68	46.00	-16.32	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	549.92M	29.69	46.00	-16.31	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	720.64M	40.54	46.00	-5.46	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	31.94M	36.34	40.00	-3.66	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	103.72M	25.99	43.50	-17.51	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	245.34M	25.95	46.00	-20.05	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	330.7M	30.59	46.00	-15.41	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	462.62M	30.77	46.00	-15.23	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	561.56M	30.45	46.00	-15.55	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	33.88M	36.50	40.00	-3.50	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	117.3M	26.85	43.50	-16.65	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	247.28M	32.92	46.00	-13.08	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	406.36M	30.16	46.00	-15.84	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	575.14M	31.87	46.00	-14.13	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	718.7M	34.10	46.00	-11.90	3	Horizontal	360	1.00

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX


2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	36.34	40.00	-3.66	-20.21	3	Vertical	0	1.00	56.55	23.50	0.71	44.42
PK	103.72M	25.99	43.50	-17.51	-26.47	3	Vertical	0	1.00	52.46	16.85	1.22	44.54
PK	245.34M	25.95	46.00	-20.05	-24.30	3	Vertical	0	1.00	50.25	18.23	1.83	44.36
PK	330.7M	30.59	46.00	-15.41	-22.02	3	Vertical	0	1.00	52.61	20.07	2.11	44.20
PK	462.62M	30.77	46.00	-15.23	-17.92	3	Vertical	0	1.00	48.69	23.64	2.47	44.03
PK	561.56M	30.45	46.00	-15.55	-14.50	3	Vertical	0	1.00	44.95	26.70	2.71	43.91

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	36.50	40.00	-3.50	-21.10	3	Horizontal	360	1.00	57.60	22.64	0.72	44.46
PK	117.3M	26.85	43.50	-16.65	-25.53	3	Horizontal	360	1.00	52.38	17.73	1.30	44.56
PK	247.28M	32.92	46.00	-13.08	-23.99	3	Horizontal	360	1.00	56.91	18.52	1.84	44.35
PK	406.36M	30.16	46.00	-15.84	-19.54	3	Horizontal	360	1.00	49.70	22.21	2.33	44.08
PK	575.14M	31.87	46.00	-14.13	-14.86	3	Horizontal	360	1.00	46.73	26.29	2.75	43.90
PK	718.7M	34.10	46.00	-11.90	-13.27	3	Horizontal	360	1.00	47.37	27.43	3.04	43.74



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_1T1S_AP5022FX**

Appendix F.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.4835G	53.04	54.00	-0.96	3	Vertical	360	1.50
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.4835G	53.86	54.00	-0.14	3	Vertical	360	1.49
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	2.4836G	53.82	54.00	-0.18	3	Vertical	357	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	50.91	54.00	-3.09	3	Vertical	6	1.49
2412MHz_TX	Pass	AV	2.4128G	113.55	Inf	-Inf	3	Vertical	6	1.49
2412MHz_TX	Pass	PK	2.39G	61.56	74.00	-12.44	3	Vertical	6	1.49
2412MHz_TX	Pass	PK	2.4128G	115.87	Inf	-Inf	3	Vertical	6	1.49
2412MHz_TX	Pass	AV	2.3886G	46.17	54.00	-7.83	3	Horizontal	66	1.01
2412MHz_TX	Pass	AV	2.4112G	95.10	Inf	-Inf	3	Horizontal	66	1.01
2412MHz_TX	Pass	PK	2.3804G	58.34	74.00	-15.66	3	Horizontal	66	1.01
2412MHz_TX	Pass	PK	2.411G	97.43	Inf	-Inf	3	Horizontal	66	1.01
2412MHz_TX	Pass	AV	4.82392G	33.20	54.00	-20.80	3	Vertical	6	1.50
2412MHz_TX	Pass	PK	4.82096G	43.88	74.00	-30.12	3	Vertical	6	1.50
2412MHz_TX	Pass	AV	4.82392G	31.31	54.00	-22.69	3	Horizontal	55	1.50
2412MHz_TX	Pass	PK	4.81944G	43.82	74.00	-30.18	3	Horizontal	55	1.50
2437MHz_TX	Pass	AV	2.3898G	48.00	54.00	-6.00	3	Vertical	357	1.50
2437MHz_TX	Pass	AV	2.4362G	115.40	Inf	-Inf	3	Vertical	357	1.50
2437MHz_TX	Pass	AV	2.4835G	49.62	54.00	-4.38	3	Vertical	357	1.50
2437MHz_TX	Pass	PK	2.3878G	59.73	74.00	-14.27	3	Vertical	357	1.50
2437MHz_TX	Pass	PK	2.4362G	117.84	Inf	-Inf	3	Vertical	357	1.50
2437MHz_TX	Pass	PK	2.4878G	61.74	74.00	-12.26	3	Vertical	357	1.50
2437MHz_TX	Pass	AV	2.3874G	46.14	54.00	-7.86	3	Horizontal	66	1.12
2437MHz_TX	Pass	AV	2.4362G	96.90	Inf	-Inf	3	Horizontal	66	1.12
2437MHz_TX	Pass	AV	2.493G	47.02	54.00	-6.98	3	Horizontal	66	1.12
2437MHz_TX	Pass	PK	2.3466G	58.76	74.00	-15.24	3	Horizontal	66	1.12
2437MHz_TX	Pass	PK	2.4362G	99.29	Inf	-Inf	3	Horizontal	66	1.12
2437MHz_TX	Pass	PK	2.4946G	59.71	74.00	-14.29	3	Horizontal	66	1.12
2437MHz_TX	Pass	AV	4.87402G	33.99	54.00	-20.01	3	Vertical	4	1.74
2437MHz_TX	Pass	AV	7.313G	37.62	54.00	-16.38	3	Vertical	328	1.95
2437MHz_TX	Pass	PK	4.87418G	44.95	74.00	-29.05	3	Vertical	4	1.74
2437MHz_TX	Pass	PK	7.31002G	49.28	74.00	-24.72	3	Vertical	328	1.95
2437MHz_TX	Pass	AV	4.87074G	31.78	54.00	-22.22	3	Horizontal	227	1.50
2437MHz_TX	Pass	AV	7.31526G	37.57	54.00	-16.43	3	Horizontal	315	1.64
2437MHz_TX	Pass	PK	4.8732G	44.23	74.00	-29.77	3	Horizontal	227	1.50
2437MHz_TX	Pass	PK	7.3118G	49.82	74.00	-24.18	3	Horizontal	315	1.64
2457MHz_TX	Pass	AV	2.4562G	115.38	Inf	-Inf	3	Vertical	358	1.50
2457MHz_TX	Pass	AV	2.4835G	51.25	54.00	-2.75	3	Vertical	358	1.50
2457MHz_TX	Pass	PK	2.4562G	117.74	Inf	-Inf	3	Vertical	358	1.50
2457MHz_TX	Pass	PK	2.4835G	62.72	74.00	-11.28	3	Vertical	358	1.50
2457MHz_TX	Pass	AV	2.4562G	97.60	Inf	-Inf	3	Horizontal	66	1.05
2457MHz_TX	Pass	AV	2.4878G	47.13	54.00	-6.87	3	Horizontal	66	1.05
2457MHz_TX	Pass	PK	2.4562G	99.99	Inf	-Inf	3	Horizontal	66	1.05
2457MHz_TX	Pass	PK	2.4864G	59.99	74.00	-14.01	3	Horizontal	66	1.05
2462MHz_TX	Pass	AV	2.4612G	114.74	Inf	-Inf	3	Vertical	360	1.50
2462MHz_TX	Pass	AV	2.4835G	53.04	54.00	-0.96	3	Vertical	360	1.50
2462MHz_TX	Pass	PK	2.4612G	117.12	Inf	-Inf	3	Vertical	360	1.50
2462MHz_TX	Pass	PK	2.4842G	63.98	74.00	-10.02	3	Vertical	360	1.50
2462MHz_TX	Pass	AV	2.4612G	96.38	Inf	-Inf	3	Horizontal	67	1.07
2462MHz_TX	Pass	AV	2.4908G	47.08	54.00	-6.92	3	Horizontal	67	1.07
2462MHz_TX	Pass	PK	2.461G	98.77	Inf	-Inf	3	Horizontal	67	1.07
2462MHz_TX	Pass	PK	2.4872G	59.62	74.00	-14.38	3	Horizontal	67	1.07
2462MHz_TX	Pass	AV	4.92398G	32.59	54.00	-21.41	3	Vertical	356	1.49
2462MHz_TX	Pass	AV	7.387G	37.79	54.00	-16.21	3	Vertical	320	1.48
2462MHz_TX	Pass	PK	4.92414G	44.42	74.00	-29.58	3	Vertical	356	1.49
2462MHz_TX	Pass	PK	7.38674G	49.98	74.00	-24.02	3	Vertical	320	1.48
2462MHz_TX	Pass	AV	4.91964G	32.03	54.00	-21.97	3	Horizontal	101	1.50
2462MHz_TX	Pass	AV	7.38664G	37.33	54.00	-16.67	3	Horizontal	214	1.50
2462MHz_TX	Pass	PK	4.92322G	44.95	74.00	-29.05	3	Horizontal	101	1.50
2462MHz_TX	Pass	PK	7.38146G	49.84	74.00	-24.16	3	Horizontal	214	1.50
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3898G	52.72	54.00	-1.28	3	Vertical	357	1.50
2412MHz_TX	Pass	AV	2.4158G	108.28	Inf	-Inf	3	Vertical	357	1.50
2412MHz_TX	Pass	PK	2.39G	66.79	74.00	-7.21	3	Vertical	357	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_1T1S_AP5022FX**

Appendix F.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	PK	2.4162G	116.40	Inf	-Inf	3	Vertical	357	1.50
2412MHz_TX	Pass	AV	2.3688G	48.88	54.00	-5.12	3	Horizontal	66	1.00
2412MHz_TX	Pass	AV	2.4092G	89.04	Inf	-Inf	3	Horizontal	66	1.00
2412MHz_TX	Pass	PK	2.3674G	58.76	74.00	-15.24	3	Horizontal	66	1.00
2412MHz_TX	Pass	PK	2.4136G	96.60	Inf	-Inf	3	Horizontal	66	1.00
2412MHz_TX	Pass	AV	4.82466G	34.14	54.00	-19.86	3	Vertical	85	1.42
2412MHz_TX	Pass	PK	4.8259G	43.67	74.00	-30.33	3	Vertical	85	1.42
2412MHz_TX	Pass	AV	4.82874G	34.09	54.00	-19.91	3	Horizontal	50	2.75
2412MHz_TX	Pass	PK	4.82438G	44.03	74.00	-29.97	3	Horizontal	50	2.75
2417MHz_TX	Pass	AV	2.39G	53.73	54.00	-0.27	3	Vertical	360	1.50
2417MHz_TX	Pass	AV	2.419G	109.48	Inf	-Inf	3	Vertical	360	1.50
2417MHz_TX	Pass	PK	2.39G	63.87	74.00	-10.13	3	Vertical	360	1.50
2417MHz_TX	Pass	PK	2.4186G	117.37	Inf	-Inf	3	Vertical	360	1.50
2417MHz_TX	Pass	AV	2.389G	49.12	54.00	-4.88	3	Horizontal	67	1.00
2417MHz_TX	Pass	AV	2.411G	89.67	Inf	-Inf	3	Horizontal	67	1.00
2417MHz_TX	Pass	PK	2.3862G	58.66	74.00	-15.34	3	Horizontal	67	1.00
2417MHz_TX	Pass	PK	2.4112G	97.31	Inf	-Inf	3	Horizontal	67	1.00
2437MHz_TX	Pass	AV	2.3898G	50.84	54.00	-3.16	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.4342G	109.94	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.4835G	53.55	54.00	-0.45	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.3898G	61.44	74.00	-12.56	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.4386G	117.58	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.4835G	66.59	74.00	-7.41	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.3502G	48.86	54.00	-5.14	3	Horizontal	65	1.00
2437MHz_TX	Pass	AV	2.4446G	91.59	Inf	-Inf	3	Horizontal	65	1.00
2437MHz_TX	Pass	AV	2.4938G	49.93	54.00	-4.07	3	Horizontal	65	1.00
2437MHz_TX	Pass	PK	2.353G	58.61	74.00	-15.39	3	Horizontal	65	1.00
2437MHz_TX	Pass	PK	2.4442G	99.54	Inf	-Inf	3	Horizontal	65	1.00
2437MHz_TX	Pass	PK	2.4934G	59.23	74.00	-14.77	3	Horizontal	65	1.00
2437MHz_TX	Pass	AV	4.87216G	34.67	54.00	-19.33	3	Vertical	199	1.50
2437MHz_TX	Pass	AV	7.30818G	40.36	54.00	-13.64	3	Vertical	216	1.70
2437MHz_TX	Pass	PK	4.87226G	44.40	74.00	-29.60	3	Vertical	199	1.50
2437MHz_TX	Pass	PK	7.31584G	50.02	74.00	-23.98	3	Vertical	216	1.70
2437MHz_TX	Pass	AV	4.87598G	34.75	54.00	-19.25	3	Horizontal	162	1.12
2437MHz_TX	Pass	AV	7.30794G	41.06	54.00	-12.94	3	Horizontal	184	1.50
2437MHz_TX	Pass	PK	4.87876G	44.33	74.00	-29.67	3	Horizontal	162	1.12
2437MHz_TX	Pass	PK	7.31458G	49.60	74.00	-24.40	3	Horizontal	184	1.50
2457MHz_TX	Pass	AV	2.4518G	108.77	Inf	-Inf	3	Vertical	360	1.50
2457MHz_TX	Pass	AV	2.4835G	53.13	54.00	-0.87	3	Vertical	360	1.50
2457MHz_TX	Pass	PK	2.4612G	116.55	Inf	-Inf	3	Vertical	360	1.50
2457MHz_TX	Pass	PK	2.4835G	63.04	74.00	-10.96	3	Vertical	360	1.50
2457MHz_TX	Pass	AV	2.4542G	91.42	Inf	-Inf	3	Horizontal	66	1.05
2457MHz_TX	Pass	AV	2.4882G	50.00	54.00	-4.00	3	Horizontal	66	1.05
2457MHz_TX	Pass	PK	2.4584G	99.02	Inf	-Inf	3	Horizontal	66	1.05
2457MHz_TX	Pass	PK	2.5G	59.20	74.00	-14.80	3	Horizontal	66	1.05
2462MHz_TX	Pass	AV	2.4592G	106.30	Inf	-Inf	3	Vertical	360	1.49
2462MHz_TX	Pass	AV	2.4835G	53.86	54.00	-0.14	3	Vertical	360	1.49
2462MHz_TX	Pass	PK	2.4634G	114.19	Inf	-Inf	3	Vertical	360	1.49
2462MHz_TX	Pass	PK	2.4838G	64.05	74.00	-9.95	3	Vertical	360	1.49
2462MHz_TX	Pass	AV	2.4568G	89.16	Inf	-Inf	3	Horizontal	67	1.05
2462MHz_TX	Pass	AV	2.4862G	50.03	54.00	-3.97	3	Horizontal	67	1.05
2462MHz_TX	Pass	PK	2.456G	96.87	Inf	-Inf	3	Horizontal	67	1.05
2462MHz_TX	Pass	PK	2.489G	60.10	74.00	-13.90	3	Horizontal	67	1.05
2462MHz_TX	Pass	AV	4.92486G	34.87	54.00	-19.13	3	Vertical	278	1.50
2462MHz_TX	Pass	AV	7.38916G	40.48	54.00	-13.52	3	Vertical	36	1.50
2462MHz_TX	Pass	PK	4.92272G	45.05	74.00	-28.95	3	Vertical	278	1.50
2462MHz_TX	Pass	PK	7.3824G	49.45	74.00	-24.55	3	Vertical	36	1.50
2462MHz_TX	Pass	AV	4.92572G	34.90	54.00	-19.10	3	Horizontal	100	2.35
2462MHz_TX	Pass	AV	7.38832G	40.32	54.00	-13.68	3	Horizontal	0	1.50
2462MHz_TX	Pass	PK	4.92166G	44.89	74.00	-29.11	3	Horizontal	100	2.35
2462MHz_TX	Pass	PK	7.38512G	49.64	74.00	-24.36	3	Horizontal	0	1.50
802.11be EHT20_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_1T1S_AP5022FX**

Appendix F.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	AV	2.39G	52.80	54.00	-1.20	3	Vertical	357	1.60
2412MHz_TX	Pass	AV	2.4146G	107.03	Inf	-Inf	3	Vertical	357	1.60
2412MHz_TX	Pass	PK	2.3898G	63.60	74.00	-10.40	3	Vertical	357	1.60
2412MHz_TX	Pass	PK	2.41G	117.72	Inf	-Inf	3	Vertical	357	1.60
2412MHz_TX	Pass	AV	2.3754G	48.16	54.00	-5.84	3	Horizontal	65	1.00
2412MHz_TX	Pass	AV	2.4092G	87.33	Inf	-Inf	3	Horizontal	65	1.00
2412MHz_TX	Pass	PK	2.3766G	58.71	74.00	-15.29	3	Horizontal	65	1.00
2412MHz_TX	Pass	PK	2.4084G	98.81	Inf	-Inf	3	Horizontal	65	1.00
2412MHz_TX	Pass	AV	4.82136G	33.31	54.00	-20.69	3	Vertical	123	1.50
2412MHz_TX	Pass	PK	4.82832G	44.06	74.00	-29.94	3	Vertical	123	1.50
2412MHz_TX	Pass	AV	4.82582G	33.28	54.00	-20.72	3	Horizontal	194	1.50
2412MHz_TX	Pass	PK	4.8198G	43.23	74.00	-30.77	3	Horizontal	194	1.50
2417MHz_TX	Pass	AV	2.39G	53.69	54.00	-0.31	3	Vertical	360	1.50
2417MHz_TX	Pass	AV	2.418G	107.67	Inf	-Inf	3	Vertical	360	1.50
2417MHz_TX	Pass	PK	2.39G	67.96	74.00	-6.04	3	Vertical	360	1.50
2417MHz_TX	Pass	PK	2.4228G	119.26	Inf	-Inf	3	Vertical	360	1.50
2417MHz_TX	Pass	AV	2.3744G	47.92	54.00	-6.08	3	Horizontal	67	1.01
2417MHz_TX	Pass	AV	2.4116G	88.01	Inf	-Inf	3	Horizontal	67	1.01
2417MHz_TX	Pass	PK	2.3856G	59.02	74.00	-14.98	3	Horizontal	67	1.01
2417MHz_TX	Pass	PK	2.4128G	99.38	Inf	-Inf	3	Horizontal	67	1.01
2437MHz_TX	Pass	AV	2.3898G	50.34	54.00	-3.66	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.445G	108.66	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.4835G	53.21	54.00	-0.79	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.3898G	67.38	74.00	-6.62	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.4398G	120.07	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.4835G	70.90	74.00	-3.10	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.3498G	48.34	54.00	-5.66	3	Horizontal	65	1.00
2437MHz_TX	Pass	AV	2.445G	91.09	Inf	-Inf	3	Horizontal	65	1.00
2437MHz_TX	Pass	AV	2.4858G	48.88	54.00	-5.12	3	Horizontal	65	1.00
2437MHz_TX	Pass	PK	2.3878G	58.46	74.00	-15.54	3	Horizontal	65	1.00
2437MHz_TX	Pass	PK	2.4434G	102.09	Inf	-Inf	3	Horizontal	65	1.00
2437MHz_TX	Pass	PK	2.491G	59.33	74.00	-14.67	3	Horizontal	65	1.00
2437MHz_TX	Pass	AV	4.86938G	33.81	54.00	-20.19	3	Vertical	305	2.68
2437MHz_TX	Pass	AV	7.31438G	39.37	54.00	-14.63	3	Vertical	197	1.50
2437MHz_TX	Pass	PK	4.8722G	44.20	74.00	-29.80	3	Vertical	305	2.68
2437MHz_TX	Pass	PK	7.31022G	50.44	74.00	-23.56	3	Vertical	197	1.50
2437MHz_TX	Pass	AV	4.87668G	33.64	54.00	-20.36	3	Horizontal	11	1.50
2437MHz_TX	Pass	AV	7.31568G	39.48	54.00	-14.52	3	Horizontal	37	1.50
2437MHz_TX	Pass	PK	4.8752G	44.75	74.00	-29.25	3	Horizontal	11	1.50
2437MHz_TX	Pass	PK	7.31198G	50.76	74.00	-23.24	3	Horizontal	37	1.50
2457MHz_TX	Pass	AV	2.4516G	106.90	Inf	-Inf	3	Vertical	357	1.50
2457MHz_TX	Pass	AV	2.4836G	53.82	54.00	-0.18	3	Vertical	357	1.50
2457MHz_TX	Pass	PK	2.4628G	118.37	Inf	-Inf	3	Vertical	357	1.50
2457MHz_TX	Pass	PK	2.4836G	68.75	74.00	-5.25	3	Vertical	357	1.50
2457MHz_TX	Pass	AV	2.4544G	88.58	Inf	-Inf	3	Horizontal	65	1.06
2457MHz_TX	Pass	AV	2.4976G	49.25	54.00	-4.75	3	Horizontal	65	1.06
2457MHz_TX	Pass	PK	2.4628G	99.47	Inf	-Inf	3	Horizontal	65	1.06
2457MHz_TX	Pass	PK	2.4996G	59.65	74.00	-14.35	3	Horizontal	65	1.06
2462MHz_TX	Pass	AV	2.4542G	104.28	Inf	-Inf	3	Vertical	360	1.50
2462MHz_TX	Pass	AV	2.4838G	53.80	54.00	-0.20	3	Vertical	360	1.50
2462MHz_TX	Pass	PK	2.4648G	115.84	Inf	-Inf	3	Vertical	360	1.50
2462MHz_TX	Pass	PK	2.4836G	66.14	74.00	-7.86	3	Vertical	360	1.50
2462MHz_TX	Pass	AV	2.457G	87.06	Inf	-Inf	3	Horizontal	66	1.04
2462MHz_TX	Pass	AV	2.497G	49.03	54.00	-4.97	3	Horizontal	66	1.04
2462MHz_TX	Pass	PK	2.4586G	98.20	Inf	-Inf	3	Horizontal	66	1.04
2462MHz_TX	Pass	PK	2.4902G	59.45	74.00	-14.55	3	Horizontal	66	1.04
2462MHz_TX	Pass	AV	4.92812G	34.03	54.00	-19.97	3	Vertical	203	1.50
2462MHz_TX	Pass	AV	7.38732G	39.17	54.00	-14.83	3	Vertical	48	1.50
2462MHz_TX	Pass	PK	4.91912G	44.19	74.00	-29.81	3	Vertical	203	1.50
2462MHz_TX	Pass	PK	7.38786G	49.51	74.00	-24.49	3	Vertical	48	1.50
2462MHz_TX	Pass	AV	4.9233G	33.82	54.00	-20.18	3	Horizontal	121	2.59
2462MHz_TX	Pass	AV	7.38286G	39.25	54.00	-14.75	3	Horizontal	156	1.22




***RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_1T1S_AP5022FX***

Appendix F.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz_TX	Pass	PK	4.92128G	44.60	74.00	-29.40	3	Horizontal	121	2.59
2462MHz_TX	Pass	PK	7.38842G	49.24	74.00	-24.76	3	Horizontal	156	1.22


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2457MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T1S_AP5022FX**

Appendix F.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4835G	53.77	54.00	-0.23	3	Horizontal	357	1.40
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4836G	53.97	54.00	-0.03	3	Horizontal	358	1.72
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.4844G	53.97	54.00	-0.03	3	Horizontal	355	1.71



RSE TX above 1GHz_Non-Beamforming_ Radio 1_AIO-DQ15021-RPSMA_2T1S_AP5022FX

Appendix F.15

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	52.63	54.00	-1.37	3	Vertical	356	1.62
2412MHz_TX	Pass	AV	2.4112G	115.05	Inf	-Inf	3	Vertical	356	1.62
2412MHz_TX	Pass	PK	2.3898G	62.37	74.00	-11.63	3	Vertical	356	1.62
2412MHz_TX	Pass	PK	2.411G	117.41	Inf	-Inf	3	Vertical	356	1.62
2412MHz_TX	Pass	AV	2.39G	51.32	54.00	-2.68	3	Horizontal	355	1.50
2412MHz_TX	Pass	AV	2.4128G	115.16	Inf	-Inf	3	Horizontal	355	1.50
2412MHz_TX	Pass	PK	2.3898G	61.57	74.00	-12.43	3	Horizontal	355	1.50
2412MHz_TX	Pass	PK	2.4128G	117.50	Inf	-Inf	3	Horizontal	355	1.50
2412MHz_TX	Pass	AV	4.82394G	32.59	54.00	-21.41	3	Vertical	360	1.50
2412MHz_TX	Pass	PK	4.81976G	44.24	74.00	-29.76	3	Vertical	360	1.50
2412MHz_TX	Pass	AV	4.82396G	32.70	54.00	-21.30	3	Horizontal	355	1.05
2412MHz_TX	Pass	PK	4.82664G	44.01	74.00	-29.99	3	Horizontal	355	1.05
2437MHz_TX	Pass	AV	2.3898G	47.69	54.00	-6.31	3	Vertical	0	1.50
2437MHz_TX	Pass	AV	2.4362G	113.94	Inf	-Inf	3	Vertical	0	1.50
2437MHz_TX	Pass	AV	2.4838G	48.40	54.00	-5.60	3	Vertical	0	1.50
2437MHz_TX	Pass	PK	2.3894G	59.47	74.00	-14.53	3	Vertical	0	1.50
2437MHz_TX	Pass	PK	2.4362G	116.68	Inf	-Inf	3	Vertical	0	1.50
2437MHz_TX	Pass	PK	2.485G	60.37	74.00	-13.63	3	Vertical	0	1.50
2437MHz_TX	Pass	AV	2.3898G	48.04	54.00	-5.96	3	Horizontal	356	1.01
2437MHz_TX	Pass	AV	2.4362G	115.56	Inf	-Inf	3	Horizontal	356	1.01
2437MHz_TX	Pass	AV	2.4842G	49.57	54.00	-4.43	3	Horizontal	356	1.01
2437MHz_TX	Pass	PK	2.3862G	58.93	74.00	-15.07	3	Horizontal	356	1.01
2437MHz_TX	Pass	PK	2.4378G	117.93	Inf	-Inf	3	Horizontal	356	1.01
2437MHz_TX	Pass	PK	2.4838G	61.64	74.00	-12.36	3	Horizontal	356	1.01
2437MHz_TX	Pass	AV	4.87402G	33.51	54.00	-20.49	3	Vertical	360	1.86
2437MHz_TX	Pass	AV	7.315G	37.51	54.00	-16.49	3	Vertical	293	1.50
2437MHz_TX	Pass	PK	4.8704G	44.45	74.00	-29.55	3	Vertical	360	1.86
2437MHz_TX	Pass	PK	7.31152G	49.65	74.00	-24.35	3	Vertical	293	1.50
2437MHz_TX	Pass	AV	4.87388G	33.36	54.00	-20.64	3	Horizontal	357	1.50
2437MHz_TX	Pass	AV	7.31206G	38.10	54.00	-15.90	3	Horizontal	36	1.56
2437MHz_TX	Pass	PK	4.87416G	44.59	74.00	-29.41	3	Horizontal	357	1.50
2437MHz_TX	Pass	PK	7.30986G	50.26	74.00	-23.74	3	Horizontal	36	1.56
2457MHz_TX	Pass	AV	2.4562G	114.34	Inf	-Inf	3	Vertical	0	1.50
2457MHz_TX	Pass	AV	2.4835G	52.26	54.00	-1.74	3	Vertical	0	1.50
2457MHz_TX	Pass	PK	2.4562G	116.92	Inf	-Inf	3	Vertical	0	1.50
2457MHz_TX	Pass	PK	2.4836G	62.19	74.00	-11.81	3	Vertical	0	1.50
2457MHz_TX	Pass	AV	2.4562G	116.27	Inf	-Inf	3	Horizontal	356	1.71
2457MHz_TX	Pass	AV	2.4835G	51.81	54.00	-2.19	3	Horizontal	356	1.71
2457MHz_TX	Pass	PK	2.456G	118.85	Inf	-Inf	3	Horizontal	356	1.71
2457MHz_TX	Pass	PK	2.4836G	63.35	74.00	-10.65	3	Horizontal	356	1.71
2462MHz_TX	Pass	AV	2.4628G	113.95	Inf	-Inf	3	Vertical	0	1.50
2462MHz_TX	Pass	AV	2.4835G	51.95	54.00	-2.05	3	Vertical	0	1.50
2462MHz_TX	Pass	PK	2.463G	116.34	Inf	-Inf	3	Vertical	0	1.50
2462MHz_TX	Pass	PK	2.4838G	61.94	74.00	-12.06	3	Vertical	0	1.50
2462MHz_TX	Pass	AV	2.4612G	115.61	Inf	-Inf	3	Horizontal	357	1.40
2462MHz_TX	Pass	AV	2.4835G	53.77	54.00	-0.23	3	Horizontal	357	1.40
2462MHz_TX	Pass	PK	2.4612G	118.17	Inf	-Inf	3	Horizontal	357	1.40
2462MHz_TX	Pass	PK	2.4838G	63.91	74.00	-10.09	3	Horizontal	357	1.40
2462MHz_TX	Pass	AV	4.92394G	33.21	54.00	-20.79	3	Vertical	0	1.85
2462MHz_TX	Pass	AV	7.38312G	37.36	54.00	-16.64	3	Vertical	47	2.32
2462MHz_TX	Pass	PK	4.92574G	44.13	74.00	-29.87	3	Vertical	0	1.85
2462MHz_TX	Pass	PK	7.38756G	50.22	74.00	-23.78	3	Vertical	47	2.32
2462MHz_TX	Pass	AV	4.91968G	31.97	54.00	-22.03	3	Horizontal	173	1.50
2462MHz_TX	Pass	AV	7.38704G	38.52	54.00	-15.48	3	Horizontal	40	1.78
2462MHz_TX	Pass	PK	4.91912G	43.96	74.00	-30.04	3	Horizontal	173	1.50
2462MHz_TX	Pass	PK	7.3885G	50.15	74.00	-23.85	3	Horizontal	40	1.78
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	51.77	54.00	-2.23	3	Vertical	356	1.49
2412MHz_TX	Pass	AV	2.406G	108.05	Inf	-Inf	3	Vertical	356	1.49
2412MHz_TX	Pass	PK	2.3894G	61.59	74.00	-12.41	3	Vertical	356	1.49



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T1S_AP5022FX**

Appendix F.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	PK	2.4082G	117.01	Inf	-Inf	3	Vertical	356	1.49
2412MHz_TX	Pass	AV	2.39G	53.79	54.00	-0.21	3	Horizontal	356	1.50
2412MHz_TX	Pass	AV	2.4158G	109.06	Inf	-Inf	3	Horizontal	356	1.50
2412MHz_TX	Pass	PK	2.3898G	65.38	74.00	-8.62	3	Horizontal	356	1.50
2412MHz_TX	Pass	PK	2.416G	117.01	Inf	-Inf	3	Horizontal	356	1.50
2412MHz_TX	Pass	AV	4.82678G	34.20	54.00	-19.80	3	Vertical	124	2.47
2412MHz_TX	Pass	PK	4.8221G	43.08	74.00	-30.92	3	Vertical	124	2.47
2412MHz_TX	Pass	AV	4.82338G	34.31	54.00	-19.69	3	Horizontal	234	1.50
2412MHz_TX	Pass	PK	4.82676G	43.36	74.00	-30.64	3	Horizontal	234	1.50
2417MHz_TX	Pass	AV	2.39G	51.28	54.00	-2.72	3	Vertical	7	1.49
2417MHz_TX	Pass	AV	2.4228G	108.41	Inf	-Inf	3	Vertical	7	1.49
2417MHz_TX	Pass	PK	2.3888G	59.52	74.00	-14.48	3	Vertical	7	1.49
2417MHz_TX	Pass	PK	2.4214G	117.56	Inf	-Inf	3	Vertical	7	1.49
2417MHz_TX	Pass	AV	2.3896G	53.67	54.00	-0.33	3	Horizontal	360	1.50
2417MHz_TX	Pass	AV	2.4156G	109.51	Inf	-Inf	3	Horizontal	360	1.50
2417MHz_TX	Pass	PK	2.39G	64.69	74.00	-9.31	3	Horizontal	360	1.50
2417MHz_TX	Pass	PK	2.4212G	117.49	Inf	-Inf	3	Horizontal	360	1.50
2437MHz_TX	Pass	AV	2.3898G	51.69	54.00	-2.31	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.4358G	109.60	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.4835G	53.39	54.00	-0.61	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.3898G	62.71	74.00	-11.29	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.4358G	119.15	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.4835G	65.14	74.00	-8.86	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.3898G	51.31	54.00	-2.69	3	Horizontal	357	1.00
2437MHz_TX	Pass	AV	2.4314G	110.44	Inf	-Inf	3	Horizontal	357	1.00
2437MHz_TX	Pass	AV	2.4838G	53.87	54.00	-0.13	3	Horizontal	357	1.00
2437MHz_TX	Pass	PK	2.3898G	60.95	74.00	-13.05	3	Horizontal	357	1.00
2437MHz_TX	Pass	PK	2.4358G	118.09	Inf	-Inf	3	Horizontal	357	1.00
2437MHz_TX	Pass	PK	2.4842G	65.52	74.00	-8.48	3	Horizontal	357	1.00
2437MHz_TX	Pass	AV	4.87018G	34.75	54.00	-19.25	3	Vertical	8	1.64
2437MHz_TX	Pass	AV	7.306G	40.23	54.00	-13.77	3	Vertical	8	1.50
2437MHz_TX	Pass	PK	4.87708G	44.64	74.00	-29.36	3	Vertical	8	1.64
2437MHz_TX	Pass	PK	7.31144G	49.76	74.00	-24.24	3	Vertical	8	1.50
2437MHz_TX	Pass	AV	4.87176G	34.77	54.00	-19.23	3	Horizontal	328	1.50
2437MHz_TX	Pass	AV	7.31158G	40.71	54.00	-13.29	3	Horizontal	308	1.50
2437MHz_TX	Pass	PK	4.87042G	43.90	74.00	-30.10	3	Horizontal	328	1.50
2437MHz_TX	Pass	PK	7.31188G	49.49	74.00	-24.51	3	Horizontal	308	1.50
2457MHz_TX	Pass	AV	2.451G	108.64	Inf	-Inf	3	Vertical	0	1.50
2457MHz_TX	Pass	AV	2.4835G	53.24	54.00	-0.76	3	Vertical	0	1.50
2457MHz_TX	Pass	PK	2.4556G	117.56	Inf	-Inf	3	Vertical	0	1.50
2457MHz_TX	Pass	PK	2.4838G	62.20	74.00	-11.80	3	Vertical	0	1.50
2457MHz_TX	Pass	AV	2.4554G	109.89	Inf	-Inf	3	Horizontal	358	1.72
2457MHz_TX	Pass	AV	2.4836G	53.97	54.00	-0.03	3	Horizontal	358	1.72
2457MHz_TX	Pass	PK	2.4612G	117.91	Inf	-Inf	3	Horizontal	358	1.72
2457MHz_TX	Pass	PK	2.4844G	63.50	74.00	-10.50	3	Horizontal	358	1.72
2462MHz_TX	Pass	AV	2.4606G	105.54	Inf	-Inf	3	Vertical	0	1.50
2462MHz_TX	Pass	AV	2.4835G	53.82	54.00	-0.18	3	Vertical	0	1.50
2462MHz_TX	Pass	PK	2.4606G	114.57	Inf	-Inf	3	Vertical	0	1.50
2462MHz_TX	Pass	PK	2.4835G	64.97	74.00	-9.03	3	Vertical	0	1.50
2462MHz_TX	Pass	AV	2.4568G	106.52	Inf	-Inf	3	Horizontal	357	1.49
2462MHz_TX	Pass	AV	2.4838G	53.91	54.00	-0.09	3	Horizontal	357	1.49
2462MHz_TX	Pass	PK	2.4562G	114.02	Inf	-Inf	3	Horizontal	357	1.49
2462MHz_TX	Pass	PK	2.484G	64.57	74.00	-9.43	3	Horizontal	357	1.49
2462MHz_TX	Pass	AV	4.9215G	34.71	54.00	-19.29	3	Vertical	80	2.21
2462MHz_TX	Pass	AV	7.38576G	40.06	54.00	-13.94	3	Vertical	125	2.86
2462MHz_TX	Pass	PK	4.92568G	44.29	74.00	-29.71	3	Vertical	80	2.21
2462MHz_TX	Pass	PK	7.38782G	50.08	74.00	-23.92	3	Vertical	125	2.86
2462MHz_TX	Pass	AV	4.91982G	34.65	54.00	-19.35	3	Horizontal	356	1.50
2462MHz_TX	Pass	AV	7.38404G	39.92	54.00	-14.08	3	Horizontal	218	1.50
2462MHz_TX	Pass	PK	4.92734G	43.95	74.00	-30.05	3	Horizontal	356	1.50
2462MHz_TX	Pass	PK	7.38878G	49.62	74.00	-24.38	3	Horizontal	218	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T1S_AP5022FX**

Appendix F.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	AV	2.39G	51.54	54.00	-2.46	3	Vertical	2	1.50
2412MHz_TX	Pass	AV	2.4058G	106.70	Inf	-Inf	3	Vertical	2	1.50
2412MHz_TX	Pass	PK	2.3882G	63.74	74.00	-10.26	3	Vertical	2	1.50
2412MHz_TX	Pass	PK	2.418G	118.33	Inf	-Inf	3	Vertical	2	1.50
2412MHz_TX	Pass	AV	2.39G	53.50	54.00	-0.50	3	Horizontal	357	1.50
2412MHz_TX	Pass	AV	2.4068G	107.61	Inf	-Inf	3	Horizontal	357	1.50
2412MHz_TX	Pass	PK	2.3894G	64.51	74.00	-9.49	3	Horizontal	357	1.50
2412MHz_TX	Pass	PK	2.415G	118.89	Inf	-Inf	3	Horizontal	357	1.50
2412MHz_TX	Pass	AV	4.819G	33.15	54.00	-20.85	3	Vertical	122	1.80
2412MHz_TX	Pass	PK	4.82318G	43.97	74.00	-30.03	3	Vertical	122	1.80
2412MHz_TX	Pass	AV	4.82516G	33.20	54.00	-20.80	3	Horizontal	264	1.42
2412MHz_TX	Pass	PK	4.8268G	43.35	74.00	-30.65	3	Horizontal	264	1.42
2417MHz_TX	Pass	AV	2.39G	52.04	54.00	-1.96	3	Vertical	8	1.49
2417MHz_TX	Pass	AV	2.4232G	107.61	Inf	-Inf	3	Vertical	8	1.49
2417MHz_TX	Pass	PK	2.3898G	64.19	74.00	-9.81	3	Vertical	8	1.49
2417MHz_TX	Pass	PK	2.4232G	119.36	Inf	-Inf	3	Vertical	8	1.49
2417MHz_TX	Pass	AV	2.39G	53.17	54.00	-0.83	3	Horizontal	355	1.49
2417MHz_TX	Pass	AV	2.4144G	108.40	Inf	-Inf	3	Horizontal	355	1.49
2417MHz_TX	Pass	PK	2.3898G	66.64	74.00	-7.36	3	Horizontal	355	1.49
2417MHz_TX	Pass	PK	2.4228G	119.46	Inf	-Inf	3	Horizontal	355	1.49
2437MHz_TX	Pass	AV	2.3898G	51.39	54.00	-2.61	3	Vertical	0	1.50
2437MHz_TX	Pass	AV	2.4354G	108.06	Inf	-Inf	3	Vertical	0	1.50
2437MHz_TX	Pass	AV	2.4835G	53.44	54.00	-0.56	3	Vertical	0	1.50
2437MHz_TX	Pass	PK	2.3898G	65.04	74.00	-8.96	3	Vertical	0	1.50
2437MHz_TX	Pass	PK	2.4334G	119.72	Inf	-Inf	3	Vertical	0	1.50
2437MHz_TX	Pass	PK	2.4842G	69.54	74.00	-4.46	3	Vertical	0	1.50
2437MHz_TX	Pass	AV	2.3898G	50.42	54.00	-3.58	3	Horizontal	360	1.50
2437MHz_TX	Pass	AV	2.4438G	108.61	Inf	-Inf	3	Horizontal	360	1.50
2437MHz_TX	Pass	AV	2.4838G	53.18	54.00	-0.82	3	Horizontal	360	1.50
2437MHz_TX	Pass	PK	2.3898G	62.43	74.00	-11.57	3	Horizontal	360	1.50
2437MHz_TX	Pass	PK	2.4434G	120.22	Inf	-Inf	3	Horizontal	360	1.50
2437MHz_TX	Pass	PK	2.4838G	71.47	74.00	-2.53	3	Horizontal	360	1.50
2437MHz_TX	Pass	AV	4.87078G	33.77	54.00	-20.23	3	Vertical	191	2.99
2437MHz_TX	Pass	AV	7.31478G	39.54	54.00	-14.46	3	Vertical	20	1.80
2437MHz_TX	Pass	PK	4.8767G	44.01	74.00	-29.99	3	Vertical	191	2.99
2437MHz_TX	Pass	PK	7.31444G	49.73	74.00	-24.27	3	Vertical	20	1.80
2437MHz_TX	Pass	AV	4.87514G	33.59	54.00	-20.41	3	Horizontal	1	1.50
2437MHz_TX	Pass	AV	7.31594G	39.30	54.00	-14.70	3	Horizontal	262	2.01
2437MHz_TX	Pass	PK	4.86956G	43.87	74.00	-30.13	3	Horizontal	1	1.50
2437MHz_TX	Pass	PK	7.31512G	49.70	74.00	-24.30	3	Horizontal	262	2.01
2457MHz_TX	Pass	AV	2.4508G	106.78	Inf	-Inf	3	Vertical	2	1.50
2457MHz_TX	Pass	AV	2.4835G	53.75	54.00	-0.25	3	Vertical	2	1.50
2457MHz_TX	Pass	PK	2.4528G	117.89	Inf	-Inf	3	Vertical	2	1.50
2457MHz_TX	Pass	PK	2.4836G	69.57	74.00	-4.43	3	Vertical	2	1.50
2457MHz_TX	Pass	AV	2.4588G	107.45	Inf	-Inf	3	Horizontal	360	1.00
2457MHz_TX	Pass	AV	2.4835G	53.91	54.00	-0.09	3	Horizontal	360	1.00
2457MHz_TX	Pass	PK	2.4628G	118.78	Inf	-Inf	3	Horizontal	360	1.00
2457MHz_TX	Pass	PK	2.4836G	71.19	74.00	-2.81	3	Horizontal	360	1.00
2462MHz_TX	Pass	AV	2.4536G	103.57	Inf	-Inf	3	Vertical	360	1.50
2462MHz_TX	Pass	AV	2.4838G	52.68	54.00	-1.32	3	Vertical	360	1.50
2462MHz_TX	Pass	PK	2.4576G	114.99	Inf	-Inf	3	Vertical	360	1.50
2462MHz_TX	Pass	PK	2.4838G	65.10	74.00	-8.90	3	Vertical	360	1.50
2462MHz_TX	Pass	AV	2.4568G	105.37	Inf	-Inf	3	Horizontal	355	1.71
2462MHz_TX	Pass	AV	2.4844G	53.97	54.00	-0.03	3	Horizontal	355	1.71
2462MHz_TX	Pass	PK	2.4584G	116.34	Inf	-Inf	3	Horizontal	355	1.71
2462MHz_TX	Pass	PK	2.4848G	65.65	74.00	-8.35	3	Horizontal	355	1.71
2462MHz_TX	Pass	AV	4.92716G	33.91	54.00	-20.09	3	Vertical	296	1.50
2462MHz_TX	Pass	AV	7.38166G	39.57	54.00	-14.43	3	Vertical	44	1.50
2462MHz_TX	Pass	PK	4.92716G	45.32	74.00	-28.68	3	Vertical	296	1.50
2462MHz_TX	Pass	PK	7.3837G	49.67	74.00	-24.33	3	Vertical	44	1.50
2462MHz_TX	Pass	AV	4.92136G	33.94	54.00	-20.06	3	Horizontal	96	1.50
2462MHz_TX	Pass	AV	7.3902G	39.54	54.00	-14.46	3	Horizontal	77	1.50




***RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T1S_AP5022FX***

Appendix F.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz_TX	Pass	PK	4.9202G	44.12	74.00	-29.88	3	Horizontal	96	1.50
2462MHz_TX	Pass	PK	7.38954G	49.43	74.00	-24.57	3	Horizontal	77	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_2T2S_AP5022FX**

Appendix F.16

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4836G	53.75	54.00	-0.25	3	Horizontal	355	1.49

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3894G	51.37	54.00	-2.63	3	Vertical	357	1.50
2412MHz_TX	Pass	AV	2.4078G	106.68	Inf	-Inf	3	Vertical	357	1.50
2412MHz_TX	Pass	PK	2.3882G	62.17	74.00	-11.83	3	Vertical	357	1.50
2412MHz_TX	Pass	PK	2.4094G	117.84	Inf	-Inf	3	Vertical	357	1.50
2412MHz_TX	Pass	AV	2.39G	53.00	54.00	-1.00	3	Horizontal	0	1.50
2412MHz_TX	Pass	AV	2.4148G	107.20	Inf	-Inf	3	Horizontal	0	1.50
2412MHz_TX	Pass	PK	2.3898G	64.54	74.00	-9.46	3	Horizontal	0	1.50
2412MHz_TX	Pass	PK	2.4112G	118.51	Inf	-Inf	3	Horizontal	0	1.50
2412MHz_TX	Pass	AV	4.82804G	33.10	54.00	-20.90	3	Vertical	355	1.50
2412MHz_TX	Pass	PK	4.82166G	44.01	74.00	-29.99	3	Vertical	355	1.50
2412MHz_TX	Pass	AV	4.8238G	33.28	54.00	-20.72	3	Horizontal	308	1.50
2412MHz_TX	Pass	PK	4.81998G	43.74	74.00	-30.26	3	Horizontal	308	1.50
2437MHz_TX	Pass	AV	2.3898G	50.01	54.00	-3.99	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.4358G	106.76	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.4842G	50.74	54.00	-3.26	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.3898G	62.20	74.00	-11.80	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.431G	118.20	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.4835G	66.61	74.00	-7.39	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.3898G	49.19	54.00	-4.81	3	Horizontal	0	1.50
2437MHz_TX	Pass	AV	2.4414G	107.35	Inf	-Inf	3	Horizontal	0	1.50
2437MHz_TX	Pass	AV	2.4838G	52.55	54.00	-1.45	3	Horizontal	0	1.50
2437MHz_TX	Pass	PK	2.389G	62.29	74.00	-11.71	3	Horizontal	0	1.50
2437MHz_TX	Pass	PK	2.4458G	118.55	Inf	-Inf	3	Horizontal	0	1.50
2437MHz_TX	Pass	PK	2.4835G	72.54	74.00	-1.46	3	Horizontal	0	1.50
2437MHz_TX	Pass	AV	4.87856G	33.75	54.00	-20.25	3	Vertical	14	2.49
2437MHz_TX	Pass	AV	7.31106G	39.39	54.00	-14.61	3	Vertical	201	1.50
2437MHz_TX	Pass	PK	4.87302G	44.16	74.00	-29.84	3	Vertical	14	2.49
2437MHz_TX	Pass	PK	7.31058G	50.00	74.00	-24.00	3	Vertical	201	1.50
2437MHz_TX	Pass	AV	4.87692G	33.68	54.00	-20.32	3	Horizontal	298	2.90
2437MHz_TX	Pass	AV	7.31074G	39.29	54.00	-14.71	3	Horizontal	188	1.50
2437MHz_TX	Pass	PK	4.8726G	44.02	74.00	-29.98	3	Horizontal	298	2.90
2437MHz_TX	Pass	PK	7.31382G	49.88	74.00	-24.12	3	Horizontal	188	1.50
2457MHz_TX	Pass	AV	2.4508G	105.97	Inf	-Inf	3	Vertical	360	1.49
2457MHz_TX	Pass	AV	2.4836G	53.09	54.00	-0.91	3	Vertical	360	1.49
2457MHz_TX	Pass	PK	2.4546G	118.02	Inf	-Inf	3	Vertical	360	1.49
2457MHz_TX	Pass	PK	2.4835G	67.25	74.00	-6.75	3	Vertical	360	1.49
2457MHz_TX	Pass	AV	2.4526G	105.18	Inf	-Inf	3	Horizontal	355	1.49
2457MHz_TX	Pass	AV	2.4836G	53.75	54.00	-0.25	3	Horizontal	355	1.49
2457MHz_TX	Pass	PK	2.4538G	116.27	Inf	-Inf	3	Horizontal	355	1.49
2457MHz_TX	Pass	PK	2.4836G	66.72	74.00	-7.28	3	Horizontal	355	1.49
2462MHz_TX	Pass	AV	2.4558G	104.59	Inf	-Inf	3	Vertical	358	1.50
2462MHz_TX	Pass	AV	2.4844G	53.64	54.00	-0.36	3	Vertical	358	1.50
2462MHz_TX	Pass	PK	2.4594G	116.09	Inf	-Inf	3	Vertical	358	1.50
2462MHz_TX	Pass	PK	2.4856G	65.19	74.00	-8.81	3	Vertical	358	1.50
2462MHz_TX	Pass	AV	2.4578G	104.84	Inf	-Inf	3	Horizontal	0	1.50
2462MHz_TX	Pass	AV	2.4842G	53.52	54.00	-0.48	3	Horizontal	0	1.50
2462MHz_TX	Pass	PK	2.4612G	115.94	Inf	-Inf	3	Horizontal	0	1.50
2462MHz_TX	Pass	PK	2.4846G	65.40	74.00	-8.60	3	Horizontal	0	1.50
2462MHz_TX	Pass	AV	4.92394G	33.90	54.00	-20.10	3	Vertical	142	2.05
2462MHz_TX	Pass	AV	7.38456G	39.14	54.00	-14.86	3	Vertical	333	2.67
2462MHz_TX	Pass	PK	4.92042G	44.22	74.00	-29.78	3	Vertical	142	2.05
2462MHz_TX	Pass	PK	7.38616G	49.43	74.00	-24.57	3	Vertical	333	2.67
2462MHz_TX	Pass	AV	4.9263G	34.08	54.00	-19.92	3	Horizontal	205	2.99
2462MHz_TX	Pass	AV	7.38926G	39.18	54.00	-14.82	3	Horizontal	136	1.46
2462MHz_TX	Pass	PK	4.92608G	44.63	74.00	-29.37	3	Horizontal	205	2.99
2462MHz_TX	Pass	PK	7.38304G	49.84	74.00	-24.16	3	Horizontal	136	1.46


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T1S_AP5022FX**

Appendix F.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	2.4835G	53.68	54.00	-0.32	3	Vertical	6	1.00
802.11g_Nss1,(6Mbps)_4TX	Pass	AV	2.4838G	53.98	54.00	-0.02	3	Horizontal	357	1.63
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	2.4846G	53.98	54.00	-0.02	3	Vertical	360	1.50



RSE TX above 1GHz_Non-Beamforming_ Radio 1_AIO-DQ15021-RPSMA_4T1S_AP5022FX

Appendix F.17

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	51.86	54.00	-2.14	3	Vertical	3	1.00
2412MHz_TX	Pass	AV	2.4112G	119.03	Inf	-Inf	3	Vertical	3	1.00
2412MHz_TX	Pass	PK	2.3898G	62.53	74.00	-11.47	3	Vertical	3	1.00
2412MHz_TX	Pass	PK	2.4112G	121.39	Inf	-Inf	3	Vertical	3	1.00
2412MHz_TX	Pass	AV	2.39G	53.44	54.00	-0.56	3	Horizontal	356	1.78
2412MHz_TX	Pass	AV	2.4112G	120.42	Inf	-Inf	3	Horizontal	356	1.78
2412MHz_TX	Pass	PK	2.39G	63.58	74.00	-10.42	3	Horizontal	356	1.78
2412MHz_TX	Pass	PK	2.4112G	122.77	Inf	-Inf	3	Horizontal	356	1.78
2412MHz_TX	Pass	AV	4.82394G	33.45	54.00	-20.55	3	Vertical	11	1.39
2412MHz_TX	Pass	PK	4.82458G	44.74	74.00	-29.26	3	Vertical	11	1.39
2412MHz_TX	Pass	AV	4.82392G	34.70	54.00	-19.30	3	Horizontal	2	1.89
2412MHz_TX	Pass	PK	4.82386G	44.44	74.00	-29.56	3	Horizontal	2	1.89
2417MHz_TX	Pass	AV	2.39G	53.30	54.00	-0.70	3	Vertical	9	1.00
2417MHz_TX	Pass	AV	2.4178G	119.81	Inf	-Inf	3	Vertical	9	1.00
2417MHz_TX	Pass	PK	2.3898G	62.50	74.00	-11.50	3	Vertical	9	1.00
2417MHz_TX	Pass	PK	2.4162G	122.16	Inf	-Inf	3	Vertical	9	1.00
2417MHz_TX	Pass	AV	2.39G	52.07	54.00	-1.93	3	Horizontal	360	1.79
2417MHz_TX	Pass	AV	2.4178G	121.32	Inf	-Inf	3	Horizontal	360	1.79
2417MHz_TX	Pass	PK	2.39G	63.29	74.00	-10.71	3	Horizontal	360	1.79
2417MHz_TX	Pass	PK	2.418G	123.63	Inf	-Inf	3	Horizontal	360	1.79
2437MHz_TX	Pass	AV	2.3898G	49.36	54.00	-4.64	3	Vertical	0	1.07
2437MHz_TX	Pass	AV	2.4378G	120.08	Inf	-Inf	3	Vertical	0	1.07
2437MHz_TX	Pass	AV	2.4835G	50.21	54.00	-3.79	3	Vertical	0	1.07
2437MHz_TX	Pass	PK	2.3898G	60.57	74.00	-13.43	3	Vertical	0	1.07
2437MHz_TX	Pass	PK	2.4362G	122.50	Inf	-Inf	3	Vertical	0	1.07
2437MHz_TX	Pass	PK	2.485G	62.41	74.00	-11.59	3	Vertical	0	1.07
2437MHz_TX	Pass	AV	2.3898G	49.62	54.00	-4.38	3	Horizontal	356	1.75
2437MHz_TX	Pass	AV	2.4362G	121.71	Inf	-Inf	3	Horizontal	356	1.75
2437MHz_TX	Pass	AV	2.4835G	51.13	54.00	-2.87	3	Horizontal	356	1.75
2437MHz_TX	Pass	PK	2.3898G	60.57	74.00	-13.43	3	Horizontal	356	1.75
2437MHz_TX	Pass	PK	2.4362G	124.02	Inf	-Inf	3	Horizontal	356	1.75
2437MHz_TX	Pass	PK	2.4835G	63.26	74.00	-10.74	3	Horizontal	356	1.75
2437MHz_TX	Pass	AV	4.874G	33.86	54.00	-20.14	3	Vertical	12	1.46
2437MHz_TX	Pass	AV	7.3126G	38.11	54.00	-15.89	3	Vertical	41	1.66
2437MHz_TX	Pass	PK	4.8739G	44.53	74.00	-29.47	3	Vertical	12	1.46
2437MHz_TX	Pass	PK	7.31158G	50.07	74.00	-23.93	3	Vertical	41	1.66
2437MHz_TX	Pass	AV	4.874G	36.19	54.00	-17.81	3	Horizontal	357	1.84
2437MHz_TX	Pass	AV	7.31132G	37.93	54.00	-16.07	3	Horizontal	320	1.94
2437MHz_TX	Pass	PK	4.87394G	44.83	74.00	-29.17	3	Horizontal	357	1.84
2437MHz_TX	Pass	PK	7.3122G	50.08	74.00	-23.92	3	Horizontal	320	1.94
2457MHz_TX	Pass	AV	2.4562G	119.00	Inf	-Inf	3	Vertical	6	1.00
2457MHz_TX	Pass	AV	2.4836G	53.42	54.00	-0.58	3	Vertical	6	1.00
2457MHz_TX	Pass	PK	2.456G	121.38	Inf	-Inf	3	Vertical	6	1.00
2457MHz_TX	Pass	PK	2.4836G	64.76	74.00	-9.24	3	Vertical	6	1.00
2457MHz_TX	Pass	AV	2.4562G	120.48	Inf	-Inf	3	Horizontal	356	1.74
2457MHz_TX	Pass	AV	2.4835G	53.01	54.00	-0.99	3	Horizontal	356	1.74
2457MHz_TX	Pass	PK	2.4562G	123.01	Inf	-Inf	3	Horizontal	356	1.74
2457MHz_TX	Pass	PK	2.4838G	63.74	74.00	-10.26	3	Horizontal	356	1.74
2462MHz_TX	Pass	AV	2.4628G	117.96	Inf	-Inf	3	Vertical	6	1.00
2462MHz_TX	Pass	AV	2.4835G	53.68	54.00	-0.32	3	Vertical	6	1.00
2462MHz_TX	Pass	PK	2.4612G	120.34	Inf	-Inf	3	Vertical	6	1.00
2462MHz_TX	Pass	PK	2.4835G	63.19	74.00	-10.81	3	Vertical	6	1.00
2462MHz_TX	Pass	AV	2.4612G	119.84	Inf	-Inf	3	Horizontal	357	1.74
2462MHz_TX	Pass	AV	2.4835G	53.56	54.00	-0.44	3	Horizontal	357	1.74
2462MHz_TX	Pass	PK	2.4612G	122.31	Inf	-Inf	3	Horizontal	357	1.74
2462MHz_TX	Pass	PK	2.4835G	64.79	74.00	-9.21	3	Horizontal	357	1.74
2462MHz_TX	Pass	AV	4.92386G	32.81	54.00	-21.19	3	Vertical	352	1.50
2462MHz_TX	Pass	AV	7.38264G	37.31	54.00	-16.69	3	Vertical	90	1.50
2462MHz_TX	Pass	PK	4.92794G	43.97	74.00	-30.03	3	Vertical	352	1.50
2462MHz_TX	Pass	PK	7.38772G	50.18	74.00	-23.82	3	Vertical	90	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T1S_AP5022FX**

Appendix F.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz_TX	Pass	AV	4.9239G	33.63	54.00	-20.37	3	Horizontal	3	1.79
2462MHz_TX	Pass	AV	7.38678G	37.93	54.00	-16.07	3	Horizontal	40	2.17
2462MHz_TX	Pass	PK	4.91984G	44.55	74.00	-29.45	3	Horizontal	3	1.79
2462MHz_TX	Pass	PK	7.38438G	50.72	74.00	-23.28	3	Horizontal	40	2.17
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3898G	52.48	54.00	-1.52	3	Vertical	9	1.50
2412MHz_TX	Pass	AV	2.4196G	112.64	Inf	-Inf	3	Vertical	9	1.50
2412MHz_TX	Pass	PK	2.3898G	62.14	74.00	-11.86	3	Vertical	9	1.50
2412MHz_TX	Pass	PK	2.4182G	120.89	Inf	-Inf	3	Vertical	9	1.50
2412MHz_TX	Pass	AV	2.39G	53.69	54.00	-0.31	3	Horizontal	357	1.50
2412MHz_TX	Pass	AV	2.4136G	112.93	Inf	-Inf	3	Horizontal	357	1.50
2412MHz_TX	Pass	PK	2.39G	65.03	74.00	-8.97	3	Horizontal	357	1.50
2412MHz_TX	Pass	PK	2.4146G	120.29	Inf	-Inf	3	Horizontal	357	1.50
2412MHz_TX	Pass	AV	4.82608G	34.23	54.00	-19.77	3	Vertical	314	1.50
2412MHz_TX	Pass	PK	4.81994G	43.97	74.00	-30.03	3	Vertical	314	1.50
2412MHz_TX	Pass	AV	4.82394G	34.22	54.00	-19.78	3	Horizontal	336	1.50
2412MHz_TX	Pass	PK	4.82642G	43.18	74.00	-30.82	3	Horizontal	336	1.50
2417MHz_TX	Pass	AV	2.3898G	52.05	54.00	-1.95	3	Vertical	4	1.50
2417MHz_TX	Pass	AV	2.4244G	114.47	Inf	-Inf	3	Vertical	4	1.50
2417MHz_TX	Pass	PK	2.3892G	61.45	74.00	-12.55	3	Vertical	4	1.50
2417MHz_TX	Pass	PK	2.4234G	122.71	Inf	-Inf	3	Vertical	4	1.50
2417MHz_TX	Pass	AV	2.39G	53.09	54.00	-0.91	3	Horizontal	356	1.57
2417MHz_TX	Pass	AV	2.4184G	114.68	Inf	-Inf	3	Horizontal	356	1.57
2417MHz_TX	Pass	PK	2.3886G	61.39	74.00	-12.61	3	Horizontal	356	1.57
2417MHz_TX	Pass	PK	2.4188G	121.97	Inf	-Inf	3	Horizontal	356	1.57
2437MHz_TX	Pass	AV	2.3898G	51.21	54.00	-2.79	3	Vertical	3	1.50
2437MHz_TX	Pass	AV	2.4446G	113.60	Inf	-Inf	3	Vertical	3	1.50
2437MHz_TX	Pass	AV	2.4835G	53.19	54.00	-0.81	3	Vertical	3	1.50
2437MHz_TX	Pass	PK	2.3894G	62.14	74.00	-11.86	3	Vertical	3	1.50
2437MHz_TX	Pass	PK	2.4434G	122.54	Inf	-Inf	3	Vertical	3	1.50
2437MHz_TX	Pass	PK	2.4835G	66.03	74.00	-7.97	3	Vertical	3	1.50
2437MHz_TX	Pass	AV	2.3886G	51.97	54.00	-2.03	3	Horizontal	356	1.60
2437MHz_TX	Pass	AV	2.4386G	114.51	Inf	-Inf	3	Horizontal	356	1.60
2437MHz_TX	Pass	AV	2.4835G	53.75	54.00	-0.25	3	Horizontal	356	1.60
2437MHz_TX	Pass	PK	2.3894G	63.62	74.00	-10.38	3	Horizontal	356	1.60
2437MHz_TX	Pass	PK	2.439G	121.92	Inf	-Inf	3	Horizontal	356	1.60
2437MHz_TX	Pass	PK	2.4854G	65.61	74.00	-8.39	3	Horizontal	356	1.60
2437MHz_TX	Pass	AV	4.87088G	34.47	54.00	-19.53	3	Vertical	18	1.50
2437MHz_TX	Pass	AV	7.31354G	40.30	54.00	-13.70	3	Vertical	278	1.35
2437MHz_TX	Pass	PK	4.87674G	43.53	74.00	-30.47	3	Vertical	18	1.50
2437MHz_TX	Pass	PK	7.31168G	49.99	74.00	-24.01	3	Vertical	278	1.35
2437MHz_TX	Pass	AV	4.87342G	34.32	54.00	-19.68	3	Horizontal	124	2.54
2437MHz_TX	Pass	AV	7.31482G	40.42	54.00	-13.58	3	Horizontal	35	2.38
2437MHz_TX	Pass	PK	4.871G	44.12	74.00	-29.88	3	Horizontal	124	2.54
2437MHz_TX	Pass	PK	7.31598G	49.70	74.00	-24.30	3	Horizontal	35	2.38
2457MHz_TX	Pass	AV	2.4646G	112.01	Inf	-Inf	3	Vertical	7	1.50
2457MHz_TX	Pass	AV	2.4836G	53.64	54.00	-0.36	3	Vertical	7	1.50
2457MHz_TX	Pass	PK	2.4634G	120.50	Inf	-Inf	3	Vertical	7	1.50
2457MHz_TX	Pass	PK	2.4846G	63.31	74.00	-10.69	3	Vertical	7	1.50
2457MHz_TX	Pass	AV	2.4578G	113.46	Inf	-Inf	3	Horizontal	357	1.63
2457MHz_TX	Pass	AV	2.4835G	53.55	54.00	-0.45	3	Horizontal	357	1.63
2457MHz_TX	Pass	PK	2.458G	120.75	Inf	-Inf	3	Horizontal	357	1.63
2457MHz_TX	Pass	PK	2.4848G	62.65	74.00	-11.35	3	Horizontal	357	1.63
2462MHz_TX	Pass	AV	2.4694G	108.23	Inf	-Inf	3	Vertical	0	1.50
2462MHz_TX	Pass	AV	2.4864G	51.87	54.00	-2.13	3	Vertical	0	1.50
2462MHz_TX	Pass	PK	2.4684G	116.67	Inf	-Inf	3	Vertical	0	1.50
2462MHz_TX	Pass	PK	2.4858G	62.04	74.00	-11.96	3	Vertical	0	1.50
2462MHz_TX	Pass	AV	2.4632G	109.09	Inf	-Inf	3	Horizontal	357	1.63
2462MHz_TX	Pass	AV	2.4838G	53.98	54.00	-0.02	3	Horizontal	357	1.63
2462MHz_TX	Pass	PK	2.463G	116.35	Inf	-Inf	3	Horizontal	357	1.63
2462MHz_TX	Pass	PK	2.4835G	64.44	74.00	-9.56	3	Horizontal	357	1.63
2462MHz_TX	Pass	AV	4.92036G	35.15	54.00	-18.85	3	Vertical	292	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T1S_AP5022FX**

Appendix F.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz_TX	Pass	AV	7.38124G	40.14	54.00	-13.86	3	Vertical	118	1.50
2462MHz_TX	Pass	PK	4.9203G	44.69	74.00	-29.31	3	Vertical	292	1.50
2462MHz_TX	Pass	PK	7.39062G	49.53	74.00	-24.47	3	Vertical	118	1.50
2462MHz_TX	Pass	AV	4.92522G	35.14	54.00	-18.86	3	Horizontal	166	2.87
2462MHz_TX	Pass	AV	7.38912G	40.09	54.00	-13.91	3	Horizontal	181	1.50
2462MHz_TX	Pass	PK	4.92434G	44.09	74.00	-29.91	3	Horizontal	166	2.87
2462MHz_TX	Pass	PK	7.38118G	49.53	74.00	-24.47	3	Horizontal	181	1.50
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3898G	53.56	54.00	-0.44	3	Vertical	3	1.50
2412MHz_TX	Pass	AV	2.4204G	110.81	Inf	-Inf	3	Vertical	3	1.50
2412MHz_TX	Pass	PK	2.389G	64.15	74.00	-9.85	3	Vertical	3	1.50
2412MHz_TX	Pass	PK	2.4206G	121.99	Inf	-Inf	3	Vertical	3	1.50
2412MHz_TX	Pass	AV	2.3898G	53.84	54.00	-0.16	3	Horizontal	357	1.48
2412MHz_TX	Pass	AV	2.4178G	111.08	Inf	-Inf	3	Horizontal	357	1.48
2412MHz_TX	Pass	PK	2.3892G	64.28	74.00	-9.72	3	Horizontal	357	1.48
2412MHz_TX	Pass	PK	2.4178G	122.90	Inf	-Inf	3	Horizontal	357	1.48
2412MHz_TX	Pass	AV	4.82032G	33.19	54.00	-20.81	3	Vertical	331	1.43
2412MHz_TX	Pass	PK	4.8268G	43.23	74.00	-30.77	3	Vertical	331	1.43
2412MHz_TX	Pass	AV	4.8199G	33.29	54.00	-20.71	3	Horizontal	64	2.43
2412MHz_TX	Pass	PK	4.82372G	44.13	74.00	-29.87	3	Horizontal	64	2.43
2417MHz_TX	Pass	AV	2.39G	52.59	54.00	-1.41	3	Vertical	360	1.50
2417MHz_TX	Pass	AV	2.4206G	111.83	Inf	-Inf	3	Vertical	360	1.50
2417MHz_TX	Pass	PK	2.39G	64.59	74.00	-9.41	3	Vertical	360	1.50
2417MHz_TX	Pass	PK	2.4254G	123.35	Inf	-Inf	3	Vertical	360	1.50
2417MHz_TX	Pass	AV	2.39G	53.26	54.00	-0.74	3	Horizontal	4	1.29
2417MHz_TX	Pass	AV	2.4232G	111.88	Inf	-Inf	3	Horizontal	4	1.29
2417MHz_TX	Pass	PK	2.39G	67.43	74.00	-6.57	3	Horizontal	4	1.29
2417MHz_TX	Pass	PK	2.423G	123.62	Inf	-Inf	3	Horizontal	4	1.29
2437MHz_TX	Pass	AV	2.3898G	51.26	54.00	-2.74	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.4354G	112.54	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.485G	53.40	54.00	-0.60	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.389G	67.35	74.00	-6.65	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.4306G	123.49	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.485G	68.87	74.00	-5.13	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.3898G	51.08	54.00	-2.92	3	Horizontal	0	1.50
2437MHz_TX	Pass	AV	2.443G	112.49	Inf	-Inf	3	Horizontal	0	1.50
2437MHz_TX	Pass	AV	2.4835G	53.87	54.00	-0.13	3	Horizontal	0	1.50
2437MHz_TX	Pass	PK	2.3886G	65.00	74.00	-9.00	3	Horizontal	0	1.50
2437MHz_TX	Pass	PK	2.443G	123.97	Inf	-Inf	3	Horizontal	0	1.50
2437MHz_TX	Pass	PK	2.4835G	72.75	74.00	-1.25	3	Horizontal	0	1.50
2437MHz_TX	Pass	AV	4.87718G	33.72	54.00	-20.28	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	7.31414G	39.35	54.00	-14.65	3	Vertical	109	1.50
2437MHz_TX	Pass	PK	4.87002G	43.79	74.00	-30.21	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	7.30992G	49.72	74.00	-24.28	3	Vertical	109	1.50
2437MHz_TX	Pass	AV	4.87746G	33.65	54.00	-20.35	3	Horizontal	164	1.50
2437MHz_TX	Pass	AV	7.31532G	39.26	54.00	-14.74	3	Horizontal	114	1.50
2437MHz_TX	Pass	PK	4.87704G	44.00	74.00	-30.00	3	Horizontal	164	1.50
2437MHz_TX	Pass	PK	7.3139G	49.53	74.00	-24.47	3	Horizontal	114	1.50
2457MHz_TX	Pass	AV	2.4554G	109.49	Inf	-Inf	3	Vertical	0	1.50
2457MHz_TX	Pass	AV	2.4835G	51.22	54.00	-2.78	3	Vertical	0	1.50
2457MHz_TX	Pass	PK	2.4552G	120.64	Inf	-Inf	3	Vertical	0	1.50
2457MHz_TX	Pass	PK	2.4835G	61.69	74.00	-12.31	3	Vertical	0	1.50
2457MHz_TX	Pass	AV	2.4522G	110.16	Inf	-Inf	3	Horizontal	360	1.71
2457MHz_TX	Pass	AV	2.4835G	53.84	54.00	-0.16	3	Horizontal	360	1.71
2457MHz_TX	Pass	PK	2.4522G	121.18	Inf	-Inf	3	Horizontal	360	1.71
2457MHz_TX	Pass	PK	2.4836G	68.17	74.00	-5.83	3	Horizontal	360	1.71
2462MHz_TX	Pass	AV	2.4656G	107.14	Inf	-Inf	3	Vertical	360	1.50
2462MHz_TX	Pass	AV	2.4846G	53.98	54.00	-0.02	3	Vertical	360	1.50
2462MHz_TX	Pass	PK	2.4602G	118.40	Inf	-Inf	3	Vertical	360	1.50
2462MHz_TX	Pass	PK	2.4854G	66.27	74.00	-7.73	3	Vertical	360	1.50
2462MHz_TX	Pass	AV	2.4572G	107.01	Inf	-Inf	3	Horizontal	2	1.72
2462MHz_TX	Pass	AV	2.484G	52.92	54.00	-1.08	3	Horizontal	2	1.72




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T1S_AP5022FX**

Appendix F.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz_TX	Pass	PK	2.4572G	118.01	Inf	-Inf	3	Horizontal	2	1.72
2462MHz_TX	Pass	PK	2.4836G	64.05	74.00	-9.95	3	Horizontal	2	1.72
2462MHz_TX	Pass	AV	4.92454G	33.87	54.00	-20.13	3	Vertical	329	1.50
2462MHz_TX	Pass	AV	7.3874G	39.31	54.00	-14.69	3	Vertical	202	1.50
2462MHz_TX	Pass	PK	4.92582G	43.64	74.00	-30.36	3	Vertical	329	1.50
2462MHz_TX	Pass	PK	7.38676G	49.06	74.00	-24.94	3	Vertical	202	1.50
2462MHz_TX	Pass	AV	4.91914G	33.83	54.00	-20.17	3	Horizontal	242	1.50
2462MHz_TX	Pass	AV	7.382G	39.23	54.00	-14.77	3	Horizontal	142	2.46
2462MHz_TX	Pass	PK	4.92898G	44.01	74.00	-29.99	3	Horizontal	242	1.50
2462MHz_TX	Pass	PK	7.39052G	50.32	74.00	-23.68	3	Horizontal	142	2.46


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T4S_AP5022FX**

Appendix F.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	2.4838G	53.96	54.00	-0.04	3	Vertical	3	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AIO-DQ15021-RPSMA_4T4S_AP5022FX**


Appendix F.18

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss4(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	53.41	54.00	-0.59	3	Vertical	357	1.50
2412MHz_TX	Pass	AV	2.4194G	110.28	Inf	-Inf	3	Vertical	357	1.50
2412MHz_TX	Pass	PK	2.39G	64.90	74.00	-9.10	3	Vertical	357	1.50
2412MHz_TX	Pass	PK	2.4178G	120.26	Inf	-Inf	3	Vertical	357	1.50
2412MHz_TX	Pass	AV	2.39G	53.84	54.00	-0.16	3	Horizontal	0	1.50
2412MHz_TX	Pass	AV	2.4132G	110.62	Inf	-Inf	3	Horizontal	0	1.50
2412MHz_TX	Pass	PK	2.39G	65.08	74.00	-8.92	3	Horizontal	0	1.50
2412MHz_TX	Pass	PK	2.4146G	120.41	Inf	-Inf	3	Horizontal	0	1.50
2412MHz_TX	Pass	AV	4.81916G	33.25	54.00	-20.75	3	Vertical	112	1.50
2412MHz_TX	Pass	PK	4.8253G	43.68	74.00	-30.32	3	Vertical	112	1.50
2412MHz_TX	Pass	AV	4.82656G	33.10	54.00	-20.90	3	Horizontal	275	2.42
2412MHz_TX	Pass	PK	4.82744G	43.74	74.00	-30.26	3	Horizontal	275	2.42
2437MHz_TX	Pass	AV	2.3894G	51.27	54.00	-2.73	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.4446G	111.01	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.4835G	53.00	54.00	-1.00	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.3894G	64.91	74.00	-9.09	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.431G	121.72	Inf	-Inf	3	Vertical	360	1.50
2437MHz_TX	Pass	PK	2.4838G	67.71	74.00	-6.29	3	Vertical	360	1.50
2437MHz_TX	Pass	AV	2.3898G	52.57	54.00	-1.43	3	Horizontal	0	1.79
2437MHz_TX	Pass	AV	2.4358G	111.17	Inf	-Inf	3	Horizontal	0	1.79
2437MHz_TX	Pass	AV	2.4835G	53.83	54.00	-0.17	3	Horizontal	0	1.79
2437MHz_TX	Pass	PK	2.3898G	67.79	74.00	-6.21	3	Horizontal	0	1.79
2437MHz_TX	Pass	PK	2.435G	121.99	Inf	-Inf	3	Horizontal	0	1.79
2437MHz_TX	Pass	PK	2.4842G	70.27	74.00	-3.73	3	Horizontal	0	1.79
2437MHz_TX	Pass	AV	4.8775G	33.55	54.00	-20.45	3	Vertical	342	1.50
2437MHz_TX	Pass	AV	7.31498G	39.29	54.00	-14.71	3	Vertical	116	1.50
2437MHz_TX	Pass	PK	4.871G	44.11	74.00	-29.89	3	Vertical	342	1.50
2437MHz_TX	Pass	PK	7.30632G	49.95	74.00	-24.05	3	Vertical	116	1.50
2437MHz_TX	Pass	AV	4.87038G	33.71	54.00	-20.29	3	Horizontal	120	1.09
2437MHz_TX	Pass	AV	7.3144G	39.70	54.00	-14.30	3	Horizontal	18	1.50
2437MHz_TX	Pass	PK	4.87404G	44.51	74.00	-29.49	3	Horizontal	120	1.09
2437MHz_TX	Pass	PK	7.3149G	49.73	74.00	-24.27	3	Horizontal	18	1.50
2457MHz_TX	Pass	AV	2.4644G	109.43	Inf	-Inf	3	Vertical	357	1.50
2457MHz_TX	Pass	AV	2.4835G	52.91	54.00	-1.09	3	Vertical	357	1.50
2457MHz_TX	Pass	PK	2.4628G	119.45	Inf	-Inf	3	Vertical	357	1.50
2457MHz_TX	Pass	PK	2.4835G	64.40	74.00	-9.60	3	Vertical	357	1.50
2457MHz_TX	Pass	AV	2.4582G	110.17	Inf	-Inf	3	Horizontal	0	1.46
2457MHz_TX	Pass	AV	2.4835G	53.81	54.00	-0.19	3	Horizontal	0	1.46
2457MHz_TX	Pass	PK	2.4584G	120.84	Inf	-Inf	3	Horizontal	0	1.46
2457MHz_TX	Pass	PK	2.4836G	65.91	74.00	-8.09	3	Horizontal	0	1.46
2462MHz_TX	Pass	AV	2.4694G	106.99	Inf	-Inf	3	Vertical	3	1.50
2462MHz_TX	Pass	AV	2.4838G	53.96	54.00	-0.04	3	Vertical	3	1.50
2462MHz_TX	Pass	PK	2.4678G	117.08	Inf	-Inf	3	Vertical	3	1.50
2462MHz_TX	Pass	PK	2.4838G	64.93	74.00	-9.07	3	Vertical	3	1.50
2462MHz_TX	Pass	AV	2.4634G	107.50	Inf	-Inf	3	Horizontal	357	1.50
2462MHz_TX	Pass	AV	2.4835G	53.57	54.00	-0.43	3	Horizontal	357	1.50
2462MHz_TX	Pass	PK	2.4632G	117.56	Inf	-Inf	3	Horizontal	357	1.50
2462MHz_TX	Pass	PK	2.4854G	64.25	74.00	-9.75	3	Horizontal	357	1.50
2462MHz_TX	Pass	AV	4.92118G	33.84	54.00	-20.16	3	Vertical	0	1.50
2462MHz_TX	Pass	AV	7.39028G	39.11	54.00	-14.89	3	Vertical	241	1.50
2462MHz_TX	Pass	PK	4.9211G	44.17	74.00	-29.83	3	Vertical	0	1.50
2462MHz_TX	Pass	PK	7.38194G	49.33	74.00	-24.67	3	Vertical	241	1.50
2462MHz_TX	Pass	AV	4.92282G	33.87	54.00	-20.13	3	Horizontal	220	1.41
2462MHz_TX	Pass	AV	7.38842G	39.24	54.00	-14.76	3	Horizontal	308	1.50
2462MHz_TX	Pass	PK	4.9204G	44.36	74.00	-29.64	3	Horizontal	220	1.41
2462MHz_TX	Pass	PK	7.38262G	49.76	74.00	-24.24	3	Horizontal	308	1.50


2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	30M	36.87	40.00	-3.13	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	84.32M	30.03	40.00	-9.97	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	202.66M	26.61	43.50	-16.89	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	258.92M	22.80	46.00	-23.20	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	470.38M	25.97	46.00	-20.03	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	571.26M	30.62	46.00	-15.38	3	Vertical	360	1.00
2437MHz_Adapter	Pass	QP	43.23M	29.81	40.00	-10.19	3	Vertical	150	1.00
2437MHz_Adapter	Pass	PK	30M	36.87	40.00	-3.13	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	90.14M	36.81	43.50	-6.69	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	204.6M	31.70	43.50	-11.80	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	315.18M	30.70	46.00	-15.30	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	470.38M	30.15	46.00	-15.85	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	718.7M	35.21	46.00	-10.79	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	33.88M	34.07	40.00	-5.93	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	92.08M	26.82	43.50	-16.68	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	249.22M	26.06	46.00	-19.94	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	565.44M	32.79	46.00	-13.21	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	716.76M	30.96	46.00	-15.04	3	Vertical	360	1.00
2437MHz_PoE	Pass	QP	41.62M	32.30	40.00	-7.70	3	Vertical	12	1.00
2437MHz_PoE	Pass	PK	35.82M	36.09	40.00	-3.91	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	90.14M	24.81	43.50	-18.69	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	249.22M	31.32	46.00	-14.68	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	328.76M	31.60	46.00	-14.40	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	460.68M	31.23	46.00	-14.77	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	710.94M	37.16	46.00	-8.84	3	Horizontal	0	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4835G	53.85	54.00	-0.15	3	Vertical	91	2.81
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4846G	53.70	54.00	-0.30	3	Vertical	296	2.39
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Vertical	298	2.38



RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T2S_AP5022FX

Appendix F.20

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	49.26	54.00	-4.74	3	Vertical	89	3.00
2412MHz	Pass	AV	2.4112G	113.40	Inf	-Inf	3	Vertical	89	3.00
2412MHz	Pass	PK	2.3898G	60.12	74.00	-13.88	3	Vertical	89	3.00
2412MHz	Pass	PK	2.411G	115.77	Inf	-Inf	3	Vertical	89	3.00
2412MHz	Pass	AV	2.3888G	47.22	54.00	-6.78	3	Horizontal	181	2.75
2412MHz	Pass	AV	2.4128G	106.64	Inf	-Inf	3	Horizontal	181	2.75
2412MHz	Pass	PK	2.3888G	59.54	74.00	-14.46	3	Horizontal	181	2.75
2412MHz	Pass	PK	2.4112G	108.96	Inf	-Inf	3	Horizontal	181	2.75
2412MHz	Pass	AV	4.81564G	31.54	54.00	-22.46	3	Vertical	236	1.50
2412MHz	Pass	PK	4.83108G	44.08	74.00	-29.92	3	Vertical	236	1.50
2412MHz	Pass	AV	4.81488G	31.42	54.00	-22.58	3	Horizontal	179	1.89
2412MHz	Pass	PK	4.82116G	44.83	74.00	-29.17	3	Horizontal	179	1.89
2437MHz	Pass	AV	2.3898G	46.78	54.00	-7.22	3	Vertical	202	2.07
2437MHz	Pass	AV	2.4378G	112.65	Inf	-Inf	3	Vertical	202	2.07
2437MHz	Pass	AV	2.4842G	47.43	54.00	-6.57	3	Vertical	202	2.07
2437MHz	Pass	PK	2.3562G	58.83	74.00	-15.17	3	Vertical	202	2.07
2437MHz	Pass	PK	2.4362G	115.13	Inf	-Inf	3	Vertical	202	2.07
2437MHz	Pass	PK	2.4898G	59.57	74.00	-14.43	3	Vertical	202	2.07
2437MHz	Pass	AV	2.387G	46.09	54.00	-7.91	3	Horizontal	13	1.77
2437MHz	Pass	AV	2.4362G	103.62	Inf	-Inf	3	Horizontal	13	1.77
2437MHz	Pass	AV	2.4902G	47.03	54.00	-6.97	3	Horizontal	13	1.77
2437MHz	Pass	PK	2.343G	58.65	74.00	-15.35	3	Horizontal	13	1.77
2437MHz	Pass	PK	2.4362G	105.99	Inf	-Inf	3	Horizontal	13	1.77
2437MHz	Pass	PK	2.4994G	59.48	74.00	-14.52	3	Horizontal	13	1.77
2437MHz	Pass	AV	4.86864G	31.86	54.00	-22.14	3	Vertical	304	1.50
2437MHz	Pass	PK	4.87412G	44.29	74.00	-29.71	3	Vertical	304	1.50
2437MHz	Pass	AV	4.86916G	31.83	54.00	-22.17	3	Horizontal	91	1.50
2437MHz	Pass	PK	4.87396G	44.04	74.00	-29.96	3	Horizontal	91	1.50
2462MHz	Pass	AV	2.4628G	113.64	Inf	-Inf	3	Vertical	91	2.81
2462MHz	Pass	AV	2.4835G	53.85	54.00	-0.15	3	Vertical	91	2.81
2462MHz	Pass	PK	2.4628G	116.20	Inf	-Inf	3	Vertical	91	2.81
2462MHz	Pass	PK	2.4835G	61.61	74.00	-12.39	3	Vertical	91	2.81
2462MHz	Pass	AV	2.4628G	105.23	Inf	-Inf	3	Horizontal	316	1.10
2462MHz	Pass	AV	2.4835G	47.53	54.00	-6.47	3	Horizontal	316	1.10
2462MHz	Pass	PK	2.4628G	107.67	Inf	-Inf	3	Horizontal	316	1.10
2462MHz	Pass	PK	2.4836G	60.96	74.00	-13.04	3	Horizontal	316	1.10
2462MHz	Pass	AV	4.9166G	32.14	54.00	-21.86	3	Vertical	331	1.50
2462MHz	Pass	PK	4.92188G	44.42	74.00	-29.58	3	Vertical	331	1.50
2462MHz	Pass	AV	4.9176G	32.15	54.00	-21.85	3	Horizontal	215	1.50
2462MHz	Pass	PK	4.925G	44.75	74.00	-29.25	3	Horizontal	215	1.50
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.39	54.00	-0.61	3	Vertical	90	3.00
2412MHz	Pass	AV	2.4166G	107.77	Inf	-Inf	3	Vertical	90	3.00
2412MHz	Pass	PK	2.39G	65.47	74.00	-8.53	3	Vertical	90	3.00
2412MHz	Pass	PK	2.417G	115.73	Inf	-Inf	3	Vertical	90	3.00
2412MHz	Pass	AV	2.3884G	49.94	54.00	-4.06	3	Horizontal	310	1.50
2412MHz	Pass	AV	2.4178G	100.51	Inf	-Inf	3	Horizontal	310	1.50
2412MHz	Pass	PK	2.3884G	59.97	74.00	-14.03	3	Horizontal	310	1.50
2412MHz	Pass	PK	2.4182G	108.10	Inf	-Inf	3	Horizontal	310	1.50
2412MHz	Pass	AV	4.82736G	34.15	54.00	-19.85	3	Vertical	139	1.79
2412MHz	Pass	PK	4.82536G	43.98	74.00	-30.02	3	Vertical	139	1.79
2412MHz	Pass	AV	4.83332G	34.45	54.00	-19.55	3	Horizontal	207	1.37
2412MHz	Pass	PK	4.82096G	43.89	74.00	-30.11	3	Horizontal	207	1.37
2437MHz	Pass	AV	2.3894G	50.38	54.00	-3.62	3	Vertical	296	2.39
2437MHz	Pass	AV	2.4438G	109.08	Inf	-Inf	3	Vertical	296	2.39
2437MHz	Pass	AV	2.4846G	53.70	54.00	-0.30	3	Vertical	296	2.39
2437MHz	Pass	PK	2.3898G	61.51	74.00	-12.49	3	Vertical	296	2.39
2437MHz	Pass	PK	2.4434G	117.17	Inf	-Inf	3	Vertical	296	2.39
2437MHz	Pass	PK	2.4842G	67.73	74.00	-6.27	3	Vertical	296	2.39
2437MHz	Pass	AV	2.3886G	48.96	54.00	-5.04	3	Horizontal	21	1.50



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022FX**

Appendix F.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	AV	2.4342G	100.73	Inf	-Inf	3	Horizontal	21	1.50
2437MHz	Pass	AV	2.4835G	49.91	54.00	-4.09	3	Horizontal	21	1.50
2437MHz	Pass	PK	2.3722G	58.80	74.00	-15.20	3	Horizontal	21	1.50
2437MHz	Pass	PK	2.4434G	108.60	Inf	-Inf	3	Horizontal	21	1.50
2437MHz	Pass	PK	2.4838G	60.17	74.00	-13.83	3	Horizontal	21	1.50
2437MHz	Pass	AV	4.8722G	34.57	54.00	-19.43	3	Vertical	82	1.88
2437MHz	Pass	PK	4.86628G	44.57	74.00	-29.43	3	Vertical	82	1.88
2437MHz	Pass	AV	4.86812G	34.90	54.00	-19.10	3	Horizontal	97	1.20
2437MHz	Pass	PK	4.88088G	44.44	74.00	-29.56	3	Horizontal	97	1.20
2457MHz	Pass	AV	2.4592G	108.85	Inf	-Inf	3	Vertical	298	2.74
2457MHz	Pass	AV	2.4838G	52.43	54.00	-1.57	3	Vertical	298	2.74
2457MHz	Pass	PK	2.459G	116.58	Inf	-Inf	3	Vertical	298	2.74
2457MHz	Pass	PK	2.4848G	61.69	74.00	-12.31	3	Vertical	298	2.74
2457MHz	Pass	AV	2.4528G	102.73	Inf	-Inf	3	Horizontal	172	2.79
2457MHz	Pass	AV	2.4874G	50.01	54.00	-3.99	3	Horizontal	172	2.79
2457MHz	Pass	PK	2.4528G	110.16	Inf	-Inf	3	Horizontal	172	2.79
2457MHz	Pass	PK	2.4882G	59.61	74.00	-14.39	3	Horizontal	172	2.79
2462MHz	Pass	AV	2.4638G	106.38	Inf	-Inf	3	Vertical	296	2.72
2462MHz	Pass	AV	2.4835G	53.48	54.00	-0.52	3	Vertical	296	2.72
2462MHz	Pass	PK	2.4644G	114.12	Inf	-Inf	3	Vertical	296	2.72
2462MHz	Pass	PK	2.4836G	64.90	74.00	-9.10	3	Vertical	296	2.72
2462MHz	Pass	AV	2.4628G	99.71	Inf	-Inf	3	Horizontal	172	2.95
2462MHz	Pass	AV	2.484G	50.42	54.00	-3.58	3	Horizontal	172	2.95
2462MHz	Pass	PK	2.4676G	107.39	Inf	-Inf	3	Horizontal	172	2.95
2462MHz	Pass	PK	2.4835G	61.00	74.00	-13.00	3	Horizontal	172	2.95
2462MHz	Pass	AV	4.93348G	35.05	54.00	-18.95	3	Vertical	158	2.55
2462MHz	Pass	PK	4.92992G	44.52	74.00	-29.48	3	Vertical	158	2.55
2462MHz	Pass	AV	4.9204G	34.97	54.00	-19.03	3	Horizontal	337	2.76
2462MHz	Pass	PK	4.91844G	44.61	74.00	-29.39	3	Horizontal	337	2.76
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	53.87	54.00	-0.13	3	Vertical	91	3.00
2412MHz	Pass	AV	2.4094G	102.99	Inf	-Inf	3	Vertical	91	3.00
2412MHz	Pass	PK	2.3896G	65.64	74.00	-8.36	3	Vertical	91	3.00
2412MHz	Pass	PK	2.4172G	114.21	Inf	-Inf	3	Vertical	91	3.00
2412MHz	Pass	AV	2.39G	48.85	54.00	-5.15	3	Horizontal	310	1.50
2412MHz	Pass	AV	2.4176G	95.32	Inf	-Inf	3	Horizontal	310	1.50
2412MHz	Pass	PK	2.3898G	59.21	74.00	-14.79	3	Horizontal	310	1.50
2412MHz	Pass	PK	2.4202G	106.42	Inf	-Inf	3	Horizontal	310	1.50
2412MHz	Pass	AV	4.82204G	33.36	54.00	-20.64	3	Vertical	17	1.50
2412MHz	Pass	PK	4.81964G	43.82	74.00	-30.18	3	Vertical	17	1.50
2412MHz	Pass	AV	4.81672G	33.38	54.00	-20.62	3	Horizontal	67	2.28
2412MHz	Pass	PK	4.83276G	43.82	74.00	-30.18	3	Horizontal	67	2.28
2417MHz	Pass	AV	2.3896G	53.40	54.00	-0.60	3	Vertical	89	2.99
2417MHz	Pass	AV	2.422G	106.02	Inf	-Inf	3	Vertical	89	2.99
2417MHz	Pass	PK	2.3898G	64.67	74.00	-9.33	3	Vertical	89	2.99
2417MHz	Pass	PK	2.4246G	116.50	Inf	-Inf	3	Vertical	89	2.99
2417MHz	Pass	AV	2.39G	48.94	54.00	-5.06	3	Horizontal	310	1.50
2417MHz	Pass	AV	2.42G	98.45	Inf	-Inf	3	Horizontal	310	1.50
2417MHz	Pass	PK	2.39G	59.03	74.00	-14.97	3	Horizontal	310	1.50
2417MHz	Pass	PK	2.4152G	109.17	Inf	-Inf	3	Horizontal	310	1.50
2437MHz	Pass	AV	2.3898G	49.08	54.00	-4.92	3	Vertical	298	2.38
2437MHz	Pass	AV	2.4454G	106.18	Inf	-Inf	3	Vertical	298	2.38
2437MHz	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Vertical	298	2.38
2437MHz	Pass	PK	2.3894G	62.32	74.00	-11.68	3	Vertical	298	2.38
2437MHz	Pass	PK	2.4426G	116.43	Inf	-Inf	3	Vertical	298	2.38
2437MHz	Pass	PK	2.4846G	69.17	74.00	-4.83	3	Vertical	298	2.38
2437MHz	Pass	AV	2.345G	48.09	54.00	-5.91	3	Horizontal	21	1.07
2437MHz	Pass	AV	2.4454G	99.45	Inf	-Inf	3	Horizontal	21	1.07
2437MHz	Pass	AV	2.4835G	49.29	54.00	-4.71	3	Horizontal	21	1.07
2437MHz	Pass	PK	2.385G	58.58	74.00	-15.42	3	Horizontal	21	1.07
2437MHz	Pass	PK	2.443G	110.64	Inf	-Inf	3	Horizontal	21	1.07
2437MHz	Pass	PK	2.4835G	62.64	74.00	-11.36	3	Horizontal	21	1.07




**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022FX**

Appendix F.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	AV	4.86996G	33.72	54.00	-20.28	3	Vertical	72	1.50
2437MHz	Pass	PK	4.8646G	44.16	74.00	-29.84	3	Vertical	72	1.50
2437MHz	Pass	AV	4.87208G	34.01	54.00	-19.99	3	Horizontal	191	2.34
2437MHz	Pass	PK	4.8722G	45.12	74.00	-28.88	3	Horizontal	191	2.34
2457MHz	Pass	AV	2.463G	107.98	Inf	-Inf	3	Vertical	298	2.71
2457MHz	Pass	AV	2.4835G	52.84	54.00	-1.16	3	Vertical	298	2.71
2457MHz	Pass	PK	2.463G	119.61	Inf	-Inf	3	Vertical	298	2.71
2457MHz	Pass	PK	2.4835G	64.35	74.00	-9.65	3	Vertical	298	2.71
2457MHz	Pass	AV	2.4524G	101.41	Inf	-Inf	3	Horizontal	171	2.79
2457MHz	Pass	AV	2.4835G	49.38	54.00	-4.62	3	Horizontal	171	2.79
2457MHz	Pass	PK	2.4526G	112.21	Inf	-Inf	3	Horizontal	171	2.79
2457MHz	Pass	PK	2.4868G	60.24	74.00	-13.76	3	Horizontal	171	2.79
2462MHz	Pass	AV	2.458G	104.00	Inf	-Inf	3	Vertical	299	2.73
2462MHz	Pass	AV	2.4835G	53.81	54.00	-0.19	3	Vertical	299	2.73
2462MHz	Pass	PK	2.4604G	114.77	Inf	-Inf	3	Vertical	299	2.73
2462MHz	Pass	PK	2.485G	65.47	74.00	-8.53	3	Vertical	299	2.73
2462MHz	Pass	AV	2.4574G	97.62	Inf	-Inf	3	Horizontal	171	2.79
2462MHz	Pass	AV	2.4848G	50.38	54.00	-3.62	3	Horizontal	171	2.79
2462MHz	Pass	PK	2.4648G	108.41	Inf	-Inf	3	Horizontal	171	2.79
2462MHz	Pass	PK	2.485G	60.65	74.00	-13.35	3	Horizontal	171	2.79
2462MHz	Pass	AV	4.91544G	34.29	54.00	-19.71	3	Vertical	38	1.50
2462MHz	Pass	PK	4.91588G	44.36	74.00	-29.64	3	Vertical	38	1.50
2462MHz	Pass	AV	4.91924G	33.91	54.00	-20.09	3	Horizontal	209	1.50
2462MHz	Pass	PK	4.9174G	45.23	74.00	-28.77	3	Horizontal	209	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.38	54.00	-3.62	32.81	3	Vertical	296	2.39	17.57	27.29	5.52	-
AV	2.4438G	109.08	Inf	-Inf	33.12	3	Vertical	296	2.39	75.96	27.54	5.58	-
AV	2.4846G	53.70	54.00	-0.30	33.43	3	Vertical	296	2.39	20.27	27.79	5.64	-
PK	2.3898G	61.51	74.00	-12.49	32.82	3	Vertical	296	2.39	28.69	27.30	5.52	-
PK	2.4434G	117.17	Inf	-Inf	33.11	3	Vertical	296	2.39	84.06	27.53	5.58	-
PK	2.4842G	67.73	74.00	-6.27	33.42	3	Vertical	296	2.39	34.31	27.78	5.64	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	48.96	54.00	-5.04	32.81	3	Horizontal	21	1.50	16.15	27.29	5.52	-
AV	2.4342G	100.73	Inf	-Inf	33.07	3	Horizontal	21	1.50	67.66	27.50	5.57	-
AV	2.4835G	49.91	54.00	-4.09	33.40	3	Horizontal	21	1.50	16.51	27.77	5.63	-
PK	2.3722G	58.80	74.00	-15.20	32.70	3	Horizontal	21	1.50	26.10	27.20	5.50	-
PK	2.4434G	108.60	Inf	-Inf	33.11	3	Horizontal	21	1.50	75.49	27.53	5.58	-
PK	2.4838G	60.17	74.00	-13.83	33.41	3	Horizontal	21	1.50	26.76	27.78	5.63	-


2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.08	54.00	-4.92	32.82	3	Vertical	298	2.38	16.26	27.30	5.52	-
AV	2.4454G	106.18	Inf	-Inf	33.14	3	Vertical	298	2.38	73.04	27.55	5.59	-
AV	2.4835G	53.88	54.00	-0.12	33.40	3	Vertical	298	2.38	20.48	27.77	5.63	-
PK	2.3894G	62.32	74.00	-11.68	32.81	3	Vertical	298	2.38	29.51	27.29	5.52	-
PK	2.4426G	116.43	Inf	-Inf	33.11	3	Vertical	298	2.38	83.32	27.53	5.58	-
PK	2.4846G	69.17	74.00	-4.83	33.43	3	Vertical	298	2.38	35.74	27.79	5.64	-

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.345G	48.09	54.00	-5.91	32.76	3	Horizontal	21	1.07	15.33	27.30	5.46	-
AV	2.4454G	99.45	Inf	-Inf	33.14	3	Horizontal	21	1.07	66.31	27.55	5.59	-
AV	2.4835G	49.29	54.00	-4.71	33.40	3	Horizontal	21	1.07	15.89	27.77	5.63	-
PK	2.385G	58.58	74.00	-15.42	32.76	3	Horizontal	21	1.07	25.82	27.25	5.51	-
PK	2.443G	110.64	Inf	-Inf	33.11	3	Horizontal	21	1.07	77.53	27.53	5.58	-
PK	2.4835G	62.64	74.00	-11.36	33.40	3	Horizontal	21	1.07	29.24	27.77	5.63	-


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022FX**

Appendix F.21

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4838G	53.85	54.00	-0.15	3	Vertical	300	3.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	53.75	54.00	-0.25	3	Vertical	89	1.90
2412MHz	Pass	AV	2.4172G	103.41	Inf	-Inf	3	Vertical	89	1.90
2412MHz	Pass	PK	2.3896G	65.67	74.00	-8.33	3	Vertical	89	1.90
2412MHz	Pass	PK	2.417G	113.66	Inf	-Inf	3	Vertical	89	1.90
2412MHz	Pass	AV	2.39G	49.92	54.00	-4.08	3	Horizontal	173	2.99
2412MHz	Pass	AV	2.4172G	96.39	Inf	-Inf	3	Horizontal	173	2.99
2412MHz	Pass	PK	2.39G	60.62	74.00	-13.38	3	Horizontal	173	2.99
2412MHz	Pass	PK	2.419G	107.10	Inf	-Inf	3	Horizontal	173	2.99
2412MHz	Pass	AV	4.82404G	33.31	54.00	-20.69	3	Vertical	264	1.50
2412MHz	Pass	PK	4.82648G	43.98	74.00	-30.02	3	Vertical	264	1.50
2412MHz	Pass	AV	4.81932G	33.59	54.00	-20.41	3	Horizontal	250	1.50
2412MHz	Pass	PK	4.82348G	44.58	74.00	-29.42	3	Horizontal	250	1.50
2417MHz	Pass	AV	2.39G	53.74	54.00	-0.26	3	Vertical	91	2.94
2417MHz	Pass	AV	2.412G	105.13	Inf	-Inf	3	Vertical	91	2.94
2417MHz	Pass	PK	2.39G	66.57	74.00	-7.43	3	Vertical	91	2.94
2417MHz	Pass	PK	2.4232G	115.95	Inf	-Inf	3	Vertical	91	2.94
2417MHz	Pass	AV	2.3892G	50.27	54.00	-3.73	3	Horizontal	173	2.99
2417MHz	Pass	AV	2.4222G	97.98	Inf	-Inf	3	Horizontal	173	2.99
2417MHz	Pass	PK	2.3898G	61.69	74.00	-12.31	3	Horizontal	173	2.99
2417MHz	Pass	PK	2.4238G	109.18	Inf	-Inf	3	Horizontal	173	2.99
2437MHz	Pass	AV	2.3886G	49.69	54.00	-4.31	3	Vertical	300	3.00
2437MHz	Pass	AV	2.4442G	105.81	Inf	-Inf	3	Vertical	300	3.00
2437MHz	Pass	AV	2.4838G	53.85	54.00	-0.15	3	Vertical	300	3.00
2437MHz	Pass	PK	2.3898G	65.31	74.00	-8.69	3	Vertical	300	3.00
2437MHz	Pass	PK	2.4458G	118.16	Inf	-Inf	3	Vertical	300	3.00
2437MHz	Pass	PK	2.4842G	71.78	74.00	-2.22	3	Vertical	300	3.00
2437MHz	Pass	AV	2.389G	48.42	54.00	-5.58	3	Horizontal	22	1.64
2437MHz	Pass	AV	2.443G	97.74	Inf	-Inf	3	Horizontal	22	1.64
2437MHz	Pass	AV	2.4962G	49.23	54.00	-4.77	3	Horizontal	22	1.64
2437MHz	Pass	PK	2.3582G	59.18	74.00	-14.82	3	Horizontal	22	1.64
2437MHz	Pass	PK	2.4394G	108.41	Inf	-Inf	3	Horizontal	22	1.64
2437MHz	Pass	PK	2.4838G	63.37	74.00	-10.63	3	Horizontal	22	1.64
2437MHz	Pass	AV	4.87424G	33.89	54.00	-20.11	3	Vertical	348	1.52
2437MHz	Pass	PK	4.864G	44.90	74.00	-29.10	3	Vertical	348	1.52
2437MHz	Pass	AV	4.88152G	33.71	54.00	-20.29	3	Horizontal	277	1.50
2437MHz	Pass	PK	4.8742G	44.13	74.00	-29.87	3	Horizontal	277	1.50
2457MHz	Pass	AV	2.4594G	106.38	Inf	-Inf	3	Vertical	297	2.70
2457MHz	Pass	AV	2.4835G	51.89	54.00	-2.11	3	Vertical	297	2.70
2457MHz	Pass	PK	2.4524G	117.33	Inf	-Inf	3	Vertical	297	2.70
2457MHz	Pass	PK	2.4835G	62.91	74.00	-11.09	3	Vertical	297	2.70
2457MHz	Pass	AV	2.453G	99.63	Inf	-Inf	3	Horizontal	170	2.78
2457MHz	Pass	AV	2.4835G	49.57	54.00	-4.43	3	Horizontal	170	2.78
2457MHz	Pass	PK	2.4522G	110.49	Inf	-Inf	3	Horizontal	170	2.78
2457MHz	Pass	PK	2.4846G	59.37	74.00	-14.63	3	Horizontal	170	2.78
2462MHz	Pass	AV	2.4642G	103.19	Inf	-Inf	3	Vertical	299	2.74
2462MHz	Pass	AV	2.4835G	53.61	54.00	-0.39	3	Vertical	299	2.74
2462MHz	Pass	PK	2.4576G	114.81	Inf	-Inf	3	Vertical	299	2.74
2462MHz	Pass	PK	2.4836G	65.97	74.00	-8.03	3	Vertical	299	2.74
2462MHz	Pass	AV	2.4548G	96.34	Inf	-Inf	3	Horizontal	173	2.80
2462MHz	Pass	AV	2.4835G	49.71	54.00	-4.29	3	Horizontal	173	2.80
2462MHz	Pass	PK	2.4536G	106.98	Inf	-Inf	3	Horizontal	173	2.80
2462MHz	Pass	PK	2.4848G	61.44	74.00	-12.56	3	Horizontal	173	2.80
2462MHz	Pass	AV	4.9248G	34.02	54.00	-19.98	3	Vertical	170	1.69
2462MHz	Pass	PK	4.92608G	45.59	74.00	-28.41	3	Vertical	170	1.69
2462MHz	Pass	AV	4.9224G	34.27	54.00	-19.73	3	Horizontal	255	1.50
2462MHz	Pass	PK	4.92884G	44.77	74.00	-29.23	3	Horizontal	255	1.50

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	49.69	54.00	-4.31	32.81	3	Vertical	300	3.00	16.88	27.29	5.52	-
AV	2.4442G	105.81	Inf	-Inf	33.13	3	Vertical	300	3.00	72.68	27.54	5.59	-
AV	2.4838G	53.85	54.00	-0.15	33.41	3	Vertical	300	3.00	20.44	27.78	5.63	-
PK	2.3898G	65.31	74.00	-8.69	32.82	3	Vertical	300	3.00	32.49	27.30	5.52	-
PK	2.4458G	118.16	Inf	-Inf	33.15	3	Vertical	300	3.00	85.01	27.56	5.59	-
PK	2.4842G	71.78	74.00	-2.22	33.42	3	Vertical	300	3.00	38.36	27.78	5.64	-

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.42	54.00	-5.58	32.81	3	Horizontal	22	1.64	15.61	27.29	5.52	-
AV	2.443G	97.74	Inf	-Inf	33.11	3	Horizontal	22	1.64	64.63	27.53	5.58	-
AV	2.4962G	49.23	54.00	-4.77	33.55	3	Horizontal	22	1.64	15.68	27.90	5.65	-
PK	2.3582G	59.18	74.00	-14.82	32.70	3	Horizontal	22	1.64	26.48	27.22	5.48	-
PK	2.4394G	108.41	Inf	-Inf	33.08	3	Horizontal	22	1.64	75.33	27.50	5.58	-
PK	2.4838G	63.37	74.00	-10.63	33.41	3	Horizontal	22	1.64	29.96	27.78	5.63	-


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.97543G	46.13	54.00	-7.87	Horizontal
Mode 2	Pass	AV	15.97212G	46.01	54.00	-7.99	Vertical
Mode 3	Pass	AV	12.68812G	45.96	54.00	-8.04	Vertical
Mode 4	Pass	AV	12.6932G	46.02	54.00	-7.98	Vertical
Mode 5	Pass	AV	15.98392G	45.93	54.00	-8.07	Vertical
Mode 6	Pass	AV	15.9668G	45.99	54.00	-8.01	Horizontal
Mode 7	Pass	AV	15.97253G	46.02	54.00	-7.98	Horizontal
Mode 8	Pass	AV	12.3776G	45.99	54.00	-8.01	Vertical
Mode 9	Pass	AV	12.6825G	46.33	54.00	-7.67	Horizontal
Mode 10	Pass	AV	15.97474G	46.08	54.00	-7.92	Vertical
Mode 11	Pass	AV	12.37182G	45.76	54.00	-8.24	Horizontal
Mode 12	Pass	AV	12.68798G	46.03	54.00	-7.97	Horizontal
Mode 13	Pass	AV	12.37193G	45.58	54.00	-8.42	Vertical
Mode 14	Pass	AV	15.97239G	45.87	54.00	-8.13	Horizontal
Mode 15	Pass	AV	13.32985G	46.30	54.00	-7.70	Vertical
Mode 16	Pass	AV	13.33117G	45.87	54.00	-8.13	Vertical
Mode 17	Pass	AV	13.33234G	45.99	54.00	-8.01	Vertical
Mode 18	Pass	AV	12.3552G	46.66	54.00	-7.34	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87394G	34.90	54.00	-19.10	3	Vertical	360	1.54
Mode 1	Pass	AV	4.92516G	34.37	54.00	-19.63	3	Vertical	332	1.50
Mode 1	Pass	AV	4.97404G	34.47	54.00	-19.53	3	Vertical	346	1.10
Mode 1	Pass	AV	7.29618G	40.60	54.00	-13.40	3	Vertical	6	1.50
Mode 1	Pass	AV	11.39826G	44.83	54.00	-9.17	3	Vertical	317	1.50
Mode 1	Pass	AV	12.36911G	45.46	54.00	-8.54	3	Vertical	259	1.50
Mode 1	Pass	AV	15.97357G	46.07	54.00	-7.93	3	Vertical	260	1.50
Mode 1	Pass	PK	4.87365G	46.45	74.00	-27.55	3	Vertical	360	1.54
Mode 1	Pass	PK	4.92633G	46.92	74.00	-27.08	3	Vertical	332	1.50
Mode 1	Pass	PK	4.9537G	46.72	74.00	-27.28	3	Vertical	346	1.10
Mode 1	Pass	PK	7.29948G	52.70	74.00	-21.30	3	Vertical	6	1.50
Mode 1	Pass	PK	11.39925G	57.11	74.00	-16.89	3	Vertical	317	1.50
Mode 1	Pass	PK	12.36902G	57.37	74.00	-16.63	3	Vertical	259	1.50
Mode 1	Pass	PK	15.97334G	58.81	74.00	-15.19	3	Vertical	260	1.50
Mode 1	Pass	AV	4.87462G	34.12	54.00	-19.88	3	Horizontal	314	1.50
Mode 1	Pass	AV	4.92646G	34.44	54.00	-19.56	3	Horizontal	0	1.49
Mode 1	Pass	AV	4.9589G	34.24	54.00	-19.76	3	Horizontal	90	2.36
Mode 1	Pass	AV	7.31215G	41.01	54.00	-12.99	3	Horizontal	9	1.49
Mode 1	Pass	AV	11.40239G	44.82	54.00	-9.18	3	Horizontal	104	1.50
Mode 1	Pass	AV	12.37091G	45.31	54.00	-8.69	3	Horizontal	360	1.50
Mode 1	Pass	AV	15.97543G	46.13	54.00	-7.87	3	Horizontal	221	2.56
Mode 1	Pass	PK	4.8741G	46.50	74.00	-27.50	3	Horizontal	314	1.50
Mode 1	Pass	PK	4.92597G	46.69	74.00	-27.31	3	Horizontal	0	1.49
Mode 1	Pass	PK	4.96074G	46.62	74.00	-27.38	3	Horizontal	90	2.36
Mode 1	Pass	PK	7.31232G	53.30	74.00	-20.70	3	Horizontal	9	1.49
Mode 1	Pass	PK	11.40018G	57.40	74.00	-16.60	3	Horizontal	104	1.50
Mode 1	Pass	PK	12.37092G	57.57	74.00	-16.43	3	Horizontal	360	1.50
Mode 1	Pass	PK	15.97417G	58.56	74.00	-15.44	3	Horizontal	221	2.56
Mode 2	Pass	AV	4.87384G	34.36	54.00	-19.64	3	Vertical	0	1.50
Mode 2	Pass	AV	4.95824G	34.24	54.00	-19.76	3	Vertical	333	1.50
Mode 2	Pass	AV	7.3114G	40.53	54.00	-13.47	3	Vertical	0	1.50
Mode 2	Pass	AV	11.40041G	44.94	54.00	-9.06	3	Vertical	282	1.50
Mode 2	Pass	AV	11.49244G	44.27	54.00	-9.73	3	Vertical	332	2.48
Mode 2	Pass	AV	12.36756G	45.58	54.00	-8.42	3	Vertical	58	2.69
Mode 2	Pass	AV	15.97212G	46.01	54.00	-7.99	3	Vertical	350	1.69
Mode 2	Pass	PK	4.8676G	46.50	74.00	-27.50	3	Vertical	0	1.50
Mode 2	Pass	PK	4.96053G	47.21	74.00	-26.79	3	Vertical	333	1.50
Mode 2	Pass	PK	7.30428G	52.93	74.00	-21.07	3	Vertical	0	1.50
Mode 2	Pass	PK	11.39955G	57.93	74.00	-16.07	3	Vertical	282	1.50
Mode 2	Pass	PK	11.49006G	56.27	74.00	-17.73	3	Vertical	332	2.48
Mode 2	Pass	PK	12.37139G	58.03	74.00	-15.97	3	Vertical	58	2.69
Mode 2	Pass	PK	15.97267G	58.30	74.00	-15.70	3	Vertical	350	1.69
Mode 2	Pass	AV	4.87624G	34.16	54.00	-19.84	3	Horizontal	37	1.50
Mode 2	Pass	AV	4.9591G	34.27	54.00	-19.73	3	Horizontal	76	1.50
Mode 2	Pass	AV	7.30988G	40.95	54.00	-13.05	3	Horizontal	7	2.03
Mode 2	Pass	AV	11.39793G	44.80	54.00	-9.20	3	Horizontal	213	1.50
Mode 2	Pass	AV	11.49214G	44.27	54.00	-9.73	3	Horizontal	239	1.50
Mode 2	Pass	AV	12.36751G	45.69	54.00	-8.31	3	Horizontal	335	2.33
Mode 2	Pass	AV	15.97448G	45.92	54.00	-8.08	3	Horizontal	116	1.50
Mode 2	Pass	PK	4.8756G	46.30	74.00	-27.70	3	Horizontal	37	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	4.96029G	46.72	74.00	-27.28	3	Horizontal	76	1.50
Mode 2	Pass	PK	7.31184G	52.68	74.00	-21.32	3	Horizontal	7	2.03
Mode 2	Pass	PK	11.40031G	57.26	74.00	-16.74	3	Horizontal	213	1.50
Mode 2	Pass	PK	11.48921G	56.42	74.00	-17.58	3	Horizontal	239	1.50
Mode 2	Pass	PK	12.37167G	57.78	74.00	-16.22	3	Horizontal	335	2.33
Mode 2	Pass	PK	15.97666G	58.95	74.00	-15.05	3	Horizontal	116	1.50
Mode 3	Pass	AV	4.874G	36.74	54.00	-17.26	3	Vertical	254	1.50
Mode 3	Pass	AV	4.95324G	34.68	54.00	-19.32	3	Vertical	179	2.21
Mode 3	Pass	AV	7.31196G	40.11	54.00	-13.89	3	Vertical	193	2.51
Mode 3	Pass	AV	11.40213G	44.83	54.00	-9.17	3	Vertical	215	1.50
Mode 3	Pass	AV	12.36996G	45.89	54.00	-8.11	3	Vertical	76	1.34
Mode 3	Pass	AV	12.68812G	45.96	54.00	-8.04	3	Vertical	69	2.10
Mode 3	Pass	AV	15.97588G	45.85	54.00	-8.15	3	Vertical	228	3.00
Mode 3	Pass	PK	4.87952G	47.50	74.00	-26.50	3	Vertical	254	1.50
Mode 3	Pass	PK	4.953G	46.99	74.00	-27.01	3	Vertical	179	2.21
Mode 3	Pass	PK	7.30888G	52.35	74.00	-21.65	3	Vertical	193	2.51
Mode 3	Pass	PK	11.40196G	56.88	74.00	-17.12	3	Vertical	215	1.50
Mode 3	Pass	PK	12.3711G	57.61	74.00	-16.39	3	Vertical	76	1.34
Mode 3	Pass	PK	12.68998G	58.39	74.00	-15.61	3	Vertical	69	2.10
Mode 3	Pass	PK	15.97307G	58.25	74.00	-15.75	3	Vertical	228	3.00
Mode 3	Pass	AV	4.8784G	34.33	54.00	-19.67	3	Horizontal	360	1.50
Mode 3	Pass	AV	4.95068G	34.75	54.00	-19.25	3	Horizontal	299	2.32
Mode 3	Pass	AV	7.31576G	39.27	54.00	-14.73	3	Horizontal	38	1.32
Mode 3	Pass	AV	11.40035G	44.85	54.00	-9.15	3	Horizontal	0	1.50
Mode 3	Pass	AV	12.37002G	45.52	54.00	-8.48	3	Horizontal	353	2.36
Mode 3	Pass	AV	12.69013G	45.85	54.00	-8.15	3	Horizontal	176	1.50
Mode 3	Pass	AV	15.97225G	45.80	54.00	-8.20	3	Horizontal	84	1.50
Mode 3	Pass	PK	4.86484G	46.09	74.00	-27.91	3	Horizontal	360	1.50
Mode 3	Pass	PK	4.95652G	47.72	74.00	-26.28	3	Horizontal	299	2.32
Mode 3	Pass	PK	7.31004G	51.36	74.00	-22.64	3	Horizontal	38	1.32
Mode 3	Pass	PK	11.40108G	57.18	74.00	-16.82	3	Horizontal	0	1.50
Mode 3	Pass	PK	12.3684G	58.12	74.00	-15.88	3	Horizontal	353	2.36
Mode 3	Pass	PK	12.69082G	58.35	74.00	-15.65	3	Horizontal	176	1.50
Mode 3	Pass	PK	15.97269G	57.71	74.00	-16.29	3	Horizontal	84	1.50
Mode 4	Pass	AV	4.87396G	34.64	54.00	-19.36	3	Vertical	0	1.49
Mode 4	Pass	AV	4.95632G	34.37	54.00	-19.63	3	Vertical	88	1.50
Mode 4	Pass	AV	7.30392G	40.57	54.00	-13.43	3	Vertical	6	1.81
Mode 4	Pass	AV	11.39516G	44.77	54.00	-9.23	3	Vertical	185	1.50
Mode 4	Pass	AV	12.36584G	45.66	54.00	-8.34	3	Vertical	29	2.92
Mode 4	Pass	AV	12.6932G	46.02	54.00	-7.98	3	Vertical	315	1.50
Mode 4	Pass	AV	15.9662G	45.86	54.00	-8.14	3	Vertical	114	1.65
Mode 4	Pass	PK	4.8786G	46.88	74.00	-27.12	3	Vertical	0	1.49
Mode 4	Pass	PK	4.95024G	46.99	74.00	-27.01	3	Vertical	88	1.50
Mode 4	Pass	PK	7.31376G	53.08	74.00	-20.92	3	Vertical	6	1.81
Mode 4	Pass	PK	11.40508G	56.89	74.00	-17.11	3	Vertical	185	1.50
Mode 4	Pass	PK	12.3748G	58.06	74.00	-15.94	3	Vertical	29	2.92
Mode 4	Pass	PK	12.6812G	58.16	74.00	-15.84	3	Vertical	315	1.50
Mode 4	Pass	PK	15.97388G	57.81	74.00	-16.19	3	Vertical	114	1.65
Mode 4	Pass	AV	4.87392G	34.86	54.00	-19.14	3	Horizontal	359	1.47
Mode 4	Pass	AV	4.95232G	34.43	54.00	-19.57	3	Horizontal	166	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 4	Pass	AV	7.31268G	40.83	54.00	-13.17	3	Horizontal	8	1.50
Mode 4	Pass	AV	11.39984G	44.76	54.00	-9.24	3	Horizontal	59	1.50
Mode 4	Pass	AV	12.36724G	45.34	54.00	-8.66	3	Horizontal	343	2.62
Mode 4	Pass	AV	12.69G	45.78	54.00	-8.22	3	Horizontal	170	2.57
Mode 4	Pass	AV	15.96476G	45.84	54.00	-8.16	3	Horizontal	242	1.28
Mode 4	Pass	PK	4.87692G	46.40	74.00	-27.60	3	Horizontal	359	1.47
Mode 4	Pass	PK	4.9686G	46.51	74.00	-27.49	3	Horizontal	166	1.50
Mode 4	Pass	PK	7.3162G	53.65	74.00	-20.35	3	Horizontal	8	1.50
Mode 4	Pass	PK	11.39692G	57.33	74.00	-16.67	3	Horizontal	59	1.50
Mode 4	Pass	PK	12.37068G	57.55	74.00	-16.45	3	Horizontal	343	2.62
Mode 4	Pass	PK	12.6888G	57.97	74.00	-16.03	3	Horizontal	170	2.57
Mode 4	Pass	PK	15.96516G	58.43	74.00	-15.57	3	Horizontal	242	1.28
Mode 5	Pass	AV	4.874G	34.82	54.00	-19.18	3	Vertical	0	1.51
Mode 5	Pass	AV	4.95204G	34.37	54.00	-19.63	3	Vertical	110	1.50
Mode 5	Pass	AV	7.31644G	39.07	54.00	-14.93	3	Vertical	170	1.50
Mode 5	Pass	AV	11.3966G	44.57	54.00	-9.43	3	Vertical	338	2.22
Mode 5	Pass	AV	11.49868G	44.32	54.00	-9.68	3	Vertical	82	1.50
Mode 5	Pass	AV	12.37676G	45.29	54.00	-8.71	3	Vertical	130	2.71
Mode 5	Pass	AV	15.98392G	45.93	54.00	-8.07	3	Vertical	228	2.69
Mode 5	Pass	PK	4.87652G	46.53	74.00	-27.47	3	Vertical	0	1.51
Mode 5	Pass	PK	4.96304G	46.50	74.00	-27.50	3	Vertical	110	1.50
Mode 5	Pass	PK	7.31644G	51.45	74.00	-22.55	3	Vertical	170	1.50
Mode 5	Pass	PK	11.40288G	57.12	74.00	-16.88	3	Vertical	338	2.22
Mode 5	Pass	PK	11.49796G	56.43	74.00	-17.57	3	Vertical	82	1.50
Mode 5	Pass	PK	12.36456G	57.67	74.00	-16.33	3	Vertical	130	2.71
Mode 5	Pass	PK	15.97168G	57.77	74.00	-16.23	3	Vertical	228	2.69
Mode 5	Pass	AV	4.87404G	36.06	54.00	-17.94	3	Horizontal	360	1.50
Mode 5	Pass	AV	4.96976G	34.54	54.00	-19.46	3	Horizontal	108	2.06
Mode 5	Pass	AV	7.31156G	39.09	54.00	-14.91	3	Horizontal	356	1.50
Mode 5	Pass	AV	11.39012G	44.55	54.00	-9.45	3	Horizontal	140	2.16
Mode 5	Pass	AV	11.4998G	44.34	54.00	-9.66	3	Horizontal	223	1.25
Mode 5	Pass	AV	12.37464G	45.32	54.00	-8.68	3	Horizontal	257	1.50
Mode 5	Pass	AV	15.96504G	45.86	54.00	-8.14	3	Horizontal	259	1.50
Mode 5	Pass	PK	4.87388G	47.12	74.00	-26.88	3	Horizontal	360	1.50
Mode 5	Pass	PK	4.96848G	46.53	74.00	-27.47	3	Horizontal	108	2.06
Mode 5	Pass	PK	7.31808G	51.17	74.00	-22.83	3	Horizontal	356	1.50
Mode 5	Pass	PK	11.39788G	56.76	74.00	-17.24	3	Horizontal	140	2.16
Mode 5	Pass	PK	11.496G	56.48	74.00	-17.52	3	Horizontal	223	1.25
Mode 5	Pass	PK	12.37848G	57.45	74.00	-16.55	3	Horizontal	257	1.50
Mode 5	Pass	PK	15.97832G	58.68	74.00	-15.32	3	Horizontal	259	1.50
Mode 6	Pass	AV	4.87396G	35.45	54.00	-18.55	3	Vertical	0	1.38
Mode 6	Pass	AV	4.95504G	34.74	54.00	-19.26	3	Vertical	215	2.09
Mode 6	Pass	AV	7.31236G	39.70	54.00	-14.30	3	Vertical	195	2.64
Mode 6	Pass	AV	11.3966G	44.86	54.00	-9.14	3	Vertical	0	1.50
Mode 6	Pass	AV	12.36388G	45.86	54.00	-8.14	3	Vertical	82	2.90
Mode 6	Pass	AV	12.69128G	45.92	54.00	-8.08	3	Vertical	331	1.50
Mode 6	Pass	AV	15.96848G	45.97	54.00	-8.03	3	Vertical	33	1.96
Mode 6	Pass	PK	4.87732G	46.50	74.00	-27.50	3	Vertical	0	1.38
Mode 6	Pass	PK	4.95508G	47.08	74.00	-26.92	3	Vertical	215	2.09
Mode 6	Pass	PK	7.31396G	52.02	74.00	-21.98	3	Vertical	195	2.64

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 6	Pass	PK	11.39024G	56.86	74.00	-17.14	3	Vertical	0	1.50
Mode 6	Pass	PK	12.37912G	58.24	74.00	-15.76	3	Vertical	82	2.90
Mode 6	Pass	PK	12.69216G	58.68	74.00	-15.32	3	Vertical	331	1.50
Mode 6	Pass	PK	15.98108G	58.30	74.00	-15.70	3	Vertical	33	1.96
Mode 6	Pass	AV	4.87392G	37.39	54.00	-16.61	3	Horizontal	0	1.66
Mode 6	Pass	AV	4.96964G	35.01	54.00	-18.99	3	Horizontal	90	2.81
Mode 6	Pass	AV	7.31176G	39.36	54.00	-14.64	3	Horizontal	81	1.50
Mode 6	Pass	AV	11.39G	44.69	54.00	-9.31	3	Horizontal	357	1.50
Mode 6	Pass	AV	12.37552G	45.40	54.00	-8.60	3	Horizontal	304	1.50
Mode 6	Pass	AV	12.68624G	45.89	54.00	-8.11	3	Horizontal	246	1.50
Mode 6	Pass	AV	15.9668G	45.99	54.00	-8.01	3	Horizontal	356	1.50
Mode 6	Pass	PK	4.874G	47.23	74.00	-26.77	3	Horizontal	0	1.66
Mode 6	Pass	PK	4.95716G	47.30	74.00	-26.70	3	Horizontal	90	2.81
Mode 6	Pass	PK	7.31368G	51.66	74.00	-22.34	3	Horizontal	81	1.50
Mode 6	Pass	PK	11.40516G	57.03	74.00	-16.97	3	Horizontal	357	1.50
Mode 6	Pass	PK	12.37636G	58.01	74.00	-15.99	3	Horizontal	304	1.50
Mode 6	Pass	PK	12.69384G	58.18	74.00	-15.82	3	Horizontal	246	1.50
Mode 6	Pass	PK	15.97528G	59.08	74.00	-14.92	3	Horizontal	356	1.50
Mode 7	Pass	AV	4.92162G	34.39	54.00	-19.61	3	Vertical	38	1.50
Mode 7	Pass	AV	4.95949G	34.49	54.00	-19.51	3	Vertical	40	1.50
Mode 7	Pass	AV	10.6322G	44.95	54.00	-9.05	3	Vertical	11	1.76
Mode 7	Pass	AV	11.39808G	44.93	54.00	-9.07	3	Vertical	319	1.50
Mode 7	Pass	AV	12.36961G	45.99	54.00	-8.01	3	Vertical	121	2.56
Mode 7	Pass	AV	15.97579G	45.94	54.00	-8.06	3	Vertical	197	2.38
Mode 7	Pass	PK	4.92479G	46.93	74.00	-27.07	3	Vertical	38	1.50
Mode 7	Pass	PK	4.95873G	47.48	74.00	-26.52	3	Vertical	40	1.50
Mode 7	Pass	PK	10.6379G	57.55	74.00	-16.45	3	Vertical	11	1.76
Mode 7	Pass	PK	11.40096G	57.58	74.00	-16.42	3	Vertical	319	1.50
Mode 7	Pass	PK	12.37246G	58.34	74.00	-15.66	3	Vertical	121	2.56
Mode 7	Pass	PK	15.97302G	58.09	74.00	-15.91	3	Vertical	197	2.38
Mode 7	Pass	AV	4.92303G	34.41	54.00	-19.59	3	Horizontal	141	1.27
Mode 7	Pass	AV	4.97176G	34.64	54.00	-19.36	3	Horizontal	124	2.95
Mode 7	Pass	AV	10.63856G	45.20	54.00	-8.80	3	Horizontal	14	1.81
Mode 7	Pass	AV	11.39931G	44.84	54.00	-9.16	3	Horizontal	277	1.50
Mode 7	Pass	AV	12.36804G	45.69	54.00	-8.31	3	Horizontal	239	2.98
Mode 7	Pass	AV	15.97253G	46.02	54.00	-7.98	3	Horizontal	29	2.45
Mode 7	Pass	PK	4.92332G	47.14	74.00	-26.86	3	Horizontal	141	1.27
Mode 7	Pass	PK	4.95556G	47.30	74.00	-26.70	3	Horizontal	124	2.95
Mode 7	Pass	PK	10.63406G	57.85	74.00	-16.15	3	Horizontal	14	1.81
Mode 7	Pass	PK	11.40045G	57.20	74.00	-16.80	3	Horizontal	277	1.50
Mode 7	Pass	PK	12.36822G	57.36	74.00	-16.64	3	Horizontal	239	2.98
Mode 7	Pass	PK	15.97382G	58.22	74.00	-15.78	3	Horizontal	29	2.45
Mode 8	Pass	AV	4.95268G	34.95	54.00	-19.05	3	Vertical	274	1.50
Mode 8	Pass	AV	10.64116G	44.41	54.00	-9.59	3	Vertical	204	2.07
Mode 8	Pass	AV	11.4082G	44.63	54.00	-9.37	3	Vertical	218	1.50
Mode 8	Pass	AV	11.49716G	45.07	54.00	-8.93	3	Vertical	95	2.81
Mode 8	Pass	AV	12.3776G	45.99	54.00	-8.01	3	Vertical	206	1.50
Mode 8	Pass	AV	15.98172G	45.87	54.00	-8.13	3	Vertical	298	1.50
Mode 8	Pass	PK	4.9664G	47.35	74.00	-26.65	3	Vertical	274	1.50
Mode 8	Pass	PK	10.64148G	56.63	74.00	-17.37	3	Vertical	204	2.07

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 8	Pass	PK	11.40012G	56.49	74.00	-17.51	3	Vertical	218	1.50
Mode 8	Pass	PK	11.4902G	57.16	74.00	-16.84	3	Vertical	95	2.81
Mode 8	Pass	PK	12.36096G	58.12	74.00	-15.88	3	Vertical	206	1.50
Mode 8	Pass	PK	15.97936G	57.70	74.00	-16.30	3	Vertical	298	1.50
Mode 8	Pass	AV	4.9512G	34.80	54.00	-19.20	3	Horizontal	166	2.98
Mode 8	Pass	AV	10.63084G	44.18	54.00	-9.82	3	Horizontal	220	1.23
Mode 8	Pass	AV	11.40832G	44.55	54.00	-9.45	3	Horizontal	13	1.50
Mode 8	Pass	AV	11.49892G	45.09	54.00	-8.91	3	Horizontal	360	1.50
Mode 8	Pass	AV	12.37468G	45.93	54.00	-8.07	3	Horizontal	237	1.50
Mode 8	Pass	AV	15.98216G	45.91	54.00	-8.09	3	Horizontal	33	1.91
Mode 8	Pass	PK	4.96964G	47.19	74.00	-26.81	3	Horizontal	166	2.98
Mode 8	Pass	PK	10.6452G	56.81	74.00	-17.19	3	Horizontal	220	1.23
Mode 8	Pass	PK	11.39548G	56.97	74.00	-17.03	3	Horizontal	13	1.50
Mode 8	Pass	PK	11.48632G	57.34	74.00	-16.66	3	Horizontal	360	1.50
Mode 8	Pass	PK	12.36592G	58.70	74.00	-15.30	3	Horizontal	237	1.50
Mode 8	Pass	PK	15.97608G	58.64	74.00	-15.36	3	Horizontal	33	1.91
Mode 9	Pass	AV	4.96013G	34.87	54.00	-19.13	3	Vertical	276	2.02
Mode 9	Pass	AV	10.6379G	43.87	54.00	-10.13	3	Vertical	229	1.50
Mode 9	Pass	AV	11.39958G	44.92	54.00	-9.08	3	Vertical	146	2.05
Mode 9	Pass	AV	12.36951G	45.81	54.00	-8.19	3	Vertical	154	2.08
Mode 9	Pass	AV	12.68791G	46.24	54.00	-7.76	3	Vertical	219	1.38
Mode 9	Pass	AV	15.98538G	46.16	54.00	-7.84	3	Vertical	93	1.50
Mode 9	Pass	PK	4.95937G	47.30	74.00	-26.70	3	Vertical	276	2.02
Mode 9	Pass	PK	10.63775G	56.19	74.00	-17.81	3	Vertical	229	1.50
Mode 9	Pass	PK	11.40231G	57.17	74.00	-16.83	3	Vertical	146	2.05
Mode 9	Pass	PK	12.3704G	58.32	74.00	-15.68	3	Vertical	154	2.08
Mode 9	Pass	PK	12.68911G	58.28	74.00	-15.72	3	Vertical	219	1.38
Mode 9	Pass	PK	15.98346G	58.24	74.00	-15.76	3	Vertical	93	1.50
Mode 9	Pass	AV	4.95856G	34.80	54.00	-19.20	3	Horizontal	333	2.48
Mode 9	Pass	AV	10.64198G	43.83	54.00	-10.17	3	Horizontal	341	2.87
Mode 9	Pass	AV	11.40088G	44.97	54.00	-9.03	3	Horizontal	23	2.23
Mode 9	Pass	AV	12.37258G	45.81	54.00	-8.19	3	Horizontal	283	1.03
Mode 9	Pass	AV	12.6825G	46.33	54.00	-7.67	3	Horizontal	291	2.55
Mode 9	Pass	AV	15.97234G	45.99	54.00	-8.01	3	Horizontal	240	1.50
Mode 9	Pass	PK	4.96163G	47.03	74.00	-26.97	3	Horizontal	333	2.48
Mode 9	Pass	PK	10.63876G	56.76	74.00	-17.24	3	Horizontal	341	2.87
Mode 9	Pass	PK	11.40154G	57.21	74.00	-16.79	3	Horizontal	23	2.23
Mode 9	Pass	PK	12.36088G	58.40	74.00	-15.60	3	Horizontal	283	1.03
Mode 9	Pass	PK	12.68964G	58.94	74.00	-15.06	3	Horizontal	291	2.55
Mode 9	Pass	PK	15.97599G	58.84	74.00	-15.16	3	Horizontal	240	1.50
Mode 10	Pass	AV	4.92022G	34.58	54.00	-19.42	3	Vertical	148	1.50
Mode 10	Pass	AV	4.96023G	34.70	54.00	-19.30	3	Vertical	122	1.50
Mode 10	Pass	AV	10.63885G	43.86	54.00	-10.14	3	Vertical	165	1.50
Mode 10	Pass	AV	11.40156G	44.93	54.00	-9.07	3	Vertical	87	1.60
Mode 10	Pass	AV	12.37005G	45.77	54.00	-8.23	3	Vertical	245	1.50
Mode 10	Pass	AV	15.97474G	46.08	54.00	-7.92	3	Vertical	241	1.50
Mode 10	Pass	PK	4.93774G	47.00	74.00	-27.00	3	Vertical	148	1.50
Mode 10	Pass	PK	4.95835G	46.85	74.00	-27.15	3	Vertical	122	1.50
Mode 10	Pass	PK	10.63786G	56.15	74.00	-17.85	3	Vertical	165	1.50
Mode 10	Pass	PK	11.40243G	57.27	74.00	-16.73	3	Vertical	87	1.60

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 10	Pass	PK	12.37049G	58.69	74.00	-15.31	3	Vertical	245	1.50
Mode 10	Pass	PK	15.97345G	58.35	74.00	-15.65	3	Vertical	241	1.50
Mode 10	Pass	AV	4.9218G	34.52	54.00	-19.48	3	Horizontal	178	1.50
Mode 10	Pass	AV	4.95853G	34.58	54.00	-19.42	3	Horizontal	346	2.54
Mode 10	Pass	AV	10.63778G	43.83	54.00	-10.17	3	Horizontal	300	2.64
Mode 10	Pass	AV	11.3928G	44.89	54.00	-9.11	3	Horizontal	120	1.99
Mode 10	Pass	AV	12.36755G	45.65	54.00	-8.35	3	Horizontal	56	2.39
Mode 10	Pass	AV	15.97194G	46.07	54.00	-7.93	3	Horizontal	231	1.20
Mode 10	Pass	PK	4.92314G	46.86	74.00	-27.14	3	Horizontal	178	1.50
Mode 10	Pass	PK	4.95956G	47.10	74.00	-26.90	3	Horizontal	346	2.54
Mode 10	Pass	PK	10.64189G	56.17	74.00	-17.83	3	Horizontal	300	2.64
Mode 10	Pass	PK	11.403G	57.24	74.00	-16.76	3	Horizontal	120	1.99
Mode 10	Pass	PK	12.36858G	58.32	74.00	-15.68	3	Horizontal	56	2.39
Mode 10	Pass	PK	15.97536G	59.14	74.00	-14.86	3	Horizontal	231	1.20
Mode 11	Pass	AV	4.96036G	34.68	54.00	-19.32	3	Vertical	265	1.50
Mode 11	Pass	AV	10.63892G	44.90	54.00	-9.10	3	Vertical	179	2.43
Mode 11	Pass	AV	11.4015G	44.46	54.00	-9.54	3	Vertical	114	2.66
Mode 11	Pass	AV	11.49232G	44.91	54.00	-9.09	3	Vertical	252	1.43
Mode 11	Pass	AV	12.37228G	45.70	54.00	-8.30	3	Vertical	74	1.50
Mode 11	Pass	AV	15.97229G	45.47	54.00	-8.53	3	Vertical	316	1.50
Mode 11	Pass	PK	4.96045G	47.28	74.00	-26.72	3	Vertical	265	1.50
Mode 11	Pass	PK	10.63214G	56.97	74.00	-17.03	3	Vertical	179	2.43
Mode 11	Pass	PK	11.40786G	56.98	74.00	-17.02	3	Vertical	114	2.66
Mode 11	Pass	PK	11.49036G	57.07	74.00	-16.93	3	Vertical	252	1.43
Mode 11	Pass	PK	12.36892G	57.74	74.00	-16.26	3	Vertical	74	1.50
Mode 11	Pass	PK	15.97332G	57.62	74.00	-16.38	3	Vertical	316	1.50
Mode 11	Pass	AV	4.95752G	35.32	54.00	-18.68	3	Horizontal	250	2.95
Mode 11	Pass	AV	10.63893G	44.19	54.00	-9.81	3	Horizontal	177	2.08
Mode 11	Pass	AV	11.39924G	44.42	54.00	-9.58	3	Horizontal	326	1.50
Mode 11	Pass	AV	11.48974G	44.94	54.00	-9.06	3	Horizontal	337	1.50
Mode 11	Pass	AV	12.37182G	45.76	54.00	-8.24	3	Horizontal	316	1.50
Mode 11	Pass	AV	15.97206G	45.44	54.00	-8.56	3	Horizontal	231	1.50
Mode 11	Pass	PK	4.96017G	47.59	74.00	-26.41	3	Horizontal	250	2.95
Mode 11	Pass	PK	10.63858G	56.38	74.00	-17.62	3	Horizontal	177	2.08
Mode 11	Pass	PK	11.39882G	56.89	74.00	-17.11	3	Horizontal	326	1.50
Mode 11	Pass	PK	11.48812G	57.37	74.00	-16.63	3	Horizontal	337	1.50
Mode 11	Pass	PK	12.37172G	58.03	74.00	-15.97	3	Horizontal	316	1.50
Mode 11	Pass	PK	15.97576G	57.89	74.00	-16.11	3	Horizontal	231	1.50
Mode 12	Pass	AV	4.96147G	33.31	54.00	-20.69	3	Vertical	114	2.62
Mode 12	Pass	AV	10.63861G	44.78	54.00	-9.22	3	Vertical	182	1.59
Mode 12	Pass	AV	11.39968G	44.40	54.00	-9.60	3	Vertical	34	1.21
Mode 12	Pass	AV	12.37064G	45.58	54.00	-8.42	3	Vertical	303	2.25
Mode 12	Pass	AV	12.68781G	45.91	54.00	-8.09	3	Vertical	219	1.13
Mode 12	Pass	AV	15.97211G	45.30	54.00	-8.70	3	Vertical	141	1.70
Mode 12	Pass	PK	4.96056G	45.53	74.00	-28.47	3	Vertical	114	2.62
Mode 12	Pass	PK	10.63946G	57.19	74.00	-16.81	3	Vertical	182	1.59
Mode 12	Pass	PK	11.40064G	56.27	74.00	-17.73	3	Vertical	34	1.21
Mode 12	Pass	PK	12.368G	56.76	74.00	-17.24	3	Vertical	303	2.25
Mode 12	Pass	PK	12.68759G	57.63	74.00	-16.37	3	Vertical	219	1.13
Mode 12	Pass	PK	15.97659G	56.70	74.00	-17.30	3	Vertical	141	1.70


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 12	Pass	AV	4.95918G	33.33	54.00	-20.67	3	Horizontal	51	2.31
Mode 12	Pass	AV	10.63862G	44.19	54.00	-9.81	3	Horizontal	176	2.01
Mode 12	Pass	AV	11.39929G	44.36	54.00	-9.64	3	Horizontal	49	2.71
Mode 12	Pass	AV	12.36843G	45.60	54.00	-8.40	3	Horizontal	218	1.02
Mode 12	Pass	AV	12.68798G	46.03	54.00	-7.97	3	Horizontal	234	2.63
Mode 12	Pass	AV	15.97534G	45.30	54.00	-8.70	3	Horizontal	337	1.43
Mode 12	Pass	PK	4.95757G	45.80	74.00	-28.20	3	Horizontal	51	2.31
Mode 12	Pass	PK	10.64123G	56.37	74.00	-17.63	3	Horizontal	176	2.01
Mode 12	Pass	PK	11.3984G	56.78	74.00	-17.22	3	Horizontal	49	2.71
Mode 12	Pass	PK	12.37221G	57.09	74.00	-16.91	3	Horizontal	218	1.02
Mode 12	Pass	PK	12.68959G	57.32	74.00	-16.68	3	Horizontal	234	2.63
Mode 12	Pass	PK	15.97308G	57.14	74.00	-16.86	3	Horizontal	337	1.43
Mode 13	Pass	AV	4.92304G	33.26	54.00	-20.74	3	Vertical	322	1.19
Mode 13	Pass	AV	4.96117G	33.28	54.00	-20.72	3	Vertical	35	2.61
Mode 13	Pass	AV	11.39983G	43.97	54.00	-10.03	3	Vertical	286	1.44
Mode 13	Pass	AV	12.37193G	45.58	54.00	-8.42	3	Vertical	181	1.50
Mode 13	Pass	AV	13.33107G	45.35	54.00	-8.65	3	Vertical	296	1.00
Mode 13	Pass	AV	15.97197G	45.17	54.00	-8.83	3	Vertical	235	1.44
Mode 13	Pass	PK	4.92442G	44.83	74.00	-29.17	3	Vertical	322	1.19
Mode 13	Pass	PK	4.95983G	45.81	74.00	-28.19	3	Vertical	35	2.61
Mode 13	Pass	PK	11.40132G	56.28	74.00	-17.72	3	Vertical	286	1.44
Mode 13	Pass	PK	12.37136G	57.87	74.00	-16.13	3	Vertical	181	1.50
Mode 13	Pass	PK	13.33196G	57.82	74.00	-16.18	3	Vertical	296	1.00
Mode 13	Pass	PK	15.97268G	57.94	74.00	-16.06	3	Vertical	235	1.44
Mode 13	Pass	AV	4.92439G	33.27	54.00	-20.73	3	Horizontal	95	1.46
Mode 13	Pass	AV	4.95765G	33.24	54.00	-20.76	3	Horizontal	17	1.71
Mode 13	Pass	AV	11.39952G	43.80	54.00	-10.20	3	Horizontal	99	2.74
Mode 13	Pass	AV	12.37212G	45.47	54.00	-8.53	3	Horizontal	193	1.50
Mode 13	Pass	AV	13.33175G	45.56	54.00	-8.44	3	Horizontal	234	2.90
Mode 13	Pass	AV	15.97206G	45.06	54.00	-8.94	3	Horizontal	250	2.39
Mode 13	Pass	PK	4.92178G	45.48	74.00	-28.52	3	Horizontal	95	1.46
Mode 13	Pass	PK	4.96015G	45.29	74.00	-28.71	3	Horizontal	17	1.71
Mode 13	Pass	PK	11.40021G	56.83	74.00	-17.17	3	Horizontal	99	2.74
Mode 13	Pass	PK	12.3712G	58.29	74.00	-15.71	3	Horizontal	193	1.50
Mode 13	Pass	PK	13.33249G	57.76	74.00	-16.24	3	Horizontal	234	2.90
Mode 13	Pass	PK	15.97216G	56.86	74.00	-17.14	3	Horizontal	250	2.39
Mode 14	Pass	AV	4.95833G	34.46	54.00	-19.54	3	Vertical	280	2.67
Mode 14	Pass	AV	11.39805G	44.60	54.00	-9.40	3	Vertical	257	1.50
Mode 14	Pass	AV	11.50248G	44.74	54.00	-9.26	3	Vertical	45	1.50
Mode 14	Pass	AV	12.37175G	45.77	54.00	-8.23	3	Vertical	204	2.62
Mode 14	Pass	AV	13.33208G	45.78	54.00	-8.22	3	Vertical	281	1.50
Mode 14	Pass	AV	15.97366G	45.68	54.00	-8.32	3	Vertical	189	1.50
Mode 14	Pass	PK	4.96157G	46.79	74.00	-27.21	3	Vertical	280	2.67
Mode 14	Pass	PK	11.39776G	57.60	74.00	-16.40	3	Vertical	257	1.50
Mode 14	Pass	PK	11.5035G	56.74	74.00	-17.26	3	Vertical	45	1.50
Mode 14	Pass	PK	12.37204G	58.18	74.00	-15.82	3	Vertical	204	2.62
Mode 14	Pass	PK	13.33216G	58.40	74.00	-15.60	3	Vertical	281	1.50
Mode 14	Pass	PK	15.9757G	58.00	74.00	-16.00	3	Vertical	189	1.50
Mode 14	Pass	AV	4.97482G	35.13	54.00	-18.87	3	Horizontal	251	2.98
Mode 14	Pass	AV	11.39931G	44.72	54.00	-9.28	3	Horizontal	357	1.76

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 14	Pass	AV	11.4913G	44.42	54.00	-9.58	3	Horizontal	334	1.43
Mode 14	Pass	AV	12.36886G	45.47	54.00	-8.53	3	Horizontal	4	2.90
Mode 14	Pass	AV	13.33198G	45.78	54.00	-8.22	3	Horizontal	21	2.58
Mode 14	Pass	AV	15.97239G	45.87	54.00	-8.13	3	Horizontal	88	1.50
Mode 14	Pass	PK	4.96984G	48.00	74.00	-26.00	3	Horizontal	251	2.98
Mode 14	Pass	PK	11.40128G	57.18	74.00	-16.82	3	Horizontal	357	1.76
Mode 14	Pass	PK	11.49087G	57.19	74.00	-16.81	3	Horizontal	334	1.43
Mode 14	Pass	PK	12.37104G	57.72	74.00	-16.28	3	Horizontal	4	2.90
Mode 14	Pass	PK	13.33064G	58.73	74.00	-15.27	3	Horizontal	21	2.58
Mode 14	Pass	PK	15.97684G	58.48	74.00	-15.52	3	Horizontal	88	1.50
Mode 15	Pass	AV	4.96098G	34.48	54.00	-19.52	3	Vertical	278	1.98
Mode 15	Pass	AV	11.39853G	44.68	54.00	-9.32	3	Vertical	62	1.18
Mode 15	Pass	AV	12.36831G	45.88	54.00	-8.12	3	Vertical	204	1.50
Mode 15	Pass	AV	12.69194G	46.03	54.00	-7.97	3	Vertical	74	1.50
Mode 15	Pass	AV	13.32985G	46.30	54.00	-7.70	3	Vertical	117	2.29
Mode 15	Pass	AV	15.97424G	45.74	54.00	-8.26	3	Vertical	109	1.44
Mode 15	Pass	PK	4.96025G	47.16	74.00	-26.84	3	Vertical	278	1.98
Mode 15	Pass	PK	11.40204G	56.85	74.00	-17.15	3	Vertical	62	1.18
Mode 15	Pass	PK	12.368G	58.35	74.00	-15.65	3	Vertical	204	1.50
Mode 15	Pass	PK	12.6887G	57.97	74.00	-16.03	3	Vertical	74	1.50
Mode 15	Pass	PK	13.32966G	59.45	74.00	-14.55	3	Vertical	117	2.29
Mode 15	Pass	PK	15.97483G	58.88	74.00	-15.12	3	Vertical	109	1.44
Mode 15	Pass	AV	4.95824G	34.37	54.00	-19.63	3	Horizontal	14	1.52
Mode 15	Pass	AV	11.4009G	44.56	54.00	-9.44	3	Horizontal	216	1.50
Mode 15	Pass	AV	12.36928G	45.59	54.00	-8.41	3	Horizontal	92	2.50
Mode 15	Pass	AV	12.69116G	46.01	54.00	-7.99	3	Horizontal	251	1.50
Mode 15	Pass	AV	13.33168G	45.98	54.00	-8.02	3	Horizontal	95	1.50
Mode 15	Pass	AV	15.97698G	45.91	54.00	-8.09	3	Horizontal	44	1.50
Mode 15	Pass	PK	4.96003G	46.43	74.00	-27.57	3	Horizontal	14	1.52
Mode 15	Pass	PK	11.39004G	56.90	74.00	-17.10	3	Horizontal	216	1.50
Mode 15	Pass	PK	12.36881G	57.64	74.00	-16.36	3	Horizontal	92	2.50
Mode 15	Pass	PK	12.68819G	58.23	74.00	-15.77	3	Horizontal	251	1.50
Mode 15	Pass	PK	13.33141G	58.29	74.00	-15.71	3	Horizontal	95	1.50
Mode 15	Pass	PK	15.96444G	58.14	74.00	-15.86	3	Horizontal	44	1.50
Mode 16	Pass	AV	4.92471G	34.56	54.00	-19.44	3	Vertical	40	2.87
Mode 16	Pass	AV	4.9617G	34.64	54.00	-19.36	3	Vertical	289	2.40
Mode 16	Pass	AV	11.40116G	44.66	54.00	-9.34	3	Vertical	319	1.50
Mode 16	Pass	AV	12.3675G	45.65	54.00	-8.35	3	Vertical	205	1.50
Mode 16	Pass	AV	13.33117G	45.87	54.00	-8.13	3	Vertical	52	1.50
Mode 16	Pass	AV	15.976G	45.59	54.00	-8.41	3	Vertical	143	2.42
Mode 16	Pass	PK	4.9226G	46.71	74.00	-27.29	3	Vertical	40	2.87
Mode 16	Pass	PK	4.95889G	47.14	74.00	-26.86	3	Vertical	289	2.40
Mode 16	Pass	PK	11.40114G	57.10	74.00	-16.90	3	Vertical	319	1.50
Mode 16	Pass	PK	12.36976G	58.44	74.00	-15.56	3	Vertical	205	1.50
Mode 16	Pass	PK	13.32977G	58.01	74.00	-15.99	3	Vertical	52	1.50
Mode 16	Pass	PK	15.97571G	57.57	74.00	-16.43	3	Vertical	143	2.42
Mode 16	Pass	AV	4.92317G	34.62	54.00	-19.38	3	Horizontal	203	1.50
Mode 16	Pass	AV	4.96076G	34.78	54.00	-19.22	3	Horizontal	131	2.85
Mode 16	Pass	AV	11.39873G	44.68	54.00	-9.32	3	Horizontal	69	1.50
Mode 16	Pass	AV	12.37156G	45.49	54.00	-8.51	3	Horizontal	213	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 16	Pass	AV	13.33093G	45.83	54.00	-8.17	3	Horizontal	208	1.42
Mode 16	Pass	AV	15.97195G	45.72	54.00	-8.28	3	Horizontal	247	2.47
Mode 16	Pass	PK	4.9265G	46.78	74.00	-27.22	3	Horizontal	203	1.50
Mode 16	Pass	PK	4.96182G	47.41	74.00	-26.59	3	Horizontal	131	2.85
Mode 16	Pass	PK	11.39941G	56.74	74.00	-17.26	3	Horizontal	69	1.50
Mode 16	Pass	PK	12.37081G	57.73	74.00	-16.27	3	Horizontal	213	1.50
Mode 16	Pass	PK	13.33208G	58.16	74.00	-15.84	3	Horizontal	208	1.42
Mode 16	Pass	PK	15.97539G	57.83	74.00	-16.17	3	Horizontal	247	2.47
Mode 17	Pass	AV	4.95762G	34.73	54.00	-19.27	3	Vertical	277	2.47
Mode 17	Pass	AV	11.39994G	44.54	54.00	-9.46	3	Vertical	234	2.35
Mode 17	Pass	AV	11.4918G	44.67	54.00	-9.33	3	Vertical	178	1.50
Mode 17	Pass	AV	12.37248G	45.81	54.00	-8.19	3	Vertical	204	1.38
Mode 17	Pass	AV	13.33234G	45.99	54.00	-8.01	3	Vertical	252	1.50
Mode 17	Pass	AV	15.97199G	45.75	54.00	-8.25	3	Vertical	291	1.00
Mode 17	Pass	PK	4.95764G	47.16	74.00	-26.84	3	Vertical	277	2.47
Mode 17	Pass	PK	11.39877G	57.23	74.00	-16.77	3	Vertical	234	2.35
Mode 17	Pass	PK	11.49184G	58.31	74.00	-15.69	3	Vertical	178	1.50
Mode 17	Pass	PK	12.36825G	58.39	74.00	-15.61	3	Vertical	204	1.38
Mode 17	Pass	PK	13.33214G	58.13	74.00	-15.87	3	Vertical	252	1.50
Mode 17	Pass	PK	15.97202G	58.19	74.00	-15.81	3	Vertical	291	1.00
Mode 17	Pass	AV	4.96071G	34.55	54.00	-19.45	3	Horizontal	312	1.50
Mode 17	Pass	AV	11.40051G	44.81	54.00	-9.19	3	Horizontal	91	1.94
Mode 17	Pass	AV	11.49205G	44.72	54.00	-9.28	3	Horizontal	277	1.50
Mode 17	Pass	AV	12.36761G	45.73	54.00	-8.27	3	Horizontal	209	2.83
Mode 17	Pass	AV	13.33176G	45.86	54.00	-8.14	3	Horizontal	53	1.64
Mode 17	Pass	AV	15.97368G	45.83	54.00	-8.17	3	Horizontal	190	1.50
Mode 17	Pass	PK	4.95896G	47.25	74.00	-26.75	3	Horizontal	312	1.50
Mode 17	Pass	PK	11.40065G	57.02	74.00	-16.98	3	Horizontal	91	1.94
Mode 17	Pass	PK	11.4919G	56.90	74.00	-17.10	3	Horizontal	277	1.50
Mode 17	Pass	PK	12.3688G	58.16	74.00	-15.84	3	Horizontal	209	2.83
Mode 17	Pass	PK	13.3284G	57.76	74.00	-16.24	3	Horizontal	53	1.64
Mode 17	Pass	PK	15.97521G	58.56	74.00	-15.44	3	Horizontal	190	1.50
Mode 18	Pass	AV	4.96143G	34.70	54.00	-19.30	3	Vertical	6	1.50
Mode 18	Pass	AV	11.40954G	44.65	54.00	-9.35	3	Vertical	232	1.50
Mode 18	Pass	AV	12.3552G	46.66	54.00	-7.34	3	Vertical	203	1.44
Mode 18	Pass	AV	12.69198G	46.02	54.00	-7.98	3	Vertical	78	1.74
Mode 18	Pass	AV	13.3305G	45.85	54.00	-8.15	3	Vertical	243	2.14
Mode 18	Pass	AV	15.97276G	45.89	54.00	-8.11	3	Vertical	59	1.50
Mode 18	Pass	PK	4.96051G	47.15	74.00	-26.85	3	Vertical	6	1.50
Mode 18	Pass	PK	11.40762G	57.57	74.00	-16.43	3	Vertical	232	1.50
Mode 18	Pass	PK	12.3569G	59.58	74.00	-14.42	3	Vertical	203	1.44
Mode 18	Pass	PK	12.6879G	59.24	74.00	-14.76	3	Vertical	78	1.74
Mode 18	Pass	PK	13.33174G	58.88	74.00	-15.12	3	Vertical	243	2.14
Mode 18	Pass	PK	15.97601G	58.52	74.00	-15.48	3	Vertical	59	1.50
Mode 18	Pass	AV	4.96186G	34.84	54.00	-19.16	3	Horizontal	258	2.15
Mode 18	Pass	AV	11.39921G	44.64	54.00	-9.36	3	Horizontal	151	1.50
Mode 18	Pass	AV	12.3707G	45.70	54.00	-8.30	3	Horizontal	303	1.50
Mode 18	Pass	AV	12.69822G	46.15	54.00	-7.85	3	Horizontal	9	1.50
Mode 18	Pass	AV	13.33207G	45.92	54.00	-8.08	3	Horizontal	186	1.49
Mode 18	Pass	AV	15.97659G	45.76	54.00	-8.24	3	Horizontal	154	1.64


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 18	Pass	PK	4.96106G	47.15	74.00	-26.85	3	Horizontal	258	2.15
Mode 18	Pass	PK	11.39938G	57.06	74.00	-16.94	3	Horizontal	151	1.50
Mode 18	Pass	PK	12.36935G	58.51	74.00	-15.49	3	Horizontal	303	1.50
Mode 18	Pass	PK	12.68874G	58.69	74.00	-15.31	3	Horizontal	9	1.50
Mode 18	Pass	PK	13.33159G	58.30	74.00	-15.70	3	Horizontal	186	1.49
Mode 18	Pass	PK	15.9726G	57.74	74.00	-16.26	3	Horizontal	154	1.64

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87394G	34.90	54.00	-19.10	5.53	3	Vertical	360	1.54	29.37	32.85	7.10	34.42
AV	4.92516G	34.37	54.00	-19.63	5.78	3	Vertical	332	1.50	28.59	33.05	7.13	34.40
AV	4.97404G	34.47	54.00	-19.53	6.07	3	Vertical	346	1.10	28.40	33.30	7.17	34.40
AV	7.29618G	40.60	54.00	-13.40	10.79	3	Vertical	6	1.50	29.81	37.02	8.69	34.92
AV	11.39826G	44.83	54.00	-9.17	16.37	3	Vertical	317	1.50	28.46	39.31	10.81	33.75
AV	12.36911G	45.46	54.00	-8.54	17.09	3	Vertical	259	1.50	28.37	39.36	11.19	33.46
AV	15.97357G	46.07	54.00	-7.93	17.42	3	Vertical	260	1.50	28.65	38.05	13.13	33.76
PK	4.87365G	46.45	74.00	-27.55	5.53	3	Vertical	360	1.54	40.92	32.85	7.10	34.42
PK	4.92633G	46.92	74.00	-27.08	5.79	3	Vertical	332	1.50	41.13	33.06	7.13	34.40
PK	4.9537G	46.72	74.00	-27.28	5.97	3	Vertical	346	1.10	40.75	33.21	7.16	34.40
PK	7.29948G	52.70	74.00	-21.30	10.77	3	Vertical	6	1.50	41.93	37.00	8.69	34.92
PK	11.39925G	57.11	74.00	-16.89	16.36	3	Vertical	317	1.50	40.75	39.30	10.81	33.75
PK	12.36902G	57.37	74.00	-16.63	17.09	3	Vertical	259	1.50	40.28	39.36	11.19	33.46
PK	15.97334G	58.81	74.00	-15.19	17.42	3	Vertical	260	1.50	41.39	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87462G	34.12	54.00	-19.88	5.53	3	Horizontal	314	1.50	28.59	32.85	7.10	34.42
AV	4.92646G	34.44	54.00	-19.56	5.79	3	Horizontal	0	1.49	28.65	33.06	7.13	34.40
AV	4.9589G	34.24	54.00	-19.76	6.00	3	Horizontal	90	2.36	28.24	33.24	7.16	34.40
AV	7.31215G	41.01	54.00	-12.99	10.76	3	Horizontal	9	1.49	30.25	36.98	8.70	34.92
AV	11.40239G	44.82	54.00	-9.18	16.35	3	Horizontal	104	1.50	28.47	39.29	10.81	33.75
AV	12.37091G	45.31	54.00	-8.69	17.09	3	Horizontal	360	1.50	28.22	39.36	11.19	33.46
AV	15.97543G	46.13	54.00	-7.87	17.42	3	Horizontal	221	2.56	28.71	38.05	13.13	33.76
PK	4.8741G	46.50	74.00	-27.50	5.53	3	Horizontal	314	1.50	40.97	32.85	7.10	34.42
PK	4.92597G	46.69	74.00	-27.31	5.79	3	Horizontal	0	1.49	40.90	33.06	7.13	34.40
PK	4.96074G	46.62	74.00	-27.38	6.00	3	Horizontal	90	2.36	40.62	33.24	7.16	34.40
PK	7.31232G	53.30	74.00	-20.70	10.76	3	Horizontal	9	1.49	42.54	36.98	8.70	34.92
PK	11.40018G	57.40	74.00	-16.60	16.36	3	Horizontal	104	1.50	41.04	39.30	10.81	33.75
PK	12.37092G	57.57	74.00	-16.43	17.09	3	Horizontal	360	1.50	40.48	39.36	11.19	33.46
PK	15.97417G	58.56	74.00	-15.44	17.42	3	Horizontal	221	2.56	41.14	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87384G	34.36	54.00	-19.64	5.53	3	Vertical	0	1.50	28.83	32.85	7.10	34.42
AV	4.95824G	34.24	54.00	-19.76	5.99	3	Vertical	333	1.50	28.25	33.23	7.16	34.40
AV	7.3114G	40.53	54.00	-13.47	10.76	3	Vertical	0	1.50	29.77	36.98	8.70	34.92
AV	11.40041G	44.94	54.00	-9.06	16.36	3	Vertical	282	1.50	28.58	39.30	10.81	33.75
AV	11.49244G	44.27	54.00	-9.73	16.39	3	Vertical	332	2.48	27.88	39.27	10.83	33.71
AV	12.36756G	45.58	54.00	-8.42	17.09	3	Vertical	58	2.69	28.49	39.36	11.19	33.46
AV	15.97212G	46.01	54.00	-7.99	17.43	3	Vertical	350	1.69	28.58	38.06	13.13	33.76
PK	4.8676G	46.50	74.00	-27.50	5.51	3	Vertical	0	1.50	40.99	32.84	7.09	34.42
PK	4.96053G	47.21	74.00	-26.79	6.00	3	Vertical	333	1.50	41.21	33.24	7.16	34.40
PK	7.30428G	52.93	74.00	-21.07	10.77	3	Vertical	0	1.50	42.16	36.99	8.70	34.92
PK	11.39955G	57.93	74.00	-16.07	16.36	3	Vertical	282	1.50	41.57	39.30	10.81	33.75
PK	11.49006G	56.27	74.00	-17.73	16.38	3	Vertical	332	2.48	39.89	39.26	10.83	33.71
PK	12.37139G	58.03	74.00	-15.97	17.09	3	Vertical	58	2.69	40.94	39.36	11.19	33.46
PK	15.97267G	58.30	74.00	-15.70	17.42	3	Vertical	350	1.69	40.88	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87624G	34.16	54.00	-19.84	5.54	3	Horizontal	37	1.50	28.62	32.85	7.10	34.41
AV	4.9591G	34.27	54.00	-19.73	6.00	3	Horizontal	76	1.50	28.27	33.24	7.16	34.40
AV	7.30988G	40.95	54.00	-13.05	10.76	3	Horizontal	7	2.03	30.19	36.98	8.70	34.92
AV	11.39793G	44.80	54.00	-9.20	16.37	3	Horizontal	213	1.50	28.43	39.31	10.81	33.75
AV	11.49214G	44.27	54.00	-9.73	16.39	3	Horizontal	239	1.50	27.88	39.27	10.83	33.71
AV	12.36751G	45.69	54.00	-8.31	17.09	3	Horizontal	335	2.33	28.60	39.36	11.19	33.46
AV	15.97448G	45.92	54.00	-8.08	17.42	3	Horizontal	116	1.50	28.50	38.05	13.13	33.76
PK	4.8756G	46.30	74.00	-27.70	5.54	3	Horizontal	37	1.50	40.76	32.85	7.10	34.41
PK	4.96029G	46.72	74.00	-27.28	6.00	3	Horizontal	76	1.50	40.72	33.24	7.16	34.40
PK	7.31184G	52.68	74.00	-21.32	10.76	3	Horizontal	7	2.03	41.92	36.98	8.70	34.92
PK	11.40031G	57.26	74.00	-16.74	16.36	3	Horizontal	213	1.50	40.90	39.30	10.81	33.75
PK	11.48921G	56.42	74.00	-17.58	16.38	3	Horizontal	239	1.50	40.04	39.26	10.83	33.71
PK	12.37167G	57.78	74.00	-16.22	17.10	3	Horizontal	335	2.33	40.68	39.36	11.19	33.45
PK	15.97666G	58.95	74.00	-15.05	17.42	3	Horizontal	116	1.50	41.53	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 3




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.874G	36.74	54.00	-17.26	5.53	3	Vertical	254	1.50	31.21	32.85	7.10	34.42		
AV	4.95324G	34.68	54.00	-19.32	5.96	3	Vertical	179	2.21	28.72	33.21	7.15	34.40		
AV	7.31196G	40.11	54.00	-13.89	10.76	3	Vertical	193	2.51	29.35	36.98	8.70	34.92		
AV	11.40213G	44.83	54.00	-9.17	16.35	3	Vertical	215	1.50	28.48	39.29	10.81	33.75		
AV	12.36996G	45.89	54.00	-8.11	17.09	3	Vertical	76	1.34	28.80	39.36	11.19	33.46		
AV	12.68812G	45.96	54.00	-8.04	17.96	3	Vertical	69	2.10	28.00	39.68	11.38	33.10		
AV	15.97588G	45.85	54.00	-8.15	17.42	3	Vertical	228	3.00	28.43	38.05	13.13	33.76		
PK	4.87952G	47.50	74.00	-26.50	5.55	3	Vertical	254	1.50	41.95	32.86	7.10	34.41		
PK	4.953G	46.99	74.00	-27.01	5.96	3	Vertical	179	2.21	41.03	33.21	7.15	34.40		
PK	7.30888G	52.35	74.00	-21.65	10.76	3	Vertical	193	2.51	41.59	36.98	8.70	34.92		
PK	11.40196G	56.88	74.00	-17.12	16.35	3	Vertical	215	1.50	40.53	39.29	10.81	33.75		
PK	12.3711G	57.61	74.00	-16.39	17.09	3	Vertical	76	1.34	40.52	39.36	11.19	33.46		
PK	12.68998G	58.39	74.00	-15.61	17.96	3	Vertical	69	2.10	40.43	39.68	11.38	33.10		
PK	15.97307G	58.25	74.00	-15.75	17.42	3	Vertical	228	3.00	40.83	38.05	13.13	33.76		

Radiated Emissions above 1GHz_Mode 3




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.8784G	34.33	54.00	-19.67	5.55	3	Horizontal	360	1.50	28.78	32.86	7.10	34.41		
AV	4.95068G	34.75	54.00	-19.25	5.95	3	Horizontal	299	2.32	28.80	33.20	7.15	34.40		
AV	7.31576G	39.27	54.00	-14.73	10.74	3	Horizontal	38	1.32	28.53	36.97	8.70	34.93		
AV	11.40035G	44.85	54.00	-9.15	16.36	3	Horizontal	0	1.50	28.49	39.30	10.81	33.75		
AV	12.37002G	45.52	54.00	-8.48	17.09	3	Horizontal	353	2.36	28.43	39.36	11.19	33.46		
AV	12.69013G	45.85	54.00	-8.15	17.96	3	Horizontal	176	1.50	27.89	39.68	11.38	33.10		
AV	15.97225G	45.80	54.00	-8.20	17.43	3	Horizontal	84	1.50	28.37	38.06	13.13	33.76		
PK	4.86484G	46.09	74.00	-27.91	5.50	3	Horizontal	360	1.50	40.59	32.83	7.09	34.42		
PK	4.95652G	47.72	74.00	-26.28	5.99	3	Horizontal	299	2.32	41.73	33.23	7.16	34.40		
PK	7.31004G	51.36	74.00	-22.64	10.76	3	Horizontal	38	1.32	40.60	36.98	8.70	34.92		
PK	11.40108G	57.18	74.00	-16.82	16.36	3	Horizontal	0	1.50	40.82	39.30	10.81	33.75		
PK	12.3684G	58.12	74.00	-15.88	17.09	3	Horizontal	353	2.36	41.03	39.36	11.19	33.46		
PK	12.69082G	58.35	74.00	-15.65	17.96	3	Horizontal	176	1.50	40.39	39.68	11.38	33.10		
PK	15.97269G	57.71	74.00	-16.29	17.42	3	Horizontal	84	1.50	40.29	38.05	13.13	33.76		

Radiated Emissions above 1GHz_Mode 4




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87396G	34.64	54.00	-19.36	5.53	3	Vertical	0	1.49	29.11	32.85	7.10	34.42		
AV	4.95632G	34.37	54.00	-19.63	5.99	3	Vertical	88	1.50	28.38	33.23	7.16	34.40		
AV	7.30392G	40.57	54.00	-13.43	10.77	3	Vertical	6	1.81	29.80	36.99	8.70	34.92		
AV	11.39516G	44.77	54.00	-9.23	16.38	3	Vertical	185	1.50	28.39	39.32	10.81	33.75		
AV	12.36584G	45.66	54.00	-8.34	17.10	3	Vertical	29	2.92	28.56	39.37	11.19	33.46		
AV	12.6932G	46.02	54.00	-7.98	17.97	3	Vertical	315	1.50	28.05	39.69	11.38	33.10		
AV	15.9662G	45.86	54.00	-8.14	17.43	3	Vertical	114	1.65	28.43	38.07	13.12	33.76		
PK	4.8786G	46.88	74.00	-27.12	5.55	3	Vertical	0	1.49	41.33	32.86	7.10	34.41		
PK	4.95024G	46.99	74.00	-27.01	5.95	3	Vertical	88	1.50	41.04	33.20	7.15	34.40		
PK	7.31376G	53.08	74.00	-20.92	10.74	3	Vertical	6	1.81	42.34	36.97	8.70	34.93		
PK	11.40508G	56.89	74.00	-17.11	16.34	3	Vertical	185	1.50	40.55	39.28	10.81	33.75		
PK	12.3748G	58.06	74.00	-15.94	17.09	3	Vertical	29	2.92	40.97	39.35	11.19	33.45		
PK	12.6812G	58.16	74.00	-15.84	17.92	3	Vertical	315	1.50	40.24	39.66	11.37	33.11		
PK	15.97388G	57.81	74.00	-16.19	17.42	3	Vertical	114	1.65	40.39	38.05	13.13	33.76		

Radiated Emissions above 1GHz_Mode 4




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87392G	34.86	54.00	-19.14	5.53	3	Horizontal	359	1.47	29.33	32.85	7.10	34.42		
AV	4.95232G	34.43	54.00	-19.57	5.96	3	Horizontal	166	1.50	28.47	33.21	7.15	34.40		
AV	7.31268G	40.83	54.00	-13.17	10.74	3	Horizontal	8	1.50	30.09	36.97	8.70	34.93		
AV	11.39984G	44.76	54.00	-9.24	16.36	3	Horizontal	59	1.50	28.40	39.30	10.81	33.75		
AV	12.36724G	45.34	54.00	-8.66	17.10	3	Horizontal	343	2.62	28.24	39.37	11.19	33.46		
AV	12.69G	45.78	54.00	-8.22	17.96	3	Horizontal	170	2.57	27.82	39.68	11.38	33.10		
AV	15.96476G	45.84	54.00	-8.16	17.43	3	Horizontal	242	1.28	28.41	38.07	13.12	33.76		
PK	4.87692G	46.40	74.00	-27.60	5.54	3	Horizontal	359	1.47	40.86	32.85	7.10	34.41		
PK	4.9686G	46.51	74.00	-27.49	6.04	3	Horizontal	166	1.50	40.47	33.27	7.17	34.40		
PK	7.3162G	53.65	74.00	-20.35	10.74	3	Horizontal	8	1.50	42.91	36.97	8.70	34.93		
PK	11.39692G	57.33	74.00	-16.67	16.37	3	Horizontal	59	1.50	40.96	39.31	10.81	33.75		
PK	12.37068G	57.55	74.00	-16.45	17.09	3	Horizontal	343	2.62	40.46	39.36	11.19	33.46		
PK	12.6888G	57.97	74.00	-16.03	17.96	3	Horizontal	170	2.57	40.01	39.68	11.38	33.10		
PK	15.96516G	58.43	74.00	-15.57	17.43	3	Horizontal	242	1.28	41.00	38.07	13.12	33.76		

Radiated Emissions above 1GHz_Mode 5




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.874G	34.82	54.00	-19.18	5.53	3	Vertical	0	1.51	29.29	32.85	7.10	34.42		
AV	4.95204G	34.37	54.00	-19.63	5.96	3	Vertical	110	1.50	28.41	33.21	7.15	34.40		
AV	7.31644G	39.07	54.00	-14.93	10.74	3	Vertical	170	1.50	28.33	36.97	8.70	34.93		
AV	11.3966G	44.57	54.00	-9.43	16.37	3	Vertical	338	2.22	28.20	39.31	10.81	33.75		
AV	11.49868G	44.32	54.00	-9.68	16.41	3	Vertical	82	1.50	27.91	39.29	10.83	33.71		
AV	12.37676G	45.29	54.00	-8.71	17.09	3	Vertical	130	2.71	28.20	39.35	11.19	33.45		
AV	15.98392G	45.93	54.00	-8.07	17.40	3	Vertical	228	2.69	28.53	38.03	13.13	33.76		
PK	4.87652G	46.53	74.00	-27.47	5.54	3	Vertical	0	1.51	40.99	32.85	7.10	34.41		
PK	4.96304G	46.50	74.00	-27.50	6.01	3	Vertical	110	1.50	40.49	33.25	7.16	34.40		
PK	7.31644G	51.45	74.00	-22.55	10.74	3	Vertical	170	1.50	40.71	36.97	8.70	34.93		
PK	11.40288G	57.12	74.00	-16.88	16.35	3	Vertical	338	2.22	40.77	39.29	10.81	33.75		
PK	11.49796G	56.43	74.00	-17.57	16.41	3	Vertical	82	1.50	40.02	39.29	10.83	33.71		
PK	12.36456G	57.67	74.00	-16.33	17.10	3	Vertical	130	2.71	40.57	39.37	11.19	33.46		
PK	15.97168G	57.77	74.00	-16.23	17.43	3	Vertical	228	2.69	40.34	38.06	13.13	33.76		

Radiated Emissions above 1GHz_Mode 5




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87404G	36.06	54.00	-17.94	5.53	3	Horizontal	360	1.50	30.53	32.85	7.10	34.42		
AV	4.96976G	34.54	54.00	-19.46	6.05	3	Horizontal	108	2.06	28.49	33.28	7.17	34.40		
AV	7.31156G	39.09	54.00	-14.91	10.76	3	Horizontal	356	1.50	28.33	36.98	8.70	34.92		
AV	11.39012G	44.55	54.00	-9.45	16.40	3	Horizontal	140	2.16	28.15	39.34	10.81	33.75		
AV	11.4998G	44.34	54.00	-9.66	16.42	3	Horizontal	223	1.25	27.92	39.30	10.83	33.71		
AV	12.37464G	45.32	54.00	-8.68	17.09	3	Horizontal	257	1.50	28.23	39.35	11.19	33.45		
AV	15.96504G	45.86	54.00	-8.14	17.43	3	Horizontal	259	1.50	28.43	38.07	13.12	33.76		
PK	4.87388G	47.12	74.00	-26.88	5.53	3	Horizontal	360	1.50	41.59	32.85	7.10	34.42		
PK	4.96848G	46.53	74.00	-27.47	6.04	3	Horizontal	108	2.06	40.49	33.27	7.17	34.40		
PK	7.31808G	51.17	74.00	-22.83	10.73	3	Horizontal	356	1.50	40.44	36.96	8.70	34.93		
PK	11.39788G	56.76	74.00	-17.24	16.37	3	Horizontal	140	2.16	40.39	39.31	10.81	33.75		
PK	11.496G	56.48	74.00	-17.52	16.40	3	Horizontal	223	1.25	40.08	39.28	10.83	33.71		
PK	12.37848G	57.45	74.00	-16.55	17.08	3	Horizontal	257	1.50	40.37	39.34	11.19	33.45		
PK	15.97832G	58.68	74.00	-15.32	17.41	3	Horizontal	259	1.50	41.27	38.04	13.13	33.76		

Radiated Emissions above 1GHz_Mode 6




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87396G	35.45	54.00	-18.55	5.53	3	Vertical	0	1.38	29.92	32.85	7.10	34.42		
AV	4.95504G	34.74	54.00	-19.26	5.98	3	Vertical	215	2.09	28.76	33.22	7.16	34.40		
AV	7.31236G	39.70	54.00	-14.30	10.76	3	Vertical	195	2.64	28.94	36.98	8.70	34.92		
AV	11.3966G	44.86	54.00	-9.14	16.37	3	Vertical	0	1.50	28.49	39.31	10.81	33.75		
AV	12.36388G	45.86	54.00	-8.14	17.09	3	Vertical	82	2.90	28.77	39.37	11.18	33.46		
AV	12.69128G	45.92	54.00	-8.08	17.96	3	Vertical	331	1.50	27.96	39.68	11.38	33.10		
AV	15.96848G	45.97	54.00	-8.03	17.42	3	Vertical	33	1.96	28.55	38.06	13.12	33.76		
PK	4.87732G	46.50	74.00	-27.50	5.54	3	Vertical	0	1.38	40.96	32.85	7.10	34.41		
PK	4.95508G	47.08	74.00	-26.92	5.98	3	Vertical	215	2.09	41.10	33.22	7.16	34.40		
PK	7.31396G	52.02	74.00	-21.98	10.74	3	Vertical	195	2.64	41.28	36.97	8.70	34.93		
PK	11.39024G	56.86	74.00	-17.14	16.40	3	Vertical	0	1.50	40.46	39.34	10.81	33.75		
PK	12.37912G	58.24	74.00	-15.76	17.08	3	Vertical	82	2.90	41.16	39.34	11.19	33.45		
PK	12.69216G	58.68	74.00	-15.32	17.96	3	Vertical	331	1.50	40.72	39.68	11.38	33.10		
PK	15.98108G	58.30	74.00	-15.70	17.41	3	Vertical	33	1.96	40.89	38.04	13.13	33.76		

Radiated Emissions above 1GHz_Mode 6




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87392G	37.39	54.00	-16.61	5.53	3	Horizontal	0	1.66	31.86	32.85	7.10	34.42		
AV	4.96964G	35.01	54.00	-18.99	6.05	3	Horizontal	90	2.81	28.96	33.28	7.17	34.40		
AV	7.31176G	39.36	54.00	-14.64	10.76	3	Horizontal	81	1.50	28.60	36.98	8.70	34.92		
AV	11.39G	44.69	54.00	-9.31	16.40	3	Horizontal	357	1.50	28.29	39.34	10.81	33.75		
AV	12.37552G	45.40	54.00	-8.60	17.09	3	Horizontal	304	1.50	28.31	39.35	11.19	33.45		
AV	12.68624G	45.89	54.00	-8.11	17.93	3	Horizontal	246	1.50	27.96	39.67	11.37	33.11		
AV	15.9668G	45.99	54.00	-8.01	17.43	3	Horizontal	356	1.50	28.56	38.07	13.12	33.76		
PK	4.874G	47.23	74.00	-26.77	5.53	3	Horizontal	0	1.66	41.70	32.85	7.10	34.42		
PK	4.95716G	47.30	74.00	-26.70	5.99	3	Horizontal	90	2.81	41.31	33.23	7.16	34.40		
PK	7.31368G	51.66	74.00	-22.34	10.74	3	Horizontal	81	1.50	40.92	36.97	8.70	34.93		
PK	11.40516G	57.03	74.00	-16.97	16.34	3	Horizontal	357	1.50	40.69	39.28	10.81	33.75		
PK	12.37636G	58.01	74.00	-15.99	17.09	3	Horizontal	304	1.50	40.92	39.35	11.19	33.45		
PK	12.69384G	58.18	74.00	-15.82	17.97	3	Horizontal	246	1.50	40.21	39.69	11.38	33.10		
PK	15.97528G	59.08	74.00	-14.92	17.42	3	Horizontal	356	1.50	41.66	38.05	13.13	33.76		

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92162G	34.39	54.00	-19.61	5.75	3	Vertical	38	1.50	28.64	33.03	7.13	34.41
AV	4.95949G	34.49	54.00	-19.51	6.00	3	Vertical	40	1.50	28.49	33.24	7.16	34.40
AV	10.6322G	44.95	54.00	-9.05	16.01	3	Vertical	11	1.76	28.94	39.23	10.60	33.82
AV	11.39808G	44.93	54.00	-9.07	16.37	3	Vertical	319	1.50	28.56	39.31	10.81	33.75
AV	12.36961G	45.99	54.00	-8.01	17.09	3	Vertical	121	2.56	28.90	39.36	11.19	33.46
AV	15.97579G	45.94	54.00	-8.06	17.42	3	Vertical	197	2.38	28.52	38.05	13.13	33.76
PK	4.92479G	46.93	74.00	-27.07	5.77	3	Vertical	38	1.50	41.16	33.05	7.13	34.41
PK	4.95873G	47.48	74.00	-26.52	5.99	3	Vertical	40	1.50	41.49	33.23	7.16	34.40
PK	10.6379G	57.55	74.00	-16.45	16.03	3	Vertical	11	1.76	41.52	39.25	10.60	33.82
PK	11.40096G	57.58	74.00	-16.42	16.36	3	Vertical	319	1.50	41.22	39.30	10.81	33.75
PK	12.37246G	58.34	74.00	-15.66	17.10	3	Vertical	121	2.56	41.24	39.36	11.19	33.45
PK	15.97302G	58.09	74.00	-15.91	17.42	3	Vertical	197	2.38	40.67	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92303G	34.41	54.00	-19.59	5.76	3	Horizontal	141	1.27	28.65	33.04	7.13	34.41
AV	4.97176G	34.64	54.00	-19.36	6.06	3	Horizontal	124	2.95	28.58	33.29	7.17	34.40
AV	10.63856G	45.20	54.00	-8.80	16.03	3	Horizontal	14	1.81	29.17	39.25	10.60	33.82
AV	11.39931G	44.84	54.00	-9.16	16.36	3	Horizontal	277	1.50	28.48	39.30	10.81	33.75
AV	12.36804G	45.69	54.00	-8.31	17.09	3	Horizontal	239	2.98	28.60	39.36	11.19	33.46
AV	15.97253G	46.02	54.00	-7.98	17.42	3	Horizontal	29	2.45	28.60	38.05	13.13	33.76
PK	4.92332G	47.14	74.00	-26.86	5.76	3	Horizontal	141	1.27	41.38	33.04	7.13	34.41
PK	4.95556G	47.30	74.00	-26.70	5.98	3	Horizontal	124	2.95	41.32	33.22	7.16	34.40
PK	10.63406G	57.85	74.00	-16.15	16.02	3	Horizontal	14	1.81	41.83	39.24	10.60	33.82
PK	11.40045G	57.20	74.00	-16.80	16.36	3	Horizontal	277	1.50	40.84	39.30	10.81	33.75
PK	12.36822G	57.36	74.00	-16.64	17.09	3	Horizontal	239	2.98	40.27	39.36	11.19	33.46
PK	15.97382G	58.22	74.00	-15.78	17.42	3	Horizontal	29	2.45	40.80	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95268G	34.95	54.00	-19.05	5.96	3	Vertical	274	1.50	28.99	33.21	7.15	34.40
AV	10.64116G	44.41	54.00	-9.59	16.04	3	Vertical	204	2.07	28.37	39.26	10.60	33.82
AV	11.4082G	44.63	54.00	-9.37	16.34	3	Vertical	218	1.50	28.29	39.27	10.81	33.74
AV	11.49716G	45.07	54.00	-8.93	16.41	3	Vertical	95	2.81	28.66	39.29	10.83	33.71
AV	12.3776G	45.99	54.00	-8.01	17.08	3	Vertical	206	1.50	28.91	39.34	11.19	33.45
AV	15.98172G	45.87	54.00	-8.13	17.41	3	Vertical	298	1.50	28.46	38.04	13.13	33.76
PK	4.9664G	47.35	74.00	-26.65	6.03	3	Vertical	274	1.50	41.32	33.27	7.16	34.40
PK	10.64148G	56.63	74.00	-17.37	16.05	3	Vertical	204	2.07	40.58	39.27	10.60	33.82
PK	11.40012G	56.49	74.00	-17.51	16.36	3	Vertical	218	1.50	40.13	39.30	10.81	33.75
PK	11.4902G	57.16	74.00	-16.84	16.38	3	Vertical	95	2.81	40.78	39.26	10.83	33.71
PK	12.36096G	58.12	74.00	-15.88	17.10	3	Vertical	206	1.50	41.02	39.38	11.18	33.46
PK	15.97936G	57.70	74.00	-16.30	17.41	3	Vertical	298	1.50	40.29	38.04	13.13	33.76

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.9512G	34.80	54.00	-19.20	5.95	3	Horizontal	166	2.98	28.85	33.20	7.15	34.40
AV	10.63084G	44.18	54.00	-9.82	16.00	3	Horizontal	220	1.23	28.18	39.22	10.60	33.82
AV	11.40832G	44.55	54.00	-9.45	16.34	3	Horizontal	13	1.50	28.21	39.27	10.81	33.74
AV	11.49892G	45.09	54.00	-8.91	16.42	3	Horizontal	360	1.50	28.67	39.30	10.83	33.71
AV	12.37468G	45.93	54.00	-8.07	17.09	3	Horizontal	237	1.50	28.84	39.35	11.19	33.45
AV	15.98216G	45.91	54.00	-8.09	17.41	3	Horizontal	33	1.91	28.50	38.04	13.13	33.76
PK	4.96964G	47.19	74.00	-26.81	6.05	3	Horizontal	166	2.98	41.14	33.28	7.17	34.40
PK	10.6452G	56.81	74.00	-17.19	16.06	3	Horizontal	220	1.23	40.75	39.28	10.60	33.82
PK	11.39548G	56.97	74.00	-17.03	16.38	3	Horizontal	13	1.50	40.59	39.32	10.81	33.75
PK	11.48632G	57.34	74.00	-16.66	16.36	3	Horizontal	360	1.50	40.98	39.25	10.83	33.72
PK	12.36592G	58.70	74.00	-15.30	17.10	3	Horizontal	237	1.50	41.60	39.37	11.19	33.46
PK	15.97608G	58.64	74.00	-15.36	17.42	3	Horizontal	33	1.91	41.22	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96013G	34.87	54.00	-19.13	6.00	3	Vertical	276	2.02	28.87	33.24	7.16	34.40
AV	10.6379G	43.87	54.00	-10.13	16.03	3	Vertical	229	1.50	27.84	39.25	10.60	33.82
AV	11.39958G	44.92	54.00	-9.08	16.36	3	Vertical	146	2.05	28.56	39.30	10.81	33.75
AV	12.36951G	45.81	54.00	-8.19	17.09	3	Vertical	154	2.08	28.72	39.36	11.19	33.46
AV	12.68791G	46.24	54.00	-7.76	17.96	3	Vertical	219	1.38	28.28	39.68	11.38	33.10
AV	15.98538G	46.16	54.00	-7.84	17.40	3	Vertical	93	1.50	28.76	38.03	13.13	33.76
PK	4.95937G	47.30	74.00	-26.70	6.00	3	Vertical	276	2.02	41.30	33.24	7.16	34.40
PK	10.63775G	56.19	74.00	-17.81	16.03	3	Vertical	229	1.50	40.16	39.25	10.60	33.82
PK	11.40231G	57.17	74.00	-16.83	16.35	3	Vertical	146	2.05	40.82	39.29	10.81	33.75
PK	12.3704G	58.32	74.00	-15.68	17.09	3	Vertical	154	2.08	41.23	39.36	11.19	33.46
PK	12.68911G	58.28	74.00	-15.72	17.96	3	Vertical	219	1.38	40.32	39.68	11.38	33.10
PK	15.98346G	58.24	74.00	-15.76	17.40	3	Vertical	93	1.50	40.84	38.03	13.13	33.76

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95856G	34.80	54.00	-19.20	5.99	3	Horizontal	333	2.48	28.81	33.23	7.16	34.40
AV	10.64198G	43.83	54.00	-10.17	16.05	3	Horizontal	341	2.87	27.78	39.27	10.60	33.82
AV	11.40088G	44.97	54.00	-9.03	16.36	3	Horizontal	23	2.23	28.61	39.30	10.81	33.75
AV	12.37258G	45.81	54.00	-8.19	17.09	3	Horizontal	283	1.03	28.72	39.35	11.19	33.45
AV	12.6825G	46.33	54.00	-7.67	17.92	3	Horizontal	291	2.55	28.41	39.66	11.37	33.11
AV	15.97234G	45.99	54.00	-8.01	17.43	3	Horizontal	240	1.50	28.56	38.06	13.13	33.76
PK	4.96163G	47.03	74.00	-26.97	6.01	3	Horizontal	333	2.48	41.02	33.25	7.16	34.40
PK	10.63876G	56.76	74.00	-17.24	16.04	3	Horizontal	341	2.87	40.72	39.26	10.60	33.82
PK	11.40154G	57.21	74.00	-16.79	16.35	3	Horizontal	23	2.23	40.86	39.29	10.81	33.75
PK	12.36088G	58.40	74.00	-15.60	17.10	3	Horizontal	283	1.03	41.30	39.38	11.18	33.46
PK	12.68964G	58.94	74.00	-15.06	17.96	3	Horizontal	291	2.55	40.98	39.68	11.38	33.10
PK	15.97599G	58.84	74.00	-15.16	17.42	3	Horizontal	240	1.50	41.42	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92022G	34.58	54.00	-19.42	5.74	3	Vertical	148	1.50	28.84	33.02	7.13	34.41
AV	4.96023G	34.70	54.00	-19.30	6.00	3	Vertical	122	1.50	28.70	33.24	7.16	34.40
AV	10.63885G	43.86	54.00	-10.14	16.04	3	Vertical	165	1.50	27.82	39.26	10.60	33.82
AV	11.40156G	44.93	54.00	-9.07	16.35	3	Vertical	87	1.60	28.58	39.29	10.81	33.75
AV	12.37005G	45.77	54.00	-8.23	17.09	3	Vertical	245	1.50	28.68	39.36	11.19	33.46
AV	15.97474G	46.08	54.00	-7.92	17.42	3	Vertical	241	1.50	28.66	38.05	13.13	33.76
PK	4.93774G	47.00	74.00	-27.00	5.87	3	Vertical	148	1.50	41.13	33.13	7.14	34.40
PK	4.95835G	46.85	74.00	-27.15	5.99	3	Vertical	122	1.50	40.86	33.23	7.16	34.40
PK	10.63786G	56.15	74.00	-17.85	16.03	3	Vertical	165	1.50	40.12	39.25	10.60	33.82
PK	11.40243G	57.27	74.00	-16.73	16.35	3	Vertical	87	1.60	40.92	39.29	10.81	33.75
PK	12.37049G	58.69	74.00	-15.31	17.09	3	Vertical	245	1.50	41.60	39.36	11.19	33.46
PK	15.97345G	58.35	74.00	-15.65	17.42	3	Vertical	241	1.50	40.93	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.9218G	34.52	54.00	-19.48	5.75	3	Horizontal	178	1.50	28.77	33.03	7.13	34.41
AV	4.95853G	34.58	54.00	-19.42	5.99	3	Horizontal	346	2.54	28.59	33.23	7.16	34.40
AV	10.63778G	43.83	54.00	-10.17	16.03	3	Horizontal	300	2.64	27.80	39.25	10.60	33.82
AV	11.3928G	44.89	54.00	-9.11	16.39	3	Horizontal	120	1.99	28.50	39.33	10.81	33.75
AV	12.36755G	45.65	54.00	-8.35	17.09	3	Horizontal	56	2.39	28.56	39.36	11.19	33.46
AV	15.97194G	46.07	54.00	-7.93	17.43	3	Horizontal	231	1.20	28.64	38.06	13.13	33.76
PK	4.92314G	46.86	74.00	-27.14	5.76	3	Horizontal	178	1.50	41.10	33.04	7.13	34.41
PK	4.95956G	47.10	74.00	-26.90	6.00	3	Horizontal	346	2.54	41.10	33.24	7.16	34.40
PK	10.64189G	56.17	74.00	-17.83	16.05	3	Horizontal	300	2.64	40.12	39.27	10.60	33.82
PK	11.403G	57.24	74.00	-16.76	16.35	3	Horizontal	120	1.99	40.89	39.29	10.81	33.75
PK	12.36858G	58.32	74.00	-15.68	17.09	3	Horizontal	56	2.39	41.23	39.36	11.19	33.46
PK	15.97536G	59.14	74.00	-14.86	17.42	3	Horizontal	231	1.20	41.72	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96036G	34.68	54.00	-19.32	6.00	3	Vertical	265	1.50	28.68	33.24	7.16	34.40
AV	10.63892G	44.90	54.00	-9.10	16.04	3	Vertical	179	2.43	28.86	39.26	10.60	33.82
AV	11.4015G	44.46	54.00	-9.54	16.35	3	Vertical	114	2.66	28.11	39.29	10.81	33.75
AV	11.49232G	44.91	54.00	-9.09	16.39	3	Vertical	252	1.43	28.52	39.27	10.83	33.71
AV	12.37228G	45.70	54.00	-8.30	17.10	3	Vertical	74	1.50	28.60	39.36	11.19	33.45
AV	15.97229G	45.47	54.00	-8.53	17.43	3	Vertical	316	1.50	28.04	38.06	13.13	33.76
PK	4.96045G	47.28	74.00	-26.72	6.00	3	Vertical	265	1.50	41.28	33.24	7.16	34.40
PK	10.63214G	56.97	74.00	-17.03	16.01	3	Vertical	179	2.43	40.96	39.23	10.60	33.82
PK	11.40786G	56.98	74.00	-17.02	16.33	3	Vertical	114	2.66	40.65	39.27	10.81	33.75
PK	11.49036G	57.07	74.00	-16.93	16.38	3	Vertical	252	1.43	40.69	39.26	10.83	33.71
PK	12.36892G	57.74	74.00	-16.26	17.09	3	Vertical	74	1.50	40.65	39.36	11.19	33.46
PK	15.97332G	57.62	74.00	-16.38	17.42	3	Vertical	316	1.50	40.20	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95752G	35.32	54.00	-18.68	5.99	3	Horizontal	250	2.95	29.33	33.23	7.16	34.40
AV	10.63893G	44.19	54.00	-9.81	16.04	3	Horizontal	177	2.08	28.15	39.26	10.60	33.82
AV	11.39924G	44.42	54.00	-9.58	16.36	3	Horizontal	326	1.50	28.06	39.30	10.81	33.75
AV	11.48974G	44.94	54.00	-9.06	16.38	3	Horizontal	337	1.50	28.56	39.26	10.83	33.71
AV	12.37182G	45.76	54.00	-8.24	17.10	3	Horizontal	316	1.50	28.66	39.36	11.19	33.45
AV	15.97206G	45.44	54.00	-8.56	17.43	3	Horizontal	231	1.50	28.01	38.06	13.13	33.76
PK	4.96017G	47.59	74.00	-26.41	6.00	3	Horizontal	250	2.95	41.59	33.24	7.16	34.40
PK	10.63858G	56.38	74.00	-17.62	16.03	3	Horizontal	177	2.08	40.35	39.25	10.60	33.82
PK	11.39882G	56.89	74.00	-17.11	16.36	3	Horizontal	326	1.50	40.53	39.30	10.81	33.75
PK	11.48812G	57.37	74.00	-16.63	16.37	3	Horizontal	337	1.50	41.00	39.25	10.83	33.71
PK	12.37172G	58.03	74.00	-15.97	17.10	3	Horizontal	316	1.50	40.93	39.36	11.19	33.45
PK	15.97576G	57.89	74.00	-16.11	17.42	3	Horizontal	231	1.50	40.47	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96147G	33.31	54.00	-20.69	6.01	3	Vertical	114	2.62	27.30	33.25	7.16	34.40
AV	10.63861G	44.78	54.00	-9.22	16.03	3	Vertical	182	1.59	28.75	39.25	10.60	33.82
AV	11.39968G	44.40	54.00	-9.60	16.36	3	Vertical	34	1.21	28.04	39.30	10.81	33.75
AV	12.37064G	45.58	54.00	-8.42	17.09	3	Vertical	303	2.25	28.49	39.36	11.19	33.46
AV	12.68781G	45.91	54.00	-8.09	17.96	3	Vertical	219	1.13	27.95	39.68	11.38	33.10
AV	15.97211G	45.30	54.00	-8.70	17.43	3	Vertical	141	1.70	27.87	38.06	13.13	33.76
PK	4.96056G	45.53	74.00	-28.47	6.00	3	Vertical	114	2.62	39.53	33.24	7.16	34.40
PK	10.63946G	57.19	74.00	-16.81	16.04	3	Vertical	182	1.59	41.15	39.26	10.60	33.82
PK	11.40064G	56.27	74.00	-17.73	16.36	3	Vertical	34	1.21	39.91	39.30	10.81	33.75
PK	12.368G	56.76	74.00	-17.24	17.09	3	Vertical	303	2.25	39.67	39.36	11.19	33.46
PK	12.68759G	57.63	74.00	-16.37	17.96	3	Vertical	219	1.13	39.67	39.68	11.38	33.10
PK	15.97659G	56.70	74.00	-17.30	17.42	3	Vertical	141	1.70	39.28	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95918G	33.33	54.00	-20.67	6.00	3	Horizontal	51	2.31	27.33	33.24	7.16	34.40
AV	10.63862G	44.19	54.00	-9.81	16.03	3	Horizontal	176	2.01	28.16	39.25	10.60	33.82
AV	11.39929G	44.36	54.00	-9.64	16.36	3	Horizontal	49	2.71	28.00	39.30	10.81	33.75
AV	12.36843G	45.60	54.00	-8.40	17.09	3	Horizontal	218	1.02	28.51	39.36	11.19	33.46
AV	12.68798G	46.03	54.00	-7.97	17.96	3	Horizontal	234	2.63	28.07	39.68	11.38	33.10
AV	15.97534G	45.30	54.00	-8.70	17.42	3	Horizontal	337	1.43	27.88	38.05	13.13	33.76
PK	4.95757G	45.80	74.00	-28.20	5.99	3	Horizontal	51	2.31	39.81	33.23	7.16	34.40
PK	10.64123G	56.37	74.00	-17.63	16.04	3	Horizontal	176	2.01	40.33	39.26	10.60	33.82
PK	11.3984G	56.78	74.00	-17.22	16.37	3	Horizontal	49	2.71	40.41	39.31	10.81	33.75
PK	12.37221G	57.09	74.00	-16.91	17.10	3	Horizontal	218	1.02	39.99	39.36	11.19	33.45
PK	12.68959G	57.32	74.00	-16.68	17.96	3	Horizontal	234	2.63	39.36	39.68	11.38	33.10
PK	15.97308G	57.14	74.00	-16.86	17.42	3	Horizontal	337	1.43	39.72	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92304G	33.26	54.00	-20.74	5.76	3	Vertical	322	1.19	27.50	33.04	7.13	34.41
AV	4.96117G	33.28	54.00	-20.72	6.00	3	Vertical	35	2.61	27.28	33.24	7.16	34.40
AV	11.39983G	43.97	54.00	-10.03	16.36	3	Vertical	286	1.44	27.61	39.30	10.81	33.75
AV	12.37193G	45.58	54.00	-8.42	17.10	3	Vertical	181	1.50	28.48	39.36	11.19	33.45
AV	13.33107G	45.35	54.00	-8.65	19.35	3	Vertical	296	1.00	26.00	40.00	11.76	32.41
AV	15.97197G	45.17	54.00	-8.83	17.43	3	Vertical	235	1.44	27.74	38.06	13.13	33.76
PK	4.92442G	44.83	74.00	-29.17	5.77	3	Vertical	322	1.19	39.06	33.05	7.13	34.41
PK	4.95983G	45.81	74.00	-28.19	6.00	3	Vertical	35	2.61	39.81	33.24	7.16	34.40
PK	11.40132G	56.28	74.00	-17.72	16.35	3	Vertical	286	1.44	39.93	39.29	10.81	33.75
PK	12.37136G	57.87	74.00	-16.13	17.09	3	Vertical	181	1.50	40.78	39.36	11.19	33.46
PK	13.33196G	57.82	74.00	-16.18	19.35	3	Vertical	296	1.00	38.47	40.00	11.76	32.41
PK	15.97268G	57.94	74.00	-16.06	17.42	3	Vertical	235	1.44	40.52	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92439G	33.27	54.00	-20.73	5.77	3	Horizontal	95	1.46	27.50	33.05	7.13	34.41
AV	4.95765G	33.24	54.00	-20.76	5.99	3	Horizontal	17	1.71	27.25	33.23	7.16	34.40
AV	11.39952G	43.80	54.00	-10.20	16.36	3	Horizontal	99	2.74	27.44	39.30	10.81	33.75
AV	12.37212G	45.47	54.00	-8.53	17.10	3	Horizontal	193	1.50	28.37	39.36	11.19	33.45
AV	13.33175G	45.56	54.00	-8.44	19.35	3	Horizontal	234	2.90	26.21	40.00	11.76	32.41
AV	15.97206G	45.06	54.00	-8.94	17.43	3	Horizontal	250	2.39	27.63	38.06	13.13	33.76
PK	4.92178G	45.48	74.00	-28.52	5.75	3	Horizontal	95	1.46	39.73	33.03	7.13	34.41
PK	4.96015G	45.29	74.00	-28.71	6.00	3	Horizontal	17	1.71	39.29	33.24	7.16	34.40
PK	11.40021G	56.83	74.00	-17.17	16.36	3	Horizontal	99	2.74	40.47	39.30	10.81	33.75
PK	12.3712G	58.29	74.00	-15.71	17.09	3	Horizontal	193	1.50	41.20	39.36	11.19	33.46
PK	13.33249G	57.76	74.00	-16.24	19.35	3	Horizontal	234	2.90	38.41	40.00	11.76	32.41
PK	15.97216G	56.86	74.00	-17.14	17.43	3	Horizontal	250	2.39	39.43	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95833G	34.46	54.00	-19.54	5.99	3	Vertical	280	2.67	28.47	33.23	7.16	34.40
AV	11.39805G	44.60	54.00	-9.40	16.37	3	Vertical	257	1.50	28.23	39.31	10.81	33.75
AV	11.50248G	44.74	54.00	-9.26	16.43	3	Vertical	45	1.50	28.31	39.30	10.84	33.71
AV	12.37175G	45.77	54.00	-8.23	17.10	3	Vertical	204	2.62	28.67	39.36	11.19	33.45
AV	13.33208G	45.78	54.00	-8.22	19.35	3	Vertical	281	1.50	26.43	40.00	11.76	32.41
AV	15.97366G	45.68	54.00	-8.32	17.42	3	Vertical	189	1.50	28.26	38.05	13.13	33.76
PK	4.96157G	46.79	74.00	-27.21	6.01	3	Vertical	280	2.67	40.78	33.25	7.16	34.40
PK	11.39776G	57.60	74.00	-16.40	16.37	3	Vertical	257	1.50	41.23	39.31	10.81	33.75
PK	11.5035G	56.74	74.00	-17.26	16.42	3	Vertical	45	1.50	40.32	39.29	10.84	33.71
PK	12.37204G	58.18	74.00	-15.82	17.10	3	Vertical	204	2.62	41.08	39.36	11.19	33.45
PK	13.33216G	58.40	74.00	-15.60	19.35	3	Vertical	281	1.50	39.05	40.00	11.76	32.41
PK	15.9757G	58.00	74.00	-16.00	17.42	3	Vertical	189	1.50	40.58	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97482G	35.13	54.00	-18.87	6.07	3	Horizontal	251	2.98	29.06	33.30	7.17	34.40
AV	11.39931G	44.72	54.00	-9.28	16.36	3	Horizontal	357	1.76	28.36	39.30	10.81	33.75
AV	11.4913G	44.42	54.00	-9.58	16.39	3	Horizontal	334	1.43	28.03	39.27	10.83	33.71
AV	12.36886G	45.47	54.00	-8.53	17.09	3	Horizontal	4	2.90	28.38	39.36	11.19	33.46
AV	13.33198G	45.78	54.00	-8.22	19.35	3	Horizontal	21	2.58	26.43	40.00	11.76	32.41
AV	15.97239G	45.87	54.00	-8.13	17.43	3	Horizontal	88	1.50	28.44	38.06	13.13	33.76
PK	4.96984G	48.00	74.00	-26.00	6.05	3	Horizontal	251	2.98	41.95	33.28	7.17	34.40
PK	11.40128G	57.18	74.00	-16.82	16.35	3	Horizontal	357	1.76	40.83	39.29	10.81	33.75
PK	11.49087G	57.19	74.00	-16.81	16.38	3	Horizontal	334	1.43	40.81	39.26	10.83	33.71
PK	12.37104G	57.72	74.00	-16.28	17.09	3	Horizontal	4	2.90	40.63	39.36	11.19	33.46
PK	13.33064G	58.73	74.00	-15.27	19.35	3	Horizontal	21	2.58	39.38	40.00	11.76	32.41
PK	15.97684G	58.48	74.00	-15.52	17.42	3	Horizontal	88	1.50	41.06	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96098G	34.48	54.00	-19.52	6.00	3	Vertical	278	1.98	28.48	33.24	7.16	34.40
AV	11.39853G	44.68	54.00	-9.32	16.37	3	Vertical	62	1.18	28.31	39.31	10.81	33.75
AV	12.36831G	45.88	54.00	-8.12	17.09	3	Vertical	204	1.50	28.79	39.36	11.19	33.46
AV	12.69194G	46.03	54.00	-7.97	17.96	3	Vertical	74	1.50	28.07	39.68	11.38	33.10
AV	13.32985G	46.30	54.00	-7.70	19.34	3	Vertical	117	2.29	26.96	40.00	11.75	32.41
AV	15.97424G	45.74	54.00	-8.26	17.42	3	Vertical	109	1.44	28.32	38.05	13.13	33.76
PK	4.96025G	47.16	74.00	-26.84	6.00	3	Vertical	278	1.98	41.16	33.24	7.16	34.40
PK	11.40204G	56.85	74.00	-17.15	16.35	3	Vertical	62	1.18	40.50	39.29	10.81	33.75
PK	12.368G	58.35	74.00	-15.65	17.09	3	Vertical	204	1.50	41.26	39.36	11.19	33.46
PK	12.6887G	57.97	74.00	-16.03	17.96	3	Vertical	74	1.50	40.01	39.68	11.38	33.10
PK	13.32966G	59.45	74.00	-14.55	19.34	3	Vertical	117	2.29	40.11	40.00	11.75	32.41
PK	15.97483G	58.88	74.00	-15.12	17.42	3	Vertical	109	1.44	41.46	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95824G	34.37	54.00	-19.63	5.99	3	Horizontal	14	1.52	28.38	33.23	7.16	34.40
AV	11.4009G	44.56	54.00	-9.44	16.36	3	Horizontal	216	1.50	28.20	39.30	10.81	33.75
AV	12.36928G	45.59	54.00	-8.41	17.09	3	Horizontal	92	2.50	28.50	39.36	11.19	33.46
AV	12.69116G	46.01	54.00	-7.99	17.96	3	Horizontal	251	1.50	28.05	39.68	11.38	33.10
AV	13.33168G	45.98	54.00	-8.02	19.35	3	Horizontal	95	1.50	26.63	40.00	11.76	32.41
AV	15.97698G	45.91	54.00	-8.09	17.42	3	Horizontal	44	1.50	28.49	38.05	13.13	33.76
PK	4.96003G	46.43	74.00	-27.57	6.00	3	Horizontal	14	1.52	40.43	33.24	7.16	34.40
PK	11.39004G	56.90	74.00	-17.10	16.40	3	Horizontal	216	1.50	40.50	39.34	10.81	33.75
PK	12.36881G	57.64	74.00	-16.36	17.09	3	Horizontal	92	2.50	40.55	39.36	11.19	33.46
PK	12.68819G	58.23	74.00	-15.77	17.96	3	Horizontal	251	1.50	40.27	39.68	11.38	33.10
PK	13.33141G	58.29	74.00	-15.71	19.35	3	Horizontal	95	1.50	38.94	40.00	11.76	32.41
PK	15.96444G	58.14	74.00	-15.86	17.43	3	Horizontal	44	1.50	40.71	38.07	13.12	33.76

Radiated Emissions above 1GHz_Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92471G	34.56	54.00	-19.44	5.77	3	Vertical	40	2.87	28.79	33.05	7.13	34.41
AV	4.9617G	34.64	54.00	-19.36	6.01	3	Vertical	289	2.40	28.63	33.25	7.16	34.40
AV	11.40116G	44.66	54.00	-9.34	16.36	3	Vertical	319	1.50	28.30	39.30	10.81	33.75
AV	12.3675G	45.65	54.00	-8.35	17.09	3	Vertical	205	1.50	28.56	39.36	11.19	33.46
AV	13.33117G	45.87	54.00	-8.13	19.35	3	Vertical	52	1.50	26.52	40.00	11.76	32.41
AV	15.976G	45.59	54.00	-8.41	17.42	3	Vertical	143	2.42	28.17	38.05	13.13	33.76
PK	4.9226G	46.71	74.00	-27.29	5.76	3	Vertical	40	2.87	40.95	33.04	7.13	34.41
PK	4.95889G	47.14	74.00	-26.86	6.00	3	Vertical	289	2.40	41.14	33.24	7.16	34.40
PK	11.40114G	57.10	74.00	-16.90	16.36	3	Vertical	319	1.50	40.74	39.30	10.81	33.75
PK	12.36976G	58.44	74.00	-15.56	17.09	3	Vertical	205	1.50	41.35	39.36	11.19	33.46
PK	13.32977G	58.01	74.00	-15.99	19.34	3	Vertical	52	1.50	38.67	40.00	11.75	32.41
PK	15.97571G	57.57	74.00	-16.43	17.42	3	Vertical	143	2.42	40.15	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92317G	34.62	54.00	-19.38	5.76	3	Horizontal	203	1.50	28.86	33.04	7.13	34.41
AV	4.96076G	34.78	54.00	-19.22	6.00	3	Horizontal	131	2.85	28.78	33.24	7.16	34.40
AV	11.39873G	44.68	54.00	-9.32	16.37	3	Horizontal	69	1.50	28.31	39.31	10.81	33.75
AV	12.37156G	45.49	54.00	-8.51	17.09	3	Horizontal	213	1.50	28.40	39.36	11.19	33.46
AV	13.33093G	45.83	54.00	-8.17	19.35	3	Horizontal	208	1.42	26.48	40.00	11.76	32.41
AV	15.97195G	45.72	54.00	-8.28	17.43	3	Horizontal	247	2.47	28.29	38.06	13.13	33.76
PK	4.9265G	46.78	74.00	-27.22	5.79	3	Horizontal	203	1.50	40.99	33.06	7.13	34.40
PK	4.96182G	47.41	74.00	-26.59	6.01	3	Horizontal	131	2.85	41.40	33.25	7.16	34.40
PK	11.39941G	56.74	74.00	-17.26	16.36	3	Horizontal	69	1.50	40.38	39.30	10.81	33.75
PK	12.37081G	57.73	74.00	-16.27	17.09	3	Horizontal	213	1.50	40.64	39.36	11.19	33.46
PK	13.33208G	58.16	74.00	-15.84	19.35	3	Horizontal	208	1.42	38.81	40.00	11.76	32.41
PK	15.97539G	57.83	74.00	-16.17	17.42	3	Horizontal	247	2.47	40.41	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95762G	34.73	54.00	-19.27	5.99	3	Vertical	277	2.47	28.74	33.23	7.16	34.40
AV	11.39994G	44.54	54.00	-9.46	16.36	3	Vertical	234	2.35	28.18	39.30	10.81	33.75
AV	11.4918G	44.67	54.00	-9.33	16.39	3	Vertical	178	1.50	28.28	39.27	10.83	33.71
AV	12.37248G	45.81	54.00	-8.19	17.10	3	Vertical	204	1.38	28.71	39.36	11.19	33.45
AV	13.33234G	45.99	54.00	-8.01	19.35	3	Vertical	252	1.50	26.64	40.00	11.76	32.41
AV	15.97199G	45.75	54.00	-8.25	17.43	3	Vertical	291	1.00	28.32	38.06	13.13	33.76
PK	4.95764G	47.16	74.00	-26.84	5.99	3	Vertical	277	2.47	41.17	33.23	7.16	34.40
PK	11.39877G	57.23	74.00	-16.77	16.36	3	Vertical	234	2.35	40.87	39.30	10.81	33.75
PK	11.49184G	58.31	74.00	-15.69	16.39	3	Vertical	178	1.50	41.92	39.27	10.83	33.71
PK	12.36825G	58.39	74.00	-15.61	17.09	3	Vertical	204	1.38	41.30	39.36	11.19	33.46
PK	13.33214G	58.13	74.00	-15.87	19.35	3	Vertical	252	1.50	38.78	40.00	11.76	32.41
PK	15.97202G	58.19	74.00	-15.81	17.43	3	Vertical	291	1.00	40.76	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96071G	34.55	54.00	-19.45	6.00	3	Horizontal	312	1.50	28.55	33.24	7.16	34.40
AV	11.40051G	44.81	54.00	-9.19	16.36	3	Horizontal	91	1.94	28.45	39.30	10.81	33.75
AV	11.49205G	44.72	54.00	-9.28	16.39	3	Horizontal	277	1.50	28.33	39.27	10.83	33.71
AV	12.36761G	45.73	54.00	-8.27	17.09	3	Horizontal	209	2.83	28.64	39.36	11.19	33.46
AV	13.33176G	45.86	54.00	-8.14	19.35	3	Horizontal	53	1.64	26.51	40.00	11.76	32.41
AV	15.97368G	45.83	54.00	-8.17	17.42	3	Horizontal	190	1.50	28.41	38.05	13.13	33.76
PK	4.95896G	47.25	74.00	-26.75	6.00	3	Horizontal	312	1.50	41.25	33.24	7.16	34.40
PK	11.40065G	57.02	74.00	-16.98	16.36	3	Horizontal	91	1.94	40.66	39.30	10.81	33.75
PK	11.4919G	56.90	74.00	-17.10	16.39	3	Horizontal	277	1.50	40.51	39.27	10.83	33.71
PK	12.3688G	58.16	74.00	-15.84	17.09	3	Horizontal	209	2.83	41.07	39.36	11.19	33.46
PK	13.3284G	57.76	74.00	-16.24	19.34	3	Horizontal	53	1.64	38.42	40.00	11.75	32.41
PK	15.97521G	58.56	74.00	-15.44	17.42	3	Horizontal	190	1.50	41.14	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96143G	34.70	54.00	-19.30	6.01	3	Vertical	6	1.50	28.69	33.25	7.16	34.40
AV	11.40954G	44.65	54.00	-9.35	16.33	3	Vertical	232	1.50	28.32	39.26	10.81	33.74
AV	12.3552G	46.66	54.00	-7.34	17.10	3	Vertical	203	1.44	29.56	39.39	11.18	33.47
AV	12.69198G	46.02	54.00	-7.98	17.96	3	Vertical	78	1.74	28.06	39.68	11.38	33.10
AV	13.3305G	45.85	54.00	-8.15	19.34	3	Vertical	243	2.14	26.51	40.00	11.75	32.41
AV	15.97276G	45.89	54.00	-8.11	17.42	3	Vertical	59	1.50	28.47	38.05	13.13	33.76
PK	4.96051G	47.15	74.00	-26.85	6.00	3	Vertical	6	1.50	41.15	33.24	7.16	34.40
PK	11.40762G	57.57	74.00	-16.43	16.33	3	Vertical	232	1.50	41.24	39.27	10.81	33.75
PK	12.3569G	59.58	74.00	-14.42	17.10	3	Vertical	203	1.44	42.48	39.39	11.18	33.47
PK	12.6879G	59.24	74.00	-14.76	17.96	3	Vertical	78	1.74	41.28	39.68	11.38	33.10
PK	13.33174G	58.88	74.00	-15.12	19.35	3	Vertical	243	2.14	39.53	40.00	11.76	32.41
PK	15.97601G	58.52	74.00	-15.48	17.42	3	Vertical	59	1.50	41.10	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96186G	34.84	54.00	-19.16	6.01	3	Horizontal	258	2.15	28.83	33.25	7.16	34.40
AV	11.39921G	44.64	54.00	-9.36	16.36	3	Horizontal	151	1.50	28.28	39.30	10.81	33.75
AV	12.3707G	45.70	54.00	-8.30	17.09	3	Horizontal	303	1.50	28.61	39.36	11.19	33.46
AV	12.69822G	46.15	54.00	-7.85	17.99	3	Horizontal	9	1.50	28.16	39.70	11.38	33.09
AV	13.33207G	45.92	54.00	-8.08	19.35	3	Horizontal	186	1.49	26.57	40.00	11.76	32.41
AV	15.97659G	45.76	54.00	-8.24	17.42	3	Horizontal	154	1.64	28.34	38.05	13.13	33.76
PK	4.96106G	47.15	74.00	-26.85	6.00	3	Horizontal	258	2.15	41.15	33.24	7.16	34.40
PK	11.39938G	57.06	74.00	-16.94	16.36	3	Horizontal	151	1.50	40.70	39.30	10.81	33.75
PK	12.36935G	58.51	74.00	-15.49	17.09	3	Horizontal	303	1.50	41.42	39.36	11.19	33.46
PK	12.68874G	58.69	74.00	-15.31	17.96	3	Horizontal	9	1.50	40.73	39.68	11.38	33.10
PK	13.33159G	58.30	74.00	-15.70	19.35	3	Horizontal	186	1.49	38.95	40.00	11.76	32.41
PK	15.9726G	57.74	74.00	-16.26	17.42	3	Horizontal	154	1.64	40.32	38.05	13.13	33.76