



5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX






5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5775MHz_TX






5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_1T1S_AP5022FX**

Appendix E.62

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	AV	5.139G	53.76	54.00	-0.24	3	Horizontal	2	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	Pass	PK	5.362G	72.71	74.00	-1.29	3	Horizontal	2	2.10
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	Pass	PK	5.3508G	73.30	74.00	-0.70	3	Horizontal	3	2.18
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	Pass	PK	5.736G	67.98	68.20	-0.22	3	Horizontal	3	2.01
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX	Pass	PK	5.4692G	67.82	68.20	-0.38	3	Horizontal	0	2.07
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	PK	5.6022G	67.47	68.20	-0.73	3	Horizontal	2	2.01

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.138G	52.30	54.00	-1.70	3	Vertical	360	2.10
5210MHz	Pass	AV	5.24G	95.56	Inf	-Inf	3	Vertical	360	2.10
5210MHz	Pass	AV	5.356G	47.32	54.00	-6.68	3	Vertical	360	2.10
5210MHz	Pass	PK	5.147G	70.78	74.00	-3.22	3	Vertical	360	2.10
5210MHz	Pass	PK	5.182G	107.99	Inf	-Inf	3	Vertical	360	2.10
5210MHz	Pass	PK	5.354G	62.60	74.00	-11.40	3	Vertical	360	2.10
5210MHz	Pass	AV	5.139G	53.76	54.00	-0.24	3	Horizontal	2	1.50
5210MHz	Pass	AV	5.236G	97.41	Inf	-Inf	3	Horizontal	2	1.50
5210MHz	Pass	AV	5.35G	47.71	54.00	-6.29	3	Horizontal	2	1.50
5210MHz	Pass	PK	5.146G	72.31	74.00	-1.69	3	Horizontal	2	1.50
5210MHz	Pass	PK	5.236G	109.31	Inf	-Inf	3	Horizontal	2	1.50
5210MHz	Pass	PK	5.354G	64.55	74.00	-9.45	3	Horizontal	2	1.50
5210MHz	Pass	PK	10.41812G	50.33	68.20	-17.87	3	Vertical	192	2.37
5210MHz	Pass	PK	10.42712G	50.27	68.20	-17.93	3	Horizontal	182	1.42
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.146G	46.28	54.00	-7.72	3	Vertical	4	2.04
5290MHz	Pass	AV	5.32G	93.02	Inf	-Inf	3	Vertical	4	2.04
5290MHz	Pass	AV	5.364G	49.05	54.00	-4.95	3	Vertical	4	2.04
5290MHz	Pass	PK	5.142G	57.88	74.00	-16.12	3	Vertical	4	2.04
5290MHz	Pass	PK	5.32G	105.69	Inf	-Inf	3	Vertical	4	2.04
5290MHz	Pass	PK	5.369G	69.57	74.00	-4.43	3	Vertical	4	2.04
5290MHz	Pass	PK	5.5G	58.39	68.20	-9.81	3	Vertical	4	2.04
5290MHz	Pass	AV	5.145G	46.06	54.00	-7.94	3	Horizontal	2	2.10
5290MHz	Pass	AV	5.328G	95.98	Inf	-Inf	3	Horizontal	2	2.10
5290MHz	Pass	AV	5.361G	51.17	54.00	-2.83	3	Horizontal	2	2.10
5290MHz	Pass	PK	5.146G	59.21	74.00	-14.79	3	Horizontal	2	2.10
5290MHz	Pass	PK	5.32G	108.38	Inf	-Inf	3	Horizontal	2	2.10
5290MHz	Pass	PK	5.362G	72.71	74.00	-1.29	3	Horizontal	2	2.10
5290MHz	Pass	PK	5.465G	59.55	68.20	-8.65	3	Horizontal	2	2.10
5290MHz	Pass	PK	10.57943G	50.40	68.20	-17.80	3	Vertical	245	1.23
5290MHz	Pass	PK	10.57962G	50.28	68.20	-17.92	3	Horizontal	358	1.73
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	44.79	54.00	-9.21	3	Vertical	2	1.95
5530MHz	Pass	AV	5.456G	46.62	54.00	-7.38	3	Vertical	2	1.95
5530MHz	Pass	AV	5.52G	93.67	Inf	-Inf	3	Vertical	2	1.95
5530MHz	Pass	PK	5.32G	57.62	68.20	-10.58	3	Vertical	2	1.95
5530MHz	Pass	PK	5.46G	63.63	74.00	-10.37	3	Vertical	2	1.95
5530MHz	Pass	PK	5.468G	64.73	68.20	-3.47	3	Vertical	2	1.95
5530MHz	Pass	PK	5.502G	106.46	Inf	-Inf	3	Vertical	2	1.95
5530MHz	Pass	PK	5.73G	58.92	68.20	-9.28	3	Vertical	2	1.95
5530MHz	Pass	AV	5.35G	46.67	54.00	-7.33	3	Horizontal	0	2.07
5530MHz	Pass	AV	5.458G	50.10	54.00	-3.90	3	Horizontal	0	2.07
5530MHz	Pass	AV	5.541G	97.40	Inf	-Inf	3	Horizontal	0	2.07
5530MHz	Pass	PK	5.317G	57.75	68.20	-10.45	3	Horizontal	0	2.07
5530MHz	Pass	PK	5.46G	64.80	74.00	-9.20	3	Horizontal	0	2.07
5530MHz	Pass	PK	5.468G	66.87	68.20	-1.33	3	Horizontal	0	2.07
5530MHz	Pass	PK	5.521G	108.29	Inf	-Inf	3	Horizontal	0	2.07
5530MHz	Pass	PK	5.756G	58.87	68.20	-9.33	3	Horizontal	0	2.07
5530MHz	Pass	AV	11.06316G	40.22	54.00	-13.78	3	Vertical	52	1.94
5530MHz	Pass	PK	11.06392G	50.21	74.00	-23.79	3	Vertical	52	1.94
5530MHz	Pass	AV	11.06432G	39.92	54.00	-14.08	3	Horizontal	307	2.00
5530MHz	Pass	PK	11.06316G	50.35	74.00	-23.65	3	Horizontal	307	2.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.459G	46.47	54.00	-7.53	3	Vertical	3	2.07
5610MHz	Pass	AV	5.619G	95.23	Inf	-Inf	3	Vertical	3	2.07
5610MHz	Pass	PK	5.446G	60.19	74.00	-13.81	3	Vertical	3	2.07
5610MHz	Pass	PK	5.47G	61.67	68.20	-6.53	3	Vertical	3	2.07
5610MHz	Pass	PK	5.62G	108.19	Inf	-Inf	3	Vertical	3	2.07
5610MHz	Pass	PK	5.736G	66.46	68.20	-1.74	3	Vertical	3	2.07
5610MHz	Pass	AV	5.449G	47.06	54.00	-6.94	3	Horizontal	3	2.01

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.581G	97.49	Inf	-Inf	3	Horizontal	3	2.01
5610MHz	Pass	PK	5.454G	63.14	74.00	-10.86	3	Horizontal	3	2.01
5610MHz	Pass	PK	5.47G	63.18	68.20	-5.02	3	Horizontal	3	2.01
5610MHz	Pass	PK	5.588G	109.68	Inf	-Inf	3	Horizontal	3	2.01
5610MHz	Pass	PK	5.736G	67.98	68.20	-0.22	3	Horizontal	3	2.01
5610MHz	Pass	AV	11.21392G	40.47	54.00	-13.53	3	Vertical	0	1.50
5610MHz	Pass	PK	11.22368G	50.89	74.00	-23.11	3	Vertical	0	1.50
5610MHz	Pass	AV	11.229G	40.35	54.00	-13.65	3	Horizontal	0	1.50
5610MHz	Pass	PK	11.2168G	50.80	74.00	-23.20	3	Horizontal	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	45.73	54.00	-8.27	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	95.82	Inf	-Inf	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	58.67	74.00	-15.33	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.92	68.20	-11.28	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7056G	107.70	Inf	-Inf	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	64.08	68.20	-4.12	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	46.94	54.00	-7.06	3	Horizontal	0	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6996G	99.99	Inf	-Inf	3	Horizontal	0	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4476G	62.36	74.00	-11.64	3	Horizontal	0	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.01	68.20	-9.19	3	Horizontal	0	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6996G	112.77	Inf	-Inf	3	Horizontal	0	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	67.86	68.20	-0.34	3	Horizontal	0	2.06
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37256G	40.53	54.00	-13.47	3	Vertical	100	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38912G	50.48	74.00	-23.52	3	Vertical	100	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37312G	40.83	54.00	-13.17	3	Horizontal	274	2.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38432G	51.10	74.00	-22.90	3	Horizontal	274	2.25
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7462G	94.46	Inf	-Inf	3	Vertical	2	1.50
5775MHz	Pass	PK	5.6178G	63.95	68.20	-4.25	3	Vertical	2	1.50
5775MHz	Pass	PK	5.7474G	107.41	Inf	-Inf	3	Vertical	2	1.50
5775MHz	Pass	PK	6.0138G	58.42	68.20	-9.78	3	Vertical	2	1.50
5775MHz	Pass	AV	5.763G	99.85	Inf	-Inf	3	Horizontal	2	2.01
5775MHz	Pass	PK	5.6022G	67.47	68.20	-0.73	3	Horizontal	2	2.01
5775MHz	Pass	PK	5.7726G	111.07	Inf	-Inf	3	Horizontal	2	2.01
5775MHz	Pass	PK	5.9322G	58.93	68.20	-9.27	3	Horizontal	2	2.01
5775MHz	Pass	AV	11.54116G	39.77	54.00	-14.23	3	Vertical	103	1.71
5775MHz	Pass	PK	11.5416G	49.82	74.00	-24.18	3	Vertical	103	1.71
5775MHz	Pass	AV	11.54028G	39.86	54.00	-14.14	3	Horizontal	177	1.50
5775MHz	Pass	PK	11.54216G	49.85	74.00	-24.15	3	Horizontal	177	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	48.22	54.00	-5.78	3	Vertical	1	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	92.17	Inf	-Inf	3	Vertical	1	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3676G	48.70	54.00	-5.30	3	Vertical	1	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	63.58	74.00	-10.42	3	Vertical	1	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3256G	104.27	Inf	-Inf	3	Vertical	1	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35G	69.39	74.00	-4.61	3	Vertical	1	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4684G	58.55	68.20	-9.65	3	Vertical	1	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1432G	50.49	54.00	-3.51	3	Horizontal	360	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	95.36	Inf	-Inf	3	Horizontal	360	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3676G	50.75	54.00	-3.25	3	Horizontal	360	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	66.49	74.00	-7.51	3	Horizontal	360	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.274G	107.25	Inf	-Inf	3	Horizontal	360	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3508G	73.00	74.00	-1.00	3	Horizontal	360	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4936G	60.29	68.20	-7.91	3	Horizontal	360	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50896G	50.40	68.20	-17.80	3	Vertical	45	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50032G	50.33	68.20	-17.87	3	Horizontal	162	2.60
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1384G	47.46	54.00	-6.54	3	Vertical	5	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	92.19	Inf	-Inf	3	Vertical	5	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4084G	49.59	54.00	-4.41	3	Vertical	5	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1384G	58.79	74.00	-15.21	3	Vertical	5	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.274G	104.35	Inf	-Inf	3	Vertical	5	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3508G	70.02	74.00	-3.98	3	Vertical	5	1.96




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_1T1S_AP5022FX**

Appendix E.62

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.472G	59.09	68.20	-9.11	3	Vertical	5	1.96
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	49.03	54.00	-4.97	3	Horizontal	3	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	95.64	Inf	-Inf	3	Horizontal	3	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4084G	51.36	54.00	-2.64	3	Horizontal	3	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1336G	61.98	74.00	-12.02	3	Horizontal	3	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3232G	107.61	Inf	-Inf	3	Horizontal	3	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3508G	73.30	74.00	-0.70	3	Horizontal	3	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4888G	62.06	68.20	-6.14	3	Horizontal	3	2.18
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50384G	49.94	68.20	-18.26	3	Vertical	329	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49376G	51.13	68.20	-17.07	3	Horizontal	311	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4428G	47.01	54.00	-6.99	3	Vertical	3	2.02
5570MHz	Pass	AV	5.5088G	91.33	Inf	-Inf	3	Vertical	3	2.02
5570MHz	Pass	PK	5.2832G	56.83	68.20	-11.37	3	Vertical	3	2.02
5570MHz	Pass	PK	5.4512G	63.79	74.00	-10.21	3	Vertical	3	2.02
5570MHz	Pass	PK	5.4644G	64.16	68.20	-4.04	3	Vertical	3	2.02
5570MHz	Pass	PK	5.564G	104.07	Inf	-Inf	3	Vertical	3	2.02
5570MHz	Pass	PK	5.7356G	60.34	68.20	-7.86	3	Vertical	3	2.02
5570MHz	Pass	AV	5.4368G	48.81	54.00	-5.19	3	Horizontal	1	2.10
5570MHz	Pass	AV	5.5376G	94.18	Inf	-Inf	3	Horizontal	1	2.10
5570MHz	Pass	PK	5.3384G	58.06	68.20	-10.14	3	Horizontal	1	2.10
5570MHz	Pass	PK	5.4584G	65.75	74.00	-8.25	3	Horizontal	1	2.10
5570MHz	Pass	PK	5.468G	66.56	68.20	-1.64	3	Horizontal	1	2.10
5570MHz	Pass	PK	5.5472G	107.12	Inf	-Inf	3	Horizontal	1	2.10
5570MHz	Pass	PK	5.7284G	61.23	68.20	-6.97	3	Horizontal	1	2.10
5570MHz	Pass	AV	11.14236G	40.42	54.00	-13.58	3	Vertical	16	2.57
5570MHz	Pass	PK	11.14276G	50.47	74.00	-23.53	3	Vertical	16	2.57
5570MHz	Pass	AV	11.14976G	40.43	54.00	-13.57	3	Horizontal	260	1.28
5570MHz	Pass	PK	11.14976G	50.73	74.00	-23.27	3	Horizontal	260	1.28
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4092G	47.01	54.00	-6.99	3	Vertical	3	2.19
5570MHz	Pass	AV	5.5076G	91.63	Inf	-Inf	3	Vertical	3	2.19
5570MHz	Pass	PK	5.3408G	58.04	68.20	-10.16	3	Vertical	3	2.19
5570MHz	Pass	PK	5.456G	65.37	74.00	-8.63	3	Vertical	3	2.19
5570MHz	Pass	PK	5.4692G	65.36	68.20	-2.84	3	Vertical	3	2.19
5570MHz	Pass	PK	5.492G	104.13	Inf	-Inf	3	Vertical	3	2.19
5570MHz	Pass	PK	5.7332G	59.61	68.20	-8.59	3	Vertical	3	2.19
5570MHz	Pass	AV	5.4404G	48.08	54.00	-5.92	3	Horizontal	0	2.07
5570MHz	Pass	AV	5.5412G	94.76	Inf	-Inf	3	Horizontal	0	2.07
5570MHz	Pass	PK	5.3192G	58.31	68.20	-9.89	3	Horizontal	0	2.07
5570MHz	Pass	PK	5.4596G	66.79	74.00	-7.21	3	Horizontal	0	2.07
5570MHz	Pass	PK	5.4692G	67.82	68.20	-0.38	3	Horizontal	0	2.07
5570MHz	Pass	PK	5.5544G	106.90	Inf	-Inf	3	Horizontal	0	2.07
5570MHz	Pass	PK	5.774G	60.86	68.20	-7.34	3	Horizontal	0	2.07
5570MHz	Pass	AV	11.14075G	40.04	54.00	-13.96	3	Vertical	321	2.61
5570MHz	Pass	PK	11.13913G	50.89	74.00	-23.11	3	Vertical	321	2.61
5570MHz	Pass	AV	11.13923G	39.82	54.00	-14.18	3	Horizontal	293	2.46
5570MHz	Pass	PK	11.1403G	50.12	74.00	-23.88	3	Horizontal	293	2.46


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	46.47	54.00	-7.53	2.44	3	Vertical	3	2.07	44.03	33.22	6.76	37.54
AV	5.619G	95.23	Inf	-Inf	2.92	3	Vertical	3	2.07	92.31	33.48	6.94	37.50
PK	5.446G	60.19	74.00	-13.81	2.41	3	Vertical	3	2.07	57.78	33.20	6.75	37.54
PK	5.47G	61.67	68.20	-6.53	2.47	3	Vertical	3	2.07	59.20	33.24	6.77	37.54
PK	5.62G	108.19	Inf	-Inf	2.92	3	Vertical	3	2.07	105.27	33.48	6.94	37.50
PK	5.736G	66.46	68.20	-1.74	3.73	3	Vertical	3	2.07	62.73	34.02	7.17	37.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.449G	47.06	54.00	-6.94	2.41	3	Horizontal	3	2.01	44.65	33.20	6.75	37.54
AV	5.581G	97.49	Inf	-Inf	2.77	3	Horizontal	3	2.01	94.72	33.40	6.88	37.51
PK	5.454G	63.14	74.00	-10.86	2.42	3	Horizontal	3	2.01	60.72	33.21	6.75	37.54
PK	5.47G	63.18	68.20	-5.02	2.47	3	Horizontal	3	2.01	60.71	33.24	6.77	37.54
PK	5.588G	109.68	Inf	-Inf	2.78	3	Horizontal	3	2.01	106.90	33.40	6.89	37.51
PK	5.736G	67.98	68.20	-0.22	3.73	3	Horizontal	3	2.01	64.25	34.02	7.17	37.46




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_2T1S_AP5022FX**

Appendix E.63

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.136G	53.83	54.00	-0.17	3	Horizontal	3	2.04
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	Pass	PK	5.351G	72.48	74.00	-1.52	3	Horizontal	0	2.13
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.4084G	53.86	54.00	-0.14	3	Vertical	0	2.11
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.728G	67.51	68.20	-0.69	3	Vertical	5	2.06
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	Pass	PK	5.4656G	66.84	68.20	-1.36	3	Horizontal	3	1.99
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.6394G	67.80	68.20	-0.40	3	Horizontal	1	1.96



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_2T1S_AP5022FX**

Appendix E.63

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.139G	53.75	54.00	-0.25	3	Vertical	360	2.18
5210MHz	Pass	AV	5.239G	99.21	Inf	-Inf	3	Vertical	360	2.18
5210MHz	Pass	AV	5.354G	48.55	54.00	-5.45	3	Vertical	360	2.18
5210MHz	Pass	PK	5.134G	67.09	74.00	-6.91	3	Vertical	360	2.18
5210MHz	Pass	PK	5.232G	110.12	Inf	-Inf	3	Vertical	360	2.18
5210MHz	Pass	PK	5.353G	62.30	74.00	-11.70	3	Vertical	360	2.18
5210MHz	Pass	AV	5.136G	53.83	54.00	-0.17	3	Horizontal	3	2.04
5210MHz	Pass	AV	5.241G	99.11	Inf	-Inf	3	Horizontal	3	2.04
5210MHz	Pass	AV	5.371G	48.69	54.00	-5.31	3	Horizontal	3	2.04
5210MHz	Pass	PK	5.136G	68.11	74.00	-5.89	3	Horizontal	3	2.04
5210MHz	Pass	PK	5.198G	110.40	Inf	-Inf	3	Horizontal	3	2.04
5210MHz	Pass	PK	5.351G	62.91	74.00	-11.09	3	Horizontal	3	2.04
5210MHz	Pass	PK	10.4192G	50.29	68.20	-17.91	3	Vertical	0	1.50
5210MHz	Pass	PK	10.4264G	49.78	68.20	-18.42	3	Horizontal	179	2.61
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.138G	47.08	54.00	-6.92	3	Vertical	2	2.03
5290MHz	Pass	AV	5.302G	97.96	Inf	-Inf	3	Vertical	2	2.03
5290MHz	Pass	AV	5.359G	52.41	54.00	-1.59	3	Vertical	2	2.03
5290MHz	Pass	PK	5.061G	57.68	74.00	-16.32	3	Vertical	2	2.03
5290MHz	Pass	PK	5.317G	109.07	Inf	-Inf	3	Vertical	2	2.03
5290MHz	Pass	PK	5.353G	71.63	74.00	-2.37	3	Vertical	2	2.03
5290MHz	Pass	PK	5.526G	58.10	68.20	-10.10	3	Vertical	2	2.03
5290MHz	Pass	AV	5.137G	47.16	54.00	-6.84	3	Horizontal	0	2.13
5290MHz	Pass	AV	5.32G	97.96	Inf	-Inf	3	Horizontal	0	2.13
5290MHz	Pass	AV	5.355G	52.24	54.00	-1.76	3	Horizontal	0	2.13
5290MHz	Pass	PK	5.043G	57.48	74.00	-16.52	3	Horizontal	0	2.13
5290MHz	Pass	PK	5.283G	109.07	Inf	-Inf	3	Horizontal	0	2.13
5290MHz	Pass	PK	5.351G	72.48	74.00	-1.52	3	Horizontal	0	2.13
5290MHz	Pass	PK	5.513G	58.77	68.20	-9.43	3	Horizontal	0	2.13
5290MHz	Pass	PK	10.58224G	50.82	68.20	-17.38	3	Vertical	236	1.29
5290MHz	Pass	PK	10.5852G	50.48	68.20	-17.72	3	Horizontal	360	2.91
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	46.48	54.00	-7.52	3	Vertical	2	1.50
5530MHz	Pass	AV	5.457G	50.75	54.00	-3.25	3	Vertical	2	1.50
5530MHz	Pass	AV	5.517G	97.88	Inf	-Inf	3	Vertical	2	1.50
5530MHz	Pass	PK	5.325G	57.92	68.20	-10.28	3	Vertical	2	1.50
5530MHz	Pass	PK	5.458G	63.50	74.00	-10.50	3	Vertical	2	1.50
5530MHz	Pass	PK	5.468G	62.91	68.20	-5.29	3	Vertical	2	1.50
5530MHz	Pass	PK	5.514G	108.43	Inf	-Inf	3	Vertical	2	1.50
5530MHz	Pass	PK	5.728G	58.84	68.20	-9.36	3	Vertical	2	1.50
5530MHz	Pass	AV	5.35G	47.40	54.00	-6.60	3	Horizontal	0	1.85
5530MHz	Pass	AV	5.456G	52.50	54.00	-1.50	3	Horizontal	0	1.85
5530MHz	Pass	AV	5.52G	100.66	Inf	-Inf	3	Horizontal	0	1.85
5530MHz	Pass	PK	5.301G	57.64	68.20	-10.56	3	Horizontal	0	1.85
5530MHz	Pass	PK	5.449G	66.93	74.00	-7.07	3	Horizontal	0	1.85
5530MHz	Pass	PK	5.47G	65.27	68.20	-2.93	3	Horizontal	0	1.85
5530MHz	Pass	PK	5.493G	111.23	Inf	-Inf	3	Horizontal	0	1.85
5530MHz	Pass	PK	5.761G	59.62	68.20	-8.58	3	Horizontal	0	1.85
5530MHz	Pass	AV	11.05256G	39.73	54.00	-14.27	3	Vertical	209	2.15
5530MHz	Pass	PK	11.05372G	50.07	74.00	-23.93	3	Vertical	209	2.15
5530MHz	Pass	AV	11.06864G	39.88	54.00	-14.12	3	Horizontal	116	1.16
5530MHz	Pass	PK	11.06436G	50.14	74.00	-23.86	3	Horizontal	116	1.16
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.417G	48.14	54.00	-5.86	3	Vertical	5	2.06
5610MHz	Pass	AV	5.619G	99.69	Inf	-Inf	3	Vertical	5	2.06
5610MHz	Pass	PK	5.459G	61.03	74.00	-12.97	3	Vertical	5	2.06
5610MHz	Pass	PK	5.468G	62.57	68.20	-5.63	3	Vertical	5	2.06
5610MHz	Pass	PK	5.629G	110.59	Inf	-Inf	3	Vertical	5	2.06
5610MHz	Pass	PK	5.728G	67.51	68.20	-0.69	3	Vertical	5	2.06
5610MHz	Pass	AV	5.45G	48.16	54.00	-5.84	3	Horizontal	3	2.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.615G	100.06	Inf	-Inf	3	Horizontal	3	2.20
5610MHz	Pass	PK	5.46G	61.95	74.00	-12.05	3	Horizontal	3	2.20
5610MHz	Pass	PK	5.466G	64.11	68.20	-4.09	3	Horizontal	3	2.20
5610MHz	Pass	PK	5.616G	110.61	Inf	-Inf	3	Horizontal	3	2.20
5610MHz	Pass	PK	5.725G	67.31	68.20	-0.89	3	Horizontal	3	2.20
5610MHz	Pass	AV	11.22892G	40.35	54.00	-13.65	3	Vertical	53	2.45
5610MHz	Pass	PK	11.22788G	50.90	74.00	-23.10	3	Vertical	53	2.45
5610MHz	Pass	AV	11.21156G	40.30	54.00	-13.70	3	Horizontal	334	1.50
5610MHz	Pass	PK	11.2164G	51.03	74.00	-22.97	3	Horizontal	334	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	47.60	54.00	-6.40	3	Vertical	4	1.99
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6996G	101.29	Inf	-Inf	3	Vertical	4	1.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4452G	57.70	74.00	-16.30	3	Vertical	4	1.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.39	68.20	-10.81	3	Vertical	4	1.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7032G	111.90	Inf	-Inf	3	Vertical	4	1.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	60.96	68.20	-7.24	3	Vertical	4	1.99
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	47.87	54.00	-6.13	3	Horizontal	360	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	101.84	Inf	-Inf	3	Horizontal	360	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4332G	57.95	74.00	-16.05	3	Horizontal	360	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.33	68.20	-10.87	3	Horizontal	360	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.72G	112.40	Inf	-Inf	3	Horizontal	360	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.87G	61.11	68.20	-7.09	3	Horizontal	360	2.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37336G	40.61	54.00	-13.39	3	Vertical	193	2.59
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38032G	51.02	74.00	-22.98	3	Vertical	193	2.59
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37864G	40.84	54.00	-13.16	3	Horizontal	28	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38156G	50.32	74.00	-23.68	3	Horizontal	28	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7666G	98.75	Inf	-Inf	3	Vertical	3	1.50
5775MHz	Pass	PK	5.643G	65.41	68.20	-2.79	3	Vertical	3	1.50
5775MHz	Pass	PK	5.7366G	108.72	Inf	-Inf	3	Vertical	3	1.50
5775MHz	Pass	PK	5.9514G	59.58	68.20	-8.62	3	Vertical	3	1.50
5775MHz	Pass	AV	5.763G	101.29	Inf	-Inf	3	Horizontal	1	1.96
5775MHz	Pass	PK	5.6394G	67.80	68.20	-0.40	3	Horizontal	1	1.96
5775MHz	Pass	PK	5.7654G	111.54	Inf	-Inf	3	Horizontal	1	1.96
5775MHz	Pass	PK	5.925G	58.51	68.20	-9.69	3	Horizontal	1	1.96
5775MHz	Pass	AV	11.54752G	39.72	54.00	-14.28	3	Vertical	204	1.50
5775MHz	Pass	PK	11.55804G	51.02	74.00	-22.98	3	Vertical	204	1.50
5775MHz	Pass	AV	11.5424G	39.91	54.00	-14.09	3	Horizontal	334	2.96
5775MHz	Pass	PK	11.54624G	50.52	74.00	-23.48	3	Horizontal	334	2.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	53.30	54.00	-0.70	3	Vertical	0	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	99.93	Inf	-Inf	3	Vertical	0	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.358G	53.13	54.00	-0.87	3	Vertical	0	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	67.04	74.00	-6.96	3	Vertical	0	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3124G	110.67	Inf	-Inf	3	Vertical	0	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	67.67	74.00	-6.33	3	Vertical	0	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4924G	60.02	68.20	-8.18	3	Vertical	0	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.142G	53.24	54.00	-0.76	3	Horizontal	4	1.84
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	99.85	Inf	-Inf	3	Horizontal	4	1.84
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.376G	52.41	54.00	-1.59	3	Horizontal	4	1.84
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	65.05	74.00	-8.95	3	Horizontal	4	1.84
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3124G	110.09	Inf	-Inf	3	Horizontal	4	1.84
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	63.50	74.00	-10.50	3	Horizontal	4	1.84
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4936G	60.61	68.20	-7.59	3	Horizontal	4	1.84
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50644G	50.60	68.20	-17.60	3	Vertical	319	1.08
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50924G	50.12	68.20	-18.08	3	Horizontal	353	1.14
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1384G	51.93	54.00	-2.07	3	Vertical	0	2.11
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	99.50	Inf	-Inf	3	Vertical	0	2.11
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4084G	53.86	54.00	-0.14	3	Vertical	0	2.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1384G	64.28	74.00	-9.72	3	Vertical	0	2.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3088G	109.62	Inf	-Inf	3	Vertical	0	2.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	69.59	74.00	-4.41	3	Vertical	0	2.11




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_2T1S_AP5022FX**

Appendix E.63

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4948G	59.82	68.20	-8.38	3	Vertical	0	2.11
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.136G	49.41	54.00	-4.59	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	97.12	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4156G	52.40	54.00	-1.60	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1348G	61.11	74.00	-12.89	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3232G	107.93	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3508G	67.64	74.00	-6.36	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.496G	60.89	68.20	-7.31	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50128G	50.19	68.20	-18.01	3	Vertical	299	1.74
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49368G	50.22	68.20	-17.98	3	Horizontal	325	1.65
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.438G	50.61	54.00	-3.39	3	Vertical	2	2.09
5570MHz	Pass	AV	5.5088G	97.24	Inf	-Inf	3	Vertical	2	2.09
5570MHz	Pass	PK	5.3216G	58.85	68.20	-9.35	3	Vertical	2	2.09
5570MHz	Pass	PK	5.4572G	65.80	74.00	-8.20	3	Vertical	2	2.09
5570MHz	Pass	PK	5.4632G	65.53	68.20	-2.67	3	Vertical	2	2.09
5570MHz	Pass	PK	5.5064G	108.52	Inf	-Inf	3	Vertical	2	2.09
5570MHz	Pass	PK	5.7344G	59.66	68.20	-8.54	3	Vertical	2	2.09
5570MHz	Pass	AV	5.4404G	51.38	54.00	-2.62	3	Horizontal	3	1.99
5570MHz	Pass	AV	5.5952G	98.33	Inf	-Inf	3	Horizontal	3	1.99
5570MHz	Pass	PK	5.35G	59.13	74.00	-14.87	3	Horizontal	3	1.99
5570MHz	Pass	PK	5.4512G	67.04	74.00	-6.96	3	Horizontal	3	1.99
5570MHz	Pass	PK	5.4656G	66.84	68.20	-1.36	3	Horizontal	3	1.99
5570MHz	Pass	PK	5.5928G	108.85	Inf	-Inf	3	Horizontal	3	1.99
5570MHz	Pass	PK	5.7548G	60.95	68.20	-7.25	3	Horizontal	3	1.99
5570MHz	Pass	AV	11.14684G	40.17	54.00	-13.83	3	Vertical	193	1.50
5570MHz	Pass	PK	11.13444G	50.33	74.00	-23.67	3	Vertical	193	1.50
5570MHz	Pass	AV	11.14384G	40.27	54.00	-13.73	3	Horizontal	269	1.85
5570MHz	Pass	PK	11.1378G	49.90	74.00	-24.10	3	Horizontal	269	1.85
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4524G	50.66	54.00	-3.34	3	Vertical	3	1.89
5570MHz	Pass	AV	5.5088G	98.04	Inf	-Inf	3	Vertical	3	1.89
5570MHz	Pass	PK	5.342G	58.04	68.20	-10.16	3	Vertical	3	1.89
5570MHz	Pass	PK	5.4524G	63.78	74.00	-10.22	3	Vertical	3	1.89
5570MHz	Pass	PK	5.462G	62.76	68.20	-5.44	3	Vertical	3	1.89
5570MHz	Pass	PK	5.4932G	108.62	Inf	-Inf	3	Vertical	3	1.89
5570MHz	Pass	PK	5.7632G	60.66	68.20	-7.54	3	Vertical	3	1.89
5570MHz	Pass	AV	5.4404G	50.95	54.00	-3.05	3	Horizontal	360	2.04
5570MHz	Pass	AV	5.5076G	98.30	Inf	-Inf	3	Horizontal	360	2.04
5570MHz	Pass	PK	5.35G	58.83	74.00	-15.17	3	Horizontal	360	2.04
5570MHz	Pass	PK	5.4512G	65.73	74.00	-8.27	3	Horizontal	360	2.04
5570MHz	Pass	PK	5.4608G	66.11	68.20	-2.09	3	Horizontal	360	2.04
5570MHz	Pass	PK	5.5436G	108.95	Inf	-Inf	3	Horizontal	360	2.04
5570MHz	Pass	PK	5.7488G	60.73	68.20	-7.47	3	Horizontal	360	2.04
5570MHz	Pass	AV	11.13212G	40.26	54.00	-13.74	3	Vertical	92	2.03
5570MHz	Pass	PK	11.13048G	50.31	74.00	-23.69	3	Vertical	92	2.03
5570MHz	Pass	AV	11.1474G	40.11	54.00	-13.89	3	Horizontal	81	1.50
5570MHz	Pass	PK	11.14028G	50.33	74.00	-23.67	3	Horizontal	81	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	53.75	54.00	-0.25	2.49	3	Vertical	360	2.18	51.26	33.36	6.66	37.53
AV	5.239G	99.21	Inf	-Inf	2.52	3	Vertical	360	2.18	96.69	33.34	6.71	37.53
AV	5.354G	48.55	54.00	-5.45	2.28	3	Vertical	360	2.18	46.27	33.11	6.70	37.53
PK	5.134G	67.09	74.00	-6.91	2.46	3	Vertical	360	2.18	64.63	33.34	6.65	37.53
PK	5.232G	110.12	Inf	-Inf	2.55	3	Vertical	360	2.18	107.57	33.37	6.71	37.53
PK	5.353G	62.30	74.00	-11.70	2.28	3	Vertical	360	2.18	60.02	33.11	6.70	37.53

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	53.83	54.00	-0.17	2.46	3	Horizontal	3	2.04	51.37	33.34	6.65	37.53
AV	5.241G	99.11	Inf	-Inf	2.52	3	Horizontal	3	2.04	96.59	33.34	6.71	37.53
AV	5.371G	48.69	54.00	-5.31	2.31	3	Horizontal	3	2.04	46.38	33.14	6.70	37.53
PK	5.136G	68.11	74.00	-5.89	2.46	3	Horizontal	3	2.04	65.65	33.34	6.65	37.53
PK	5.198G	110.40	Inf	-Inf	2.68	3	Horizontal	3	2.04	107.72	33.50	6.71	37.53
PK	5.351G	62.91	74.00	-11.09	2.27	3	Horizontal	3	2.04	60.64	33.10	6.70	37.53


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.417G	48.14	54.00	-5.86	2.38	3	Vertical	5	2.06	45.76	33.20	6.72	37.54
AV	5.619G	99.69	Inf	-Inf	2.92	3	Vertical	5	2.06	96.77	33.48	6.94	37.50
PK	5.459G	61.03	74.00	-12.97	2.44	3	Vertical	5	2.06	58.59	33.22	6.76	37.54
PK	5.468G	62.57	68.20	-5.63	2.47	3	Vertical	5	2.06	60.10	33.24	6.77	37.54
PK	5.629G	110.59	Inf	-Inf	2.98	3	Vertical	5	2.06	107.61	33.52	6.96	37.50
PK	5.728G	67.51	68.20	-0.69	3.66	3	Vertical	5	2.06	63.85	33.97	7.15	37.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	48.16	54.00	-5.84	2.41	3	Horizontal	3	2.20	45.75	33.20	6.75	37.54
AV	5.615G	100.06	Inf	-Inf	2.89	3	Horizontal	3	2.20	97.17	33.46	6.93	37.50
PK	5.46G	61.95	74.00	-12.05	2.44	3	Horizontal	3	2.20	59.51	33.22	6.76	37.54
PK	5.466G	64.11	68.20	-4.09	2.46	3	Horizontal	3	2.20	61.65	33.23	6.77	37.54
PK	5.616G	110.61	Inf	-Inf	2.89	3	Horizontal	3	2.20	107.72	33.46	6.93	37.50
PK	5.725G	67.31	68.20	-0.89	3.63	3	Horizontal	3	2.20	63.68	33.95	7.14	37.46


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_2T2S_AP5022FX**

Appendix E.64

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.138G	53.37	54.00	-0.63	3	Vertical	6	2.09
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	Pass	PK	5.36G	73.82	74.00	-0.18	3	Vertical	1	2.15
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.4156G	53.85	54.00	-0.15	3	Horizontal	4	2.06
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.456G	53.82	54.00	-0.18	3	Horizontal	0	2.00
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	Pass	AV	5.4344G	51.74	54.00	-2.26	3	Horizontal	360	2.02
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.6502G	67.97	68.35	-0.38	3	Horizontal	3	1.99

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.138G	53.37	54.00	-0.63	3	Vertical	6	2.09
5210MHz	Pass	AV	5.239G	99.50	Inf	-Inf	3	Vertical	6	2.09
5210MHz	Pass	AV	5.358G	48.96	54.00	-5.04	3	Vertical	6	2.09
5210MHz	Pass	PK	5.148G	64.91	74.00	-9.09	3	Vertical	6	2.09
5210MHz	Pass	PK	5.247G	109.34	Inf	-Inf	3	Vertical	6	2.09
5210MHz	Pass	PK	5.419G	59.44	74.00	-14.56	3	Vertical	6	2.09
5210MHz	Pass	AV	5.141G	52.20	54.00	-1.80	3	Horizontal	0	1.50
5210MHz	Pass	AV	5.237G	97.06	Inf	-Inf	3	Horizontal	0	1.50
5210MHz	Pass	AV	5.381G	48.35	54.00	-5.65	3	Horizontal	0	1.50
5210MHz	Pass	PK	5.145G	64.24	74.00	-9.76	3	Horizontal	0	1.50
5210MHz	Pass	PK	5.238G	107.16	Inf	-Inf	3	Horizontal	0	1.50
5210MHz	Pass	PK	5.378G	59.40	74.00	-14.60	3	Horizontal	0	1.50
5210MHz	Pass	PK	10.42098G	50.05	68.20	-18.15	3	Vertical	331	2.50
5210MHz	Pass	PK	10.41996G	50.70	68.20	-17.50	3	Horizontal	357	2.11
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.146G	47.90	54.00	-6.10	3	Vertical	1	2.15
5290MHz	Pass	AV	5.319G	101.01	Inf	-Inf	3	Vertical	1	2.15
5290MHz	Pass	AV	5.368G	53.47	54.00	-0.53	3	Vertical	1	2.15
5290MHz	Pass	PK	5.146G	58.03	74.00	-15.97	3	Vertical	1	2.15
5290MHz	Pass	PK	5.279G	111.83	Inf	-Inf	3	Vertical	1	2.15
5290MHz	Pass	PK	5.36G	73.82	74.00	-0.18	3	Vertical	1	2.15
5290MHz	Pass	PK	5.486G	59.42	68.20	-8.78	3	Vertical	1	2.15
5290MHz	Pass	AV	5.148G	47.34	54.00	-6.66	3	Horizontal	3	1.50
5290MHz	Pass	AV	5.281G	99.23	Inf	-Inf	3	Horizontal	3	1.50
5290MHz	Pass	AV	5.365G	52.67	54.00	-1.33	3	Horizontal	3	1.50
5290MHz	Pass	PK	5.134G	57.37	74.00	-16.63	3	Horizontal	3	1.50
5290MHz	Pass	PK	5.301G	109.59	Inf	-Inf	3	Horizontal	3	1.50
5290MHz	Pass	PK	5.365G	67.33	74.00	-6.67	3	Horizontal	3	1.50
5290MHz	Pass	PK	5.478G	59.30	68.20	-8.90	3	Horizontal	3	1.50
5290MHz	Pass	PK	10.58085G	50.80	68.20	-17.40	3	Vertical	247	2.20
5290MHz	Pass	PK	10.57972G	50.54	68.20	-17.66	3	Horizontal	332	1.76
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	47.23	54.00	-6.77	3	Vertical	4	1.50
5530MHz	Pass	AV	5.458G	52.25	54.00	-1.75	3	Vertical	4	1.50
5530MHz	Pass	AV	5.519G	97.66	Inf	-Inf	3	Vertical	4	1.50
5530MHz	Pass	PK	5.282G	57.96	68.20	-10.24	3	Vertical	4	1.50
5530MHz	Pass	PK	5.452G	63.04	74.00	-10.96	3	Vertical	4	1.50
5530MHz	Pass	PK	5.464G	62.37	68.20	-5.83	3	Vertical	4	1.50
5530MHz	Pass	PK	5.509G	108.30	Inf	-Inf	3	Vertical	4	1.50
5530MHz	Pass	PK	5.757G	58.97	68.20	-9.23	3	Vertical	4	1.50
5530MHz	Pass	AV	5.35G	47.27	54.00	-6.73	3	Horizontal	0	2.00
5530MHz	Pass	AV	5.456G	53.82	54.00	-0.18	3	Horizontal	0	2.00
5530MHz	Pass	AV	5.517G	100.15	Inf	-Inf	3	Horizontal	0	2.00
5530MHz	Pass	PK	5.319G	58.06	68.20	-10.14	3	Horizontal	0	2.00
5530MHz	Pass	PK	5.455G	65.31	74.00	-8.69	3	Horizontal	0	2.00
5530MHz	Pass	PK	5.465G	65.83	68.20	-2.37	3	Horizontal	0	2.00
5530MHz	Pass	PK	5.515G	110.76	Inf	-Inf	3	Horizontal	0	2.00
5530MHz	Pass	PK	5.73G	59.53	68.20	-8.67	3	Horizontal	0	2.00
5530MHz	Pass	AV	11.06093G	39.90	54.00	-14.10	3	Vertical	164	2.58
5530MHz	Pass	PK	11.05985G	50.45	74.00	-23.55	3	Vertical	164	2.58
5530MHz	Pass	AV	11.06053G	39.53	54.00	-14.47	3	Horizontal	323	2.00
5530MHz	Pass	PK	11.06007G	49.87	74.00	-24.13	3	Horizontal	323	2.00
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.453G	48.34	54.00	-5.66	3	Vertical	4	1.50
5610MHz	Pass	AV	5.599G	97.79	Inf	-Inf	3	Vertical	4	1.50
5610MHz	Pass	PK	5.459G	58.04	74.00	-15.96	3	Vertical	4	1.50
5610MHz	Pass	PK	5.467G	57.79	68.20	-10.41	3	Vertical	4	1.50
5610MHz	Pass	PK	5.623G	108.70	Inf	-Inf	3	Vertical	4	1.50
5610MHz	Pass	PK	5.756G	59.57	68.20	-8.63	3	Vertical	4	1.50
5610MHz	Pass	AV	5.456G	48.52	54.00	-5.48	3	Horizontal	4	2.01

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.595G	100.01	Inf	-Inf	3	Horizontal	4	2.01
5610MHz	Pass	PK	5.366G	58.91	74.00	-15.09	3	Horizontal	4	2.01
5610MHz	Pass	PK	5.463G	57.92	68.20	-10.28	3	Horizontal	4	2.01
5610MHz	Pass	PK	5.616G	110.58	Inf	-Inf	3	Horizontal	4	2.01
5610MHz	Pass	PK	5.727G	59.76	68.20	-8.44	3	Horizontal	4	2.01
5610MHz	Pass	AV	11.21995G	40.03	54.00	-13.97	3	Vertical	37	2.91
5610MHz	Pass	PK	11.22061G	50.84	74.00	-23.16	3	Vertical	37	2.91
5610MHz	Pass	AV	11.22096G	40.00	54.00	-14.00	3	Horizontal	343	1.43
5610MHz	Pass	PK	11.21961G	51.02	74.00	-22.98	3	Horizontal	343	1.43
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX										
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	47.64	54.00	-6.36	3	Vertical	5	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	98.63	Inf	-Inf	3	Vertical	5	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	58.37	74.00	-15.63	3	Vertical	5	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.80	68.20	-10.40	3	Vertical	5	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6756G	108.67	Inf	-Inf	3	Vertical	5	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8988G	59.04	68.20	-9.16	3	Vertical	5	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4284G	47.71	54.00	-6.29	3	Horizontal	0	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7056G	100.93	Inf	-Inf	3	Horizontal	0	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	58.24	74.00	-15.76	3	Horizontal	0	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.69	68.20	-10.51	3	Horizontal	0	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	110.48	Inf	-Inf	3	Horizontal	0	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8916G	59.69	68.20	-8.51	3	Horizontal	0	1.95
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38016G	40.41	54.00	-13.59	3	Vertical	137	2.30
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38G	50.72	74.00	-23.28	3	Vertical	137	2.30
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38048G	40.30	54.00	-13.70	3	Horizontal	4	1.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38045G	50.56	74.00	-23.44	3	Horizontal	4	1.67
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX										
5775MHz	Pass	AV	5.763G	101.08	Inf	-Inf	3	Vertical	4	2.10
5775MHz	Pass	PK	5.6478G	66.61	68.20	-1.59	3	Vertical	4	2.10
5775MHz	Pass	PK	5.7654G	111.06	Inf	-Inf	3	Vertical	4	2.10
5775MHz	Pass	PK	5.9646G	58.93	68.20	-9.27	3	Vertical	4	2.10
5775MHz	Pass	AV	5.7702G	102.28	Inf	-Inf	3	Horizontal	3	1.99
5775MHz	Pass	PK	5.6502G	67.97	68.35	-0.38	3	Horizontal	3	1.99
5775MHz	Pass	PK	5.7606G	112.43	Inf	-Inf	3	Horizontal	3	1.99
5775MHz	Pass	PK	5.9694G	58.97	68.20	-9.23	3	Horizontal	3	1.99
5775MHz	Pass	AV	11.55042G	39.47	54.00	-14.53	3	Vertical	240	2.27
5775MHz	Pass	PK	11.54976G	50.40	74.00	-23.60	3	Vertical	240	2.27
5775MHz	Pass	AV	11.55071G	39.43	54.00	-14.57	3	Horizontal	131	2.03
5775MHz	Pass	PK	11.5492G	51.11	74.00	-22.89	3	Horizontal	131	2.03
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX										
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	52.49	54.00	-1.51	3	Vertical	5	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2788G	98.13	Inf	-Inf	3	Vertical	5	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.364G	52.70	54.00	-1.30	3	Vertical	5	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1276G	64.01	74.00	-9.99	3	Vertical	5	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2728G	108.87	Inf	-Inf	3	Vertical	5	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3784G	67.26	74.00	-6.74	3	Vertical	5	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4744G	60.21	68.20	-7.99	3	Vertical	5	2.03
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	52.41	54.00	-1.59	3	Horizontal	4	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	98.40	Inf	-Inf	3	Horizontal	4	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3712G	53.42	54.00	-0.58	3	Horizontal	4	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.136G	63.19	74.00	-10.81	3	Horizontal	4	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2836G	108.31	Inf	-Inf	3	Horizontal	4	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3712G	68.97	74.00	-5.03	3	Horizontal	4	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	61.06	68.20	-7.14	3	Horizontal	4	2.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49983G	49.94	68.20	-18.26	3	Vertical	280	2.14
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49942G	50.04	68.20	-18.16	3	Horizontal	3	1.06
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX										
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1468G	50.31	54.00	-3.69	3	Vertical	0	2.01
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	97.21	Inf	-Inf	3	Vertical	0	2.01
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4132G	52.57	54.00	-1.43	3	Vertical	0	2.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	61.44	74.00	-12.56	3	Vertical	0	2.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.274G	107.52	Inf	-Inf	3	Vertical	0	2.01




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_2T2S_AP5022FX**

Appendix E.64

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3976G	65.37	74.00	-8.63	3	Vertical	0	2.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4888G	59.80	68.20	-8.40	3	Vertical	0	2.01
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.136G	49.82	54.00	-4.18	3	Horizontal	4	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	97.50	Inf	-Inf	3	Horizontal	4	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4156G	53.85	54.00	-0.15	3	Horizontal	4	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1396G	61.24	74.00	-12.76	3	Horizontal	4	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2824G	108.74	Inf	-Inf	3	Horizontal	4	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4156G	65.10	74.00	-8.90	3	Horizontal	4	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.496G	59.48	68.20	-8.72	3	Horizontal	4	2.06
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50196G	50.67	68.20	-17.53	3	Vertical	204	2.89
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49324G	50.25	68.20	-17.95	3	Horizontal	76	1.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4476G	50.41	54.00	-3.59	3	Vertical	0	2.13
5570MHz	Pass	AV	5.4932G	96.41	Inf	-Inf	3	Vertical	0	2.13
5570MHz	Pass	PK	5.3276G	59.10	68.20	-9.10	3	Vertical	0	2.13
5570MHz	Pass	PK	5.3684G	64.42	74.00	-9.58	3	Vertical	0	2.13
5570MHz	Pass	PK	5.468G	62.02	68.20	-6.18	3	Vertical	0	2.13
5570MHz	Pass	PK	5.5928G	107.16	Inf	-Inf	3	Vertical	0	2.13
5570MHz	Pass	PK	5.7332G	63.99	68.20	-4.21	3	Vertical	0	2.13
5570MHz	Pass	AV	5.4344G	51.74	54.00	-2.26	3	Horizontal	360	2.02
5570MHz	Pass	AV	5.5952G	97.86	Inf	-Inf	3	Horizontal	360	2.02
5570MHz	Pass	PK	5.3468G	59.42	68.20	-8.78	3	Horizontal	360	2.02
5570MHz	Pass	PK	5.4416G	65.88	74.00	-8.12	3	Horizontal	360	2.02
5570MHz	Pass	PK	5.462G	64.84	68.20	-3.36	3	Horizontal	360	2.02
5570MHz	Pass	PK	5.546G	109.20	Inf	-Inf	3	Horizontal	360	2.02
5570MHz	Pass	PK	5.726G	65.19	68.20	-3.01	3	Horizontal	360	2.02
5570MHz	Pass	AV	11.14082G	39.81	54.00	-14.19	3	Vertical	189	1.36
5570MHz	Pass	PK	11.14082G	50.22	74.00	-23.78	3	Vertical	189	1.36
5570MHz	Pass	AV	11.13987G	39.87	54.00	-14.13	3	Horizontal	312	2.50
5570MHz	Pass	PK	11.14078G	50.50	74.00	-23.50	3	Horizontal	312	2.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.3936G	51.30	54.00	-2.70	3	Vertical	0	1.89
5570MHz	Pass	AV	5.4932G	97.15	Inf	-Inf	3	Vertical	0	1.89
5570MHz	Pass	PK	5.3264G	58.14	68.20	-10.06	3	Vertical	0	1.89
5570MHz	Pass	PK	5.4332G	65.68	74.00	-8.32	3	Vertical	0	1.89
5570MHz	Pass	PK	5.468G	60.12	68.20	-8.08	3	Vertical	0	1.89
5570MHz	Pass	PK	5.516G	107.26	Inf	-Inf	3	Vertical	0	1.89
5570MHz	Pass	PK	5.75G	63.12	68.20	-5.08	3	Vertical	0	1.89
5570MHz	Pass	AV	5.4308G	51.64	54.00	-2.36	3	Horizontal	3	2.19
5570MHz	Pass	AV	5.5124G	97.53	Inf	-Inf	3	Horizontal	3	2.19
5570MHz	Pass	PK	5.3456G	58.63	68.20	-9.57	3	Horizontal	3	2.19
5570MHz	Pass	PK	5.4296G	62.66	74.00	-11.34	3	Horizontal	3	2.19
5570MHz	Pass	PK	5.4644G	62.35	68.20	-5.85	3	Horizontal	3	2.19
5570MHz	Pass	PK	5.4932G	108.22	Inf	-Inf	3	Horizontal	3	2.19
5570MHz	Pass	PK	5.762G	62.07	68.20	-6.13	3	Horizontal	3	2.19
5570MHz	Pass	AV	11.14088G	39.80	54.00	-14.20	3	Vertical	110	1.61
5570MHz	Pass	PK	11.13916G	50.43	74.00	-23.57	3	Vertical	110	1.61
5570MHz	Pass	AV	11.14052G	39.74	54.00	-14.26	3	Horizontal	272	1.85
5570MHz	Pass	PK	11.14054G	51.60	74.00	-22.40	3	Horizontal	272	1.85


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.23	54.00	-6.77	2.27	3	Vertical	4	1.50	44.96	33.10	6.70	37.53
AV	5.458G	52.25	54.00	-1.75	2.44	3	Vertical	4	1.50	49.81	33.22	6.76	37.54
AV	5.519G	97.66	Inf	-Inf	2.63	3	Vertical	4	1.50	95.03	33.34	6.82	37.53
PK	5.282G	57.96	68.20	-10.24	2.35	3	Vertical	4	1.50	55.61	33.17	6.71	37.53
PK	5.452G	63.04	74.00	-10.96	2.41	3	Vertical	4	1.50	60.63	33.20	6.75	37.54
PK	5.464G	62.37	68.20	-5.83	2.45	3	Vertical	4	1.50	59.92	33.23	6.76	37.54
PK	5.509G	108.30	Inf	-Inf	2.59	3	Vertical	4	1.50	105.71	33.32	6.81	37.54
PK	5.575G	58.97	68.20	-9.23	3.90	3	Vertical	4	1.50	55.07	34.14	7.21	37.45

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.27	54.00	-6.73	2.27	3	Horizontal	0	2.00	45.00	33.10	6.70	37.53
AV	5.456G	53.82	54.00	-0.18	2.43	3	Horizontal	0	2.00	51.39	33.21	6.76	37.54
AV	5.517G	100.15	Inf	-Inf	2.62	3	Horizontal	0	2.00	97.53	33.33	6.82	37.53
PK	5.319G	58.06	68.20	-10.14	2.27	3	Horizontal	0	2.00	55.79	33.10	6.70	37.53
PK	5.455G	65.31	74.00	-8.69	2.42	3	Horizontal	0	2.00	62.89	33.21	6.75	37.54
PK	5.465G	65.83	68.20	-2.37	2.45	3	Horizontal	0	2.00	63.38	33.23	6.76	37.54
PK	5.515G	110.76	Inf	-Inf	2.62	3	Horizontal	0	2.00	108.14	33.33	6.82	37.53
PK	5.73G	59.53	68.20	-8.67	3.67	3	Horizontal	0	2.00	55.86	33.98	7.15	37.46


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_4T1S_AP5022FX**

Appendix E.65

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.136G	53.87	54.00	-0.13	3	Horizontal	3	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	Pass	AV	5.355G	53.46	54.00	-0.54	3	Horizontal	2	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	Pass	AV	5.1348G	53.30	54.00	-0.70	3	Horizontal	1	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	Pass	PK	5.467G	68.02	68.20	-0.18	3	Horizontal	2	1.82
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	Pass	PK	5.4668G	65.74	68.20	-2.46	3	Horizontal	0	2.01
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.6394G	67.45	68.20	-0.75	3	Horizontal	0	1.94



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_4T1S_AP5022FX**

Appendix E.65

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.138G	50.17	54.00	-3.83	3	Vertical	357	1.85
5210MHz	Pass	AV	5.239G	97.72	Inf	-Inf	3	Vertical	357	1.85
5210MHz	Pass	AV	5.411G	48.00	54.00	-6.00	3	Vertical	357	1.85
5210MHz	Pass	PK	5.139G	63.85	74.00	-10.15	3	Vertical	357	1.85
5210MHz	Pass	PK	5.194G	108.59	Inf	-Inf	3	Vertical	357	1.85
5210MHz	Pass	PK	5.412G	58.97	74.00	-15.03	3	Vertical	357	1.85
5210MHz	Pass	AV	5.136G	53.87	54.00	-0.13	3	Horizontal	3	1.50
5210MHz	Pass	AV	5.238G	99.90	Inf	-Inf	3	Horizontal	3	1.50
5210MHz	Pass	AV	5.368G	48.81	54.00	-5.19	3	Horizontal	3	1.50
5210MHz	Pass	PK	5.136G	68.78	74.00	-5.22	3	Horizontal	3	1.50
5210MHz	Pass	PK	5.193G	110.39	Inf	-Inf	3	Horizontal	3	1.50
5210MHz	Pass	PK	5.355G	59.08	74.00	-14.92	3	Horizontal	3	1.50
5210MHz	Pass	PK	10.39408G	50.99	68.20	-17.21	3	Vertical	124	1.50
5210MHz	Pass	PK	10.41184G	50.50	68.20	-17.70	3	Horizontal	126	2.99
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.121G	47.90	54.00	-6.10	3	Vertical	3	2.02
5290MHz	Pass	AV	5.301G	99.65	Inf	-Inf	3	Vertical	3	2.02
5290MHz	Pass	AV	5.362G	52.74	54.00	-1.26	3	Vertical	3	2.02
5290MHz	Pass	PK	5.141G	58.23	74.00	-15.77	3	Vertical	3	2.02
5290MHz	Pass	PK	5.281G	110.51	Inf	-Inf	3	Vertical	3	2.02
5290MHz	Pass	PK	5.362G	71.89	74.00	-2.11	3	Vertical	3	2.02
5290MHz	Pass	PK	5.509G	58.45	68.20	-9.75	3	Vertical	3	2.02
5290MHz	Pass	AV	5.139G	47.50	54.00	-6.50	3	Horizontal	2	1.50
5290MHz	Pass	AV	5.278G	99.41	Inf	-Inf	3	Horizontal	2	1.50
5290MHz	Pass	AV	5.355G	53.46	54.00	-0.54	3	Horizontal	2	1.50
5290MHz	Pass	PK	5.147G	58.56	74.00	-15.44	3	Horizontal	2	1.50
5290MHz	Pass	PK	5.283G	110.20	Inf	-Inf	3	Horizontal	2	1.50
5290MHz	Pass	PK	5.355G	73.29	74.00	-0.71	3	Horizontal	2	1.50
5290MHz	Pass	PK	5.471G	59.41	68.20	-8.79	3	Horizontal	2	1.50
5290MHz	Pass	AV	10.61488G	40.80	54.00	-13.20	3	Vertical	61	1.50
5290MHz	Pass	PK	10.56064G	51.38	68.20	-16.82	3	Vertical	61	1.50
5290MHz	Pass	AV	10.60768G	40.58	54.00	-13.42	3	Horizontal	335	1.68
5290MHz	Pass	PK	10.60784G	51.35	74.00	-22.65	3	Horizontal	335	1.68
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	46.77	54.00	-7.23	3	Vertical	360	1.50
5530MHz	Pass	AV	5.46G	49.05	54.00	-4.95	3	Vertical	360	1.50
5530MHz	Pass	AV	5.519G	97.91	Inf	-Inf	3	Vertical	360	1.50
5530MHz	Pass	PK	5.299G	57.96	68.20	-10.24	3	Vertical	360	1.50
5530MHz	Pass	PK	5.46G	63.40	74.00	-10.60	3	Vertical	360	1.50
5530MHz	Pass	PK	5.469G	65.31	68.20	-2.89	3	Vertical	360	1.50
5530MHz	Pass	PK	5.519G	108.58	Inf	-Inf	3	Vertical	360	1.50
5530MHz	Pass	PK	5.757G	59.00	68.20	-9.20	3	Vertical	360	1.50
5530MHz	Pass	AV	5.35G	46.98	54.00	-7.02	3	Horizontal	2	1.82
5530MHz	Pass	AV	5.455G	51.46	54.00	-2.54	3	Horizontal	2	1.82
5530MHz	Pass	AV	5.523G	101.03	Inf	-Inf	3	Horizontal	2	1.82
5530MHz	Pass	PK	5.334G	57.64	68.20	-10.56	3	Horizontal	2	1.82
5530MHz	Pass	PK	5.454G	67.65	74.00	-6.35	3	Horizontal	2	1.82
5530MHz	Pass	PK	5.467G	68.02	68.20	-0.18	3	Horizontal	2	1.82
5530MHz	Pass	PK	5.493G	111.56	Inf	-Inf	3	Horizontal	2	1.82
5530MHz	Pass	PK	5.744G	59.37	68.20	-8.83	3	Horizontal	2	1.82
5530MHz	Pass	AV	11.08368G	40.58	54.00	-13.42	3	Vertical	148	2.29
5530MHz	Pass	PK	11.03616G	50.48	74.00	-23.52	3	Vertical	148	2.29
5530MHz	Pass	AV	11.07296G	40.78	54.00	-13.22	3	Horizontal	101	1.99
5530MHz	Pass	PK	11.0296G	51.21	74.00	-22.79	3	Horizontal	101	1.99
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.444G	47.73	54.00	-6.27	3	Vertical	4	1.50
5610MHz	Pass	AV	5.581G	98.87	Inf	-Inf	3	Vertical	4	1.50
5610MHz	Pass	PK	5.46G	59.83	74.00	-14.17	3	Vertical	4	1.50
5610MHz	Pass	PK	5.461G	60.25	68.20	-7.95	3	Vertical	4	1.50
5610MHz	Pass	PK	5.621G	109.92	Inf	-Inf	3	Vertical	4	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_4T1S_AP5022FX**

Appendix E.65

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.742G	61.48	68.20	-6.72	3	Vertical	4	1.50
5610MHz	Pass	AV	5.433G	48.40	54.00	-5.60	3	Horizontal	0	2.15
5610MHz	Pass	AV	5.613G	101.22	Inf	-Inf	3	Horizontal	0	2.15
5610MHz	Pass	PK	5.453G	60.46	74.00	-13.54	3	Horizontal	0	2.15
5610MHz	Pass	PK	5.466G	60.01	68.20	-8.19	3	Horizontal	0	2.15
5610MHz	Pass	PK	5.638G	111.79	Inf	-Inf	3	Horizontal	0	2.15
5610MHz	Pass	PK	5.735G	63.77	68.20	-4.43	3	Horizontal	0	2.15
5610MHz	Pass	AV	11.24448G	41.03	54.00	-12.97	3	Vertical	243	1.93
5610MHz	Pass	PK	11.23984G	51.44	74.00	-22.56	3	Vertical	243	1.93
5610MHz	Pass	AV	11.1928G	40.97	54.00	-13.03	3	Horizontal	71	1.30
5610MHz	Pass	PK	11.23408G	50.88	74.00	-23.12	3	Horizontal	71	1.30
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	47.23	54.00	-6.77	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7044G	99.25	Inf	-Inf	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	57.16	74.00	-16.84	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.18	68.20	-11.02	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	108.87	Inf	-Inf	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9336G	58.83	68.20	-9.37	3	Vertical	357	2.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	47.44	54.00	-6.56	3	Horizontal	0	2.12
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	101.40	Inf	-Inf	3	Horizontal	0	2.12
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4188G	58.30	74.00	-15.70	3	Horizontal	0	2.12
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	58.00	68.20	-10.20	3	Horizontal	0	2.12
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6972G	110.88	Inf	-Inf	3	Horizontal	0	2.12
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.936G	59.68	68.20	-8.52	3	Horizontal	0	2.12
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41024G	41.12	54.00	-12.88	3	Vertical	343	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39808G	51.77	74.00	-22.23	3	Vertical	343	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40464G	40.93	54.00	-13.07	3	Horizontal	276	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34416G	51.03	74.00	-22.97	3	Horizontal	276	1.54
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7462G	100.24	Inf	-Inf	3	Vertical	3	1.50
5775MHz	Pass	PK	5.6466G	65.26	68.20	-2.94	3	Vertical	3	1.50
5775MHz	Pass	PK	5.7618G	111.30	Inf	-Inf	3	Vertical	3	1.50
5775MHz	Pass	PK	5.9646G	58.96	68.20	-9.24	3	Vertical	3	1.50
5775MHz	Pass	AV	5.763G	103.21	Inf	-Inf	3	Horizontal	0	1.94
5775MHz	Pass	PK	5.6394G	67.45	68.20	-0.75	3	Horizontal	0	1.94
5775MHz	Pass	PK	5.7378G	112.57	Inf	-Inf	3	Horizontal	0	1.94
5775MHz	Pass	PK	5.9274G	58.73	68.20	-9.47	3	Horizontal	0	1.94
5775MHz	Pass	AV	11.53464G	40.28	54.00	-13.72	3	Vertical	135	1.50
5775MHz	Pass	PK	11.52632G	50.73	74.00	-23.27	3	Vertical	135	1.50
5775MHz	Pass	AV	11.5316G	40.44	54.00	-13.56	3	Horizontal	137	2.99
5775MHz	Pass	PK	11.51496G	51.47	74.00	-22.53	3	Horizontal	137	2.99
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	50.43	54.00	-3.57	3	Vertical	4	2.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2716G	98.33	Inf	-Inf	3	Vertical	4	2.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4024G	51.66	54.00	-2.34	3	Vertical	4	2.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.142G	62.09	74.00	-11.91	3	Vertical	4	2.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.286G	108.83	Inf	-Inf	3	Vertical	4	2.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3556G	63.00	74.00	-11.00	3	Vertical	4	2.00
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4924G	59.13	68.20	-9.07	3	Vertical	4	2.00
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	52.07	54.00	-1.93	3	Horizontal	3	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2776G	99.72	Inf	-Inf	3	Horizontal	3	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4072G	53.25	54.00	-0.75	3	Horizontal	3	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.136G	63.48	74.00	-10.52	3	Horizontal	3	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2728G	109.94	Inf	-Inf	3	Horizontal	3	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35G	65.31	74.00	-8.69	3	Horizontal	3	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4936G	60.00	68.20	-8.20	3	Horizontal	3	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.51376G	50.86	68.20	-17.34	3	Vertical	278	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57616G	50.72	68.20	-17.48	3	Horizontal	50	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1408G	53.26	54.00	-0.74	3	Vertical	3	2.05
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2764G	101.28	Inf	-Inf	3	Vertical	3	2.05
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	52.07	54.00	-1.93	3	Vertical	3	2.05




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_4T1S_AP5022FX**

Appendix E.65

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1444G	68.22	74.00	-5.78	3	Vertical	3	2.05
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2716G	112.09	Inf	-Inf	3	Vertical	3	2.05
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3508G	66.56	74.00	-7.44	3	Vertical	3	2.05
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4924G	61.47	68.20	-6.73	3	Vertical	3	2.05
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1348G	53.30	54.00	-0.70	3	Horizontal	1	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2728G	100.55	Inf	-Inf	3	Horizontal	1	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3556G	52.00	54.00	-2.00	3	Horizontal	1	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	67.12	74.00	-6.88	3	Horizontal	1	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2776G	111.95	Inf	-Inf	3	Horizontal	1	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	66.34	74.00	-7.66	3	Horizontal	1	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4936G	60.93	68.20	-7.27	3	Horizontal	1	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48688G	50.57	68.20	-17.63	3	Vertical	318	1.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.44496G	51.09	68.20	-17.11	3	Horizontal	243	2.96
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4284G	48.97	54.00	-5.03	3	Vertical	360	1.50
5570MHz	Pass	AV	5.5088G	95.78	Inf	-Inf	3	Vertical	360	1.50
5570MHz	Pass	PK	5.3468G	57.33	68.20	-10.87	3	Vertical	360	1.50
5570MHz	Pass	PK	5.4584G	62.13	74.00	-11.87	3	Vertical	360	1.50
5570MHz	Pass	PK	5.4668G	64.04	68.20	-4.16	3	Vertical	360	1.50
5570MHz	Pass	PK	5.5088G	106.38	Inf	-Inf	3	Vertical	360	1.50
5570MHz	Pass	PK	5.8196G	59.20	68.20	-9.00	3	Vertical	360	1.50
5570MHz	Pass	AV	5.4548G	51.38	54.00	-2.62	3	Horizontal	0	2.01
5570MHz	Pass	AV	5.5976G	98.83	Inf	-Inf	3	Horizontal	0	2.01
5570MHz	Pass	PK	5.3252G	58.84	68.20	-9.36	3	Horizontal	0	2.01
5570MHz	Pass	PK	5.4548G	63.91	74.00	-10.09	3	Horizontal	0	2.01
5570MHz	Pass	PK	5.4668G	65.74	68.20	-2.46	3	Horizontal	0	2.01
5570MHz	Pass	PK	5.5232G	109.05	Inf	-Inf	3	Horizontal	0	2.01
5570MHz	Pass	PK	5.8028G	60.23	68.20	-7.97	3	Horizontal	0	2.01
5570MHz	Pass	AV	11.16272G	40.83	54.00	-13.17	3	Vertical	19	1.83
5570MHz	Pass	PK	11.21648G	51.06	74.00	-22.94	3	Vertical	19	1.83
5570MHz	Pass	AV	11.20304G	40.71	54.00	-13.29	3	Horizontal	287	2.30
5570MHz	Pass	PK	11.15984G	51.01	74.00	-22.99	3	Horizontal	287	2.30
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4596G	48.95	54.00	-5.05	3	Vertical	0	1.50
5570MHz	Pass	AV	5.4944G	95.87	Inf	-Inf	3	Vertical	0	1.50
5570MHz	Pass	PK	5.2892G	57.16	68.20	-11.04	3	Vertical	0	1.50
5570MHz	Pass	PK	5.4596G	61.41	74.00	-12.59	3	Vertical	0	1.50
5570MHz	Pass	PK	5.468G	62.63	68.20	-5.57	3	Vertical	0	1.50
5570MHz	Pass	PK	5.5088G	106.24	Inf	-Inf	3	Vertical	0	1.50
5570MHz	Pass	PK	5.8088G	59.12	68.20	-9.08	3	Vertical	0	1.50
5570MHz	Pass	AV	5.4536G	49.58	54.00	-4.42	3	Horizontal	360	1.95
5570MHz	Pass	AV	5.5124G	98.25	Inf	-Inf	3	Horizontal	360	1.95
5570MHz	Pass	PK	5.3336G	59.16	68.20	-9.04	3	Horizontal	360	1.95
5570MHz	Pass	PK	5.4548G	62.76	74.00	-11.24	3	Horizontal	360	1.95
5570MHz	Pass	PK	5.468G	64.35	68.20	-3.85	3	Horizontal	360	1.95
5570MHz	Pass	PK	5.5376G	109.41	Inf	-Inf	3	Horizontal	360	1.95
5570MHz	Pass	PK	5.8028G	60.02	68.20	-8.18	3	Horizontal	360	1.95
5570MHz	Pass	AV	11.116G	40.57	54.00	-13.43	3	Vertical	347	1.04
5570MHz	Pass	PK	11.06864G	51.23	74.00	-22.77	3	Vertical	347	1.04
5570MHz	Pass	AV	11.15504G	40.93	54.00	-13.07	3	Horizontal	45	2.44
5570MHz	Pass	PK	11.16016G	51.18	74.00	-22.82	3	Horizontal	45	2.44


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX






5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.77	54.00	-7.23	2.27	3	Vertical	360	1.50	44.50	33.10	6.70	37.53
AV	5.46G	49.05	54.00	-4.95	2.44	3	Vertical	360	1.50	46.61	33.22	6.76	37.54
AV	5.519G	97.91	Inf	-Inf	2.63	3	Vertical	360	1.50	95.28	33.34	6.82	37.53
PK	5.299G	57.96	68.20	-10.24	2.28	3	Vertical	360	1.50	55.68	33.10	6.71	37.53
PK	5.46G	63.40	74.00	-10.60	2.44	3	Vertical	360	1.50	60.96	33.22	6.76	37.54
PK	5.469G	65.31	68.20	-2.89	2.47	3	Vertical	360	1.50	62.84	33.24	6.77	37.54
PK	5.519G	108.58	Inf	-Inf	2.63	3	Vertical	360	1.50	105.95	33.34	6.82	37.53
PK	5.757G	59.00	68.20	-9.20	3.90	3	Vertical	360	1.50	55.10	34.14	7.21	37.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.98	54.00	-7.02	2.27	3	Horizontal	2	1.82	44.71	33.10	6.70	37.53
AV	5.455G	51.46	54.00	-2.54	2.42	3	Horizontal	2	1.82	49.04	33.21	6.75	37.54
AV	5.523G	101.03	Inf	-Inf	2.64	3	Horizontal	2	1.82	98.39	33.35	6.82	37.53
PK	5.334G	57.64	68.20	-10.56	2.27	3	Horizontal	2	1.82	55.37	33.10	6.70	37.53
PK	5.454G	67.65	74.00	-6.35	2.42	3	Horizontal	2	1.82	65.23	33.21	6.75	37.54
PK	5.467G	68.02	68.20	-0.18	2.46	3	Horizontal	2	1.82	65.56	33.23	6.77	37.54
PK	5.493G	111.56	Inf	-Inf	2.54	3	Horizontal	2	1.82	109.02	33.29	6.79	37.54
PK	5.744G	59.37	68.20	-8.83	3.78	3	Horizontal	2	1.82	55.59	34.06	7.18	37.46


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_4T4S_AP5022FX**

Appendix E.66

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.137G	53.78	54.00	-0.22	3	Vertical	360	1.19
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 1_4TX	Pass	PK	5.35G	73.73	74.00	-0.27	3	Vertical	360	1.18
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX	Pass	AV	5.37G	53.83	54.00	-0.17	3	Vertical	360	1.20
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	Pass	PK	5.47G	68.08	68.20	-0.12	3	Vertical	0	1.22
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	Pass	PK	5.4692G	66.84	68.20	-1.36	3	Vertical	360	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.6346G	67.90	68.20	-0.30	3	Vertical	0	1.25



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AIO-HQ17020_Multi-RU_4T4S_AP5022FX**

Appendix E.66

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.137G	53.78	54.00	-0.22	3	Vertical	360	1.19
5210MHz	Pass	AV	5.238G	98.37	Inf	-Inf	3	Vertical	360	1.19
5210MHz	Pass	AV	5.35G	48.58	54.00	-5.42	3	Vertical	360	1.19
5210MHz	Pass	PK	5.138G	66.25	74.00	-7.75	3	Vertical	360	1.19
5210MHz	Pass	PK	5.181G	107.45	Inf	-Inf	3	Vertical	360	1.19
5210MHz	Pass	PK	5.35G	59.84	74.00	-14.16	3	Vertical	360	1.19
5210MHz	Pass	AV	5.142G	53.58	54.00	-0.42	3	Horizontal	360	1.50
5210MHz	Pass	AV	5.241G	98.15	Inf	-Inf	3	Horizontal	360	1.50
5210MHz	Pass	AV	5.352G	48.26	54.00	-5.74	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.142G	65.85	74.00	-8.15	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.2G	107.89	Inf	-Inf	3	Horizontal	360	1.50
5210MHz	Pass	PK	5.351G	60.32	74.00	-13.68	3	Horizontal	360	1.50
5210MHz	Pass	PK	10.4168G	49.63	68.20	-18.57	3	Vertical	207	2.82
5210MHz	Pass	PK	10.41444G	50.26	68.20	-17.94	3	Horizontal	35	1.54
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.145G	46.84	54.00	-7.16	3	Vertical	360	1.18
5290MHz	Pass	AV	5.277G	95.48	Inf	-Inf	3	Vertical	360	1.18
5290MHz	Pass	AV	5.35G	52.25	54.00	-1.75	3	Vertical	360	1.18
5290MHz	Pass	PK	5.047G	57.65	74.00	-16.35	3	Vertical	360	1.18
5290MHz	Pass	PK	5.274G	106.38	Inf	-Inf	3	Vertical	360	1.18
5290MHz	Pass	PK	5.35G	73.73	74.00	-0.27	3	Vertical	360	1.18
5290MHz	Pass	PK	5.469G	58.27	68.20	-9.93	3	Vertical	360	1.18
5290MHz	Pass	AV	5.15G	46.85	54.00	-7.15	3	Horizontal	0	1.50
5290MHz	Pass	AV	5.283G	94.56	Inf	-Inf	3	Horizontal	0	1.50
5290MHz	Pass	AV	5.351G	50.93	54.00	-3.07	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.109G	57.22	74.00	-16.78	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.283G	103.76	Inf	-Inf	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.352G	70.68	74.00	-3.32	3	Horizontal	0	1.50
5290MHz	Pass	PK	5.52G	58.10	68.20	-10.10	3	Horizontal	0	1.50
5290MHz	Pass	PK	10.58412G	50.47	68.20	-17.73	3	Vertical	360	1.71
5290MHz	Pass	PK	10.58424G	50.58	68.20	-17.62	3	Horizontal	281	1.50
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	46.46	54.00	-7.54	3	Vertical	0	1.22
5530MHz	Pass	AV	5.458G	47.80	54.00	-6.20	3	Vertical	0	1.22
5530MHz	Pass	AV	5.536G	92.44	Inf	-Inf	3	Vertical	0	1.22
5530MHz	Pass	PK	5.343G	57.05	68.20	-11.15	3	Vertical	0	1.22
5530MHz	Pass	PK	5.456G	64.70	74.00	-9.30	3	Vertical	0	1.22
5530MHz	Pass	PK	5.47G	68.08	68.20	-0.12	3	Vertical	0	1.22
5530MHz	Pass	PK	5.549G	101.78	Inf	-Inf	3	Vertical	0	1.22
5530MHz	Pass	PK	5.748G	58.65	68.20	-9.55	3	Vertical	0	1.22
5530MHz	Pass	AV	5.35G	46.07	54.00	-7.93	3	Horizontal	360	1.50
5530MHz	Pass	AV	5.46G	47.81	54.00	-6.19	3	Horizontal	360	1.50
5530MHz	Pass	AV	5.501G	92.75	Inf	-Inf	3	Horizontal	360	1.50
5530MHz	Pass	PK	5.302G	56.52	68.20	-11.68	3	Horizontal	360	1.50
5530MHz	Pass	PK	5.46G	62.69	74.00	-11.31	3	Horizontal	360	1.50
5530MHz	Pass	PK	5.462G	65.80	68.20	-2.40	3	Horizontal	360	1.50
5530MHz	Pass	PK	5.502G	101.65	Inf	-Inf	3	Horizontal	360	1.50
5530MHz	Pass	PK	5.776G	58.55	68.20	-9.65	3	Horizontal	360	1.50
5530MHz	Pass	AV	11.06124G	39.97	54.00	-14.03	3	Vertical	192	2.37
5530MHz	Pass	PK	11.06236G	49.96	74.00	-24.04	3	Vertical	192	2.37
5530MHz	Pass	AV	11.06436G	39.93	54.00	-14.07	3	Horizontal	276	1.50
5530MHz	Pass	PK	11.06064G	50.32	74.00	-23.68	3	Horizontal	276	1.50
5610MHz	Pass	AV	5.456G	47.88	54.00	-6.12	3	Vertical	360	1.24
5610MHz	Pass	AV	5.617G	97.89	Inf	-Inf	3	Vertical	360	1.24
5610MHz	Pass	PK	5.456G	62.04	74.00	-11.96	3	Vertical	360	1.24
5610MHz	Pass	PK	5.463G	60.50	68.20	-7.70	3	Vertical	360	1.24
5610MHz	Pass	PK	5.579G	107.97	Inf	-Inf	3	Vertical	360	1.24
5610MHz	Pass	PK	5.731G	65.05	68.20	-3.15	3	Vertical	360	1.24
5610MHz	Pass	AV	5.457G	47.79	54.00	-6.21	3	Horizontal	360	1.50
5610MHz	Pass	AV	5.583G	98.17	Inf	-Inf	3	Horizontal	360	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	5.449G	60.09	74.00	-13.91	3	Horizontal	360	1.50
5610MHz	Pass	PK	5.462G	61.70	68.20	-6.50	3	Horizontal	360	1.50
5610MHz	Pass	PK	5.582G	107.56	Inf	-Inf	3	Horizontal	360	1.50
5610MHz	Pass	PK	5.734G	65.38	68.20	-2.82	3	Horizontal	360	1.50
5610MHz	Pass	AV	11.21804G	40.24	54.00	-13.76	3	Vertical	296	1.50
5610MHz	Pass	PK	11.2166G	50.92	74.00	-23.08	3	Vertical	296	1.50
5610MHz	Pass	AV	11.22588G	40.37	54.00	-13.63	3	Horizontal	308	1.50
5610MHz	Pass	PK	11.22844G	50.72	74.00	-23.28	3	Horizontal	308	1.50
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX										
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	47.48	54.00	-6.52	3	Vertical	360	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	98.82	Inf	-Inf	3	Vertical	360	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	57.58	74.00	-16.42	3	Vertical	360	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.58	68.20	-10.62	3	Vertical	360	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6792G	108.74	Inf	-Inf	3	Vertical	360	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	59.23	68.20	-8.97	3	Vertical	360	1.25
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	47.17	54.00	-6.83	3	Horizontal	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	99.48	Inf	-Inf	3	Horizontal	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.426G	57.21	74.00	-16.79	3	Horizontal	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.87	68.20	-10.33	3	Horizontal	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	108.66	Inf	-Inf	3	Horizontal	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9408G	58.66	68.20	-9.54	3	Horizontal	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3824G	40.81	54.00	-13.19	3	Vertical	160	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3784G	51.63	74.00	-22.37	3	Vertical	160	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37212G	40.88	54.00	-13.12	3	Horizontal	65	1.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37148G	50.78	74.00	-23.22	3	Horizontal	65	1.76
5775MHz	Pass	AV	5.763G	101.31	Inf	-Inf	3	Vertical	0	1.25
5775MHz	Pass	PK	5.6346G	67.90	68.20	-0.30	3	Vertical	0	1.25
5775MHz	Pass	PK	5.7462G	112.09	Inf	-Inf	3	Vertical	0	1.25
5775MHz	Pass	PK	5.925G	58.95	68.20	-9.25	3	Vertical	0	1.25
5775MHz	Pass	AV	5.7666G	101.64	Inf	-Inf	3	Horizontal	0	1.50
5775MHz	Pass	PK	5.6466G	67.23	68.20	-0.97	3	Horizontal	0	1.50
5775MHz	Pass	PK	5.7654G	111.33	Inf	-Inf	3	Horizontal	0	1.50
5775MHz	Pass	PK	6.0174G	58.53	68.20	-9.67	3	Horizontal	0	1.50
5775MHz	Pass	AV	11.54148G	40.09	54.00	-13.91	3	Vertical	304	1.50
5775MHz	Pass	PK	11.54092G	50.18	74.00	-23.82	3	Vertical	304	1.50
5775MHz	Pass	AV	11.54312G	39.69	54.00	-14.31	3	Horizontal	118	1.50
5775MHz	Pass	PK	11.547G	49.85	74.00	-24.15	3	Horizontal	118	1.50
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX										
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1108G	51.00	54.00	-3.00	3	Vertical	360	1.20
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2776G	96.66	Inf	-Inf	3	Vertical	360	1.20
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.37G	53.83	54.00	-0.17	3	Vertical	360	1.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1108G	64.21	74.00	-9.79	3	Vertical	360	1.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2788G	105.94	Inf	-Inf	3	Vertical	360	1.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3508G	72.20	74.00	-1.80	3	Vertical	360	1.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4912G	64.04	68.20	-4.16	3	Vertical	360	1.20
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	49.55	54.00	-4.45	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2812G	95.53	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3616G	51.73	54.00	-2.27	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	63.57	74.00	-10.43	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2812G	105.87	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.364G	68.89	74.00	-5.11	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4624G	62.41	68.20	-5.79	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.498G	49.71	68.20	-18.49	3	Vertical	33	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5028G	50.15	68.20	-18.05	3	Horizontal	243	1.40
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX										
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	50.32	54.00	-3.68	3	Vertical	360	1.16
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2776G	97.15	Inf	-Inf	3	Vertical	360	1.16
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4096G	53.79	54.00	-0.21	3	Vertical	360	1.16
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	65.80	74.00	-8.20	3	Vertical	360	1.16
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3064G	106.89	Inf	-Inf	3	Vertical	360	1.16
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3712G	72.09	74.00	-1.91	3	Vertical	360	1.16
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4708G	66.40	68.20	-1.80	3	Vertical	360	1.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.142G	49.32	54.00	-4.68	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2812G	95.87	Inf	-Inf	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4024G	51.99	54.00	-2.01	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	63.24	74.00	-10.76	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2812G	106.22	Inf	-Inf	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.382G	68.92	74.00	-5.08	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4624G	65.59	68.20	-2.61	3	Horizontal	360	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49488G	49.80	68.20	-18.40	3	Vertical	97	2.30
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50936G	50.08	68.20	-18.12	3	Horizontal	360	1.50
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.456G	51.67	54.00	-2.33	3	Vertical	360	1.50
5570MHz	Pass	AV	5.5952G	96.75	Inf	-Inf	3	Vertical	360	1.50
5570MHz	Pass	PK	5.3336G	60.27	68.20	-7.93	3	Vertical	360	1.50
5570MHz	Pass	PK	5.4488G	69.43	74.00	-4.57	3	Vertical	360	1.50
5570MHz	Pass	PK	5.4692G	66.84	68.20	-1.36	3	Vertical	360	1.50
5570MHz	Pass	PK	5.558G	106.20	Inf	-Inf	3	Vertical	360	1.50
5570MHz	Pass	PK	5.7692G	63.30	68.20	-4.90	3	Vertical	360	1.50
5570MHz	Pass	AV	5.4452G	50.47	54.00	-3.53	3	Horizontal	0	1.00
5570MHz	Pass	AV	5.504G	95.52	Inf	-Inf	3	Horizontal	0	1.00
5570MHz	Pass	PK	5.3288G	58.23	68.20	-9.97	3	Horizontal	0	1.00
5570MHz	Pass	PK	5.4356G	67.67	74.00	-6.33	3	Horizontal	0	1.00
5570MHz	Pass	PK	5.4632G	63.19	68.20	-5.01	3	Horizontal	0	1.00
5570MHz	Pass	PK	5.5172G	105.00	Inf	-Inf	3	Horizontal	0	1.00
5570MHz	Pass	PK	5.7344G	62.18	68.20	-6.02	3	Horizontal	0	1.00
5570MHz	Pass	AV	11.14928G	40.10	54.00	-13.90	3	Vertical	291	1.50
5570MHz	Pass	PK	11.13304G	50.31	74.00	-23.69	3	Vertical	291	1.50
5570MHz	Pass	AV	11.14804G	40.23	54.00	-13.77	3	Horizontal	76	1.50
5570MHz	Pass	PK	11.14964G	50.66	74.00	-23.34	3	Horizontal	76	1.50
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4488G	50.37	54.00	-3.63	3	Vertical	360	1.20
5570MHz	Pass	AV	5.5064G	95.20	Inf	-Inf	3	Vertical	360	1.20
5570MHz	Pass	PK	5.35G	63.19	74.00	-10.81	3	Vertical	360	1.20
5570MHz	Pass	PK	5.4488G	67.26	74.00	-6.74	3	Vertical	360	1.20
5570MHz	Pass	PK	5.4692G	64.45	68.20	-3.75	3	Vertical	360	1.20
5570MHz	Pass	PK	5.5124G	106.65	Inf	-Inf	3	Vertical	360	1.20
5570MHz	Pass	PK	5.7308G	64.81	68.20	-3.39	3	Vertical	360	1.20
5570MHz	Pass	AV	5.4428G	50.88	54.00	-3.12	3	Horizontal	360	1.50
5570MHz	Pass	AV	5.5424G	95.45	Inf	-Inf	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.35G	60.54	74.00	-13.46	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.4416G	67.65	74.00	-6.35	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.462G	64.14	68.20	-4.06	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.5016G	104.94	Inf	-Inf	3	Horizontal	360	1.50
5570MHz	Pass	PK	5.744G	64.19	68.20	-4.01	3	Horizontal	360	1.50
5570MHz	Pass	AV	11.14652G	40.00	54.00	-14.00	3	Vertical	213	1.50
5570MHz	Pass	PK	11.1312G	50.82	74.00	-23.18	3	Vertical	213	1.50
5570MHz	Pass	AV	11.13332G	40.27	54.00	-13.73	3	Horizontal	94	1.00
5570MHz	Pass	PK	11.1324G	51.03	74.00	-22.97	3	Horizontal	94	1.00

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	53.78	54.00	-0.22	2.47	3	Vertical	360	1.19	51.31	33.35	6.65	37.53
AV	5.238G	98.37	Inf	-Inf	2.53	3	Vertical	360	1.19	95.84	33.35	6.71	37.53
AV	5.35G	48.58	54.00	-5.42	2.27	3	Vertical	360	1.19	46.31	33.10	6.70	37.53
PK	5.138G	66.25	74.00	-7.75	2.47	3	Vertical	360	1.19	63.78	33.35	6.65	37.53
PK	5.181G	107.45	Inf	-Inf	2.62	3	Vertical	360	1.19	104.83	33.46	6.69	37.53
PK	5.35G	59.84	74.00	-14.16	2.27	3	Vertical	360	1.19	57.57	33.10	6.70	37.53

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	53.58	54.00	-0.42	2.50	3	Horizontal	360	1.50	51.08	33.37	6.66	37.53
AV	5.241G	98.15	Inf	-Inf	2.52	3	Horizontal	360	1.50	95.63	33.34	6.71	37.53
AV	5.352G	48.26	54.00	-5.74	2.27	3	Horizontal	360	1.50	45.99	33.10	6.70	37.53
PK	5.142G	65.85	74.00	-8.15	2.50	3	Horizontal	360	1.50	63.35	33.37	6.66	37.53
PK	5.2G	107.89	Inf	-Inf	2.68	3	Horizontal	360	1.50	105.21	33.50	6.71	37.53
PK	5.351G	60.32	74.00	-13.68	2.27	3	Horizontal	360	1.50	58.05	33.10	6.70	37.53


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.46	54.00	-7.54	2.27	3	Vertical	0	1.22	44.19	33.10	6.70	37.53
AV	5.458G	47.80	54.00	-6.20	2.44	3	Vertical	0	1.22	45.36	33.22	6.76	37.54
AV	5.536G	92.44	Inf	-Inf	2.68	3	Vertical	0	1.22	89.76	33.37	6.84	37.53
PK	5.343G	57.05	68.20	-11.15	2.27	3	Vertical	0	1.22	54.78	33.10	6.70	37.53
PK	5.456G	64.70	74.00	-9.30	2.43	3	Vertical	0	1.22	62.27	33.21	6.76	37.54
PK	5.47G	68.08	68.20	-0.12	2.47	3	Vertical	0	1.22	65.61	33.24	6.77	37.54
PK	5.549G	101.78	Inf	-Inf	2.73	3	Vertical	0	1.22	99.05	33.40	6.85	37.52
PK	5.748G	58.65	68.20	-9.55	3.82	3	Vertical	0	1.22	54.83	34.09	7.19	37.46

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.07	54.00	-7.93	2.27	3	Horizontal	360	1.50	43.80	33.10	6.70	37.53
AV	5.46G	47.81	54.00	-6.19	2.44	3	Horizontal	360	1.50	45.37	33.22	6.76	37.54
AV	5.501G	92.75	Inf	-Inf	2.56	3	Horizontal	360	1.50	90.19	33.30	6.80	37.54
PK	5.302G	56.52	68.20	-11.68	2.27	3	Horizontal	360	1.50	54.25	33.10	6.70	37.53
PK	5.46G	62.69	74.00	-11.31	2.44	3	Horizontal	360	1.50	60.25	33.22	6.76	37.54
PK	5.462G	65.80	68.20	-2.40	2.44	3	Horizontal	360	1.50	63.36	33.22	6.76	37.54
PK	5.502G	101.65	Inf	-Inf	2.56	3	Horizontal	360	1.50	99.09	33.30	6.80	37.54
PK	5.776G	58.55	68.20	-9.65	4.05	3	Horizontal	360	1.50	54.50	34.26	7.24	37.45


5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX


5570MHz_TX






5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
5.8G_80MHz_Nss1,(MCS0)_2TX	Pass	PK	31.94M	36.87	40.00	-3.13	3	Vertical	360	1.00


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.8G_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	31.94M	36.87	40.00	-3.13	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	70.74M	35.69	40.00	-4.31	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	97.9M	32.84	43.50	-10.66	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	245.34M	27.38	46.00	-18.62	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	445.16M	28.87	46.00	-17.13	3	Vertical	360	1.00
5775MHz_Adapter	Pass	QP	35.82M	34.72	40.00	-5.28	3	Vertical	339	1.00
5775MHz_Adapter	Pass	PK	37.76M	25.05	40.00	-14.95	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	70.74M	33.08	40.00	-6.92	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	99.84M	34.55	43.50	-8.95	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	249.22M	29.84	46.00	-16.16	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	363.68M	28.98	46.00	-17.02	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	573.2M	34.60	46.00	-11.40	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	31.94M	36.28	40.00	-3.72	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	119.06M	29.06	43.50	-14.44	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	268.14M	28.38	46.00	-17.62	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	403.67M	28.48	46.00	-17.52	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	574.05M	32.79	46.00	-13.21	3	Vertical	360	1.00
5775MHz_PoE	Pass	QP	70.66M	33.98	40.00	-6.02	3	Vertical	290	1.93
5775MHz_PoE	Pass	PK	70.74M	31.85	40.00	-8.15	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	119.24M	28.72	43.50	-14.78	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	249.22M	36.44	46.00	-9.56	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	340.4M	32.66	46.00	-13.34	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	419.94M	30.70	46.00	-15.30	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	707.06M	38.41	46.00	-7.59	3	Horizontal	0	1.00




5.725-5.85GHz_5.8G_80MHz_Nss1,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_5.8G_80MHz_Nss1,(MCS0)_2TX

5775MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T1S_AP5022FX

Appendix E.68

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1488G	53.40	54.00	-0.60	3	Vertical	15	1.81
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.80	54.00	-0.20	3	Vertical	341	1.91
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1456G	53.29	54.00	-0.71	3	Vertical	28	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.21	54.00	-0.79	3	Vertical	14	2.44
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3508G	53.55	54.00	-0.45	3	Vertical	14	2.35
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3616G	53.09	54.00	-0.91	3	Vertical	9	1.41
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3548G	53.47	54.00	-0.53	3	Vertical	29	1.49
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.352G	53.70	54.00	-0.30	3	Vertical	11	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	53.61	54.00	-0.39	3	Vertical	15	2.39
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.4566G	53.88	54.00	-0.12	3	Vertical	339	1.90
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.4586G	53.58	54.00	-0.42	3	Vertical	29	1.99
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.46G	53.28	54.00	-0.72	3	Vertical	17	2.42
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.8592G	68.02	68.20	-0.18	3	Vertical	6	1.62
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4656G	66.94	68.20	-1.26	3	Vertical	17	2.15
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.451G	47.13	54.00	-6.87	3	Horizontal	307	2.22
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.9258G	60.81	68.20	-7.39	3	Horizontal	295	1.72
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.939G	64.70	68.20	-3.50	3	Vertical	5	1.33
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.649G	65.34	68.20	-2.86	3	Horizontal	295	2.18



RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T1S_AP5022FX

Appendix E.68

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	52.84	54.00	-1.16	3	Vertical	14	1.83
5180MHz	Pass	AV	5.1784G	109.75	Inf	-Inf	3	Vertical	14	1.83
5180MHz	Pass	PK	5.1386G	63.42	74.00	-10.58	3	Vertical	14	1.83
5180MHz	Pass	PK	5.1794G	117.27	Inf	-Inf	3	Vertical	14	1.83
5180MHz	Pass	AV	5.1484G	50.23	54.00	-3.77	3	Horizontal	294	2.96
5180MHz	Pass	AV	5.174G	106.17	Inf	-Inf	3	Horizontal	294	2.96
5180MHz	Pass	PK	5.1494G	60.97	74.00	-13.03	3	Horizontal	294	2.96
5180MHz	Pass	PK	5.1788G	113.79	Inf	-Inf	3	Horizontal	294	2.96
5180MHz	Pass	PK	10.3592G	53.23	68.20	-14.97	3	Vertical	11	1.50
5180MHz	Pass	PK	10.36128G	54.78	68.20	-13.42	3	Horizontal	302	1.49
5200MHz	Pass	AV	5.1488G	53.40	54.00	-0.60	3	Vertical	15	1.81
5200MHz	Pass	AV	5.2036G	110.19	Inf	-Inf	3	Vertical	15	1.81
5200MHz	Pass	PK	5.1492G	69.29	74.00	-4.71	3	Vertical	15	1.81
5200MHz	Pass	PK	5.1984G	117.70	Inf	-Inf	3	Vertical	15	1.81
5200MHz	Pass	AV	5.15G	50.57	54.00	-3.43	3	Horizontal	300	2.81
5200MHz	Pass	AV	5.2044G	106.95	Inf	-Inf	3	Horizontal	300	2.81
5200MHz	Pass	PK	5.1492G	65.12	74.00	-8.88	3	Horizontal	300	2.81
5200MHz	Pass	PK	5.2044G	115.04	Inf	-Inf	3	Horizontal	300	2.81
5200MHz	Pass	PK	10.39684G	54.66	68.20	-13.54	3	Vertical	19	1.62
5200MHz	Pass	PK	10.39652G	55.22	68.20	-12.98	3	Horizontal	300	1.43
5240MHz	Pass	AV	5.147G	47.79	54.00	-6.21	3	Vertical	16	2.41
5240MHz	Pass	AV	5.2418G	111.02	Inf	-Inf	3	Vertical	16	2.41
5240MHz	Pass	AV	5.3564G	49.22	54.00	-4.78	3	Vertical	16	2.41
5240MHz	Pass	PK	5.1278G	57.13	74.00	-16.87	3	Vertical	16	2.41
5240MHz	Pass	PK	5.246G	118.74	Inf	-Inf	3	Vertical	16	2.41
5240MHz	Pass	PK	5.35G	58.78	74.00	-15.22	3	Vertical	16	2.41
5240MHz	Pass	AV	5.1224G	46.60	54.00	-7.40	3	Horizontal	54	2.49
5240MHz	Pass	AV	5.2466G	106.62	Inf	-Inf	3	Horizontal	54	2.49
5240MHz	Pass	AV	5.354G	47.72	54.00	-6.28	3	Horizontal	54	2.49
5240MHz	Pass	PK	5.1044G	55.94	74.00	-18.06	3	Horizontal	54	2.49
5240MHz	Pass	PK	5.2472G	114.01	Inf	-Inf	3	Horizontal	54	2.49
5240MHz	Pass	PK	5.3816G	57.26	74.00	-16.74	3	Horizontal	54	2.49
5240MHz	Pass	PK	10.47852G	53.97	68.20	-14.23	3	Vertical	343	1.50
5240MHz	Pass	PK	10.47636G	54.05	68.20	-14.15	3	Horizontal	293	1.56
5260MHz	Pass	AV	5.1496G	47.22	54.00	-6.78	3	Vertical	15	2.50
5260MHz	Pass	AV	5.2552G	111.28	Inf	-Inf	3	Vertical	15	2.50
5260MHz	Pass	AV	5.3524G	49.53	54.00	-4.47	3	Vertical	15	2.50
5260MHz	Pass	PK	5.1286G	56.84	74.00	-17.16	3	Vertical	15	2.50
5260MHz	Pass	PK	5.2648G	119.44	Inf	-Inf	3	Vertical	15	2.50
5260MHz	Pass	PK	5.3572G	58.61	74.00	-15.39	3	Vertical	15	2.50
5260MHz	Pass	AV	5.1382G	46.25	54.00	-7.75	3	Horizontal	44	1.64
5260MHz	Pass	AV	5.263G	106.56	Inf	-Inf	3	Horizontal	44	1.64
5260MHz	Pass	AV	5.3656G	47.79	54.00	-6.21	3	Horizontal	44	1.64
5260MHz	Pass	PK	5.1322G	55.93	74.00	-18.07	3	Horizontal	44	1.64
5260MHz	Pass	PK	5.2594G	114.12	Inf	-Inf	3	Horizontal	44	1.64
5260MHz	Pass	PK	5.3584G	56.88	74.00	-17.12	3	Horizontal	44	1.64
5260MHz	Pass	PK	10.5168G	53.70	68.20	-14.50	3	Vertical	20	1.50
5260MHz	Pass	PK	10.51456G	52.85	68.20	-15.35	3	Horizontal	293	1.61
5300MHz	Pass	AV	5.3052G	112.11	Inf	-Inf	3	Vertical	14	2.35
5300MHz	Pass	AV	5.3508G	53.55	54.00	-0.45	3	Vertical	14	2.35
5300MHz	Pass	PK	5.306G	119.68	Inf	-Inf	3	Vertical	14	2.35
5300MHz	Pass	PK	5.3512G	65.89	74.00	-8.11	3	Vertical	14	2.35
5300MHz	Pass	AV	5.3012G	107.34	Inf	-Inf	3	Horizontal	312	1.10
5300MHz	Pass	AV	5.35G	50.19	54.00	-3.81	3	Horizontal	312	1.10
5300MHz	Pass	PK	5.3064G	115.62	Inf	-Inf	3	Horizontal	312	1.10
5300MHz	Pass	PK	5.3508G	61.49	74.00	-12.51	3	Horizontal	312	1.10
5300MHz	Pass	PK	10.60104G	52.89	74.00	-21.11	3	Vertical	346	1.68
5300MHz	Pass	AV	10.60764G	42.68	54.00	-11.32	3	Horizontal	66	1.50
5300MHz	Pass	PK	10.59404G	52.71	68.20	-15.49	3	Horizontal	66	1.50
5320MHz	Pass	AV	5.3148G	109.87	Inf	-Inf	3	Vertical	27	1.53



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022FX**

Appendix E.68

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.35G	53.46	54.00	-0.54	3	Vertical	27	1.53
5320MHz	Pass	PK	5.3246G	117.14	Inf	-Inf	3	Vertical	27	1.53
5320MHz	Pass	PK	5.3604G	65.12	74.00	-8.88	3	Vertical	27	1.53
5320MHz	Pass	AV	5.3172G	105.40	Inf	-Inf	3	Horizontal	37	1.58
5320MHz	Pass	AV	5.352G	49.63	54.00	-4.37	3	Horizontal	37	1.58
5320MHz	Pass	PK	5.3226G	112.70	Inf	-Inf	3	Horizontal	37	1.58
5320MHz	Pass	PK	5.3624G	59.40	74.00	-14.60	3	Horizontal	37	1.58
5320MHz	Pass	AV	10.64612G	42.89	54.00	-11.11	3	Vertical	348	1.23
5320MHz	Pass	PK	10.64076G	52.79	74.00	-21.21	3	Vertical	348	1.23
5320MHz	Pass	AV	10.64588G	43.17	54.00	-10.83	3	Horizontal	297	1.50
5320MHz	Pass	PK	10.64132G	53.46	74.00	-20.54	3	Horizontal	297	1.50
5500MHz	Pass	AV	5.4566G	53.88	54.00	-0.12	3	Vertical	339	1.90
5500MHz	Pass	AV	5.4958G	110.90	Inf	-Inf	3	Vertical	339	1.90
5500MHz	Pass	PK	5.4568G	63.37	74.00	-10.63	3	Vertical	339	1.90
5500MHz	Pass	PK	5.4674G	66.50	68.20	-1.70	3	Vertical	339	1.90
5500MHz	Pass	PK	5.4964G	118.60	Inf	-Inf	3	Vertical	339	1.90
5500MHz	Pass	AV	5.4596G	52.88	54.00	-1.12	3	Horizontal	309	2.40
5500MHz	Pass	AV	5.5044G	109.61	Inf	-Inf	3	Horizontal	309	2.40
5500MHz	Pass	PK	5.4594G	63.76	74.00	-10.24	3	Horizontal	309	2.40
5500MHz	Pass	PK	5.4698G	65.73	68.20	-2.47	3	Horizontal	309	2.40
5500MHz	Pass	PK	5.505G	117.54	Inf	-Inf	3	Horizontal	309	2.40
5500MHz	Pass	AV	10.99112G	42.58	54.00	-11.42	3	Vertical	223	2.75
5500MHz	Pass	PK	10.99056G	53.20	74.00	-20.80	3	Vertical	223	2.75
5500MHz	Pass	AV	10.9914G	42.95	54.00	-11.05	3	Horizontal	4	1.50
5500MHz	Pass	PK	11.00764G	53.27	74.00	-20.73	3	Horizontal	4	1.50
5580MHz	Pass	AV	5.4468G	48.30	54.00	-5.70	3	Vertical	10	2.13
5580MHz	Pass	AV	5.5788G	111.62	Inf	-Inf	3	Vertical	10	2.13
5580MHz	Pass	PK	5.4438G	57.39	74.00	-16.61	3	Vertical	10	2.13
5580MHz	Pass	PK	5.4678G	57.86	68.20	-10.34	3	Vertical	10	2.13
5580MHz	Pass	PK	5.5788G	119.00	Inf	-Inf	3	Vertical	10	2.13
5580MHz	Pass	PK	5.7294G	57.37	68.20	-10.83	3	Vertical	10	2.13
5580MHz	Pass	AV	5.4534G	47.23	54.00	-6.77	3	Horizontal	307	2.31
5580MHz	Pass	AV	5.5788G	110.42	Inf	-Inf	3	Horizontal	307	2.31
5580MHz	Pass	PK	5.436G	57.15	74.00	-16.85	3	Horizontal	307	2.31
5580MHz	Pass	PK	5.4606G	56.90	68.20	-11.30	3	Horizontal	307	2.31
5580MHz	Pass	PK	5.5788G	118.32	Inf	-Inf	3	Horizontal	307	2.31
5580MHz	Pass	PK	5.727G	56.40	68.20	-11.80	3	Horizontal	307	2.31
5580MHz	Pass	AV	11.17G	43.07	54.00	-10.93	3	Vertical	341	1.01
5580MHz	Pass	PK	11.15072G	54.14	74.00	-19.86	3	Vertical	341	1.01
5580MHz	Pass	AV	11.15048G	42.84	54.00	-11.16	3	Horizontal	87	2.61
5580MHz	Pass	PK	11.1628G	53.08	74.00	-20.92	3	Horizontal	87	2.61
5700MHz	Pass	AV	5.6948G	107.10	Inf	-Inf	3	Vertical	7	1.50
5700MHz	Pass	PK	5.6948G	114.52	Inf	-Inf	3	Vertical	7	1.50
5700MHz	Pass	PK	5.7252G	67.19	68.20	-1.01	3	Vertical	7	1.50
5700MHz	Pass	AV	5.6992G	106.07	Inf	-Inf	3	Horizontal	308	2.18
5700MHz	Pass	PK	5.6988G	113.07	Inf	-Inf	3	Horizontal	308	2.18
5700MHz	Pass	PK	5.728G	63.76	68.20	-4.44	3	Horizontal	308	2.18
5700MHz	Pass	AV	11.40656G	42.96	54.00	-11.04	3	Vertical	325	1.29
5700MHz	Pass	PK	11.39172G	52.68	74.00	-21.32	3	Vertical	325	1.29
5700MHz	Pass	AV	11.40524G	42.80	54.00	-11.20	3	Horizontal	166	2.99
5700MHz	Pass	PK	11.40324G	52.49	74.00	-21.51	3	Horizontal	166	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.426G	47.48	54.00	-6.52	3	Vertical	10	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	110.59	Inf	-Inf	3	Vertical	10	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4428G	56.64	74.00	-17.36	3	Vertical	10	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	57.09	68.20	-11.11	3	Vertical	10	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	118.37	Inf	-Inf	3	Vertical	10	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8748G	58.54	68.20	-9.66	3	Vertical	10	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	46.88	54.00	-7.12	3	Horizontal	307	2.28
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	109.66	Inf	-Inf	3	Horizontal	307	2.28
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4476G	56.04	74.00	-17.96	3	Horizontal	307	2.28
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	56.17	68.20	-12.03	3	Horizontal	307	2.28
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	117.44	Inf	-Inf	3	Horizontal	307	2.28



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022FX**

Appendix E.68

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9636G	58.84	68.20	-9.36	3	Horizontal	307	2.28
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43644G	42.72	54.00	-11.28	3	Vertical	168	2.75
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43232G	52.93	74.00	-21.07	3	Vertical	168	2.75
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44348G	42.72	54.00	-11.28	3	Horizontal	328	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43972G	53.03	74.00	-20.97	3	Horizontal	328	1.50
5745MHz	Pass	AV	5.4546G	46.93	54.00	-7.07	3	Vertical	6	1.34
5745MHz	Pass	AV	5.7402G	110.47	Inf	-Inf	3	Vertical	6	1.34
5745MHz	Pass	PK	5.5914G	57.50	68.20	-10.70	3	Vertical	6	1.34
5745MHz	Pass	PK	5.7402G	117.69	Inf	-Inf	3	Vertical	6	1.34
5745MHz	Pass	PK	5.9538G	58.57	68.20	-9.63	3	Vertical	6	1.34
5745MHz	Pass	AV	5.451G	47.13	54.00	-6.87	3	Horizontal	307	2.22
5745MHz	Pass	AV	5.7438G	109.72	Inf	-Inf	3	Horizontal	307	2.22
5745MHz	Pass	PK	5.6382G	58.18	68.20	-10.02	3	Horizontal	307	2.22
5745MHz	Pass	PK	5.7486G	117.51	Inf	-Inf	3	Horizontal	307	2.22
5745MHz	Pass	PK	6.0282G	58.76	68.20	-9.44	3	Horizontal	307	2.22
5745MHz	Pass	AV	11.49788G	43.24	54.00	-10.76	3	Vertical	183	1.50
5745MHz	Pass	PK	11.48908G	52.70	74.00	-21.30	3	Vertical	183	1.50
5745MHz	Pass	AV	11.48516G	42.77	54.00	-11.23	3	Horizontal	41	1.50
5745MHz	Pass	PK	11.48168G	52.44	74.00	-21.56	3	Horizontal	41	1.50
5785MHz	Pass	AV	5.78008G	111.35	Inf	-Inf	3	Vertical	6	1.33
5785MHz	Pass	PK	5.64698G	57.31	68.20	-10.89	3	Vertical	6	1.33
5785MHz	Pass	PK	5.78976G	118.21	Inf	-Inf	3	Vertical	6	1.33
5785MHz	Pass	PK	6.06806G	58.39	68.20	-9.81	3	Vertical	6	1.33
5785MHz	Pass	AV	5.78371G	110.21	Inf	-Inf	3	Horizontal	296	1.65
5785MHz	Pass	PK	5.59253G	57.23	68.20	-10.97	3	Horizontal	296	1.65
5785MHz	Pass	PK	5.78371G	117.75	Inf	-Inf	3	Horizontal	296	1.65
5785MHz	Pass	PK	5.98699G	59.02	68.20	-9.18	3	Horizontal	296	1.65
5785MHz	Pass	AV	11.57636G	42.53	54.00	-11.47	3	Vertical	337	1.50
5785MHz	Pass	PK	11.57728G	52.47	74.00	-21.53	3	Vertical	337	1.50
5785MHz	Pass	AV	11.56176G	42.67	54.00	-11.33	3	Horizontal	360	1.26
5785MHz	Pass	PK	11.5624G	52.29	74.00	-21.71	3	Horizontal	360	1.26
5825MHz	Pass	AV	5.8202G	110.97	Inf	-Inf	3	Vertical	7	1.30
5825MHz	Pass	PK	5.5826G	57.25	68.20	-10.95	3	Vertical	7	1.30
5825MHz	Pass	PK	5.8298G	119.09	Inf	-Inf	3	Vertical	7	1.30
5825MHz	Pass	PK	6.035G	59.58	68.20	-8.62	3	Vertical	7	1.30
5825MHz	Pass	AV	5.8238G	110.53	Inf	-Inf	3	Horizontal	295	1.63
5825MHz	Pass	PK	5.5802G	57.01	68.20	-11.19	3	Horizontal	295	1.63
5825MHz	Pass	PK	5.8286G	118.00	Inf	-Inf	3	Horizontal	295	1.63
5825MHz	Pass	PK	5.975G	60.23	68.20	-7.97	3	Horizontal	295	1.63
5825MHz	Pass	AV	11.65972G	42.57	54.00	-11.43	3	Vertical	270	1.38
5825MHz	Pass	PK	11.64276G	52.75	74.00	-21.25	3	Vertical	270	1.38
5825MHz	Pass	AV	11.65684G	42.85	54.00	-11.15	3	Horizontal	214	1.50
5825MHz	Pass	PK	11.65516G	52.70	74.00	-21.30	3	Horizontal	214	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1392G	53.60	54.00	-0.40	3	Vertical	338	1.83
5180MHz	Pass	AV	5.1742G	108.18	Inf	-Inf	3	Vertical	338	1.83
5180MHz	Pass	PK	5.139G	65.43	74.00	-8.57	3	Vertical	338	1.83
5180MHz	Pass	PK	5.179G	118.71	Inf	-Inf	3	Vertical	338	1.83
5180MHz	Pass	AV	5.1392G	50.31	54.00	-3.69	3	Horizontal	43	1.61
5180MHz	Pass	AV	5.1768G	104.21	Inf	-Inf	3	Horizontal	43	1.61
5180MHz	Pass	PK	5.1398G	63.22	74.00	-10.78	3	Horizontal	43	1.61
5180MHz	Pass	PK	5.1792G	115.07	Inf	-Inf	3	Horizontal	43	1.61
5180MHz	Pass	PK	10.36172G	53.54	68.20	-14.66	3	Vertical	344	1.43
5180MHz	Pass	PK	10.35364G	53.79	68.20	-14.41	3	Horizontal	302	1.50
5200MHz	Pass	AV	5.1496G	53.80	54.00	-0.20	3	Vertical	341	1.91
5200MHz	Pass	AV	5.2064G	108.09	Inf	-Inf	3	Vertical	341	1.91
5200MHz	Pass	PK	5.142G	68.46	74.00	-5.54	3	Vertical	341	1.91
5200MHz	Pass	PK	5.2068G	119.63	Inf	-Inf	3	Vertical	341	1.91
5200MHz	Pass	AV	5.1496G	51.02	54.00	-2.98	3	Horizontal	43	1.48
5200MHz	Pass	AV	5.1944G	103.38	Inf	-Inf	3	Horizontal	43	1.48
5200MHz	Pass	PK	5.1496G	67.38	74.00	-6.62	3	Horizontal	43	1.48
5200MHz	Pass	PK	5.2068G	113.72	Inf	-Inf	3	Horizontal	43	1.48



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022FX**

Appendix E.68

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	10.40792G	53.60	68.20	-14.60	3	Vertical	16	1.63
5200MHz	Pass	PK	10.4G	53.81	68.20	-14.39	3	Horizontal	302	1.53
5240MHz	Pass	AV	5.1482G	47.76	54.00	-6.24	3	Vertical	37	1.50
5240MHz	Pass	AV	5.2484G	109.24	Inf	-Inf	3	Vertical	37	1.50
5240MHz	Pass	AV	5.3588G	48.36	54.00	-5.64	3	Vertical	37	1.50
5240MHz	Pass	PK	5.1482G	62.86	74.00	-11.14	3	Vertical	37	1.50
5240MHz	Pass	PK	5.2454G	120.06	Inf	-Inf	3	Vertical	37	1.50
5240MHz	Pass	PK	5.3504G	58.89	74.00	-15.11	3	Vertical	37	1.50
5240MHz	Pass	AV	5.1422G	45.78	54.00	-8.22	3	Horizontal	44	2.86
5240MHz	Pass	AV	5.2466G	104.73	Inf	-Inf	3	Horizontal	44	2.86
5240MHz	Pass	AV	5.35G	46.75	54.00	-7.25	3	Horizontal	44	2.86
5240MHz	Pass	PK	5.1446G	56.58	74.00	-17.42	3	Horizontal	44	2.86
5240MHz	Pass	PK	5.2466G	115.78	Inf	-Inf	3	Horizontal	44	2.86
5240MHz	Pass	PK	5.3756G	57.83	74.00	-16.17	3	Horizontal	44	2.86
5240MHz	Pass	PK	10.47948G	53.94	68.20	-14.26	3	Vertical	13	1.74
5240MHz	Pass	PK	10.4828G	53.45	68.20	-14.75	3	Horizontal	292	1.50
5260MHz	Pass	AV	5.1424G	46.53	54.00	-7.47	3	Vertical	14	2.50
5260MHz	Pass	AV	5.257G	110.21	Inf	-Inf	3	Vertical	14	2.50
5260MHz	Pass	AV	5.3524G	49.10	54.00	-4.90	3	Vertical	14	2.50
5260MHz	Pass	PK	5.1394G	56.91	74.00	-17.09	3	Vertical	14	2.50
5260MHz	Pass	PK	5.2624G	120.85	Inf	-Inf	3	Vertical	14	2.50
5260MHz	Pass	PK	5.3542G	61.02	74.00	-12.98	3	Vertical	14	2.50
5260MHz	Pass	AV	5.1472G	45.72	54.00	-8.28	3	Horizontal	43	1.72
5260MHz	Pass	AV	5.2618G	105.61	Inf	-Inf	3	Horizontal	43	1.72
5260MHz	Pass	AV	5.3512G	46.97	54.00	-7.03	3	Horizontal	43	1.72
5260MHz	Pass	PK	5.1394G	56.06	74.00	-17.94	3	Horizontal	43	1.72
5260MHz	Pass	PK	5.2666G	115.33	Inf	-Inf	3	Horizontal	43	1.72
5260MHz	Pass	PK	5.35G	58.35	74.00	-15.65	3	Horizontal	43	1.72
5260MHz	Pass	PK	10.51852G	53.14	68.20	-15.06	3	Vertical	16	1.65
5260MHz	Pass	PK	10.515G	53.50	68.20	-14.70	3	Horizontal	294	1.66
5300MHz	Pass	AV	5.3076G	109.91	Inf	-Inf	3	Vertical	15	2.36
5300MHz	Pass	AV	5.35G	52.97	54.00	-1.03	3	Vertical	15	2.36
5300MHz	Pass	PK	5.2976G	120.77	Inf	-Inf	3	Vertical	15	2.36
5300MHz	Pass	PK	5.3532G	70.24	74.00	-3.76	3	Vertical	15	2.36
5300MHz	Pass	AV	5.3032G	105.00	Inf	-Inf	3	Horizontal	312	1.10
5300MHz	Pass	AV	5.3556G	49.10	54.00	-4.90	3	Horizontal	312	1.10
5300MHz	Pass	PK	5.298G	116.10	Inf	-Inf	3	Horizontal	312	1.10
5300MHz	Pass	PK	5.3508G	65.04	74.00	-8.96	3	Horizontal	312	1.10
5300MHz	Pass	PK	10.5916G	52.52	68.20	-15.68	3	Vertical	162	2.93
5300MHz	Pass	AV	10.60272G	42.15	54.00	-11.85	3	Horizontal	311	1.03
5300MHz	Pass	PK	10.60384G	52.89	74.00	-21.11	3	Horizontal	311	1.03
5320MHz	Pass	AV	5.3188G	108.13	Inf	-Inf	3	Vertical	9	1.41
5320MHz	Pass	AV	5.3616G	53.09	54.00	-0.91	3	Vertical	9	1.41
5320MHz	Pass	PK	5.3264G	118.73	Inf	-Inf	3	Vertical	9	1.41
5320MHz	Pass	PK	5.3614G	64.71	74.00	-9.29	3	Vertical	9	1.41
5320MHz	Pass	AV	5.3162G	103.83	Inf	-Inf	3	Horizontal	37	1.58
5320MHz	Pass	AV	5.3614G	50.26	54.00	-3.74	3	Horizontal	37	1.58
5320MHz	Pass	PK	5.3138G	114.02	Inf	-Inf	3	Horizontal	37	1.58
5320MHz	Pass	PK	5.3612G	62.42	74.00	-11.58	3	Horizontal	37	1.58
5320MHz	Pass	AV	10.64008G	41.88	54.00	-12.12	3	Vertical	337	1.50
5320MHz	Pass	PK	10.63476G	52.87	74.00	-21.13	3	Vertical	337	1.50
5320MHz	Pass	AV	10.64196G	42.06	54.00	-11.94	3	Horizontal	23	1.50
5320MHz	Pass	PK	10.64992G	53.15	74.00	-20.85	3	Horizontal	23	1.50
5500MHz	Pass	AV	5.4586G	53.58	54.00	-0.42	3	Vertical	29	1.99
5500MHz	Pass	AV	5.4936G	108.32	Inf	-Inf	3	Vertical	29	1.99
5500MHz	Pass	PK	5.459G	65.65	74.00	-8.35	3	Vertical	29	1.99
5500MHz	Pass	PK	5.4612G	63.09	68.20	-5.11	3	Vertical	29	1.99
5500MHz	Pass	PK	5.4962G	118.94	Inf	-Inf	3	Vertical	29	1.99
5500MHz	Pass	AV	5.46G	52.61	54.00	-1.39	3	Horizontal	308	2.39
5500MHz	Pass	AV	5.5022G	106.49	Inf	-Inf	3	Horizontal	308	2.39
5500MHz	Pass	PK	5.4598G	66.07	74.00	-7.93	3	Horizontal	308	2.39
5500MHz	Pass	PK	5.4602G	63.82	68.20	-4.38	3	Horizontal	308	2.39



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022FX**

Appendix E.68

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.495G	116.89	Inf	-Inf	3	Horizontal	308	2.39
5500MHz	Pass	AV	10.9902G	42.27	54.00	-11.73	3	Vertical	247	1.50
5500MHz	Pass	PK	10.99116G	52.65	74.00	-21.35	3	Vertical	247	1.50
5500MHz	Pass	AV	10.99104G	41.69	54.00	-12.31	3	Horizontal	242	1.93
5500MHz	Pass	PK	10.9944G	52.34	74.00	-21.66	3	Horizontal	242	1.93
5580MHz	Pass	AV	5.4534G	47.25	54.00	-6.75	3	Vertical	9	2.26
5580MHz	Pass	AV	5.577G	110.61	Inf	-Inf	3	Vertical	9	2.26
5580MHz	Pass	PK	5.457G	58.64	74.00	-15.36	3	Vertical	9	2.26
5580MHz	Pass	PK	5.4636G	58.09	68.20	-10.11	3	Vertical	9	2.26
5580MHz	Pass	PK	5.5872G	120.82	Inf	-Inf	3	Vertical	9	2.26
5580MHz	Pass	PK	5.7264G	57.73	68.20	-10.47	3	Vertical	9	2.26
5580MHz	Pass	AV	5.454G	46.71	54.00	-7.29	3	Horizontal	305	2.32
5580MHz	Pass	AV	5.5872G	109.34	Inf	-Inf	3	Horizontal	305	2.32
5580MHz	Pass	PK	5.4414G	56.64	74.00	-17.36	3	Horizontal	305	2.32
5580MHz	Pass	PK	5.4648G	56.72	68.20	-11.48	3	Horizontal	305	2.32
5580MHz	Pass	PK	5.577G	120.38	Inf	-Inf	3	Horizontal	305	2.32
5580MHz	Pass	PK	5.7276G	57.23	68.20	-10.97	3	Horizontal	305	2.32
5580MHz	Pass	AV	11.16048G	42.00	54.00	-12.00	3	Vertical	224	1.50
5580MHz	Pass	PK	11.16464G	52.83	74.00	-21.17	3	Vertical	224	1.50
5580MHz	Pass	AV	11.16564G	41.96	54.00	-12.04	3	Horizontal	231	1.50
5580MHz	Pass	PK	11.16732G	52.51	74.00	-21.49	3	Horizontal	231	1.50
5700MHz	Pass	AV	5.6976G	104.03	Inf	-Inf	3	Vertical	7	1.49
5700MHz	Pass	PK	5.6952G	114.35	Inf	-Inf	3	Vertical	7	1.49
5700MHz	Pass	PK	5.7252G	66.78	68.20	-1.42	3	Vertical	7	1.49
5700MHz	Pass	AV	5.6992G	102.96	Inf	-Inf	3	Horizontal	306	2.26
5700MHz	Pass	PK	5.6944G	114.17	Inf	-Inf	3	Horizontal	306	2.26
5700MHz	Pass	PK	5.7276G	66.16	68.20	-2.04	3	Horizontal	306	2.26
5700MHz	Pass	AV	11.40572G	42.02	54.00	-11.98	3	Vertical	12	1.23
5700MHz	Pass	PK	11.40192G	52.93	74.00	-21.07	3	Vertical	12	1.23
5700MHz	Pass	AV	11.4032G	41.85	54.00	-12.15	3	Horizontal	90	1.50
5700MHz	Pass	PK	11.39568G	52.60	74.00	-21.40	3	Horizontal	90	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	46.27	54.00	-7.73	3	Vertical	5	1.39
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	108.92	Inf	-Inf	3	Vertical	5	1.39
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	56.75	74.00	-17.25	3	Vertical	5	1.39
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	55.83	68.20	-12.37	3	Vertical	5	1.39
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	118.99	Inf	-Inf	3	Vertical	5	1.39
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8772G	58.89	68.20	-9.31	3	Vertical	5	1.39
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	46.03	54.00	-7.97	3	Horizontal	309	2.30
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	108.63	Inf	-Inf	3	Horizontal	309	2.30
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4236G	56.39	74.00	-17.61	3	Horizontal	309	2.30
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.60	68.20	-11.60	3	Horizontal	309	2.30
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	118.16	Inf	-Inf	3	Horizontal	309	2.30
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.978G	60.28	68.20	-7.92	3	Horizontal	309	2.30
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44676G	41.89	54.00	-12.11	3	Vertical	329	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44916G	52.57	74.00	-21.43	3	Vertical	329	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4384G	41.80	54.00	-12.20	3	Horizontal	78	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43512G	52.73	74.00	-21.27	3	Horizontal	78	1.50
5745MHz	Pass	AV	5.457G	46.37	54.00	-7.63	3	Vertical	7	1.69
5745MHz	Pass	AV	5.7498G	109.10	Inf	-Inf	3	Vertical	7	1.69
5745MHz	Pass	PK	5.6346G	58.16	68.20	-10.04	3	Vertical	7	1.69
5745MHz	Pass	PK	5.7426G	119.26	Inf	-Inf	3	Vertical	7	1.69
5745MHz	Pass	PK	5.9454G	59.09	68.20	-9.11	3	Vertical	7	1.69
5745MHz	Pass	AV	5.4522G	46.23	54.00	-7.77	3	Horizontal	311	2.31
5745MHz	Pass	AV	5.739G	108.61	Inf	-Inf	3	Horizontal	311	2.31
5745MHz	Pass	PK	5.5842G	57.69	68.20	-10.51	3	Horizontal	311	2.31
5745MHz	Pass	PK	5.739G	118.16	Inf	-Inf	3	Horizontal	311	2.31
5745MHz	Pass	PK	5.9646G	59.04	68.20	-9.16	3	Horizontal	311	2.31
5745MHz	Pass	AV	11.48168G	41.96	54.00	-12.04	3	Vertical	265	1.50
5745MHz	Pass	PK	11.49808G	53.50	74.00	-20.50	3	Vertical	265	1.50
5745MHz	Pass	AV	11.49912G	42.09	54.00	-11.91	3	Horizontal	164	1.50
5745MHz	Pass	PK	11.49744G	52.41	74.00	-21.59	3	Horizontal	164	1.50
5785MHz	Pass	AV	5.77766G	109.79	Inf	-Inf	3	Vertical	9	1.34



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022FX**

Appendix E.68

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.55623G	57.71	68.20	-10.49	3	Vertical	9	1.34
5785MHz	Pass	PK	5.78008G	119.81	Inf	-Inf	3	Vertical	9	1.34
5785MHz	Pass	PK	5.95069G	59.27	68.20	-8.93	3	Vertical	9	1.34
5785MHz	Pass	AV	5.7825G	108.89	Inf	-Inf	3	Horizontal	297	1.66
5785MHz	Pass	PK	5.63609G	57.06	68.20	-11.14	3	Horizontal	297	1.66
5785MHz	Pass	PK	5.78613G	119.95	Inf	-Inf	3	Horizontal	297	1.66
5785MHz	Pass	PK	5.96279G	59.34	68.20	-8.86	3	Horizontal	297	1.66
5785MHz	Pass	AV	11.562G	41.46	54.00	-12.54	3	Vertical	360	1.50
5785MHz	Pass	PK	11.57704G	52.94	74.00	-21.06	3	Vertical	360	1.50
5785MHz	Pass	AV	11.56932G	41.72	54.00	-12.28	3	Horizontal	209	1.50
5785MHz	Pass	PK	11.56784G	52.43	74.00	-21.57	3	Horizontal	209	1.50
5825MHz	Pass	AV	5.8178G	109.97	Inf	-Inf	3	Vertical	6	1.30
5825MHz	Pass	PK	5.6258G	57.90	68.20	-10.30	3	Vertical	6	1.30
5825MHz	Pass	PK	5.8274G	120.50	Inf	-Inf	3	Vertical	6	1.30
5825MHz	Pass	PK	6.0506G	60.08	68.20	-8.12	3	Vertical	6	1.30
5825MHz	Pass	AV	5.8238G	109.05	Inf	-Inf	3	Horizontal	295	1.72
5825MHz	Pass	PK	5.6054G	57.23	68.20	-10.97	3	Horizontal	295	1.72
5825MHz	Pass	PK	5.8298G	118.68	Inf	-Inf	3	Horizontal	295	1.72
5825MHz	Pass	PK	5.9258G	60.81	68.20	-7.39	3	Horizontal	295	1.72
5825MHz	Pass	AV	11.659G	41.40	54.00	-12.60	3	Vertical	67	1.50
5825MHz	Pass	PK	11.65776G	52.48	74.00	-21.52	3	Vertical	67	1.50
5825MHz	Pass	AV	11.65716G	41.35	54.00	-12.65	3	Horizontal	177	1.50
5825MHz	Pass	PK	11.65928G	52.79	74.00	-21.21	3	Horizontal	177	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.08	54.00	-0.92	3	Vertical	342	1.91
5190MHz	Pass	AV	5.2044G	104.82	Inf	-Inf	3	Vertical	342	1.91
5190MHz	Pass	PK	5.15G	65.57	74.00	-8.43	3	Vertical	342	1.91
5190MHz	Pass	PK	5.1992G	116.27	Inf	-Inf	3	Vertical	342	1.91
5190MHz	Pass	AV	5.1496G	49.76	54.00	-4.24	3	Horizontal	44	1.75
5190MHz	Pass	AV	5.1868G	100.75	Inf	-Inf	3	Horizontal	44	1.75
5190MHz	Pass	PK	5.15G	59.06	74.00	-14.94	3	Horizontal	44	1.75
5190MHz	Pass	PK	5.1844G	111.71	Inf	-Inf	3	Horizontal	44	1.75
5190MHz	Pass	PK	10.37192G	52.39	68.20	-15.81	3	Vertical	348	1.46
5190MHz	Pass	PK	10.37832G	52.74	68.20	-15.46	3	Horizontal	302	1.46
5230MHz	Pass	AV	5.1456G	53.29	54.00	-0.71	3	Vertical	28	1.50
5230MHz	Pass	AV	5.2476G	104.68	Inf	-Inf	3	Vertical	28	1.50
5230MHz	Pass	PK	5.15G	68.89	74.00	-5.11	3	Vertical	28	1.50
5230MHz	Pass	PK	5.2252G	115.21	Inf	-Inf	3	Vertical	28	1.50
5230MHz	Pass	AV	5.15G	49.75	54.00	-4.25	3	Horizontal	44	2.57
5230MHz	Pass	AV	5.2448G	100.23	Inf	-Inf	3	Horizontal	44	2.57
5230MHz	Pass	PK	5.15G	63.85	74.00	-10.15	3	Horizontal	44	2.57
5230MHz	Pass	PK	5.2396G	110.79	Inf	-Inf	3	Horizontal	44	2.57
5230MHz	Pass	PK	10.45896G	52.61	68.20	-15.59	3	Vertical	352	1.17
5230MHz	Pass	PK	10.47032G	53.18	68.20	-15.02	3	Horizontal	294	1.56
5270MHz	Pass	AV	5.2752G	105.25	Inf	-Inf	3	Vertical	29	1.49
5270MHz	Pass	AV	5.3548G	53.47	54.00	-0.53	3	Vertical	29	1.49
5270MHz	Pass	PK	5.288G	115.77	Inf	-Inf	3	Vertical	29	1.49
5270MHz	Pass	PK	5.3552G	69.03	74.00	-4.97	3	Vertical	29	1.49
5270MHz	Pass	AV	5.286G	100.83	Inf	-Inf	3	Horizontal	319	2.37
5270MHz	Pass	AV	5.3524G	51.82	54.00	-2.18	3	Horizontal	319	2.37
5270MHz	Pass	PK	5.2732G	111.42	Inf	-Inf	3	Horizontal	319	2.37
5270MHz	Pass	PK	5.3556G	67.23	74.00	-6.77	3	Horizontal	319	2.37
5270MHz	Pass	PK	10.52928G	53.02	68.20	-15.18	3	Vertical	267	1.50
5270MHz	Pass	PK	10.53272G	52.29	68.20	-15.91	3	Horizontal	356	3.00
5310MHz	Pass	AV	5.3152G	104.17	Inf	-Inf	3	Vertical	14	2.34
5310MHz	Pass	AV	5.35G	53.16	54.00	-0.84	3	Vertical	14	2.34
5310MHz	Pass	PK	5.3148G	115.14	Inf	-Inf	3	Vertical	14	2.34
5310MHz	Pass	PK	5.3504G	65.85	74.00	-8.15	3	Vertical	14	2.34
5310MHz	Pass	AV	5.316G	100.62	Inf	-Inf	3	Horizontal	318	2.37
5310MHz	Pass	AV	5.3508G	50.46	54.00	-3.54	3	Horizontal	318	2.37
5310MHz	Pass	PK	5.3156G	110.93	Inf	-Inf	3	Horizontal	318	2.37
5310MHz	Pass	PK	5.3508G	61.06	74.00	-12.94	3	Horizontal	318	2.37



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022FX**

Appendix E.68

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.62744G	41.99	54.00	-12.01	3	Vertical	102	1.50
5310MHz	Pass	PK	10.62384G	53.32	74.00	-20.68	3	Vertical	102	1.50
5310MHz	Pass	AV	10.60704G	41.94	54.00	-12.06	3	Horizontal	116	1.50
5310MHz	Pass	PK	10.62208G	52.96	74.00	-21.04	3	Horizontal	116	1.50
5510MHz	Pass	AV	5.46G	53.28	54.00	-0.72	3	Vertical	17	2.42
5510MHz	Pass	AV	5.5048G	106.08	Inf	-Inf	3	Vertical	17	2.42
5510MHz	Pass	PK	5.46G	63.64	74.00	-10.36	3	Vertical	17	2.42
5510MHz	Pass	PK	5.47G	67.24	68.20	-0.96	3	Vertical	17	2.42
5510MHz	Pass	PK	5.5048G	116.33	Inf	-Inf	3	Vertical	17	2.42
5510MHz	Pass	AV	5.4596G	51.93	54.00	-2.07	3	Horizontal	308	2.38
5510MHz	Pass	AV	5.5272G	104.32	Inf	-Inf	3	Horizontal	308	2.38
5510MHz	Pass	PK	5.4556G	61.42	74.00	-12.58	3	Horizontal	308	2.38
5510MHz	Pass	PK	5.4692G	66.28	68.20	-1.92	3	Horizontal	308	2.38
5510MHz	Pass	PK	5.492G	115.05	Inf	-Inf	3	Horizontal	308	2.38
5510MHz	Pass	AV	11.01944G	41.76	54.00	-12.24	3	Vertical	280	1.26
5510MHz	Pass	PK	11.01928G	52.59	74.00	-21.41	3	Vertical	280	1.26
5510MHz	Pass	AV	11.03768G	41.60	54.00	-12.40	3	Horizontal	141	2.63
5510MHz	Pass	PK	11.01648G	53.05	74.00	-20.95	3	Horizontal	141	2.63
5550MHz	Pass	AV	5.46G	51.16	54.00	-2.84	3	Vertical	12	2.14
5550MHz	Pass	AV	5.5548G	105.29	Inf	-Inf	3	Vertical	12	2.14
5550MHz	Pass	PK	5.4596G	65.31	74.00	-8.69	3	Vertical	12	2.14
5550MHz	Pass	PK	5.4676G	67.03	68.20	-1.17	3	Vertical	12	2.14
5550MHz	Pass	PK	5.5644G	115.74	Inf	-Inf	3	Vertical	12	2.14
5550MHz	Pass	AV	5.46G	50.08	54.00	-3.92	3	Horizontal	307	2.33
5550MHz	Pass	AV	5.5544G	103.67	Inf	-Inf	3	Horizontal	307	2.33
5550MHz	Pass	PK	5.46G	63.27	74.00	-10.73	3	Horizontal	307	2.33
5550MHz	Pass	PK	5.47G	66.29	68.20	-1.91	3	Horizontal	307	2.33
5550MHz	Pass	PK	5.5568G	114.85	Inf	-Inf	3	Horizontal	307	2.33
5550MHz	Pass	AV	11.10752G	42.06	54.00	-11.94	3	Vertical	236	1.50
5550MHz	Pass	PK	11.11344G	52.45	74.00	-21.55	3	Vertical	236	1.50
5550MHz	Pass	AV	11.08752G	41.78	54.00	-12.22	3	Horizontal	89	2.23
5550MHz	Pass	PK	11.10632G	52.69	74.00	-21.31	3	Horizontal	89	2.23
5670MHz	Pass	AV	5.6574G	102.34	Inf	-Inf	3	Vertical	7	1.74
5670MHz	Pass	PK	5.6646G	113.59	Inf	-Inf	3	Vertical	7	1.74
5670MHz	Pass	PK	5.727G	67.05	68.20	-1.15	3	Vertical	7	1.74
5670MHz	Pass	AV	5.664G	101.36	Inf	-Inf	3	Horizontal	303	2.24
5670MHz	Pass	PK	5.6616G	112.65	Inf	-Inf	3	Horizontal	303	2.24
5670MHz	Pass	PK	5.7264G	67.48	68.20	-0.72	3	Horizontal	303	2.24
5670MHz	Pass	AV	11.34072G	42.38	54.00	-11.62	3	Vertical	133	2.73
5670MHz	Pass	PK	11.32056G	53.11	74.00	-20.89	3	Vertical	133	2.73
5670MHz	Pass	AV	11.35752G	42.12	54.00	-11.88	3	Horizontal	143	1.50
5670MHz	Pass	PK	11.34336G	54.12	74.00	-19.88	3	Horizontal	143	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	46.87	54.00	-7.13	3	Vertical	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6968G	106.74	Inf	-Inf	3	Vertical	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4412G	57.23	74.00	-16.77	3	Vertical	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	56.53	68.20	-11.67	3	Vertical	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	117.45	Inf	-Inf	3	Vertical	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	62.37	68.20	-5.83	3	Vertical	6	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	46.47	54.00	-7.53	3	Horizontal	305	2.26
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	106.17	Inf	-Inf	3	Horizontal	305	2.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4376G	56.57	74.00	-17.43	3	Horizontal	305	2.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	57.50	68.20	-10.70	3	Horizontal	305	2.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	116.35	Inf	-Inf	3	Horizontal	305	2.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.872G	61.76	68.20	-6.44	3	Horizontal	305	2.26
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40344G	42.76	54.00	-11.24	3	Vertical	248	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40648G	52.53	74.00	-21.47	3	Vertical	248	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41696G	42.10	54.00	-11.90	3	Horizontal	75	2.61
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4128G	52.67	74.00	-21.33	3	Horizontal	75	2.61
5755MHz	Pass	AV	5.455G	46.49	54.00	-7.51	3	Vertical	8	1.61
5755MHz	Pass	AV	5.7394G	106.52	Inf	-Inf	3	Vertical	8	1.61
5755MHz	Pass	PK	5.6398G	59.30	68.20	-8.90	3	Vertical	8	1.61
5755MHz	Pass	PK	5.7598G	117.77	Inf	-Inf	3	Vertical	8	1.61



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022FX**

Appendix E.68

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	PK	6.055G	58.76	68.20	-9.44	3	Vertical	8	1.61
5755MHz	Pass	AV	5.4586G	46.12	54.00	-7.88	3	Horizontal	295	2.31
5755MHz	Pass	AV	5.7514G	105.79	Inf	-Inf	3	Horizontal	295	2.31
5755MHz	Pass	PK	5.6278G	59.07	68.20	-9.13	3	Horizontal	295	2.31
5755MHz	Pass	PK	5.7538G	116.97	Inf	-Inf	3	Horizontal	295	2.31
5755MHz	Pass	PK	6.0358G	58.95	68.20	-9.25	3	Horizontal	295	2.31
5755MHz	Pass	AV	11.49744G	42.02	54.00	-11.98	3	Vertical	354	1.50
5755MHz	Pass	PK	11.50648G	53.14	74.00	-20.86	3	Vertical	354	1.50
5755MHz	Pass	AV	11.49504G	41.81	54.00	-12.19	3	Horizontal	153	2.10
5755MHz	Pass	PK	11.5108G	52.96	74.00	-21.04	3	Horizontal	153	2.10
5795MHz	Pass	AV	5.8094G	107.15	Inf	-Inf	3	Vertical	5	1.33
5795MHz	Pass	PK	5.6354G	62.42	68.20	-5.78	3	Vertical	5	1.33
5795MHz	Pass	PK	5.7842G	118.25	Inf	-Inf	3	Vertical	5	1.33
5795MHz	Pass	PK	5.939G	64.70	68.20	-3.50	3	Vertical	5	1.33
5795MHz	Pass	AV	5.7902G	105.74	Inf	-Inf	3	Horizontal	298	1.52
5795MHz	Pass	PK	5.6354G	61.74	68.20	-6.46	3	Horizontal	298	1.52
5795MHz	Pass	PK	5.8022G	116.72	Inf	-Inf	3	Horizontal	298	1.52
5795MHz	Pass	PK	5.927G	64.31	68.20	-3.89	3	Horizontal	298	1.52
5795MHz	Pass	AV	11.59648G	41.62	54.00	-12.38	3	Vertical	102	1.50
5795MHz	Pass	PK	11.59136G	52.12	74.00	-21.88	3	Vertical	102	1.50
5795MHz	Pass	AV	11.5916G	41.41	54.00	-12.59	3	Horizontal	19	1.50
5795MHz	Pass	PK	11.6064G	52.63	74.00	-21.37	3	Horizontal	19	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.21	54.00	-0.79	3	Vertical	14	2.44
5210MHz	Pass	AV	5.225G	101.68	Inf	-Inf	3	Vertical	14	2.44
5210MHz	Pass	AV	5.356G	51.13	54.00	-2.87	3	Vertical	14	2.44
5210MHz	Pass	PK	5.146G	63.19	74.00	-10.81	3	Vertical	14	2.44
5210MHz	Pass	PK	5.223G	112.34	Inf	-Inf	3	Vertical	14	2.44
5210MHz	Pass	PK	5.35G	61.93	74.00	-12.07	3	Vertical	14	2.44
5210MHz	Pass	AV	5.15G	49.43	54.00	-4.57	3	Horizontal	43	1.53
5210MHz	Pass	AV	5.222G	97.33	Inf	-Inf	3	Horizontal	43	1.53
5210MHz	Pass	AV	5.357G	47.62	54.00	-6.38	3	Horizontal	43	1.53
5210MHz	Pass	PK	5.145G	59.90	74.00	-14.10	3	Horizontal	43	1.53
5210MHz	Pass	PK	5.239G	108.09	Inf	-Inf	3	Horizontal	43	1.53
5210MHz	Pass	PK	5.359G	57.92	74.00	-16.08	3	Horizontal	43	1.53
5210MHz	Pass	PK	10.38384G	52.55	68.20	-15.65	3	Vertical	326	1.50
5210MHz	Pass	PK	10.41136G	52.66	68.20	-15.54	3	Horizontal	318	1.50
5290MHz	Pass	AV	5.146G	47.83	54.00	-6.17	3	Vertical	11	1.50
5290MHz	Pass	AV	5.304G	101.49	Inf	-Inf	3	Vertical	11	1.50
5290MHz	Pass	AV	5.352G	53.70	54.00	-0.30	3	Vertical	11	1.50
5290MHz	Pass	PK	5.146G	58.33	74.00	-15.67	3	Vertical	11	1.50
5290MHz	Pass	PK	5.299G	111.89	Inf	-Inf	3	Vertical	11	1.50
5290MHz	Pass	PK	5.352G	62.52	74.00	-11.48	3	Vertical	11	1.50
5290MHz	Pass	PK	5.471G	57.65	68.20	-10.55	3	Vertical	11	1.50
5290MHz	Pass	AV	5.139G	45.96	54.00	-8.04	3	Horizontal	320	2.38
5290MHz	Pass	AV	5.319G	97.60	Inf	-Inf	3	Horizontal	320	2.38
5290MHz	Pass	AV	5.353G	50.51	54.00	-3.49	3	Horizontal	320	2.38
5290MHz	Pass	PK	5.139G	56.05	74.00	-17.95	3	Horizontal	320	2.38
5290MHz	Pass	PK	5.319G	108.08	Inf	-Inf	3	Horizontal	320	2.38
5290MHz	Pass	PK	5.356G	59.68	74.00	-14.32	3	Horizontal	320	2.38
5290MHz	Pass	PK	5.496G	57.04	68.20	-11.16	3	Horizontal	320	2.38
5290MHz	Pass	AV	10.61376G	41.91	54.00	-12.09	3	Vertical	269	2.60
5290MHz	Pass	PK	10.61856G	52.81	74.00	-21.19	3	Vertical	269	2.60
5290MHz	Pass	AV	10.60704G	41.66	54.00	-12.34	3	Horizontal	273	1.88
5290MHz	Pass	PK	10.57376G	52.86	68.20	-15.34	3	Horizontal	273	1.88
5530MHz	Pass	AV	5.35G	48.42	54.00	-5.58	3	Vertical	11	2.15
5530MHz	Pass	AV	5.457G	53.53	54.00	-0.47	3	Vertical	11	2.15
5530MHz	Pass	AV	5.54G	101.82	Inf	-Inf	3	Vertical	11	2.15
5530MHz	Pass	PK	5.343G	58.35	68.20	-9.85	3	Vertical	11	2.15
5530MHz	Pass	PK	5.435G	63.28	74.00	-10.72	3	Vertical	11	2.15
5530MHz	Pass	PK	5.468G	63.25	68.20	-4.95	3	Vertical	11	2.15
5530MHz	Pass	PK	5.542G	112.82	Inf	-Inf	3	Vertical	11	2.15



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022FX**

Appendix E.68

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.776G	57.93	68.20	-10.27	3	Vertical	11	2.15
5530MHz	Pass	AV	5.35G	46.59	54.00	-7.41	3	Horizontal	308	2.40
5530MHz	Pass	AV	5.46G	51.64	54.00	-2.36	3	Horizontal	308	2.40
5530MHz	Pass	AV	5.542G	100.24	Inf	-Inf	3	Horizontal	308	2.40
5530MHz	Pass	PK	5.334G	56.55	68.20	-11.65	3	Horizontal	308	2.40
5530MHz	Pass	PK	5.46G	62.03	74.00	-11.97	3	Horizontal	308	2.40
5530MHz	Pass	PK	5.47G	61.15	68.20	-7.05	3	Horizontal	308	2.40
5530MHz	Pass	PK	5.56G	110.08	Inf	-Inf	3	Horizontal	308	2.40
5530MHz	Pass	PK	5.761G	57.92	68.20	-10.28	3	Horizontal	308	2.40
5530MHz	Pass	AV	11.05344G	41.77	54.00	-12.23	3	Vertical	138	1.33
5530MHz	Pass	PK	11.0704G	52.59	74.00	-21.41	3	Vertical	138	1.33
5530MHz	Pass	AV	11.05376G	42.04	54.00	-11.96	3	Horizontal	290	1.50
5530MHz	Pass	PK	11.05296G	52.90	74.00	-21.10	3	Horizontal	290	1.50
5610MHz	Pass	AV	5.45G	50.40	54.00	-3.60	3	Vertical	321	1.53
5610MHz	Pass	AV	5.597G	100.46	Inf	-Inf	3	Vertical	321	1.53
5610MHz	Pass	PK	5.451G	65.51	74.00	-8.49	3	Vertical	321	1.53
5610MHz	Pass	PK	5.461G	65.02	68.20	-3.18	3	Vertical	321	1.53
5610MHz	Pass	PK	5.603G	111.48	Inf	-Inf	3	Vertical	321	1.53
5610MHz	Pass	PK	5.732G	66.37	68.20	-1.83	3	Vertical	321	1.53
5610MHz	Pass	AV	5.452G	49.36	54.00	-4.64	3	Horizontal	302	2.22
5610MHz	Pass	AV	5.597G	100.33	Inf	-Inf	3	Horizontal	302	2.22
5610MHz	Pass	PK	5.435G	62.77	74.00	-11.23	3	Horizontal	302	2.22
5610MHz	Pass	PK	5.464G	63.10	68.20	-5.10	3	Horizontal	302	2.22
5610MHz	Pass	PK	5.597G	111.17	Inf	-Inf	3	Horizontal	302	2.22
5610MHz	Pass	PK	5.737G	65.97	68.20	-2.23	3	Horizontal	302	2.22
5610MHz	Pass	AV	11.24128G	41.92	54.00	-12.08	3	Vertical	89	1.50
5610MHz	Pass	PK	11.18368G	52.96	74.00	-21.04	3	Vertical	89	1.50
5610MHz	Pass	AV	11.20656G	41.96	54.00	-12.04	3	Horizontal	114	2.23
5610MHz	Pass	PK	11.24208G	52.74	74.00	-21.26	3	Horizontal	114	2.23
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	51.36	54.00	-2.64	3	Vertical	6	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	103.77	Inf	-Inf	3	Vertical	6	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4524G	65.37	74.00	-8.63	3	Vertical	6	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	67.55	68.20	-0.65	3	Vertical	6	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6828G	114.42	Inf	-Inf	3	Vertical	6	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	68.02	68.20	-0.18	3	Vertical	6	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	51.16	54.00	-2.84	3	Horizontal	308	2.37
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6816G	102.99	Inf	-Inf	3	Horizontal	308	2.37
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	65.50	74.00	-8.50	3	Horizontal	308	2.37
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	67.83	68.20	-0.37	3	Horizontal	308	2.37
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	113.96	Inf	-Inf	3	Horizontal	308	2.37
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	68.02	68.20	-0.18	3	Horizontal	308	2.37
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37264G	42.10	54.00	-11.90	3	Vertical	47	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36128G	52.97	74.00	-21.03	3	Vertical	47	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35552G	42.10	54.00	-11.90	3	Horizontal	232	2.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3928G	52.85	74.00	-21.15	3	Horizontal	232	2.65
5775MHz	Pass	AV	5.7642G	103.48	Inf	-Inf	3	Vertical	6	1.57
5775MHz	Pass	PK	5.649G	64.50	68.20	-3.70	3	Vertical	6	1.57
5775MHz	Pass	PK	5.7594G	114.30	Inf	-Inf	3	Vertical	6	1.57
5775MHz	Pass	PK	5.9298G	62.23	68.20	-5.97	3	Vertical	6	1.57
5775MHz	Pass	AV	5.7654G	102.62	Inf	-Inf	3	Horizontal	295	2.18
5775MHz	Pass	PK	5.649G	65.34	68.20	-2.86	3	Horizontal	295	2.18
5775MHz	Pass	PK	5.7714G	113.03	Inf	-Inf	3	Horizontal	295	2.18
5775MHz	Pass	PK	5.9298G	61.97	68.20	-6.23	3	Horizontal	295	2.18
5775MHz	Pass	AV	11.53032G	41.68	54.00	-12.32	3	Vertical	314	2.99
5775MHz	Pass	PK	11.51208G	52.69	74.00	-21.31	3	Vertical	314	2.99
5775MHz	Pass	AV	11.52424G	41.80	54.00	-12.20	3	Horizontal	324	2.71
5775MHz	Pass	PK	11.56264G	51.89	74.00	-22.11	3	Horizontal	324	2.71
802.11be EHT160_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	50.99	54.00	-3.01	3	Vertical	15	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.31G	96.89	Inf	-Inf	3	Vertical	15	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	53.61	54.00	-0.39	3	Vertical	15	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	67.20	74.00	-6.80	3	Vertical	15	2.39




**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022FX**

Appendix E.68

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3076G	107.59	Inf	-Inf	3	Vertical	15	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35G	70.54	74.00	-3.46	3	Vertical	15	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4708G	59.91	68.20	-8.29	3	Vertical	15	2.39
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1324G	47.57	54.00	-6.43	3	Horizontal	319	2.48
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	93.89	Inf	-Inf	3	Horizontal	319	2.48
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3568G	50.54	54.00	-3.46	3	Horizontal	319	2.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	61.81	74.00	-12.19	3	Horizontal	319	2.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3256G	104.34	Inf	-Inf	3	Horizontal	319	2.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3568G	66.88	74.00	-7.12	3	Horizontal	319	2.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	58.79	68.20	-9.41	3	Horizontal	319	2.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53712G	52.78	68.20	-15.42	3	Vertical	172	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48496G	52.82	68.20	-15.38	3	Horizontal	29	1.40
5570MHz	Pass	AV	5.4584G	48.88	54.00	-5.12	3	Vertical	17	2.15
5570MHz	Pass	AV	5.5448G	95.55	Inf	-Inf	3	Vertical	17	2.15
5570MHz	Pass	PK	5.3276G	57.03	68.20	-11.17	3	Vertical	17	2.15
5570MHz	Pass	PK	5.456G	65.18	74.00	-8.82	3	Vertical	17	2.15
5570MHz	Pass	PK	5.4656G	66.94	68.20	-1.26	3	Vertical	17	2.15
5570MHz	Pass	PK	5.5892G	106.99	Inf	-Inf	3	Vertical	17	2.15
5570MHz	Pass	PK	5.7344G	60.30	68.20	-7.90	3	Vertical	17	2.15
5570MHz	Pass	AV	5.4584G	47.69	54.00	-6.31	3	Horizontal	304	2.18
5570MHz	Pass	AV	5.5472G	94.09	Inf	-Inf	3	Horizontal	304	2.18
5570MHz	Pass	PK	5.288G	56.44	68.20	-11.76	3	Horizontal	304	2.18
5570MHz	Pass	PK	5.456G	63.88	74.00	-10.12	3	Horizontal	304	2.18
5570MHz	Pass	PK	5.4656G	64.72	68.20	-3.48	3	Horizontal	304	2.18
5570MHz	Pass	PK	5.552G	104.68	Inf	-Inf	3	Horizontal	304	2.18
5570MHz	Pass	PK	5.7284G	60.89	68.20	-7.31	3	Horizontal	304	2.18
5570MHz	Pass	AV	11.09584G	41.90	54.00	-12.10	3	Vertical	210	2.19
5570MHz	Pass	PK	11.16656G	52.50	74.00	-21.50	3	Vertical	210	2.19
5570MHz	Pass	AV	11.1816G	41.91	54.00	-12.09	3	Horizontal	189	2.08
5570MHz	Pass	PK	11.06352G	53.71	74.00	-20.29	3	Horizontal	189	2.08


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5200MHz_TX






5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.21	54.00	-0.79	0.79	3	Vertical	14	2.44	52.42	33.20	5.70	38.11
AV	5.225G	101.68	Inf	-Inf	0.75	3	Vertical	14	2.44	100.93	33.15	5.72	38.12
AV	5.356G	51.13	54.00	-2.87	0.63	3	Vertical	14	2.44	50.50	32.99	5.80	38.16
PK	5.146G	63.19	74.00	-10.81	0.77	3	Vertical	14	2.44	62.42	33.19	5.69	38.11
PK	5.223G	112.34	Inf	-Inf	0.75	3	Vertical	14	2.44	111.59	33.15	5.72	38.12
PK	5.35G	61.93	74.00	-12.07	0.65	3	Vertical	14	2.44	61.28	33.00	5.80	38.15

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.43	54.00	-4.57	0.79	3	Horizontal	43	1.53	48.64	33.20	5.70	38.11
AV	5.222G	97.33	Inf	-Inf	0.76	3	Horizontal	43	1.53	96.57	33.16	5.72	38.12
AV	5.357G	47.62	54.00	-6.38	0.63	3	Horizontal	43	1.53	46.99	32.99	5.80	38.16
PK	5.145G	59.90	74.00	-14.10	0.78	3	Horizontal	43	1.53	59.12	33.19	5.69	38.10
PK	5.239G	108.09	Inf	-Inf	0.72	3	Horizontal	43	1.53	107.37	33.12	5.73	38.13
PK	5.359G	57.92	74.00	-16.08	0.63	3	Horizontal	43	1.53	57.29	32.98	5.81	38.16




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX






5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX






5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX






5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	53.58	54.00	-0.42	0.69	3	Vertical	29	1.99	52.89	33.00	5.87	38.18
AV	5.4936G	108.32	Inf	-Inf	0.71	3	Vertical	29	1.99	107.61	33.00	5.90	38.19
PK	5.459G	65.65	74.00	-8.35	0.69	3	Vertical	29	1.99	64.96	33.00	5.87	38.18
PK	5.4612G	63.09	68.20	-5.11	0.70	3	Vertical	29	1.99	62.39	33.00	5.88	38.18
PK	5.4962G	118.94	Inf	-Inf	0.71	3	Vertical	29	1.99	118.23	33.00	5.90	38.19

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.61	54.00	-1.39	0.69	3	Horizontal	308	2.39	51.92	33.00	5.87	38.18
AV	5.5022G	106.49	Inf	-Inf	0.72	3	Horizontal	308	2.39	105.77	33.00	5.91	38.19
PK	5.4598G	66.07	74.00	-7.93	0.69	3	Horizontal	308	2.39	65.38	33.00	5.87	38.18
PK	5.4602G	63.82	68.20	-4.38	0.70	3	Horizontal	308	2.39	63.12	33.00	5.88	38.18
PK	5.495G	116.89	Inf	-Inf	0.71	3	Horizontal	308	2.39	116.18	33.00	5.90	38.19


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T2S_AP5022FX

Appendix E.69

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.42	54.00	-0.58	3	Vertical	342	1.91
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1492G	53.89	54.00	-0.11	3	Vertical	345	1.90
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.57	54.00	-0.43	3	Vertical	13	2.61
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.54	54.00	-0.46	3	Vertical	12	1.51
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.3548G	53.87	54.00	-0.13	3	Vertical	30	1.68
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.351G	53.82	54.00	-0.18	3	Vertical	13	1.55
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.3556G	53.00	54.00	-1.00	3	Vertical	10	1.55
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.4588G	53.88	54.00	-0.12	3	Vertical	17	2.07
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.7282G	67.89	68.20	-0.31	3	Vertical	10	2.20
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.728G	68.02	68.20	-0.18	3	Vertical	10	2.15
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.468G	67.48	68.20	-0.72	3	Vertical	12	2.20
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.4534G	46.34	54.00	-7.66	3	Vertical	7	1.68
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.939G	64.53	68.20	-3.67	3	Vertical	6	1.35
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.6502G	64.85	68.35	-3.50	3	Vertical	7	1.49



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022FX**

Appendix E.69

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.139G	52.89	54.00	-1.11	3	Vertical	345	1.50
5180MHz	Pass	AV	5.1748G	107.16	Inf	-Inf	3	Vertical	345	1.50
5180MHz	Pass	PK	5.1402G	65.85	74.00	-8.15	3	Vertical	345	1.50
5180MHz	Pass	PK	5.1828G	117.16	Inf	-Inf	3	Vertical	345	1.50
5180MHz	Pass	AV	5.1378G	51.07	54.00	-2.93	3	Horizontal	306	3.00
5180MHz	Pass	AV	5.185G	103.27	Inf	-Inf	3	Horizontal	306	3.00
5180MHz	Pass	PK	5.1326G	64.51	74.00	-9.49	3	Horizontal	306	3.00
5180MHz	Pass	PK	5.1718G	114.45	Inf	-Inf	3	Horizontal	306	3.00
5180MHz	Pass	PK	10.36652G	53.72	68.20	-14.48	3	Vertical	341	1.59
5180MHz	Pass	PK	10.36104G	53.74	68.20	-14.46	3	Horizontal	300	1.51
5200MHz	Pass	AV	5.15G	53.42	54.00	-0.58	3	Vertical	342	1.91
5200MHz	Pass	AV	5.2036G	107.16	Inf	-Inf	3	Vertical	342	1.91
5200MHz	Pass	PK	5.1488G	70.45	74.00	-3.55	3	Vertical	342	1.91
5200MHz	Pass	PK	5.1936G	117.11	Inf	-Inf	3	Vertical	342	1.91
5200MHz	Pass	AV	5.1496G	49.98	54.00	-4.02	3	Horizontal	299	2.84
5200MHz	Pass	AV	5.206G	103.53	Inf	-Inf	3	Horizontal	299	2.84
5200MHz	Pass	PK	5.1496G	65.59	74.00	-8.41	3	Horizontal	299	2.84
5200MHz	Pass	PK	5.2056G	113.75	Inf	-Inf	3	Horizontal	299	2.84
5200MHz	Pass	PK	10.39616G	54.06	68.20	-14.14	3	Vertical	17	1.73
5200MHz	Pass	PK	10.39616G	53.90	68.20	-14.30	3	Horizontal	298	1.42
5240MHz	Pass	AV	5.1464G	47.11	54.00	-6.89	3	Vertical	29	1.50
5240MHz	Pass	AV	5.2454G	108.10	Inf	-Inf	3	Vertical	29	1.50
5240MHz	Pass	AV	5.3522G	48.46	54.00	-5.54	3	Vertical	29	1.50
5240MHz	Pass	PK	5.1494G	59.05	74.00	-14.95	3	Vertical	29	1.50
5240MHz	Pass	PK	5.243G	118.28	Inf	-Inf	3	Vertical	29	1.50
5240MHz	Pass	PK	5.36G	58.45	74.00	-15.55	3	Vertical	29	1.50
5240MHz	Pass	AV	5.1494G	45.95	54.00	-8.05	3	Horizontal	299	2.75
5240MHz	Pass	AV	5.2436G	104.41	Inf	-Inf	3	Horizontal	299	2.75
5240MHz	Pass	AV	5.3558G	47.17	54.00	-6.83	3	Horizontal	299	2.75
5240MHz	Pass	PK	5.1464G	57.23	74.00	-16.77	3	Horizontal	299	2.75
5240MHz	Pass	PK	5.2322G	115.33	Inf	-Inf	3	Horizontal	299	2.75
5240MHz	Pass	PK	5.387G	56.96	74.00	-17.04	3	Horizontal	299	2.75
5240MHz	Pass	PK	10.47192G	53.11	68.20	-15.09	3	Vertical	343	1.36
5240MHz	Pass	PK	10.4852G	53.51	68.20	-14.69	3	Horizontal	290	1.35
5260MHz	Pass	AV	5.1436G	47.03	54.00	-6.97	3	Vertical	16	2.43
5260MHz	Pass	AV	5.2654G	108.43	Inf	-Inf	3	Vertical	16	2.43
5260MHz	Pass	AV	5.3506G	49.02	54.00	-4.98	3	Vertical	16	2.43
5260MHz	Pass	PK	5.1496G	57.27	74.00	-16.73	3	Vertical	16	2.43
5260MHz	Pass	PK	5.254G	118.93	Inf	-Inf	3	Vertical	16	2.43
5260MHz	Pass	PK	5.3518G	59.87	74.00	-14.13	3	Vertical	16	2.43
5260MHz	Pass	AV	5.137G	45.53	54.00	-8.47	3	Horizontal	296	1.75
5260MHz	Pass	AV	5.2624G	103.99	Inf	-Inf	3	Horizontal	296	1.75
5260MHz	Pass	AV	5.3518G	47.07	54.00	-6.93	3	Horizontal	296	1.75
5260MHz	Pass	PK	5.1412G	55.87	74.00	-18.13	3	Horizontal	296	1.75
5260MHz	Pass	PK	5.266G	114.90	Inf	-Inf	3	Horizontal	296	1.75
5260MHz	Pass	PK	5.3536G	57.67	74.00	-16.33	3	Horizontal	296	1.75
5260MHz	Pass	PK	10.5144G	53.32	68.20	-14.88	3	Vertical	3	2.10
5260MHz	Pass	PK	10.52532G	52.95	68.20	-15.25	3	Horizontal	292	1.50
5300MHz	Pass	AV	5.3036G	109.20	Inf	-Inf	3	Vertical	12	1.51
5300MHz	Pass	AV	5.35G	53.54	54.00	-0.46	3	Vertical	12	1.51
5300MHz	Pass	PK	5.2972G	119.59	Inf	-Inf	3	Vertical	12	1.51
5300MHz	Pass	PK	5.35G	68.68	74.00	-5.32	3	Vertical	12	1.51
5300MHz	Pass	AV	5.3076G	105.35	Inf	-Inf	3	Horizontal	319	2.35
5300MHz	Pass	AV	5.352G	51.03	54.00	-2.97	3	Horizontal	319	2.35
5300MHz	Pass	PK	5.3088G	116.06	Inf	-Inf	3	Horizontal	319	2.35
5300MHz	Pass	PK	5.3512G	68.24	74.00	-5.76	3	Horizontal	319	2.35
5300MHz	Pass	PK	10.59324G	53.94	68.20	-14.26	3	Vertical	360	2.03
5300MHz	Pass	AV	10.60956G	42.05	54.00	-11.95	3	Horizontal	321	2.81
5300MHz	Pass	PK	10.59132G	52.66	68.20	-15.54	3	Horizontal	321	2.81
5320MHz	Pass	AV	5.3162G	107.81	Inf	-Inf	3	Vertical	17	2.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3606G	53.35	54.00	-0.65	3	Vertical	17	2.10
5320MHz	Pass	PK	5.3272G	118.08	Inf	-Inf	3	Vertical	17	2.10
5320MHz	Pass	PK	5.3608G	64.25	74.00	-9.75	3	Vertical	17	2.10
5320MHz	Pass	AV	5.3174G	102.73	Inf	-Inf	3	Horizontal	37	1.59
5320MHz	Pass	AV	5.3606G	49.82	54.00	-4.18	3	Horizontal	37	1.59
5320MHz	Pass	PK	5.3192G	113.39	Inf	-Inf	3	Horizontal	37	1.59
5320MHz	Pass	PK	5.3598G	60.99	74.00	-13.01	3	Horizontal	37	1.59
5320MHz	Pass	AV	10.64444G	41.96	54.00	-12.04	3	Vertical	120	1.50
5320MHz	Pass	PK	10.63024G	53.47	74.00	-20.53	3	Vertical	120	1.50
5320MHz	Pass	AV	10.6442G	41.99	54.00	-12.01	3	Horizontal	110	1.50
5320MHz	Pass	PK	10.64576G	52.74	74.00	-21.26	3	Horizontal	110	1.50
5500MHz	Pass	AV	5.4588G	53.88	54.00	-0.12	3	Vertical	17	2.07
5500MHz	Pass	AV	5.496G	107.65	Inf	-Inf	3	Vertical	17	2.07
5500MHz	Pass	PK	5.4586G	68.28	74.00	-5.72	3	Vertical	17	2.07
5500MHz	Pass	PK	5.4604G	67.69	68.20	-0.51	3	Vertical	17	2.07
5500MHz	Pass	PK	5.5092G	118.09	Inf	-Inf	3	Vertical	17	2.07
5500MHz	Pass	AV	5.46G	52.22	54.00	-1.78	3	Horizontal	306	2.33
5500MHz	Pass	AV	5.505G	105.93	Inf	-Inf	3	Horizontal	306	2.33
5500MHz	Pass	PK	5.4594G	66.71	74.00	-7.29	3	Horizontal	306	2.33
5500MHz	Pass	PK	5.4602G	63.47	68.20	-4.73	3	Horizontal	306	2.33
5500MHz	Pass	PK	5.494G	116.71	Inf	-Inf	3	Horizontal	306	2.33
5500MHz	Pass	AV	10.99384G	41.89	54.00	-12.11	3	Vertical	0	1.50
5500MHz	Pass	PK	10.9932G	52.54	74.00	-21.46	3	Vertical	0	1.50
5500MHz	Pass	AV	10.99052G	42.09	54.00	-11.91	3	Horizontal	23	1.50
5500MHz	Pass	PK	10.99864G	52.68	74.00	-21.32	3	Horizontal	23	1.50
5580MHz	Pass	AV	5.436G	47.23	54.00	-6.77	3	Vertical	11	2.12
5580MHz	Pass	AV	5.5848G	109.08	Inf	-Inf	3	Vertical	11	2.12
5580MHz	Pass	PK	5.454G	58.26	74.00	-15.74	3	Vertical	11	2.12
5580MHz	Pass	PK	5.469G	57.56	68.20	-10.64	3	Vertical	11	2.12
5580MHz	Pass	PK	5.5746G	119.50	Inf	-Inf	3	Vertical	11	2.12
5580MHz	Pass	PK	5.7288G	56.96	68.20	-11.24	3	Vertical	11	2.12
5580MHz	Pass	AV	5.4564G	46.93	54.00	-7.07	3	Horizontal	303	2.32
5580MHz	Pass	AV	5.5788G	108.37	Inf	-Inf	3	Horizontal	303	2.32
5580MHz	Pass	PK	5.4528G	57.64	74.00	-16.36	3	Horizontal	303	2.32
5580MHz	Pass	PK	5.4606G	57.67	68.20	-10.53	3	Horizontal	303	2.32
5580MHz	Pass	PK	5.5812G	119.39	Inf	-Inf	3	Horizontal	303	2.32
5580MHz	Pass	PK	5.7258G	56.99	68.20	-11.21	3	Horizontal	303	2.32
5580MHz	Pass	AV	11.15112G	41.92	54.00	-12.08	3	Vertical	306	1.09
5580MHz	Pass	PK	11.1644G	52.79	74.00	-21.21	3	Vertical	306	1.09
5580MHz	Pass	AV	11.16392G	42.13	54.00	-11.87	3	Horizontal	140	2.17
5580MHz	Pass	PK	11.164G	52.91	74.00	-21.09	3	Horizontal	140	2.17
5700MHz	Pass	AV	5.6948G	103.67	Inf	-Inf	3	Vertical	10	1.74
5700MHz	Pass	PK	5.6952G	113.48	Inf	-Inf	3	Vertical	10	1.74
5700MHz	Pass	PK	5.7256G	67.70	68.20	-0.50	3	Vertical	10	1.74
5700MHz	Pass	AV	5.6988G	102.85	Inf	-Inf	3	Horizontal	303	2.18
5700MHz	Pass	PK	5.6952G	112.90	Inf	-Inf	3	Horizontal	303	2.18
5700MHz	Pass	PK	5.7296G	64.28	68.20	-3.92	3	Horizontal	303	2.18
5700MHz	Pass	AV	11.40608G	41.89	54.00	-12.11	3	Vertical	345	1.50
5700MHz	Pass	PK	11.393G	52.52	74.00	-21.48	3	Vertical	345	1.50
5700MHz	Pass	AV	11.3916G	41.81	54.00	-12.19	3	Horizontal	199	2.73
5700MHz	Pass	PK	11.39292G	52.81	74.00	-21.19	3	Horizontal	199	2.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	46.69	54.00	-7.31	3	Vertical	10	2.27
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	108.17	Inf	-Inf	3	Vertical	10	2.27
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4416G	57.16	74.00	-16.84	3	Vertical	10	2.27
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	55.96	68.20	-12.24	3	Vertical	10	2.27
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	117.33	Inf	-Inf	3	Vertical	10	2.27
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8856G	59.13	68.20	-9.07	3	Vertical	10	2.27
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	46.76	54.00	-7.24	3	Horizontal	305	2.23
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	107.52	Inf	-Inf	3	Horizontal	305	2.23
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	56.76	74.00	-17.24	3	Horizontal	305	2.23
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.42	68.20	-11.78	3	Horizontal	305	2.23
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	117.23	Inf	-Inf	3	Horizontal	305	2.23

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.918G	58.90	68.20	-9.30	3	Horizontal	305	2.23
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44888G	41.73	54.00	-12.27	3	Vertical	300	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44976G	52.73	74.00	-21.27	3	Vertical	300	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44156G	41.70	54.00	-12.30	3	Horizontal	343	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43036G	52.55	74.00	-21.45	3	Horizontal	343	1.50
5745MHz	Pass	AV	5.4534G	46.34	54.00	-7.66	3	Vertical	7	1.68
5745MHz	Pass	AV	5.739G	107.71	Inf	-Inf	3	Vertical	7	1.68
5745MHz	Pass	PK	5.5854G	58.23	68.20	-9.97	3	Vertical	7	1.68
5745MHz	Pass	PK	5.7522G	117.03	Inf	-Inf	3	Vertical	7	1.68
5745MHz	Pass	PK	5.997G	58.36	68.20	-9.84	3	Vertical	7	1.68
5745MHz	Pass	AV	5.4474G	46.24	54.00	-7.76	3	Horizontal	300	2.33
5745MHz	Pass	AV	5.7414G	107.07	Inf	-Inf	3	Horizontal	300	2.33
5745MHz	Pass	PK	5.6286G	58.13	68.20	-10.07	3	Horizontal	300	2.33
5745MHz	Pass	PK	5.7402G	118.19	Inf	-Inf	3	Horizontal	300	2.33
5745MHz	Pass	PK	5.9754G	59.90	68.20	-8.30	3	Horizontal	300	2.33
5745MHz	Pass	AV	11.4976G	42.40	54.00	-11.60	3	Vertical	319	1.99
5745MHz	Pass	PK	11.49944G	52.81	74.00	-21.19	3	Vertical	319	1.99
5745MHz	Pass	AV	11.49844G	42.11	54.00	-11.89	3	Horizontal	360	2.75
5745MHz	Pass	PK	11.48844G	52.95	74.00	-21.05	3	Horizontal	360	2.75
5785MHz	Pass	AV	5.78008G	109.09	Inf	-Inf	3	Vertical	6	1.34
5785MHz	Pass	PK	5.57075G	57.91	68.20	-10.29	3	Vertical	6	1.34
5785MHz	Pass	PK	5.77766G	118.99	Inf	-Inf	3	Vertical	6	1.34
5785MHz	Pass	PK	5.97731G	59.51	68.20	-8.69	3	Vertical	6	1.34
5785MHz	Pass	AV	5.78371G	107.94	Inf	-Inf	3	Horizontal	299	1.65
5785MHz	Pass	PK	5.63609G	57.38	68.20	-10.82	3	Horizontal	299	1.65
5785MHz	Pass	PK	5.78008G	117.85	Inf	-Inf	3	Horizontal	299	1.65
5785MHz	Pass	PK	5.99909G	59.28	68.20	-8.92	3	Horizontal	299	1.65
5785MHz	Pass	AV	11.57896G	41.52	54.00	-12.48	3	Vertical	178	1.63
5785MHz	Pass	PK	11.5698G	52.22	74.00	-21.78	3	Vertical	178	1.63
5785MHz	Pass	AV	11.56316G	41.42	54.00	-12.58	3	Horizontal	269	1.08
5785MHz	Pass	PK	11.56404G	52.30	74.00	-21.70	3	Horizontal	269	1.08
5825MHz	Pass	AV	5.8298G	108.88	Inf	-Inf	3	Vertical	6	1.31
5825MHz	Pass	PK	5.6102G	58.07	68.20	-10.13	3	Vertical	6	1.31
5825MHz	Pass	PK	5.8274G	118.74	Inf	-Inf	3	Vertical	6	1.31
5825MHz	Pass	PK	5.9846G	59.08	68.20	-9.12	3	Vertical	6	1.31
5825MHz	Pass	AV	5.8238G	108.58	Inf	-Inf	3	Horizontal	297	1.63
5825MHz	Pass	PK	5.6306G	56.73	68.20	-11.47	3	Horizontal	297	1.63
5825MHz	Pass	PK	5.8262G	118.90	Inf	-Inf	3	Horizontal	297	1.63
5825MHz	Pass	PK	6.077G	59.85	68.20	-8.35	3	Horizontal	297	1.63
5825MHz	Pass	AV	11.64296G	41.65	54.00	-12.35	3	Vertical	197	2.22
5825MHz	Pass	PK	11.65896G	52.28	74.00	-21.72	3	Vertical	197	2.22
5825MHz	Pass	AV	11.65732G	41.47	54.00	-12.53	3	Horizontal	226	1.50
5825MHz	Pass	PK	11.65796G	52.32	74.00	-21.68	3	Horizontal	226	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	53.89	54.00	-0.11	3	Vertical	345	1.90
5190MHz	Pass	AV	5.204G	103.69	Inf	-Inf	3	Vertical	345	1.90
5190MHz	Pass	PK	5.1456G	64.25	74.00	-9.75	3	Vertical	345	1.90
5190MHz	Pass	PK	5.182G	114.71	Inf	-Inf	3	Vertical	345	1.90
5190MHz	Pass	AV	5.15G	51.08	54.00	-2.92	3	Horizontal	301	2.83
5190MHz	Pass	AV	5.1996G	100.51	Inf	-Inf	3	Horizontal	301	2.83
5190MHz	Pass	PK	5.148G	61.29	74.00	-12.71	3	Horizontal	301	2.83
5190MHz	Pass	PK	5.206G	111.81	Inf	-Inf	3	Horizontal	301	2.83
5190MHz	Pass	PK	10.3656G	53.34	68.20	-14.86	3	Vertical	344	1.50
5190MHz	Pass	PK	10.38048G	53.52	68.20	-14.68	3	Horizontal	296	1.57
5230MHz	Pass	AV	5.15G	53.76	54.00	-0.24	3	Vertical	27	1.49
5230MHz	Pass	AV	5.2448G	103.61	Inf	-Inf	3	Vertical	27	1.49
5230MHz	Pass	PK	5.15G	67.69	74.00	-6.31	3	Vertical	27	1.49
5230MHz	Pass	PK	5.2424G	114.75	Inf	-Inf	3	Vertical	27	1.49
5230MHz	Pass	AV	5.15G	50.98	54.00	-3.02	3	Horizontal	304	2.80
5230MHz	Pass	AV	5.2248G	99.81	Inf	-Inf	3	Horizontal	304	2.80
5230MHz	Pass	PK	5.1496G	65.15	74.00	-8.85	3	Horizontal	304	2.80
5230MHz	Pass	PK	5.2224G	110.65	Inf	-Inf	3	Horizontal	304	2.80



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022FX**

Appendix E.69

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.45248G	52.82	68.20	-15.38	3	Vertical	343	1.43
5230MHz	Pass	PK	10.45056G	52.49	68.20	-15.71	3	Horizontal	303	1.51
5270MHz	Pass	AV	5.2848G	104.96	Inf	-Inf	3	Vertical	30	1.68
5270MHz	Pass	AV	5.3548G	53.87	54.00	-0.13	3	Vertical	30	1.68
5270MHz	Pass	PK	5.2656G	114.44	Inf	-Inf	3	Vertical	30	1.68
5270MHz	Pass	PK	5.35G	68.28	74.00	-5.72	3	Vertical	30	1.68
5270MHz	Pass	AV	5.286G	99.99	Inf	-Inf	3	Horizontal	320	2.38
5270MHz	Pass	AV	5.3568G	51.25	54.00	-2.75	3	Horizontal	320	2.38
5270MHz	Pass	PK	5.2776G	109.84	Inf	-Inf	3	Horizontal	320	2.38
5270MHz	Pass	PK	5.3532G	64.44	74.00	-9.56	3	Horizontal	320	2.38
5270MHz	Pass	PK	10.54664G	52.05	68.20	-16.15	3	Vertical	121	1.40
5270MHz	Pass	PK	10.53544G	52.81	68.20	-15.39	3	Horizontal	302	1.70
5310MHz	Pass	AV	5.314G	103.23	Inf	-Inf	3	Vertical	16	2.33
5310MHz	Pass	AV	5.35G	53.56	54.00	-0.44	3	Vertical	16	2.33
5310MHz	Pass	PK	5.3216G	113.92	Inf	-Inf	3	Vertical	16	2.33
5310MHz	Pass	PK	5.3516G	63.65	74.00	-10.35	3	Vertical	16	2.33
5310MHz	Pass	AV	5.324G	99.06	Inf	-Inf	3	Horizontal	298	2.85
5310MHz	Pass	AV	5.35G	50.26	54.00	-3.74	3	Horizontal	298	2.85
5310MHz	Pass	PK	5.324G	109.55	Inf	-Inf	3	Horizontal	298	2.85
5310MHz	Pass	PK	5.3556G	60.19	74.00	-13.81	3	Horizontal	298	2.85
5310MHz	Pass	AV	10.63456G	42.05	54.00	-11.95	3	Vertical	126	1.50
5310MHz	Pass	PK	10.6124G	52.89	74.00	-21.11	3	Vertical	126	1.50
5310MHz	Pass	AV	10.62624G	41.99	54.00	-12.01	3	Horizontal	155	1.62
5310MHz	Pass	PK	10.63432G	52.81	74.00	-21.19	3	Horizontal	155	1.62
5510MHz	Pass	AV	5.46G	53.38	54.00	-0.62	3	Vertical	28	2.03
5510MHz	Pass	AV	5.5048G	104.61	Inf	-Inf	3	Vertical	28	2.03
5510MHz	Pass	PK	5.4576G	64.11	74.00	-9.89	3	Vertical	28	2.03
5510MHz	Pass	PK	5.4676G	66.99	68.20	-1.21	3	Vertical	28	2.03
5510MHz	Pass	PK	5.4968G	114.78	Inf	-Inf	3	Vertical	28	2.03
5510MHz	Pass	AV	5.46G	50.49	54.00	-3.51	3	Horizontal	308	2.33
5510MHz	Pass	AV	5.5048G	103.12	Inf	-Inf	3	Horizontal	308	2.33
5510MHz	Pass	PK	5.456G	61.53	74.00	-12.47	3	Horizontal	308	2.33
5510MHz	Pass	PK	5.47G	64.23	68.20	-3.97	3	Horizontal	308	2.33
5510MHz	Pass	PK	5.5252G	113.14	Inf	-Inf	3	Horizontal	308	2.33
5510MHz	Pass	AV	11.00664G	42.10	54.00	-11.90	3	Vertical	153	3.00
5510MHz	Pass	PK	11.0016G	52.66	74.00	-21.34	3	Vertical	153	3.00
5510MHz	Pass	AV	11.03576G	41.68	54.00	-12.32	3	Horizontal	204	1.26
5510MHz	Pass	PK	11.00728G	52.79	74.00	-21.21	3	Horizontal	204	1.26
5550MHz	Pass	AV	5.46G	49.67	54.00	-4.33	3	Vertical	15	2.15
5550MHz	Pass	AV	5.5448G	104.44	Inf	-Inf	3	Vertical	15	2.15
5550MHz	Pass	PK	5.4564G	61.64	74.00	-12.36	3	Vertical	15	2.15
5550MHz	Pass	PK	5.47G	67.49	68.20	-0.71	3	Vertical	15	2.15
5550MHz	Pass	PK	5.5532G	114.33	Inf	-Inf	3	Vertical	15	2.15
5550MHz	Pass	AV	5.454G	48.90	54.00	-5.10	3	Horizontal	300	2.31
5550MHz	Pass	AV	5.5588G	102.55	Inf	-Inf	3	Horizontal	300	2.31
5550MHz	Pass	PK	5.4544G	60.46	74.00	-13.54	3	Horizontal	300	2.31
5550MHz	Pass	PK	5.4692G	64.96	68.20	-3.24	3	Horizontal	300	2.31
5550MHz	Pass	PK	5.5484G	113.09	Inf	-Inf	3	Horizontal	300	2.31
5550MHz	Pass	AV	11.10344G	41.75	54.00	-12.25	3	Vertical	343	1.04
5550MHz	Pass	PK	11.09992G	53.18	74.00	-20.82	3	Vertical	343	1.04
5550MHz	Pass	AV	11.09704G	41.87	54.00	-12.13	3	Horizontal	39	1.50
5550MHz	Pass	PK	11.1068G	52.94	74.00	-21.06	3	Horizontal	39	1.50
5670MHz	Pass	AV	5.6586G	102.79	Inf	-Inf	3	Vertical	10	2.20
5670MHz	Pass	PK	5.6664G	112.95	Inf	-Inf	3	Vertical	10	2.20
5670MHz	Pass	PK	5.7282G	67.89	68.20	-0.31	3	Vertical	10	2.20
5670MHz	Pass	AV	5.6784G	101.91	Inf	-Inf	3	Horizontal	307	2.33
5670MHz	Pass	PK	5.6544G	111.30	Inf	-Inf	3	Horizontal	307	2.33
5670MHz	Pass	PK	5.7276G	67.71	68.20	-0.49	3	Horizontal	307	2.33
5670MHz	Pass	AV	11.35352G	42.36	54.00	-11.64	3	Vertical	59	1.50
5670MHz	Pass	PK	11.35832G	53.39	74.00	-20.61	3	Vertical	59	1.50
5670MHz	Pass	AV	11.34216G	42.19	54.00	-11.81	3	Horizontal	146	1.50
5670MHz	Pass	PK	11.35832G	52.98	74.00	-21.02	3	Horizontal	146	1.50



RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T2S_AP5022FX

Appendix E.69

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4148G	47.03	54.00	-6.97	3	Vertical	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	106.06	Inf	-Inf	3	Vertical	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.416G	57.39	74.00	-16.61	3	Vertical	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	56.70	68.20	-11.50	3	Vertical	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	115.35	Inf	-Inf	3	Vertical	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	62.34	68.20	-5.86	3	Vertical	8	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	46.48	54.00	-7.52	3	Horizontal	302	2.18
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7244G	104.80	Inf	-Inf	3	Horizontal	302	2.18
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4436G	56.92	74.00	-17.08	3	Horizontal	302	2.18
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	56.38	68.20	-11.82	3	Horizontal	302	2.18
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7184G	116.18	Inf	-Inf	3	Horizontal	302	2.18
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	62.23	68.20	-5.97	3	Horizontal	302	2.18
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4264G	42.18	54.00	-11.82	3	Vertical	281	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4068G	53.05	74.00	-20.95	3	Vertical	281	2.54
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41856G	42.19	54.00	-11.81	3	Horizontal	115	2.58
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43624G	52.79	74.00	-21.21	3	Horizontal	115	2.58
5755MHz	Pass	AV	5.4586G	46.45	54.00	-7.55	3	Vertical	6	1.39
5755MHz	Pass	AV	5.7598G	105.64	Inf	-Inf	3	Vertical	6	1.39
5755MHz	Pass	PK	5.6422G	58.88	68.20	-9.32	3	Vertical	6	1.39
5755MHz	Pass	PK	5.7634G	115.92	Inf	-Inf	3	Vertical	6	1.39
5755MHz	Pass	PK	6.037G	58.71	68.20	-9.49	3	Vertical	6	1.39
5755MHz	Pass	AV	5.455G	45.93	54.00	-8.07	3	Horizontal	298	1.96
5755MHz	Pass	AV	5.749G	104.06	Inf	-Inf	3	Horizontal	298	1.96
5755MHz	Pass	PK	5.6302G	58.94	68.20	-9.26	3	Horizontal	298	1.96
5755MHz	Pass	PK	5.7454G	114.70	Inf	-Inf	3	Horizontal	298	1.96
5755MHz	Pass	PK	5.998G	60.06	68.20	-8.14	3	Horizontal	298	1.96
5755MHz	Pass	AV	11.49768G	41.77	54.00	-12.23	3	Vertical	78	2.91
5755MHz	Pass	PK	11.49G	52.54	74.00	-21.46	3	Vertical	78	2.91
5755MHz	Pass	AV	11.49968G	41.70	54.00	-12.30	3	Horizontal	84	1.50
5755MHz	Pass	PK	11.51024G	52.58	74.00	-21.42	3	Horizontal	84	1.50
5795MHz	Pass	AV	5.7794G	106.55	Inf	-Inf	3	Vertical	6	1.35
5795MHz	Pass	PK	5.6354G	62.04	68.20	-6.16	3	Vertical	6	1.35
5795MHz	Pass	PK	5.777G	116.17	Inf	-Inf	3	Vertical	6	1.35
5795MHz	Pass	PK	5.939G	64.53	68.20	-3.67	3	Vertical	6	1.35
5795MHz	Pass	AV	5.7902G	104.87	Inf	-Inf	3	Horizontal	300	1.54
5795MHz	Pass	PK	5.6498G	60.80	68.20	-7.40	3	Horizontal	300	1.54
5795MHz	Pass	PK	5.789G	115.03	Inf	-Inf	3	Horizontal	300	1.54
5795MHz	Pass	PK	5.9234G	65.65	69.38	-3.73	3	Horizontal	300	1.54
5795MHz	Pass	AV	11.59104G	41.60	54.00	-12.40	3	Vertical	308	1.50
5795MHz	Pass	PK	11.6004G	52.30	74.00	-21.70	3	Vertical	308	1.50
5795MHz	Pass	AV	11.57864G	41.36	54.00	-12.64	3	Horizontal	360	1.70
5795MHz	Pass	PK	11.57776G	52.64	74.00	-21.36	3	Horizontal	360	1.70
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.57	54.00	-0.43	3	Vertical	13	2.61
5210MHz	Pass	AV	5.205G	100.79	Inf	-Inf	3	Vertical	13	2.61
5210MHz	Pass	AV	5.35G	50.98	54.00	-3.02	3	Vertical	13	2.61
5210MHz	Pass	PK	5.15G	63.91	74.00	-10.09	3	Vertical	13	2.61
5210MHz	Pass	PK	5.203G	110.21	Inf	-Inf	3	Vertical	13	2.61
5210MHz	Pass	PK	5.352G	61.09	74.00	-12.91	3	Vertical	13	2.61
5210MHz	Pass	AV	5.148G	49.93	54.00	-4.07	3	Horizontal	299	2.81
5210MHz	Pass	AV	5.222G	97.17	Inf	-Inf	3	Horizontal	299	2.81
5210MHz	Pass	AV	5.364G	48.80	54.00	-5.20	3	Horizontal	299	2.81
5210MHz	Pass	PK	5.15G	60.43	74.00	-13.57	3	Horizontal	299	2.81
5210MHz	Pass	PK	5.247G	107.39	Inf	-Inf	3	Horizontal	299	2.81
5210MHz	Pass	PK	5.374G	59.42	74.00	-14.58	3	Horizontal	299	2.81
5210MHz	Pass	PK	10.42224G	53.47	68.20	-14.73	3	Vertical	200	1.50
5210MHz	Pass	PK	10.40832G	52.41	68.20	-15.79	3	Horizontal	356	1.50
5290MHz	Pass	AV	5.148G	48.38	54.00	-5.62	3	Vertical	13	1.55
5290MHz	Pass	AV	5.304G	101.25	Inf	-Inf	3	Vertical	13	1.55
5290MHz	Pass	AV	5.351G	53.82	54.00	-0.18	3	Vertical	13	1.55
5290MHz	Pass	PK	5.112G	58.07	74.00	-15.93	3	Vertical	13	1.55
5290MHz	Pass	PK	5.301G	111.51	Inf	-Inf	3	Vertical	13	1.55

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.353G	64.52	74.00	-9.48	3	Vertical	13	1.55
5290MHz	Pass	PK	5.469G	58.48	68.20	-9.72	3	Vertical	13	1.55
5290MHz	Pass	AV	5.149G	46.07	54.00	-7.93	3	Horizontal	311	1.09
5290MHz	Pass	AV	5.306G	96.20	Inf	-Inf	3	Horizontal	311	1.09
5290MHz	Pass	AV	5.354G	50.32	54.00	-3.68	3	Horizontal	311	1.09
5290MHz	Pass	PK	5.144G	56.56	74.00	-17.44	3	Horizontal	311	1.09
5290MHz	Pass	PK	5.305G	106.31	Inf	-Inf	3	Horizontal	311	1.09
5290MHz	Pass	PK	5.36G	60.35	74.00	-13.65	3	Horizontal	311	1.09
5290MHz	Pass	PK	5.461G	57.59	68.20	-10.61	3	Horizontal	311	1.09
5290MHz	Pass	PK	10.60864G	52.40	74.00	-21.60	3	Vertical	277	1.50
5290MHz	Pass	AV	10.61984G	41.85	54.00	-12.15	3	Horizontal	162	1.08
5290MHz	Pass	PK	10.592G	52.09	68.20	-16.11	3	Horizontal	162	1.08
5330MHz	Pass	AV	5.35G	48.39	54.00	-5.61	3	Vertical	11	2.20
5330MHz	Pass	AV	5.459G	53.14	54.00	-0.86	3	Vertical	11	2.20
5330MHz	Pass	AV	5.545G	100.84	Inf	-Inf	3	Vertical	11	2.20
5330MHz	Pass	PK	5.35G	58.72	74.00	-15.28	3	Vertical	11	2.20
5330MHz	Pass	PK	5.435G	64.79	74.00	-9.21	3	Vertical	11	2.20
5330MHz	Pass	PK	5.466G	63.15	68.20	-5.05	3	Vertical	11	2.20
5330MHz	Pass	PK	5.506G	111.58	Inf	-Inf	3	Vertical	11	2.20
5330MHz	Pass	PK	5.756G	58.23	68.20	-9.97	3	Vertical	11	2.20
5330MHz	Pass	AV	5.35G	46.55	54.00	-7.45	3	Horizontal	304	2.42
5330MHz	Pass	AV	5.457G	51.64	54.00	-2.36	3	Horizontal	304	2.42
5330MHz	Pass	AV	5.543G	99.39	Inf	-Inf	3	Horizontal	304	2.42
5330MHz	Pass	PK	5.349G	57.33	68.20	-10.87	3	Horizontal	304	2.42
5330MHz	Pass	PK	5.454G	63.12	74.00	-10.88	3	Horizontal	304	2.42
5330MHz	Pass	PK	5.465G	61.39	68.20	-6.81	3	Horizontal	304	2.42
5330MHz	Pass	PK	5.542G	111.14	Inf	-Inf	3	Horizontal	304	2.42
5330MHz	Pass	PK	5.755G	57.94	68.20	-10.26	3	Horizontal	304	2.42
5330MHz	Pass	AV	11.08368G	41.87	54.00	-12.13	3	Vertical	289	1.88
5330MHz	Pass	PK	11.03152G	52.60	74.00	-21.40	3	Vertical	289	1.88
5330MHz	Pass	AV	11.0712G	41.68	54.00	-12.32	3	Horizontal	360	1.50
5330MHz	Pass	PK	11.04016G	53.09	74.00	-20.91	3	Horizontal	360	1.50
5610MHz	Pass	AV	5.454G	50.09	54.00	-3.91	3	Vertical	10	2.15
5610MHz	Pass	AV	5.599G	100.74	Inf	-Inf	3	Vertical	10	2.15
5610MHz	Pass	PK	5.449G	63.43	74.00	-10.57	3	Vertical	10	2.15
5610MHz	Pass	PK	5.469G	63.75	68.20	-4.45	3	Vertical	10	2.15
5610MHz	Pass	PK	5.595G	110.65	Inf	-Inf	3	Vertical	10	2.15
5610MHz	Pass	PK	5.728G	68.02	68.20	-0.18	3	Vertical	10	2.15
5610MHz	Pass	AV	5.457G	48.87	54.00	-5.13	3	Horizontal	304	2.23
5610MHz	Pass	AV	5.594G	99.35	Inf	-Inf	3	Horizontal	304	2.23
5610MHz	Pass	PK	5.456G	61.26	74.00	-12.74	3	Horizontal	304	2.23
5610MHz	Pass	PK	5.47G	62.46	68.20	-5.74	3	Horizontal	304	2.23
5610MHz	Pass	PK	5.586G	110.53	Inf	-Inf	3	Horizontal	304	2.23
5610MHz	Pass	PK	5.728G	67.30	68.20	-0.90	3	Horizontal	304	2.23
5610MHz	Pass	AV	11.22656G	42.14	54.00	-11.86	3	Vertical	74	1.50
5610MHz	Pass	PK	11.2408G	53.02	74.00	-20.98	3	Vertical	74	1.50
5610MHz	Pass	AV	11.23136G	42.06	54.00	-11.94	3	Horizontal	305	1.66
5610MHz	Pass	PK	11.22864G	52.91	74.00	-21.09	3	Horizontal	305	1.66
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	51.10	54.00	-2.90	3	Vertical	8	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6744G	103.11	Inf	-Inf	3	Vertical	8	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	62.93	74.00	-11.07	3	Vertical	8	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	67.81	68.20	-0.39	3	Vertical	8	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.708G	112.79	Inf	-Inf	3	Vertical	8	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	66.01	68.20	-2.19	3	Vertical	8	1.92
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	50.83	54.00	-3.17	3	Horizontal	304	2.38
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6828G	101.75	Inf	-Inf	3	Horizontal	304	2.38
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	62.85	74.00	-11.15	3	Horizontal	304	2.38
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	66.96	68.20	-1.24	3	Horizontal	304	2.38
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6984G	112.35	Inf	-Inf	3	Horizontal	304	2.38
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.876G	67.28	68.20	-0.92	3	Horizontal	304	2.38
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3696G	42.23	54.00	-11.77	3	Vertical	132	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3528G	53.51	74.00	-20.49	3	Vertical	132	1.50




RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T2S_AP5022FX

Appendix E.69

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37024G	42.18	54.00	-11.82	3	Horizontal	188	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.344G	52.63	74.00	-21.37	3	Horizontal	188	1.50
5775MHz	Pass	AV	5.7702G	102.88	Inf	-Inf	3	Vertical	7	1.49
5775MHz	Pass	PK	5.6502G	64.85	68.35	-3.50	3	Vertical	7	1.49
5775MHz	Pass	PK	5.7654G	112.33	Inf	-Inf	3	Vertical	7	1.49
5775MHz	Pass	PK	5.9334G	61.35	68.20	-6.85	3	Vertical	7	1.49
5775MHz	Pass	AV	5.7642G	101.72	Inf	-Inf	3	Horizontal	298	1.82
5775MHz	Pass	PK	5.6502G	64.76	68.35	-3.59	3	Horizontal	298	1.82
5775MHz	Pass	PK	5.7678G	112.07	Inf	-Inf	3	Horizontal	298	1.82
5775MHz	Pass	PK	5.9322G	63.65	68.20	-4.55	3	Horizontal	298	1.82
5775MHz	Pass	AV	11.51304G	41.72	54.00	-12.28	3	Vertical	292	2.19
5775MHz	Pass	PK	11.52856G	52.41	74.00	-21.59	3	Vertical	292	2.19
5775MHz	Pass	AV	11.5132G	41.70	54.00	-12.30	3	Horizontal	360	2.00
5775MHz	Pass	PK	11.55928G	52.52	74.00	-21.48	3	Horizontal	360	2.00
802.11be EHT160_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1432G	52.28	54.00	-1.72	3	Vertical	10	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.328G	96.80	Inf	-Inf	3	Vertical	10	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3556G	53.00	54.00	-1.00	3	Vertical	10	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	66.39	74.00	-7.61	3	Vertical	10	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3268G	106.78	Inf	-Inf	3	Vertical	10	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3508G	65.51	74.00	-8.49	3	Vertical	10	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4936G	59.64	68.20	-8.56	3	Vertical	10	1.55
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	48.60	54.00	-5.40	3	Horizontal	37	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3124G	92.05	Inf	-Inf	3	Horizontal	37	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	50.87	54.00	-3.13	3	Horizontal	37	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	61.11	74.00	-12.89	3	Horizontal	37	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3136G	102.07	Inf	-Inf	3	Horizontal	37	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3616G	64.86	74.00	-9.14	3	Horizontal	37	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	57.21	68.20	-10.99	3	Horizontal	37	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48464G	52.07	68.20	-16.13	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.55536G	51.87	68.20	-16.33	3	Horizontal	243	2.53
5570MHz	Pass	AV	5.3948G	52.96	54.00	-1.04	3	Vertical	12	2.20
5570MHz	Pass	AV	5.5448G	97.56	Inf	-Inf	3	Vertical	12	2.20
5570MHz	Pass	PK	5.3396G	63.28	68.20	-4.92	3	Vertical	12	2.20
5570MHz	Pass	PK	5.4512G	69.40	74.00	-4.60	3	Vertical	12	2.20
5570MHz	Pass	PK	5.468G	67.48	68.20	-0.72	3	Vertical	12	2.20
5570MHz	Pass	PK	5.6012G	107.32	Inf	-Inf	3	Vertical	12	2.20
5570MHz	Pass	PK	5.7296G	64.15	68.20	-4.05	3	Vertical	12	2.20
5570MHz	Pass	AV	5.4524G	52.72	54.00	-1.28	3	Horizontal	300	2.21
5570MHz	Pass	AV	5.5988G	95.84	Inf	-Inf	3	Horizontal	300	2.21
5570MHz	Pass	PK	5.3468G	59.70	68.20	-8.50	3	Horizontal	300	2.21
5570MHz	Pass	PK	5.4428G	66.28	74.00	-7.72	3	Horizontal	300	2.21
5570MHz	Pass	PK	5.468G	66.69	68.20	-1.51	3	Horizontal	300	2.21
5570MHz	Pass	PK	5.5916G	107.39	Inf	-Inf	3	Horizontal	300	2.21
5570MHz	Pass	PK	5.7308G	66.71	68.20	-1.49	3	Horizontal	300	2.21
5570MHz	Pass	AV	11.20752G	41.84	54.00	-12.16	3	Vertical	180	1.50
5570MHz	Pass	PK	11.21648G	52.88	74.00	-21.12	3	Vertical	180	1.50
5570MHz	Pass	AV	11.1992G	41.83	54.00	-12.17	3	Horizontal	176	1.35
5570MHz	Pass	PK	11.06736G	52.48	74.00	-21.52	3	Horizontal	176	1.35


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5200MHz_TX






5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5190MHz_TX






5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.57	54.00	-0.43	0.79	3	Vertical	13	2.61	52.78	33.20	5.70	38.11
AV	5.205G	100.79	Inf	-Inf	0.78	3	Vertical	13	2.61	100.01	33.19	5.71	38.12
AV	5.35G	50.98	54.00	-3.02	0.65	3	Vertical	13	2.61	50.33	33.00	5.80	38.15
PK	5.15G	63.91	74.00	-10.09	0.79	3	Vertical	13	2.61	63.12	33.20	5.70	38.11
PK	5.203G	110.21	Inf	-Inf	0.78	3	Vertical	13	2.61	109.43	33.19	5.71	38.12
PK	5.352G	61.09	74.00	-12.91	0.65	3	Vertical	13	2.61	60.44	33.00	5.80	38.15

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.93	54.00	-4.07	0.78	3	Horizontal	299	2.81	49.15	33.20	5.69	38.11
AV	5.222G	97.17	Inf	-Inf	0.76	3	Horizontal	299	2.81	96.41	33.16	5.72	38.12
AV	5.364G	48.80	54.00	-5.20	0.62	3	Horizontal	299	2.81	48.18	32.97	5.81	38.16
PK	5.15G	60.43	74.00	-13.57	0.79	3	Horizontal	299	2.81	59.64	33.20	5.70	38.11
PK	5.247G	107.39	Inf	-Inf	0.72	3	Horizontal	299	2.81	106.67	33.11	5.74	38.13
PK	5.374G	59.42	74.00	-14.58	0.60	3	Horizontal	299	2.81	58.82	32.95	5.81	38.16




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5270MHz_TX






5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX






5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	53.88	54.00	-0.12	0.69	3	Vertical	17	2.07	53.19	33.00	5.87	38.18
AV	5.496G	107.65	Inf	-Inf	0.71	3	Vertical	17	2.07	106.94	33.00	5.90	38.19
PK	5.4586G	68.28	74.00	-5.72	0.69	3	Vertical	17	2.07	67.59	33.00	5.87	38.18
PK	5.4604G	67.69	68.20	-0.51	0.70	3	Vertical	17	2.07	66.99	33.00	5.88	38.18
PK	5.5092G	118.09	Inf	-Inf	0.73	3	Vertical	17	2.07	117.36	33.00	5.91	38.18

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.22	54.00	-1.78	0.69	3	Horizontal	306	2.33	51.53	33.00	5.87	38.18
AV	5.505G	105.93	Inf	-Inf	0.72	3	Horizontal	306	2.33	105.21	33.00	5.91	38.19
PK	5.4594G	66.71	74.00	-7.29	0.69	3	Horizontal	306	2.33	66.02	33.00	5.87	38.18
PK	5.4602G	63.47	68.20	-4.73	0.70	3	Horizontal	306	2.33	62.77	33.00	5.88	38.18
PK	5.494G	116.71	Inf	-Inf	0.71	3	Horizontal	306	2.33	116.00	33.00	5.90	38.19


5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX






5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX

