


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	50.09	54.00	-3.91	0.69	3	Vertical	10	2.15	49.40	33.00	5.87	38.18
AV	5.599G	100.74	Inf	-Inf	0.87	3	Vertical	10	2.15	99.87	33.00	5.98	38.11
PK	5.449G	63.43	74.00	-10.57	0.69	3	Vertical	10	2.15	62.74	33.00	5.87	38.18
PK	5.469G	63.75	68.20	-4.45	0.70	3	Vertical	10	2.15	63.05	33.00	5.88	38.18
PK	5.595G	110.65	Inf	-Inf	0.86	3	Vertical	10	2.15	109.79	33.00	5.98	38.12
PK	5.728G	68.02	68.20	-0.18	1.68	3	Vertical	10	2.15	66.34	33.71	5.99	38.02

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	48.87	54.00	-5.13	0.69	3	Horizontal	304	2.23	48.18	33.00	5.87	38.18
AV	5.594G	99.35	Inf	-Inf	0.86	3	Horizontal	304	2.23	98.49	33.00	5.98	38.12
PK	5.456G	61.26	74.00	-12.74	0.69	3	Horizontal	304	2.23	60.57	33.00	5.87	38.18
PK	5.47G	62.46	68.20	-5.74	0.70	3	Horizontal	304	2.23	61.76	33.00	5.88	38.18
PK	5.586G	110.53	Inf	-Inf	0.85	3	Horizontal	304	2.23	109.68	33.00	5.97	38.12
PK	5.728G	67.30	68.20	-0.90	1.68	3	Horizontal	304	2.23	65.62	33.71	5.99	38.02




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7702G	102.88	Inf	-Inf	1.94	3	Vertical	7	1.49	100.94	33.92	6.00	37.98
PK	5.6502G	64.85	68.35	-3.50	1.11	3	Vertical	7	1.49	63.74	33.20	5.99	38.08
PK	5.7654G	112.33	Inf	-Inf	1.90	3	Vertical	7	1.49	110.43	33.89	6.00	37.99
PK	5.9334G	61.35	68.20	-6.85	2.53	3	Vertical	7	1.49	58.82	34.33	6.06	37.86

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	101.72	Inf	-Inf	1.90	3	Horizontal	298	1.82	99.82	33.89	6.00	37.99
PK	5.6502G	64.76	68.35	-3.59	1.11	3	Horizontal	298	1.82	63.65	33.20	5.99	38.08
PK	5.7678G	112.07	Inf	-Inf	1.92	3	Horizontal	298	1.82	110.15	33.91	6.00	37.99
PK	5.9322G	63.65	68.20	-4.55	2.54	3	Horizontal	298	1.82	61.11	34.34	6.06	37.86


5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.97543G	46.13	54.00	-7.87	Horizontal
Mode 2	Pass	AV	15.97212G	46.01	54.00	-7.99	Vertical
Mode 3	Pass	AV	12.68812G	45.96	54.00	-8.04	Vertical
Mode 4	Pass	AV	12.6932G	46.02	54.00	-7.98	Vertical
Mode 5	Pass	AV	15.98392G	45.93	54.00	-8.07	Vertical
Mode 6	Pass	AV	15.9668G	45.99	54.00	-8.01	Horizontal
Mode 7	Pass	AV	15.97253G	46.02	54.00	-7.98	Horizontal
Mode 8	Pass	AV	12.3776G	45.99	54.00	-8.01	Vertical
Mode 9	Pass	AV	12.6825G	46.33	54.00	-7.67	Horizontal
Mode 10	Pass	AV	15.97474G	46.08	54.00	-7.92	Vertical
Mode 11	Pass	AV	12.37182G	45.76	54.00	-8.24	Horizontal
Mode 12	Pass	AV	12.68798G	46.03	54.00	-7.97	Horizontal
Mode 13	Pass	AV	12.37193G	45.58	54.00	-8.42	Vertical
Mode 14	Pass	AV	15.97239G	45.87	54.00	-8.13	Horizontal
Mode 15	Pass	AV	13.32985G	46.30	54.00	-7.70	Vertical
Mode 16	Pass	AV	13.33117G	45.87	54.00	-8.13	Vertical
Mode 17	Pass	AV	13.33234G	45.99	54.00	-8.01	Vertical
Mode 18	Pass	AV	12.3552G	46.66	54.00	-7.34	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.87394G	34.90	54.00	-19.10	3	Vertical	360	1.54
Mode 1	Pass	AV	4.92516G	34.37	54.00	-19.63	3	Vertical	332	1.50
Mode 1	Pass	AV	4.97404G	34.47	54.00	-19.53	3	Vertical	346	1.10
Mode 1	Pass	AV	7.29618G	40.60	54.00	-13.40	3	Vertical	6	1.50
Mode 1	Pass	AV	11.39826G	44.83	54.00	-9.17	3	Vertical	317	1.50
Mode 1	Pass	AV	12.36911G	45.46	54.00	-8.54	3	Vertical	259	1.50
Mode 1	Pass	AV	15.97357G	46.07	54.00	-7.93	3	Vertical	260	1.50
Mode 1	Pass	PK	4.87365G	46.45	74.00	-27.55	3	Vertical	360	1.54
Mode 1	Pass	PK	4.92633G	46.92	74.00	-27.08	3	Vertical	332	1.50
Mode 1	Pass	PK	4.9537G	46.72	74.00	-27.28	3	Vertical	346	1.10
Mode 1	Pass	PK	7.29948G	52.70	74.00	-21.30	3	Vertical	6	1.50
Mode 1	Pass	PK	11.39925G	57.11	74.00	-16.89	3	Vertical	317	1.50
Mode 1	Pass	PK	12.36902G	57.37	74.00	-16.63	3	Vertical	259	1.50
Mode 1	Pass	PK	15.97334G	58.81	74.00	-15.19	3	Vertical	260	1.50
Mode 1	Pass	AV	4.87462G	34.12	54.00	-19.88	3	Horizontal	314	1.50
Mode 1	Pass	AV	4.92646G	34.44	54.00	-19.56	3	Horizontal	0	1.49
Mode 1	Pass	AV	4.9589G	34.24	54.00	-19.76	3	Horizontal	90	2.36
Mode 1	Pass	AV	7.31215G	41.01	54.00	-12.99	3	Horizontal	9	1.49
Mode 1	Pass	AV	11.40239G	44.82	54.00	-9.18	3	Horizontal	104	1.50
Mode 1	Pass	AV	12.37091G	45.31	54.00	-8.69	3	Horizontal	360	1.50
Mode 1	Pass	AV	15.97543G	46.13	54.00	-7.87	3	Horizontal	221	2.56
Mode 1	Pass	PK	4.8741G	46.50	74.00	-27.50	3	Horizontal	314	1.50
Mode 1	Pass	PK	4.92597G	46.69	74.00	-27.31	3	Horizontal	0	1.49
Mode 1	Pass	PK	4.96074G	46.62	74.00	-27.38	3	Horizontal	90	2.36
Mode 1	Pass	PK	7.31232G	53.30	74.00	-20.70	3	Horizontal	9	1.49
Mode 1	Pass	PK	11.40018G	57.40	74.00	-16.60	3	Horizontal	104	1.50
Mode 1	Pass	PK	12.37092G	57.57	74.00	-16.43	3	Horizontal	360	1.50
Mode 1	Pass	PK	15.97417G	58.56	74.00	-15.44	3	Horizontal	221	2.56
Mode 2	Pass	AV	4.87384G	34.36	54.00	-19.64	3	Vertical	0	1.50
Mode 2	Pass	AV	4.95824G	34.24	54.00	-19.76	3	Vertical	333	1.50
Mode 2	Pass	AV	7.3114G	40.53	54.00	-13.47	3	Vertical	0	1.50
Mode 2	Pass	AV	11.40041G	44.94	54.00	-9.06	3	Vertical	282	1.50
Mode 2	Pass	AV	11.49244G	44.27	54.00	-9.73	3	Vertical	332	2.48
Mode 2	Pass	AV	12.36756G	45.58	54.00	-8.42	3	Vertical	58	2.69
Mode 2	Pass	AV	15.97212G	46.01	54.00	-7.99	3	Vertical	350	1.69
Mode 2	Pass	PK	4.8676G	46.50	74.00	-27.50	3	Vertical	0	1.50
Mode 2	Pass	PK	4.96053G	47.21	74.00	-26.79	3	Vertical	333	1.50
Mode 2	Pass	PK	7.30428G	52.93	74.00	-21.07	3	Vertical	0	1.50
Mode 2	Pass	PK	11.39955G	57.93	74.00	-16.07	3	Vertical	282	1.50
Mode 2	Pass	PK	11.49006G	56.27	74.00	-17.73	3	Vertical	332	2.48
Mode 2	Pass	PK	12.37139G	58.03	74.00	-15.97	3	Vertical	58	2.69
Mode 2	Pass	PK	15.97267G	58.30	74.00	-15.70	3	Vertical	350	1.69
Mode 2	Pass	AV	4.87624G	34.16	54.00	-19.84	3	Horizontal	37	1.50
Mode 2	Pass	AV	4.9591G	34.27	54.00	-19.73	3	Horizontal	76	1.50
Mode 2	Pass	AV	7.30988G	40.95	54.00	-13.05	3	Horizontal	7	2.03
Mode 2	Pass	AV	11.39793G	44.80	54.00	-9.20	3	Horizontal	213	1.50
Mode 2	Pass	AV	11.49214G	44.27	54.00	-9.73	3	Horizontal	239	1.50
Mode 2	Pass	AV	12.36751G	45.69	54.00	-8.31	3	Horizontal	335	2.33
Mode 2	Pass	AV	15.97448G	45.92	54.00	-8.08	3	Horizontal	116	1.50
Mode 2	Pass	PK	4.8756G	46.30	74.00	-27.70	3	Horizontal	37	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	4.96029G	46.72	74.00	-27.28	3	Horizontal	76	1.50
Mode 2	Pass	PK	7.31184G	52.68	74.00	-21.32	3	Horizontal	7	2.03
Mode 2	Pass	PK	11.40031G	57.26	74.00	-16.74	3	Horizontal	213	1.50
Mode 2	Pass	PK	11.48921G	56.42	74.00	-17.58	3	Horizontal	239	1.50
Mode 2	Pass	PK	12.37167G	57.78	74.00	-16.22	3	Horizontal	335	2.33
Mode 2	Pass	PK	15.97666G	58.95	74.00	-15.05	3	Horizontal	116	1.50
Mode 3	Pass	AV	4.874G	36.74	54.00	-17.26	3	Vertical	254	1.50
Mode 3	Pass	AV	4.95324G	34.68	54.00	-19.32	3	Vertical	179	2.21
Mode 3	Pass	AV	7.31196G	40.11	54.00	-13.89	3	Vertical	193	2.51
Mode 3	Pass	AV	11.40213G	44.83	54.00	-9.17	3	Vertical	215	1.50
Mode 3	Pass	AV	12.36996G	45.89	54.00	-8.11	3	Vertical	76	1.34
Mode 3	Pass	AV	12.68812G	45.96	54.00	-8.04	3	Vertical	69	2.10
Mode 3	Pass	AV	15.97588G	45.85	54.00	-8.15	3	Vertical	228	3.00
Mode 3	Pass	PK	4.87952G	47.50	74.00	-26.50	3	Vertical	254	1.50
Mode 3	Pass	PK	4.953G	46.99	74.00	-27.01	3	Vertical	179	2.21
Mode 3	Pass	PK	7.30888G	52.35	74.00	-21.65	3	Vertical	193	2.51
Mode 3	Pass	PK	11.40196G	56.88	74.00	-17.12	3	Vertical	215	1.50
Mode 3	Pass	PK	12.3711G	57.61	74.00	-16.39	3	Vertical	76	1.34
Mode 3	Pass	PK	12.68998G	58.39	74.00	-15.61	3	Vertical	69	2.10
Mode 3	Pass	PK	15.97307G	58.25	74.00	-15.75	3	Vertical	228	3.00
Mode 3	Pass	AV	4.8784G	34.33	54.00	-19.67	3	Horizontal	360	1.50
Mode 3	Pass	AV	4.95068G	34.75	54.00	-19.25	3	Horizontal	299	2.32
Mode 3	Pass	AV	7.31576G	39.27	54.00	-14.73	3	Horizontal	38	1.32
Mode 3	Pass	AV	11.40035G	44.85	54.00	-9.15	3	Horizontal	0	1.50
Mode 3	Pass	AV	12.37002G	45.52	54.00	-8.48	3	Horizontal	353	2.36
Mode 3	Pass	AV	12.69013G	45.85	54.00	-8.15	3	Horizontal	176	1.50
Mode 3	Pass	AV	15.97225G	45.80	54.00	-8.20	3	Horizontal	84	1.50
Mode 3	Pass	PK	4.86484G	46.09	74.00	-27.91	3	Horizontal	360	1.50
Mode 3	Pass	PK	4.95652G	47.72	74.00	-26.28	3	Horizontal	299	2.32
Mode 3	Pass	PK	7.31004G	51.36	74.00	-22.64	3	Horizontal	38	1.32
Mode 3	Pass	PK	11.40108G	57.18	74.00	-16.82	3	Horizontal	0	1.50
Mode 3	Pass	PK	12.3684G	58.12	74.00	-15.88	3	Horizontal	353	2.36
Mode 3	Pass	PK	12.69082G	58.35	74.00	-15.65	3	Horizontal	176	1.50
Mode 3	Pass	PK	15.97269G	57.71	74.00	-16.29	3	Horizontal	84	1.50
Mode 4	Pass	AV	4.87396G	34.64	54.00	-19.36	3	Vertical	0	1.49
Mode 4	Pass	AV	4.95632G	34.37	54.00	-19.63	3	Vertical	88	1.50
Mode 4	Pass	AV	7.30392G	40.57	54.00	-13.43	3	Vertical	6	1.81
Mode 4	Pass	AV	11.39516G	44.77	54.00	-9.23	3	Vertical	185	1.50
Mode 4	Pass	AV	12.36584G	45.66	54.00	-8.34	3	Vertical	29	2.92
Mode 4	Pass	AV	12.6932G	46.02	54.00	-7.98	3	Vertical	315	1.50
Mode 4	Pass	AV	15.9662G	45.86	54.00	-8.14	3	Vertical	114	1.65
Mode 4	Pass	PK	4.8786G	46.88	74.00	-27.12	3	Vertical	0	1.49
Mode 4	Pass	PK	4.95024G	46.99	74.00	-27.01	3	Vertical	88	1.50
Mode 4	Pass	PK	7.31376G	53.08	74.00	-20.92	3	Vertical	6	1.81
Mode 4	Pass	PK	11.40508G	56.89	74.00	-17.11	3	Vertical	185	1.50
Mode 4	Pass	PK	12.3748G	58.06	74.00	-15.94	3	Vertical	29	2.92
Mode 4	Pass	PK	12.6812G	58.16	74.00	-15.84	3	Vertical	315	1.50
Mode 4	Pass	PK	15.97388G	57.81	74.00	-16.19	3	Vertical	114	1.65
Mode 4	Pass	AV	4.87392G	34.86	54.00	-19.14	3	Horizontal	359	1.47
Mode 4	Pass	AV	4.95232G	34.43	54.00	-19.57	3	Horizontal	166	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 4	Pass	AV	7.31268G	40.83	54.00	-13.17	3	Horizontal	8	1.50
Mode 4	Pass	AV	11.39984G	44.76	54.00	-9.24	3	Horizontal	59	1.50
Mode 4	Pass	AV	12.36724G	45.34	54.00	-8.66	3	Horizontal	343	2.62
Mode 4	Pass	AV	12.69G	45.78	54.00	-8.22	3	Horizontal	170	2.57
Mode 4	Pass	AV	15.96476G	45.84	54.00	-8.16	3	Horizontal	242	1.28
Mode 4	Pass	PK	4.87692G	46.40	74.00	-27.60	3	Horizontal	359	1.47
Mode 4	Pass	PK	4.9686G	46.51	74.00	-27.49	3	Horizontal	166	1.50
Mode 4	Pass	PK	7.3162G	53.65	74.00	-20.35	3	Horizontal	8	1.50
Mode 4	Pass	PK	11.39692G	57.33	74.00	-16.67	3	Horizontal	59	1.50
Mode 4	Pass	PK	12.37068G	57.55	74.00	-16.45	3	Horizontal	343	2.62
Mode 4	Pass	PK	12.6888G	57.97	74.00	-16.03	3	Horizontal	170	2.57
Mode 4	Pass	PK	15.96516G	58.43	74.00	-15.57	3	Horizontal	242	1.28
Mode 5	Pass	AV	4.874G	34.82	54.00	-19.18	3	Vertical	0	1.51
Mode 5	Pass	AV	4.95204G	34.37	54.00	-19.63	3	Vertical	110	1.50
Mode 5	Pass	AV	7.31644G	39.07	54.00	-14.93	3	Vertical	170	1.50
Mode 5	Pass	AV	11.3966G	44.57	54.00	-9.43	3	Vertical	338	2.22
Mode 5	Pass	AV	11.49868G	44.32	54.00	-9.68	3	Vertical	82	1.50
Mode 5	Pass	AV	12.37676G	45.29	54.00	-8.71	3	Vertical	130	2.71
Mode 5	Pass	AV	15.98392G	45.93	54.00	-8.07	3	Vertical	228	2.69
Mode 5	Pass	PK	4.87652G	46.53	74.00	-27.47	3	Vertical	0	1.51
Mode 5	Pass	PK	4.96304G	46.50	74.00	-27.50	3	Vertical	110	1.50
Mode 5	Pass	PK	7.31644G	51.45	74.00	-22.55	3	Vertical	170	1.50
Mode 5	Pass	PK	11.40288G	57.12	74.00	-16.88	3	Vertical	338	2.22
Mode 5	Pass	PK	11.49796G	56.43	74.00	-17.57	3	Vertical	82	1.50
Mode 5	Pass	PK	12.36456G	57.67	74.00	-16.33	3	Vertical	130	2.71
Mode 5	Pass	PK	15.97168G	57.77	74.00	-16.23	3	Vertical	228	2.69
Mode 5	Pass	AV	4.87404G	36.06	54.00	-17.94	3	Horizontal	360	1.50
Mode 5	Pass	AV	4.96976G	34.54	54.00	-19.46	3	Horizontal	108	2.06
Mode 5	Pass	AV	7.31156G	39.09	54.00	-14.91	3	Horizontal	356	1.50
Mode 5	Pass	AV	11.39012G	44.55	54.00	-9.45	3	Horizontal	140	2.16
Mode 5	Pass	AV	11.4998G	44.34	54.00	-9.66	3	Horizontal	223	1.25
Mode 5	Pass	AV	12.37464G	45.32	54.00	-8.68	3	Horizontal	257	1.50
Mode 5	Pass	AV	15.96504G	45.86	54.00	-8.14	3	Horizontal	259	1.50
Mode 5	Pass	PK	4.87388G	47.12	74.00	-26.88	3	Horizontal	360	1.50
Mode 5	Pass	PK	4.96848G	46.53	74.00	-27.47	3	Horizontal	108	2.06
Mode 5	Pass	PK	7.31808G	51.17	74.00	-22.83	3	Horizontal	356	1.50
Mode 5	Pass	PK	11.39788G	56.76	74.00	-17.24	3	Horizontal	140	2.16
Mode 5	Pass	PK	11.496G	56.48	74.00	-17.52	3	Horizontal	223	1.25
Mode 5	Pass	PK	12.37848G	57.45	74.00	-16.55	3	Horizontal	257	1.50
Mode 5	Pass	PK	15.97832G	58.68	74.00	-15.32	3	Horizontal	259	1.50
Mode 6	Pass	AV	4.87396G	35.45	54.00	-18.55	3	Vertical	0	1.38
Mode 6	Pass	AV	4.95504G	34.74	54.00	-19.26	3	Vertical	215	2.09
Mode 6	Pass	AV	7.31236G	39.70	54.00	-14.30	3	Vertical	195	2.64
Mode 6	Pass	AV	11.3966G	44.86	54.00	-9.14	3	Vertical	0	1.50
Mode 6	Pass	AV	12.36388G	45.86	54.00	-8.14	3	Vertical	82	2.90
Mode 6	Pass	AV	12.69128G	45.92	54.00	-8.08	3	Vertical	331	1.50
Mode 6	Pass	AV	15.96848G	45.97	54.00	-8.03	3	Vertical	33	1.96
Mode 6	Pass	PK	4.87732G	46.50	74.00	-27.50	3	Vertical	0	1.38
Mode 6	Pass	PK	4.95508G	47.08	74.00	-26.92	3	Vertical	215	2.09
Mode 6	Pass	PK	7.31396G	52.02	74.00	-21.98	3	Vertical	195	2.64

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 6	Pass	PK	11.39024G	56.86	74.00	-17.14	3	Vertical	0	1.50
Mode 6	Pass	PK	12.37912G	58.24	74.00	-15.76	3	Vertical	82	2.90
Mode 6	Pass	PK	12.69216G	58.68	74.00	-15.32	3	Vertical	331	1.50
Mode 6	Pass	PK	15.98108G	58.30	74.00	-15.70	3	Vertical	33	1.96
Mode 6	Pass	AV	4.87392G	37.39	54.00	-16.61	3	Horizontal	0	1.66
Mode 6	Pass	AV	4.96964G	35.01	54.00	-18.99	3	Horizontal	90	2.81
Mode 6	Pass	AV	7.31176G	39.36	54.00	-14.64	3	Horizontal	81	1.50
Mode 6	Pass	AV	11.39G	44.69	54.00	-9.31	3	Horizontal	357	1.50
Mode 6	Pass	AV	12.37552G	45.40	54.00	-8.60	3	Horizontal	304	1.50
Mode 6	Pass	AV	12.68624G	45.89	54.00	-8.11	3	Horizontal	246	1.50
Mode 6	Pass	AV	15.9668G	45.99	54.00	-8.01	3	Horizontal	356	1.50
Mode 6	Pass	PK	4.874G	47.23	74.00	-26.77	3	Horizontal	0	1.66
Mode 6	Pass	PK	4.95716G	47.30	74.00	-26.70	3	Horizontal	90	2.81
Mode 6	Pass	PK	7.31368G	51.66	74.00	-22.34	3	Horizontal	81	1.50
Mode 6	Pass	PK	11.40516G	57.03	74.00	-16.97	3	Horizontal	357	1.50
Mode 6	Pass	PK	12.37636G	58.01	74.00	-15.99	3	Horizontal	304	1.50
Mode 6	Pass	PK	12.69384G	58.18	74.00	-15.82	3	Horizontal	246	1.50
Mode 6	Pass	PK	15.97528G	59.08	74.00	-14.92	3	Horizontal	356	1.50
Mode 7	Pass	AV	4.92162G	34.39	54.00	-19.61	3	Vertical	38	1.50
Mode 7	Pass	AV	4.95949G	34.49	54.00	-19.51	3	Vertical	40	1.50
Mode 7	Pass	AV	10.6322G	44.95	54.00	-9.05	3	Vertical	11	1.76
Mode 7	Pass	AV	11.39808G	44.93	54.00	-9.07	3	Vertical	319	1.50
Mode 7	Pass	AV	12.36961G	45.99	54.00	-8.01	3	Vertical	121	2.56
Mode 7	Pass	AV	15.97579G	45.94	54.00	-8.06	3	Vertical	197	2.38
Mode 7	Pass	PK	4.92479G	46.93	74.00	-27.07	3	Vertical	38	1.50
Mode 7	Pass	PK	4.95873G	47.48	74.00	-26.52	3	Vertical	40	1.50
Mode 7	Pass	PK	10.6379G	57.55	74.00	-16.45	3	Vertical	11	1.76
Mode 7	Pass	PK	11.40096G	57.58	74.00	-16.42	3	Vertical	319	1.50
Mode 7	Pass	PK	12.37246G	58.34	74.00	-15.66	3	Vertical	121	2.56
Mode 7	Pass	PK	15.97302G	58.09	74.00	-15.91	3	Vertical	197	2.38
Mode 7	Pass	AV	4.92303G	34.41	54.00	-19.59	3	Horizontal	141	1.27
Mode 7	Pass	AV	4.97176G	34.64	54.00	-19.36	3	Horizontal	124	2.95
Mode 7	Pass	AV	10.63856G	45.20	54.00	-8.80	3	Horizontal	14	1.81
Mode 7	Pass	AV	11.39931G	44.84	54.00	-9.16	3	Horizontal	277	1.50
Mode 7	Pass	AV	12.36804G	45.69	54.00	-8.31	3	Horizontal	239	2.98
Mode 7	Pass	AV	15.97253G	46.02	54.00	-7.98	3	Horizontal	29	2.45
Mode 7	Pass	PK	4.92332G	47.14	74.00	-26.86	3	Horizontal	141	1.27
Mode 7	Pass	PK	4.95556G	47.30	74.00	-26.70	3	Horizontal	124	2.95
Mode 7	Pass	PK	10.63406G	57.85	74.00	-16.15	3	Horizontal	14	1.81
Mode 7	Pass	PK	11.40045G	57.20	74.00	-16.80	3	Horizontal	277	1.50
Mode 7	Pass	PK	12.36822G	57.36	74.00	-16.64	3	Horizontal	239	2.98
Mode 7	Pass	PK	15.97382G	58.22	74.00	-15.78	3	Horizontal	29	2.45
Mode 8	Pass	AV	4.95268G	34.95	54.00	-19.05	3	Vertical	274	1.50
Mode 8	Pass	AV	10.64116G	44.41	54.00	-9.59	3	Vertical	204	2.07
Mode 8	Pass	AV	11.4082G	44.63	54.00	-9.37	3	Vertical	218	1.50
Mode 8	Pass	AV	11.49716G	45.07	54.00	-8.93	3	Vertical	95	2.81
Mode 8	Pass	AV	12.3776G	45.99	54.00	-8.01	3	Vertical	206	1.50
Mode 8	Pass	AV	15.98172G	45.87	54.00	-8.13	3	Vertical	298	1.50
Mode 8	Pass	PK	4.9664G	47.35	74.00	-26.65	3	Vertical	274	1.50
Mode 8	Pass	PK	10.64148G	56.63	74.00	-17.37	3	Vertical	204	2.07

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 8	Pass	PK	11.40012G	56.49	74.00	-17.51	3	Vertical	218	1.50
Mode 8	Pass	PK	11.4902G	57.16	74.00	-16.84	3	Vertical	95	2.81
Mode 8	Pass	PK	12.36096G	58.12	74.00	-15.88	3	Vertical	206	1.50
Mode 8	Pass	PK	15.97936G	57.70	74.00	-16.30	3	Vertical	298	1.50
Mode 8	Pass	AV	4.9512G	34.80	54.00	-19.20	3	Horizontal	166	2.98
Mode 8	Pass	AV	10.63084G	44.18	54.00	-9.82	3	Horizontal	220	1.23
Mode 8	Pass	AV	11.40832G	44.55	54.00	-9.45	3	Horizontal	13	1.50
Mode 8	Pass	AV	11.49892G	45.09	54.00	-8.91	3	Horizontal	360	1.50
Mode 8	Pass	AV	12.37468G	45.93	54.00	-8.07	3	Horizontal	237	1.50
Mode 8	Pass	AV	15.98216G	45.91	54.00	-8.09	3	Horizontal	33	1.91
Mode 8	Pass	PK	4.96964G	47.19	74.00	-26.81	3	Horizontal	166	2.98
Mode 8	Pass	PK	10.6452G	56.81	74.00	-17.19	3	Horizontal	220	1.23
Mode 8	Pass	PK	11.39548G	56.97	74.00	-17.03	3	Horizontal	13	1.50
Mode 8	Pass	PK	11.48632G	57.34	74.00	-16.66	3	Horizontal	360	1.50
Mode 8	Pass	PK	12.36592G	58.70	74.00	-15.30	3	Horizontal	237	1.50
Mode 8	Pass	PK	15.97608G	58.64	74.00	-15.36	3	Horizontal	33	1.91
Mode 9	Pass	AV	4.96013G	34.87	54.00	-19.13	3	Vertical	276	2.02
Mode 9	Pass	AV	10.6379G	43.87	54.00	-10.13	3	Vertical	229	1.50
Mode 9	Pass	AV	11.39958G	44.92	54.00	-9.08	3	Vertical	146	2.05
Mode 9	Pass	AV	12.36951G	45.81	54.00	-8.19	3	Vertical	154	2.08
Mode 9	Pass	AV	12.68791G	46.24	54.00	-7.76	3	Vertical	219	1.38
Mode 9	Pass	AV	15.98538G	46.16	54.00	-7.84	3	Vertical	93	1.50
Mode 9	Pass	PK	4.95937G	47.30	74.00	-26.70	3	Vertical	276	2.02
Mode 9	Pass	PK	10.63775G	56.19	74.00	-17.81	3	Vertical	229	1.50
Mode 9	Pass	PK	11.40231G	57.17	74.00	-16.83	3	Vertical	146	2.05
Mode 9	Pass	PK	12.3704G	58.32	74.00	-15.68	3	Vertical	154	2.08
Mode 9	Pass	PK	12.68911G	58.28	74.00	-15.72	3	Vertical	219	1.38
Mode 9	Pass	PK	15.98346G	58.24	74.00	-15.76	3	Vertical	93	1.50
Mode 9	Pass	AV	4.95856G	34.80	54.00	-19.20	3	Horizontal	333	2.48
Mode 9	Pass	AV	10.64198G	43.83	54.00	-10.17	3	Horizontal	341	2.87
Mode 9	Pass	AV	11.40088G	44.97	54.00	-9.03	3	Horizontal	23	2.23
Mode 9	Pass	AV	12.37258G	45.81	54.00	-8.19	3	Horizontal	283	1.03
Mode 9	Pass	AV	12.6825G	46.33	54.00	-7.67	3	Horizontal	291	2.55
Mode 9	Pass	AV	15.97234G	45.99	54.00	-8.01	3	Horizontal	240	1.50
Mode 9	Pass	PK	4.96163G	47.03	74.00	-26.97	3	Horizontal	333	2.48
Mode 9	Pass	PK	10.63876G	56.76	74.00	-17.24	3	Horizontal	341	2.87
Mode 9	Pass	PK	11.40154G	57.21	74.00	-16.79	3	Horizontal	23	2.23
Mode 9	Pass	PK	12.36088G	58.40	74.00	-15.60	3	Horizontal	283	1.03
Mode 9	Pass	PK	12.68964G	58.94	74.00	-15.06	3	Horizontal	291	2.55
Mode 9	Pass	PK	15.97599G	58.84	74.00	-15.16	3	Horizontal	240	1.50
Mode 10	Pass	AV	4.92022G	34.58	54.00	-19.42	3	Vertical	148	1.50
Mode 10	Pass	AV	4.96023G	34.70	54.00	-19.30	3	Vertical	122	1.50
Mode 10	Pass	AV	10.63885G	43.86	54.00	-10.14	3	Vertical	165	1.50
Mode 10	Pass	AV	11.40156G	44.93	54.00	-9.07	3	Vertical	87	1.60
Mode 10	Pass	AV	12.37005G	45.77	54.00	-8.23	3	Vertical	245	1.50
Mode 10	Pass	AV	15.97474G	46.08	54.00	-7.92	3	Vertical	241	1.50
Mode 10	Pass	PK	4.93774G	47.00	74.00	-27.00	3	Vertical	148	1.50
Mode 10	Pass	PK	4.95835G	46.85	74.00	-27.15	3	Vertical	122	1.50
Mode 10	Pass	PK	10.63786G	56.15	74.00	-17.85	3	Vertical	165	1.50
Mode 10	Pass	PK	11.40243G	57.27	74.00	-16.73	3	Vertical	87	1.60

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 10	Pass	PK	12.37049G	58.69	74.00	-15.31	3	Vertical	245	1.50
Mode 10	Pass	PK	15.97345G	58.35	74.00	-15.65	3	Vertical	241	1.50
Mode 10	Pass	AV	4.9218G	34.52	54.00	-19.48	3	Horizontal	178	1.50
Mode 10	Pass	AV	4.95853G	34.58	54.00	-19.42	3	Horizontal	346	2.54
Mode 10	Pass	AV	10.63778G	43.83	54.00	-10.17	3	Horizontal	300	2.64
Mode 10	Pass	AV	11.3928G	44.89	54.00	-9.11	3	Horizontal	120	1.99
Mode 10	Pass	AV	12.36755G	45.65	54.00	-8.35	3	Horizontal	56	2.39
Mode 10	Pass	AV	15.97194G	46.07	54.00	-7.93	3	Horizontal	231	1.20
Mode 10	Pass	PK	4.92314G	46.86	74.00	-27.14	3	Horizontal	178	1.50
Mode 10	Pass	PK	4.95956G	47.10	74.00	-26.90	3	Horizontal	346	2.54
Mode 10	Pass	PK	10.64189G	56.17	74.00	-17.83	3	Horizontal	300	2.64
Mode 10	Pass	PK	11.403G	57.24	74.00	-16.76	3	Horizontal	120	1.99
Mode 10	Pass	PK	12.36858G	58.32	74.00	-15.68	3	Horizontal	56	2.39
Mode 10	Pass	PK	15.97536G	59.14	74.00	-14.86	3	Horizontal	231	1.20
Mode 11	Pass	AV	4.96036G	34.68	54.00	-19.32	3	Vertical	265	1.50
Mode 11	Pass	AV	10.63892G	44.90	54.00	-9.10	3	Vertical	179	2.43
Mode 11	Pass	AV	11.4015G	44.46	54.00	-9.54	3	Vertical	114	2.66
Mode 11	Pass	AV	11.49232G	44.91	54.00	-9.09	3	Vertical	252	1.43
Mode 11	Pass	AV	12.37228G	45.70	54.00	-8.30	3	Vertical	74	1.50
Mode 11	Pass	AV	15.97229G	45.47	54.00	-8.53	3	Vertical	316	1.50
Mode 11	Pass	PK	4.96045G	47.28	74.00	-26.72	3	Vertical	265	1.50
Mode 11	Pass	PK	10.63214G	56.97	74.00	-17.03	3	Vertical	179	2.43
Mode 11	Pass	PK	11.40786G	56.98	74.00	-17.02	3	Vertical	114	2.66
Mode 11	Pass	PK	11.49036G	57.07	74.00	-16.93	3	Vertical	252	1.43
Mode 11	Pass	PK	12.36892G	57.74	74.00	-16.26	3	Vertical	74	1.50
Mode 11	Pass	PK	15.97332G	57.62	74.00	-16.38	3	Vertical	316	1.50
Mode 11	Pass	AV	4.95752G	35.32	54.00	-18.68	3	Horizontal	250	2.95
Mode 11	Pass	AV	10.63893G	44.19	54.00	-9.81	3	Horizontal	177	2.08
Mode 11	Pass	AV	11.39924G	44.42	54.00	-9.58	3	Horizontal	326	1.50
Mode 11	Pass	AV	11.48974G	44.94	54.00	-9.06	3	Horizontal	337	1.50
Mode 11	Pass	AV	12.37182G	45.76	54.00	-8.24	3	Horizontal	316	1.50
Mode 11	Pass	AV	15.97206G	45.44	54.00	-8.56	3	Horizontal	231	1.50
Mode 11	Pass	PK	4.96017G	47.59	74.00	-26.41	3	Horizontal	250	2.95
Mode 11	Pass	PK	10.63858G	56.38	74.00	-17.62	3	Horizontal	177	2.08
Mode 11	Pass	PK	11.39882G	56.89	74.00	-17.11	3	Horizontal	326	1.50
Mode 11	Pass	PK	11.48812G	57.37	74.00	-16.63	3	Horizontal	337	1.50
Mode 11	Pass	PK	12.37172G	58.03	74.00	-15.97	3	Horizontal	316	1.50
Mode 11	Pass	PK	15.97576G	57.89	74.00	-16.11	3	Horizontal	231	1.50
Mode 12	Pass	AV	4.96147G	33.31	54.00	-20.69	3	Vertical	114	2.62
Mode 12	Pass	AV	10.63861G	44.78	54.00	-9.22	3	Vertical	182	1.59
Mode 12	Pass	AV	11.39968G	44.40	54.00	-9.60	3	Vertical	34	1.21
Mode 12	Pass	AV	12.37064G	45.58	54.00	-8.42	3	Vertical	303	2.25
Mode 12	Pass	AV	12.68781G	45.91	54.00	-8.09	3	Vertical	219	1.13
Mode 12	Pass	AV	15.97211G	45.30	54.00	-8.70	3	Vertical	141	1.70
Mode 12	Pass	PK	4.96056G	45.53	74.00	-28.47	3	Vertical	114	2.62
Mode 12	Pass	PK	10.63946G	57.19	74.00	-16.81	3	Vertical	182	1.59
Mode 12	Pass	PK	11.40064G	56.27	74.00	-17.73	3	Vertical	34	1.21
Mode 12	Pass	PK	12.368G	56.76	74.00	-17.24	3	Vertical	303	2.25
Mode 12	Pass	PK	12.68759G	57.63	74.00	-16.37	3	Vertical	219	1.13
Mode 12	Pass	PK	15.97659G	56.70	74.00	-17.30	3	Vertical	141	1.70


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 12	Pass	AV	4.95918G	33.33	54.00	-20.67	3	Horizontal	51	2.31
Mode 12	Pass	AV	10.63862G	44.19	54.00	-9.81	3	Horizontal	176	2.01
Mode 12	Pass	AV	11.39929G	44.36	54.00	-9.64	3	Horizontal	49	2.71
Mode 12	Pass	AV	12.36843G	45.60	54.00	-8.40	3	Horizontal	218	1.02
Mode 12	Pass	AV	12.68798G	46.03	54.00	-7.97	3	Horizontal	234	2.63
Mode 12	Pass	AV	15.97534G	45.30	54.00	-8.70	3	Horizontal	337	1.43
Mode 12	Pass	PK	4.95757G	45.80	74.00	-28.20	3	Horizontal	51	2.31
Mode 12	Pass	PK	10.64123G	56.37	74.00	-17.63	3	Horizontal	176	2.01
Mode 12	Pass	PK	11.3984G	56.78	74.00	-17.22	3	Horizontal	49	2.71
Mode 12	Pass	PK	12.37221G	57.09	74.00	-16.91	3	Horizontal	218	1.02
Mode 12	Pass	PK	12.68959G	57.32	74.00	-16.68	3	Horizontal	234	2.63
Mode 12	Pass	PK	15.97308G	57.14	74.00	-16.86	3	Horizontal	337	1.43
Mode 13	Pass	AV	4.92304G	33.26	54.00	-20.74	3	Vertical	322	1.19
Mode 13	Pass	AV	4.96117G	33.28	54.00	-20.72	3	Vertical	35	2.61
Mode 13	Pass	AV	11.39983G	43.97	54.00	-10.03	3	Vertical	286	1.44
Mode 13	Pass	AV	12.37193G	45.58	54.00	-8.42	3	Vertical	181	1.50
Mode 13	Pass	AV	13.33107G	45.35	54.00	-8.65	3	Vertical	296	1.00
Mode 13	Pass	AV	15.97197G	45.17	54.00	-8.83	3	Vertical	235	1.44
Mode 13	Pass	PK	4.92442G	44.83	74.00	-29.17	3	Vertical	322	1.19
Mode 13	Pass	PK	4.95983G	45.81	74.00	-28.19	3	Vertical	35	2.61
Mode 13	Pass	PK	11.40132G	56.28	74.00	-17.72	3	Vertical	286	1.44
Mode 13	Pass	PK	12.37136G	57.87	74.00	-16.13	3	Vertical	181	1.50
Mode 13	Pass	PK	13.33196G	57.82	74.00	-16.18	3	Vertical	296	1.00
Mode 13	Pass	PK	15.97268G	57.94	74.00	-16.06	3	Vertical	235	1.44
Mode 13	Pass	AV	4.92439G	33.27	54.00	-20.73	3	Horizontal	95	1.46
Mode 13	Pass	AV	4.95765G	33.24	54.00	-20.76	3	Horizontal	17	1.71
Mode 13	Pass	AV	11.39952G	43.80	54.00	-10.20	3	Horizontal	99	2.74
Mode 13	Pass	AV	12.37212G	45.47	54.00	-8.53	3	Horizontal	193	1.50
Mode 13	Pass	AV	13.33175G	45.56	54.00	-8.44	3	Horizontal	234	2.90
Mode 13	Pass	AV	15.97206G	45.06	54.00	-8.94	3	Horizontal	250	2.39
Mode 13	Pass	PK	4.92178G	45.48	74.00	-28.52	3	Horizontal	95	1.46
Mode 13	Pass	PK	4.96015G	45.29	74.00	-28.71	3	Horizontal	17	1.71
Mode 13	Pass	PK	11.40021G	56.83	74.00	-17.17	3	Horizontal	99	2.74
Mode 13	Pass	PK	12.3712G	58.29	74.00	-15.71	3	Horizontal	193	1.50
Mode 13	Pass	PK	13.33249G	57.76	74.00	-16.24	3	Horizontal	234	2.90
Mode 13	Pass	PK	15.97216G	56.86	74.00	-17.14	3	Horizontal	250	2.39
Mode 14	Pass	AV	4.95833G	34.46	54.00	-19.54	3	Vertical	280	2.67
Mode 14	Pass	AV	11.39805G	44.60	54.00	-9.40	3	Vertical	257	1.50
Mode 14	Pass	AV	11.50248G	44.74	54.00	-9.26	3	Vertical	45	1.50
Mode 14	Pass	AV	12.37175G	45.77	54.00	-8.23	3	Vertical	204	2.62
Mode 14	Pass	AV	13.33208G	45.78	54.00	-8.22	3	Vertical	281	1.50
Mode 14	Pass	AV	15.97366G	45.68	54.00	-8.32	3	Vertical	189	1.50
Mode 14	Pass	PK	4.96157G	46.79	74.00	-27.21	3	Vertical	280	2.67
Mode 14	Pass	PK	11.39776G	57.60	74.00	-16.40	3	Vertical	257	1.50
Mode 14	Pass	PK	11.5035G	56.74	74.00	-17.26	3	Vertical	45	1.50
Mode 14	Pass	PK	12.37204G	58.18	74.00	-15.82	3	Vertical	204	2.62
Mode 14	Pass	PK	13.33216G	58.40	74.00	-15.60	3	Vertical	281	1.50
Mode 14	Pass	PK	15.9757G	58.00	74.00	-16.00	3	Vertical	189	1.50
Mode 14	Pass	AV	4.97482G	35.13	54.00	-18.87	3	Horizontal	251	2.98
Mode 14	Pass	AV	11.39931G	44.72	54.00	-9.28	3	Horizontal	357	1.76

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 14	Pass	AV	11.4913G	44.42	54.00	-9.58	3	Horizontal	334	1.43
Mode 14	Pass	AV	12.36886G	45.47	54.00	-8.53	3	Horizontal	4	2.90
Mode 14	Pass	AV	13.33198G	45.78	54.00	-8.22	3	Horizontal	21	2.58
Mode 14	Pass	AV	15.97239G	45.87	54.00	-8.13	3	Horizontal	88	1.50
Mode 14	Pass	PK	4.96984G	48.00	74.00	-26.00	3	Horizontal	251	2.98
Mode 14	Pass	PK	11.40128G	57.18	74.00	-16.82	3	Horizontal	357	1.76
Mode 14	Pass	PK	11.49087G	57.19	74.00	-16.81	3	Horizontal	334	1.43
Mode 14	Pass	PK	12.37104G	57.72	74.00	-16.28	3	Horizontal	4	2.90
Mode 14	Pass	PK	13.33064G	58.73	74.00	-15.27	3	Horizontal	21	2.58
Mode 14	Pass	PK	15.97684G	58.48	74.00	-15.52	3	Horizontal	88	1.50
Mode 15	Pass	AV	4.96098G	34.48	54.00	-19.52	3	Vertical	278	1.98
Mode 15	Pass	AV	11.39853G	44.68	54.00	-9.32	3	Vertical	62	1.18
Mode 15	Pass	AV	12.36831G	45.88	54.00	-8.12	3	Vertical	204	1.50
Mode 15	Pass	AV	12.69194G	46.03	54.00	-7.97	3	Vertical	74	1.50
Mode 15	Pass	AV	13.32985G	46.30	54.00	-7.70	3	Vertical	117	2.29
Mode 15	Pass	AV	15.97424G	45.74	54.00	-8.26	3	Vertical	109	1.44
Mode 15	Pass	PK	4.96025G	47.16	74.00	-26.84	3	Vertical	278	1.98
Mode 15	Pass	PK	11.40204G	56.85	74.00	-17.15	3	Vertical	62	1.18
Mode 15	Pass	PK	12.368G	58.35	74.00	-15.65	3	Vertical	204	1.50
Mode 15	Pass	PK	12.6887G	57.97	74.00	-16.03	3	Vertical	74	1.50
Mode 15	Pass	PK	13.32966G	59.45	74.00	-14.55	3	Vertical	117	2.29
Mode 15	Pass	PK	15.97483G	58.88	74.00	-15.12	3	Vertical	109	1.44
Mode 15	Pass	AV	4.95824G	34.37	54.00	-19.63	3	Horizontal	14	1.52
Mode 15	Pass	AV	11.4009G	44.56	54.00	-9.44	3	Horizontal	216	1.50
Mode 15	Pass	AV	12.36928G	45.59	54.00	-8.41	3	Horizontal	92	2.50
Mode 15	Pass	AV	12.69116G	46.01	54.00	-7.99	3	Horizontal	251	1.50
Mode 15	Pass	AV	13.33168G	45.98	54.00	-8.02	3	Horizontal	95	1.50
Mode 15	Pass	AV	15.97698G	45.91	54.00	-8.09	3	Horizontal	44	1.50
Mode 15	Pass	PK	4.96003G	46.43	74.00	-27.57	3	Horizontal	14	1.52
Mode 15	Pass	PK	11.39004G	56.90	74.00	-17.10	3	Horizontal	216	1.50
Mode 15	Pass	PK	12.36881G	57.64	74.00	-16.36	3	Horizontal	92	2.50
Mode 15	Pass	PK	12.68819G	58.23	74.00	-15.77	3	Horizontal	251	1.50
Mode 15	Pass	PK	13.33141G	58.29	74.00	-15.71	3	Horizontal	95	1.50
Mode 15	Pass	PK	15.96444G	58.14	74.00	-15.86	3	Horizontal	44	1.50
Mode 16	Pass	AV	4.92471G	34.56	54.00	-19.44	3	Vertical	40	2.87
Mode 16	Pass	AV	4.9617G	34.64	54.00	-19.36	3	Vertical	289	2.40
Mode 16	Pass	AV	11.40116G	44.66	54.00	-9.34	3	Vertical	319	1.50
Mode 16	Pass	AV	12.3675G	45.65	54.00	-8.35	3	Vertical	205	1.50
Mode 16	Pass	AV	13.33117G	45.87	54.00	-8.13	3	Vertical	52	1.50
Mode 16	Pass	AV	15.976G	45.59	54.00	-8.41	3	Vertical	143	2.42
Mode 16	Pass	PK	4.9226G	46.71	74.00	-27.29	3	Vertical	40	2.87
Mode 16	Pass	PK	4.95889G	47.14	74.00	-26.86	3	Vertical	289	2.40
Mode 16	Pass	PK	11.40114G	57.10	74.00	-16.90	3	Vertical	319	1.50
Mode 16	Pass	PK	12.36976G	58.44	74.00	-15.56	3	Vertical	205	1.50
Mode 16	Pass	PK	13.32977G	58.01	74.00	-15.99	3	Vertical	52	1.50
Mode 16	Pass	PK	15.97571G	57.57	74.00	-16.43	3	Vertical	143	2.42
Mode 16	Pass	AV	4.92317G	34.62	54.00	-19.38	3	Horizontal	203	1.50
Mode 16	Pass	AV	4.96076G	34.78	54.00	-19.22	3	Horizontal	131	2.85
Mode 16	Pass	AV	11.39873G	44.68	54.00	-9.32	3	Horizontal	69	1.50
Mode 16	Pass	AV	12.37156G	45.49	54.00	-8.51	3	Horizontal	213	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 16	Pass	AV	13.33093G	45.83	54.00	-8.17	3	Horizontal	208	1.42
Mode 16	Pass	AV	15.97195G	45.72	54.00	-8.28	3	Horizontal	247	2.47
Mode 16	Pass	PK	4.9265G	46.78	74.00	-27.22	3	Horizontal	203	1.50
Mode 16	Pass	PK	4.96182G	47.41	74.00	-26.59	3	Horizontal	131	2.85
Mode 16	Pass	PK	11.39941G	56.74	74.00	-17.26	3	Horizontal	69	1.50
Mode 16	Pass	PK	12.37081G	57.73	74.00	-16.27	3	Horizontal	213	1.50
Mode 16	Pass	PK	13.33208G	58.16	74.00	-15.84	3	Horizontal	208	1.42
Mode 16	Pass	PK	15.97539G	57.83	74.00	-16.17	3	Horizontal	247	2.47
Mode 17	Pass	AV	4.95762G	34.73	54.00	-19.27	3	Vertical	277	2.47
Mode 17	Pass	AV	11.39994G	44.54	54.00	-9.46	3	Vertical	234	2.35
Mode 17	Pass	AV	11.4918G	44.67	54.00	-9.33	3	Vertical	178	1.50
Mode 17	Pass	AV	12.37248G	45.81	54.00	-8.19	3	Vertical	204	1.38
Mode 17	Pass	AV	13.33234G	45.99	54.00	-8.01	3	Vertical	252	1.50
Mode 17	Pass	AV	15.97199G	45.75	54.00	-8.25	3	Vertical	291	1.00
Mode 17	Pass	PK	4.95764G	47.16	74.00	-26.84	3	Vertical	277	2.47
Mode 17	Pass	PK	11.39877G	57.23	74.00	-16.77	3	Vertical	234	2.35
Mode 17	Pass	PK	11.49184G	58.31	74.00	-15.69	3	Vertical	178	1.50
Mode 17	Pass	PK	12.36825G	58.39	74.00	-15.61	3	Vertical	204	1.38
Mode 17	Pass	PK	13.33214G	58.13	74.00	-15.87	3	Vertical	252	1.50
Mode 17	Pass	PK	15.97202G	58.19	74.00	-15.81	3	Vertical	291	1.00
Mode 17	Pass	AV	4.96071G	34.55	54.00	-19.45	3	Horizontal	312	1.50
Mode 17	Pass	AV	11.40051G	44.81	54.00	-9.19	3	Horizontal	91	1.94
Mode 17	Pass	AV	11.49205G	44.72	54.00	-9.28	3	Horizontal	277	1.50
Mode 17	Pass	AV	12.36761G	45.73	54.00	-8.27	3	Horizontal	209	2.83
Mode 17	Pass	AV	13.33176G	45.86	54.00	-8.14	3	Horizontal	53	1.64
Mode 17	Pass	AV	15.97368G	45.83	54.00	-8.17	3	Horizontal	190	1.50
Mode 17	Pass	PK	4.95896G	47.25	74.00	-26.75	3	Horizontal	312	1.50
Mode 17	Pass	PK	11.40065G	57.02	74.00	-16.98	3	Horizontal	91	1.94
Mode 17	Pass	PK	11.4919G	56.90	74.00	-17.10	3	Horizontal	277	1.50
Mode 17	Pass	PK	12.3688G	58.16	74.00	-15.84	3	Horizontal	209	2.83
Mode 17	Pass	PK	13.3284G	57.76	74.00	-16.24	3	Horizontal	53	1.64
Mode 17	Pass	PK	15.97521G	58.56	74.00	-15.44	3	Horizontal	190	1.50
Mode 18	Pass	AV	4.96143G	34.70	54.00	-19.30	3	Vertical	6	1.50
Mode 18	Pass	AV	11.40954G	44.65	54.00	-9.35	3	Vertical	232	1.50
Mode 18	Pass	AV	12.3552G	46.66	54.00	-7.34	3	Vertical	203	1.44
Mode 18	Pass	AV	12.69198G	46.02	54.00	-7.98	3	Vertical	78	1.74
Mode 18	Pass	AV	13.3305G	45.85	54.00	-8.15	3	Vertical	243	2.14
Mode 18	Pass	AV	15.97276G	45.89	54.00	-8.11	3	Vertical	59	1.50
Mode 18	Pass	PK	4.96051G	47.15	74.00	-26.85	3	Vertical	6	1.50
Mode 18	Pass	PK	11.40762G	57.57	74.00	-16.43	3	Vertical	232	1.50
Mode 18	Pass	PK	12.3569G	59.58	74.00	-14.42	3	Vertical	203	1.44
Mode 18	Pass	PK	12.6879G	59.24	74.00	-14.76	3	Vertical	78	1.74
Mode 18	Pass	PK	13.33174G	58.88	74.00	-15.12	3	Vertical	243	2.14
Mode 18	Pass	PK	15.97601G	58.52	74.00	-15.48	3	Vertical	59	1.50
Mode 18	Pass	AV	4.96186G	34.84	54.00	-19.16	3	Horizontal	258	2.15
Mode 18	Pass	AV	11.39921G	44.64	54.00	-9.36	3	Horizontal	151	1.50
Mode 18	Pass	AV	12.3707G	45.70	54.00	-8.30	3	Horizontal	303	1.50
Mode 18	Pass	AV	12.69822G	46.15	54.00	-7.85	3	Horizontal	9	1.50
Mode 18	Pass	AV	13.33207G	45.92	54.00	-8.08	3	Horizontal	186	1.49
Mode 18	Pass	AV	15.97659G	45.76	54.00	-8.24	3	Horizontal	154	1.64


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 18	Pass	PK	4.96106G	47.15	74.00	-26.85	3	Horizontal	258	2.15
Mode 18	Pass	PK	11.39938G	57.06	74.00	-16.94	3	Horizontal	151	1.50
Mode 18	Pass	PK	12.36935G	58.51	74.00	-15.49	3	Horizontal	303	1.50
Mode 18	Pass	PK	12.68874G	58.69	74.00	-15.31	3	Horizontal	9	1.50
Mode 18	Pass	PK	13.33159G	58.30	74.00	-15.70	3	Horizontal	186	1.49
Mode 18	Pass	PK	15.9726G	57.74	74.00	-16.26	3	Horizontal	154	1.64

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87394G	34.90	54.00	-19.10	5.53	3	Vertical	360	1.54	29.37	32.85	7.10	34.42
AV	4.92516G	34.37	54.00	-19.63	5.78	3	Vertical	332	1.50	28.59	33.05	7.13	34.40
AV	4.97404G	34.47	54.00	-19.53	6.07	3	Vertical	346	1.10	28.40	33.30	7.17	34.40
AV	7.29618G	40.60	54.00	-13.40	10.79	3	Vertical	6	1.50	29.81	37.02	8.69	34.92
AV	11.39826G	44.83	54.00	-9.17	16.37	3	Vertical	317	1.50	28.46	39.31	10.81	33.75
AV	12.36911G	45.46	54.00	-8.54	17.09	3	Vertical	259	1.50	28.37	39.36	11.19	33.46
AV	15.97357G	46.07	54.00	-7.93	17.42	3	Vertical	260	1.50	28.65	38.05	13.13	33.76
PK	4.87365G	46.45	74.00	-27.55	5.53	3	Vertical	360	1.54	40.92	32.85	7.10	34.42
PK	4.92633G	46.92	74.00	-27.08	5.79	3	Vertical	332	1.50	41.13	33.06	7.13	34.40
PK	4.9537G	46.72	74.00	-27.28	5.97	3	Vertical	346	1.10	40.75	33.21	7.16	34.40
PK	7.29948G	52.70	74.00	-21.30	10.77	3	Vertical	6	1.50	41.93	37.00	8.69	34.92
PK	11.39925G	57.11	74.00	-16.89	16.36	3	Vertical	317	1.50	40.75	39.30	10.81	33.75
PK	12.36902G	57.37	74.00	-16.63	17.09	3	Vertical	259	1.50	40.28	39.36	11.19	33.46
PK	15.97334G	58.81	74.00	-15.19	17.42	3	Vertical	260	1.50	41.39	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87462G	34.12	54.00	-19.88	5.53	3	Horizontal	314	1.50	28.59	32.85	7.10	34.42
AV	4.92646G	34.44	54.00	-19.56	5.79	3	Horizontal	0	1.49	28.65	33.06	7.13	34.40
AV	4.9589G	34.24	54.00	-19.76	6.00	3	Horizontal	90	2.36	28.24	33.24	7.16	34.40
AV	7.31215G	41.01	54.00	-12.99	10.76	3	Horizontal	9	1.49	30.25	36.98	8.70	34.92
AV	11.40239G	44.82	54.00	-9.18	16.35	3	Horizontal	104	1.50	28.47	39.29	10.81	33.75
AV	12.37091G	45.31	54.00	-8.69	17.09	3	Horizontal	360	1.50	28.22	39.36	11.19	33.46
AV	15.97543G	46.13	54.00	-7.87	17.42	3	Horizontal	221	2.56	28.71	38.05	13.13	33.76
PK	4.8741G	46.50	74.00	-27.50	5.53	3	Horizontal	314	1.50	40.97	32.85	7.10	34.42
PK	4.92597G	46.69	74.00	-27.31	5.79	3	Horizontal	0	1.49	40.90	33.06	7.13	34.40
PK	4.96074G	46.62	74.00	-27.38	6.00	3	Horizontal	90	2.36	40.62	33.24	7.16	34.40
PK	7.31232G	53.30	74.00	-20.70	10.76	3	Horizontal	9	1.49	42.54	36.98	8.70	34.92
PK	11.40018G	57.40	74.00	-16.60	16.36	3	Horizontal	104	1.50	41.04	39.30	10.81	33.75
PK	12.37092G	57.57	74.00	-16.43	17.09	3	Horizontal	360	1.50	40.48	39.36	11.19	33.46
PK	15.97417G	58.56	74.00	-15.44	17.42	3	Horizontal	221	2.56	41.14	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87384G	34.36	54.00	-19.64	5.53	3	Vertical	0	1.50	28.83	32.85	7.10	34.42
AV	4.95824G	34.24	54.00	-19.76	5.99	3	Vertical	333	1.50	28.25	33.23	7.16	34.40
AV	7.3114G	40.53	54.00	-13.47	10.76	3	Vertical	0	1.50	29.77	36.98	8.70	34.92
AV	11.40041G	44.94	54.00	-9.06	16.36	3	Vertical	282	1.50	28.58	39.30	10.81	33.75
AV	11.49244G	44.27	54.00	-9.73	16.39	3	Vertical	332	2.48	27.88	39.27	10.83	33.71
AV	12.36756G	45.58	54.00	-8.42	17.09	3	Vertical	58	2.69	28.49	39.36	11.19	33.46
AV	15.97212G	46.01	54.00	-7.99	17.43	3	Vertical	350	1.69	28.58	38.06	13.13	33.76
PK	4.8676G	46.50	74.00	-27.50	5.51	3	Vertical	0	1.50	40.99	32.84	7.09	34.42
PK	4.96053G	47.21	74.00	-26.79	6.00	3	Vertical	333	1.50	41.21	33.24	7.16	34.40
PK	7.30428G	52.93	74.00	-21.07	10.77	3	Vertical	0	1.50	42.16	36.99	8.70	34.92
PK	11.39955G	57.93	74.00	-16.07	16.36	3	Vertical	282	1.50	41.57	39.30	10.81	33.75
PK	11.49006G	56.27	74.00	-17.73	16.38	3	Vertical	332	2.48	39.89	39.26	10.83	33.71
PK	12.37139G	58.03	74.00	-15.97	17.09	3	Vertical	58	2.69	40.94	39.36	11.19	33.46
PK	15.97267G	58.30	74.00	-15.70	17.42	3	Vertical	350	1.69	40.88	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87624G	34.16	54.00	-19.84	5.54	3	Horizontal	37	1.50	28.62	32.85	7.10	34.41
AV	4.9591G	34.27	54.00	-19.73	6.00	3	Horizontal	76	1.50	28.27	33.24	7.16	34.40
AV	7.30988G	40.95	54.00	-13.05	10.76	3	Horizontal	7	2.03	30.19	36.98	8.70	34.92
AV	11.39793G	44.80	54.00	-9.20	16.37	3	Horizontal	213	1.50	28.43	39.31	10.81	33.75
AV	11.49214G	44.27	54.00	-9.73	16.39	3	Horizontal	239	1.50	27.88	39.27	10.83	33.71
AV	12.36751G	45.69	54.00	-8.31	17.09	3	Horizontal	335	2.33	28.60	39.36	11.19	33.46
AV	15.97448G	45.92	54.00	-8.08	17.42	3	Horizontal	116	1.50	28.50	38.05	13.13	33.76
PK	4.8756G	46.30	74.00	-27.70	5.54	3	Horizontal	37	1.50	40.76	32.85	7.10	34.41
PK	4.96029G	46.72	74.00	-27.28	6.00	3	Horizontal	76	1.50	40.72	33.24	7.16	34.40
PK	7.31184G	52.68	74.00	-21.32	10.76	3	Horizontal	7	2.03	41.92	36.98	8.70	34.92
PK	11.40031G	57.26	74.00	-16.74	16.36	3	Horizontal	213	1.50	40.90	39.30	10.81	33.75
PK	11.48921G	56.42	74.00	-17.58	16.38	3	Horizontal	239	1.50	40.04	39.26	10.83	33.71
PK	12.37167G	57.78	74.00	-16.22	17.10	3	Horizontal	335	2.33	40.68	39.36	11.19	33.45
PK	15.97666G	58.95	74.00	-15.05	17.42	3	Horizontal	116	1.50	41.53	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 3




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.874G	36.74	54.00	-17.26	5.53	3	Vertical	254	1.50	31.21	32.85	7.10	34.42		
AV	4.95324G	34.68	54.00	-19.32	5.96	3	Vertical	179	2.21	28.72	33.21	7.15	34.40		
AV	7.31196G	40.11	54.00	-13.89	10.76	3	Vertical	193	2.51	29.35	36.98	8.70	34.92		
AV	11.40213G	44.83	54.00	-9.17	16.35	3	Vertical	215	1.50	28.48	39.29	10.81	33.75		
AV	12.36996G	45.89	54.00	-8.11	17.09	3	Vertical	76	1.34	28.80	39.36	11.19	33.46		
AV	12.68812G	45.96	54.00	-8.04	17.96	3	Vertical	69	2.10	28.00	39.68	11.38	33.10		
AV	15.97588G	45.85	54.00	-8.15	17.42	3	Vertical	228	3.00	28.43	38.05	13.13	33.76		
PK	4.87952G	47.50	74.00	-26.50	5.55	3	Vertical	254	1.50	41.95	32.86	7.10	34.41		
PK	4.953G	46.99	74.00	-27.01	5.96	3	Vertical	179	2.21	41.03	33.21	7.15	34.40		
PK	7.30888G	52.35	74.00	-21.65	10.76	3	Vertical	193	2.51	41.59	36.98	8.70	34.92		
PK	11.40196G	56.88	74.00	-17.12	16.35	3	Vertical	215	1.50	40.53	39.29	10.81	33.75		
PK	12.3711G	57.61	74.00	-16.39	17.09	3	Vertical	76	1.34	40.52	39.36	11.19	33.46		
PK	12.68998G	58.39	74.00	-15.61	17.96	3	Vertical	69	2.10	40.43	39.68	11.38	33.10		
PK	15.97307G	58.25	74.00	-15.75	17.42	3	Vertical	228	3.00	40.83	38.05	13.13	33.76		

Radiated Emissions above 1GHz_Mode 3




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.8784G	34.33	54.00	-19.67	5.55	3	Horizontal	360	1.50	28.78	32.86	7.10	34.41		
AV	4.95068G	34.75	54.00	-19.25	5.95	3	Horizontal	299	2.32	28.80	33.20	7.15	34.40		
AV	7.31576G	39.27	54.00	-14.73	10.74	3	Horizontal	38	1.32	28.53	36.97	8.70	34.93		
AV	11.40035G	44.85	54.00	-9.15	16.36	3	Horizontal	0	1.50	28.49	39.30	10.81	33.75		
AV	12.37002G	45.52	54.00	-8.48	17.09	3	Horizontal	353	2.36	28.43	39.36	11.19	33.46		
AV	12.69013G	45.85	54.00	-8.15	17.96	3	Horizontal	176	1.50	27.89	39.68	11.38	33.10		
AV	15.97225G	45.80	54.00	-8.20	17.43	3	Horizontal	84	1.50	28.37	38.06	13.13	33.76		
PK	4.86484G	46.09	74.00	-27.91	5.50	3	Horizontal	360	1.50	40.59	32.83	7.09	34.42		
PK	4.95652G	47.72	74.00	-26.28	5.99	3	Horizontal	299	2.32	41.73	33.23	7.16	34.40		
PK	7.31004G	51.36	74.00	-22.64	10.76	3	Horizontal	38	1.32	40.60	36.98	8.70	34.92		
PK	11.40108G	57.18	74.00	-16.82	16.36	3	Horizontal	0	1.50	40.82	39.30	10.81	33.75		
PK	12.3684G	58.12	74.00	-15.88	17.09	3	Horizontal	353	2.36	41.03	39.36	11.19	33.46		
PK	12.69082G	58.35	74.00	-15.65	17.96	3	Horizontal	176	1.50	40.39	39.68	11.38	33.10		
PK	15.97269G	57.71	74.00	-16.29	17.42	3	Horizontal	84	1.50	40.29	38.05	13.13	33.76		

Radiated Emissions above 1GHz_Mode 4




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87396G	34.64	54.00	-19.36	5.53	3	Vertical	0	1.49	29.11	32.85	7.10	34.42		
AV	4.95632G	34.37	54.00	-19.63	5.99	3	Vertical	88	1.50	28.38	33.23	7.16	34.40		
AV	7.30392G	40.57	54.00	-13.43	10.77	3	Vertical	6	1.81	29.80	36.99	8.70	34.92		
AV	11.39516G	44.77	54.00	-9.23	16.38	3	Vertical	185	1.50	28.39	39.32	10.81	33.75		
AV	12.36584G	45.66	54.00	-8.34	17.10	3	Vertical	29	2.92	28.56	39.37	11.19	33.46		
AV	12.6932G	46.02	54.00	-7.98	17.97	3	Vertical	315	1.50	28.05	39.69	11.38	33.10		
AV	15.9662G	45.86	54.00	-8.14	17.43	3	Vertical	114	1.65	28.43	38.07	13.12	33.76		
PK	4.8786G	46.88	74.00	-27.12	5.55	3	Vertical	0	1.49	41.33	32.86	7.10	34.41		
PK	4.95024G	46.99	74.00	-27.01	5.95	3	Vertical	88	1.50	41.04	33.20	7.15	34.40		
PK	7.31376G	53.08	74.00	-20.92	10.74	3	Vertical	6	1.81	42.34	36.97	8.70	34.93		
PK	11.40508G	56.89	74.00	-17.11	16.34	3	Vertical	185	1.50	40.55	39.28	10.81	33.75		
PK	12.3748G	58.06	74.00	-15.94	17.09	3	Vertical	29	2.92	40.97	39.35	11.19	33.45		
PK	12.6812G	58.16	74.00	-15.84	17.92	3	Vertical	315	1.50	40.24	39.66	11.37	33.11		
PK	15.97388G	57.81	74.00	-16.19	17.42	3	Vertical	114	1.65	40.39	38.05	13.13	33.76		

Radiated Emissions above 1GHz_Mode 4




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87392G	34.86	54.00	-19.14	5.53	3	Horizontal	359	1.47	29.33	32.85	7.10	34.42		
AV	4.95232G	34.43	54.00	-19.57	5.96	3	Horizontal	166	1.50	28.47	33.21	7.15	34.40		
AV	7.31268G	40.83	54.00	-13.17	10.74	3	Horizontal	8	1.50	30.09	36.97	8.70	34.93		
AV	11.39984G	44.76	54.00	-9.24	16.36	3	Horizontal	59	1.50	28.40	39.30	10.81	33.75		
AV	12.36724G	45.34	54.00	-8.66	17.10	3	Horizontal	343	2.62	28.24	39.37	11.19	33.46		
AV	12.69G	45.78	54.00	-8.22	17.96	3	Horizontal	170	2.57	27.82	39.68	11.38	33.10		
AV	15.96476G	45.84	54.00	-8.16	17.43	3	Horizontal	242	1.28	28.41	38.07	13.12	33.76		
PK	4.87692G	46.40	74.00	-27.60	5.54	3	Horizontal	359	1.47	40.86	32.85	7.10	34.41		
PK	4.9686G	46.51	74.00	-27.49	6.04	3	Horizontal	166	1.50	40.47	33.27	7.17	34.40		
PK	7.3162G	53.65	74.00	-20.35	10.74	3	Horizontal	8	1.50	42.91	36.97	8.70	34.93		
PK	11.39692G	57.33	74.00	-16.67	16.37	3	Horizontal	59	1.50	40.96	39.31	10.81	33.75		
PK	12.37068G	57.55	74.00	-16.45	17.09	3	Horizontal	343	2.62	40.46	39.36	11.19	33.46		
PK	12.6888G	57.97	74.00	-16.03	17.96	3	Horizontal	170	2.57	40.01	39.68	11.38	33.10		
PK	15.96516G	58.43	74.00	-15.57	17.43	3	Horizontal	242	1.28	41.00	38.07	13.12	33.76		

Radiated Emissions above 1GHz_Mode 5




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.874G	34.82	54.00	-19.18	5.53	3	Vertical	0	1.51	29.29	32.85	7.10	34.42		
AV	4.95204G	34.37	54.00	-19.63	5.96	3	Vertical	110	1.50	28.41	33.21	7.15	34.40		
AV	7.31644G	39.07	54.00	-14.93	10.74	3	Vertical	170	1.50	28.33	36.97	8.70	34.93		
AV	11.3966G	44.57	54.00	-9.43	16.37	3	Vertical	338	2.22	28.20	39.31	10.81	33.75		
AV	11.49868G	44.32	54.00	-9.68	16.41	3	Vertical	82	1.50	27.91	39.29	10.83	33.71		
AV	12.37676G	45.29	54.00	-8.71	17.09	3	Vertical	130	2.71	28.20	39.35	11.19	33.45		
AV	15.98392G	45.93	54.00	-8.07	17.40	3	Vertical	228	2.69	28.53	38.03	13.13	33.76		
PK	4.87652G	46.53	74.00	-27.47	5.54	3	Vertical	0	1.51	40.99	32.85	7.10	34.41		
PK	4.96304G	46.50	74.00	-27.50	6.01	3	Vertical	110	1.50	40.49	33.25	7.16	34.40		
PK	7.31644G	51.45	74.00	-22.55	10.74	3	Vertical	170	1.50	40.71	36.97	8.70	34.93		
PK	11.40288G	57.12	74.00	-16.88	16.35	3	Vertical	338	2.22	40.77	39.29	10.81	33.75		
PK	11.49796G	56.43	74.00	-17.57	16.41	3	Vertical	82	1.50	40.02	39.29	10.83	33.71		
PK	12.36456G	57.67	74.00	-16.33	17.10	3	Vertical	130	2.71	40.57	39.37	11.19	33.46		
PK	15.97168G	57.77	74.00	-16.23	17.43	3	Vertical	228	2.69	40.34	38.06	13.13	33.76		

Radiated Emissions above 1GHz_Mode 5




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87404G	36.06	54.00	-17.94	5.53	3	Horizontal	360	1.50	30.53	32.85	7.10	34.42		
AV	4.96976G	34.54	54.00	-19.46	6.05	3	Horizontal	108	2.06	28.49	33.28	7.17	34.40		
AV	7.31156G	39.09	54.00	-14.91	10.76	3	Horizontal	356	1.50	28.33	36.98	8.70	34.92		
AV	11.39012G	44.55	54.00	-9.45	16.40	3	Horizontal	140	2.16	28.15	39.34	10.81	33.75		
AV	11.4998G	44.34	54.00	-9.66	16.42	3	Horizontal	223	1.25	27.92	39.30	10.83	33.71		
AV	12.37464G	45.32	54.00	-8.68	17.09	3	Horizontal	257	1.50	28.23	39.35	11.19	33.45		
AV	15.96504G	45.86	54.00	-8.14	17.43	3	Horizontal	259	1.50	28.43	38.07	13.12	33.76		
PK	4.87388G	47.12	74.00	-26.88	5.53	3	Horizontal	360	1.50	41.59	32.85	7.10	34.42		
PK	4.96848G	46.53	74.00	-27.47	6.04	3	Horizontal	108	2.06	40.49	33.27	7.17	34.40		
PK	7.31808G	51.17	74.00	-22.83	10.73	3	Horizontal	356	1.50	40.44	36.96	8.70	34.93		
PK	11.39788G	56.76	74.00	-17.24	16.37	3	Horizontal	140	2.16	40.39	39.31	10.81	33.75		
PK	11.496G	56.48	74.00	-17.52	16.40	3	Horizontal	223	1.25	40.08	39.28	10.83	33.71		
PK	12.37848G	57.45	74.00	-16.55	17.08	3	Horizontal	257	1.50	40.37	39.34	11.19	33.45		
PK	15.97832G	58.68	74.00	-15.32	17.41	3	Horizontal	259	1.50	41.27	38.04	13.13	33.76		

Radiated Emissions above 1GHz_Mode 6




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87396G	35.45	54.00	-18.55	5.53	3	Vertical	0	1.38	29.92	32.85	7.10	34.42		
AV	4.95504G	34.74	54.00	-19.26	5.98	3	Vertical	215	2.09	28.76	33.22	7.16	34.40		
AV	7.31236G	39.70	54.00	-14.30	10.76	3	Vertical	195	2.64	28.94	36.98	8.70	34.92		
AV	11.3966G	44.86	54.00	-9.14	16.37	3	Vertical	0	1.50	28.49	39.31	10.81	33.75		
AV	12.36388G	45.86	54.00	-8.14	17.09	3	Vertical	82	2.90	28.77	39.37	11.18	33.46		
AV	12.69128G	45.92	54.00	-8.08	17.96	3	Vertical	331	1.50	27.96	39.68	11.38	33.10		
AV	15.96848G	45.97	54.00	-8.03	17.42	3	Vertical	33	1.96	28.55	38.06	13.12	33.76		
PK	4.87732G	46.50	74.00	-27.50	5.54	3	Vertical	0	1.38	40.96	32.85	7.10	34.41		
PK	4.95508G	47.08	74.00	-26.92	5.98	3	Vertical	215	2.09	41.10	33.22	7.16	34.40		
PK	7.31396G	52.02	74.00	-21.98	10.74	3	Vertical	195	2.64	41.28	36.97	8.70	34.93		
PK	11.39024G	56.86	74.00	-17.14	16.40	3	Vertical	0	1.50	40.46	39.34	10.81	33.75		
PK	12.37912G	58.24	74.00	-15.76	17.08	3	Vertical	82	2.90	41.16	39.34	11.19	33.45		
PK	12.69216G	58.68	74.00	-15.32	17.96	3	Vertical	331	1.50	40.72	39.68	11.38	33.10		
PK	15.98108G	58.30	74.00	-15.70	17.41	3	Vertical	33	1.96	40.89	38.04	13.13	33.76		

Radiated Emissions above 1GHz_Mode 6




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)		
AV	4.87392G	37.39	54.00	-16.61	5.53	3	Horizontal	0	1.66	31.86	32.85	7.10	34.42		
AV	4.96964G	35.01	54.00	-18.99	6.05	3	Horizontal	90	2.81	28.96	33.28	7.17	34.40		
AV	7.31176G	39.36	54.00	-14.64	10.76	3	Horizontal	81	1.50	28.60	36.98	8.70	34.92		
AV	11.39G	44.69	54.00	-9.31	16.40	3	Horizontal	357	1.50	28.29	39.34	10.81	33.75		
AV	12.37552G	45.40	54.00	-8.60	17.09	3	Horizontal	304	1.50	28.31	39.35	11.19	33.45		
AV	12.68624G	45.89	54.00	-8.11	17.93	3	Horizontal	246	1.50	27.96	39.67	11.37	33.11		
AV	15.9668G	45.99	54.00	-8.01	17.43	3	Horizontal	356	1.50	28.56	38.07	13.12	33.76		
PK	4.874G	47.23	74.00	-26.77	5.53	3	Horizontal	0	1.66	41.70	32.85	7.10	34.42		
PK	4.95716G	47.30	74.00	-26.70	5.99	3	Horizontal	90	2.81	41.31	33.23	7.16	34.40		
PK	7.31368G	51.66	74.00	-22.34	10.74	3	Horizontal	81	1.50	40.92	36.97	8.70	34.93		
PK	11.40516G	57.03	74.00	-16.97	16.34	3	Horizontal	357	1.50	40.69	39.28	10.81	33.75		
PK	12.37636G	58.01	74.00	-15.99	17.09	3	Horizontal	304	1.50	40.92	39.35	11.19	33.45		
PK	12.69384G	58.18	74.00	-15.82	17.97	3	Horizontal	246	1.50	40.21	39.69	11.38	33.10		
PK	15.97528G	59.08	74.00	-14.92	17.42	3	Horizontal	356	1.50	41.66	38.05	13.13	33.76		

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92162G	34.39	54.00	-19.61	5.75	3	Vertical	38	1.50	28.64	33.03	7.13	34.41
AV	4.95949G	34.49	54.00	-19.51	6.00	3	Vertical	40	1.50	28.49	33.24	7.16	34.40
AV	10.6322G	44.95	54.00	-9.05	16.01	3	Vertical	11	1.76	28.94	39.23	10.60	33.82
AV	11.39808G	44.93	54.00	-9.07	16.37	3	Vertical	319	1.50	28.56	39.31	10.81	33.75
AV	12.36961G	45.99	54.00	-8.01	17.09	3	Vertical	121	2.56	28.90	39.36	11.19	33.46
AV	15.97579G	45.94	54.00	-8.06	17.42	3	Vertical	197	2.38	28.52	38.05	13.13	33.76
PK	4.92479G	46.93	74.00	-27.07	5.77	3	Vertical	38	1.50	41.16	33.05	7.13	34.41
PK	4.95873G	47.48	74.00	-26.52	5.99	3	Vertical	40	1.50	41.49	33.23	7.16	34.40
PK	10.6379G	57.55	74.00	-16.45	16.03	3	Vertical	11	1.76	41.52	39.25	10.60	33.82
PK	11.40096G	57.58	74.00	-16.42	16.36	3	Vertical	319	1.50	41.22	39.30	10.81	33.75
PK	12.37246G	58.34	74.00	-15.66	17.10	3	Vertical	121	2.56	41.24	39.36	11.19	33.45
PK	15.97302G	58.09	74.00	-15.91	17.42	3	Vertical	197	2.38	40.67	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92303G	34.41	54.00	-19.59	5.76	3	Horizontal	141	1.27	28.65	33.04	7.13	34.41
AV	4.97176G	34.64	54.00	-19.36	6.06	3	Horizontal	124	2.95	28.58	33.29	7.17	34.40
AV	10.63856G	45.20	54.00	-8.80	16.03	3	Horizontal	14	1.81	29.17	39.25	10.60	33.82
AV	11.39931G	44.84	54.00	-9.16	16.36	3	Horizontal	277	1.50	28.48	39.30	10.81	33.75
AV	12.36804G	45.69	54.00	-8.31	17.09	3	Horizontal	239	2.98	28.60	39.36	11.19	33.46
AV	15.97253G	46.02	54.00	-7.98	17.42	3	Horizontal	29	2.45	28.60	38.05	13.13	33.76
PK	4.92332G	47.14	74.00	-26.86	5.76	3	Horizontal	141	1.27	41.38	33.04	7.13	34.41
PK	4.95556G	47.30	74.00	-26.70	5.98	3	Horizontal	124	2.95	41.32	33.22	7.16	34.40
PK	10.63406G	57.85	74.00	-16.15	16.02	3	Horizontal	14	1.81	41.83	39.24	10.60	33.82
PK	11.40045G	57.20	74.00	-16.80	16.36	3	Horizontal	277	1.50	40.84	39.30	10.81	33.75
PK	12.36822G	57.36	74.00	-16.64	17.09	3	Horizontal	239	2.98	40.27	39.36	11.19	33.46
PK	15.97382G	58.22	74.00	-15.78	17.42	3	Horizontal	29	2.45	40.80	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95268G	34.95	54.00	-19.05	5.96	3	Vertical	274	1.50	28.99	33.21	7.15	34.40
AV	10.64116G	44.41	54.00	-9.59	16.04	3	Vertical	204	2.07	28.37	39.26	10.60	33.82
AV	11.4082G	44.63	54.00	-9.37	16.34	3	Vertical	218	1.50	28.29	39.27	10.81	33.74
AV	11.49716G	45.07	54.00	-8.93	16.41	3	Vertical	95	2.81	28.66	39.29	10.83	33.71
AV	12.3776G	45.99	54.00	-8.01	17.08	3	Vertical	206	1.50	28.91	39.34	11.19	33.45
AV	15.98172G	45.87	54.00	-8.13	17.41	3	Vertical	298	1.50	28.46	38.04	13.13	33.76
PK	4.9664G	47.35	74.00	-26.65	6.03	3	Vertical	274	1.50	41.32	33.27	7.16	34.40
PK	10.64148G	56.63	74.00	-17.37	16.05	3	Vertical	204	2.07	40.58	39.27	10.60	33.82
PK	11.40012G	56.49	74.00	-17.51	16.36	3	Vertical	218	1.50	40.13	39.30	10.81	33.75
PK	11.4902G	57.16	74.00	-16.84	16.38	3	Vertical	95	2.81	40.78	39.26	10.83	33.71
PK	12.36096G	58.12	74.00	-15.88	17.10	3	Vertical	206	1.50	41.02	39.38	11.18	33.46
PK	15.97936G	57.70	74.00	-16.30	17.41	3	Vertical	298	1.50	40.29	38.04	13.13	33.76

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.9512G	34.80	54.00	-19.20	5.95	3	Horizontal	166	2.98	28.85	33.20	7.15	34.40
AV	10.63084G	44.18	54.00	-9.82	16.00	3	Horizontal	220	1.23	28.18	39.22	10.60	33.82
AV	11.40832G	44.55	54.00	-9.45	16.34	3	Horizontal	13	1.50	28.21	39.27	10.81	33.74
AV	11.49892G	45.09	54.00	-8.91	16.42	3	Horizontal	360	1.50	28.67	39.30	10.83	33.71
AV	12.37468G	45.93	54.00	-8.07	17.09	3	Horizontal	237	1.50	28.84	39.35	11.19	33.45
AV	15.98216G	45.91	54.00	-8.09	17.41	3	Horizontal	33	1.91	28.50	38.04	13.13	33.76
PK	4.96964G	47.19	74.00	-26.81	6.05	3	Horizontal	166	2.98	41.14	33.28	7.17	34.40
PK	10.6452G	56.81	74.00	-17.19	16.06	3	Horizontal	220	1.23	40.75	39.28	10.60	33.82
PK	11.39548G	56.97	74.00	-17.03	16.38	3	Horizontal	13	1.50	40.59	39.32	10.81	33.75
PK	11.48632G	57.34	74.00	-16.66	16.36	3	Horizontal	360	1.50	40.98	39.25	10.83	33.72
PK	12.36592G	58.70	74.00	-15.30	17.10	3	Horizontal	237	1.50	41.60	39.37	11.19	33.46
PK	15.97608G	58.64	74.00	-15.36	17.42	3	Horizontal	33	1.91	41.22	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96013G	34.87	54.00	-19.13	6.00	3	Vertical	276	2.02	28.87	33.24	7.16	34.40
AV	10.6379G	43.87	54.00	-10.13	16.03	3	Vertical	229	1.50	27.84	39.25	10.60	33.82
AV	11.39958G	44.92	54.00	-9.08	16.36	3	Vertical	146	2.05	28.56	39.30	10.81	33.75
AV	12.36951G	45.81	54.00	-8.19	17.09	3	Vertical	154	2.08	28.72	39.36	11.19	33.46
AV	12.68791G	46.24	54.00	-7.76	17.96	3	Vertical	219	1.38	28.28	39.68	11.38	33.10
AV	15.98538G	46.16	54.00	-7.84	17.40	3	Vertical	93	1.50	28.76	38.03	13.13	33.76
PK	4.95937G	47.30	74.00	-26.70	6.00	3	Vertical	276	2.02	41.30	33.24	7.16	34.40
PK	10.63775G	56.19	74.00	-17.81	16.03	3	Vertical	229	1.50	40.16	39.25	10.60	33.82
PK	11.40231G	57.17	74.00	-16.83	16.35	3	Vertical	146	2.05	40.82	39.29	10.81	33.75
PK	12.3704G	58.32	74.00	-15.68	17.09	3	Vertical	154	2.08	41.23	39.36	11.19	33.46
PK	12.68911G	58.28	74.00	-15.72	17.96	3	Vertical	219	1.38	40.32	39.68	11.38	33.10
PK	15.98346G	58.24	74.00	-15.76	17.40	3	Vertical	93	1.50	40.84	38.03	13.13	33.76

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95856G	34.80	54.00	-19.20	5.99	3	Horizontal	333	2.48	28.81	33.23	7.16	34.40
AV	10.64198G	43.83	54.00	-10.17	16.05	3	Horizontal	341	2.87	27.78	39.27	10.60	33.82
AV	11.40088G	44.97	54.00	-9.03	16.36	3	Horizontal	23	2.23	28.61	39.30	10.81	33.75
AV	12.37258G	45.81	54.00	-8.19	17.09	3	Horizontal	283	1.03	28.72	39.35	11.19	33.45
AV	12.6825G	46.33	54.00	-7.67	17.92	3	Horizontal	291	2.55	28.41	39.66	11.37	33.11
AV	15.97234G	45.99	54.00	-8.01	17.43	3	Horizontal	240	1.50	28.56	38.06	13.13	33.76
PK	4.96163G	47.03	74.00	-26.97	6.01	3	Horizontal	333	2.48	41.02	33.25	7.16	34.40
PK	10.63876G	56.76	74.00	-17.24	16.04	3	Horizontal	341	2.87	40.72	39.26	10.60	33.82
PK	11.40154G	57.21	74.00	-16.79	16.35	3	Horizontal	23	2.23	40.86	39.29	10.81	33.75
PK	12.36088G	58.40	74.00	-15.60	17.10	3	Horizontal	283	1.03	41.30	39.38	11.18	33.46
PK	12.68964G	58.94	74.00	-15.06	17.96	3	Horizontal	291	2.55	40.98	39.68	11.38	33.10
PK	15.97599G	58.84	74.00	-15.16	17.42	3	Horizontal	240	1.50	41.42	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92022G	34.58	54.00	-19.42	5.74	3	Vertical	148	1.50	28.84	33.02	7.13	34.41
AV	4.96023G	34.70	54.00	-19.30	6.00	3	Vertical	122	1.50	28.70	33.24	7.16	34.40
AV	10.63885G	43.86	54.00	-10.14	16.04	3	Vertical	165	1.50	27.82	39.26	10.60	33.82
AV	11.40156G	44.93	54.00	-9.07	16.35	3	Vertical	87	1.60	28.58	39.29	10.81	33.75
AV	12.37005G	45.77	54.00	-8.23	17.09	3	Vertical	245	1.50	28.68	39.36	11.19	33.46
AV	15.97474G	46.08	54.00	-7.92	17.42	3	Vertical	241	1.50	28.66	38.05	13.13	33.76
PK	4.93774G	47.00	74.00	-27.00	5.87	3	Vertical	148	1.50	41.13	33.13	7.14	34.40
PK	4.95835G	46.85	74.00	-27.15	5.99	3	Vertical	122	1.50	40.86	33.23	7.16	34.40
PK	10.63786G	56.15	74.00	-17.85	16.03	3	Vertical	165	1.50	40.12	39.25	10.60	33.82
PK	11.40243G	57.27	74.00	-16.73	16.35	3	Vertical	87	1.60	40.92	39.29	10.81	33.75
PK	12.37049G	58.69	74.00	-15.31	17.09	3	Vertical	245	1.50	41.60	39.36	11.19	33.46
PK	15.97345G	58.35	74.00	-15.65	17.42	3	Vertical	241	1.50	40.93	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.9218G	34.52	54.00	-19.48	5.75	3	Horizontal	178	1.50	28.77	33.03	7.13	34.41
AV	4.95853G	34.58	54.00	-19.42	5.99	3	Horizontal	346	2.54	28.59	33.23	7.16	34.40
AV	10.63778G	43.83	54.00	-10.17	16.03	3	Horizontal	300	2.64	27.80	39.25	10.60	33.82
AV	11.3928G	44.89	54.00	-9.11	16.39	3	Horizontal	120	1.99	28.50	39.33	10.81	33.75
AV	12.36755G	45.65	54.00	-8.35	17.09	3	Horizontal	56	2.39	28.56	39.36	11.19	33.46
AV	15.97194G	46.07	54.00	-7.93	17.43	3	Horizontal	231	1.20	28.64	38.06	13.13	33.76
PK	4.92314G	46.86	74.00	-27.14	5.76	3	Horizontal	178	1.50	41.10	33.04	7.13	34.41
PK	4.95956G	47.10	74.00	-26.90	6.00	3	Horizontal	346	2.54	41.10	33.24	7.16	34.40
PK	10.64189G	56.17	74.00	-17.83	16.05	3	Horizontal	300	2.64	40.12	39.27	10.60	33.82
PK	11.403G	57.24	74.00	-16.76	16.35	3	Horizontal	120	1.99	40.89	39.29	10.81	33.75
PK	12.36858G	58.32	74.00	-15.68	17.09	3	Horizontal	56	2.39	41.23	39.36	11.19	33.46
PK	15.97536G	59.14	74.00	-14.86	17.42	3	Horizontal	231	1.20	41.72	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96036G	34.68	54.00	-19.32	6.00	3	Vertical	265	1.50	28.68	33.24	7.16	34.40
AV	10.63892G	44.90	54.00	-9.10	16.04	3	Vertical	179	2.43	28.86	39.26	10.60	33.82
AV	11.4015G	44.46	54.00	-9.54	16.35	3	Vertical	114	2.66	28.11	39.29	10.81	33.75
AV	11.49232G	44.91	54.00	-9.09	16.39	3	Vertical	252	1.43	28.52	39.27	10.83	33.71
AV	12.37228G	45.70	54.00	-8.30	17.10	3	Vertical	74	1.50	28.60	39.36	11.19	33.45
AV	15.97229G	45.47	54.00	-8.53	17.43	3	Vertical	316	1.50	28.04	38.06	13.13	33.76
PK	4.96045G	47.28	74.00	-26.72	6.00	3	Vertical	265	1.50	41.28	33.24	7.16	34.40
PK	10.63214G	56.97	74.00	-17.03	16.01	3	Vertical	179	2.43	40.96	39.23	10.60	33.82
PK	11.40786G	56.98	74.00	-17.02	16.33	3	Vertical	114	2.66	40.65	39.27	10.81	33.75
PK	11.49036G	57.07	74.00	-16.93	16.38	3	Vertical	252	1.43	40.69	39.26	10.83	33.71
PK	12.36892G	57.74	74.00	-16.26	17.09	3	Vertical	74	1.50	40.65	39.36	11.19	33.46
PK	15.97332G	57.62	74.00	-16.38	17.42	3	Vertical	316	1.50	40.20	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95752G	35.32	54.00	-18.68	5.99	3	Horizontal	250	2.95	29.33	33.23	7.16	34.40
AV	10.63893G	44.19	54.00	-9.81	16.04	3	Horizontal	177	2.08	28.15	39.26	10.60	33.82
AV	11.39924G	44.42	54.00	-9.58	16.36	3	Horizontal	326	1.50	28.06	39.30	10.81	33.75
AV	11.48974G	44.94	54.00	-9.06	16.38	3	Horizontal	337	1.50	28.56	39.26	10.83	33.71
AV	12.37182G	45.76	54.00	-8.24	17.10	3	Horizontal	316	1.50	28.66	39.36	11.19	33.45
AV	15.97206G	45.44	54.00	-8.56	17.43	3	Horizontal	231	1.50	28.01	38.06	13.13	33.76
PK	4.96017G	47.59	74.00	-26.41	6.00	3	Horizontal	250	2.95	41.59	33.24	7.16	34.40
PK	10.63858G	56.38	74.00	-17.62	16.03	3	Horizontal	177	2.08	40.35	39.25	10.60	33.82
PK	11.39882G	56.89	74.00	-17.11	16.36	3	Horizontal	326	1.50	40.53	39.30	10.81	33.75
PK	11.48812G	57.37	74.00	-16.63	16.37	3	Horizontal	337	1.50	41.00	39.25	10.83	33.71
PK	12.37172G	58.03	74.00	-15.97	17.10	3	Horizontal	316	1.50	40.93	39.36	11.19	33.45
PK	15.97576G	57.89	74.00	-16.11	17.42	3	Horizontal	231	1.50	40.47	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96147G	33.31	54.00	-20.69	6.01	3	Vertical	114	2.62	27.30	33.25	7.16	34.40
AV	10.63861G	44.78	54.00	-9.22	16.03	3	Vertical	182	1.59	28.75	39.25	10.60	33.82
AV	11.39968G	44.40	54.00	-9.60	16.36	3	Vertical	34	1.21	28.04	39.30	10.81	33.75
AV	12.37064G	45.58	54.00	-8.42	17.09	3	Vertical	303	2.25	28.49	39.36	11.19	33.46
AV	12.68781G	45.91	54.00	-8.09	17.96	3	Vertical	219	1.13	27.95	39.68	11.38	33.10
AV	15.97211G	45.30	54.00	-8.70	17.43	3	Vertical	141	1.70	27.87	38.06	13.13	33.76
PK	4.96056G	45.53	74.00	-28.47	6.00	3	Vertical	114	2.62	39.53	33.24	7.16	34.40
PK	10.63946G	57.19	74.00	-16.81	16.04	3	Vertical	182	1.59	41.15	39.26	10.60	33.82
PK	11.40064G	56.27	74.00	-17.73	16.36	3	Vertical	34	1.21	39.91	39.30	10.81	33.75
PK	12.368G	56.76	74.00	-17.24	17.09	3	Vertical	303	2.25	39.67	39.36	11.19	33.46
PK	12.68759G	57.63	74.00	-16.37	17.96	3	Vertical	219	1.13	39.67	39.68	11.38	33.10
PK	15.97659G	56.70	74.00	-17.30	17.42	3	Vertical	141	1.70	39.28	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95918G	33.33	54.00	-20.67	6.00	3	Horizontal	51	2.31	27.33	33.24	7.16	34.40
AV	10.63862G	44.19	54.00	-9.81	16.03	3	Horizontal	176	2.01	28.16	39.25	10.60	33.82
AV	11.39929G	44.36	54.00	-9.64	16.36	3	Horizontal	49	2.71	28.00	39.30	10.81	33.75
AV	12.36843G	45.60	54.00	-8.40	17.09	3	Horizontal	218	1.02	28.51	39.36	11.19	33.46
AV	12.68798G	46.03	54.00	-7.97	17.96	3	Horizontal	234	2.63	28.07	39.68	11.38	33.10
AV	15.97534G	45.30	54.00	-8.70	17.42	3	Horizontal	337	1.43	27.88	38.05	13.13	33.76
PK	4.95757G	45.80	74.00	-28.20	5.99	3	Horizontal	51	2.31	39.81	33.23	7.16	34.40
PK	10.64123G	56.37	74.00	-17.63	16.04	3	Horizontal	176	2.01	40.33	39.26	10.60	33.82
PK	11.3984G	56.78	74.00	-17.22	16.37	3	Horizontal	49	2.71	40.41	39.31	10.81	33.75
PK	12.37221G	57.09	74.00	-16.91	17.10	3	Horizontal	218	1.02	39.99	39.36	11.19	33.45
PK	12.68959G	57.32	74.00	-16.68	17.96	3	Horizontal	234	2.63	39.36	39.68	11.38	33.10
PK	15.97308G	57.14	74.00	-16.86	17.42	3	Horizontal	337	1.43	39.72	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92304G	33.26	54.00	-20.74	5.76	3	Vertical	322	1.19	27.50	33.04	7.13	34.41
AV	4.96117G	33.28	54.00	-20.72	6.00	3	Vertical	35	2.61	27.28	33.24	7.16	34.40
AV	11.39983G	43.97	54.00	-10.03	16.36	3	Vertical	286	1.44	27.61	39.30	10.81	33.75
AV	12.37193G	45.58	54.00	-8.42	17.10	3	Vertical	181	1.50	28.48	39.36	11.19	33.45
AV	13.33107G	45.35	54.00	-8.65	19.35	3	Vertical	296	1.00	26.00	40.00	11.76	32.41
AV	15.97197G	45.17	54.00	-8.83	17.43	3	Vertical	235	1.44	27.74	38.06	13.13	33.76
PK	4.92442G	44.83	74.00	-29.17	5.77	3	Vertical	322	1.19	39.06	33.05	7.13	34.41
PK	4.95983G	45.81	74.00	-28.19	6.00	3	Vertical	35	2.61	39.81	33.24	7.16	34.40
PK	11.40132G	56.28	74.00	-17.72	16.35	3	Vertical	286	1.44	39.93	39.29	10.81	33.75
PK	12.37136G	57.87	74.00	-16.13	17.09	3	Vertical	181	1.50	40.78	39.36	11.19	33.46
PK	13.33196G	57.82	74.00	-16.18	19.35	3	Vertical	296	1.00	38.47	40.00	11.76	32.41
PK	15.97268G	57.94	74.00	-16.06	17.42	3	Vertical	235	1.44	40.52	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92439G	33.27	54.00	-20.73	5.77	3	Horizontal	95	1.46	27.50	33.05	7.13	34.41
AV	4.95765G	33.24	54.00	-20.76	5.99	3	Horizontal	17	1.71	27.25	33.23	7.16	34.40
AV	11.39952G	43.80	54.00	-10.20	16.36	3	Horizontal	99	2.74	27.44	39.30	10.81	33.75
AV	12.37212G	45.47	54.00	-8.53	17.10	3	Horizontal	193	1.50	28.37	39.36	11.19	33.45
AV	13.33175G	45.56	54.00	-8.44	19.35	3	Horizontal	234	2.90	26.21	40.00	11.76	32.41
AV	15.97206G	45.06	54.00	-8.94	17.43	3	Horizontal	250	2.39	27.63	38.06	13.13	33.76
PK	4.92178G	45.48	74.00	-28.52	5.75	3	Horizontal	95	1.46	39.73	33.03	7.13	34.41
PK	4.96015G	45.29	74.00	-28.71	6.00	3	Horizontal	17	1.71	39.29	33.24	7.16	34.40
PK	11.40021G	56.83	74.00	-17.17	16.36	3	Horizontal	99	2.74	40.47	39.30	10.81	33.75
PK	12.3712G	58.29	74.00	-15.71	17.09	3	Horizontal	193	1.50	41.20	39.36	11.19	33.46
PK	13.33249G	57.76	74.00	-16.24	19.35	3	Horizontal	234	2.90	38.41	40.00	11.76	32.41
PK	15.97216G	56.86	74.00	-17.14	17.43	3	Horizontal	250	2.39	39.43	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95833G	34.46	54.00	-19.54	5.99	3	Vertical	280	2.67	28.47	33.23	7.16	34.40
AV	11.39805G	44.60	54.00	-9.40	16.37	3	Vertical	257	1.50	28.23	39.31	10.81	33.75
AV	11.50248G	44.74	54.00	-9.26	16.43	3	Vertical	45	1.50	28.31	39.30	10.84	33.71
AV	12.37175G	45.77	54.00	-8.23	17.10	3	Vertical	204	2.62	28.67	39.36	11.19	33.45
AV	13.33208G	45.78	54.00	-8.22	19.35	3	Vertical	281	1.50	26.43	40.00	11.76	32.41
AV	15.97366G	45.68	54.00	-8.32	17.42	3	Vertical	189	1.50	28.26	38.05	13.13	33.76
PK	4.96157G	46.79	74.00	-27.21	6.01	3	Vertical	280	2.67	40.78	33.25	7.16	34.40
PK	11.39776G	57.60	74.00	-16.40	16.37	3	Vertical	257	1.50	41.23	39.31	10.81	33.75
PK	11.5035G	56.74	74.00	-17.26	16.42	3	Vertical	45	1.50	40.32	39.29	10.84	33.71
PK	12.37204G	58.18	74.00	-15.82	17.10	3	Vertical	204	2.62	41.08	39.36	11.19	33.45
PK	13.33216G	58.40	74.00	-15.60	19.35	3	Vertical	281	1.50	39.05	40.00	11.76	32.41
PK	15.9757G	58.00	74.00	-16.00	17.42	3	Vertical	189	1.50	40.58	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.97482G	35.13	54.00	-18.87	6.07	3	Horizontal	251	2.98	29.06	33.30	7.17	34.40
AV	11.39931G	44.72	54.00	-9.28	16.36	3	Horizontal	357	1.76	28.36	39.30	10.81	33.75
AV	11.4913G	44.42	54.00	-9.58	16.39	3	Horizontal	334	1.43	28.03	39.27	10.83	33.71
AV	12.36886G	45.47	54.00	-8.53	17.09	3	Horizontal	4	2.90	28.38	39.36	11.19	33.46
AV	13.33198G	45.78	54.00	-8.22	19.35	3	Horizontal	21	2.58	26.43	40.00	11.76	32.41
AV	15.97239G	45.87	54.00	-8.13	17.43	3	Horizontal	88	1.50	28.44	38.06	13.13	33.76
PK	4.96984G	48.00	74.00	-26.00	6.05	3	Horizontal	251	2.98	41.95	33.28	7.17	34.40
PK	11.40128G	57.18	74.00	-16.82	16.35	3	Horizontal	357	1.76	40.83	39.29	10.81	33.75
PK	11.49087G	57.19	74.00	-16.81	16.38	3	Horizontal	334	1.43	40.81	39.26	10.83	33.71
PK	12.37104G	57.72	74.00	-16.28	17.09	3	Horizontal	4	2.90	40.63	39.36	11.19	33.46
PK	13.33064G	58.73	74.00	-15.27	19.35	3	Horizontal	21	2.58	39.38	40.00	11.76	32.41
PK	15.97684G	58.48	74.00	-15.52	17.42	3	Horizontal	88	1.50	41.06	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 15




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96098G	34.48	54.00	-19.52	6.00	3	Vertical	278	1.98	28.48	33.24	7.16	34.40
AV	11.39853G	44.68	54.00	-9.32	16.37	3	Vertical	62	1.18	28.31	39.31	10.81	33.75
AV	12.36831G	45.88	54.00	-8.12	17.09	3	Vertical	204	1.50	28.79	39.36	11.19	33.46
AV	12.69194G	46.03	54.00	-7.97	17.96	3	Vertical	74	1.50	28.07	39.68	11.38	33.10
AV	13.32985G	46.30	54.00	-7.70	19.34	3	Vertical	117	2.29	26.96	40.00	11.75	32.41
AV	15.97424G	45.74	54.00	-8.26	17.42	3	Vertical	109	1.44	28.32	38.05	13.13	33.76
PK	4.96025G	47.16	74.00	-26.84	6.00	3	Vertical	278	1.98	41.16	33.24	7.16	34.40
PK	11.40204G	56.85	74.00	-17.15	16.35	3	Vertical	62	1.18	40.50	39.29	10.81	33.75
PK	12.368G	58.35	74.00	-15.65	17.09	3	Vertical	204	1.50	41.26	39.36	11.19	33.46
PK	12.6887G	57.97	74.00	-16.03	17.96	3	Vertical	74	1.50	40.01	39.68	11.38	33.10
PK	13.32966G	59.45	74.00	-14.55	19.34	3	Vertical	117	2.29	40.11	40.00	11.75	32.41
PK	15.97483G	58.88	74.00	-15.12	17.42	3	Vertical	109	1.44	41.46	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 15



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95824G	34.37	54.00	-19.63	5.99	3	Horizontal	14	1.52	28.38	33.23	7.16	34.40
AV	11.4009G	44.56	54.00	-9.44	16.36	3	Horizontal	216	1.50	28.20	39.30	10.81	33.75
AV	12.36928G	45.59	54.00	-8.41	17.09	3	Horizontal	92	2.50	28.50	39.36	11.19	33.46
AV	12.69116G	46.01	54.00	-7.99	17.96	3	Horizontal	251	1.50	28.05	39.68	11.38	33.10
AV	13.33168G	45.98	54.00	-8.02	19.35	3	Horizontal	95	1.50	26.63	40.00	11.76	32.41
AV	15.97698G	45.91	54.00	-8.09	17.42	3	Horizontal	44	1.50	28.49	38.05	13.13	33.76
PK	4.96003G	46.43	74.00	-27.57	6.00	3	Horizontal	14	1.52	40.43	33.24	7.16	34.40
PK	11.39004G	56.90	74.00	-17.10	16.40	3	Horizontal	216	1.50	40.50	39.34	10.81	33.75
PK	12.36881G	57.64	74.00	-16.36	17.09	3	Horizontal	92	2.50	40.55	39.36	11.19	33.46
PK	12.68819G	58.23	74.00	-15.77	17.96	3	Horizontal	251	1.50	40.27	39.68	11.38	33.10
PK	13.33141G	58.29	74.00	-15.71	19.35	3	Horizontal	95	1.50	38.94	40.00	11.76	32.41
PK	15.96444G	58.14	74.00	-15.86	17.43	3	Horizontal	44	1.50	40.71	38.07	13.12	33.76


Radiated Emissions above 1GHz_Mode 16



15/03/2026

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92471G	34.56	54.00	-19.44	5.77	3	Vertical	40	2.87	28.79	33.05	7.13	34.41
AV	4.9617G	34.64	54.00	-19.36	6.01	3	Vertical	289	2.40	28.63	33.25	7.16	34.40
AV	11.40116G	44.66	54.00	-9.34	16.36	3	Vertical	319	1.50	28.30	39.30	10.81	33.75
AV	12.3675G	45.65	54.00	-8.35	17.09	3	Vertical	205	1.50	28.56	39.36	11.19	33.46
AV	13.33117G	45.87	54.00	-8.13	19.35	3	Vertical	52	1.50	26.52	40.00	11.76	32.41
AV	15.976G	45.59	54.00	-8.41	17.42	3	Vertical	143	2.42	28.17	38.05	13.13	33.76
PK	4.9226G	46.71	74.00	-27.29	5.76	3	Vertical	40	2.87	40.95	33.04	7.13	34.41
PK	4.95889G	47.14	74.00	-26.86	6.00	3	Vertical	289	2.40	41.14	33.24	7.16	34.40
PK	11.40114G	57.10	74.00	-16.90	16.36	3	Vertical	319	1.50	40.74	39.30	10.81	33.75
PK	12.36976G	58.44	74.00	-15.56	17.09	3	Vertical	205	1.50	41.35	39.36	11.19	33.46
PK	13.32977G	58.01	74.00	-15.99	19.34	3	Vertical	52	1.50	38.67	40.00	11.75	32.41
PK	15.97571G	57.57	74.00	-16.43	17.42	3	Vertical	143	2.42	40.15	38.05	13.13	33.76


Radiated Emissions above 1GHz_Mode 16



15/03/2026


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92317G	34.62	54.00	-19.38	5.76	3	Horizontal	203	1.50	28.86	33.04	7.13	34.41
AV	4.96076G	34.78	54.00	-19.22	6.00	3	Horizontal	131	2.85	28.78	33.24	7.16	34.40
AV	11.39873G	44.68	54.00	-9.32	16.37	3	Horizontal	69	1.50	28.31	39.31	10.81	33.75
AV	12.37156G	45.49	54.00	-8.51	17.09	3	Horizontal	213	1.50	28.40	39.36	11.19	33.46
AV	13.33093G	45.83	54.00	-8.17	19.35	3	Horizontal	208	1.42	26.48	40.00	11.76	32.41
AV	15.97195G	45.72	54.00	-8.28	17.43	3	Horizontal	247	2.47	28.29	38.06	13.13	33.76
PK	4.9265G	46.78	74.00	-27.22	5.79	3	Horizontal	203	1.50	40.99	33.06	7.13	34.40
PK	4.96182G	47.41	74.00	-26.59	6.01	3	Horizontal	131	2.85	41.40	33.25	7.16	34.40
PK	11.39941G	56.74	74.00	-17.26	16.36	3	Horizontal	69	1.50	40.38	39.30	10.81	33.75
PK	12.37081G	57.73	74.00	-16.27	17.09	3	Horizontal	213	1.50	40.64	39.36	11.19	33.46
PK	13.33208G	58.16	74.00	-15.84	19.35	3	Horizontal	208	1.42	38.81	40.00	11.76	32.41
PK	15.97539G	57.83	74.00	-16.17	17.42	3	Horizontal	247	2.47	40.41	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95762G	34.73	54.00	-19.27	5.99	3	Vertical	277	2.47	28.74	33.23	7.16	34.40
AV	11.39994G	44.54	54.00	-9.46	16.36	3	Vertical	234	2.35	28.18	39.30	10.81	33.75
AV	11.4918G	44.67	54.00	-9.33	16.39	3	Vertical	178	1.50	28.28	39.27	10.83	33.71
AV	12.37248G	45.81	54.00	-8.19	17.10	3	Vertical	204	1.38	28.71	39.36	11.19	33.45
AV	13.33234G	45.99	54.00	-8.01	19.35	3	Vertical	252	1.50	26.64	40.00	11.76	32.41
AV	15.97199G	45.75	54.00	-8.25	17.43	3	Vertical	291	1.00	28.32	38.06	13.13	33.76
PK	4.95764G	47.16	74.00	-26.84	5.99	3	Vertical	277	2.47	41.17	33.23	7.16	34.40
PK	11.39877G	57.23	74.00	-16.77	16.36	3	Vertical	234	2.35	40.87	39.30	10.81	33.75
PK	11.49184G	58.31	74.00	-15.69	16.39	3	Vertical	178	1.50	41.92	39.27	10.83	33.71
PK	12.36825G	58.39	74.00	-15.61	17.09	3	Vertical	204	1.38	41.30	39.36	11.19	33.46
PK	13.33214G	58.13	74.00	-15.87	19.35	3	Vertical	252	1.50	38.78	40.00	11.76	32.41
PK	15.97202G	58.19	74.00	-15.81	17.43	3	Vertical	291	1.00	40.76	38.06	13.13	33.76

Radiated Emissions above 1GHz_Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96071G	34.55	54.00	-19.45	6.00	3	Horizontal	312	1.50	28.55	33.24	7.16	34.40
AV	11.40051G	44.81	54.00	-9.19	16.36	3	Horizontal	91	1.94	28.45	39.30	10.81	33.75
AV	11.49205G	44.72	54.00	-9.28	16.39	3	Horizontal	277	1.50	28.33	39.27	10.83	33.71
AV	12.36761G	45.73	54.00	-8.27	17.09	3	Horizontal	209	2.83	28.64	39.36	11.19	33.46
AV	13.33176G	45.86	54.00	-8.14	19.35	3	Horizontal	53	1.64	26.51	40.00	11.76	32.41
AV	15.97368G	45.83	54.00	-8.17	17.42	3	Horizontal	190	1.50	28.41	38.05	13.13	33.76
PK	4.95896G	47.25	74.00	-26.75	6.00	3	Horizontal	312	1.50	41.25	33.24	7.16	34.40
PK	11.40065G	57.02	74.00	-16.98	16.36	3	Horizontal	91	1.94	40.66	39.30	10.81	33.75
PK	11.4919G	56.90	74.00	-17.10	16.39	3	Horizontal	277	1.50	40.51	39.27	10.83	33.71
PK	12.3688G	58.16	74.00	-15.84	17.09	3	Horizontal	209	2.83	41.07	39.36	11.19	33.46
PK	13.3284G	57.76	74.00	-16.24	19.34	3	Horizontal	53	1.64	38.42	40.00	11.75	32.41
PK	15.97521G	58.56	74.00	-15.44	17.42	3	Horizontal	190	1.50	41.14	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96143G	34.70	54.00	-19.30	6.01	3	Vertical	6	1.50	28.69	33.25	7.16	34.40
AV	11.40954G	44.65	54.00	-9.35	16.33	3	Vertical	232	1.50	28.32	39.26	10.81	33.74
AV	12.3552G	46.66	54.00	-7.34	17.10	3	Vertical	203	1.44	29.56	39.39	11.18	33.47
AV	12.69198G	46.02	54.00	-7.98	17.96	3	Vertical	78	1.74	28.06	39.68	11.38	33.10
AV	13.3305G	45.85	54.00	-8.15	19.34	3	Vertical	243	2.14	26.51	40.00	11.75	32.41
AV	15.97276G	45.89	54.00	-8.11	17.42	3	Vertical	59	1.50	28.47	38.05	13.13	33.76
PK	4.96051G	47.15	74.00	-26.85	6.00	3	Vertical	6	1.50	41.15	33.24	7.16	34.40
PK	11.40762G	57.57	74.00	-16.43	16.33	3	Vertical	232	1.50	41.24	39.27	10.81	33.75
PK	12.3569G	59.58	74.00	-14.42	17.10	3	Vertical	203	1.44	42.48	39.39	11.18	33.47
PK	12.6879G	59.24	74.00	-14.76	17.96	3	Vertical	78	1.74	41.28	39.68	11.38	33.10
PK	13.33174G	58.88	74.00	-15.12	19.35	3	Vertical	243	2.14	39.53	40.00	11.76	32.41
PK	15.97601G	58.52	74.00	-15.48	17.42	3	Vertical	59	1.50	41.10	38.05	13.13	33.76

Radiated Emissions above 1GHz_Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96186G	34.84	54.00	-19.16	6.01	3	Horizontal	258	2.15	28.83	33.25	7.16	34.40
AV	11.39921G	44.64	54.00	-9.36	16.36	3	Horizontal	151	1.50	28.28	39.30	10.81	33.75
AV	12.3707G	45.70	54.00	-8.30	17.09	3	Horizontal	303	1.50	28.61	39.36	11.19	33.46
AV	12.69822G	46.15	54.00	-7.85	17.99	3	Horizontal	9	1.50	28.16	39.70	11.38	33.09
AV	13.33207G	45.92	54.00	-8.08	19.35	3	Horizontal	186	1.49	26.57	40.00	11.76	32.41
AV	15.97659G	45.76	54.00	-8.24	17.42	3	Horizontal	154	1.64	28.34	38.05	13.13	33.76
PK	4.96106G	47.15	74.00	-26.85	6.00	3	Horizontal	258	2.15	41.15	33.24	7.16	34.40
PK	11.39938G	57.06	74.00	-16.94	16.36	3	Horizontal	151	1.50	40.70	39.30	10.81	33.75
PK	12.36935G	58.51	74.00	-15.49	17.09	3	Horizontal	303	1.50	41.42	39.36	11.19	33.46
PK	12.68874G	58.69	74.00	-15.31	17.96	3	Horizontal	9	1.50	40.73	39.68	11.38	33.10
PK	13.33159G	58.30	74.00	-15.70	19.35	3	Horizontal	186	1.49	38.95	40.00	11.76	32.41
PK	15.9726G	57.74	74.00	-16.26	17.42	3	Horizontal	154	1.64	40.32	38.05	13.13	33.76