


5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5785MHz

19/12/2025




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5785MHz

19/12/2025




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5795MHz

19/12/2025




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5795MHz

19/12/2025






5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5775MHz

19/12/2025




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5775MHz

19/12/2025





Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	38.775M	19.9M	19M9D1D	25.19M	17.041M
802.11be EHT20_Nss1,(MCS0)_1TX	41.415M	19.735M	19M7D1D	27.06M	19.295M
802.11be EHT40_Nss1,(MCS0)_1TX	74.69M	38.811M	38M8D1D	73.7M	38.371M
802.11be EHT80_Nss1,(MCS0)_1TX	81.62M	77.401M	77M4D1D	81.62M	77.401M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	36.465M	19.735M	19M7D1D	23.32M	17.096M
802.11be EHT20_Nss1,(MCS0)_1TX	38.83M	19.57M	19M6D1D	25.85M	19.13M
802.11be EHT40_Nss1,(MCS0)_1TX	80.74M	39.03M	39M0D1D	60.72M	38.151M
802.11be EHT80_Nss1,(MCS0)_1TX	104.28M	77.401M	77M4D1D	104.28M	77.401M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-
5180MHz	Pass	Inf	25.19M	17.041M
5200MHz	Pass	Inf	38.775M	19.9M
5240MHz	Pass	Inf	36.355M	18.801M
5260MHz	Pass	Inf	36.465M	19.735M
5300MHz	Pass	Inf	36.245M	18.141M
5320MHz	Pass	Inf	23.32M	17.096M
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-
5180MHz	Pass	Inf	27.06M	19.295M
5200MHz	Pass	Inf	38.995M	19.405M
5240MHz	Pass	Inf	41.415M	19.735M
5260MHz	Pass	Inf	34.54M	19.57M
5300MHz	Pass	Inf	38.83M	19.405M
5320MHz	Pass	Inf	25.85M	19.13M
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-
5190MHz	Pass	Inf	73.7M	38.371M
5230MHz	Pass	Inf	74.69M	38.811M
5270MHz	Pass	Inf	80.74M	39.03M
5310MHz	Pass	Inf	60.72M	38.151M
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-
5210MHz	Pass	Inf	81.62M	77.401M
5290MHz	Pass	Inf	104.28M	77.401M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5200MHz

25/12/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5240MHz

24/12/2025



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5230MHz

24/12/2025

CF (Hz)
5.23G


Span (Hz)
220M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
74.69M	5.19216G	5.26685G	38.811M	5.21054G	5.24935G	Inf	1

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5210MHz

25/12/2025

CF (Hz)
5.21G


Span (Hz)
440M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
81.62M	5.16996G	5.25158G	77.401M	5.171519G	5.248921G	Inf	1

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5260MHz

24/12/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5300MHz

25/12/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5270MHz

24/12/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5290MHz

25/12/2025





Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	36.465M	18.251M	18M3D1D	21.23M	16.987M
802.11be EHT20_Nss1,(MCS0)_2TX	42.57M	20.065M	20M1D1D	23.045M	19.13M
802.11be EHT40_Nss1,(MCS0)_2TX	70.73M	38.481M	38M5D1D	46.53M	38.041M
802.11be EHT80_Nss1,(MCS0)_2TX	88.88M	77.401M	77M4D1D	86.02M	77.181M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	39.27M	19.02M	19M0D1D	21.285M	16.877M
802.11be EHT20_Nss1,(MCS0)_2TX	41.47M	19.625M	19M6D1D	24.42M	19.185M
802.11be EHT40_Nss1,(MCS0)_2TX	72.82M	38.811M	38M8D1D	47.3M	38.041M
802.11be EHT80_Nss1,(MCS0)_2TX	82.28M	77.181M	77M2D1D	81.84M	76.962M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



**EBW_Non-Beamforming_
Radio 1_AI-TQ08055_Full RU_2T1S_AP5022FX**

Appendix B.12

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	23.1M	16.987M	21.23M	17.096M
5200MHz	Pass	Inf	30.305M	17.536M	34.595M	17.206M
5240MHz	Pass	Inf	34.1M	18.086M	36.465M	18.251M
5260MHz	Pass	Inf	36.245M	18.306M	39.27M	18.471M
5300MHz	Pass	Inf	37.51M	19.02M	32.45M	17.261M
5320MHz	Pass	Inf	21.67M	17.151M	21.285M	16.877M
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	34.925M	19.185M	23.045M	19.13M
5200MHz	Pass	Inf	35.805M	19.295M	31.515M	19.295M
5240MHz	Pass	Inf	42.57M	20.065M	36.85M	19.955M
5260MHz	Pass	Inf	33.275M	19.46M	41.47M	19.625M
5300MHz	Pass	Inf	37.4M	19.46M	25.135M	19.35M
5320MHz	Pass	Inf	30.47M	19.295M	24.42M	19.185M
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	Inf	48.51M	38.151M	46.53M	38.041M
5230MHz	Pass	Inf	61.71M	38.371M	70.73M	38.481M
5270MHz	Pass	Inf	72.82M	38.811M	70.29M	38.481M
5310MHz	Pass	Inf	62.37M	38.041M	47.3M	38.151M
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	Inf	88.88M	77.401M	86.02M	77.181M
5290MHz	Pass	Inf	82.28M	76.962M	81.84M	77.181M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5240MHz

24/12/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5240MHz

24/12/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5230MHz

25/12/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5210MHz

25/12/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5260MHz

24/12/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5260MHz

24/12/2025






5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5270MHz

25/12/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5290MHz

24/12/2025





**EBW_Non-Beamforming_
Radio 1_AI-TQ08055_Full RU_2T2S_AP5022FX**

Appendix B.13

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	41.8M	19.9M	19M9D1D	22.935M	19.075M
802.11be EHT40_Nss2,(MCS0)_2TX	71.06M	38.481M	38M5D1D	42.35M	38.041M
802.11be EHT80_Nss2,(MCS0)_2TX	82.94M	77.181M	77M2D1D	82.72M	77.181M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	40.535M	19.735M	19M7D1D	22.22M	19.13M
802.11be EHT40_Nss2,(MCS0)_2TX	69.52M	38.591M	38M6D1D	44.11M	38.151M
802.11be EHT80_Nss2,(MCS0)_2TX	82.94M	77.181M	77M2D1D	82.5M	76.962M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth



**EBW_Non-Beamforming_
Radio 1_AI-TQ08055_Full RU_2T2S_AP5022FX**

Appendix B.13

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	24.475M	19.075M	23.485M	19.185M
5200MHz	Pass	Inf	22.935M	19.185M	26.785M	19.185M
5240MHz	Pass	Inf	41.8M	19.9M	40.26M	19.845M
5260MHz	Pass	Inf	36.135M	19.35M	40.535M	19.735M
5300MHz	Pass	Inf	37.565M	19.46M	27.5M	19.185M
5320MHz	Pass	Inf	22.22M	19.185M	22.495M	19.13M
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	Inf	42.35M	38.041M	43.12M	38.151M
5230MHz	Pass	Inf	71.06M	38.371M	70.4M	38.481M
5270MHz	Pass	Inf	68.09M	38.591M	69.52M	38.591M
5310MHz	Pass	Inf	55.22M	38.371M	44.11M	38.151M
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	Inf	82.72M	77.181M	82.94M	77.181M
5290MHz	Pass	Inf	82.94M	76.962M	82.5M	77.181M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5240MHz

24/12/2025




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5230MHz

25/12/2025




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5210MHz

25/12/2025




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5260MHz

24/12/2025




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5270MHz

25/12/2025




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5290MHz

25/12/2025





**EBW_Non-Beamforming_
Radio 1_AI-TQ08055_Full RU_4T1S_AP5022FX**

Appendix B.14

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	41.69M	20.01M	20M0D1D	20.9M	16.767M
802.11be EHT20_Nss1,(MCS0)_4TX	44M	20.01M	20M0D1D	21.615M	19.075M
802.11be EHT40_Nss1,(MCS0)_4TX	67.54M	38.261M	38M3D1D	45.87M	38.041M
802.11be EHT80_Nss1,(MCS0)_4TX	93.28M	77.621M	77M6D1D	82.94M	77.181M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	23.705M	17.206M	17M2D1D	21.175M	16.767M
802.11be EHT20_Nss1,(MCS0)_4TX	27.61M	19.295M	19M3D1D	21.89M	19.075M
802.11be EHT40_Nss1,(MCS0)_4TX	67.1M	38.261M	38M3D1D	52.91M	38.041M
802.11be EHT80_Nss1,(MCS0)_4TX	97.68M	77.401M	77M4D1D	83.6M	77.181M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



**EBW_Non-Beamforming_
Radio 1_AI-TQ08055_Full RU_4T1S_AP5022FX**

Appendix B.14

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	21.45M	17.041M	22.495M	17.041M	22.33M	17.041M	20.9M	16.767M
5200MHz	Pass	Inf	30.58M	17.206M	26.29M	16.987M	23.265M	16.932M	21.945M	16.987M
5240MHz	Pass	Inf	35.86M	18.746M	36.52M	19.405M	38.83M	19.185M	41.69M	20.01M
5260MHz	Pass	Inf	22.165M	16.987M	21.945M	16.822M	21.45M	16.822M	21.395M	16.767M
5300MHz	Pass	Inf	21.67M	16.932M	21.175M	16.877M	22.99M	16.822M	21.285M	16.822M
5320MHz	Pass	Inf	21.23M	17.206M	22.715M	16.932M	23.705M	17.041M	22.275M	16.987M
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	21.615M	19.24M	22.22M	19.13M	24.75M	19.13M	22.44M	19.13M
5200MHz	Pass	Inf	22.605M	19.075M	22.825M	19.13M	22M	19.13M	21.78M	19.075M
5240MHz	Pass	Inf	44M	20.01M	34.155M	19.68M	36.63M	19.57M	41.47M	19.845M
5260MHz	Pass	Inf	27.61M	19.295M	23.925M	19.24M	24.365M	19.075M	22.385M	19.13M
5300MHz	Pass	Inf	24.365M	19.185M	23.155M	19.075M	22.88M	19.13M	21.89M	19.075M
5320MHz	Pass	Inf	23.21M	19.13M	24.53M	19.13M	26.29M	19.24M	23.98M	19.075M
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	55M	38.151M	45.87M	38.041M	54.34M	38.151M	54.01M	38.261M
5230MHz	Pass	Inf	66.55M	38.041M	67.54M	38.261M	46.09M	38.151M	64.68M	38.151M
5270MHz	Pass	Inf	62.04M	38.261M	67.1M	38.261M	53.9M	38.261M	66.66M	38.151M
5310MHz	Pass	Inf	52.91M	38.261M	58.52M	38.041M	56.43M	38.261M	58.52M	38.261M
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	82.94M	77.401M	93.28M	77.181M	86.46M	77.401M	92.84M	77.621M
5290MHz	Pass	Inf	83.6M	77.181M	97.68M	77.401M	86.68M	77.181M	86.46M	77.181M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5240MHz

24/12/2025

CF (Hz)
5.24G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5240MHz

24/12/2025

CF (Hz)
5.24G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



Port 1

Port 2

Port 3


Port 4

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5230MHz

25/12/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5210MHz

25/12/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5320MHz

25/12/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5260MHz

25/12/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5270MHz

25/12/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5290MHz

25/12/2025





**EBW_Non-Beamforming_
Radio 1_AI-TQ08055_Full RU_4T4S_AP5022FX**

Appendix B.15

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	41.635M	19.845M	19M8D1D	21.12M	19.075M
802.11be EHT40_Nss4,(MCS0)_4TX	72.82M	38.371M	38M4D1D	45.21M	38.151M
802.11be EHT80_Nss4,(MCS0)_4TX	86.46M	77.621M	77M6D1D	82.06M	77.181M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	28.655M	19.295M	19M3D1D	21.56M	19.075M
802.11be EHT40_Nss4,(MCS0)_4TX	73.59M	38.481M	38M5D1D	48.4M	38.041M
802.11be EHT80_Nss4,(MCS0)_4TX	86.24M	77.621M	77M6D1D	83.6M	77.181M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



**EBW_Non-Beamforming_
Radio 1_AI-TQ08055_Full RU_4T4S_AP5022FX**

Appendix B.15

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	22.99M	19.185M	25.63M	19.185M	22M	19.13M	23.375M	19.185M
5200MHz	Pass	Inf	27.775M	19.13M	22.825M	19.185M	21.12M	19.075M	23.155M	19.13M
5240MHz	Pass	Inf	39.05M	19.845M	36.41M	19.405M	38.83M	19.515M	41.635M	19.625M
5260MHz	Pass	Inf	21.56M	19.185M	24.255M	19.13M	25.08M	19.295M	22.44M	19.13M
5300MHz	Pass	Inf	28.655M	19.295M	23.485M	19.075M	25.63M	19.13M	23.65M	19.13M
5320MHz	Pass	Inf	23.485M	19.185M	25.74M	19.24M	27.005M	19.24M	22.165M	19.185M
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	57.09M	38.151M	58.63M	38.151M	45.21M	38.151M	60.94M	38.151M
5230MHz	Pass	Inf	72.82M	38.371M	71.83M	38.371M	71.39M	38.151M	72.27M	38.261M
5270MHz	Pass	Inf	71.94M	38.371M	73.37M	38.481M	71.83M	38.261M	73.59M	38.261M
5310MHz	Pass	Inf	60.72M	38.261M	48.84M	38.041M	58.08M	38.151M	48.4M	38.151M
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	83.6M	77.621M	86.46M	77.401M	82.06M	77.181M	84.7M	77.401M
5290MHz	Pass	Inf	83.6M	77.621M	86.02M	77.401M	85.8M	77.181M	86.24M	77.181M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5240MHz

24/12/2025




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5230MHz

25/12/2025




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5210MHz

25/12/2025




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5300MHz

25/12/2025




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5270MHz

24/12/2025




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5290MHz

25/12/2025





**EBW_Non-Beamforming_
Radio 2_AI-TQ08055_Full RU_1T1S_AP5022FX**

Appendix B.16

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	40.315M	18.528M	18M5D1D	21.175M	16.932M
802.11be EHT20_Nss1,(MCS0)_1TX	38.225M	19.462M	19M5D1D	22.275M	19.185M
802.11be EHT40_Nss1,(MCS0)_1TX	90.42M	39.215M	39M2D1D	57.2M	38.151M
802.11be EHT80_Nss1,(MCS0)_1TX	95.26M	77.401M	77M4D1D	95.26M	77.401M
802.11be EHT160_Nss1,(MCS0)_1TX	82.24M	78.121M	78M1D1D	82.24M	78.121M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	28.875M	17.261M	17M3D1D	21.725M	17.151M
802.11be EHT20_Nss1,(MCS0)_1TX	38.83M	19.874M	19M9D1D	23.705M	19.185M
802.11be EHT40_Nss1,(MCS0)_1TX	75.13M	38.701M	38M7D1D	56.65M	38.261M
802.11be EHT80_Nss1,(MCS0)_1TX	97.68M	77.401M	77M4D1D	97.68M	77.401M
802.11be EHT160_Nss1,(MCS0)_1TX	96.32M	78.361M	78M4D1D	96.32M	78.361M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	37.345M	18.942M	18M9D1D	21.23M	14.865M
802.11be EHT20_Nss1,(MCS0)_1TX	37.4M	19.741M	19M7D1D	21.89M	14.905M
802.11be EHT40_Nss1,(MCS0)_1TX	62.48M	38.151M	38M2D1D	57.295M	34.509M
802.11be EHT80_Nss1,(MCS0)_1TX	131.25M	77.621M	77M6D1D	82.72M	74.012M
802.11be EHT160_Nss1,(MCS0)_1TX	194.48M	156.562M	157MD1D	194.48M	156.562M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	16.005M	29.92M	29M9D1D	3.12M	11.053M
802.11be EHT20_Nss1,(MCS0)_1TX	18.81M	34.288M	34M3D1D	4.5M	10.538M
802.11be EHT40_Nss1,(MCS0)_1TX	36.41M	57.219M	57M2D1D	3.8M	24.645M
802.11be EHT80_Nss1,(MCS0)_1TX	75.9M	88.489M	88M5D1D	3.96M	35.753M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



EBW_Non-Beamforming
Radio 2_AI-TQ08055_Full RU_1T1S_AP5022FX

Appendix B.16

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-
5180MHz	Pass	Inf	21.175M	16.932M
5200MHz	Pass	Inf	31.405M	17.371M
5240MHz	Pass	Inf	40.315M	18.528M
5260MHz	Pass	Inf	28.765M	17.261M
5300MHz	Pass	Inf	28.875M	17.151M
5320MHz	Pass	Inf	21.725M	17.151M
5500MHz	Pass	Inf	21.67M	17.041M
5580MHz	Pass	Inf	37.345M	18.942M
5700MHz	Pass	Inf	21.23M	16.932M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	25.26M	14.865M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.12M	11.053M
5745MHz	Pass	500k	15.345M	29.92M
5785MHz	Pass	500k	16.005M	29.188M
5825MHz	Pass	500k	15.18M	26.085M
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-
5180MHz	Pass	Inf	22.275M	19.185M
5200MHz	Pass	Inf	34.43M	19.46M
5240MHz	Pass	Inf	38.225M	19.462M
5260MHz	Pass	Inf	38.83M	19.874M
5300MHz	Pass	Inf	36.52M	19.405M
5320MHz	Pass	Inf	23.705M	19.185M
5500MHz	Pass	Inf	23.045M	19.185M
5580MHz	Pass	Inf	37.4M	19.741M
5700MHz	Pass	Inf	21.89M	19.075M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	25.395M	14.905M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.5M	10.538M
5745MHz	Pass	500k	16.17M	34.288M
5785MHz	Pass	500k	18.205M	30.07M
5825MHz	Pass	500k	18.81M	32.529M
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-
5190MHz	Pass	Inf	57.2M	38.151M
5230MHz	Pass	Inf	90.42M	39.215M
5270MHz	Pass	Inf	75.13M	38.701M
5310MHz	Pass	Inf	56.65M	38.261M
5510MHz	Pass	Inf	57.86M	38.151M
5550MHz	Pass	Inf	62.48M	38.151M
5670MHz	Pass	Inf	59.73M	38.151M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	57.295M	34.509M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.8M	24.645M
5755MHz	Pass	500k	36.3M	57.219M
5795MHz	Pass	500k	36.41M	44.088M
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-
5210MHz	Pass	Inf	95.26M	77.401M
5290MHz	Pass	Inf	97.68M	77.401M
5530MHz	Pass	Inf	82.72M	77.181M
5610MHz	Pass	Inf	106.92M	77.621M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	131.25M	74.012M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.96M	35.753M
5775MHz	Pass	500k	75.9M	88.489M
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	82.24M	78.121M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	96.32M	78.361M
5570MHz	Pass	Inf	194.48M	156.562M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5240MHz

19/12/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5240MHz

19/12/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5230MHz

19/12/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5210MHz

29/12/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

EBW

5250MHz Straddle 5.15-5.25GHz

29/12/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5300MHz

29/12/2025






5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5260MHz

19/12/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5270MHz

29/12/2025



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5290MHz

29/12/2025

CF (Hz)
5.29G


Span (Hz)
440M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
97.68M	5.2339G	5.33158G	77.401M	5.251519G	5.328921G	Inf	1

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

EBW

5250MHz Straddle 5.25-5.35GHz

29/12/2025

CF (Hz)
5.33G


Span (Hz)
160M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
2.01m

Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
96.32M	5.25G	5.34632G	78.361M	5.25092G	5.32928G	Inf	1

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5580MHz

19/12/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5580MHz

19/12/2025






5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5550MHz

29/12/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5690MHz Straddle 5.47-5.725GHz

19/12/2025




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

EBW

5570MHz

29/12/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5785MHz

19/12/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5785MHz

19/12/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5825MHz

19/12/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5825MHz

19/12/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5795MHz

29/12/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5795MHz

29/12/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5775MHz

19/12/2025






5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5775MHz

19/12/2025

CF (Hz)
5.775G
Span (Hz)
440M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
Peak



Port 1

26dB(Hz)	F1-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
171.16M	5.6782G	5.84936G	Inf	1



**EBW_Non-Beamforming_
Radio 2_AI-TQ08055_Full RU_2T1S_AP5022FX**

Appendix B.17

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	42.075M	18.306M	18M3D1D	21.725M	16.822M
802.11be EHT20_Nss1,(MCS0)_2TX	37.015M	19.582M	19M6D1D	22.055M	19.185M
802.11be EHT40_Nss1,(MCS0)_2TX	75.24M	38.701M	38M7D1D	55M	38.151M
802.11be EHT80_Nss1,(MCS0)_2TX	92.84M	77.621M	77M6D1D	85.58M	77.181M
802.11be EHT160_Nss1,(MCS0)_2TX	82.64M	78.281M	78M3D1D	82.48M	78.121M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	33.33M	18.141M	18M1D1D	21.67M	16.877M
802.11be EHT20_Nss1,(MCS0)_2TX	40.37M	19.73M	19M7D1D	22.605M	19.13M
802.11be EHT40_Nss1,(MCS0)_2TX	69.96M	38.701M	38M7D1D	55.11M	38.041M
802.11be EHT80_Nss1,(MCS0)_2TX	99.22M	77.278M	77M3D1D	80.96M	77.098M
802.11be EHT160_Nss1,(MCS0)_2TX	105.36M	78.521M	78M5D1D	103.68M	78.281M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	39.82M	18.641M	18M6D1D	19.965M	13.864M
802.11be EHT20_Nss1,(MCS0)_2TX	40.095M	19.682M	19M7D1D	21.23M	14.826M
802.11be EHT40_Nss1,(MCS0)_2TX	70.4M	38.344M	38M3D1D	51.92M	34.232M
802.11be EHT80_Nss1,(MCS0)_2TX	110.85M	77.621M	77M6D1D	87.34M	73.606M
802.11be EHT160_Nss1,(MCS0)_2TX	202.84M	157.001M	157MD1D	200.2M	156.562M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	16.28M	31.797M	31M8D1D	3.12M	9.369M
802.11be EHT20_Nss1,(MCS0)_2TX	18.92M	35.865M	35M9D1D	4.36M	9.944M
802.11be EHT40_Nss1,(MCS0)_2TX	37.62M	54.918M	54M9D1D	3.72M	23.716M
802.11be EHT80_Nss1,(MCS0)_2TX	75.24M	82.679M	82M7D1D	3.64M	34.85M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



EBW_Non-Beamforming
Radio 2_AI-TQ08055_Full RU_2T1S_AP5022FX

Appendix B.17

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	21.725M	17.151M	23.87M	17.096M
5200MHz	Pass	Inf	33.935M	17.316M	23.265M	16.822M
5240MHz	Pass	Inf	42.075M	18.306M	37.84M	17.646M
5260MHz	Pass	Inf	33.33M	18.141M	27.17M	16.987M
5300MHz	Pass	Inf	24.585M	17.096M	23.595M	16.877M
5320MHz	Pass	Inf	21.67M	17.133M	22.44M	16.952M
5500MHz	Pass	Inf	23.155M	17.151M	21.78M	16.877M
5580MHz	Pass	Inf	39.82M	18.641M	31.185M	17.457M
5700MHz	Pass	Inf	21.12M	16.822M	20.955M	16.877M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	26.145M	14.362M	19.965M	13.864M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.22M	11.097M	3.12M	9.369M
5745MHz	Pass	500k	15.455M	31.797M	16.28M	26.976M
5785MHz	Pass	500k	15.73M	28.586M	16.06M	23.748M
5825MHz	Pass	500k	16.06M	28.444M	16.28M	23.706M
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	24.475M	19.295M	22.055M	19.185M
5200MHz	Pass	Inf	29.315M	19.295M	24.42M	19.295M
5240MHz	Pass	Inf	37.015M	19.582M	36.685M	19.436M
5260MHz	Pass	Inf	40.37M	19.73M	36.245M	19.354M
5300MHz	Pass	Inf	30.305M	19.212M	30.745M	19.166M
5320MHz	Pass	Inf	22.605M	19.24M	22.88M	19.13M
5500MHz	Pass	Inf	25.245M	19.197M	21.725M	19.118M
5580MHz	Pass	Inf	40.095M	19.682M	30.47M	19.253M
5700MHz	Pass	Inf	21.56M	19.185M	21.23M	19.075M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	26.895M	14.869M	23.94M	14.826M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.36M	11.911M	4.48M	9.944M
5745MHz	Pass	500k	17.875M	35.865M	15.18M	30.16M
5785MHz	Pass	500k	18.81M	30.455M	18.15M	26.937M
5825MHz	Pass	500k	17.985M	34.982M	18.92M	30.272M
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	Inf	57.09M	38.261M	55M	38.151M
5230MHz	Pass	Inf	73.59M	38.701M	75.24M	38.481M
5270MHz	Pass	Inf	69.96M	38.701M	65.89M	38.261M
5310MHz	Pass	Inf	56.32M	38.261M	55.11M	38.041M
5510MHz	Pass	Inf	54.89M	38.139M	51.92M	38.251M
5550MHz	Pass	Inf	70.4M	38.344M	69.74M	38.275M
5670MHz	Pass	Inf	53.79M	37.931M	53.79M	38.041M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	52.57M	34.655M	53.375M	34.232M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.8M	25.081M	3.72M	23.716M
5755MHz	Pass	500k	36.19M	54.918M	36.41M	47.204M
5795MHz	Pass	500k	37.51M	42.879M	37.62M	41.449M
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	Inf	92.84M	77.621M	85.58M	77.181M
5290MHz	Pass	Inf	99.22M	77.278M	80.96M	77.098M
5530MHz	Pass	Inf	93.94M	77.401M	87.34M	77.181M
5610MHz	Pass	Inf	108.46M	77.621M	110.22M	77.621M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	95.625M	73.606M	110.85M	73.701M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.64M	35.172M	3.88M	34.85M
5775MHz	Pass	500k	75.24M	82.679M	75.02M	78.281M
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	82.64M	78.281M	82.48M	78.121M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	103.68M	78.521M	105.36M	78.281M
5570MHz	Pass	Inf	202.84M	156.562M	200.2M	157.001M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5240MHz

29/12/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5240MHz

19/12/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5230MHz

29/12/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5210MHz

29/12/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

29/12/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5260MHz

29/12/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5260MHz

19/12/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5270MHz

29/12/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5290MHz

19/12/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

29/12/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5580MHz

19/12/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5580MHz

19/12/2025






5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5550MHz

19/12/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5690MHz Straddle 5.47-5.725GHz

19/12/2025




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5570MHz

29/12/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5745MHz

19/12/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5745MHz

19/12/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5825MHz

19/12/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5825MHz

19/12/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5795MHz

29/12/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5795MHz

29/12/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5775MHz

29/12/2025






5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5775MHz

29/12/2025





Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	39.16M	19.473M	19M5D1D	21.78M	19.163M
802.11be EHT40_Nss2,(MCS0)_2TX	88.88M	38.591M	38M6D1D	57.86M	38.261M
802.11be EHT80_Nss2,(MCS0)_2TX	99.66M	77.401M	77M4D1D	81.84M	77.181M
802.11be EHT160_Nss2,(MCS0)_2TX	82.72M	78.121M	78M1D1D	82.32M	78.041M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	37.235M	19.625M	19M6D1D	21.285M	19.075M
802.11be EHT40_Nss2,(MCS0)_2TX	69.85M	38.591M	38M6D1D	53.57M	38.151M
802.11be EHT80_Nss2,(MCS0)_2TX	84.04M	77.401M	77M4D1D	83.82M	77.401M
802.11be EHT160_Nss2,(MCS0)_2TX	83.6M	78.521M	78M5D1D	83.28M	78.281M
5.47-5.725GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	37.95M	19.611M	19M6D1D	21.175M	14.801M
802.11be EHT40_Nss2,(MCS0)_2TX	70.29M	38.371M	38M4D1D	46.75M	34.231M
802.11be EHT80_Nss2,(MCS0)_2TX	117.975M	77.621M	77M6D1D	85.36M	73.988M
802.11be EHT160_Nss2,(MCS0)_2TX	164.56M	157.001M	157MD1D	164.12M	156.562M
5.725-5.85GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	18.92M	37.233M	37M2D1D	4.36M	10.25M
802.11be EHT40_Nss2,(MCS0)_2TX	37.62M	54.668M	54M7D1D	3.78M	23.893M
802.11be EHT80_Nss2,(MCS0)_2TX	75.68M	79.6M	79M6D1D	3.72M	35.502M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



**EBW_Non-Beamforming_
Radio 2_AI-TQ08055_Full RU_2T2S_AP5022FX**

Appendix B.18

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	21.78M	19.185M	24.31M	19.185M
5200MHz	Pass	Inf	25.41M	19.163M	22.44M	19.245M
5240MHz	Pass	Inf	39.16M	19.473M	31.24M	19.25M
5260MHz	Pass	Inf	37.235M	19.625M	34.98M	19.295M
5300MHz	Pass	Inf	23.595M	19.13M	21.285M	19.075M
5320MHz	Pass	Inf	26.125M	19.185M	28.93M	19.185M
5500MHz	Pass	Inf	21.725M	19.24M	27.28M	19.13M
5580MHz	Pass	Inf	37.95M	19.611M	31.405M	19.318M
5700MHz	Pass	Inf	21.67M	18.966M	21.175M	19.075M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	23.43M	14.91M	25.11M	14.801M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.46M	11.713M	4.36M	10.25M
5745MHz	Pass	500k	16.995M	37.233M	18.425M	31.011M
5785MHz	Pass	500k	18.425M	29.3M	18.92M	24.133M
5825MHz	Pass	500k	18.535M	30.785M	16.17M	25.892M
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	Inf	59.73M	38.261M	57.86M	38.261M
5230MHz	Pass	Inf	88.88M	38.591M	69.41M	38.481M
5270MHz	Pass	Inf	69.85M	38.591M	56.32M	38.151M
5310MHz	Pass	Inf	53.57M	38.371M	57.53M	38.261M
5510MHz	Pass	Inf	56.21M	38.151M	46.75M	38.041M
5550MHz	Pass	Inf	70.29M	38.371M	68.64M	38.371M
5670MHz	Pass	Inf	59.84M	37.931M	48.95M	38.041M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	57.435M	34.649M	51.065M	34.231M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.78M	25.139M	3.96M	23.893M
5755MHz	Pass	500k	37.51M	54.668M	37.18M	48.756M
5795MHz	Pass	500k	36.85M	46.287M	37.62M	42.769M
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	Inf	99.66M	77.181M	81.84M	77.401M
5290MHz	Pass	Inf	83.82M	77.401M	84.04M	77.401M
5530MHz	Pass	Inf	94.38M	77.401M	85.36M	77.621M
5610MHz	Pass	Inf	93.28M	77.621M	91.96M	77.401M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	109.05M	73.988M	117.975M	74.063M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.76M	36.502M	3.72M	35.502M
5775MHz	Pass	500k	75.24M	79.6M	75.68M	77.841M
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	82.72M	78.121M	82.32M	78.041M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	83.28M	78.281M	83.6M	78.521M
5570MHz	Pass	Inf	164.12M	157.001M	164.56M	156.562M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5240MHz

19/12/2025




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5230MHz

29/12/2025




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5210MHz

30/12/2025




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

30/12/2025



5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5260MHz

29/12/2025

CF (Hz)
5.26G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
37.235M	5.23998G	5.277215G	19.625M	5.250215G	5.26984G	Inf	1
34.98M	5.2413G	5.27628G	19.295M	5.25038G	5.269675G	Inf	2

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5270MHz

29/12/2025

CF (Hz)
5.27G


Span (Hz)
220M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
69.85M	5.23502G	5.30487G	38.591M	5.25076G	5.28935G	Inf	1
56.32M	5.23964G	5.29596G	38.151M	5.25098G	5.28913G	Inf	2

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5290MHz

30/12/2025

CF (Hz)
5.29G


Span (Hz)
440M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
83.82M	5.24732G	5.33114G	77.401M	5.251519G	5.328921G	Inf	1
84.04M	5.24754G	5.33158G	77.401M	5.251519G	5.328921G	Inf	2

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

30/12/2025

CF (Hz)
5.33G


Span (Hz)
160M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
2.01m

Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
83.28M	5.25G	5.33328G	78.281M	5.25092G	5.3292G	Inf	1
83.6M	5.25G	5.3336G	78.521M	5.25076G	5.32928G	Inf	2

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5580MHz

19/12/2025




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5550MHz

29/12/2025




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5690MHz Straddle 5.47-5.725GHz

30/12/2025




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5570MHz

30/12/2025




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5785MHz

29/12/2025




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5785MHz

29/12/2025




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5795MHz

29/12/2025




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5795MHz

29/12/2025




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5775MHz

30/12/2025




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5775MHz

30/12/2025





**EBW_Non-Beamforming_
Radio 2_AI-TQ08055_Full RU_4T1S_AP5022FX**

Appendix B.19

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	33.55M	17.756M	17M8D1D	21.23M	16.917M
802.11be EHT20_Nss1,(MCS0)_4TX	40.15M	19.405M	19M4D1D	21.725M	19.075M
802.11be EHT40_Nss1,(MCS0)_4TX	68.2M	38.371M	38M4D1D	52.69M	38.041M
802.11be EHT80_Nss1,(MCS0)_4TX	83.6M	77.401M	77M4D1D	81.62M	77.181M
802.11be EHT160_Nss1,(MCS0)_4TX	83.28M	78.281M	78M3D1D	82.8M	78.121M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	24.365M	17.041M	17M0D1D	21.065M	16.822M
802.11be EHT20_Nss1,(MCS0)_4TX	24.915M	19.24M	19M2D1D	21.45M	19.075M
802.11be EHT40_Nss1,(MCS0)_4TX	69.74M	38.371M	38M4D1D	55.11M	38.151M
802.11be EHT80_Nss1,(MCS0)_4TX	102.52M	77.474M	77M5D1D	87.12M	77.217M
802.11be EHT160_Nss1,(MCS0)_4TX	99.92M	78.361M	78M4D1D	88.56M	78.201M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	25.08M	17.151M	17M2D1D	17.385M	13.538M
802.11be EHT20_Nss1,(MCS0)_4TX	24.97M	19.24M	19M2D1D	20.52M	14.603M
802.11be EHT40_Nss1,(MCS0)_4TX	74.14M	38.261M	38M3D1D	42.68M	34.096M
802.11be EHT80_Nss1,(MCS0)_4TX	114.375M	77.621M	77M6D1D	81.4M	73.463M
802.11be EHT160_Nss1,(MCS0)_4TX	165.44M	157.001M	157MD1D	163.68M	156.122M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	16.335M	32.364M	32M4D1D	3.08M	5.157M
802.11be EHT20_Nss1,(MCS0)_4TX	18.755M	36.843M	36M8D1D	4.4M	8.056M
802.11be EHT40_Nss1,(MCS0)_4TX	37.62M	40.9M	40M9D1D	3.34M	21.009M
802.11be EHT80_Nss1,(MCS0)_4TX	75.68M	77.841M	77M8D1D	3.58M	32.364M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



EBW_Non-Beamforming
Radio 2_AI-TQ08055_Full RU_4T1S_AP5022FX

Appendix B.19

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	21.23M	17.101M	21.45M	16.917M	21.835M	17.116M	22M	17.023M
5200MHz	Pass	Inf	27.39M	17.038M	25.355M	17.117M	30.69M	17.292M	23.1M	16.963M
5240MHz	Pass	Inf	33.55M	17.756M	32.725M	17.316M	29.92M	17.316M	33.055M	17.041M
5260MHz	Pass	Inf	24.365M	16.822M	21.175M	16.877M	21.615M	16.822M	21.065M	16.822M
5300MHz	Pass	Inf	22.77M	16.877M	21.175M	16.932M	21.505M	16.877M	21.12M	16.932M
5320MHz	Pass	Inf	22.99M	16.987M	22.165M	16.932M	22.605M	17.041M	21.725M	16.877M
5500MHz	Pass	Inf	21.45M	17.151M	21.67M	16.877M	22.165M	16.932M	22.33M	16.987M
5580MHz	Pass	Inf	25.08M	17.041M	24.42M	16.877M	21.835M	16.877M	20.845M	16.877M
5700MHz	Pass	Inf	21.175M	17.041M	21.23M	16.877M	21.01M	16.932M	21.34M	16.877M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	19.62M	13.538M	17.97M	13.673M	18.525M	13.643M	17.385M	13.628M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.12M	6.197M	3.08M	5.157M	3.18M	5.617M	3.16M	5.157M
5745MHz	Pass	500k	14.52M	32.364M	16.06M	24.187M	14.465M	24.507M	16.335M	27.471M
5785MHz	Pass	500k	15.455M	22.429M	16.225M	19.075M	16.225M	19.185M	16.28M	18.581M
5825MHz	Pass	500k	15.565M	28.51M	15.95M	23.515M	15.73M	19.659M	16.335M	23.162M
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	23.815M	19.185M	29.81M	19.075M	28.93M	19.24M	23.21M	19.075M
5200MHz	Pass	Inf	21.725M	19.185M	23.265M	19.185M	22.33M	19.185M	22M	19.185M
5240MHz	Pass	Inf	40.15M	19.35M	30.525M	19.295M	34.21M	19.405M	31.845M	19.295M
5260MHz	Pass	Inf	24.42M	19.13M	23.155M	19.075M	24.915M	19.13M	21.505M	19.185M
5300MHz	Pass	Inf	22.715M	19.185M	22.11M	19.13M	23.705M	19.13M	21.89M	19.13M
5320MHz	Pass	Inf	22.33M	19.185M	22.44M	19.24M	22.44M	19.185M	21.45M	19.13M
5500MHz	Pass	Inf	21.89M	19.185M	23.54M	19.185M	22.715M	19.13M	21.23M	19.185M
5580MHz	Pass	Inf	22.11M	19.185M	21.67M	19.24M	22.88M	19.13M	24.97M	19.075M
5700MHz	Pass	Inf	21.78M	19.185M	21.23M	19.075M	21.285M	19.02M	20.955M	19.075M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	24.435M	14.753M	23.925M	14.603M	21M	14.708M	20.52M	14.693M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.4M	9.795M	4.46M	8.056M	4.46M	8.196M	4.42M	9.055M
5745MHz	Pass	500k	15.62M	36.843M	18.205M	29.71M	18.645M	28.159M	16.28M	32.016M
5785MHz	Pass	500k	17.325M	26.222M	17.105M	22.594M	18.7M	22.869M	18.48M	22.264M
5825MHz	Pass	500k	18.755M	24.573M	18.15M	23.638M	18.26M	20.56M	17.82M	21.769M
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	57.31M	38.371M	52.69M	38.041M	54.34M	38.151M	54.12M	38.371M
5230MHz	Pass	Inf	68.2M	38.261M	68.09M	38.371M	60.06M	38.041M	58.85M	38.041M
5270MHz	Pass	Inf	69.74M	38.261M	58.85M	38.151M	66M	38.371M	59.84M	38.261M
5310MHz	Pass	Inf	57.53M	38.151M	58.08M	38.261M	61.49M	38.261M	55.11M	38.261M
5510MHz	Pass	Inf	57.75M	38.261M	53.79M	38.151M	54.78M	38.151M	54.45M	38.261M
5550MHz	Pass	Inf	54.23M	38.151M	74.14M	38.261M	58.08M	38.151M	53.35M	38.151M
5670MHz	Pass	Inf	42.68M	38.151M	48.4M	37.931M	49.28M	38.041M	44.11M	38.041M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	56.35M	34.464M	52.22M	34.153M	50.54M	34.096M	52.255M	34.127M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.38M	26.742M	3.72M	21.009M	3.7M	21.966M	3.34M	25.096M
5755MHz	Pass	500k	36.96M	38.921M	37.4M	38.701M	36.41M	39.03M	37.62M	38.811M
5795MHz	Pass	500k	37.18M	39.25M	37.07M	38.921M	36.3M	40.9M	37.07M	39.36M
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	83.6M	77.181M	82.5M	77.181M	81.62M	77.401M	83.16M	77.401M
5290MHz	Pass	Inf	102.52M	77.41M	99M	77.224M	87.12M	77.217M	97.68M	77.474M
5530MHz	Pass	Inf	86.46M	77.401M	85.58M	77.401M	88.66M	77.181M	81.4M	77.181M
5610MHz	Pass	Inf	108.9M	77.401M	94.16M	77.181M	109.56M	77.621M	108.46M	77.401M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	95.775M	73.538M	114.375M	73.538M	110.775M	73.688M	107.175M	73.463M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.74M	33.663M	3.58M	32.364M	3.96M	33.283M	3.88M	33.143M
5775MHz	Pass	500k	75.24M	77.841M	73.04M	77.841M	74.14M	77.621M	75.68M	77.621M
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	83.12M	78.281M	82.96M	78.121M	83.28M	78.281M	82.8M	78.281M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	95.36M	78.281M	94.72M	78.361M	88.56M	78.201M	99.92M	78.201M
5570MHz	Pass	Inf	165.44M	156.562M	165M	157.001M	163.68M	156.122M	164.12M	156.562M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5240MHz

30/12/2025

CF (Hz)
5.24G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



Port 1

Port 2

Port 3

Port 4

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5240MHz

30/12/2025

CF (Hz)
5.24G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



Port 1

Port 2

Port 3


Port 4

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5230MHz

30/12/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5210MHz

30/12/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

30/12/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5260MHz

30/12/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5260MHz

30/12/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5270MHz

30/12/2025



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5290MHz

19/12/2025

CF (Hz)
5.29G


Span (Hz)
440M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
102.52M	5.23412G	5.33664G	77.41M	5.251328G	5.328737G	Inf	1
99M	5.23412G	5.33312G	77.224M	5.251405G	5.328628G	Inf	2
87.12M	5.24468G	5.3318G	77.217M	5.251431G	5.328648G	Inf	3
97.68M	5.2339G	5.33158G	77.474M	5.251343G	5.328817G	Inf	4

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

30/12/2025

CF (Hz)
5.33G


Span (Hz)
160M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
2.01m

Detector Type
Peak




26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
95.36M	5.25G	5.34536G	78.281M	5.25092G	5.3292G	Inf	1
94.72M	5.25G	5.34472G	78.361M	5.25084G	5.3292G	Inf	2
88.56M	5.25G	5.33856G	78.201M	5.25092G	5.32912G	Inf	3
99.92M	5.25G	5.34992G	78.201M	5.251G	5.3292G	Inf	4

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5580MHz

30/12/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5580MHz

30/12/2025






5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5550MHz

30/12/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5690MHz Straddle 5.47-5.725GHz

30/12/2025




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5570MHz

30/12/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5745MHz

19/12/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5745MHz

19/12/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5825MHz

30/12/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5825MHz

30/12/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5755MHz

30/12/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5755MHz

30/12/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5775MHz

30/12/2025






5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5775MHz

30/12/2025

CF (Hz)
5.775G
Span (Hz)
440M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
Peak



Port 1
Port 2
Port 3
Port 4

26dB(Hz)	F1-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
124.96M	5.7024G	5.82736G	Inf	1
97.9M	5.71846G	5.81636G	Inf	2
105.16M	5.7112G	5.81636G	Inf	3
96.8M	5.72176G	5.81856G	Inf	4



EBW_Non-Beamforming_ Radio 2_AI-TQ08055_Full RU_4T4S_AP5022FX

Appendix B.20

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	44.22M	19.728M	19M7D1D	21.56M	19.126M
802.11be EHT40_Nss4,(MCS0)_4TX	73.37M	38.591M	38M6D1D	46.75M	38.045M
802.11be EHT80_Nss4,(MCS0)_4TX	97.46M	77.621M	77M6D1D	81.84M	77.181M
802.11be EHT160_Nss4,(MCS0)_4TX	98M	78.361M	78M4D1D	85.2M	78.201M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	29.315M	19.295M	19M3D1D	21.56M	19.075M
802.11be EHT40_Nss4,(MCS0)_4TX	71.39M	38.261M	38M3D1D	47.96M	38.041M
802.11be EHT80_Nss4,(MCS0)_4TX	85.58M	77.621M	77M6D1D	82.28M	77.181M
802.11be EHT160_Nss4,(MCS0)_4TX	92.4M	78.521M	78M5D1D	89.68M	78.281M
5.47-5.725GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	37.51M	19.24M	19M2D1D	19.395M	14.65M
802.11be EHT40_Nss4,(MCS0)_4TX	66.99M	38.261M	38M3D1D	41.03M	34.175M
802.11be EHT80_Nss4,(MCS0)_4TX	140.4M	77.621M	77M6D1D	85.14M	73.688M
802.11be EHT160_Nss4,(MCS0)_4TX	169.4M	157.001M	157MD1D	163.24M	156.562M
5.725-5.85GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	18.59M	40.185M	40M2D1D	4.46M	6.906M
802.11be EHT40_Nss4,(MCS0)_4TX	37.62M	57.391M	57M4D1D	3.62M	23.332M
802.11be EHT80_Nss4,(MCS0)_4TX	76.34M	77.874M	77M9D1D	3.5M	33.183M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



EBW_Non-Beamforming_ Radio 2_AI-TQ08055_Full RU_4T4S_AP5022FX

Appendix B.20

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	21.56M	19.13M	21.56M	19.13M	25.685M	19.185M	25.74M	19.13M
5200MHz	Pass	Inf	24.805M	19.129M	30.47M	19.175M	29.26M	19.126M	26.895M	19.199M
5240MHz	Pass	Inf	44.22M	19.728M	33.88M	19.281M	41.8M	19.431M	33.44M	19.318M
5260MHz	Pass	Inf	27.17M	19.185M	21.89M	19.13M	25.52M	19.075M	29.315M	19.075M
5300MHz	Pass	Inf	28.325M	19.295M	26.895M	19.13M	21.56M	19.13M	24.75M	19.13M
5320MHz	Pass	Inf	22M	19.13M	26.29M	19.13M	23.87M	19.13M	23.155M	19.185M
5500MHz	Pass	Inf	24.86M	19.24M	22.385M	19.13M	22.11M	19.185M	21.45M	19.13M
5580MHz	Pass	Inf	37.51M	19.24M	25.575M	19.13M	35.695M	19.185M	25.575M	19.185M
5700MHz	Pass	Inf	21.395M	19.13M	21.285M	19.02M	21.285M	19.13M	21.01M	19.13M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	25.32M	14.854M	22.605M	14.655M	19.395M	14.668M	24.33M	14.65M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.48M	11.573M	4.46M	6.906M	4.48M	7.736M	4.52M	8.836M
5745MHz	Pass	500k	18.535M	36.539M	18.095M	31.333M	18.59M	28.523M	17.71M	32.057M
5785MHz	Pass	500k	17.93M	40.185M	17.71M	32.819M	17.545M	31.114M	17.985M	31.004M
5825MHz	Pass	500k	17.93M	33.594M	18.26M	31.946M	18.425M	27.287M	17.325M	28.793M
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	56.43M	38.045M	46.75M	38.141M	48.07M	38.078M	61.82M	38.047M
5230MHz	Pass	Inf	72.16M	38.591M	72.27M	38.371M	73.37M	38.261M	71.5M	38.261M
5270MHz	Pass	Inf	71.39M	38.261M	47.96M	38.041M	66M	38.151M	63.58M	38.151M
5310MHz	Pass	Inf	61.71M	38.151M	49.17M	38.151M	48.62M	38.261M	52.69M	38.261M
5510MHz	Pass	Inf	62.15M	38.261M	43.01M	38.151M	58.74M	38.261M	53.24M	38.151M
5550MHz	Pass	Inf	66.99M	38.261M	65.67M	38.261M	52.47M	38.041M	62.59M	38.041M
5670MHz	Pass	Inf	41.47M	38.074M	41.14M	38.069M	41.69M	37.881M	41.03M	38.004M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	57.89M	34.77M	54.74M	34.175M	55.86M	34.286M	57.82M	34.19M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	4M	27.178M	3.62M	23.332M	3.98M	23.429M	3.96M	26.533M
5755MHz	Pass	500k	37.62M	50.685M	36.3M	48.156M	36.52M	57.391M	37.07M	45.517M
5795MHz	Pass	500k	37.62M	42.879M	37.4M	39.03M	35.86M	46.617M	36.85M	42.769M
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	87.56M	77.621M	81.84M	77.401M	97.46M	77.181M	87.78M	77.401M
5290MHz	Pass	Inf	85.58M	77.401M	84.7M	77.621M	82.28M	77.401M	85.58M	77.181M
5530MHz	Pass	Inf	95.04M	77.401M	85.8M	77.401M	85.14M	77.181M	85.14M	77.401M
5610MHz	Pass	Inf	135.74M	77.621M	130.02M	77.181M	132.22M	77.401M	129.36M	77.401M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	125.625M	73.688M	134.775M	73.763M	134.25M	73.913M	140.4M	73.688M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.92M	33.663M	3.82M	33.183M	3.86M	33.623M	3.5M	33.903M
5775MHz	Pass	500k	75.68M	77.874M	76.34M	77.754M	76.34M	77.561M	73.7M	77.646M
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	98M	78.201M	85.2M	78.201M	87.2M	78.201M	97.52M	78.361M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	89.68M	78.361M	91.04M	78.281M	90.24M	78.441M	92.4M	78.521M
5570MHz	Pass	Inf	164.56M	156.562M	169.4M	157.001M	163.24M	156.562M	163.68M	156.562M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5240MHz

19/12/2025

CF (Hz)
5.24G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
44.22M	5.21833G	5.26255G	19.728M	5.230188G	5.249916G	Inf	1
33.88M	5.22328G	5.25716G	19.281M	5.230348G	5.249629G	Inf	2
41.8M	5.21888G	5.26068G	19.431M	5.230214G	5.249645G	Inf	3
33.44M	5.2235G	5.25694G	19.318M	5.230321G	5.249639G	Inf	4

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5230MHz

30/12/2025

CF (Hz)
5.23G


Span (Hz)
220M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
72.16M	5.19645G	5.26861G	38.591M	5.21087G	5.24946G	Inf	1
72.27M	5.19601G	5.26828G	38.371M	5.21087G	5.24924G	Inf	2
73.37M	5.19491G	5.26828G	38.261M	5.21098G	5.24924G	Inf	3
71.5M	5.19414G	5.26564G	38.261M	5.21098G	5.24924G	Inf	4

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5210MHz

29/12/2025




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

30/12/2025




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5260MHz

30/12/2025




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5270MHz

30/12/2025




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5290MHz

29/12/2025




5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

30/12/2025




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5580MHz

30/12/2025




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5550MHz

30/12/2025




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5690MHz Straddle 5.47-5.725GHz

30/12/2025




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5570MHz

30/12/2025




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5745MHz

19/12/2025



5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5745MHz

19/12/2025






5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5755MHz

30/12/2025




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5755MHz

30/12/2025






5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5775MHz

19/12/2025



5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5775MHz

19/12/2025





**EBW_Non-Beamforming_
Radio 1_AIO-HQ17020_Full RU_1T1S_AP5022FX**

Appendix B.21

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	36.355M	18.801M	18M8D1D	20.955M	16.822M
802.11be EHT20_Nss1,(MCS0)_1TX	44.22M	19.515M	19M5D1D	21.34M	19.13M
802.11be EHT40_Nss1,(MCS0)_1TX	58.96M	38.151M	38M2D1D	54.78M	38.151M
802.11be EHT80_Nss1,(MCS0)_1TX	86.68M	77.181M	77M2D1D	86.68M	77.181M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	21.945M	17.041M	17M0D1D	21.285M	16.877M
802.11be EHT20_Nss1,(MCS0)_1TX	26.51M	19.185M	19M2D1D	21.34M	19.02M
802.11be EHT40_Nss1,(MCS0)_1TX	59.07M	38.261M	38M3D1D	40.81M	38.151M
802.11be EHT80_Nss1,(MCS0)_1TX	97.24M	77.401M	77M4D1D	97.24M	77.401M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-
5180MHz	Pass	Inf	24.97M	17.041M
5200MHz	Pass	Inf	20.955M	16.822M
5240MHz	Pass	Inf	36.355M	18.801M
5260MHz	Pass	Inf	21.34M	16.932M
5300MHz	Pass	Inf	21.285M	16.877M
5320MHz	Pass	Inf	21.945M	17.041M
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-
5180MHz	Pass	Inf	21.945M	19.185M
5200MHz	Pass	Inf	21.34M	19.13M
5240MHz	Pass	Inf	44.22M	19.515M
5260MHz	Pass	Inf	21.34M	19.02M
5300MHz	Pass	Inf	21.835M	19.185M
5320MHz	Pass	Inf	26.51M	19.185M
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-
5190MHz	Pass	Inf	58.96M	38.151M
5230MHz	Pass	Inf	54.78M	38.151M
5270MHz	Pass	Inf	40.81M	38.151M
5310MHz	Pass	Inf	59.07M	38.261M
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-
5210MHz	Pass	Inf	86.68M	77.181M
5290MHz	Pass	Inf	97.24M	77.401M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5240MHz

24/12/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5240MHz

26/12/2025






5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5190MHz

26/12/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5210MHz

26/12/2025



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5320MHz

26/12/2025

CF (Hz)
5.32G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.945M	5.308835G	5.33078G	17.041M	5.311424G	5.328466G	Inf	1

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5320MHz

26/12/2025

CF (Hz)
5.32G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
26.51M	5.30878G	5.33529G	19.185M	5.31038G	5.329565G	Inf	1

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5310MHz

26/12/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5290MHz

26/12/2025





Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22.77M	17.151M	17M2D1D	20.955M	16.767M
802.11be EHT20_Nss1,(MCS0)_2TX	28.215M	19.185M	19M2D1D	21.78M	19.13M
802.11be EHT40_Nss1,(MCS0)_2TX	57.42M	38.261M	38M3D1D	40.81M	37.931M
802.11be EHT80_Nss1,(MCS0)_2TX	88.44M	77.401M	77M4D1D	86.24M	77.401M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22M	16.932M	16M9D1D	20.955M	16.712M
802.11be EHT20_Nss1,(MCS0)_2TX	26.51M	19.24M	19M2D1D	21.23M	19.075M
802.11be EHT40_Nss1,(MCS0)_2TX	55M	38.151M	38M2D1D	41.14M	37.821M
802.11be EHT80_Nss1,(MCS0)_2TX	98.12M	77.401M	77M4D1D	82.94M	76.962M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



**EBW_Non-Beamforming_
Radio 1_AIO-HQ17020_Full RU_2T1S_AP5022FX**

Appendix B.22

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	22.77M	16.987M	21.45M	17.151M
5200MHz	Pass	Inf	21.34M	16.877M	20.955M	16.767M
5240MHz	Pass	Inf	21.285M	17.041M	21.065M	16.932M
5260MHz	Pass	Inf	21.12M	16.932M	20.955M	16.767M
5300MHz	Pass	Inf	21.065M	16.822M	21.23M	16.712M
5320MHz	Pass	Inf	22M	16.877M	21.23M	16.932M
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	22.88M	19.13M	25.025M	19.13M
5200MHz	Pass	Inf	21.78M	19.185M	21.89M	19.13M
5240MHz	Pass	Inf	28.215M	19.185M	22.33M	19.13M
5260MHz	Pass	Inf	21.505M	19.075M	21.395M	19.075M
5300MHz	Pass	Inf	21.945M	19.13M	21.23M	19.075M
5320MHz	Pass	Inf	26.51M	19.24M	23.375M	19.13M
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	Inf	57.42M	38.151M	55M	38.261M
5230MHz	Pass	Inf	44.66M	38.151M	40.81M	37.931M
5270MHz	Pass	Inf	41.14M	38.041M	41.14M	37.821M
5310MHz	Pass	Inf	55M	38.151M	52.14M	38.151M
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	Inf	88.44M	77.401M	86.24M	77.401M
5290MHz	Pass	Inf	98.12M	76.962M	82.94M	77.401M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5180MHz

26/12/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5240MHz

26/12/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5190MHz

26/12/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5210MHz

26/12/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5320MHz

26/12/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5320MHz

26/12/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5310MHz

26/12/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5290MHz

26/12/2025





Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	23.925M	19.185M	19M2D1D	21.065M	19.075M
802.11be EHT40_Nss2,(MCS0)_2TX	56.1M	38.041M	38M0D1D	40.7M	37.821M
802.11be EHT80_Nss2,(MCS0)_2TX	86.24M	77.401M	77M4D1D	85.36M	77.401M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	25.685M	19.185M	19M2D1D	21.285M	18.966M
802.11be EHT40_Nss2,(MCS0)_2TX	53.13M	38.151M	38M2D1D	40.92M	37.821M
802.11be EHT80_Nss2,(MCS0)_2TX	83.38M	77.401M	77M4D1D	82.5M	77.181M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



**EBW_Non-Beamforming_
Radio 1_AIO-HQ17020_Full RU_2T2S_AP5022FX**

Appendix B.23

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	22.22M	19.185M	22.935M	19.13M
5200MHz	Pass	Inf	21.395M	19.075M	21.065M	19.13M
5240MHz	Pass	Inf	21.34M	19.13M	23.925M	19.13M
5260MHz	Pass	Inf	21.395M	19.075M	21.34M	18.966M
5300MHz	Pass	Inf	22.165M	19.075M	21.285M	18.966M
5320MHz	Pass	Inf	25.685M	19.185M	23.815M	19.13M
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	Inf	44.99M	38.041M	56.1M	38.041M
5230MHz	Pass	Inf	40.7M	37.821M	41.03M	37.821M
5270MHz	Pass	Inf	40.92M	37.821M	41.14M	37.931M
5310MHz	Pass	Inf	53.13M	38.151M	42.24M	38.151M
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	Inf	85.36M	77.401M	86.24M	77.401M
5290MHz	Pass	Inf	82.5M	77.181M	83.38M	77.401M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5240MHz

26/12/2025




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5190MHz

26/12/2025




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5210MHz

26/12/2025




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5320MHz

26/12/2025




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5310MHz

26/12/2025




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5290MHz

26/12/2025





**EBW_Non-Beamforming_
Radio 1_AIO-HQ17020_Full RU_4T1S_AP5022FX**

Appendix B.24

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	22.44M	17.316M	17M3D1D	20.845M	16.712M
802.11be EHT20_Nss1,(MCS0)_4TX	25.41M	19.295M	19M3D1D	20.955M	19.02M
802.11be EHT40_Nss1,(MCS0)_4TX	55.33M	38.261M	38M3D1D	40.48M	37.821M
802.11be EHT80_Nss1,(MCS0)_4TX	87.12M	77.401M	77M4D1D	85.58M	76.962M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	21.89M	17.096M	17M1D1D	20.79M	16.767M
802.11be EHT20_Nss1,(MCS0)_4TX	24.2M	19.185M	19M2D1D	21.12M	19.02M
802.11be EHT40_Nss1,(MCS0)_4TX	61.93M	38.371M	38M4D1D	40.59M	37.931M
802.11be EHT80_Nss1,(MCS0)_4TX	98.12M	77.401M	77M4D1D	86.24M	77.181M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



**EBW_Non-Beamforming_
Radio 1_AIO-HQ17020_Full RU_4T1S_AP5022FX**

Appendix B.24

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	21.67M	16.987M	21.615M	16.877M	22M	17.316M	22.44M	16.877M
5200MHz	Pass	Inf	21.285M	16.877M	21.01M	17.041M	21.12M	16.822M	20.9M	16.712M
5240MHz	Pass	Inf	21.615M	16.822M	21.12M	16.767M	21.175M	16.987M	20.845M	16.767M
5260MHz	Pass	Inf	21.505M	16.987M	21.065M	16.767M	21.285M	16.877M	21.12M	16.877M
5300MHz	Pass	Inf	20.79M	16.822M	21.285M	16.877M	21.34M	16.877M	21.23M	16.877M
5320MHz	Pass	Inf	21.89M	17.041M	21.78M	17.096M	21.45M	17.096M	21.78M	16.932M
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	25.41M	19.24M	22.825M	19.185M	24.585M	19.295M	25.245M	19.185M
5200MHz	Pass	Inf	21.395M	19.02M	21.065M	19.02M	20.955M	19.185M	21.34M	19.02M
5240MHz	Pass	Inf	21.56M	19.075M	21.34M	19.13M	21.34M	19.075M	21.395M	19.075M
5260MHz	Pass	Inf	21.23M	19.185M	21.615M	19.185M	21.505M	19.075M	21.285M	19.13M
5300MHz	Pass	Inf	21.835M	19.13M	21.615M	19.02M	21.12M	19.075M	21.12M	19.02M
5320MHz	Pass	Inf	23.815M	19.13M	22.605M	19.185M	24.2M	19.13M	23.98M	19.13M
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	55.33M	38.261M	42.35M	38.151M	53.46M	38.261M	54.34M	38.151M
5230MHz	Pass	Inf	41.03M	38.041M	41.14M	38.151M	40.48M	37.821M	40.7M	37.931M
5270MHz	Pass	Inf	41.36M	37.931M	41.36M	37.931M	40.81M	37.931M	40.59M	37.931M
5310MHz	Pass	Inf	61.93M	38.261M	54.23M	38.041M	53.13M	38.371M	53.57M	38.041M
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	87.12M	77.401M	86.24M	77.401M	85.58M	77.401M	86.24M	76.962M
5290MHz	Pass	Inf	98.12M	77.181M	88.44M	77.401M	86.24M	77.401M	96.8M	77.181M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5180MHz

26/12/2025

CF (Hz)
5.18G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.67M	5.16933G	5.191G	16.987M	5.171644G	5.188631G	Inf	1
21.615M	5.16922G	5.190835G	16.877M	5.171534G	5.188411G	Inf	2
22M	5.169055G	5.191055G	17.316M	5.171369G	5.188686G	Inf	3
22.44M	5.16933G	5.19177G	16.877M	5.171644G	5.188521G	Inf	4

Port 1

Port 2

Port 3

Port 4

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5180MHz

26/12/2025

CF (Hz)
5.18G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
25.41M	5.16801G	5.19342G	19.24M	5.17038G	5.18962G	Inf	1
22.825M	5.16878G	5.191605G	19.185M	5.17049G	5.189675G	Inf	2
24.585M	5.168945G	5.19353G	19.295M	5.17038G	5.189675G	Inf	3
25.245M	5.16658G	5.191825G	19.185M	5.170435G	5.18962G	Inf	4

Port 1

Port 2

Port 3


Port 4

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5190MHz

26/12/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5210MHz

26/12/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5320MHz

26/12/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5320MHz

26/12/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5310MHz

26/12/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5290MHz

26/12/2025





**EBW_Non-Beamforming_
Radio 1_AIO-HQ17020_Full RU_4T4S_AP5022FX**

Appendix B.25

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	23.87M	19.24M	19M2D1D	21.065M	19.02M
802.11be EHT40_Nss4,(MCS0)_4TX	59.95M	38.261M	38M3D1D	40.81M	37.821M
802.11be EHT80_Nss4,(MCS0)_4TX	88.44M	77.401M	77M4D1D	85.58M	77.181M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	25.74M	19.24M	19M2D1D	21.01M	19.02M
802.11be EHT40_Nss4,(MCS0)_4TX	64.57M	38.261M	38M3D1D	40.7M	37.821M
802.11be EHT80_Nss4,(MCS0)_4TX	87.56M	77.401M	77M4D1D	85.14M	77.181M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



**EBW_Non-Beamforming_
Radio 1_AIO-HQ17020_Full RU_4T4S_AP5022FX**

Appendix B.25

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	21.725M	19.075M	23.155M	19.075M	21.78M	19.075M	23.87M	19.24M
5200MHz	Pass	Inf	21.505M	19.13M	21.23M	19.02M	21.45M	19.13M	21.23M	19.13M
5240MHz	Pass	Inf	21.065M	19.075M	21.175M	19.075M	21.395M	19.13M	21.615M	19.02M
5260MHz	Pass	Inf	21.395M	19.185M	21.285M	19.075M	21.56M	19.075M	21.23M	19.185M
5300MHz	Pass	Inf	21.01M	19.13M	21.395M	19.02M	21.45M	19.185M	21.175M	19.02M
5320MHz	Pass	Inf	25.74M	19.24M	25.52M	19.185M	23.87M	19.185M	24.53M	19.13M
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	56.32M	38.261M	59.95M	38.151M	59.4M	38.261M	48.84M	38.261M
5230MHz	Pass	Inf	41.03M	37.931M	41.03M	37.821M	40.81M	37.821M	40.92M	37.931M
5270MHz	Pass	Inf	40.92M	37.931M	40.92M	37.821M	40.7M	37.821M	40.92M	38.041M
5310MHz	Pass	Inf	64.57M	38.261M	43.89M	38.151M	49.61M	38.041M	46.09M	38.041M
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	88.44M	77.401M	85.58M	77.401M	87.34M	77.181M	88.22M	77.401M
5290MHz	Pass	Inf	87.56M	77.181M	85.36M	77.401M	85.14M	77.401M	86.68M	77.401M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5180MHz

26/12/2025

CF (Hz)
5.18G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
21.725M	5.169165G	5.19089G	19.075M	5.17049G	5.189565G	Inf	1
23.155M	5.168725G	5.19188G	19.075M	5.17049G	5.189565G	Inf	2
21.78M	5.16922G	5.191G	19.075M	5.17049G	5.189565G	Inf	3
23.87M	5.169055G	5.192925G	19.24M	5.17038G	5.18962G	Inf	4

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5190MHz

26/12/2025

CF (Hz)
5.19G


Span (Hz)
220M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
Peak



26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
56.32M	5.16899G	5.22531G	38.261M	5.17098G	5.20924G	Inf	1
59.95M	5.16613G	5.22608G	38.151M	5.171089G	5.20924G	Inf	2
59.4M	5.16657G	5.22597G	38.261M	5.17087G	5.20913G	Inf	3
48.84M	5.16624G	5.21508G	38.261M	5.17098G	5.20924G	Inf	4




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5210MHz

26/12/2025




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5320MHz

26/12/2025






5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5310MHz

26/12/2025




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5290MHz

26/12/2025





**EBW_Non-Beamforming_
Radio 2_AIO-HQ17020_Full RU_1T1S_AP5022FX**

Appendix B.26

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	30.58M	17.206M	17M2D1D	21.065M	16.822M
802.11be EHT20_Nss1,(MCS0)_1TX	25.96M	19.295M	19M3D1D	21.67M	19.075M
802.11be EHT40_Nss1,(MCS0)_1TX	52.25M	38.041M	38M0D1D	49.39M	37.931M
802.11be EHT80_Nss1,(MCS0)_1TX	83.38M	77.401M	77M4D1D	83.38M	77.401M
802.11be EHT160_Nss1,(MCS0)_1TX	82.96M	78.201M	78M2D1D	82.96M	78.201M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	22M	16.932M	16M9D1D	21.23M	16.822M
802.11be EHT20_Nss1,(MCS0)_1TX	27.775M	19.185M	19M2D1D	21.615M	19.075M
802.11be EHT40_Nss1,(MCS0)_1TX	55.66M	38.151M	38M2D1D	40.92M	37.821M
802.11be EHT80_Nss1,(MCS0)_1TX	99.22M	77.401M	77M4D1D	99.22M	77.401M
802.11be EHT160_Nss1,(MCS0)_1TX	83.12M	78.201M	78M2D1D	83.12M	78.201M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	21.175M	17.096M	17M1D1D	15.72M	13.403M
802.11be EHT20_Nss1,(MCS0)_1TX	25.575M	19.13M	19M1D1D	15.96M	14.543M
802.11be EHT40_Nss1,(MCS0)_1TX	45.98M	38.151M	38M2D1D	38.955M	33.898M
802.11be EHT80_Nss1,(MCS0)_1TX	91.65M	77.181M	77M2D1D	83.6M	73.088M
802.11be EHT160_Nss1,(MCS0)_1TX	164.56M	157.001M	157MD1D	164.56M	157.001M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	16.17M	20.065M	20M1D1D	3.18M	4.738M
802.11be EHT20_Nss1,(MCS0)_1TX	18.92M	19.68M	19M7D1D	4.48M	5.017M
802.11be EHT40_Nss1,(MCS0)_1TX	36.63M	38.591M	38M6D1D	3.58M	14.113M
802.11be EHT80_Nss1,(MCS0)_1TX	75.9M	77.401M	77M4D1D	4.04M	20.81M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth



EBW_Non-Beamforming
Radio 2_AIO-HQ17020_Full RU_1T1S_AP5022FX

Appendix B.26

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-
5180MHz	Pass	Inf	21.34M	16.877M
5200MHz	Pass	Inf	21.065M	16.822M
5240MHz	Pass	Inf	30.58M	17.206M
5260MHz	Pass	Inf	21.285M	16.932M
5300MHz	Pass	Inf	21.23M	16.822M
5320MHz	Pass	Inf	22M	16.877M
5500MHz	Pass	Inf	21.12M	17.096M
5580MHz	Pass	Inf	21.175M	16.932M
5700MHz	Pass	Inf	20.955M	16.822M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.72M	13.403M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.18M	4.738M
5745MHz	Pass	500k	15.455M	20.065M
5785MHz	Pass	500k	16.06M	17.756M
5825MHz	Pass	500k	16.17M	18.196M
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-
5180MHz	Pass	Inf	25.245M	19.075M
5200MHz	Pass	Inf	21.67M	19.185M
5240MHz	Pass	Inf	25.96M	19.295M
5260MHz	Pass	Inf	21.615M	19.075M
5300MHz	Pass	Inf	21.78M	19.13M
5320MHz	Pass	Inf	27.775M	19.185M
5500MHz	Pass	Inf	25.575M	19.13M
5580MHz	Pass	Inf	21.615M	19.02M
5700MHz	Pass	Inf	21.835M	19.075M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.96M	14.543M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.48M	5.017M
5745MHz	Pass	500k	18.26M	19.515M
5785MHz	Pass	500k	18.92M	19.35M
5825MHz	Pass	500k	17.765M	19.68M
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-
5190MHz	Pass	Inf	52.25M	38.041M
5230MHz	Pass	Inf	49.39M	37.931M
5270MHz	Pass	Inf	40.92M	37.821M
5310MHz	Pass	Inf	55.66M	38.151M
5510MHz	Pass	Inf	45.98M	38.151M
5550MHz	Pass	Inf	41.03M	37.931M
5670MHz	Pass	Inf	41.03M	38.041M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	38.955M	33.898M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.58M	14.113M
5755MHz	Pass	500k	36.63M	38.371M
5795MHz	Pass	500k	36.3M	38.591M
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-
5210MHz	Pass	Inf	83.38M	77.401M
5290MHz	Pass	Inf	99.22M	77.401M
5530MHz	Pass	Inf	83.6M	77.181M
5610MHz	Pass	Inf	88.66M	76.962M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	91.65M	73.088M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	4.04M	20.81M
5775MHz	Pass	500k	75.9M	77.401M
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	82.96M	78.201M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	83.12M	78.201M
5570MHz	Pass	Inf	164.56M	157.001M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5240MHz

30/12/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5240MHz

30/12/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5190MHz

30/12/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5210MHz

31/12/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

EBW

5250MHz Straddle 5.15-5.25GHz

31/12/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5320MHz

31/12/2025



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5320MHz

31/12/2025

CF (Hz)
5.32G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5310MHz

31/12/2025

CF (Hz)
5.31G


Span (Hz)
220M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.01m

Detector Type
Peak




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5290MHz

02/01/2026

CF (Hz)
5.29G
Span (Hz)
440M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
99.22M	5.2339G	5.33312G	77.401M	5.251519G	5.328921G	Inf	1


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

EBW

5250MHz Straddle 5.25-5.35GHz

31/12/2025

CF (Hz)
5.33G
Span (Hz)
160M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
2.01m
Detector Type
Peak




26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
83.12M	5.25G	5.33312G	78.201M	5.25092G	5.32912G	Inf	1

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5580MHz

31/12/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5500MHz

31/12/2025






5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5510MHz

31/12/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5690MHz Straddle 5.47-5.725GHz

31/12/2025




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

EBW

5570MHz

31/12/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5825MHz

30/12/2025



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5825MHz

30/12/2025

CF (Hz)
5.825G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak



Port 1

26dB(Hz)	FI-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
33.11M	5.80982G	5.84293G	Inf	1

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5785MHz

30/12/2025

CF (Hz)
5.785G


Span (Hz)
110M

RBW (Hz)
100k

VBW (Hz)
300k

Sweep Time (s)
2.01m

Detector Type
Peak



Port 1

6dB(Hz)	FI-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	FI-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
18.92M	5.775595G	5.794515G	19.35M	5.77527G	5.79462G	500k	1

CF (Hz)
5.785G


Span (Hz)
110M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
2.01m

Detector Type
Peak






5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5785MHz

30/12/2025

CF (Hz)
5.785G
Span (Hz)
110M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
2.01m
Detector Type
Peak



26dB(Hz)	Fl-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
28.325M	5.77191G	5.800235G	Inf	1

Port 1


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5755MHz


31/12/2025

CF (Hz)
5.755G
Span (Hz)
220M
RBW (Hz)
100k
VBW (Hz)
300k
Sweep Time (s)
2.2m
Detector Type
Peak



6dB(Hz)	Fl-6dB(Hz)	Fh-6dB(Hz)	OBW(Hz)	Fl-OBW(Hz)	Fh-OBW(Hz)	Limit(Hz)	Port
36.63M	5.73619G	5.77282G	38.371M	5.73576G	5.77413G	500k	1

CF (Hz)
5.755G
Span (Hz)
220M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
Peak






5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5755MHz

31/12/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5775MHz

31/12/2025






5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5775MHz

31/12/2025

CF (Hz)
5.775G
Span (Hz)
440M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.01m
Detector Type
Peak



Port 1

26dB(Hz)	F1-26dB(Hz)	Fh-26dB(Hz)	Limit(Hz)	Port
95.48M	5.72022G	5.8157G	Inf	1



**EBW_Non-Beamforming_
Radio 2_AIO-HQ17020_Full RU_2T1S_AP5022FX**

Appendix B.27

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22M	16.987M	17M0D1D	20.845M	16.767M
802.11be EHT20_Nss1,(MCS0)_2TX	32.615M	19.295M	19M3D1D	21.395M	19.075M
802.11be EHT40_Nss1,(MCS0)_2TX	53.24M	38.151M	38M2D1D	41.03M	37.931M
802.11be EHT80_Nss1,(MCS0)_2TX	87.12M	77.621M	77M6D1D	85.8M	77.401M
802.11be EHT160_Nss1,(MCS0)_2TX	82.96M	78.041M	78M0D1D	82.96M	78.041M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22.11M	17.096M	17M1D1D	20.845M	16.657M
802.11be EHT20_Nss1,(MCS0)_2TX	23.045M	19.185M	19M2D1D	21.56M	19.075M
802.11be EHT40_Nss1,(MCS0)_2TX	54.78M	38.261M	38M3D1D	41.03M	37.931M
802.11be EHT80_Nss1,(MCS0)_2TX	97.02M	77.401M	77M4D1D	87.56M	77.401M
802.11be EHT160_Nss1,(MCS0)_2TX	83.44M	78.281M	78M3D1D	82.72M	78.281M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	21.67M	17.206M	17M2D1D	15.525M	13.433M
802.11be EHT20_Nss1,(MCS0)_2TX	28.49M	19.24M	19M2D1D	15.75M	14.498M
802.11be EHT40_Nss1,(MCS0)_2TX	53.24M	38.151M	38M2D1D	35.49M	33.793M
802.11be EHT80_Nss1,(MCS0)_2TX	86.9M	77.621M	77M6D1D	75.6M	72.939M
802.11be EHT160_Nss1,(MCS0)_2TX	164.12M	156.562M	157MD1D	164.12M	156.562M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	16.335M	17.811M	17M8D1D	3.16M	4.398M
802.11be EHT20_Nss1,(MCS0)_2TX	18.865M	19.57M	19M6D1D	4.5M	4.718M
802.11be EHT40_Nss1,(MCS0)_2TX	37.51M	38.261M	38M3D1D	3.16M	4.758M
802.11be EHT80_Nss1,(MCS0)_2TX	75.46M	77.401M	77M4D1D	3.96M	5.097M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	22M	16.987M	20.845M	16.932M
5200MHz	Pass	Inf	21.175M	16.987M	21.34M	16.822M
5240MHz	Pass	Inf	21.175M	16.877M	21.065M	16.767M
5260MHz	Pass	Inf	21.78M	16.877M	20.845M	16.657M
5300MHz	Pass	Inf	21.45M	17.041M	21.175M	16.767M
5320MHz	Pass	Inf	22.11M	17.096M	21.45M	16.932M
5500MHz	Pass	Inf	21.67M	17.206M	21.34M	17.041M
5580MHz	Pass	Inf	21.175M	16.877M	20.79M	16.767M
5700MHz	Pass	Inf	21.285M	16.877M	20.9M	16.767M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.675M	13.448M	15.525M	13.433M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.16M	4.698M	3.2M	4.398M
5745MHz	Pass	500k	15.73M	17.811M	16.335M	17.041M
5785MHz	Pass	500k	16.28M	17.481M	16.28M	17.096M
5825MHz	Pass	500k	16.28M	17.371M	16.28M	16.932M
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	Inf	24.86M	19.185M	24.695M	19.13M
5200MHz	Pass	Inf	21.395M	19.075M	21.395M	19.075M
5240MHz	Pass	Inf	32.615M	19.295M	26.51M	19.185M
5260MHz	Pass	Inf	21.615M	19.13M	21.615M	19.075M
5300MHz	Pass	Inf	21.67M	19.075M	21.56M	19.075M
5320MHz	Pass	Inf	23.045M	19.185M	22.385M	19.185M
5500MHz	Pass	Inf	26.4M	19.185M	28.49M	19.24M
5580MHz	Pass	Inf	21.505M	19.13M	21.505M	19.02M
5700MHz	Pass	Inf	21.945M	19.075M	21.56M	19.075M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.9M	14.573M	15.75M	14.498M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.5M	4.978M	4.52M	4.718M
5745MHz	Pass	500k	18.205M	19.295M	16.445M	19.185M
5785MHz	Pass	500k	18.205M	19.57M	18.865M	19.185M
5825MHz	Pass	500k	18.755M	19.185M	18.37M	19.295M
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	Inf	53.24M	38.041M	52.69M	38.151M
5230MHz	Pass	Inf	46.86M	37.931M	41.03M	38.041M
5270MHz	Pass	Inf	41.25M	37.931M	41.03M	38.151M
5310MHz	Pass	Inf	53.35M	38.151M	54.78M	38.261M
5510MHz	Pass	Inf	53.24M	38.151M	47.74M	38.151M
5550MHz	Pass	Inf	41.69M	37.931M	40.7M	37.931M
5670MHz	Pass	Inf	41.03M	37.931M	41.03M	37.931M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.805M	33.863M	35.49M	33.793M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.16M	4.758M	3.78M	4.758M
5755MHz	Pass	500k	36.96M	38.151M	37.18M	38.261M
5795MHz	Pass	500k	37.4M	38.261M	37.51M	38.261M
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	Inf	85.8M	77.401M	87.12M	77.621M
5290MHz	Pass	Inf	87.56M	77.401M	97.02M	77.401M
5530MHz	Pass	Inf	84.7M	77.401M	86.9M	77.621M
5610MHz	Pass	Inf	81.62M	77.401M	80.08M	77.181M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	75.675M	72.939M	75.6M	73.163M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	4.04M	5.197M	3.96M	5.097M
5775MHz	Pass	500k	74.14M	77.401M	75.46M	77.401M
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	82.96M	78.041M	82.96M	78.041M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	83.44M	78.281M	82.72M	78.281M
5570MHz	Pass	Inf	164.12M	156.562M	164.12M	156.562M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5180MHz

31/12/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5240MHz

31/12/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5190MHz

31/12/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5210MHz

31/12/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

31/12/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5320MHz

31/12/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5320MHz

31/12/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5310MHz

31/12/2025




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5290MHz

31/12/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

31/12/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5500MHz

31/12/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5500MHz

31/12/2025




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5510MHz

31/12/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5530MHz

31/12/2025




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

5570MHz

31/12/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5745MHz

02/01/2026




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5745MHz

02/01/2026




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5785MHz

31/12/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5785MHz

31/12/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5795MHz

31/12/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

5795MHz

31/12/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5775MHz

31/12/2025





5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

5775MHz

31/12/2025

