



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.11	54.00	-0.89	3	Horizontal	58	2.59
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.61	54.00	-0.39	3	Horizontal	65	2.73
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.91	54.00	-0.09	3	Horizontal	60	2.59
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.147G	53.88	54.00	-0.12	3	Horizontal	54	2.74
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3504G	53.52	54.00	-0.48	3	Horizontal	53	2.98
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3522G	53.77	54.00	-0.23	3	Horizontal	60	2.53
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3516G	53.82	54.00	-0.18	3	Horizontal	59	2.21
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.353G	53.75	54.00	-0.25	3	Horizontal	53	3.00



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.3

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.148G	50.63	54.00	-3.37	3	Vertical	332	2.90
5180MHz	Pass	AV	5.1774G	99.98	Inf	-Inf	3	Vertical	332	2.90
5180MHz	Pass	PK	5.1488G	60.54	74.00	-13.46	3	Vertical	332	2.90
5180MHz	Pass	PK	5.1776G	108.21	Inf	-Inf	3	Vertical	332	2.90
5180MHz	Pass	AV	5.1496G	52.90	54.00	-1.10	3	Horizontal	56	2.42
5180MHz	Pass	AV	5.1748G	107.14	Inf	-Inf	3	Horizontal	56	2.42
5180MHz	Pass	PK	5.1496G	65.03	74.00	-8.97	3	Horizontal	56	2.42
5180MHz	Pass	PK	5.1848G	115.53	Inf	-Inf	3	Horizontal	56	2.42
5200MHz	Pass	AV	5.1468G	49.57	54.00	-4.43	3	Vertical	339	2.73
5200MHz	Pass	AV	5.1968G	101.46	Inf	-Inf	3	Vertical	339	2.73
5200MHz	Pass	PK	5.1464G	61.44	74.00	-12.56	3	Vertical	339	2.73
5200MHz	Pass	PK	5.2016G	109.22	Inf	-Inf	3	Vertical	339	2.73
5200MHz	Pass	AV	5.15G	53.11	54.00	-0.89	3	Horizontal	58	2.59
5200MHz	Pass	AV	5.2052G	107.46	Inf	-Inf	3	Horizontal	58	2.59
5200MHz	Pass	PK	5.1484G	68.78	74.00	-5.22	3	Horizontal	58	2.59
5200MHz	Pass	PK	5.1944G	116.02	Inf	-Inf	3	Horizontal	58	2.59
5240MHz	Pass	AV	5.1374G	49.23	54.00	-4.77	3	Vertical	337	3.00
5240MHz	Pass	AV	5.2424G	100.49	Inf	-Inf	3	Vertical	337	3.00
5240MHz	Pass	AV	5.3738G	49.25	54.00	-4.75	3	Vertical	337	3.00
5240MHz	Pass	PK	5.0972G	59.93	74.00	-14.07	3	Vertical	337	3.00
5240MHz	Pass	PK	5.2424G	108.82	Inf	-Inf	3	Vertical	337	3.00
5240MHz	Pass	PK	5.3888G	60.22	74.00	-13.78	3	Vertical	337	3.00
5240MHz	Pass	AV	5.135G	49.18	54.00	-4.82	3	Horizontal	53	2.73
5240MHz	Pass	AV	5.2346G	107.13	Inf	-Inf	3	Horizontal	53	2.73
5240MHz	Pass	AV	5.3594G	49.96	54.00	-4.04	3	Horizontal	53	2.73
5240MHz	Pass	PK	5.1494G	60.72	74.00	-13.28	3	Horizontal	53	2.73
5240MHz	Pass	PK	5.2352G	115.61	Inf	-Inf	3	Horizontal	53	2.73
5240MHz	Pass	PK	5.35G	60.01	74.00	-13.99	3	Horizontal	53	2.73
5260MHz	Pass	AV	5.1202G	49.57	54.00	-4.43	3	Vertical	348	1.50
5260MHz	Pass	AV	5.2576G	100.71	Inf	-Inf	3	Vertical	348	1.50
5260MHz	Pass	AV	5.353G	49.30	54.00	-4.70	3	Vertical	348	1.50
5260MHz	Pass	PK	5.1478G	59.39	74.00	-14.61	3	Vertical	348	1.50
5260MHz	Pass	PK	5.2624G	109.36	Inf	-Inf	3	Vertical	348	1.50
5260MHz	Pass	PK	5.3656G	60.34	74.00	-13.66	3	Vertical	348	1.50
5260MHz	Pass	AV	5.1202G	49.48	54.00	-4.52	3	Horizontal	58	2.02
5260MHz	Pass	AV	5.2636G	108.42	Inf	-Inf	3	Horizontal	58	2.02
5260MHz	Pass	AV	5.3542G	49.77	54.00	-4.23	3	Horizontal	58	2.02
5260MHz	Pass	PK	5.1496G	60.73	74.00	-13.27	3	Horizontal	58	2.02
5260MHz	Pass	PK	5.2582G	116.79	Inf	-Inf	3	Horizontal	58	2.02
5260MHz	Pass	PK	5.3578G	60.99	74.00	-13.01	3	Horizontal	58	2.02
5300MHz	Pass	AV	5.2972G	101.31	Inf	-Inf	3	Vertical	332	2.79
5300MHz	Pass	AV	5.352G	49.94	54.00	-4.06	3	Vertical	332	2.79
5300MHz	Pass	PK	5.2968G	109.25	Inf	-Inf	3	Vertical	332	2.79
5300MHz	Pass	PK	5.352G	63.96	74.00	-10.04	3	Vertical	332	2.79
5300MHz	Pass	AV	5.2956G	106.73	Inf	-Inf	3	Horizontal	53	2.98
5300MHz	Pass	AV	5.3504G	53.52	54.00	-0.48	3	Horizontal	53	2.98
5300MHz	Pass	PK	5.3056G	115.97	Inf	-Inf	3	Horizontal	53	2.98
5300MHz	Pass	PK	5.35G	71.19	74.00	-2.81	3	Horizontal	53	2.98
5320MHz	Pass	AV	5.3166G	98.26	Inf	-Inf	3	Vertical	333	2.63
5320MHz	Pass	AV	5.3506G	49.73	54.00	-4.27	3	Vertical	333	2.63
5320MHz	Pass	PK	5.3164G	107.06	Inf	-Inf	3	Vertical	333	2.63
5320MHz	Pass	PK	5.37G	60.04	74.00	-13.96	3	Vertical	333	2.63
5320MHz	Pass	AV	5.3148G	104.57	Inf	-Inf	3	Horizontal	56	2.75
5320MHz	Pass	AV	5.3502G	52.53	54.00	-1.47	3	Horizontal	56	2.75
5320MHz	Pass	PK	5.3248G	113.38	Inf	-Inf	3	Horizontal	56	2.75
5320MHz	Pass	PK	5.35G	65.92	74.00	-8.08	3	Horizontal	56	2.75
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	50.14	54.00	-3.86	3	Vertical	330	2.75
5180MHz	Pass	AV	5.1784G	100.07	Inf	-Inf	3	Vertical	330	2.75
5180MHz	Pass	PK	5.1392G	66.77	74.00	-7.23	3	Vertical	330	2.75



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5180MHz	Pass	PK	5.181G	111.60	Inf	-Inf	3	Vertical	330	2.75
5180MHz	Pass	AV	5.15G	53.61	54.00	-0.39	3	Horizontal	65	2.73
5180MHz	Pass	AV	5.1776G	104.95	Inf	-Inf	3	Horizontal	65	2.73
5180MHz	Pass	PK	5.1384G	72.24	74.00	-1.76	3	Horizontal	65	2.73
5180MHz	Pass	PK	5.1802G	116.36	Inf	-Inf	3	Horizontal	65	2.73
5200MHz	Pass	AV	5.1488G	49.23	54.00	-4.77	3	Vertical	338	2.74
5200MHz	Pass	AV	5.2008G	99.70	Inf	-Inf	3	Vertical	338	2.74
5200MHz	Pass	PK	5.146G	63.18	74.00	-10.82	3	Vertical	338	2.74
5200MHz	Pass	PK	5.206G	111.36	Inf	-Inf	3	Vertical	338	2.74
5200MHz	Pass	AV	5.15G	53.03	54.00	-0.97	3	Horizontal	54	2.75
5200MHz	Pass	AV	5.2076G	104.96	Inf	-Inf	3	Horizontal	54	2.75
5200MHz	Pass	PK	5.1476G	69.73	74.00	-4.27	3	Horizontal	54	2.75
5200MHz	Pass	PK	5.1976G	116.89	Inf	-Inf	3	Horizontal	54	2.75
5240MHz	Pass	AV	5.1488G	48.54	54.00	-5.46	3	Vertical	328	3.00
5240MHz	Pass	AV	5.2364G	100.17	Inf	-Inf	3	Vertical	328	3.00
5240MHz	Pass	AV	5.3624G	48.30	54.00	-5.70	3	Vertical	328	3.00
5240MHz	Pass	PK	5.1488G	59.84	74.00	-14.16	3	Vertical	328	3.00
5240MHz	Pass	PK	5.2436G	111.49	Inf	-Inf	3	Vertical	328	3.00
5240MHz	Pass	PK	5.3882G	60.10	74.00	-13.90	3	Vertical	328	3.00
5240MHz	Pass	AV	5.1464G	49.39	54.00	-4.61	3	Horizontal	59	1.94
5240MHz	Pass	AV	5.2466G	105.22	Inf	-Inf	3	Horizontal	59	1.94
5240MHz	Pass	AV	5.3534G	48.54	54.00	-5.46	3	Horizontal	59	1.94
5240MHz	Pass	PK	5.1476G	62.59	74.00	-11.41	3	Horizontal	59	1.94
5240MHz	Pass	PK	5.2394G	117.18	Inf	-Inf	3	Horizontal	59	1.94
5240MHz	Pass	PK	5.3558G	60.10	74.00	-13.90	3	Horizontal	59	1.94
5260MHz	Pass	AV	5.1496G	48.01	54.00	-5.99	3	Vertical	350	1.50
5260MHz	Pass	AV	5.2612G	96.95	Inf	-Inf	3	Vertical	350	1.50
5260MHz	Pass	AV	5.3506G	48.27	54.00	-5.73	3	Vertical	350	1.50
5260MHz	Pass	PK	5.1232G	59.62	74.00	-14.38	3	Vertical	350	1.50
5260MHz	Pass	PK	5.2612G	108.36	Inf	-Inf	3	Vertical	350	1.50
5260MHz	Pass	PK	5.3506G	61.11	74.00	-12.89	3	Vertical	350	1.50
5260MHz	Pass	AV	5.149G	49.43	54.00	-4.57	3	Horizontal	58	2.13
5260MHz	Pass	AV	5.2642G	107.43	Inf	-Inf	3	Horizontal	58	2.13
5260MHz	Pass	AV	5.35G	50.83	54.00	-3.17	3	Horizontal	58	2.13
5260MHz	Pass	PK	5.1346G	63.35	74.00	-10.65	3	Horizontal	58	2.13
5260MHz	Pass	PK	5.2594G	118.99	Inf	-Inf	3	Horizontal	58	2.13
5260MHz	Pass	PK	5.3518G	65.67	74.00	-8.33	3	Horizontal	58	2.13
5300MHz	Pass	AV	5.2932G	98.88	Inf	-Inf	3	Vertical	334	2.79
5300MHz	Pass	AV	5.3508G	50.00	54.00	-4.00	3	Vertical	334	2.79
5300MHz	Pass	PK	5.2908G	109.69	Inf	-Inf	3	Vertical	334	2.79
5300MHz	Pass	PK	5.3532G	65.69	74.00	-8.31	3	Vertical	334	2.79
5300MHz	Pass	AV	5.2916G	105.87	Inf	-Inf	3	Horizontal	58	2.12
5300MHz	Pass	AV	5.3516G	53.28	54.00	-0.72	3	Horizontal	58	2.12
5300MHz	Pass	PK	5.3016G	117.22	Inf	-Inf	3	Horizontal	58	2.12
5300MHz	Pass	PK	5.3544G	70.52	74.00	-3.48	3	Horizontal	58	2.12
5320MHz	Pass	AV	5.3158G	97.58	Inf	-Inf	3	Vertical	332	2.63
5320MHz	Pass	AV	5.3508G	49.53	54.00	-4.47	3	Vertical	332	2.63
5320MHz	Pass	PK	5.3182G	109.84	Inf	-Inf	3	Vertical	332	2.63
5320MHz	Pass	PK	5.356G	61.75	74.00	-12.25	3	Vertical	332	2.63
5320MHz	Pass	AV	5.3146G	104.27	Inf	-Inf	3	Horizontal	60	2.53
5320MHz	Pass	AV	5.3522G	53.77	54.00	-0.23	3	Horizontal	60	2.53
5320MHz	Pass	PK	5.3148G	115.94	Inf	-Inf	3	Horizontal	60	2.53
5320MHz	Pass	PK	5.3596G	66.13	74.00	-7.87	3	Horizontal	60	2.53
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	50.58	54.00	-3.42	3	Vertical	331	2.73
5190MHz	Pass	AV	5.1764G	95.83	Inf	-Inf	3	Vertical	331	2.73
5190MHz	Pass	PK	5.1484G	62.92	74.00	-11.08	3	Vertical	331	2.73
5190MHz	Pass	PK	5.1808G	107.79	Inf	-Inf	3	Vertical	331	2.73
5190MHz	Pass	AV	5.15G	53.91	54.00	-0.09	3	Horizontal	60	2.59
5190MHz	Pass	AV	5.2G	101.41	Inf	-Inf	3	Horizontal	60	2.59
5190MHz	Pass	PK	5.1496G	65.32	74.00	-8.68	3	Horizontal	60	2.59
5190MHz	Pass	PK	5.1948G	113.92	Inf	-Inf	3	Horizontal	60	2.59




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	AV	5.1484G	49.60	54.00	-4.40	3	Vertical	328	2.83
5230MHz	Pass	AV	5.2312G	95.62	Inf	-Inf	3	Vertical	328	2.83
5230MHz	Pass	PK	5.1456G	63.22	74.00	-10.78	3	Vertical	328	2.83
5230MHz	Pass	PK	5.2288G	107.10	Inf	-Inf	3	Vertical	328	2.83
5230MHz	Pass	AV	5.1492G	53.76	54.00	-0.24	3	Horizontal	58	1.95
5230MHz	Pass	AV	5.244G	100.60	Inf	-Inf	3	Horizontal	58	1.95
5230MHz	Pass	PK	5.134G	68.70	74.00	-5.30	3	Horizontal	58	1.95
5230MHz	Pass	PK	5.2396G	112.81	Inf	-Inf	3	Horizontal	58	1.95
5270MHz	Pass	AV	5.2608G	91.45	Inf	-Inf	3	Vertical	350	1.50
5270MHz	Pass	AV	5.3532G	49.33	54.00	-4.67	3	Vertical	350	1.50
5270MHz	Pass	PK	5.2584G	102.87	Inf	-Inf	3	Vertical	350	1.50
5270MHz	Pass	PK	5.3512G	62.47	74.00	-11.53	3	Vertical	350	1.50
5270MHz	Pass	AV	5.2844G	102.55	Inf	-Inf	3	Horizontal	58	2.20
5270MHz	Pass	AV	5.3516G	53.25	54.00	-0.75	3	Horizontal	58	2.20
5270MHz	Pass	PK	5.2768G	113.76	Inf	-Inf	3	Horizontal	58	2.20
5270MHz	Pass	PK	5.35G	70.03	74.00	-3.97	3	Horizontal	58	2.20
5310MHz	Pass	AV	5.2936G	94.71	Inf	-Inf	3	Vertical	332	2.64
5310MHz	Pass	AV	5.3516G	49.74	54.00	-4.26	3	Vertical	332	2.64
5310MHz	Pass	PK	5.3156G	105.54	Inf	-Inf	3	Vertical	332	2.64
5310MHz	Pass	PK	5.3556G	61.08	74.00	-12.92	3	Vertical	332	2.64
5310MHz	Pass	AV	5.2992G	101.01	Inf	-Inf	3	Horizontal	59	2.21
5310MHz	Pass	AV	5.3516G	53.82	54.00	-0.18	3	Horizontal	59	2.21
5310MHz	Pass	PK	5.3192G	113.06	Inf	-Inf	3	Horizontal	59	2.21
5310MHz	Pass	PK	5.352G	65.50	74.00	-8.50	3	Horizontal	59	2.21
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.141G	49.67	54.00	-4.33	3	Vertical	327	2.83
5210MHz	Pass	AV	5.226G	91.86	Inf	-Inf	3	Vertical	327	2.83
5210MHz	Pass	AV	5.355G	48.54	54.00	-5.46	3	Vertical	327	2.83
5210MHz	Pass	PK	5.149G	61.03	74.00	-12.97	3	Vertical	327	2.83
5210MHz	Pass	PK	5.214G	102.83	Inf	-Inf	3	Vertical	327	2.83
5210MHz	Pass	PK	5.363G	59.69	74.00	-14.31	3	Vertical	327	2.83
5210MHz	Pass	AV	5.147G	53.88	54.00	-0.12	3	Horizontal	54	2.74
5210MHz	Pass	AV	5.215G	96.83	Inf	-Inf	3	Horizontal	54	2.74
5210MHz	Pass	AV	5.354G	49.07	54.00	-4.93	3	Horizontal	54	2.74
5210MHz	Pass	PK	5.135G	64.38	74.00	-9.62	3	Horizontal	54	2.74
5210MHz	Pass	PK	5.208G	108.65	Inf	-Inf	3	Horizontal	54	2.74
5210MHz	Pass	PK	5.398G	60.88	74.00	-13.12	3	Horizontal	54	2.74
5290MHz	Pass	AV	5.149G	48.02	54.00	-5.98	3	Vertical	334	2.79
5290MHz	Pass	AV	5.276G	89.68	Inf	-Inf	3	Vertical	334	2.79
5290MHz	Pass	AV	5.356G	49.31	54.00	-4.69	3	Vertical	334	2.79
5290MHz	Pass	PK	5.073G	60.12	74.00	-13.88	3	Vertical	334	2.79
5290MHz	Pass	PK	5.283G	101.08	Inf	-Inf	3	Vertical	334	2.79
5290MHz	Pass	PK	5.373G	60.16	74.00	-13.84	3	Vertical	334	2.79
5290MHz	Pass	PK	5.499G	59.61	68.20	-8.59	3	Vertical	334	2.79
5290MHz	Pass	AV	5.127G	48.20	54.00	-5.80	3	Horizontal	53	3.00
5290MHz	Pass	AV	5.298G	95.65	Inf	-Inf	3	Horizontal	53	3.00
5290MHz	Pass	AV	5.353G	53.75	54.00	-0.25	3	Horizontal	53	3.00
5290MHz	Pass	PK	5.125G	60.10	74.00	-13.90	3	Horizontal	53	3.00
5290MHz	Pass	PK	5.296G	107.37	Inf	-Inf	3	Horizontal	53	3.00
5290MHz	Pass	PK	5.353G	64.88	74.00	-9.12	3	Horizontal	53	3.00
5290MHz	Pass	PK	5.473G	59.29	68.20	-8.91	3	Horizontal	53	3.00


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	50.58	54.00	-3.42	5.95	3	Vertical	331	2.73	44.63	33.09	8.07	35.21
AV	5.1764G	95.83	Inf	-Inf	5.94	3	Vertical	331	2.73	89.89	33.05	8.09	35.20
PK	5.1484G	62.92	74.00	-11.08	5.95	3	Vertical	331	2.73	56.97	33.09	8.07	35.21
PK	5.1808G	107.79	Inf	-Inf	5.93	3	Vertical	331	2.73	101.86	33.04	8.09	35.20

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.91	54.00	-0.09	5.97	3	Horizontal	60	2.59	47.94	33.10	8.07	35.20
AV	5.2G	101.41	Inf	-Inf	5.91	3	Horizontal	60	2.59	95.50	33.00	8.11	35.20
PK	5.1496G	65.32	74.00	-8.68	5.96	3	Horizontal	60	2.59	59.36	33.10	8.07	35.21
PK	5.1948G	113.92	Inf	-Inf	5.92	3	Horizontal	60	2.59	108.00	33.01	8.11	35.20



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	49.67	54.00	-4.33	5.90	3	Vertical	327	2.83	43.77	33.05	8.06	35.21
AV	5.226G	91.86	Inf	-Inf	5.86	3	Vertical	327	2.83	86.00	32.95	8.11	35.20
AV	5.355G	48.54	54.00	-5.46	5.80	3	Vertical	327	2.83	42.74	32.88	8.10	35.18
PK	5.149G	61.03	74.00	-12.97	5.95	3	Vertical	327	2.83	55.08	33.09	8.07	35.21
PK	5.214G	102.83	Inf	-Inf	5.88	3	Vertical	327	2.83	96.95	32.97	8.11	35.20
PK	5.363G	59.69	74.00	-14.31	5.77	3	Vertical	327	2.83	53.92	32.85	8.10	35.18

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.88	54.00	-0.12	5.94	3	Horizontal	54	2.74	47.94	33.08	8.07	35.21
AV	5.215G	96.83	Inf	-Inf	5.88	3	Horizontal	54	2.74	90.95	32.97	8.11	35.20
AV	5.354G	49.07	54.00	-4.93	5.80	3	Horizontal	54	2.74	43.27	32.88	8.10	35.18
PK	5.135G	64.38	74.00	-9.62	5.86	3	Horizontal	54	2.74	58.52	33.01	8.06	35.21
PK	5.208G	108.65	Inf	-Inf	5.89	3	Horizontal	54	2.74	102.76	32.98	8.11	35.20
PK	5.398G	60.88	74.00	-13.12	5.63	3	Horizontal	54	2.74	55.25	32.71	8.10	35.18


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX





***RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_2T2S_AP5022FX***

Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1484G	53.70	54.00	-0.30	3	Horizontal	64	1.90
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.77	54.00	-0.23	3	Horizontal	62	2.01
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.149G	53.67	54.00	-0.33	3	Horizontal	61	2.01
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.63	54.00	-0.37	3	Horizontal	68	2.62
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.3504G	53.57	54.00	-0.43	3	Horizontal	62	1.93
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.351G	53.70	54.00	-0.30	3	Horizontal	69	2.61



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_2T2S_AP5022FX**

Appendix E.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1494G	48.80	54.00	-5.20	3	Vertical	30	1.50
5180MHz_TX	Pass	AV	5.188G	93.85	Inf	-Inf	3	Vertical	30	1.50
5180MHz_TX	Pass	PK	5.1334G	61.14	74.00	-12.86	3	Vertical	30	1.50
5180MHz_TX	Pass	PK	5.182G	105.14	Inf	-Inf	3	Vertical	30	1.50
5180MHz_TX	Pass	AV	5.1492G	53.12	54.00	-0.88	3	Horizontal	61	1.97
5180MHz_TX	Pass	AV	5.1868G	103.59	Inf	-Inf	3	Horizontal	61	1.97
5180MHz_TX	Pass	PK	5.139G	73.02	74.00	-0.98	3	Horizontal	61	1.97
5180MHz_TX	Pass	PK	5.1794G	115.52	Inf	-Inf	3	Horizontal	61	1.97
5200MHz_TX	Pass	AV	5.1488G	48.95	54.00	-5.05	3	Vertical	31	1.57
5200MHz_TX	Pass	AV	5.208G	95.48	Inf	-Inf	3	Vertical	31	1.57
5200MHz_TX	Pass	PK	5.1432G	62.08	74.00	-11.92	3	Vertical	31	1.57
5200MHz_TX	Pass	PK	5.202G	107.29	Inf	-Inf	3	Vertical	31	1.57
5200MHz_TX	Pass	AV	5.1484G	53.70	54.00	-0.30	3	Horizontal	64	1.90
5200MHz_TX	Pass	AV	5.208G	103.96	Inf	-Inf	3	Horizontal	64	1.90
5200MHz_TX	Pass	PK	5.1468G	68.71	74.00	-5.29	3	Horizontal	64	1.90
5200MHz_TX	Pass	PK	5.2036G	115.99	Inf	-Inf	3	Horizontal	64	1.90
5240MHz_TX	Pass	AV	5.1434G	48.36	54.00	-5.64	3	Vertical	31	1.50
5240MHz_TX	Pass	AV	5.2334G	95.37	Inf	-Inf	3	Vertical	31	1.50
5240MHz_TX	Pass	AV	5.354G	48.11	54.00	-5.89	3	Vertical	31	1.50
5240MHz_TX	Pass	PK	5.147G	59.64	74.00	-14.36	3	Vertical	31	1.50
5240MHz_TX	Pass	PK	5.2322G	107.38	Inf	-Inf	3	Vertical	31	1.50
5240MHz_TX	Pass	PK	5.3528G	59.78	74.00	-14.22	3	Vertical	31	1.50
5240MHz_TX	Pass	AV	5.1476G	49.81	54.00	-4.19	3	Horizontal	65	1.77
5240MHz_TX	Pass	AV	5.2352G	103.84	Inf	-Inf	3	Horizontal	65	1.77
5240MHz_TX	Pass	AV	5.35G	49.04	54.00	-4.96	3	Horizontal	65	1.77
5240MHz_TX	Pass	PK	5.15G	62.48	74.00	-11.52	3	Horizontal	65	1.77
5240MHz_TX	Pass	PK	5.2352G	115.03	Inf	-Inf	3	Horizontal	65	1.77
5240MHz_TX	Pass	PK	5.351G	60.71	74.00	-13.29	3	Horizontal	65	1.77
5260MHz_TX	Pass	AV	5.131G	48.11	54.00	-5.89	3	Vertical	28	1.05
5260MHz_TX	Pass	AV	5.257G	96.18	Inf	-Inf	3	Vertical	28	1.05
5260MHz_TX	Pass	AV	5.35G	48.15	54.00	-5.85	3	Vertical	28	1.05
5260MHz_TX	Pass	PK	5.1388G	60.27	74.00	-13.73	3	Vertical	28	1.05
5260MHz_TX	Pass	PK	5.254G	108.34	Inf	-Inf	3	Vertical	28	1.05
5260MHz_TX	Pass	PK	5.3698G	59.67	74.00	-14.33	3	Vertical	28	1.05
5260MHz_TX	Pass	AV	5.1496G	49.05	54.00	-4.95	3	Horizontal	62	1.98
5260MHz_TX	Pass	AV	5.2678G	105.78	Inf	-Inf	3	Horizontal	62	1.98
5260MHz_TX	Pass	AV	5.3518G	50.46	54.00	-3.54	3	Horizontal	62	1.98
5260MHz_TX	Pass	PK	5.1466G	61.05	74.00	-12.95	3	Horizontal	62	1.98
5260MHz_TX	Pass	PK	5.2654G	117.80	Inf	-Inf	3	Horizontal	62	1.98
5260MHz_TX	Pass	PK	5.3506G	63.86	74.00	-10.14	3	Horizontal	62	1.98
5300MHz_TX	Pass	AV	5.296G	96.17	Inf	-Inf	3	Vertical	336	2.79
5300MHz_TX	Pass	AV	5.3504G	49.10	54.00	-4.90	3	Vertical	336	2.79
5300MHz_TX	Pass	PK	5.2928G	107.62	Inf	-Inf	3	Vertical	336	2.79
5300MHz_TX	Pass	PK	5.3516G	64.23	74.00	-9.77	3	Vertical	336	2.79
5300MHz_TX	Pass	AV	5.2964G	104.65	Inf	-Inf	3	Horizontal	57	2.00
5300MHz_TX	Pass	AV	5.3504G	53.34	54.00	-0.66	3	Horizontal	57	2.00
5300MHz_TX	Pass	PK	5.3036G	115.98	Inf	-Inf	3	Horizontal	57	2.00
5300MHz_TX	Pass	PK	5.3504G	68.12	74.00	-5.88	3	Horizontal	57	2.00
5320MHz_TX	Pass	AV	5.3182G	93.21	Inf	-Inf	3	Vertical	345	1.50
5320MHz_TX	Pass	AV	5.35G	49.06	54.00	-4.94	3	Vertical	345	1.50
5320MHz_TX	Pass	PK	5.3124G	106.21	Inf	-Inf	3	Vertical	345	1.50
5320MHz_TX	Pass	PK	5.352G	61.49	74.00	-12.51	3	Vertical	345	1.50
5320MHz_TX	Pass	AV	5.3146G	103.08	Inf	-Inf	3	Horizontal	68	2.62
5320MHz_TX	Pass	AV	5.35G	53.63	54.00	-0.37	3	Horizontal	68	2.62
5320MHz_TX	Pass	PK	5.3194G	114.43	Inf	-Inf	3	Horizontal	68	2.62
5320MHz_TX	Pass	PK	5.3524G	65.88	74.00	-8.12	3	Horizontal	68	2.62
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.1496G	48.70	54.00	-5.30	3	Vertical	34	1.61
5190MHz_TX	Pass	AV	5.1924G	89.63	Inf	-Inf	3	Vertical	34	1.61
5190MHz_TX	Pass	PK	5.1464G	60.66	74.00	-13.34	3	Vertical	34	1.61




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_2T2S_AP5022FX**

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz_TX	Pass	PK	5.202G	101.63	Inf	-Inf	3	Vertical	34	1.61
5190MHz_TX	Pass	AV	5.15G	52.85	54.00	-1.15	3	Horizontal	61	1.94
5190MHz_TX	Pass	AV	5.1868G	99.80	Inf	-Inf	3	Horizontal	61	1.94
5190MHz_TX	Pass	PK	5.15G	64.23	74.00	-9.77	3	Horizontal	61	1.94
5190MHz_TX	Pass	PK	5.1768G	111.36	Inf	-Inf	3	Horizontal	61	1.94
5230MHz_TX	Pass	AV	5.1452G	49.47	54.00	-4.53	3	Vertical	29	1.57
5230MHz_TX	Pass	AV	5.2228G	91.42	Inf	-Inf	3	Vertical	29	1.57
5230MHz_TX	Pass	PK	5.146G	62.45	74.00	-11.55	3	Vertical	29	1.57
5230MHz_TX	Pass	PK	5.2124G	102.95	Inf	-Inf	3	Vertical	29	1.57
5230MHz_TX	Pass	AV	5.15G	53.77	54.00	-0.23	3	Horizontal	62	2.01
5230MHz_TX	Pass	AV	5.2168G	100.09	Inf	-Inf	3	Horizontal	62	2.01
5230MHz_TX	Pass	PK	5.1432G	68.07	74.00	-5.93	3	Horizontal	62	2.01
5230MHz_TX	Pass	PK	5.2168G	112.33	Inf	-Inf	3	Horizontal	62	2.01
5270MHz_TX	Pass	AV	5.2736G	93.95	Inf	-Inf	3	Vertical	335	2.83
5270MHz_TX	Pass	AV	5.35G	50.19	54.00	-3.81	3	Vertical	335	2.83
5270MHz_TX	Pass	PK	5.2768G	105.13	Inf	-Inf	3	Vertical	335	2.83
5270MHz_TX	Pass	PK	5.3512G	65.93	74.00	-8.07	3	Vertical	335	2.83
5270MHz_TX	Pass	AV	5.2712G	100.46	Inf	-Inf	3	Horizontal	62	1.93
5270MHz_TX	Pass	AV	5.3504G	53.57	54.00	-0.43	3	Horizontal	62	1.93
5270MHz_TX	Pass	PK	5.274G	112.55	Inf	-Inf	3	Horizontal	62	1.93
5270MHz_TX	Pass	PK	5.3532G	70.59	74.00	-3.41	3	Horizontal	62	1.93
5310MHz_TX	Pass	AV	5.3048G	92.50	Inf	-Inf	3	Vertical	335	2.79
5310MHz_TX	Pass	AV	5.3516G	49.68	54.00	-4.32	3	Vertical	335	2.79
5310MHz_TX	Pass	PK	5.3G	103.38	Inf	-Inf	3	Vertical	335	2.79
5310MHz_TX	Pass	PK	5.3504G	60.74	74.00	-13.26	3	Vertical	335	2.79
5310MHz_TX	Pass	AV	5.2964G	99.65	Inf	-Inf	3	Horizontal	64	1.91
5310MHz_TX	Pass	AV	5.35G	53.14	54.00	-0.86	3	Horizontal	64	1.91
5310MHz_TX	Pass	PK	5.2916G	111.29	Inf	-Inf	3	Horizontal	64	1.91
5310MHz_TX	Pass	PK	5.352G	65.03	74.00	-8.97	3	Horizontal	64	1.91
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.141G	48.98	54.00	-5.02	3	Vertical	30	1.59
5210MHz_TX	Pass	AV	5.22G	88.59	Inf	-Inf	3	Vertical	30	1.59
5210MHz_TX	Pass	AV	5.356G	48.44	54.00	-5.56	3	Vertical	30	1.59
5210MHz_TX	Pass	PK	5.146G	60.25	74.00	-13.75	3	Vertical	30	1.59
5210MHz_TX	Pass	PK	5.222G	100.28	Inf	-Inf	3	Vertical	30	1.59
5210MHz_TX	Pass	PK	5.408G	59.36	74.00	-14.64	3	Vertical	30	1.59
5210MHz_TX	Pass	AV	5.149G	53.67	54.00	-0.33	3	Horizontal	61	2.01
5210MHz_TX	Pass	AV	5.222G	97.14	Inf	-Inf	3	Horizontal	61	2.01
5210MHz_TX	Pass	AV	5.352G	49.28	54.00	-4.72	3	Horizontal	61	2.01
5210MHz_TX	Pass	PK	5.128G	65.87	74.00	-8.13	3	Horizontal	61	2.01
5210MHz_TX	Pass	PK	5.221G	109.13	Inf	-Inf	3	Horizontal	61	2.01
5210MHz_TX	Pass	PK	5.363G	61.25	74.00	-12.75	3	Horizontal	61	2.01
5290MHz_TX	Pass	AV	5.147G	48.56	54.00	-5.44	3	Vertical	32	1.64
5290MHz_TX	Pass	AV	5.3G	88.42	Inf	-Inf	3	Vertical	32	1.64
5290MHz_TX	Pass	AV	5.353G	49.10	54.00	-4.90	3	Vertical	32	1.64
5290MHz_TX	Pass	PK	5.146G	60.32	74.00	-13.68	3	Vertical	32	1.64
5290MHz_TX	Pass	PK	5.296G	100.24	Inf	-Inf	3	Vertical	32	1.64
5290MHz_TX	Pass	PK	5.45G	60.48	74.00	-13.52	3	Vertical	32	1.64
5290MHz_TX	Pass	PK	5.474G	60.02	68.20	-8.18	3	Vertical	32	1.64
5290MHz_TX	Pass	AV	5.144G	51.33	54.00	-2.67	3	Horizontal	69	2.61
5290MHz_TX	Pass	AV	5.302G	97.06	Inf	-Inf	3	Horizontal	69	2.61
5290MHz_TX	Pass	AV	5.351G	53.70	54.00	-0.30	3	Horizontal	69	2.61
5290MHz_TX	Pass	PK	5.14G	63.79	74.00	-10.21	3	Horizontal	69	2.61
5290MHz_TX	Pass	PK	5.301G	108.10	Inf	-Inf	3	Horizontal	69	2.61
5290MHz_TX	Pass	PK	5.356G	65.44	74.00	-8.56	3	Horizontal	69	2.61
5290MHz_TX	Pass	PK	5.497G	60.25	68.20	-7.95	3	Horizontal	69	2.61


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	48.98	54.00	-5.02	5.90	3	Vertical	30	1.59	43.08	33.05	8.06	35.21
AV	5.22G	88.59	Inf	-Inf	5.87	3	Vertical	30	1.59	82.72	32.96	8.11	35.20
AV	5.356G	48.44	54.00	-5.56	5.80	3	Vertical	30	1.59	42.64	32.88	8.10	35.18
PK	5.146G	60.25	74.00	-13.75	5.94	3	Vertical	30	1.59	54.31	33.08	8.07	35.21
PK	5.222G	100.28	Inf	-Inf	5.87	3	Vertical	30	1.59	94.41	32.96	8.11	35.20
PK	5.408G	59.36	74.00	-14.64	5.62	3	Vertical	30	1.59	53.74	32.70	8.10	35.18

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.67	54.00	-0.33	5.95	3	Horizontal	61	2.01	47.72	33.09	8.07	35.21
AV	5.222G	97.14	Inf	-Inf	5.87	3	Horizontal	61	2.01	91.27	32.96	8.11	35.20
AV	5.352G	49.28	54.00	-4.72	5.81	3	Horizontal	61	2.01	43.47	32.89	8.10	35.18
PK	5.128G	65.87	74.00	-8.13	5.81	3	Horizontal	61	2.01	60.06	32.97	8.05	35.21
PK	5.221G	109.13	Inf	-Inf	5.87	3	Horizontal	61	2.01	103.26	32.96	8.11	35.20
PK	5.363G	61.25	74.00	-12.75	5.77	3	Horizontal	61	2.01	55.48	32.85	8.10	35.18


5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.1484G	53.48	54.00	-0.52	3	Horizontal	27	1.00
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.41	54.00	-0.59	3	Horizontal	32	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.1496G	53.59	54.00	-0.41	3	Horizontal	298	1.20
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.147G	53.11	54.00	-0.89	3	Horizontal	30	3.00
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3506G	53.91	54.00	-0.09	3	Horizontal	20	1.32
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.3526G	53.16	54.00	-0.84	3	Horizontal	31	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.354G	53.48	54.00	-0.52	3	Horizontal	300	1.00
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.354G	53.40	54.00	-0.60	3	Horizontal	302	1.00



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.5

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1486G	49.24	54.00	-4.76	3	Vertical	46	1.50
5180MHz_TX	Pass	AV	5.176G	97.97	Inf	-Inf	3	Vertical	46	1.50
5180MHz_TX	Pass	PK	5.1368G	60.10	74.00	-13.90	3	Vertical	46	1.50
5180MHz_TX	Pass	PK	5.1762G	106.10	Inf	-Inf	3	Vertical	46	1.50
5180MHz_TX	Pass	AV	5.1484G	53.48	54.00	-0.52	3	Horizontal	27	1.00
5180MHz_TX	Pass	AV	5.1868G	108.27	Inf	-Inf	3	Horizontal	27	1.00
5180MHz_TX	Pass	PK	5.1468G	68.01	74.00	-5.99	3	Horizontal	27	1.00
5180MHz_TX	Pass	PK	5.1864G	117.42	Inf	-Inf	3	Horizontal	27	1.00
5200MHz_TX	Pass	AV	5.1484G	51.30	54.00	-2.70	3	Vertical	4	2.45
5200MHz_TX	Pass	AV	5.2076G	102.73	Inf	-Inf	3	Vertical	4	2.45
5200MHz_TX	Pass	PK	5.1496G	66.85	74.00	-7.15	3	Vertical	4	2.45
5200MHz_TX	Pass	PK	5.2072G	110.91	Inf	-Inf	3	Vertical	4	2.45
5200MHz_TX	Pass	AV	5.1472G	53.33	54.00	-0.67	3	Horizontal	326	2.27
5200MHz_TX	Pass	AV	5.2056G	108.55	Inf	-Inf	3	Horizontal	326	2.27
5200MHz_TX	Pass	PK	5.1476G	68.22	74.00	-5.78	3	Horizontal	326	2.27
5200MHz_TX	Pass	PK	5.2052G	117.02	Inf	-Inf	3	Horizontal	326	2.27
5240MHz_TX	Pass	AV	5.132G	49.05	54.00	-4.95	3	Vertical	37	1.50
5240MHz_TX	Pass	AV	5.2346G	101.67	Inf	-Inf	3	Vertical	37	1.50
5240MHz_TX	Pass	AV	5.369G	49.04	54.00	-4.96	3	Vertical	37	1.50
5240MHz_TX	Pass	PK	5.1374G	59.76	74.00	-14.24	3	Vertical	37	1.50
5240MHz_TX	Pass	PK	5.2346G	110.74	Inf	-Inf	3	Vertical	37	1.50
5240MHz_TX	Pass	PK	5.3894G	59.65	74.00	-14.35	3	Vertical	37	1.50
5240MHz_TX	Pass	AV	5.147G	49.60	54.00	-4.40	3	Horizontal	33	2.85
5240MHz_TX	Pass	AV	5.2346G	108.83	Inf	-Inf	3	Horizontal	33	2.85
5240MHz_TX	Pass	AV	5.3564G	49.19	54.00	-4.81	3	Horizontal	33	2.85
5240MHz_TX	Pass	PK	5.1344G	60.09	74.00	-13.91	3	Horizontal	33	2.85
5240MHz_TX	Pass	PK	5.2346G	117.69	Inf	-Inf	3	Horizontal	33	2.85
5240MHz_TX	Pass	PK	5.366G	60.13	74.00	-13.87	3	Horizontal	33	2.85
5260MHz_TX	Pass	AV	5.1208G	49.01	54.00	-4.99	3	Vertical	163	1.50
5260MHz_TX	Pass	AV	5.2546G	101.89	Inf	-Inf	3	Vertical	163	1.50
5260MHz_TX	Pass	AV	5.392G	49.18	54.00	-4.82	3	Vertical	163	1.50
5260MHz_TX	Pass	PK	5.1424G	59.77	74.00	-14.23	3	Vertical	163	1.50
5260MHz_TX	Pass	PK	5.2546G	109.98	Inf	-Inf	3	Vertical	163	1.50
5260MHz_TX	Pass	PK	5.3524G	60.19	74.00	-13.81	3	Vertical	163	1.50
5260MHz_TX	Pass	AV	5.15G	49.48	54.00	-4.52	3	Horizontal	26	1.50
5260MHz_TX	Pass	AV	5.266G	109.57	Inf	-Inf	3	Horizontal	26	1.50
5260MHz_TX	Pass	AV	5.3626G	49.46	54.00	-4.54	3	Horizontal	26	1.50
5260MHz_TX	Pass	PK	5.1154G	59.55	74.00	-14.45	3	Horizontal	26	1.50
5260MHz_TX	Pass	PK	5.266G	117.79	Inf	-Inf	3	Horizontal	26	1.50
5260MHz_TX	Pass	PK	5.368G	60.11	74.00	-13.89	3	Horizontal	26	1.50
5300MHz_TX	Pass	AV	5.2948G	100.86	Inf	-Inf	3	Vertical	42	1.50
5300MHz_TX	Pass	AV	5.3524G	49.71	54.00	-4.29	3	Vertical	42	1.50
5300MHz_TX	Pass	PK	5.296G	109.22	Inf	-Inf	3	Vertical	42	1.50
5300MHz_TX	Pass	PK	5.3528G	61.21	74.00	-12.79	3	Vertical	42	1.50
5300MHz_TX	Pass	AV	5.3052G	108.20	Inf	-Inf	3	Horizontal	19	1.50
5300MHz_TX	Pass	AV	5.3528G	53.71	54.00	-0.29	3	Horizontal	19	1.50
5300MHz_TX	Pass	PK	5.3064G	117.02	Inf	-Inf	3	Horizontal	19	1.50
5300MHz_TX	Pass	PK	5.3524G	69.68	74.00	-4.32	3	Horizontal	19	1.50
5320MHz_TX	Pass	AV	5.3276G	99.83	Inf	-Inf	3	Vertical	347	1.50
5320MHz_TX	Pass	AV	5.35G	51.81	54.00	-2.19	3	Vertical	347	1.50
5320MHz_TX	Pass	PK	5.3274G	107.85	Inf	-Inf	3	Vertical	347	1.50
5320MHz_TX	Pass	PK	5.35G	64.49	74.00	-9.51	3	Vertical	347	1.50
5320MHz_TX	Pass	AV	5.3248G	107.29	Inf	-Inf	3	Horizontal	20	1.32
5320MHz_TX	Pass	AV	5.3506G	53.91	54.00	-0.09	3	Horizontal	20	1.32
5320MHz_TX	Pass	PK	5.325G	116.33	Inf	-Inf	3	Horizontal	20	1.32
5320MHz_TX	Pass	PK	5.3514G	66.34	74.00	-7.66	3	Horizontal	20	1.32
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1462G	48.88	54.00	-5.12	3	Vertical	16	1.50
5180MHz_TX	Pass	AV	5.181G	98.38	Inf	-Inf	3	Vertical	16	1.50
5180MHz_TX	Pass	PK	5.1392G	61.01	74.00	-12.99	3	Vertical	16	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5180MHz_TX	Pass	PK	5.181G	109.20	Inf	-Inf	3	Vertical	16	1.50
5180MHz_TX	Pass	AV	5.1484G	53.16	54.00	-0.84	3	Horizontal	28	1.00
5180MHz_TX	Pass	AV	5.1882G	106.45	Inf	-Inf	3	Horizontal	28	1.00
5180MHz_TX	Pass	PK	5.138G	67.43	74.00	-6.57	3	Horizontal	28	1.00
5180MHz_TX	Pass	PK	5.1834G	118.25	Inf	-Inf	3	Horizontal	28	1.00
5200MHz_TX	Pass	AV	5.146G	49.72	54.00	-4.28	3	Vertical	14	1.50
5200MHz_TX	Pass	AV	5.1912G	100.93	Inf	-Inf	3	Vertical	14	1.50
5200MHz_TX	Pass	PK	5.146G	64.38	74.00	-9.62	3	Vertical	14	1.50
5200MHz_TX	Pass	PK	5.1908G	112.02	Inf	-Inf	3	Vertical	14	1.50
5200MHz_TX	Pass	AV	5.15G	53.41	54.00	-0.59	3	Horizontal	32	1.50
5200MHz_TX	Pass	AV	5.1932G	103.56	Inf	-Inf	3	Horizontal	32	1.50
5200MHz_TX	Pass	PK	5.15G	70.49	74.00	-3.51	3	Horizontal	32	1.50
5200MHz_TX	Pass	PK	5.1952G	114.97	Inf	-Inf	3	Horizontal	32	1.50
5240MHz_TX	Pass	AV	5.1458G	48.25	54.00	-5.75	3	Vertical	33	1.50
5240MHz_TX	Pass	AV	5.2322G	101.60	Inf	-Inf	3	Vertical	33	1.50
5240MHz_TX	Pass	AV	5.3546G	48.12	54.00	-5.88	3	Vertical	33	1.50
5240MHz_TX	Pass	PK	5.1332G	60.33	74.00	-13.67	3	Vertical	33	1.50
5240MHz_TX	Pass	PK	5.2472G	111.93	Inf	-Inf	3	Vertical	33	1.50
5240MHz_TX	Pass	PK	5.351G	60.15	74.00	-13.85	3	Vertical	33	1.50
5240MHz_TX	Pass	AV	5.1494G	50.01	54.00	-3.99	3	Horizontal	301	1.16
5240MHz_TX	Pass	AV	5.234G	109.48	Inf	-Inf	3	Horizontal	301	1.16
5240MHz_TX	Pass	AV	5.3546G	48.92	54.00	-5.08	3	Horizontal	301	1.16
5240MHz_TX	Pass	PK	5.144G	65.07	74.00	-8.93	3	Horizontal	301	1.16
5240MHz_TX	Pass	PK	5.2394G	120.45	Inf	-Inf	3	Horizontal	301	1.16
5240MHz_TX	Pass	PK	5.35G	61.16	74.00	-12.84	3	Horizontal	301	1.16
5260MHz_TX	Pass	AV	5.149G	48.17	54.00	-5.83	3	Vertical	336	2.51
5260MHz_TX	Pass	AV	5.263G	102.41	Inf	-Inf	3	Vertical	336	2.51
5260MHz_TX	Pass	AV	5.35G	48.57	54.00	-5.43	3	Vertical	336	2.51
5260MHz_TX	Pass	PK	5.1436G	59.83	74.00	-14.17	3	Vertical	336	2.51
5260MHz_TX	Pass	PK	5.2684G	114.60	Inf	-Inf	3	Vertical	336	2.51
5260MHz_TX	Pass	PK	5.3578G	61.11	74.00	-12.89	3	Vertical	336	2.51
5260MHz_TX	Pass	AV	5.15G	49.11	54.00	-4.89	3	Horizontal	25	1.50
5260MHz_TX	Pass	AV	5.2678G	107.53	Inf	-Inf	3	Horizontal	25	1.50
5260MHz_TX	Pass	AV	5.353G	49.54	54.00	-4.46	3	Horizontal	25	1.50
5260MHz_TX	Pass	PK	5.122G	60.39	74.00	-13.61	3	Horizontal	25	1.50
5260MHz_TX	Pass	PK	5.2684G	119.67	Inf	-Inf	3	Horizontal	25	1.50
5260MHz_TX	Pass	PK	5.353G	65.03	74.00	-8.97	3	Horizontal	25	1.50
5300MHz_TX	Pass	AV	5.3072G	99.45	Inf	-Inf	3	Vertical	38	1.50
5300MHz_TX	Pass	AV	5.3524G	50.24	54.00	-3.76	3	Vertical	38	1.50
5300MHz_TX	Pass	PK	5.3024G	110.52	Inf	-Inf	3	Vertical	38	1.50
5300MHz_TX	Pass	PK	5.352G	63.97	74.00	-10.03	3	Vertical	38	1.50
5300MHz_TX	Pass	AV	5.2988G	108.33	Inf	-Inf	3	Horizontal	300	1.00
5300MHz_TX	Pass	AV	5.354G	53.03	54.00	-0.97	3	Horizontal	300	1.00
5300MHz_TX	Pass	PK	5.2992G	119.79	Inf	-Inf	3	Horizontal	300	1.00
5300MHz_TX	Pass	PK	5.364G	70.80	74.00	-3.20	3	Horizontal	300	1.00
5320MHz_TX	Pass	AV	5.3288G	97.27	Inf	-Inf	3	Vertical	347	1.50
5320MHz_TX	Pass	AV	5.3536G	50.66	54.00	-3.34	3	Vertical	347	1.50
5320MHz_TX	Pass	PK	5.329G	108.12	Inf	-Inf	3	Vertical	347	1.50
5320MHz_TX	Pass	PK	5.3588G	63.01	74.00	-10.99	3	Vertical	347	1.50
5320MHz_TX	Pass	AV	5.313G	103.12	Inf	-Inf	3	Horizontal	31	1.50
5320MHz_TX	Pass	AV	5.3526G	53.16	54.00	-0.84	3	Horizontal	31	1.50
5320MHz_TX	Pass	PK	5.3176G	114.49	Inf	-Inf	3	Horizontal	31	1.50
5320MHz_TX	Pass	PK	5.3576G	69.35	74.00	-4.65	3	Horizontal	31	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.1456G	50.46	54.00	-3.54	3	Vertical	13	1.50
5190MHz_TX	Pass	AV	5.186G	96.32	Inf	-Inf	3	Vertical	13	1.50
5190MHz_TX	Pass	PK	5.15G	61.68	74.00	-12.32	3	Vertical	13	1.50
5190MHz_TX	Pass	PK	5.1912G	107.79	Inf	-Inf	3	Vertical	13	1.50
5190MHz_TX	Pass	AV	5.1464G	53.37	54.00	-0.63	3	Horizontal	317	1.50
5190MHz_TX	Pass	AV	5.2064G	100.98	Inf	-Inf	3	Horizontal	317	1.50
5190MHz_TX	Pass	PK	5.1408G	64.48	74.00	-9.52	3	Horizontal	317	1.50
5190MHz_TX	Pass	PK	5.1864G	111.86	Inf	-Inf	3	Horizontal	317	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz_TX	Pass	AV	5.1316G	48.67	54.00	-5.33	3	Vertical	33	1.50
5230MHz_TX	Pass	AV	5.2272G	95.82	Inf	-Inf	3	Vertical	33	1.50
5230MHz_TX	Pass	PK	5.1456G	61.34	74.00	-12.66	3	Vertical	33	1.50
5230MHz_TX	Pass	PK	5.2268G	107.12	Inf	-Inf	3	Vertical	33	1.50
5230MHz_TX	Pass	AV	5.1496G	53.59	54.00	-0.41	3	Horizontal	298	1.20
5230MHz_TX	Pass	AV	5.2244G	103.80	Inf	-Inf	3	Horizontal	298	1.20
5230MHz_TX	Pass	PK	5.144G	69.14	74.00	-4.86	3	Horizontal	298	1.20
5230MHz_TX	Pass	PK	5.224G	115.11	Inf	-Inf	3	Horizontal	298	1.20
5270MHz_TX	Pass	AV	5.2532G	97.28	Inf	-Inf	3	Vertical	3	2.22
5270MHz_TX	Pass	AV	5.3536G	49.85	54.00	-4.15	3	Vertical	3	2.22
5270MHz_TX	Pass	PK	5.268G	108.20	Inf	-Inf	3	Vertical	3	2.22
5270MHz_TX	Pass	PK	5.354G	64.01	74.00	-9.99	3	Vertical	3	2.22
5270MHz_TX	Pass	AV	5.2644G	104.67	Inf	-Inf	3	Horizontal	300	1.00
5270MHz_TX	Pass	AV	5.354G	53.21	54.00	-0.79	3	Horizontal	300	1.00
5270MHz_TX	Pass	PK	5.274G	116.66	Inf	-Inf	3	Horizontal	300	1.00
5270MHz_TX	Pass	PK	5.354G	68.62	74.00	-5.38	3	Horizontal	300	1.00
5310MHz_TX	Pass	AV	5.3172G	93.90	Inf	-Inf	3	Vertical	39	1.44
5310MHz_TX	Pass	AV	5.3524G	49.36	54.00	-4.64	3	Vertical	39	1.44
5310MHz_TX	Pass	PK	5.3224G	105.24	Inf	-Inf	3	Vertical	39	1.44
5310MHz_TX	Pass	PK	5.3524G	60.53	74.00	-13.47	3	Vertical	39	1.44
5310MHz_TX	Pass	AV	5.2988G	102.04	Inf	-Inf	3	Horizontal	300	1.00
5310MHz_TX	Pass	AV	5.354G	53.48	54.00	-0.52	3	Horizontal	300	1.00
5310MHz_TX	Pass	PK	5.3088G	113.45	Inf	-Inf	3	Horizontal	300	1.00
5310MHz_TX	Pass	PK	5.3544G	64.22	74.00	-9.78	3	Horizontal	300	1.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.147G	48.86	54.00	-5.14	3	Vertical	34	1.50
5210MHz_TX	Pass	AV	5.227G	91.47	Inf	-Inf	3	Vertical	34	1.50
5210MHz_TX	Pass	AV	5.384G	48.22	54.00	-5.78	3	Vertical	34	1.50
5210MHz_TX	Pass	PK	5.075G	60.05	74.00	-13.95	3	Vertical	34	1.50
5210MHz_TX	Pass	PK	5.222G	102.93	Inf	-Inf	3	Vertical	34	1.50
5210MHz_TX	Pass	PK	5.354G	59.66	74.00	-14.34	3	Vertical	34	1.50
5210MHz_TX	Pass	AV	5.147G	53.11	54.00	-0.89	3	Horizontal	30	3.00
5210MHz_TX	Pass	AV	5.237G	97.93	Inf	-Inf	3	Horizontal	30	3.00
5210MHz_TX	Pass	AV	5.367G	48.44	54.00	-5.56	3	Horizontal	30	3.00
5210MHz_TX	Pass	PK	5.137G	64.76	74.00	-9.24	3	Horizontal	30	3.00
5210MHz_TX	Pass	PK	5.227G	109.87	Inf	-Inf	3	Horizontal	30	3.00
5210MHz_TX	Pass	PK	5.386G	61.19	74.00	-12.81	3	Horizontal	30	3.00
5290MHz_TX	Pass	AV	5.123G	48.14	54.00	-5.86	3	Vertical	333	2.90
5290MHz_TX	Pass	AV	5.283G	91.79	Inf	-Inf	3	Vertical	333	2.90
5290MHz_TX	Pass	AV	5.354G	50.26	54.00	-3.74	3	Vertical	333	2.90
5290MHz_TX	Pass	PK	5.072G	59.20	74.00	-14.80	3	Vertical	333	2.90
5290MHz_TX	Pass	PK	5.268G	103.53	Inf	-Inf	3	Vertical	333	2.90
5290MHz_TX	Pass	PK	5.354G	62.36	74.00	-11.64	3	Vertical	333	2.90
5290MHz_TX	Pass	PK	5.468G	59.72	68.20	-8.48	3	Vertical	333	2.90
5290MHz_TX	Pass	AV	5.139G	48.71	54.00	-5.29	3	Horizontal	302	1.00
5290MHz_TX	Pass	AV	5.299G	98.43	Inf	-Inf	3	Horizontal	302	1.00
5290MHz_TX	Pass	AV	5.354G	53.40	54.00	-0.60	3	Horizontal	302	1.00
5290MHz_TX	Pass	PK	5.14G	59.74	74.00	-14.26	3	Horizontal	302	1.00
5290MHz_TX	Pass	PK	5.284G	110.25	Inf	-Inf	3	Horizontal	302	1.00
5290MHz_TX	Pass	PK	5.359G	64.62	74.00	-9.38	3	Horizontal	302	1.00
5290MHz_TX	Pass	PK	5.528G	60.23	68.20	-7.97	3	Horizontal	302	1.00


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5230MHz_TX





5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	48.86	54.00	-5.14	42.92	3	Vertical	34	1.50	71	33.08	8.07	35.21
AV	5.227G	91.47	Inf	-Inf	85.61	3	Vertical	34	1.50	71	32.95	8.11	35.20
AV	5.384G	48.22	54.00	-5.78	42.54	3	Vertical	34	1.50	71	32.76	8.10	35.18
PK	5.075G	60.05	74.00	-13.95	54.40	3	Vertical	34	1.50	71	32.85	8.01	35.21
PK	5.222G	102.93	Inf	-Inf	97.06	3	Vertical	34	1.50	71	32.96	8.11	35.20
PK	5.354G	59.66	74.00	-14.34	53.86	3	Vertical	34	1.50	71	32.88	8.10	35.18

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.11	54.00	-0.89	47.17	3	Horizontal	30	3.00	71	33.08	8.07	35.21
AV	5.237G	97.93	Inf	-Inf	92.09	3	Horizontal	30	3.00	71	32.93	8.11	35.20
AV	5.367G	48.44	54.00	-5.56	42.69	3	Horizontal	30	3.00	71	32.83	8.10	35.18
PK	5.137G	64.76	74.00	-9.24	58.89	3	Horizontal	30	3.00	71	33.02	8.06	35.21
PK	5.227G	109.87	Inf	-Inf	104.01	3	Horizontal	30	3.00	71	32.95	8.11	35.20
PK	5.386G	61.19	74.00	-12.81	55.51	3	Horizontal	30	3.00	71	32.76	8.10	35.18


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_4T4S_AP5022FX**

Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	5.1496G	53.65	54.00	-0.35	3	Horizontal	59	2.58
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.79	54.00	-0.21	3	Horizontal	352	1.50
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.149G	53.80	54.00	-0.20	3	Horizontal	8	1.72
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	5.3504G	53.67	54.00	-0.33	3	Horizontal	24	2.10
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	AV	5.35G	53.93	54.00	-0.07	3	Horizontal	59	2.52
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.351G	53.78	54.00	-0.22	3	Horizontal	18	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_4T4S_AP5022FX**

Appendix E.6

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	49.28	54.00	-4.72	3	Vertical	334	2.77
5180MHz	Pass	AV	5.1836G	99.15	Inf	-Inf	3	Vertical	334	2.77
5180MHz	Pass	PK	5.1378G	63.55	74.00	-10.45	3	Vertical	334	2.77
5180MHz	Pass	PK	5.1864G	111.00	Inf	-Inf	3	Vertical	334	2.77
5180MHz	Pass	AV	5.1494G	53.46	54.00	-0.54	3	Horizontal	58	2.59
5180MHz	Pass	AV	5.1866G	106.42	Inf	-Inf	3	Horizontal	58	2.59
5180MHz	Pass	PK	5.1378G	69.09	74.00	-4.91	3	Horizontal	58	2.59
5180MHz	Pass	PK	5.1754G	118.23	Inf	-Inf	3	Horizontal	58	2.59
5200MHz	Pass	AV	5.1496G	49.36	54.00	-4.64	3	Vertical	8	1.37
5200MHz	Pass	AV	5.2048G	96.95	Inf	-Inf	3	Vertical	8	1.37
5200MHz	Pass	PK	5.15G	61.85	74.00	-12.15	3	Vertical	8	1.37
5200MHz	Pass	PK	5.2032G	109.46	Inf	-Inf	3	Vertical	8	1.37
5200MHz	Pass	AV	5.1496G	53.65	54.00	-0.35	3	Horizontal	59	2.58
5200MHz	Pass	AV	5.1932G	106.98	Inf	-Inf	3	Horizontal	59	2.58
5200MHz	Pass	PK	5.1468G	70.19	74.00	-3.81	3	Horizontal	59	2.58
5200MHz	Pass	PK	5.1952G	118.66	Inf	-Inf	3	Horizontal	59	2.58
5240MHz	Pass	AV	5.1254G	48.23	54.00	-5.77	3	Vertical	149	1.50
5240MHz	Pass	AV	5.2418G	98.10	Inf	-Inf	3	Vertical	149	1.50
5240MHz	Pass	AV	5.3606G	48.54	54.00	-5.46	3	Vertical	149	1.50
5240MHz	Pass	PK	5.1464G	60.59	74.00	-13.41	3	Vertical	149	1.50
5240MHz	Pass	PK	5.234G	109.40	Inf	-Inf	3	Vertical	149	1.50
5240MHz	Pass	PK	5.3648G	59.45	74.00	-14.55	3	Vertical	149	1.50
5240MHz	Pass	AV	5.15G	49.00	54.00	-5.00	3	Horizontal	352	1.50
5240MHz	Pass	AV	5.2442G	104.01	Inf	-Inf	3	Horizontal	352	1.50
5240MHz	Pass	AV	5.3516G	48.76	54.00	-5.24	3	Horizontal	352	1.50
5240MHz	Pass	PK	5.1362G	60.19	74.00	-13.81	3	Horizontal	352	1.50
5240MHz	Pass	PK	5.2436G	115.33	Inf	-Inf	3	Horizontal	352	1.50
5240MHz	Pass	PK	5.3618G	60.43	74.00	-13.57	3	Horizontal	352	1.50
5260MHz	Pass	AV	5.1406G	47.91	54.00	-6.09	3	Vertical	150	1.50
5260MHz	Pass	AV	5.2666G	99.02	Inf	-Inf	3	Vertical	150	1.50
5260MHz	Pass	AV	5.35G	48.59	54.00	-5.41	3	Vertical	150	1.50
5260MHz	Pass	PK	5.1334G	59.58	74.00	-14.42	3	Vertical	150	1.50
5260MHz	Pass	PK	5.254G	110.24	Inf	-Inf	3	Vertical	150	1.50
5260MHz	Pass	PK	5.3974G	60.02	74.00	-13.98	3	Vertical	150	1.50
5260MHz	Pass	AV	5.1484G	48.82	54.00	-5.18	3	Horizontal	352	1.50
5260MHz	Pass	AV	5.2558G	104.19	Inf	-Inf	3	Horizontal	352	1.50
5260MHz	Pass	AV	5.35G	50.87	54.00	-3.13	3	Horizontal	352	1.50
5260MHz	Pass	PK	5.137G	60.16	74.00	-13.84	3	Horizontal	352	1.50
5260MHz	Pass	PK	5.2654G	115.54	Inf	-Inf	3	Horizontal	352	1.50
5260MHz	Pass	PK	5.353G	64.04	74.00	-9.96	3	Horizontal	352	1.50
5300MHz	Pass	AV	5.302G	99.10	Inf	-Inf	3	Vertical	330	2.78
5300MHz	Pass	AV	5.35G	49.88	54.00	-4.12	3	Vertical	330	2.78
5300MHz	Pass	PK	5.3016G	111.01	Inf	-Inf	3	Vertical	330	2.78
5300MHz	Pass	PK	5.352G	63.10	74.00	-10.90	3	Vertical	330	2.78
5300MHz	Pass	AV	5.3024G	103.75	Inf	-Inf	3	Horizontal	24	2.10
5300MHz	Pass	AV	5.3504G	53.67	54.00	-0.33	3	Horizontal	24	2.10
5300MHz	Pass	PK	5.2976G	116.56	Inf	-Inf	3	Horizontal	24	2.10
5300MHz	Pass	PK	5.3516G	68.84	74.00	-5.16	3	Horizontal	24	2.10
5320MHz	Pass	AV	5.3238G	98.98	Inf	-Inf	3	Vertical	332	2.89
5320MHz	Pass	AV	5.3504G	51.24	54.00	-2.76	3	Vertical	332	2.89
5320MHz	Pass	PK	5.3264G	110.76	Inf	-Inf	3	Vertical	332	2.89
5320MHz	Pass	PK	5.3604G	69.86	74.00	-4.14	3	Vertical	332	2.89
5320MHz	Pass	AV	5.323G	102.35	Inf	-Inf	3	Horizontal	11	1.66
5320MHz	Pass	AV	5.35G	52.98	54.00	-1.02	3	Horizontal	11	1.66
5320MHz	Pass	PK	5.3256G	114.35	Inf	-Inf	3	Horizontal	11	1.66
5320MHz	Pass	PK	5.361G	65.44	74.00	-8.56	3	Horizontal	11	1.66
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	49.65	54.00	-4.35	3	Vertical	3	1.95
5190MHz	Pass	AV	5.1788G	94.00	Inf	-Inf	3	Vertical	3	1.95
5190MHz	Pass	PK	5.1488G	61.06	74.00	-12.94	3	Vertical	3	1.95




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Full RU_4T4S_AP5022FX**

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz	Pass	PK	5.1852G	105.29	Inf	-Inf	3	Vertical	3	1.95
5190MHz	Pass	AV	5.15G	53.39	54.00	-0.61	3	Horizontal	10	1.50
5190MHz	Pass	AV	5.1932G	97.20	Inf	-Inf	3	Horizontal	10	1.50
5190MHz	Pass	PK	5.15G	64.94	74.00	-9.06	3	Horizontal	10	1.50
5190MHz	Pass	PK	5.1868G	109.42	Inf	-Inf	3	Horizontal	10	1.50
5230MHz	Pass	AV	5.1488G	49.85	54.00	-4.15	3	Vertical	336	2.68
5230MHz	Pass	AV	5.236G	94.69	Inf	-Inf	3	Vertical	336	2.68
5230MHz	Pass	PK	5.1376G	64.89	74.00	-9.11	3	Vertical	336	2.68
5230MHz	Pass	PK	5.238G	106.79	Inf	-Inf	3	Vertical	336	2.68
5230MHz	Pass	AV	5.15G	53.79	54.00	-0.21	3	Horizontal	352	1.50
5230MHz	Pass	AV	5.248G	99.54	Inf	-Inf	3	Horizontal	352	1.50
5230MHz	Pass	PK	5.1484G	68.28	74.00	-5.72	3	Horizontal	352	1.50
5230MHz	Pass	PK	5.2428G	111.70	Inf	-Inf	3	Horizontal	352	1.50
5270MHz	Pass	AV	5.2624G	93.55	Inf	-Inf	3	Vertical	40	1.50
5270MHz	Pass	AV	5.354G	50.85	54.00	-3.15	3	Vertical	40	1.50
5270MHz	Pass	PK	5.2664G	105.79	Inf	-Inf	3	Vertical	40	1.50
5270MHz	Pass	PK	5.3536G	66.24	74.00	-7.76	3	Vertical	40	1.50
5270MHz	Pass	AV	5.2856G	100.48	Inf	-Inf	3	Horizontal	349	1.50
5270MHz	Pass	AV	5.352G	53.81	54.00	-0.19	3	Horizontal	349	1.50
5270MHz	Pass	PK	5.266G	112.56	Inf	-Inf	3	Horizontal	349	1.50
5270MHz	Pass	PK	5.3536G	69.06	74.00	-4.94	3	Horizontal	349	1.50
5310MHz	Pass	AV	5.2988G	93.56	Inf	-Inf	3	Vertical	332	2.94
5310MHz	Pass	AV	5.354G	49.90	54.00	-4.10	3	Vertical	332	2.94
5310MHz	Pass	PK	5.318G	105.56	Inf	-Inf	3	Vertical	332	2.94
5310MHz	Pass	PK	5.368G	61.59	74.00	-12.41	3	Vertical	332	2.94
5310MHz	Pass	AV	5.3072G	102.07	Inf	-Inf	3	Horizontal	59	2.52
5310MHz	Pass	AV	5.35G	53.93	54.00	-0.07	3	Horizontal	59	2.52
5310MHz	Pass	PK	5.3056G	113.51	Inf	-Inf	3	Horizontal	59	2.52
5310MHz	Pass	PK	5.35G	65.21	74.00	-8.79	3	Horizontal	59	2.52
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.129G	48.77	54.00	-5.23	3	Vertical	12	3.00
5210MHz	Pass	AV	5.241G	88.79	Inf	-Inf	3	Vertical	12	3.00
5210MHz	Pass	AV	5.371G	48.41	54.00	-5.59	3	Vertical	12	3.00
5210MHz	Pass	PK	5.002G	59.98	74.00	-14.02	3	Vertical	12	3.00
5210MHz	Pass	PK	5.222G	100.29	Inf	-Inf	3	Vertical	12	3.00
5210MHz	Pass	PK	5.409G	59.76	74.00	-14.24	3	Vertical	12	3.00
5210MHz	Pass	AV	5.149G	53.80	54.00	-0.20	3	Horizontal	8	1.72
5210MHz	Pass	AV	5.22G	94.70	Inf	-Inf	3	Horizontal	8	1.72
5210MHz	Pass	AV	5.354G	49.19	54.00	-4.81	3	Horizontal	8	1.72
5210MHz	Pass	PK	5.15G	64.38	74.00	-9.62	3	Horizontal	8	1.72
5210MHz	Pass	PK	5.197G	106.22	Inf	-Inf	3	Horizontal	8	1.72
5210MHz	Pass	PK	5.361G	60.34	74.00	-13.66	3	Horizontal	8	1.72
5290MHz	Pass	AV	5.143G	48.02	54.00	-5.98	3	Vertical	334	2.78
5290MHz	Pass	AV	5.283G	90.87	Inf	-Inf	3	Vertical	334	2.78
5290MHz	Pass	AV	5.363G	50.02	54.00	-3.98	3	Vertical	334	2.78
5290MHz	Pass	PK	5.127G	60.17	74.00	-13.83	3	Vertical	334	2.78
5290MHz	Pass	PK	5.276G	103.43	Inf	-Inf	3	Vertical	334	2.78
5290MHz	Pass	PK	5.358G	62.48	74.00	-11.52	3	Vertical	334	2.78
5290MHz	Pass	PK	5.538G	59.50	68.20	-8.70	3	Vertical	334	2.78
5290MHz	Pass	AV	5.15G	48.75	54.00	-5.25	3	Horizontal	18	1.50
5290MHz	Pass	AV	5.297G	95.37	Inf	-Inf	3	Horizontal	18	1.50
5290MHz	Pass	AV	5.351G	53.78	54.00	-0.22	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.131G	59.77	74.00	-14.23	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.299G	107.74	Inf	-Inf	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.362G	65.57	74.00	-8.43	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.504G	59.23	68.20	-8.97	3	Horizontal	18	1.50


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Multi-RU_1T1S_AP5022FX**

Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	AV	5.1344G	52.55	54.00	-1.45	3	Horizontal	85	2.68
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	Pass	AV	5.3536G	53.45	54.00	-0.55	3	Horizontal	80	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Multi-RU_1T1S_AP5022FX**


Appendix E.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.1488G	50.49	54.00	-3.51	3	Vertical	339	1.50
5210MHz	Pass	AV	5.2388G	83.52	Inf	-Inf	3	Vertical	339	1.50
5210MHz	Pass	AV	5.35G	50.36	54.00	-3.64	3	Vertical	339	1.50
5210MHz	Pass	PK	5.0108G	60.75	74.00	-13.25	3	Vertical	339	1.50
5210MHz	Pass	PK	5.2412G	94.59	Inf	-Inf	3	Vertical	339	1.50
5210MHz	Pass	PK	5.3888G	59.53	74.00	-14.47	3	Vertical	339	1.50
5210MHz	Pass	PK	5.4776G	60.06	68.20	-8.14	3	Vertical	339	1.50
5210MHz	Pass	AV	5.1344G	52.55	54.00	-1.45	3	Horizontal	85	2.68
5210MHz	Pass	AV	5.198G	90.40	Inf	-Inf	3	Horizontal	85	2.68
5210MHz	Pass	AV	5.3648G	50.57	54.00	-3.43	3	Horizontal	85	2.68
5210MHz	Pass	PK	5.1308G	64.73	74.00	-9.27	3	Horizontal	85	2.68
5210MHz	Pass	PK	5.2376G	99.91	Inf	-Inf	3	Horizontal	85	2.68
5210MHz	Pass	PK	5.4512G	60.37	74.00	-13.63	3	Horizontal	85	2.68
5210MHz	Pass	PK	5.5028G	60.71	68.20	-7.49	3	Horizontal	85	2.68
5210MHz	Pass	PK	10.39328G	55.49	68.20	-12.71	3	Vertical	123	1.00
5210MHz	Pass	PK	10.39904G	56.54	68.20	-11.66	3	Horizontal	116	2.88
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.1496G	50.50	54.00	-3.50	3	Vertical	24	1.50
5290MHz	Pass	AV	5.2972G	86.67	Inf	-Inf	3	Vertical	24	1.50
5290MHz	Pass	AV	5.3524G	51.42	54.00	-2.58	3	Vertical	24	1.50
5290MHz	Pass	PK	5.0824G	59.96	74.00	-14.04	3	Vertical	24	1.50
5290MHz	Pass	PK	5.3032G	97.36	Inf	-Inf	3	Vertical	24	1.50
5290MHz	Pass	PK	5.3596G	62.07	74.00	-11.93	3	Vertical	24	1.50
5290MHz	Pass	PK	5.5456G	61.08	68.20	-7.12	3	Vertical	24	1.50
5290MHz	Pass	AV	5.1484G	50.49	54.00	-3.51	3	Horizontal	80	1.50
5290MHz	Pass	AV	5.2984G	90.93	Inf	-Inf	3	Horizontal	80	1.50
5290MHz	Pass	AV	5.3536G	53.45	54.00	-0.55	3	Horizontal	80	1.50
5290MHz	Pass	PK	5.0968G	59.79	74.00	-14.21	3	Horizontal	80	1.50
5290MHz	Pass	PK	5.3008G	101.14	Inf	-Inf	3	Horizontal	80	1.50
5290MHz	Pass	PK	5.3548G	69.02	74.00	-4.98	3	Horizontal	80	1.50
5290MHz	Pass	PK	5.5528G	59.90	68.20	-8.30	3	Horizontal	80	1.50
5290MHz	Pass	PK	10.58368G	56.66	68.20	-11.54	3	Vertical	240	2.68
5290MHz	Pass	PK	10.55984G	56.77	68.20	-11.43	3	Horizontal	321	1.57


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX






5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5290MHz_TX






5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Multi-RU_2T1S_AP5022FX**

Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.358G	53.35	54.00	-0.65	3	Horizontal	292	1.99
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	5.358G	53.35	54.00	-0.65	3	Horizontal	292	1.99



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Multi-RU_2T1S_AP5022FX**


Appendix E.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.117G	50.63	54.00	-3.37	3	Vertical	340	2.88
5210MHz	Pass	AV	5.301G	88.67	Inf	-Inf	3	Vertical	340	2.88
5210MHz	Pass	AV	5.362G	51.88	54.00	-2.12	3	Vertical	340	2.88
5210MHz	Pass	PK	5.137G	61.83	74.00	-12.17	3	Vertical	340	2.88
5210MHz	Pass	PK	5.309G	99.45	Inf	-Inf	3	Vertical	340	2.88
5210MHz	Pass	PK	5.362G	67.17	74.00	-6.83	3	Vertical	340	2.88
5210MHz	Pass	PK	5.538G	61.17	68.20	-7.03	3	Vertical	340	2.88
5210MHz	Pass	AV	5.044G	50.63	54.00	-3.37	3	Horizontal	292	1.99
5210MHz	Pass	AV	5.302G	92.80	Inf	-Inf	3	Horizontal	292	1.99
5210MHz	Pass	AV	5.358G	53.35	54.00	-0.65	3	Horizontal	292	1.99
5210MHz	Pass	PK	5.126G	61.12	74.00	-12.88	3	Horizontal	292	1.99
5210MHz	Pass	PK	5.292G	103.20	Inf	-Inf	3	Horizontal	292	1.99
5210MHz	Pass	PK	5.359G	70.14	74.00	-3.86	3	Horizontal	292	1.99
5210MHz	Pass	PK	5.503G	60.92	68.20	-7.28	3	Horizontal	292	1.99
5210MHz	Pass	PK	10.42636G	57.05	68.20	-11.15	3	Vertical	246	2.07
5210MHz	Pass	PK	10.41874G	56.40	68.20	-11.80	3	Horizontal	131	2.83
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.117G	50.63	54.00	-3.37	3	Vertical	340	2.88
5290MHz	Pass	AV	5.301G	88.67	Inf	-Inf	3	Vertical	340	2.88
5290MHz	Pass	AV	5.362G	51.88	54.00	-2.12	3	Vertical	340	2.88
5290MHz	Pass	PK	5.137G	61.83	74.00	-12.17	3	Vertical	340	2.88
5290MHz	Pass	PK	5.309G	99.45	Inf	-Inf	3	Vertical	340	2.88
5290MHz	Pass	PK	5.362G	67.17	74.00	-6.83	3	Vertical	340	2.88
5290MHz	Pass	PK	5.538G	61.17	68.20	-7.03	3	Vertical	340	2.88
5290MHz	Pass	AV	5.044G	50.63	54.00	-3.37	3	Horizontal	292	1.99
5290MHz	Pass	AV	5.302G	92.80	Inf	-Inf	3	Horizontal	292	1.99
5290MHz	Pass	AV	5.358G	53.35	54.00	-0.65	3	Horizontal	292	1.99
5290MHz	Pass	PK	5.126G	61.12	74.00	-12.88	3	Horizontal	292	1.99
5290MHz	Pass	PK	5.292G	103.20	Inf	-Inf	3	Horizontal	292	1.99
5290MHz	Pass	PK	5.359G	70.14	74.00	-3.86	3	Horizontal	292	1.99
5290MHz	Pass	PK	5.503G	60.92	68.20	-7.28	3	Horizontal	292	1.99
5290MHz	Pass	PK	10.5671G	58.22	68.20	-9.98	3	Vertical	35	2.38
5290MHz	Pass	PK	10.58174G	56.84	68.20	-11.36	3	Horizontal	310	1.20


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Multi-RU_2T2S_AP5022FX**

Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.357G	53.46	54.00	-0.54	3	Horizontal	77	1.69
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	5.357G	53.46	54.00	-0.54	3	Horizontal	77	1.69



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Multi-RU_2T2S_AP5022FX**


Appendix E.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.127G	50.60	54.00	-3.40	3	Vertical	25	1.41
5210MHz	Pass	AV	5.301G	86.02	Inf	-Inf	3	Vertical	25	1.41
5210MHz	Pass	AV	5.432G	50.42	54.00	-3.58	3	Vertical	25	1.41
5210MHz	Pass	PK	5.073G	61.18	74.00	-12.82	3	Vertical	25	1.41
5210MHz	Pass	PK	5.296G	96.34	Inf	-Inf	3	Vertical	25	1.41
5210MHz	Pass	PK	5.372G	61.42	74.00	-12.58	3	Vertical	25	1.41
5210MHz	Pass	PK	5.494G	60.65	68.20	-7.55	3	Vertical	25	1.41
5210MHz	Pass	AV	5.132G	50.69	54.00	-3.31	3	Horizontal	77	1.69
5210MHz	Pass	AV	5.304G	94.15	Inf	-Inf	3	Horizontal	77	1.69
5210MHz	Pass	AV	5.357G	53.46	54.00	-0.54	3	Horizontal	77	1.69
5210MHz	Pass	PK	5.148G	62.93	74.00	-11.07	3	Horizontal	77	1.69
5210MHz	Pass	PK	5.319G	104.81	Inf	-Inf	3	Horizontal	77	1.69
5210MHz	Pass	PK	5.353G	67.04	74.00	-6.96	3	Horizontal	77	1.69
5210MHz	Pass	PK	5.536G	61.41	68.20	-6.79	3	Horizontal	77	1.69
5210MHz	Pass	PK	10.4053G	56.90	68.20	-11.30	3	Vertical	62	1.41
5210MHz	Pass	PK	10.4071G	56.27	68.20	-11.93	3	Horizontal	274	2.83
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.127G	50.60	54.00	-3.40	3	Vertical	25	1.41
5290MHz	Pass	AV	5.301G	86.02	Inf	-Inf	3	Vertical	25	1.41
5290MHz	Pass	AV	5.432G	50.42	54.00	-3.58	3	Vertical	25	1.41
5290MHz	Pass	PK	5.073G	61.18	74.00	-12.82	3	Vertical	25	1.41
5290MHz	Pass	PK	5.296G	96.34	Inf	-Inf	3	Vertical	25	1.41
5290MHz	Pass	PK	5.372G	61.42	74.00	-12.58	3	Vertical	25	1.41
5290MHz	Pass	PK	5.494G	60.65	68.20	-7.55	3	Vertical	25	1.41
5290MHz	Pass	AV	5.132G	50.69	54.00	-3.31	3	Horizontal	77	1.69
5290MHz	Pass	AV	5.304G	94.15	Inf	-Inf	3	Horizontal	77	1.69
5290MHz	Pass	AV	5.357G	53.46	54.00	-0.54	3	Horizontal	77	1.69
5290MHz	Pass	PK	5.148G	62.93	74.00	-11.07	3	Horizontal	77	1.69
5290MHz	Pass	PK	5.319G	104.81	Inf	-Inf	3	Horizontal	77	1.69
5290MHz	Pass	PK	5.353G	67.04	74.00	-6.96	3	Horizontal	77	1.69
5290MHz	Pass	PK	5.536G	61.41	68.20	-6.79	3	Horizontal	77	1.69
5290MHz	Pass	PK	10.58462G	57.64	68.20	-10.56	3	Vertical	315	1.06
5290MHz	Pass	PK	10.57748G	56.85	68.20	-11.35	3	Horizontal	46	1.41


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Multi-RU_4T1S_AP5022FX**

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.141G	53.71	54.00	-0.29	3	Horizontal	300	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	Pass	AV	5.359G	53.91	54.00	-0.09	3	Horizontal	290	1.99



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Multi-RU_4T1S_AP5022FX**


Appendix E.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.138G	53.45	54.00	-0.55	3	Vertical	0	1.00
5210MHz	Pass	AV	5.199G	90.88	Inf	-Inf	3	Vertical	0	1.00
5210MHz	Pass	AV	5.395G	50.63	54.00	-3.37	3	Vertical	0	1.00
5210MHz	Pass	PK	5.146G	65.92	74.00	-8.08	3	Vertical	0	1.00
5210MHz	Pass	PK	5.199G	101.81	Inf	-Inf	3	Vertical	0	1.00
5210MHz	Pass	PK	5.369G	60.65	74.00	-13.35	3	Vertical	0	1.00
5210MHz	Pass	AV	5.141G	53.71	54.00	-0.29	3	Horizontal	300	1.50
5210MHz	Pass	AV	5.239G	95.58	Inf	-Inf	3	Horizontal	300	1.50
5210MHz	Pass	AV	5.373G	50.44	54.00	-3.56	3	Horizontal	300	1.50
5210MHz	Pass	PK	5.148G	66.99	74.00	-7.01	3	Horizontal	300	1.50
5210MHz	Pass	PK	5.204G	106.32	Inf	-Inf	3	Horizontal	300	1.50
5210MHz	Pass	PK	5.395G	60.90	74.00	-13.10	3	Horizontal	300	1.50
5210MHz	Pass	PK	10.40602G	56.68	68.20	-11.52	3	Vertical	238	1.76
5210MHz	Pass	PK	10.4248G	56.60	68.20	-11.60	3	Horizontal	212	2.85
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.138G	50.48	54.00	-3.52	3	Vertical	17	1.50
5290MHz	Pass	AV	5.301G	89.19	Inf	-Inf	3	Vertical	17	1.50
5290MHz	Pass	AV	5.425G	50.59	54.00	-3.41	3	Vertical	17	1.50
5290MHz	Pass	PK	5.067G	60.75	74.00	-13.25	3	Vertical	17	1.50
5290MHz	Pass	PK	5.296G	99.26	Inf	-Inf	3	Vertical	17	1.50
5290MHz	Pass	PK	5.362G	63.39	74.00	-10.61	3	Vertical	17	1.50
5290MHz	Pass	PK	5.48G	61.92	68.20	-6.28	3	Vertical	17	1.50
5290MHz	Pass	AV	5.139G	50.81	54.00	-3.19	3	Horizontal	290	1.99
5290MHz	Pass	AV	5.299G	95.85	Inf	-Inf	3	Horizontal	290	1.99
5290MHz	Pass	AV	5.359G	53.91	54.00	-0.09	3	Horizontal	290	1.99
5290MHz	Pass	PK	5.117G	61.27	74.00	-12.73	3	Horizontal	290	1.99
5290MHz	Pass	PK	5.309G	106.07	Inf	-Inf	3	Horizontal	290	1.99
5290MHz	Pass	PK	5.359G	70.61	74.00	-3.39	3	Horizontal	290	1.99
5290MHz	Pass	PK	5.509G	60.89	68.20	-7.31	3	Horizontal	290	1.99
5290MHz	Pass	PK	10.57772G	57.16	68.20	-11.04	3	Vertical	131	1.36
5290MHz	Pass	PK	10.5911G	57.13	68.20	-11.07	3	Horizontal	74	1.19

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	53.45	54.00	-0.55	6.23	3	Vertical	0	1.00	47.22	33.38	8.06	35.21
AV	5.199G	90.88	Inf	-Inf	6.11	3	Vertical	0	1.00	84.77	33.20	8.11	35.20
AV	5.395G	50.63	54.00	-3.37	6.02	3	Vertical	0	1.00	44.61	33.10	8.10	35.18
PK	5.146G	65.92	74.00	-8.08	6.25	3	Vertical	0	1.00	59.67	33.39	8.07	35.21
PK	5.199G	101.81	Inf	-Inf	6.11	3	Vertical	0	1.00	95.70	33.20	8.11	35.20
PK	5.369G	60.65	74.00	-13.35	6.02	3	Vertical	0	1.00	54.63	33.10	8.10	35.18

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	53.71	54.00	-0.29	6.23	3	Horizontal	300	1.50	47.48	33.38	8.06	35.21
AV	5.239G	95.58	Inf	-Inf	6.11	3	Horizontal	300	1.50	89.47	33.20	8.11	35.20
AV	5.373G	50.44	54.00	-3.56	6.02	3	Horizontal	300	1.50	44.42	33.10	8.10	35.18
PK	5.148G	66.99	74.00	-7.01	6.26	3	Horizontal	300	1.50	60.73	33.40	8.07	35.21
PK	5.204G	106.32	Inf	-Inf	6.11	3	Horizontal	300	1.50	100.21	33.20	8.11	35.20
PK	5.395G	60.90	74.00	-13.10	6.02	3	Horizontal	300	1.50	54.88	33.10	8.10	35.18




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5290MHz_TX






5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Multi-RU_4T4S_AP5022FX**

Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.143G	53.05	54.00	-0.95	3	Horizontal	15	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	Pass	AV	5.355G	53.68	54.00	-0.32	3	Horizontal	21	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_AI-TP05360_Multi-RU_4T4S_AP5022FX**


Appendix E.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.139G	51.83	54.00	-2.17	3	Vertical	10	2.08
5210MHz	Pass	AV	5.238G	90.10	Inf	-Inf	3	Vertical	10	2.08
5210MHz	Pass	AV	5.378G	50.92	54.00	-3.08	3	Vertical	10	2.08
5210MHz	Pass	PK	5.138G	65.98	74.00	-8.02	3	Vertical	10	2.08
5210MHz	Pass	PK	5.241G	99.23	Inf	-Inf	3	Vertical	10	2.08
5210MHz	Pass	PK	5.401G	61.46	74.00	-12.54	3	Vertical	10	2.08
5210MHz	Pass	AV	5.143G	53.05	54.00	-0.95	3	Horizontal	15	1.50
5210MHz	Pass	AV	5.237G	92.31	Inf	-Inf	3	Horizontal	15	1.50
5210MHz	Pass	AV	5.364G	50.72	54.00	-3.28	3	Horizontal	15	1.50
5210MHz	Pass	PK	5.15G	69.43	74.00	-4.57	3	Horizontal	15	1.50
5210MHz	Pass	PK	5.236G	103.23	Inf	-Inf	3	Horizontal	15	1.50
5210MHz	Pass	PK	5.36G	61.64	74.00	-12.36	3	Horizontal	15	1.50
5210MHz	Pass	PK	10.40722G	56.68	68.20	-11.52	3	Vertical	341	1.01
5210MHz	Pass	PK	10.40578G	56.58	68.20	-11.62	3	Horizontal	349	1.07
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.12G	50.52	54.00	-3.48	3	Vertical	342	1.50
5290MHz	Pass	AV	5.299G	87.78	Inf	-Inf	3	Vertical	342	1.50
5290MHz	Pass	AV	5.357G	51.58	54.00	-2.42	3	Vertical	342	1.50
5290MHz	Pass	PK	5.042G	60.63	74.00	-13.37	3	Vertical	342	1.50
5290MHz	Pass	PK	5.298G	95.58	Inf	-Inf	3	Vertical	342	1.50
5290MHz	Pass	PK	5.358G	67.23	74.00	-6.77	3	Vertical	342	1.50
5290MHz	Pass	PK	5.536G	61.11	68.20	-7.09	3	Vertical	342	1.50
5290MHz	Pass	AV	5.13G	50.34	54.00	-3.66	3	Horizontal	21	1.50
5290MHz	Pass	AV	5.296G	90.96	Inf	-Inf	3	Horizontal	21	1.50
5290MHz	Pass	AV	5.355G	53.68	54.00	-0.32	3	Horizontal	21	1.50
5290MHz	Pass	PK	5.095G	60.73	74.00	-13.27	3	Horizontal	21	1.50
5290MHz	Pass	PK	5.295G	99.82	Inf	-Inf	3	Horizontal	21	1.50
5290MHz	Pass	PK	5.355G	72.52	74.00	-1.48	3	Horizontal	21	1.50
5290MHz	Pass	PK	5.533G	60.94	68.20	-7.26	3	Horizontal	21	1.50
5290MHz	Pass	PK	10.589G	57.78	68.20	-10.42	3	Vertical	159	1.87
5290MHz	Pass	PK	10.58618G	57.34	68.20	-10.86	3	Horizontal	68	1.94

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	51.83	54.00	-2.17	6.23	3	Vertical	10	2.08	45.60	33.38	8.06	35.21
AV	5.238G	90.10	Inf	-Inf	6.11	3	Vertical	10	2.08	83.99	33.20	8.11	35.20
AV	5.378G	50.92	54.00	-3.08	6.02	3	Vertical	10	2.08	44.90	33.10	8.10	35.18
PK	5.138G	65.98	74.00	-8.02	6.23	3	Vertical	10	2.08	59.75	33.38	8.06	35.21
PK	5.241G	99.23	Inf	-Inf	6.11	3	Vertical	10	2.08	93.12	33.20	8.11	35.20
PK	5.401G	61.46	74.00	-12.54	6.02	3	Vertical	10	2.08	55.44	33.10	8.10	35.18

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	53.05	54.00	-0.95	6.24	3	Horizontal	15	1.50	46.81	33.39	8.06	35.21
AV	5.237G	92.31	Inf	-Inf	6.11	3	Horizontal	15	1.50	86.20	33.20	8.11	35.20
AV	5.364G	50.72	54.00	-3.28	6.02	3	Horizontal	15	1.50	44.70	33.10	8.10	35.18
PK	5.15G	69.43	74.00	-4.57	6.27	3	Horizontal	15	1.50	63.16	33.40	8.07	35.20
PK	5.236G	103.23	Inf	-Inf	6.11	3	Horizontal	15	1.50	97.12	33.20	8.11	35.20
PK	5.36G	61.64	74.00	-12.36	6.02	3	Horizontal	15	1.50	55.62	33.10	8.10	35.18




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	30M	35.50	40.00	-4.50	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**


Appendix E.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	30M	35.50	40.00	-4.50	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	92.08M	33.05	43.50	-10.45	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	291.9M	31.28	46.00	-14.72	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	466.5M	29.08	46.00	-16.92	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	571.26M	32.64	46.00	-13.36	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	740.04M	40.86	46.00	-5.14	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	92.08M	34.82	43.50	-8.68	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	216.24M	29.75	46.00	-16.25	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	309.36M	37.41	46.00	-8.59	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	468.44M	32.57	46.00	-13.43	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	577.08M	35.77	46.00	-10.23	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	743.92M	37.40	46.00	-8.60	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	30M	34.62	40.00	-5.38	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	53.28M	30.10	40.00	-9.90	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	249.22M	27.40	46.00	-18.60	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	383.08M	28.33	46.00	-17.67	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	567.38M	34.87	46.00	-11.13	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	730.34M	36.39	46.00	-9.61	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	31.94M	25.31	40.00	-14.69	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	90.14M	27.56	43.50	-15.94	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	212.36M	32.27	43.50	-11.23	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	400.54M	35.02	46.00	-10.98	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	563.5M	34.44	46.00	-11.56	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	903M	31.99	46.00	-14.01	3	Horizontal	360	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_1T1S_AP5022FX**

Appendix E.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.09	54.00	-0.91	3	Vertical	37	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1496G	53.54	54.00	-0.46	3	Vertical	38	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.23	54.00	-0.77	3	Vertical	38	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.91	54.00	-0.09	3	Horizontal	325	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.3592G	53.77	54.00	-0.23	3	Horizontal	51	3.00
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3504G	53.56	54.00	-0.44	3	Horizontal	292	1.80
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3522G	53.06	54.00	-0.94	3	Horizontal	291	1.80
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.3516G	53.63	54.00	-0.37	3	Horizontal	292	1.91
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.399G	51.18	54.00	-2.82	3	Vertical	14	3.00
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.7276G	67.17	68.20	-1.03	3	Vertical	6	1.33
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.4626G	67.55	68.20	-0.65	3	Horizontal	291	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.4588G	53.24	54.00	-0.76	3	Horizontal	291	1.55
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.46G	53.91	54.00	-0.09	3	Vertical	23	2.39
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.4692G	67.82	68.20	-0.38	3	Vertical	27	1.19
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.6522G	66.73	69.83	-3.10	3	Horizontal	305	1.64
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.647G	66.46	68.20	-1.74	3	Horizontal	300	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.6354G	67.41	68.20	-0.79	3	Horizontal	307	1.58
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.6454G	64.94	68.20	-3.26	3	Horizontal	301	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_1T1S_AP5022FX**

Appendix E.13

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	53.05	54.00	-0.95	3	Vertical	38	1.50
5180MHz_TX	Pass	AV	5.1822G	102.12	Inf	-Inf	3	Vertical	38	1.50
5180MHz_TX	Pass	PK	5.1432G	66.87	74.00	-7.13	3	Vertical	38	1.50
5180MHz_TX	Pass	PK	5.184G	110.06	Inf	-Inf	3	Vertical	38	1.50
5180MHz_TX	Pass	AV	5.148G	50.82	54.00	-3.18	3	Horizontal	326	1.80
5180MHz_TX	Pass	AV	5.1838G	99.18	Inf	-Inf	3	Horizontal	326	1.80
5180MHz_TX	Pass	PK	5.1454G	63.90	74.00	-10.10	3	Horizontal	326	1.80
5180MHz_TX	Pass	PK	5.1872G	107.12	Inf	-Inf	3	Horizontal	326	1.80
5200MHz_TX	Pass	AV	5.15G	53.09	54.00	-0.91	3	Vertical	37	1.50
5200MHz_TX	Pass	AV	5.1936G	100.04	Inf	-Inf	3	Vertical	37	1.50
5200MHz_TX	Pass	PK	5.1444G	69.62	74.00	-4.38	3	Vertical	37	1.50
5200MHz_TX	Pass	PK	5.194G	107.68	Inf	-Inf	3	Vertical	37	1.50
5200MHz_TX	Pass	AV	5.1496G	49.83	54.00	-4.17	3	Horizontal	285	1.50
5200MHz_TX	Pass	AV	5.2024G	96.49	Inf	-Inf	3	Horizontal	285	1.50
5200MHz_TX	Pass	PK	5.1444G	65.45	74.00	-8.55	3	Horizontal	285	1.50
5200MHz_TX	Pass	PK	5.2032G	104.20	Inf	-Inf	3	Horizontal	285	1.50
5240MHz_TX	Pass	AV	5.1146G	47.40	54.00	-6.60	3	Vertical	30	1.05
5240MHz_TX	Pass	AV	5.2448G	99.27	Inf	-Inf	3	Vertical	30	1.05
5240MHz_TX	Pass	AV	5.3528G	51.06	54.00	-2.94	3	Vertical	30	1.05
5240MHz_TX	Pass	PK	5.126G	58.76	74.00	-15.24	3	Vertical	30	1.05
5240MHz_TX	Pass	PK	5.2472G	107.39	Inf	-Inf	3	Vertical	30	1.05
5240MHz_TX	Pass	PK	5.3528G	65.02	74.00	-8.98	3	Vertical	30	1.05
5240MHz_TX	Pass	AV	5.144G	49.19	54.00	-4.81	3	Horizontal	310	1.50
5240MHz_TX	Pass	AV	5.237G	99.27	Inf	-Inf	3	Horizontal	310	1.50
5240MHz_TX	Pass	AV	5.3762G	51.59	54.00	-2.41	3	Horizontal	310	1.50
5240MHz_TX	Pass	PK	5.1434G	61.64	74.00	-12.36	3	Horizontal	310	1.50
5240MHz_TX	Pass	PK	5.237G	106.77	Inf	-Inf	3	Horizontal	310	1.50
5240MHz_TX	Pass	PK	5.3858G	64.87	74.00	-9.13	3	Horizontal	310	1.50
5260MHz_TX	Pass	AV	5.125G	47.79	54.00	-6.21	3	Vertical	29	1.15
5260MHz_TX	Pass	AV	5.2618G	98.78	Inf	-Inf	3	Vertical	29	1.15
5260MHz_TX	Pass	AV	5.3524G	52.13	54.00	-1.87	3	Vertical	29	1.15
5260MHz_TX	Pass	PK	5.1232G	59.89	74.00	-14.11	3	Vertical	29	1.15
5260MHz_TX	Pass	PK	5.2624G	106.03	Inf	-Inf	3	Vertical	29	1.15
5260MHz_TX	Pass	PK	5.3512G	67.53	74.00	-6.47	3	Vertical	29	1.15
5260MHz_TX	Pass	AV	5.1328G	48.38	54.00	-5.62	3	Horizontal	308	1.18
5260MHz_TX	Pass	AV	5.2582G	100.29	Inf	-Inf	3	Horizontal	308	1.18
5260MHz_TX	Pass	AV	5.3512G	53.45	54.00	-0.55	3	Horizontal	308	1.18
5260MHz_TX	Pass	PK	5.1352G	60.80	74.00	-13.20	3	Horizontal	308	1.18
5260MHz_TX	Pass	PK	5.263G	108.00	Inf	-Inf	3	Horizontal	308	1.18
5260MHz_TX	Pass	PK	5.3578G	67.32	74.00	-6.68	3	Horizontal	308	1.18
5300MHz_TX	Pass	AV	5.2944G	94.76	Inf	-Inf	3	Vertical	14	1.50
5300MHz_TX	Pass	AV	5.3504G	51.54	54.00	-2.46	3	Vertical	14	1.50
5300MHz_TX	Pass	PK	5.294G	102.34	Inf	-Inf	3	Vertical	14	1.50
5300MHz_TX	Pass	PK	5.3504G	67.85	74.00	-6.15	3	Vertical	14	1.50
5300MHz_TX	Pass	AV	5.2948G	98.33	Inf	-Inf	3	Horizontal	292	1.80
5300MHz_TX	Pass	AV	5.3504G	53.56	54.00	-0.44	3	Horizontal	292	1.80
5300MHz_TX	Pass	PK	5.294G	106.00	Inf	-Inf	3	Horizontal	292	1.80
5300MHz_TX	Pass	PK	5.35G	70.58	74.00	-3.42	3	Horizontal	292	1.80
5320MHz_TX	Pass	AV	5.324G	95.36	Inf	-Inf	3	Vertical	319	1.50
5320MHz_TX	Pass	AV	5.3502G	51.81	54.00	-2.19	3	Vertical	319	1.50
5320MHz_TX	Pass	PK	5.3244G	102.84	Inf	-Inf	3	Vertical	319	1.50
5320MHz_TX	Pass	PK	5.356G	65.39	74.00	-8.61	3	Vertical	319	1.50
5320MHz_TX	Pass	AV	5.3238G	97.13	Inf	-Inf	3	Horizontal	327	1.50
5320MHz_TX	Pass	AV	5.35G	53.41	54.00	-0.59	3	Horizontal	327	1.50
5320MHz_TX	Pass	PK	5.327G	104.97	Inf	-Inf	3	Horizontal	327	1.50
5320MHz_TX	Pass	PK	5.3558G	67.99	74.00	-6.01	3	Horizontal	327	1.50
5500MHz_TX	Pass	AV	5.4584G	49.11	54.00	-4.89	3	Vertical	24	2.39
5500MHz_TX	Pass	AV	5.497G	99.71	Inf	-Inf	3	Vertical	24	2.39
5500MHz_TX	Pass	PK	5.46G	59.90	74.00	-14.10	3	Vertical	24	2.39
5500MHz_TX	Pass	PK	5.4694G	65.93	68.20	-2.27	3	Vertical	24	2.39



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_1T1S_AP5022FX**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz_TX	Pass	PK	5.4952G	107.17	Inf	-Inf	3	Vertical	24	2.39
5500MHz_TX	Pass	AV	5.4594G	49.72	54.00	-4.28	3	Horizontal	290	1.50
5500MHz_TX	Pass	AV	5.504G	99.82	Inf	-Inf	3	Horizontal	290	1.50
5500MHz_TX	Pass	PK	5.4594G	59.00	74.00	-15.00	3	Horizontal	290	1.50
5500MHz_TX	Pass	PK	5.4638G	66.77	68.20	-1.43	3	Horizontal	290	1.50
5500MHz_TX	Pass	PK	5.5042G	107.78	Inf	-Inf	3	Horizontal	290	1.50
5580MHz_TX	Pass	AV	5.454G	48.93	54.00	-5.07	3	Vertical	6	1.50
5580MHz_TX	Pass	AV	5.5752G	97.91	Inf	-Inf	3	Vertical	6	1.50
5580MHz_TX	Pass	PK	5.4408G	61.10	74.00	-12.90	3	Vertical	6	1.50
5580MHz_TX	Pass	PK	5.4624G	61.73	68.20	-6.47	3	Vertical	6	1.50
5580MHz_TX	Pass	PK	5.5746G	105.23	Inf	-Inf	3	Vertical	6	1.50
5580MHz_TX	Pass	PK	5.7258G	57.38	68.20	-10.82	3	Vertical	6	1.50
5580MHz_TX	Pass	AV	5.442G	49.03	54.00	-4.97	3	Horizontal	300	1.50
5580MHz_TX	Pass	AV	5.577G	101.15	Inf	-Inf	3	Horizontal	300	1.50
5580MHz_TX	Pass	PK	5.4558G	63.16	74.00	-10.84	3	Horizontal	300	1.50
5580MHz_TX	Pass	PK	5.4624G	63.44	68.20	-4.76	3	Horizontal	300	1.50
5580MHz_TX	Pass	PK	5.574G	108.63	Inf	-Inf	3	Horizontal	300	1.50
5580MHz_TX	Pass	PK	5.7294G	59.97	68.20	-8.23	3	Horizontal	300	1.50
5700MHz_TX	Pass	AV	5.704G	96.14	Inf	-Inf	3	Vertical	6	1.33
5700MHz_TX	Pass	PK	5.7028G	103.86	Inf	-Inf	3	Vertical	6	1.33
5700MHz_TX	Pass	PK	5.7276G	67.17	68.20	-1.03	3	Vertical	6	1.33
5700MHz_TX	Pass	AV	5.6972G	96.10	Inf	-Inf	3	Horizontal	305	1.65
5700MHz_TX	Pass	PK	5.6964G	103.41	Inf	-Inf	3	Horizontal	305	1.65
5700MHz_TX	Pass	PK	5.7252G	66.75	68.20	-1.45	3	Horizontal	305	1.65
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4236G	47.75	54.00	-6.25	3	Vertical	5	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7188G	100.41	Inf	-Inf	3	Vertical	5	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.432G	56.75	74.00	-17.25	3	Vertical	5	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4668G	56.30	68.20	-11.90	3	Vertical	5	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7236G	108.04	Inf	-Inf	3	Vertical	5	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8712G	58.59	68.20	-9.61	3	Vertical	5	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4368G	47.50	54.00	-6.50	3	Horizontal	302	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.714G	99.87	Inf	-Inf	3	Horizontal	302	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4428G	57.22	74.00	-16.78	3	Horizontal	302	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4656G	56.07	68.20	-12.13	3	Horizontal	302	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7236G	107.59	Inf	-Inf	3	Horizontal	302	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8544G	61.82	68.20	-6.38	3	Horizontal	302	1.50
5745MHz_TX	Pass	AV	5.4558G	47.51	54.00	-6.49	3	Vertical	324	1.50
5745MHz_TX	Pass	AV	5.7402G	98.50	Inf	-Inf	3	Vertical	324	1.50
5745MHz_TX	Pass	PK	5.6166G	57.69	68.20	-10.51	3	Vertical	324	1.50
5745MHz_TX	Pass	PK	5.7426G	106.84	Inf	-Inf	3	Vertical	324	1.50
5745MHz_TX	Pass	PK	5.9286G	58.88	68.20	-9.32	3	Vertical	324	1.50
5745MHz_TX	Pass	AV	5.457G	47.22	54.00	-6.78	3	Horizontal	301	1.50
5745MHz_TX	Pass	AV	5.7438G	102.06	Inf	-Inf	3	Horizontal	301	1.50
5745MHz_TX	Pass	PK	5.649G	58.06	68.20	-10.14	3	Horizontal	301	1.50
5745MHz_TX	Pass	PK	5.7486G	110.44	Inf	-Inf	3	Horizontal	301	1.50
5745MHz_TX	Pass	PK	5.9262G	58.54	68.20	-9.66	3	Horizontal	301	1.50
5785MHz_TX	Pass	AV	5.7802G	100.15	Inf	-Inf	3	Vertical	321	1.12
5785MHz_TX	Pass	PK	5.5714G	58.50	68.20	-9.70	3	Vertical	321	1.12
5785MHz_TX	Pass	PK	5.7826G	107.99	Inf	-Inf	3	Vertical	321	1.12
5785MHz_TX	Pass	PK	5.9314G	57.85	68.20	-10.35	3	Vertical	321	1.12
5785MHz_TX	Pass	AV	5.7814G	100.98	Inf	-Inf	3	Horizontal	300	1.50
5785MHz_TX	Pass	PK	5.6458G	62.99	68.20	-5.21	3	Horizontal	300	1.50
5785MHz_TX	Pass	PK	5.7826G	108.63	Inf	-Inf	3	Horizontal	300	1.50
5785MHz_TX	Pass	PK	6.0526G	58.37	68.20	-9.83	3	Horizontal	300	1.50
5825MHz_TX	Pass	AV	5.8214G	97.97	Inf	-Inf	3	Vertical	321	1.50
5825MHz_TX	Pass	PK	5.6486G	59.60	68.20	-8.60	3	Vertical	321	1.50
5825MHz_TX	Pass	PK	5.8226G	106.25	Inf	-Inf	3	Vertical	321	1.50
5825MHz_TX	Pass	PK	6.0962G	58.28	68.20	-9.92	3	Vertical	321	1.50
5825MHz_TX	Pass	AV	5.8262G	101.51	Inf	-Inf	3	Horizontal	305	1.64
5825MHz_TX	Pass	PK	5.6522G	66.73	69.83	-3.10	3	Horizontal	305	1.64
5825MHz_TX	Pass	PK	5.8226G	109.55	Inf	-Inf	3	Horizontal	305	1.64
5825MHz_TX	Pass	PK	5.9402G	58.45	68.20	-9.75	3	Horizontal	305	1.64



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_1T1S_AP5022FX**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1496G	53.54	54.00	-0.46	3	Vertical	38	1.50
5180MHz_TX	Pass	AV	5.1854G	99.10	Inf	-Inf	3	Vertical	38	1.50
5180MHz_TX	Pass	PK	5.15G	66.29	74.00	-7.71	3	Vertical	38	1.50
5180MHz_TX	Pass	PK	5.1758G	110.07	Inf	-Inf	3	Vertical	38	1.50
5180MHz_TX	Pass	AV	5.1494G	53.05	54.00	-0.95	3	Horizontal	325	1.50
5180MHz_TX	Pass	AV	5.1876G	98.47	Inf	-Inf	3	Horizontal	325	1.50
5180MHz_TX	Pass	PK	5.1452G	65.44	74.00	-8.56	3	Horizontal	325	1.50
5180MHz_TX	Pass	PK	5.1858G	110.30	Inf	-Inf	3	Horizontal	325	1.50
5200MHz_TX	Pass	AV	5.144G	50.23	54.00	-3.77	3	Vertical	37	1.50
5200MHz_TX	Pass	AV	5.1924G	97.94	Inf	-Inf	3	Vertical	37	1.50
5200MHz_TX	Pass	PK	5.1468G	69.13	74.00	-4.87	3	Vertical	37	1.50
5200MHz_TX	Pass	PK	5.1912G	108.95	Inf	-Inf	3	Vertical	37	1.50
5200MHz_TX	Pass	AV	5.1484G	52.11	54.00	-1.89	3	Horizontal	288	1.83
5200MHz_TX	Pass	AV	5.1976G	97.86	Inf	-Inf	3	Horizontal	288	1.83
5200MHz_TX	Pass	PK	5.1452G	71.20	74.00	-2.80	3	Horizontal	288	1.83
5200MHz_TX	Pass	PK	5.2084G	109.15	Inf	-Inf	3	Horizontal	288	1.83
5240MHz_TX	Pass	AV	5.1494G	49.08	54.00	-4.92	3	Vertical	16	1.50
5240MHz_TX	Pass	AV	5.2472G	96.87	Inf	-Inf	3	Vertical	16	1.50
5240MHz_TX	Pass	AV	5.366G	48.50	54.00	-5.50	3	Vertical	16	1.50
5240MHz_TX	Pass	PK	5.1422G	66.16	74.00	-7.84	3	Vertical	16	1.50
5240MHz_TX	Pass	PK	5.2442G	106.78	Inf	-Inf	3	Vertical	16	1.50
5240MHz_TX	Pass	PK	5.372G	60.70	74.00	-13.30	3	Vertical	16	1.50
5240MHz_TX	Pass	AV	5.1482G	51.25	54.00	-2.75	3	Horizontal	300	1.91
5240MHz_TX	Pass	AV	5.2418G	99.90	Inf	-Inf	3	Horizontal	300	1.91
5240MHz_TX	Pass	AV	5.3534G	50.00	54.00	-4.00	3	Horizontal	300	1.91
5240MHz_TX	Pass	PK	5.1494G	68.50	74.00	-5.50	3	Horizontal	300	1.91
5240MHz_TX	Pass	PK	5.234G	110.86	Inf	-Inf	3	Horizontal	300	1.91
5240MHz_TX	Pass	PK	5.351G	67.06	74.00	-6.94	3	Horizontal	300	1.91
5260MHz_TX	Pass	AV	5.1244G	47.30	54.00	-6.70	3	Vertical	31	1.50
5260MHz_TX	Pass	AV	5.2588G	95.06	Inf	-Inf	3	Vertical	31	1.50
5260MHz_TX	Pass	AV	5.35G	48.67	54.00	-5.33	3	Vertical	31	1.50
5260MHz_TX	Pass	PK	5.125G	58.36	74.00	-15.64	3	Vertical	31	1.50
5260MHz_TX	Pass	PK	5.2516G	105.52	Inf	-Inf	3	Vertical	31	1.50
5260MHz_TX	Pass	PK	5.3506G	62.02	74.00	-11.98	3	Vertical	31	1.50
5260MHz_TX	Pass	AV	5.149G	52.33	54.00	-1.67	3	Horizontal	46	1.78
5260MHz_TX	Pass	AV	5.2672G	97.47	Inf	-Inf	3	Horizontal	46	1.78
5260MHz_TX	Pass	AV	5.359G	51.73	54.00	-2.27	3	Horizontal	46	1.78
5260MHz_TX	Pass	PK	5.149G	68.74	74.00	-5.26	3	Horizontal	46	1.78
5260MHz_TX	Pass	PK	5.2654G	108.25	Inf	-Inf	3	Horizontal	46	1.78
5260MHz_TX	Pass	PK	5.3716G	68.72	74.00	-5.28	3	Horizontal	46	1.78
5300MHz_TX	Pass	AV	5.2916G	94.48	Inf	-Inf	3	Vertical	14	2.99
5300MHz_TX	Pass	AV	5.3672G	49.49	54.00	-4.51	3	Vertical	14	2.99
5300MHz_TX	Pass	PK	5.2908G	105.55	Inf	-Inf	3	Vertical	14	2.99
5300MHz_TX	Pass	PK	5.362G	67.86	74.00	-6.14	3	Vertical	14	2.99
5300MHz_TX	Pass	AV	5.2928G	97.64	Inf	-Inf	3	Horizontal	292	1.93
5300MHz_TX	Pass	AV	5.3536G	52.78	54.00	-1.22	3	Horizontal	292	1.93
5300MHz_TX	Pass	PK	5.3064G	108.53	Inf	-Inf	3	Horizontal	292	1.93
5300MHz_TX	Pass	PK	5.3536G	70.76	74.00	-3.24	3	Horizontal	292	1.93
5320MHz_TX	Pass	AV	5.3268G	93.34	Inf	-Inf	3	Vertical	12	1.50
5320MHz_TX	Pass	AV	5.3512G	50.32	54.00	-3.68	3	Vertical	12	1.50
5320MHz_TX	Pass	PK	5.3256G	103.97	Inf	-Inf	3	Vertical	12	1.50
5320MHz_TX	Pass	PK	5.356G	61.48	74.00	-12.52	3	Vertical	12	1.50
5320MHz_TX	Pass	AV	5.3274G	97.44	Inf	-Inf	3	Horizontal	291	1.80
5320MHz_TX	Pass	AV	5.3522G	53.06	54.00	-0.94	3	Horizontal	291	1.80
5320MHz_TX	Pass	PK	5.326G	108.85	Inf	-Inf	3	Horizontal	291	1.80
5320MHz_TX	Pass	PK	5.3582G	66.00	74.00	-8.00	3	Horizontal	291	1.80
5500MHz_TX	Pass	AV	5.459G	49.35	54.00	-4.65	3	Vertical	27	1.50
5500MHz_TX	Pass	AV	5.4966G	96.47	Inf	-Inf	3	Vertical	27	1.50
5500MHz_TX	Pass	PK	5.4588G	63.51	74.00	-10.49	3	Vertical	27	1.50
5500MHz_TX	Pass	PK	5.4604G	64.75	68.20	-3.45	3	Vertical	27	1.50
5500MHz_TX	Pass	PK	5.497G	107.18	Inf	-Inf	3	Vertical	27	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_1T1S_AP5022FX**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz_TX	Pass	AV	5.4592G	52.21	54.00	-1.79	3	Horizontal	291	1.50
5500MHz_TX	Pass	AV	5.5028G	98.37	Inf	-Inf	3	Horizontal	291	1.50
5500MHz_TX	Pass	PK	5.4596G	67.79	74.00	-6.21	3	Horizontal	291	1.50
5500MHz_TX	Pass	PK	5.4626G	67.55	68.20	-0.65	3	Horizontal	291	1.50
5500MHz_TX	Pass	PK	5.506G	109.67	Inf	-Inf	3	Horizontal	291	1.50
5580MHz_TX	Pass	AV	5.4582G	47.46	54.00	-6.54	3	Vertical	5	1.50
5580MHz_TX	Pass	AV	5.5818G	96.69	Inf	-Inf	3	Vertical	5	1.50
5580MHz_TX	Pass	PK	5.4522G	62.57	74.00	-11.43	3	Vertical	5	1.50
5580MHz_TX	Pass	PK	5.463G	62.10	68.20	-6.10	3	Vertical	5	1.50
5580MHz_TX	Pass	PK	5.5788G	107.86	Inf	-Inf	3	Vertical	5	1.50
5580MHz_TX	Pass	PK	5.7294G	60.30	68.20	-7.90	3	Vertical	5	1.50
5580MHz_TX	Pass	AV	5.4558G	48.30	54.00	-5.70	3	Horizontal	301	1.69
5580MHz_TX	Pass	AV	5.5788G	100.27	Inf	-Inf	3	Horizontal	301	1.69
5580MHz_TX	Pass	PK	5.448G	65.35	74.00	-8.65	3	Horizontal	301	1.69
5580MHz_TX	Pass	PK	5.4636G	63.06	68.20	-5.14	3	Horizontal	301	1.69
5580MHz_TX	Pass	PK	5.574G	111.27	Inf	-Inf	3	Horizontal	301	1.69
5580MHz_TX	Pass	PK	5.7258G	59.83	68.20	-8.37	3	Horizontal	301	1.69
5700MHz_TX	Pass	AV	5.702G	92.19	Inf	-Inf	3	Vertical	7	1.33
5700MHz_TX	Pass	PK	5.702G	103.74	Inf	-Inf	3	Vertical	7	1.33
5700MHz_TX	Pass	PK	5.7264G	64.94	68.20	-3.26	3	Vertical	7	1.33
5700MHz_TX	Pass	AV	5.7028G	93.43	Inf	-Inf	3	Horizontal	303	1.50
5700MHz_TX	Pass	PK	5.7052G	104.15	Inf	-Inf	3	Horizontal	303	1.50
5700MHz_TX	Pass	PK	5.7264G	66.99	68.20	-1.21	3	Horizontal	303	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4488G	46.45	54.00	-7.55	3	Vertical	5	1.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7188G	98.93	Inf	-Inf	3	Vertical	5	1.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.444G	56.77	74.00	-17.23	3	Vertical	5	1.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.462G	56.29	68.20	-11.91	3	Vertical	5	1.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7164G	108.93	Inf	-Inf	3	Vertical	5	1.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8508G	59.32	68.20	-8.88	3	Vertical	5	1.15
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4548G	46.52	54.00	-7.48	3	Horizontal	303	1.63
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7188G	98.92	Inf	-Inf	3	Horizontal	303	1.63
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4296G	56.90	74.00	-17.10	3	Horizontal	303	1.63
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4644G	56.88	68.20	-11.32	3	Horizontal	303	1.63
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7116G	109.41	Inf	-Inf	3	Horizontal	303	1.63
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8616G	60.19	68.20	-8.01	3	Horizontal	303	1.63
5745MHz_TX	Pass	AV	5.4546G	46.52	54.00	-7.48	3	Vertical	324	1.60
5745MHz_TX	Pass	AV	5.7378G	97.30	Inf	-Inf	3	Vertical	324	1.60
5745MHz_TX	Pass	PK	5.6406G	57.59	68.20	-10.61	3	Vertical	324	1.60
5745MHz_TX	Pass	PK	5.751G	109.08	Inf	-Inf	3	Vertical	324	1.60
5745MHz_TX	Pass	PK	5.9418G	58.13	68.20	-10.07	3	Vertical	324	1.60
5745MHz_TX	Pass	AV	5.4474G	46.52	54.00	-7.48	3	Horizontal	301	1.50
5745MHz_TX	Pass	AV	5.7426G	100.70	Inf	-Inf	3	Horizontal	301	1.50
5745MHz_TX	Pass	PK	5.643G	59.23	68.20	-8.97	3	Horizontal	301	1.50
5745MHz_TX	Pass	PK	5.7414G	111.22	Inf	-Inf	3	Horizontal	301	1.50
5745MHz_TX	Pass	PK	6.0246G	57.85	68.20	-10.35	3	Horizontal	301	1.50
5785MHz_TX	Pass	AV	5.7778G	98.52	Inf	-Inf	3	Vertical	323	1.50
5785MHz_TX	Pass	PK	5.5942G	60.25	68.20	-7.95	3	Vertical	323	1.50
5785MHz_TX	Pass	PK	5.779G	109.80	Inf	-Inf	3	Vertical	323	1.50
5785MHz_TX	Pass	PK	5.965G	58.17	68.20	-10.03	3	Vertical	323	1.50
5785MHz_TX	Pass	AV	5.7778G	99.76	Inf	-Inf	3	Horizontal	300	1.50
5785MHz_TX	Pass	PK	5.647G	66.46	68.20	-1.74	3	Horizontal	300	1.50
5785MHz_TX	Pass	PK	5.7802G	110.41	Inf	-Inf	3	Horizontal	300	1.50
5785MHz_TX	Pass	PK	5.965G	58.23	68.20	-9.97	3	Horizontal	300	1.50
5825MHz_TX	Pass	AV	5.8202G	96.74	Inf	-Inf	3	Vertical	321	1.50
5825MHz_TX	Pass	PK	5.645G	60.44	68.20	-7.76	3	Vertical	321	1.50
5825MHz_TX	Pass	PK	5.831G	107.51	Inf	-Inf	3	Vertical	321	1.50
5825MHz_TX	Pass	PK	5.9318G	58.43	68.20	-9.77	3	Vertical	321	1.50
5825MHz_TX	Pass	AV	5.8298G	99.94	Inf	-Inf	3	Horizontal	305	1.60
5825MHz_TX	Pass	PK	5.6462G	66.18	68.20	-2.02	3	Horizontal	305	1.60
5825MHz_TX	Pass	PK	5.8226G	109.46	Inf	-Inf	3	Horizontal	305	1.60
5825MHz_TX	Pass	PK	6.0386G	58.19	68.20	-10.01	3	Horizontal	305	1.60
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_1T1S_AP5022FX**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz_TX	Pass	AV	5.15G	53.23	54.00	-0.77	3	Vertical	38	1.50
5190MHz_TX	Pass	AV	5.1844G	95.96	Inf	-Inf	3	Vertical	38	1.50
5190MHz_TX	Pass	PK	5.1432G	64.70	74.00	-9.30	3	Vertical	38	1.50
5190MHz_TX	Pass	PK	5.1824G	108.07	Inf	-Inf	3	Vertical	38	1.50
5190MHz_TX	Pass	AV	5.15G	51.46	54.00	-2.54	3	Horizontal	325	1.50
5190MHz_TX	Pass	AV	5.194G	93.11	Inf	-Inf	3	Horizontal	325	1.50
5190MHz_TX	Pass	PK	5.15G	62.92	74.00	-11.08	3	Horizontal	325	1.50
5190MHz_TX	Pass	PK	5.1956G	105.40	Inf	-Inf	3	Horizontal	325	1.50
5230MHz_TX	Pass	AV	5.15G	48.80	54.00	-5.20	3	Vertical	32	1.28
5230MHz_TX	Pass	AV	5.212G	94.49	Inf	-Inf	3	Vertical	32	1.28
5230MHz_TX	Pass	PK	5.15G	64.04	74.00	-9.96	3	Vertical	32	1.28
5230MHz_TX	Pass	PK	5.212G	105.93	Inf	-Inf	3	Vertical	32	1.28
5230MHz_TX	Pass	AV	5.15G	50.98	54.00	-3.02	3	Horizontal	309	1.30
5230MHz_TX	Pass	AV	5.2376G	95.52	Inf	-Inf	3	Horizontal	309	1.30
5230MHz_TX	Pass	PK	5.1352G	66.33	74.00	-7.67	3	Horizontal	309	1.30
5230MHz_TX	Pass	PK	5.2392G	108.14	Inf	-Inf	3	Horizontal	309	1.30
5270MHz_TX	Pass	AV	5.268G	92.71	Inf	-Inf	3	Vertical	28	1.00
5270MHz_TX	Pass	AV	5.3528G	52.04	54.00	-1.96	3	Vertical	28	1.00
5270MHz_TX	Pass	PK	5.2832G	103.93	Inf	-Inf	3	Vertical	28	1.00
5270MHz_TX	Pass	PK	5.3584G	70.99	74.00	-3.01	3	Vertical	28	1.00
5270MHz_TX	Pass	AV	5.2624G	93.35	Inf	-Inf	3	Horizontal	308	1.16
5270MHz_TX	Pass	AV	5.3584G	50.74	54.00	-3.26	3	Horizontal	308	1.16
5270MHz_TX	Pass	PK	5.2624G	105.59	Inf	-Inf	3	Horizontal	308	1.16
5270MHz_TX	Pass	PK	5.3604G	69.44	74.00	-4.56	3	Horizontal	308	1.16
5310MHz_TX	Pass	AV	5.2968G	89.96	Inf	-Inf	3	Vertical	14	1.50
5310MHz_TX	Pass	AV	5.3504G	50.89	54.00	-3.11	3	Vertical	14	1.50
5310MHz_TX	Pass	PK	5.2984G	102.24	Inf	-Inf	3	Vertical	14	1.50
5310MHz_TX	Pass	PK	5.3504G	62.69	74.00	-11.31	3	Vertical	14	1.50
5310MHz_TX	Pass	AV	5.298G	93.88	Inf	-Inf	3	Horizontal	292	1.91
5310MHz_TX	Pass	AV	5.3516G	53.63	54.00	-0.37	3	Horizontal	292	1.91
5310MHz_TX	Pass	PK	5.3192G	105.38	Inf	-Inf	3	Horizontal	292	1.91
5310MHz_TX	Pass	PK	5.3508G	65.70	74.00	-8.30	3	Horizontal	292	1.91
5510MHz_TX	Pass	AV	5.46G	49.68	54.00	-4.32	3	Vertical	27	1.50
5510MHz_TX	Pass	AV	5.4992G	92.55	Inf	-Inf	3	Vertical	27	1.50
5510MHz_TX	Pass	PK	5.4588G	61.39	74.00	-12.61	3	Vertical	27	1.50
5510MHz_TX	Pass	PK	5.4696G	65.20	68.20	-3.00	3	Vertical	27	1.50
5510MHz_TX	Pass	PK	5.4988G	104.47	Inf	-Inf	3	Vertical	27	1.50
5510MHz_TX	Pass	AV	5.4588G	53.24	54.00	-0.76	3	Horizontal	291	1.55
5510MHz_TX	Pass	AV	5.5076G	95.34	Inf	-Inf	3	Horizontal	291	1.55
5510MHz_TX	Pass	PK	5.4588G	64.03	74.00	-9.97	3	Horizontal	291	1.55
5510MHz_TX	Pass	PK	5.4664G	66.81	68.20	-1.39	3	Horizontal	291	1.55
5510MHz_TX	Pass	PK	5.5176G	106.83	Inf	-Inf	3	Horizontal	291	1.55
5550MHz_TX	Pass	AV	5.4504G	47.23	54.00	-6.77	3	Vertical	8	1.66
5550MHz_TX	Pass	AV	5.554G	92.17	Inf	-Inf	3	Vertical	8	1.66
5550MHz_TX	Pass	PK	5.4552G	62.96	74.00	-11.04	3	Vertical	8	1.66
5550MHz_TX	Pass	PK	5.4604G	61.65	68.20	-6.55	3	Vertical	8	1.66
5550MHz_TX	Pass	PK	5.5592G	104.44	Inf	-Inf	3	Vertical	8	1.66
5550MHz_TX	Pass	AV	5.46G	48.94	54.00	-5.06	3	Horizontal	289	1.50
5550MHz_TX	Pass	AV	5.5528G	95.41	Inf	-Inf	3	Horizontal	289	1.50
5550MHz_TX	Pass	PK	5.46G	66.39	74.00	-7.61	3	Horizontal	289	1.50
5550MHz_TX	Pass	PK	5.4636G	66.68	68.20	-1.52	3	Horizontal	289	1.50
5550MHz_TX	Pass	PK	5.5592G	107.49	Inf	-Inf	3	Horizontal	289	1.50
5670MHz_TX	Pass	AV	5.652G	91.60	Inf	-Inf	3	Vertical	27	1.20
5670MHz_TX	Pass	PK	5.652G	102.97	Inf	-Inf	3	Vertical	27	1.20
5670MHz_TX	Pass	PK	5.757G	64.07	68.20	-4.13	3	Vertical	27	1.20
5670MHz_TX	Pass	AV	5.655G	94.06	Inf	-Inf	3	Horizontal	291	1.20
5670MHz_TX	Pass	PK	5.6574G	106.01	Inf	-Inf	3	Horizontal	291	1.20
5670MHz_TX	Pass	PK	5.7252G	66.23	68.20	-1.97	3	Horizontal	291	1.20
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4268G	45.86	54.00	-8.14	3	Vertical	5	1.16
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7172G	94.92	Inf	-Inf	3	Vertical	5	1.16
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4532G	56.46	74.00	-17.54	3	Vertical	5	1.16
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.464G	56.97	68.20	-11.23	3	Vertical	5	1.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7148G	106.68	Inf	-Inf	3	Vertical	5	1.16
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8612G	58.68	68.20	-9.52	3	Vertical	5	1.16
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4568G	45.88	54.00	-8.12	3	Horizontal	303	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7076G	94.64	Inf	-Inf	3	Horizontal	303	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4568G	57.54	74.00	-16.46	3	Horizontal	303	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.47G	58.01	68.20	-10.19	3	Horizontal	303	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.722G	106.29	Inf	-Inf	3	Horizontal	303	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8516G	62.46	68.20	-5.74	3	Horizontal	303	1.50
5755MHz_TX	Pass	AV	5.4598G	45.54	54.00	-8.46	3	Vertical	323	1.50
5755MHz_TX	Pass	AV	5.773G	94.70	Inf	-Inf	3	Vertical	323	1.50
5755MHz_TX	Pass	PK	5.5822G	57.82	68.20	-10.38	3	Vertical	323	1.50
5755MHz_TX	Pass	PK	5.7658G	106.18	Inf	-Inf	3	Vertical	323	1.50
5755MHz_TX	Pass	PK	5.977G	58.11	68.20	-10.09	3	Vertical	323	1.50
5755MHz_TX	Pass	AV	5.4562G	45.63	54.00	-8.37	3	Horizontal	300	1.50
5755MHz_TX	Pass	AV	5.7526G	96.49	Inf	-Inf	3	Horizontal	300	1.50
5755MHz_TX	Pass	PK	5.6458G	62.17	68.20	-6.03	3	Horizontal	300	1.50
5755MHz_TX	Pass	PK	5.749G	107.96	Inf	-Inf	3	Horizontal	300	1.50
5755MHz_TX	Pass	PK	5.9314G	58.24	68.20	-9.96	3	Horizontal	300	1.50
5795MHz_TX	Pass	AV	5.777G	94.42	Inf	-Inf	3	Vertical	322	1.50
5795MHz_TX	Pass	PK	5.6402G	62.64	68.20	-5.56	3	Vertical	322	1.50
5795MHz_TX	Pass	PK	5.7878G	105.26	Inf	-Inf	3	Vertical	322	1.50
5795MHz_TX	Pass	PK	5.9414G	57.80	68.20	-10.40	3	Vertical	322	1.50
5795MHz_TX	Pass	AV	5.7818G	95.61	Inf	-Inf	3	Horizontal	307	1.58
5795MHz_TX	Pass	PK	5.6354G	67.41	68.20	-0.79	3	Horizontal	307	1.58
5795MHz_TX	Pass	PK	5.7914G	106.64	Inf	-Inf	3	Horizontal	307	1.58
5795MHz_TX	Pass	PK	5.9414G	58.44	68.20	-9.76	3	Horizontal	307	1.58
802.11be EHT80_Nss1(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.149G	53.90	54.00	-0.10	3	Vertical	37	1.50
5210MHz_TX	Pass	AV	5.193G	92.05	Inf	-Inf	3	Vertical	37	1.50
5210MHz_TX	Pass	AV	5.411G	47.39	54.00	-6.61	3	Vertical	37	1.50
5210MHz_TX	Pass	PK	5.149G	63.65	74.00	-10.35	3	Vertical	37	1.50
5210MHz_TX	Pass	PK	5.187G	103.18	Inf	-Inf	3	Vertical	37	1.50
5210MHz_TX	Pass	PK	5.379G	57.68	74.00	-16.32	3	Vertical	37	1.50
5210MHz_TX	Pass	AV	5.15G	53.91	54.00	-0.09	3	Horizontal	325	1.50
5210MHz_TX	Pass	AV	5.201G	91.18	Inf	-Inf	3	Horizontal	325	1.50
5210MHz_TX	Pass	AV	5.35G	49.38	54.00	-4.62	3	Horizontal	325	1.50
5210MHz_TX	Pass	PK	5.141G	64.21	74.00	-9.79	3	Horizontal	325	1.50
5210MHz_TX	Pass	PK	5.202G	101.87	Inf	-Inf	3	Horizontal	325	1.50
5210MHz_TX	Pass	PK	5.358G	60.08	74.00	-13.92	3	Horizontal	325	1.50
5290MHz_TX	Pass	AV	5.146G	45.32	54.00	-8.68	3	Vertical	14	3.00
5290MHz_TX	Pass	AV	5.263G	89.94	Inf	-Inf	3	Vertical	14	3.00
5290MHz_TX	Pass	AV	5.399G	51.18	54.00	-2.82	3	Vertical	14	3.00
5290MHz_TX	Pass	PK	5.134G	56.04	74.00	-17.96	3	Vertical	14	3.00
5290MHz_TX	Pass	PK	5.267G	100.88	Inf	-Inf	3	Vertical	14	3.00
5290MHz_TX	Pass	PK	5.365G	61.80	74.00	-12.20	3	Vertical	14	3.00
5290MHz_TX	Pass	PK	5.529G	56.64	68.20	-11.56	3	Vertical	14	3.00
5290MHz_TX	Pass	AV	5.145G	45.83	54.00	-8.17	3	Horizontal	307	1.15
5290MHz_TX	Pass	AV	5.278G	90.68	Inf	-Inf	3	Horizontal	307	1.15
5290MHz_TX	Pass	AV	5.399G	51.14	54.00	-2.86	3	Horizontal	307	1.15
5290MHz_TX	Pass	PK	5.144G	57.11	74.00	-16.89	3	Horizontal	307	1.15
5290MHz_TX	Pass	PK	5.268G	101.90	Inf	-Inf	3	Horizontal	307	1.15
5290MHz_TX	Pass	PK	5.365G	63.75	74.00	-10.25	3	Horizontal	307	1.15
5290MHz_TX	Pass	PK	5.479G	56.90	68.20	-11.30	3	Horizontal	307	1.15
5530MHz_TX	Pass	AV	5.35G	46.79	54.00	-7.21	3	Vertical	23	2.39
5530MHz_TX	Pass	AV	5.46G	53.91	54.00	-0.09	3	Vertical	23	2.39
5530MHz_TX	Pass	AV	5.501G	94.43	Inf	-Inf	3	Vertical	23	2.39
5530MHz_TX	Pass	PK	5.336G	57.00	68.20	-11.20	3	Vertical	23	2.39
5530MHz_TX	Pass	PK	5.455G	63.60	74.00	-10.40	3	Vertical	23	2.39
5530MHz_TX	Pass	PK	5.47G	66.38	68.20	-1.82	3	Vertical	23	2.39
5530MHz_TX	Pass	PK	5.501G	104.79	Inf	-Inf	3	Vertical	23	2.39
5530MHz_TX	Pass	PK	5.727G	58.07	68.20	-10.13	3	Vertical	23	2.39
5530MHz_TX	Pass	AV	5.35G	47.09	54.00	-6.91	3	Horizontal	289	1.69



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_1T1S_AP5022FX**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz_TX	Pass	AV	5.459G	53.12	54.00	-0.88	3	Horizontal	289	1.69
5530MHz_TX	Pass	AV	5.546G	96.04	Inf	-Inf	3	Horizontal	289	1.69
5530MHz_TX	Pass	PK	5.319G	57.45	68.20	-10.75	3	Horizontal	289	1.69
5530MHz_TX	Pass	PK	5.457G	63.57	74.00	-10.43	3	Horizontal	289	1.69
5530MHz_TX	Pass	PK	5.469G	64.27	68.20	-3.93	3	Horizontal	289	1.69
5530MHz_TX	Pass	PK	5.559G	106.29	Inf	-Inf	3	Horizontal	289	1.69
5530MHz_TX	Pass	PK	5.756G	58.08	68.20	-10.12	3	Horizontal	289	1.69
5610MHz_TX	Pass	AV	5.458G	49.26	54.00	-4.74	3	Vertical	28	1.28
5610MHz_TX	Pass	AV	5.639G	92.27	Inf	-Inf	3	Vertical	28	1.28
5610MHz_TX	Pass	PK	5.454G	62.03	74.00	-11.97	3	Vertical	28	1.28
5610MHz_TX	Pass	PK	5.465G	64.23	68.20	-3.97	3	Vertical	28	1.28
5610MHz_TX	Pass	PK	5.634G	103.04	Inf	-Inf	3	Vertical	28	1.28
5610MHz_TX	Pass	PK	5.736G	64.45	68.20	-3.75	3	Vertical	28	1.28
5610MHz_TX	Pass	AV	5.455G	50.41	54.00	-3.59	3	Horizontal	300	1.50
5610MHz_TX	Pass	AV	5.58G	93.06	Inf	-Inf	3	Horizontal	300	1.50
5610MHz_TX	Pass	PK	5.416G	63.41	74.00	-10.59	3	Horizontal	300	1.50
5610MHz_TX	Pass	PK	5.465G	64.43	68.20	-3.77	3	Horizontal	300	1.50
5610MHz_TX	Pass	PK	5.588G	103.94	Inf	-Inf	3	Horizontal	300	1.50
5610MHz_TX	Pass	PK	5.727G	67.27	68.20	-0.93	3	Horizontal	300	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.3972G	46.61	54.00	-7.39	3	Vertical	6	1.21
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7056G	92.78	Inf	-Inf	3	Vertical	6	1.21
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4212G	57.59	74.00	-16.41	3	Vertical	6	1.21
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4692G	55.97	68.20	-12.23	3	Vertical	6	1.21
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6996G	103.42	Inf	-Inf	3	Vertical	6	1.21
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8532G	61.72	68.20	-6.48	3	Vertical	6	1.21
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4584G	47.65	54.00	-6.35	3	Horizontal	303	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7032G	93.27	Inf	-Inf	3	Horizontal	303	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4584G	59.46	74.00	-14.54	3	Horizontal	303	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4656G	61.42	68.20	-6.78	3	Horizontal	303	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7176G	103.74	Inf	-Inf	3	Horizontal	303	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8556G	65.94	68.20	-2.26	3	Horizontal	303	1.50
5775MHz_TX	Pass	AV	5.7702G	92.71	Inf	-Inf	3	Vertical	323	1.50
5775MHz_TX	Pass	PK	5.5508G	60.56	68.20	-7.64	3	Vertical	323	1.50
5775MHz_TX	Pass	PK	5.769G	102.96	Inf	-Inf	3	Vertical	323	1.50
5775MHz_TX	Pass	PK	6.0138G	58.41	68.20	-9.79	3	Vertical	323	1.50
5775MHz_TX	Pass	AV	5.7462G	93.53	Inf	-Inf	3	Horizontal	301	1.50
5775MHz_TX	Pass	PK	5.6454G	64.94	68.20	-3.26	3	Horizontal	301	1.50
5775MHz_TX	Pass	PK	5.7426G	103.93	Inf	-Inf	3	Horizontal	301	1.50
5775MHz_TX	Pass	PK	6.0474G	57.85	68.20	-10.35	3	Horizontal	301	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.112G	48.71	54.00	-5.29	3	Vertical	24	1.01
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.2692G	87.84	Inf	-Inf	3	Vertical	24	1.01
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.3532G	49.75	54.00	-4.25	3	Vertical	24	1.01
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.1192G	59.25	74.00	-14.75	3	Vertical	24	1.01
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.2644G	99.15	Inf	-Inf	3	Vertical	24	1.01
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3508G	63.86	74.00	-10.14	3	Vertical	24	1.01
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.4624G	58.76	68.20	-9.44	3	Vertical	24	1.01
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.1492G	53.03	54.00	-0.97	3	Horizontal	51	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.2752G	88.61	Inf	-Inf	3	Horizontal	51	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.3592G	53.77	54.00	-0.23	3	Horizontal	51	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.1492G	65.57	74.00	-8.43	3	Horizontal	51	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.2752G	99.44	Inf	-Inf	3	Horizontal	51	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3532G	69.07	74.00	-4.93	3	Horizontal	51	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.4696G	58.59	68.20	-9.61	3	Horizontal	51	3.00
5570MHz_TX	Pass	AV	5.4584G	53.05	54.00	-0.95	3	Vertical	27	1.19
5570MHz_TX	Pass	AV	5.6456G	87.42	Inf	-Inf	3	Vertical	27	1.19
5570MHz_TX	Pass	PK	5.3456G	59.17	68.20	-9.03	3	Vertical	27	1.19
5570MHz_TX	Pass	PK	5.4572G	65.91	74.00	-8.09	3	Vertical	27	1.19
5570MHz_TX	Pass	PK	5.4692G	67.82	68.20	-0.38	3	Vertical	27	1.19
5570MHz_TX	Pass	PK	5.648G	98.13	Inf	-Inf	3	Vertical	27	1.19
5570MHz_TX	Pass	PK	5.7608G	64.49	68.20	-3.71	3	Vertical	27	1.19
5570MHz_TX	Pass	AV	5.4224G	51.31	54.00	-2.69	3	Horizontal	288	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_1T1S_AP5022FX**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz_TX	Pass	AV	5.5532G	87.45	Inf	-Inf	3	Horizontal	288	1.50
5570MHz_TX	Pass	PK	5.3468G	59.09	68.20	-9.11	3	Horizontal	288	1.50
5570MHz_TX	Pass	PK	5.4524G	63.39	74.00	-10.61	3	Horizontal	288	1.50
5570MHz_TX	Pass	PK	5.4692G	65.95	68.20	-2.25	3	Horizontal	288	1.50
5570MHz_TX	Pass	PK	5.5544G	99.18	Inf	-Inf	3	Horizontal	288	1.50
5570MHz_TX	Pass	PK	5.7308G	65.03	68.20	-3.17	3	Horizontal	288	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.90	54.00	-0.10	2.53	3	Vertical	37	1.50	51.37	33.40	6.66	37.53
AV	5.193G	92.05	Inf	-Inf	2.66	3	Vertical	37	1.50	89.39	33.49	6.70	37.53
AV	5.411G	47.39	54.00	-6.61	2.37	3	Vertical	37	1.50	45.02	33.20	6.71	37.54
PK	5.149G	63.65	74.00	-10.35	2.53	3	Vertical	37	1.50	61.12	33.40	6.66	37.53
PK	5.187G	103.18	Inf	-Inf	2.64	3	Vertical	37	1.50	100.54	33.47	6.70	37.53
PK	5.379G	57.68	74.00	-16.32	2.32	3	Vertical	37	1.50	55.36	33.16	6.70	37.54

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.91	54.00	-0.09	2.54	3	Horizontal	325	1.50	51.37	33.40	6.67	37.53
AV	5.201G	91.18	Inf	-Inf	2.68	3	Horizontal	325	1.50	88.50	33.50	6.71	37.53
AV	5.35G	49.38	54.00	-4.62	2.27	3	Horizontal	325	1.50	47.11	33.10	6.70	37.53
PK	5.141G	64.21	74.00	-9.79	2.49	3	Horizontal	325	1.50	61.72	33.36	6.66	37.53
PK	5.202G	101.87	Inf	-Inf	2.67	3	Horizontal	325	1.50	99.20	33.49	6.71	37.53
PK	5.358G	60.08	74.00	-13.92	2.29	3	Horizontal	325	1.50	57.79	33.12	6.70	37.53


5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.15-5.25GHz_TX






5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.35	54.00	-4.65	2.44	3	Vertical	27	1.50	46.91	33.22	6.76	37.54
AV	5.4966G	96.47	Inf	-Inf	2.55	3	Vertical	27	1.50	93.92	33.29	6.80	37.54
PK	5.4588G	63.51	74.00	-10.49	2.44	3	Vertical	27	1.50	61.07	33.22	6.76	37.54
PK	5.4604G	64.75	68.20	-3.45	2.44	3	Vertical	27	1.50	62.31	33.22	6.76	37.54
PK	5.497G	107.18	Inf	-Inf	2.55	3	Vertical	27	1.50	104.63	33.29	6.80	37.54

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	52.21	54.00	-1.79	2.44	3	Horizontal	291	1.50	49.77	33.22	6.76	37.54
AV	5.5028G	98.37	Inf	-Inf	2.57	3	Horizontal	291	1.50	95.80	33.31	6.80	37.54
PK	5.4596G	67.79	74.00	-6.21	2.44	3	Horizontal	291	1.50	65.35	33.22	6.76	37.54
PK	5.4626G	67.55	68.20	-0.65	2.45	3	Horizontal	291	1.50	65.10	33.23	6.76	37.54
PK	5.506G	109.67	Inf	-Inf	2.58	3	Horizontal	291	1.50	107.09	33.31	6.81	37.54


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.79	54.00	-7.21	2.27	3	Vertical	23	2.39	44.52	33.10	6.70	37.53
AV	5.46G	53.91	54.00	-0.09	2.44	3	Vertical	23	2.39	51.47	33.22	6.76	37.54
AV	5.501G	94.43	Inf	-Inf	2.56	3	Vertical	23	2.39	91.87	33.30	6.80	37.54
PK	5.336G	57.00	68.20	-11.20	2.27	3	Vertical	23	2.39	54.73	33.10	6.70	37.53
PK	5.455G	63.60	74.00	-10.40	2.42	3	Vertical	23	2.39	61.18	33.21	6.75	37.54
PK	5.47G	66.38	68.20	-1.82	2.47	3	Vertical	23	2.39	63.91	33.24	6.77	37.54
PK	5.501G	104.79	Inf	-Inf	2.56	3	Vertical	23	2.39	102.23	33.30	6.80	37.54
PK	5.727G	58.07	68.20	-10.13	3.65	3	Vertical	23	2.39	54.42	33.96	7.15	37.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.09	54.00	-6.91	2.27	3	Horizontal	289	1.69	44.82	33.10	6.70	37.53
AV	5.459G	53.12	54.00	-0.88	2.44	3	Horizontal	289	1.69	50.68	33.22	6.76	37.54
AV	5.546G	96.04	Inf	-Inf	2.72	3	Horizontal	289	1.69	93.32	33.39	6.85	37.52
PK	5.319G	57.45	68.20	-10.75	2.27	3	Horizontal	289	1.69	55.18	33.10	6.70	37.53
PK	5.457G	63.57	74.00	-10.43	2.43	3	Horizontal	289	1.69	61.14	33.21	6.76	37.54
PK	5.469G	64.27	68.20	-3.93	2.47	3	Horizontal	289	1.69	61.80	33.24	6.77	37.54
PK	5.559G	106.29	Inf	-Inf	2.74	3	Horizontal	289	1.69	103.55	33.40	6.86	37.52
PK	5.756G	58.08	68.20	-10.12	3.89	3	Horizontal	289	1.69	54.19	34.14	7.20	37.45


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX





RSE TX above 1GHz_Non-Beamforming_ Radio 2_AI-TP05360_Full RU_2T1S_AP5022FX

Appendix E.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1466G	53.46	54.00	-0.54	3	Horizontal	298	1.00
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1484G	53.91	54.00	-0.09	3	Horizontal	295	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.63	54.00	-0.37	3	Horizontal	293	1.01
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.146G	53.32	54.00	-0.68	3	Horizontal	293	1.01
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.3568G	53.43	54.00	-0.57	3	Horizontal	299	1.00
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3528G	53.79	54.00	-0.21	3	Horizontal	301	1.00
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3662G	53.89	54.00	-0.11	3	Horizontal	301	1.01
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3536G	52.06	54.00	-1.94	3	Horizontal	298	1.01
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.352G	53.70	54.00	-0.30	3	Horizontal	297	1.00
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4678G	68.13	68.20	-0.07	3	Horizontal	298	1.00
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.4672G	67.16	68.20	-1.04	3	Horizontal	297	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.727G	68.16	68.20	-0.04	3	Horizontal	299	1.01
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.733G	67.82	68.20	-0.38	3	Horizontal	299	1.00
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4668G	67.97	68.20	-0.23	3	Horizontal	303	1.00
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.6458G	67.10	68.20	-1.10	3	Horizontal	296	1.92
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.6422G	67.56	68.20	-0.64	3	Horizontal	295	1.85
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.651G	68.57	68.94	-0.37	3	Horizontal	293	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6514G	68.69	69.24	-0.55	3	Horizontal	294	1.88



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.14

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1476G	48.99	54.00	-5.01	3	Vertical	7	3.00
5180MHz_TX	Pass	AV	5.1834G	101.87	Inf	-Inf	3	Vertical	7	3.00
5180MHz_TX	Pass	PK	5.1486G	60.54	74.00	-13.46	3	Vertical	7	3.00
5180MHz_TX	Pass	PK	5.1834G	109.36	Inf	-Inf	3	Vertical	7	3.00
5180MHz_TX	Pass	AV	5.1466G	53.46	54.00	-0.54	3	Horizontal	298	1.00
5180MHz_TX	Pass	AV	5.177G	106.86	Inf	-Inf	3	Horizontal	298	1.00
5180MHz_TX	Pass	PK	5.147G	67.43	74.00	-6.57	3	Horizontal	298	1.00
5180MHz_TX	Pass	PK	5.177G	114.28	Inf	-Inf	3	Horizontal	298	1.00
5200MHz_TX	Pass	AV	5.1388G	47.63	54.00	-6.37	3	Vertical	11	1.50
5200MHz_TX	Pass	AV	5.2032G	97.13	Inf	-Inf	3	Vertical	11	1.50
5200MHz_TX	Pass	PK	5.142G	59.57	74.00	-14.43	3	Vertical	11	1.50
5200MHz_TX	Pass	PK	5.2028G	104.22	Inf	-Inf	3	Vertical	11	1.50
5200MHz_TX	Pass	AV	5.1416G	51.29	54.00	-2.71	3	Horizontal	294	1.00
5200MHz_TX	Pass	AV	5.1972G	105.94	Inf	-Inf	3	Horizontal	294	1.00
5200MHz_TX	Pass	PK	5.1456G	66.52	74.00	-7.48	3	Horizontal	294	1.00
5200MHz_TX	Pass	PK	5.1972G	113.41	Inf	-Inf	3	Horizontal	294	1.00
5240MHz_TX	Pass	AV	5.1494G	47.68	54.00	-6.32	3	Vertical	14	2.34
5240MHz_TX	Pass	AV	5.2418G	102.43	Inf	-Inf	3	Vertical	14	2.34
5240MHz_TX	Pass	AV	5.3528G	49.87	54.00	-4.13	3	Vertical	14	2.34
5240MHz_TX	Pass	PK	5.1434G	61.81	74.00	-12.19	3	Vertical	14	2.34
5240MHz_TX	Pass	PK	5.246G	109.94	Inf	-Inf	3	Vertical	14	2.34
5240MHz_TX	Pass	PK	5.351G	63.60	74.00	-10.40	3	Vertical	14	2.34
5240MHz_TX	Pass	AV	5.144G	53.08	54.00	-0.92	3	Horizontal	302	1.00
5240MHz_TX	Pass	AV	5.237G	108.02	Inf	-Inf	3	Horizontal	302	1.00
5240MHz_TX	Pass	AV	5.3534G	52.80	54.00	-1.20	3	Horizontal	302	1.00
5240MHz_TX	Pass	PK	5.1494G	70.57	74.00	-3.43	3	Horizontal	302	1.00
5240MHz_TX	Pass	PK	5.2466G	115.61	Inf	-Inf	3	Horizontal	302	1.00
5240MHz_TX	Pass	PK	5.3534G	70.32	74.00	-3.68	3	Horizontal	302	1.00
5260MHz_TX	Pass	AV	5.1472G	48.30	54.00	-5.70	3	Vertical	15	2.63
5260MHz_TX	Pass	AV	5.257G	102.17	Inf	-Inf	3	Vertical	15	2.63
5260MHz_TX	Pass	AV	5.3524G	49.41	54.00	-4.59	3	Vertical	15	2.63
5260MHz_TX	Pass	PK	5.1472G	64.47	74.00	-9.53	3	Vertical	15	2.63
5260MHz_TX	Pass	PK	5.2666G	109.36	Inf	-Inf	3	Vertical	15	2.63
5260MHz_TX	Pass	PK	5.3548G	64.38	74.00	-9.62	3	Vertical	15	2.63
5260MHz_TX	Pass	AV	5.1412G	51.49	54.00	-2.51	3	Horizontal	300	1.00
5260MHz_TX	Pass	AV	5.2666G	107.56	Inf	-Inf	3	Horizontal	300	1.00
5260MHz_TX	Pass	AV	5.3524G	53.08	54.00	-0.92	3	Horizontal	300	1.00
5260MHz_TX	Pass	PK	5.1472G	70.94	74.00	-3.06	3	Horizontal	300	1.00
5260MHz_TX	Pass	PK	5.2666G	115.54	Inf	-Inf	3	Horizontal	300	1.00
5260MHz_TX	Pass	PK	5.353G	71.56	74.00	-2.44	3	Horizontal	300	1.00
5300MHz_TX	Pass	AV	5.2924G	98.99	Inf	-Inf	3	Vertical	12	1.50
5300MHz_TX	Pass	AV	5.3548G	50.12	54.00	-3.88	3	Vertical	12	1.50
5300MHz_TX	Pass	PK	5.3028G	106.23	Inf	-Inf	3	Vertical	12	1.50
5300MHz_TX	Pass	PK	5.35G	66.97	74.00	-7.03	3	Vertical	12	1.50
5300MHz_TX	Pass	AV	5.2968G	105.58	Inf	-Inf	3	Horizontal	301	1.00
5300MHz_TX	Pass	AV	5.3528G	53.79	54.00	-0.21	3	Horizontal	301	1.00
5300MHz_TX	Pass	PK	5.2976G	113.13	Inf	-Inf	3	Horizontal	301	1.00
5300MHz_TX	Pass	PK	5.3564G	71.73	74.00	-2.27	3	Horizontal	301	1.00
5320MHz_TX	Pass	AV	5.313G	99.35	Inf	-Inf	3	Vertical	11	3.00
5320MHz_TX	Pass	AV	5.3526G	48.95	54.00	-5.05	3	Vertical	11	3.00
5320MHz_TX	Pass	PK	5.3232G	106.65	Inf	-Inf	3	Vertical	11	3.00
5320MHz_TX	Pass	PK	5.3542G	61.26	74.00	-12.74	3	Vertical	11	3.00
5320MHz_TX	Pass	AV	5.317G	105.13	Inf	-Inf	3	Horizontal	296	1.01
5320MHz_TX	Pass	AV	5.3522G	52.12	54.00	-1.88	3	Horizontal	296	1.01
5320MHz_TX	Pass	PK	5.3266G	112.42	Inf	-Inf	3	Horizontal	296	1.01
5320MHz_TX	Pass	PK	5.3566G	64.45	74.00	-9.55	3	Horizontal	296	1.01
5500MHz_TX	Pass	AV	5.4562G	49.25	54.00	-4.75	3	Vertical	14	1.21
5500MHz_TX	Pass	AV	5.497G	100.42	Inf	-Inf	3	Vertical	14	1.21
5500MHz_TX	Pass	PK	5.4582G	58.82	74.00	-15.18	3	Vertical	14	1.21
5500MHz_TX	Pass	PK	5.4646G	63.74	68.20	-4.46	3	Vertical	14	1.21



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz_TX	Pass	PK	5.497G	107.73	Inf	-Inf	3	Vertical	14	1.21
5500MHz_TX	Pass	AV	5.4574G	50.78	54.00	-3.22	3	Horizontal	288	1.00
5500MHz_TX	Pass	AV	5.4972G	103.67	Inf	-Inf	3	Horizontal	288	1.00
5500MHz_TX	Pass	PK	5.4598G	60.76	74.00	-13.24	3	Horizontal	288	1.00
5500MHz_TX	Pass	PK	5.4678G	64.90	68.20	-3.30	3	Horizontal	288	1.00
5500MHz_TX	Pass	PK	5.4972G	110.77	Inf	-Inf	3	Horizontal	288	1.00
5580MHz_TX	Pass	AV	5.46G	49.07	54.00	-4.93	3	Vertical	4	2.85
5580MHz_TX	Pass	AV	5.583G	102.03	Inf	-Inf	3	Vertical	4	2.85
5580MHz_TX	Pass	PK	5.4498G	63.51	74.00	-10.49	3	Vertical	4	2.85
5580MHz_TX	Pass	PK	5.4696G	64.11	68.20	-4.09	3	Vertical	4	2.85
5580MHz_TX	Pass	PK	5.583G	109.28	Inf	-Inf	3	Vertical	4	2.85
5580MHz_TX	Pass	PK	5.7258G	58.30	68.20	-9.90	3	Vertical	4	2.85
5580MHz_TX	Pass	AV	5.4588G	50.74	54.00	-3.26	3	Horizontal	298	1.00
5580MHz_TX	Pass	AV	5.577G	105.63	Inf	-Inf	3	Horizontal	298	1.00
5580MHz_TX	Pass	PK	5.4582G	67.26	74.00	-6.74	3	Horizontal	298	1.00
5580MHz_TX	Pass	PK	5.4678G	68.13	68.20	-0.07	3	Horizontal	298	1.00
5580MHz_TX	Pass	PK	5.577G	112.60	Inf	-Inf	3	Horizontal	298	1.00
5580MHz_TX	Pass	PK	5.7264G	61.29	68.20	-6.91	3	Horizontal	298	1.00
5700MHz_TX	Pass	AV	5.6984G	95.89	Inf	-Inf	3	Vertical	7	1.50
5700MHz_TX	Pass	PK	5.6992G	103.12	Inf	-Inf	3	Vertical	7	1.50
5700MHz_TX	Pass	PK	5.7276G	61.11	68.20	-7.09	3	Vertical	7	1.50
5700MHz_TX	Pass	AV	5.6984G	100.23	Inf	-Inf	3	Horizontal	294	1.85
5700MHz_TX	Pass	PK	5.6988G	107.63	Inf	-Inf	3	Horizontal	294	1.85
5700MHz_TX	Pass	PK	5.7276G	66.85	68.20	-1.35	3	Horizontal	294	1.85
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.42G	47.79	54.00	-6.21	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7176G	101.96	Inf	-Inf	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4428G	56.49	74.00	-17.51	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4608G	56.62	68.20	-11.58	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7164G	109.48	Inf	-Inf	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8508G	59.43	68.20	-8.77	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4284G	47.67	54.00	-6.33	3	Horizontal	294	1.86
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.714G	105.08	Inf	-Inf	3	Horizontal	294	1.86
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4548G	59.30	74.00	-14.70	3	Horizontal	294	1.86
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.462G	59.07	68.20	-9.13	3	Horizontal	294	1.86
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7188G	112.75	Inf	-Inf	3	Horizontal	294	1.86
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8676G	62.44	68.20	-5.76	3	Horizontal	294	1.86
5745MHz_TX	Pass	AV	5.4486G	47.53	54.00	-6.47	3	Vertical	10	1.50
5745MHz_TX	Pass	AV	5.7426G	101.40	Inf	-Inf	3	Vertical	10	1.50
5745MHz_TX	Pass	PK	5.6478G	58.62	68.20	-9.58	3	Vertical	10	1.50
5745MHz_TX	Pass	PK	5.7474G	109.63	Inf	-Inf	3	Vertical	10	1.50
5745MHz_TX	Pass	PK	5.9454G	57.88	68.20	-10.32	3	Vertical	10	1.50
5745MHz_TX	Pass	AV	5.4558G	47.72	54.00	-6.28	3	Horizontal	295	1.94
5745MHz_TX	Pass	AV	5.7438G	106.23	Inf	-Inf	3	Horizontal	295	1.94
5745MHz_TX	Pass	PK	5.649G	61.21	68.20	-6.99	3	Horizontal	295	1.94
5745MHz_TX	Pass	PK	5.7438G	113.65	Inf	-Inf	3	Horizontal	295	1.94
5745MHz_TX	Pass	PK	5.9298G	58.02	68.20	-10.18	3	Horizontal	295	1.94
5785MHz_TX	Pass	AV	5.7826G	101.03	Inf	-Inf	3	Vertical	9	1.50
5785MHz_TX	Pass	PK	5.6434G	63.59	68.20	-4.61	3	Vertical	9	1.50
5785MHz_TX	Pass	PK	5.7826G	109.11	Inf	-Inf	3	Vertical	9	1.50
5785MHz_TX	Pass	PK	6.061G	57.99	68.20	-10.21	3	Vertical	9	1.50
5785MHz_TX	Pass	AV	5.7838G	104.47	Inf	-Inf	3	Horizontal	296	1.92
5785MHz_TX	Pass	PK	5.6458G	67.10	68.20	-1.10	3	Horizontal	296	1.92
5785MHz_TX	Pass	PK	5.7838G	111.68	Inf	-Inf	3	Horizontal	296	1.92
5785MHz_TX	Pass	PK	6.073G	58.80	68.20	-9.40	3	Horizontal	296	1.92
5825MHz_TX	Pass	AV	5.8274G	102.67	Inf	-Inf	3	Vertical	8	1.15
5825MHz_TX	Pass	PK	5.6402G	60.23	68.20	-7.97	3	Vertical	8	1.15
5825MHz_TX	Pass	PK	5.8226G	110.63	Inf	-Inf	3	Vertical	8	1.15
5825MHz_TX	Pass	PK	5.939G	58.67	68.20	-9.53	3	Vertical	8	1.15
5825MHz_TX	Pass	AV	5.8238G	105.27	Inf	-Inf	3	Horizontal	289	1.86
5825MHz_TX	Pass	PK	5.639G	65.75	68.20	-2.45	3	Horizontal	289	1.86
5825MHz_TX	Pass	PK	5.8286G	112.94	Inf	-Inf	3	Horizontal	289	1.86
5825MHz_TX	Pass	PK	5.9654G	58.18	68.20	-10.02	3	Horizontal	289	1.86



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1486G	48.67	54.00	-5.33	3	Vertical	27	1.31
5180MHz_TX	Pass	AV	5.186G	98.61	Inf	-Inf	3	Vertical	27	1.31
5180MHz_TX	Pass	PK	5.1406G	61.56	74.00	-12.44	3	Vertical	27	1.31
5180MHz_TX	Pass	PK	5.1856G	109.33	Inf	-Inf	3	Vertical	27	1.31
5180MHz_TX	Pass	AV	5.1484G	53.91	54.00	-0.09	3	Horizontal	295	1.00
5180MHz_TX	Pass	AV	5.186G	105.57	Inf	-Inf	3	Horizontal	295	1.00
5180MHz_TX	Pass	PK	5.1408G	67.71	74.00	-6.29	3	Horizontal	295	1.00
5180MHz_TX	Pass	PK	5.1836G	116.80	Inf	-Inf	3	Horizontal	295	1.00
5200MHz_TX	Pass	AV	5.146G	47.48	54.00	-6.52	3	Vertical	25	1.25
5200MHz_TX	Pass	AV	5.196G	97.33	Inf	-Inf	3	Vertical	25	1.25
5200MHz_TX	Pass	PK	5.1332G	63.74	74.00	-10.26	3	Vertical	25	1.25
5200MHz_TX	Pass	PK	5.196G	108.75	Inf	-Inf	3	Vertical	25	1.25
5200MHz_TX	Pass	AV	5.1484G	52.90	54.00	-1.10	3	Horizontal	294	1.00
5200MHz_TX	Pass	AV	5.1984G	103.76	Inf	-Inf	3	Horizontal	294	1.00
5200MHz_TX	Pass	PK	5.1428G	73.83	74.00	-0.17	3	Horizontal	294	1.00
5200MHz_TX	Pass	PK	5.196G	114.81	Inf	-Inf	3	Horizontal	294	1.00
5240MHz_TX	Pass	AV	5.1494G	48.82	54.00	-5.18	3	Vertical	15	2.47
5240MHz_TX	Pass	AV	5.2436G	101.37	Inf	-Inf	3	Vertical	15	2.47
5240MHz_TX	Pass	AV	5.3534G	48.58	54.00	-5.42	3	Vertical	15	2.47
5240MHz_TX	Pass	PK	5.1344G	63.05	74.00	-10.95	3	Vertical	15	2.47
5240MHz_TX	Pass	PK	5.2358G	112.43	Inf	-Inf	3	Vertical	15	2.47
5240MHz_TX	Pass	PK	5.3606G	64.52	74.00	-9.48	3	Vertical	15	2.47
5240MHz_TX	Pass	AV	5.1494G	52.88	54.00	-1.12	3	Horizontal	301	1.00
5240MHz_TX	Pass	AV	5.2406G	106.06	Inf	-Inf	3	Horizontal	301	1.00
5240MHz_TX	Pass	AV	5.3528G	51.62	54.00	-2.38	3	Horizontal	301	1.00
5240MHz_TX	Pass	PK	5.1446G	71.10	74.00	-2.90	3	Horizontal	301	1.00
5240MHz_TX	Pass	PK	5.2484G	116.19	Inf	-Inf	3	Horizontal	301	1.00
5240MHz_TX	Pass	PK	5.3578G	70.36	74.00	-3.64	3	Horizontal	301	1.00
5260MHz_TX	Pass	AV	5.1484G	48.14	54.00	-5.86	3	Vertical	15	2.58
5260MHz_TX	Pass	AV	5.2636G	100.38	Inf	-Inf	3	Vertical	15	2.58
5260MHz_TX	Pass	AV	5.35G	49.28	54.00	-4.72	3	Vertical	15	2.58
5260MHz_TX	Pass	PK	5.1478G	62.97	74.00	-11.03	3	Vertical	15	2.58
5260MHz_TX	Pass	PK	5.2636G	110.40	Inf	-Inf	3	Vertical	15	2.58
5260MHz_TX	Pass	PK	5.3572G	65.54	74.00	-8.46	3	Vertical	15	2.58
5260MHz_TX	Pass	AV	5.1352G	52.41	54.00	-1.59	3	Horizontal	301	1.01
5260MHz_TX	Pass	AV	5.266G	106.07	Inf	-Inf	3	Horizontal	301	1.01
5260MHz_TX	Pass	AV	5.3662G	53.89	54.00	-0.11	3	Horizontal	301	1.01
5260MHz_TX	Pass	PK	5.1442G	70.68	74.00	-3.32	3	Horizontal	301	1.01
5260MHz_TX	Pass	PK	5.2636G	116.22	Inf	-Inf	3	Horizontal	301	1.01
5260MHz_TX	Pass	PK	5.3566G	73.73	74.00	-0.27	3	Horizontal	301	1.01
5300MHz_TX	Pass	AV	5.3064G	97.08	Inf	-Inf	3	Vertical	12	3.00
5300MHz_TX	Pass	AV	5.3516G	49.45	54.00	-4.55	3	Vertical	12	3.00
5300MHz_TX	Pass	PK	5.3088G	107.80	Inf	-Inf	3	Vertical	12	3.00
5300MHz_TX	Pass	PK	5.3528G	67.94	74.00	-6.06	3	Vertical	12	3.00
5300MHz_TX	Pass	AV	5.3084G	102.96	Inf	-Inf	3	Horizontal	294	1.01
5300MHz_TX	Pass	AV	5.3512G	53.17	54.00	-0.83	3	Horizontal	294	1.01
5300MHz_TX	Pass	PK	5.2908G	114.33	Inf	-Inf	3	Horizontal	294	1.01
5300MHz_TX	Pass	PK	5.3776G	71.96	74.00	-2.04	3	Horizontal	294	1.01
5320MHz_TX	Pass	AV	5.3214G	97.11	Inf	-Inf	3	Vertical	12	1.50
5320MHz_TX	Pass	AV	5.3524G	47.83	54.00	-6.17	3	Vertical	12	1.50
5320MHz_TX	Pass	PK	5.3216G	108.07	Inf	-Inf	3	Vertical	12	1.50
5320MHz_TX	Pass	PK	5.3592G	60.00	74.00	-14.00	3	Vertical	12	1.50
5320MHz_TX	Pass	AV	5.326G	104.37	Inf	-Inf	3	Horizontal	295	1.00
5320MHz_TX	Pass	AV	5.351G	52.65	54.00	-1.35	3	Horizontal	295	1.00
5320MHz_TX	Pass	PK	5.3234G	114.78	Inf	-Inf	3	Horizontal	295	1.00
5320MHz_TX	Pass	PK	5.3588G	67.41	74.00	-6.59	3	Horizontal	295	1.00
5500MHz_TX	Pass	AV	5.4584G	49.90	54.00	-4.10	3	Vertical	16	1.35
5500MHz_TX	Pass	AV	5.5038G	98.15	Inf	-Inf	3	Vertical	16	1.35
5500MHz_TX	Pass	PK	5.4586G	62.77	74.00	-11.23	3	Vertical	16	1.35
5500MHz_TX	Pass	PK	5.4604G	62.53	68.20	-5.67	3	Vertical	16	1.35
5500MHz_TX	Pass	PK	5.5062G	108.37	Inf	-Inf	3	Vertical	16	1.35



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz_TX	Pass	AV	5.4584G	52.82	54.00	-1.18	3	Horizontal	294	1.00
5500MHz_TX	Pass	AV	5.4962G	101.81	Inf	-Inf	3	Horizontal	294	1.00
5500MHz_TX	Pass	PK	5.458G	64.87	74.00	-9.13	3	Horizontal	294	1.00
5500MHz_TX	Pass	PK	5.4636G	66.50	68.20	-1.70	3	Horizontal	294	1.00
5500MHz_TX	Pass	PK	5.491G	112.61	Inf	-Inf	3	Horizontal	294	1.00
5580MHz_TX	Pass	AV	5.4492G	46.89	54.00	-7.11	3	Vertical	6	2.23
5580MHz_TX	Pass	AV	5.5734G	100.18	Inf	-Inf	3	Vertical	6	2.23
5580MHz_TX	Pass	PK	5.4444G	59.38	74.00	-14.62	3	Vertical	6	2.23
5580MHz_TX	Pass	PK	5.4618G	59.73	68.20	-8.47	3	Vertical	6	2.23
5580MHz_TX	Pass	PK	5.5758G	111.74	Inf	-Inf	3	Vertical	6	2.23
5580MHz_TX	Pass	PK	5.73G	59.69	68.20	-8.51	3	Vertical	6	2.23
5580MHz_TX	Pass	AV	5.4558G	50.51	54.00	-3.49	3	Horizontal	297	1.00
5580MHz_TX	Pass	AV	5.5734G	104.06	Inf	-Inf	3	Horizontal	297	1.00
5580MHz_TX	Pass	PK	5.448G	67.37	74.00	-6.63	3	Horizontal	297	1.00
5580MHz_TX	Pass	PK	5.4672G	67.16	68.20	-1.04	3	Horizontal	297	1.00
5580MHz_TX	Pass	PK	5.5734G	114.19	Inf	-Inf	3	Horizontal	297	1.00
5580MHz_TX	Pass	PK	5.7264G	62.59	68.20	-5.61	3	Horizontal	297	1.00
5700MHz_TX	Pass	AV	5.6992G	93.98	Inf	-Inf	3	Vertical	7	1.50
5700MHz_TX	Pass	PK	5.6992G	104.85	Inf	-Inf	3	Vertical	7	1.50
5700MHz_TX	Pass	PK	5.7292G	62.53	68.20	-5.67	3	Vertical	7	1.50
5700MHz_TX	Pass	AV	5.6996G	98.33	Inf	-Inf	3	Horizontal	294	1.87
5700MHz_TX	Pass	PK	5.692G	108.94	Inf	-Inf	3	Horizontal	294	1.87
5700MHz_TX	Pass	PK	5.7268G	66.44	68.20	-1.76	3	Horizontal	294	1.87
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.456G	46.71	54.00	-7.29	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7188G	100.77	Inf	-Inf	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4332G	57.34	74.00	-16.66	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4692G	56.64	68.20	-11.56	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7284G	110.59	Inf	-Inf	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8568G	61.03	68.20	-7.17	3	Vertical	6	1.17
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.444G	47.20	54.00	-6.80	3	Horizontal	294	1.81
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7164G	103.54	Inf	-Inf	3	Horizontal	294	1.81
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4548G	59.03	74.00	-14.97	3	Horizontal	294	1.81
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.468G	58.75	68.20	-9.45	3	Horizontal	294	1.81
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7272G	113.19	Inf	-Inf	3	Horizontal	294	1.81
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8508G	62.39	68.20	-5.81	3	Horizontal	294	1.81
5745MHz_TX	Pass	AV	5.4594G	46.45	54.00	-7.55	3	Vertical	10	1.50
5745MHz_TX	Pass	AV	5.7486G	99.73	Inf	-Inf	3	Vertical	10	1.50
5745MHz_TX	Pass	PK	5.6454G	60.33	68.20	-7.87	3	Vertical	10	1.50
5745MHz_TX	Pass	PK	5.751G	110.14	Inf	-Inf	3	Vertical	10	1.50
5745MHz_TX	Pass	PK	5.967G	58.40	68.20	-9.80	3	Vertical	10	1.50
5745MHz_TX	Pass	AV	5.4486G	46.59	54.00	-7.41	3	Horizontal	294	1.85
5745MHz_TX	Pass	AV	5.7474G	104.03	Inf	-Inf	3	Horizontal	294	1.85
5745MHz_TX	Pass	PK	5.6502G	64.70	68.35	-3.65	3	Horizontal	294	1.85
5745MHz_TX	Pass	PK	5.7522G	114.10	Inf	-Inf	3	Horizontal	294	1.85
5745MHz_TX	Pass	PK	5.961G	57.80	68.20	-10.40	3	Horizontal	294	1.85
5785MHz_TX	Pass	AV	5.779G	99.46	Inf	-Inf	3	Vertical	9	1.50
5785MHz_TX	Pass	PK	5.6458G	64.31	68.20	-3.89	3	Vertical	9	1.50
5785MHz_TX	Pass	PK	5.7838G	109.85	Inf	-Inf	3	Vertical	9	1.50
5785MHz_TX	Pass	PK	6.0142G	58.19	68.20	-10.01	3	Vertical	9	1.50
5785MHz_TX	Pass	AV	5.785G	102.45	Inf	-Inf	3	Horizontal	295	1.85
5785MHz_TX	Pass	PK	5.6422G	67.56	68.20	-0.64	3	Horizontal	295	1.85
5785MHz_TX	Pass	PK	5.785G	112.04	Inf	-Inf	3	Horizontal	295	1.85
5785MHz_TX	Pass	PK	5.9626G	58.58	68.20	-9.62	3	Horizontal	295	1.85
5825MHz_TX	Pass	AV	5.8214G	99.45	Inf	-Inf	3	Vertical	9	1.13
5825MHz_TX	Pass	PK	5.615G	58.69	68.20	-9.51	3	Vertical	9	1.13
5825MHz_TX	Pass	PK	5.8178G	110.64	Inf	-Inf	3	Vertical	9	1.13
5825MHz_TX	Pass	PK	6.1118G	58.19	68.20	-10.01	3	Vertical	9	1.13
5825MHz_TX	Pass	AV	5.8262G	102.17	Inf	-Inf	3	Horizontal	294	1.50
5825MHz_TX	Pass	PK	5.6474G	66.34	68.20	-1.86	3	Horizontal	294	1.50
5825MHz_TX	Pass	PK	5.8238G	112.86	Inf	-Inf	3	Horizontal	294	1.50
5825MHz_TX	Pass	PK	5.9738G	58.65	68.20	-9.55	3	Horizontal	294	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz_TX	Pass	AV	5.1484G	48.54	54.00	-5.46	3	Vertical	26	1.26
5190MHz_TX	Pass	AV	5.196G	94.91	Inf	-Inf	3	Vertical	26	1.26
5190MHz_TX	Pass	PK	5.1484G	59.12	74.00	-14.88	3	Vertical	26	1.26
5190MHz_TX	Pass	PK	5.186G	105.90	Inf	-Inf	3	Vertical	26	1.26
5190MHz_TX	Pass	AV	5.148G	53.63	54.00	-0.37	3	Horizontal	293	1.01
5190MHz_TX	Pass	AV	5.196G	101.65	Inf	-Inf	3	Horizontal	293	1.01
5190MHz_TX	Pass	PK	5.146G	65.36	74.00	-8.64	3	Horizontal	293	1.01
5190MHz_TX	Pass	PK	5.186G	113.17	Inf	-Inf	3	Horizontal	293	1.01
5230MHz_TX	Pass	AV	5.1488G	48.79	54.00	-5.21	3	Vertical	15	2.62
5230MHz_TX	Pass	AV	5.2464G	96.56	Inf	-Inf	3	Vertical	15	2.62
5230MHz_TX	Pass	PK	5.1376G	65.91	74.00	-8.09	3	Vertical	15	2.62
5230MHz_TX	Pass	PK	5.2184G	107.66	Inf	-Inf	3	Vertical	15	2.62
5230MHz_TX	Pass	AV	5.146G	53.50	54.00	-0.50	3	Horizontal	294	1.01
5230MHz_TX	Pass	AV	5.226G	100.86	Inf	-Inf	3	Horizontal	294	1.01
5230MHz_TX	Pass	PK	5.1484G	71.57	74.00	-2.43	3	Horizontal	294	1.01
5230MHz_TX	Pass	PK	5.2364G	112.30	Inf	-Inf	3	Horizontal	294	1.01
5270MHz_TX	Pass	AV	5.284G	93.92	Inf	-Inf	3	Vertical	12	1.38
5270MHz_TX	Pass	AV	5.3512G	48.85	54.00	-5.15	3	Vertical	12	1.38
5270MHz_TX	Pass	PK	5.2736G	105.31	Inf	-Inf	3	Vertical	12	1.38
5270MHz_TX	Pass	PK	5.3512G	62.75	74.00	-11.25	3	Vertical	12	1.38
5270MHz_TX	Pass	AV	5.2736G	101.32	Inf	-Inf	3	Horizontal	297	1.00
5270MHz_TX	Pass	AV	5.3512G	51.95	54.00	-2.05	3	Horizontal	297	1.00
5270MHz_TX	Pass	PK	5.276G	112.55	Inf	-Inf	3	Horizontal	297	1.00
5270MHz_TX	Pass	PK	5.3508G	69.39	74.00	-4.61	3	Horizontal	297	1.00
5310MHz_TX	Pass	AV	5.3216G	94.23	Inf	-Inf	3	Vertical	12	1.50
5310MHz_TX	Pass	AV	5.3536G	48.26	54.00	-5.74	3	Vertical	12	1.50
5310MHz_TX	Pass	PK	5.3188G	105.39	Inf	-Inf	3	Vertical	12	1.50
5310MHz_TX	Pass	PK	5.3544G	60.31	74.00	-13.69	3	Vertical	12	1.50
5310MHz_TX	Pass	AV	5.306G	100.36	Inf	-Inf	3	Horizontal	298	1.01
5310MHz_TX	Pass	AV	5.3536G	52.06	54.00	-1.94	3	Horizontal	298	1.01
5310MHz_TX	Pass	PK	5.3012G	111.80	Inf	-Inf	3	Horizontal	298	1.01
5310MHz_TX	Pass	PK	5.356G	64.17	74.00	-9.83	3	Horizontal	298	1.01
5510MHz_TX	Pass	AV	5.458G	49.12	54.00	-4.88	3	Vertical	14	1.08
5510MHz_TX	Pass	AV	5.526G	95.23	Inf	-Inf	3	Vertical	14	1.08
5510MHz_TX	Pass	PK	5.4572G	61.48	74.00	-12.52	3	Vertical	14	1.08
5510MHz_TX	Pass	PK	5.47G	61.90	68.20	-6.30	3	Vertical	14	1.08
5510MHz_TX	Pass	PK	5.526G	106.42	Inf	-Inf	3	Vertical	14	1.08
5510MHz_TX	Pass	AV	5.4556G	52.05	54.00	-1.95	3	Horizontal	297	1.00
5510MHz_TX	Pass	AV	5.5236G	98.52	Inf	-Inf	3	Horizontal	297	1.00
5510MHz_TX	Pass	PK	5.458G	65.35	74.00	-8.65	3	Horizontal	297	1.00
5510MHz_TX	Pass	PK	5.4648G	67.25	68.20	-0.95	3	Horizontal	297	1.00
5510MHz_TX	Pass	PK	5.506G	109.69	Inf	-Inf	3	Horizontal	297	1.00
5550MHz_TX	Pass	AV	5.4588G	48.01	54.00	-5.99	3	Vertical	4	2.90
5550MHz_TX	Pass	AV	5.5464G	94.85	Inf	-Inf	3	Vertical	4	2.90
5550MHz_TX	Pass	PK	5.4544G	62.97	74.00	-11.03	3	Vertical	4	2.90
5550MHz_TX	Pass	PK	5.4616G	63.69	68.20	-4.51	3	Vertical	4	2.90
5550MHz_TX	Pass	PK	5.5464G	106.25	Inf	-Inf	3	Vertical	4	2.90
5550MHz_TX	Pass	AV	5.4588G	49.30	54.00	-4.70	3	Horizontal	291	1.79
5550MHz_TX	Pass	AV	5.5544G	97.66	Inf	-Inf	3	Horizontal	291	1.79
5550MHz_TX	Pass	PK	5.454G	64.96	74.00	-9.04	3	Horizontal	291	1.79
5550MHz_TX	Pass	PK	5.4696G	67.44	68.20	-0.76	3	Horizontal	291	1.79
5550MHz_TX	Pass	PK	5.5544G	109.75	Inf	-Inf	3	Horizontal	291	1.79
5670MHz_TX	Pass	AV	5.6592G	94.38	Inf	-Inf	3	Vertical	6	2.92
5670MHz_TX	Pass	PK	5.6538G	106.94	Inf	-Inf	3	Vertical	6	2.92
5670MHz_TX	Pass	PK	5.7282G	65.86	68.20	-2.34	3	Vertical	6	2.92
5670MHz_TX	Pass	AV	5.6538G	96.54	Inf	-Inf	3	Horizontal	299	1.01
5670MHz_TX	Pass	PK	5.6586G	108.39	Inf	-Inf	3	Horizontal	299	1.01
5670MHz_TX	Pass	PK	5.727G	68.16	68.20	-0.04	3	Horizontal	299	1.01
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4316G	45.79	54.00	-8.21	3	Vertical	8	2.36
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7028G	97.30	Inf	-Inf	3	Vertical	8	2.36
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4304G	57.76	74.00	-16.24	3	Vertical	8	2.36
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.47G	59.27	68.20	-8.93	3	Vertical	8	2.36



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7112G	107.47	Inf	-Inf	3	Vertical	8	2.36
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8504G	60.57	68.20	-7.63	3	Vertical	8	2.36
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4592G	46.88	54.00	-7.12	3	Horizontal	295	1.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7148G	99.77	Inf	-Inf	3	Horizontal	295	1.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.452G	62.90	74.00	-11.10	3	Horizontal	295	1.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4676G	63.31	68.20	-4.89	3	Horizontal	295	1.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7064G	110.82	Inf	-Inf	3	Horizontal	295	1.81
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8528G	66.36	68.20	-1.84	3	Horizontal	295	1.81
5755MHz_TX	Pass	AV	5.455G	44.84	54.00	-9.16	3	Vertical	10	2.93
5755MHz_TX	Pass	AV	5.761G	95.43	Inf	-Inf	3	Vertical	10	2.93
5755MHz_TX	Pass	PK	5.6458G	64.07	68.20	-4.13	3	Vertical	10	2.93
5755MHz_TX	Pass	PK	5.7562G	107.57	Inf	-Inf	3	Vertical	10	2.93
5755MHz_TX	Pass	PK	5.9398G	57.60	68.20	-10.60	3	Vertical	10	2.93
5755MHz_TX	Pass	AV	5.4574G	44.83	54.00	-9.17	3	Horizontal	296	1.94
5755MHz_TX	Pass	AV	5.7598G	98.37	Inf	-Inf	3	Horizontal	296	1.94
5755MHz_TX	Pass	PK	5.647G	67.18	68.20	-1.02	3	Horizontal	296	1.94
5755MHz_TX	Pass	PK	5.7418G	111.16	Inf	-Inf	3	Horizontal	296	1.94
5755MHz_TX	Pass	PK	6.0334G	58.18	68.20	-10.02	3	Horizontal	296	1.94
5795MHz_TX	Pass	AV	5.7854G	93.67	Inf	-Inf	3	Vertical	8	1.13
5795MHz_TX	Pass	PK	5.6486G	60.08	68.20	-8.12	3	Vertical	8	1.13
5795MHz_TX	Pass	PK	5.7938G	106.18	Inf	-Inf	3	Vertical	8	1.13
5795MHz_TX	Pass	PK	6.059G	59.55	68.20	-8.65	3	Vertical	8	1.13
5795MHz_TX	Pass	AV	5.7854G	97.32	Inf	-Inf	3	Horizontal	293	1.00
5795MHz_TX	Pass	PK	5.651G	68.57	68.94	-0.37	3	Horizontal	293	1.00
5795MHz_TX	Pass	PK	5.8058G	110.58	Inf	-Inf	3	Horizontal	293	1.00
5795MHz_TX	Pass	PK	5.9774G	58.81	68.20	-9.39	3	Horizontal	293	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.149G	49.55	54.00	-4.45	3	Vertical	15	2.66
5210MHz_TX	Pass	AV	5.239G	91.53	Inf	-Inf	3	Vertical	15	2.66
5210MHz_TX	Pass	AV	5.4G	47.64	54.00	-6.36	3	Vertical	15	2.66
5210MHz_TX	Pass	PK	5.143G	59.19	74.00	-14.81	3	Vertical	15	2.66
5210MHz_TX	Pass	PK	5.234G	102.09	Inf	-Inf	3	Vertical	15	2.66
5210MHz_TX	Pass	PK	5.386G	58.08	74.00	-15.92	3	Vertical	15	2.66
5210MHz_TX	Pass	AV	5.146G	53.32	54.00	-0.68	3	Horizontal	293	1.01
5210MHz_TX	Pass	AV	5.196G	97.19	Inf	-Inf	3	Horizontal	293	1.01
5210MHz_TX	Pass	AV	5.387G	48.14	54.00	-5.86	3	Horizontal	293	1.01
5210MHz_TX	Pass	PK	5.146G	63.53	74.00	-10.47	3	Horizontal	293	1.01
5210MHz_TX	Pass	PK	5.229G	107.12	Inf	-Inf	3	Horizontal	293	1.01
5210MHz_TX	Pass	PK	5.36G	58.19	74.00	-15.81	3	Horizontal	293	1.01
5290MHz_TX	Pass	AV	5.147G	46.64	54.00	-7.36	3	Vertical	12	3.00
5290MHz_TX	Pass	AV	5.304G	92.49	Inf	-Inf	3	Vertical	12	3.00
5290MHz_TX	Pass	AV	5.394G	50.31	54.00	-3.69	3	Vertical	12	3.00
5290MHz_TX	Pass	PK	5.146G	57.70	74.00	-16.30	3	Vertical	12	3.00
5290MHz_TX	Pass	PK	5.291G	103.24	Inf	-Inf	3	Vertical	12	3.00
5290MHz_TX	Pass	PK	5.367G	60.08	74.00	-13.92	3	Vertical	12	3.00
5290MHz_TX	Pass	PK	5.484G	58.12	68.20	-10.08	3	Vertical	12	3.00
5290MHz_TX	Pass	AV	5.15G	48.53	54.00	-5.47	3	Horizontal	297	1.00
5290MHz_TX	Pass	AV	5.276G	98.90	Inf	-Inf	3	Horizontal	297	1.00
5290MHz_TX	Pass	AV	5.352G	53.70	54.00	-0.30	3	Horizontal	297	1.00
5290MHz_TX	Pass	PK	5.147G	58.80	74.00	-15.20	3	Horizontal	297	1.00
5290MHz_TX	Pass	PK	5.273G	109.63	Inf	-Inf	3	Horizontal	297	1.00
5290MHz_TX	Pass	PK	5.365G	65.90	74.00	-8.10	3	Horizontal	297	1.00
5290MHz_TX	Pass	PK	5.498G	58.66	68.20	-9.54	3	Horizontal	297	1.00
5530MHz_TX	Pass	AV	5.35G	46.14	54.00	-7.86	3	Vertical	4	2.89
5530MHz_TX	Pass	AV	5.454G	49.31	54.00	-4.69	3	Vertical	4	2.89
5530MHz_TX	Pass	AV	5.544G	91.00	Inf	-Inf	3	Vertical	4	2.89
5530MHz_TX	Pass	PK	5.319G	57.14	68.20	-11.06	3	Vertical	4	2.89
5530MHz_TX	Pass	PK	5.434G	58.64	74.00	-15.36	3	Vertical	4	2.89
5530MHz_TX	Pass	PK	5.461G	58.52	68.20	-9.68	3	Vertical	4	2.89
5530MHz_TX	Pass	PK	5.532G	101.55	Inf	-Inf	3	Vertical	4	2.89
5530MHz_TX	Pass	PK	5.726G	58.55	68.20	-9.65	3	Vertical	4	2.89
5530MHz_TX	Pass	AV	5.35G	46.08	54.00	-7.92	3	Horizontal	298	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz_TX	Pass	AV	5.454G	52.80	54.00	-1.20	3	Horizontal	298	1.00
5530MHz_TX	Pass	AV	5.541G	95.86	Inf	-Inf	3	Horizontal	298	1.00
5530MHz_TX	Pass	PK	5.345G	56.55	68.20	-11.65	3	Horizontal	298	1.00
5530MHz_TX	Pass	PK	5.456G	63.53	74.00	-10.47	3	Horizontal	298	1.00
5530MHz_TX	Pass	PK	5.462G	64.49	68.20	-3.71	3	Horizontal	298	1.00
5530MHz_TX	Pass	PK	5.539G	107.09	Inf	-Inf	3	Horizontal	298	1.00
5530MHz_TX	Pass	PK	5.728G	57.48	68.20	-10.72	3	Horizontal	298	1.00
5610MHz_TX	Pass	AV	5.459G	48.97	54.00	-5.03	3	Vertical	6	2.95
5610MHz_TX	Pass	AV	5.639G	93.78	Inf	-Inf	3	Vertical	6	2.95
5610MHz_TX	Pass	PK	5.454G	61.33	74.00	-12.67	3	Vertical	6	2.95
5610MHz_TX	Pass	PK	5.465G	61.75	68.20	-6.45	3	Vertical	6	2.95
5610MHz_TX	Pass	PK	5.639G	103.75	Inf	-Inf	3	Vertical	6	2.95
5610MHz_TX	Pass	PK	5.739G	63.52	68.20	-4.68	3	Vertical	6	2.95
5610MHz_TX	Pass	AV	5.456G	52.51	54.00	-1.49	3	Horizontal	299	1.00
5610MHz_TX	Pass	AV	5.639G	96.58	Inf	-Inf	3	Horizontal	299	1.00
5610MHz_TX	Pass	PK	5.446G	65.44	74.00	-8.56	3	Horizontal	299	1.00
5610MHz_TX	Pass	PK	5.466G	67.34	68.20	-0.86	3	Horizontal	299	1.00
5610MHz_TX	Pass	PK	5.618G	106.97	Inf	-Inf	3	Horizontal	299	1.00
5610MHz_TX	Pass	PK	5.733G	67.82	68.20	-0.38	3	Horizontal	299	1.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4488G	48.18	54.00	-5.82	3	Vertical	7	2.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6612G	94.48	Inf	-Inf	3	Vertical	7	2.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4416G	60.61	74.00	-13.39	3	Vertical	7	2.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4656G	60.80	68.20	-7.40	3	Vertical	7	2.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6564G	104.56	Inf	-Inf	3	Vertical	7	2.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8544G	63.21	68.20	-4.99	3	Vertical	7	2.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4584G	52.05	54.00	-1.95	3	Horizontal	299	1.01
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6804G	97.29	Inf	-Inf	3	Horizontal	299	1.01
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4452G	65.44	74.00	-8.56	3	Horizontal	299	1.01
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4656G	67.30	68.20	-0.90	3	Horizontal	299	1.01
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.708G	107.55	Inf	-Inf	3	Horizontal	299	1.01
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.852G	66.71	68.20	-1.49	3	Horizontal	299	1.01
5775MHz_TX	Pass	AV	5.7618G	91.82	Inf	-Inf	3	Vertical	10	1.50
5775MHz_TX	Pass	PK	5.649G	63.20	68.20	-5.00	3	Vertical	10	1.50
5775MHz_TX	Pass	PK	5.7714G	104.01	Inf	-Inf	3	Vertical	10	1.50
5775MHz_TX	Pass	PK	5.9682G	57.70	68.20	-10.50	3	Vertical	10	1.50
5775MHz_TX	Pass	AV	5.7642G	95.93	Inf	-Inf	3	Horizontal	294	1.88
5775MHz_TX	Pass	PK	5.6514G	68.69	69.24	-0.55	3	Horizontal	294	1.88
5775MHz_TX	Pass	PK	5.7546G	107.45	Inf	-Inf	3	Horizontal	294	1.88
5775MHz_TX	Pass	PK	6.0354G	58.55	68.20	-9.65	3	Horizontal	294	1.88
802.11b EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.1468G	47.58	54.00	-6.42	3	Vertical	12	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.3148G	86.22	Inf	-Inf	3	Vertical	12	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.3532G	50.28	54.00	-3.72	3	Vertical	12	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.148G	60.49	74.00	-13.51	3	Vertical	12	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.304G	97.26	Inf	-Inf	3	Vertical	12	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3532G	66.72	74.00	-7.28	3	Vertical	12	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.4636G	57.84	68.20	-10.36	3	Vertical	12	3.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.15G	52.24	54.00	-1.76	3	Horizontal	299	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.2764G	92.79	Inf	-Inf	3	Horizontal	299	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.3568G	53.43	54.00	-0.57	3	Horizontal	299	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.15G	69.01	74.00	-4.99	3	Horizontal	299	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.2764G	103.64	Inf	-Inf	3	Horizontal	299	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.352G	71.33	74.00	-2.67	3	Horizontal	299	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.4612G	58.94	68.20	-9.26	3	Horizontal	299	1.00
5570MHz_TX	Pass	AV	5.4572G	48.41	54.00	-5.59	3	Vertical	7	2.95
5570MHz_TX	Pass	AV	5.6312G	86.97	Inf	-Inf	3	Vertical	7	2.95
5570MHz_TX	Pass	PK	5.3348G	57.63	68.20	-10.57	3	Vertical	7	2.95
5570MHz_TX	Pass	PK	5.4584G	62.56	74.00	-11.44	3	Vertical	7	2.95
5570MHz_TX	Pass	PK	5.468G	64.15	68.20	-4.05	3	Vertical	7	2.95
5570MHz_TX	Pass	PK	5.6348G	96.98	Inf	-Inf	3	Vertical	7	2.95
5570MHz_TX	Pass	PK	5.7728G	60.05	68.20	-8.15	3	Vertical	7	2.95
5570MHz_TX	Pass	AV	5.4596G	51.50	54.00	-2.50	3	Horizontal	303	1.00




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T1S_AP5022FX**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz_TX	Pass	AV	5.5412G	91.06	Inf	-Inf	3	Horizontal	303	1.00
5570MHz_TX	Pass	PK	5.35G	60.08	74.00	-13.92	3	Horizontal	303	1.00
5570MHz_TX	Pass	PK	5.4596G	66.06	74.00	-7.94	3	Horizontal	303	1.00
5570MHz_TX	Pass	PK	5.4668G	67.97	68.20	-0.23	3	Horizontal	303	1.00
5570MHz_TX	Pass	PK	5.546G	102.15	Inf	-Inf	3	Horizontal	303	1.00
5570MHz_TX	Pass	PK	5.7308G	61.86	68.20	-6.34	3	Horizontal	303	1.00


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5180MHz_TX






5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.55	54.00	-4.45	2.53	3	Vertical	15	2.66	47.02	33.40	6.66	37.53
AV	5.239G	91.53	Inf	-Inf	2.52	3	Vertical	15	2.66	89.01	33.34	6.71	37.53
AV	5.4G	47.64	54.00	-6.36	2.36	3	Vertical	15	2.66	45.28	33.20	6.70	37.54
PK	5.143G	59.19	74.00	-14.81	2.50	3	Vertical	15	2.66	56.69	33.37	6.66	37.53
PK	5.234G	102.09	Inf	-Inf	2.54	3	Vertical	15	2.66	99.55	33.36	6.71	37.53
PK	5.386G	58.08	74.00	-15.92	2.33	3	Vertical	15	2.66	55.75	33.17	6.70	37.54

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	53.32	54.00	-0.68	2.51	3	Horizontal	293	1.01	50.81	33.38	6.66	37.53
AV	5.196G	97.19	Inf	-Inf	2.67	3	Horizontal	293	1.01	94.52	33.49	6.71	37.53
AV	5.387G	48.14	54.00	-5.86	2.33	3	Horizontal	293	1.01	45.81	33.17	6.70	37.54
PK	5.146G	63.53	74.00	-10.47	2.51	3	Horizontal	293	1.01	61.02	33.38	6.66	37.53
PK	5.229G	107.12	Inf	-Inf	2.56	3	Horizontal	293	1.01	104.56	33.38	6.71	37.53
PK	5.36G	58.19	74.00	-15.81	2.29	3	Horizontal	293	1.01	55.90	33.12	6.70	37.53


5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.15-5.25GHz_TX






5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.07	54.00	-4.93	2.44	3	Vertical	4	2.85	46.63	33.22	6.76	37.54
AV	5.583G	102.03	Inf	-Inf	2.77	3	Vertical	4	2.85	99.26	33.40	6.88	37.51
PK	5.4498G	63.51	74.00	-10.49	2.41	3	Vertical	4	2.85	61.10	33.20	6.75	37.54
PK	5.4696G	64.11	68.20	-4.09	2.47	3	Vertical	4	2.85	61.64	33.24	6.77	37.54
PK	5.583G	109.28	Inf	-Inf	2.77	3	Vertical	4	2.85	106.51	33.40	6.88	37.51
PK	5.7258G	58.30	68.20	-9.90	3.64	3	Vertical	4	2.85	54.66	33.95	7.15	37.46

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	50.74	54.00	-3.26	2.44	3	Horizontal	298	1.00	48.30	33.22	6.76	37.54
AV	5.577G	105.63	Inf	-Inf	2.77	3	Horizontal	298	1.00	102.86	33.40	6.88	37.51
PK	5.4582G	67.26	74.00	-6.74	2.44	3	Horizontal	298	1.00	64.82	33.22	6.76	37.54
PK	5.4678G	68.13	68.20	-0.07	2.47	3	Horizontal	298	1.00	65.66	33.24	6.77	37.54
PK	5.577G	112.60	Inf	-Inf	2.77	3	Horizontal	298	1.00	109.83	33.40	6.88	37.51
PK	5.7264G	61.29	68.20	-6.91	3.65	3	Horizontal	298	1.00	57.64	33.96	7.15	37.46

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4492G	46.89	54.00	-7.11	2.41	3	Vertical	6	2.23	44.48	33.20	6.75	37.54
AV	5.5734G	100.18	Inf	-Inf	2.75	3	Vertical	6	2.23	97.43	33.40	6.87	37.52
PK	5.4444G	59.38	74.00	-14.62	2.40	3	Vertical	6	2.23	56.98	33.20	6.74	37.54
PK	5.4618G	59.73	68.20	-8.47	2.44	3	Vertical	6	2.23	57.29	33.22	6.76	37.54
PK	5.5758G	111.74	Inf	-Inf	2.77	3	Vertical	6	2.23	108.97	33.40	6.88	37.51
PK	5.73G	59.69	68.20	-8.51	3.67	3	Vertical	6	2.23	56.02	33.98	7.15	37.46

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	50.51	54.00	-3.49	2.43	3	Horizontal	297	1.00	48.08	33.21	6.76	37.54
AV	5.5734G	104.06	Inf	-Inf	2.75	3	Horizontal	297	1.00	101.31	33.40	6.87	37.52
PK	5.448G	67.37	74.00	-6.63	2.41	3	Horizontal	297	1.00	64.96	33.20	6.75	37.54
PK	5.4672G	67.16	68.20	-1.04	2.46	3	Horizontal	297	1.00	64.70	33.23	6.77	37.54
PK	5.5734G	114.19	Inf	-Inf	2.75	3	Horizontal	297	1.00	111.44	33.40	6.87	37.52
PK	5.7264G	62.59	68.20	-5.61	3.65	3	Horizontal	297	1.00	58.94	33.96	7.15	37.46


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.97	54.00	-5.03	2.44	3	Vertical	6	2.95	46.53	33.22	6.76	37.54
AV	5.639G	93.78	Inf	-Inf	3.05	3	Vertical	6	2.95	90.73	33.56	6.98	37.49
PK	5.454G	61.33	74.00	-12.67	2.42	3	Vertical	6	2.95	58.91	33.21	6.75	37.54
PK	5.465G	61.75	68.20	-6.45	2.45	3	Vertical	6	2.95	59.30	33.23	6.76	37.54
PK	5.639G	103.75	Inf	-Inf	3.05	3	Vertical	6	2.95	100.70	33.56	6.98	37.49
PK	5.739G	63.52	68.20	-4.68	3.74	3	Vertical	6	2.95	59.78	34.03	7.17	37.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.51	54.00	-1.49	2.43	3	Horizontal	299	1.00	50.08	33.21	6.76	37.54
AV	5.639G	96.58	Inf	-Inf	3.05	3	Horizontal	299	1.00	93.53	33.56	6.98	37.49
PK	5.446G	65.44	74.00	-8.56	2.41	3	Horizontal	299	1.00	63.03	33.20	6.75	37.54
PK	5.466G	67.34	68.20	-0.86	2.46	3	Horizontal	299	1.00	64.88	33.23	6.77	37.54
PK	5.618G	106.97	Inf	-Inf	2.91	3	Horizontal	299	1.00	104.06	33.47	6.94	37.50
PK	5.733G	67.82	68.20	-0.38	3.70	3	Horizontal	299	1.00	64.12	34.00	7.16	37.46


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T2S_AP5022FX**

Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1488G	53.36	54.00	-0.64	3	Horizontal	301	1.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1464G	53.53	54.00	-0.47	3	Horizontal	292	1.01
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.143G	53.81	54.00	-0.19	3	Horizontal	292	1.00
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.4264G	52.70	54.00	-1.30	3	Horizontal	303	1.00
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.45	54.00	-0.55	3	Horizontal	301	1.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.3616G	53.20	54.00	-0.80	3	Horizontal	298	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.388G	53.80	54.00	-0.20	3	Horizontal	298	1.00
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.7292G	67.65	68.20	-0.55	3	Horizontal	295	1.83
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.4688G	68.01	68.20	-0.19	3	Horizontal	290	1.77
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.447G	53.91	54.00	-0.09	3	Horizontal	293	1.00
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.4572G	53.06	54.00	-0.94	3	Horizontal	299	1.01
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.6458G	67.95	68.20	-0.25	3	Horizontal	293	1.00
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.6462G	67.84	68.20	-0.36	3	Horizontal	294	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.649G	67.13	68.20	-1.07	3	Horizontal	294	1.87



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T2S_AP5022FX**

Appendix E.15

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1448G	48.18	54.00	-5.82	3	Vertical	26	1.30
5180MHz_TX	Pass	AV	5.186G	96.79	Inf	-Inf	3	Vertical	26	1.30
5180MHz_TX	Pass	PK	5.136G	62.10	74.00	-11.90	3	Vertical	26	1.30
5180MHz_TX	Pass	PK	5.1786G	107.14	Inf	-Inf	3	Vertical	26	1.30
5180MHz_TX	Pass	AV	5.15G	52.48	54.00	-1.52	3	Horizontal	294	1.00
5180MHz_TX	Pass	AV	5.1812G	104.21	Inf	-Inf	3	Horizontal	294	1.00
5180MHz_TX	Pass	PK	5.1394G	65.31	74.00	-8.69	3	Horizontal	294	1.00
5180MHz_TX	Pass	PK	5.1846G	115.16	Inf	-Inf	3	Horizontal	294	1.00
5200MHz_TX	Pass	AV	5.1488G	47.41	54.00	-6.59	3	Vertical	27	1.25
5200MHz_TX	Pass	AV	5.1984G	96.05	Inf	-Inf	3	Vertical	27	1.25
5200MHz_TX	Pass	PK	5.146G	63.75	74.00	-10.25	3	Vertical	27	1.25
5200MHz_TX	Pass	PK	5.1988G	106.72	Inf	-Inf	3	Vertical	27	1.25
5200MHz_TX	Pass	AV	5.1496G	51.19	54.00	-2.81	3	Horizontal	294	1.00
5200MHz_TX	Pass	AV	5.2012G	103.05	Inf	-Inf	3	Horizontal	294	1.00
5200MHz_TX	Pass	PK	5.1328G	72.06	74.00	-1.94	3	Horizontal	294	1.00
5200MHz_TX	Pass	PK	5.1912G	113.51	Inf	-Inf	3	Horizontal	294	1.00
5240MHz_TX	Pass	AV	5.1488G	49.23	54.00	-4.77	3	Vertical	15	2.61
5240MHz_TX	Pass	AV	5.2472G	100.85	Inf	-Inf	3	Vertical	15	2.61
5240MHz_TX	Pass	AV	5.351G	48.29	54.00	-5.71	3	Vertical	15	2.61
5240MHz_TX	Pass	PK	5.1458G	64.99	74.00	-9.01	3	Vertical	15	2.61
5240MHz_TX	Pass	PK	5.249G	110.98	Inf	-Inf	3	Vertical	15	2.61
5240MHz_TX	Pass	PK	5.3558G	63.38	74.00	-10.62	3	Vertical	15	2.61
5240MHz_TX	Pass	AV	5.1488G	53.36	54.00	-0.64	3	Horizontal	301	1.00
5240MHz_TX	Pass	AV	5.2412G	105.10	Inf	-Inf	3	Horizontal	301	1.00
5240MHz_TX	Pass	AV	5.3546G	52.14	54.00	-1.86	3	Horizontal	301	1.00
5240MHz_TX	Pass	PK	5.1452G	71.97	74.00	-2.03	3	Horizontal	301	1.00
5240MHz_TX	Pass	PK	5.2484G	115.34	Inf	-Inf	3	Horizontal	301	1.00
5240MHz_TX	Pass	PK	5.3558G	68.98	74.00	-5.02	3	Horizontal	301	1.00
5260MHz_TX	Pass	AV	5.1478G	47.07	54.00	-6.93	3	Vertical	3	2.59
5260MHz_TX	Pass	AV	5.2678G	98.58	Inf	-Inf	3	Vertical	3	2.59
5260MHz_TX	Pass	AV	5.3542G	49.90	54.00	-4.10	3	Vertical	3	2.59
5260MHz_TX	Pass	PK	5.149G	61.83	74.00	-12.17	3	Vertical	3	2.59
5260MHz_TX	Pass	PK	5.269G	109.67	Inf	-Inf	3	Vertical	3	2.59
5260MHz_TX	Pass	PK	5.3506G	69.03	74.00	-4.97	3	Vertical	3	2.59
5260MHz_TX	Pass	AV	5.146G	50.95	54.00	-3.05	3	Horizontal	300	1.01
5260MHz_TX	Pass	AV	5.2612G	104.61	Inf	-Inf	3	Horizontal	300	1.01
5260MHz_TX	Pass	AV	5.3608G	52.06	54.00	-1.94	3	Horizontal	300	1.01
5260MHz_TX	Pass	PK	5.1358G	68.84	74.00	-5.16	3	Horizontal	300	1.01
5260MHz_TX	Pass	PK	5.269G	115.36	Inf	-Inf	3	Horizontal	300	1.01
5260MHz_TX	Pass	PK	5.353G	72.18	74.00	-1.82	3	Horizontal	300	1.01
5300MHz_TX	Pass	AV	5.2976G	95.20	Inf	-Inf	3	Vertical	13	1.50
5300MHz_TX	Pass	AV	5.3512G	49.41	54.00	-4.59	3	Vertical	13	1.50
5300MHz_TX	Pass	PK	5.2992G	105.26	Inf	-Inf	3	Vertical	13	1.50
5300MHz_TX	Pass	PK	5.3508G	66.57	74.00	-7.43	3	Vertical	13	1.50
5300MHz_TX	Pass	AV	5.3012G	102.51	Inf	-Inf	3	Horizontal	301	1.00
5300MHz_TX	Pass	AV	5.35G	53.45	54.00	-0.55	3	Horizontal	301	1.00
5300MHz_TX	Pass	PK	5.2912G	113.24	Inf	-Inf	3	Horizontal	301	1.00
5300MHz_TX	Pass	PK	5.36G	73.21	74.00	-0.79	3	Horizontal	301	1.00
5320MHz_TX	Pass	AV	5.3136G	96.67	Inf	-Inf	3	Vertical	12	3.00
5320MHz_TX	Pass	AV	5.3514G	48.94	54.00	-5.06	3	Vertical	12	3.00
5320MHz_TX	Pass	PK	5.319G	106.69	Inf	-Inf	3	Vertical	12	3.00
5320MHz_TX	Pass	PK	5.3552G	59.59	74.00	-14.41	3	Vertical	12	3.00
5320MHz_TX	Pass	AV	5.3212G	102.86	Inf	-Inf	3	Horizontal	295	1.00
5320MHz_TX	Pass	AV	5.35G	53.22	54.00	-0.78	3	Horizontal	295	1.00
5320MHz_TX	Pass	PK	5.3286G	113.18	Inf	-Inf	3	Horizontal	295	1.00
5320MHz_TX	Pass	PK	5.3588G	65.99	74.00	-8.01	3	Horizontal	295	1.00
5500MHz_TX	Pass	AV	5.4598G	50.14	54.00	-3.86	3	Vertical	15	1.35
5500MHz_TX	Pass	AV	5.5074G	96.64	Inf	-Inf	3	Vertical	15	1.35
5500MHz_TX	Pass	PK	5.4586G	63.02	74.00	-10.98	3	Vertical	15	1.35
5500MHz_TX	Pass	PK	5.466G	65.61	68.20	-2.59	3	Vertical	15	1.35



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T2S_AP5022FX**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz_TX	Pass	PK	5.509G	107.56	Inf	-Inf	3	Vertical	15	1.35
5500MHz_TX	Pass	AV	5.4598G	51.55	54.00	-2.45	3	Horizontal	288	1.00
5500MHz_TX	Pass	AV	5.4974G	99.98	Inf	-Inf	3	Horizontal	288	1.00
5500MHz_TX	Pass	PK	5.4584G	70.64	74.00	-3.36	3	Horizontal	288	1.00
5500MHz_TX	Pass	PK	5.4656G	67.60	68.20	-0.60	3	Horizontal	288	1.00
5500MHz_TX	Pass	PK	5.5088G	110.61	Inf	-Inf	3	Horizontal	288	1.00
5580MHz_TX	Pass	AV	5.4354G	47.62	54.00	-6.38	3	Vertical	5	3.00
5580MHz_TX	Pass	AV	5.5788G	100.22	Inf	-Inf	3	Vertical	5	3.00
5580MHz_TX	Pass	PK	5.4402G	64.15	74.00	-9.85	3	Vertical	5	3.00
5580MHz_TX	Pass	PK	5.4618G	64.40	68.20	-3.80	3	Vertical	5	3.00
5580MHz_TX	Pass	PK	5.5794G	110.57	Inf	-Inf	3	Vertical	5	3.00
5580MHz_TX	Pass	PK	5.7252G	60.82	68.20	-7.38	3	Vertical	5	3.00
5580MHz_TX	Pass	AV	5.4576G	51.65	54.00	-2.35	3	Horizontal	296	1.01
5580MHz_TX	Pass	AV	5.5782G	102.47	Inf	-Inf	3	Horizontal	296	1.01
5580MHz_TX	Pass	PK	5.46G	66.62	74.00	-7.38	3	Horizontal	296	1.01
5580MHz_TX	Pass	PK	5.4606G	67.28	68.20	-0.92	3	Horizontal	296	1.01
5580MHz_TX	Pass	PK	5.589G	112.62	Inf	-Inf	3	Horizontal	296	1.01
5580MHz_TX	Pass	PK	5.7264G	60.93	68.20	-7.27	3	Horizontal	296	1.01
5700MHz_TX	Pass	AV	5.6988G	93.21	Inf	-Inf	3	Vertical	7	1.50
5700MHz_TX	Pass	PK	5.7088G	103.56	Inf	-Inf	3	Vertical	7	1.50
5700MHz_TX	Pass	PK	5.7252G	66.48	68.20	-1.72	3	Vertical	7	1.50
5700MHz_TX	Pass	AV	5.6988G	97.55	Inf	-Inf	3	Horizontal	295	1.83
5700MHz_TX	Pass	PK	5.708G	108.02	Inf	-Inf	3	Horizontal	295	1.83
5700MHz_TX	Pass	PK	5.7292G	67.65	68.20	-0.55	3	Horizontal	295	1.83
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.444G	46.48	54.00	-7.52	3	Vertical	4	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7176G	99.69	Inf	-Inf	3	Vertical	4	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4596G	56.64	74.00	-17.36	3	Vertical	4	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.468G	56.68	68.20	-11.52	3	Vertical	4	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7188G	109.80	Inf	-Inf	3	Vertical	4	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8616G	60.83	68.20	-7.37	3	Vertical	4	1.07
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4536G	47.40	54.00	-6.60	3	Horizontal	294	1.82
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7188G	102.56	Inf	-Inf	3	Horizontal	294	1.82
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4548G	59.37	74.00	-14.63	3	Horizontal	294	1.82
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.462G	59.36	68.20	-8.84	3	Horizontal	294	1.82
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7188G	111.92	Inf	-Inf	3	Horizontal	294	1.82
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8508G	63.20	68.20	-5.00	3	Horizontal	294	1.82
5745MHz_TX	Pass	AV	5.4582G	45.33	54.00	-8.67	3	Vertical	10	1.50
5745MHz_TX	Pass	AV	5.7474G	97.74	Inf	-Inf	3	Vertical	10	1.50
5745MHz_TX	Pass	PK	5.6466G	61.07	68.20	-7.13	3	Vertical	10	1.50
5745MHz_TX	Pass	PK	5.7534G	108.86	Inf	-Inf	3	Vertical	10	1.50
5745MHz_TX	Pass	PK	5.985G	58.43	68.20	-9.77	3	Vertical	10	1.50
5745MHz_TX	Pass	AV	5.457G	45.62	54.00	-8.38	3	Horizontal	298	1.00
5745MHz_TX	Pass	AV	5.7366G	100.78	Inf	-Inf	3	Horizontal	298	1.00
5745MHz_TX	Pass	PK	5.6466G	62.65	68.20	-5.55	3	Horizontal	298	1.00
5745MHz_TX	Pass	PK	5.7366G	111.96	Inf	-Inf	3	Horizontal	298	1.00
5745MHz_TX	Pass	PK	5.9514G	58.53	68.20	-9.67	3	Horizontal	298	1.00
5785MHz_TX	Pass	AV	5.7814G	97.38	Inf	-Inf	3	Vertical	9	1.15
5785MHz_TX	Pass	PK	5.6458G	59.93	68.20	-8.27	3	Vertical	9	1.15
5785MHz_TX	Pass	PK	5.7814G	108.16	Inf	-Inf	3	Vertical	9	1.15
5785MHz_TX	Pass	PK	5.9398G	58.14	68.20	-10.06	3	Vertical	9	1.15
5785MHz_TX	Pass	AV	5.7814G	100.62	Inf	-Inf	3	Horizontal	293	1.00
5785MHz_TX	Pass	PK	5.6458G	67.95	68.20	-0.25	3	Horizontal	293	1.00
5785MHz_TX	Pass	PK	5.7766G	112.27	Inf	-Inf	3	Horizontal	293	1.00
5785MHz_TX	Pass	PK	5.9446G	57.98	68.20	-10.22	3	Horizontal	293	1.00
5825MHz_TX	Pass	AV	5.8214G	97.78	Inf	-Inf	3	Vertical	360	2.89
5825MHz_TX	Pass	PK	5.6462G	63.77	68.20	-4.43	3	Vertical	360	2.89
5825MHz_TX	Pass	PK	5.8286G	109.53	Inf	-Inf	3	Vertical	360	2.89
5825MHz_TX	Pass	PK	5.9534G	58.10	68.20	-10.10	3	Vertical	360	2.89
5825MHz_TX	Pass	AV	5.8262G	100.30	Inf	-Inf	3	Horizontal	289	1.76
5825MHz_TX	Pass	PK	5.6522G	65.80	69.83	-4.03	3	Horizontal	289	1.76
5825MHz_TX	Pass	PK	5.8286G	112.43	Inf	-Inf	3	Horizontal	289	1.76
5825MHz_TX	Pass	PK	5.963G	58.93	68.20	-9.27	3	Horizontal	289	1.76



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T2S_AP5022FX**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.1496G	49.05	54.00	-4.95	3	Vertical	10	3.00
5190MHz_TX	Pass	AV	5.1844G	95.88	Inf	-Inf	3	Vertical	10	3.00
5190MHz_TX	Pass	PK	5.148G	59.40	74.00	-14.60	3	Vertical	10	3.00
5190MHz_TX	Pass	PK	5.1872G	106.49	Inf	-Inf	3	Vertical	10	3.00
5190MHz_TX	Pass	AV	5.1464G	53.53	54.00	-0.47	3	Horizontal	292	1.01
5190MHz_TX	Pass	AV	5.1908G	100.84	Inf	-Inf	3	Horizontal	292	1.01
5190MHz_TX	Pass	PK	5.1476G	64.64	74.00	-9.36	3	Horizontal	292	1.01
5190MHz_TX	Pass	PK	5.1888G	111.97	Inf	-Inf	3	Horizontal	292	1.01
5230MHz_TX	Pass	AV	5.1476G	48.49	54.00	-5.51	3	Vertical	13	1.50
5230MHz_TX	Pass	AV	5.2468G	92.60	Inf	-Inf	3	Vertical	13	1.50
5230MHz_TX	Pass	PK	5.1336G	64.78	74.00	-9.22	3	Vertical	13	1.50
5230MHz_TX	Pass	PK	5.2476G	103.25	Inf	-Inf	3	Vertical	13	1.50
5230MHz_TX	Pass	AV	5.1472G	52.95	54.00	-1.05	3	Horizontal	293	1.01
5230MHz_TX	Pass	AV	5.236G	99.57	Inf	-Inf	3	Horizontal	293	1.01
5230MHz_TX	Pass	PK	5.1376G	69.66	74.00	-4.34	3	Horizontal	293	1.01
5230MHz_TX	Pass	PK	5.2124G	110.80	Inf	-Inf	3	Horizontal	293	1.01
5270MHz_TX	Pass	AV	5.2876G	92.61	Inf	-Inf	3	Vertical	12	1.38
5270MHz_TX	Pass	AV	5.3516G	49.08	54.00	-4.92	3	Vertical	12	1.38
5270MHz_TX	Pass	PK	5.2804G	102.96	Inf	-Inf	3	Vertical	12	1.38
5270MHz_TX	Pass	PK	5.3676G	61.39	74.00	-12.61	3	Vertical	12	1.38
5270MHz_TX	Pass	AV	5.276G	100.71	Inf	-Inf	3	Horizontal	298	1.00
5270MHz_TX	Pass	AV	5.3616G	53.20	54.00	-0.80	3	Horizontal	298	1.00
5270MHz_TX	Pass	PK	5.272G	111.30	Inf	-Inf	3	Horizontal	298	1.00
5270MHz_TX	Pass	PK	5.3556G	67.27	74.00	-6.73	3	Horizontal	298	1.00
5310MHz_TX	Pass	AV	5.3228G	93.10	Inf	-Inf	3	Vertical	13	1.50
5310MHz_TX	Pass	AV	5.3552G	49.01	54.00	-4.99	3	Vertical	13	1.50
5310MHz_TX	Pass	PK	5.3244G	103.77	Inf	-Inf	3	Vertical	13	1.50
5310MHz_TX	Pass	PK	5.3684G	60.06	74.00	-13.94	3	Vertical	13	1.50
5310MHz_TX	Pass	AV	5.3164G	99.31	Inf	-Inf	3	Horizontal	298	1.01
5310MHz_TX	Pass	AV	5.358G	52.57	54.00	-1.43	3	Horizontal	298	1.01
5310MHz_TX	Pass	PK	5.3112G	109.30	Inf	-Inf	3	Horizontal	298	1.01
5310MHz_TX	Pass	PK	5.36G	63.41	74.00	-10.59	3	Horizontal	298	1.01
5510MHz_TX	Pass	AV	5.46G	49.21	54.00	-4.79	3	Vertical	14	1.08
5510MHz_TX	Pass	AV	5.526G	94.25	Inf	-Inf	3	Vertical	14	1.08
5510MHz_TX	Pass	PK	5.4564G	60.23	74.00	-13.77	3	Vertical	14	1.08
5510MHz_TX	Pass	PK	5.4664G	60.70	68.20	-7.50	3	Vertical	14	1.08
5510MHz_TX	Pass	PK	5.5124G	104.52	Inf	-Inf	3	Vertical	14	1.08
5510MHz_TX	Pass	AV	5.4564G	52.54	54.00	-1.46	3	Horizontal	295	1.01
5510MHz_TX	Pass	AV	5.5164G	97.26	Inf	-Inf	3	Horizontal	295	1.01
5510MHz_TX	Pass	PK	5.46G	63.53	74.00	-10.47	3	Horizontal	295	1.01
5510MHz_TX	Pass	PK	5.4648G	63.84	68.20	-4.36	3	Horizontal	295	1.01
5510MHz_TX	Pass	PK	5.492G	107.79	Inf	-Inf	3	Horizontal	295	1.01
5550MHz_TX	Pass	AV	5.4588G	49.71	54.00	-4.29	3	Vertical	4	1.50
5550MHz_TX	Pass	AV	5.548G	93.26	Inf	-Inf	3	Vertical	4	1.50
5550MHz_TX	Pass	PK	5.46G	63.02	74.00	-10.98	3	Vertical	4	1.50
5550MHz_TX	Pass	PK	5.4644G	65.68	68.20	-2.52	3	Vertical	4	1.50
5550MHz_TX	Pass	PK	5.5488G	103.45	Inf	-Inf	3	Vertical	4	1.50
5550MHz_TX	Pass	AV	5.4588G	53.54	54.00	-0.46	3	Horizontal	290	1.77
5550MHz_TX	Pass	AV	5.5468G	97.96	Inf	-Inf	3	Horizontal	290	1.77
5550MHz_TX	Pass	PK	5.4584G	66.85	74.00	-7.15	3	Horizontal	290	1.77
5550MHz_TX	Pass	PK	5.4688G	68.01	68.20	-0.19	3	Horizontal	290	1.77
5550MHz_TX	Pass	PK	5.5416G	108.27	Inf	-Inf	3	Horizontal	290	1.77
5670MHz_TX	Pass	AV	5.6538G	93.29	Inf	-Inf	3	Vertical	8	2.92
5670MHz_TX	Pass	PK	5.6574G	103.08	Inf	-Inf	3	Vertical	8	2.92
5670MHz_TX	Pass	PK	5.7288G	65.37	68.20	-2.83	3	Vertical	8	2.92
5670MHz_TX	Pass	AV	5.6562G	95.61	Inf	-Inf	3	Horizontal	292	1.00
5670MHz_TX	Pass	PK	5.6688G	106.31	Inf	-Inf	3	Horizontal	292	1.00
5670MHz_TX	Pass	PK	5.727G	68.00	68.20	-0.20	3	Horizontal	292	1.00
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.46G	46.70	54.00	-7.30	3	Vertical	7	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6968G	94.81	Inf	-Inf	3	Vertical	7	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4316G	57.17	74.00	-16.83	3	Vertical	7	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T2S_AP5022FX**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.47G	56.66	68.20	-11.54	3	Vertical	7	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7208G	105.41	Inf	-Inf	3	Vertical	7	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8504G	59.97	68.20	-8.23	3	Vertical	7	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.458G	47.73	54.00	-6.27	3	Horizontal	294	1.90
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6968G	98.95	Inf	-Inf	3	Horizontal	294	1.90
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4592G	60.01	74.00	-13.99	3	Horizontal	294	1.90
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4676G	60.85	68.20	-7.35	3	Horizontal	294	1.90
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6968G	108.88	Inf	-Inf	3	Horizontal	294	1.90
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.854G	62.99	68.20	-5.21	3	Horizontal	294	1.90
5755MHz_TX	Pass	AV	5.4574G	45.71	54.00	-8.29	3	Vertical	10	1.50
5755MHz_TX	Pass	AV	5.761G	94.92	Inf	-Inf	3	Vertical	10	1.50
5755MHz_TX	Pass	PK	5.6482G	64.67	68.20	-3.53	3	Vertical	10	1.50
5755MHz_TX	Pass	PK	5.7658G	106.38	Inf	-Inf	3	Vertical	10	1.50
5755MHz_TX	Pass	PK	5.935G	58.28	68.20	-9.92	3	Vertical	10	1.50
5755MHz_TX	Pass	AV	5.4586G	45.42	54.00	-8.58	3	Horizontal	294	1.82
5755MHz_TX	Pass	AV	5.7478G	98.27	Inf	-Inf	3	Horizontal	294	1.82
5755MHz_TX	Pass	PK	5.6494G	67.75	68.20	-0.45	3	Horizontal	294	1.82
5755MHz_TX	Pass	PK	5.7466G	109.97	Inf	-Inf	3	Horizontal	294	1.82
5755MHz_TX	Pass	PK	5.9686G	57.79	68.20	-10.41	3	Horizontal	294	1.82
5795MHz_TX	Pass	AV	5.777G	92.34	Inf	-Inf	3	Vertical	10	1.50
5795MHz_TX	Pass	PK	5.6426G	62.01	68.20	-6.19	3	Vertical	10	1.50
5795MHz_TX	Pass	PK	5.7818G	105.24	Inf	-Inf	3	Vertical	10	1.50
5795MHz_TX	Pass	PK	5.9282G	57.78	68.20	-10.42	3	Vertical	10	1.50
5795MHz_TX	Pass	AV	5.7806G	96.70	Inf	-Inf	3	Horizontal	294	1.00
5795MHz_TX	Pass	PK	5.6462G	67.84	68.20	-0.36	3	Horizontal	294	1.00
5795MHz_TX	Pass	PK	5.7986G	108.92	Inf	-Inf	3	Horizontal	294	1.00
5795MHz_TX	Pass	PK	5.9246G	58.36	68.50	-10.14	3	Horizontal	294	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.133G	49.09	54.00	-4.91	3	Vertical	14	1.50
5210MHz_TX	Pass	AV	5.246G	89.02	Inf	-Inf	3	Vertical	14	1.50
5210MHz_TX	Pass	AV	5.389G	47.72	54.00	-6.28	3	Vertical	14	1.50
5210MHz_TX	Pass	PK	5.138G	58.52	74.00	-15.48	3	Vertical	14	1.50
5210MHz_TX	Pass	PK	5.248G	99.37	Inf	-Inf	3	Vertical	14	1.50
5210MHz_TX	Pass	PK	5.374G	58.22	74.00	-15.78	3	Vertical	14	1.50
5210MHz_TX	Pass	AV	5.143G	53.81	54.00	-0.19	3	Horizontal	292	1.00
5210MHz_TX	Pass	AV	5.196G	97.13	Inf	-Inf	3	Horizontal	292	1.00
5210MHz_TX	Pass	AV	5.363G	48.45	54.00	-5.55	3	Horizontal	292	1.00
5210MHz_TX	Pass	PK	5.143G	64.07	74.00	-9.93	3	Horizontal	292	1.00
5210MHz_TX	Pass	PK	5.197G	106.46	Inf	-Inf	3	Horizontal	292	1.00
5210MHz_TX	Pass	PK	5.363G	58.42	74.00	-15.58	3	Horizontal	292	1.00
5290MHz_TX	Pass	AV	5.134G	46.29	54.00	-7.71	3	Vertical	12	3.00
5290MHz_TX	Pass	AV	5.304G	90.99	Inf	-Inf	3	Vertical	12	3.00
5290MHz_TX	Pass	AV	5.388G	49.10	54.00	-4.90	3	Vertical	12	3.00
5290MHz_TX	Pass	PK	5.094G	56.50	74.00	-17.50	3	Vertical	12	3.00
5290MHz_TX	Pass	PK	5.298G	101.43	Inf	-Inf	3	Vertical	12	3.00
5290MHz_TX	Pass	PK	5.399G	59.66	74.00	-14.34	3	Vertical	12	3.00
5290MHz_TX	Pass	PK	5.466G	58.24	68.20	-9.96	3	Vertical	12	3.00
5290MHz_TX	Pass	AV	5.147G	47.87	54.00	-6.13	3	Horizontal	298	1.00
5290MHz_TX	Pass	AV	5.276G	97.92	Inf	-Inf	3	Horizontal	298	1.00
5290MHz_TX	Pass	AV	5.388G	53.80	54.00	-0.20	3	Horizontal	298	1.00
5290MHz_TX	Pass	PK	5.142G	58.25	74.00	-15.75	3	Horizontal	298	1.00
5290MHz_TX	Pass	PK	5.282G	108.01	Inf	-Inf	3	Horizontal	298	1.00
5290MHz_TX	Pass	PK	5.366G	62.62	74.00	-11.38	3	Horizontal	298	1.00
5290MHz_TX	Pass	PK	5.531G	58.30	68.20	-9.90	3	Horizontal	298	1.00
5530MHz_TX	Pass	AV	5.35G	45.90	54.00	-8.10	3	Vertical	4	1.50
5530MHz_TX	Pass	AV	5.46G	48.38	54.00	-5.62	3	Vertical	4	1.50
5530MHz_TX	Pass	AV	5.544G	89.14	Inf	-Inf	3	Vertical	4	1.50
5530MHz_TX	Pass	PK	5.317G	57.10	68.20	-11.10	3	Vertical	4	1.50
5530MHz_TX	Pass	PK	5.447G	58.40	74.00	-15.60	3	Vertical	4	1.50
5530MHz_TX	Pass	PK	5.468G	58.84	68.20	-9.36	3	Vertical	4	1.50
5530MHz_TX	Pass	PK	5.55G	99.14	Inf	-Inf	3	Vertical	4	1.50
5530MHz_TX	Pass	PK	5.774G	58.52	68.20	-9.68	3	Vertical	4	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T2S_AP5022FX**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz_TX	Pass	AV	5.35G	46.59	54.00	-7.41	3	Horizontal	298	1.00
5530MHz_TX	Pass	AV	5.453G	53.39	54.00	-0.61	3	Horizontal	298	1.00
5530MHz_TX	Pass	AV	5.542G	94.55	Inf	-Inf	3	Horizontal	298	1.00
5530MHz_TX	Pass	PK	5.282G	57.61	68.20	-10.59	3	Horizontal	298	1.00
5530MHz_TX	Pass	PK	5.456G	62.93	74.00	-11.07	3	Horizontal	298	1.00
5530MHz_TX	Pass	PK	5.468G	63.31	68.20	-4.89	3	Horizontal	298	1.00
5530MHz_TX	Pass	PK	5.567G	105.74	Inf	-Inf	3	Horizontal	298	1.00
5530MHz_TX	Pass	PK	5.767G	59.27	68.20	-8.93	3	Horizontal	298	1.00
5610MHz_TX	Pass	AV	5.459G	50.58	54.00	-3.42	3	Vertical	5	2.95
5610MHz_TX	Pass	AV	5.624G	93.14	Inf	-Inf	3	Vertical	5	2.95
5610MHz_TX	Pass	PK	5.459G	62.48	74.00	-11.52	3	Vertical	5	2.95
5610MHz_TX	Pass	PK	5.466G	62.76	68.20	-5.44	3	Vertical	5	2.95
5610MHz_TX	Pass	PK	5.625G	103.66	Inf	-Inf	3	Vertical	5	2.95
5610MHz_TX	Pass	PK	5.731G	66.42	68.20	-1.78	3	Vertical	5	2.95
5610MHz_TX	Pass	AV	5.447G	53.91	54.00	-0.09	3	Horizontal	293	1.00
5610MHz_TX	Pass	AV	5.636G	96.00	Inf	-Inf	3	Horizontal	293	1.00
5610MHz_TX	Pass	PK	5.447G	68.97	74.00	-5.03	3	Horizontal	293	1.00
5610MHz_TX	Pass	PK	5.467G	67.23	68.20	-0.97	3	Horizontal	293	1.00
5610MHz_TX	Pass	PK	5.635G	106.26	Inf	-Inf	3	Horizontal	293	1.00
5610MHz_TX	Pass	PK	5.728G	66.65	68.20	-1.55	3	Horizontal	293	1.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4548G	47.89	54.00	-6.11	3	Vertical	7	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7032G	92.86	Inf	-Inf	3	Vertical	7	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.456G	58.74	74.00	-15.26	3	Vertical	7	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4692G	58.30	68.20	-9.90	3	Vertical	7	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.66G	102.92	Inf	-Inf	3	Vertical	7	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8688G	62.03	68.20	-6.17	3	Vertical	7	1.50
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4584G	52.10	54.00	-1.90	3	Horizontal	295	1.75
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6792G	96.92	Inf	-Inf	3	Horizontal	295	1.75
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4538G	63.98	74.00	-10.02	3	Horizontal	295	1.75
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.468G	66.92	68.20	-1.28	3	Horizontal	295	1.75
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.702G	107.81	Inf	-Inf	3	Horizontal	295	1.75
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8544G	68.10	68.20	-0.10	3	Horizontal	295	1.75
5775MHz_TX	Pass	AV	5.7654G	90.25	Inf	-Inf	3	Vertical	11	1.50
5775MHz_TX	Pass	PK	5.6442G	60.73	68.20	-7.47	3	Vertical	11	1.50
5775MHz_TX	Pass	PK	5.7666G	101.17	Inf	-Inf	3	Vertical	11	1.50
5775MHz_TX	Pass	PK	5.9358G	57.82	68.20	-10.38	3	Vertical	11	1.50
5775MHz_TX	Pass	AV	5.7654G	94.38	Inf	-Inf	3	Horizontal	294	1.87
5775MHz_TX	Pass	PK	5.649G	67.13	68.20	-1.07	3	Horizontal	294	1.87
5775MHz_TX	Pass	PK	5.7546G	105.78	Inf	-Inf	3	Horizontal	294	1.87
5775MHz_TX	Pass	PK	5.9946G	58.22	68.20	-9.98	3	Horizontal	294	1.87
802.11b EHT160_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.1492G	47.22	54.00	-6.78	3	Vertical	11	1.36
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.2764G	85.56	Inf	-Inf	3	Vertical	11	1.36
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.3772G	49.08	54.00	-4.92	3	Vertical	11	1.36
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.1468G	58.42	74.00	-15.58	3	Vertical	11	1.36
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3208G	95.79	Inf	-Inf	3	Vertical	11	1.36
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3592G	62.76	74.00	-11.24	3	Vertical	11	1.36
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.5164G	58.38	68.20	-9.82	3	Vertical	11	1.36
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.1456G	50.38	54.00	-3.62	3	Horizontal	303	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.2764G	91.43	Inf	-Inf	3	Horizontal	303	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.4264G	52.70	54.00	-1.30	3	Horizontal	303	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.15G	63.87	74.00	-10.13	3	Horizontal	303	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.2644G	101.84	Inf	-Inf	3	Horizontal	303	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3976G	67.79	74.00	-6.21	3	Horizontal	303	1.00
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.4612G	59.77	68.20	-8.43	3	Horizontal	303	1.00
5570MHz_TX	Pass	AV	5.4572G	51.14	54.00	-2.86	3	Vertical	0	2.96
5570MHz_TX	Pass	AV	5.6468G	87.30	Inf	-Inf	3	Vertical	0	2.96
5570MHz_TX	Pass	PK	5.3444G	60.23	68.20	-7.97	3	Vertical	0	2.96
5570MHz_TX	Pass	PK	5.4572G	66.06	74.00	-7.94	3	Vertical	0	2.96
5570MHz_TX	Pass	PK	5.4632G	66.44	68.20	-1.76	3	Vertical	0	2.96
5570MHz_TX	Pass	PK	5.6336G	97.87	Inf	-Inf	3	Vertical	0	2.96
5570MHz_TX	Pass	PK	5.744G	61.46	68.20	-6.74	3	Vertical	0	2.96




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_2T2S_AP5022FX**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz_TX	Pass	AV	5.4572G	53.06	54.00	-0.94	3	Horizontal	299	1.01
5570MHz_TX	Pass	AV	5.5472G	90.73	Inf	-Inf	3	Horizontal	299	1.01
5570MHz_TX	Pass	PK	5.3312G	62.86	68.20	-5.34	3	Horizontal	299	1.01
5570MHz_TX	Pass	PK	5.4572G	67.77	74.00	-6.23	3	Horizontal	299	1.01
5570MHz_TX	Pass	PK	5.4656G	65.99	68.20	-2.21	3	Horizontal	299	1.01
5570MHz_TX	Pass	PK	5.5436G	101.17	Inf	-Inf	3	Horizontal	299	1.01
5570MHz_TX	Pass	PK	5.726G	65.11	68.20	-3.09	3	Horizontal	299	1.01

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.23	54.00	-4.77	2.53	3	Vertical	15	2.61	46.70	33.40	6.66	37.53
AV	5.2472G	100.85	Inf	-Inf	2.49	3	Vertical	15	2.61	98.36	33.31	6.71	37.53
AV	5.351G	48.29	54.00	-5.71	2.27	3	Vertical	15	2.61	46.02	33.10	6.70	37.53
PK	5.1458G	64.99	74.00	-9.01	2.51	3	Vertical	15	2.61	62.48	33.38	6.66	37.53
PK	5.249G	110.98	Inf	-Inf	2.48	3	Vertical	15	2.61	108.50	33.30	6.71	37.53
PK	5.3558G	63.38	74.00	-10.62	2.28	3	Vertical	15	2.61	61.10	33.11	6.70	37.53

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.36	54.00	-0.64	2.53	3	Horizontal	301	1.00	50.83	33.40	6.66	37.53
AV	5.2412G	105.10	Inf	-Inf	2.52	3	Horizontal	301	1.00	102.58	33.34	6.71	37.53
AV	5.3546G	52.14	54.00	-1.86	2.28	3	Horizontal	301	1.00	49.86	33.11	6.70	37.53
PK	5.1452G	71.97	74.00	-2.03	2.51	3	Horizontal	301	1.00	69.46	33.38	6.66	37.53
PK	5.2484G	115.34	Inf	-Inf	2.49	3	Horizontal	301	1.00	112.85	33.31	6.71	37.53
PK	5.3558G	68.98	74.00	-5.02	2.28	3	Horizontal	301	1.00	66.70	33.11	6.70	37.53


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.133G	49.09	54.00	-4.91	2.45	3	Vertical	14	1.50	46.64	33.33	6.65	37.53
AV	5.246G	89.02	Inf	-Inf	2.50	3	Vertical	14	1.50	86.52	33.32	6.71	37.53
AV	5.389G	47.72	54.00	-6.28	2.34	3	Vertical	14	1.50	45.38	33.18	6.70	37.54
PK	5.138G	58.52	74.00	-15.48	2.47	3	Vertical	14	1.50	56.05	33.35	6.65	37.53
PK	5.248G	99.37	Inf	-Inf	2.49	3	Vertical	14	1.50	96.88	33.31	6.71	37.53
PK	5.374G	58.22	74.00	-15.78	2.32	3	Vertical	14	1.50	55.90	33.15	6.70	37.53

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	53.81	54.00	-0.19	2.50	3	Horizontal	292	1.00	51.31	33.37	6.66	37.53
AV	5.196G	97.13	Inf	-Inf	2.67	3	Horizontal	292	1.00	94.46	33.49	6.71	37.53
AV	5.363G	48.45	54.00	-5.55	2.30	3	Horizontal	292	1.00	46.15	33.13	6.70	37.53
PK	5.143G	64.07	74.00	-9.93	2.50	3	Horizontal	292	1.00	61.57	33.37	6.66	37.53
PK	5.197G	106.46	Inf	-Inf	2.67	3	Horizontal	292	1.00	103.79	33.49	6.71	37.53
PK	5.363G	58.42	74.00	-15.58	2.30	3	Horizontal	292	1.00	56.12	33.13	6.70	37.53


5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	49.71	54.00	-4.29	2.44	3	Vertical	4	1.50	47.27	33.22	6.76	37.54
AV	5.548G	93.26	Inf	-Inf	2.73	3	Vertical	4	1.50	90.53	33.40	6.85	37.52
PK	5.46G	63.02	74.00	-10.98	2.44	3	Vertical	4	1.50	60.58	33.22	6.76	37.54
PK	5.4644G	65.68	68.20	-2.52	2.45	3	Vertical	4	1.50	63.23	33.23	6.76	37.54
PK	5.5488G	103.45	Inf	-Inf	2.73	3	Vertical	4	1.50	100.72	33.40	6.85	37.52

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	53.54	54.00	-0.46	2.44	3	Horizontal	290	1.77	51.10	33.22	6.76	37.54
AV	5.5468G	97.96	Inf	-Inf	2.72	3	Horizontal	290	1.77	95.24	33.39	6.85	37.52
PK	5.4584G	66.85	74.00	-7.15	2.44	3	Horizontal	290	1.77	64.41	33.22	6.76	37.54
PK	5.4688G	68.01	68.20	-0.19	2.47	3	Horizontal	290	1.77	65.54	33.24	6.77	37.54
PK	5.5416G	108.27	Inf	-Inf	2.69	3	Horizontal	290	1.77	105.58	33.38	6.84	37.53

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.58	54.00	-3.42	2.44	3	Vertical	5	2.95	48.14	33.22	6.76	37.54
AV	5.624G	93.14	Inf	-Inf	2.95	3	Vertical	5	2.95	90.19	33.50	6.95	37.50
PK	5.459G	62.48	74.00	-11.52	2.44	3	Vertical	5	2.95	60.04	33.22	6.76	37.54
PK	5.466G	62.76	68.20	-5.44	2.46	3	Vertical	5	2.95	60.30	33.23	6.77	37.54
PK	5.625G	103.66	Inf	-Inf	2.95	3	Vertical	5	2.95	100.71	33.50	6.95	37.50
PK	5.731G	66.42	68.20	-1.78	3.69	3	Vertical	5	2.95	62.73	33.99	7.16	37.46

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.447G	53.91	54.00	-0.09	2.41	3	Horizontal	293	1.00	51.50	33.20	6.75	37.54
AV	5.636G	96.00	Inf	-Inf	3.02	3	Horizontal	293	1.00	92.98	33.54	6.97	37.49
PK	5.447G	68.97	74.00	-5.03	2.41	3	Horizontal	293	1.00	66.56	33.20	6.75	37.54
PK	5.467G	67.23	68.20	-0.97	2.46	3	Horizontal	293	1.00	64.77	33.23	6.77	37.54
PK	5.635G	106.26	Inf	-Inf	3.02	3	Horizontal	293	1.00	103.24	33.54	6.97	37.49
PK	5.728G	66.65	68.20	-1.55	3.66	3	Horizontal	293	1.00	62.99	33.97	7.15	37.46


5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX






5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.1498G	53.82	54.00	-0.18	3	Horizontal	62	1.95
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.1482G	73.68	74.00	-0.32	3	Horizontal	299	1.00
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.48	54.00	-0.52	3	Horizontal	64	2.18
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.80	54.00	-0.20	3	Horizontal	309	2.13
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.3532G	53.20	54.00	-0.80	3	Horizontal	65	2.09
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3608G	53.75	54.00	-0.25	3	Horizontal	67	1.90
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.353G	53.68	54.00	-0.32	3	Horizontal	344	1.28
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.3536G	53.87	54.00	-0.13	3	Horizontal	346	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.354G	53.29	54.00	-0.71	3	Horizontal	64	2.04
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.4594G	53.75	54.00	-0.25	3	Horizontal	63	1.87
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.4654G	68.15	68.20	-0.05	3	Horizontal	59	2.16
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.468G	67.65	68.20	-0.55	3	Horizontal	347	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.457G	53.71	54.00	-0.29	3	Horizontal	347	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.4572G	53.52	54.00	-0.48	3	Vertical	3	2.33
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.6482G	67.49	68.20	-0.71	3	Horizontal	347	1.50
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.6014G	66.88	68.20	-1.32	3	Horizontal	346	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.6506G	67.59	68.64	-1.05	3	Horizontal	62	2.12
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.6406G	66.36	68.20	-1.84	3	Horizontal	347	1.37



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.16

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.147G	49.11	54.00	-4.89	3	Vertical	5	1.10
5180MHz_TX	Pass	AV	5.184G	105.44	Inf	-Inf	3	Vertical	5	1.10
5180MHz_TX	Pass	PK	5.145G	61.49	74.00	-12.51	3	Vertical	5	1.10
5180MHz_TX	Pass	PK	5.1848G	112.80	Inf	-Inf	3	Vertical	5	1.10
5180MHz_TX	Pass	AV	5.1498G	53.82	54.00	-0.18	3	Horizontal	62	1.95
5180MHz_TX	Pass	AV	5.1816G	109.28	Inf	-Inf	3	Horizontal	62	1.95
5180MHz_TX	Pass	PK	5.1496G	65.93	74.00	-8.07	3	Horizontal	62	1.95
5180MHz_TX	Pass	PK	5.1818G	116.51	Inf	-Inf	3	Horizontal	62	1.95
5200MHz_TX	Pass	AV	5.1452G	50.71	54.00	-3.29	3	Vertical	4	1.01
5200MHz_TX	Pass	AV	5.2036G	105.34	Inf	-Inf	3	Vertical	4	1.01
5200MHz_TX	Pass	PK	5.1432G	69.44	74.00	-4.56	3	Vertical	4	1.01
5200MHz_TX	Pass	PK	5.2044G	112.05	Inf	-Inf	3	Vertical	4	1.01
5200MHz_TX	Pass	AV	5.1464G	53.01	54.00	-0.99	3	Horizontal	343	1.50
5200MHz_TX	Pass	AV	5.206G	105.55	Inf	-Inf	3	Horizontal	343	1.50
5200MHz_TX	Pass	PK	5.146G	71.04	74.00	-2.96	3	Horizontal	343	1.50
5200MHz_TX	Pass	PK	5.206G	114.18	Inf	-Inf	3	Horizontal	343	1.50
5240MHz_TX	Pass	AV	5.1422G	52.35	54.00	-1.65	3	Vertical	17	1.05
5240MHz_TX	Pass	AV	5.246G	104.92	Inf	-Inf	3	Vertical	17	1.05
5240MHz_TX	Pass	AV	5.3516G	51.91	54.00	-2.09	3	Vertical	17	1.05
5240MHz_TX	Pass	PK	5.1224G	69.85	74.00	-4.15	3	Vertical	17	1.05
5240MHz_TX	Pass	PK	5.246G	112.46	Inf	-Inf	3	Vertical	17	1.05
5240MHz_TX	Pass	PK	5.351G	71.76	74.00	-2.24	3	Vertical	17	1.05
5240MHz_TX	Pass	AV	5.1494G	52.24	54.00	-1.76	3	Horizontal	345	1.50
5240MHz_TX	Pass	AV	5.2466G	105.89	Inf	-Inf	3	Horizontal	345	1.50
5240MHz_TX	Pass	AV	5.3504G	52.34	54.00	-1.66	3	Horizontal	345	1.50
5240MHz_TX	Pass	PK	5.1422G	68.68	74.00	-5.32	3	Horizontal	345	1.50
5240MHz_TX	Pass	PK	5.246G	113.88	Inf	-Inf	3	Horizontal	345	1.50
5240MHz_TX	Pass	PK	5.3504G	71.92	74.00	-2.08	3	Horizontal	345	1.50
5260MHz_TX	Pass	AV	5.1436G	49.56	54.00	-4.44	3	Vertical	8	1.17
5260MHz_TX	Pass	AV	5.2648G	106.66	Inf	-Inf	3	Vertical	8	1.17
5260MHz_TX	Pass	AV	5.3608G	52.62	54.00	-1.38	3	Vertical	8	1.17
5260MHz_TX	Pass	PK	5.1358G	65.69	74.00	-8.31	3	Vertical	8	1.17
5260MHz_TX	Pass	PK	5.2654G	114.19	Inf	-Inf	3	Vertical	8	1.17
5260MHz_TX	Pass	PK	5.3614G	70.45	74.00	-3.55	3	Vertical	8	1.17
5260MHz_TX	Pass	AV	5.1376G	49.84	54.00	-4.16	3	Horizontal	345	1.50
5260MHz_TX	Pass	AV	5.266G	107.25	Inf	-Inf	3	Horizontal	345	1.50
5260MHz_TX	Pass	AV	5.3638G	53.12	54.00	-0.88	3	Horizontal	345	1.50
5260MHz_TX	Pass	PK	5.143G	67.04	74.00	-6.96	3	Horizontal	345	1.50
5260MHz_TX	Pass	PK	5.266G	115.32	Inf	-Inf	3	Horizontal	345	1.50
5260MHz_TX	Pass	PK	5.3632G	71.91	74.00	-2.09	3	Horizontal	345	1.50
5300MHz_TX	Pass	AV	5.294G	103.53	Inf	-Inf	3	Vertical	14	1.50
5300MHz_TX	Pass	AV	5.3524G	51.09	54.00	-2.91	3	Vertical	14	1.50
5300MHz_TX	Pass	PK	5.306G	111.40	Inf	-Inf	3	Vertical	14	1.50
5300MHz_TX	Pass	PK	5.358G	65.47	74.00	-8.53	3	Vertical	14	1.50
5300MHz_TX	Pass	AV	5.3024G	109.02	Inf	-Inf	3	Horizontal	66	1.92
5300MHz_TX	Pass	AV	5.3616G	53.67	54.00	-0.33	3	Horizontal	66	1.92
5300MHz_TX	Pass	PK	5.3032G	116.18	Inf	-Inf	3	Horizontal	66	1.92
5300MHz_TX	Pass	PK	5.3636G	68.06	74.00	-5.94	3	Horizontal	66	1.92
5320MHz_TX	Pass	AV	5.321G	103.64	Inf	-Inf	3	Vertical	6	1.50
5320MHz_TX	Pass	AV	5.36G	50.17	54.00	-3.83	3	Vertical	6	1.50
5320MHz_TX	Pass	PK	5.3208G	111.07	Inf	-Inf	3	Vertical	6	1.50
5320MHz_TX	Pass	PK	5.359G	60.94	74.00	-13.06	3	Vertical	6	1.50
5320MHz_TX	Pass	AV	5.3226G	108.99	Inf	-Inf	3	Horizontal	67	1.90
5320MHz_TX	Pass	AV	5.3608G	53.75	54.00	-0.25	3	Horizontal	67	1.90
5320MHz_TX	Pass	PK	5.323G	116.24	Inf	-Inf	3	Horizontal	67	1.90
5320MHz_TX	Pass	PK	5.35G	64.53	74.00	-9.47	3	Horizontal	67	1.90
5500MHz_TX	Pass	AV	5.4592G	49.91	54.00	-4.09	3	Vertical	15	1.50
5500MHz_TX	Pass	AV	5.5058G	103.12	Inf	-Inf	3	Vertical	15	1.50
5500MHz_TX	Pass	PK	5.4592G	60.22	74.00	-13.78	3	Vertical	15	1.50
5500MHz_TX	Pass	PK	5.4636G	63.98	68.20	-4.22	3	Vertical	15	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz_TX	Pass	PK	5.5062G	111.00	Inf	-Inf	3	Vertical	15	1.50
5500MHz_TX	Pass	AV	5.4594G	53.75	54.00	-0.25	3	Horizontal	63	1.87
5500MHz_TX	Pass	AV	5.5026G	107.62	Inf	-Inf	3	Horizontal	63	1.87
5500MHz_TX	Pass	PK	5.456G	63.75	74.00	-10.25	3	Horizontal	63	1.87
5500MHz_TX	Pass	PK	5.4696G	67.95	68.20	-0.25	3	Horizontal	63	1.87
5500MHz_TX	Pass	PK	5.503G	115.00	Inf	-Inf	3	Horizontal	63	1.87
5580MHz_TX	Pass	AV	5.448G	50.38	54.00	-3.62	3	Vertical	4	2.45
5580MHz_TX	Pass	AV	5.586G	107.14	Inf	-Inf	3	Vertical	4	2.45
5580MHz_TX	Pass	PK	5.4486G	66.34	74.00	-7.66	3	Vertical	4	2.45
5580MHz_TX	Pass	PK	5.4678G	65.98	68.20	-2.22	3	Vertical	4	2.45
5580MHz_TX	Pass	PK	5.5866G	114.97	Inf	-Inf	3	Vertical	4	2.45
5580MHz_TX	Pass	PK	5.7288G	59.30	68.20	-8.90	3	Vertical	4	2.45
5580MHz_TX	Pass	AV	5.4462G	49.39	54.00	-4.61	3	Horizontal	346	1.50
5580MHz_TX	Pass	AV	5.586G	106.86	Inf	-Inf	3	Horizontal	346	1.50
5580MHz_TX	Pass	PK	5.4474G	64.64	74.00	-9.36	3	Horizontal	346	1.50
5580MHz_TX	Pass	PK	5.466G	64.77	68.20	-3.43	3	Horizontal	346	1.50
5580MHz_TX	Pass	PK	5.586G	115.30	Inf	-Inf	3	Horizontal	346	1.50
5580MHz_TX	Pass	PK	5.7282G	59.26	68.20	-8.94	3	Horizontal	346	1.50
5700MHz_TX	Pass	AV	5.6924G	99.73	Inf	-Inf	3	Vertical	4	1.15
5700MHz_TX	Pass	PK	5.7048G	107.16	Inf	-Inf	3	Vertical	4	1.15
5700MHz_TX	Pass	PK	5.7252G	65.14	68.20	-3.06	3	Vertical	4	1.15
5700MHz_TX	Pass	AV	5.7064G	101.34	Inf	-Inf	3	Horizontal	348	1.50
5700MHz_TX	Pass	PK	5.7064G	109.58	Inf	-Inf	3	Horizontal	348	1.50
5700MHz_TX	Pass	PK	5.7264G	67.91	68.20	-0.29	3	Horizontal	348	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4524G	47.41	54.00	-6.59	3	Vertical	355	2.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7176G	104.44	Inf	-Inf	3	Vertical	355	2.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.444G	56.59	74.00	-17.41	3	Vertical	355	2.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.462G	57.22	68.20	-10.98	3	Vertical	355	2.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7188G	112.09	Inf	-Inf	3	Vertical	355	2.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8592G	60.39	68.20	-7.81	3	Vertical	355	2.94
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.45G	47.57	54.00	-6.43	3	Horizontal	347	1.37
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.726G	107.42	Inf	-Inf	3	Horizontal	347	1.37
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4248G	57.06	74.00	-16.94	3	Horizontal	347	1.37
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4644G	57.35	68.20	-10.85	3	Horizontal	347	1.37
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.726G	115.03	Inf	-Inf	3	Horizontal	347	1.37
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8532G	62.74	68.20	-5.46	3	Horizontal	347	1.37
5745MHz_TX	Pass	AV	5.4558G	47.49	54.00	-6.51	3	Vertical	357	2.25
5745MHz_TX	Pass	AV	5.7498G	106.92	Inf	-Inf	3	Vertical	357	2.25
5745MHz_TX	Pass	PK	5.6274G	59.88	68.20	-8.32	3	Vertical	357	2.25
5745MHz_TX	Pass	PK	5.7498G	114.40	Inf	-Inf	3	Vertical	357	2.25
5745MHz_TX	Pass	PK	5.931G	58.40	68.20	-9.80	3	Vertical	357	2.25
5745MHz_TX	Pass	AV	5.4582G	47.89	54.00	-6.11	3	Horizontal	64	1.92
5745MHz_TX	Pass	AV	5.7462G	110.86	Inf	-Inf	3	Horizontal	64	1.92
5745MHz_TX	Pass	PK	5.6478G	62.30	68.20	-5.90	3	Horizontal	64	1.92
5745MHz_TX	Pass	PK	5.7486G	118.97	Inf	-Inf	3	Horizontal	64	1.92
5745MHz_TX	Pass	PK	5.9322G	58.02	68.20	-10.18	3	Horizontal	64	1.92
5785MHz_TX	Pass	AV	5.7898G	106.17	Inf	-Inf	3	Vertical	15	1.07
5785MHz_TX	Pass	PK	5.6386G	66.92	68.20	-1.28	3	Vertical	15	1.07
5785MHz_TX	Pass	PK	5.7898G	113.67	Inf	-Inf	3	Vertical	15	1.07
5785MHz_TX	Pass	PK	6.0214G	58.41	68.20	-9.79	3	Vertical	15	1.07
5785MHz_TX	Pass	AV	5.791G	107.76	Inf	-Inf	3	Horizontal	347	1.50
5785MHz_TX	Pass	PK	5.6482G	67.49	68.20	-0.71	3	Horizontal	347	1.50
5785MHz_TX	Pass	PK	5.791G	115.73	Inf	-Inf	3	Horizontal	347	1.50
5785MHz_TX	Pass	PK	6.055G	57.90	68.20	-10.30	3	Horizontal	347	1.50
5825MHz_TX	Pass	AV	5.8226G	104.31	Inf	-Inf	3	Vertical	358	1.50
5825MHz_TX	Pass	PK	5.6498G	62.38	68.20	-5.82	3	Vertical	358	1.50
5825MHz_TX	Pass	PK	5.8226G	111.42	Inf	-Inf	3	Vertical	358	1.50
5825MHz_TX	Pass	PK	5.9546G	58.02	68.20	-10.18	3	Vertical	358	1.50
5825MHz_TX	Pass	AV	5.8214G	108.64	Inf	-Inf	3	Horizontal	297	1.85
5825MHz_TX	Pass	PK	5.639G	67.12	68.20	-1.08	3	Horizontal	297	1.85
5825MHz_TX	Pass	PK	5.8214G	115.80	Inf	-Inf	3	Horizontal	297	1.85
5825MHz_TX	Pass	PK	6.0854G	58.00	68.20	-10.20	3	Horizontal	297	1.85



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	50.11	54.00	-3.89	3	Vertical	5	1.50
5180MHz_TX	Pass	AV	5.1854G	102.34	Inf	-Inf	3	Vertical	5	1.50
5180MHz_TX	Pass	PK	5.15G	59.91	74.00	-14.09	3	Vertical	5	1.50
5180MHz_TX	Pass	PK	5.1758G	113.77	Inf	-Inf	3	Vertical	5	1.50
5180MHz_TX	Pass	AV	5.1404G	53.56	54.00	-0.44	3	Horizontal	63	2.21
5180MHz_TX	Pass	AV	5.1858G	108.24	Inf	-Inf	3	Horizontal	63	2.21
5180MHz_TX	Pass	PK	5.1412G	65.49	74.00	-8.51	3	Horizontal	63	2.21
5180MHz_TX	Pass	PK	5.1856G	118.80	Inf	-Inf	3	Horizontal	63	2.21
5200MHz_TX	Pass	AV	5.15G	48.22	54.00	-5.78	3	Vertical	4	1.21
5200MHz_TX	Pass	AV	5.196G	101.36	Inf	-Inf	3	Vertical	4	1.21
5200MHz_TX	Pass	PK	5.146G	65.37	74.00	-8.63	3	Vertical	4	1.21
5200MHz_TX	Pass	PK	5.196G	112.40	Inf	-Inf	3	Vertical	4	1.21
5200MHz_TX	Pass	AV	5.15G	52.62	54.00	-1.38	3	Horizontal	293	1.00
5200MHz_TX	Pass	AV	5.196G	106.99	Inf	-Inf	3	Horizontal	293	1.00
5200MHz_TX	Pass	PK	5.1356G	72.41	74.00	-1.59	3	Horizontal	293	1.00
5200MHz_TX	Pass	PK	5.206G	118.24	Inf	-Inf	3	Horizontal	293	1.00
5240MHz_TX	Pass	AV	5.1488G	48.28	54.00	-5.72	3	Vertical	11	1.81
5240MHz_TX	Pass	AV	5.2454G	102.43	Inf	-Inf	3	Vertical	11	1.81
5240MHz_TX	Pass	AV	5.3642G	48.22	54.00	-5.78	3	Vertical	11	1.81
5240MHz_TX	Pass	PK	5.15G	66.32	74.00	-7.68	3	Vertical	11	1.81
5240MHz_TX	Pass	PK	5.2454G	112.31	Inf	-Inf	3	Vertical	11	1.81
5240MHz_TX	Pass	PK	5.3636G	64.52	74.00	-9.48	3	Vertical	11	1.81
5240MHz_TX	Pass	AV	5.1494G	52.40	54.00	-1.60	3	Horizontal	299	1.00
5240MHz_TX	Pass	AV	5.246G	107.79	Inf	-Inf	3	Horizontal	299	1.00
5240MHz_TX	Pass	AV	5.3654G	50.97	54.00	-3.03	3	Horizontal	299	1.00
5240MHz_TX	Pass	PK	5.1482G	73.68	74.00	-0.32	3	Horizontal	299	1.00
5240MHz_TX	Pass	PK	5.2358G	119.36	Inf	-Inf	3	Horizontal	299	1.00
5240MHz_TX	Pass	PK	5.3654G	70.59	74.00	-3.41	3	Horizontal	299	1.00
5260MHz_TX	Pass	AV	5.143G	47.84	54.00	-6.16	3	Vertical	10	1.76
5260MHz_TX	Pass	AV	5.2648G	103.96	Inf	-Inf	3	Vertical	10	1.76
5260MHz_TX	Pass	AV	5.35G	51.79	54.00	-2.21	3	Vertical	10	1.76
5260MHz_TX	Pass	PK	5.1334G	63.89	74.00	-10.11	3	Vertical	10	1.76
5260MHz_TX	Pass	PK	5.2648G	113.80	Inf	-Inf	3	Vertical	10	1.76
5260MHz_TX	Pass	PK	5.3548G	67.54	74.00	-6.46	3	Vertical	10	1.76
5260MHz_TX	Pass	AV	5.1496G	49.03	54.00	-4.97	3	Horizontal	344	1.28
5260MHz_TX	Pass	AV	5.2684G	106.12	Inf	-Inf	3	Horizontal	344	1.28
5260MHz_TX	Pass	AV	5.353G	53.68	54.00	-0.32	3	Horizontal	344	1.28
5260MHz_TX	Pass	PK	5.1484G	65.46	74.00	-8.54	3	Horizontal	344	1.28
5260MHz_TX	Pass	PK	5.263G	116.51	Inf	-Inf	3	Horizontal	344	1.28
5260MHz_TX	Pass	PK	5.3524G	70.91	74.00	-3.09	3	Horizontal	344	1.28
5300MHz_TX	Pass	AV	5.2952G	100.16	Inf	-Inf	3	Vertical	7	1.50
5300MHz_TX	Pass	AV	5.35G	49.21	54.00	-4.79	3	Vertical	7	1.50
5300MHz_TX	Pass	PK	5.2912G	110.51	Inf	-Inf	3	Vertical	7	1.50
5300MHz_TX	Pass	PK	5.35G	64.03	74.00	-9.97	3	Vertical	7	1.50
5300MHz_TX	Pass	AV	5.3008G	106.72	Inf	-Inf	3	Horizontal	67	2.13
5300MHz_TX	Pass	AV	5.3508G	53.31	54.00	-0.69	3	Horizontal	67	2.13
5300MHz_TX	Pass	PK	5.2956G	117.03	Inf	-Inf	3	Horizontal	67	2.13
5300MHz_TX	Pass	PK	5.3608G	68.63	74.00	-5.37	3	Horizontal	67	2.13
5320MHz_TX	Pass	AV	5.3248G	100.51	Inf	-Inf	3	Vertical	6	1.50
5320MHz_TX	Pass	AV	5.3598G	48.62	54.00	-5.38	3	Vertical	6	1.50
5320MHz_TX	Pass	PK	5.3252G	110.46	Inf	-Inf	3	Vertical	6	1.50
5320MHz_TX	Pass	PK	5.3604G	59.94	74.00	-14.06	3	Vertical	6	1.50
5320MHz_TX	Pass	AV	5.3206G	107.44	Inf	-Inf	3	Horizontal	66	2.09
5320MHz_TX	Pass	AV	5.3606G	52.87	54.00	-1.13	3	Horizontal	66	2.09
5320MHz_TX	Pass	PK	5.3156G	118.73	Inf	-Inf	3	Horizontal	66	2.09
5320MHz_TX	Pass	PK	5.3606G	65.05	74.00	-8.95	3	Horizontal	66	2.09
5500MHz_TX	Pass	AV	5.4594G	50.89	54.00	-3.11	3	Vertical	360	1.50
5500MHz_TX	Pass	AV	5.4946G	99.90	Inf	-Inf	3	Vertical	360	1.50
5500MHz_TX	Pass	PK	5.4596G	62.04	74.00	-11.96	3	Vertical	360	1.50
5500MHz_TX	Pass	PK	5.4696G	63.95	68.20	-4.25	3	Vertical	360	1.50
5500MHz_TX	Pass	PK	5.4946G	109.99	Inf	-Inf	3	Vertical	360	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz_TX	Pass	AV	5.46G	52.90	54.00	-1.10	3	Horizontal	64	1.78
5500MHz_TX	Pass	AV	5.5006G	105.17	Inf	-Inf	3	Horizontal	64	1.78
5500MHz_TX	Pass	PK	5.46G	64.28	74.00	-9.72	3	Horizontal	64	1.78
5500MHz_TX	Pass	PK	5.47G	65.57	68.20	-2.63	3	Horizontal	64	1.78
5500MHz_TX	Pass	PK	5.5056G	115.96	Inf	-Inf	3	Horizontal	64	1.78
5580MHz_TX	Pass	AV	5.46G	48.09	54.00	-5.91	3	Vertical	4	2.37
5580MHz_TX	Pass	AV	5.5782G	105.06	Inf	-Inf	3	Vertical	4	2.37
5580MHz_TX	Pass	PK	5.4408G	64.23	74.00	-9.77	3	Vertical	4	2.37
5580MHz_TX	Pass	PK	5.4678G	65.44	68.20	-2.76	3	Vertical	4	2.37
5580MHz_TX	Pass	PK	5.5878G	115.43	Inf	-Inf	3	Vertical	4	2.37
5580MHz_TX	Pass	PK	5.7294G	59.75	68.20	-8.45	3	Vertical	4	2.37
5580MHz_TX	Pass	AV	5.457G	49.63	54.00	-4.37	3	Horizontal	59	2.16
5580MHz_TX	Pass	AV	5.5758G	108.20	Inf	-Inf	3	Horizontal	59	2.16
5580MHz_TX	Pass	PK	5.4558G	68.20	74.00	-5.80	3	Horizontal	59	2.16
5580MHz_TX	Pass	PK	5.4654G	68.15	68.20	-0.05	3	Horizontal	59	2.16
5580MHz_TX	Pass	PK	5.5758G	118.70	Inf	-Inf	3	Horizontal	59	2.16
5580MHz_TX	Pass	PK	5.7288G	60.30	68.20	-7.90	3	Horizontal	59	2.16
5700MHz_TX	Pass	AV	5.706G	97.40	Inf	-Inf	3	Vertical	4	1.16
5700MHz_TX	Pass	PK	5.7012G	107.06	Inf	-Inf	3	Vertical	4	1.16
5700MHz_TX	Pass	PK	5.7252G	66.66	68.20	-1.54	3	Vertical	4	1.16
5700MHz_TX	Pass	AV	5.698G	98.44	Inf	-Inf	3	Horizontal	349	1.50
5700MHz_TX	Pass	PK	5.7032G	108.93	Inf	-Inf	3	Horizontal	349	1.50
5700MHz_TX	Pass	PK	5.726G	67.72	68.20	-0.48	3	Horizontal	349	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4248G	46.31	54.00	-7.69	3	Vertical	356	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.714G	101.70	Inf	-Inf	3	Vertical	356	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4224G	57.40	74.00	-16.60	3	Vertical	356	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4644G	55.89	68.20	-12.31	3	Vertical	356	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7188G	111.70	Inf	-Inf	3	Vertical	356	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8568G	59.40	68.20	-8.80	3	Vertical	356	1.50
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4488G	46.59	54.00	-7.41	3	Horizontal	348	1.61
5720MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7188G	105.11	Inf	-Inf	3	Horizontal	348	1.61
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4476G	57.39	74.00	-16.61	3	Horizontal	348	1.61
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4692G	56.54	68.20	-11.66	3	Horizontal	348	1.61
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7224G	116.00	Inf	-Inf	3	Horizontal	348	1.61
5720MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8616G	60.77	68.20	-7.43	3	Horizontal	348	1.61
5745MHz_TX	Pass	AV	5.445G	45.44	54.00	-8.56	3	Vertical	12	1.01
5745MHz_TX	Pass	AV	5.7378G	103.72	Inf	-Inf	3	Vertical	12	1.01
5745MHz_TX	Pass	PK	5.6526G	64.95	70.12	-5.17	3	Vertical	12	1.01
5745MHz_TX	Pass	PK	5.7378G	114.71	Inf	-Inf	3	Vertical	12	1.01
5745MHz_TX	Pass	PK	6.045G	58.19	68.20	-10.01	3	Vertical	12	1.01
5745MHz_TX	Pass	AV	5.4594G	46.17	54.00	-7.83	3	Horizontal	62	1.87
5745MHz_TX	Pass	AV	5.751G	107.70	Inf	-Inf	3	Horizontal	62	1.87
5745MHz_TX	Pass	PK	5.6526G	67.04	70.12	-3.08	3	Horizontal	62	1.87
5745MHz_TX	Pass	PK	5.7462G	119.11	Inf	-Inf	3	Horizontal	62	1.87
5745MHz_TX	Pass	PK	5.937G	58.11	68.20	-10.09	3	Horizontal	62	1.87
5785MHz_TX	Pass	AV	5.7826G	103.16	Inf	-Inf	3	Vertical	14	1.01
5785MHz_TX	Pass	PK	5.6362G	66.47	68.20	-1.73	3	Vertical	14	1.01
5785MHz_TX	Pass	PK	5.7826G	113.43	Inf	-Inf	3	Vertical	14	1.01
5785MHz_TX	Pass	PK	5.9602G	58.44	68.20	-9.76	3	Vertical	14	1.01
5785MHz_TX	Pass	AV	5.7778G	104.92	Inf	-Inf	3	Horizontal	346	1.50
5785MHz_TX	Pass	PK	5.6014G	66.88	68.20	-1.32	3	Horizontal	346	1.50
5785MHz_TX	Pass	PK	5.7826G	116.25	Inf	-Inf	3	Horizontal	346	1.50
5785MHz_TX	Pass	PK	6.0382G	58.00	68.20	-10.20	3	Horizontal	346	1.50
5825MHz_TX	Pass	AV	5.819G	102.12	Inf	-Inf	3	Vertical	359	2.95
5825MHz_TX	Pass	PK	5.6402G	66.26	68.20	-1.94	3	Vertical	359	2.95
5825MHz_TX	Pass	PK	5.819G	113.08	Inf	-Inf	3	Vertical	359	2.95
5825MHz_TX	Pass	PK	6.1118G	58.70	68.20	-9.50	3	Vertical	359	2.95
5825MHz_TX	Pass	AV	5.8178G	105.23	Inf	-Inf	3	Horizontal	345	1.23
5825MHz_TX	Pass	PK	5.6474G	66.35	68.20	-1.85	3	Horizontal	345	1.23
5825MHz_TX	Pass	PK	5.8226G	115.47	Inf	-Inf	3	Horizontal	345	1.23
5825MHz_TX	Pass	PK	6.0374G	58.63	68.20	-9.57	3	Horizontal	345	1.23
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz_TX	Pass	AV	5.15G	49.24	54.00	-4.76	3	Vertical	5	1.50
5190MHz_TX	Pass	AV	5.1852G	97.35	Inf	-Inf	3	Vertical	5	1.50
5190MHz_TX	Pass	PK	5.1496G	60.11	74.00	-13.89	3	Vertical	5	1.50
5190MHz_TX	Pass	PK	5.1952G	108.99	Inf	-Inf	3	Vertical	5	1.50
5190MHz_TX	Pass	AV	5.15G	53.48	54.00	-0.52	3	Horizontal	64	2.18
5190MHz_TX	Pass	AV	5.1856G	103.48	Inf	-Inf	3	Horizontal	64	2.18
5190MHz_TX	Pass	PK	5.1452G	64.40	74.00	-9.60	3	Horizontal	64	2.18
5190MHz_TX	Pass	PK	5.1956G	115.38	Inf	-Inf	3	Horizontal	64	2.18
5230MHz_TX	Pass	AV	5.148G	49.00	54.00	-5.00	3	Vertical	17	1.00
5230MHz_TX	Pass	AV	5.2432G	99.93	Inf	-Inf	3	Vertical	17	1.00
5230MHz_TX	Pass	PK	5.1356G	66.23	74.00	-7.77	3	Vertical	17	1.00
5230MHz_TX	Pass	PK	5.2432G	111.35	Inf	-Inf	3	Vertical	17	1.00
5230MHz_TX	Pass	AV	5.1456G	53.41	54.00	-0.59	3	Horizontal	291	1.00
5230MHz_TX	Pass	AV	5.2408G	103.92	Inf	-Inf	3	Horizontal	291	1.00
5230MHz_TX	Pass	PK	5.1492G	70.50	74.00	-3.50	3	Horizontal	291	1.00
5230MHz_TX	Pass	PK	5.2356G	115.20	Inf	-Inf	3	Horizontal	291	1.00
5270MHz_TX	Pass	AV	5.2728G	99.38	Inf	-Inf	3	Vertical	8	1.00
5270MHz_TX	Pass	AV	5.3532G	53.51	54.00	-0.49	3	Vertical	8	1.00
5270MHz_TX	Pass	PK	5.268G	111.23	Inf	-Inf	3	Vertical	8	1.00
5270MHz_TX	Pass	PK	5.3508G	72.14	74.00	-1.86	3	Vertical	8	1.00
5270MHz_TX	Pass	AV	5.2632G	99.47	Inf	-Inf	3	Horizontal	346	1.50
5270MHz_TX	Pass	AV	5.3536G	53.87	54.00	-0.13	3	Horizontal	346	1.50
5270MHz_TX	Pass	PK	5.2584G	110.85	Inf	-Inf	3	Horizontal	346	1.50
5270MHz_TX	Pass	PK	5.3584G	71.14	74.00	-2.86	3	Horizontal	346	1.50
5310MHz_TX	Pass	AV	5.3236G	96.96	Inf	-Inf	3	Vertical	14	1.50
5310MHz_TX	Pass	AV	5.3516G	50.52	54.00	-3.48	3	Vertical	14	1.50
5310MHz_TX	Pass	PK	5.3232G	107.80	Inf	-Inf	3	Vertical	14	1.50
5310MHz_TX	Pass	PK	5.3516G	62.36	74.00	-11.64	3	Vertical	14	1.50
5310MHz_TX	Pass	AV	5.3156G	102.11	Inf	-Inf	3	Horizontal	65	1.78
5310MHz_TX	Pass	AV	5.3556G	53.24	54.00	-0.76	3	Horizontal	65	1.78
5310MHz_TX	Pass	PK	5.3004G	113.21	Inf	-Inf	3	Horizontal	65	1.78
5310MHz_TX	Pass	PK	5.3604G	64.32	74.00	-9.68	3	Horizontal	65	1.78
5510MHz_TX	Pass	AV	5.458G	47.73	54.00	-6.27	3	Vertical	4	1.50
5510MHz_TX	Pass	AV	5.5212G	97.70	Inf	-Inf	3	Vertical	4	1.50
5510MHz_TX	Pass	PK	5.458G	60.39	74.00	-13.61	3	Vertical	4	1.50
5510MHz_TX	Pass	PK	5.466G	62.58	68.20	-5.62	3	Vertical	4	1.50
5510MHz_TX	Pass	PK	5.5064G	108.60	Inf	-Inf	3	Vertical	4	1.50
5510MHz_TX	Pass	AV	5.46G	52.13	54.00	-1.87	3	Horizontal	68	1.50
5510MHz_TX	Pass	AV	5.5004G	99.13	Inf	-Inf	3	Horizontal	68	1.50
5510MHz_TX	Pass	PK	5.452G	63.44	74.00	-10.56	3	Horizontal	68	1.50
5510MHz_TX	Pass	PK	5.47G	65.13	68.20	-3.07	3	Horizontal	68	1.50
5510MHz_TX	Pass	PK	5.5004G	110.37	Inf	-Inf	3	Horizontal	68	1.50
5550MHz_TX	Pass	AV	5.456G	47.82	54.00	-6.18	3	Vertical	3	1.25
5550MHz_TX	Pass	AV	5.5564G	99.11	Inf	-Inf	3	Vertical	3	1.25
5550MHz_TX	Pass	PK	5.4564G	63.20	74.00	-10.80	3	Vertical	3	1.25
5550MHz_TX	Pass	PK	5.4664G	64.13	68.20	-4.07	3	Vertical	3	1.25
5550MHz_TX	Pass	PK	5.5564G	110.36	Inf	-Inf	3	Vertical	3	1.25
5550MHz_TX	Pass	AV	5.4584G	50.02	54.00	-3.98	3	Horizontal	347	1.50
5550MHz_TX	Pass	AV	5.484G	100.62	Inf	-Inf	3	Horizontal	347	1.50
5550MHz_TX	Pass	PK	5.4576G	67.81	74.00	-6.19	3	Horizontal	347	1.50
5550MHz_TX	Pass	PK	5.468G	67.65	68.20	-0.55	3	Horizontal	347	1.50
5550MHz_TX	Pass	PK	5.548G	111.89	Inf	-Inf	3	Horizontal	347	1.50
5670MHz_TX	Pass	AV	5.661G	93.77	Inf	-Inf	3	Vertical	5	1.50
5670MHz_TX	Pass	PK	5.6562G	105.71	Inf	-Inf	3	Vertical	5	1.50
5670MHz_TX	Pass	PK	5.7294G	61.48	68.20	-6.72	3	Vertical	5	1.50
5670MHz_TX	Pass	AV	5.667G	99.23	Inf	-Inf	3	Horizontal	293	1.94
5670MHz_TX	Pass	PK	5.667G	110.14	Inf	-Inf	3	Horizontal	293	1.94
5670MHz_TX	Pass	PK	5.7252G	67.06	68.20	-1.14	3	Horizontal	293	1.94
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4268G	45.91	54.00	-8.09	3	Vertical	354	3.00
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7244G	100.38	Inf	-Inf	3	Vertical	354	3.00
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.452G	59.64	74.00	-14.36	3	Vertical	354	3.00
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.47G	56.69	68.20	-11.51	3	Vertical	354	3.00



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.7148G	111.54	Inf	-Inf	3	Vertical	354	3.00
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8516G	61.17	68.20	-7.03	3	Vertical	354	3.00
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.452G	46.03	54.00	-7.97	3	Horizontal	347	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.7028G	100.99	Inf	-Inf	3	Horizontal	347	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4568G	59.77	74.00	-14.23	3	Horizontal	347	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.47G	60.92	68.20	-7.28	3	Horizontal	347	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.698G	112.59	Inf	-Inf	3	Horizontal	347	1.50
5710MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8576G	62.81	68.20	-5.39	3	Horizontal	347	1.50
5755MHz_TX	Pass	AV	5.4586G	44.41	54.00	-9.59	3	Vertical	11	2.96
5755MHz_TX	Pass	AV	5.7466G	99.03	Inf	-Inf	3	Vertical	11	2.96
5755MHz_TX	Pass	PK	5.6518G	61.94	69.53	-7.59	3	Vertical	11	2.96
5755MHz_TX	Pass	PK	5.7574G	111.13	Inf	-Inf	3	Vertical	11	2.96
5755MHz_TX	Pass	PK	5.9374G	57.97	68.20	-10.23	3	Vertical	11	2.96
5755MHz_TX	Pass	AV	5.4562G	44.35	54.00	-9.65	3	Horizontal	62	2.12
5755MHz_TX	Pass	AV	5.7406G	102.18	Inf	-Inf	3	Horizontal	62	2.12
5755MHz_TX	Pass	PK	5.6506G	67.59	68.64	-1.05	3	Horizontal	62	2.12
5755MHz_TX	Pass	PK	5.7658G	114.47	Inf	-Inf	3	Horizontal	62	2.12
5755MHz_TX	Pass	PK	6.0502G	58.66	68.20	-9.54	3	Horizontal	62	2.12
5795MHz_TX	Pass	AV	5.7854G	96.56	Inf	-Inf	3	Vertical	7	1.14
5795MHz_TX	Pass	PK	5.6462G	65.25	68.20	-2.95	3	Vertical	7	1.14
5795MHz_TX	Pass	PK	5.8058G	108.28	Inf	-Inf	3	Vertical	7	1.14
5795MHz_TX	Pass	PK	6.0158G	58.16	68.20	-10.04	3	Vertical	7	1.14
5795MHz_TX	Pass	AV	5.7878G	100.15	Inf	-Inf	3	Horizontal	346	1.50
5795MHz_TX	Pass	PK	5.5814G	65.88	68.20	-2.32	3	Horizontal	346	1.50
5795MHz_TX	Pass	PK	5.7926G	113.26	Inf	-Inf	3	Horizontal	346	1.50
5795MHz_TX	Pass	PK	6.0266G	58.72	68.20	-9.48	3	Horizontal	346	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.145G	50.95	54.00	-3.05	3	Vertical	4	1.50
5210MHz_TX	Pass	AV	5.2G	94.47	Inf	-Inf	3	Vertical	4	1.50
5210MHz_TX	Pass	AV	5.382G	47.76	54.00	-6.24	3	Vertical	4	1.50
5210MHz_TX	Pass	PK	5.135G	60.18	74.00	-13.82	3	Vertical	4	1.50
5210MHz_TX	Pass	PK	5.205G	104.36	Inf	-Inf	3	Vertical	4	1.50
5210MHz_TX	Pass	PK	5.358G	58.06	74.00	-15.94	3	Vertical	4	1.50
5210MHz_TX	Pass	AV	5.15G	53.80	54.00	-0.20	3	Horizontal	309	2.13
5210MHz_TX	Pass	AV	5.199G	98.67	Inf	-Inf	3	Horizontal	309	2.13
5210MHz_TX	Pass	AV	5.403G	47.80	54.00	-6.20	3	Horizontal	309	2.13
5210MHz_TX	Pass	PK	5.14G	63.12	74.00	-10.88	3	Horizontal	309	2.13
5210MHz_TX	Pass	PK	5.199G	108.73	Inf	-Inf	3	Horizontal	309	2.13
5210MHz_TX	Pass	PK	5.37G	58.17	74.00	-15.83	3	Horizontal	309	2.13
5290MHz_TX	Pass	AV	5.129G	46.58	54.00	-7.42	3	Vertical	13	1.50
5290MHz_TX	Pass	AV	5.303G	93.74	Inf	-Inf	3	Vertical	13	1.50
5290MHz_TX	Pass	AV	5.365G	50.17	54.00	-3.83	3	Vertical	13	1.50
5290MHz_TX	Pass	PK	5.132G	57.18	74.00	-16.82	3	Vertical	13	1.50
5290MHz_TX	Pass	PK	5.298G	103.65	Inf	-Inf	3	Vertical	13	1.50
5290MHz_TX	Pass	PK	5.375G	59.87	74.00	-14.13	3	Vertical	13	1.50
5290MHz_TX	Pass	PK	5.512G	57.79	68.20	-10.41	3	Vertical	13	1.50
5290MHz_TX	Pass	AV	5.15G	46.81	54.00	-7.19	3	Horizontal	64	2.04
5290MHz_TX	Pass	AV	5.301G	99.84	Inf	-Inf	3	Horizontal	64	2.04
5290MHz_TX	Pass	AV	5.354G	53.29	54.00	-0.71	3	Horizontal	64	2.04
5290MHz_TX	Pass	PK	5.133G	57.94	74.00	-16.06	3	Horizontal	64	2.04
5290MHz_TX	Pass	PK	5.305G	109.76	Inf	-Inf	3	Horizontal	64	2.04
5290MHz_TX	Pass	PK	5.354G	62.42	74.00	-11.58	3	Horizontal	64	2.04
5290MHz_TX	Pass	PK	5.49G	58.84	68.20	-9.36	3	Horizontal	64	2.04
5530MHz_TX	Pass	AV	5.35G	45.93	54.00	-8.07	3	Vertical	4	1.50
5530MHz_TX	Pass	AV	5.46G	53.24	54.00	-0.76	3	Vertical	4	1.50
5530MHz_TX	Pass	AV	5.541G	96.40	Inf	-Inf	3	Vertical	4	1.50
5530MHz_TX	Pass	PK	5.313G	56.67	68.20	-11.53	3	Vertical	4	1.50
5530MHz_TX	Pass	PK	5.46G	62.51	74.00	-11.49	3	Vertical	4	1.50
5530MHz_TX	Pass	PK	5.47G	62.93	68.20	-5.27	3	Vertical	4	1.50
5530MHz_TX	Pass	PK	5.552G	106.36	Inf	-Inf	3	Vertical	4	1.50
5530MHz_TX	Pass	PK	5.75G	58.47	68.20	-9.73	3	Vertical	4	1.50
5530MHz_TX	Pass	AV	5.35G	46.75	54.00	-7.25	3	Horizontal	347	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz_TX	Pass	AV	5.457G	53.71	54.00	-0.29	3	Horizontal	347	1.50
5530MHz_TX	Pass	AV	5.543G	98.41	Inf	-Inf	3	Horizontal	347	1.50
5530MHz_TX	Pass	PK	5.349G	57.88	68.20	-10.32	3	Horizontal	347	1.50
5530MHz_TX	Pass	PK	5.445G	63.88	74.00	-10.12	3	Horizontal	347	1.50
5530MHz_TX	Pass	PK	5.468G	64.47	68.20	-3.73	3	Horizontal	347	1.50
5530MHz_TX	Pass	PK	5.538G	108.58	Inf	-Inf	3	Horizontal	347	1.50
5530MHz_TX	Pass	PK	5.767G	58.44	68.20	-9.76	3	Horizontal	347	1.50
5610MHz_TX	Pass	AV	5.459G	47.46	54.00	-6.54	3	Vertical	354	1.50
5610MHz_TX	Pass	AV	5.594G	92.33	Inf	-Inf	3	Vertical	354	1.50
5610MHz_TX	Pass	PK	5.453G	58.95	74.00	-15.05	3	Vertical	354	1.50
5610MHz_TX	Pass	PK	5.468G	58.50	68.20	-9.70	3	Vertical	354	1.50
5610MHz_TX	Pass	PK	5.593G	102.27	Inf	-Inf	3	Vertical	354	1.50
5610MHz_TX	Pass	PK	5.727G	60.86	68.20	-7.34	3	Vertical	354	1.50
5610MHz_TX	Pass	AV	5.46G	48.39	54.00	-5.61	3	Horizontal	62	2.10
5610MHz_TX	Pass	AV	5.641G	99.25	Inf	-Inf	3	Horizontal	62	2.10
5610MHz_TX	Pass	PK	5.455G	62.17	74.00	-11.83	3	Horizontal	62	2.10
5610MHz_TX	Pass	PK	5.468G	60.58	68.20	-7.62	3	Horizontal	62	2.10
5610MHz_TX	Pass	PK	5.621G	108.69	Inf	-Inf	3	Horizontal	62	2.10
5610MHz_TX	Pass	PK	5.732G	67.30	68.20	-0.90	3	Horizontal	62	2.10
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4548G	48.51	54.00	-5.49	3	Vertical	4	1.19
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6816G	97.10	Inf	-Inf	3	Vertical	4	1.19
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.45G	60.55	74.00	-13.45	3	Vertical	4	1.19
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4656G	60.41	68.20	-7.79	3	Vertical	4	1.19
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6804G	107.33	Inf	-Inf	3	Vertical	4	1.19
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8532G	63.26	68.20	-4.94	3	Vertical	4	1.19
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.456G	51.06	54.00	-2.94	3	Horizontal	293	1.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6768G	101.86	Inf	-Inf	3	Horizontal	293	1.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4524G	64.92	74.00	-9.08	3	Horizontal	293	1.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4656G	67.13	68.20	-1.07	3	Horizontal	293	1.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6672G	111.66	Inf	-Inf	3	Horizontal	293	1.93
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8532G	67.71	68.20	-0.49	3	Horizontal	293	1.93
5775MHz_TX	Pass	AV	5.763G	95.24	Inf	-Inf	3	Vertical	8	1.01
5775MHz_TX	Pass	PK	5.6406G	64.21	68.20	-3.99	3	Vertical	8	1.01
5775MHz_TX	Pass	PK	5.7474G	106.03	Inf	-Inf	3	Vertical	8	1.01
5775MHz_TX	Pass	PK	6.069G	59.12	68.20	-9.08	3	Vertical	8	1.01
5775MHz_TX	Pass	AV	5.763G	97.59	Inf	-Inf	3	Horizontal	347	1.37
5775MHz_TX	Pass	PK	5.6406G	66.36	68.20	-1.84	3	Horizontal	347	1.37
5775MHz_TX	Pass	PK	5.763G	109.29	Inf	-Inf	3	Horizontal	347	1.37
5775MHz_TX	Pass	PK	6.039G	58.29	68.20	-9.91	3	Horizontal	347	1.37
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.1408G	48.30	54.00	-5.70	3	Vertical	7	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.31G	88.89	Inf	-Inf	3	Vertical	7	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.3508G	50.19	54.00	-3.81	3	Vertical	7	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.142G	61.40	74.00	-12.60	3	Vertical	7	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3256G	99.52	Inf	-Inf	3	Vertical	7	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3508G	67.34	74.00	-6.66	3	Vertical	7	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.4636G	58.48	68.20	-9.72	3	Vertical	7	1.50
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.15G	50.94	54.00	-3.06	3	Horizontal	65	2.09
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.3112G	95.72	Inf	-Inf	3	Horizontal	65	2.09
5250MHz Straddle 5.15-5.25GHz_TX	Pass	AV	5.3532G	53.20	54.00	-0.80	3	Horizontal	65	2.09
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.15G	64.50	74.00	-9.50	3	Horizontal	65	2.09
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3052G	107.47	Inf	-Inf	3	Horizontal	65	2.09
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.3544G	72.38	74.00	-1.62	3	Horizontal	65	2.09
5250MHz Straddle 5.15-5.25GHz_TX	Pass	PK	5.4924G	60.74	68.20	-7.46	3	Horizontal	65	2.09
5570MHz_TX	Pass	AV	5.4572G	53.52	54.00	-0.48	3	Vertical	3	2.33
5570MHz_TX	Pass	AV	5.5928G	92.60	Inf	-Inf	3	Vertical	3	2.33
5570MHz_TX	Pass	PK	5.3324G	57.37	68.20	-10.83	3	Vertical	3	2.33
5570MHz_TX	Pass	PK	5.4536G	68.72	74.00	-5.28	3	Vertical	3	2.33
5570MHz_TX	Pass	PK	5.4668G	65.85	68.20	-2.35	3	Vertical	3	2.33
5570MHz_TX	Pass	PK	5.6036G	103.76	Inf	-Inf	3	Vertical	3	2.33
5570MHz_TX	Pass	PK	5.7284G	63.56	68.20	-4.64	3	Vertical	3	2.33
5570MHz_TX	Pass	AV	5.4572G	53.41	54.00	-0.59	3	Horizontal	347	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_AI-TP05360_Full RU_4T1S_AP5022FX**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz_TX	Pass	AV	5.5436G	93.88	Inf	-Inf	3	Horizontal	347	1.50
5570MHz_TX	Pass	PK	5.3324G	59.20	68.20	-9.00	3	Horizontal	347	1.50
5570MHz_TX	Pass	PK	5.4572G	68.68	74.00	-5.32	3	Horizontal	347	1.50
5570MHz_TX	Pass	PK	5.468G	66.10	68.20	-2.10	3	Horizontal	347	1.50
5570MHz_TX	Pass	PK	5.5184G	103.68	Inf	-Inf	3	Horizontal	347	1.50
5570MHz_TX	Pass	PK	5.774G	64.45	68.20	-3.75	3	Horizontal	347	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	50.95	54.00	-3.05	2.51	3	Vertical	4	1.50	48.44	33.38	6.66	37.53
AV	5.2G	94.47	Inf	-Inf	2.68	3	Vertical	4	1.50	91.79	33.50	6.71	37.53
AV	5.382G	47.76	54.00	-6.24	2.32	3	Vertical	4	1.50	45.44	33.16	6.70	37.54
PK	5.135G	60.18	74.00	-13.82	2.46	3	Vertical	4	1.50	57.72	33.34	6.65	37.53
PK	5.205G	104.36	Inf	-Inf	2.66	3	Vertical	4	1.50	101.70	33.48	6.71	37.53
PK	5.358G	58.06	74.00	-15.94	2.29	3	Vertical	4	1.50	55.77	33.12	6.70	37.53

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.80	54.00	-0.20	2.54	3	Horizontal	309	2.13	51.26	33.40	6.67	37.53
AV	5.199G	98.67	Inf	-Inf	2.68	3	Horizontal	309	2.13	95.99	33.50	6.71	37.53
AV	5.403G	47.80	54.00	-6.20	2.36	3	Horizontal	309	2.13	45.44	33.20	6.70	37.54
PK	5.14G	63.12	74.00	-10.88	2.49	3	Horizontal	309	2.13	60.63	33.36	6.66	37.53
PK	5.199G	108.73	Inf	-Inf	2.68	3	Horizontal	309	2.13	106.05	33.50	6.71	37.53
PK	5.37G	58.17	74.00	-15.83	2.31	3	Horizontal	309	2.13	55.86	33.14	6.70	37.53