


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407699G	-8.08	6.4666G	-53.08	-48.08	-5.00	1
6.400151G	-8.66	6.4813G	-53.46	-48.66	-4.80	2
6.400551G	-8.05	6.47045G	-51.96	-47.05	-4.91	3
6.411298G	-7.74	6.4706G	-53.13	-47.74	-5.39	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.442601G	-8.15	6.52675G	-53.48	-48.15	-5.33	1
6.440051G	-7.57	6.51655G	-53.44	-47.57	-5.87	2
6.453748G	-7.29	6.3725G	-53.54	-47.29	-6.25	3
6.450099G	-7.78	6.51815G	-53.40	-47.78	-5.62	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

14/01/2026



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

14/01/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9732G	-3.64	5.823G	-50.40	-43.64	-6.76	1
5.9727G	-4.34	5.8102G	-49.96	-44.34	-5.62	2
5.9774G	-3.66	5.7999G	-50.51	-43.66	-6.85	3
5.9739G	-3.91	6.1225G	-50.33	-43.91	-6.42	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

14/01/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2342G	-3.83	6.3727G	-50.46	-43.83	-6.63	1
6.2134G	-3.76	6.3619G	-50.32	-43.76	-6.56	2
6.2174G	-3.53	6.3536G	-50.45	-43.53	-6.92	3
6.21G	-3.34	6.4137G	-50.45	-43.34	-7.11	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

14/01/2026



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

14/01/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16181G	-2.66	5.9398G	-47.54	-42.61	-4.93	1
6.15961G	-2.73	5.942G	-47.47	-42.55	-4.92	2
6.15901G	-1.76	5.9412G	-47.36	-41.51	-5.85	3
6.20759G	-2.11	5.9112G	-47.81	-42.11	-5.70	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

14/01/2026

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36939G	-1.75	6.1004G	-47.24	-41.75	-5.49	1
6.36959G	-2.24	6.0916G	-47.54	-42.24	-5.30	2
6.37199G	-1.77	6.1012G	-47.61	-41.71	-5.90	3
6.37219G	-1.78	6.1002G	-47.58	-41.77	-5.81	4


6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

14/01/2026

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52999G	-2.63	6.8976G	-47.56	-42.63	-4.93	1
6.53359G	-2.87	6.7774G	-47.34	-42.87	-4.47	2
6.48021G	-2.33	6.7542G	-47.62	-42.33	-5.29	3
6.52779G	-2.55	6.7474G	-47.39	-42.38	-5.01	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

14/01/2026

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59002G	-1.98	6.998G	-46.49	-41.98	-4.51	1
6.58922G	-1.81	6.9572G	-46.37	-41.81	-4.56	2
6.58822G	-1.56	6.9898G	-46.81	-41.56	-5.25	3
6.60142G	-1.13	6.997G	-46.60	-41.13	-5.47	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

14/01/2026

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88798G	-1.91	6.5786G	-47.21	-41.85	-5.36	1
6.85039G	-2.53	6.5812G	-47.38	-42.18	-5.20	2
6.84839G	-2.22	6.5808G	-47.10	-41.93	-5.17	3
6.84879G	-2.00	6.5782G	-47.13	-42.00	-5.13	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

14/01/2026

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00959G	-1.17	6.7292G	-45.83	-41.17	-4.66	1
6.95861G	-1.46	6.7396G	-46.36	-41.46	-4.90	2
6.95701G	-0.86	6.7016G	-45.91	-40.86	-5.05	3
7.01039G	-0.84	6.7378G	-45.82	-40.84	-4.98	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

14/01/2026

CF (Hz)
6.105G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13859G	0.20	6.593G	-41.96	-39.58	-2.38	1
6.14139G	-0.41	6.603G	-44.52	-40.41	-4.11	2
6.13939G	0.95	6.6002G	-40.29	-39.05	-1.24	3
6.13139G	0.67	6.5906G	-40.10	-39.12	-0.98	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

14/01/2026

CF (Hz)
6.265G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.22021G	-1.34	6.969G	-45.57	-41.34	-4.23	1
6.16982G	-1.78	6.9946G	-45.40	-41.78	-3.62	2
6.17062G	-1.07	6.7566G	-45.39	-41.07	-4.32	3
6.23061G	-0.87	6.7582G	-45.25	-40.87	-4.38	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52817G	0.07	6.9218G	-41.69	-39.93	-1.76	1
6.46819G	0.16	6.9282G	-42.09	-39.84	-2.25	2
6.47059G	0.66	6.9246G	-41.36	-39.34	-2.02	3
6.45939G	0.76	6.907G	-39.66	-38.86	-0.80	4

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54061G	-0.50	6.0942G	-43.92	-40.50	-3.42	1
6.54861G	-0.94	6.0918G	-44.72	-40.94	-3.78	2
6.54981G	-0.26	6.093G	-44.21	-40.26	-3.95	3
6.53261G	-0.61	6.0942G	-44.17	-40.61	-3.56	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58944G	-1.90	6.0182G	-45.71	-41.90	-3.81	1
6.63903G	-1.59	6.2458G	-45.90	-41.59	-4.31	2
6.63823G	-0.97	6.2562G	-45.48	-40.90	-4.58	3
6.58904G	-1.57	6.2538G	-45.62	-41.57	-4.05	4

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86861G	-0.52	6.4126G	-43.28	-40.52	-2.76	1
6.94939G	-1.67	6.423G	-44.09	-41.20	-2.89	2
6.86861G	-0.21	6.4166G	-42.65	-40.21	-2.44	3
6.86101G	-0.16	6.4154G	-42.68	-40.15	-2.53	4

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.419899G	-9.24	6.39375G	-43.81	-36.76	-7.05	1
6.417399G	-9.19	6.447825G	-56.27	-49.08	-7.19	2
6.421273G	-8.43	6.397675G	-40.06	-32.59	-7.47	3
6.421248G	-9.65	6.4483G	-56.31	-49.65	-6.66	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6435MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.441248G	-8.24	6.478425G	-57.25	-48.24	-9.01	1
6.431276G	-8.32	6.451725G	-39.45	-31.26	-8.19	2
6.4337G	-7.73	6.44935G	-37.28	-29.07	-8.21	3
6.433675G	-8.62	6.41745G	-40.15	-33.13	-7.02	4

6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6475MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6515MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6875MHz_TX

14/01/2026

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.878699G	-6.83	6.8608G	-35.89	-28.61	-7.28	1
6.8762G	-7.36	6.88895G	-36.72	-28.59	-8.13	2
6.872551G	-6.60	6.85845G	-37.60	-29.87	-7.73	3
6.870001G	-6.94	6.85775G	-38.30	-29.34	-8.96	4


6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6895MHz_TX

14/01/2026

CF (Hz)
6.895G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.898699G	-8.48	6.927875G	-55.24	-48.48	-6.76	1
6.8962G	-9.18	6.932075G	-55.59	-49.18	-6.41	2
6.902473G	-8.19	6.936925G	-55.52	-48.19	-7.33	3
6.899924G	-9.25	6.932625G	-55.80	-49.25	-6.55	4

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6995MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

7095MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.397602G	-5.90	6.46765G	-52.24	-45.59	-6.65	1
6.413898G	-6.03	6.47265G	-52.64	-46.03	-6.61	2
6.413898G	-5.43	6.4738G	-52.93	-45.43	-7.50	3
6.413698G	-5.31	6.3676G	-38.30	-32.07	-6.23	4

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6445MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.451248G	-4.81	6.4805G	-36.38	-30.39	-5.99	1
6.453848G	-4.71	6.4811G	-36.83	-28.47	-8.36	2
6.448899G	-4.23	6.48005G	-36.45	-28.89	-7.56	3
6.456197G	-4.50	6.47225G	-33.31	-26.14	-7.17	4

6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6485MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6525MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6885MHz_TX

14/01/2026

CF (Hz)
6.885G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882501G	-4.70	6.94795G	-51.14	-44.70	-6.44	1
6.882351G	-5.64	6.9504G	-51.21	-45.64	-5.57	2
6.871053G	-4.82	6.85075G	-36.17	-29.78	-6.39	3
6.879951G	-5.79	6.952G	-51.72	-45.79	-5.93	4


6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6925MHz_TX

14/01/2026

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.917502G	-4.77	6.99095G	-50.98	-44.77	-6.21	1
6.931448G	-5.76	6.99135G	-51.28	-45.76	-5.52	2
6.928799G	-4.80	6.9908G	-51.31	-44.80	-6.51	3
6.927649G	-5.44	6.9875G	-51.09	-45.44	-5.65	4

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7005MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7085MHz_TX

14/01/2026



5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

14/01/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9724G	-1.07	5.9404G	-28.75	-21.20	-7.55	1
5.9734G	-1.37	6.0287G	-29.78	-21.44	-8.34	2
5.9739G	-1.16	5.9417G	-27.93	-21.28	-6.65	3
5.9687G	-1.62	5.9424G	-27.28	-21.67	-5.61	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

14/01/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2173G	-2.97	6.0757G	-50.19	-42.97	-7.22	1
6.2212G	-2.92	6.3533G	-50.23	-42.92	-7.31	2
6.2121G	-2.52	6.3501G	-50.14	-42.34	-7.80	3
6.2145G	-2.52	6.3923G	-50.36	-42.52	-7.84	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6465MHz_TX

14/01/2026



6.425-6.525GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6545MHz_TX

14/01/2026

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5577G	-2.07	6.4103G	-49.51	-42.07	-7.44	1
6.5291G	-2.05	6.6727G	-49.58	-42.05	-7.53	2
6.5324G	-1.69	6.6824G	-49.37	-41.69	-7.68	3
6.5388G	-2.12	6.6706G	-49.55	-42.12	-7.43	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

14/01/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6168G	-4.46	6.7585G	-49.72	-44.46	-5.26	1
6.6162G	-4.11	6.7706G	-49.66	-44.11	-5.55	2
6.6125G	-3.71	6.761G	-49.73	-43.71	-6.02	3
6.6424G	-4.22	6.4583G	-50.01	-44.22	-5.79	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6865MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6945MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

7025MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6505MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

14/01/2026



6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6825MHz_TX

14/01/2026

CF (Hz)
6.825G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85219G	-0.24	6.5274G	-46.72	-40.24	-6.48	1
6.79701G	-1.00	6.4858G	-47.39	-41.00	-6.39	2
6.85079G	-0.37	6.5262G	-47.32	-40.37	-6.95	3
6.84979G	-0.56	6.5276G	-46.93	-40.56	-6.37	4

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6985MHz_TX

14/01/2026

CF (Hz)
6.985G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00739G	1.13	6.6698G	-41.96	-38.87	-3.09	1
6.96241G	0.32	6.6912G	-42.37	-39.68	-2.69	2
6.96021G	1.62	6.687G	-40.27	-38.38	-1.89	3
6.95761G	1.13	6.7006G	-39.46	-38.45	-1.01	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6105MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13819G	2.94	6.7858G	-42.61	-37.06	-5.55	1
6.15139G	2.18	6.7898G	-43.21	-37.82	-5.39	2
6.13939G	3.53	6.7634G	-40.76	-36.45	-4.31	3
6.13739G	3.71	6.7546G	-41.07	-36.08	-4.99	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6265MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21541G	4.43	6.5666G	-26.59	-15.75	-10.84	1
6.21701G	3.85	6.5686G	-27.55	-16.29	-11.26	2
6.16063G	4.70	6.5766G	-26.46	-15.64	-10.82	3
6.22981G	4.64	6.579G	-24.92	-15.80	-9.12	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6425MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45739G	4.49	6.7626G	-26.49	-15.53	-10.96	1
6.46939G	3.95	6.727G	-25.89	-16.12	-9.77	2
6.46019G	4.59	6.7498G	-24.45	-16.03	-8.42	3
6.47179G	5.04	6.7462G	-22.61	-14.98	-7.63	4

6.425-6.525GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6585MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54941G	4.35	5.7902G	-44.05	-35.65	-8.40	1
6.53701G	3.61	6.9002G	-26.60	-17.26	-9.34	2
6.54861G	4.67	6.865G	-23.66	-15.49	-8.17	3
6.53621G	4.23	6.879G	-24.42	-15.79	-8.63	4

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6745MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6905MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

05/01/2026




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

05/01/2026




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

05/01/2026




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

05/01/2026




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

05/01/2026




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

05/01/2026




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.956402G	-2.51	5.93885G	-30.50	-22.78	-7.72	1
5.967399G	-2.74	6.00305G	-34.13	-26.09	-8.04	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.209099G	-4.13	6.13565G	-50.86	-44.13	-6.73	1
6.199951G	-4.36	6.2762G	-51.02	-44.36	-6.66	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.420046G	-4.73	6.4711G	-50.60	-44.73	-5.87	1
6.410049G	-5.08	6.4798G	-50.66	-45.08	-5.58	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.448599G	-3.48	6.51925G	-50.75	-43.48	-7.27	1
6.450199G	-3.22	6.5209G	-50.36	-43.22	-7.14	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.479401G	-4.48	6.58415G	-50.76	-44.48	-6.28	1
6.490049G	-4.30	6.55115G	-50.58	-44.30	-6.28	2

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538647G	-3.19	6.49115G	-34.91	-28.47	-6.44	1
6.512303G	-3.17	6.6237G	-50.24	-43.17	-7.07	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.562901G	-2.08	6.64115G	-49.63	-42.08	-7.55	1
6.560201G	-2.35	6.60335G	-35.34	-29.64	-5.70	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.669904G	-0.92	6.6554G	-30.99	-22.72	-8.27	1
6.680251G	-1.03	6.648G	-33.49	-27.46	-6.03	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.879801G	-2.98	6.81255G	-49.08	-42.98	-6.10	1
6.877502G	-3.78	6.95025G	-48.73	-43.78	-4.95	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.917452G	-3.61	6.84745G	-48.92	-43.61	-5.31	1
6.929899G	-4.73	6.8521G	-48.96	-44.73	-4.23	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.992603G	-2.80	6.90565G	-48.84	-42.80	-6.04	1
6.991153G	-3.65	6.94345G	-48.87	-43.65	-5.22	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.079901G	-2.69	7.04765G	-34.52	-28.02	-6.50	1
7.078802G	-4.14	7.1162G	-33.34	-25.60	-7.74	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3987G	1.95	6.509G	-45.33	-38.03	-7.30	1
6.3959G	1.53	6.5149G	-45.78	-38.47	-7.31	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4581G	-0.43	6.6376G	-47.22	-40.43	-6.79	1
6.4797G	-1.00	6.641G	-47.10	-41.00	-6.10	2

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

05/01/2026




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

05/01/2026




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0138G	-0.39	6.865G	-45.17	-40.39	-4.78	1
6.99751G	-1.22	6.8763G	-45.98	-41.22	-4.76	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00081G	4.20	6.4232G	-41.87	-35.80	-6.07	1
6.08838G	4.23	6.3488G	-40.55	-35.77	-4.78	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

05/01/2026



6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

05/01/2026

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47941G	5.79	6.9004G	-36.12	-32.17	-3.95	1
6.53119G	5.51	6.658G	-22.01	-14.80	-7.21	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

05/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58942G	5.37	6.5032G	-23.76	-15.47	-8.29	1
6.63181G	4.82	6.8234G	-25.10	-15.56	-9.54	2


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

05/01/2026

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84759G	3.78	7.2186G	-41.36	-34.63	-6.73	1
6.80021G	3.26	7.1594G	-42.05	-36.74	-5.31	2


6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

05/01/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00839G	4.46	6.5876G	-39.33	-35.43	-3.90	1
7.01059G	3.51	6.5858G	-41.69	-36.49	-5.20	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

05/01/2026




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

05/01/2026



6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

05/01/2026



5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

05/01/2026

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.421223G	-10.88	6.462925G	-55.34	-50.88	-4.46	1
6.410026G	-10.33	6.4514G	-55.07	-50.33	-4.74	2
6.421198G	-10.50	6.4482G	-54.87	-50.50	-4.37	3
6.422498G	-10.76	6.448975G	-54.92	-50.76	-4.16	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

05/01/2026

CF (Hz)
6.435G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.438724G	-10.87	6.472675G	-54.98	-50.87	-4.11	1
6.439974G	-10.48	6.468825G	-54.36	-50.48	-3.88	2
6.441223G	-9.83	6.46995G	-55.09	-49.83	-5.26	3
6.432401G	-11.43	6.468225G	-54.82	-51.43	-3.39	4

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

05/01/2026




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

05/01/2026




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

05/01/2026




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.989976G	-9.55	6.961G	-52.91	-49.55	-3.36	1
6.9937G	-10.25	6.949475G	-53.24	-50.25	-2.99	2
6.997399G	-9.83	6.961275G	-53.64	-49.83	-3.81	3
6.999974G	-10.36	6.9454G	-53.27	-50.36	-2.91	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.088702G	-10.61	7.11G	-39.67	-31.75	-7.92	1
7.100024G	-11.46	7.1097G	-40.79	-33.35	-7.44	2
7.099974G	-10.96	7.109725G	-40.43	-33.06	-7.37	3
7.088727G	-11.47	7.076525G	-43.92	-36.99	-6.93	4

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

05/01/2026




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

05/01/2026




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TX

05/01/2026




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

05/01/2026




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

05/01/2026



6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

05/01/2026

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.999901G	-5.88	6.94335G	-49.29	-45.88	-3.41	1
6.990104G	-6.68	6.9318G	-49.33	-46.68	-2.65	2
6.996552G	-5.73	6.9254G	-49.57	-45.73	-3.84	3
6.999951G	-6.31	6.94295G	-49.36	-46.31	-3.05	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

05/01/2026

CF (Hz)
7.085G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.071053G	-7.40	7.0479G	-38.39	-32.84	-5.55	1
7.080051G	-7.98	7.05005G	-38.53	-31.29	-7.24	2
7.072353G	-7.26	7.1109G	-34.68	-27.33	-7.35	3
7.071053G	-7.94	7.04735G	-39.29	-33.07	-6.22	4

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

05/01/2026



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

05/01/2026

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3941G	-3.13	6.5205G	-47.95	-43.13	-4.82	1
6.3929G	-3.68	6.5094G	-47.65	-43.68	-3.97	2
6.3926G	-3.50	6.5362G	-48.19	-43.50	-4.69	3
6.3975G	-3.22	6.5131G	-47.94	-43.22	-4.72	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

05/01/2026

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4769G	-4.38	6.6586G	-47.36	-44.38	-2.98	1
6.4589G	-4.80	6.6456G	-47.44	-44.80	-2.64	2
6.4754G	-4.18	6.6575G	-47.54	-44.18	-3.36	3
6.4812G	-4.55	6.6371G	-47.78	-44.55	-3.23	4

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TX

05/01/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

05/01/2026



6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

05/01/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691G	-4.25	6.868G	-46.26	-44.25	-2.01	1
6.7202G	-4.52	6.8697G	-46.47	-44.52	-1.95	2
6.7187G	-3.76	6.8524G	-46.65	-43.76	-2.89	3
6.6933G	-3.87	6.8782G	-46.33	-43.87	-2.46	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

05/01/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7697G	-4.16	6.9463G	-46.73	-44.16	-2.57	1
6.7961G	-3.92	6.977G	-46.81	-43.92	-2.89	2
6.8018G	-4.17	6.9458G	-46.85	-44.17	-2.68	3
6.75651G	-4.33	6.965G	-46.75	-44.33	-2.42	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

05/01/2026




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

05/01/2026




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

05/01/2026




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53159G	0.85	6.811G	-42.45	-39.15	-3.30	1
6.53379G	0.52	6.7982G	-43.31	-39.48	-3.83	2
6.48021G	0.86	6.7774G	-42.34	-39.14	-3.20	3
6.52759G	0.82	6.7904G	-42.69	-39.18	-3.51	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58902G	-1.50	6.99G	-44.66	-41.50	-3.16	1
6.63601G	-1.47	6.9146G	-44.62	-41.47	-3.15	2
6.59942G	-1.57	6.923G	-44.75	-41.57	-3.18	3
6.58902G	-0.85	6.9946G	-44.46	-40.85	-3.61	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85299G	1.46	6.529G	-44.20	-38.54	-5.66	1
6.79801G	0.30	6.5598G	-45.25	-39.68	-5.57	2
6.85219G	0.64	6.5514G	-45.23	-39.36	-5.87	3
6.84999G	1.21	6.5356G	-44.49	-38.79	-5.70	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00839G	0.86	6.7078G	-43.19	-39.14	-4.05	1
7.01039G	-0.50	6.7208G	-43.69	-40.50	-3.19	2
6.95641G	0.58	6.698G	-40.94	-39.42	-1.52	3
7.00819G	0.55	6.711G	-42.97	-39.45	-3.52	4

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

05/01/2026




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6425MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47059G	-0.59	6.9186G	-42.12	-40.59	-1.53	1
6.46819G	-0.49	6.9146G	-42.22	-40.49	-1.73	2
6.46819G	-0.17	6.9118G	-41.46	-40.05	-1.41	3
6.45979G	-0.21	6.9146G	-41.47	-40.20	-1.27	4

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6585MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.54141G	0.56	6.0686G	-41.25	-39.44	-1.81	1
6.53461G	-0.11	6.1002G	-41.22	-40.04	-1.18	2
6.54101G	0.73	6.1018G	-40.44	-38.89	-1.55	3
6.55301G	0.47	6.0466G	-41.58	-39.53	-2.05	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6745MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60184G	-1.17	6.2166G	-43.29	-41.17	-2.12	1
6.63983G	-1.46	6.2238G	-43.63	-41.46	-2.17	2
6.60823G	-0.44	6.2554G	-43.13	-40.44	-2.69	3
6.70861G	-0.99	6.2278G	-43.12	-40.99	-2.13	4

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

MASK

6905MHz_TX

05/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87181G	1.68	6.1538G	-42.64	-38.32	-4.32	1
6.94859G	0.08	6.417G	-40.21	-39.89	-0.32	2
6.87141G	1.66	6.3146G	-38.98	-38.04	-0.94	3
6.85501G	1.86	6.1126G	-42.72	-34.83	-7.89	4

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

15/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

15/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

15/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

15/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

15/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

15/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

15/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

15/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

15/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

15/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

15/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

15/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

15/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

15/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

15/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

15/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

15/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

15/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

15/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957524G	9.02	5.98015G	-19.06	-11.01	-8.05	1
5.9537G	8.32	5.977025G	-17.99	-11.72	-6.27	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

15/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.192401G	7.26	6.17315G	-23.10	-12.91	-10.19	1
6.1937G	6.88	6.1457G	-38.11	-32.45	-5.66	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

15/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.410001G	4.82	6.448075G	-35.98	-35.18	-0.80	1
6.4137G	4.35	6.447075G	-39.12	-35.45	-3.67	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

15/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.541348G	7.12	6.512725G	-20.94	-12.94	-8.00	1
6.5344G	6.26	6.55625G	-22.70	-14.58	-8.12	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

15/01/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697549G	6.32	6.645925G	-37.21	-30.13	-7.08	1
6.6937G	6.23	6.7449G	-38.31	-31.96	-6.35	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

15/01/2026

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852451G	7.30	6.835925G	-19.47	-12.70	-6.77	1
6.853825G	6.22	6.812075G	-38.27	-32.60	-5.67	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

15/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958802G	4.71	6.0612G	-41.53	-34.93	-6.60	1
5.972498G	4.00	6.0444G	-40.29	-35.35	-4.94	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

15/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.209599G	6.81	6.2434G	-20.40	-13.20	-7.20	1
6.213798G	6.05	6.2477G	-24.14	-13.98	-10.16	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

15/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.399301G	5.45	6.4742G	-39.15	-34.55	-4.60	1
6.408999G	4.92	6.47755G	-41.15	-34.81	-6.34	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

15/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.557752G	8.66	6.6089G	-18.78	-11.35	-7.43	1
6.561251G	7.99	6.60765G	-20.49	-12.10	-8.39	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

15/01/2026

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.678052G	5.34	6.73235G	-23.08	-14.95	-8.13	1
6.676152G	4.91	6.7844G	-39.17	-33.24	-5.93	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

15/01/2026

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849499G	6.93	6.88975G	-19.81	-13.10	-6.71	1
6.853598G	5.55	6.9439G	-39.07	-32.38	-6.69	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

16/01/2026



6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

16/01/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7189G	4.79	6.891G	-36.98	-35.19	-1.79	1
6.6916G	4.77	6.9046G	-39.52	-34.18	-5.34	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

16/01/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.75451G	5.12	6.8779G	-23.44	-15.41	-8.03	1
6.7926G	4.95	6.9274G	-35.44	-34.93	-0.51	2


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

16/01/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99721G	6.87	6.185G	-18.44	-13.54	-4.90	1
6.04979G	7.16	6.1904G	-18.67	-13.62	-5.05	2


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

16/01/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15941G	5.74	6.372G	-24.31	-15.73	-8.58	1
6.16041G	5.63	6.384G	-25.25	-16.42	-8.83	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

16/01/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37259G	7.14	6.5092G	-21.36	-13.46	-7.90	1
6.36899G	6.08	6.745G	-39.70	-32.61	-7.09	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

16/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58922G	3.09	6.3154G	-39.53	-36.42	-3.11	1
6.63781G	2.95	6.9996G	-38.28	-36.15	-2.13	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

16/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957449G	1.99	5.9882G	-46.47	-38.01	-8.46	1
5.957474G	1.20	5.9877G	-45.10	-38.04	-7.06	2
5.961273G	1.62	5.988725G	-47.14	-38.27	-8.87	3
5.957474G	2.16	5.987525G	-42.91	-37.76	-5.15	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

16/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.199949G	1.36	6.174925G	-31.44	-24.46	-6.98	1
6.187477G	1.17	6.17405G	-32.85	-24.76	-8.09	2
6.188777G	1.89	6.1745G	-31.64	-24.51	-7.13	3
6.201223G	2.15	6.20965G	-27.76	-18.83	-8.93	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

16/01/2026

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407502G	1.91	6.393725G	-32.37	-25.91	-6.46	1
6.422498G	1.01	6.3962G	-31.12	-24.46	-6.66	2
6.411251G	1.75	6.39525G	-30.89	-24.64	-6.25	3
6.41625G	1.89	6.394875G	-31.14	-24.57	-6.57	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

16/01/2026

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532476G	3.30	6.5678G	-40.78	-36.66	-4.12	1
6.538749G	1.74	6.5025G	-45.37	-38.25	-7.12	2
6.540024G	2.70	6.56775G	-43.68	-37.30	-6.38	3
6.539924G	3.61	6.51425G	-30.36	-23.39	-6.97	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

16/01/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.956202G	3.26	6.034G	-41.72	-36.74	-4.98	1
5.960001G	3.31	6.04515G	-44.59	-36.69	-7.90	2
5.956102G	3.68	6.0345G	-41.52	-36.08	-5.44	3
5.967699G	3.60	6.0397G	-41.62	-36.38	-5.24	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

16/01/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.207499G	5.33	6.27825G	-36.14	-34.67	-1.47	1
6.209999G	5.09	6.28265G	-39.09	-34.65	-4.44	2
6.198752G	5.39	6.2777G	-38.79	-34.42	-4.37	3
6.198952G	5.95	6.30405G	-40.65	-32.57	-8.08	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

16/01/2026

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409799G	5.06	6.46695G	-36.30	-34.89	-1.41	1
6.409849G	4.57	6.47745G	-39.13	-35.43	-3.70	2
6.416347G	5.40	6.48585G	-36.20	-31.95	-4.25	3
6.407199G	6.24	6.4432G	-21.93	-13.76	-8.17	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

16/01/2026

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.568699G	8.98	6.5176G	-20.14	-11.17	-8.97	1
6.570149G	7.85	6.6082G	-19.72	-12.76	-6.96	2
6.556602G	8.67	6.60845G	-18.89	-11.38	-7.51	3
6.558852G	9.14	6.6135G	-19.21	-10.92	-8.29	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

16/01/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9773G	4.87	6.1089G	-35.05	-34.89	-0.16	1
5.9763G	3.98	6.121G	-38.18	-36.02	-2.16	2
5.972G	4.93	6.1135G	-35.72	-35.07	-0.65	3
5.9725G	4.83	6.1388G	-37.00	-35.17	-1.83	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

16/01/2026

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2135G	5.62	6.372G	-34.68	-34.34	-0.34	1
6.2166G	5.12	6.3707G	-34.86	-34.68	-0.18	2
6.2139G	5.62	6.4G	-38.54	-34.20	-4.34	3
6.2086G	6.32	6.4004G	-34.15	-33.68	-0.47	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94962G	3.15	6.3382G	-37.63	-36.85	-0.78	1
6.04859G	3.40	6.3262G	-37.31	-36.60	-0.71	2
6.05099G	3.06	6.3292G	-36.94	-36.85	-0.09	3
6.08878G	3.20	6.3362G	-37.41	-36.80	-0.61	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20999G	5.57	6.5822G	-35.36	-32.66	-2.70	1
6.16121G	5.25	6.5742G	-35.53	-34.75	-0.78	2
6.15461G	6.06	6.5846G	-35.26	-32.37	-2.89	3
6.20999G	6.32	6.5804G	-34.55	-27.63	-6.92	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36899G	6.54	6.7438G	-35.47	-31.61	-3.86	1
6.37479G	5.82	6.7244G	-35.25	-34.17	-1.08	2
6.36759G	6.03	6.7228G	-35.29	-33.87	-1.42	3
6.36979G	7.07	6.7446G	-34.69	-28.75	-5.94	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

16/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58922G	2.58	6.2684G	-43.70	-32.55	-11.15	1
6.64161G	2.59	6.2688G	-45.18	-36.38	-8.80	2
6.64161G	2.89	6.956G	-39.51	-36.70	-2.81	3
6.60222G	3.18	6.8432G	-26.50	-18.13	-8.37	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

16/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.952476G	5.72	5.97525G	-22.08	-14.39	-7.69	1
5.958849G	5.23	6.004825G	-38.60	-32.27	-6.33	2
5.953675G	5.55	6.003925G	-38.13	-31.40	-6.73	3
5.948752G	6.30	5.975575G	-20.72	-13.71	-7.01	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

16/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197424G	4.22	6.226875G	-40.65	-35.78	-4.87	1
6.193625G	4.09	6.227225G	-39.23	-35.70	-3.53	2
6.201198G	4.63	6.228175G	-39.94	-35.37	-4.57	3
6.189951G	5.13	6.228G	-37.28	-34.87	-2.41	4

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

16/01/2026

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.698799G	6.00	6.673675G	-21.43	-14.08	-7.35	1
6.688802G	5.49	6.672925G	-24.25	-14.91	-9.34	2
6.69365G	6.05	6.675225G	-22.23	-14.05	-8.18	3
6.699899G	6.66	6.72095G	-24.93	-13.40	-11.53	4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

16/01/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849976G	7.02	6.8336G	-20.66	-13.28	-7.38	1
6.861223G	6.06	6.8934G	-36.45	-33.94	-2.51	2
6.857374G	6.66	6.90485G	-37.69	-31.33	-6.36	3
6.852451G	7.78	6.829575G	-22.75	-11.72	-11.03	4

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

16/01/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.679551G	8.33	6.6346G	-20.91	-11.75	-9.16	1
6.690249G	7.62	6.64325G	-19.18	-12.62	-6.56	2
6.679801G	8.61	6.73275G	-20.04	-11.52	-8.52	3
6.680401G	9.24	6.6343G	-20.18	-10.78	-9.40	4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

16/01/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.839001G	9.26	6.89565G	-20.39	-10.85	-9.54	1
6.850299G	7.97	6.88635G	-20.80	-12.52	-8.28	2
6.835702G	8.97	6.8929G	-19.99	-11.10	-8.89	3
6.849599G	8.93	6.89325G	-19.05	-11.38	-7.67	4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

16/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

16/01/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

17/01/2026




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

17/01/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6105MHz_TX

17/01/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13819G	4.30	6.7918G	-39.11	-35.70	-3.41	1
6.15099G	3.53	6.7474G	-40.53	-36.47	-4.06	2
6.07181G	4.92	6.903G	-39.76	-34.07	-5.69	3
6.15059G	5.23	6.861G	-37.97	-34.75	-3.22	4


5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6265MHz_TX

17/01/2026

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23301G	4.87	6.5778G	-25.79	-15.30	-10.49	1
6.16183G	3.98	5.959G	-26.32	-16.07	-10.25	2
6.16183G	4.98	6.5658G	-24.46	-15.07	-9.39	3
6.23261G	4.85	6.5822G	-23.82	-15.19	-8.63	4