


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Y_4TX
Setting 57
01-C-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0535G	105.23	Inf	-Inf	91.81	3	Horizontal	188	1.80	-	36.22	9.93	32.73
AV	7.014G	97.25	Inf	-Inf	84.10	3	Horizontal	188	1.80	-	36.06	9.83	32.74
PK	7.129G	59.47	88.20	-28.73	45.38	3	Horizontal	188	1.80	-	36.67	10.12	32.70
RMS	7.129G	50.74	68.20	-17.46	36.65	3	Horizontal	188	1.80	-	36.67	10.12	32.70
PK	7.2555G	55.83	74.00	-18.17	41.11	3	Horizontal	188	1.80	-	37.09	10.28	32.65
AV	7.254G	46.26	54.00	-7.74	31.54	3	Horizontal	188	1.80	-	37.09	10.28	32.65

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 68
01-C-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9962G	111.32	Inf	-Inf	98.29	3	Vertical	184	1.80	-	35.99	9.79	32.75
RMS	7.0162G	100.87	Inf	-Inf	87.72	3	Vertical	184	1.80	-	36.06	9.83	32.74
PK	7.2202G	67.24	88.20	-20.96	52.58	3	Vertical	184	1.80	-	37.04	10.29	32.67
RMS	7.1258G	57.25	68.20	-10.95	43.19	3	Vertical	184	1.80	-	36.65	10.11	32.70

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 68
01-C-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0106G	108.76	Inf	-Inf	95.65	3	Horizontal	180	1.80	-	36.04	9.82	32.75			
RMS	7.011G	99.25	Inf	-Inf	86.14	3	Horizontal	180	1.80	-	36.04	9.82	32.75			
PK	7.189G	66.14	88.20	-22.06	51.59	3	Horizontal	180	1.80	-	36.96	10.27	32.68			
RMS	7.125G	57.02	68.20	-11.18	42.96	3	Horizontal	180	1.80	-	36.65	10.11	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
Setting 73
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9278G	99.08	Inf	-Inf	85.96	3	Vertical	353	1.80	-	35.94	9.88	32.70			
AV	6.9102G	89.86	Inf	-Inf	76.66	3	Vertical	353	1.80	-	35.98	9.90	32.68			
PK	7.128G	67.64	88.20	-20.56	53.55	3	Vertical	353	1.80	-	36.67	10.12	32.70			
RMS	7.1302G	56.85	68.20	-11.35	42.75	3	Vertical	353	1.80	-	36.68	10.12	32.70			
PK	7.2644G	59.29	74.00	-14.71	44.60	3	Vertical	353	1.80	-	37.07	10.27	32.65			
AV	7.25G	49.41	54.00	-4.59	34.68	3	Vertical	353	1.80	-	37.10	10.28	32.65			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Y_1TX
Setting 73
01-C-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9421G	105.25	Inf	-Inf	92.18	3	Horizontal	6	1.00	-	35.92	9.86	32.71			
AV	6.9234G	95.79	Inf	-Inf	82.64	3	Horizontal	6	1.00	-	35.95	9.89	32.69			
PK	7.1324G	73.46	88.20	-14.74	59.34	3	Horizontal	6	1.00	-	36.69	10.13	32.70			
RMS	7.1258G	62.18	68.20	-6.02	48.12	3	Horizontal	6	1.00	-	36.65	10.11	32.70			
PK	7.271G	65.20	74.00	-8.80	50.52	3	Horizontal	6	1.00	-	37.06	10.27	32.65			
AV	7.25G	53.55	54.00	-0.45	38.83	3	Horizontal	6	1.00	-	37.10	10.28	32.66			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 70
01-C-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.906G	105.56	Inf	-Inf	92.52	3	Vertical	198	3.00	-	35.90	9.85	32.71
AV	6.906G	96.76	Inf	-Inf	83.56	3	Vertical	198	3.00	-	35.98	9.90	32.68
PK	7.145G	74.34	88.20	-13.86	60.10	3	Vertical	198	3.00	-	36.77	10.16	32.69
RMS	7.125G	61.51	68.20	-6.69	47.45	3	Vertical	198	3.00	-	36.65	10.11	32.70
PK	7.2602G	63.90	74.00	-10.10	49.19	3	Vertical	198	3.00	-	37.08	10.28	32.65
AV	7.25G	53.77	54.00	-0.23	39.05	3	Vertical	198	3.00	-	37.10	10.28	32.66

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 70
01-C-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.953G	104.53	Inf	-Inf	91.49	3	Horizontal	172	1.80	-	35.91	9.85	32.72
AV	6.9202G	94.92	Inf	-Inf	81.76	3	Horizontal	172	1.80	-	35.96	9.89	32.69
PK	7.1314G	73.70	88.20	-14.50	59.58	3	Horizontal	172	1.80	-	36.69	10.13	32.70
RMS	7.1258G	59.73	68.20	-8.47	45.67	3	Horizontal	172	1.80	-	36.65	10.11	32.70
PK	7.261G	64.34	74.00	-9.66	49.63	3	Horizontal	172	1.80	-	37.08	10.28	32.65
AV	7.2602G	51.70	54.00	-2.30	36.99	3	Horizontal	172	1.80	-	37.08	10.28	32.65

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 67
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9314G	109.10	Inf	-Inf	95.98	3	Vertical	186	1.80	-	35.94	9.88	32.70				
AV	7.001G	99.24	Inf	-Inf	86.20	3	Vertical	186	1.80	-	36.00	9.79	32.75				
PK	7.257G	64.73	74.00	-9.27	50.01	3	Vertical	186	1.80	-	37.09	10.28	32.65				
AV	7.2522G	53.81	54.00	-0.19	39.08	3	Vertical	186	1.80	-	37.10	10.28	32.65				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 67
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9242G	109.25	Inf	-Inf	96.11	3	Horizontal	186	1.80	-	35.95	9.88	32.69			
AV	6.909G	99.55	Inf	-Inf	86.35	3	Horizontal	186	1.80	-	35.98	9.90	32.68			
PK	7.269G	63.08	74.00	-10.92	48.40	3	Horizontal	186	1.80	-	37.06	10.27	32.65			
AV	7.273G	53.57	54.00	-0.43	38.90	3	Horizontal	186	1.80	-	37.05	10.27	32.65			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 69
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	7.0018G	108.60	Inf	-Inf	95.55	3	Vertical	196	1.80	-	36.01	9.79	32.75					
AV	6.9602G	97.83	Inf	-Inf	84.79	3	Vertical	196	1.80	-	35.92	9.84	32.72					
PK	7.2618G	66.92	74.00	-7.08	52.21	3	Vertical	196	1.80	-	37.08	10.28	32.65					
AV	7.2626G	53.14	54.00	-0.86	38.45	3	Vertical	196	1.80	-	37.07	10.27	32.65					

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX



EUT_Y_4TX
Setting 69
01-C-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0098G	104.89	Inf	-Inf	91.79	3	Horizontal	177	1.80	-	36.04	9.81	32.75			
AV	6.9586G	95.53	Inf	-Inf	82.49	3	Horizontal	177	1.80	-	35.92	9.84	32.72			
PK	7.2514G	64.92	74.00	-9.08	50.19	3	Horizontal	177	1.80	-	37.10	10.28	32.65			
AV	7.25G	51.47	54.00	-2.53	36.74	3	Horizontal	177	1.80	-	37.10	10.28	32.65			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.125G	67.48	68.20	-0.72	3	Vertical	204	2.91	-

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_Y_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1838G	67.47	88.20	-20.73	60.39	3	Vertical	225	1.80	-	39.70	12.97	45.59			
RMS	13.1904G	54.22	68.20	-13.98	47.12	3	Vertical	225	1.80	-	39.70	12.97	45.57			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_V_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1902G	64.66	88.20	-23.54	57.56	3	Horizontal	209	1.97	-	39.70	12.97	45.57			
RMS	13.19G	52.59	68.20	-15.61	45.49	3	Horizontal	209	1.97	-	39.70	12.97	45.57			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_V_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7874G	44.81	83.54	-38.73	39.63	1	Vertical	148	1.73	-	37.50	16.59	48.91			
AV	19.7854G	33.29	63.54	-30.25	28.11	1	Vertical	148	1.73	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_Y_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7924G	49.62	83.54	-33.92	44.45	1	Horizontal	178	1.79	-	37.50	16.59	48.92			
AV	19.789G	37.87	63.54	-25.67	32.70	1	Horizontal	178	1.79	-	37.50	16.59	48.92			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 74
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3788G	65.76	74.00	-8.24	57.77	3	Vertical	226	2.10	-	40.22	13.00	45.23			
AV	13.388G	53.27	54.00	-0.73	45.22	3	Vertical	226	2.10	-	40.25	13.01	45.21			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 74
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3792G	64.86	74.00	-9.14	56.87	3	Horizontal	149	1.90	-	40.22	13.00	45.23			
AV	13.3884G	52.31	54.00	-1.69	44.26	3	Horizontal	149	1.90	-	40.25	13.01	45.21			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 74
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08G	45.63	83.54	-37.91	40.66	1	Vertical	133	1.56	-	37.26	16.69	48.98			
AV	20.0946G	33.51	63.54	-30.03	28.49	1	Vertical	133	1.56	-	37.29	16.71	48.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 74
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0814G	46.12	83.54	-37.42	41.15	1	Horizontal	39	1.40	-	37.26	16.69	48.98			
AV	20.0846G	35.04	63.54	-28.50	30.05	1	Horizontal	39	1.40	-	37.27	16.70	48.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7492G	69.42	88.20	-18.78	60.62	3	Vertical	132	2.00	-	40.80	13.06	45.06			
RMS	13.7499G	57.01	68.20	-11.19	48.21	3	Vertical	132	2.00	-	40.80	13.06	45.06			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7539G	65.04	88.20	-27.16	52.24	3	Horizontal	137	1.50	-	40.81	13.06	45.07			
RMS	13.7484G	54.25	68.20	-18.95	40.45	3	Horizontal	137	1.50	-	40.80	13.06	45.06			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_V_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6334G	51.55	83.54	-31.99	45.62	1	Vertical	89	1.86	-	37.63	17.20	48.90			
AV	20.6302G	35.66	63.54	-27.88	29.73	1	Vertical	89	1.86	-	37.64	17.19	48.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Y_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6276G	50.49	83.54	-33.05	44.56	1	Horizontal	137	1.84	-	37.64	17.19	48.90			
AV	20.6246G	38.86	63.54	-24.68	32.92	1	Horizontal	137	1.84	-	37.65	17.19	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 38
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1028G	113.31	Inf	-Inf	99.64	3	Vertical	13	1.94	-	35.61	8.95	30.89			
RMS	7.1028G	104.86	Inf	-Inf	91.19	3	Vertical	13	1.94	-	35.61	8.95	30.89			
PK	7.1258G	65.65	88.20	-22.55	51.88	3	Vertical	13	1.94	-	35.70	8.96	30.89			
RMS	7.1258G	55.71	68.20	-12.49	41.94	3	Vertical	13	1.94	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
Setting 38
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0998G	112.81	Inf	-Inf	99.15	3	Horizontal	5	1.46	-	35.60	8.95	30.89			
RMS	7.0986G	103.29	Inf	-Inf	89.64	3	Horizontal	5	1.46	-	35.59	8.95	30.89			
PK	7.126G	65.70	88.20	-22.50	51.93	3	Horizontal	5	1.46	-	35.70	8.96	30.89			
RMS	7.1256G	55.90	68.20	-12.30	42.13	3	Horizontal	5	1.46	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78504G	72.75	88.20	-15.45	63.88	3	Vertical	140	2.60	-	40.87	13.07	45.07			
RMS	13.78704G	59.79	68.20	-8.41	50.92	3	Vertical	140	2.60	-	40.87	13.07	45.07			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 85
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78656G	68.91	88.20	-19.29	60.04	3	Horizontal	295	1.92	-	40.87	13.07	45.07			
RMS	13.79696G	50.47	68.20	-17.73	41.59	3	Horizontal	295	1.92	-	40.89	13.07	45.08			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 85
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6834G	49.86	83.54	-33.68	43.99	1	Vertical	335	1.54	-	37.53	17.24	48.90			
AV	20.6844G	38.17	63.54	-25.37	32.30	1	Vertical	335	1.54	-	37.53	17.24	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_V_4TX
Setting 85
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6778G	49.25	83.54	-34.29	43.37	1	Horizontal	176	1.81	-	37.54	17.24	48.90			
AV	20.6852G	37.79	63.54	-25.75	31.92	1	Horizontal	176	1.81	-	37.53	17.24	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 82
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.98664G	73.81	88.20	-14.39	64.38	3	Vertical	136	2.40	-	41.45	13.10	45.12			
RMS	13.98888G	62.43	68.20	-5.77	52.99	3	Vertical	136	2.40	-	41.46	13.10	45.12			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 82
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99128G	65.60	88.20	-22.60	56.15	3	Horizontal	264	1.92	-	41.47	13.10	45.12			
RMS	13.98904G	54.47	68.20	-13.73	45.03	3	Horizontal	264	1.92	-	41.46	13.10	45.12			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_V_4TX
Setting 82
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.9664G	46.12	83.54	-37.42	39.75	1	Vertical	161	1.62	-	37.77	17.50	48.90			
AV	20.9834G	34.83	63.54	-28.71	28.49	1	Vertical	161	1.62	-	37.73	17.51	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Y_4TX
Setting 82
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.992G	51.30	83.54	-32.24	44.96	1	Horizontal	214	1.85	-	37.72	17.52	48.90			
AV	20.9796G	36.15	63.54	-27.39	29.80	1	Horizontal	214	1.85	-	37.74	17.51	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 26
02-D-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0862G	109.04	Inf	-Inf	95.45	3	Vertical	204	2.08	-	35.54	8.94	30.89			
RMS	7.088G	99.94	Inf	-Inf	86.34	3	Vertical	204	2.08	-	35.55	8.94	30.89			
PK	7.1864G	64.05	88.20	-24.15	50.00	3	Vertical	204	2.08	-	35.95	8.99	30.89			
RMS	7.1258G	54.29	68.20	-13.91	40.52	3	Vertical	204	2.08	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 26
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1034G	104.95	Inf	-Inf	91.28	3	Horizontal	197	1.42	-	35.61	8.95	30.89			
RMS	7.0882G	95.29	Inf	-Inf	81.69	3	Horizontal	197	1.42	-	35.55	8.94	30.89			
PK	7.1256G	64.92	88.20	-23.28	51.15	3	Horizontal	197	1.42	-	35.70	8.96	30.89			
RMS	7.1258G	54.85	68.20	-13.35	41.08	3	Horizontal	197	1.42	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 82
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18128G	73.50	88.20	-14.70	63.11	3	Vertical	230	2.65	-	42.13	13.26	45.00			
RMS	14.18976G	60.68	68.20	-7.52	50.26	3	Vertical	230	2.65	-	42.16	13.26	45.00			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Y_4TX
Setting 82
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.19304G	71.24	88.20	-16.96	60.80	3	Horizontal	149	1.44	-	42.17	13.27	45.00			
RMS	14.19608G	57.47	68.20	-10.73	47.01	3	Horizontal	149	1.44	-	42.18	13.27	44.99			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 82
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.293G	54.00	83.54	-29.54	47.72	1	Vertical	123	1.78	-	37.64	17.42	48.78			
AV	21.292G	41.16	63.54	-22.38	34.87	1	Vertical	123	1.78	-	37.65	17.42	48.78			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_V_4TX
Setting 82
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2842G	56.86	83.54	-26.68	50.54	1	Horizontal	235	1.73	-	37.69	17.42	48.79			
AV	21.2876G	44.33	63.54	-19.21	38.02	1	Horizontal	235	1.73	-	37.67	17.42	48.78			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 55
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0715G	110.85	Inf	-Inf	97.31	3	Vertical	204	1.81	-	35.49	8.94	30.89			
RMS	7.0703G	100.02	Inf	-Inf	86.49	3	Vertical	204	1.81	-	35.48	8.94	30.89			
PK	7.2257G	65.32	88.20	-22.88	51.06	3	Vertical	204	1.81	-	36.15	9.00	30.89			
RMS	7.2035G	54.29	68.20	-13.91	40.16	3	Vertical	204	1.81	-	36.02	9.00	30.89			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 55
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0697G	107.74	Inf	-Inf	94.22	3	Horizontal	159	1.44	-	35.48	8.93	30.89			
RMS	7.0829G	97.83	Inf	-Inf	84.25	3	Horizontal	159	1.44	-	35.53	8.94	30.89			
PK	7.1684G	65.16	88.20	-23.04	51.20	3	Horizontal	159	1.44	-	35.87	8.98	30.89			
RMS	7.2248G	54.32	68.20	-13.88	40.06	3	Horizontal	159	1.44	-	36.15	9.00	30.89			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 36
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0685G	110.05	Inf	-Inf	96.54	3	Vertical	200	2.11	-	35.47	8.93	30.89			
RMS	7.0715G	99.57	Inf	-Inf	86.03	3	Vertical	200	2.11	-	35.49	8.94	30.89			
PK	7.2086G	64.60	88.20	-23.60	50.44	3	Vertical	200	2.11	-	36.05	9.00	30.89			
RMS	7.2314G	54.16	68.20	-14.04	39.86	3	Vertical	200	2.11	-	36.19	9.00	30.89			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Y_4TX
Setting 36
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0775G	105.18	Inf	-Inf	91.62	3	Horizontal	140	1.78	-	35.51	8.94	30.89			
RMS	7.0775G	94.90	Inf	-Inf	81.34	3	Horizontal	140	1.78	-	35.51	8.94	30.89			
PK	7.1387G	65.00	88.20	-23.20	51.17	3	Horizontal	140	1.78	-	35.75	8.97	30.89			
RMS	7.232G	54.24	68.20	-13.96	39.94	3	Horizontal	140	1.78	-	36.19	9.00	30.89			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 68
02-D-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0322G	111.06	Inf	-Inf	97.67	3	Vertical	198	2.04	-	35.36	8.92	30.89			
RMS	7.0342G	100.84	Inf	-Inf	87.44	3	Vertical	198	2.04	-	35.37	8.92	30.89			
PK	7.1258G	66.65	88.20	-21.55	52.88	3	Vertical	198	2.04	-	35.70	8.96	30.89			
RMS	7.1254G	57.02	68.20	-11.18	43.25	3	Vertical	198	2.04	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 68
02-D-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0314G	108.27	Inf	-Inf	94.88	3	Horizontal	163	1.80	-	35.36	8.92	30.89			
RMS	7.0322G	97.85	Inf	-Inf	84.46	3	Horizontal	163	1.80	-	35.36	8.92	30.89			
PK	7.1258G	65.53	88.20	-22.67	51.76	3	Horizontal	163	1.80	-	35.70	8.96	30.89			
RMS	7.125G	55.42	68.20	-12.78	41.65	3	Horizontal	163	1.80	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 51
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0522G	109.92	Inf	-Inf	96.47	3	Vertical	193	2.63	-	35.41	8.93	30.89			
RMS	7.0338G	100.09	Inf	-Inf	86.69	3	Vertical	193	2.63	-	35.37	8.92	30.89			
PK	7.1298G	67.04	88.20	-21.16	53.25	3	Vertical	193	2.63	-	35.72	8.96	30.89			
RMS	7.125G	57.33	68.20	-10.87	43.56	3	Vertical	193	2.63	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
Setting 51
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0378G	104.51	Inf	-Inf	91.10	3	Horizontal	137	1.65	-	35.38	8.92	30.89			
RMS	7.0386G	95.89	Inf	-Inf	82.48	3	Horizontal	137	1.65	-	35.38	8.92	30.89			
PK	7.1254G	64.99	88.20	-23.21	51.22	3	Horizontal	137	1.65	-	35.70	8.96	30.89			
RMS	7.1258G	54.83	68.20	-13.37	41.06	3	Horizontal	137	1.65	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 76
02-D-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9095G	114.82	Inf	-Inf	101.33	3	Vertical	204	2.91	-	35.30	8.98	30.79			
RMS	6.9085G	99.66	Inf	-Inf	86.17	3	Vertical	204	2.91	-	35.30	8.98	30.79			
PK	7.159G	78.66	88.20	-9.54	64.73	3	Vertical	204	2.91	-	35.84	8.98	30.89			
RMS	7.125G	67.48	68.20	-0.72	53.71	3	Vertical	204	2.91	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT_Y_2TX
Setting 76
02-D-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.013G	107.32	Inf	-Inf	93.97	3	Horizontal	137	1.90	-	35.33	8.91	30.89			
RMS	6.9085G	98.52	Inf	-Inf	85.03	3	Horizontal	137	1.90	-	35.30	8.98	30.79			
PK	7.137G	76.75	88.20	-11.45	62.92	3	Horizontal	137	1.90	-	35.75	8.97	30.89			
RMS	7.1315G	64.25	68.20	-3.95	50.44	3	Horizontal	137	1.90	-	35.73	8.97	30.89			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.39172G	53.81	54.00	-0.19	3	Vertical	222	1.80	-

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_Y_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.19172G	68.76	88.20	-19.44	79.41	3	Vertical	133	1.80	-	40.00	14.21	64.86			
RMS	13.19156G	57.96	68.20	-10.24	68.61	3	Vertical	133	1.80	-	40.00	14.21	64.86			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.18912G	65.73	88.20	-22.47	76.38	3	Horizontal	222	1.80	-	40.00	14.21	64.86			
RMS	13.189G	54.05	68.20	-14.15	64.70	3	Horizontal	222	1.80	-	40.00	14.21	64.86			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.78156G	51.80	83.54	-31.74	46.62	1	Vertical	258	1.62	-	37.50	16.59	48.91			
AV	19.7862G	40.30	63.54	-23.24	35.12	1	Vertical	258	1.62	-	37.50	16.59	48.91			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6595MHz_TX




EUT_V_4TX
Setting 85
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.78908G	52.56	83.54	-30.98	47.39	1	Horizontal	240	1.61	-	37.50	16.59	48.92			
AV	19.78884G	40.39	63.54	-23.15	35.22	1	Horizontal	240	1.61	-	37.50	16.59	48.92			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 73
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39188G	66.47	74.00	-7.53	76.61	3	Vertical	222	1.80	-	40.40	14.30	64.84			
AV	13.39172G	53.81	54.00	-0.19	63.95	3	Vertical	222	1.80	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 73
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38684G	64.25	74.00	-9.75	74.39	3	Horizontal	221	1.80	-	40.40	14.30	64.84			
AV	13.38904G	51.76	54.00	-2.24	61.90	3	Horizontal	221	1.80	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 73
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10012G	45.26	83.54	-38.28	40.23	1	Vertical	184	1.83	-	37.30	16.71	48.98			
AV	20.08892G	33.11	63.54	-30.43	28.11	1	Vertical	184	1.83	-	37.28	16.70	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX

EUT_V_4TX
Setting 73
01-C-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08692G	45.14	83.54	-38.40	40.15	1	Horizontal	204	1.45	-	37.27	16.70	48.98			
AV	20.08692G	33.04	63.54	-30.50	28.05	1	Horizontal	204	1.45	-	37.27	16.70	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 83
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71441G	71.12	88.20	-17.08	52.52	3	Vertical	308	1.29	-	40.56	11.41	33.37			
RMS	13.70922G	57.32	68.20	-10.88	38.73	3	Vertical	308	1.29	-	40.54	11.41	33.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 83
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71441G	70.36	88.20	-17.84	51.76	3	Horizontal	320	2.94	-	40.56	11.41	33.37			
RMS	13.70946G	57.58	68.20	-10.62	38.99	3	Horizontal	320	2.94	-	40.54	11.41	33.36			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 83
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5512G	52.27	83.54	-31.27	46.35	1	Vertical	207	1.26	-	37.50	17.12	48.70			
AV	20.55946G	40.07	63.54	-23.47	34.10	1	Vertical	207	1.26	-	37.54	17.13	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX



EUT_V_4TX
Setting 83
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55438G	51.34	83.54	-32.20	45.40	1	Horizontal	214	2.25	-	37.52	17.12	48.70			
AV	20.55366G	39.83	63.54	-23.71	33.90	1	Horizontal	214	2.25	-	37.51	17.12	48.70			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	RMS	5.925G	68.19	68.20	-0.01	3	Horizontal	6	2.94	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	RMS	5.9218G	68.19	68.20	-0.01	3	Horizontal	13	3.00	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 72
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9118G	59.91	88.20	-28.29	49.59	3	Vertical	287	3.00	-	34.10	8.66	32.44			
RMS	5.9104G	49.18	68.20	-19.02	38.86	3	Vertical	287	3.00	-	34.10	8.66	32.44			
PK	5.9532G	96.02	Inf	-Inf	85.65	3	Vertical	287	3.00	-	34.10	8.71	32.44			
RMS	5.9476G	85.63	Inf	-Inf	75.27	3	Vertical	287	3.00	-	34.10	8.70	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUTZ_1TX
Setting 72
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	61.57	88.20	-26.63	51.25	3	Horizontal	146	2.95	-	34.10	8.66	32.44			
RMS	5.9139G	51.12	68.20	-17.08	40.80	3	Horizontal	146	2.95	-	34.10	8.66	32.44			
PK	5.9473G	109.43	Inf	-Inf	99.07	3	Horizontal	146	2.95	-	34.10	8.70	32.44			
RMS	5.9488G	99.42	Inf	-Inf	89.05	3	Horizontal	146	2.95	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9227G	70.24	88.20	-17.96	59.91	3	Vertical	25	3.00	-	34.10	8.67	32.44			
RMS	5.925G	59.00	68.20	-9.20	48.66	3	Vertical	25	3.00	-	34.10	8.68	32.44			
PK	5.9508G	104.81	Inf	-Inf	94.44	3	Vertical	25	3.00	-	34.10	8.71	32.44			
RMS	5.9537G	95.20	Inf	-Inf	84.83	3	Vertical	25	3.00	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
01-C-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9232G	74.76	88.20	-13.44	64.43	3	Horizontal	105	2.85	-	34.10	8.67	32.44			
RMS	5.925G	62.48	68.20	-5.72	52.14	3	Horizontal	105	2.85	-	34.10	8.68	32.44			
PK	5.9545G	112.15	Inf	-Inf	101.78	3	Horizontal	105	2.85	-	34.10	8.71	32.44			
RMS	5.9509G	102.72	Inf	-Inf	92.35	3	Horizontal	105	2.85	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 85
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9154G	69.55	88.20	-18.65	57.42	3	Vertical	348	2.94	-	34.13	8.16	30.16			
RMS	5.921G	56.81	68.20	-11.39	44.67	3	Vertical	348	2.94	-	34.14	8.16	30.16			
PK	5.9556G	111.37	Inf	-Inf	99.17	3	Vertical	348	2.94	-	34.21	8.14	30.15			
RMS	5.956G	102.58	Inf	-Inf	90.38	3	Vertical	348	2.94	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 85
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9164G	78.24	88.20	-9.96	66.11	3	Horizontal	8	2.91	-	34.13	8.16	30.16			
RMS	5.9214G	67.50	68.20	-0.70	55.36	3	Horizontal	8	2.91	-	34.14	8.16	30.16			
PK	5.9562G	120.16	Inf	-Inf	107.96	3	Horizontal	8	2.91	-	34.21	8.14	30.15			
RMS	5.9566G	111.84	Inf	-Inf	99.64	3	Horizontal	8	2.91	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 87
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.91526G	45.51	74.00	-28.49	59.02	3	Vertical	7	1.80	-	38.70	13.62	65.83				
AV	11.9038G	34.94	54.00	-19.06	48.47	3	Vertical	7	1.80	-	38.70	13.61	65.84				
PK	17.86494G	51.39	74.00	-22.61	54.93	3	Vertical	254	1.80	-	42.77	17.71	64.02				
AV	17.85556G	40.29	54.00	-13.71	44.02	3	Vertical	254	1.80	-	42.60	17.70	64.03				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 87
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90934G	46.03	74.00	-27.97	59.55	3	Horizontal	352	1.80	-	38.70	13.61	65.83			
AV	11.90684G	35.41	54.00	-18.59	48.93	3	Horizontal	352	1.80	-	38.70	13.61	65.83			
PK	17.86662G	51.43	74.00	-22.57	54.94	3	Horizontal	198	1.80	-	42.80	17.71	64.02			
AV	17.87474G	41.33	54.00	-12.67	44.67	3	Horizontal	198	1.80	-	42.95	17.72	64.01			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 87
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8209G	61.27	83.54	-22.27	52.33	1	Vertical	48	1.81	-	38.90	17.94	47.90			
AV	23.8202G	50.50	63.54	-13.04	41.56	1	Vertical	48	1.81	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 87
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8197G	58.57	83.54	-24.97	49.63	1	Horizontal	360	1.75	-	38.90	17.94	47.90			
AV	23.8198G	48.66	63.54	-14.88	39.72	1	Horizontal	360	1.75	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4377G	60.69	74.00	-13.31	40.31	3	Vertical	184	2.13	-	38.68	13.87	32.17			
AV	12.4317G	50.86	54.00	-3.14	30.51	3	Vertical	184	2.13	-	38.66	13.87	32.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3703G	61.23	74.00	-12.77	41.00	3	Horizontal	199	1.04	-	38.66	13.84	32.27			
AV	12.4257G	50.85	54.00	-3.15	30.53	3	Horizontal	199	1.04	-	38.65	13.86	32.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5877G	63.64	83.54	-19.90	58.50	1	Vertical	236	1.80	-	37.65	16.14	48.65			
AV	18.5844G	54.41	63.54	-9.13	49.28	1	Vertical	236	1.80	-	37.64	16.14	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5962G	59.18	83.54	-24.36	54.01	1	Horizontal	6	1.86	-	37.68	16.15	48.66			
AV	18.5864G	48.45	63.54	-15.09	43.31	1	Horizontal	6	1.86	-	37.65	16.14	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8158G	61.50	88.20	-26.70	39.29	3	Vertical	310	2.76	-	39.93	14.04	31.76			
RMS	12.8317G	51.88	68.20	-16.32	29.62	3	Vertical	310	2.76	-	39.96	14.05	31.75			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8306G	61.21	88.20	-26.99	38.95	3	Horizontal	217	2.21	-	39.96	14.05	31.75			
RMS	12.8072G	51.36	68.20	-16.84	29.18	3	Horizontal	217	2.21	-	39.91	14.04	31.77			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2388G	68.31	83.54	-15.23	62.82	1	Vertical	205	1.80	-	37.83	16.51	48.85			
AV	19.2492G	58.12	63.54	-5.42	52.56	1	Vertical	205	1.80	-	37.90	16.51	48.85			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2434G	68.28	83.54	-15.26	62.76	1	Horizontal	39	2.00	-	37.86	16.51	48.85			
AV	19.2433G	58.10	63.54	-5.44	52.58	1	Horizontal	39	2.00	-	37.86	16.51	48.85			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 86
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9174G	70.78	88.20	-17.42	58.65	3	Vertical	203	3.00	-	34.13	8.16	30.16			
RMS	5.9242G	59.45	68.20	-8.75	47.31	3	Vertical	203	3.00	-	34.15	8.15	30.16			
PK	5.949G	108.42	Inf	-Inf	96.23	3	Vertical	203	3.00	-	34.20	8.14	30.15			
RMS	5.9622G	98.73	Inf	-Inf	86.51	3	Vertical	203	3.00	-	34.22	8.14	30.14			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 86
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.87	88.20	-10.33	65.73	3	Horizontal	6	2.94	-	34.15	8.15	30.16			
RMS	5.925G	68.19	68.20	-0.01	56.05	3	Horizontal	6	2.94	-	34.15	8.15	30.16			
PK	5.9476G	120.45	Inf	-Inf	108.26	3	Horizontal	6	2.94	-	34.20	8.14	30.15			
RMS	5.9476G	108.38	Inf	-Inf	96.19	3	Horizontal	6	2.94	-	34.20	8.14	30.15			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 82
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9228G	67.05	88.20	-21.15	56.72	3	Vertical	278	2.96	-	34.10	8.67	32.44			
RMS	5.9246G	56.66	68.20	-11.54	46.32	3	Vertical	278	2.96	-	34.10	8.68	32.44			
PK	5.9702G	101.15	Inf	-Inf	90.76	3	Vertical	278	2.96	-	34.10	8.73	32.44			
RMS	5.9712G	91.72	Inf	-Inf	81.33	3	Vertical	278	2.96	-	34.10	8.73	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 82
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	73.27	88.20	-14.93	62.93	3	Horizontal	1	2.93	-	34.10	8.68	32.44			
RMS	5.9244G	61.92	68.20	-6.28	51.58	3	Horizontal	1	2.93	-	34.10	8.68	32.44			
PK	5.966G	107.18	Inf	-Inf	96.79	3	Horizontal	1	2.93	-	34.10	8.73	32.44			
RMS	5.9676G	97.15	Inf	-Inf	86.76	3	Horizontal	1	2.93	-	34.10	8.73	32.44			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 87
01-C-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9166G	74.67	88.20	-13.53	64.34	3	Vertical	23	3.00	-	34.10	8.67	32.44			
RMS	5.925G	63.48	68.20	-4.72	53.14	3	Vertical	23	3.00	-	34.10	8.68	32.44			
PK	5.9824G	101.62	Inf	-Inf	91.21	3	Vertical	23	3.00	-	34.10	8.75	32.44			
RMS	5.979G	91.71	Inf	-Inf	81.31	3	Vertical	23	3.00	-	34.10	8.74	32.44			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 87
01-C-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9248G	78.67	88.20	-9.53	68.33	3	Horizontal	107	2.83	-	34.10	8.68	32.44			
RMS	5.9246G	67.72	68.20	-0.48	57.38	3	Horizontal	107	2.83	-	34.10	8.68	32.44			
PK	5.9798G	109.77	Inf	-Inf	99.37	3	Horizontal	107	2.83	-	34.10	8.74	32.44			
RMS	5.9804G	99.90	Inf	-Inf	89.49	3	Horizontal	107	2.83	-	34.10	8.75	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 82
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9214G	72.48	88.20	-15.72	60.34	3	Vertical	90	2.97	-	34.14	8.16	30.16			
RMS	5.9214G	61.52	68.20	-6.68	49.38	3	Vertical	90	2.97	-	34.14	8.16	30.16			
PK	5.9772G	107.54	Inf	-Inf	95.30	3	Vertical	90	2.97	-	34.25	8.13	30.14			
RMS	5.9508G	98.44	Inf	-Inf	86.25	3	Vertical	90	2.97	-	34.20	8.14	30.15			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 82
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	78.52	88.20	-9.68	66.39	3	Horizontal	9	2.92	-	34.13	8.16	30.16
RMS	5.925G	67.82	68.20	-0.38	55.68	3	Horizontal	9	2.92	-	34.15	8.15	30.16
PK	5.9668G	117.80	Inf	-Inf	105.58	3	Horizontal	9	2.92	-	34.23	8.13	30.14
RMS	5.9664G	108.20	Inf	-Inf	95.97	3	Horizontal	9	2.92	-	34.23	8.14	30.14

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 82
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9239G	71.50	88.20	-16.70	59.36	3	Vertical	202	2.96	-	34.15	8.15	30.16			
RMS	5.9224G	60.33	68.20	-7.87	48.20	3	Vertical	202	2.96	-	34.14	8.15	30.16			
PK	5.9593G	104.78	Inf	-Inf	92.56	3	Vertical	202	2.96	-	34.22	8.14	30.14			
RMS	5.9788G	95.35	Inf	-Inf	83.10	3	Vertical	202	2.96	-	34.26	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 82
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9236G	78.05	88.20	-10.15	65.91	3	Horizontal	7	2.92	-	34.15	8.15	30.16			
RMS	5.925G	66.85	68.20	-1.35	54.71	3	Horizontal	7	2.92	-	34.15	8.15	30.16			
PK	5.9575G	115.81	Inf	-Inf	103.61	3	Horizontal	7	2.92	-	34.21	8.14	30.15			
RMS	5.9764G	105.77	Inf	-Inf	93.53	3	Horizontal	7	2.92	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_4TX
Setting 77
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9222G	78.60	88.20	-9.60	66.46	3	Vertical	275	2.98	-	34.14	8.16	30.16				
RMS	5.9178G	67.69	68.20	-0.51	55.55	3	Vertical	275	2.98	-	34.14	8.16	30.16				
PK	5.9718G	101.08	Inf	-Inf	88.85	3	Vertical	275	2.98	-	34.24	8.13	30.14				
AV	5.991G	90.29	Inf	-Inf	78.02	3	Vertical	275	2.98	-	34.28	8.12	30.13				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_4TX
Setting 77
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9146G	77.32	88.20	-10.88	65.19	3	Horizontal	345	3.00	-	34.13	8.16	30.16			
RMS	5.9246G	67.93	68.20	-0.27	55.79	3	Horizontal	345	3.00	-	34.15	8.15	30.16			
PK	6.0086G	103.86	Inf	-Inf	91.55	3	Horizontal	345	3.00	-	34.32	8.12	30.13			
AV	5.9966G	93.50	Inf	-Inf	81.22	3	Horizontal	345	3.00	-	34.29	8.12	30.13			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 92
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	73.45	88.20	-14.75	63.12	3	Vertical	22	2.97	-	34.10	8.67	32.44			
RMS	5.9202G	63.03	68.20	-5.17	52.70	3	Vertical	22	2.97	-	34.10	8.67	32.44			
PK	5.9746G	100.01	Inf	-Inf	89.61	3	Vertical	22	2.97	-	34.10	8.74	32.44			
RMS	6.0138G	91.39	Inf	-Inf	80.95	3	Vertical	22	2.97	-	34.10	8.78	32.44			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 92
01-C-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.75	88.20	-10.45	67.41	3	Horizontal	356	2.81	-	34.10	8.68	32.44			
RMS	5.9234G	67.62	68.20	-0.58	57.29	3	Horizontal	356	2.81	-	34.10	8.67	32.44			
PK	5.9746G	106.03	Inf	-Inf	95.63	3	Horizontal	356	2.81	-	34.10	8.74	32.44			
RMS	5.9714G	96.37	Inf	-Inf	85.98	3	Horizontal	356	2.81	-	34.10	8.73	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 88
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9002G	70.36	88.20	-17.84	58.27	3	Vertical	194	2.96	-	34.10	8.16	30.17			
RMS	5.9222G	61.51	68.20	-6.69	49.37	3	Vertical	194	2.96	-	34.14	8.16	30.16			
PK	6.019G	106.33	Inf	-Inf	94.02	3	Vertical	194	2.96	-	34.34	8.11	30.14			
RMS	6.0218G	97.13	Inf	-Inf	84.82	3	Vertical	194	2.96	-	34.34	8.11	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 88
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	78.37	88.20	-9.83	66.23	3	Horizontal	13	3.00	-	34.14	8.16	30.16			
RMS	5.9218G	68.19	68.20	-0.01	56.05	3	Horizontal	13	3.00	-	34.14	8.16	30.16			
PK	5.9966G	114.19	Inf	-Inf	101.91	3	Horizontal	13	3.00	-	34.29	8.12	30.13			
RMS	5.9766G	105.49	Inf	-Inf	93.25	3	Horizontal	13	3.00	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 89
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9155G	70.98	88.20	-17.22	58.85	3	Vertical	195	3.00	-	34.13	8.16	30.16				
RMS	5.9135G	60.14	68.20	-8.06	48.01	3	Vertical	195	3.00	-	34.13	8.16	30.16				
PK	5.995G	105.59	Inf	-Inf	93.31	3	Vertical	195	3.00	-	34.29	8.12	30.13				
RMS	5.999G	95.43	Inf	-Inf	83.14	3	Vertical	195	3.00	-	34.30	8.12	30.13				

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 89
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	79.15	88.20	-9.05	67.01	3	Horizontal	5	2.92	-	34.15	8.15	30.16			
RMS	5.925G	67.75	68.20	-0.45	55.61	3	Horizontal	5	2.92	-	34.15	8.15	30.16			
PK	5.9775G	114.40	Inf	-Inf	102.15	3	Horizontal	5	2.92	-	34.26	8.13	30.14			
RMS	6.0175G	103.05	Inf	-Inf	90.74	3	Horizontal	5	2.92	-	34.34	8.11	30.14			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 87
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	67.03	88.20	-21.17	56.69	3	Vertical	271	2.95	-	34.10	8.68	32.44			
RMS	5.9226G	57.36	68.20	-10.84	47.03	3	Vertical	271	2.95	-	34.10	8.67	32.44			
PK	6.0226G	92.88	Inf	-Inf	82.43	3	Vertical	271	2.95	-	34.10	8.79	32.44			
RMS	5.949G	83.19	Inf	-Inf	72.82	3	Vertical	271	2.95	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 87
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	76.59	88.20	-11.61	66.25	3	Horizontal	144	2.96	-	34.10	8.68	32.44			
RMS	5.9226G	64.95	68.20	-3.25	54.62	3	Horizontal	144	2.96	-	34.10	8.67	32.44			
PK	6.0826G	101.28	Inf	-Inf	90.77	3	Horizontal	144	2.96	-	34.10	8.84	32.43			
RMS	6.0474G	91.44	Inf	-Inf	80.96	3	Horizontal	144	2.96	-	34.10	8.81	32.43			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 83
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	67.90	88.20	-20.30	57.57	3	Vertical	27	2.97	-	34.10	8.67	32.44			
RMS	5.9202G	57.69	68.20	-10.51	47.36	3	Vertical	27	2.97	-	34.10	8.67	32.44			
PK	6.0882G	95.65	Inf	-Inf	85.14	3	Vertical	27	2.97	-	34.10	8.84	32.43			
RMS	6.1018G	86.67	Inf	-Inf	76.14	3	Vertical	27	2.97	-	34.10	8.86	32.43			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 83
01-C-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9218G	77.87	88.20	-10.33	67.54	3	Horizontal	104	2.88	-	34.10	8.67	32.44			
RMS	5.9218G	65.84	68.20	-2.36	55.51	3	Horizontal	104	2.88	-	34.10	8.67	32.44			
PK	6.0234G	104.17	Inf	-Inf	93.72	3	Horizontal	104	2.88	-	34.10	8.79	32.44			
RMS	6.0898G	94.64	Inf	-Inf	84.12	3	Horizontal	104	2.88	-	34.10	8.85	32.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 79
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	72.42	88.20	-15.78	60.28	3	Vertical	198	2.97	-	34.14	8.16	30.16			
RMS	5.922G	60.25	68.20	-7.95	48.11	3	Vertical	198	2.97	-	34.14	8.16	30.16			
PK	6.042G	103.85	Inf	-Inf	91.52	3	Vertical	198	2.97	-	34.38	8.10	30.15			
RMS	6.047G	93.31	Inf	-Inf	80.98	3	Vertical	198	2.97	-	34.39	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 79
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9085G	79.89	88.20	-8.31	67.77	3	Horizontal	283	2.96	-	34.12	8.16	30.16			
RMS	5.911G	67.52	68.20	-0.68	55.40	3	Horizontal	283	2.96	-	34.12	8.16	30.16			
PK	6.088G	111.53	Inf	-Inf	99.15	3	Horizontal	283	2.96	-	34.48	8.07	30.17			
RMS	6.088G	101.45	Inf	-Inf	89.07	3	Horizontal	283	2.96	-	34.48	8.07	30.17			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 81
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	73.43	88.20	-14.77	61.29	3	Vertical	203	2.93	-	34.14	8.16	30.16			
RMS	5.9202G	60.55	68.20	-7.65	48.41	3	Vertical	203	2.93	-	34.14	8.16	30.16			
PK	6.0586G	100.56	Inf	-Inf	88.20	3	Vertical	203	2.93	-	34.42	8.09	30.15			
RMS	6.0586G	91.62	Inf	-Inf	79.26	3	Vertical	203	2.93	-	34.42	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 81
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9082G	79.13	88.20	-9.07	67.01	3	Horizontal	284	2.76	-	34.12	8.16	30.16			
RMS	5.921G	67.80	68.20	-0.40	55.66	3	Horizontal	284	2.76	-	34.14	8.16	30.16			
PK	6.0482G	109.74	Inf	-Inf	97.40	3	Horizontal	284	2.76	-	34.40	8.09	30.15			
RMS	6.049G	99.24	Inf	-Inf	86.90	3	Horizontal	284	2.76	-	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Z_1TX
Setting 101
01-C-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	73.31	88.20	-14.89	62.98	3	Vertical	275	2.94	-	34.10	8.67	32.44			
RMS	5.9226G	62.86	68.20	-5.34	52.53	3	Vertical	275	2.94	-	34.10	8.67	32.44			
PK	6.0658G	95.38	Inf	-Inf	84.88	3	Vertical	275	2.94	-	34.10	8.83	32.43			
RMS	6.0026G	85.08	Inf	-Inf	74.65	3	Vertical	275	2.94	-	34.10	8.77	32.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Z_1TX
Setting 101
01-C-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.20	88.20	-10.00	67.86	3	Horizontal	215	1.80	94	34.10	8.68	32.44			
RMS	5.924G	68.01	68.20	-0.19	57.67	3	Horizontal	215	1.80	94	34.10	8.68	32.44			
PK	6.148G	104.20	Inf	-Inf	93.52	3	Horizontal	215	1.80	94	34.20	8.90	32.42			
RMS	6.135G	93.08	Inf	-Inf	82.45	3	Horizontal	215	1.80	94	34.17	8.88	32.42			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 88
01-C-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	70.02	88.20	-18.18	59.68	3	Vertical	24	2.97	-	34.10	8.68	32.44			
RMS	5.921G	60.71	68.20	-7.49	50.38	3	Vertical	24	2.97	-	34.10	8.67	32.44			
PK	6.2482G	96.87	Inf	-Inf	85.88	3	Vertical	24	2.97	-	34.30	9.10	32.41			
RMS	6.2426G	86.05	Inf	-Inf	75.09	3	Vertical	24	2.97	-	34.29	9.08	32.41			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 88
01-C-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9066G	79.55	88.20	-8.65	69.24	3	Horizontal	108	2.82	-	34.10	8.65	32.44			
RMS	5.921G	67.53	68.20	-0.67	57.20	3	Horizontal	108	2.82	-	34.10	8.67	32.44			
PK	6.0706G	102.95	Inf	-Inf	92.45	3	Horizontal	108	2.82	-	34.10	8.83	32.43			
RMS	6.0706G	93.20	Inf	-Inf	82.70	3	Horizontal	108	2.82	-	34.10	8.83	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 85
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9122G	69.01	88.20	-19.19	56.89	3	Vertical	108	2.70	-	34.12	8.16	30.16			
RMS	5.9074G	59.20	68.20	-9.00	47.09	3	Vertical	108	2.70	-	34.11	8.16	30.16			
PK	6.209G	97.10	Inf	-Inf	84.68	3	Vertical	108	2.70	-	34.60	8.03	30.21			
RMS	6.2074G	89.12	Inf	-Inf	76.71	3	Vertical	108	2.70	-	34.60	8.02	30.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 85
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9074G	78.58	88.20	-9.62	66.47	3	Horizontal	288	2.95	-	34.11	8.16	30.16			
RMS	5.9074G	67.26	68.20	-0.94	55.15	3	Horizontal	288	2.95	-	34.11	8.16	30.16			
PK	6.0778G	107.89	Inf	-Inf	95.51	3	Horizontal	288	2.95	-	34.46	8.08	30.16			
RMS	6.0674G	97.63	Inf	-Inf	85.28	3	Horizontal	288	2.95	-	34.43	8.08	30.16			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 86
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.9202G	72.59	88.20	-15.61	60.45	3	Vertical	118	2.94	-	34.14	8.16	30.16					
RMS	5.9218G	60.31	68.20	-7.89	48.17	3	Vertical	118	2.94	-	34.14	8.16	30.16					
PK	6.0658G	99.60	Inf	-Inf	87.25	3	Vertical	118	2.94	-	34.43	8.08	30.16					
RMS	6.1474G	88.65	Inf	-Inf	76.21	3	Vertical	118	2.94	-	34.59	8.04	30.19					

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX


6105MHz_TX

EUT_Z_4TX
Setting 86
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9202G	80.68	88.20	-7.52	68.54	3	Horizontal	27	2.95	-	34.14	8.16	30.16				
RMS	5.9202G	67.71	68.20	-0.49	55.57	3	Horizontal	27	2.95	-	34.14	8.16	30.16				
PK	6.2002G	106.95	Inf	-Inf	94.55	3	Horizontal	27	2.95	-	34.60	8.01	30.21				
RMS	6.0802G	96.20	Inf	-Inf	83.82	3	Horizontal	27	2.95	-	34.46	8.08	30.16				

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 93
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87044G	61.98	88.20	-26.22	39.62	3	Vertical	159	2.23	-	40.00	14.07	31.71			
RMS	12.86566G	52.14	68.20	-16.06	29.79	3	Vertical	159	2.23	-	40.00	14.06	31.71			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 93
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86956G	62.40	88.20	-25.80	40.04	3	Horizontal	3	1.80	-	40.00	14.07	31.71			
RMS	12.8762G	51.93	68.20	-16.27	29.56	3	Horizontal	3	1.80	-	40.00	14.07	31.70			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 93
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2934G	69.98	83.54	-13.56	64.67	1	Vertical	204	1.80	-	37.64	16.51	48.84			
AV	19.3092G	56.82	63.54	-6.72	51.52	1	Vertical	204	1.80	-	37.62	16.52	48.84			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 93
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2935G	68.74	83.54	-14.80	63.43	1	Horizontal	37	2.00	-	37.64	16.51	48.84			
AV	19.3035G	57.19	63.54	-6.35	51.90	1	Horizontal	37	2.00	-	37.61	16.52	48.84			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95498G	63.44	88.20	-24.76	40.78	3	Vertical	244	1.90	-	40.19	14.10	31.63			
RMS	12.94136G	52.48	68.20	-15.72	29.85	3	Vertical	244	1.90	-	40.17	14.10	31.64			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95036G	62.27	88.20	-25.93	39.60	3	Horizontal	356	1.87	-	40.20	14.10	31.63			
RMS	12.9537G	51.85	68.20	-16.35	29.19	3	Horizontal	356	1.87	-	40.19	14.10	31.63			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4338G	69.33	83.54	-14.21	63.97	1	Vertical	207	1.80	-	37.63	16.54	48.81			
AV	19.4242G	58.38	63.54	-5.16	53.02	1	Vertical	207	1.80	-	37.65	16.53	48.82			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4137G	68.77	83.54	-14.77	63.39	1	Horizontal	37	2.00	-	37.67	16.53	48.82			
AV	19.4214G	57.23	63.54	-6.31	51.86	1	Horizontal	37	2.00	-	37.66	16.53	48.82			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03618G	62.48	88.20	-25.72	39.92	3	Vertical	345	1.85	-	39.96	14.14	31.54			
RMS	13.03466G	51.81	68.20	-16.39	29.25	3	Vertical	345	1.85	-	39.96	14.14	31.54			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02728G	62.26	88.20	-25.94	39.68	3	Horizontal	311	1.29	-	39.99	14.14	31.55			
RMS	13.02424G	51.79	68.20	-16.41	29.20	3	Horizontal	311	1.29	-	40.00	14.14	31.55			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5437G	69.49	83.54	-14.05	64.17	1	Vertical	205	1.81	-	37.59	16.55	48.82			
AV	19.5442G	58.34	63.54	-5.20	53.02	1	Vertical	205	1.81	-	37.59	16.55	48.82			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5444G	65.05	83.54	-18.49	59.73	1	Horizontal	4	2.00	-	37.59	16.55	48.82			
AV	19.5492G	55.54	63.54	-8.00	50.21	1	Horizontal	4	2.00	-	37.60	16.55	48.82			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07822G	62.65	88.20	-25.55	40.09	3	Vertical	218	1.06	-	39.90	14.16	31.50			
RMS	13.07996G	51.59	68.20	-16.61	29.02	3	Vertical	218	1.06	-	39.90	14.16	31.49			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06442G	62.74	88.20	-25.46	40.20	3	Horizontal	155	2.18	-	39.90	14.15	31.51			
RMS	13.078G	51.75	68.20	-16.45	29.19	3	Horizontal	155	2.18	-	39.90	14.16	31.50			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5992G	66.17	83.54	-17.37	60.85	1	Vertical	206	1.80	-	37.60	16.56	48.84			
AV	19.5991G	56.60	63.54	-6.94	51.28	1	Vertical	206	1.80	-	37.60	16.56	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5991G	64.71	83.54	-18.83	59.39	1	Horizontal	342	1.84	-	37.60	16.56	48.84			
AV	19.604G	54.09	63.54	-9.45	48.78	1	Horizontal	342	1.84	-	37.59	16.56	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38178G	62.02	74.00	-11.98	38.49	3	Vertical	88	1.23	-	40.40	14.30	31.17			
AV	13.38558G	51.38	54.00	-2.62	27.84	3	Vertical	88	1.23	-	40.40	14.30	31.16			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38962G	62.38	74.00	-11.62	38.84	3	Horizontal	32	2.28	-	40.40	14.30	31.16			
AV	13.39712G	51.79	54.00	-2.21	28.23	3	Horizontal	32	2.28	-	40.40	14.31	31.15			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0768G	58.42	83.54	-25.12	53.46	1	Vertical	224	1.80	-	37.25	16.69	48.98			
AV	20.0916G	48.63	63.54	-14.91	43.63	1	Vertical	224	1.80	-	37.28	16.70	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0794G	61.50	83.54	-22.04	56.53	1	Horizontal	355	1.95	-	37.26	16.69	48.98			
AV	20.0794G	53.39	63.54	-10.15	48.42	1	Horizontal	355	1.95	-	37.26	16.69	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 93
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75114G	63.52	88.20	-24.68	41.30	3	Vertical	161	2.71	-	40.80	13.06	31.64			
RMS	13.7614G	53.37	68.20	-14.83	31.13	3	Vertical	161	2.71	-	40.82	13.06	31.64			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 93
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.73737G	63.50	88.20	-24.70	41.31	3	Horizontal	128	1.71	-	40.77	13.06	31.64			
RMS	13.74553G	53.19	68.20	-15.01	30.98	3	Horizontal	128	1.71	-	40.79	13.06	31.64			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6875MHz_TX

EUT_Z_4TX
Setting 93
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.625G	47.61	83.54	-35.93	41.67	1	Vertical	41	1.38	-	37.65	17.19	48.90			
RMS	20.61387G	37.61	63.54	-25.93	31.66	1	Vertical	41	1.38	-	37.67	17.18	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 93
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.61978G	47.42	83.54	-36.12	41.48	1	Horizontal	181	1.40	-	37.66	17.18	48.90			
RMS	20.61273G	37.36	63.54	-26.18	31.41	1	Horizontal	181	1.40	-	37.67	17.18	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Z_1TX
Setting 74
01-C-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.049G	96.20	Inf	-Inf	82.82	3	Vertical	190	1.80	-	36.20	9.91	32.73			
RMS	7.0082G	85.09	Inf	-Inf	72.00	3	Vertical	190	1.80	-	36.03	9.81	32.75			
PK	7.2522G	59.82	74.00	-14.18	45.09	3	Vertical	190	1.80	-	37.10	10.28	32.65			
AV	7.2506G	48.89	54.00	-5.11	34.16	3	Vertical	190	1.80	-	37.10	10.28	32.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6905MHz_TX




EUT_Z_1TX
Setting 74
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0138G	101.35	Inf	-Inf	88.20	3	Horizontal	160	3.00	-	36.06	9.83	32.74			
RMS	7.009G	91.02	Inf	-Inf	77.92	3	Horizontal	160	3.00	-	36.04	9.81	32.75			
PK	7.2538G	65.03	74.00	-8.97	50.31	3	Horizontal	160	3.00	-	37.09	10.28	32.65			
AV	7.2506G	53.43	54.00	-0.57	38.70	3	Horizontal	160	3.00	-	37.10	10.28	32.65			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 83
01-C-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8746G	96.08	Inf	-Inf	82.84	3	Vertical	148	2.97	-	35.95	9.95	32.66			
RMS	6.8802G	86.27	Inf	-Inf	73.03	3	Vertical	148	2.97	-	35.96	9.94	32.66			
PK	7.2514G	60.55	74.00	-13.45	45.82	3	Vertical	148	2.97	-	37.10	10.28	32.65			
AV	7.25G	50.30	54.00	-3.70	35.57	3	Vertical	148	2.97	-	37.10	10.28	32.65			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 83
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.877G	101.31	Inf	-Inf	88.08	3	Horizontal	260	2.97	-	35.95	9.94	32.66			
RMS	6.8738G	91.66	Inf	-Inf	78.42	3	Horizontal	260	2.97	-	35.95	9.95	32.66			
PK	7.2674G	65.66	74.00	-8.34	50.97	3	Horizontal	260	2.97	-	37.07	10.27	32.65			
AV	7.2538G	53.53	54.00	-0.47	38.81	3	Horizontal	260	2.97	-	37.09	10.28	32.65			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 72
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8594G	98.92	Inf	-Inf	85.25	3	Vertical	163	3.00	-	35.38	9.02	30.73			
AV	6.8738G	88.64	Inf	-Inf	75.03	3	Vertical	163	3.00	-	35.35	9.01	30.75			
PK	7.2698G	62.42	74.00	-11.58	47.92	3	Vertical	163	3.00	-	36.38	9.01	30.89			
AV	7.2602G	50.68	54.00	-3.32	36.22	3	Vertical	163	3.00	-	36.34	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 72
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.749G	104.03	Inf	-Inf	90.48	3	Horizontal	35	2.71	-	35.20	8.96	30.61			
AV	6.7946G	93.64	Inf	-Inf	79.95	3	Horizontal	35	2.71	-	35.29	9.06	30.66			
PK	7.2662G	65.41	74.00	-8.59	50.93	3	Horizontal	35	2.71	-	36.36	9.01	30.89			
AV	7.2566G	52.93	54.00	-1.07	38.48	3	Horizontal	35	2.71	-	36.33	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX


6905MHz_TX

EUT_Z_4TX
Setting 76
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7994G	96.94	Inf	-Inf	83.24	3	Vertical	151	3.00	-	35.30	9.07	30.67			
AV	6.803G	86.96	Inf	-Inf	73.25	3	Vertical	151	3.00	-	35.31	9.07	30.67			
PK	7.2578G	65.45	74.00	-8.55	51.00	3	Vertical	151	3.00	-	36.33	9.01	30.89			
AV	7.2986G	51.75	54.00	-2.25	37.14	3	Vertical	151	3.00	-	36.49	9.01	30.89			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 76
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8078G	104.43	Inf	-Inf	90.72	3	Horizontal	213	2.20	-	35.32	9.06	30.67			
AV	6.809G	91.98	Inf	-Inf	78.28	3	Horizontal	213	2.20	-	35.32	9.06	30.68			
PK	7.3082G	67.18	74.00	-6.82	52.53	3	Horizontal	213	2.20	-	36.52	9.02	30.89			
AV	7.2626G	53.97	54.00	-0.03	39.50	3	Horizontal	213	2.20	-	36.35	9.01	30.89			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 67
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0963G	90.58	Inf	-Inf	76.77	3	Vertical	165	1.80	-	36.48	10.04	32.71			
RMS	7.1014G	80.86	Inf	-Inf	67.01	3	Vertical	165	1.80	-	36.51	10.05	32.71			
PK	7.1402G	65.14	88.20	-23.06	50.95	3	Vertical	165	1.80	-	36.74	10.15	32.70			
RMS	7.1422G	54.88	68.20	-13.32	40.68	3	Vertical	165	1.80	-	36.75	10.15	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

7095MHz_TX




EUT_Z_1TX
Setting 67
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0921G	108.10	Inf	-Inf	94.35	3	Horizontal	166	2.64	-	36.45	10.02	32.72			
RMS	7.1014G	98.09	Inf	-Inf	84.24	3	Horizontal	166	2.64	-	36.51	10.05	32.71			
PK	7.1267G	65.87	88.20	-22.33	51.80	3	Horizontal	166	2.64	-	36.66	10.11	32.70			
RMS	7.1255G	55.57	68.20	-12.63	41.51	3	Horizontal	166	2.64	-	36.65	10.11	32.70			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 93
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0986G	110.58	Inf	-Inf	96.76	3	Vertical	30	3.00	-	36.49	10.04	32.71			
RMS	7.0987G	101.21	Inf	-Inf	87.39	3	Vertical	30	3.00	-	36.49	10.04	32.71			
PK	7.129G	81.47	88.20	-6.73	67.38	3	Vertical	30	3.00	-	36.67	10.12	32.70			
RMS	7.125G	67.95	68.20	-0.25	53.89	3	Vertical	30	3.00	-	36.65	10.11	32.70			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 93
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.0938G	111.02	Inf	-Inf	97.24	3	Horizontal	295	2.97	-	36.46	10.03	32.71				
RMS	7.0898G	101.22	Inf	-Inf	87.48	3	Horizontal	295	2.97	-	36.44	10.02	32.72				
PK	7.1278G	79.77	88.20	-8.43	65.68	3	Horizontal	295	2.97	-	36.67	10.12	32.70				
RMS	7.1251G	68.06	68.20	-0.14	54.00	3	Horizontal	295	2.97	-	36.65	10.11	32.70				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 93
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78688G	63.19	88.20	-25.01	40.90	3	Vertical	96	2.01	-	40.87	13.07	31.65			
RMS	13.77947G	53.66	68.20	-14.54	31.38	3	Vertical	96	2.01	-	40.86	13.07	31.65			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 93
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77506G	64.89	88.20	-23.31	40.97	3	Horizontal	108	1.42	-	40.60	14.48	31.16			
RMS	13.79591G	54.92	68.20	-13.28	31.00	3	Horizontal	108	1.42	-	40.60	14.49	31.17			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 93
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.68872G	48.17	83.54	-35.37	42.29	1	Vertical	163	1.75	-	37.54	17.24	48.90			
RMS	20.68872G	37.92	63.54	-25.62	32.05	1	Vertical	163	1.75	-	37.52	17.25	48.90			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 93
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68752G	47.64	83.54	-35.90	41.77	1	Horizontal	13	1.62	-	37.52	17.25	48.90			
RMS	20.67834G	37.72	63.54	-25.82	31.84	1	Horizontal	13	1.62	-	37.54	17.24	48.90			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 95
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9759G	65.40	88.20	-22.80	42.61	3	Vertical	360	1.80	-	41.40	13.10	31.71			
RMS	14.00137G	55.18	68.20	-13.02	32.30	3	Vertical	360	1.80	-	41.50	13.10	31.72			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 95
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00035G	64.51	88.20	-23.69	41.63	3	Horizontal	283	1.97	-	41.50	13.10	31.72			
RMS	13.99954G	55.01	68.20	-13.19	32.13	3	Horizontal	283	1.97	-	41.50	13.10	31.72			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 95
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.97912G	49.56	83.54	-33.98	43.21	1	Vertical	344	1.63	-	37.74	17.51	48.90			
RMS	20.97096G	38.08	63.54	-25.46	31.72	1	Vertical	344	1.63	-	37.76	17.50	48.90			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 95
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98176G	49.13	83.54	-34.41	42.78	1	Horizontal	323	2.04	-	37.74	17.51	48.90			
RMS	20.97732G	38.47	63.54	-25.07	32.11	1	Horizontal	323	2.04	-	37.75	17.51	48.90			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 85
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0956G	110.86	Inf	-Inf	97.22	3	Vertical	338	2.97	-	35.58	8.95	30.89				
RMS	7.0958G	101.69	Inf	-Inf	88.05	3	Vertical	338	2.97	-	35.58	8.95	30.89				
PK	7.1258G	72.18	88.20	-16.02	58.41	3	Vertical	338	2.97	-	35.70	8.96	30.89				
RMS	7.1258G	61.91	68.20	-6.29	48.14	3	Vertical	338	2.97	-	35.70	8.96	30.89				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 85
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0944G	118.70	Inf	-Inf	105.06	3	Horizontal	93	2.19	-	35.58	8.95	30.89				
RMS	7.0946G	108.16	Inf	-Inf	94.52	3	Horizontal	93	2.19	-	35.58	8.95	30.89				
PK	7.1318G	78.49	88.20	-9.71	64.68	3	Horizontal	93	2.19	-	35.73	8.97	30.89				
RMS	7.125G	67.62	68.20	-0.58	53.85	3	Horizontal	93	2.19	-	35.70	8.96	30.89				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 96
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.20266G	65.89	88.20	-22.31	42.00	3	Vertical	263	1.59	-	42.20	13.28	31.59			
RMS	14.18472G	55.71	68.20	-12.49	31.91	3	Vertical	263	1.59	-	42.14	13.26	31.60			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 96
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.20224G	66.46	88.20	-21.74	42.58	3	Horizontal	228	1.80	-	42.20	13.27	31.59			
RMS	14.17887G	55.93	68.20	-12.27	32.17	3	Horizontal	228	1.80	-	42.12	13.25	31.61			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 96
02-D-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.29238G	49.44	83.54	-34.10	43.15	1	Vertical	235	1.95	-	37.65	17.42	48.78			
RMS	21.28668G	38.68	63.54	-24.86	32.37	1	Vertical	235	1.95	-	37.68	17.42	48.79			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 96
02-D-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28878G	49.47	83.54	-34.07	43.16	1	Vertical	164	1.32	-	37.67	17.42	48.78			
RMS	21.29892G	38.72	63.54	-24.82	32.47	1	Vertical	164	1.32	-	37.61	17.42	48.78			

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 88
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1012G	110.78	Inf	-Inf	97.12	3	Vertical	144	3.00	-	35.60	8.95	30.89				
RMS	7.0976G	101.16	Inf	-Inf	87.51	3	Vertical	144	3.00	-	35.59	8.95	30.89				
PK	7.1298G	75.63	88.20	-12.57	61.84	3	Vertical	144	3.00	-	35.72	8.96	30.89				
RMS	7.1274G	65.35	68.20	-2.85	51.57	3	Vertical	144	3.00	-	35.71	8.96	30.89				

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 88
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1012G	113.89	Inf	-Inf	100.23	3	Horizontal	143	2.11	-	35.60	8.95	30.89			
RMS	7.0934G	104.36	Inf	-Inf	90.73	3	Horizontal	143	2.11	-	35.57	8.95	30.89			
PK	7.1258G	77.74	88.20	-10.46	63.97	3	Horizontal	143	2.11	-	35.70	8.96	30.89			
RMS	7.125G	68.16	68.20	-0.04	54.39	3	Horizontal	143	2.11	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 72
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0984G	90.27	Inf	-Inf	76.45	3	Vertical	163	1.80	-	36.49	10.04	32.71			
RMS	7.1028G	81.52	Inf	-Inf	67.66	3	Vertical	163	1.80	-	36.52	10.05	32.71			
PK	7.1748G	65.78	88.20	-22.42	51.32	3	Vertical	163	1.80	-	36.90	10.24	32.68			
RMS	7.1748G	55.37	68.20	-12.83	40.91	3	Vertical	163	1.80	-	36.90	10.24	32.68			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

7085MHz_TX




EUT_Z_1TX
Setting 72
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0736G	107.32	Inf	-Inf	93.72	3	Horizontal	166	2.64	-	36.34	9.98	32.72			
RMS	7.1G	97.78	Inf	-Inf	83.95	3	Horizontal	166	2.64	-	36.50	10.04	32.71			
PK	7.1604G	65.59	88.20	-22.61	51.24	3	Horizontal	166	2.64	-	36.84	10.20	32.69			
RMS	7.127G	55.71	68.20	-12.49	41.64	3	Horizontal	166	2.64	-	36.66	10.11	32.70			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 85
01-C-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0814G	106.76	Inf	-Inf	93.09	3	Vertical	30	2.98	-	36.39	10.00	32.72			
RMS	7.1026G	97.19	Inf	-Inf	83.33	3	Vertical	30	2.98	-	36.52	10.05	32.71			
PK	7.1282G	78.95	88.20	-9.25	64.86	3	Vertical	30	2.98	-	36.67	10.12	32.70			
RMS	7.1262G	67.44	68.20	-0.76	53.37	3	Vertical	30	2.98	-	36.66	10.11	32.70			
PK	7.25G	55.95	74.00	-18.05	41.23	3	Vertical	30	2.98	-	37.10	10.28	32.66			
AV	7.2514G	45.13	54.00	-8.87	30.40	3	Vertical	30	2.98	-	37.10	10.28	32.65			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 85
01-C-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0698G	107.02	Inf	-Inf	93.45	3	Horizontal	289	3.00	-	36.32	9.97	32.72			
RMS	7.0798G	97.49	Inf	-Inf	83.84	3	Horizontal	289	3.00	-	36.38	9.99	32.72			
PK	7.1262G	77.40	88.20	-10.80	63.33	3	Horizontal	289	3.00	-	36.66	10.11	32.70			
RMS	7.125G	67.16	68.20	-1.04	53.10	3	Horizontal	289	3.00	-	36.65	10.11	32.70			
PK	7.2538G	55.82	74.00	-18.18	41.10	3	Horizontal	289	3.00	-	37.09	10.28	32.65			
AV	7.2534G	45.38	54.00	-8.62	30.66	3	Horizontal	289	3.00	-	37.09	10.28	32.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 79
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0758G	109.89	Inf	-Inf	96.34	3	Vertical	208	2.90	-	35.50	8.94	30.89				
RMS	7.076G	99.55	Inf	-Inf	86.00	3	Vertical	208	2.90	-	35.50	8.94	30.89				
PK	7.1264G	76.12	88.20	-12.08	62.34	3	Vertical	208	2.90	-	35.71	8.96	30.89				
RMS	7.1264G	65.72	68.20	-2.48	51.94	3	Vertical	208	2.90	-	35.71	8.96	30.89				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 79
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0782G	114.93	Inf	-Inf	101.37	3	Horizontal	194	2.08	-	35.51	8.94	30.89			
RMS	7.078G	104.08	Inf	-Inf	90.52	3	Horizontal	194	2.08	-	35.51	8.94	30.89			
PK	7.1276G	76.99	88.20	-11.21	63.21	3	Horizontal	194	2.08	-	35.71	8.96	30.89			
RMS	7.1278G	67.30	68.20	-0.90	53.52	3	Horizontal	194	2.08	-	35.71	8.96	30.89			

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 79
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0715G	106.79	Inf	-Inf	93.25	3	Vertical	208	2.92	-	35.49	8.94	30.89				
RMS	7.0964G	96.74	Inf	-Inf	83.09	3	Vertical	208	2.92	-	35.59	8.95	30.89				
PK	7.1261G	73.47	88.20	-14.73	59.70	3	Vertical	208	2.92	-	35.70	8.96	30.89				
RMS	7.1276G	62.07	68.20	-6.13	48.29	3	Vertical	208	2.92	-	35.71	8.96	30.89				

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 79
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0802G	110.44	Inf	-Inf	96.87	3	Horizontal	153	1.96	-	35.52	8.94	30.89			
RMS	7.0823G	100.45	Inf	-Inf	86.87	3	Horizontal	153	1.96	-	35.53	8.94	30.89			
PK	7.1279G	78.11	88.20	-10.09	64.33	3	Horizontal	153	1.96	-	35.71	8.96	30.89			
RMS	7.1282G	65.97	68.20	-2.23	52.19	3	Horizontal	153	1.96	-	35.71	8.96	30.89			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 73
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.037G	100.10	Inf	-Inf	90.97	3	Vertical	193	2.90	-	35.87	8.36	35.10			
RMS	7.0366G	90.38	Inf	-Inf	81.25	3	Vertical	193	2.90	-	35.87	8.36	35.10			
PK	7.169G	63.77	88.20	-24.43	54.14	3	Vertical	193	2.90	-	36.25	8.42	35.04			
RMS	7.1314G	53.02	68.20	-15.18	43.64	3	Vertical	193	2.90	-	36.03	8.41	35.06			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 73
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.013G	105.93	Inf	-Inf	96.85	3	Horizontal	345	2.54	-	35.83	8.35	35.10				
RMS	7.0426G	95.79	Inf	-Inf	86.63	3	Horizontal	345	2.54	-	35.89	8.36	35.09				
PK	7.1266G	65.97	88.20	-22.23	56.62	3	Horizontal	345	2.54	-	36.01	8.40	35.06				
RMS	7.125G	55.15	68.20	-13.05	45.81	3	Horizontal	345	2.54	-	36.00	8.40	35.06				

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX


7025MHz_TX

EUT_Z_2TX
Setting 97
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0198G	104.37	Inf	-Inf	91.19	3	Vertical	162	3.00	-	36.08	9.84	32.74			
RMS	7.0162G	94.47	Inf	-Inf	81.32	3	Vertical	162	3.00	-	36.06	9.83	32.74			
PK	7.1254G	76.55	88.20	-11.65	62.49	3	Vertical	162	3.00	-	36.65	10.11	32.70			
RMS	7.125G	66.74	68.20	-1.46	52.68	3	Vertical	162	3.00	-	36.65	10.11	32.70			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 97
01-C-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0086G	106.48	Inf	-Inf	93.39	3	Horizontal	61	1.80	-	36.03	9.81	32.75			
RMS	7.0114G	96.20	Inf	-Inf	83.08	3	Horizontal	61	1.80	-	36.05	9.82	32.75			
PK	7.129G	78.42	88.20	-9.78	64.33	3	Horizontal	61	1.80	-	36.67	10.12	32.70			
RMS	7.125G	67.65	68.20	-0.55	53.59	3	Horizontal	61	1.80	-	36.65	10.11	32.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 85
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0418G	105.63	Inf	-Inf	92.22	3	Vertical	201	2.91	-	35.38	8.92	30.89			
RMS	6.9966G	95.98	Inf	-Inf	82.67	3	Vertical	201	2.91	-	35.30	8.90	30.89			
PK	7.1266G	76.30	88.20	-11.90	62.52	3	Vertical	201	2.91	-	35.71	8.96	30.89			
RMS	7.127G	64.53	68.20	-3.67	50.75	3	Vertical	201	2.91	-	35.71	8.96	30.89			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 85
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0046G	110.88	Inf	-Inf	97.56	3	Horizontal	100	2.41	-	35.31	8.90	30.89			
RMS	7.0394G	102.13	Inf	-Inf	88.72	3	Horizontal	100	2.41	-	35.38	8.92	30.89			
PK	7.125G	80.20	88.20	-8.00	66.43	3	Horizontal	100	2.41	-	35.70	8.96	30.89			
RMS	7.125G	67.98	68.20	-0.22	54.21	3	Horizontal	100	2.41	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 87
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.057G	103.36	Inf	-Inf	89.89	3	Vertical	209	3.00	-	35.43	8.93	30.89				
RMS	7.0562G	94.41	Inf	-Inf	80.95	3	Vertical	209	3.00	-	35.42	8.93	30.89				
PK	7.1262G	75.90	88.20	-12.30	62.13	3	Vertical	209	3.00	-	35.70	8.96	30.89				
RMS	7.125G	63.12	68.20	-5.08	49.35	3	Vertical	209	3.00	-	35.70	8.96	30.89				

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 87
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0414G	111.65	Inf	-Inf	98.24	3	Horizontal	102	2.57	-	35.38	8.92	30.89			
RMS	7.0402G	100.48	Inf	-Inf	87.07	3	Horizontal	102	2.57	-	35.38	8.92	30.89			
PK	7.125G	78.20	88.20	-10.00	64.43	3	Horizontal	102	2.57	-	35.70	8.96	30.89			
RMS	7.1262G	67.85	68.20	-0.35	54.08	3	Horizontal	102	2.57	-	35.70	8.96	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 79
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0102G	97.33	Inf	-Inf	88.27	3	Vertical	195	2.87	-	35.82	8.35	35.11			
AV	7.0116G	88.11	Inf	-Inf	79.05	3	Vertical	195	2.87	-	35.82	8.35	35.11			
PK	7.2804G	58.75	74.00	-15.25	48.45	3	Vertical	195	2.87	-	36.78	8.52	35.00			
AV	7.25G	49.65	54.00	-4.35	39.57	3	Vertical	195	2.87	-	36.60	8.49	35.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 79
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0018G	103.91	Inf	-Inf	94.88	3	Horizontal	333	2.17	-	35.80	8.34	35.11			
AV	7.062G	93.16	Inf	-Inf	83.98	3	Horizontal	333	2.17	-	35.90	8.37	35.09			
PK	7.2594G	62.30	74.00	-11.70	52.15	3	Horizontal	333	2.17	-	36.66	8.50	35.01			
AV	7.2594G	53.54	54.00	-0.46	43.39	3	Horizontal	333	2.17	-	36.66	8.50	35.01			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 88
01-C-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0154G	100.85	Inf	-Inf	87.70	3	Vertical	146	3.00	-	36.06	9.83	32.74			
RMS	6.921G	90.49	Inf	-Inf	77.33	3	Vertical	146	3.00	-	35.96	9.89	32.69			
PK	7.125G	76.02	88.20	-12.18	61.96	3	Vertical	146	3.00	-	36.65	10.11	32.70			
RMS	7.1258G	66.55	68.20	-1.65	52.49	3	Vertical	146	3.00	-	36.65	10.11	32.70			
PK	7.25G	62.23	74.00	-11.77	47.50	3	Vertical	146	3.00	-	37.10	10.28	32.65			
AV	7.25G	52.08	54.00	-1.92	37.35	3	Vertical	146	3.00	-	37.10	10.28	32.65			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 88
01-C-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.909G	101.42	Inf	-Inf	88.22	3	Horizontal	58	1.80	-	35.98	9.90	32.68			
RMS	7.0018G	91.97	Inf	-Inf	78.92	3	Horizontal	58	1.80	-	36.01	9.79	32.75			
PK	7.1362G	77.19	88.20	-11.01	63.03	3	Horizontal	58	1.80	-	36.72	10.14	32.70			
RMS	7.1258G	66.32	68.20	-1.88	52.26	3	Horizontal	58	1.80	-	36.65	10.11	32.70			
PK	7.2522G	64.43	74.00	-9.57	49.70	3	Horizontal	58	1.80	-	37.10	10.28	32.65			
AV	7.257G	53.71	54.00	-0.29	38.99	3	Horizontal	58	1.80	-	37.09	10.28	32.65			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Z_4TX
Setting 71
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9472G	101.40	Inf	-Inf	87.99	3	Vertical	138	2.92	-	35.30	8.94	30.83			
AV	6.9625G	90.96	Inf	-Inf	77.58	3	Vertical	138	2.92	-	35.30	8.93	30.85			
PK	7.2577G	61.49	74.00	-12.51	47.04	3	Vertical	138	2.92	-	36.33	9.01	30.89			
AV	7.2523G	50.00	54.00	-4.00	35.57	3	Vertical	138	2.92	-	36.31	9.01	30.89			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 71
02-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9616G	104.77	Inf	-Inf	91.39	3	Horizontal	96	2.29	-	35.30	8.93	30.85			
AV	6.9598G	95.50	Inf	-Inf	82.11	3	Horizontal	96	2.29	-	35.30	8.93	30.84			
PK	7.264G	65.82	74.00	-8.18	51.34	3	Horizontal	96	2.29	-	36.36	9.01	30.89			
AV	7.2541G	53.25	54.00	-0.75	38.81	3	Horizontal	96	2.29	-	36.32	9.01	30.89			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 75
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.908G	100.66	Inf	-Inf	87.17	3	Vertical	137	2.94	-	35.30	8.98	30.79			
AV	6.964G	90.37	Inf	-Inf	76.99	3	Vertical	137	2.94	-	35.30	8.93	30.85			
PK	7.2608G	62.82	74.00	-11.18	48.36	3	Vertical	137	2.94	-	36.34	9.01	30.89			
AV	7.2524G	51.37	54.00	-2.63	36.94	3	Vertical	137	2.94	-	36.31	9.01	30.89			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6985MHz_TX



EUT_Z_4TX
Setting 75
02-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	6.9234G	106.87	Inf	-Inf	93.40	3	Horizontal	100	2.57	-	35.30	8.97	30.80					
AV	6.9234G	96.12	Inf	-Inf	82.65	3	Horizontal	100	2.57	-	35.30	8.97	30.80					
PK	7.2622G	67.47	74.00	-6.53	53.00	3	Horizontal	100	2.57	-	36.35	9.01	30.89					
AV	7.2524G	53.61	54.00	-0.39	39.18	3	Horizontal	100	2.57	-	36.31	9.01	30.89					




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	RMS	5.924G	67.91	68.20	-0.29	3	Horizontal	3	2.71	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 44
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8748G	60.00	88.20	-28.20	53.05	3	Vertical	30	2.54	-	34.40	7.52	34.97			
RMS	5.9198G	47.85	68.20	-20.35	40.74	3	Vertical	30	2.54	-	34.58	7.52	34.99			
PK	5.9628G	95.76	Inf	-Inf	88.53	3	Vertical	30	2.54	-	34.70	7.53	35.00			
RMS	5.9638G	85.34	Inf	-Inf	78.11	3	Vertical	30	2.54	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 44
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9048G	59.72	88.20	-28.48	52.66	3	Horizontal	105	2.38	-	34.52	7.52	34.98			
RMS	5.9236G	47.93	68.20	-20.27	40.81	3	Horizontal	105	2.38	-	34.59	7.52	34.99			
PK	5.9612G	106.67	Inf	-Inf	99.44	3	Horizontal	105	2.38	-	34.70	7.53	35.00			
RMS	5.9582G	95.92	Inf	-Inf	88.69	3	Horizontal	105	2.38	-	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 42
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0958G	100.07	Inf	-Inf	91.05	3	Vertical	30	2.95	-	35.70	8.39	35.07			
RMS	7.0925G	89.90	Inf	-Inf	80.88	3	Vertical	30	2.95	-	35.70	8.39	35.07			
PK	7.1328G	62.50	88.20	-25.70	53.25	3	Vertical	30	2.95	-	35.90	8.41	35.06			
RMS	7.1348G	51.48	68.20	-16.72	42.22	3	Vertical	30	2.95	-	35.91	8.41	35.06			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 42
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0867G	104.70	Inf	-Inf	95.70	3	Horizontal	197	2.65	-	35.70	8.38	35.08			
RMS	7.087G	94.50	Inf	-Inf	85.50	3	Horizontal	197	2.65	-	35.70	8.38	35.08			
PK	7.138G	61.95	88.20	-26.25	52.66	3	Horizontal	197	2.65	-	35.93	8.41	35.05			
RMS	7.1258G	51.76	68.20	-16.44	42.57	3	Horizontal	197	2.65	-	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 58
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	59.51	88.20	-28.69	52.42	3	Vertical	28	2.48	-	34.55	7.52	34.98			
RMS	5.924G	49.37	68.20	-18.83	42.24	3	Vertical	28	2.48	-	34.60	7.52	34.99			
PK	5.967G	99.98	Inf	-Inf	92.75	3	Vertical	28	2.48	-	34.70	7.53	35.00			
RMS	5.9668G	88.16	Inf	-Inf	80.93	3	Vertical	28	2.48	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 58
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.916G	60.84	88.20	-27.36	53.74	3	Horizontal	105	2.68	-	34.56	7.52	34.98			
RMS	5.9226G	49.63	68.20	-18.57	42.51	3	Horizontal	105	2.68	-	34.59	7.52	34.99			
PK	5.956G	109.11	Inf	-Inf	101.88	3	Horizontal	105	2.68	-	34.70	7.53	35.00			
RMS	5.9576G	98.93	Inf	-Inf	91.70	3	Horizontal	105	2.68	-	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 60
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.091G	102.24	Inf	-Inf	93.22	3	Vertical	31	2.94	-	35.70	8.39	35.07				
RMS	7.0934G	91.69	Inf	-Inf	82.67	3	Vertical	31	2.94	-	35.70	8.39	35.07				
PK	7.1624G	61.95	88.20	-26.25	52.51	3	Vertical	31	2.94	-	36.07	8.42	35.05				
RMS	7.1712G	51.57	68.20	-16.63	42.05	3	Vertical	31	2.94	-	36.13	8.43	35.04				

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 60
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0888G	103.41	Inf	-Inf	94.40	3	Horizontal	3	2.38	-	35.70	8.38	35.07				
RMS	7.1024G	92.96	Inf	-Inf	83.93	3	Horizontal	3	2.38	-	35.71	8.39	35.07				
PK	7.1588G	62.83	88.20	-25.37	53.41	3	Horizontal	3	2.38	-	36.05	8.42	35.05				
RMS	7.1744G	51.59	68.20	-16.61	42.05	3	Horizontal	3	2.38	-	36.15	8.43	35.04				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 67
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7978G	59.88	88.20	-28.32	53.12	3	Vertical	27	2.56	-	34.20	7.51	34.95			
RMS	5.9234G	49.23	68.20	-18.97	42.11	3	Vertical	27	2.56	-	34.59	7.52	34.99			
PK	5.9974G	96.85	Inf	-Inf	89.63	3	Vertical	27	2.56	-	34.70	7.53	35.01			
RMS	5.9962G	87.35	Inf	-Inf	80.13	3	Vertical	27	2.56	-	34.70	7.53	35.01			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 67
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9046G	60.17	88.20	-28.03	53.11	3	Horizontal	107	2.46	-	34.52	7.52	34.98			
RMS	5.9238G	49.98	68.20	-18.22	42.85	3	Horizontal	107	2.46	-	34.60	7.52	34.99			
PK	5.9658G	108.13	Inf	-Inf	100.90	3	Horizontal	107	2.46	-	34.70	7.53	35.00			
RMS	5.9682G	96.33	Inf	-Inf	89.10	3	Horizontal	107	2.46	-	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 69
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0178G	96.61	Inf	-Inf	87.66	3	Vertical	21	2.89	-	35.70	8.35	35.10			
RMS	7.0278G	86.37	Inf	-Inf	77.42	3	Vertical	21	2.89	-	35.70	8.35	35.10			
PK	7.1682G	62.41	88.20	-25.79	52.92	3	Vertical	21	2.89	-	36.11	8.42	35.04			
RMS	7.2206G	51.71	68.20	-16.49	41.85	3	Vertical	21	2.89	-	36.42	8.46	35.02			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 69
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0018G	106.79	Inf	-Inf	97.86	3	Horizontal	-0	2.32	-	35.70	8.34	35.11			
RMS	6.9962G	93.03	Inf	-Inf	84.11	3	Horizontal	-0	2.32	-	35.69	8.34	35.11			
PK	7.171G	62.19	88.20	-26.01	52.67	3	Horizontal	-0	2.32	-	36.13	8.43	35.04			
RMS	7.1266G	51.80	68.20	-16.40	42.60	3	Horizontal	-0	2.32	-	35.86	8.40	35.06			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 85
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	70.38	88.20	-17.82	63.25	3	Vertical	32	2.97	-	34.60	7.52	34.99				
RMS	5.9245G	59.80	68.20	-8.40	52.67	3	Vertical	32	2.97	-	34.60	7.52	34.99				
PK	6.096G	98.11	Inf	-Inf	90.52	3	Vertical	32	2.97	-	34.98	7.64	35.03				
RMS	6.1005G	88.24	Inf	-Inf	80.63	3	Vertical	32	2.97	-	35.00	7.64	35.03				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 85
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9225G	72.79	88.20	-15.41	65.67	3	Horizontal	278.5	1.80	-	34.59	7.52	34.99			
RMS	5.9245G	62.71	68.20	-5.49	55.58	3	Horizontal	278.5	1.80	-	34.60	7.52	34.99			
PK	6.082G	105.17	Inf	-Inf	97.65	3	Horizontal	278.5	1.80	-	34.93	7.62	35.03			
RMS	6.0535G	94.17	Inf	-Inf	86.79	3	Horizontal	278.5	1.80	-	34.81	7.59	35.02			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 78
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9195G	93.91	Inf	-Inf	85.07	3	Vertical	282	2.98	-	35.66	8.29	35.11			
RMS	6.926G	84.12	Inf	-Inf	75.28	3	Vertical	282	2.98	-	35.65	8.30	35.11			
PK	7.157G	63.12	88.20	-25.08	53.71	3	Vertical	282	2.98	-	36.04	8.42	35.05			
RMS	7.138G	52.45	68.20	-15.75	43.16	3	Vertical	282	2.98	-	35.93	8.41	35.05			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 78
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9805G	100.98	Inf	-Inf	92.10	3	Horizontal	291.2	1.80	-	35.66	8.33	35.11			
RMS	7.0205G	89.67	Inf	-Inf	80.72	3	Horizontal	291.2	1.80	-	35.70	8.35	35.10			
PK	7.134G	71.29	88.20	-16.91	62.04	3	Horizontal	291.2	1.80	-	35.90	8.41	35.06			
RMS	7.126G	56.22	68.20	-11.98	47.02	3	Horizontal	291.2	1.80	-	35.86	8.40	35.06			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 94
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	68.64	88.20	-19.56	61.52	3	Vertical	31	3.00	-	34.59	7.52	34.99			
RMS	5.921G	58.76	68.20	-9.44	51.65	3	Vertical	31	3.00	-	34.58	7.52	34.99			
PK	6.127G	95.03	Inf	-Inf	87.40	3	Vertical	31	3.00	-	35.00	7.67	35.04			
RMS	6.127G	85.45	Inf	-Inf	77.82	3	Vertical	31	3.00	-	35.00	7.67	35.04			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 94
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.919G	79.33	88.20	-8.87	72.22	3	Horizontal	3	2.71	-	34.58	7.52	34.99			
RMS	5.924G	67.91	68.20	-0.29	60.78	3	Horizontal	3	2.71	-	34.60	7.52	34.99			
PK	6.144G	104.22	Inf	-Inf	96.57	3	Horizontal	3	2.71	-	35.00	7.69	35.04			
RMS	6.139G	94.89	Inf	-Inf	87.25	3	Horizontal	3	2.71	-	35.00	7.68	35.04			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6905MHz_TX

EUT_Z_2TX
Setting 81
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.7565G	95.85	Inf	-Inf	87.24	3	Vertical	137	3.00	-	35.53	8.19	35.11				
AV	6.7505G	85.76	Inf	-Inf	77.19	3	Vertical	137	3.00	-	35.50	8.18	35.11				
PK	7.2755G	57.21	74.00	-16.79	46.99	3	Vertical	137	3.00	-	36.70	8.52	35.00				
AV	7.268G	45.46	54.00	-8.54	35.28	3	Vertical	137	3.00	-	36.67	8.51	35.00				

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 81
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.016G	99.08	Inf	-Inf	90.13	3	Horizontal	2	1.97	-	35.70	8.35	35.10			
AV	7.001G	87.73	Inf	-Inf	78.80	3	Horizontal	2	1.97	-	35.70	8.34	35.11			
PK	7.25G	64.79	74.00	-9.21	54.71	3	Horizontal	2	1.97	-	36.60	8.49	35.01			
AV	7.2635G	52.84	54.00	-1.16	42.68	3	Horizontal	2	1.97	-	36.65	8.51	35.00			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 19
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	60.08	88.20	-28.12	52.95	3	Vertical	227	3.00	-	34.60	7.52	34.99			
RMS	5.9072G	49.10	68.20	-19.10	42.03	3	Vertical	227	3.00	-	34.53	7.52	34.98			
PK	5.962G	98.11	Inf	-Inf	90.88	3	Vertical	227	3.00	-	34.70	7.53	35.00			
RMS	5.9624G	87.79	Inf	-Inf	80.56	3	Vertical	227	3.00	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Z_4TX
Setting 19
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9092G	59.35	88.20	-28.85	52.27	3	Horizontal	112	2.81	-	34.54	7.52	34.98			
RMS	5.9222G	49.10	68.20	-19.10	41.98	3	Horizontal	112	2.81	-	34.59	7.52	34.99			
PK	5.962G	107.03	Inf	-Inf	99.80	3	Horizontal	112	2.81	-	34.70	7.53	35.00			
RMS	5.9602G	97.53	Inf	-Inf	90.30	3	Horizontal	112	2.81	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 19
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91609G	47.77	74.00	-26.23	41.66	3	Vertical	118	1.70	-	39.30	12.75	45.94			
AV	11.91931G	35.09	54.00	-18.91	28.98	3	Vertical	118	1.70	-	39.30	12.75	45.94			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 19
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.89539G	48.61	74.00	-25.39	42.50	3	Horizontal	170	1.84	-	39.30	12.74	45.93			
AV	11.90886G	34.94	54.00	-19.06	28.84	3	Horizontal	170	1.84	-	39.30	12.74	45.94			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 19
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8332G	49.56	83.54	-33.98	40.63	1	Vertical	276	1.83	-	38.90	17.93	47.90			
AV	23.81472G	36.70	63.54	-26.84	27.75	1	Vertical	276	1.83	-	38.90	17.95	47.90			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 19
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8056G	48.74	83.54	-34.80	39.79	1	Horizontal	310	1.64	-	38.90	17.95	47.90			
AV	23.81622G	36.53	63.54	-27.01	27.59	1	Horizontal	310	1.64	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39942G	47.47	74.00	-26.53	41.48	3	Vertical	272	1.83	-	38.70	12.85	45.56			
AV	12.39525G	34.72	54.00	-19.28	28.74	3	Vertical	272	1.83	-	38.70	12.85	45.57			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39705G	47.64	74.00	-26.36	41.66	3	Horizontal	54	2.03	-	38.70	12.85	45.57			
AV	12.40125G	34.87	54.00	-19.13	28.88	3	Horizontal	54	2.03	-	38.70	12.85	45.56			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58284G	45.49	83.54	-38.05	40.37	1	Vertical	332	1.46	-	37.63	16.14	48.65			
AV	18.58716G	32.33	63.54	-31.21	27.19	1	Vertical	332	1.46	-	37.65	16.14	48.65			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6195MHz_TX

EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.573G	44.71	83.54	-38.83	39.63	1	Horizontal	336	1.53	-	37.59	16.13	48.64			
AV	18.57126G	32.18	63.54	-31.36	27.10	1	Horizontal	336	1.53	-	37.59	16.13	48.64			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82976G	46.53	88.20	-41.67	40.35	3	Vertical	276	1.65	-	39.02	12.92	45.76			
RMS	12.84296G	34.36	68.20	-33.84	28.15	3	Vertical	276	1.65	-	39.07	12.92	45.78			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84326G	46.79	88.20	-41.41	40.58	3	Horizontal	296	1.91	-	39.07	12.92	45.78			
RMS	12.84017G	34.24	68.20	-33.96	28.03	3	Horizontal	296	1.91	-	39.06	12.92	45.77			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24032G	45.47	83.54	-38.07	39.97	1	Vertical	178	1.84	-	37.84	16.51	48.85			
AV	19.23732G	32.42	63.54	-31.12	26.94	1	Vertical	178	1.84	-	37.82	16.51	48.85			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23966G	44.92	83.54	-38.62	39.42	1	Horizontal	180	1.88	-	37.84	16.51	48.85			
AV	19.25106G	32.62	63.54	-30.92	27.07	1	Horizontal	180	1.88	-	37.89	16.51	48.85			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 31
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87279G	48.31	88.20	-39.89	42.03	3	Vertical	282	2.03	-	39.15	12.93	45.80			
RMS	12.88392G	34.37	68.20	-33.83	28.08	3	Vertical	282	2.03	-	39.17	12.93	45.81			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 31
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88251G	46.97	88.20	-41.23	40.68	3	Horizontal	128	1.81	-	39.17	12.93	45.81			
RMS	12.86439G	34.47	68.20	-33.73	28.22	3	Horizontal	128	1.81	-	39.13	12.92	45.80			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 31
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.29438G	44.48	83.54	-39.06	39.18	1	Vertical	214	1.96	-	37.63	16.51	48.84			
AV	19.29048G	32.14	63.54	-31.40	26.81	1	Vertical	214	1.96	-	37.66	16.51	48.84			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6435MHz_TX




EUT_Z_4TX
Setting 31
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.30002G	44.92	83.54	-38.62	39.64	1	Horizontal	341	1.84	-	37.60	16.52	48.84			
AV	19.29432G	32.45	63.54	-31.09	27.15	1	Horizontal	341	1.84	-	37.63	16.51	48.84			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 34
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.9461G	47.89	88.20	-40.31	41.53	3	Vertical	116	1.56	-	39.29	12.94	45.87			
RMS	12.94451G	34.29	68.20	-33.91	27.93	3	Vertical	116	1.56	-	39.29	12.94	45.87			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


6475MHz_TX


EUT_Z_4TX
Setting 34
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93707G	46.87	88.20	-41.33	40.52	3	Horizontal	172	1.65	-	39.27	12.94	45.86			
RMS	12.9356G	34.40	68.20	-33.80	28.05	3	Horizontal	172	1.65	-	39.27	12.94	45.86			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 34
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.43358G	44.62	83.54	-38.92	39.26	1	Vertical	195	1.76	-	37.63	16.54	48.81			
AV	19.41696G	31.90	63.54	-31.64	26.52	1	Vertical	195	1.76	-	37.67	16.53	48.82			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6475MHz_TX




EUT_Z_4TX
Setting 34
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42194G	44.01	83.54	-39.53	38.64	1	Horizontal	149	1.56	-	37.66	16.53	48.82			
AV	19.41894G	31.91	63.54	-31.63	26.54	1	Horizontal	149	1.56	-	37.66	16.53	48.82			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 29
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.02568G	47.72	88.20	-40.48	41.24	3	Vertical	190	1.75	-	39.40	12.95	45.87			
RMS	13.03378G	35.39	68.20	-32.81	28.90	3	Vertical	190	1.75	-	39.40	12.95	45.86			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 29
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02541G	47.89	88.20	-40.31	41.41	3	Horizontal	329	1.61	-	39.40	12.95	45.87			
RMS	13.03462G	35.43	68.20	-32.77	28.94	3	Horizontal	329	1.61	-	39.40	12.95	45.86			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 29
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54656G	44.89	83.54	-38.65	39.57	1	Vertical	220	1.89	-	37.59	16.55	48.82			
AV	19.53408G	31.90	63.54	-31.64	26.59	1	Vertical	220	1.89	-	37.57	16.55	48.81			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6515MHz_TX




EUT_Z_4TX
Setting 29
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5537G	44.54	83.54	-39.00	39.21	1	Horizontal	10	1.74	-	37.60	16.55	48.82			
AV	19.55568G	32.12	63.54	-31.42	26.79	1	Horizontal	10	1.74	-	37.60	16.55	48.82			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 27
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07447G	47.97	88.20	-40.23	41.29	3	Vertical	15	1.56	-	39.50	12.96	45.78			
RMS	13.05578G	35.25	68.20	-32.95	28.70	3	Vertical	15	1.56	-	39.42	12.95	45.82			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 27
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07555G	47.95	88.20	-40.25	41.27	3	Horizontal	206	1.37	-	39.50	12.96	45.78			
RMS	13.07627G	35.49	68.20	-32.71	28.80	3	Horizontal	206	1.37	-	39.51	12.96	45.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 27
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61136G	44.14	83.54	-39.40	38.84	1	Vertical	248	1.38	-	37.58	16.56	48.84			
AV	19.6044G	32.02	63.54	-31.52	26.71	1	Vertical	248	1.38	-	37.59	16.56	48.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 27
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60212G	45.30	83.54	-38.24	39.98	1	Horizontal	325	1.52	-	37.60	16.56	48.84			
AV	19.60074G	32.09	63.54	-31.45	26.77	1	Horizontal	325	1.52	-	37.60	16.56	48.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39036G	49.65	74.00	-24.35	41.59	3	Vertical	188	1.75	-	40.26	13.01	45.21			
AV	13.39459G	36.86	54.00	-17.14	28.77	3	Vertical	188	1.75	-	40.28	13.01	45.20			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37863G	49.18	74.00	-24.82	41.20	3	Horizontal	280	1.75	-	40.21	13.00	45.23			
AV	13.39081G	36.72	54.00	-17.28	28.66	3	Horizontal	280	1.75	-	40.26	13.01	45.21			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09406G	44.33	83.54	-39.21	39.31	1	Vertical	116	1.31	-	37.29	16.71	48.98			
AV	20.0811G	32.00	63.54	-31.54	27.03	1	Vertical	116	1.31	-	37.26	16.69	48.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 30
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09394G	44.53	83.54	-39.01	39.51	1	Horizontal	166	1.59	-	37.29	16.71	48.98			
AV	20.07852G	31.94	63.54	-31.60	26.97	1	Horizontal	166	1.59	-	37.26	16.69	48.98			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 35
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76344G	50.40	88.20	-37.80	41.58	3	Vertical	231	1.50	-	40.83	13.06	45.07			
RMS	13.75279G	38.34	68.20	-29.86	29.54	3	Vertical	231	1.50	-	40.81	13.06	45.07			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 35
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74538G	51.24	88.20	-36.96	42.45	3	Horizontal	239	1.87	-	40.79	13.06	45.06			
RMS	13.74007G	38.44	68.20	-29.76	29.66	3	Horizontal	239	1.87	-	40.78	13.06	45.06			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 35
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.61456G	45.94	83.54	-37.60	39.99	1	Vertical	26	1.34	-	37.67	17.18	48.90			
AV	20.63592G	33.71	63.54	-29.83	27.78	1	Vertical	26	1.34	-	37.63	17.20	48.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6875MHz_TX




EUT_Z_4TX
Setting 35
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.64G	46.72	83.54	-36.82	40.80	1	Horizontal	18	1.64	-	37.62	17.20	48.90			
AV	20.63028G	33.65	63.54	-29.89	27.72	1	Horizontal	18	1.64	-	37.64	17.19	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 32
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79819G	50.69	88.20	-37.51	41.80	3	Vertical	61	1.67	-	40.90	13.07	45.08			
RMS	13.80119G	38.33	68.20	-29.87	29.44	3	Vertical	61	1.67	-	40.90	13.07	45.08			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 32
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79315G	51.62	88.20	-36.58	42.73	3	Horizontal	18	1.44	-	40.89	13.07	45.07			
RMS	13.80458G	38.54	68.20	-29.66	29.63	3	Horizontal	18	1.44	-	40.92	13.07	45.08			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 32
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.69994G	47.04	83.54	-36.50	41.18	1	Vertical	32	1.63	-	37.50	17.26	48.90			
AV	20.69742G	33.84	63.54	-29.70	27.98	1	Vertical	32	1.63	-	37.51	17.25	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6895MHz_TX




EUT_Z_4TX
Setting 32
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.69502G	46.51	83.54	-37.03	40.65	1	Horizontal	44	1.43	-	37.51	17.25	48.90			
AV	20.69082G	33.87	63.54	-29.67	28.00	1	Horizontal	44	1.43	-	37.52	17.25	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 34
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00458G	52.24	88.20	-35.96	42.75	3	Vertical	192	1.35	-	41.51	13.10	45.12			
RMS	14.00011G	39.82	68.20	-28.38	30.34	3	Vertical	192	1.35	-	41.50	13.10	45.12			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 34
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99693G	52.99	88.20	-35.21	43.52	3	Horizontal	310	1.89	-	41.49	13.10	45.12			
RMS	14.00413G	39.96	68.20	-28.24	30.47	3	Horizontal	310	1.89	-	41.51	13.10	45.12			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 34
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.97336G	46.34	83.54	-37.20	39.98	1	Vertical	123	1.40	-	37.75	17.51	48.90			
AV	20.9754G	33.85	63.54	-29.69	27.49	1	Vertical	123	1.40	-	37.75	17.51	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

6995MHz_TX




EUT_Z_4TX
Setting 34
02-D-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.99088G	47.33	83.54	-36.21	40.99	1	Horizontal	306	1.39	-	37.72	17.52	48.90			
AV	20.98446G	33.90	63.54	-29.64	27.55	1	Horizontal	306	1.39	-	37.73	17.52	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 32
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1018G	100.08	Inf	-Inf	91.05	3	Vertical	72	2.87	-	35.71	8.39	35.07			
RMS	7.1012G	89.00	Inf	-Inf	79.97	3	Vertical	72	2.87	-	35.71	8.39	35.07			
PK	7.185G	61.73	88.20	-26.47	52.13	3	Vertical	72	2.87	-	36.21	8.43	35.04			
RMS	7.1792G	49.56	68.20	-18.64	39.99	3	Vertical	72	2.87	-	36.18	8.43	35.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 32
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0996G	106.18	Inf	-Inf	97.16	3	Horizontal	104	2.16	-	35.70	8.39	35.07			
RMS	7.0998G	94.46	Inf	-Inf	85.44	3	Horizontal	104	2.16	-	35.70	8.39	35.07			
PK	7.1812G	62.89	88.20	-25.31	53.31	3	Horizontal	104	2.16	-	36.19	8.43	35.04			
RMS	7.1704G	49.60	68.20	-18.60	40.09	3	Horizontal	104	2.16	-	36.12	8.43	35.04			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 32
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18253G	53.89	88.20	-34.31	43.50	3	Vertical	107	1.73	-	42.13	13.26	45.00			
RMS	14.19672G	41.21	68.20	-26.99	30.74	3	Vertical	107	1.73	-	42.19	13.27	44.99			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 32
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.17899G	54.31	88.20	-33.89	43.95	3	Horizontal	334	1.80	-	42.12	13.25	45.01			
RMS	14.17908G	41.33	68.20	-26.87	30.97	3	Horizontal	334	1.80	-	42.12	13.25	45.01			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 32
02-D-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.27252G	46.73	83.54	-36.81	40.33	1	Vertical	172	1.78	-	37.76	17.43	48.79			
AV	21.29328G	34.44	63.54	-29.10	28.16	1	Vertical	172	1.78	-	37.64	17.42	48.78			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

7095MHz_TX




EUT_Z_4TX
Setting 32
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.28542G	47.01	83.54	-36.53	40.69	1	Horizontal	19	1.57	-	37.69	17.42	48.79			
AV	21.294G	34.28	63.54	-29.26	28.00	1	Horizontal	19	1.57	-	37.64	17.42	48.78			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 37
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.875G	59.02	88.20	-29.18	52.07	3	Vertical	86	3.00	-	34.40	7.52	34.97			
RMS	5.9148G	46.74	68.20	-21.46	39.64	3	Vertical	86	3.00	-	34.56	7.52	34.98			
PK	5.9508G	101.19	Inf	-Inf	93.96	3	Vertical	86	3.00	-	34.70	7.53	35.00			
RMS	5.9508G	90.14	Inf	-Inf	82.91	3	Vertical	86	3.00	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 37
03-E-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9224G	59.00	88.20	-29.20	51.88	3	Horizontal	10	2.74	-	34.59	7.52	34.99
RMS	5.925G	47.04	68.20	-21.16	39.91	3	Horizontal	10	2.74	-	34.60	7.52	34.99
PK	5.9674G	107.38	Inf	-Inf	100.15	3	Horizontal	10	2.74	-	34.70	7.53	35.00
RMS	5.9672G	94.82	Inf	-Inf	87.59	3	Horizontal	10	2.74	-	34.70	7.53	35.00

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 42
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	7.097G	93.23	Inf	-Inf	84.21	3	Vertical	113	1.80	-	35.70	8.39	35.07				
RMS	7.0961G	83.70	Inf	-Inf	74.68	3	Vertical	113	1.80	-	35.70	8.39	35.07				
PK	7.1627G	62.51	88.20	-25.69	53.05	3	Vertical	113	1.80	-	36.08	8.42	35.04				
RMS	7.232G	51.44	68.20	-16.76	41.50	3	Vertical	113	1.80	-	36.49	8.47	35.02				

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 42
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1024G	104.58	Inf	-Inf	95.55	3	Horizontal	360	2.25	-	35.71	8.39	35.07			
RMS	7.0997G	94.71	Inf	-Inf	85.69	3	Horizontal	360	2.25	-	35.70	8.39	35.07			
PK	7.1522G	61.77	88.20	-26.43	52.39	3	Horizontal	360	2.25	-	36.01	8.42	35.05			
RMS	7.2344G	51.51	68.20	-16.69	41.54	3	Horizontal	360	2.25	-	36.51	8.48	35.02			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 54
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8322G	59.80	88.20	-28.40	52.99	3	Vertical	24	2.98	-	34.26	7.51	34.96			
RMS	5.9238G	48.78	68.20	-19.42	41.65	3	Vertical	24	2.98	-	34.60	7.52	34.99			
PK	5.9882G	96.43	Inf	-Inf	89.21	3	Vertical	24	2.98	-	34.70	7.53	35.01			
RMS	5.9862G	85.53	Inf	-Inf	78.31	3	Vertical	24	2.98	-	34.70	7.53	35.01			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5985MHz_TX

EUT_Z_4TX
Setting 54
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.819G	60.10	88.20	-28.10	53.31	3	Horizontal	104	2.66	-	34.24	7.51	34.96			
RMS	5.925G	49.40	68.20	-18.80	42.27	3	Horizontal	104	2.66	-	34.60	7.52	34.99			
PK	5.955G	107.78	Inf	-Inf	100.55	3	Horizontal	104	2.66	-	34.70	7.53	35.00			
RMS	5.9546G	97.97	Inf	-Inf	90.74	3	Horizontal	104	2.66	-	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 60
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.987G	100.13	Inf	-Inf	91.24	3	Vertical	70	2.97	-	35.67	8.33	35.11			
RMS	6.9878G	90.84	Inf	-Inf	81.94	3	Vertical	70	2.97	-	35.68	8.33	35.11			
PK	7.2118G	62.21	88.20	-25.99	52.42	3	Vertical	70	2.97	-	36.37	8.45	35.03			
RMS	7.215G	51.58	68.20	-16.62	41.75	3	Vertical	70	2.97	-	36.39	8.46	35.02			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 60
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9906G	108.78	Inf	-Inf	99.88	3	Horizontal	283	2.46	-	35.68	8.33	35.11			
RMS	7.0226G	97.53	Inf	-Inf	88.58	3	Horizontal	283	2.46	-	35.70	8.35	35.10			
PK	7.1258G	63.50	88.20	-24.70	54.31	3	Horizontal	283	2.46	-	35.85	8.40	35.06			
RMS	7.125G	53.14	68.20	-15.06	43.95	3	Horizontal	283	2.46	-	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 69
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8594G	59.00	88.20	-29.20	52.11	3	Vertical	284	2.98	-	34.34	7.52	34.97			
RMS	5.9218G	49.57	68.20	-18.63	42.45	3	Vertical	284	2.98	-	34.59	7.52	34.99			
PK	6.0082G	96.45	Inf	-Inf	89.20	3	Vertical	284	2.98	-	34.72	7.54	35.01			
RMS	6.1002G	88.08	Inf	-Inf	80.47	3	Vertical	284	2.98	-	35.00	7.64	35.03			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 69
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9186G	69.63	88.20	-18.57	62.53	3	Horizontal	112	2.86	-	34.57	7.52	34.99			
RMS	5.921G	56.15	68.20	-12.05	49.04	3	Horizontal	112	2.86	-	34.58	7.52	34.99			
PK	5.9514G	107.65	Inf	-Inf	100.42	3	Horizontal	112	2.86	-	34.70	7.53	35.00			
RMS	5.949G	98.61	Inf	-Inf	91.38	3	Horizontal	112	2.86	-	34.70	7.52	34.99			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 69
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0235G	102.37	Inf	-Inf	93.42	3	Vertical	228.6	2.92	-	35.70	8.35	35.10			
RMS	7.0205G	91.79	Inf	-Inf	82.84	3	Vertical	228.6	2.92	-	35.70	8.35	35.10			
PK	7.1505G	64.78	88.20	-23.42	55.41	3	Vertical	228.6	2.92	-	36.00	8.42	35.05			
RMS	7.1315G	53.76	68.20	-14.44	44.52	3	Vertical	228.6	2.92	-	35.89	8.41	35.06			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 69
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.018G	106.23	Inf	-Inf	97.28	3	Horizontal	42	2.10	-	35.70	8.35	35.10			
RMS	7.049G	97.05	Inf	-Inf	88.08	3	Horizontal	42	2.10	-	35.70	8.36	35.09			
PK	7.1295G	71.38	88.20	-16.82	62.16	3	Horizontal	42	2.10	-	35.88	8.40	35.06			
RMS	7.13G	56.86	68.20	-11.34	47.64	3	Horizontal	42	2.10	-	35.88	8.40	35.06			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 86
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9112G	69.78	88.20	-18.42	62.70	3	Vertical	218.2	2.58	-	34.54	7.52	34.98			
RMS	5.9214G	59.07	68.20	-9.13	51.95	3	Vertical	218.2	2.58	-	34.59	7.52	34.99			
PK	6.0168G	98.82	Inf	-Inf	91.55	3	Vertical	218.2	2.58	-	34.73	7.55	35.01			
RMS	6.0078G	87.75	Inf	-Inf	80.50	3	Vertical	218.2	2.58	-	34.72	7.54	35.01			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 86
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9148G	76.74	88.20	-11.46	69.64	3	Horizontal	337	2.06	-	34.56	7.52	34.98			
RMS	5.925G	66.14	68.20	-2.06	59.01	3	Horizontal	337	2.06	-	34.60	7.52	34.99			
PK	6.0066G	104.84	Inf	-Inf	97.60	3	Horizontal	337	2.06	-	34.71	7.54	35.01			
RMS	5.9484G	94.51	Inf	-Inf	87.29	3	Horizontal	337	2.06	-	34.69	7.52	34.99			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX




EUT_Z_4TX
Setting 82
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.9374G	94.65	Inf	-Inf	85.83	3	Vertical	34	2.99	-	35.63	8.30	35.11				
RMS	7.0154G	85.36	Inf	-Inf	76.41	3	Vertical	34	2.99	-	35.70	8.35	35.10				
PK	7.1684G	68.42	88.20	-19.78	58.93	3	Vertical	34	2.99	-	36.11	8.42	35.04				
RMS	7.1564G	57.30	68.20	-10.90	47.89	3	Vertical	34	2.99	-	36.04	8.42	35.05				

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz_TX



EUT_Z_4TX
Setting 82
03-E-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0082G	102.81	Inf	-Inf	93.88	3	Horizontal	57	2.16	-	35.70	8.34	35.11			
RMS	6.9464G	94.26	Inf	-Inf	85.45	3	Horizontal	57	2.16	-	35.61	8.31	35.11			
PK	7.1318G	74.05	88.20	-14.15	64.81	3	Horizontal	57	2.16	-	35.89	8.41	35.06			
RMS	7.13G	62.97	68.20	-5.23	53.75	3	Horizontal	57	2.16	-	35.88	8.40	35.06			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	RMS	5.925G	68.19	68.20	-0.01	3	Horizontal	6	2.94	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 72
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9118G	59.91	88.20	-28.29	49.59	3	Vertical	287	3.00	-	34.10	8.66	32.44			
RMS	5.9104G	49.18	68.20	-19.02	38.86	3	Vertical	287	3.00	-	34.10	8.66	32.44			
PK	5.9532G	96.02	Inf	-Inf	85.65	3	Vertical	287	3.00	-	34.10	8.71	32.44			
RMS	5.9476G	85.63	Inf	-Inf	75.27	3	Vertical	287	3.00	-	34.10	8.70	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Z_1TX
Setting 72
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.915G	61.57	88.20	-26.63	51.25	3	Horizontal	146	2.95	-	34.10	8.66	32.44			
RMS	5.9139G	51.12	68.20	-17.08	40.80	3	Horizontal	146	2.95	-	34.10	8.66	32.44			
PK	5.9473G	109.43	Inf	-Inf	99.07	3	Horizontal	146	2.95	-	34.10	8.70	32.44			
RMS	5.9488G	99.42	Inf	-Inf	89.05	3	Horizontal	146	2.95	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 82
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9228G	67.05	88.20	-21.15	56.72	3	Vertical	278	2.96	-	34.10	8.67	32.44			
RMS	5.9246G	56.66	68.20	-11.54	46.32	3	Vertical	278	2.96	-	34.10	8.68	32.44			
PK	5.9702G	101.15	Inf	-Inf	90.76	3	Vertical	278	2.96	-	34.10	8.73	32.44			
RMS	5.9712G	91.72	Inf	-Inf	81.33	3	Vertical	278	2.96	-	34.10	8.73	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Z_1TX
Setting 82
01-C-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	73.27	88.20	-14.93	62.93	3	Horizontal	1	2.93	-	34.10	8.68	32.44			
RMS	5.9244G	61.92	68.20	-6.28	51.58	3	Horizontal	1	2.93	-	34.10	8.68	32.44			
PK	5.966G	107.18	Inf	-Inf	96.79	3	Horizontal	1	2.93	-	34.10	8.73	32.44			
RMS	5.9676G	97.15	Inf	-Inf	86.76	3	Horizontal	1	2.93	-	34.10	8.73	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Z_4TX
Setting 77
02-D-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9222G	78.60	88.20	-9.60	66.46	3	Vertical	275	2.98	-	34.14	8.16	30.16				
RMS	5.9178G	67.69	68.20	-0.51	55.55	3	Vertical	275	2.98	-	34.14	8.16	30.16				
PK	5.9718G	101.08	Inf	-Inf	88.85	3	Vertical	275	2.98	-	34.24	8.13	30.14				
RMS	5.991G	90.29	Inf	-Inf	78.02	3	Vertical	275	2.98	-	34.28	8.12	30.13				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX

EUT_Z_4TX
Setting 77
02-D-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9146G	77.32	88.20	-10.88	65.19	3	Horizontal	345	3.00	-	34.13	8.16	30.16			
RMS	5.9246G	67.93	68.20	-0.27	55.79	3	Horizontal	345	3.00	-	34.15	8.15	30.16			
PK	6.0086G	103.86	Inf	-Inf	91.55	3	Horizontal	345	3.00	-	34.32	8.12	30.13			
RMS	5.9966G	93.50	Inf	-Inf	81.22	3	Horizontal	345	3.00	-	34.29	8.12	30.13			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 87
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	67.03	88.20	-21.17	56.69	3	Vertical	271	2.95	-	34.10	8.68	32.44			
RMS	5.9226G	57.36	68.20	-10.84	47.03	3	Vertical	271	2.95	-	34.10	8.67	32.44			
PK	6.0226G	92.88	Inf	-Inf	82.43	3	Vertical	271	2.95	-	34.10	8.79	32.44			
RMS	5.949G	83.19	Inf	-Inf	72.82	3	Vertical	271	2.95	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 87
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	76.59	88.20	-11.61	66.25	3	Horizontal	144	2.96	-	34.10	8.68	32.44			
RMS	5.9226G	64.95	68.20	-3.25	54.62	3	Horizontal	144	2.96	-	34.10	8.67	32.44			
PK	6.0826G	101.28	Inf	-Inf	90.77	3	Horizontal	144	2.96	-	34.10	8.84	32.43			
RMS	6.0474G	91.44	Inf	-Inf	80.96	3	Horizontal	144	2.96	-	34.10	8.81	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Z_1TX
Setting 101
01-C-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	73.31	88.20	-14.89	62.98	3	Vertical	275	2.94	-	34.10	8.67	32.44			
RMS	5.9226G	62.86	68.20	-5.34	52.53	3	Vertical	275	2.94	-	34.10	8.67	32.44			
PK	6.0658G	95.38	Inf	-Inf	84.88	3	Vertical	275	2.94	-	34.10	8.83	32.43			
RMS	6.0026G	85.08	Inf	-Inf	74.65	3	Vertical	275	2.94	-	34.10	8.77	32.44			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




EUT_Z_1TX
Setting 101
01-C-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	78.20	88.20	-10.00	67.86	3	Horizontal	215	1.80	94	34.10	8.68	32.44			
RMS	5.924G	68.01	68.20	-0.19	57.67	3	Horizontal	215	1.80	94	34.10	8.68	32.44			
PK	6.148G	104.20	Inf	-Inf	93.52	3	Horizontal	215	1.80	94	34.20	8.90	32.42			
RMS	6.135G	93.08	Inf	-Inf	82.45	3	Horizontal	215	1.80	94	34.17	8.88	32.42			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9227G	70.24	88.20	-17.96	59.91	3	Vertical	25	3.00	-	34.10	8.67	32.44			
RMS	5.925G	59.00	68.20	-9.20	48.66	3	Vertical	25	3.00	-	34.10	8.68	32.44			
PK	5.9508G	104.81	Inf	-Inf	94.44	3	Vertical	25	3.00	-	34.10	8.71	32.44			
RMS	5.9537G	95.20	Inf	-Inf	84.83	3	Vertical	25	3.00	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9232G	74.76	88.20	-13.44	64.43	3	Horizontal	105	2.85	-	34.10	8.67	32.44			
RMS	5.925G	62.48	68.20	-5.72	52.14	3	Horizontal	105	2.85	-	34.10	8.68	32.44			
PK	5.9545G	112.15	Inf	-Inf	101.78	3	Horizontal	105	2.85	-	34.10	8.71	32.44			
RMS	5.9509G	102.72	Inf	-Inf	92.35	3	Horizontal	105	2.85	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 87
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9166G	74.67	88.20	-13.53	64.34	3	Vertical	23	3.00	-	34.10	8.67	32.44
RMS	5.925G	63.48	68.20	-4.72	53.14	3	Vertical	23	3.00	-	34.10	8.68	32.44
PK	5.9824G	101.62	Inf	-Inf	91.21	3	Vertical	23	3.00	-	34.10	8.75	32.44
RMS	5.979G	91.71	Inf	-Inf	81.31	3	Vertical	23	3.00	-	34.10	8.74	32.44

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 87
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	78.67	88.20	-9.53	68.33	3	Horizontal	107	2.83	-	34.10	8.68	32.44			
RMS	5.9246G	67.72	68.20	-0.48	57.38	3	Horizontal	107	2.83	-	34.10	8.68	32.44			
PK	5.9798G	109.77	Inf	-Inf	99.37	3	Horizontal	107	2.83	-	34.10	8.74	32.44			
RMS	5.9804G	99.90	Inf	-Inf	89.49	3	Horizontal	107	2.83	-	34.10	8.75	32.44			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 92
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.919G	73.45	88.20	-14.75	63.12	3	Vertical	22	2.97	-	34.10	8.67	32.44			
RMS	5.9202G	63.03	68.20	-5.17	52.70	3	Vertical	22	2.97	-	34.10	8.67	32.44			
PK	5.9746G	100.01	Inf	-Inf	89.61	3	Vertical	22	2.97	-	34.10	8.74	32.44			
RMS	6.0138G	91.39	Inf	-Inf	80.95	3	Vertical	22	2.97	-	34.10	8.78	32.44			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 92
01-C-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.75	88.20	-10.45	67.41	3	Horizontal	356	2.81	-	34.10	8.68	32.44			
RMS	5.9234G	67.62	68.20	-0.58	57.29	3	Horizontal	356	2.81	-	34.10	8.67	32.44			
PK	5.9746G	106.03	Inf	-Inf	95.63	3	Horizontal	356	2.81	-	34.10	8.74	32.44			
RMS	5.9714G	96.37	Inf	-Inf	85.98	3	Horizontal	356	2.81	-	34.10	8.73	32.44			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 83
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	67.90	88.20	-20.30	57.57	3	Vertical	27	2.97	-	34.10	8.67	32.44			
RMS	5.9202G	57.69	68.20	-10.51	47.36	3	Vertical	27	2.97	-	34.10	8.67	32.44			
PK	6.0882G	95.65	Inf	-Inf	85.14	3	Vertical	27	2.97	-	34.10	8.84	32.43			
RMS	6.1018G	86.67	Inf	-Inf	76.14	3	Vertical	27	2.97	-	34.10	8.86	32.43			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 83
01-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	77.87	88.20	-10.33	67.54	3	Horizontal	104	2.88	-	34.10	8.67	32.44			
RMS	5.9218G	65.84	68.20	-2.36	55.51	3	Horizontal	104	2.88	-	34.10	8.67	32.44			
PK	6.0234G	104.17	Inf	-Inf	93.72	3	Horizontal	104	2.88	-	34.10	8.79	32.44			
RMS	6.0898G	94.64	Inf	-Inf	84.12	3	Horizontal	104	2.88	-	34.10	8.85	32.43			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 88
01-C-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	70.02	88.20	-18.18	59.68	3	Vertical	24	2.97	-	34.10	8.68	32.44			
RMS	5.921G	60.71	68.20	-7.49	50.38	3	Vertical	24	2.97	-	34.10	8.67	32.44			
PK	6.2482G	96.87	Inf	-Inf	85.88	3	Vertical	24	2.97	-	34.30	9.10	32.41			
RMS	6.2426G	86.05	Inf	-Inf	75.09	3	Vertical	24	2.97	-	34.29	9.08	32.41			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 88
01-C-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9066G	79.55	88.20	-8.65	69.24	3	Horizontal	108	2.82	-	34.10	8.65	32.44			
RMS	5.921G	67.53	68.20	-0.67	57.20	3	Horizontal	108	2.82	-	34.10	8.67	32.44			
PK	6.0706G	102.95	Inf	-Inf	92.45	3	Horizontal	108	2.82	-	34.10	8.83	32.43			
RMS	6.0706G	93.20	Inf	-Inf	82.70	3	Horizontal	108	2.82	-	34.10	8.83	32.43			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 85
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9154G	69.55	88.20	-18.65	57.42	3	Vertical	348	2.94	-	34.13	8.16	30.16			
RMS	5.921G	56.81	68.20	-11.39	44.67	3	Vertical	348	2.94	-	34.14	8.16	30.16			
PK	5.9556G	111.37	Inf	-Inf	99.17	3	Vertical	348	2.94	-	34.21	8.14	30.15			
RMS	5.956G	102.58	Inf	-Inf	90.38	3	Vertical	348	2.94	-	34.21	8.14	30.15			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX



EUT_Z_4TX
Setting 85
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9164G	78.24	88.20	-9.96	66.11	3	Horizontal	8	2.91	-	34.13	8.16	30.16			
RMS	5.9214G	67.50	68.20	-0.70	55.36	3	Horizontal	8	2.91	-	34.14	8.16	30.16			
PK	5.9562G	120.16	Inf	-Inf	107.96	3	Horizontal	8	2.91	-	34.21	8.14	30.15			
RMS	5.9566G	111.84	Inf	-Inf	99.64	3	Horizontal	8	2.91	-	34.21	8.14	30.15			