


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 87
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.91526G	45.51	74.00	-28.49	59.02	3	Vertical	7	1.80	-	38.70	13.62	65.83				
AV	11.9038G	34.94	54.00	-19.06	48.47	3	Vertical	7	1.80	-	38.70	13.61	65.84				
PK	17.86494G	51.39	74.00	-22.61	54.93	3	Vertical	254	1.80	-	42.77	17.71	64.02				
AV	17.85556G	40.29	54.00	-13.71	44.02	3	Vertical	254	1.80	-	42.60	17.70	64.03				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Z_4TX
Setting 87
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90934G	46.03	74.00	-27.97	59.55	3	Horizontal	352	1.80	-	38.70	13.61	65.83			
AV	11.90684G	35.41	54.00	-18.59	48.93	3	Horizontal	352	1.80	-	38.70	13.61	65.83			
PK	17.86662G	51.43	74.00	-22.57	54.94	3	Horizontal	198	1.80	-	42.80	17.71	64.02			
AV	17.87474G	41.33	54.00	-12.67	44.67	3	Horizontal	198	1.80	-	42.95	17.72	64.01			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Z_4TX
Setting 87
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8209G	61.27	83.54	-22.27	52.33	1	Vertical	48	1.81	-	38.90	17.94	47.90			
AV	23.8202G	50.50	63.54	-13.04	41.56	1	Vertical	48	1.81	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5955MHz_TX

EUT_Z_4TX
Setting 87
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8197G	58.57	83.54	-24.97	49.63	1	Horizontal	360	1.75	-	38.90	17.94	47.90			
AV	23.8198G	48.66	63.54	-14.88	39.72	1	Horizontal	360	1.75	-	38.90	17.94	47.90			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4377G	60.69	74.00	-13.31	40.31	3	Vertical	184	2.13	-	38.68	13.87	32.17			
AV	12.4317G	50.86	54.00	-3.14	30.51	3	Vertical	184	2.13	-	38.66	13.87	32.18			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3703G	61.23	74.00	-12.77	41.00	3	Horizontal	199	1.04	-	38.66	13.84	32.27			
AV	12.4257G	50.85	54.00	-3.15	30.53	3	Horizontal	199	1.04	-	38.65	13.86	32.19			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5877G	63.64	83.54	-19.90	58.50	1	Vertical	236	1.80	-	37.65	16.14	48.65			
AV	18.5844G	54.41	63.54	-9.13	49.28	1	Vertical	236	1.80	-	37.64	16.14	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5962G	59.18	83.54	-24.36	54.01	1	Horizontal	6	1.86	-	37.68	16.15	48.66			
AV	18.5864G	48.45	63.54	-15.09	43.31	1	Horizontal	6	1.86	-	37.65	16.14	48.65			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8158G	61.50	88.20	-26.70	39.29	3	Vertical	310	2.76	-	39.93	14.04	31.76			
RMS	12.8317G	51.88	68.20	-16.32	29.62	3	Vertical	310	2.76	-	39.96	14.05	31.75			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8306G	61.21	88.20	-26.99	38.95	3	Horizontal	217	2.21	-	39.96	14.05	31.75			
RMS	12.8072G	51.36	68.20	-16.84	29.18	3	Horizontal	217	2.21	-	39.91	14.04	31.77			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2388G	68.31	83.54	-15.23	62.82	1	Vertical	205	1.80	-	37.83	16.51	48.85			
AV	19.2492G	58.12	63.54	-5.42	52.56	1	Vertical	205	1.80	-	37.90	16.51	48.85			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
Setting 90
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2434G	68.28	83.54	-15.26	62.76	1	Horizontal	39	2.00	-	37.86	16.51	48.85			
AV	19.2433G	58.10	63.54	-5.44	52.58	1	Horizontal	39	2.00	-	37.86	16.51	48.85			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6535MHz_TX


EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07822G	62.65	88.20	-25.55	40.09	3	Vertical	218	1.06	-	39.90	14.16	31.50			
RMS	13.07996G	51.59	68.20	-16.61	29.02	3	Vertical	218	1.06	-	39.90	14.16	31.49			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06442G	62.74	88.20	-25.46	40.20	3	Horizontal	155	2.18	-	39.90	14.15	31.51			
RMS	13.078G	51.75	68.20	-16.45	29.19	3	Horizontal	155	2.18	-	39.90	14.16	31.50			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5992G	66.17	83.54	-17.37	60.85	1	Vertical	206	1.80	-	37.60	16.56	48.84			
AV	19.5991G	56.60	63.54	-6.94	51.28	1	Vertical	206	1.80	-	37.60	16.56	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5991G	64.71	83.54	-18.83	59.39	1	Horizontal	342	1.84	-	37.60	16.56	48.84			
AV	19.604G	54.09	63.54	-9.45	48.78	1	Horizontal	342	1.84	-	37.59	16.56	48.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38178G	62.02	74.00	-11.98	38.49	3	Vertical	88	1.23	-	40.40	14.30	31.17			
AV	13.38558G	51.38	54.00	-2.62	27.84	3	Vertical	88	1.23	-	40.40	14.30	31.16			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38962G	62.38	74.00	-11.62	38.84	3	Horizontal	32	2.28	-	40.40	14.30	31.16			
AV	13.39712G	51.79	54.00	-2.21	28.23	3	Horizontal	32	2.28	-	40.40	14.31	31.15			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0768G	58.42	83.54	-25.12	53.46	1	Vertical	224	1.80	-	37.25	16.69	48.98			
AV	20.0916G	48.63	63.54	-14.91	43.63	1	Vertical	224	1.80	-	37.28	16.70	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6695MHz_TX


EUT_Z_4TX
Setting 92
01-C-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0794G	61.50	83.54	-22.04	56.53	1	Horizontal	355	1.95	-	37.26	16.69	48.98			
AV	20.0794G	53.39	63.54	-10.15	48.42	1	Horizontal	355	1.95	-	37.26	16.69	48.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 94
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70724G	67.19	88.20	-21.01	43.18	3	Vertical	177	2.85	-	40.69	14.45	31.13			
RMS	13.7085G	56.41	68.20	-11.79	32.41	3	Vertical	177	2.85	-	40.68	14.45	31.13			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 94
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70553G	66.45	88.20	-21.75	42.44	3	Horizontal	178	2.81	-	40.69	14.45	31.13			
RMS	13.71024G	56.89	68.20	-11.31	32.89	3	Horizontal	178	2.81	-	40.68	14.45	31.13			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 94
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57472G	52.44	83.54	-31.10	46.60	1	Vertical	51	2.11	-	37.60	17.14	48.90			
AV	20.5698G	43.27	63.54	-20.27	37.45	1	Vertical	51	2.11	-	37.58	17.14	48.90			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
Setting 94
01-C-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55582G	51.19	83.54	-32.35	45.44	1	Horizontal	175	1.94	-	37.52	17.13	48.90			
AV	20.55954G	40.87	63.54	-22.67	35.10	1	Horizontal	175	1.94	-	37.54	17.13	48.90			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 82
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9214G	72.48	88.20	-15.72	60.34	3	Vertical	90	2.97	-	34.14	8.16	30.16			
RMS	5.9214G	61.52	68.20	-6.68	49.38	3	Vertical	90	2.97	-	34.14	8.16	30.16			
PK	5.9772G	107.54	Inf	-Inf	95.30	3	Vertical	90	2.97	-	34.25	8.13	30.14			
RMS	5.9508G	98.44	Inf	-Inf	86.25	3	Vertical	90	2.97	-	34.20	8.14	30.15			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 82
02-D-K-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9162G	78.52	88.20	-9.68	66.39	3	Horizontal	9	2.92	-	34.13	8.16	30.16			
RMS	5.925G	67.82	68.20	-0.38	55.68	3	Horizontal	9	2.92	-	34.15	8.15	30.16			
PK	5.9668G	117.80	Inf	-Inf	105.58	3	Horizontal	9	2.92	-	34.23	8.13	30.14			
RMS	5.9664G	108.20	Inf	-Inf	95.97	3	Horizontal	9	2.92	-	34.23	8.14	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 88
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9002G	70.36	88.20	-17.84	58.27	3	Vertical	194	2.96	-	34.10	8.16	30.17			
RMS	5.9222G	61.51	68.20	-6.69	49.37	3	Vertical	194	2.96	-	34.14	8.16	30.16			
PK	6.019G	106.33	Inf	-Inf	94.02	3	Vertical	194	2.96	-	34.34	8.11	30.14			
RMS	6.0218G	97.13	Inf	-Inf	84.82	3	Vertical	194	2.96	-	34.34	8.11	30.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 88
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	78.37	88.20	-9.83	66.23	3	Horizontal	13	3.00	-	34.14	8.16	30.16			
RMS	5.9218G	68.19	68.20	-0.01	56.05	3	Horizontal	13	3.00	-	34.14	8.16	30.16			
PK	5.9966G	114.19	Inf	-Inf	101.91	3	Horizontal	13	3.00	-	34.29	8.12	30.13			
RMS	5.9766G	105.49	Inf	-Inf	93.25	3	Horizontal	13	3.00	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 79
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	72.42	88.20	-15.78	60.28	3	Vertical	198	2.97	-	34.14	8.16	30.16			
RMS	5.922G	60.25	68.20	-7.95	48.11	3	Vertical	198	2.97	-	34.14	8.16	30.16			
PK	6.042G	103.85	Inf	-Inf	91.52	3	Vertical	198	2.97	-	34.38	8.10	30.15			
RMS	6.047G	93.31	Inf	-Inf	80.98	3	Vertical	198	2.97	-	34.39	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 79
02-D-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9085G	79.89	88.20	-8.31	67.77	3	Horizontal	283	2.96	-	34.12	8.16	30.16			
RMS	5.911G	67.52	68.20	-0.68	55.40	3	Horizontal	283	2.96	-	34.12	8.16	30.16			
PK	6.088G	111.53	Inf	-Inf	99.15	3	Horizontal	283	2.96	-	34.48	8.07	30.17			
RMS	6.088G	101.45	Inf	-Inf	89.07	3	Horizontal	283	2.96	-	34.48	8.07	30.17			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 85
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9122G	69.01	88.20	-19.19	56.89	3	Vertical	108	2.70	-	34.12	8.16	30.16			
RMS	5.9074G	59.20	68.20	-9.00	47.09	3	Vertical	108	2.70	-	34.11	8.16	30.16			
PK	6.209G	97.10	Inf	-Inf	84.68	3	Vertical	108	2.70	-	34.60	8.03	30.21			
RMS	6.2074G	89.12	Inf	-Inf	76.71	3	Vertical	108	2.70	-	34.60	8.02	30.21			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 85
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9074G	78.58	88.20	-9.62	66.47	3	Horizontal	288	2.95	-	34.11	8.16	30.16				
RMS	5.9074G	67.26	68.20	-0.94	55.15	3	Horizontal	288	2.95	-	34.11	8.16	30.16				
PK	6.0778G	107.89	Inf	-Inf	95.51	3	Horizontal	288	2.95	-	34.46	8.08	30.16				
RMS	6.0674G	97.63	Inf	-Inf	85.28	3	Horizontal	288	2.95	-	34.43	8.08	30.16				

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 86
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9174G	70.78	88.20	-17.42	58.65	3	Vertical	203	3.00	-	34.13	8.16	30.16			
RMS	5.9242G	59.45	68.20	-8.75	47.31	3	Vertical	203	3.00	-	34.15	8.15	30.16			
PK	5.949G	108.42	Inf	-Inf	96.23	3	Vertical	203	3.00	-	34.20	8.14	30.15			
RMS	5.9622G	98.73	Inf	-Inf	86.51	3	Vertical	203	3.00	-	34.22	8.14	30.14			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 86
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	77.87	88.20	-10.33	65.73	3	Horizontal	6	2.94	-	34.15	8.15	30.16			
RMS	5.925G	68.19	68.20	-0.01	56.05	3	Horizontal	6	2.94	-	34.15	8.15	30.16			
PK	5.9476G	120.45	Inf	-Inf	108.26	3	Horizontal	6	2.94	-	34.20	8.14	30.15			
RMS	5.9476G	108.38	Inf	-Inf	96.19	3	Horizontal	6	2.94	-	34.20	8.14	30.15			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 82
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9239G	71.50	88.20	-16.70	59.36	3	Vertical	202	2.96	-	34.15	8.15	30.16			
RMS	5.9224G	60.33	68.20	-7.87	48.20	3	Vertical	202	2.96	-	34.14	8.15	30.16			
PK	5.9593G	104.78	Inf	-Inf	92.56	3	Vertical	202	2.96	-	34.22	8.14	30.14			
RMS	5.9788G	95.35	Inf	-Inf	83.10	3	Vertical	202	2.96	-	34.26	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 82
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9236G	78.05	88.20	-10.15	65.91	3	Horizontal	7	2.92	-	34.15	8.15	30.16			
RMS	5.925G	66.85	68.20	-1.35	54.71	3	Horizontal	7	2.92	-	34.15	8.15	30.16			
PK	5.9575G	115.81	Inf	-Inf	103.61	3	Horizontal	7	2.92	-	34.21	8.14	30.15			
RMS	5.9764G	105.77	Inf	-Inf	93.53	3	Horizontal	7	2.92	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5985MHz_TX

EUT_Z_4TX
Setting 89
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9155G	70.98	88.20	-17.22	58.85	3	Vertical	195	3.00	-	34.13	8.16	30.16			
RMS	5.9135G	60.14	68.20	-8.06	48.01	3	Vertical	195	3.00	-	34.13	8.16	30.16			
PK	5.995G	105.59	Inf	-Inf	93.31	3	Vertical	195	3.00	-	34.29	8.12	30.13			
RMS	5.999G	95.43	Inf	-Inf	83.14	3	Vertical	195	3.00	-	34.30	8.12	30.13			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5985MHz_TX

EUT_Z_4TX
Setting 89
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	79.15	88.20	-9.05	67.01	3	Horizontal	5	2.92	-	34.15	8.15	30.16			
RMS	5.925G	67.75	68.20	-0.45	55.61	3	Horizontal	5	2.92	-	34.15	8.15	30.16			
PK	5.9775G	114.40	Inf	-Inf	102.15	3	Horizontal	5	2.92	-	34.26	8.13	30.14			
RMS	6.0175G	103.05	Inf	-Inf	90.74	3	Horizontal	5	2.92	-	34.34	8.11	30.14			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 81
02-D-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9186G	73.43	88.20	-14.77	61.29	3	Vertical	203	2.93	-	34.14	8.16	30.16			
RMS	5.9202G	60.55	68.20	-7.65	48.41	3	Vertical	203	2.93	-	34.14	8.16	30.16			
PK	6.0586G	100.56	Inf	-Inf	88.20	3	Vertical	203	2.93	-	34.42	8.09	30.15			
RMS	6.0586G	91.62	Inf	-Inf	79.26	3	Vertical	203	2.93	-	34.42	8.09	30.15			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 81
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9082G	79.13	88.20	-9.07	67.01	3	Horizontal	284	2.76	-	34.12	8.16	30.16			
RMS	5.921G	67.80	68.20	-0.40	55.66	3	Horizontal	284	2.76	-	34.14	8.16	30.16			
PK	6.0482G	109.74	Inf	-Inf	97.40	3	Horizontal	284	2.76	-	34.40	8.09	30.15			
RMS	6.049G	99.24	Inf	-Inf	86.90	3	Horizontal	284	2.76	-	34.40	8.09	30.15			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 86
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9202G	72.59	88.20	-15.61	60.45	3	Vertical	118	2.94	-	34.14	8.16	30.16				
RMS	5.9218G	60.31	68.20	-7.89	48.17	3	Vertical	118	2.94	-	34.14	8.16	30.16				
PK	6.0658G	99.60	Inf	-Inf	87.25	3	Vertical	118	2.94	-	34.43	8.08	30.16				
RMS	6.1474G	88.65	Inf	-Inf	76.21	3	Vertical	118	2.94	-	34.59	8.04	30.19				

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX

EUT_Z_4TX
Setting 86
02-D-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9202G	80.68	88.20	-7.52	68.54	3	Horizontal	27	2.95	-	34.14	8.16	30.16			
RMS	5.9202G	67.71	68.20	-0.49	55.57	3	Horizontal	27	2.95	-	34.14	8.16	30.16			
PK	6.2002G	106.95	Inf	-Inf	94.55	3	Horizontal	27	2.95	-	34.60	8.01	30.21			
RMS	6.0802G	96.20	Inf	-Inf	83.82	3	Horizontal	27	2.95	-	34.46	8.08	30.16			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	RMS	7.125G	68.15	68.20	-0.05	3	Vertical	117	2.13	-

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9156G	68.37	88.20	-19.83	61.27	3	Vertical	251	2.20	-	34.56	7.52	34.98			
RMS	5.925G	56.40	68.20	-11.80	49.27	3	Vertical	251	2.20	-	34.60	7.52	34.99			
PK	5.9638G	120.53	Inf	-Inf	113.30	3	Vertical	251	2.20	-	34.70	7.53	35.00			
RMS	5.9574G	108.61	Inf	-Inf	101.38	3	Vertical	251	2.20	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9142G	64.91	88.20	-23.29	57.81	3	Horizontal	176	2.46	-	34.56	7.52	34.98			
RMS	5.9246G	54.21	68.20	-13.99	47.08	3	Horizontal	176	2.46	-	34.60	7.52	34.99			
PK	5.9518G	116.84	Inf	-Inf	109.61	3	Horizontal	176	2.46	-	34.70	7.53	35.00			
RMS	5.9538G	106.21	Inf	-Inf	98.98	3	Horizontal	176	2.46	-	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 86
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0902G	118.83	Inf	-Inf	109.81	3	Vertical	115	2.18	-	35.70	8.39	35.07			
RMS	7.0874G	108.43	Inf	-Inf	99.43	3	Vertical	115	2.18	-	35.70	8.38	35.08			
PK	7.1324G	86.17	88.20	-2.03	76.93	3	Vertical	115	2.18	-	35.89	8.41	35.06			
RMS	7.125G	67.85	68.20	-0.35	58.66	3	Vertical	115	2.18	-	35.85	8.40	35.06			

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT_Z_2TX
Setting 86
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0864G	111.36	Inf	-Inf	102.36	3	Horizontal	184	2.11	-	35.70	8.38	35.08			
RMS	7.091G	100.73	Inf	-Inf	91.71	3	Horizontal	184	2.11	-	35.70	8.39	35.07			
PK	7.125G	77.55	88.20	-10.65	68.36	3	Horizontal	184	2.11	-	35.85	8.40	35.06			
RMS	7.125G	61.05	68.20	-7.15	51.86	3	Horizontal	184	2.11	-	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	69.25	88.20	-18.95	62.14	3	Vertical	254	2.31	-	34.58	7.52	34.99			
RMS	5.9242G	57.69	68.20	-10.51	50.56	3	Vertical	254	2.31	-	34.60	7.52	34.99			
PK	5.9554G	116.86	Inf	-Inf	109.63	3	Vertical	254	2.31	-	34.70	7.53	35.00			
RMS	5.9677G	105.81	Inf	-Inf	98.58	3	Vertical	254	2.31	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9239G	66.89	88.20	-21.31	59.76	3	Horizontal	175	2.30	-	34.60	7.52	34.99				
RMS	5.9236G	56.10	68.20	-12.10	48.98	3	Horizontal	175	2.30	-	34.59	7.52	34.99				
PK	5.9791G	113.39	Inf	-Inf	106.16	3	Horizontal	175	2.30	-	34.70	7.53	35.00				
RMS	5.9587G	103.31	Inf	-Inf	96.08	3	Horizontal	175	2.30	-	34.70	7.53	35.00				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93309G	45.93	74.00	-28.07	41.76	3	Vertical	123	1.81	-	39.23	10.89	45.95			
AV	11.92316G	35.16	54.00	-18.84	30.96	3	Vertical	123	1.81	-	39.25	10.89	45.94			
PK	17.89359G	56.17	74.00	-17.83	43.36	3	Vertical	232	2.55	-	44.87	13.22	45.28			
AV	17.90352G	45.34	54.00	-8.66	32.50	3	Vertical	232	2.55	-	44.89	13.23	45.28			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9279G	45.77	74.00	-28.23	41.59	3	Horizontal	150	2.95	-	39.24	10.89	45.95			
AV	11.93456G	35.85	54.00	-18.15	31.68	3	Horizontal	150	2.95	-	39.23	10.89	45.95			
PK	17.88153G	56.35	74.00	-17.65	43.58	3	Horizontal	130	1.80	-	44.83	13.22	45.28			
AV	17.90859G	44.92	54.00	-9.08	32.10	3	Horizontal	130	1.80	-	44.87	13.23	45.28			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84944G	49.51	83.54	-34.03	40.35	1	Vertical	245	2.33	-	38.90	17.92	47.66			
AV	23.8579G	39.19	63.54	-24.35	30.03	1	Vertical	245	2.33	-	38.90	17.92	47.66			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8537G	49.25	83.54	-34.29	40.09	1	Horizontal	115	2.96	-	38.90	17.92	47.66			
AV	23.86144G	39.18	63.54	-24.36	30.03	1	Horizontal	115	2.96	-	38.90	17.91	47.66			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40468G	45.60	74.00	-28.40	41.33	3	Vertical	13	2.03	-	38.80	11.03	45.56			
AV	12.4166G	34.92	54.00	-19.08	30.64	3	Vertical	13	2.03	-	38.80	11.03	45.55			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41644G	45.53	74.00	-28.47	41.25	3	Horizontal	234	2.89	-	38.80	11.03	45.55			
AV	12.41856G	34.94	54.00	-19.06	30.65	3	Horizontal	234	2.89	-	38.80	11.03	45.54			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60882G	46.32	83.54	-37.22	41.15	1	Vertical	327	1.81	-	37.68	16.16	48.67			
AV	18.60528G	35.72	63.54	-27.82	30.53	1	Vertical	327	1.81	-	37.69	16.16	48.66			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62886G	45.95	83.54	-37.59	40.81	1	Horizontal	136	2.77	-	37.64	16.18	48.68			
AV	18.6204G	35.49	63.54	-28.05	30.33	1	Horizontal	136	2.77	-	37.66	16.17	48.67			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80074G	45.66	88.20	-42.54	41.16	3	Vertical	270	2.51	-	39.10	11.14	45.74			
RMS	12.80062G	35.10	68.20	-33.10	30.60	3	Vertical	270	2.51	-	39.10	11.14	45.74			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80896G	45.85	88.20	-42.35	41.33	3	Horizontal	349	2.45	-	39.12	11.14	45.74			
RMS	12.8181G	35.28	68.20	-32.92	30.74	3	Horizontal	349	2.45	-	39.14	11.15	45.75			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21632G	46.72	74.00	-27.28	41.38	1	Vertical	359	1.50	-	37.70	16.50	48.86			
AV	19.2279G	35.16	63.54	-28.38	29.74	1	Vertical	359	1.50	-	37.77	16.50	48.85			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21848G	45.60	83.54	-37.94	40.25	1	Horizontal	294	2.85	-	37.71	16.50	48.86			
AV	19.2182G	34.93	63.54	-28.61	29.58	1	Horizontal	294	2.85	-	37.71	16.50	48.86			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89846G	46.37	88.20	-41.83	41.73	3	Vertical	12	1.42	-	39.30	11.17	45.83			
RMS	12.8915G	35.30	68.20	-32.90	30.67	3	Vertical	12	1.42	-	39.28	11.17	45.82			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8877G	45.87	88.20	-42.33	41.24	3	Horizontal	80	2.56	-	39.28	11.17	45.82			
RMS	12.88348G	35.47	68.20	-32.73	30.84	3	Horizontal	80	2.56	-	39.27	11.17	45.81			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33412G	46.24	83.54	-37.30	40.88	1	Vertical	222	1.18	-	37.67	16.52	48.83			
AV	19.3294G	35.30	63.54	-28.24	29.95	1	Vertical	222	1.18	-	37.66	16.52	48.83			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.32504G	46.25	83.54	-37.29	40.91	1	Horizontal	49	1.12	-	37.65	16.52	48.83			
AV	19.3274G	36.06	63.54	-27.48	30.72	1	Horizontal	49	1.12	-	37.65	16.52	48.83			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96342G	46.68	88.20	-41.52	41.88	3	Vertical	308	1.81	-	39.50	11.19	45.89			
RMS	12.97798G	35.99	68.20	-32.21	31.20	3	Vertical	308	1.81	-	39.50	11.19	45.90			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96336G	45.95	88.20	-42.25	41.15	3	Horizontal	34	2.89	-	39.50	11.19	45.89			
RMS	12.97568G	35.10	68.20	-33.10	30.31	3	Horizontal	34	2.89	-	39.50	11.19	45.90			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45612G	47.71	83.54	-35.83	42.39	1	Vertical	162	2.49	-	37.59	16.54	48.81			
AV	19.45904G	37.26	63.54	-26.28	31.95	1	Vertical	162	2.49	-	37.58	16.54	48.81			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45676G	47.95	83.54	-35.59	42.63	1	Horizontal	219	2.83	-	37.59	16.54	48.81			
AV	19.46412G	37.03	63.54	-26.51	31.73	1	Horizontal	219	2.83	-	37.57	16.54	48.81			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05436G	45.76	88.20	-42.44	40.85	3	Vertical	216	1.10	-	39.51	11.22	45.82			
RMS	13.04824G	34.82	68.20	-33.38	29.94	3	Vertical	216	1.10	-	39.50	11.21	45.83			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04206G	45.85	88.20	-42.35	40.98	3	Horizontal	105	2.16	-	39.50	11.21	45.84			
RMS	13.04862G	35.06	68.20	-33.14	30.18	3	Horizontal	105	2.16	-	39.50	11.21	45.83			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.58188G	47.73	83.54	-35.81	42.40	1	Vertical	60	2.27	-	37.60	16.56	48.83			
AV	19.579G	37.02	63.54	-26.52	31.69	1	Vertical	60	2.27	-	37.60	16.56	48.83			

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6525MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.56508G	48.09	83.54	-35.45	42.77	1	Horizontal	346	1.69	-	37.60	16.55	48.83			
AV	19.57176G	37.46	63.54	-26.08	32.13	1	Horizontal	346	1.69	-	37.60	16.56	48.83			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12954G	46.13	88.20	-42.07	40.97	3	Vertical	52	1.35	-	39.60	11.24	45.68			
RMS	13.1322G	34.77	68.20	-33.43	29.61	3	Vertical	52	1.35	-	39.60	11.24	45.68			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12674G	45.74	88.20	-42.46	40.59	3	Horizontal	19	2.85	-	39.60	11.24	45.69			
RMS	13.13016G	35.02	68.20	-33.18	29.86	3	Horizontal	19	2.85	-	39.60	11.24	45.68			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69008G	47.72	83.54	-35.82	42.37	1	Vertical	219	1.12	-	37.66	16.57	48.88			
AV	19.70264G	35.96	63.54	-27.58	30.57	1	Vertical	219	1.12	-	37.69	16.58	48.88			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68584G	47.49	83.54	-36.05	42.15	1	Horizontal	91	1.20	-	37.64	16.57	48.87			
AV	19.69612G	35.86	63.54	-27.68	30.49	1	Horizontal	91	1.20	-	37.68	16.57	48.88			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36904G	47.35	74.00	-26.65	41.15	3	Vertical	184	2.74	-	40.14	11.31	45.25			
AV	13.36614G	36.97	54.00	-17.03	30.78	3	Vertical	184	2.74	-	40.13	11.31	45.25			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36672G	47.31	74.00	-26.69	41.12	3	Horizontal	200	1.93	-	40.13	11.31	45.25			
AV	13.3709G	36.69	54.00	-17.31	30.48	3	Horizontal	200	1.93	-	40.14	11.31	45.24			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06228G	47.94	83.54	-35.60	43.03	1	Vertical	326	1.08	-	37.22	16.68	48.99			
AV	20.06536G	37.10	63.54	-26.44	32.18	1	Vertical	326	1.08	-	37.23	16.68	48.99			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05448G	47.72	83.54	-35.82	42.83	1	Horizontal	161	1.93	-	37.21	16.67	48.99			
AV	20.04892G	37.17	63.54	-26.37	32.30	1	Horizontal	161	1.93	-	37.20	16.66	48.99			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 89
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68072G	46.88	88.20	-41.32	40.07	3	Vertical	315	2.12	-	40.46	11.40	45.05			
RMS	13.697G	36.38	68.20	-31.82	29.54	3	Vertical	315	2.12	-	40.49	11.40	45.05			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 89
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6811G	47.97	88.20	-40.23	41.16	3	Horizontal	335	2.32	-	40.46	11.40	45.05			
RMS	13.68862G	37.39	68.20	-30.81	30.56	3	Horizontal	335	2.32	-	40.48	11.40	45.05			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 89
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53184G	47.60	83.54	-35.94	41.86	1	Vertical	152	1.47	-	37.54	17.10	48.90			
AV	20.5402G	36.74	63.54	-26.80	31.01	1	Vertical	152	1.47	-	37.52	17.11	48.90			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 89
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53276G	47.81	83.54	-35.73	42.08	1	Horizontal	22	2.45	-	37.53	17.10	48.90			
AV	20.53068G	36.31	63.54	-27.23	30.57	1	Horizontal	22	2.45	-	37.54	17.10	48.90			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76218G	51.11	88.20	-37.09	44.06	3	Vertical	197	2.78	-	40.70	11.42	45.07			
RMS	13.76228G	40.39	68.20	-27.81	33.34	3	Vertical	197	2.78	-	40.70	11.42	45.07			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76342G	51.87	88.20	-36.33	44.82	3	Horizontal	353	2.65	-	40.70	11.42	45.07			
RMS	13.77498G	40.65	68.20	-27.55	33.60	3	Horizontal	353	2.65	-	40.70	11.42	45.07			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6642G	47.95	83.54	-35.59	42.06	1	Vertical	58	1.15	-	37.57	17.22	48.90			
AV	20.66188G	37.27	63.54	-26.27	31.37	1	Vertical	58	1.15	-	37.58	17.22	48.90			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.64708G	47.96	83.54	-35.58	42.04	1	Horizontal	92	2.15	-	37.61	17.21	48.90			
AV	20.66036G	37.31	63.54	-26.23	31.41	1	Horizontal	92	2.15	-	37.58	17.22	48.90			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8565G	51.34	88.20	-36.86	44.18	3	Vertical	35	1.99	-	40.80	11.45	45.09			
RMS	13.8418G	40.48	68.20	-27.72	33.35	3	Vertical	35	1.99	-	40.78	11.44	45.09			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85262G	51.41	88.20	-36.79	44.25	3	Horizontal	144	2.29	-	40.80	11.45	45.09			
RMS	13.85076G	40.70	68.20	-27.50	33.54	3	Horizontal	144	2.29	-	40.80	11.45	45.09			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.771G	47.49	83.54	-36.05	41.35	1	Vertical	54	2.46	-	37.72	17.32	48.90			
AV	20.76912G	36.36	63.54	-27.18	30.22	1	Vertical	54	2.46	-	37.72	17.32	48.90			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6925MHz_TX

EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.76612G	47.28	83.54	-36.26	41.12	1	Horizontal	321	1.34	-	37.74	17.32	48.90			
AV	20.7802G	36.08	63.54	-27.46	29.97	1	Horizontal	321	1.34	-	37.68	17.33	48.90			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.00628G	51.16	88.20	-37.04	43.68	3	Vertical	68	2.12	-	41.11	11.49	45.12			
RMS	14.00072G	40.24	68.20	-27.96	32.77	3	Vertical	68	2.12	-	41.10	11.49	45.12			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0151G	51.01	88.20	-37.19	43.49	3	Horizontal	241	1.75	-	41.13	11.50	45.11			
RMS	14.01306G	40.55	68.20	-27.65	33.03	3	Horizontal	241	1.75	-	41.13	11.50	45.11			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.02416G	47.74	83.54	-35.80	41.36	1	Vertical	62	2.06	-	37.75	17.52	48.89			
AV	21.01736G	37.27	63.54	-26.27	30.91	1	Vertical	62	2.06	-	37.73	17.52	48.89			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.02288G	47.88	83.54	-35.66	41.50	1	Horizontal	188	1.64	-	37.75	17.52	48.89			
AV	21.01912G	36.68	63.54	-26.86	30.31	1	Horizontal	188	1.64	-	37.74	17.52	48.89			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 82
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0691G	114.37	Inf	-Inf	105.38	3	Vertical	112	2.17	-	35.70	8.37	35.08			
RMS	7.0775G	104.27	Inf	-Inf	95.27	3	Vertical	112	2.17	-	35.70	8.38	35.08			
PK	7.1273G	77.30	88.20	-10.90	68.10	3	Vertical	112	2.17	-	35.86	8.40	35.06			
RMS	7.1264G	66.80	68.20	-1.40	57.60	3	Vertical	112	2.17	-	35.86	8.40	35.06			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 82
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0835G	107.04	Inf	-Inf	98.04	3	Horizontal	182	2.15	-	35.70	8.38	35.08			
RMS	7.0913G	96.94	Inf	-Inf	87.92	3	Horizontal	182	2.15	-	35.70	8.39	35.07			
PK	7.1303G	73.32	88.20	-14.88	64.09	3	Horizontal	182	2.15	-	35.88	8.41	35.06			
RMS	7.1258G	62.01	68.20	-6.19	52.82	3	Horizontal	182	2.15	-	35.85	8.40	35.06			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 90
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.16218G	51.22	88.20	-36.98	43.23	3	Vertical	360	1.87	-	41.45	11.56	45.02			
RMS	14.16724G	40.29	68.20	-27.91	32.26	3	Vertical	360	1.87	-	41.47	11.57	45.01			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 90
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.1726G	50.84	88.20	-37.36	42.79	3	Horizontal	231	1.86	-	41.49	11.57	45.01			
RMS	14.1756G	39.88	68.20	-28.32	31.82	3	Horizontal	231	1.86	-	41.50	11.57	45.01			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 90
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25464G	47.87	83.54	-35.67	41.36	1	Vertical	331	2.08	-	37.87	17.44	48.80			
AV	21.25968G	37.43	63.54	-26.11	30.96	1	Vertical	331	2.08	-	37.84	17.43	48.80			

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT_Z_2TX
Setting 90
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25432G	48.21	83.54	-35.33	41.70	1	Horizontal	166	1.35	-	37.87	17.44	48.80			
AV	21.24516G	37.40	63.54	-26.14	30.89	1	Horizontal	166	1.35	-	37.87	17.44	48.80			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9214G	71.19	88.20	-17.01	64.07	3	Vertical	254	2.28	-	34.59	7.52	34.99			
RMS	5.921G	57.22	68.20	-10.98	50.11	3	Vertical	254	2.28	-	34.58	7.52	34.99			
PK	5.981G	113.51	Inf	-Inf	106.28	3	Vertical	254	2.28	-	34.70	7.53	35.00			
RMS	5.9762G	103.05	Inf	-Inf	95.82	3	Vertical	254	2.28	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	70.09	88.20	-18.11	62.98	3	Horizontal	187	2.79	-	34.58	7.52	34.99			
RMS	5.921G	56.17	68.20	-12.03	49.06	3	Horizontal	187	2.79	-	34.58	7.52	34.99			
PK	5.981G	109.81	Inf	-Inf	102.58	3	Horizontal	187	2.79	-	34.70	7.53	35.00			
RMS	5.9762G	100.14	Inf	-Inf	92.91	3	Horizontal	187	2.79	-	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 87
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0166G	114.52	Inf	-Inf	105.57	3	Vertical	117	2.13	-	35.70	8.35	35.10				
RMS	7.0138G	104.10	Inf	-Inf	95.15	3	Vertical	117	2.13	-	35.70	8.35	35.10				
PK	7.1274G	80.85	88.20	-7.35	71.65	3	Vertical	117	2.13	-	35.86	8.40	35.06				
RMS	7.125G	68.15	68.20	-0.05	58.96	3	Vertical	117	2.13	-	35.85	8.40	35.06				

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_Z_2TX
Setting 87
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.011G	106.29	Inf	-Inf	97.35	3	Horizontal	180	2.17	-	35.70	8.35	35.11			
RMS	7.0126G	96.47	Inf	-Inf	87.52	3	Horizontal	180	2.17	-	35.70	8.35	35.10			
PK	7.1254G	74.08	88.20	-14.12	64.89	3	Horizontal	180	2.17	-	35.85	8.40	35.06			
RMS	7.125G	61.87	68.20	-6.33	52.68	3	Horizontal	180	2.17	-	35.85	8.40	35.06			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 86
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	81.98	88.20	-6.22	74.85	3	Vertical	251	2.41	-	34.60	7.52	34.99			
RMS	5.925G	66.68	68.20	-1.52	59.55	3	Vertical	251	2.41	-	34.60	7.52	34.99			
PK	6.013G	109.64	Inf	-Inf	102.38	3	Vertical	251	2.41	-	34.73	7.54	35.01			
RMS	6.101G	98.79	Inf	-Inf	91.18	3	Vertical	251	2.41	-	35.00	7.64	35.03			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 86
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	82.95	88.20	-5.25	75.83	3	Horizontal	173	2.33	-	34.59	7.52	34.99			
RMS	5.9218G	66.49	68.20	-1.71	59.37	3	Horizontal	173	2.33	-	34.59	7.52	34.99			
PK	6.005G	107.01	Inf	-Inf	99.77	3	Horizontal	173	2.33	-	34.71	7.54	35.01			
RMS	5.9626G	96.66	Inf	-Inf	89.43	3	Horizontal	173	2.33	-	34.70	7.53	35.00			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 77
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.008G	109.01	Inf	-Inf	100.08	3	Vertical	115	2.15	-	35.70	8.34	35.11				
AV	7.009G	97.58	Inf	-Inf	88.65	3	Vertical	115	2.15	-	35.70	8.34	35.11				
PK	7.282G	70.11	74.00	-3.89	59.85	3	Vertical	115	2.15	-	36.73	8.53	35.00				
AV	7.252G	53.79	54.00	-0.21	43.70	3	Vertical	115	2.15	-	36.61	8.49	35.01				

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT_Z_2TX
Setting 77
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	7.008G	101.38	Inf	-Inf	92.45	3	Horizontal	183	2.22	-	35.70	8.34	35.11					
AV	7.015G	89.39	Inf	-Inf	80.44	3	Horizontal	183	2.22	-	35.70	8.35	35.10					
PK	7.281G	61.60	74.00	-12.40	51.35	3	Horizontal	183	2.22	-	36.72	8.53	35.00					
AV	7.257G	47.96	54.00	-6.04	37.84	3	Horizontal	183	2.22	-	36.63	8.50	35.01					

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 87
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8866G	82.33	88.20	-5.87	75.34	3	Vertical	254	2.22	-	34.45	7.52	34.98			
RMS	5.9034G	67.60	68.20	-0.60	60.55	3	Vertical	254	2.22	-	34.51	7.52	34.98			
PK	6.2454G	107.59	Inf	-Inf	99.95	3	Vertical	254	2.22	-	34.91	7.79	35.06			
RMS	6.1374G	97.27	Inf	-Inf	89.63	3	Vertical	254	2.22	-	35.00	7.68	35.04			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 87
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.8986G	82.32	88.20	-5.88	75.29	3	Horizontal	177	2.32	-	34.49	7.52	34.98				
RMS	5.9238G	64.97	68.20	-3.23	57.84	3	Horizontal	177	2.32	-	34.60	7.52	34.99				
PK	6.1362G	103.75	Inf	-Inf	96.11	3	Horizontal	177	2.32	-	35.00	7.68	35.04				
RMS	6.1374G	94.08	Inf	-Inf	86.44	3	Horizontal	177	2.32	-	35.00	7.68	35.04				

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX




EUT_Z_2TX
Setting 72
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.7646G	103.78	Inf	-Inf	95.14	3	Vertical	233	2.36	-	35.56	8.19	35.11				
AV	6.7478G	93.18	Inf	-Inf	84.63	3	Vertical	233	2.36	-	35.49	8.18	35.12				
PK	7.2662G	65.69	74.00	-8.31	55.52	3	Vertical	233	2.36	-	36.66	8.51	35.00				
AV	7.2614G	53.46	54.00	-0.54	43.32	3	Vertical	233	2.36	-	36.65	8.50	35.01				

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6905MHz_TX



EUT_Z_2TX
Setting 72
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	6.749G	98.40	Inf	-Inf	89.84	3	Horizontal	183	2.13	-	35.50	8.18	35.12				
AV	6.7502G	88.64	Inf	-Inf	80.07	3	Horizontal	183	2.13	-	35.50	8.18	35.11				
PK	7.2902G	58.90	74.00	-15.10	48.60	3	Horizontal	183	2.13	-	36.76	8.53	34.99				
AV	7.2518G	48.06	54.00	-5.94	37.97	3	Horizontal	183	2.13	-	36.61	8.49	35.01				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	RMS	5.9034G	67.60	68.20	-0.60	3	Vertical	254	2.22	-

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9156G	68.37	88.20	-19.83	61.27	3	Vertical	251	2.20	-	34.56	7.52	34.98			
RMS	5.925G	56.40	68.20	-11.80	49.27	3	Vertical	251	2.20	-	34.60	7.52	34.99			
PK	5.9638G	120.53	Inf	-Inf	113.30	3	Vertical	251	2.20	-	34.70	7.53	35.00			
RMS	5.9574G	108.61	Inf	-Inf	101.38	3	Vertical	251	2.20	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9142G	64.91	88.20	-23.29	57.81	3	Horizontal	176	2.46	-	34.56	7.52	34.98			
RMS	5.9246G	54.21	68.20	-13.99	47.08	3	Horizontal	176	2.46	-	34.60	7.52	34.99			
PK	5.9518G	116.84	Inf	-Inf	109.61	3	Horizontal	176	2.46	-	34.70	7.53	35.00			
RMS	5.9538G	106.21	Inf	-Inf	98.98	3	Horizontal	176	2.46	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	69.25	88.20	-18.95	62.14	3	Vertical	254	2.31	-	34.58	7.52	34.99			
RMS	5.9242G	57.69	68.20	-10.51	50.56	3	Vertical	254	2.31	-	34.60	7.52	34.99			
PK	5.9554G	116.86	Inf	-Inf	109.63	3	Vertical	254	2.31	-	34.70	7.53	35.00			
RMS	5.9677G	105.81	Inf	-Inf	98.58	3	Vertical	254	2.31	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9239G	66.89	88.20	-21.31	59.76	3	Horizontal	175	2.30	-	34.60	7.52	34.99			
RMS	5.9236G	56.10	68.20	-12.10	48.98	3	Horizontal	175	2.30	-	34.59	7.52	34.99			
PK	5.9791G	113.39	Inf	-Inf	106.16	3	Horizontal	175	2.30	-	34.70	7.53	35.00			
RMS	5.9587G	103.31	Inf	-Inf	96.08	3	Horizontal	175	2.30	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93309G	45.93	74.00	-28.07	41.76	3	Vertical	123	1.81	-	39.23	10.89	45.95			
AV	11.92316G	35.16	54.00	-18.84	30.96	3	Vertical	123	1.81	-	39.25	10.89	45.94			
PK	17.89359G	56.17	74.00	-17.83	43.36	3	Vertical	232	2.55	-	44.87	13.22	45.28			
AV	17.90352G	45.34	54.00	-8.66	32.50	3	Vertical	232	2.55	-	44.89	13.23	45.28			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.9279G	45.77	74.00	-28.23	41.59	3	Horizontal	150	2.95	-	39.24	10.89	45.95				
AV	11.93456G	35.85	54.00	-18.15	31.68	3	Horizontal	150	2.95	-	39.23	10.89	45.95				
PK	17.88153G	56.35	74.00	-17.65	43.58	3	Horizontal	130	1.80	-	44.83	13.22	45.28				
AV	17.90859G	44.92	54.00	-9.08	32.10	3	Horizontal	130	1.80	-	44.87	13.23	45.28				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84944G	49.51	83.54	-34.03	40.35	1	Vertical	245	2.33	-	38.90	17.92	47.66			
AV	23.8579G	39.19	63.54	-24.35	30.03	1	Vertical	245	2.33	-	38.90	17.92	47.66			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8537G	49.25	83.54	-34.29	40.09	1	Horizontal	115	2.96	-	38.90	17.92	47.66			
AV	23.86144G	39.18	63.54	-24.36	30.03	1	Horizontal	115	2.96	-	38.90	17.91	47.66			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40468G	45.60	74.00	-28.40	41.33	3	Vertical	13	2.03	-	38.80	11.03	45.56			
AV	12.4166G	34.92	54.00	-19.08	30.64	3	Vertical	13	2.03	-	38.80	11.03	45.55			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41644G	45.53	74.00	-28.47	41.25	3	Horizontal	234	2.89	-	38.80	11.03	45.55			
AV	12.41856G	34.94	54.00	-19.06	30.65	3	Horizontal	234	2.89	-	38.80	11.03	45.54			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60882G	46.32	83.54	-37.22	41.15	1	Vertical	327	1.81	-	37.68	16.16	48.67			
AV	18.60528G	35.72	63.54	-27.82	30.53	1	Vertical	327	1.81	-	37.69	16.16	48.66			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62886G	45.95	83.54	-37.59	40.81	1	Horizontal	136	2.77	-	37.64	16.18	48.68			
AV	18.6204G	35.49	63.54	-28.05	30.33	1	Horizontal	136	2.77	-	37.66	16.17	48.67			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80074G	45.66	88.20	-42.54	41.16	3	Vertical	270	2.51	-	39.10	11.14	45.74			
RMS	12.80062G	35.10	68.20	-33.10	30.60	3	Vertical	270	2.51	-	39.10	11.14	45.74			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80896G	45.85	88.20	-42.35	41.33	3	Horizontal	349	2.45	-	39.12	11.14	45.74			
RMS	12.8181G	35.28	68.20	-32.92	30.74	3	Horizontal	349	2.45	-	39.14	11.15	45.75			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21632G	46.72	74.00	-27.28	41.38	1	Vertical	359	1.50	-	37.70	16.50	48.86			
AV	19.2279G	35.16	63.54	-28.38	29.74	1	Vertical	359	1.50	-	37.77	16.50	48.85			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6405MHz_TX

EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21848G	45.60	83.54	-37.94	40.25	1	Horizontal	294	2.85	-	37.71	16.50	48.86			
AV	19.2182G	34.93	63.54	-28.61	29.58	1	Horizontal	294	2.85	-	37.71	16.50	48.86			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12954G	46.13	88.20	-42.07	40.97	3	Vertical	52	1.35	-	39.60	11.24	45.68			
RMS	13.1322G	34.77	68.20	-33.43	29.61	3	Vertical	52	1.35	-	39.60	11.24	45.68			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12674G	45.74	88.20	-42.46	40.59	3	Horizontal	19	2.85	-	39.60	11.24	45.69			
RMS	13.13016G	35.02	68.20	-33.18	29.86	3	Horizontal	19	2.85	-	39.60	11.24	45.68			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69008G	47.72	83.54	-35.82	42.37	1	Vertical	219	1.12	-	37.66	16.57	48.88			
AV	19.70264G	35.96	63.54	-27.58	30.57	1	Vertical	219	1.12	-	37.69	16.58	48.88			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68584G	47.49	83.54	-36.05	42.15	1	Horizontal	91	1.20	-	37.64	16.57	48.87			
AV	19.69612G	35.86	63.54	-27.68	30.49	1	Horizontal	91	1.20	-	37.68	16.57	48.88			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36904G	47.35	74.00	-26.65	41.15	3	Vertical	184	2.74	-	40.14	11.31	45.25			
AV	13.36614G	36.97	54.00	-17.03	30.78	3	Vertical	184	2.74	-	40.13	11.31	45.25			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36672G	47.31	74.00	-26.69	41.12	3	Horizontal	200	1.93	-	40.13	11.31	45.25			
AV	13.3709G	36.69	54.00	-17.31	30.48	3	Horizontal	200	1.93	-	40.14	11.31	45.24			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06228G	47.94	83.54	-35.60	43.03	1	Vertical	326	1.08	-	37.22	16.68	48.99			
AV	20.06536G	37.10	63.54	-26.44	32.18	1	Vertical	326	1.08	-	37.23	16.68	48.99			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 88
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05448G	47.72	83.54	-35.82	42.83	1	Horizontal	161	1.93	-	37.21	16.67	48.99			
AV	20.04892G	37.17	63.54	-26.37	32.30	1	Horizontal	161	1.93	-	37.20	16.66	48.99			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 89
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68072G	46.88	88.20	-41.32	40.07	3	Vertical	315	2.12	-	40.46	11.40	45.05			
RMS	13.697G	36.38	68.20	-31.82	29.54	3	Vertical	315	2.12	-	40.49	11.40	45.05			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 89
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6811G	47.97	88.20	-40.23	41.16	3	Horizontal	335	2.32	-	40.46	11.40	45.05			
RMS	13.68862G	37.39	68.20	-30.81	30.56	3	Horizontal	335	2.32	-	40.48	11.40	45.05			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 89
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53184G	47.60	83.54	-35.94	41.86	1	Vertical	152	1.47	-	37.54	17.10	48.90			
AV	20.5402G	36.74	63.54	-26.80	31.01	1	Vertical	152	1.47	-	37.52	17.11	48.90			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 89
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53276G	47.81	83.54	-35.73	42.08	1	Horizontal	22	2.45	-	37.53	17.10	48.90			
AV	20.53068G	36.31	63.54	-27.23	30.57	1	Horizontal	22	2.45	-	37.54	17.10	48.90			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76218G	51.11	88.20	-37.09	44.06	3	Vertical	197	2.78	-	40.70	11.42	45.07			
RMS	13.76228G	40.39	68.20	-27.81	33.34	3	Vertical	197	2.78	-	40.70	11.42	45.07			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76342G	51.87	88.20	-36.33	44.82	3	Horizontal	353	2.65	-	40.70	11.42	45.07			
RMS	13.77498G	40.65	68.20	-27.55	33.60	3	Horizontal	353	2.65	-	40.70	11.42	45.07			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6642G	47.95	83.54	-35.59	42.06	1	Vertical	58	1.15	-	37.57	17.22	48.90			
AV	20.66188G	37.27	63.54	-26.27	31.37	1	Vertical	58	1.15	-	37.58	17.22	48.90			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6885MHz_TX




EUT_Z_2TX
Setting 89
03-E-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.64708G	47.96	83.54	-35.58	42.04	1	Horizontal	92	2.15	-	37.61	17.21	48.90			
AV	20.66036G	37.31	63.54	-26.23	31.41	1	Horizontal	92	2.15	-	37.58	17.22	48.90			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9214G	71.19	88.20	-17.01	64.07	3	Vertical	254	2.28	-	34.59	7.52	34.99			
RMS	5.921G	57.22	68.20	-10.98	50.11	3	Vertical	254	2.28	-	34.58	7.52	34.99			
PK	5.981G	113.51	Inf	-Inf	106.28	3	Vertical	254	2.28	-	34.70	7.53	35.00			
RMS	5.9762G	103.05	Inf	-Inf	95.82	3	Vertical	254	2.28	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 88
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	70.09	88.20	-18.11	62.98	3	Horizontal	187	2.79	-	34.58	7.52	34.99			
RMS	5.921G	56.17	68.20	-12.03	49.06	3	Horizontal	187	2.79	-	34.58	7.52	34.99			
PK	5.981G	109.81	Inf	-Inf	102.58	3	Horizontal	187	2.79	-	34.70	7.53	35.00			
RMS	5.9762G	100.14	Inf	-Inf	92.91	3	Horizontal	187	2.79	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 86
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	81.98	88.20	-6.22	74.85	3	Vertical	251	2.41	-	34.60	7.52	34.99			
RMS	5.925G	66.68	68.20	-1.52	59.55	3	Vertical	251	2.41	-	34.60	7.52	34.99			
PK	6.013G	109.64	Inf	-Inf	102.38	3	Vertical	251	2.41	-	34.73	7.54	35.01			
RMS	6.101G	98.79	Inf	-Inf	91.18	3	Vertical	251	2.41	-	35.00	7.64	35.03			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 86
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	82.95	88.20	-5.25	75.83	3	Horizontal	173	2.33	-	34.59	7.52	34.99			
RMS	5.9218G	66.49	68.20	-1.71	59.37	3	Horizontal	173	2.33	-	34.59	7.52	34.99			
PK	6.005G	107.01	Inf	-Inf	99.77	3	Horizontal	173	2.33	-	34.71	7.54	35.01			
RMS	5.9626G	96.66	Inf	-Inf	89.43	3	Horizontal	173	2.33	-	34.70	7.53	35.00			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 87
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.8866G	82.33	88.20	-5.87	75.34	3	Vertical	254	2.22	-	34.45	7.52	34.98				
RMS	5.9034G	67.60	68.20	-0.60	60.55	3	Vertical	254	2.22	-	34.51	7.52	34.98				
PK	6.2454G	107.59	Inf	-Inf	99.95	3	Vertical	254	2.22	-	34.91	7.79	35.06				
RMS	6.1374G	97.27	Inf	-Inf	89.63	3	Vertical	254	2.22	-	35.00	7.68	35.04				

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX



EUT_Z_2TX
Setting 87
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.8986G	82.32	88.20	-5.88	75.29	3	Horizontal	177	2.32	-	34.49	7.52	34.98			
RMS	5.9238G	64.97	68.20	-3.23	57.84	3	Horizontal	177	2.32	-	34.60	7.52	34.99			
PK	6.1362G	103.75	Inf	-Inf	96.11	3	Horizontal	177	2.32	-	35.00	7.68	35.04			
RMS	6.1374G	94.08	Inf	-Inf	86.44	3	Horizontal	177	2.32	-	35.00	7.68	35.04			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	7.2554G	53.98	54.00	-0.02	3	Vertical	13	1.80	-

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_Y_1TX
Setting 72
05-X-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0578G	111.07	Inf	-Inf	99.59	3	Vertical	10.9	1.80	-	36.35	9.51	34.38			
RMS	7.0194G	100.39	Inf	-Inf	89.15	3	Vertical	10.9	1.80	-	36.18	9.49	34.43			
PK	7.125G	80.96	88.20	-7.24	68.96	3	Vertical	10.9	1.80	-	36.75	9.55	34.30			
RMS	7.125G	68.02	68.20	-0.18	56.02	3	Vertical	10.9	1.80	-	36.75	9.55	34.30			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

7025MHz_TX




EUT_Y_1TX
Setting 72
05-X-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0154G	111.11	Inf	-Inf	99.89	3	Horizontal	350	1.02	-	36.16	9.49	34.43			
RMS	7.0182G	100.30	Inf	-Inf	89.07	3	Horizontal	350	1.02	-	36.17	9.49	34.43			
PK	7.125G	80.21	88.20	-7.99	68.21	3	Horizontal	350	1.02	-	36.75	9.55	34.30			
RMS	7.125G	67.33	68.20	-0.87	55.33	3	Horizontal	350	1.02	-	36.75	9.55	34.30			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT Y_2TX
Setting 70
05-X-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9978G	112.91	Inf	-Inf	101.78	3	Vertical	12	1.80	-	36.10	9.48	34.45			
RMS	7.0198G	102.55	Inf	-Inf	91.31	3	Vertical	12	1.80	-	36.18	9.49	34.43			
PK	7.1338G	82.90	88.20	-5.30	70.84	3	Vertical	12	1.80	-	36.80	9.55	34.29			
RMS	7.125G	67.39	68.20	-0.81	55.39	3	Vertical	12	1.80	-	36.75	9.55	34.30			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

7025MHz_TX




EUT Y_2TX
Setting 70
05-X-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0162G	113.23	Inf	-Inf	102.01	3	Horizontal	-0.1	1.01	-	36.16	9.49	34.43
RMS	7.0182G	102.35	Inf	-Inf	91.12	3	Horizontal	-0.1	1.01	-	36.17	9.49	34.43
PK	7.1274G	80.09	88.20	-8.11	68.08	3	Horizontal	-0.1	1.01	-	36.76	9.55	34.30
RMS	7.125G	67.13	68.20	-1.07	55.13	3	Horizontal	-0.1	1.01	-	36.75	9.55	34.30

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT Y_4TX
Setting 66
05-X-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0162G	118.71	Inf	-Inf	107.49	3	Vertical	4	1.80	-	36.16	9.49	34.43				
RMS	7.0162G	108.87	Inf	-Inf	97.65	3	Vertical	4	1.80	-	36.16	9.49	34.43				
PK	7.137G	81.70	88.20	-6.50	69.61	3	Vertical	4	1.80	-	36.82	9.56	34.29				
RMS	7.1262G	68.17	68.20	-0.03	56.16	3	Vertical	4	1.80	-	36.76	9.55	34.30				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


7025MHz_TX

EUT Y_4TX
Setting 66
05-X-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0538G	116.05	Inf	-Inf	104.61	3	Horizontal	3	1.80	-	36.32	9.51	34.39			
RMS	7.0186G	106.68	Inf	-Inf	95.45	3	Horizontal	3	1.80	-	36.17	9.49	34.43			
PK	7.1346G	79.90	88.20	-8.30	67.83	3	Horizontal	3	1.80	-	36.81	9.55	34.29			
RMS	7.1286G	65.89	68.20	-2.31	53.87	3	Horizontal	3	1.80	-	36.77	9.55	34.30			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT Y_4TX
Setting 66
05-X-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0554G	61.64	88.20	-26.56	40.06	3	Vertical	141	1.63	-	40.51	13.77	32.70			
RMS	14.06338G	50.62	68.20	-17.58	29.02	3	Vertical	141	1.63	-	40.53	13.78	32.71			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT Y_4TX
Setting 66
05-X-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05948G	61.79	88.20	-26.41	40.19	3	Horizontal	25	1.76	-	40.52	13.78	32.70			
RMS	14.05498G	50.48	68.20	-17.72	28.90	3	Horizontal	25	1.76	-	40.51	13.77	32.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT Y_4TX
Setting 63
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07638G	47.37	83.54	-36.17	40.80	1	Vertical	252	1.74	-	37.75	17.50	48.68			
RMS	21.07494G	36.12	63.54	-27.42	29.56	1	Vertical	252	1.74	-	37.75	17.50	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT Y_4TX
Setting 63
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.08952G	47.07	83.54	-36.47	40.53	1	Horizontal	286	1.73	-	37.72	17.50	48.68			
RMS	21.08262G	35.93	63.54	-27.61	29.38	1	Horizontal	286	1.73	-	37.73	17.50	48.68			

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT Y_4TX
Setting 68
05-X-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0178G	116.41	Inf	-Inf	105.18	3	Vertical	3	1.80	-	36.17	9.49	34.43				
RMS	7.0162G	105.55	Inf	-Inf	94.33	3	Vertical	3	1.80	-	36.16	9.49	34.43				
PK	7.1362G	82.59	88.20	-5.61	70.51	3	Vertical	3	1.80	-	36.82	9.55	34.29				
RMS	7.1258G	67.03	68.20	-1.17	55.03	3	Vertical	3	1.80	-	36.75	9.55	34.30				

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

7025MHz_TX




EUT Y_4TX
Setting 68
05-X-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.013G	113.39	Inf	-Inf	102.18	3	Horizontal	3	1.80	-	36.15	9.49	34.43			
RMS	7.0182G	103.50	Inf	-Inf	92.27	3	Horizontal	3	1.80	-	36.17	9.49	34.43			
PK	7.1338G	82.75	88.20	-5.45	70.69	3	Horizontal	3	1.80	-	36.80	9.55	34.29			
RMS	7.125G	65.32	68.20	-2.88	53.32	3	Horizontal	3	1.80	-	36.75	9.55	34.30			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

6985MHz_TX




EUT_V_1TX
Setting 72
05-X-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.921G	105.52	Inf	-Inf	94.49	3	Vertical	28	1.80	-	36.04	9.43	34.44			
RMS	7.0458G	94.51	Inf	-Inf	83.12	3	Vertical	28	1.80	-	36.28	9.51	34.40			
PK	7.1498G	74.80	88.20	-13.40	62.62	3	Vertical	28	1.80	-	36.90	9.56	34.28			
RMS	7.1322G	62.79	68.20	-5.41	50.75	3	Vertical	28	1.80	-	36.79	9.55	34.30			
PK	7.25G	64.87	74.00	-9.13	52.39	3	Vertical	28	1.80	-	37.00	9.64	34.16			
AV	7.25G	53.49	54.00	-0.51	41.01	3	Vertical	28	1.80	-	37.00	9.64	34.16			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

6985MHz_TX




EUT_V_1TX
Setting 72
05-X-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.969G	106.46	Inf	-Inf	95.35	3	Horizontal	352	1.00	-	36.10	9.46	34.45			
RMS	6.921G	95.09	Inf	-Inf	84.06	3	Horizontal	352	1.00	-	36.04	9.43	34.44			
PK	7.1274G	75.96	88.20	-12.24	63.95	3	Horizontal	352	1.00	-	36.76	9.55	34.30			
RMS	7.1258G	62.92	68.20	-5.28	50.92	3	Horizontal	352	1.00	-	36.75	9.55	34.30			
PK	7.2554G	65.25	74.00	-8.75	52.75	3	Horizontal	352	1.00	-	37.01	9.64	34.15			
AV	7.25G	53.56	54.00	-0.44	41.08	3	Horizontal	352	1.00	-	37.00	9.64	34.16			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 70
05-X-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.929G	105.84	Inf	-Inf	94.79	3	Vertical	13	1.80	-	36.06	9.43	34.44			
RMS	7.017G	94.97	Inf	-Inf	83.74	3	Vertical	13	1.80	-	36.17	9.49	34.43			
PK	7.1498G	75.09	88.20	-13.11	62.91	3	Vertical	13	1.80	-	36.90	9.56	34.28			
RMS	7.129G	60.03	68.20	-8.17	48.01	3	Vertical	13	1.80	-	36.77	9.55	34.30			
PK	7.2618G	66.15	74.00	-7.85	53.63	3	Vertical	13	1.80	-	37.02	9.65	34.15			
AV	7.2634G	53.31	54.00	-0.69	40.77	3	Vertical	13	1.80	-	37.03	9.65	34.14			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_V_1TX
Setting 70
05-X-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0138G	105.83	Inf	-Inf	94.61	3	Horizontal	351	1.02	-	36.16	9.49	34.43			
RMS	6.9226G	95.06	Inf	-Inf	84.02	3	Horizontal	351	1.02	-	36.05	9.43	34.44			
PK	7.1498G	74.24	88.20	-13.96	62.06	3	Horizontal	351	1.02	-	36.90	9.56	34.28			
RMS	7.1514G	59.31	68.20	-8.89	47.12	3	Horizontal	351	1.02	-	36.90	9.56	34.27			
PK	7.25G	64.73	74.00	-9.27	52.25	3	Horizontal	351	1.02	-	37.00	9.64	34.16			
AV	7.25G	52.24	54.00	-1.76	39.76	3	Horizontal	351	1.02	-	37.00	9.64	34.16			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT V_2TX
Setting 68
05-X-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	107.61	Inf	-Inf	96.47	3	Vertical	10	1.80	-	36.11	9.48	34.45
RMS	6.9242G	97.01	Inf	-Inf	85.97	3	Vertical	10	1.80	-	36.05	9.43	34.44
PK	7.1626G	76.93	88.20	-11.27	64.69	3	Vertical	10	1.80	-	36.93	9.57	34.26
RMS	7.1274G	61.95	68.20	-6.25	49.94	3	Vertical	10	1.80	-	36.76	9.55	34.30
PK	7.2714G	65.92	74.00	-8.08	53.37	3	Vertical	10	1.80	-	37.04	9.65	34.14
AV	7.2538G	53.41	54.00	-0.59	40.92	3	Vertical	10	1.80	-	37.01	9.64	34.16

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX

6985MHz_TX




EUT_V_2TX
Setting 68
05-X-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0154G	107.02	Inf	-Inf	95.80	3	Horizontal	352	1.01	-	36.16	9.49	34.43			
RMS	6.9226G	96.78	Inf	-Inf	85.74	3	Horizontal	352	1.01	-	36.05	9.43	34.44			
PK	7.1514G	77.62	88.20	-10.58	65.43	3	Horizontal	352	1.01	-	36.90	9.56	34.27			
RMS	7.1514G	60.53	68.20	-7.67	48.34	3	Horizontal	352	1.01	-	36.90	9.56	34.27			
PK	7.257G	64.59	74.00	-9.41	52.09	3	Horizontal	352	1.01	-	37.01	9.64	34.15			
AV	7.25G	53.77	54.00	-0.23	41.29	3	Horizontal	352	1.01	-	37.00	9.64	34.16			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_V_2TX
Setting 66
05-X-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9226G	107.56	Inf	-Inf	96.52	3	Vertical	13	1.80	-	36.05	9.43	34.44			
RMS	6.9242G	97.08	Inf	-Inf	86.04	3	Vertical	13	1.80	-	36.05	9.43	34.44			
PK	7.169G	77.25	88.20	-10.95	64.99	3	Vertical	13	1.80	-	36.94	9.57	34.25			
RMS	7.1482G	59.53	68.20	-8.67	47.36	3	Vertical	13	1.80	-	36.89	9.56	34.28			
PK	7.2682G	68.43	74.00	-5.57	55.88	3	Vertical	13	1.80	-	37.04	9.65	34.14			
AV	7.2554G	53.98	54.00	-0.02	41.48	3	Vertical	13	1.80	-	37.01	9.64	34.15			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_V_2TX
Setting 66
05-X-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.921G	108.60	Inf	-Inf	97.57	3	Horizontal	356	1.01	-	36.04	9.43	34.44
RMS	6.921G	97.94	Inf	-Inf	86.91	3	Horizontal	356	1.01	-	36.04	9.43	34.44
PK	7.1546G	74.20	88.20	-14.00	61.99	3	Horizontal	356	1.01	-	36.91	9.57	34.27
RMS	7.1498G	58.94	68.20	-9.26	46.76	3	Horizontal	356	1.01	-	36.90	9.56	34.28
PK	7.25G	65.70	74.00	-8.30	53.22	3	Horizontal	356	1.01	-	37.00	9.64	34.16
AV	7.2618G	53.41	54.00	-0.59	40.89	3	Horizontal	356	1.01	-	37.02	9.65	34.15

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Y_4TX
Setting 64
05-X-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.921G	113.05	Inf	-Inf	102.02	3	Vertical	4	1.80	-	36.04	9.43	34.44			
RMS	6.9658G	102.96	Inf	-Inf	91.85	3	Vertical	4	1.80	-	36.10	9.46	34.45			
PK	7.1418G	77.88	88.20	-10.32	65.76	3	Vertical	4	1.80	-	36.85	9.56	34.29			
RMS	7.1322G	62.26	68.20	-5.94	50.22	3	Vertical	4	1.80	-	36.79	9.55	34.30			
PK	7.257G	67.11	74.00	-6.89	54.61	3	Vertical	4	1.80	-	37.01	9.64	34.15			
AV	7.257G	53.77	54.00	-0.23	41.27	3	Vertical	4	1.80	-	37.01	9.64	34.15			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Y_4TX
Setting 64
05-X-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9242G	112.25	Inf	-Inf	101.21	3	Horizontal	348	1.80	-	36.05	9.43	34.44
RMS	6.9194G	101.27	Inf	-Inf	90.24	3	Horizontal	348	1.80	-	36.04	9.43	34.44
PK	7.1402G	74.87	88.20	-13.33	62.76	3	Horizontal	348	1.80	-	36.84	9.56	34.29
RMS	7.1258G	59.37	68.20	-8.83	47.37	3	Horizontal	348	1.80	-	36.75	9.55	34.30
PK	7.265G	66.23	74.00	-7.77	53.69	3	Horizontal	348	1.80	-	37.03	9.65	34.14
AV	7.2554G	52.47	54.00	-1.53	39.97	3	Horizontal	348	1.80	-	37.01	9.64	34.15

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 63
05-X-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.921G	113.19	Inf	-Inf	102.16	3	Vertical	5	1.80	-	36.04	9.43	34.44
RMS	6.921G	103.35	Inf	-Inf	92.32	3	Vertical	5	1.80	-	36.04	9.43	34.44
PK	7.1594G	77.41	88.20	-10.79	65.19	3	Vertical	5	1.80	-	36.92	9.57	34.27
RMS	7.137G	62.33	68.20	-5.87	50.24	3	Vertical	5	1.80	-	36.82	9.56	34.29
PK	7.2522G	67.43	74.00	-6.57	54.95	3	Vertical	5	1.80	-	37.00	9.64	34.16
AV	7.257G	53.93	54.00	-0.07	41.43	3	Vertical	5	1.80	-	37.01	9.64	34.15

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 63
05-X-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.929G	112.04	Inf	-Inf	100.99	3	Horizontal	5	1.80	-	36.06	9.43	34.44
RMS	6.9242G	102.36	Inf	-Inf	91.32	3	Horizontal	5	1.80	-	36.05	9.43	34.44
PK	7.129G	75.10	88.20	-13.10	63.08	3	Horizontal	5	1.80	-	36.77	9.55	34.30
RMS	7.129G	60.33	68.20	-7.87	48.31	3	Horizontal	5	1.80	-	36.77	9.55	34.30
PK	7.273G	68.15	74.00	-5.85	55.57	3	Horizontal	5	1.80	-	37.05	9.66	34.13
AV	7.2538G	52.59	54.00	-1.41	40.10	3	Horizontal	5	1.80	-	37.01	9.64	34.16

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT_Y_4TX
Setting 65
05-X-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	6.977G	109.64	Inf	-Inf	98.52	3	Vertical	3	1.80	-	36.10	9.47	34.45
RMS	6.9706G	99.67	Inf	-Inf	88.56	3	Vertical	3	1.80	-	36.10	9.46	34.45
PK	7.1354G	76.75	88.20	-11.45	64.68	3	Vertical	3	1.80	-	36.81	9.55	34.29
RMS	7.1354G	60.81	68.20	-7.39	48.74	3	Vertical	3	1.80	-	36.81	9.55	34.29
PK	7.2778G	65.69	74.00	-8.31	53.10	3	Vertical	3	1.80	-	37.06	9.66	34.13
AV	7.257G	53.40	54.00	-0.60	40.90	3	Vertical	3	1.80	-	37.01	9.64	34.15

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

6985MHz_TX




EUT Y_4TX
Setting 65
05-X-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9226G	110.01	Inf	-Inf	98.97	3	Horizontal	347	1.80	-	36.05	9.43	34.44			
RMS	6.9242G	98.46	Inf	-Inf	87.42	3	Horizontal	347	1.80	-	36.05	9.43	34.44			
PK	7.1834G	76.31	88.20	-11.89	64.00	3	Horizontal	347	1.80	-	36.97	9.58	34.24			
RMS	7.1434G	59.03	68.20	-9.17	46.89	3	Horizontal	347	1.80	-	36.86	9.56	34.28			
PK	7.2634G	65.74	74.00	-8.26	53.20	3	Horizontal	347	1.80	-	37.03	9.65	34.14			
AV	7.265G	50.98	54.00	-3.02	38.44	3	Horizontal	347	1.80	-	37.03	9.65	34.14			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Y_4TX
Setting 63
05-X-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9914G	109.92	Inf	-Inf	98.80	3	Vertical	5	1.80	-	36.10	9.47	34.45
RMS	6.9258G	98.92	Inf	-Inf	87.88	3	Vertical	5	1.80	-	36.05	9.43	34.44
PK	7.1562G	77.52	88.20	-10.68	65.31	3	Vertical	5	1.80	-	36.91	9.57	34.27
RMS	7.137G	60.06	68.20	-8.14	47.97	3	Vertical	5	1.80	-	36.82	9.56	34.29
PK	7.2586G	68.20	74.00	-5.80	55.69	3	Vertical	5	1.80	-	37.02	9.64	34.15
AV	7.257G	52.75	54.00	-1.25	40.25	3	Vertical	5	1.80	-	37.01	9.64	34.15

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX



EUT_Y_4TX
Setting 63
05-X-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0026G	110.22	Inf	-Inf	99.08	3	Horizontal	352	1.80	-	36.11	9.48	34.45			
RMS	6.921G	98.93	Inf	-Inf	87.90	3	Horizontal	352	1.80	-	36.04	9.43	34.44			
PK	7.1354G	73.08	88.20	-15.12	61.01	3	Horizontal	352	1.80	-	36.81	9.55	34.29			
RMS	7.1434G	58.22	68.20	-9.98	46.08	3	Horizontal	352	1.80	-	36.86	9.56	34.28			
PK	7.265G	66.70	74.00	-7.30	54.16	3	Horizontal	352	1.80	-	37.03	9.65	34.14			
AV	7.265G	51.27	54.00	-2.73	38.73	3	Horizontal	352	1.80	-	37.03	9.65	34.14			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	RMS	5.9242G	68.17	68.20	-0.03	3	Horizontal	324	2.77	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Z_1TX
Setting 78
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	74.18	88.20	-14.02	65.87	3	Vertical	117.9	3.00	-	34.15	8.94	34.78
RMS	5.9234G	58.70	68.20	-9.50	50.39	3	Vertical	117.9	3.00	-	34.15	8.94	34.78
PK	5.9578G	102.19	Inf	-Inf	93.77	3	Vertical	117.9	3.00	-	34.20	8.98	34.76
RMS	5.9562G	92.13	Inf	-Inf	83.71	3	Vertical	117.9	3.00	-	34.20	8.98	34.76

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Z_1TX
Setting 78
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9122G	83.54	88.20	-4.66	75.27	3	Horizontal	324	2.77	-	34.12	8.93	34.78			
RMS	5.9242G	68.17	68.20	-0.03	59.86	3	Horizontal	324	2.77	-	34.15	8.94	34.78			
PK	5.9722G	112.79	Inf	-Inf	104.34	3	Horizontal	324	2.77	-	34.20	9.00	34.75			
RMS	5.9762G	101.54	Inf	-Inf	93.09	3	Horizontal	324	2.77	-	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Z_2TX
Setting 79
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	76.69	88.20	-11.51	68.38	3	Vertical	204	3.00	-	34.15	8.94	34.78			
RMS	5.9222G	62.43	68.20	-5.77	54.13	3	Vertical	204	3.00	-	34.14	8.94	34.78			
PK	5.9722G	105.07	Inf	-Inf	96.62	3	Vertical	204	3.00	-	34.20	9.00	34.75			
RMS	5.9686G	94.22	Inf	-Inf	85.79	3	Vertical	204	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Z_2TX
Setting 79
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	84.77	88.20	-3.43	76.50	3	Horizontal	290	2.86	-	34.12	8.93	34.78
RMS	5.9098G	67.89	68.20	-0.31	59.62	3	Horizontal	290	2.86	-	34.12	8.93	34.78
PK	5.973G	111.71	Inf	-Inf	103.26	3	Horizontal	290	2.86	-	34.20	9.00	34.75
RMS	5.975G	100.92	Inf	-Inf	92.47	3	Horizontal	290	2.86	-	34.20	9.00	34.75

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	78.52	88.20	-9.68	70.25	3	Vertical	46	2.97	-	34.12	8.93	34.78			
RMS	5.9234G	59.67	68.20	-8.53	51.36	3	Vertical	46	2.97	-	34.15	8.94	34.78			
PK	5.973G	107.47	Inf	-Inf	99.02	3	Vertical	46	2.97	-	34.20	9.00	34.75			
RMS	5.9734G	98.34	Inf	-Inf	89.89	3	Vertical	46	2.97	-	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.917G	86.76	88.20	-1.44	78.48	3	Horizontal	9	3.00	-	34.13	8.93	34.78			
RMS	5.9214G	67.71	68.20	-0.49	59.41	3	Horizontal	9	3.00	-	34.14	8.94	34.78			
PK	5.9666G	118.42	Inf	-Inf	109.99	3	Horizontal	9	3.00	-	34.20	8.99	34.76			
RMS	5.9762G	106.94	Inf	-Inf	98.49	3	Horizontal	9	3.00	-	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	77.97	88.20	-10.23	69.70	3	Vertical	46	3.00	-	34.12	8.93	34.78
RMS	5.9122G	59.60	68.20	-8.60	51.33	3	Vertical	46	3.00	-	34.12	8.93	34.78
PK	5.9714G	105.45	Inf	-Inf	97.00	3	Vertical	46	3.00	-	34.20	9.00	34.75
RMS	5.9734G	95.27	Inf	-Inf	86.82	3	Vertical	46	3.00	-	34.20	9.00	34.75

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	85.72	88.20	-2.48	77.41	3	Horizontal	332	2.77	-	34.15	8.94	34.78			
RMS	5.9226G	67.75	68.20	-0.45	59.44	3	Horizontal	332	2.77	-	34.15	8.94	34.78			
PK	5.9586G	114.44	Inf	-Inf	106.02	3	Horizontal	332	2.77	-	34.20	8.98	34.76			
RMS	5.973G	104.10	Inf	-Inf	95.65	3	Horizontal	332	2.77	-	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9146G	70.10	88.20	-18.10	62.93	3	Vertical	107	2.83	-	34.63	7.52	34.98			
RMS	5.9226G	58.73	68.20	-9.47	51.55	3	Vertical	107	2.83	-	34.65	7.52	34.99			
PK	5.9962G	97.86	Inf	-Inf	90.55	3	Vertical	107	2.83	-	34.79	7.53	35.01			
RMS	5.949G	88.92	Inf	-Inf	81.69	3	Vertical	107	2.83	-	34.70	7.52	34.99			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	78.04	88.20	-10.16	70.87	3	Horizontal	333	2.34	-	34.64	7.52	34.99			
RMS	5.925G	66.04	68.20	-2.16	58.86	3	Horizontal	333	2.34	-	34.65	7.52	34.99			
PK	5.9642G	106.48	Inf	-Inf	99.22	3	Horizontal	333	2.34	-	34.73	7.53	35.00			
RMS	5.9642G	96.75	Inf	-Inf	89.49	3	Horizontal	333	2.34	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX

6025MHz_TX




EUT_Z_1TX
Setting 85
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	71.72	88.20	-16.48	64.54	3	Vertical	110	2.76	-	34.65	7.52	34.99			
RMS	5.9234G	61.49	68.20	-6.71	54.31	3	Vertical	110	2.76	-	34.65	7.52	34.99			
PK	5.9658G	99.20	Inf	-Inf	91.94	3	Vertical	110	2.76	-	34.73	7.53	35.00			
RMS	5.9666G	88.80	Inf	-Inf	81.54	3	Vertical	110	2.76	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX

6025MHz_TX




EUT_Z_1TX
Setting 85
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9114G	79.16	88.20	-9.04	72.00	3	Horizontal	338	2.29	-	34.62	7.52	34.98				
RMS	5.925G	67.75	68.20	-0.45	60.57	3	Horizontal	338	2.29	-	34.65	7.52	34.99				
PK	5.969G	106.05	Inf	-Inf	98.78	3	Horizontal	338	2.29	-	34.74	7.53	35.00				
RMS	5.9674G	96.21	Inf	-Inf	88.95	3	Horizontal	338	2.29	-	34.73	7.53	35.00				

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	73.02	88.20	-15.18	64.71	3	Vertical	206	3.00	-	34.15	8.94	34.78			
RMS	5.9218G	60.59	68.20	-7.61	52.29	3	Vertical	206	3.00	-	34.14	8.94	34.78			
PK	6.0026G	101.07	Inf	-Inf	92.58	3	Vertical	206	3.00	-	34.20	9.03	34.74			
RMS	5.9634G	91.39	Inf	-Inf	82.96	3	Vertical	206	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	79.69	88.20	-8.51	71.39	3	Horizontal	90	2.97	-	34.14	8.94	34.78			
RMS	5.9242G	67.86	68.20	-0.34	59.55	3	Horizontal	90	2.97	-	34.15	8.94	34.78			
PK	6.0506G	109.52	Inf	-Inf	100.97	3	Horizontal	90	2.97	-	34.20	9.05	34.70			
RMS	6.0426G	98.79	Inf	-Inf	90.25	3	Horizontal	90	2.97	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX

6025MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	71.66	88.20	-16.54	63.35	3	Vertical	201	3.00	-	34.15	8.94	34.78			
RMS	5.9226G	59.25	68.20	-8.95	50.94	3	Vertical	201	3.00	-	34.15	8.94	34.78			
PK	5.9642G	100.83	Inf	-Inf	92.40	3	Vertical	201	3.00	-	34.20	8.99	34.76			
RMS	5.9626G	90.66	Inf	-Inf	82.23	3	Vertical	201	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX

6025MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	79.93	88.20	-8.27	71.62	3	Horizontal	89	3.00	-	34.15	8.94	34.78			
RMS	5.9234G	67.66	68.20	-0.54	59.35	3	Horizontal	89	3.00	-	34.15	8.94	34.78			
PK	6.0074G	108.52	Inf	-Inf	100.02	3	Horizontal	89	3.00	-	34.20	9.03	34.73			
RMS	6.0426G	98.18	Inf	-Inf	89.64	3	Horizontal	89	3.00	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.912G	72.76	88.20	-15.44	64.49	3	Vertical	46	3.00	-	34.12	8.93	34.78			
RMS	5.9235G	59.10	68.20	-9.10	50.79	3	Vertical	46	3.00	-	34.15	8.94	34.78			
PK	5.968G	105.56	Inf	-Inf	97.13	3	Vertical	46	3.00	-	34.20	8.99	34.76			
RMS	5.9635G	95.14	Inf	-Inf	86.71	3	Vertical	46	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.916G	83.48	88.20	-4.72	75.20	3	Horizontal	10	3.00	-	34.13	8.93	34.78			
RMS	5.9165G	67.58	68.20	-0.62	59.30	3	Horizontal	10	3.00	-	34.13	8.93	34.78			
PK	6.046G	114.60	Inf	-Inf	106.06	3	Horizontal	10	3.00	-	34.20	9.05	34.71			
RMS	6.0465G	103.42	Inf	-Inf	94.88	3	Horizontal	10	3.00	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06002G	57.63	74.00	-16.37	39.45	3	Vertical	34	1.62	-	38.92	12.85	33.59			
AV	12.03518G	46.72	54.00	-7.28	28.59	3	Vertical	34	1.62	-	38.87	12.84	33.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0542G	57.99	74.00	-16.01	39.82	3	Horizontal	314	2.09	-	38.91	12.85	33.59			
AV	12.03578G	46.83	54.00	-7.17	28.70	3	Horizontal	314	2.09	-	38.87	12.84	33.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06324G	41.67	83.54	-41.87	36.92	1	Vertical	47	1.98	-	37.23	15.73	48.21			
RMS	18.06018G	30.56	63.54	-32.98	25.82	1	Vertical	47	1.98	"Worst"	37.22	15.73	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07002G	42.44	83.54	-41.10	37.67	1	Horizontal	98	1.84	-	37.24	15.74	48.21			
RMS	18.06582G	30.44	63.54	-33.10	25.69	1	Horizontal	98	1.84	-	37.23	15.73	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	72.80	88.20	-15.40	64.49	3	Vertical	47	2.97	-	34.15	8.94	34.78			
RMS	5.923G	59.27	68.20	-8.93	50.96	3	Vertical	47	2.97	-	34.15	8.94	34.78			
PK	5.963G	104.14	Inf	-Inf	95.71	3	Vertical	47	2.97	-	34.20	8.99	34.76			
RMS	6.0535G	94.75	Inf	-Inf	86.21	3	Vertical	47	2.97	-	34.19	9.05	34.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	81.07	88.20	-7.13	72.79	3	Horizontal	6	2.97	-	34.13	8.93	34.78			
RMS	5.9215G	68.05	68.20	-0.15	59.75	3	Horizontal	6	2.97	-	34.14	8.94	34.78			
PK	6.041G	113.20	Inf	-Inf	104.66	3	Horizontal	6	2.97	-	34.20	9.05	34.71			
RMS	5.961G	103.40	Inf	-Inf	94.97	3	Horizontal	6	2.97	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04952G	57.74	74.00	-16.26	39.58	3	Vertical	299	1.62	-	38.90	12.84	33.58			
AV	12.06152G	46.31	54.00	-7.69	28.13	3	Vertical	299	1.62	-	38.92	12.85	33.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0569G	57.47	74.00	-16.53	39.30	3	Horizontal	342	1.54	-	38.91	12.85	33.59			
AV	12.06014G	46.27	54.00	-7.73	28.09	3	Horizontal	342	1.54	-	38.92	12.85	33.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0651G	41.45	83.54	-42.09	36.70	1	Vertical	118	1.36	-	37.23	15.73	48.21			
RMS	18.06198G	30.53	63.54	-33.01	25.79	1	Vertical	118	1.36	-	37.22	15.73	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06582G	41.33	83.54	-42.21	36.58	1	Horizontal	198	1.98	-	37.23	15.73	48.21			
RMS	18.06666G	30.67	63.54	-32.87	25.92	1	Horizontal	198	1.98	-	37.23	15.73	48.21			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.912G	72.98	88.20	-15.22	64.71	3	Vertical	46	3.00	-	34.12	8.93	34.78				
AV	5.912G	59.93	68.20	-8.27	51.66	3	Vertical	46	3.00	-	34.12	8.93	34.78				
PK	5.972G	102.97	Inf	-Inf	94.52	3	Vertical	46	3.00	-	34.20	9.00	34.75				
AV	5.962G	92.17	Inf	-Inf	83.74	3	Vertical	46	3.00	-	34.20	8.99	34.76				

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.907G	83.12	88.20	-5.08	74.87	3	Horizontal	289	2.80	-	34.11	8.92	34.78				
RMS	5.92G	67.87	68.20	-0.33	59.57	3	Horizontal	289	2.80	-	34.14	8.94	34.78				
PK	6.048G	111.82	Inf	-Inf	103.28	3	Horizontal	289	2.80	-	34.20	9.05	34.71				
RMS	6.048G	101.29	Inf	-Inf	92.75	3	Horizontal	289	2.80	-	34.20	9.05	34.71				

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 78
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.907G	70.51	88.20	-17.69	62.26	3	Vertical	94	2.97	-	34.11	8.92	34.78			
RMS	5.925G	58.01	68.20	-10.19	49.70	3	Vertical	94	2.97	-	34.15	8.94	34.78			
PK	6.048G	103.02	Inf	-Inf	94.48	3	Vertical	94	2.97	-	34.20	9.05	34.71			
RMS	6.0485G	92.30	Inf	-Inf	83.76	3	Vertical	94	2.97	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 78
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.922G	82.16	88.20	-6.04	73.86	3	Horizontal	330	2.90	-	34.14	8.94	34.78			
RMS	5.9245G	67.65	68.20	-0.55	59.34	3	Horizontal	330	2.90	-	34.15	8.94	34.78			
PK	5.964G	112.19	Inf	-Inf	103.76	3	Horizontal	330	2.90	-	34.20	8.99	34.76			
RMS	5.9625G	100.90	Inf	-Inf	92.47	3	Horizontal	330	2.90	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

6105MHz_TX




EUT_Z_1TX
Setting 107
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	72.82	88.20	-15.38	64.52	3	Vertical	114	2.97	-	34.14	8.94	34.78			
AV	5.9242G	62.66	68.20	-5.54	54.35	3	Vertical	114	2.97	-	34.15	8.94	34.78			
PK	5.993G	90.76	Inf	-Inf	82.28	3	Vertical	114	2.97	-	34.20	9.02	34.74			
AV	6.0026G	79.55	Inf	-Inf	71.06	3	Vertical	114	2.97	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

6105MHz_TX




EUT_Z_1TX
Setting 107
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	79.06	88.20	-9.14	70.75	3	Horizontal	0	3.00	-	34.15	8.94	34.78			
AV	5.9242G	68.02	68.20	-0.18	59.71	3	Horizontal	0	3.00	-	34.15	8.94	34.78			
PK	6.0106G	96.61	Inf	-Inf	88.11	3	Horizontal	0	3.00	-	34.20	9.03	34.73			
AV	6.0698G	85.69	Inf	-Inf	77.16	3	Horizontal	0	3.00	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Z_1TX
Setting 100
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	69.45	88.20	-18.75	61.17	3	Vertical	116	2.97	-	34.13	8.93	34.78			
RMS	5.9242G	59.00	68.20	-9.20	50.69	3	Vertical	116	2.97	-	34.15	8.94	34.78			
PK	5.9578G	90.54	Inf	-Inf	82.12	3	Vertical	116	2.97	-	34.20	8.98	34.76			
RMS	5.9618G	79.39	Inf	-Inf	70.96	3	Vertical	116	2.97	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Z_1TX
Setting 100
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	77.63	88.20	-10.57	69.32	3	Horizontal	324	2.80	-	34.15	8.94	34.78			
RMS	5.925G	67.68	68.20	-0.52	59.37	3	Horizontal	324	2.80	-	34.15	8.94	34.78			
PK	6.0122G	98.95	Inf	-Inf	90.44	3	Horizontal	324	2.80	-	34.20	9.04	34.73			
RMS	6.0026G	88.23	Inf	-Inf	79.74	3	Horizontal	324	2.80	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Z_1TX
Setting 89
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	75.51	88.20	-12.69	67.20	3	Vertical	113	2.92	-	34.15	8.94	34.78			
RMS	5.925G	63.02	68.20	-5.18	54.71	3	Vertical	113	2.92	-	34.15	8.94	34.78			
PK	5.9658G	98.59	Inf	-Inf	90.16	3	Vertical	113	2.92	-	34.20	8.99	34.76			
RMS	5.9626G	88.22	Inf	-Inf	79.79	3	Vertical	113	2.92	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Z_1TX
Setting 89
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	79.19	88.20	-9.01	70.88	3	Horizontal	10	2.97	-	34.15	8.94	34.78			
RMS	5.9242G	67.97	68.20	-0.23	59.66	3	Horizontal	10	2.97	-	34.15	8.94	34.78			
PK	6.0346G	103.21	Inf	-Inf	94.68	3	Horizontal	10	2.97	-	34.20	9.05	34.72			
RMS	6.001G	93.38	Inf	-Inf	84.89	3	Horizontal	10	2.97	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 89
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	71.64	88.20	-16.56	63.34	3	Vertical	98.9	3.00	-	34.14	8.94	34.78			
RMS	5.921G	60.66	68.20	-7.54	52.36	3	Vertical	98.9	3.00	-	34.14	8.94	34.78			
PK	6.1418G	97.10	Inf	-Inf	88.47	3	Vertical	98.9	3.00	-	34.18	9.09	34.64			
RMS	6.1402G	86.39	Inf	-Inf	77.76	3	Vertical	98.9	3.00	-	34.18	9.09	34.64			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 89
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9178G	79.27	88.20	-8.93	70.97	3	Horizontal	164.9	2.98	-	34.14	8.94	34.78			
RMS	5.925G	67.85	68.20	-0.35	59.54	3	Horizontal	164.9	2.98	-	34.15	8.94	34.78			
PK	6.0058G	103.63	Inf	-Inf	95.14	3	Horizontal	164.9	2.98	-	34.20	9.03	34.74			
RMS	5.9618G	93.66	Inf	-Inf	85.23	3	Horizontal	164.9	2.98	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Z_2TX
Setting 95
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	71.25	88.20	-16.95	62.97	3	Vertical	116	3.00	-	34.13	8.93	34.78
RMS	5.9234G	60.79	68.20	-7.41	52.48	3	Vertical	116	3.00	-	34.15	8.94	34.78
PK	6.0074G	92.35	Inf	-Inf	83.85	3	Vertical	116	3.00	-	34.20	9.03	34.73
RMS	6.0058G	80.43	Inf	-Inf	71.94	3	Vertical	116	3.00	-	34.20	9.03	34.74

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Z_2TX
Setting 95
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	79.14	88.20	-9.06	70.84	3	Horizontal	286	2.77	-	34.14	8.94	34.78			
RMS	5.925G	67.53	68.20	-0.67	59.22	3	Horizontal	286	2.77	-	34.15	8.94	34.78			
PK	6.097G	106.11	Inf	-Inf	97.60	3	Horizontal	286	2.77	-	34.11	9.07	34.67			
RMS	6.0698G	95.38	Inf	-Inf	86.85	3	Horizontal	286	2.77	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX




EUT_Z_2TX
Setting 83
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	69.45	88.20	-18.75	62.27	3	Vertical	116	2.73	-	34.65	7.52	34.99			
RMS	5.925G	57.23	68.20	-10.97	50.05	3	Vertical	116	2.73	-	34.65	7.52	34.99			
PK	5.961G	94.62	Inf	-Inf	87.37	3	Vertical	116	2.73	-	34.72	7.53	35.00			
RMS	5.9626G	85.54	Inf	-Inf	78.28	3	Vertical	116	2.73	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX




EUT_Z_2TX
Setting 83
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	72.53	88.20	-15.67	65.36	3	Horizontal	90	2.75	-	34.64	7.52	34.99			
RMS	5.9234G	61.21	68.20	-6.99	54.03	3	Horizontal	90	2.75	-	34.65	7.52	34.99			
PK	6.0954G	103.56	Inf	-Inf	95.87	3	Horizontal	90	2.75	-	35.09	7.63	35.03			
RMS	6.1418G	94.15	Inf	-Inf	86.48	3	Horizontal	90	2.75	-	35.02	7.69	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 76
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	68.90	88.20	-19.30	60.63	3	Vertical	62	3.00	-	34.12	8.93	34.78			
RMS	5.9202G	57.77	68.20	-10.43	49.47	3	Vertical	62	3.00	-	34.14	8.94	34.78			
PK	6.2058G	102.05	Inf	-Inf	93.20	3	Vertical	62	3.00	-	34.31	9.13	34.59			
RMS	6.2162G	91.41	Inf	-Inf	82.51	3	Vertical	62	3.00	-	34.33	9.15	34.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX


6105MHz_TX

EUT_Z_4TX
Setting 76
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	77.89	88.20	-10.31	69.59	3	Horizontal	339	2.77	-	34.14	8.94	34.78			
RMS	5.9234G	67.46	68.20	-0.74	59.15	3	Horizontal	339	2.77	-	34.15	8.94	34.78			
PK	6.0138G	109.44	Inf	-Inf	100.93	3	Horizontal	339	2.77	-	34.20	9.04	34.73			
RMS	5.9634G	99.27	Inf	-Inf	90.84	3	Horizontal	339	2.77	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.905G	68.81	88.20	-19.39	60.57	3	Vertical	60	3.00	-	34.11	8.92	34.79			
RMS	5.925G	57.41	68.20	-10.79	49.10	3	Vertical	60	3.00	-	34.15	8.94	34.78			
PK	6.1562G	101.23	Inf	-Inf	92.55	3	Vertical	60	3.00	-	34.21	9.10	34.63			
RMS	6.1362G	89.73	Inf	-Inf	81.11	3	Vertical	60	3.00	-	34.17	9.09	34.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	78.88	88.20	-9.32	70.57	3	Horizontal	346	2.80	-	34.15	8.94	34.78			
RMS	5.9234G	67.44	68.20	-0.76	59.13	3	Horizontal	346	2.80	-	34.15	8.94	34.78			
PK	6.0634G	110.83	Inf	-Inf	102.29	3	Horizontal	346	2.80	-	34.17	9.06	34.69			
RMS	6.1338G	99.82	Inf	-Inf	91.20	3	Horizontal	346	2.80	-	34.17	9.09	34.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	72.85	88.20	-15.35	64.54	3	Vertical	45	3.00	-	34.15	8.94	34.78			
RMS	5.9234G	59.77	68.20	-8.43	51.46	3	Vertical	45	3.00	-	34.15	8.94	34.78			
PK	5.953G	102.56	Inf	-Inf	94.14	3	Vertical	45	3.00	-	34.20	8.98	34.76			
RMS	5.9682G	92.43	Inf	-Inf	84.00	3	Vertical	45	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	79.12	88.20	-9.08	70.81	3	Horizontal	330	2.86	-	34.15	8.94	34.78			
RMS	5.9226G	67.24	68.20	-0.96	58.93	3	Horizontal	330	2.86	-	34.15	8.94	34.78			
PK	5.9626G	109.65	Inf	-Inf	101.22	3	Horizontal	330	2.86	-	34.20	8.99	34.76			
RMS	5.9626G	100.06	Inf	-Inf	91.63	3	Horizontal	330	2.86	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 86
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	74.63	88.20	-13.57	66.33	3	Vertical	114	3.00	-	34.14	8.94	34.78			
RMS	5.9194G	62.36	68.20	-5.84	54.06	3	Vertical	114	3.00	-	34.14	8.94	34.78			
PK	6.009G	98.44	Inf	-Inf	89.94	3	Vertical	114	3.00	-	34.20	9.03	34.73			
RMS	6.0018G	88.21	Inf	-Inf	79.72	3	Vertical	114	3.00	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 86
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	78.77	88.20	-9.43	70.46	3	Horizontal	277	2.58	-	34.15	8.94	34.78			
RMS	5.925G	67.88	68.20	-0.32	59.57	3	Horizontal	277	2.58	-	34.15	8.94	34.78			
PK	6.1994G	108.19	Inf	-Inf	99.37	3	Horizontal	277	2.58	-	34.30	9.12	34.60			
RMS	6.2082G	98.28	Inf	-Inf	89.41	3	Horizontal	277	2.58	-	34.32	9.14	34.59			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 82
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9194G	73.62	88.20	-14.58	65.32	3	Vertical	117	2.97	-	34.14	8.94	34.78			
RMS	5.925G	62.83	68.20	-5.37	54.52	3	Vertical	117	2.97	-	34.15	8.94	34.78			
PK	6.145G	101.39	Inf	-Inf	92.74	3	Vertical	117	2.97	-	34.19	9.10	34.64			
RMS	6.069G	89.83	Inf	-Inf	81.30	3	Vertical	117	2.97	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 82
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9066G	80.12	88.20	-8.08	71.87	3	Horizontal	282	2.79	-	34.11	8.92	34.78			
RMS	5.925G	67.49	68.20	-0.71	59.18	3	Horizontal	282	2.79	-	34.15	8.94	34.78			
PK	6.1274G	108.67	Inf	-Inf	100.08	3	Horizontal	282	2.79	-	34.15	9.09	34.65			
RMS	6.1274G	97.84	Inf	-Inf	89.25	3	Horizontal	282	2.79	-	34.15	9.09	34.65			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	73.65	88.20	-14.55	65.35	3	Vertical	117	2.96	-	34.14	8.94	34.78			
RMS	5.925G	59.83	68.20	-8.37	51.52	3	Vertical	117	2.96	-	34.15	8.94	34.78			
PK	6.065G	100.21	Inf	-Inf	91.67	3	Vertical	117	2.96	-	34.17	9.06	34.69			
RMS	6.1394G	89.49	Inf	-Inf	80.86	3	Vertical	117	2.96	-	34.18	9.09	34.64			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9226G	81.48	88.20	-6.72	73.17	3	Horizontal	332	2.90	-	34.15	8.94	34.78				
RMS	5.9226G	67.87	68.20	-0.33	59.56	3	Horizontal	332	2.90	-	34.15	8.94	34.78				
PK	6.0202G	109.35	Inf	-Inf	100.84	3	Horizontal	332	2.90	-	34.20	9.04	34.73				
RMS	5.9626G	98.02	Inf	-Inf	89.59	3	Horizontal	332	2.90	-	34.20	8.99	34.76				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_1TX

6905MHz_TX




EUT_Z_1TX
Setting 73
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0458G	95.61	Inf	-Inf	84.22	3	Vertical	195	2.97	-	36.28	9.51	34.40
AV	7.0618G	84.48	Inf	-Inf	72.98	3	Vertical	195	2.97	-	36.37	9.51	34.38
PK	7.2586G	60.61	74.00	-13.39	48.10	3	Vertical	195	2.97	-	37.02	9.64	34.15
AV	7.2602G	47.79	54.00	-6.21	35.28	3	Vertical	195	2.97	-	37.02	9.64	34.15

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_1TX

6905MHz_TX




EUT_Z_1TX
Setting 73
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.041G	102.57	Inf	-Inf	91.21	3	Horizontal	333	2.53	-	36.26	9.50	34.40			
RMS	6.9506G	91.37	Inf	-Inf	80.26	3	Horizontal	333	2.53	-	36.10	9.45	34.44			
PK	7.281G	66.62	74.00	-7.38	54.02	3	Horizontal	333	2.53	-	37.06	9.66	34.12			
AV	7.2626G	53.48	54.00	-0.52	40.95	3	Horizontal	333	2.53	-	37.03	9.65	34.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX

6905MHz_TX




EUT_Z_1TX
Setting 78
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0554G	97.87	Inf	-Inf	86.42	3	Vertical	201	2.97	-	36.33	9.51	34.39			
RMS	7.0402G	86.66	Inf	-Inf	75.30	3	Vertical	201	2.97	-	36.26	9.50	34.40			
PK	7.2698G	65.36	74.00	-8.64	52.81	3	Vertical	201	2.97	-	37.04	9.65	34.14			
AV	7.2802G	52.07	54.00	-1.93	39.47	3	Vertical	201	2.97	-	37.06	9.66	34.12			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX

6905MHz_TX




EUT_Z_1TX
Setting 78
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9706G	100.50	Inf	-Inf	89.39	3	Horizontal	326	1.80	-	36.10	9.46	34.45			
RMS	6.9426G	89.85	Inf	-Inf	78.76	3	Horizontal	326	1.80	-	36.09	9.44	34.44			
PK	7.2698G	65.99	74.00	-8.01	53.44	3	Horizontal	326	1.80	-	37.04	9.65	34.14			
AV	7.2634G	53.65	54.00	-0.35	41.11	3	Horizontal	326	1.80	-	37.03	9.65	34.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX

6905MHz_TX




EUT_V_1TX
Setting 51
05-X-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
AV	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
	7.04756G	-7.90	5.00	-12.90	-31.12	3	Vertical	12	1.80	RBW 1MH	-10.90	9.51	34.39				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_1TX

6905MHz_TX




EUT V_1TX
Setting 51
05-X-K-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
AV	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
	6.94868G	-5.57	5.00	-10.57	-28.46	3	Horizontal	339	1.80	RBW 1MH	-11.00	9.45	34.44				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_Z_1TX
Setting 82
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9498G	98.74	Inf	-Inf	87.63	3	Vertical	184	3.00	-	36.10	9.45	34.44			
RMS	6.9434G	88.12	Inf	-Inf	77.03	3	Vertical	184	3.00	-	36.09	9.44	34.44			
PK	7.265G	61.38	74.00	-12.62	48.84	3	Vertical	184	3.00	-	37.03	9.65	34.14			
AV	7.25G	49.98	54.00	-4.02	37.50	3	Vertical	184	3.00	-	37.00	9.64	34.16			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_1TX

6905MHz_TX




EUT_Z_1TX
Setting 82
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	102.06	Inf	-Inf	90.93	3	Horizontal	329	1.80	-	36.10	9.48	34.45
RMS	6.9426G	91.26	Inf	-Inf	80.17	3	Horizontal	329	1.80	-	36.09	9.44	34.44
PK	7.2522G	65.53	74.00	-8.47	53.05	3	Horizontal	329	1.80	-	37.00	9.64	34.16
AV	7.25G	53.26	54.00	-0.74	40.79	3	Horizontal	329	1.80	-	37.00	9.63	34.16

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_Z_2TX
Setting 76
05-X-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0602G	98.40	Inf	-Inf	86.91	3	Vertical	196	2.96	-	36.36	9.51	34.38
AV	7.0426G	87.42	Inf	-Inf	76.05	3	Vertical	196	2.96	-	36.27	9.50	34.40
PK	7.25G	63.10	74.00	-10.90	50.62	3	Vertical	196	2.96	-	37.00	9.64	34.16
AV	7.2538G	50.99	54.00	-3.01	38.50	3	Vertical	196	2.96	-	37.01	9.64	34.16

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 4_2TX

6905MHz_TX




EUT_Z_2TX
Setting 76
05-X-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9354G	101.33	Inf	-Inf	90.26	3	Horizontal	191	2.32	-	36.07	9.44	34.44
AV	6.941G	91.39	Inf	-Inf	80.31	3	Horizontal	191	2.32	-	36.08	9.44	34.44
PK	7.281G	66.35	74.00	-7.65	53.75	3	Horizontal	191	2.32	-	37.06	9.66	34.12
AV	7.2514G	53.55	54.00	-0.45	41.07	3	Horizontal	191	2.32	-	37.00	9.64	34.16

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9434G	98.35	Inf	-Inf	87.26	3	Vertical	190	2.97	-	36.09	9.44	34.44			
RMS	6.9202G	88.19	Inf	-Inf	77.16	3	Vertical	190	2.97	-	36.04	9.43	34.44			
PK	7.2682G	65.78	74.00	-8.22	53.23	3	Vertical	190	2.97	-	37.04	9.65	34.14			
AV	7.2602G	52.85	54.00	-1.15	40.34	3	Vertical	190	2.97	-	37.02	9.64	34.15			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 2_2TX

6905MHz_TX




EUT_Z_2TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9274G	100.75	Inf	-Inf	89.71	3	Horizontal	328	1.80	-	36.05	9.43	34.44			
RMS	6.961G	90.34	Inf	-Inf	79.23	3	Horizontal	328	1.80	-	36.10	9.45	34.44			
PK	7.2794G	67.17	74.00	-6.83	54.58	3	Horizontal	328	1.80	-	37.06	9.66	34.13			
AV	7.2602G	53.85	54.00	-0.15	41.34	3	Horizontal	328	1.80	-	37.02	9.64	34.15			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0618G	99.73	Inf	-Inf	88.23	3	Vertical	191	2.96	-	36.37	9.51	34.38			
RMS	7.0426G	89.74	Inf	-Inf	78.37	3	Vertical	191	2.96	-	36.27	9.50	34.40			
PK	7.2586G	63.86	74.00	-10.14	51.35	3	Vertical	191	2.96	-	37.02	9.64	34.15			
AV	7.2546G	52.45	54.00	-1.55	39.95	3	Vertical	191	2.96	-	37.01	9.64	34.15			

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 8_2TX

6905MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9418G	102.35	Inf	-Inf	91.27	3	Horizontal	329	1.80	-	36.08	9.44	34.44			
RMS	6.961G	91.67	Inf	-Inf	80.56	3	Horizontal	329	1.80	-	36.10	9.45	34.44			
PK	7.25G	64.76	74.00	-9.24	52.28	3	Horizontal	329	1.80	-	37.00	9.64	34.16			
AV	7.2554G	53.55	54.00	-0.45	41.05	3	Horizontal	329	1.80	-	37.01	9.64	34.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8042G	102.47	Inf	-Inf	91.55	3	Vertical	173	2.97	-	35.99	9.35	34.42			
RMS	6.7634G	91.86	Inf	-Inf	80.86	3	Vertical	173	2.97	-	36.07	9.35	34.42			
PK	7.2794G	61.53	74.00	-12.47	48.94	3	Vertical	173	2.97	-	37.06	9.66	34.13			
AV	7.2594G	49.29	54.00	-4.71	36.78	3	Vertical	173	2.97	-	37.02	9.64	34.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8602G	103.70	Inf	-Inf	92.82	3	Horizontal	215	1.80	-	35.92	9.39	34.43			
RMS	6.8002G	93.72	Inf	-Inf	82.79	3	Horizontal	215	1.80	-	36.00	9.35	34.42			
PK	7.2602G	67.17	74.00	-6.83	54.66	3	Horizontal	215	1.80	-	37.02	9.64	34.15			
AV	7.2626G	53.16	54.00	-0.84	40.63	3	Horizontal	215	1.80	-	37.03	9.65	34.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.7482G	102.74	Inf	-Inf	91.70	3	Vertical	173	2.97	-	36.10	9.35	34.41			
RMS	6.7634G	92.96	Inf	-Inf	81.96	3	Vertical	173	2.97	-	36.07	9.35	34.42			
PK	7.2794G	64.64	74.00	-9.36	52.05	3	Vertical	173	2.97	-	37.06	9.66	34.13			
AV	7.2794G	50.87	54.00	-3.13	38.28	3	Vertical	173	2.97	-	37.06	9.66	34.13			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 69
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0058G	103.88	Inf	-Inf	92.72	3	Horizontal	212	1.80	-	36.12	9.48	34.44			
RMS	6.8002G	93.16	Inf	-Inf	82.23	3	Horizontal	212	1.80	-	36.00	9.35	34.42			
PK	7.2906G	68.90	74.00	-5.10	56.26	3	Horizontal	212	1.80	-	37.08	9.67	34.11			
AV	7.2626G	53.86	54.00	-0.14	41.33	3	Horizontal	212	1.80	-	37.03	9.65	34.15			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Z_4TX
Setting 71
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9434G	104.07	Inf	-Inf	92.98	3	Vertical	184	3.00	-	36.09	9.44	34.44			
RMS	6.9442G	93.87	Inf	-Inf	82.78	3	Vertical	184	3.00	-	36.09	9.44	34.44			
PK	7.2634G	66.03	74.00	-7.97	53.49	3	Vertical	184	3.00	-	37.03	9.65	34.14			
AV	7.2642G	51.29	54.00	-2.71	38.75	3	Vertical	184	3.00	-	37.03	9.65	34.14			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX


6905MHz_TX

EUT_Z_4TX
Setting 71
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9402G	106.80	Inf	-Inf	95.72	3	Horizontal	211	1.80	-	36.08	9.44	34.44
RMS	6.8554G	95.69	Inf	-Inf	84.82	3	Horizontal	211	1.80	-	35.91	9.39	34.43
PK	7.2682G	68.21	74.00	-5.79	55.66	3	Horizontal	211	1.80	-	37.04	9.65	34.14
AV	7.2506G	53.14	54.00	-0.86	40.66	3	Horizontal	211	1.80	-	37.00	9.64	34.16

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




EUT_Z_4TX
Setting 76
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.821G	92.53	Inf	-Inf	83.61	3	Vertical	183	2.97	-	35.80	8.23	35.11			
AV	6.7958G	82.44	Inf	-Inf	73.55	3	Vertical	183	2.97	-	35.78	8.22	35.11			
PK	7.3166G	59.54	74.00	-14.46	48.99	3	Vertical	183	2.97	-	36.97	8.56	34.98			
AV	7.3026G	47.31	54.00	-6.69	36.84	3	Vertical	183	2.97	-	36.91	8.55	34.99			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 4_4TX

6905MHz_TX




EUT_Z_4TX
Setting 76
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7678G	99.82	Inf	-Inf	91.06	3	Horizontal	40	2.74	-	35.67	8.20	35.11			
AV	6.7482G	88.79	Inf	-Inf	80.13	3	Horizontal	40	2.74	-	35.60	8.18	35.12			
PK	7.5462G	57.69	74.00	-16.31	47.03	3	Horizontal	40	2.74	-	36.91	8.69	34.94			
AV	7.3894G	46.20	54.00	-7.80	35.41	3	Horizontal	40	2.74	-	37.10	8.64	34.95			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 72
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7566G	98.98	Inf	-Inf	90.27	3	Vertical	141	2.97	-	35.63	8.19	35.11			
AV	6.7986G	87.38	Inf	-Inf	78.48	3	Vertical	141	2.97	-	35.79	8.22	35.11			
PK	7.269G	63.14	74.00	-10.86	52.92	3	Vertical	141	2.97	-	36.71	8.51	35.00			
AV	7.25G	48.86	54.00	-5.14	38.78	3	Vertical	141	2.97	-	36.60	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 2_4TX

6905MHz_TX




EUT_Z_4TX
Setting 72
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7566G	102.15	Inf	-Inf	93.44	3	Horizontal	44	2.76	-	35.63	8.19	35.11			
AV	6.765G	91.86	Inf	-Inf	83.12	3	Horizontal	44	2.76	-	35.66	8.19	35.11			
PK	7.255G	63.83	74.00	-10.17	53.71	3	Horizontal	44	2.76	-	36.63	8.50	35.01			
AV	7.25G	51.99	54.00	-2.01	41.91	3	Horizontal	44	2.76	-	36.60	8.49	35.01			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9562G	101.85	Inf	-Inf	90.74	3	Vertical	167	2.96	-	36.10	9.45	34.44			
RMS	6.9434G	91.50	Inf	-Inf	80.41	3	Vertical	167	2.96	-	36.09	9.44	34.44			
PK	7.25G	63.73	74.00	-10.27	51.25	3	Vertical	167	2.96	-	37.00	9.64	34.16			
AV	7.2546G	50.65	54.00	-3.35	38.15	3	Vertical	167	2.96	-	37.01	9.64	34.15			

6.525-6.875GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 8_4TX

6905MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.945G	104.28	Inf	-Inf	93.19	3	Horizontal	211	1.80	-	36.09	9.44	34.44
RMS	6.8466G	93.49	Inf	-Inf	82.63	3	Horizontal	211	1.80	-	35.91	9.38	34.43
PK	7.2682G	67.50	74.00	-6.50	54.95	3	Horizontal	211	1.80	-	37.04	9.65	34.14
AV	7.25G	53.93	54.00	-0.07	41.45	3	Horizontal	211	1.80	-	37.00	9.64	34.16

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

7025MHz_TX




EUT_Z_1TX
Setting 67
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0586G	100.44	Inf	-Inf	91.26	3	Vertical	190	3.00	-	35.90	8.37	35.09			
RMS	7.0326G	90.02	Inf	-Inf	80.89	3	Vertical	190	3.00	-	35.87	8.36	35.10			
PK	7.1258G	65.45	88.20	-22.75	56.11	3	Vertical	190	3.00	-	36.00	8.40	35.06			
RMS	7.1254G	53.16	68.20	-15.04	43.82	3	Vertical	190	3.00	-	36.00	8.40	35.06			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

7025MHz_TX




EUT_Z_1TX
Setting 67
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.037G	106.64	Inf	-Inf	97.51	3	Horizontal	326	2.51	-	35.87	8.36	35.10			
RMS	7.0382G	95.73	Inf	-Inf	86.58	3	Horizontal	326	2.51	-	35.88	8.36	35.09			
PK	7.1258G	74.16	88.20	-14.04	64.82	3	Horizontal	326	2.51	-	36.00	8.40	35.06			
RMS	7.125G	56.98	68.20	-11.22	47.64	3	Horizontal	326	2.51	-	36.00	8.40	35.06			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

7025MHz_TX




EUT_Z_1TX
Setting 76
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0623G	61.43	88.20	-26.77	39.83	3	Vertical	307	1.75	-	40.52	13.78	32.70			
RMS	14.06164G	50.25	68.20	-17.95	28.65	3	Vertical	307	1.75	-	40.52	13.78	32.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

7025MHz_TX




EUT_Z_1TX
Setting 76
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0455G	61.24	88.20	-26.96	39.66	3	Horizontal	150	1.55	-	40.51	13.77	32.70			
RMS	14.05834G	50.31	68.20	-17.89	28.71	3	Horizontal	150	1.55	-	40.52	13.78	32.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

7025MHz_TX




EUT_Z_1TX
Setting 76
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0807G	47.10	74.00	-26.90	40.54	1	Vertical	12	1.30	-	37.74	17.50	48.68			
RMS	21.07446G	35.33	54.00	-18.67	28.77	1	Vertical	12	1.30	-	37.75	17.50	48.69			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

7025MHz_TX




EUT_Z_1TX
Setting 76
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0696G	46.66	74.00	-27.34	40.09	1	Horizontal	337	1.40	-	37.76	17.50	48.69			
RMS	21.07404G	35.33	54.00	-18.67	28.77	1	Horizontal	337	1.40	-	37.75	17.50	48.69			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

7025MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0474G	108.11	Inf	-Inf	96.71	3	Vertical	193	2.97	-	36.29	9.51	34.40			
RMS	7.0546G	96.78	Inf	-Inf	85.33	3	Vertical	193	2.97	-	36.33	9.51	34.39			
PK	7.1338G	78.36	88.20	-9.84	66.30	3	Vertical	193	2.97	-	36.80	9.55	34.29			
RMS	7.125G	66.01	68.20	-2.19	54.01	3	Vertical	193	2.97	-	36.75	9.55	34.30			

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

7025MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0218G	108.18	Inf	-Inf	96.92	3	Horizontal	172	1.80	-	36.19	9.49	34.42			
RMS	7.0162G	97.91	Inf	-Inf	86.69	3	Horizontal	172	1.80	-	36.16	9.49	34.43			
PK	7.1258G	81.33	88.20	-6.87	69.33	3	Horizontal	172	1.80	-	36.75	9.55	34.30			
RMS	7.1254G	67.52	68.20	-0.68	55.52	3	Horizontal	172	1.80	-	36.75	9.55	34.30			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.993G	108.50	Inf	-Inf	97.37	3	Vertical	118	3.00	-	36.10	9.48	34.45			
RMS	6.9878G	99.06	Inf	-Inf	87.94	3	Vertical	118	3.00	-	36.10	9.47	34.45			
PK	7.1282G	79.01	88.20	-9.19	66.99	3	Vertical	118	3.00	-	36.77	9.55	34.30			
RMS	7.1282G	64.67	68.20	-3.53	52.65	3	Vertical	118	3.00	-	36.77	9.55	34.30			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0402G	110.62	Inf	-Inf	99.26	3	Horizontal	219	1.80	-	36.26	9.50	34.40				
RMS	7.0354G	101.30	Inf	-Inf	89.97	3	Horizontal	219	1.80	-	36.24	9.50	34.41				
PK	7.125G	81.20	88.20	-7.00	69.20	3	Horizontal	219	1.80	-	36.75	9.55	34.30				
RMS	7.1254G	67.76	68.20	-0.44	55.76	3	Horizontal	219	1.80	-	36.75	9.55	34.30				

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Z_4TX
Setting 76
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.033G	107.78	Inf	-Inf	96.46	3	Vertical	121	3.00	-	36.23	9.50	34.41			
RMS	7.0302G	96.67	Inf	-Inf	85.36	3	Vertical	121	3.00	-	36.22	9.50	34.41			
PK	7.1298G	76.07	88.20	-12.13	64.04	3	Vertical	121	3.00	-	36.78	9.55	34.30			
RMS	7.125G	64.55	68.20	-3.65	52.55	3	Vertical	121	3.00	-	36.75	9.55	34.30			

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

7025MHz_TX




EUT_Z_4TX
Setting 76
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0322G	110.29	Inf	-Inf	98.97	3	Horizontal	218	1.80	-	36.23	9.50	34.41			
RMS	7.0358G	99.86	Inf	-Inf	88.53	3	Horizontal	218	1.80	-	36.24	9.50	34.41			
PK	7.1658G	80.14	88.20	-8.06	67.90	3	Horizontal	218	1.80	-	36.93	9.57	34.26			
RMS	7.1258G	67.79	68.20	-0.41	55.79	3	Horizontal	218	1.80	-	36.75	9.55	34.30			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Z_1TX
Setting 76
03-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.041G	98.47	Inf	-Inf	89.32	3	Vertical	207	2.95	-	35.88	8.36	35.09
AV	7.0458G	87.94	Inf	-Inf	78.78	3	Vertical	207	2.95	-	35.89	8.36	35.09
PK	7.2922G	61.99	74.00	-12.01	51.59	3	Vertical	207	2.95	-	36.85	8.54	34.99
AV	7.25G	49.08	54.00	-4.92	39.00	3	Vertical	207	2.95	-	36.60	8.49	35.01

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

6985MHz_TX




EUT_Z_1TX
Setting 76
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0138G	104.77	Inf	-Inf	95.69	3	Horizontal	330	2.58	-	35.83	8.35	35.10			
AV	7.0442G	93.30	Inf	-Inf	84.14	3	Horizontal	330	2.58	-	35.89	8.36	35.09			
PK	7.25G	65.75	74.00	-8.25	55.67	3	Horizontal	330	2.58	-	36.60	8.49	35.01			
AV	7.2538G	53.09	54.00	-0.91	42.98	3	Horizontal	330	2.58	-	36.62	8.50	35.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_1TX

6985MHz_TX




EUT_Y_1TX
Setting 77
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.025G	98.40	Inf	-Inf	89.30	3	Vertical	192	2.97	-	35.85	8.35	35.10				
AV	7.0106G	87.92	Inf	-Inf	78.86	3	Vertical	192	2.97	-	35.82	8.35	35.11				
PK	7.2554G	58.76	74.00	-15.24	48.64	3	Vertical	192	2.97	-	36.63	8.50	35.01				
AV	7.2538G	48.46	54.00	-5.54	38.35	3	Vertical	192	2.97	-	36.62	8.50	35.01				

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_1TX

6985MHz_TX




EUT_Y_1TX
Setting 77
03-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.0122G	103.73	Inf	-Inf	94.67	3	Horizontal	346	2.50	-	35.82	8.35	35.11				
AV	7.0026G	93.18	Inf	-Inf	84.14	3	Horizontal	346	2.50	-	35.81	8.34	35.11				
PK	7.2714G	64.83	74.00	-9.17	54.59	3	Horizontal	346	2.50	-	36.73	8.51	35.00				
AV	7.2538G	53.70	54.00	-0.30	43.59	3	Horizontal	346	2.50	-	36.62	8.50	35.01				

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Z_2TX
Setting 78
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0362G	99.26	Inf	-Inf	87.93	3	Vertical	120	3.00	-	36.24	9.50	34.41			
RMS	7.0466G	88.93	Inf	-Inf	77.53	3	Vertical	120	3.00	-	36.29	9.51	34.40			
PK	7.153G	72.74	88.20	-15.46	60.54	3	Vertical	120	3.00	-	36.91	9.56	34.27			
RMS	7.1514G	60.00	68.20	-8.20	47.81	3	Vertical	120	3.00	-	36.90	9.56	34.27			
PK	7.2778G	59.95	74.00	-14.05	47.36	3	Vertical	120	3.00	-	37.06	9.66	34.13			
AV	7.2506G	48.97	54.00	-5.03	36.49	3	Vertical	120	3.00	-	37.00	9.64	34.16			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

6985MHz_TX




EUT_Z_2TX
Setting 78
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.049G	104.05	Inf	-Inf	92.63	3	Horizontal	174	1.80	-	36.30	9.51	34.39			
RMS	7.041G	93.64	Inf	-Inf	82.28	3	Horizontal	174	1.80	-	36.26	9.50	34.40			
PK	7.1466G	77.69	88.20	-10.51	65.53	3	Horizontal	174	1.80	-	36.88	9.56	34.28			
RMS	7.1466G	64.78	68.20	-3.42	52.62	3	Horizontal	174	1.80	-	36.88	9.56	34.28			
PK	7.2522G	64.86	74.00	-9.14	52.38	3	Horizontal	174	1.80	-	37.00	9.64	34.16			
AV	7.2658G	53.38	54.00	-0.62	40.84	3	Horizontal	174	1.80	-	37.03	9.65	34.14			

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 4_2TX

6985MHz_TX




EUT_Z_2TX
Setting 79
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0202G	102.57	Inf	-Inf	91.33	3	Vertical	212	2.97	-	36.18	9.49	34.43
RMS	7.0434G	91.49	Inf	-Inf	80.12	3	Vertical	212	2.97	-	36.27	9.50	34.40
PK	7.1306G	74.37	88.20	-13.83	62.34	3	Vertical	212	2.97	-	36.78	9.55	34.30
RMS	7.1274G	62.57	68.20	-5.63	50.56	3	Vertical	212	2.97	-	36.76	9.55	34.30
PK	7.2826G	63.20	74.00	-10.80	50.59	3	Vertical	212	2.97	-	37.07	9.66	34.12
AV	7.265G	52.11	54.00	-1.89	39.57	3	Vertical	212	2.97	-	37.03	9.65	34.14

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 4_2TX

6985MHz_TX




EUT_Z_2TX
Setting 79
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.041G	104.05	Inf	-Inf	92.69	3	Horizontal	174	1.80	-	36.26	9.50	34.40			
RMS	7.0458G	93.64	Inf	-Inf	82.25	3	Horizontal	174	1.80	-	36.28	9.51	34.40			
PK	7.129G	77.27	88.20	-10.93	65.25	3	Horizontal	174	1.80	-	36.77	9.55	34.30			
RMS	7.1314G	65.39	68.20	-2.81	53.35	3	Horizontal	174	1.80	-	36.79	9.55	34.30			
PK	7.265G	64.50	74.00	-9.50	51.96	3	Horizontal	174	1.80	-	37.03	9.65	34.14			
AV	7.265G	53.32	54.00	-0.68	40.78	3	Horizontal	174	1.80	-	37.03	9.65	34.14			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.923G	106.78	Inf	-Inf	95.74	3	Vertical	115	3.00	-	36.05	9.43	34.44			
RMS	6.923G	96.36	Inf	-Inf	85.32	3	Vertical	115	3.00	-	36.05	9.43	34.44			
PK	7.151G	79.04	88.20	-9.16	66.85	3	Vertical	115	3.00	-	36.90	9.56	34.27			
RMS	7.1335G	66.41	68.20	-1.79	54.36	3	Vertical	115	3.00	-	36.80	9.55	34.30			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.011G	108.21	Inf	-Inf	97.02	3	Horizontal	215	1.80	-	36.14	9.49	34.44
RMS	7.0605G	98.49	Inf	-Inf	87.00	3	Horizontal	215	1.80	-	36.36	9.51	34.38
PK	7.148G	82.78	88.20	-5.42	70.61	3	Horizontal	215	1.80	-	36.89	9.56	34.28
RMS	7.1455G	67.65	68.20	-0.55	55.50	3	Horizontal	215	1.80	-	36.87	9.56	34.28

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96682G	62.57	88.20	-25.63	40.97	3	Vertical	351	1.67	-	40.60	13.73	32.73			
RMS	13.96298G	50.89	68.20	-17.31	29.30	3	Vertical	351	1.67	-	40.60	13.73	32.74			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.9706G	62.18	88.20	-26.02	40.57	3	Horizontal	49	1.52	-	40.60	13.74	32.73			
RMS	13.9739G	50.74	68.20	-17.46	29.13	3	Horizontal	49	1.52	-	40.60	13.74	32.73			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95206G	47.34	83.54	-36.20	40.75	1	Vertical	13	1.34	-	37.80	17.49	48.70			
RMS	20.94912G	36.48	63.54	-27.06	29.90	1	Vertical	209	1.95	-	37.80	17.48	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96748G	47.52	83.54	-36.02	40.95	1	Horizontal	249	1.57	-	37.77	17.50	48.70			
RMS	20.95314G	36.56	63.54	-26.98	29.98	1	Horizontal	249	1.57	-	37.79	17.49	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Z_4TX
Setting 76
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.909G	106.70	Inf	-Inf	95.70	3	Vertical	192	3.00	-	36.02	9.42	34.44			
RMS	6.964G	96.27	Inf	-Inf	85.15	3	Vertical	192	3.00	-	36.10	9.46	34.44			
PK	7.149G	76.08	88.20	-12.12	63.91	3	Vertical	192	3.00	-	36.89	9.56	34.28			
RMS	7.129G	65.00	68.20	-3.20	52.98	3	Vertical	192	3.00	-	36.77	9.55	34.30			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Z_4TX
Setting 76
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.96G	108.63	Inf	-Inf	97.52	3	Horizontal	217	1.80	-	36.10	9.45	34.44			
RMS	7.0605G	98.49	Inf	-Inf	87.00	3	Horizontal	217	1.80	-	36.36	9.51	34.38			
PK	7.16G	81.26	88.20	-6.94	69.03	3	Horizontal	217	1.80	-	36.92	9.57	34.26			
RMS	7.1455G	68.01	68.20	-0.19	55.86	3	Horizontal	217	1.80	-	36.87	9.56	34.28			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Z_4TX
Setting 76
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.97234G	62.35	88.20	-25.85	40.74	3	Vertical	279	1.55	-	40.60	13.74	32.73			
RMS	13.97156G	50.76	68.20	-17.44	29.15	3	Vertical	279	1.55	-	40.60	13.74	32.73			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Z_4TX
Setting 76
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.96502G	62.01	88.20	-26.19	40.41	3	Horizontal	48	1.76	-	40.60	13.73	32.73			
RMS	13.97288G	50.91	68.20	-17.29	29.30	3	Horizontal	48	1.76	-	40.60	13.74	32.73			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Z_4TX
Setting 76
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95494G	48.36	83.54	-35.18	41.78	1	Vertical	56	1.96	-	37.79	17.49	48.70			
RMS	20.9682G	36.68	63.54	-26.86	30.12	1	Vertical	56	1.96	-	37.76	17.50	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Z_4TX
Setting 76
05-X-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.96772G	48.18	83.54	-35.36	41.62	1	Horizontal	32	1.88	-	37.76	17.50	48.70			
RMS	20.96994G	36.42	63.54	-27.12	29.86	1	Horizontal	32	1.88	-	37.76	17.50	48.70			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 76
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.016G	104.78	Inf	-Inf	93.56	3	Vertical	142	3.00	-	36.16	9.49	34.43			
RMS	6.9265G	93.16	Inf	-Inf	82.12	3	Vertical	142	3.00	-	36.05	9.43	34.44			
PK	7.147G	78.89	88.20	-9.31	66.73	3	Vertical	142	3.00	-	36.88	9.56	34.28			
RMS	7.1475G	64.85	68.20	-3.35	52.69	3	Vertical	142	3.00	-	36.88	9.56	34.28			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

6985MHz_TX




EUT_Z_4TX
Setting 76
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.048G	107.22	Inf	-Inf	95.81	3	Horizontal	213	1.80	-	36.29	9.51	34.39
RMS	6.9275G	96.88	Inf	-Inf	85.84	3	Horizontal	213	1.80	-	36.05	9.43	34.44
PK	7.148G	84.14	88.20	-4.06	71.97	3	Horizontal	213	1.80	-	36.89	9.56	34.28
RMS	7.1485G	67.82	68.20	-0.38	55.65	3	Horizontal	213	1.80	-	36.89	9.56	34.28

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.964G	104.23	Inf	-Inf	93.11	3	Vertical	168	3.00	-	36.10	9.46	34.44			
RMS	6.959G	92.57	Inf	-Inf	81.46	3	Vertical	168	3.00	-	36.10	9.45	34.44			
PK	7.154G	74.29	88.20	-13.91	62.09	3	Vertical	168	3.00	-	36.91	9.56	34.27			
RMS	7.143G	62.55	68.20	-5.65	50.41	3	Vertical	168	3.00	-	36.86	9.56	34.28			

6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 4_4TX

6985MHz_TX



EUT_Z_4TX
Setting 77
05-X-I-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	6.953G	106.92	Inf	-Inf	95.81	3	Horizontal	213	1.80	-	36.10	9.45	34.44				
RMS	6.922G	96.21	Inf	-Inf	85.18	3	Horizontal	213	1.80	-	36.04	9.43	34.44				
PK	7.128G	81.29	88.20	-6.91	69.27	3	Horizontal	213	1.80	-	36.77	9.55	34.30				
RMS	7.1465G	67.21	68.20	-0.99	55.05	3	Horizontal	213	1.80	-	36.88	9.56	34.28				

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	RMS	5.9242G	68.17	68.20	-0.03	3	Horizontal	324	2.77	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	RMS	5.9098G	67.89	68.20	-0.31	3	Horizontal	290	2.86	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	RMS	5.9214G	67.71	68.20	-0.49	3	Horizontal	9	3.00	-
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	RMS	5.9226G	67.75	68.20	-0.45	3	Horizontal	332	2.77	-
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	RMS	5.925G	67.75	68.20	-0.45	3	Horizontal	338	2.29	-
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	RMS	5.9242G	67.86	68.20	-0.34	3	Horizontal	90	2.97	-
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	RMS	5.9215G	68.05	68.20	-0.15	3	Horizontal	6	2.97	-
802.11be EHT160_Nss4,(MCS0)_4TX	Pass	RMS	5.92G	67.87	68.20	-0.33	3	Horizontal	289	2.80	-
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	RMS	5.9242G	67.97	68.20	-0.23	3	Horizontal	10	2.97	-
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	RMS	5.925G	67.85	68.20	-0.35	3	Horizontal	164.9	2.98	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	RMS	5.9234G	67.46	68.20	-0.74	3	Horizontal	339	2.77	-
802.11be EHT320_Nss4,(MCS0)_4TX	Pass	RMS	5.925G	67.88	68.20	-0.32	3	Horizontal	277	2.58	-

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Z_1TX
Setting 78
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	74.18	88.20	-14.02	65.87	3	Vertical	117.9	3.00	-	34.15	8.94	34.78
RMS	5.9234G	58.70	68.20	-9.50	50.39	3	Vertical	117.9	3.00	-	34.15	8.94	34.78
PK	5.9578G	102.19	Inf	-Inf	93.77	3	Vertical	117.9	3.00	-	34.20	8.98	34.76
RMS	5.9562G	92.13	Inf	-Inf	83.71	3	Vertical	117.9	3.00	-	34.20	8.98	34.76

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Z_1TX
Setting 78
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9122G	83.54	88.20	-4.66	75.27	3	Horizontal	324	2.77	-	34.12	8.93	34.78			
RMS	5.9242G	68.17	68.20	-0.03	59.86	3	Horizontal	324	2.77	-	34.15	8.94	34.78			
PK	5.9722G	112.79	Inf	-Inf	104.34	3	Horizontal	324	2.77	-	34.20	9.00	34.75			
RMS	5.9762G	101.54	Inf	-Inf	93.09	3	Horizontal	324	2.77	-	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Z_1TX
Setting 78
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97576G	58.50	74.00	-15.50	40.49	3	Vertical	139	1.79	-	38.75	12.80	33.54			
AV	11.97324G	47.34	54.00	-6.66	29.32	3	Vertical	139	1.79	-	38.75	12.80	33.53			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5985MHz_TX


EUT_Z_1TX
Setting 78
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9667G	58.49	74.00	-15.51	40.49	3	Horizontal	171	1.53	-	38.73	12.80	33.53			
AV	11.97258G	47.28	54.00	-6.72	29.26	3	Horizontal	171	1.53	-	38.75	12.80	33.53			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Z_1TX
Setting 78
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.94558G	38.42	83.54	-45.12	33.55	1	Vertical	358	2.07	-	37.29	15.63	48.05			
RMS	17.9406G	27.37	63.54	-36.17	22.50	1	Vertical	358	2.07	-	37.28	15.63	48.04			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5985MHz_TX




EUT_Z_1TX
Setting 78
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.9424G	38.04	83.54	-45.50	33.18	1	Horizontal	140	1.60	-	37.28	15.63	48.05			
RMS	17.94006G	27.53	63.54	-36.01	22.66	1	Horizontal	140	1.60	-	37.28	15.63	48.04			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Z_2TX
Setting 79
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9234G	76.69	88.20	-11.51	68.38	3	Vertical	204	3.00	-	34.15	8.94	34.78			
RMS	5.9222G	62.43	68.20	-5.77	54.13	3	Vertical	204	3.00	-	34.14	8.94	34.78			
PK	5.9722G	105.07	Inf	-Inf	96.62	3	Vertical	204	3.00	-	34.20	9.00	34.75			
RMS	5.9686G	94.22	Inf	-Inf	85.79	3	Vertical	204	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5985MHz_TX




EUT_Z_2TX
Setting 79
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9106G	84.77	88.20	-3.43	76.50	3	Horizontal	290	2.86	-	34.12	8.93	34.78			
RMS	5.9098G	67.89	68.20	-0.31	59.62	3	Horizontal	290	2.86	-	34.12	8.93	34.78			
PK	5.973G	111.71	Inf	-Inf	103.26	3	Horizontal	290	2.86	-	34.20	9.00	34.75			
RMS	5.975G	100.92	Inf	-Inf	92.47	3	Horizontal	290	2.86	-	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9106G	78.52	88.20	-9.68	70.25	3	Vertical	46	2.97	-	34.12	8.93	34.78			
RMS	5.9234G	59.67	68.20	-8.53	51.36	3	Vertical	46	2.97	-	34.15	8.94	34.78			
PK	5.973G	107.47	Inf	-Inf	99.02	3	Vertical	46	2.97	-	34.20	9.00	34.75			
RMS	5.9734G	98.34	Inf	-Inf	89.89	3	Vertical	46	2.97	-	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.917G	86.76	88.20	-1.44	78.48	3	Horizontal	9	3.00	-	34.13	8.93	34.78			
RMS	5.9214G	67.71	68.20	-0.49	59.41	3	Horizontal	9	3.00	-	34.14	8.94	34.78			
PK	5.9666G	118.42	Inf	-Inf	109.99	3	Horizontal	9	3.00	-	34.20	8.99	34.76			
RMS	5.9762G	106.94	Inf	-Inf	98.49	3	Horizontal	9	3.00	-	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9114G	77.97	88.20	-10.23	69.70	3	Vertical	46	3.00	-	34.12	8.93	34.78				
RMS	5.9122G	59.60	68.20	-8.60	51.33	3	Vertical	46	3.00	-	34.12	8.93	34.78				
PK	5.9714G	105.45	Inf	-Inf	97.00	3	Vertical	46	3.00	-	34.20	9.00	34.75				
RMS	5.9734G	95.27	Inf	-Inf	86.82	3	Vertical	46	3.00	-	34.20	9.00	34.75				

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5985MHz_TX




EUT_Z_4TX
Setting 74
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	85.72	88.20	-2.48	77.41	3	Horizontal	332	2.77	-	34.15	8.94	34.78			
RMS	5.9226G	67.75	68.20	-0.45	59.44	3	Horizontal	332	2.77	-	34.15	8.94	34.78			
PK	5.9586G	114.44	Inf	-Inf	106.02	3	Horizontal	332	2.77	-	34.20	8.98	34.76			
RMS	5.973G	104.10	Inf	-Inf	95.65	3	Horizontal	332	2.77	-	34.20	9.00	34.75			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9146G	70.10	88.20	-18.10	62.93	3	Vertical	107	2.83	-	34.63	7.52	34.98				
RMS	5.9226G	58.73	68.20	-9.47	51.55	3	Vertical	107	2.83	-	34.65	7.52	34.99				
PK	5.9962G	97.86	Inf	-Inf	90.55	3	Vertical	107	2.83	-	34.79	7.53	35.01				
RMS	5.949G	88.92	Inf	-Inf	81.69	3	Vertical	107	2.83	-	34.70	7.52	34.99				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	78.04	88.20	-10.16	70.87	3	Horizontal	333	2.34	-	34.64	7.52	34.99			
RMS	5.925G	66.04	68.20	-2.16	58.86	3	Horizontal	333	2.34	-	34.65	7.52	34.99			
PK	5.9642G	106.48	Inf	-Inf	99.22	3	Horizontal	333	2.34	-	34.73	7.53	35.00			
RMS	5.9642G	96.75	Inf	-Inf	89.49	3	Horizontal	333	2.34	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX

6025MHz_TX




EUT_Z_1TX
Setting 85
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	71.72	88.20	-16.48	64.54	3	Vertical	110	2.76	-	34.65	7.52	34.99			
RMS	5.9234G	61.49	68.20	-6.71	54.31	3	Vertical	110	2.76	-	34.65	7.52	34.99			
PK	5.9658G	99.20	Inf	-Inf	91.94	3	Vertical	110	2.76	-	34.73	7.53	35.00			
RMS	5.9666G	88.80	Inf	-Inf	81.54	3	Vertical	110	2.76	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_1TX

6025MHz_TX




EUT_Z_1TX
Setting 85
03-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9114G	79.16	88.20	-9.04	72.00	3	Horizontal	338	2.29	-	34.62	7.52	34.98			
RMS	5.925G	67.75	68.20	-0.45	60.57	3	Horizontal	338	2.29	-	34.65	7.52	34.99			
PK	5.969G	106.05	Inf	-Inf	98.78	3	Horizontal	338	2.29	-	34.74	7.53	35.00			
RMS	5.9674G	96.21	Inf	-Inf	88.95	3	Horizontal	338	2.29	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	73.02	88.20	-15.18	64.71	3	Vertical	206	3.00	-	34.15	8.94	34.78			
RMS	5.9218G	60.59	68.20	-7.61	52.29	3	Vertical	206	3.00	-	34.14	8.94	34.78			
PK	6.0026G	101.07	Inf	-Inf	92.58	3	Vertical	206	3.00	-	34.20	9.03	34.74			
RMS	5.9634G	91.39	Inf	-Inf	82.96	3	Vertical	206	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

6025MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.921G	79.69	88.20	-8.51	71.39	3	Horizontal	90	2.97	-	34.14	8.94	34.78			
RMS	5.9242G	67.86	68.20	-0.34	59.55	3	Horizontal	90	2.97	-	34.15	8.94	34.78			
PK	6.0506G	109.52	Inf	-Inf	100.97	3	Horizontal	90	2.97	-	34.20	9.05	34.70			
RMS	6.0426G	98.79	Inf	-Inf	90.25	3	Horizontal	90	2.97	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX

6025MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	71.66	88.20	-16.54	63.35	3	Vertical	201	3.00	-	34.15	8.94	34.78			
RMS	5.9226G	59.25	68.20	-8.95	50.94	3	Vertical	201	3.00	-	34.15	8.94	34.78			
PK	5.9642G	100.83	Inf	-Inf	92.40	3	Vertical	201	3.00	-	34.20	8.99	34.76			
RMS	5.9626G	90.66	Inf	-Inf	82.23	3	Vertical	201	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 8_2TX

6025MHz_TX




EUT_Z_2TX
Setting 81
05-X-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	79.93	88.20	-8.27	71.62	3	Horizontal	89	3.00	-	34.15	8.94	34.78			
RMS	5.9234G	67.66	68.20	-0.54	59.35	3	Horizontal	89	3.00	-	34.15	8.94	34.78			
PK	6.0074G	108.52	Inf	-Inf	100.02	3	Horizontal	89	3.00	-	34.20	9.03	34.73			
RMS	6.0426G	98.18	Inf	-Inf	89.64	3	Horizontal	89	3.00	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.912G	72.76	88.20	-15.44	64.49	3	Vertical	46	3.00	-	34.12	8.93	34.78			
RMS	5.9235G	59.10	68.20	-9.10	50.79	3	Vertical	46	3.00	-	34.15	8.94	34.78			
PK	5.968G	105.56	Inf	-Inf	97.13	3	Vertical	46	3.00	-	34.20	8.99	34.76			
RMS	5.9635G	95.14	Inf	-Inf	86.71	3	Vertical	46	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.916G	83.48	88.20	-4.72	75.20	3	Horizontal	10	3.00	-	34.13	8.93	34.78			
RMS	5.9165G	67.58	68.20	-0.62	59.30	3	Horizontal	10	3.00	-	34.13	8.93	34.78			
PK	6.046G	114.60	Inf	-Inf	106.06	3	Horizontal	10	3.00	-	34.20	9.05	34.71			
RMS	6.0465G	103.42	Inf	-Inf	94.88	3	Horizontal	10	3.00	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.06002G	57.63	74.00	-16.37	39.45	3	Vertical	34	1.62	-	38.92	12.85	33.59			
AV	12.03518G	46.72	54.00	-7.28	28.59	3	Vertical	34	1.62	-	38.87	12.84	33.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX


6025MHz_TX


EUT_Z_4TX
Setting 75
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0542G	57.99	74.00	-16.01	39.82	3	Horizontal	314	2.09	-	38.91	12.85	33.59			
AV	12.03578G	46.83	54.00	-7.17	28.70	3	Horizontal	314	2.09	-	38.87	12.84	33.58			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06324G	41.67	83.54	-41.87	36.92	1	Vertical	47	1.98	-	37.23	15.73	48.21			
RMS	18.06018G	30.56	63.54	-32.98	25.82	1	Vertical	47	1.98	"Worst"	37.22	15.73	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 75
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07002G	42.44	83.54	-41.10	37.67	1	Horizontal	98	1.84	-	37.24	15.74	48.21			
RMS	18.06582G	30.44	63.54	-33.10	25.69	1	Horizontal	98	1.84	-	37.23	15.73	48.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.923G	72.80	88.20	-15.40	64.49	3	Vertical	47	2.97	-	34.15	8.94	34.78			
RMS	5.923G	59.27	68.20	-8.93	50.96	3	Vertical	47	2.97	-	34.15	8.94	34.78			
PK	5.963G	104.14	Inf	-Inf	95.71	3	Vertical	47	2.97	-	34.20	8.99	34.76			
RMS	6.0535G	94.75	Inf	-Inf	86.21	3	Vertical	47	2.97	-	34.19	9.05	34.70			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.916G	81.07	88.20	-7.13	72.79	3	Horizontal	6	2.97	-	34.13	8.93	34.78			
RMS	5.9215G	68.05	68.20	-0.15	59.75	3	Horizontal	6	2.97	-	34.14	8.94	34.78			
PK	6.041G	113.20	Inf	-Inf	104.66	3	Horizontal	6	2.97	-	34.20	9.05	34.71			
RMS	5.961G	103.40	Inf	-Inf	94.97	3	Horizontal	6	2.97	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04952G	57.74	74.00	-16.26	39.58	3	Vertical	299	1.62	-	38.90	12.84	33.58			
AV	12.06152G	46.31	54.00	-7.69	28.13	3	Vertical	299	1.62	-	38.92	12.85	33.59			


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX



EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0569G	57.47	74.00	-16.53	39.30	3	Horizontal	342	1.54	-	38.91	12.85	33.59			
AV	12.06014G	46.27	54.00	-7.73	28.09	3	Horizontal	342	1.54	-	38.92	12.85	33.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX
6025MHz_TX

EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0651G	41.45	83.54	-42.09	36.70	1	Vertical	118	1.36	-	37.23	15.73	48.21			
RMS	18.06198G	30.53	63.54	-33.01	25.79	1	Vertical	118	1.36	-	37.22	15.73	48.21			