


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06582G	41.33	83.54	-42.21	36.58	1	Horizontal	198	1.98	-	37.23	15.73	48.21			
RMS	18.06666G	30.67	63.54	-32.87	25.92	1	Horizontal	198	1.98	-	37.23	15.73	48.21			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.912G	72.98	88.20	-15.22	64.71	3	Vertical	46	3.00	-	34.12	8.93	34.78			
AV	5.912G	59.93	68.20	-8.27	51.66	3	Vertical	46	3.00	-	34.12	8.93	34.78			
PK	5.972G	102.97	Inf	-Inf	94.52	3	Vertical	46	3.00	-	34.20	9.00	34.75			
AV	5.962G	92.17	Inf	-Inf	83.74	3	Vertical	46	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 4_4TX

6025MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.907G	83.12	88.20	-5.08	74.87	3	Horizontal	289	2.80	-	34.11	8.92	34.78			
RMS	5.92G	67.87	68.20	-0.33	59.57	3	Horizontal	289	2.80	-	34.14	8.94	34.78			
PK	6.048G	111.82	Inf	-Inf	103.28	3	Horizontal	289	2.80	-	34.20	9.05	34.71			
RMS	6.048G	101.29	Inf	-Inf	92.75	3	Horizontal	289	2.80	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 78
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.907G	70.51	88.20	-17.69	62.26	3	Vertical	94	2.97	-	34.11	8.92	34.78			
RMS	5.925G	58.01	68.20	-10.19	49.70	3	Vertical	94	2.97	-	34.15	8.94	34.78			
PK	6.048G	103.02	Inf	-Inf	94.48	3	Vertical	94	2.97	-	34.20	9.05	34.71			
RMS	6.0485G	92.30	Inf	-Inf	83.76	3	Vertical	94	2.97	-	34.20	9.05	34.71			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 8_4TX

6025MHz_TX




EUT_Z_4TX
Setting 78
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.922G	82.16	88.20	-6.04	73.86	3	Horizontal	330	2.90	-	34.14	8.94	34.78
RMS	5.9245G	67.65	68.20	-0.55	59.34	3	Horizontal	330	2.90	-	34.15	8.94	34.78
PK	5.964G	112.19	Inf	-Inf	103.76	3	Horizontal	330	2.90	-	34.20	8.99	34.76
RMS	5.9625G	100.90	Inf	-Inf	92.47	3	Horizontal	330	2.90	-	34.20	8.99	34.76

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Z_1TX
Setting 100
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.913G	69.45	88.20	-18.75	61.17	3	Vertical	116	2.97	-	34.13	8.93	34.78			
RMS	5.9242G	59.00	68.20	-9.20	50.69	3	Vertical	116	2.97	-	34.15	8.94	34.78			
PK	5.9578G	90.54	Inf	-Inf	82.12	3	Vertical	116	2.97	-	34.20	8.98	34.76			
RMS	5.9618G	79.39	Inf	-Inf	70.96	3	Vertical	116	2.97	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

6105MHz_TX




EUT_Z_1TX
Setting 100
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	77.63	88.20	-10.57	69.32	3	Horizontal	324	2.80	-	34.15	8.94	34.78			
RMS	5.925G	67.68	68.20	-0.52	59.37	3	Horizontal	324	2.80	-	34.15	8.94	34.78			
PK	6.0122G	98.95	Inf	-Inf	90.44	3	Horizontal	324	2.80	-	34.20	9.04	34.73			
RMS	6.0026G	88.23	Inf	-Inf	79.74	3	Horizontal	324	2.80	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Z_1TX
Setting 89
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	75.51	88.20	-12.69	67.20	3	Vertical	113	2.92	-	34.15	8.94	34.78			
RMS	5.925G	63.02	68.20	-5.18	54.71	3	Vertical	113	2.92	-	34.15	8.94	34.78			
PK	5.9658G	98.59	Inf	-Inf	90.16	3	Vertical	113	2.92	-	34.20	8.99	34.76			
RMS	5.9626G	88.22	Inf	-Inf	79.79	3	Vertical	113	2.92	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

6105MHz_TX




EUT_Z_1TX
Setting 89
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	79.19	88.20	-9.01	70.88	3	Horizontal	10	2.97	-	34.15	8.94	34.78			
RMS	5.9242G	67.97	68.20	-0.23	59.66	3	Horizontal	10	2.97	-	34.15	8.94	34.78			
PK	6.0346G	103.21	Inf	-Inf	94.68	3	Horizontal	10	2.97	-	34.20	9.05	34.72			
RMS	6.001G	93.38	Inf	-Inf	84.89	3	Horizontal	10	2.97	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 89
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	71.64	88.20	-16.56	63.34	3	Vertical	98.9	3.00	-	34.14	8.94	34.78			
RMS	5.921G	60.66	68.20	-7.54	52.36	3	Vertical	98.9	3.00	-	34.14	8.94	34.78			
PK	6.1418G	97.10	Inf	-Inf	88.47	3	Vertical	98.9	3.00	-	34.18	9.09	34.64			
RMS	6.1402G	86.39	Inf	-Inf	77.76	3	Vertical	98.9	3.00	-	34.18	9.09	34.64			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

6105MHz_TX




EUT_Z_2TX
Setting 89
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9178G	79.27	88.20	-8.93	70.97	3	Horizontal	164.9	2.98	-	34.14	8.94	34.78				
RMS	5.925G	67.85	68.20	-0.35	59.54	3	Horizontal	164.9	2.98	-	34.15	8.94	34.78				
PK	6.0058G	103.63	Inf	-Inf	95.14	3	Horizontal	164.9	2.98	-	34.20	9.03	34.74				
RMS	5.9618G	93.66	Inf	-Inf	85.23	3	Horizontal	164.9	2.98	-	34.20	8.99	34.76				

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Z_2TX
Setting 95
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9162G	71.25	88.20	-16.95	62.97	3	Vertical	116	3.00	-	34.13	8.93	34.78			
RMS	5.9234G	60.79	68.20	-7.41	52.48	3	Vertical	116	3.00	-	34.15	8.94	34.78			
PK	6.0074G	92.35	Inf	-Inf	83.85	3	Vertical	116	3.00	-	34.20	9.03	34.73			
RMS	6.0058G	80.43	Inf	-Inf	71.94	3	Vertical	116	3.00	-	34.20	9.03	34.74			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

6105MHz_TX




EUT_Z_2TX
Setting 95
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	79.14	88.20	-9.06	70.84	3	Horizontal	286	2.77	-	34.14	8.94	34.78			
RMS	5.925G	67.53	68.20	-0.67	59.22	3	Horizontal	286	2.77	-	34.15	8.94	34.78			
PK	6.097G	106.11	Inf	-Inf	97.60	3	Horizontal	286	2.77	-	34.11	9.07	34.67			
RMS	6.0698G	95.38	Inf	-Inf	86.85	3	Horizontal	286	2.77	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX




EUT_Z_2TX
Setting 83
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	69.45	88.20	-18.75	62.27	3	Vertical	116	2.73	-	34.65	7.52	34.99			
RMS	5.925G	57.23	68.20	-10.97	50.05	3	Vertical	116	2.73	-	34.65	7.52	34.99			
PK	5.961G	94.62	Inf	-Inf	87.37	3	Vertical	116	2.73	-	34.72	7.53	35.00			
RMS	5.9626G	85.54	Inf	-Inf	78.28	3	Vertical	116	2.73	-	34.73	7.53	35.00			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

6105MHz_TX




EUT_Z_TX
Setting 83
03-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	72.53	88.20	-15.67	65.36	3	Horizontal	90	2.75	-	34.64	7.52	34.99			
RMS	5.9234G	61.21	68.20	-6.99	54.03	3	Horizontal	90	2.75	-	34.65	7.52	34.99			
PK	6.0954G	103.56	Inf	-Inf	95.87	3	Horizontal	90	2.75	-	35.09	7.63	35.03			
RMS	6.1418G	94.15	Inf	-Inf	86.48	3	Horizontal	90	2.75	-	35.02	7.69	35.04			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 76
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	68.90	88.20	-19.30	60.63	3	Vertical	62	3.00	-	34.12	8.93	34.78			
RMS	5.9202G	57.77	68.20	-10.43	49.47	3	Vertical	62	3.00	-	34.14	8.94	34.78			
PK	6.2058G	102.05	Inf	-Inf	93.20	3	Vertical	62	3.00	-	34.31	9.13	34.59			
RMS	6.2162G	91.41	Inf	-Inf	82.51	3	Vertical	62	3.00	-	34.33	9.15	34.58			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 76
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	77.89	88.20	-10.31	69.59	3	Horizontal	339	2.77	-	34.14	8.94	34.78			
RMS	5.9234G	67.46	68.20	-0.74	59.15	3	Horizontal	339	2.77	-	34.15	8.94	34.78			
PK	6.0138G	109.44	Inf	-Inf	100.93	3	Horizontal	339	2.77	-	34.20	9.04	34.73			
RMS	5.9634G	99.27	Inf	-Inf	90.84	3	Horizontal	339	2.77	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.905G	68.81	88.20	-19.39	60.57	3	Vertical	60	3.00	-	34.11	8.92	34.79			
RMS	5.925G	57.41	68.20	-10.79	49.10	3	Vertical	60	3.00	-	34.15	8.94	34.78			
PK	6.1562G	101.23	Inf	-Inf	92.55	3	Vertical	60	3.00	-	34.21	9.10	34.63			
RMS	6.1362G	89.73	Inf	-Inf	81.11	3	Vertical	60	3.00	-	34.17	9.09	34.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	78.88	88.20	-9.32	70.57	3	Horizontal	346	2.80	-	34.15	8.94	34.78			
RMS	5.9234G	67.44	68.20	-0.76	59.13	3	Horizontal	346	2.80	-	34.15	8.94	34.78			
PK	6.0634G	110.83	Inf	-Inf	102.29	3	Horizontal	346	2.80	-	34.17	9.06	34.69			
RMS	6.1338G	99.82	Inf	-Inf	91.20	3	Horizontal	346	2.80	-	34.17	9.09	34.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	72.85	88.20	-15.35	64.54	3	Vertical	45	3.00	-	34.15	8.94	34.78			
RMS	5.9234G	59.77	68.20	-8.43	51.46	3	Vertical	45	3.00	-	34.15	8.94	34.78			
PK	5.953G	102.56	Inf	-Inf	94.14	3	Vertical	45	3.00	-	34.20	8.98	34.76			
RMS	5.9682G	92.43	Inf	-Inf	84.00	3	Vertical	45	3.00	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 75
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9226G	79.12	88.20	-9.08	70.81	3	Horizontal	330	2.86	-	34.15	8.94	34.78			
RMS	5.9226G	67.24	68.20	-0.96	58.93	3	Horizontal	330	2.86	-	34.15	8.94	34.78			
PK	5.9626G	109.65	Inf	-Inf	101.22	3	Horizontal	330	2.86	-	34.20	8.99	34.76			
RMS	5.9626G	100.06	Inf	-Inf	91.63	3	Horizontal	330	2.86	-	34.20	8.99	34.76			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 86
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9194G	74.63	88.20	-13.57	66.33	3	Vertical	114	3.00	-	34.14	8.94	34.78				
RMS	5.9194G	62.36	68.20	-5.84	54.06	3	Vertical	114	3.00	-	34.14	8.94	34.78				
PK	6.009G	98.44	Inf	-Inf	89.94	3	Vertical	114	3.00	-	34.20	9.03	34.73				
RMS	6.0018G	88.21	Inf	-Inf	79.72	3	Vertical	114	3.00	-	34.20	9.03	34.74				

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Z_4TX
Setting 86
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	78.77	88.20	-9.43	70.46	3	Horizontal	277	2.58	-	34.15	8.94	34.78			
RMS	5.925G	67.88	68.20	-0.32	59.57	3	Horizontal	277	2.58	-	34.15	8.94	34.78			
PK	6.1994G	108.19	Inf	-Inf	99.37	3	Horizontal	277	2.58	-	34.30	9.12	34.60			
RMS	6.2082G	98.28	Inf	-Inf	89.41	3	Horizontal	277	2.58	-	34.32	9.14	34.59			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 82
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	73.62	88.20	-14.58	65.32	3	Vertical	117	2.97	-	34.14	8.94	34.78			
RMS	5.925G	62.83	68.20	-5.37	54.52	3	Vertical	117	2.97	-	34.15	8.94	34.78			
PK	6.145G	101.39	Inf	-Inf	92.74	3	Vertical	117	2.97	-	34.19	9.10	34.64			
RMS	6.069G	89.83	Inf	-Inf	81.30	3	Vertical	117	2.97	-	34.16	9.06	34.69			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




EUT_Z_4TX
Setting 82
05-X-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9066G	80.12	88.20	-8.08	71.87	3	Horizontal	282	2.79	-	34.11	8.92	34.78			
RMS	5.925G	67.49	68.20	-0.71	59.18	3	Horizontal	282	2.79	-	34.15	8.94	34.78			
PK	6.1274G	108.67	Inf	-Inf	100.08	3	Horizontal	282	2.79	-	34.15	9.09	34.65			
RMS	6.1274G	97.84	Inf	-Inf	89.25	3	Horizontal	282	2.79	-	34.15	9.09	34.65			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX




EUT_Z_4TX
Setting 77
05-X-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	73.65	88.20	-14.55	65.35	3	Vertical	117	2.96	-	34.14	8.94	34.78			
RMS	5.925G	59.83	68.20	-8.37	51.52	3	Vertical	117	2.96	-	34.15	8.94	34.78			
PK	6.065G	100.21	Inf	-Inf	91.67	3	Vertical	117	2.96	-	34.17	9.06	34.69			
RMS	6.1394G	89.49	Inf	-Inf	80.86	3	Vertical	117	2.96	-	34.18	9.09	34.64			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

6105MHz_TX



EUT_Z_4TX
Setting 77
05-X-I-1-10


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9226G	81.48	88.20	-6.72	73.17	3	Horizontal	332	2.90	-	34.15	8.94	34.78				
RMS	5.9226G	67.87	68.20	-0.33	59.56	3	Horizontal	332	2.90	-	34.15	8.94	34.78				
PK	6.0202G	109.35	Inf	-Inf	100.84	3	Horizontal	332	2.90	-	34.20	9.04	34.73				
RMS	5.9626G	98.02	Inf	-Inf	89.59	3	Horizontal	332	2.90	-	34.20	8.99	34.76				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6595MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8763G	-1.61	6.8405G	-48.51	-41.61	-6.90	1

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.889926G	-1.16	6.85815G	-48.83	-41.16	-7.67	1

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

03/01/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6605MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

02/01/2026

CF (Hz)
6.885G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882351G	1.72	6.9551G	-45.03	-38.28	-6.75	1


6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

02/01/2026

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.927799G	1.34	6.8592G	-44.10	-38.66	-5.44	1

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6595MHz_TX

02/01/2026



6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

02/01/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69375G	-6.51	6.72855G	-49.41	-46.51	-2.90	1
6.69375G	-6.83	6.736725G	-49.65	-46.83	-2.82	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz_TX

02/01/2026

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.877524G	-4.36	6.838575G	-49.12	-44.36	-4.76	1
6.878724G	-4.27	6.841825G	-49.04	-44.27	-4.77	2

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6895MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.901223G	-4.82	6.858775G	-48.86	-44.82	-4.04	1
6.897474G	-5.63	6.857775G	-49.39	-45.63	-3.76	2

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.002473G	-3.52	7.011775G	-34.64	-27.64	-7.00	1
6.9938G	-4.12	6.9792G	-33.99	-26.17	-7.82	2

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7095MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.098724G	-5.49	7.06015G	-52.39	-45.49	-6.90	1
7.092451G	-6.00	7.059375G	-52.39	-46.00	-6.39	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6605MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.617547G	-2.68	6.6375G	-32.16	-26.58	-5.58	1
6.622446G	-2.51	6.63605G	-31.85	-25.66	-6.19	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6925MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.071203G	-1.22	7.0468G	-33.06	-27.42	-5.64	1
7.080101G	-1.43	7.04865G	-32.50	-25.96	-6.54	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6341G	0.06	6.6667G	-26.20	-19.94	-6.26	1
6.6384G	-0.30	6.6673G	-28.18	-20.35	-7.83	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

02/01/2026



6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz_TX

02/01/2026

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8727G	1.29	6.9071G	-26.96	-18.72	-8.24	1
6.8487G	0.97	6.8218G	-27.41	-19.09	-8.32	2

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

02/01/2026

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9465G	3.58	6.7944G	-39.87	-35.98	-3.89	1
6.9376G	2.85	6.8217G	-39.49	-37.15	-2.34	2

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

02/01/2026

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0113G	3.34	6.8951G	-39.01	-36.66	-2.35	1
6.99411G	2.78	6.9036G	-39.96	-36.63	-3.33	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

02/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72798G	6.55	6.8288G	-19.59	-14.34	-5.25	1
6.69059G	5.91	6.8244G	-20.92	-14.50	-6.42	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85019G	6.43	6.9884G	-21.67	-14.02	-7.65	1
6.76202G	5.72	6.993G	-23.64	-16.47	-7.17	2

6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96301G	1.39	6.7462G	-39.31	-37.62	-1.69	1
6.91062G	1.66	6.7406G	-39.54	-38.27	-1.27	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

02/01/2026



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

02/01/2026

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.877499G	-10.02	6.89125G	-40.16	-32.69	-7.47	1
6.882473G	-9.78	6.85625G	-42.19	-34.78	-7.41	2
6.879974G	-8.70	6.85675G	-41.14	-32.83	-8.31	3
6.882423G	-9.70	6.856575G	-41.52	-35.48	-6.04	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

02/01/2026

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.899899G	-12.04	6.858075G	-58.74	-52.04	-6.70	1
6.900049G	-12.36	6.86035G	-58.66	-52.36	-6.30	2
6.892451G	-11.54	6.9106G	-40.88	-33.37	-7.51	3
6.901223G	-12.23	6.912775G	-43.04	-37.39	-5.65	4

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

02/01/2026

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9335G	-1.97	6.9005G	-29.86	-22.08	-7.78	1
6.9338G	-2.41	6.7908G	-51.27	-42.41	-8.86	2
6.9303G	-2.16	6.8885G	-32.58	-23.32	-9.26	3
6.9376G	-2.26	6.8908G	-31.72	-23.09	-8.63	4


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

02/01/2026

CF (Hz)
7.025G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99921G	-2.84	6.865G	-50.17	-42.84	-7.33	1
6.99881G	-3.31	6.8646G	-50.93	-43.31	-7.62	2
6.99401G	-3.24	6.8728G	-51.05	-43.24	-7.81	3
7.0117G	-3.24	6.8781G	-51.31	-43.24	-8.07	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

02/01/2026

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74018G	-1.35	6.9088G	-47.65	-41.26	-6.39	1
6.69259G	-1.77	6.9088G	-49.58	-41.52	-8.06	2
6.72678G	-1.71	6.9092G	-49.04	-41.61	-7.43	3
6.63941G	-1.82	6.9096G	-49.57	-41.59	-7.98	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

02/01/2026

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85199G	-0.11	6.5726G	-50.72	-40.06	-10.66	1
6.8398G	-0.76	6.575G	-49.39	-40.76	-8.63	2
6.88918G	-0.57	6.5816G	-49.83	-40.26	-9.57	3
6.79721G	-0.22	6.582G	-48.36	-39.01	-9.35	4

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95641G	0.47	6.6938G	-46.76	-39.53	-7.23	1
6.90882G	0.96	6.7018G	-43.94	-39.04	-4.90	2
6.90942G	0.71	6.722G	-43.63	-39.29	-4.34	3
6.95781G	0.36	6.7064G	-47.06	-39.64	-7.42	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6595MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.599949G	-6.20	6.609425G	-35.09	-28.56	-6.53	1
6.601223G	-6.87	6.61115G	-37.36	-30.38	-6.98	2
6.598724G	-6.58	6.61125G	-36.81	-29.01	-7.80	3
6.588702G	-5.93	6.6144G	-38.91	-31.58	-7.33	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.693675G	-7.49	6.710475G	-37.66	-30.48	-7.18	1
6.696275G	-8.89	6.715225G	-42.02	-36.18	-5.84	2
6.688727G	-8.30	6.71135G	-38.65	-30.96	-7.69	3
6.69625G	-7.63	6.67885G	-38.20	-30.25	-7.95	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6875MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.879924G	-7.33	6.89405G	-40.31	-32.57	-7.74	1
6.87375G	-7.66	6.858275G	-38.68	-30.35	-8.33	2
6.870026G	-7.49	6.85655G	-39.95	-32.68	-7.27	3
6.871226G	-6.83	6.8575G	-38.91	-31.40	-7.51	4

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6895MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.898724G	-7.29	6.915275G	-41.30	-33.18	-8.12	1
6.899974G	-7.88	6.876275G	-40.05	-33.68	-6.37	2
6.891226G	-7.41	6.87725G	-39.18	-31.91	-7.27	3
6.888727G	-7.08	6.876875G	-39.05	-31.88	-7.17	4

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6995MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9937G	-4.81	6.979625G	-34.85	-27.63	-7.22	1
6.993725G	-5.32	6.975975G	-37.97	-31.17	-6.80	2
6.993775G	-5.04	6.9785G	-35.70	-28.67	-7.03	3
7.001248G	-4.79	6.97775G	-36.53	-28.92	-7.61	4

6.875-7.125GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

7095MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6605MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6885MHz_TX

02/01/2026



6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6925MHz_TX

02/01/2026

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.919051G	-1.93	6.8897G	-33.25	-26.75	-6.50	1
6.911203G	-2.07	6.89105G	-33.01	-26.21	-6.80	2
6.932398G	-2.71	6.88975G	-33.33	-27.48	-5.85	3
6.921351G	-2.19	6.88725G	-33.91	-27.99	-5.92	4

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7005MHz_TX

02/01/2026

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.998752G	-1.85	6.9687G	-33.78	-27.23	-6.55	1
6.993903G	-1.71	6.9688G	-33.17	-26.98	-6.19	2
6.993503G	-2.52	6.9675G	-34.23	-28.56	-5.67	3
6.989554G	-1.99	6.9666G	-34.40	-28.35	-6.05	4

6.875-7.125GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

7085MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

02/01/2026



6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6865MHz_TX

02/01/2026

CF (Hz)
6.865G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8516G	1.63	6.9931G	-46.69	-38.37	-8.32	1
6.8491G	1.72	6.74G	-45.76	-37.98	-7.78	2
6.8791G	1.10	6.8215G	-27.17	-19.08	-8.09	3
6.8575G	1.86	6.7763G	-35.76	-27.34	-8.42	4

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6945MHz_TX

02/01/2026

CF (Hz)
6.945G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9338G	1.89	6.8151G	-47.05	-38.11	-8.94	1
6.9341G	1.15	6.8557G	-35.85	-28.83	-7.02	2
6.9419G	0.84	6.902G	-27.36	-19.18	-8.18	3
6.9334G	1.15	6.8176G	-47.55	-38.85	-8.70	4

6.875-7.125GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

7025MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99431G	0.95	6.9818G	-27.20	-19.06	-8.14	1
6.99411G	0.10	6.8751G	-49.38	-39.90	-9.48	2
6.99851G	-0.22	6.9822G	-27.49	-20.22	-7.27	3
6.99971G	-0.09	6.9682G	-30.74	-22.66	-8.08	4

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74038G	1.93	6.9528G	-42.53	-38.07	-4.46	1
6.64061G	1.40	6.936G	-42.74	-38.57	-4.17	2
6.69119G	1.72	6.9534G	-44.87	-38.28	-6.59	3
6.63721G	1.14	6.9506G	-45.18	-38.59	-6.59	4

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6825MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6985MHz_TX

02/01/2026



6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6595MHz_TX

03/01/2026

CF (Hz)
6.595G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.602498G	-7.02	6.613325G	-38.87	-32.26	-6.61	1
6.596275G	-7.83	6.612225G	-38.79	-32.15	-6.64	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/01/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697224G	-7.46	6.711525G	-38.05	-30.36	-7.69	1
6.688802G	-8.31	6.67455G	-42.02	-34.79	-7.23	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

03/01/2026




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

03/01/2026




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

03/01/2026




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6605MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.617397G	-2.52	6.6335G	-31.13	-22.85	-8.28	1
6.613948G	-2.79	6.6432G	-35.18	-28.76	-6.42	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.678452G	-2.33	6.71555G	-31.88	-24.08	-7.80	1
6.677202G	-3.01	6.65105G	-33.65	-27.54	-6.11	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

03/01/2026




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

03/01/2026




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.998552G	-3.43	6.97585G	-32.61	-23.94	-8.67	1
6.990954G	-3.48	6.97005G	-34.47	-26.48	-7.99	2

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.076252G	-4.20	7.05125G	-33.82	-24.90	-8.92	1
7.081301G	-5.13	7.05275G	-33.86	-26.58	-7.28	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65399G	1.00	6.7558G	-44.71	-38.67	-6.04	1
6.6376G	0.54	6.7594G	-45.49	-39.46	-6.03	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.719G	1.28	6.8312G	-44.33	-38.72	-5.61	1
6.67251G	0.37	6.8298G	-45.11	-39.63	-5.48	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

03/01/2026




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

03/01/2026




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72798G	3.02	6.9476G	-38.15	-36.98	-1.17	1
6.69099G	2.06	6.9642G	-40.89	-37.94	-2.95	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85399G	2.76	7.0924G	-42.89	-37.24	-5.65	1
6.80001G	2.44	7.1392G	-44.03	-37.56	-6.47	2

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9678G	3.26	6.647G	-39.83	-36.40	-3.43	1
6.92162G	3.40	6.5854G	-39.79	-33.33	-6.46	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

02/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.587452G	-10.07	6.615G	-43.30	-36.67	-6.63	1
6.588702G	-10.84	6.6138G	-42.72	-36.82	-5.90	2
6.5963G	-10.13	6.612725G	-41.45	-34.96	-6.49	3
6.591201G	-10.19	6.60985G	-38.58	-32.61	-5.97	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

02/01/2026

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.698649G	-10.55	6.711G	-40.72	-33.72	-7.00	1
6.689951G	-11.60	6.729675G	-58.70	-51.60	-7.10	2
6.687527G	-11.21	6.71025G	-40.49	-32.71	-7.78	3
6.687452G	-10.60	6.712075G	-41.77	-34.73	-7.04	4


6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

02/01/2026

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8762G	-10.97	6.84155G	-57.97	-50.75	-7.22	1
6.873725G	-10.85	6.856525G	-42.35	-35.06	-7.29	2
6.879924G	-9.76	6.85905G	-40.08	-32.80	-7.28	3
6.873675G	-10.65	6.83145G	-59.21	-50.65	-8.56	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

02/01/2026

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.889901G	-11.38	6.877025G	-42.47	-35.88	-6.59	1
6.899999G	-11.11	6.8582G	-58.80	-51.11	-7.69	2
6.898699G	-10.58	6.9118G	-41.59	-34.42	-7.17	3
6.887477G	-10.75	6.8767G	-42.77	-36.27	-6.50	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

02/01/2026

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.998749G	-10.25	6.976025G	-42.78	-35.86	-6.92	1
6.997399G	-10.66	6.97635G	-43.11	-35.91	-7.20	2
7.001223G	-10.47	6.977775G	-41.07	-34.52	-6.55	3
7.001223G	-10.10	7.01055G	-40.69	-32.76	-7.93	4

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

02/01/2026

CF (Hz)
6.925G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.922801G	-6.44	6.89085G	-37.67	-31.19	-6.48	1
6.918802G	-6.77	6.88755G	-37.80	-31.14	-6.66	2
6.918802G	-6.66	6.8913G	-37.57	-29.75	-7.82	3
6.913903G	-6.52	6.8912G	-36.43	-29.43	-7.00	4


6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

02/01/2026

CF (Hz)
7.005G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.997452G	-8.42	6.94045G	-52.06	-48.35	-3.71	1
6.999851G	-8.25	6.9371G	-54.71	-48.25	-6.46	2
6.998452G	-8.78	6.97095G	-39.02	-33.28	-5.74	3
6.999701G	-8.83	6.96745G	-40.51	-34.77	-5.74	4

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7167G	-4.74	6.8512G	-51.48	-44.74	-6.74	1
6.6934G	-5.04	6.8371G	-51.72	-45.04	-6.68	2
6.7153G	-4.09	6.8377G	-51.47	-44.09	-7.38	3
6.6975G	-4.93	6.852G	-52.26	-44.93	-7.33	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8G	-5.60	6.9364G	-52.29	-45.60	-6.69	1
6.7908G	-5.36	6.9309G	-52.56	-45.36	-7.20	2
6.7989G	-5.27	6.9587G	-52.87	-45.27	-7.60	3
6.75781G	-5.30	6.6308G	-52.39	-45.30	-7.09	4

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TX

02/01/2026




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0122G	-4.39	6.8651G	-50.68	-44.39	-6.29	1
6.99231G	-5.23	6.839G	-51.76	-45.23	-6.53	2
7.00081G	-4.62	6.8768G	-51.81	-44.62	-7.19	3
7.0111G	-4.90	6.8772G	-51.66	-44.90	-6.76	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72818G	-0.56	6.9088G	-46.58	-40.40	-6.18	1
6.63941G	-1.00	6.9092G	-48.80	-40.81	-7.99	2
6.69079G	-0.89	6.909G	-48.18	-40.76	-7.42	3
6.63941G	-1.15	6.9168G	-49.37	-41.15	-8.22	4

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.88818G	-1.03	6.5804G	-50.93	-40.99	-9.94	1
6.79821G	-1.40	6.5792G	-50.28	-41.25	-9.03	2
6.79881G	-1.61	6.5808G	-50.90	-41.51	-9.39	3
6.84779G	-1.08	6.58G	-49.14	-41.00	-8.14	4

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TX

02/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95721G	-1.56	6.742G	-48.60	-41.09	-7.51	1
6.95861G	-1.30	6.7306G	-48.87	-41.30	-7.57	2
6.90962G	-0.93	6.726G	-49.27	-40.93	-8.34	3
6.96021G	-1.31	6.7274G	-49.69	-41.31	-8.38	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6595MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6605MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

02/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6595MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.598674G	5.51	6.615975G	-22.65	-14.76	-7.89	1
6.597424G	3.80	6.6116G	-24.49	-17.24	-7.25	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.702498G	4.48	6.713675G	-22.68	-15.80	-6.88	1
6.6937G	3.36	6.71375G	-28.99	-21.48	-7.51	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6605MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691448G	8.73	6.72925G	-16.54	-11.35	-5.19	1
6.678952G	8.62	6.7288G	-18.71	-11.47	-7.24	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

03/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849749G	8.53	6.88665G	-17.78	-11.94	-5.84	1
6.831303G	8.56	6.7964G	-20.82	-11.49	-9.33	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

03/01/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6369G	8.88	6.7241G	-16.70	-11.15	-5.55	1
6.6397G	8.57	6.7201G	-17.28	-11.49	-5.79	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

03/01/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.694G	8.60	6.8001G	-17.78	-11.40	-6.38	1
6.6939G	8.14	6.7933G	-19.23	-11.92	-7.31	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7975G	8.48	6.8817G	-20.57	-11.54	-9.03	1
6.7723G	8.62	6.6874G	-19.68	-11.55	-8.13	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.68999G	6.81	6.83G	-18.57	-13.73	-4.84	1
6.68899G	6.41	6.8358G	-20.87	-15.11	-5.76	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

03/01/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849851G	4.58	6.8999G	-40.38	-34.41	-5.97	1
6.861198G	4.46	6.807225G	-37.53	-31.22	-6.31	2
6.847527G	3.99	6.822475G	-38.71	-36.01	-2.70	3
6.852501G	4.16	6.877425G	-26.04	-16.74	-9.30	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

03/01/2026

CF (Hz)
6.605G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.610699G	8.78	6.65815G	-22.37	-11.26	-11.11	1
6.607299G	8.52	6.65505G	-18.97	-11.52	-7.45	2
6.614498G	8.09	6.6505G	-19.28	-11.96	-7.32	3
6.613648G	8.27	6.65405G	-20.83	-11.83	-9.00	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

03/01/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689399G	9.18	6.73595G	-18.97	-10.87	-8.10	1
6.681751G	8.82	6.73365G	-19.96	-11.20	-8.76	2
6.689499G	8.23	6.72555G	-17.78	-11.89	-5.89	3
6.679301G	8.41	6.63835G	-20.76	-11.60	-9.16	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

03/01/2026

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.853348G	8.52	6.8905G	-20.18	-11.77	-8.41	1
6.842551G	8.63	6.7952G	-19.31	-11.61	-7.70	2
6.839401G	8.21	6.80335G	-19.51	-12.26	-7.25	3
6.841701G	8.55	6.88785G	-18.43	-11.64	-6.79	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6595MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

03/01/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.859949G	5.11	6.877225G	-24.82	-15.70	-9.12	1
6.857524G	4.78	6.873725G	-21.71	-15.25	-6.46	2
6.861223G	4.10	6.889G	-39.56	-35.90	-3.66	3
6.8562G	4.37	6.8758G	-25.76	-16.48	-9.28	4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6605MHz_TX

03/01/2026

CF (Hz)
6.605G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.607099G	8.42	6.65145G	-17.14	-11.61	-5.53	1
6.608649G	8.62	6.65275G	-17.04	-11.42	-5.62	2
6.614198G	7.91	6.65595G	-23.47	-12.24	-11.23	3
6.612548G	8.09	6.65325G	-19.72	-11.96	-7.76	4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

03/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6435MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6475MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6515MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6875MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6895MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6995MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

7095MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6445MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6485MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6525MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6885MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6925MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7005MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

7085MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6465MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6545MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5372G	0.96	6.385G	-48.83	-39.04	-9.79	1

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6096G	1.00	6.4654G	-48.13	-39.00	-9.13	1

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6865MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6945MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

7025MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6505MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6825MHz_TX

15/01/2026




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6985MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6265MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6425MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6585MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6745MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6905MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6435MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6475MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6515MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6895MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7095MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6445MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6485MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.488449G	-1.69	6.45155G	-33.28	-26.40	-6.88	1
6.477402G	-1.73	6.45415G	-31.89	-23.77	-8.12	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6525MHz_TX

14/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.527499G	-0.81	6.4941G	-30.74	-24.30	-6.44	1
6.531998G	-1.09	6.4938G	-31.96	-24.96	-7.00	2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

14/01/2026

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.579346G	-1.34	6.53155G	-32.72	-25.32	-7.40	1
6.567999G	-1.66	6.53255G	-32.70	-26.32	-6.38	2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

14/01/2026

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.676202G	-2.67	6.6489G	-34.71	-27.76	-6.95	1
6.691248G	-2.77	6.64785G	-35.06	-28.86	-6.20	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6885MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.867554G	-3.78	6.8492G	-35.87	-29.56	-6.31	1
6.880201G	-4.42	6.9492G	-51.08	-44.42	-6.66	2

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6925MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.927799G	-2.51	6.95865G	-33.72	-27.52	-6.20	1
6.927449G	-3.71	6.99175G	-50.74	-43.71	-7.03	2

6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7005MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

7085MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95761G	0.53	5.9374G	-28.33	-19.95	-8.38	1
5.9712G	0.35	5.9424G	-27.11	-19.72	-7.39	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2124G	-0.29	6.1827G	-28.10	-20.30	-7.80	1
6.2135G	-0.17	6.1811G	-28.65	-20.34	-8.31	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3762G	-0.18	6.343G	-28.09	-20.20	-7.89	1
6.3757G	-0.44	6.5222G	-49.04	-40.44	-8.60	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6465MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4756G	-0.13	6.5071G	-27.18	-20.19	-6.99	1
6.479G	-0.32	6.4228G	-28.75	-20.35	-8.40	2

6.425-6.525GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6545MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5424G	1.51	6.6727G	-47.23	-38.49	-8.74	1
6.5326G	0.90	6.5024G	-27.49	-19.13	-8.36	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6176G	0.25	6.5824G	-27.65	-19.82	-7.83	1
6.6171G	0.28	6.5824G	-27.68	-19.77	-7.91	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67681G	-0.25	6.5449G	-48.22	-40.25	-7.97	1
6.6932G	-0.27	6.6631G	-27.58	-19.87	-7.71	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7812G	-0.27	6.7432G	-27.25	-20.07	-7.18	1
6.7989G	-0.31	6.743G	-27.58	-20.35	-7.23	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6865MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8546G	-0.36	6.7048G	-47.57	-40.36	-7.21	1
6.8784G	-0.88	6.9906G	-47.67	-40.88	-6.79	2

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6945MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9309G	0.49	6.7848G	-47.49	-39.51	-7.98	1
6.9589G	-0.23	6.8224G	-48.42	-40.18	-8.24	2

6.875-7.125GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

7025MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

14/01/2026



6.425-6.525GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6505MHz_TX

15/01/2026

CF (Hz)
6.505G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48041G	4.60	6.9036G	-38.34	-35.40	-2.94	1
6.47941G	4.38	6.9012G	-39.21	-35.62	-3.59	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

15/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58862G	3.46	6.9698G	-37.68	-36.54	-1.14	1
6.64061G	3.27	6.999G	-38.95	-35.97	-2.98	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6825MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6985MHz_TX

15/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6265MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6425MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.38941G	5.53	6.789G	-24.16	-14.47	-9.69	1
6.45499G	5.13	6.7474G	-22.96	-16.12	-6.84	2

6.425-6.525GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6585MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55101G	4.99	6.8738G	-22.53	-15.02	-7.51	1
6.54941G	4.39	6.907G	-24.65	-16.18	-8.47	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6745MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64902G	4.51	6.4226G	-24.56	-15.77	-8.79	1
6.64902G	4.50	6.4198G	-25.60	-15.63	-9.97	2

6.525-6.875GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6905MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87461G	3.62	6.157G	-41.56	-36.38	-5.18	1
6.99698G	2.31	6.1686G	-43.48	-37.69	-5.79	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

14/01/2026



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

14/01/2026

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412501G	-10.71	6.3809G	-56.94	-50.71	-6.23	1
6.418749G	-11.19	6.4649G	-57.52	-51.19	-6.33	2
6.421223G	-11.04	6.452425G	-57.20	-51.04	-6.16	3
6.408752G	-11.30	6.448G	-57.12	-51.30	-5.82	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6435MHz_TX

14/01/2026

CF (Hz)
6.435G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.427477G	-10.42	6.39845G	-56.87	-50.42	-6.45	1
6.437424G	-10.76	6.396175G	-57.35	-50.76	-6.59	2
6.438749G	-9.97	6.4826G	-57.73	-49.97	-7.76	3
6.437499G	-11.16	6.477475G	-57.70	-51.16	-6.54	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

14/01/2026




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

14/01/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.528777G	-9.57	6.57015G	-56.85	-49.57	-7.28	1
6.53375G	-10.20	6.5706G	-57.07	-50.20	-6.87	2
6.528727G	-9.17	6.516575G	-41.16	-33.89	-7.27	3
6.528777G	-10.12	6.500075G	-56.98	-50.12	-6.86	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

14/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697449G	-11.68	6.733775G	-56.55	-51.68	-4.87	1
6.697474G	-12.67	6.7434G	-56.59	-52.67	-3.92	2
6.689926G	-11.73	6.732225G	-56.80	-51.73	-5.07	3
6.697474G	-13.00	6.73575G	-56.64	-53.00	-3.64	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6875MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6895MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6995MHz_TX

14/01/2026




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

7095MHz_TX

14/01/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

14/01/2026



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

14/01/2026

