



**CSE (NdB Down)_Non-Beamforming_
Scan Radio_2T2S_AP5022S6D**

Appendix E.7

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	2.44442G	8.76	-21.24	2.12234G	-56.50	2.4G	-37.86	2.4G	-35.96	2.5135G	-54.72	17.64457G	-41.45	1



**CSE (NdB Down)_Non-Beamforming_
Scan Radio_2T2S_AP5022S6D**

Appendix E.7

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44442G	8.76	-21.24	2.12234G	-56.50	2.4G	-37.86	2.4G	-35.96	2.5135G	-54.72	17.64457G	-41.45	1
2412MHz	Pass	2.44442G	8.76	-21.24	1.92895G	-56.15	2.4G	-37.72	2.4G	-36.98	2.50374G	-54.20	16.24259G	-42.07	2
2437MHz	Pass	2.44442G	8.76	-21.24	2.16428G	-56.56	2.39576G	-44.26	2.4G	-44.88	2.51486G	-54.63	24.94943G	-42.30	1
2437MHz	Pass	2.44442G	8.76	-21.24	2.18409G	-56.52	2.39736G	-43.28	2.4G	-44.35	2.5143G	-54.82	16.43926G	-42.45	2
2462MHz	Pass	2.44442G	8.76	-21.24	2.30059G	-56.93	2.39664G	-53.17	2.4G	-55.29	2.52086G	-54.31	16.23697G	-42.18	1
2462MHz	Pass	2.44442G	8.76	-21.24	2.14215G	-56.18	2.39672G	-53.29	2.4G	-54.99	2.51022G	-54.18	23.31426G	-41.92	2

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

CSEndB

2412MHz

23/01/2026





**RSE TX below 1GHz_Non-Beamforming_
Radio 1_4T1S_AP5022S6D**

Appendix F.1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	QP	39.93M	36.69	40.00	-3.31	3	Vertical	308	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 1_4T1S_AP5022S6D**


Appendix F.1

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	94.02M	31.96	43.50	-11.54	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	491.72M	34.86	46.00	-11.14	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	515M	38.78	46.00	-7.22	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	549.92M	36.91	46.00	-9.09	3	Vertical	0	1.00
2437MHz_Adapter	Pass	QP	39.93M	36.69	40.00	-3.31	3	Vertical	308	1.00
2437MHz_Adapter	Pass	QP	45.19M	35.59	40.00	-4.41	3	Vertical	273	1.00
2437MHz_Adapter	Pass	PK	37.76M	26.80	40.00	-13.20	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	92.08M	27.82	43.50	-15.68	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	289.96M	33.37	46.00	-12.63	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	447.1M	29.53	46.00	-16.47	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	499.48M	35.32	46.00	-10.68	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	549.92M	35.17	46.00	-10.83	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	33.88M	30.38	40.00	-9.62	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	45.52M	31.65	40.00	-8.35	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	227.88M	30.72	46.00	-15.28	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	249.22M	37.50	46.00	-8.50	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	427.7M	38.01	46.00	-7.99	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	549.92M	38.99	46.00	-7.01	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	30M	25.52	40.00	-14.48	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	45.52M	22.89	40.00	-17.11	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	253.1M	28.94	46.00	-17.06	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	280.26M	30.25	46.00	-15.75	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	371.44M	32.17	46.00	-13.83	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	549.92M	35.55	46.00	-10.45	3	Horizontal	0	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_1T1S_AP5022S6D**

Appendix F.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.4858G	51.84	54.00	-2.16	3	Vertical	349	1.39
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.4836G	53.55	54.00	-0.45	3	Vertical	354	1.38
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	2.39G	53.90	54.00	-0.10	3	Vertical	0	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3882G	48.31	54.00	-5.69	3	Vertical	0	1.49
2412MHz	Pass	AV	2.4128G	111.73	Inf	-Inf	3	Vertical	0	1.49
2412MHz	Pass	PK	2.3876G	59.61	74.00	-14.39	3	Vertical	0	1.49
2412MHz	Pass	PK	2.4128G	114.25	Inf	-Inf	3	Vertical	0	1.49
2412MHz	Pass	AV	2.3882G	47.06	54.00	-6.94	3	Horizontal	9	1.17
2412MHz	Pass	AV	2.4128G	110.32	Inf	-Inf	3	Horizontal	9	1.17
2412MHz	Pass	PK	2.387G	59.41	74.00	-14.59	3	Horizontal	9	1.17
2412MHz	Pass	PK	2.4128G	112.84	Inf	-Inf	3	Horizontal	9	1.17
2412MHz	Pass	AV	4.82406G	28.74	54.00	-25.26	3	Vertical	30	1.50
2412MHz	Pass	PK	4.83696G	41.19	74.00	-32.81	3	Vertical	30	1.50
2412MHz	Pass	AV	4.82394G	28.13	54.00	-25.87	3	Horizontal	332	2.10
2412MHz	Pass	PK	4.82688G	40.91	74.00	-33.09	3	Horizontal	332	2.10
2437MHz	Pass	AV	2.3898G	44.60	54.00	-9.40	3	Vertical	351	1.17
2437MHz	Pass	AV	2.4362G	110.80	Inf	-Inf	3	Vertical	351	1.17
2437MHz	Pass	AV	2.4842G	45.05	54.00	-8.95	3	Vertical	351	1.17
2437MHz	Pass	PK	2.3898G	58.05	74.00	-15.95	3	Vertical	351	1.17
2437MHz	Pass	PK	2.4362G	113.54	Inf	-Inf	3	Vertical	351	1.17
2437MHz	Pass	PK	2.4886G	58.32	74.00	-15.68	3	Vertical	351	1.17
2437MHz	Pass	AV	2.3898G	44.08	54.00	-9.92	3	Horizontal	13	2.36
2437MHz	Pass	AV	2.4378G	109.48	Inf	-Inf	3	Horizontal	13	2.36
2437MHz	Pass	AV	2.4835G	44.71	54.00	-9.29	3	Horizontal	13	2.36
2437MHz	Pass	PK	2.389G	57.63	74.00	-16.37	3	Horizontal	13	2.36
2437MHz	Pass	PK	2.4378G	112.31	Inf	-Inf	3	Horizontal	13	2.36
2437MHz	Pass	PK	2.4922G	58.75	74.00	-15.25	3	Horizontal	13	2.36
2437MHz	Pass	AV	4.874G	27.70	54.00	-26.30	3	Vertical	320	1.50
2437MHz	Pass	PK	4.88702G	41.71	74.00	-32.29	3	Vertical	320	1.50
2437MHz	Pass	AV	4.87406G	28.40	54.00	-25.60	3	Horizontal	38	1.68
2437MHz	Pass	PK	4.85936G	41.83	74.00	-32.17	3	Horizontal	38	1.68
2462MHz	Pass	AV	2.4628G	110.68	Inf	-Inf	3	Vertical	349	1.39
2462MHz	Pass	AV	2.4858G	51.84	54.00	-2.16	3	Vertical	349	1.39
2462MHz	Pass	PK	2.4612G	113.19	Inf	-Inf	3	Vertical	349	1.39
2462MHz	Pass	PK	2.4864G	61.43	74.00	-12.57	3	Vertical	349	1.39
2462MHz	Pass	AV	2.4612G	109.30	Inf	-Inf	3	Horizontal	5	1.01
2462MHz	Pass	AV	2.4858G	51.28	54.00	-2.72	3	Horizontal	5	1.01
2462MHz	Pass	PK	2.461G	111.78	Inf	-Inf	3	Horizontal	5	1.01
2462MHz	Pass	PK	2.4866G	60.81	74.00	-13.19	3	Horizontal	5	1.01
2462MHz	Pass	AV	4.92394G	29.55	54.00	-24.45	3	Vertical	318	1.50
2462MHz	Pass	PK	4.9252G	41.63	74.00	-32.37	3	Vertical	318	1.50
2462MHz	Pass	AV	4.92406G	30.39	54.00	-23.61	3	Horizontal	36	1.78
2462MHz	Pass	PK	4.92382G	42.51	74.00	-31.49	3	Horizontal	36	1.78
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	53.53	54.00	-0.47	3	Vertical	356	1.50
2412MHz	Pass	AV	2.4106G	103.72	Inf	-Inf	3	Vertical	356	1.50
2412MHz	Pass	PK	2.39G	68.91	74.00	-5.09	3	Vertical	356	1.50
2412MHz	Pass	PK	2.4162G	112.75	Inf	-Inf	3	Vertical	356	1.50
2412MHz	Pass	AV	2.39G	52.59	54.00	-1.41	3	Horizontal	7	1.14
2412MHz	Pass	AV	2.4146G	102.66	Inf	-Inf	3	Horizontal	7	1.14
2412MHz	Pass	PK	2.39G	66.80	74.00	-7.20	3	Horizontal	7	1.14
2412MHz	Pass	PK	2.416G	111.72	Inf	-Inf	3	Horizontal	7	1.14
2412MHz	Pass	AV	4.81596G	30.33	54.00	-23.67	3	Vertical	46	2.28
2412MHz	Pass	PK	4.82562G	40.79	74.00	-33.21	3	Vertical	46	2.28
2412MHz	Pass	AV	4.8285G	30.54	54.00	-23.46	3	Horizontal	360	1.50
2412MHz	Pass	PK	4.82688G	42.20	74.00	-31.80	3	Horizontal	360	1.50
2417MHz	Pass	AV	2.3898G	52.77	54.00	-1.23	3	Vertical	0	1.50
2417MHz	Pass	AV	2.4132G	105.41	Inf	-Inf	3	Vertical	0	1.50
2417MHz	Pass	PK	2.3894G	63.49	74.00	-10.51	3	Vertical	0	1.50
2417MHz	Pass	PK	2.414G	113.94	Inf	-Inf	3	Vertical	0	1.50
2417MHz	Pass	AV	2.39G	52.73	54.00	-1.27	3	Horizontal	11	2.72
2417MHz	Pass	AV	2.412G	104.05	Inf	-Inf	3	Horizontal	11	2.72
2417MHz	Pass	PK	2.3892G	65.39	74.00	-8.61	3	Horizontal	11	2.72



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_1T1S_AP5022S6D**

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2417MHz	Pass	PK	2.4186G	112.78	Inf	-Inf	3	Horizontal	11	2.72
2437MHz	Pass	AV	2.3898G	50.78	54.00	-3.22	3	Vertical	349	1.16
2437MHz	Pass	AV	2.4298G	106.73	Inf	-Inf	3	Vertical	349	1.16
2437MHz	Pass	AV	2.4842G	51.24	54.00	-2.76	3	Vertical	349	1.16
2437MHz	Pass	PK	2.3898G	67.01	74.00	-6.99	3	Vertical	349	1.16
2437MHz	Pass	PK	2.4322G	115.13	Inf	-Inf	3	Vertical	349	1.16
2437MHz	Pass	PK	2.4835G	67.91	74.00	-6.09	3	Vertical	349	1.16
2437MHz	Pass	AV	2.3898G	50.08	54.00	-3.92	3	Horizontal	11	2.37
2437MHz	Pass	AV	2.4418G	105.31	Inf	-Inf	3	Horizontal	11	2.37
2437MHz	Pass	AV	2.4835G	50.75	54.00	-3.25	3	Horizontal	11	2.37
2437MHz	Pass	PK	2.3894G	65.25	74.00	-8.75	3	Horizontal	11	2.37
2437MHz	Pass	PK	2.441G	114.15	Inf	-Inf	3	Horizontal	11	2.37
2437MHz	Pass	PK	2.4835G	65.54	74.00	-8.46	3	Horizontal	11	2.37
2437MHz	Pass	AV	4.8773G	30.60	54.00	-23.40	3	Vertical	331	2.36
2437MHz	Pass	PK	4.87724G	41.16	74.00	-32.84	3	Vertical	331	2.36
2437MHz	Pass	AV	4.8854G	30.74	54.00	-23.26	3	Horizontal	175	2.87
2437MHz	Pass	PK	4.8863G	41.29	74.00	-32.71	3	Horizontal	175	2.87
2457MHz	Pass	AV	2.4596G	103.59	Inf	-Inf	3	Vertical	0	1.39
2457MHz	Pass	AV	2.4858G	49.84	54.00	-4.16	3	Vertical	0	1.39
2457MHz	Pass	PK	2.4612G	112.73	Inf	-Inf	3	Vertical	0	1.39
2457MHz	Pass	PK	2.486G	60.79	74.00	-13.21	3	Vertical	0	1.39
2457MHz	Pass	AV	2.452G	102.66	Inf	-Inf	3	Horizontal	6	3.00
2457MHz	Pass	AV	2.4836G	53.26	54.00	-0.74	3	Horizontal	6	3.00
2457MHz	Pass	PK	2.451G	111.16	Inf	-Inf	3	Horizontal	6	3.00
2457MHz	Pass	PK	2.4842G	65.23	74.00	-8.77	3	Horizontal	6	3.00
2462MHz	Pass	AV	2.4568G	103.56	Inf	-Inf	3	Vertical	354	1.38
2462MHz	Pass	AV	2.4836G	53.55	54.00	-0.45	3	Vertical	354	1.38
2462MHz	Pass	PK	2.4662G	112.45	Inf	-Inf	3	Vertical	354	1.38
2462MHz	Pass	PK	2.484G	67.43	74.00	-6.57	3	Vertical	354	1.38
2462MHz	Pass	AV	2.46G	102.12	Inf	-Inf	3	Horizontal	3	1.00
2462MHz	Pass	AV	2.4835G	52.78	54.00	-1.22	3	Horizontal	3	1.00
2462MHz	Pass	PK	2.4662G	110.94	Inf	-Inf	3	Horizontal	3	1.00
2462MHz	Pass	PK	2.4835G	66.73	74.00	-7.27	3	Horizontal	3	1.00
2462MHz	Pass	AV	4.93204G	31.09	54.00	-22.91	3	Vertical	0	2.78
2462MHz	Pass	PK	4.93732G	41.69	74.00	-32.31	3	Vertical	0	2.78
2462MHz	Pass	AV	4.9312G	31.53	54.00	-22.47	3	Horizontal	15	1.12
2462MHz	Pass	PK	4.93318G	41.52	74.00	-32.48	3	Horizontal	15	1.12
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.90	54.00	-0.10	3	Vertical	0	1.50
2412MHz	Pass	AV	2.4128G	102.00	Inf	-Inf	3	Vertical	0	1.50
2412MHz	Pass	PK	2.3896G	68.06	74.00	-5.94	3	Vertical	0	1.50
2412MHz	Pass	PK	2.4148G	114.51	Inf	-Inf	3	Vertical	0	1.50
2412MHz	Pass	AV	2.39G	52.94	54.00	-1.06	3	Horizontal	9	1.24
2412MHz	Pass	AV	2.4144G	100.53	Inf	-Inf	3	Horizontal	9	1.24
2412MHz	Pass	PK	2.3878G	66.38	74.00	-7.62	3	Horizontal	9	1.24
2412MHz	Pass	PK	2.415G	113.18	Inf	-Inf	3	Horizontal	9	1.24
2412MHz	Pass	AV	4.82364G	29.32	54.00	-24.68	3	Vertical	143	1.50
2412MHz	Pass	PK	4.8261G	41.05	74.00	-32.95	3	Vertical	143	1.50
2412MHz	Pass	AV	4.82988G	29.49	54.00	-24.51	3	Horizontal	177	2.25
2412MHz	Pass	PK	4.83282G	40.79	74.00	-33.21	3	Horizontal	177	2.25
2417MHz	Pass	AV	2.3892G	51.84	54.00	-2.16	3	Vertical	0	1.52
2417MHz	Pass	AV	2.4146G	104.33	Inf	-Inf	3	Vertical	0	1.52
2417MHz	Pass	PK	2.39G	64.52	74.00	-9.48	3	Vertical	0	1.52
2417MHz	Pass	PK	2.4128G	116.65	Inf	-Inf	3	Vertical	0	1.52
2417MHz	Pass	AV	2.3898G	53.13	54.00	-0.87	3	Horizontal	15	2.81
2417MHz	Pass	AV	2.4154G	102.98	Inf	-Inf	3	Horizontal	15	2.81
2417MHz	Pass	PK	2.39G	65.11	74.00	-8.89	3	Horizontal	15	2.81
2417MHz	Pass	PK	2.4134G	115.41	Inf	-Inf	3	Horizontal	15	2.81
2437MHz	Pass	AV	2.3894G	51.53	54.00	-2.47	3	Vertical	355	1.17
2437MHz	Pass	AV	2.4302G	105.14	Inf	-Inf	3	Vertical	355	1.17
2437MHz	Pass	AV	2.4838G	52.19	54.00	-1.81	3	Vertical	355	1.17
2437MHz	Pass	PK	2.3894G	73.15	74.00	-0.85	3	Vertical	355	1.17




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_1T1S_AP5022S6D**

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	2.4286G	117.13	Inf	-Inf	3	Vertical	355	1.17
2437MHz	Pass	PK	2.4854G	72.27	74.00	-1.73	3	Vertical	355	1.17
2437MHz	Pass	AV	2.3894G	50.25	54.00	-3.75	3	Horizontal	6	2.39
2437MHz	Pass	AV	2.4422G	103.79	Inf	-Inf	3	Horizontal	6	2.39
2437MHz	Pass	AV	2.4835G	51.65	54.00	-2.35	3	Horizontal	6	2.39
2437MHz	Pass	PK	2.3894G	67.72	74.00	-6.28	3	Horizontal	6	2.39
2437MHz	Pass	PK	2.443G	116.05	Inf	-Inf	3	Horizontal	6	2.39
2437MHz	Pass	PK	2.485G	71.98	74.00	-2.02	3	Horizontal	6	2.39
2437MHz	Pass	AV	4.87328G	30.11	54.00	-23.89	3	Vertical	321	2.76
2437MHz	Pass	PK	4.8767G	41.06	74.00	-32.94	3	Vertical	321	2.76
2437MHz	Pass	AV	4.86494G	29.83	54.00	-24.17	3	Horizontal	329	2.02
2437MHz	Pass	PK	4.87586G	41.01	74.00	-32.99	3	Horizontal	329	2.02
2457MHz	Pass	AV	2.4604G	103.29	Inf	-Inf	3	Vertical	0	1.40
2457MHz	Pass	AV	2.484G	52.49	54.00	-1.51	3	Vertical	0	1.40
2457MHz	Pass	PK	2.463G	116.08	Inf	-Inf	3	Vertical	0	1.40
2457MHz	Pass	PK	2.4838G	65.52	74.00	-8.48	3	Vertical	0	1.40
2457MHz	Pass	AV	2.4506G	101.95	Inf	-Inf	3	Horizontal	2	1.06
2457MHz	Pass	AV	2.4838G	51.60	54.00	-2.40	3	Horizontal	2	1.06
2457MHz	Pass	PK	2.4526G	114.19	Inf	-Inf	3	Horizontal	2	1.06
2457MHz	Pass	PK	2.4836G	65.49	74.00	-8.51	3	Horizontal	2	1.06
2462MHz	Pass	AV	2.4628G	101.43	Inf	-Inf	3	Vertical	348	1.41
2462MHz	Pass	AV	2.4852G	52.61	54.00	-1.39	3	Vertical	348	1.41
2462MHz	Pass	PK	2.4678G	114.06	Inf	-Inf	3	Vertical	348	1.41
2462MHz	Pass	PK	2.4888G	66.27	74.00	-7.73	3	Vertical	348	1.41
2462MHz	Pass	AV	2.4542G	100.05	Inf	-Inf	3	Horizontal	11	3.00
2462MHz	Pass	AV	2.4835G	52.46	54.00	-1.54	3	Horizontal	11	3.00
2462MHz	Pass	PK	2.458G	112.00	Inf	-Inf	3	Horizontal	11	3.00
2462MHz	Pass	PK	2.4835G	65.03	74.00	-8.97	3	Horizontal	11	3.00
2462MHz	Pass	AV	4.93576G	30.08	54.00	-23.92	3	Vertical	172	1.50
2462MHz	Pass	PK	4.92388G	41.30	74.00	-32.70	3	Vertical	172	1.50
2462MHz	Pass	AV	4.93444G	29.94	54.00	-24.06	3	Horizontal	253	1.50
2462MHz	Pass	PK	4.9372G	41.72	74.00	-32.28	3	Horizontal	253	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2412MHz_TX





**RSE TX above 1GHz_Non-Beamforming
_Radio 1_2T1S_AP5022S6D**

Appendix F.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.3872G	52.77	54.00	-1.23	3	Vertical	331	2.50
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4835G	53.95	54.00	-0.05	3	Horizontal	5	2.55
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.4844G	53.93	54.00	-0.07	3	Horizontal	8	1.42



RSE TX above 1GHz_Non-Beamforming _Radio 1_2T1S_AP5022S6D

Appendix F.3

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3872G	52.77	54.00	-1.23	3	Vertical	331	2.50
2412MHz	Pass	AV	2.4128G	116.01	Inf	-Inf	3	Vertical	331	2.50
2412MHz	Pass	PK	2.3886G	62.37	74.00	-11.63	3	Vertical	331	2.50
2412MHz	Pass	PK	2.4128G	118.52	Inf	-Inf	3	Vertical	331	2.50
2412MHz	Pass	AV	2.3882G	48.54	54.00	-5.46	3	Horizontal	353	2.66
2412MHz	Pass	AV	2.4128G	114.26	Inf	-Inf	3	Horizontal	353	2.66
2412MHz	Pass	PK	2.387G	59.82	74.00	-14.18	3	Horizontal	353	2.66
2412MHz	Pass	PK	2.4128G	116.75	Inf	-Inf	3	Horizontal	353	2.66
2412MHz	Pass	AV	4.824G	29.51	54.00	-24.49	3	Vertical	23	1.50
2412MHz	Pass	PK	4.81512G	41.92	74.00	-32.08	3	Vertical	23	1.50
2412MHz	Pass	AV	4.824G	29.01	54.00	-24.99	3	Horizontal	341	2.91
2412MHz	Pass	PK	4.82082G	41.00	74.00	-33.00	3	Horizontal	341	2.91
2417MHz	Pass	AV	2.39G	51.90	54.00	-2.10	3	Vertical	329	2.52
2417MHz	Pass	AV	2.4162G	116.06	Inf	-Inf	3	Vertical	329	2.52
2417MHz	Pass	PK	2.39G	62.18	74.00	-11.82	3	Vertical	329	2.52
2417MHz	Pass	PK	2.416G	118.54	Inf	-Inf	3	Vertical	329	2.52
2417MHz	Pass	AV	2.39G	49.58	54.00	-4.42	3	Horizontal	350	2.68
2417MHz	Pass	AV	2.4162G	114.30	Inf	-Inf	3	Horizontal	350	2.68
2417MHz	Pass	PK	2.39G	60.89	74.00	-13.11	3	Horizontal	350	2.68
2417MHz	Pass	PK	2.4162G	116.80	Inf	-Inf	3	Horizontal	350	2.68
2437MHz	Pass	AV	2.3898G	45.43	54.00	-8.57	3	Vertical	327	2.60
2437MHz	Pass	AV	2.4362G	115.83	Inf	-Inf	3	Vertical	327	2.60
2437MHz	Pass	AV	2.4842G	45.94	54.00	-8.06	3	Vertical	327	2.60
2437MHz	Pass	PK	2.3898G	57.87	74.00	-16.13	3	Vertical	327	2.60
2437MHz	Pass	PK	2.4378G	118.56	Inf	-Inf	3	Vertical	327	2.60
2437MHz	Pass	PK	2.4858G	59.33	74.00	-14.67	3	Vertical	327	2.60
2437MHz	Pass	AV	2.3898G	44.97	54.00	-9.03	3	Horizontal	352	2.33
2437MHz	Pass	AV	2.4362G	113.48	Inf	-Inf	3	Horizontal	352	2.33
2437MHz	Pass	AV	2.4842G	45.83	54.00	-8.17	3	Horizontal	352	2.33
2437MHz	Pass	PK	2.3886G	57.96	74.00	-16.04	3	Horizontal	352	2.33
2437MHz	Pass	PK	2.4378G	116.17	Inf	-Inf	3	Horizontal	352	2.33
2437MHz	Pass	PK	2.4842G	59.69	74.00	-14.31	3	Horizontal	352	2.33
2437MHz	Pass	AV	4.87394G	29.66	54.00	-24.34	3	Vertical	25	1.55
2437MHz	Pass	PK	4.8737G	42.05	74.00	-31.95	3	Vertical	25	1.55
2437MHz	Pass	AV	4.87406G	29.71	54.00	-24.29	3	Horizontal	341	1.24
2437MHz	Pass	PK	4.8881G	41.78	74.00	-32.22	3	Horizontal	341	1.24
2462MHz	Pass	AV	2.4612G	114.86	Inf	-Inf	3	Vertical	326	2.54
2462MHz	Pass	AV	2.4835G	50.06	54.00	-3.94	3	Vertical	326	2.54
2462MHz	Pass	PK	2.4612G	117.37	Inf	-Inf	3	Vertical	326	2.54
2462MHz	Pass	PK	2.4835G	61.57	74.00	-12.43	3	Vertical	326	2.54
2462MHz	Pass	AV	2.4612G	113.71	Inf	-Inf	3	Horizontal	349	2.58
2462MHz	Pass	AV	2.4864G	50.25	54.00	-3.75	3	Horizontal	349	2.58
2462MHz	Pass	PK	2.461G	116.20	Inf	-Inf	3	Horizontal	349	2.58
2462MHz	Pass	PK	2.4835G	61.15	74.00	-12.85	3	Horizontal	349	2.58
2462MHz	Pass	AV	4.92394G	28.66	54.00	-25.34	3	Vertical	4	1.46
2462MHz	Pass	PK	4.92454G	41.89	74.00	-32.11	3	Vertical	4	1.46
2462MHz	Pass	AV	4.924G	29.85	54.00	-24.15	3	Horizontal	309	1.79
2462MHz	Pass	PK	4.91536G	41.46	74.00	-32.54	3	Horizontal	309	1.79
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.91	54.00	-2.09	3	Vertical	7	2.14
2412MHz	Pass	AV	2.4106G	107.93	Inf	-Inf	3	Vertical	7	2.14
2412MHz	Pass	PK	2.39G	66.68	74.00	-7.32	3	Vertical	7	2.14
2412MHz	Pass	PK	2.4106G	116.42	Inf	-Inf	3	Vertical	7	2.14
2412MHz	Pass	AV	2.39G	53.62	54.00	-0.38	3	Horizontal	360	1.24
2412MHz	Pass	AV	2.4156G	107.33	Inf	-Inf	3	Horizontal	360	1.24
2412MHz	Pass	PK	2.39G	68.70	74.00	-5.30	3	Horizontal	360	1.24
2412MHz	Pass	PK	2.4154G	115.75	Inf	-Inf	3	Horizontal	360	1.24
2412MHz	Pass	AV	4.83228G	30.14	54.00	-23.86	3	Vertical	82	1.50
2412MHz	Pass	PK	4.82202G	40.99	74.00	-33.01	3	Vertical	82	1.50
2412MHz	Pass	AV	4.82946G	30.33	54.00	-23.67	3	Horizontal	152	2.62



RSE TX above 1GHz_Non-Beamforming
_Radio 1_2T1S_AP5022S6D

Appendix F.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	4.83798G	40.68	74.00	-33.32	3	Horizontal	152	2.62
2417MHz	Pass	AV	2.39G	53.49	54.00	-0.51	3	Vertical	11	2.09
2417MHz	Pass	AV	2.4156G	109.20	Inf	-Inf	3	Vertical	11	2.09
2417MHz	Pass	PK	2.3898G	64.87	74.00	-9.13	3	Vertical	11	2.09
2417MHz	Pass	PK	2.4156G	117.40	Inf	-Inf	3	Vertical	11	2.09
2417MHz	Pass	AV	2.39G	52.94	54.00	-1.06	3	Horizontal	359	2.02
2417MHz	Pass	AV	2.4156G	108.56	Inf	-Inf	3	Horizontal	359	2.02
2417MHz	Pass	PK	2.3892G	64.67	74.00	-9.33	3	Horizontal	359	2.02
2417MHz	Pass	PK	2.4162G	117.08	Inf	-Inf	3	Horizontal	359	2.02
2437MHz	Pass	AV	2.3894G	50.73	54.00	-3.27	3	Vertical	0	2.45
2437MHz	Pass	AV	2.4406G	110.48	Inf	-Inf	3	Vertical	0	2.45
2437MHz	Pass	AV	2.4835G	51.92	54.00	-2.08	3	Vertical	0	2.45
2437MHz	Pass	PK	2.3894G	65.35	74.00	-8.65	3	Vertical	0	2.45
2437MHz	Pass	PK	2.4354G	118.62	Inf	-Inf	3	Vertical	0	2.45
2437MHz	Pass	PK	2.4858G	67.15	74.00	-6.85	3	Vertical	0	2.45
2437MHz	Pass	AV	2.3898G	51.40	54.00	-2.60	3	Horizontal	4	2.31
2437MHz	Pass	AV	2.4358G	110.68	Inf	-Inf	3	Horizontal	4	2.31
2437MHz	Pass	AV	2.4846G	52.71	54.00	-1.29	3	Horizontal	4	2.31
2437MHz	Pass	PK	2.3894G	66.47	74.00	-7.53	3	Horizontal	4	2.31
2437MHz	Pass	PK	2.4362G	119.30	Inf	-Inf	3	Horizontal	4	2.31
2437MHz	Pass	PK	2.4862G	67.75	74.00	-6.25	3	Horizontal	4	2.31
2437MHz	Pass	AV	4.86602G	30.50	54.00	-23.50	3	Vertical	111	1.50
2437MHz	Pass	PK	4.8881G	42.27	74.00	-31.73	3	Vertical	111	1.50
2437MHz	Pass	AV	4.87382G	30.49	54.00	-23.51	3	Horizontal	357	2.12
2437MHz	Pass	PK	4.8671G	41.58	74.00	-32.42	3	Horizontal	357	2.12
2457MHz	Pass	AV	2.4506G	108.31	Inf	-Inf	3	Vertical	12	1.89
2457MHz	Pass	AV	2.4844G	52.60	54.00	-1.40	3	Vertical	12	1.89
2457MHz	Pass	PK	2.4506G	116.58	Inf	-Inf	3	Vertical	12	1.89
2457MHz	Pass	PK	2.4836G	65.26	74.00	-8.74	3	Vertical	12	1.89
2457MHz	Pass	AV	2.4556G	108.49	Inf	-Inf	3	Horizontal	2	1.68
2457MHz	Pass	AV	2.4862G	52.83	54.00	-1.17	3	Horizontal	2	1.68
2457MHz	Pass	PK	2.4556G	116.76	Inf	-Inf	3	Horizontal	2	1.68
2457MHz	Pass	PK	2.4858G	66.41	74.00	-7.59	3	Horizontal	2	1.68
2462MHz	Pass	AV	2.4604G	105.93	Inf	-Inf	3	Vertical	6	1.50
2462MHz	Pass	AV	2.485G	51.62	54.00	-2.38	3	Vertical	6	1.50
2462MHz	Pass	PK	2.4606G	114.71	Inf	-Inf	3	Vertical	6	1.50
2462MHz	Pass	PK	2.4835G	63.42	74.00	-10.58	3	Vertical	6	1.50
2462MHz	Pass	AV	2.4606G	106.62	Inf	-Inf	3	Horizontal	5	2.55
2462MHz	Pass	AV	2.4835G	53.95	54.00	-0.05	3	Horizontal	5	2.55
2462MHz	Pass	PK	2.4606G	115.21	Inf	-Inf	3	Horizontal	5	2.55
2462MHz	Pass	PK	2.4835G	67.24	74.00	-6.76	3	Horizontal	5	2.55
2462MHz	Pass	AV	4.9258G	31.08	54.00	-22.92	3	Vertical	332	2.60
2462MHz	Pass	PK	4.92682G	41.60	74.00	-32.40	3	Vertical	332	2.60
2462MHz	Pass	AV	4.9297G	30.89	54.00	-23.11	3	Horizontal	5	1.50
2462MHz	Pass	PK	4.93786G	41.64	74.00	-32.36	3	Horizontal	5	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	53.76	54.00	-0.24	3	Vertical	12	2.10
2412MHz	Pass	AV	2.4112G	103.87	Inf	-Inf	3	Vertical	12	2.10
2412MHz	Pass	PK	2.389G	68.24	74.00	-5.76	3	Vertical	12	2.10
2412MHz	Pass	PK	2.4138G	115.86	Inf	-Inf	3	Vertical	12	2.10
2412MHz	Pass	AV	2.3892G	53.50	54.00	-0.50	3	Horizontal	360	1.31
2412MHz	Pass	AV	2.4064G	103.46	Inf	-Inf	3	Horizontal	360	1.31
2412MHz	Pass	PK	2.3894G	66.76	74.00	-7.24	3	Horizontal	360	1.31
2412MHz	Pass	PK	2.4114G	115.39	Inf	-Inf	3	Horizontal	360	1.31
2412MHz	Pass	AV	4.82436G	29.13	54.00	-24.87	3	Vertical	343	1.82
2412MHz	Pass	PK	4.82934G	40.40	74.00	-33.60	3	Vertical	343	1.82
2412MHz	Pass	AV	4.83756G	29.05	54.00	-24.95	3	Horizontal	38	1.76
2412MHz	Pass	PK	4.82544G	41.38	74.00	-32.62	3	Horizontal	38	1.76
2417MHz	Pass	AV	2.389G	52.14	54.00	-1.86	3	Vertical	15	2.10
2417MHz	Pass	AV	2.416G	106.83	Inf	-Inf	3	Vertical	15	2.10
2417MHz	Pass	PK	2.3892G	66.05	74.00	-7.95	3	Vertical	15	2.10
2417MHz	Pass	PK	2.4162G	118.81	Inf	-Inf	3	Vertical	15	2.10




**RSE TX above 1GHz_Non-Beamforming
_Radio 1_2T1S_AP5022S6D**

Appendix F.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2417MHz	Pass	AV	2.3894G	51.26	54.00	-2.74	3	Horizontal	5	2.06
2417MHz	Pass	AV	2.4162G	107.23	Inf	-Inf	3	Horizontal	5	2.06
2417MHz	Pass	PK	2.389G	65.94	74.00	-8.06	3	Horizontal	5	2.06
2417MHz	Pass	PK	2.4162G	119.11	Inf	-Inf	3	Horizontal	5	2.06
2437MHz	Pass	AV	2.3894G	50.42	54.00	-3.58	3	Vertical	7	2.47
2437MHz	Pass	AV	2.439G	108.06	Inf	-Inf	3	Vertical	7	2.47
2437MHz	Pass	AV	2.4835G	52.63	54.00	-1.37	3	Vertical	7	2.47
2437MHz	Pass	PK	2.389G	68.32	74.00	-5.68	3	Vertical	7	2.47
2437MHz	Pass	PK	2.439G	120.08	Inf	-Inf	3	Vertical	7	2.47
2437MHz	Pass	PK	2.4835G	71.65	74.00	-2.35	3	Vertical	7	2.47
2437MHz	Pass	AV	2.3894G	50.98	54.00	-3.02	3	Horizontal	7	1.99
2437MHz	Pass	AV	2.4338G	108.18	Inf	-Inf	3	Horizontal	7	1.99
2437MHz	Pass	AV	2.4835G	53.90	54.00	-0.10	3	Horizontal	7	1.99
2437MHz	Pass	PK	2.3882G	70.48	74.00	-3.52	3	Horizontal	7	1.99
2437MHz	Pass	PK	2.4338G	120.50	Inf	-Inf	3	Horizontal	7	1.99
2437MHz	Pass	PK	2.4838G	72.28	74.00	-1.72	3	Horizontal	7	1.99
2437MHz	Pass	AV	4.88732G	29.50	54.00	-24.50	3	Vertical	107	1.50
2437MHz	Pass	PK	4.87082G	41.28	74.00	-32.72	3	Vertical	107	1.50
2437MHz	Pass	AV	4.87754G	29.67	54.00	-24.33	3	Horizontal	313	2.96
2437MHz	Pass	PK	4.86482G	41.29	74.00	-32.71	3	Horizontal	313	2.96
2457MHz	Pass	AV	2.4514G	106.39	Inf	-Inf	3	Vertical	10	1.85
2457MHz	Pass	AV	2.4835G	53.22	54.00	-0.78	3	Vertical	10	1.85
2457MHz	Pass	PK	2.459G	118.60	Inf	-Inf	3	Vertical	10	1.85
2457MHz	Pass	PK	2.4838G	72.25	74.00	-1.75	3	Vertical	10	1.85
2457MHz	Pass	AV	2.451G	106.27	Inf	-Inf	3	Horizontal	8	1.42
2457MHz	Pass	AV	2.4844G	53.93	54.00	-0.07	3	Horizontal	8	1.42
2457MHz	Pass	PK	2.4536G	118.31	Inf	-Inf	3	Horizontal	8	1.42
2457MHz	Pass	PK	2.4838G	70.12	74.00	-3.88	3	Horizontal	8	1.42
2462MHz	Pass	AV	2.4562G	103.01	Inf	-Inf	3	Vertical	9	1.71
2462MHz	Pass	AV	2.484G	53.36	54.00	-0.64	3	Vertical	9	1.71
2462MHz	Pass	PK	2.4536G	114.87	Inf	-Inf	3	Vertical	9	1.71
2462MHz	Pass	PK	2.484G	66.76	74.00	-7.24	3	Vertical	9	1.71
2462MHz	Pass	AV	2.4588G	103.00	Inf	-Inf	3	Horizontal	10	1.49
2462MHz	Pass	AV	2.484G	53.44	54.00	-0.56	3	Horizontal	10	1.49
2462MHz	Pass	PK	2.4584G	114.94	Inf	-Inf	3	Horizontal	10	1.49
2462MHz	Pass	PK	2.4838G	67.45	74.00	-6.55	3	Horizontal	10	1.49
2462MHz	Pass	AV	4.92646G	30.06	54.00	-23.94	3	Vertical	101	1.71
2462MHz	Pass	PK	4.93372G	41.35	74.00	-32.65	3	Vertical	101	1.71
2462MHz	Pass	AV	4.93438G	30.11	54.00	-23.89	3	Horizontal	131	1.50
2462MHz	Pass	PK	4.91242G	41.96	74.00	-32.04	3	Horizontal	131	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_2T2S_AP5022S6D**

Appendix F.4

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.3898G	53.89	54.00	-0.11	3	Vertical	15	2.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	53.89	54.00	-0.11	3	Vertical	15	2.11
2412MHz	Pass	AV	2.4148G	102.56	Inf	-Inf	3	Vertical	15	2.11
2412MHz	Pass	PK	2.389G	66.50	74.00	-7.50	3	Vertical	15	2.11
2412MHz	Pass	PK	2.409G	114.12	Inf	-Inf	3	Vertical	15	2.11
2412MHz	Pass	AV	2.39G	52.08	54.00	-1.92	3	Horizontal	7	2.04
2412MHz	Pass	AV	2.4138G	102.88	Inf	-Inf	3	Horizontal	7	2.04
2412MHz	Pass	PK	2.389G	64.22	74.00	-9.78	3	Horizontal	7	2.04
2412MHz	Pass	PK	2.4172G	114.50	Inf	-Inf	3	Horizontal	7	2.04
2412MHz	Pass	AV	4.82178G	29.25	54.00	-24.75	3	Vertical	219	1.50
2412MHz	Pass	PK	4.81578G	40.91	74.00	-33.09	3	Vertical	219	1.50
2412MHz	Pass	AV	4.8237G	29.52	54.00	-24.48	3	Horizontal	70	1.62
2412MHz	Pass	PK	4.81146G	40.86	74.00	-33.14	3	Horizontal	70	1.62
2417MHz	Pass	AV	2.39G	53.27	54.00	-0.73	3	Vertical	12	2.10
2417MHz	Pass	AV	2.4164G	105.66	Inf	-Inf	3	Vertical	12	2.10
2417MHz	Pass	PK	2.39G	67.97	74.00	-6.03	3	Vertical	12	2.10
2417MHz	Pass	PK	2.4166G	117.95	Inf	-Inf	3	Vertical	12	2.10
2417MHz	Pass	AV	2.3898G	52.95	54.00	-1.05	3	Horizontal	5	2.03
2417MHz	Pass	AV	2.4162G	106.44	Inf	-Inf	3	Horizontal	5	2.03
2417MHz	Pass	PK	2.39G	67.10	74.00	-6.90	3	Horizontal	5	2.03
2417MHz	Pass	PK	2.4136G	117.42	Inf	-Inf	3	Horizontal	5	2.03
2437MHz	Pass	AV	2.3898G	50.39	54.00	-3.61	3	Vertical	9	2.30
2437MHz	Pass	AV	2.4386G	106.59	Inf	-Inf	3	Vertical	9	2.30
2437MHz	Pass	AV	2.4835G	52.72	54.00	-1.28	3	Vertical	9	2.30
2437MHz	Pass	PK	2.3898G	66.95	74.00	-7.05	3	Vertical	9	2.30
2437MHz	Pass	PK	2.4378G	118.78	Inf	-Inf	3	Vertical	9	2.30
2437MHz	Pass	PK	2.4835G	73.74	74.00	-0.26	3	Vertical	9	2.30
2437MHz	Pass	AV	2.3898G	51.61	54.00	-2.39	3	Horizontal	3	2.31
2437MHz	Pass	AV	2.4386G	106.89	Inf	-Inf	3	Horizontal	3	2.31
2437MHz	Pass	AV	2.4835G	52.70	54.00	-1.30	3	Horizontal	3	2.31
2437MHz	Pass	PK	2.389G	68.49	74.00	-5.51	3	Horizontal	3	2.31
2437MHz	Pass	PK	2.4366G	118.58	Inf	-Inf	3	Horizontal	3	2.31
2437MHz	Pass	PK	2.4838G	72.84	74.00	-1.16	3	Horizontal	3	2.31
2437MHz	Pass	AV	4.88852G	29.80	54.00	-24.20	3	Vertical	27	1.55
2437MHz	Pass	PK	4.87214G	41.57	74.00	-32.43	3	Vertical	27	1.55
2437MHz	Pass	AV	4.8728G	29.46	54.00	-24.54	3	Horizontal	187	1.50
2437MHz	Pass	PK	4.88846G	40.93	74.00	-33.07	3	Horizontal	187	1.50
2457MHz	Pass	AV	2.4524G	104.13	Inf	-Inf	3	Vertical	15	1.86
2457MHz	Pass	AV	2.4835G	52.79	54.00	-1.21	3	Vertical	15	1.86
2457MHz	Pass	PK	2.4564G	116.28	Inf	-Inf	3	Vertical	15	1.86
2457MHz	Pass	PK	2.4835G	69.08	74.00	-4.92	3	Vertical	15	1.86
2457MHz	Pass	AV	2.458G	104.04	Inf	-Inf	3	Horizontal	0	2.33
2457MHz	Pass	AV	2.4835G	53.65	54.00	-0.35	3	Horizontal	0	2.33
2457MHz	Pass	PK	2.4566G	115.96	Inf	-Inf	3	Horizontal	0	2.33
2457MHz	Pass	PK	2.4838G	67.70	74.00	-6.30	3	Horizontal	0	2.33
2462MHz	Pass	AV	2.459G	100.79	Inf	-Inf	3	Vertical	8	1.67
2462MHz	Pass	AV	2.4835G	51.89	54.00	-2.11	3	Vertical	8	1.67
2462MHz	Pass	PK	2.4614G	112.91	Inf	-Inf	3	Vertical	8	1.67
2462MHz	Pass	PK	2.4854G	64.35	74.00	-9.65	3	Vertical	8	1.67
2462MHz	Pass	AV	2.4576G	101.39	Inf	-Inf	3	Horizontal	6	2.29
2462MHz	Pass	AV	2.4835G	53.65	54.00	-0.35	3	Horizontal	6	2.29
2462MHz	Pass	PK	2.4614G	113.35	Inf	-Inf	3	Horizontal	6	2.29
2462MHz	Pass	PK	2.4836G	66.02	74.00	-7.98	3	Horizontal	6	2.29
2462MHz	Pass	AV	4.93432G	29.86	54.00	-24.14	3	Vertical	324	2.89
2462MHz	Pass	PK	4.93438G	41.33	74.00	-32.67	3	Vertical	324	2.89
2462MHz	Pass	AV	4.91668G	30.15	54.00	-23.85	3	Horizontal	308	1.50
2462MHz	Pass	PK	4.92646G	41.80	74.00	-32.20	3	Horizontal	308	1.50


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_4T1S_AP5022S6D**

Appendix F.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	2.4835G	53.35	54.00	-0.65	3	Vertical	344	1.88
802.11g_Nss1,(6Mbps)_4TX	Pass	AV	2.39G	53.87	54.00	-0.13	3	Horizontal	0	1.27
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	2.39G	53.94	54.00	-0.06	3	Vertical	0	2.13

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3882G	52.18	54.00	-1.82	3	Vertical	345	1.56
2412MHz	Pass	AV	2.4112G	119.04	Inf	-Inf	3	Vertical	345	1.56
2412MHz	Pass	PK	2.3886G	61.64	74.00	-12.36	3	Vertical	345	1.56
2412MHz	Pass	PK	2.4128G	121.58	Inf	-Inf	3	Vertical	345	1.56
2412MHz	Pass	AV	2.3882G	52.16	54.00	-1.84	3	Horizontal	6	2.06
2412MHz	Pass	AV	2.4112G	118.22	Inf	-Inf	3	Horizontal	6	2.06
2412MHz	Pass	PK	2.3884G	61.86	74.00	-12.14	3	Horizontal	6	2.06
2412MHz	Pass	PK	2.4128G	120.78	Inf	-Inf	3	Horizontal	6	2.06
2412MHz	Pass	AV	4.824G	32.03	54.00	-21.97	3	Vertical	28	1.71
2412MHz	Pass	PK	4.824G	41.86	74.00	-32.14	3	Vertical	28	1.71
2412MHz	Pass	AV	4.824G	29.66	54.00	-24.34	3	Horizontal	342	1.54
2412MHz	Pass	PK	4.80942G	40.80	74.00	-33.20	3	Horizontal	342	1.54
2417MHz	Pass	AV	2.39G	52.33	54.00	-1.67	3	Vertical	345	1.62
2417MHz	Pass	AV	2.4178G	119.47	Inf	-Inf	3	Vertical	345	1.62
2417MHz	Pass	PK	2.39G	62.99	74.00	-11.01	3	Vertical	345	1.62
2417MHz	Pass	PK	2.4162G	121.99	Inf	-Inf	3	Vertical	345	1.62
2417MHz	Pass	AV	2.39G	50.44	54.00	-3.56	3	Horizontal	5	2.09
2417MHz	Pass	AV	2.4162G	118.48	Inf	-Inf	3	Horizontal	5	2.09
2417MHz	Pass	PK	2.39G	60.92	74.00	-13.08	3	Horizontal	5	2.09
2417MHz	Pass	PK	2.4162G	120.95	Inf	-Inf	3	Horizontal	5	2.09
2437MHz	Pass	AV	2.3898G	46.24	54.00	-7.76	3	Vertical	341	2.08
2437MHz	Pass	AV	2.4378G	119.54	Inf	-Inf	3	Vertical	341	2.08
2437MHz	Pass	AV	2.4838G	46.86	54.00	-7.14	3	Vertical	341	2.08
2437MHz	Pass	PK	2.389G	59.62	74.00	-14.38	3	Vertical	341	2.08
2437MHz	Pass	PK	2.4362G	122.16	Inf	-Inf	3	Vertical	341	2.08
2437MHz	Pass	PK	2.4835G	60.10	74.00	-13.90	3	Vertical	341	2.08
2437MHz	Pass	AV	2.3898G	45.78	54.00	-8.22	3	Horizontal	2	2.23
2437MHz	Pass	AV	2.4378G	119.17	Inf	-Inf	3	Horizontal	2	2.23
2437MHz	Pass	AV	2.4838G	46.80	54.00	-7.20	3	Horizontal	2	2.23
2437MHz	Pass	PK	2.3898G	58.82	74.00	-15.18	3	Horizontal	2	2.23
2437MHz	Pass	PK	2.4378G	121.75	Inf	-Inf	3	Horizontal	2	2.23
2437MHz	Pass	PK	2.4835G	59.40	74.00	-14.60	3	Horizontal	2	2.23
2437MHz	Pass	AV	4.87394G	33.07	54.00	-20.93	3	Vertical	24	1.59
2437MHz	Pass	PK	4.8743G	42.69	74.00	-31.31	3	Vertical	24	1.59
2437MHz	Pass	AV	4.87394G	32.49	54.00	-21.51	3	Horizontal	343	1.37
2437MHz	Pass	PK	4.87382G	41.86	74.00	-32.14	3	Horizontal	343	1.37
2457MHz	Pass	AV	2.4578G	118.31	Inf	-Inf	3	Vertical	343	1.70
2457MHz	Pass	AV	2.4862G	49.86	54.00	-4.14	3	Vertical	343	1.70
2457MHz	Pass	PK	2.456G	120.95	Inf	-Inf	3	Vertical	343	1.70
2457MHz	Pass	PK	2.4835G	61.26	74.00	-12.74	3	Vertical	343	1.70
2457MHz	Pass	AV	2.4578G	117.93	Inf	-Inf	3	Horizontal	3	2.14
2457MHz	Pass	AV	2.4835G	52.53	54.00	-1.47	3	Horizontal	3	2.14
2457MHz	Pass	PK	2.4578G	120.59	Inf	-Inf	3	Horizontal	3	2.14
2457MHz	Pass	PK	2.4835G	62.33	74.00	-11.67	3	Horizontal	3	2.14
2462MHz	Pass	AV	2.4612G	117.43	Inf	-Inf	3	Vertical	344	1.88
2462MHz	Pass	AV	2.4835G	53.35	54.00	-0.65	3	Vertical	344	1.88
2462MHz	Pass	PK	2.461G	120.00	Inf	-Inf	3	Vertical	344	1.88
2462MHz	Pass	PK	2.4835G	61.92	74.00	-12.08	3	Vertical	344	1.88
2462MHz	Pass	AV	2.4612G	117.24	Inf	-Inf	3	Horizontal	5	2.17
2462MHz	Pass	AV	2.4835G	52.56	54.00	-1.44	3	Horizontal	5	2.17
2462MHz	Pass	PK	2.461G	119.77	Inf	-Inf	3	Horizontal	5	2.17
2462MHz	Pass	PK	2.4835G	62.25	74.00	-11.75	3	Horizontal	5	2.17
2462MHz	Pass	AV	4.92394G	30.67	54.00	-23.33	3	Vertical	333	1.35
2462MHz	Pass	PK	4.92688G	41.71	74.00	-32.29	3	Vertical	333	1.35
2462MHz	Pass	AV	4.92388G	29.96	54.00	-24.04	3	Horizontal	320	1.41
2462MHz	Pass	PK	4.92406G	41.66	74.00	-32.34	3	Horizontal	320	1.41
802.11g_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.83	54.00	-1.17	3	Vertical	342	1.50
2412MHz	Pass	AV	2.4106G	110.78	Inf	-Inf	3	Vertical	342	1.50
2412MHz	Pass	PK	2.39G	65.11	74.00	-8.89	3	Vertical	342	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_4T1S_AP5022S6D**

Appendix F.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	2.4106G	119.11	Inf	-Inf	3	Vertical	342	1.50
2412MHz	Pass	AV	2.39G	53.42	54.00	-0.58	3	Horizontal	356	2.02
2412MHz	Pass	AV	2.4096G	111.29	Inf	-Inf	3	Horizontal	356	2.02
2412MHz	Pass	PK	2.3898G	67.30	74.00	-6.70	3	Horizontal	356	2.02
2412MHz	Pass	PK	2.4094G	120.16	Inf	-Inf	3	Horizontal	356	2.02
2412MHz	Pass	AV	4.82628G	30.28	54.00	-23.72	3	Vertical	348	1.78
2412MHz	Pass	PK	4.8348G	40.52	74.00	-33.48	3	Vertical	348	1.78
2412MHz	Pass	AV	4.8252G	30.25	54.00	-23.75	3	Horizontal	77	1.38
2412MHz	Pass	PK	4.81668G	40.78	74.00	-33.22	3	Horizontal	77	1.38
2417MHz	Pass	AV	2.3898G	52.50	54.00	-1.50	3	Vertical	337	1.79
2417MHz	Pass	AV	2.4158G	112.98	Inf	-Inf	3	Vertical	337	1.79
2417MHz	Pass	PK	2.39G	63.55	74.00	-10.45	3	Vertical	337	1.79
2417MHz	Pass	PK	2.415G	121.33	Inf	-Inf	3	Vertical	337	1.79
2417MHz	Pass	AV	2.39G	53.87	54.00	-0.13	3	Horizontal	0	1.27
2417MHz	Pass	AV	2.4144G	112.82	Inf	-Inf	3	Horizontal	0	1.27
2417MHz	Pass	PK	2.39G	64.25	74.00	-9.75	3	Horizontal	0	1.27
2417MHz	Pass	PK	2.4144G	121.62	Inf	-Inf	3	Horizontal	0	1.27
2437MHz	Pass	AV	2.3898G	51.25	54.00	-2.75	3	Vertical	334	1.98
2437MHz	Pass	AV	2.4362G	114.29	Inf	-Inf	3	Vertical	334	1.98
2437MHz	Pass	AV	2.4846G	52.52	54.00	-1.48	3	Vertical	334	1.98
2437MHz	Pass	PK	2.3858G	65.76	74.00	-8.24	3	Vertical	334	1.98
2437MHz	Pass	PK	2.4354G	122.83	Inf	-Inf	3	Vertical	334	1.98
2437MHz	Pass	PK	2.4846G	67.80	74.00	-6.20	3	Vertical	334	1.98
2437MHz	Pass	AV	2.3894G	51.44	54.00	-2.56	3	Horizontal	360	2.19
2437MHz	Pass	AV	2.4358G	114.23	Inf	-Inf	3	Horizontal	360	2.19
2437MHz	Pass	AV	2.4846G	53.74	54.00	-0.26	3	Horizontal	360	2.19
2437MHz	Pass	PK	2.3894G	66.82	74.00	-7.18	3	Horizontal	360	2.19
2437MHz	Pass	PK	2.4358G	122.92	Inf	-Inf	3	Horizontal	360	2.19
2437MHz	Pass	PK	2.4866G	68.80	74.00	-5.20	3	Horizontal	360	2.19
2437MHz	Pass	AV	4.8689G	30.54	54.00	-23.46	3	Vertical	24	1.50
2437MHz	Pass	PK	4.88834G	41.30	74.00	-32.70	3	Vertical	24	1.50
2437MHz	Pass	AV	4.87394G	30.62	54.00	-23.38	3	Horizontal	38	1.50
2437MHz	Pass	PK	4.8881G	41.39	74.00	-32.61	3	Horizontal	38	1.50
2457MHz	Pass	AV	2.4556G	111.30	Inf	-Inf	3	Vertical	339	1.65
2457MHz	Pass	AV	2.4835G	53.34	54.00	-0.66	3	Vertical	339	1.65
2457MHz	Pass	PK	2.4558G	119.46	Inf	-Inf	3	Vertical	339	1.65
2457MHz	Pass	PK	2.484G	65.23	74.00	-8.77	3	Vertical	339	1.65
2457MHz	Pass	AV	2.4544G	111.55	Inf	-Inf	3	Horizontal	358	1.44
2457MHz	Pass	AV	2.4835G	51.04	54.00	-2.96	3	Horizontal	358	1.44
2457MHz	Pass	PK	2.4544G	120.28	Inf	-Inf	3	Horizontal	358	1.44
2457MHz	Pass	PK	2.4838G	61.70	74.00	-12.30	3	Horizontal	358	1.44
2462MHz	Pass	AV	2.4606G	108.22	Inf	-Inf	3	Vertical	340	1.58
2462MHz	Pass	AV	2.4836G	53.62	54.00	-0.38	3	Vertical	340	1.58
2462MHz	Pass	PK	2.4606G	116.50	Inf	-Inf	3	Vertical	340	1.58
2462MHz	Pass	PK	2.4836G	66.37	74.00	-7.63	3	Vertical	340	1.58
2462MHz	Pass	AV	2.4606G	108.40	Inf	-Inf	3	Horizontal	358	1.70
2462MHz	Pass	AV	2.4838G	53.86	54.00	-0.14	3	Horizontal	358	1.70
2462MHz	Pass	PK	2.46G	116.94	Inf	-Inf	3	Horizontal	358	1.70
2462MHz	Pass	PK	2.4835G	68.30	74.00	-5.70	3	Horizontal	358	1.70
2462MHz	Pass	AV	4.93456G	31.04	54.00	-22.96	3	Vertical	14	1.05
2462MHz	Pass	PK	4.9306G	41.23	74.00	-32.77	3	Vertical	14	1.05
2462MHz	Pass	AV	4.9198G	31.04	54.00	-22.96	3	Horizontal	68	1.50
2462MHz	Pass	PK	4.93534G	41.90	74.00	-32.10	3	Horizontal	68	1.50
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	53.78	54.00	-0.22	3	Vertical	0	2.24
2412MHz	Pass	AV	2.414G	108.57	Inf	-Inf	3	Vertical	0	2.24
2412MHz	Pass	PK	2.3896G	67.34	74.00	-6.66	3	Vertical	0	2.24
2412MHz	Pass	PK	2.414G	120.47	Inf	-Inf	3	Vertical	0	2.24
2412MHz	Pass	AV	2.3894G	53.01	54.00	-0.99	3	Horizontal	0	2.06
2412MHz	Pass	AV	2.4166G	108.38	Inf	-Inf	3	Horizontal	0	2.06
2412MHz	Pass	PK	2.389G	67.80	74.00	-6.20	3	Horizontal	0	2.06
2412MHz	Pass	PK	2.4164G	119.99	Inf	-Inf	3	Horizontal	0	2.06




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_4T1S_AP5022S6D**

Appendix F.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	AV	4.82502G	29.37	54.00	-24.63	3	Vertical	25	1.50
2412MHz	Pass	PK	4.8351G	40.78	74.00	-33.22	3	Vertical	25	1.50
2412MHz	Pass	AV	4.82586G	29.23	54.00	-24.77	3	Horizontal	345	1.50
2412MHz	Pass	PK	4.82328G	41.42	74.00	-32.58	3	Horizontal	345	1.50
2417MHz	Pass	AV	2.39G	53.94	54.00	-0.06	3	Vertical	0	2.13
2417MHz	Pass	AV	2.414G	111.53	Inf	-Inf	3	Vertical	0	2.13
2417MHz	Pass	PK	2.3898G	71.54	74.00	-2.46	3	Vertical	0	2.13
2417MHz	Pass	PK	2.419G	123.46	Inf	-Inf	3	Vertical	0	2.13
2417MHz	Pass	AV	2.3892G	51.64	54.00	-2.36	3	Horizontal	0	2.07
2417MHz	Pass	AV	2.4114G	111.00	Inf	-Inf	3	Horizontal	0	2.07
2417MHz	Pass	PK	2.39G	65.42	74.00	-8.58	3	Horizontal	0	2.07
2417MHz	Pass	PK	2.4164G	122.72	Inf	-Inf	3	Horizontal	0	2.07
2437MHz	Pass	AV	2.3886G	51.79	54.00	-2.21	3	Vertical	0	2.39
2437MHz	Pass	AV	2.439G	111.86	Inf	-Inf	3	Vertical	0	2.39
2437MHz	Pass	AV	2.4842G	52.04	54.00	-1.96	3	Vertical	0	2.39
2437MHz	Pass	PK	2.3898G	72.52	74.00	-1.48	3	Vertical	0	2.39
2437MHz	Pass	PK	2.439G	123.26	Inf	-Inf	3	Vertical	0	2.39
2437MHz	Pass	PK	2.4846G	71.82	74.00	-2.18	3	Vertical	0	2.39
2437MHz	Pass	AV	2.3894G	51.70	54.00	-2.30	3	Horizontal	2	1.71
2437MHz	Pass	AV	2.4366G	111.04	Inf	-Inf	3	Horizontal	2	1.71
2437MHz	Pass	AV	2.4838G	51.75	54.00	-2.25	3	Horizontal	2	1.71
2437MHz	Pass	PK	2.3894G	71.05	74.00	-2.95	3	Horizontal	2	1.71
2437MHz	Pass	PK	2.4318G	122.65	Inf	-Inf	3	Horizontal	2	1.71
2437MHz	Pass	PK	2.4838G	68.89	74.00	-5.11	3	Horizontal	2	1.71
2437MHz	Pass	AV	4.8686G	29.59	54.00	-24.41	3	Vertical	29	1.73
2437MHz	Pass	PK	4.86932G	40.81	74.00	-33.19	3	Vertical	29	1.73
2437MHz	Pass	AV	4.87046G	29.53	54.00	-24.47	3	Horizontal	112	1.50
2437MHz	Pass	PK	4.87502G	41.42	74.00	-32.58	3	Horizontal	112	1.50
2457MHz	Pass	AV	2.4492G	110.54	Inf	-Inf	3	Vertical	0	1.84
2457MHz	Pass	AV	2.4838G	52.49	54.00	-1.51	3	Vertical	0	1.84
2457MHz	Pass	PK	2.4492G	121.75	Inf	-Inf	3	Vertical	0	1.84
2457MHz	Pass	PK	2.4844G	68.94	74.00	-5.06	3	Vertical	0	1.84
2457MHz	Pass	AV	2.4516G	110.66	Inf	-Inf	3	Horizontal	0	2.26
2457MHz	Pass	AV	2.4844G	53.46	54.00	-0.54	3	Horizontal	0	2.26
2457MHz	Pass	PK	2.4516G	122.18	Inf	-Inf	3	Horizontal	0	2.26
2457MHz	Pass	PK	2.4835G	68.04	74.00	-5.96	3	Horizontal	0	2.26
2462MHz	Pass	AV	2.4592G	106.33	Inf	-Inf	3	Vertical	3	2.04
2462MHz	Pass	AV	2.4842G	53.43	54.00	-0.57	3	Vertical	3	2.04
2462MHz	Pass	PK	2.469G	117.09	Inf	-Inf	3	Vertical	3	2.04
2462MHz	Pass	PK	2.4842G	67.05	74.00	-6.95	3	Vertical	3	2.04
2462MHz	Pass	AV	2.4592G	105.30	Inf	-Inf	3	Horizontal	344	1.07
2462MHz	Pass	AV	2.4844G	53.33	54.00	-0.67	3	Horizontal	344	1.07
2462MHz	Pass	PK	2.4594G	116.56	Inf	-Inf	3	Horizontal	344	1.07
2462MHz	Pass	PK	2.4838G	66.86	74.00	-7.14	3	Horizontal	344	1.07
2462MHz	Pass	AV	4.92094G	29.84	54.00	-24.16	3	Vertical	264	1.42
2462MHz	Pass	PK	4.93222G	42.80	74.00	-31.20	3	Vertical	264	1.42
2462MHz	Pass	AV	4.91866G	30.27	54.00	-23.73	3	Horizontal	7	1.50
2462MHz	Pass	PK	4.9144G	41.30	74.00	-32.70	3	Horizontal	7	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_4T4S_AP5022S6D**

Appendix F.6

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	2.4835G	53.95	54.00	-0.05	3	Horizontal	7	2.28

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss4 (MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.13	54.00	-0.87	3	Vertical	0	2.20
2412MHz	Pass	AV	2.419G	105.68	Inf	-Inf	3	Vertical	0	2.20
2412MHz	Pass	PK	2.3892G	64.99	74.00	-9.01	3	Vertical	0	2.20
2412MHz	Pass	PK	2.4074G	117.88	Inf	-Inf	3	Vertical	0	2.20
2412MHz	Pass	AV	2.39G	53.55	54.00	-0.45	3	Horizontal	6	2.07
2412MHz	Pass	AV	2.4134G	105.10	Inf	-Inf	3	Horizontal	6	2.07
2412MHz	Pass	PK	2.3896G	67.31	74.00	-6.69	3	Horizontal	6	2.07
2412MHz	Pass	PK	2.4094G	116.55	Inf	-Inf	3	Horizontal	6	2.07
2412MHz	Pass	AV	4.82442G	29.28	54.00	-24.72	3	Vertical	240	1.00
2412MHz	Pass	PK	4.82658G	40.85	74.00	-33.15	3	Vertical	240	1.00
2412MHz	Pass	AV	4.82568G	29.27	54.00	-24.73	3	Horizontal	321	2.70
2412MHz	Pass	PK	4.81224G	40.96	74.00	-33.04	3	Horizontal	321	2.70
2417MHz	Pass	AV	2.39G	53.90	54.00	-0.10	3	Vertical	0	2.16
2417MHz	Pass	AV	2.424G	108.16	Inf	-Inf	3	Vertical	0	2.16
2417MHz	Pass	PK	2.39G	67.41	74.00	-6.59	3	Vertical	0	2.16
2417MHz	Pass	PK	2.4124G	120.15	Inf	-Inf	3	Vertical	0	2.16
2417MHz	Pass	AV	2.39G	53.50	54.00	-0.50	3	Horizontal	0	2.09
2417MHz	Pass	AV	2.4116G	107.47	Inf	-Inf	3	Horizontal	0	2.09
2417MHz	Pass	PK	2.39G	68.15	74.00	-5.85	3	Horizontal	0	2.09
2417MHz	Pass	PK	2.4152G	119.98	Inf	-Inf	3	Horizontal	0	2.09
2437MHz	Pass	AV	2.3898G	53.11	54.00	-0.89	3	Vertical	0	2.35
2437MHz	Pass	AV	2.4442G	109.02	Inf	-Inf	3	Vertical	0	2.35
2437MHz	Pass	AV	2.4835G	53.92	54.00	-0.08	3	Vertical	0	2.35
2437MHz	Pass	PK	2.3898G	70.49	74.00	-3.51	3	Vertical	0	2.35
2437MHz	Pass	PK	2.431G	121.35	Inf	-Inf	3	Vertical	0	2.35
2437MHz	Pass	PK	2.4835G	69.98	74.00	-4.02	3	Vertical	0	2.35
2437MHz	Pass	AV	2.3894G	53.56	54.00	-0.44	3	Horizontal	7	2.28
2437MHz	Pass	AV	2.4362G	108.60	Inf	-Inf	3	Horizontal	7	2.28
2437MHz	Pass	AV	2.4835G	53.95	54.00	-0.05	3	Horizontal	7	2.28
2437MHz	Pass	PK	2.3898G	71.61	74.00	-2.39	3	Horizontal	7	2.28
2437MHz	Pass	PK	2.4386G	120.38	Inf	-Inf	3	Horizontal	7	2.28
2437MHz	Pass	PK	2.4838G	69.57	74.00	-4.43	3	Horizontal	7	2.28
2437MHz	Pass	AV	4.8623G	29.66	54.00	-24.34	3	Vertical	360	1.13
2437MHz	Pass	PK	4.88714G	41.62	74.00	-32.38	3	Vertical	360	1.13
2437MHz	Pass	AV	4.88162G	29.60	54.00	-24.40	3	Horizontal	337	1.50
2437MHz	Pass	PK	4.87322G	41.41	74.00	-32.59	3	Horizontal	337	1.50
2457MHz	Pass	AV	2.451G	106.08	Inf	-Inf	3	Vertical	9	1.70
2457MHz	Pass	AV	2.4836G	52.73	54.00	-1.27	3	Vertical	9	1.70
2457MHz	Pass	PK	2.4512G	118.59	Inf	-Inf	3	Vertical	9	1.70
2457MHz	Pass	PK	2.4836G	66.44	74.00	-7.56	3	Vertical	9	1.70
2457MHz	Pass	AV	2.4516G	106.07	Inf	-Inf	3	Horizontal	7	2.27
2457MHz	Pass	AV	2.4835G	53.89	54.00	-0.11	3	Horizontal	7	2.27
2457MHz	Pass	PK	2.4582G	117.22	Inf	-Inf	3	Horizontal	7	2.27
2457MHz	Pass	PK	2.4836G	66.57	74.00	-7.43	3	Horizontal	7	2.27
2462MHz	Pass	AV	2.4646G	103.93	Inf	-Inf	3	Vertical	12	2.06
2462MHz	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Vertical	12	2.06
2462MHz	Pass	PK	2.4576G	116.11	Inf	-Inf	3	Vertical	12	2.06
2462MHz	Pass	PK	2.484G	66.07	74.00	-7.93	3	Vertical	12	2.06
2462MHz	Pass	AV	2.4648G	103.69	Inf	-Inf	3	Horizontal	0	1.27
2462MHz	Pass	AV	2.4835G	53.84	54.00	-0.16	3	Horizontal	0	1.27
2462MHz	Pass	PK	2.4602G	115.83	Inf	-Inf	3	Horizontal	0	1.27
2462MHz	Pass	PK	2.4858G	65.68	74.00	-8.32	3	Horizontal	0	1.27
2462MHz	Pass	AV	4.92994G	29.96	54.00	-24.04	3	Vertical	272	1.41
2462MHz	Pass	PK	4.92118G	41.78	74.00	-32.22	3	Vertical	272	1.41
2462MHz	Pass	AV	4.92196G	29.94	54.00	-24.06	3	Horizontal	360	1.82
2462MHz	Pass	PK	4.93414G	41.75	74.00	-32.25	3	Horizontal	360	1.82

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.11	54.00	-0.89	31.07	3	Vertical	0	2.35	22.04	27.30	3.77	-
AV	2.4442G	109.02	Inf	-Inf	31.34	3	Vertical	0	2.35	77.68	27.50	3.84	-
AV	2.4835G	53.92	54.00	-0.08	31.70	3	Vertical	0	2.35	22.22	27.80	3.90	-
PK	2.3898G	70.49	74.00	-3.51	31.07	3	Vertical	0	2.35	39.42	27.30	3.77	-
PK	2.431G	121.35	Inf	-Inf	31.32	3	Vertical	0	2.35	90.03	27.50	3.82	-
PK	2.4835G	69.98	74.00	-4.02	31.70	3	Vertical	0	2.35	38.28	27.80	3.90	-

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.56	54.00	-0.44	31.07	3	Horizontal	7	2.28	22.49	27.30	3.77	-
AV	2.4362G	108.60	Inf	-Inf	31.33	3	Horizontal	7	2.28	77.27	27.50	3.83	-
AV	2.4835G	53.95	54.00	-0.05	31.70	3	Horizontal	7	2.28	22.25	27.80	3.90	-
PK	2.3898G	71.61	74.00	-2.39	31.07	3	Horizontal	7	2.28	40.54	27.30	3.77	-
PK	2.4386G	120.38	Inf	-Inf	31.34	3	Horizontal	7	2.28	89.04	27.50	3.84	-
PK	2.4838G	69.57	74.00	-4.43	31.70	3	Horizontal	7	2.28	37.87	27.80	3.90	-


2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	49.4M	36.21	40.00	-3.79	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022S6D**


Appendix F.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	49.4M	36.21	40.00	-3.79	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	150.28M	26.79	43.50	-16.71	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	249.22M	22.26	46.00	-23.74	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	503.36M	29.22	46.00	-16.78	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	720.64M	39.31	46.00	-6.69	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	912.7M	33.68	46.00	-12.32	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	97.9M	36.18	43.50	-7.32	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	130.88M	31.60	43.50	-11.90	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	307.42M	28.28	46.00	-17.72	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	503.36M	29.42	46.00	-16.58	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	549.92M	34.10	46.00	-11.90	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	920.46M	35.08	46.00	-10.92	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	30M	33.73	40.00	-6.27	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	49.4M	33.84	40.00	-6.16	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	220.12M	24.08	46.00	-21.92	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	385.02M	32.62	46.00	-13.38	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	483.96M	31.44	46.00	-14.56	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	549.92M	32.77	46.00	-13.23	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	101.78M	36.88	43.50	-6.62	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	152.22M	27.56	43.50	-15.94	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	247.28M	29.89	46.00	-16.11	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	379.2M	33.90	46.00	-12.10	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	547.98M	33.64	46.00	-12.36	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	935.98M	32.20	46.00	-13.80	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022S6D**

Appendix F.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4835G	52.73	54.00	-1.27	3	Horizontal	57	2.22
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.62	54.00	-0.38	3	Horizontal	50	1.28
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.3896G	53.85	54.00	-0.15	3	Horizontal	54	2.06

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3864G	44.83	54.00	-9.17	3	Vertical	19	1.54
2412MHz_TX	Pass	AV	2.4112G	103.73	Inf	-Inf	3	Vertical	19	1.54
2412MHz_TX	Pass	PK	2.3844G	57.31	74.00	-16.69	3	Vertical	19	1.54
2412MHz_TX	Pass	PK	2.4112G	106.08	Inf	-Inf	3	Vertical	19	1.54
2412MHz_TX	Pass	AV	2.39G	49.72	54.00	-4.28	3	Horizontal	60	2.35
2412MHz_TX	Pass	AV	2.4128G	115.69	Inf	-Inf	3	Horizontal	60	2.35
2412MHz_TX	Pass	PK	2.3898G	59.96	74.00	-14.04	3	Horizontal	60	2.35
2412MHz_TX	Pass	PK	2.4128G	118.11	Inf	-Inf	3	Horizontal	60	2.35
2412MHz_TX	Pass	AV	4.824G	32.19	54.00	-21.81	3	Vertical	23	1.01
2412MHz_TX	Pass	PK	4.824G	42.50	74.00	-31.50	3	Vertical	23	1.01
2412MHz_TX	Pass	AV	4.824G	34.60	54.00	-19.40	3	Horizontal	358	1.75
2412MHz_TX	Pass	PK	4.82688G	43.00	74.00	-31.00	3	Horizontal	358	1.75
2437MHz_TX	Pass	AV	2.3894G	44.71	54.00	-9.29	3	Vertical	31	2.36
2437MHz_TX	Pass	AV	2.4378G	104.63	Inf	-Inf	3	Vertical	31	2.36
2437MHz_TX	Pass	AV	2.4846G	45.66	54.00	-8.34	3	Vertical	31	2.36
2437MHz_TX	Pass	PK	2.3842G	57.49	74.00	-16.51	3	Vertical	31	2.36
2437MHz_TX	Pass	PK	2.4378G	107.05	Inf	-Inf	3	Vertical	31	2.36
2437MHz_TX	Pass	PK	2.497G	57.89	74.00	-16.11	3	Vertical	31	2.36
2437MHz_TX	Pass	AV	2.3894G	45.70	54.00	-8.30	3	Horizontal	57	2.29
2437MHz_TX	Pass	AV	2.4378G	116.43	Inf	-Inf	3	Horizontal	57	2.29
2437MHz_TX	Pass	AV	2.4835G	47.76	54.00	-6.24	3	Horizontal	57	2.29
2437MHz_TX	Pass	PK	2.3434G	57.55	74.00	-16.45	3	Horizontal	57	2.29
2437MHz_TX	Pass	PK	2.4378G	118.95	Inf	-Inf	3	Horizontal	57	2.29
2437MHz_TX	Pass	PK	2.4838G	59.73	74.00	-14.27	3	Horizontal	57	2.29
2437MHz_TX	Pass	AV	4.874G	30.21	54.00	-23.79	3	Vertical	309	1.80
2437MHz_TX	Pass	PK	4.87112G	41.75	74.00	-32.25	3	Vertical	309	1.80
2437MHz_TX	Pass	AV	4.87394G	30.34	54.00	-23.66	3	Horizontal	0	1.84
2437MHz_TX	Pass	PK	4.88738G	41.98	74.00	-32.02	3	Horizontal	0	1.84
2457MHz_TX	Pass	AV	2.4562G	108.59	Inf	-Inf	3	Vertical	353	2.91
2457MHz_TX	Pass	AV	2.4835G	47.31	54.00	-6.69	3	Vertical	353	2.91
2457MHz_TX	Pass	PK	2.4578G	110.97	Inf	-Inf	3	Vertical	353	2.91
2457MHz_TX	Pass	PK	2.4876G	59.09	74.00	-14.91	3	Vertical	353	2.91
2457MHz_TX	Pass	AV	2.4578G	115.77	Inf	-Inf	3	Horizontal	61	2.24
2457MHz_TX	Pass	AV	2.4835G	51.66	54.00	-2.34	3	Horizontal	61	2.24
2457MHz_TX	Pass	PK	2.4578G	118.26	Inf	-Inf	3	Horizontal	61	2.24
2457MHz_TX	Pass	PK	2.4835G	61.91	74.00	-12.09	3	Horizontal	61	2.24
2462MHz_TX	Pass	AV	2.4612G	107.71	Inf	-Inf	3	Vertical	356	2.91
2462MHz_TX	Pass	AV	2.4835G	46.25	54.00	-7.75	3	Vertical	356	2.91
2462MHz_TX	Pass	PK	2.461G	110.11	Inf	-Inf	3	Vertical	356	2.91
2462MHz_TX	Pass	PK	2.4836G	58.42	74.00	-15.58	3	Vertical	356	2.91
2462MHz_TX	Pass	AV	2.4612G	115.69	Inf	-Inf	3	Horizontal	57	2.22
2462MHz_TX	Pass	AV	2.4835G	52.73	54.00	-1.27	3	Horizontal	57	2.22
2462MHz_TX	Pass	PK	2.463G	118.07	Inf	-Inf	3	Horizontal	57	2.22
2462MHz_TX	Pass	PK	2.4835G	62.73	74.00	-11.27	3	Horizontal	57	2.22
2462MHz_TX	Pass	AV	4.92394G	30.55	54.00	-23.45	3	Vertical	3	2.44
2462MHz_TX	Pass	PK	4.91524G	42.29	74.00	-31.71	3	Vertical	3	2.44
2462MHz_TX	Pass	AV	4.92406G	31.26	54.00	-22.74	3	Horizontal	333	1.42
2462MHz_TX	Pass	PK	4.92406G	42.48	74.00	-31.52	3	Horizontal	333	1.42
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3898G	48.40	54.00	-5.60	3	Vertical	3	1.03
2412MHz_TX	Pass	AV	2.4094G	97.91	Inf	-Inf	3	Vertical	3	1.03
2412MHz_TX	Pass	PK	2.3898G	57.85	74.00	-16.15	3	Vertical	3	1.03
2412MHz_TX	Pass	PK	2.4146G	105.88	Inf	-Inf	3	Vertical	3	1.03
2412MHz_TX	Pass	AV	2.39G	53.62	54.00	-0.38	3	Horizontal	50	1.28
2412MHz_TX	Pass	AV	2.4158G	108.43	Inf	-Inf	3	Horizontal	50	1.28
2412MHz_TX	Pass	PK	2.3898G	65.94	74.00	-8.06	3	Horizontal	50	1.28
2412MHz_TX	Pass	PK	2.4152G	116.18	Inf	-Inf	3	Horizontal	50	1.28
2412MHz_TX	Pass	AV	4.81998G	32.19	54.00	-21.81	3	Vertical	9	1.50
2412MHz_TX	Pass	PK	4.82088G	41.72	74.00	-32.28	3	Vertical	9	1.50
2412MHz_TX	Pass	AV	4.82664G	32.45	54.00	-21.55	3	Horizontal	301	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz_TX	Pass	PK	4.82826G	42.20	74.00	-31.80	3	Horizontal	301	1.50
2417MHz_TX	Pass	AV	2.3898G	47.99	54.00	-6.01	3	Vertical	17	1.53
2417MHz_TX	Pass	AV	2.4156G	99.41	Inf	-Inf	3	Vertical	17	1.53
2417MHz_TX	Pass	PK	2.3856G	57.35	74.00	-16.65	3	Vertical	17	1.53
2417MHz_TX	Pass	PK	2.4156G	107.44	Inf	-Inf	3	Vertical	17	1.53
2417MHz_TX	Pass	AV	2.3896G	52.85	54.00	-1.15	3	Horizontal	51	1.28
2417MHz_TX	Pass	AV	2.4156G	110.10	Inf	-Inf	3	Horizontal	51	1.28
2417MHz_TX	Pass	PK	2.3898G	62.38	74.00	-11.62	3	Horizontal	51	1.28
2417MHz_TX	Pass	PK	2.4156G	118.18	Inf	-Inf	3	Horizontal	51	1.28
2437MHz_TX	Pass	AV	2.3414G	47.64	54.00	-6.36	3	Vertical	7	2.89
2437MHz_TX	Pass	AV	2.433G	102.04	Inf	-Inf	3	Vertical	7	2.89
2437MHz_TX	Pass	AV	2.4854G	48.97	54.00	-5.03	3	Vertical	7	2.89
2437MHz_TX	Pass	PK	2.3446G	57.64	74.00	-16.36	3	Vertical	7	2.89
2437MHz_TX	Pass	PK	2.4378G	109.71	Inf	-Inf	3	Vertical	7	2.89
2437MHz_TX	Pass	PK	2.4842G	59.61	74.00	-14.39	3	Vertical	7	2.89
2437MHz_TX	Pass	AV	2.3894G	49.29	54.00	-4.71	3	Horizontal	58	2.30
2437MHz_TX	Pass	AV	2.4422G	111.20	Inf	-Inf	3	Horizontal	58	2.30
2437MHz_TX	Pass	AV	2.4835G	52.75	54.00	-1.25	3	Horizontal	58	2.30
2437MHz_TX	Pass	PK	2.3898G	61.24	74.00	-12.76	3	Horizontal	58	2.30
2437MHz_TX	Pass	PK	2.4422G	119.02	Inf	-Inf	3	Horizontal	58	2.30
2437MHz_TX	Pass	PK	2.4835G	66.76	74.00	-7.24	3	Horizontal	58	2.30
2437MHz_TX	Pass	AV	4.88282G	33.05	54.00	-20.95	3	Vertical	359	1.50
2437MHz_TX	Pass	PK	4.87082G	42.16	74.00	-31.84	3	Vertical	359	1.50
2437MHz_TX	Pass	AV	4.88528G	32.71	54.00	-21.29	3	Horizontal	55	1.50
2437MHz_TX	Pass	PK	4.8812G	42.27	74.00	-31.73	3	Horizontal	55	1.50
2457MHz_TX	Pass	AV	2.4624G	101.69	Inf	-Inf	3	Vertical	0	2.95
2457MHz_TX	Pass	AV	2.4856G	48.90	54.00	-5.10	3	Vertical	0	2.95
2457MHz_TX	Pass	PK	2.4618G	109.62	Inf	-Inf	3	Vertical	0	2.95
2457MHz_TX	Pass	PK	2.4856G	58.00	74.00	-16.00	3	Vertical	0	2.95
2457MHz_TX	Pass	AV	2.4616G	110.35	Inf	-Inf	3	Horizontal	58	2.22
2457MHz_TX	Pass	AV	2.484G	52.56	54.00	-1.44	3	Horizontal	58	2.22
2457MHz_TX	Pass	PK	2.462G	118.39	Inf	-Inf	3	Horizontal	58	2.22
2457MHz_TX	Pass	PK	2.4844G	62.76	74.00	-11.24	3	Horizontal	58	2.22
2462MHz_TX	Pass	AV	2.4674G	101.42	Inf	-Inf	3	Vertical	0	2.82
2462MHz_TX	Pass	AV	2.4835G	50.35	54.00	-3.65	3	Vertical	0	2.82
2462MHz_TX	Pass	PK	2.467G	109.21	Inf	-Inf	3	Vertical	0	2.82
2462MHz_TX	Pass	PK	2.4835G	61.12	74.00	-12.88	3	Vertical	0	2.82
2462MHz_TX	Pass	AV	2.4608G	109.49	Inf	-Inf	3	Horizontal	50	1.26
2462MHz_TX	Pass	AV	2.485G	52.93	54.00	-1.07	3	Horizontal	50	1.26
2462MHz_TX	Pass	PK	2.4606G	117.14	Inf	-Inf	3	Horizontal	50	1.26
2462MHz_TX	Pass	PK	2.4854G	63.63	74.00	-10.37	3	Horizontal	50	1.26
2462MHz_TX	Pass	AV	4.93654G	32.91	54.00	-21.09	3	Vertical	190	1.50
2462MHz_TX	Pass	PK	4.9384G	42.55	74.00	-31.45	3	Vertical	190	1.50
2462MHz_TX	Pass	AV	4.912G	32.61	54.00	-21.39	3	Horizontal	196	1.50
2462MHz_TX	Pass	PK	4.93594G	42.35	74.00	-31.65	3	Horizontal	196	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.3886G	47.62	54.00	-6.38	3	Vertical	17	1.54
2412MHz_TX	Pass	AV	2.414G	95.77	Inf	-Inf	3	Vertical	17	1.54
2412MHz_TX	Pass	PK	2.3888G	58.31	74.00	-15.69	3	Vertical	17	1.54
2412MHz_TX	Pass	PK	2.4114G	106.55	Inf	-Inf	3	Vertical	17	1.54
2412MHz_TX	Pass	AV	2.389G	53.42	54.00	-0.58	3	Horizontal	49	1.27
2412MHz_TX	Pass	AV	2.4164G	106.51	Inf	-Inf	3	Horizontal	49	1.27
2412MHz_TX	Pass	PK	2.389G	66.80	74.00	-7.20	3	Horizontal	49	1.27
2412MHz_TX	Pass	PK	2.4188G	117.23	Inf	-Inf	3	Horizontal	49	1.27
2412MHz_TX	Pass	AV	4.83444G	31.11	54.00	-22.89	3	Vertical	102	1.88
2412MHz_TX	Pass	PK	4.81938G	42.31	74.00	-31.69	3	Vertical	102	1.88
2412MHz_TX	Pass	AV	4.82202G	31.35	54.00	-22.65	3	Horizontal	239	1.50
2412MHz_TX	Pass	PK	4.80936G	41.40	74.00	-32.60	3	Horizontal	239	1.50
2417MHz_TX	Pass	AV	2.389G	47.45	54.00	-6.55	3	Vertical	17	1.52
2417MHz_TX	Pass	AV	2.4114G	98.48	Inf	-Inf	3	Vertical	17	1.52
2417MHz_TX	Pass	PK	2.3866G	57.32	74.00	-16.68	3	Vertical	17	1.52
2417MHz_TX	Pass	PK	2.4162G	108.87	Inf	-Inf	3	Vertical	17	1.52




**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022S6D**

Appendix F.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2417MHz_TX	Pass	AV	2.3896G	53.85	54.00	-0.15	3	Horizontal	54	2.06
2417MHz_TX	Pass	AV	2.4192G	108.84	Inf	-Inf	3	Horizontal	54	2.06
2417MHz_TX	Pass	PK	2.389G	66.04	74.00	-7.96	3	Horizontal	54	2.06
2417MHz_TX	Pass	PK	2.422G	119.38	Inf	-Inf	3	Horizontal	54	2.06
2437MHz_TX	Pass	AV	2.3898G	47.53	54.00	-6.47	3	Vertical	1	2.90
2437MHz_TX	Pass	AV	2.4326G	100.73	Inf	-Inf	3	Vertical	1	2.90
2437MHz_TX	Pass	AV	2.485G	49.63	54.00	-4.37	3	Vertical	1	2.90
2437MHz_TX	Pass	PK	2.3874G	59.81	74.00	-14.19	3	Vertical	1	2.90
2437MHz_TX	Pass	PK	2.445G	111.99	Inf	-Inf	3	Vertical	1	2.90
2437MHz_TX	Pass	PK	2.4858G	64.42	74.00	-9.58	3	Vertical	1	2.90
2437MHz_TX	Pass	AV	2.389G	51.15	54.00	-2.85	3	Horizontal	54	2.30
2437MHz_TX	Pass	AV	2.4418G	109.15	Inf	-Inf	3	Horizontal	54	2.30
2437MHz_TX	Pass	AV	2.4846G	53.36	54.00	-0.64	3	Horizontal	54	2.30
2437MHz_TX	Pass	PK	2.389G	67.31	74.00	-6.69	3	Horizontal	54	2.30
2437MHz_TX	Pass	PK	2.4446G	119.75	Inf	-Inf	3	Horizontal	54	2.30
2437MHz_TX	Pass	PK	2.485G	72.55	74.00	-1.45	3	Horizontal	54	2.30
2437MHz_TX	Pass	AV	4.87004G	31.47	54.00	-22.53	3	Vertical	319	1.50
2437MHz_TX	Pass	PK	4.88468G	42.20	74.00	-31.80	3	Vertical	319	1.50
2437MHz_TX	Pass	AV	4.886G	31.32	54.00	-22.68	3	Horizontal	130	1.50
2437MHz_TX	Pass	PK	4.88498G	43.54	74.00	-30.46	3	Horizontal	130	1.50
2457MHz_TX	Pass	AV	2.4622G	100.09	Inf	-Inf	3	Vertical	0	2.97
2457MHz_TX	Pass	AV	2.4835G	49.50	54.00	-4.50	3	Vertical	0	2.97
2457MHz_TX	Pass	PK	2.4648G	111.00	Inf	-Inf	3	Vertical	0	2.97
2457MHz_TX	Pass	PK	2.4835G	60.24	74.00	-13.76	3	Vertical	0	2.97
2457MHz_TX	Pass	AV	2.4518G	108.71	Inf	-Inf	3	Horizontal	50	2.01
2457MHz_TX	Pass	AV	2.484G	53.33	54.00	-0.67	3	Horizontal	50	2.01
2457MHz_TX	Pass	PK	2.4518G	119.66	Inf	-Inf	3	Horizontal	50	2.01
2457MHz_TX	Pass	PK	2.4842G	65.57	74.00	-8.43	3	Horizontal	50	2.01
2462MHz_TX	Pass	AV	2.4674G	96.49	Inf	-Inf	3	Vertical	0	2.84
2462MHz_TX	Pass	AV	2.4852G	48.42	54.00	-5.58	3	Vertical	0	2.84
2462MHz_TX	Pass	PK	2.4648G	107.91	Inf	-Inf	3	Vertical	0	2.84
2462MHz_TX	Pass	PK	2.4852G	59.46	74.00	-14.54	3	Vertical	0	2.84
2462MHz_TX	Pass	AV	2.4642G	104.23	Inf	-Inf	3	Horizontal	53	2.22
2462MHz_TX	Pass	AV	2.4846G	53.57	54.00	-0.43	3	Horizontal	53	2.22
2462MHz_TX	Pass	PK	2.4666G	115.12	Inf	-Inf	3	Horizontal	53	2.22
2462MHz_TX	Pass	PK	2.4848G	65.57	74.00	-8.43	3	Horizontal	53	2.22
2462MHz_TX	Pass	AV	4.93876G	31.71	54.00	-22.29	3	Vertical	325	1.50
2462MHz_TX	Pass	PK	4.91578G	42.52	74.00	-31.48	3	Vertical	325	1.50
2462MHz_TX	Pass	AV	4.91968G	31.75	54.00	-22.25	3	Horizontal	283	1.37
2462MHz_TX	Pass	PK	4.93174G	42.30	74.00	-31.70	3	Horizontal	283	1.37


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022S6D**

Appendix F.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.78	54.00	-0.22	3	Horizontal	51	1.24



RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T2S_AP5022S6D


Appendix F.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz_TX	Pass	AV	2.39G	49.58	54.00	-4.42	3	Vertical	1	1.05
2412MHz_TX	Pass	AV	2.4144G	96.30	Inf	-Inf	3	Vertical	1	1.05
2412MHz_TX	Pass	PK	2.3892G	60.38	74.00	-13.62	3	Vertical	1	1.05
2412MHz_TX	Pass	PK	2.421G	108.51	Inf	-Inf	3	Vertical	1	1.05
2412MHz_TX	Pass	AV	2.39G	53.53	54.00	-0.47	3	Horizontal	51	1.28
2412MHz_TX	Pass	AV	2.4108G	105.83	Inf	-Inf	3	Horizontal	51	1.28
2412MHz_TX	Pass	PK	2.3892G	64.84	74.00	-9.16	3	Horizontal	51	1.28
2412MHz_TX	Pass	PK	2.4168G	115.80	Inf	-Inf	3	Horizontal	51	1.28
2412MHz_TX	Pass	AV	4.83816G	31.19	54.00	-22.81	3	Vertical	360	1.50
2412MHz_TX	Pass	PK	4.83378G	41.46	74.00	-32.54	3	Vertical	360	1.50
2412MHz_TX	Pass	AV	4.82526G	31.17	54.00	-22.83	3	Horizontal	145	1.50
2412MHz_TX	Pass	PK	4.8321G	42.27	74.00	-31.73	3	Horizontal	145	1.50
2417MHz_TX	Pass	AV	2.3898G	48.86	54.00	-5.14	3	Vertical	0	1.04
2417MHz_TX	Pass	AV	2.4156G	98.15	Inf	-Inf	3	Vertical	0	1.04
2417MHz_TX	Pass	PK	2.3898G	61.82	74.00	-12.18	3	Vertical	0	1.04
2417MHz_TX	Pass	PK	2.4128G	109.86	Inf	-Inf	3	Vertical	0	1.04
2417MHz_TX	Pass	AV	2.3898G	53.09	54.00	-0.91	3	Horizontal	51	1.28
2417MHz_TX	Pass	AV	2.4158G	108.50	Inf	-Inf	3	Horizontal	51	1.28
2417MHz_TX	Pass	PK	2.39G	64.05	74.00	-9.95	3	Horizontal	51	1.28
2417MHz_TX	Pass	PK	2.414G	118.36	Inf	-Inf	3	Horizontal	51	1.28
2437MHz_TX	Pass	AV	2.3898G	46.68	54.00	-7.32	3	Vertical	3	2.89
2437MHz_TX	Pass	AV	2.4398G	99.06	Inf	-Inf	3	Vertical	3	2.89
2437MHz_TX	Pass	AV	2.4835G	48.79	54.00	-5.21	3	Vertical	3	2.89
2437MHz_TX	Pass	PK	2.3894G	58.03	74.00	-15.97	3	Vertical	3	2.89
2437MHz_TX	Pass	PK	2.4426G	110.05	Inf	-Inf	3	Vertical	3	2.89
2437MHz_TX	Pass	PK	2.4835G	65.07	74.00	-8.93	3	Vertical	3	2.89
2437MHz_TX	Pass	AV	2.3894G	50.06	54.00	-3.94	3	Horizontal	50	1.75
2437MHz_TX	Pass	AV	2.4418G	107.40	Inf	-Inf	3	Horizontal	50	1.75
2437MHz_TX	Pass	AV	2.4838G	52.56	54.00	-1.44	3	Horizontal	50	1.75
2437MHz_TX	Pass	PK	2.3894G	61.90	74.00	-12.10	3	Horizontal	50	1.75
2437MHz_TX	Pass	PK	2.4378G	117.59	Inf	-Inf	3	Horizontal	50	1.75
2437MHz_TX	Pass	PK	2.4835G	69.72	74.00	-4.28	3	Horizontal	50	1.75
2437MHz_TX	Pass	AV	4.87262G	31.26	54.00	-22.74	3	Vertical	242	2.36
2437MHz_TX	Pass	PK	4.87994G	41.83	74.00	-32.17	3	Vertical	242	2.36
2437MHz_TX	Pass	AV	4.88414G	31.49	54.00	-22.51	3	Horizontal	41	2.73
2437MHz_TX	Pass	PK	4.88882G	42.16	74.00	-31.84	3	Horizontal	41	2.73
2457MHz_TX	Pass	AV	2.4622G	99.53	Inf	-Inf	3	Vertical	0	2.91
2457MHz_TX	Pass	AV	2.4835G	48.91	54.00	-5.09	3	Vertical	0	2.91
2457MHz_TX	Pass	PK	2.4594G	109.33	Inf	-Inf	3	Vertical	0	2.91
2457MHz_TX	Pass	PK	2.4836G	62.66	74.00	-11.34	3	Vertical	0	2.91
2457MHz_TX	Pass	AV	2.4558G	107.72	Inf	-Inf	3	Horizontal	50	1.24
2457MHz_TX	Pass	AV	2.4836G	53.62	54.00	-0.38	3	Horizontal	50	1.24
2457MHz_TX	Pass	PK	2.4562G	117.58	Inf	-Inf	3	Horizontal	50	1.24
2457MHz_TX	Pass	PK	2.4836G	66.31	74.00	-7.69	3	Horizontal	50	1.24
2462MHz_TX	Pass	AV	2.4672G	96.03	Inf	-Inf	3	Vertical	1	2.85
2462MHz_TX	Pass	AV	2.4836G	48.81	54.00	-5.19	3	Vertical	1	2.85
2462MHz_TX	Pass	PK	2.471G	106.10	Inf	-Inf	3	Vertical	1	2.85
2462MHz_TX	Pass	PK	2.4862G	60.39	74.00	-13.61	3	Vertical	1	2.85
2462MHz_TX	Pass	AV	2.4606G	104.66	Inf	-Inf	3	Horizontal	51	1.24
2462MHz_TX	Pass	AV	2.4835G	53.78	54.00	-0.22	3	Horizontal	51	1.24
2462MHz_TX	Pass	PK	2.4678G	114.63	Inf	-Inf	3	Horizontal	51	1.24
2462MHz_TX	Pass	PK	2.4835G	65.76	74.00	-8.24	3	Horizontal	51	1.24
2462MHz_TX	Pass	AV	4.93654G	31.62	54.00	-22.38	3	Vertical	242	2.78
2462MHz_TX	Pass	PK	4.93426G	42.14	74.00	-31.86	3	Vertical	242	2.78
2462MHz_TX	Pass	AV	4.93456G	32.29	54.00	-21.71	3	Horizontal	67	1.50
2462MHz_TX	Pass	PK	4.9372G	42.45	74.00	-31.55	3	Horizontal	67	1.50


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX


2462MHz_TX






2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	13.38364G	49.87	54.00	-4.13	Vertical
Mode 2	Pass	AV	13.38874G	50.00	54.00	-4.00	Vertical
Mode 3	Pass	AV	13.39252G	49.84	54.00	-4.16	Horizontal
Mode 4	Pass	AV	13.39366G	49.23	54.00	-4.77	Vertical
Mode 5	Pass	AV	13.3887G	49.73	54.00	-4.27	Horizontal
Mode 6	Pass	AV	13.38888G	48.83	54.00	-5.17	Horizontal
Mode 7	Pass	AV	13.38868G	48.92	54.00	-5.08	Horizontal
Mode 8	Pass	AV	13.38876G	50.21	54.00	-3.79	Horizontal
Mode 9	Pass	AV	13.38848G	50.37	54.00	-3.63	Horizontal
Mode 10	Pass	AV	13.38848G	49.83	54.00	-4.17	Horizontal
Mode 11	Pass	AV	13.3884G	50.08	54.00	-3.92	Horizontal
Mode 12	Pass	AV	13.3862G	49.12	54.00	-4.88	Horizontal
Mode 13	Pass	AV	13.38868G	53.90	54.00	-0.10	Vertical
Mode 14	Pass	AV	13.3887G	53.91	54.00	-0.09	Vertical
Mode 15	Pass	AV	13.39012G	53.37	54.00	-0.63	Vertical
Mode 16	Pass	AV	13.39824G	46.44	54.00	-7.56	Vertical
Mode 17	Pass	AV	13.3864G	46.35	54.00	-7.65	Horizontal
Mode 18	Pass	AV	13.39888G	46.49	54.00	-7.51	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.83324G	33.82	54.00	-20.18	3	Vertical	347	2.32
Mode 1	Pass	AV	4.87392G	34.48	54.00	-19.52	3	Vertical	139	1.17
Mode 1	Pass	AV	4.95276G	34.17	54.00	-19.83	3	Vertical	56	1.52
Mode 1	Pass	AV	11.49916G	44.73	54.00	-9.27	3	Vertical	170	1.12
Mode 1	Pass	AV	13.38364G	49.87	54.00	-4.13	3	Vertical	155	2.95
Mode 1	Pass	AV	15.98284G	45.77	54.00	-8.23	3	Vertical	212	2.39
Mode 1	Pass	PK	4.81712G	45.71	74.00	-28.29	3	Vertical	347	2.32
Mode 1	Pass	PK	4.878G	46.51	74.00	-27.49	3	Vertical	139	1.17
Mode 1	Pass	PK	4.96892G	46.34	74.00	-27.66	3	Vertical	56	1.52
Mode 1	Pass	PK	11.48568G	57.36	74.00	-16.64	3	Vertical	170	1.12
Mode 1	Pass	PK	13.39396G	62.59	74.00	-11.41	3	Vertical	155	2.95
Mode 1	Pass	PK	15.98304G	57.77	74.00	-16.23	3	Vertical	212	2.39
Mode 1	Pass	AV	4.8228G	33.93	54.00	-20.07	3	Horizontal	321	1.82
Mode 1	Pass	AV	4.88184G	33.99	54.00	-20.01	3	Horizontal	296	1.03
Mode 1	Pass	AV	4.95388G	34.27	54.00	-19.73	3	Horizontal	351	1.99
Mode 1	Pass	AV	11.49588G	44.72	54.00	-9.28	3	Horizontal	71	1.94
Mode 1	Pass	AV	13.38748G	49.77	54.00	-4.23	3	Horizontal	0	2.90
Mode 1	Pass	AV	15.98048G	45.73	54.00	-8.27	3	Horizontal	144	1.96
Mode 1	Pass	PK	4.828G	46.14	74.00	-27.86	3	Horizontal	321	1.82
Mode 1	Pass	PK	4.88256G	46.61	74.00	-27.39	3	Horizontal	296	1.03
Mode 1	Pass	PK	4.95224G	46.77	74.00	-27.23	3	Horizontal	351	1.99
Mode 1	Pass	PK	11.493G	57.11	74.00	-16.89	3	Horizontal	71	1.94
Mode 1	Pass	PK	13.39276G	62.23	74.00	-11.77	3	Horizontal	0	2.90
Mode 1	Pass	PK	15.97092G	57.65	74.00	-16.35	3	Horizontal	144	1.96
Mode 2	Pass	AV	4.87394G	34.39	54.00	-19.61	3	Vertical	329	1.69
Mode 2	Pass	AV	4.9586G	34.78	54.00	-19.22	3	Vertical	340	2.01
Mode 2	Pass	AV	11.40245G	44.32	54.00	-9.68	3	Vertical	293	1.50
Mode 2	Pass	AV	11.49668G	44.26	54.00	-9.74	3	Vertical	314	1.90
Mode 2	Pass	AV	13.38874G	50.00	54.00	-4.00	3	Vertical	160	2.97
Mode 2	Pass	AV	15.97403G	45.46	54.00	-8.54	3	Vertical	114	1.50
Mode 2	Pass	PK	4.8736G	46.75	74.00	-27.25	3	Vertical	329	1.69
Mode 2	Pass	PK	4.95809G	47.00	74.00	-27.00	3	Vertical	340	2.01
Mode 2	Pass	PK	11.3984G	56.42	74.00	-17.58	3	Vertical	293	1.50
Mode 2	Pass	PK	11.48996G	56.45	74.00	-17.55	3	Vertical	314	1.90
Mode 2	Pass	PK	13.38886G	62.89	74.00	-11.11	3	Vertical	160	2.97
Mode 2	Pass	PK	15.97434G	58.93	74.00	-15.07	3	Vertical	114	1.50
Mode 2	Pass	AV	4.87377G	35.02	54.00	-18.98	3	Horizontal	5	1.67
Mode 2	Pass	AV	4.95897G	35.47	54.00	-18.53	3	Horizontal	360	2.63
Mode 2	Pass	AV	11.39965G	44.24	54.00	-9.76	3	Horizontal	133	1.31
Mode 2	Pass	AV	11.49624G	44.27	54.00	-9.73	3	Horizontal	53	1.16
Mode 2	Pass	AV	13.39258G	49.66	54.00	-4.34	3	Horizontal	5	2.95
Mode 2	Pass	AV	15.97385G	45.53	54.00	-8.47	3	Horizontal	175	1.50
Mode 2	Pass	PK	4.87363G	47.49	74.00	-26.51	3	Horizontal	5	1.67
Mode 2	Pass	PK	4.95816G	47.80	74.00	-26.20	3	Horizontal	360	2.63
Mode 2	Pass	PK	11.40061G	57.03	74.00	-16.97	3	Horizontal	133	1.31
Mode 2	Pass	PK	11.49172G	56.40	74.00	-17.60	3	Horizontal	53	1.16
Mode 2	Pass	PK	13.38754G	61.75	74.00	-12.25	3	Horizontal	5	2.95
Mode 2	Pass	PK	15.97221G	57.81	74.00	-16.19	3	Horizontal	175	1.50
Mode 3	Pass	AV	4.874G	34.23	54.00	-19.77	3	Vertical	327	1.50
Mode 3	Pass	AV	4.95776G	34.62	54.00	-19.38	3	Vertical	329	2.37

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	11.49247G	44.29	54.00	-9.71	3	Vertical	262	1.96
Mode 3	Pass	AV	11.9213G	43.77	54.00	-10.23	3	Vertical	17	1.50
Mode 3	Pass	AV	13.38862G	49.53	54.00	-4.47	3	Vertical	158	2.97
Mode 3	Pass	AV	15.97479G	45.50	54.00	-8.50	3	Vertical	276	1.63
Mode 3	Pass	PK	4.862G	46.56	74.00	-27.44	3	Vertical	327	1.50
Mode 3	Pass	PK	4.96247G	46.57	74.00	-27.43	3	Vertical	329	2.37
Mode 3	Pass	PK	11.49118G	56.18	74.00	-17.82	3	Vertical	262	1.96
Mode 3	Pass	PK	11.93624G	56.69	74.00	-17.31	3	Vertical	17	1.50
Mode 3	Pass	PK	13.39384G	62.03	74.00	-11.97	3	Vertical	158	2.97
Mode 3	Pass	PK	15.9725G	57.28	74.00	-16.72	3	Vertical	276	1.63
Mode 3	Pass	AV	4.87436G	34.68	54.00	-19.32	3	Horizontal	5	1.57
Mode 3	Pass	AV	4.95994G	35.11	54.00	-18.89	3	Horizontal	349	1.37
Mode 3	Pass	AV	11.49114G	44.50	54.00	-9.50	3	Horizontal	59	1.50
Mode 3	Pass	AV	11.92841G	43.77	54.00	-10.23	3	Horizontal	347	1.50
Mode 3	Pass	AV	13.39252G	49.84	54.00	-4.16	3	Horizontal	0	2.97
Mode 3	Pass	AV	15.97561G	45.53	54.00	-8.47	3	Horizontal	190	2.95
Mode 3	Pass	PK	4.87341G	46.92	74.00	-27.08	3	Horizontal	5	1.57
Mode 3	Pass	PK	4.96082G	47.40	74.00	-26.60	3	Horizontal	349	1.37
Mode 3	Pass	PK	11.49143G	56.59	74.00	-17.41	3	Horizontal	59	1.50
Mode 3	Pass	PK	11.92852G	55.73	74.00	-18.27	3	Horizontal	347	1.50
Mode 3	Pass	PK	13.3864G	62.20	74.00	-11.80	3	Horizontal	0	2.97
Mode 3	Pass	PK	15.97593G	57.80	74.00	-16.20	3	Horizontal	190	2.95
Mode 4	Pass	AV	4.81008G	33.71	54.00	-20.29	3	Vertical	9	1.14
Mode 4	Pass	AV	4.82565G	33.82	54.00	-20.18	3	Vertical	287	2.28
Mode 4	Pass	AV	4.87406G	34.74	54.00	-19.26	3	Vertical	13	2.54
Mode 4	Pass	AV	11.49001G	44.85	54.00	-9.15	3	Vertical	237	1.79
Mode 4	Pass	AV	13.39366G	49.23	54.00	-4.77	3	Vertical	159	2.91
Mode 4	Pass	AV	15.97294G	45.38	54.00	-8.62	3	Vertical	207	2.04
Mode 4	Pass	PK	4.80925G	46.30	74.00	-27.70	3	Vertical	9	1.14
Mode 4	Pass	PK	4.8254G	46.10	74.00	-27.90	3	Vertical	287	2.28
Mode 4	Pass	PK	4.87551G	46.09	74.00	-27.91	3	Vertical	13	2.54
Mode 4	Pass	PK	11.48932G	57.17	74.00	-16.83	3	Vertical	237	1.79
Mode 4	Pass	PK	13.3891G	62.43	74.00	-11.57	3	Vertical	159	2.91
Mode 4	Pass	PK	15.97393G	57.27	74.00	-16.73	3	Vertical	207	2.04
Mode 4	Pass	AV	4.81188G	33.70	54.00	-20.30	3	Horizontal	301	1.50
Mode 4	Pass	AV	4.82579G	33.75	54.00	-20.25	3	Horizontal	170	1.50
Mode 4	Pass	AV	4.87379G	33.87	54.00	-20.13	3	Horizontal	37	1.50
Mode 4	Pass	AV	11.49027G	44.83	54.00	-9.17	3	Horizontal	160	1.28
Mode 4	Pass	AV	13.39264G	49.19	54.00	-4.81	3	Horizontal	360	3.00
Mode 4	Pass	AV	15.97303G	45.81	54.00	-8.19	3	Horizontal	331	1.50
Mode 4	Pass	PK	4.809G	46.11	74.00	-27.89	3	Horizontal	301	1.50
Mode 4	Pass	PK	4.82503G	45.98	74.00	-28.02	3	Horizontal	170	1.50
Mode 4	Pass	PK	4.87396G	46.61	74.00	-27.39	3	Horizontal	37	1.50
Mode 4	Pass	PK	11.48839G	57.39	74.00	-16.61	3	Horizontal	160	1.28
Mode 4	Pass	PK	13.39228G	62.38	74.00	-11.62	3	Horizontal	360	3.00
Mode 4	Pass	PK	15.97474G	58.29	74.00	-15.71	3	Horizontal	331	1.50
Mode 5	Pass	AV	4.80756G	33.60	54.00	-20.40	3	Vertical	320	1.49
Mode 5	Pass	AV	4.874G	34.94	54.00	-19.06	3	Vertical	13	2.41
Mode 5	Pass	AV	11.39812G	44.78	54.00	-9.22	3	Vertical	305	1.50
Mode 5	Pass	AV	11.49167G	44.18	54.00	-9.82	3	Vertical	192	1.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	13.3889G	47.67	54.00	-6.33	3	Vertical	174	1.13
Mode 5	Pass	AV	15.9726G	45.84	54.00	-8.16	3	Vertical	243	1.01
Mode 5	Pass	PK	4.81088G	46.54	74.00	-27.46	3	Vertical	320	1.49
Mode 5	Pass	PK	4.87094G	46.72	74.00	-27.28	3	Vertical	13	2.41
Mode 5	Pass	PK	11.39824G	57.23	74.00	-16.77	3	Vertical	305	1.50
Mode 5	Pass	PK	11.49026G	56.41	74.00	-17.59	3	Vertical	192	1.18
Mode 5	Pass	PK	13.3941G	59.91	74.00	-14.09	3	Vertical	174	1.13
Mode 5	Pass	PK	15.97402G	58.11	74.00	-15.89	3	Vertical	243	1.01
Mode 5	Pass	AV	4.80759G	33.76	54.00	-20.24	3	Horizontal	201	2.74
Mode 5	Pass	AV	4.874G	34.46	54.00	-19.54	3	Horizontal	185	2.42
Mode 5	Pass	AV	11.40023G	44.80	54.00	-9.20	3	Horizontal	281	1.50
Mode 5	Pass	AV	11.49126G	44.49	54.00	-9.51	3	Horizontal	20	1.50
Mode 5	Pass	AV	13.3887G	49.73	54.00	-4.27	3	Horizontal	14	2.95
Mode 5	Pass	AV	15.97469G	45.91	54.00	-8.09	3	Horizontal	247	1.50
Mode 5	Pass	PK	4.80932G	46.60	74.00	-27.40	3	Horizontal	201	2.74
Mode 5	Pass	PK	4.8737G	46.85	74.00	-27.15	3	Horizontal	185	2.42
Mode 5	Pass	PK	11.40135G	57.09	74.00	-16.91	3	Horizontal	281	1.50
Mode 5	Pass	PK	11.49141G	57.03	74.00	-16.97	3	Horizontal	20	1.50
Mode 5	Pass	PK	13.388G	61.47	74.00	-12.53	3	Horizontal	14	2.95
Mode 5	Pass	PK	15.97598G	58.96	74.00	-15.04	3	Horizontal	247	1.50
Mode 6	Pass	AV	4.80826G	33.78	54.00	-20.22	3	Vertical	38	2.47
Mode 6	Pass	AV	4.87382G	35.00	54.00	-19.00	3	Vertical	15	2.63
Mode 6	Pass	AV	11.49225G	44.10	54.00	-9.90	3	Vertical	279	1.50
Mode 6	Pass	AV	11.92754G	43.49	54.00	-10.51	3	Vertical	17	2.05
Mode 6	Pass	AV	13.3888G	46.81	54.00	-7.19	3	Vertical	175	1.17
Mode 6	Pass	AV	15.97604G	45.48	54.00	-8.52	3	Vertical	55	1.50
Mode 6	Pass	PK	4.81014G	46.45	74.00	-27.55	3	Vertical	38	2.47
Mode 6	Pass	PK	4.87392G	46.41	74.00	-27.59	3	Vertical	15	2.63
Mode 6	Pass	PK	11.48773G	56.30	74.00	-17.70	3	Vertical	279	1.50
Mode 6	Pass	PK	11.92915G	55.98	74.00	-18.02	3	Vertical	17	2.05
Mode 6	Pass	PK	13.38904G	58.91	74.00	-15.09	3	Vertical	175	1.17
Mode 6	Pass	PK	15.9728G	57.90	74.00	-16.10	3	Vertical	55	1.50
Mode 6	Pass	AV	4.80512G	33.83	54.00	-20.17	3	Horizontal	195	2.47
Mode 6	Pass	AV	4.87316G	34.38	54.00	-19.62	3	Horizontal	0	2.99
Mode 6	Pass	AV	11.49223G	44.16	54.00	-9.84	3	Horizontal	207	1.50
Mode 6	Pass	AV	11.92764G	43.45	54.00	-10.55	3	Horizontal	221	1.50
Mode 6	Pass	AV	13.38888G	48.83	54.00	-5.17	3	Horizontal	15	3.00
Mode 6	Pass	AV	15.97634G	45.78	54.00	-8.22	3	Horizontal	272	1.49
Mode 6	Pass	PK	4.80988G	47.56	74.00	-26.44	3	Horizontal	195	2.47
Mode 6	Pass	PK	4.87564G	47.32	74.00	-26.68	3	Horizontal	0	2.99
Mode 6	Pass	PK	11.49047G	56.17	74.00	-17.83	3	Horizontal	207	1.50
Mode 6	Pass	PK	11.93138G	55.38	74.00	-18.62	3	Horizontal	221	1.50
Mode 6	Pass	PK	13.3888G	61.49	74.00	-12.51	3	Horizontal	15	3.00
Mode 6	Pass	PK	15.97625G	57.51	74.00	-16.49	3	Horizontal	272	1.49
Mode 7	Pass	AV	4.83272G	33.98	54.00	-20.02	3	Vertical	111	1.50
Mode 7	Pass	AV	4.9696G	34.66	54.00	-19.34	3	Vertical	79	2.98
Mode 7	Pass	AV	10.47056G	43.53	68.20	-24.67	3	Vertical	221	1.18
Mode 7	Pass	AV	11.4974G	44.54	54.00	-9.46	3	Vertical	151	1.50
Mode 7	Pass	AV	13.38956G	46.32	54.00	-7.68	3	Vertical	176	1.23
Mode 7	Pass	AV	15.9648G	44.94	54.00	-9.06	3	Vertical	130	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 7	Pass	PK	4.8248G	46.06	74.00	-27.94	3	Vertical	111	1.50
Mode 7	Pass	PK	4.9694G	46.49	74.00	-27.51	3	Vertical	79	2.98
Mode 7	Pass	PK	10.48448G	55.90	88.20	-32.30	3	Vertical	221	1.18
Mode 7	Pass	PK	11.49572G	57.32	74.00	-16.68	3	Vertical	151	1.50
Mode 7	Pass	PK	13.39516G	58.37	74.00	-15.63	3	Vertical	176	1.23
Mode 7	Pass	PK	15.96572G	57.29	74.00	-16.71	3	Vertical	130	1.50
Mode 7	Pass	AV	4.83096G	33.96	54.00	-20.04	3	Horizontal	349	1.26
Mode 7	Pass	AV	4.95396G	34.69	54.00	-19.31	3	Horizontal	46	1.50
Mode 7	Pass	AV	10.47232G	43.77	68.20	-24.43	3	Horizontal	52	2.90
Mode 7	Pass	AV	11.4982G	44.30	54.00	-9.70	3	Horizontal	98	1.50
Mode 7	Pass	AV	13.38868G	48.92	54.00	-5.08	3	Horizontal	14	3.00
Mode 7	Pass	AV	15.96732G	44.93	54.00	-9.07	3	Horizontal	136	1.50
Mode 7	Pass	PK	4.8206G	46.48	74.00	-27.52	3	Horizontal	349	1.26
Mode 7	Pass	PK	4.96364G	47.10	74.00	-26.90	3	Horizontal	46	1.50
Mode 7	Pass	PK	10.47944G	56.15	88.20	-32.05	3	Horizontal	52	2.90
Mode 7	Pass	PK	11.4954G	56.37	74.00	-17.63	3	Horizontal	98	1.50
Mode 7	Pass	PK	13.3934G	61.56	74.00	-12.44	3	Horizontal	14	3.00
Mode 7	Pass	PK	15.9792G	57.50	74.00	-16.50	3	Horizontal	136	1.50
Mode 8	Pass	AV	4.9688G	35.23	54.00	-18.77	3	Vertical	45	2.60
Mode 8	Pass	AV	10.47872G	45.85	68.20	-22.35	3	Vertical	51	2.98
Mode 8	Pass	AV	11.39776G	44.99	54.00	-9.01	3	Vertical	51	1.90
Mode 8	Pass	AV	11.49684G	44.64	54.00	-9.36	3	Vertical	3	1.50
Mode 8	Pass	AV	13.38892G	47.97	54.00	-6.03	3	Vertical	175	1.21
Mode 8	Pass	AV	15.98168G	46.14	54.00	-7.86	3	Vertical	156	1.50
Mode 8	Pass	PK	4.96624G	47.38	74.00	-26.62	3	Vertical	45	2.60
Mode 8	Pass	PK	10.4788G	58.40	88.20	-29.80	3	Vertical	51	2.98
Mode 8	Pass	PK	11.40924G	57.10	74.00	-16.90	3	Vertical	51	1.90
Mode 8	Pass	PK	11.49076G	56.98	74.00	-17.02	3	Vertical	3	1.50
Mode 8	Pass	PK	13.38656G	60.44	74.00	-13.56	3	Vertical	175	1.21
Mode 8	Pass	PK	15.97116G	58.84	74.00	-15.16	3	Vertical	156	1.50
Mode 8	Pass	AV	4.96884G	35.44	54.00	-18.56	3	Horizontal	15	2.94
Mode 8	Pass	AV	10.4812G	45.65	68.20	-22.55	3	Horizontal	194	1.77
Mode 8	Pass	AV	11.39872G	45.09	54.00	-8.91	3	Horizontal	6	1.50
Mode 8	Pass	AV	11.49568G	44.54	54.00	-9.46	3	Horizontal	356	1.50
Mode 8	Pass	AV	13.38876G	50.21	54.00	-3.79	3	Horizontal	13	2.94
Mode 8	Pass	AV	15.96528G	46.10	54.00	-7.90	3	Horizontal	22	2.81
Mode 8	Pass	PK	4.9602G	48.08	74.00	-25.92	3	Horizontal	15	2.94
Mode 8	Pass	PK	10.4762G	58.18	88.20	-30.02	3	Horizontal	194	1.77
Mode 8	Pass	PK	11.40044G	57.24	74.00	-16.76	3	Horizontal	6	1.50
Mode 8	Pass	PK	11.49056G	56.51	74.00	-17.49	3	Horizontal	356	1.50
Mode 8	Pass	PK	13.39344G	62.59	74.00	-11.41	3	Horizontal	13	2.94
Mode 8	Pass	PK	15.98264G	58.46	74.00	-15.54	3	Horizontal	22	2.81
Mode 9	Pass	AV	4.8144G	33.75	54.00	-20.25	3	Vertical	268	1.50
Mode 9	Pass	AV	10.4788G	44.16	68.20	-24.04	3	Vertical	140	2.49
Mode 9	Pass	AV	11.49992G	44.45	54.00	-9.55	3	Vertical	315	3.00
Mode 9	Pass	AV	11.92412G	44.07	54.00	-9.93	3	Vertical	88	1.50
Mode 9	Pass	AV	13.3888G	47.81	54.00	-6.19	3	Vertical	176	1.23
Mode 9	Pass	AV	15.98224G	45.96	54.00	-8.04	3	Vertical	285	1.50
Mode 9	Pass	PK	4.80464G	45.91	74.00	-28.09	3	Vertical	268	1.50
Mode 9	Pass	PK	10.48224G	56.55	88.20	-31.65	3	Vertical	140	2.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 9	Pass	PK	11.49568G	57.15	74.00	-16.85	3	Vertical	315	3.00
Mode 9	Pass	PK	11.9246G	56.23	74.00	-17.77	3	Vertical	88	1.50
Mode 9	Pass	PK	13.39444G	60.13	74.00	-13.87	3	Vertical	176	1.23
Mode 9	Pass	PK	15.9812G	57.88	74.00	-16.12	3	Vertical	285	1.50
Mode 9	Pass	AV	4.8044G	34.04	54.00	-19.96	3	Horizontal	164	2.98
Mode 9	Pass	AV	10.4786G	46.15	68.20	-22.05	3	Horizontal	261	1.01
Mode 9	Pass	AV	11.49668G	44.50	54.00	-9.50	3	Horizontal	124	2.61
Mode 9	Pass	AV	11.93812G	44.10	54.00	-9.90	3	Horizontal	88	1.50
Mode 9	Pass	AV	13.38848G	50.37	54.00	-3.63	3	Horizontal	11	3.00
Mode 9	Pass	AV	15.98092G	45.90	54.00	-8.10	3	Horizontal	300	1.95
Mode 9	Pass	PK	4.8082G	46.31	74.00	-27.69	3	Horizontal	164	2.98
Mode 9	Pass	PK	10.47936G	58.77	88.20	-29.43	3	Horizontal	261	1.01
Mode 9	Pass	PK	11.497G	56.53	74.00	-17.47	3	Horizontal	124	2.61
Mode 9	Pass	PK	11.92996G	56.79	74.00	-17.21	3	Horizontal	88	1.50
Mode 9	Pass	PK	13.3914G	62.42	74.00	-11.58	3	Horizontal	11	3.00
Mode 9	Pass	PK	15.96708G	58.53	74.00	-15.47	3	Horizontal	300	1.95
Mode 10	Pass	AV	4.81984G	33.89	54.00	-20.11	3	Vertical	302	2.20
Mode 10	Pass	AV	4.82696G	33.95	54.00	-20.05	3	Vertical	269	1.50
Mode 10	Pass	AV	10.47924G	44.21	68.20	-23.99	3	Vertical	174	1.50
Mode 10	Pass	AV	11.49676G	44.11	54.00	-9.89	3	Vertical	115	1.50
Mode 10	Pass	AV	13.38888G	47.57	54.00	-6.43	3	Vertical	175	1.32
Mode 10	Pass	AV	15.97976G	45.76	54.00	-8.24	3	Vertical	188	1.50
Mode 10	Pass	PK	4.80268G	46.64	74.00	-27.36	3	Vertical	302	2.20
Mode 10	Pass	PK	4.81464G	45.82	74.00	-28.18	3	Vertical	269	1.50
Mode 10	Pass	PK	10.48984G	56.65	88.20	-31.55	3	Vertical	174	1.50
Mode 10	Pass	PK	11.49908G	56.70	74.00	-17.30	3	Vertical	115	1.50
Mode 10	Pass	PK	13.38856G	60.29	74.00	-13.71	3	Vertical	175	1.32
Mode 10	Pass	PK	15.97672G	58.68	74.00	-15.32	3	Vertical	188	1.50
Mode 10	Pass	AV	4.8184G	33.81	54.00	-20.19	3	Horizontal	306	1.00
Mode 10	Pass	AV	4.83184G	34.05	54.00	-19.95	3	Horizontal	163	1.00
Mode 10	Pass	AV	10.47868G	45.94	68.20	-22.26	3	Horizontal	201	1.83
Mode 10	Pass	AV	11.49808G	44.14	54.00	-9.86	3	Horizontal	323	3.00
Mode 10	Pass	AV	13.38848G	49.83	54.00	-4.17	3	Horizontal	12	3.00
Mode 10	Pass	AV	15.9808G	45.70	54.00	-8.30	3	Horizontal	23	1.50
Mode 10	Pass	PK	4.81868G	46.24	74.00	-27.76	3	Horizontal	306	1.00
Mode 10	Pass	PK	4.8328G	46.37	74.00	-27.63	3	Horizontal	163	1.00
Mode 10	Pass	PK	10.47476G	58.07	88.20	-30.13	3	Horizontal	201	1.83
Mode 10	Pass	PK	11.49904G	56.35	74.00	-17.65	3	Horizontal	323	3.00
Mode 10	Pass	PK	13.3932G	62.76	74.00	-11.24	3	Horizontal	12	3.00
Mode 10	Pass	PK	15.97404G	57.79	74.00	-16.21	3	Horizontal	23	1.50
Mode 11	Pass	AV	4.80048G	33.79	54.00	-20.21	3	Vertical	322	2.49
Mode 11	Pass	AV	10.47876G	45.64	68.20	-22.56	3	Vertical	209	2.98
Mode 11	Pass	AV	11.392G	44.62	54.00	-9.38	3	Vertical	61	1.50
Mode 11	Pass	AV	11.49768G	44.44	54.00	-9.56	3	Vertical	35	1.50
Mode 11	Pass	AV	13.38872G	47.75	54.00	-6.25	3	Vertical	175	1.33
Mode 11	Pass	AV	15.96772G	45.95	54.00	-8.05	3	Vertical	265	1.50
Mode 11	Pass	PK	4.81296G	46.30	74.00	-27.70	3	Vertical	322	2.49
Mode 11	Pass	PK	10.47396G	58.06	88.20	-30.14	3	Vertical	209	2.98
Mode 11	Pass	PK	11.399G	57.07	74.00	-16.93	3	Vertical	61	1.50
Mode 11	Pass	PK	11.49224G	56.67	74.00	-17.33	3	Vertical	35	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 11	Pass	PK	13.39452G	59.96	74.00	-14.04	3	Vertical	175	1.33
Mode 11	Pass	PK	15.98088G	58.22	74.00	-15.78	3	Vertical	265	1.50
Mode 11	Pass	AV	4.8002G	33.93	54.00	-20.07	3	Horizontal	204	2.32
Mode 11	Pass	AV	10.4812G	46.13	68.20	-22.07	3	Horizontal	219	2.97
Mode 11	Pass	AV	11.39436G	44.88	54.00	-9.12	3	Horizontal	199	1.50
Mode 11	Pass	AV	11.49784G	44.42	54.00	-9.58	3	Horizontal	138	1.50
Mode 11	Pass	AV	13.3884G	50.08	54.00	-3.92	3	Horizontal	10	2.97
Mode 11	Pass	AV	15.98064G	45.87	54.00	-8.13	3	Horizontal	75	1.50
Mode 11	Pass	PK	4.81144G	46.78	74.00	-27.22	3	Horizontal	204	2.32
Mode 11	Pass	PK	10.48136G	59.12	88.20	-29.08	3	Horizontal	219	2.97
Mode 11	Pass	PK	11.39892G	57.06	74.00	-16.94	3	Horizontal	199	1.50
Mode 11	Pass	PK	11.49412G	56.24	74.00	-17.76	3	Horizontal	138	1.50
Mode 11	Pass	PK	13.39296G	62.55	74.00	-11.45	3	Horizontal	10	2.97
Mode 11	Pass	PK	15.97668G	58.09	74.00	-15.91	3	Horizontal	75	1.50
Mode 12	Pass	AV	4.80853G	33.39	54.00	-20.61	3	Vertical	7	2.57
Mode 12	Pass	AV	10.4815G	52.48	68.20	-15.72	3	Vertical	30	1.64
Mode 12	Pass	AV	11.4984G	44.47	54.00	-9.53	3	Vertical	0	1.50
Mode 12	Pass	AV	11.92915G	44.79	54.00	-9.21	3	Vertical	327	1.50
Mode 12	Pass	AV	13.3921G	48.80	54.00	-5.20	3	Vertical	191	2.93
Mode 12	Pass	AV	15.97405G	46.09	54.00	-7.91	3	Vertical	158	1.50
Mode 12	Pass	PK	4.80796G	46.16	74.00	-27.84	3	Vertical	7	2.57
Mode 12	Pass	PK	10.4764G	65.04	88.20	-23.16	3	Vertical	30	1.64
Mode 12	Pass	PK	11.4721G	56.61	74.00	-17.39	3	Vertical	0	1.50
Mode 12	Pass	PK	11.93197G	57.98	74.00	-16.02	3	Vertical	327	1.50
Mode 12	Pass	PK	13.3935G	61.34	74.00	-12.66	3	Vertical	191	2.93
Mode 12	Pass	PK	15.97674G	58.47	74.00	-15.53	3	Vertical	158	1.50
Mode 12	Pass	AV	4.81169G	33.62	54.00	-20.38	3	Horizontal	19	2.93
Mode 12	Pass	AV	10.4811G	49.64	68.20	-18.56	3	Horizontal	10	2.70
Mode 12	Pass	AV	11.5052G	44.33	54.00	-9.67	3	Horizontal	120	1.50
Mode 12	Pass	AV	11.93047G	44.68	54.00	-9.32	3	Horizontal	360	1.50
Mode 12	Pass	AV	13.3862G	49.12	54.00	-4.88	3	Horizontal	1	2.90
Mode 12	Pass	AV	15.9651G	46.02	54.00	-7.98	3	Horizontal	113	1.50
Mode 12	Pass	PK	4.80776G	46.19	74.00	-27.81	3	Horizontal	19	2.93
Mode 12	Pass	PK	10.4762G	62.14	88.20	-26.06	3	Horizontal	10	2.70
Mode 12	Pass	PK	11.4908G	56.60	74.00	-17.40	3	Horizontal	120	1.50
Mode 12	Pass	PK	11.93183G	57.15	74.00	-16.85	3	Horizontal	360	1.50
Mode 12	Pass	PK	13.3868G	61.37	74.00	-12.63	3	Horizontal	1	2.90
Mode 12	Pass	PK	15.9736G	58.75	74.00	-15.25	3	Horizontal	113	1.50
Mode 13	Pass	AV	4.81113G	33.28	54.00	-20.72	3	Vertical	303	1.50
Mode 13	Pass	AV	4.82499G	33.39	54.00	-20.61	3	Vertical	344	1.18
Mode 13	Pass	AV	11.49194G	44.37	54.00	-9.63	3	Vertical	238	2.95
Mode 13	Pass	AV	12.3867G	49.30	54.00	-4.70	3	Vertical	232	3.00
Mode 13	Pass	AV	13.38868G	53.90	54.00	-0.10	3	Vertical	43	1.27
Mode 13	Pass	AV	15.97386G	45.87	54.00	-8.13	3	Vertical	69	1.50
Mode 13	Pass	PK	4.80956G	45.58	74.00	-28.42	3	Vertical	303	1.50
Mode 13	Pass	PK	4.82615G	46.22	74.00	-27.78	3	Vertical	344	1.18
Mode 13	Pass	PK	11.491G	56.95	74.00	-17.05	3	Vertical	238	2.95
Mode 13	Pass	PK	12.3871G	62.07	74.00	-11.93	3	Vertical	232	3.00
Mode 13	Pass	PK	13.39372G	68.47	74.00	-5.53	3	Vertical	43	1.27
Mode 13	Pass	PK	15.97434G	58.17	74.00	-15.83	3	Vertical	69	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 13	Pass	AV	4.81217G	33.26	54.00	-20.74	3	Horizontal	202	1.50
Mode 13	Pass	AV	4.82565G	33.41	54.00	-20.59	3	Horizontal	148	3.00
Mode 13	Pass	AV	11.49125G	44.58	54.00	-9.42	3	Horizontal	360	1.81
Mode 13	Pass	AV	12.3885G	48.93	54.00	-5.07	3	Horizontal	17	3.00
Mode 13	Pass	AV	13.38418G	53.29	54.00	-0.71	3	Horizontal	335	1.18
Mode 13	Pass	AV	15.97545G	46.07	54.00	-7.93	3	Horizontal	90	1.22
Mode 13	Pass	PK	4.80915G	45.53	74.00	-28.47	3	Horizontal	202	1.50
Mode 13	Pass	PK	4.82588G	45.93	74.00	-28.07	3	Horizontal	148	3.00
Mode 13	Pass	PK	11.49162G	56.68	74.00	-17.32	3	Horizontal	360	1.81
Mode 13	Pass	PK	12.3898G	62.12	74.00	-11.88	3	Horizontal	17	3.00
Mode 13	Pass	PK	13.3891G	67.84	74.00	-6.16	3	Horizontal	335	1.18
Mode 13	Pass	PK	15.97608G	58.93	74.00	-15.07	3	Horizontal	90	1.22
Mode 14	Pass	AV	4.95768G	34.92	54.00	-19.08	3	Vertical	46	2.10
Mode 14	Pass	AV	11.3975G	44.38	54.00	-9.62	3	Vertical	284	1.50
Mode 14	Pass	AV	11.49177G	43.47	54.00	-10.53	3	Vertical	282	2.45
Mode 14	Pass	AV	12.389G	49.01	54.00	-4.99	3	Vertical	333	2.92
Mode 14	Pass	AV	13.3887G	53.91	54.00	-0.09	3	Vertical	44	1.24
Mode 14	Pass	AV	15.97519G	46.16	54.00	-7.84	3	Vertical	26	1.15
Mode 14	Pass	PK	4.9579G	47.49	74.00	-26.51	3	Vertical	46	2.10
Mode 14	Pass	PK	11.40208G	56.81	74.00	-17.19	3	Vertical	284	1.50
Mode 14	Pass	PK	11.49235G	56.63	74.00	-17.37	3	Vertical	282	2.45
Mode 14	Pass	PK	12.3893G	61.91	74.00	-12.09	3	Vertical	333	2.92
Mode 14	Pass	PK	13.3919G	67.56	74.00	-6.44	3	Vertical	44	1.24
Mode 14	Pass	PK	15.97331G	58.30	74.00	-15.70	3	Vertical	26	1.15
Mode 14	Pass	AV	4.95827G	34.78	54.00	-19.22	3	Horizontal	207	2.75
Mode 14	Pass	AV	11.40047G	43.74	54.00	-10.26	3	Horizontal	303	1.00
Mode 14	Pass	AV	11.49158G	43.50	54.00	-10.50	3	Horizontal	354	2.05
Mode 14	Pass	AV	12.3898G	47.95	54.00	-6.05	3	Horizontal	26	1.84
Mode 14	Pass	AV	13.3843G	52.38	54.00	-1.62	3	Horizontal	336	1.15
Mode 14	Pass	AV	15.97385G	45.85	54.00	-8.15	3	Horizontal	52	1.50
Mode 14	Pass	PK	4.96032G	47.10	74.00	-26.90	3	Horizontal	207	2.75
Mode 14	Pass	PK	11.40236G	56.79	74.00	-17.21	3	Horizontal	303	1.00
Mode 14	Pass	PK	11.4907G	57.18	74.00	-16.82	3	Horizontal	354	2.05
Mode 14	Pass	PK	12.3905G	59.77	74.00	-14.23	3	Horizontal	26	1.84
Mode 14	Pass	PK	13.3916G	67.34	74.00	-6.66	3	Horizontal	336	1.15
Mode 14	Pass	PK	15.97573G	58.26	74.00	-15.74	3	Horizontal	52	1.50
Mode 15	Pass	AV	4.95798G	34.33	54.00	-19.67	3	Vertical	334	1.50
Mode 15	Pass	AV	11.49996G	44.98	54.00	-9.02	3	Vertical	70	2.57
Mode 15	Pass	AV	11.92822G	44.78	54.00	-9.22	3	Vertical	187	1.50
Mode 15	Pass	AV	12.38938G	49.35	54.00	-4.65	3	Vertical	53	2.72
Mode 15	Pass	AV	13.39012G	53.37	54.00	-0.63	3	Vertical	35	2.75
Mode 15	Pass	AV	15.98228G	45.62	54.00	-8.38	3	Vertical	87	1.25
Mode 15	Pass	PK	4.9606G	47.30	74.00	-26.70	3	Vertical	334	1.50
Mode 15	Pass	PK	11.49612G	57.18	74.00	-16.82	3	Vertical	70	2.57
Mode 15	Pass	PK	11.92955G	57.06	74.00	-16.94	3	Vertical	187	1.50
Mode 15	Pass	PK	12.38961G	62.12	74.00	-11.88	3	Vertical	53	2.72
Mode 15	Pass	PK	13.39244G	67.18	74.00	-6.82	3	Vertical	35	2.75
Mode 15	Pass	PK	15.97532G	57.78	74.00	-16.22	3	Vertical	87	1.25
Mode 15	Pass	AV	4.96095G	34.26	54.00	-19.74	3	Horizontal	128	1.50
Mode 15	Pass	AV	11.49808G	45.12	54.00	-8.88	3	Horizontal	69	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 15	Pass	AV	11.92753G	44.82	54.00	-9.18	3	Horizontal	156	1.50
Mode 15	Pass	AV	12.39001G	48.05	54.00	-5.95	3	Horizontal	26	3.00
Mode 15	Pass	AV	13.38412G	53.29	54.00	-0.71	3	Horizontal	335	1.17
Mode 15	Pass	AV	15.97446G	45.84	54.00	-8.16	3	Horizontal	353	1.50
Mode 15	Pass	PK	4.96232G	46.51	74.00	-27.49	3	Horizontal	128	1.50
Mode 15	Pass	PK	11.48324G	57.39	74.00	-16.61	3	Horizontal	69	1.50
Mode 15	Pass	PK	11.92874G	56.85	74.00	-17.15	3	Horizontal	156	1.50
Mode 15	Pass	PK	12.38968G	60.92	74.00	-13.08	3	Horizontal	26	3.00
Mode 15	Pass	PK	13.38676G	66.22	74.00	-7.78	3	Horizontal	335	1.17
Mode 15	Pass	PK	15.97358G	58.09	74.00	-15.91	3	Horizontal	353	1.50
Mode 16	Pass	AV	4.81976G	33.35	54.00	-20.65	3	Vertical	288	1.50
Mode 16	Pass	AV	4.82404G	37.93	54.00	-16.07	3	Vertical	348	2.54
Mode 16	Pass	AV	11.49948G	45.07	54.00	-8.93	3	Vertical	201	1.50
Mode 16	Pass	AV	12.38424G	46.14	54.00	-7.86	3	Vertical	269	2.99
Mode 16	Pass	AV	13.39824G	46.44	54.00	-7.56	3	Vertical	185	1.51
Mode 16	Pass	AV	15.9834G	45.99	54.00	-8.01	3	Vertical	286	1.50
Mode 16	Pass	PK	4.80828G	46.01	74.00	-27.99	3	Vertical	288	1.50
Mode 16	Pass	PK	4.8238G	46.68	74.00	-27.32	3	Vertical	348	2.54
Mode 16	Pass	PK	11.48248G	57.14	74.00	-16.86	3	Vertical	201	1.50
Mode 16	Pass	PK	12.38128G	57.83	74.00	-16.17	3	Vertical	269	2.99
Mode 16	Pass	PK	13.39104G	58.71	74.00	-15.29	3	Vertical	185	1.51
Mode 16	Pass	PK	15.98284G	58.76	74.00	-15.24	3	Vertical	286	1.50
Mode 16	Pass	AV	4.80444G	33.42	54.00	-20.58	3	Horizontal	207	1.35
Mode 16	Pass	AV	4.82388G	35.42	54.00	-18.58	3	Horizontal	359	2.51
Mode 16	Pass	AV	11.5G	45.13	54.00	-8.87	3	Horizontal	296	1.50
Mode 16	Pass	AV	12.38852G	46.24	54.00	-7.76	3	Horizontal	202	1.98
Mode 16	Pass	AV	13.38604G	46.35	54.00	-7.65	3	Horizontal	104	1.50
Mode 16	Pass	AV	15.98188G	45.98	54.00	-8.02	3	Horizontal	332	1.50
Mode 16	Pass	PK	4.82G	45.96	74.00	-28.04	3	Horizontal	207	1.35
Mode 16	Pass	PK	4.82396G	46.58	74.00	-27.42	3	Horizontal	359	2.51
Mode 16	Pass	PK	11.49064G	57.48	74.00	-16.52	3	Horizontal	296	1.50
Mode 16	Pass	PK	12.38184G	58.41	74.00	-15.59	3	Horizontal	202	1.98
Mode 16	Pass	PK	13.3828G	58.78	74.00	-15.22	3	Horizontal	104	1.50
Mode 16	Pass	PK	15.97952G	57.91	74.00	-16.09	3	Horizontal	332	1.50
Mode 17	Pass	AV	4.81836G	33.67	54.00	-20.33	3	Vertical	323	3.00
Mode 17	Pass	AV	11.39492G	44.83	54.00	-9.17	3	Vertical	344	1.50
Mode 17	Pass	AV	11.4982G	45.09	54.00	-8.91	3	Vertical	185	1.50
Mode 17	Pass	AV	12.3818G	45.86	54.00	-8.14	3	Vertical	225	1.50
Mode 17	Pass	AV	13.39932G	46.31	54.00	-7.69	3	Vertical	69	1.50
Mode 17	Pass	AV	15.98332G	45.84	54.00	-8.16	3	Vertical	60	1.50
Mode 17	Pass	PK	4.81312G	45.74	74.00	-28.26	3	Vertical	323	3.00
Mode 17	Pass	PK	11.39988G	57.02	74.00	-16.98	3	Vertical	344	1.50
Mode 17	Pass	PK	11.48884G	57.20	74.00	-16.80	3	Vertical	185	1.50
Mode 17	Pass	PK	12.38008G	58.28	74.00	-15.72	3	Vertical	225	1.50
Mode 17	Pass	PK	13.39624G	58.28	74.00	-15.72	3	Vertical	69	1.50
Mode 17	Pass	PK	15.97824G	58.64	74.00	-15.36	3	Vertical	60	1.50
Mode 17	Pass	AV	4.81948G	33.87	54.00	-20.13	3	Horizontal	351	2.89
Mode 17	Pass	AV	11.40452G	44.89	54.00	-9.11	3	Horizontal	341	1.50
Mode 17	Pass	AV	11.49744G	44.83	54.00	-9.17	3	Horizontal	299	1.50
Mode 17	Pass	AV	12.38636G	45.90	54.00	-8.10	3	Horizontal	306	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 17	Pass	AV	13.3864G	46.35	54.00	-7.65	3	Horizontal	67	1.50
Mode 17	Pass	AV	15.98056G	46.01	54.00	-7.99	3	Horizontal	146	1.50
Mode 17	Pass	PK	4.80112G	46.70	74.00	-27.30	3	Horizontal	351	2.89
Mode 17	Pass	PK	11.40388G	56.85	74.00	-17.15	3	Horizontal	341	1.50
Mode 17	Pass	PK	11.48728G	57.01	74.00	-16.99	3	Horizontal	299	1.50
Mode 17	Pass	PK	12.39944G	57.94	74.00	-16.06	3	Horizontal	306	1.50
Mode 17	Pass	PK	13.39016G	58.44	74.00	-15.56	3	Horizontal	67	1.50
Mode 17	Pass	PK	15.97632G	57.98	74.00	-16.02	3	Horizontal	146	1.50
Mode 18	Pass	AV	4.81972G	34.10	54.00	-19.90	3	Vertical	317	2.21
Mode 18	Pass	AV	11.49432G	45.08	54.00	-8.92	3	Vertical	247	1.50
Mode 18	Pass	AV	11.93916G	44.25	54.00	-9.75	3	Vertical	290	1.50
Mode 18	Pass	AV	12.3848G	45.94	54.00	-8.06	3	Vertical	31	1.50
Mode 18	Pass	AV	13.39888G	46.49	54.00	-7.51	3	Vertical	146	1.32
Mode 18	Pass	AV	15.9838G	45.98	54.00	-8.02	3	Vertical	179	1.50
Mode 18	Pass	PK	4.81996G	46.53	74.00	-27.47	3	Vertical	317	2.21
Mode 18	Pass	PK	11.49392G	57.55	74.00	-16.45	3	Vertical	247	1.50
Mode 18	Pass	PK	11.9394G	56.44	74.00	-17.56	3	Vertical	290	1.50
Mode 18	Pass	PK	12.38004G	57.95	74.00	-16.05	3	Vertical	31	1.50
Mode 18	Pass	PK	13.38492G	58.60	74.00	-15.40	3	Vertical	146	1.32
Mode 18	Pass	PK	15.98312G	58.18	74.00	-15.82	3	Vertical	179	1.50
Mode 18	Pass	AV	4.81764G	34.10	54.00	-19.90	3	Horizontal	244	2.98
Mode 18	Pass	AV	11.49672G	44.95	54.00	-9.05	3	Horizontal	50	1.50
Mode 18	Pass	AV	11.92156G	44.26	54.00	-9.74	3	Horizontal	119	1.50
Mode 18	Pass	AV	12.38988G	46.35	54.00	-7.65	3	Horizontal	25	3.00
Mode 18	Pass	AV	13.39436G	46.48	54.00	-7.52	3	Horizontal	198	1.90
Mode 18	Pass	AV	15.9804G	45.94	54.00	-8.06	3	Horizontal	272	1.00
Mode 18	Pass	PK	4.81604G	46.34	74.00	-27.66	3	Horizontal	244	2.98
Mode 18	Pass	PK	11.48436G	57.54	74.00	-16.46	3	Horizontal	50	1.50
Mode 18	Pass	PK	11.9256G	57.02	74.00	-16.98	3	Horizontal	119	1.50
Mode 18	Pass	PK	12.3802G	58.55	74.00	-15.45	3	Horizontal	25	3.00
Mode 18	Pass	PK	13.38972G	58.93	74.00	-15.07	3	Horizontal	198	1.90
Mode 18	Pass	PK	15.98156G	58.39	74.00	-15.61	3	Horizontal	272	1.00

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83324G	33.82	54.00	-20.18	5.31	3	Vertical	347	2.32	28.51	32.67	7.06	34.42
AV	4.87392G	34.48	54.00	-19.52	5.53	3	Vertical	139	1.17	28.95	32.85	7.10	34.42
AV	4.95276G	34.17	54.00	-19.83	5.96	3	Vertical	56	1.52	28.21	33.21	7.15	34.40
AV	11.49916G	44.73	54.00	-9.27	16.42	3	Vertical	170	1.12	28.31	39.30	10.83	33.71
AV	13.38364G	49.87	54.00	-4.13	19.42	3	Vertical	155	2.95	30.45	40.00	11.79	32.37
AV	15.98284G	45.77	54.00	-8.23	17.40	3	Vertical	212	2.39	28.37	38.03	13.13	33.76
PK	4.81712G	45.71	74.00	-28.29	5.16	3	Vertical	347	2.32	40.55	32.54	7.05	34.43
PK	4.878G	46.51	74.00	-27.49	5.55	3	Vertical	139	1.17	40.96	32.86	7.10	34.41
PK	4.96892G	46.34	74.00	-27.66	6.05	3	Vertical	56	1.52	40.29	33.28	7.17	34.40
PK	11.48568G	57.36	74.00	-16.64	16.35	3	Vertical	170	1.12	41.01	39.24	10.83	33.72
PK	13.39396G	62.59	74.00	-11.41	19.43	3	Vertical	155	2.95	43.16	40.00	11.79	32.36
PK	15.98304G	57.77	74.00	-16.23	17.40	3	Vertical	212	2.39	40.37	38.03	13.13	33.76

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8228G	33.93	54.00	-20.07	5.21	3	Horizontal	321	1.82	28.72	32.58	7.06	34.43
AV	4.88184G	33.99	54.00	-20.01	5.55	3	Horizontal	296	1.03	28.44	32.86	7.10	34.41
AV	4.95388G	34.27	54.00	-19.73	5.98	3	Horizontal	351	1.99	28.29	33.22	7.16	34.40
AV	11.49588G	44.72	54.00	-9.28	16.40	3	Horizontal	71	1.94	28.32	39.28	10.83	33.71
AV	13.38748G	49.77	54.00	-4.23	19.43	3	Horizontal	0	2.90	30.34	40.00	11.79	32.36
AV	15.98048G	45.73	54.00	-8.27	17.41	3	Horizontal	144	1.96	28.32	38.04	13.13	33.76
PK	4.828G	46.14	74.00	-27.86	5.26	3	Horizontal	321	1.82	40.88	32.62	7.06	34.42
PK	4.88256G	46.61	74.00	-27.39	5.56	3	Horizontal	296	1.03	41.05	32.87	7.10	34.41
PK	4.95224G	46.77	74.00	-27.23	5.96	3	Horizontal	351	1.99	40.81	33.21	7.15	34.40
PK	11.493G	57.11	74.00	-16.89	16.39	3	Horizontal	71	1.94	40.72	39.27	10.83	33.71
PK	13.39276G	62.23	74.00	-11.77	19.43	3	Horizontal	0	2.90	42.80	40.00	11.79	32.36
PK	15.97092G	57.65	74.00	-16.35	17.43	3	Horizontal	144	1.96	40.22	38.06	13.13	33.76

Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87394G	34.39	54.00	-19.61	5.53	3	Vertical	329	1.69	28.86	32.85	7.10	34.42
AV	4.9586G	34.78	54.00	-19.22	5.99	3	Vertical	340	2.01	28.79	33.23	7.16	34.40
AV	11.40245G	44.32	54.00	-9.68	16.35	3	Vertical	293	1.50	27.97	39.29	10.81	33.75
AV	11.49668G	44.26	54.00	-9.74	16.41	3	Vertical	314	1.90	27.85	39.29	10.83	33.71
AV	13.38874G	50.00	54.00	-4.00	19.43	3	Vertical	160	2.97	30.57	40.00	11.79	32.36
AV	15.97403G	45.46	54.00	-8.54	17.42	3	Vertical	114	1.50	28.04	38.05	13.13	33.76
PK	4.8736G	46.75	74.00	-27.25	5.53	3	Vertical	329	1.69	41.22	32.85	7.10	34.42
PK	4.95809G	47.00	74.00	-27.00	5.99	3	Vertical	340	2.01	41.01	33.23	7.16	34.40
PK	11.3984G	56.42	74.00	-17.58	16.37	3	Vertical	293	1.50	40.05	39.31	10.81	33.75
PK	11.48996G	56.45	74.00	-17.55	16.38	3	Vertical	314	1.90	40.07	39.26	10.83	33.71
PK	13.38886G	62.89	74.00	-11.11	19.43	3	Vertical	160	2.97	43.46	40.00	11.79	32.36
PK	15.97434G	58.93	74.00	-15.07	17.42	3	Vertical	114	1.50	41.51	38.05	13.13	33.76

Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87377G	35.02	54.00	-18.98	5.53	3	Horizontal	5	1.67	29.49	32.85	7.10	34.42
AV	4.95897G	35.47	54.00	-18.53	6.00	3	Horizontal	360	2.63	29.47	33.24	7.16	34.40
AV	11.39965G	44.24	54.00	-9.76	16.36	3	Horizontal	133	1.31	27.88	39.30	10.81	33.75
AV	11.49624G	44.27	54.00	-9.73	16.40	3	Horizontal	53	1.16	27.87	39.28	10.83	33.71
AV	13.39258G	49.66	54.00	-4.34	19.43	3	Horizontal	5	2.95	30.23	40.00	11.79	32.36
AV	15.97385G	45.53	54.00	-8.47	17.42	3	Horizontal	175	1.50	28.11	38.05	13.13	33.76
PK	4.87363G	47.49	74.00	-26.51	5.53	3	Horizontal	5	1.67	41.96	32.85	7.10	34.42
PK	4.95816G	47.80	74.00	-26.20	5.99	3	Horizontal	360	2.63	41.81	33.23	7.16	34.40
PK	11.40061G	57.03	74.00	-16.97	16.36	3	Horizontal	133	1.31	40.67	39.30	10.81	33.75
PK	11.49172G	56.40	74.00	-17.60	16.39	3	Horizontal	53	1.16	40.01	39.27	10.83	33.71
PK	13.38754G	61.75	74.00	-12.25	19.43	3	Horizontal	5	2.95	42.32	40.00	11.79	32.36
PK	15.97221G	57.81	74.00	-16.19	17.43	3	Horizontal	175	1.50	40.38	38.06	13.13	33.76

Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.874G	34.23	54.00	-19.77	5.53	3	Vertical	327	1.50	28.70	32.85	7.10	34.42
AV	4.95776G	34.62	54.00	-19.38	5.99	3	Vertical	329	2.37	28.63	33.23	7.16	34.40
AV	11.49247G	44.29	54.00	-9.71	16.39	3	Vertical	262	1.96	27.90	39.27	10.83	33.71
AV	11.9213G	43.77	54.00	-10.23	16.16	3	Vertical	17	1.50	27.61	38.94	10.95	33.73
AV	13.38862G	49.53	54.00	-4.47	19.43	3	Vertical	158	2.97	30.10	40.00	11.79	32.36
AV	15.97479G	45.50	54.00	-8.50	17.42	3	Vertical	276	1.63	28.08	38.05	13.13	33.76
PK	4.862G	46.56	74.00	-27.44	5.49	3	Vertical	327	1.50	41.07	32.82	7.09	34.42
PK	4.96247G	46.57	74.00	-27.43	6.01	3	Vertical	329	2.37	40.56	33.25	7.16	34.40
PK	11.49118G	56.18	74.00	-17.82	16.38	3	Vertical	262	1.96	39.80	39.26	10.83	33.71
PK	11.93624G	56.69	74.00	-17.31	16.19	3	Vertical	17	1.50	40.50	38.97	10.95	33.73
PK	13.39384G	62.03	74.00	-11.97	19.43	3	Vertical	158	2.97	42.60	40.00	11.79	32.36
PK	15.9725G	57.28	74.00	-16.72	17.42	3	Vertical	276	1.63	39.86	38.05	13.13	33.76

Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87436G	34.68	54.00	-19.32	5.53	3	Horizontal	5	1.57	29.15	32.85	7.10	34.42
AV	4.95994G	35.11	54.00	-18.89	6.00	3	Horizontal	349	1.37	29.11	33.24	7.16	34.40
AV	11.49114G	44.50	54.00	-9.50	16.38	3	Horizontal	59	1.50	28.12	39.26	10.83	33.71
AV	11.92841G	43.77	54.00	-10.23	16.18	3	Horizontal	347	1.50	27.59	38.96	10.95	33.73
AV	13.39252G	49.84	54.00	-4.16	19.43	3	Horizontal	0	2.97	30.41	40.00	11.79	32.36
AV	15.97561G	45.53	54.00	-8.47	17.42	3	Horizontal	190	2.95	28.11	38.05	13.13	33.76
PK	4.87341G	46.92	74.00	-27.08	5.53	3	Horizontal	5	1.57	41.39	32.85	7.10	34.42
PK	4.96082G	47.40	74.00	-26.60	6.00	3	Horizontal	349	1.37	41.40	33.24	7.16	34.40
PK	11.49143G	56.59	74.00	-17.41	16.39	3	Horizontal	59	1.50	40.20	39.27	10.83	33.71
PK	11.92852G	55.73	74.00	-18.27	16.18	3	Horizontal	347	1.50	39.55	38.96	10.95	33.73
PK	13.3864G	62.20	74.00	-11.80	19.43	3	Horizontal	0	2.97	42.77	40.00	11.79	32.36
PK	15.97593G	57.80	74.00	-16.20	17.42	3	Horizontal	190	2.95	40.38	38.05	13.13	33.76

Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81008G	33.71	54.00	-20.29	5.10	3	Vertical	9	1.14	28.61	32.48	7.05	34.43
AV	4.82565G	33.82	54.00	-20.18	5.25	3	Vertical	287	2.28	28.57	32.61	7.06	34.42
AV	4.87406G	34.74	54.00	-19.26	5.53	3	Vertical	13	2.54	29.21	32.85	7.10	34.42
AV	11.49001G	44.85	54.00	-9.15	16.38	3	Vertical	237	1.79	28.47	39.26	10.83	33.71
AV	13.39366G	49.23	54.00	-4.77	19.43	3	Vertical	159	2.91	29.80	40.00	11.79	32.36
AV	15.97294G	45.38	54.00	-8.62	17.42	3	Vertical	207	2.04	27.96	38.05	13.13	33.76
PK	4.80925G	46.30	74.00	-27.70	5.09	3	Vertical	9	1.14	41.21	32.47	7.05	34.43
PK	4.8254G	46.10	74.00	-27.90	5.24	3	Vertical	287	2.28	40.86	32.60	7.06	34.42
PK	4.87551G	46.09	74.00	-27.91	5.54	3	Vertical	13	2.54	40.55	32.85	7.10	34.41
PK	11.48932G	57.17	74.00	-16.83	16.38	3	Vertical	237	1.79	40.79	39.26	10.83	33.71
PK	13.3891G	62.43	74.00	-11.57	19.43	3	Vertical	159	2.91	43.00	40.00	11.79	32.36
PK	15.97393G	57.27	74.00	-16.73	17.42	3	Vertical	207	2.04	39.85	38.05	13.13	33.76

Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81188G	33.70	54.00	-20.30	5.12	3	Horizontal	301	1.50	28.58	32.50	7.05	34.43
AV	4.82579G	33.75	54.00	-20.25	5.25	3	Horizontal	170	1.50	28.50	32.61	7.06	34.42
AV	4.87379G	33.87	54.00	-20.13	5.53	3	Horizontal	37	1.50	28.34	32.85	7.10	34.42
AV	11.49027G	44.83	54.00	-9.17	16.38	3	Horizontal	160	1.28	28.45	39.26	10.83	33.71
AV	13.39264G	49.19	54.00	-4.81	19.43	3	Horizontal	360	3.00	29.76	40.00	11.79	32.36
AV	15.97303G	45.81	54.00	-8.19	17.42	3	Horizontal	331	1.50	28.39	38.05	13.13	33.76
PK	4.809G	46.11	74.00	-27.89	5.09	3	Horizontal	301	1.50	41.02	32.47	7.05	34.43
PK	4.82503G	45.98	74.00	-28.02	5.24	3	Horizontal	170	1.50	40.74	32.60	7.06	34.42
PK	4.87396G	46.61	74.00	-27.39	5.53	3	Horizontal	37	1.50	41.08	32.85	7.10	34.42
PK	11.48839G	57.39	74.00	-16.61	16.37	3	Horizontal	160	1.28	41.02	39.25	10.83	33.71
PK	13.39228G	62.38	74.00	-11.62	19.43	3	Horizontal	360	3.00	42.95	40.00	11.79	32.36
PK	15.97474G	58.29	74.00	-15.71	17.42	3	Horizontal	331	1.50	40.87	38.05	13.13	33.76

Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80756G	33.60	54.00	-20.40	5.08	3	Vertical	320	1.49	28.52	32.46	7.05	34.43
AV	4.874G	34.94	54.00	-19.06	5.53	3	Vertical	13	2.41	29.41	32.85	7.10	34.42
AV	11.39812G	44.78	54.00	-9.22	16.37	3	Vertical	305	1.50	28.41	39.31	10.81	33.75
AV	11.49167G	44.18	54.00	-9.82	16.39	3	Vertical	192	1.18	27.79	39.27	10.83	33.71
AV	13.3889G	47.67	54.00	-6.33	19.43	3	Vertical	174	1.13	28.24	40.00	11.79	32.36
AV	15.9726G	45.84	54.00	-8.16	17.42	3	Vertical	243	1.01	28.42	38.05	13.13	33.76
PK	4.81088G	46.54	74.00	-27.46	5.11	3	Vertical	320	1.49	41.43	32.49	7.05	34.43
PK	4.87094G	46.72	74.00	-27.28	5.51	3	Vertical	13	2.41	41.21	32.84	7.09	34.42
PK	11.39824G	57.23	74.00	-16.77	16.37	3	Vertical	305	1.50	40.86	39.31	10.81	33.75
PK	11.49026G	56.41	74.00	-17.59	16.38	3	Vertical	192	1.18	40.03	39.26	10.83	33.71
PK	13.3941G	59.91	74.00	-14.09	19.43	3	Vertical	174	1.13	40.48	40.00	11.79	32.36
PK	15.97402G	58.11	74.00	-15.89	17.42	3	Vertical	243	1.01	40.69	38.05	13.13	33.76

Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80759G	33.76	54.00	-20.24	5.08	3	Horizontal	201	2.74	28.68	32.46	7.05	34.43
AV	4.874G	34.46	54.00	-19.54	5.53	3	Horizontal	185	2.42	28.93	32.85	7.10	34.42
AV	11.40023G	44.80	54.00	-9.20	16.36	3	Horizontal	281	1.50	28.44	39.30	10.81	33.75
AV	11.49126G	44.49	54.00	-9.51	16.39	3	Horizontal	20	1.50	28.10	39.27	10.83	33.71
AV	13.3887G	49.73	54.00	-4.27	19.43	3	Horizontal	14	2.95	30.30	40.00	11.79	32.36
AV	15.97469G	45.91	54.00	-8.09	17.42	3	Horizontal	247	1.50	28.49	38.05	13.13	33.76
PK	4.80932G	46.60	74.00	-27.40	5.09	3	Horizontal	201	2.74	41.51	32.47	7.05	34.43
PK	4.8737G	46.85	74.00	-27.15	5.53	3	Horizontal	185	2.42	41.32	32.85	7.10	34.42
PK	11.40135G	57.09	74.00	-16.91	16.35	3	Horizontal	281	1.50	40.74	39.29	10.81	33.75
PK	11.49141G	57.03	74.00	-16.97	16.39	3	Horizontal	20	1.50	40.64	39.27	10.83	33.71
PK	13.388G	61.47	74.00	-12.53	19.43	3	Horizontal	14	2.95	42.04	40.00	11.79	32.36
PK	15.97598G	58.96	74.00	-15.04	17.42	3	Horizontal	247	1.50	41.54	38.05	13.13	33.76

Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80826G	33.78	54.00	-20.22	5.09	3	Vertical	38	2.47	28.69	32.47	7.05	34.43
AV	4.87382G	35.00	54.00	-19.00	5.53	3	Vertical	15	2.63	29.47	32.85	7.10	34.42
AV	11.49225G	44.10	54.00	-9.90	16.39	3	Vertical	279	1.50	27.71	39.27	10.83	33.71
AV	11.92754G	43.49	54.00	-10.51	16.18	3	Vertical	17	2.05	27.31	38.96	10.95	33.73
AV	13.3888G	46.81	54.00	-7.19	19.43	3	Vertical	175	1.17	27.38	40.00	11.79	32.36
AV	15.97604G	45.48	54.00	-8.52	17.42	3	Vertical	55	1.50	28.06	38.05	13.13	33.76
PK	4.81014G	46.45	74.00	-27.55	5.10	3	Vertical	38	2.47	41.35	32.48	7.05	34.43
PK	4.87392G	46.41	74.00	-27.59	5.53	3	Vertical	15	2.63	40.88	32.85	7.10	34.42
PK	11.48773G	56.30	74.00	-17.70	16.37	3	Vertical	279	1.50	39.93	39.25	10.83	33.71
PK	11.92915G	55.98	74.00	-18.02	16.18	3	Vertical	17	2.05	39.80	38.96	10.95	33.73
PK	13.38904G	58.91	74.00	-15.09	19.43	3	Vertical	175	1.17	39.48	40.00	11.79	32.36
PK	15.9728G	57.90	74.00	-16.10	17.42	3	Vertical	55	1.50	40.48	38.05	13.13	33.76

Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80512G	33.83	54.00	-20.17	5.05	3	Horizontal	195	2.47	28.78	32.44	7.04	34.43
AV	4.87316G	34.38	54.00	-19.62	5.52	3	Horizontal	0	2.99	28.86	32.85	7.09	34.42
AV	11.49223G	44.16	54.00	-9.84	16.39	3	Horizontal	207	1.50	27.77	39.27	10.83	33.71
AV	11.92764G	43.45	54.00	-10.55	16.18	3	Horizontal	221	1.50	27.42	38.96	10.95	33.73
AV	13.38888G	48.83	54.00	-5.17	19.43	3	Horizontal	15	3.00	29.40	40.00	11.79	32.36
AV	15.97634G	45.78	54.00	-8.22	17.42	3	Horizontal	272	1.49	28.36	38.05	13.13	33.76
PK	4.80988G	47.56	74.00	-26.44	5.10	3	Horizontal	195	2.47	42.46	32.48	7.05	34.43
PK	4.87564G	47.32	74.00	-26.68	5.54	3	Horizontal	0	2.99	41.78	32.85	7.10	34.41
PK	11.49047G	56.17	74.00	-17.83	16.38	3	Horizontal	207	1.50	39.79	39.26	10.83	33.71
PK	11.93138G	55.38	74.00	-18.62	16.18	3	Horizontal	221	1.50	39.20	38.96	10.95	33.73
PK	13.3888G	61.49	74.00	-12.51	19.43	3	Horizontal	15	3.00	42.06	40.00	11.79	32.36
PK	15.97625G	57.51	74.00	-16.49	17.42	3	Horizontal	272	1.49	40.09	38.05	13.13	33.76

Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83272G	33.98	54.00	-20.02	5.30	3	Vertical	111	1.50	28.68	32.66	7.06	34.42
AV	4.9696G	34.66	54.00	-19.34	6.05	3	Vertical	79	2.98	28.61	33.28	7.17	34.40
AV	10.47056G	43.53	68.20	-24.67	15.64	3	Vertical	221	1.18	27.89	38.90	10.56	33.82
AV	11.4974G	44.54	54.00	-9.46	16.41	3	Vertical	151	1.50	28.13	39.29	10.83	33.71
AV	13.38956G	46.32	54.00	-7.68	19.43	3	Vertical	176	1.23	26.89	40.00	11.79	32.36
AV	15.9648G	44.94	54.00	-9.06	17.43	3	Vertical	130	1.50	27.51	38.07	13.12	33.76
PK	4.8248G	46.06	74.00	-27.94	5.23	3	Vertical	111	1.50	40.83	32.60	7.06	34.43
PK	4.9694G	46.49	74.00	-27.51	6.05	3	Vertical	79	2.98	40.44	33.28	7.17	34.40
PK	10.48448G	55.90	88.20	-32.30	15.65	3	Vertical	221	1.18	40.25	38.90	10.56	33.81
PK	11.49572G	57.32	74.00	-16.68	16.40	3	Vertical	151	1.50	40.92	39.28	10.83	33.71
PK	13.39516G	58.37	74.00	-15.63	19.43	3	Vertical	176	1.23	38.94	40.00	11.79	32.36
PK	15.96572G	57.29	74.00	-16.71	17.43	3	Vertical	130	1.50	39.86	38.07	13.12	33.76

Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83096G	33.96	54.00	-20.04	5.29	3	Horizontal	349	1.26	28.67	32.65	7.06	34.42
AV	4.95396G	34.69	54.00	-19.31	5.98	3	Horizontal	46	1.50	28.71	33.22	7.16	34.40
AV	10.47232G	43.77	68.20	-24.43	15.64	3	Horizontal	52	2.90	28.13	38.90	10.56	33.82
AV	11.4982G	44.30	54.00	-9.70	16.41	3	Horizontal	98	1.50	27.89	39.29	10.83	33.71
AV	13.38868G	48.92	54.00	-5.08	19.43	3	Horizontal	14	3.00	29.49	40.00	11.79	32.36
AV	15.96732G	44.93	54.00	-9.07	17.43	3	Horizontal	136	1.50	27.50	38.07	13.12	33.76
PK	4.8206G	46.48	74.00	-27.52	5.19	3	Horizontal	349	1.26	41.29	32.56	7.06	34.43
PK	4.96364G	47.10	74.00	-26.90	6.01	3	Horizontal	46	1.50	41.09	33.25	7.16	34.40
PK	10.47944G	56.15	88.20	-32.05	15.65	3	Horizontal	52	2.90	40.50	38.90	10.56	33.81
PK	11.4954G	56.37	74.00	-17.63	16.40	3	Horizontal	98	1.50	39.97	39.28	10.83	33.71
PK	13.3934G	61.56	74.00	-12.44	19.43	3	Horizontal	14	3.00	42.13	40.00	11.79	32.36
PK	15.9792G	57.50	74.00	-16.50	17.41	3	Horizontal	136	1.50	40.09	38.04	13.13	33.76

Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.9688G	35.23	54.00	-18.77	6.05	3	Vertical	45	2.60	29.18	33.28	7.17	34.40
AV	10.47872G	45.85	68.20	-22.35	15.64	3	Vertical	51	2.98	30.21	38.90	10.56	33.82
AV	11.39776G	44.99	54.00	-9.01	16.37	3	Vertical	51	1.90	28.62	39.31	10.81	33.75
AV	11.49684G	44.64	54.00	-9.36	16.41	3	Vertical	3	1.50	28.23	39.29	10.83	33.71
AV	13.38892G	47.97	54.00	-6.03	19.43	3	Vertical	175	1.21	28.54	40.00	11.79	32.36
AV	15.98168G	46.14	54.00	-7.86	17.41	3	Vertical	156	1.50	28.73	38.04	13.13	33.76
PK	4.96624G	47.38	74.00	-26.62	6.02	3	Vertical	45	2.60	41.36	33.26	7.16	34.40
PK	10.4788G	58.40	88.20	-29.80	15.64	3	Vertical	51	2.98	42.76	38.90	10.56	33.82
PK	11.40924G	57.10	74.00	-16.90	16.33	3	Vertical	51	1.90	40.77	39.26	10.81	33.74
PK	11.49076G	56.98	74.00	-17.02	16.38	3	Vertical	3	1.50	40.60	39.26	10.83	33.71
PK	13.38656G	60.44	74.00	-13.56	19.43	3	Vertical	175	1.21	41.01	40.00	11.79	32.36
PK	15.97116G	58.84	74.00	-15.16	17.43	3	Vertical	156	1.50	41.41	38.06	13.13	33.76

Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.96884G	35.44	54.00	-18.56	6.05	3	Horizontal	15	2.94	29.39	33.28	7.17	34.40
AV	10.4812G	45.65	68.20	-22.55	15.65	3	Horizontal	194	1.77	30.00	38.90	10.56	33.81
AV	11.39872G	45.09	54.00	-8.91	16.37	3	Horizontal	6	1.50	28.72	39.31	10.81	33.75
AV	11.49568G	44.54	54.00	-9.46	16.40	3	Horizontal	356	1.50	28.14	39.28	10.83	33.71
AV	13.38876G	50.21	54.00	-3.79	19.43	3	Horizontal	13	2.94	30.78	40.00	11.79	32.36
AV	15.96528G	46.10	54.00	-7.90	17.43	3	Horizontal	22	2.81	28.67	38.07	13.12	33.76
PK	4.9602G	48.08	74.00	-25.92	6.00	3	Horizontal	15	2.94	42.08	33.24	7.16	34.40
PK	10.4762G	58.18	88.20	-30.02	15.64	3	Horizontal	194	1.77	42.54	38.90	10.56	33.82
PK	11.40044G	57.24	74.00	-16.76	16.36	3	Horizontal	6	1.50	40.88	39.30	10.81	33.75
PK	11.49056G	56.51	74.00	-17.49	16.38	3	Horizontal	356	1.50	40.13	39.26	10.83	33.71
PK	13.39344G	62.59	74.00	-11.41	19.43	3	Horizontal	13	2.94	43.16	40.00	11.79	32.36
PK	15.98264G	58.46	74.00	-15.54	17.40	3	Horizontal	22	2.81	41.06	38.03	13.13	33.76

Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8144G	33.75	54.00	-20.25	5.14	3	Vertical	268	1.50	28.61	32.52	7.05	34.43
AV	10.4788G	44.16	68.20	-24.04	15.64	3	Vertical	140	2.49	28.52	38.90	10.56	33.82
AV	11.49992G	44.45	54.00	-9.55	16.42	3	Vertical	315	3.00	28.03	39.30	10.83	33.71
AV	11.92412G	44.07	54.00	-9.93	16.17	3	Vertical	88	1.50	27.90	38.95	10.95	33.73
AV	13.3888G	47.81	54.00	-6.19	19.43	3	Vertical	176	1.23	28.38	40.00	11.79	32.36
AV	15.98224G	45.96	54.00	-8.04	17.41	3	Vertical	285	1.50	28.55	38.04	13.13	33.76
PK	4.80464G	45.91	74.00	-28.09	5.05	3	Vertical	268	1.50	40.86	32.44	7.04	34.43
PK	10.48224G	56.55	88.20	-31.65	15.65	3	Vertical	140	2.49	40.90	38.90	10.56	33.81
PK	11.49568G	57.15	74.00	-16.85	16.40	3	Vertical	315	3.00	40.75	39.28	10.83	33.71
PK	11.9246G	56.23	74.00	-17.77	16.17	3	Vertical	88	1.50	40.06	38.95	10.95	33.73
PK	13.39444G	60.13	74.00	-13.87	19.43	3	Vertical	176	1.23	40.70	40.00	11.79	32.36
PK	15.9812G	57.88	74.00	-16.12	17.41	3	Vertical	285	1.50	40.47	38.04	13.13	33.76

Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8044G	34.04	54.00	-19.96	5.05	3	Horizontal	164	2.98	28.99	32.44	7.04	34.43
AV	10.4786G	46.15	68.20	-22.05	15.64	3	Horizontal	261	1.01	30.51	38.90	10.56	33.82
AV	11.49668G	44.50	54.00	-9.50	16.41	3	Horizontal	124	2.61	28.09	39.29	10.83	33.71
AV	11.93812G	44.10	54.00	-9.90	16.20	3	Horizontal	88	1.50	27.90	38.98	10.95	33.73
AV	13.38848G	50.37	54.00	-3.63	19.43	3	Horizontal	11	3.00	30.94	40.00	11.79	32.36
AV	15.98092G	45.90	54.00	-8.10	17.41	3	Horizontal	300	1.95	28.49	38.04	13.13	33.76
PK	4.8082G	46.31	74.00	-27.69	5.09	3	Horizontal	164	2.98	41.22	32.47	7.05	34.43
PK	10.47936G	58.77	88.20	-29.43	15.65	3	Horizontal	261	1.01	43.12	38.90	10.56	33.81
PK	11.497G	56.53	74.00	-17.47	16.41	3	Horizontal	124	2.61	40.12	39.29	10.83	33.71
PK	11.92996G	56.79	74.00	-17.21	16.18	3	Horizontal	88	1.50	40.61	38.96	10.95	33.73
PK	13.3914G	62.42	74.00	-11.58	19.43	3	Horizontal	11	3.00	42.99	40.00	11.79	32.36
PK	15.96708G	58.53	74.00	-15.47	17.43	3	Horizontal	300	1.95	41.10	38.07	13.12	33.76

Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81984G	33.89	54.00	-20.11	5.18	3	Vertical	302	2.20	28.71	32.56	7.05	34.43
AV	4.82696G	33.95	54.00	-20.05	5.26	3	Vertical	269	1.50	28.69	32.62	7.06	34.42
AV	10.47924G	44.21	68.20	-23.99	15.65	3	Vertical	174	1.50	28.56	38.90	10.56	33.81
AV	11.49676G	44.11	54.00	-9.89	16.41	3	Vertical	115	1.50	27.70	39.29	10.83	33.71
AV	13.38888G	47.57	54.00	-6.43	19.43	3	Vertical	175	1.32	28.14	40.00	11.79	32.36
AV	15.97976G	45.76	54.00	-8.24	17.41	3	Vertical	188	1.50	28.35	38.04	13.13	33.76
PK	4.80268G	46.64	74.00	-27.36	5.03	3	Vertical	302	2.20	41.61	32.42	7.04	34.43
PK	4.81464G	45.82	74.00	-28.18	5.14	3	Vertical	269	1.50	40.68	32.52	7.05	34.43
PK	10.48984G	56.65	88.20	-31.55	15.66	3	Vertical	174	1.50	40.99	38.90	10.56	33.80
PK	11.49908G	56.70	74.00	-17.30	16.42	3	Vertical	115	1.50	40.28	39.30	10.83	33.71
PK	13.38856G	60.29	74.00	-13.71	19.43	3	Vertical	175	1.32	40.86	40.00	11.79	32.36
PK	15.97672G	58.68	74.00	-15.32	17.42	3	Vertical	188	1.50	41.26	38.05	13.13	33.76

Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8184G	33.81	54.00	-20.19	5.17	3	Horizontal	306	1.00	28.64	32.55	7.05	34.43
AV	4.83184G	34.05	54.00	-19.95	5.29	3	Horizontal	163	1.00	28.76	32.65	7.06	34.42
AV	10.47868G	45.94	68.20	-22.26	15.64	3	Horizontal	201	1.83	30.30	38.90	10.56	33.82
AV	11.49808G	44.14	54.00	-9.86	16.41	3	Horizontal	323	3.00	27.73	39.29	10.83	33.71
AV	13.38848G	49.83	54.00	-4.17	19.43	3	Horizontal	12	3.00	30.40	40.00	11.79	32.36
AV	15.9808G	45.70	54.00	-8.30	17.41	3	Horizontal	23	1.50	28.29	38.04	13.13	33.76
PK	4.81868G	46.24	74.00	-27.76	5.17	3	Horizontal	306	1.00	41.07	32.55	7.05	34.43
PK	4.8328G	46.37	74.00	-27.63	5.30	3	Horizontal	163	1.00	41.07	32.66	7.06	34.42
PK	10.47476G	58.07	88.20	-30.13	15.64	3	Horizontal	201	1.83	42.43	38.90	10.56	33.82
PK	11.49904G	56.35	74.00	-17.65	16.42	3	Horizontal	323	3.00	39.93	39.30	10.83	33.71
PK	13.3932G	62.76	74.00	-11.24	19.43	3	Horizontal	12	3.00	43.33	40.00	11.79	32.36
PK	15.97404G	57.79	74.00	-16.21	17.42	3	Horizontal	23	1.50	40.37	38.05	13.13	33.76

Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80048G	33.79	54.00	-20.21	5.01	3	Vertical	322	2.49	28.78	32.40	7.04	34.43
AV	10.47876G	45.64	68.20	-22.56	15.64	3	Vertical	209	2.98	30.00	38.90	10.56	33.82
AV	11.392G	44.62	54.00	-9.38	16.39	3	Vertical	61	1.50	28.23	39.33	10.81	33.75
AV	11.49768G	44.44	54.00	-9.56	16.41	3	Vertical	35	1.50	28.03	39.29	10.83	33.71
AV	13.38872G	47.75	54.00	-6.25	19.43	3	Vertical	175	1.33	28.32	40.00	11.79	32.36
AV	15.96772G	45.95	54.00	-8.05	17.42	3	Vertical	265	1.50	28.53	38.06	13.12	33.76
PK	4.81296G	46.30	74.00	-27.70	5.12	3	Vertical	322	2.49	41.18	32.50	7.05	34.43
PK	10.47396G	58.06	88.20	-30.14	15.64	3	Vertical	209	2.98	42.42	38.90	10.56	33.82
PK	11.399G	57.07	74.00	-16.93	16.36	3	Vertical	61	1.50	40.71	39.30	10.81	33.75
PK	11.49224G	56.67	74.00	-17.33	16.39	3	Vertical	35	1.50	40.28	39.27	10.83	33.71
PK	13.39452G	59.96	74.00	-14.04	19.43	3	Vertical	175	1.33	40.53	40.00	11.79	32.36
PK	15.98088G	58.22	74.00	-15.78	17.41	3	Vertical	265	1.50	40.81	38.04	13.13	33.76

Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8002G	33.93	54.00	-20.07	5.01	3	Horizontal	204	2.32	28.92	32.40	7.04	34.43
AV	10.4812G	46.13	68.20	-22.07	15.65	3	Horizontal	219	2.97	30.48	38.90	10.56	33.81
AV	11.39436G	44.88	54.00	-9.12	16.38	3	Horizontal	199	1.50	28.50	39.32	10.81	33.75
AV	11.49784G	44.42	54.00	-9.58	16.41	3	Horizontal	138	1.50	28.01	39.29	10.83	33.71
AV	13.3884G	50.08	54.00	-3.92	19.43	3	Horizontal	10	2.97	30.65	40.00	11.79	32.36
AV	15.98064G	45.87	54.00	-8.13	17.41	3	Horizontal	75	1.50	28.46	38.04	13.13	33.76
PK	4.81144G	46.78	74.00	-27.22	5.11	3	Horizontal	204	2.32	41.67	32.49	7.05	34.43
PK	10.48136G	59.12	88.20	-29.08	15.65	3	Horizontal	219	2.97	43.47	38.90	10.56	33.81
PK	11.39892G	57.06	74.00	-16.94	16.36	3	Horizontal	199	1.50	40.70	39.30	10.81	33.75
PK	11.49412G	56.24	74.00	-17.76	16.40	3	Horizontal	138	1.50	39.84	39.28	10.83	33.71
PK	13.39296G	62.55	74.00	-11.45	19.43	3	Horizontal	10	2.97	43.12	40.00	11.79	32.36
PK	15.97688G	58.09	74.00	-15.91	17.42	3	Horizontal	75	1.50	40.67	38.05	13.13	33.76

Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80853G	33.39	54.00	-20.61	5.09	3	Vertical	7	2.57	28.30	32.47	7.05	34.43
AV	10.4815G	52.48	68.20	-15.72	15.65	3	Vertical	30	1.64	36.83	38.90	10.56	33.81
AV	11.4984G	44.47	54.00	-9.53	16.41	3	Vertical	0	1.50	28.06	39.29	10.83	33.71
AV	11.92915G	44.79	54.00	-9.21	16.18	3	Vertical	327	1.50	28.61	38.96	10.95	33.73
AV	13.3921G	48.80	54.00	-5.20	19.43	3	Vertical	191	2.93	29.37	40.00	11.79	32.36
AV	15.97405G	46.09	54.00	-7.91	17.42	3	Vertical	158	1.50	28.67	38.05	13.13	33.76
PK	4.80796G	46.16	74.00	-27.84	5.08	3	Vertical	7	2.57	41.08	32.46	7.05	34.43
PK	10.4764G	65.04	88.20	-23.16	15.64	3	Vertical	30	1.64	49.40	38.90	10.56	33.82
PK	11.4721G	56.61	74.00	-17.39	16.30	3	Vertical	0	1.50	40.31	39.19	10.83	33.72
PK	11.93197G	57.98	74.00	-16.02	16.18	3	Vertical	327	1.50	41.80	38.96	10.95	33.73
PK	13.3935G	61.34	74.00	-12.66	19.43	3	Vertical	191	2.93	41.91	40.00	11.79	32.36
PK	15.97674G	58.47	74.00	-15.53	17.42	3	Vertical	158	1.50	41.05	38.05	13.13	33.76

Mode 12




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81169G	33.62	54.00	-20.38	5.11	3	Horizontal	19	2.93	28.51	32.49	7.05	34.43
AV	10.4811G	49.64	68.20	-18.56	15.65	3	Horizontal	10	2.70	33.99	38.90	10.56	33.81
AV	11.5052G	44.33	54.00	-9.67	16.42	3	Horizontal	120	1.50	27.91	39.29	10.84	33.71
AV	11.93047G	44.68	54.00	-9.32	16.18	3	Horizontal	360	1.50	28.50	38.96	10.95	33.73
AV	13.3862G	49.12	54.00	-4.88	19.43	3	Horizontal	1	2.90	29.69	40.00	11.79	32.36
AV	15.9651G	46.02	54.00	-7.98	17.43	3	Horizontal	113	1.50	28.59	38.07	13.12	33.76
PK	4.80776G	46.19	74.00	-27.81	5.08	3	Horizontal	19	2.93	41.11	32.46	7.05	34.43
PK	10.4762G	62.14	88.20	-26.06	15.64	3	Horizontal	10	2.70	46.50	38.90	10.56	33.82
PK	11.4908G	56.60	74.00	-17.40	16.38	3	Horizontal	120	1.50	40.22	39.26	10.83	33.71
PK	11.93183G	57.15	74.00	-16.85	16.18	3	Horizontal	360	1.50	40.97	38.96	10.95	33.73
PK	13.3868G	61.37	74.00	-12.63	19.43	3	Horizontal	1	2.90	41.94	40.00	11.79	32.36
PK	15.9736G	58.75	74.00	-15.25	17.42	3	Horizontal	113	1.50	41.33	38.05	13.13	33.76

Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81113G	33.28	54.00	-20.72	5.11	3	Vertical	303	1.50	28.17	32.49	7.05	34.43
AV	4.82499G	33.39	54.00	-20.61	5.23	3	Vertical	344	1.18	28.16	32.60	7.06	34.43
AV	11.49194G	44.37	54.00	-9.63	16.39	3	Vertical	238	2.95	27.98	39.27	10.83	33.71
AV	12.3867G	49.30	54.00	-4.70	17.09	3	Vertical	232	3.00	32.21	39.33	11.20	33.44
AV	13.38868G	53.90	54.00	-0.10	19.43	3	Vertical	43	1.27	34.47	40.00	11.79	32.36
AV	15.97386G	45.87	54.00	-8.13	17.42	3	Vertical	69	1.50	28.45	38.05	13.13	33.76
PK	4.80956G	45.58	74.00	-28.42	5.10	3	Vertical	303	1.50	40.48	32.48	7.05	34.43
PK	4.82615G	46.22	74.00	-27.78	5.25	3	Vertical	344	1.18	40.97	32.61	7.06	34.42
PK	11.491G	56.95	74.00	-17.05	16.38	3	Vertical	238	2.95	40.57	39.26	10.83	33.71
PK	12.3871G	62.07	74.00	-11.93	17.09	3	Vertical	232	3.00	44.98	39.33	11.20	33.44
PK	13.39372G	68.47	74.00	-5.53	19.43	3	Vertical	43	1.27	49.04	40.00	11.79	32.36
PK	15.97434G	58.17	74.00	-15.83	17.42	3	Vertical	69	1.50	40.75	38.05	13.13	33.76

Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81217G	33.26	54.00	-20.74	5.12	3	Horizontal	202	1.50	28.14	32.50	7.05	34.43
AV	4.82565G	33.41	54.00	-20.59	5.25	3	Horizontal	148	3.00	28.16	32.61	7.06	34.42
AV	11.49125G	44.58	54.00	-9.42	16.38	3	Horizontal	360	1.81	28.20	39.26	10.83	33.71
AV	12.3885G	48.93	54.00	-5.07	17.08	3	Horizontal	17	3.00	31.85	39.32	11.20	33.44
AV	13.38418G	53.29	54.00	-0.71	19.43	3	Horizontal	335	1.18	33.86	40.00	11.79	32.36
AV	15.97545G	46.07	54.00	-7.93	17.42	3	Horizontal	90	1.22	28.65	38.05	13.13	33.76
PK	4.80915G	45.53	74.00	-28.47	5.09	3	Horizontal	202	1.50	40.44	32.47	7.05	34.43
PK	4.82588G	45.93	74.00	-28.07	5.25	3	Horizontal	148	3.00	40.68	32.61	7.06	34.42
PK	11.49162G	56.68	74.00	-17.32	16.39	3	Horizontal	360	1.81	40.29	39.27	10.83	33.71
PK	12.3898G	62.12	74.00	-11.88	17.08	3	Horizontal	17	3.00	45.04	39.32	11.20	33.44
PK	13.3891G	67.84	74.00	-6.16	19.43	3	Horizontal	335	1.18	48.41	40.00	11.79	32.36
PK	15.97608G	58.93	74.00	-15.07	17.42	3	Horizontal	90	1.22	41.51	38.05	13.13	33.76

Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95768G	34.92	54.00	-19.08	5.99	3	Vertical	46	2.10	28.93	33.23	7.16	34.40
AV	11.3975G	44.38	54.00	-9.62	16.37	3	Vertical	284	1.50	28.01	39.31	10.81	33.75
AV	11.49177G	43.47	54.00	-10.53	16.39	3	Vertical	282	2.45	27.08	39.27	10.83	33.71
AV	12.389G	49.01	54.00	-4.99	17.08	3	Vertical	333	2.92	31.93	39.32	11.20	33.44
AV	13.3887G	53.91	54.00	-0.09	19.43	3	Vertical	44	1.24	34.48	40.00	11.79	32.36
AV	15.97519G	46.16	54.00	-7.84	17.42	3	Vertical	26	1.15	28.74	38.05	13.13	33.76
PK	4.9579G	47.49	74.00	-26.51	5.99	3	Vertical	46	2.10	41.50	33.23	7.16	34.40
PK	11.40208G	56.81	74.00	-17.19	16.35	3	Vertical	284	1.50	40.46	39.29	10.81	33.75
PK	11.49235G	56.63	74.00	-17.37	16.39	3	Vertical	282	2.45	40.24	39.27	10.83	33.71
PK	12.3893G	61.91	74.00	-12.09	17.08	3	Vertical	333	2.92	44.83	39.32	11.20	33.44
PK	13.3919G	67.56	74.00	-6.44	19.43	3	Vertical	44	1.24	48.13	40.00	11.79	32.36
PK	15.97331G	58.30	74.00	-15.70	17.42	3	Vertical	26	1.15	40.88	38.05	13.13	33.76

Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95827G	34.78	54.00	-19.22	5.99	3	Horizontal	207	2.75	28.79	33.23	7.16	34.40
AV	11.40047G	43.74	54.00	-10.26	16.36	3	Horizontal	303	1.00	27.38	39.30	10.81	33.75
AV	11.49158G	43.50	54.00	-10.50	16.39	3	Horizontal	354	2.05	27.11	39.27	10.83	33.71
AV	12.3898G	47.95	54.00	-6.05	17.08	3	Horizontal	26	1.84	30.87	39.32	11.20	33.44
AV	13.3843G	52.38	54.00	-1.62	19.43	3	Horizontal	336	1.15	32.95	40.00	11.79	32.36
AV	15.97385G	45.85	54.00	-8.15	17.42	3	Horizontal	52	1.50	28.43	38.05	13.13	33.76
PK	4.96032G	47.10	74.00	-26.90	6.00	3	Horizontal	207	2.75	41.10	33.24	7.16	34.40
PK	11.40236G	56.79	74.00	-17.21	16.35	3	Horizontal	303	1.00	40.44	39.29	10.81	33.75
PK	11.4907G	57.18	74.00	-16.82	16.38	3	Horizontal	354	2.05	40.80	39.26	10.83	33.71
PK	12.3905G	59.77	74.00	-14.23	17.08	3	Horizontal	26	1.84	42.69	39.32	11.20	33.44
PK	13.3916G	67.34	74.00	-6.66	19.43	3	Horizontal	336	1.15	47.91	40.00	11.79	32.36
PK	15.97573G	58.26	74.00	-15.74	17.42	3	Horizontal	52	1.50	40.84	38.05	13.13	33.76


Mode 15




Mode 15




Mode 16



Mode 16




Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81836G	33.67	54.00	-20.33	5.17	3	Vertical	323	3.00	28.50	32.55	7.05	34.43
AV	11.39492G	44.83	54.00	-9.17	16.38	3	Vertical	344	1.50	28.45	39.32	10.81	33.75
AV	11.4982G	45.09	54.00	-8.91	16.41	3	Vertical	185	1.50	28.68	39.29	10.83	33.71
AV	12.3818G	45.86	54.00	-8.14	17.09	3	Vertical	225	1.50	28.77	39.34	11.20	33.45
AV	13.39932G	46.31	54.00	-7.69	19.45	3	Vertical	69	1.50	26.86	40.00	11.80	32.35
AV	15.98332G	45.84	54.00	-8.16	17.40	3	Vertical	60	1.50	28.44	38.03	13.13	33.76
PK	4.81312G	45.74	74.00	-28.26	5.12	3	Vertical	323	3.00	40.62	32.50	7.05	34.43
PK	11.39988G	57.02	74.00	-16.98	16.36	3	Vertical	344	1.50	40.66	39.30	10.81	33.75
PK	11.48884G	57.20	74.00	-16.80	16.38	3	Vertical	185	1.50	40.82	39.26	10.83	33.71
PK	12.38008G	58.28	74.00	-15.72	17.08	3	Vertical	225	1.50	41.20	39.34	11.19	33.45
PK	13.39624G	58.28	74.00	-15.72	19.43	3	Vertical	69	1.50	38.85	40.00	11.79	32.36
PK	15.97824G	58.64	74.00	-15.36	17.41	3	Vertical	60	1.50	41.23	38.04	13.13	33.76

Mode 17



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81948G	33.87	54.00	-20.13	5.18	3	Horizontal	351	2.89	28.69	32.56	7.05	34.43
AV	11.40452G	44.89	54.00	-9.11	16.34	3	Horizontal	341	1.50	28.55	39.28	10.81	33.75
AV	11.49744G	44.83	54.00	-9.17	16.41	3	Horizontal	299	1.50	28.42	39.29	10.83	33.71
AV	12.38636G	45.90	54.00	-8.10	17.09	3	Horizontal	306	1.50	28.81	39.33	11.20	33.44
AV	13.3864G	46.35	54.00	-7.65	19.43	3	Horizontal	67	1.50	26.92	40.00	11.79	32.36
AV	15.98056G	46.01	54.00	-7.99	17.41	3	Horizontal	146	1.50	28.60	38.04	13.13	33.76
PK	4.80112G	46.70	74.00	-27.30	5.02	3	Horizontal	351	2.89	41.68	32.41	7.04	34.43
PK	11.40388G	56.85	74.00	-17.15	16.34	3	Horizontal	341	1.50	40.51	39.28	10.81	33.75
PK	11.48728G	57.01	74.00	-16.99	16.37	3	Horizontal	299	1.50	40.64	39.25	10.83	33.71
PK	12.39944G	57.94	74.00	-16.06	17.08	3	Horizontal	306	1.50	40.86	39.30	11.21	33.43
PK	13.39016G	58.44	74.00	-15.56	19.43	3	Horizontal	67	1.50	39.01	40.00	11.79	32.36
PK	15.97632G	57.98	74.00	-16.02	17.42	3	Horizontal	146	1.50	40.56	38.05	13.13	33.76

Mode 18



Mode 18

