



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	12.65
802.11be EHT20_Nss1,(MCS0)_2TX	11.56
802.11be EHT40_Nss1,(MCS0)_2TX	8.03
802.11be EHT80_Nss1,(MCS0)_2TX	4.99
802.11be EHT160_Nss1,(MCS0)_2TX	-2.05
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.91
802.11be EHT20_Nss1,(MCS0)_2TX	10.72
802.11be EHT40_Nss1,(MCS0)_2TX	7.54
802.11be EHT80_Nss1,(MCS0)_2TX	4.05
802.11be EHT160_Nss1,(MCS0)_2TX	-1.36
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.94
802.11be EHT20_Nss1,(MCS0)_2TX	10.52
802.11be EHT40_Nss1,(MCS0)_2TX	7.75
802.11be EHT80_Nss1,(MCS0)_2TX	4.60
802.11be EHT160_Nss1,(MCS0)_2TX	-2.80
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	11.93
802.11be EHT20_Nss1,(MCS0)_2TX	11.09
802.11be EHT40_Nss1,(MCS0)_2TX	8.16
802.11be EHT80_Nss1,(MCS0)_2TX	4.55

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	5.83	8.31	8.62	11.30	17.00
5200MHz	Pass	5.83	9.54	10.31	12.65	17.00
5240MHz	Pass	5.83	8.84	10.10	12.52	17.00
5260MHz	Pass	5.95	7.76	8.09	10.85	11.00
5300MHz	Pass	5.95	7.90	8.22	10.91	11.00
5320MHz	Pass	5.95	7.81	7.93	10.71	11.00
5500MHz	Pass	5.83	7.49	8.00	10.65	11.00
5580MHz	Pass	5.83	7.76	8.23	10.79	11.00
5700MHz	Pass	5.83	6.07	6.53	9.26	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.83	8.13	8.20	10.94	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.58	6.24	7.03	9.36	30.00
5745MHz	Pass	4.58	8.60	9.48	11.75	30.00
5785MHz	Pass	4.58	8.98	9.06	11.92	30.00
5825MHz	Pass	4.58	8.97	9.03	11.93	30.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	5.83	7.10	7.84	10.37	17.00
5200MHz	Pass	5.83	7.63	8.33	10.91	17.00
5240MHz	Pass	5.83	8.23	9.24	11.56	17.00
5260MHz	Pass	5.95	7.42	7.76	10.52	11.00
5300MHz	Pass	5.95	7.24	7.31	10.23	11.00
5320MHz	Pass	5.95	7.79	7.63	10.72	11.00
5500MHz	Pass	5.83	6.82	7.53	10.07	11.00
5580MHz	Pass	5.83	7.12	7.59	10.31	11.00
5700MHz	Pass	5.83	3.00	3.33	6.14	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.83	7.32	7.80	10.52	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.58	5.78	6.25	9.03	30.00
5745MHz	Pass	4.58	7.78	7.98	10.85	30.00
5785MHz	Pass	4.58	8.00	8.33	11.09	30.00
5825MHz	Pass	4.58	7.98	8.14	11.03	30.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	5.83	3.90	4.33	7.04	17.00
5230MHz	Pass	5.83	4.69	5.38	8.03	17.00
5270MHz	Pass	5.95	4.50	4.66	7.54	11.00
5310MHz	Pass	5.95	4.24	4.37	7.26	11.00
5510MHz	Pass	5.83	4.39	4.55	7.41	11.00
5550MHz	Pass	5.83	2.53	2.64	5.53	11.00
5670MHz	Pass	5.83	1.52	1.62	4.51	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.83	4.70	4.86	7.75	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.58	2.86	3.10	5.89	30.00
5755MHz	Pass	4.58	5.02	4.84	7.92	30.00
5795MHz	Pass	4.58	5.15	5.23	8.16	30.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	5.83	1.69	2.32	4.99	17.00
5290MHz	Pass	5.95	0.90	1.21	4.05	11.00
5530MHz	Pass	5.83	1.42	1.45	4.37	11.00
5610MHz	Pass	5.83	0.38	0.38	3.32	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.83	1.60	1.64	4.60	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.58	-1.13	-0.47	2.22	30.00
5775MHz	Pass	4.58	1.54	1.59	4.55	30.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.83	-5.44	-4.61	-2.05	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.95	-3.93	-4.73	-1.36	11.00
5570MHz	Pass	5.83	-5.88	-5.52	-2.80	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

23/01/2026

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.65	12.65	9.54	10.31

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

24/01/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.56	11.56	8.23	9.24

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

23/01/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.03	8.03	4.69	5.38

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

23/01/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.99	4.99	1.69	2.32

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

23/01/2026




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

23/01/2026



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

23/01/2026

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.72	10.72	7.79	7.63

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

23/01/2026

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.54	7.54	4.50	4.66

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

23/01/2026

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.05	4.05	0.90	1.21

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

23/01/2026

CF (Hz)
5.33G


Span (Hz)
320M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.36	-1.36	-3.93	-4.73

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

23/01/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.94	10.94	8.13	8.20

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

24/01/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.52	10.52	7.32	7.80




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

23/01/2026




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/01/2026




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

23/01/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.80	-2.80	-5.88	-5.52

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

23/01/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.93	11.93	8.97	9.03




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5785MHz

23/01/2026

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.09	11.09	8.00	8.33


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5795MHz


23/01/2026

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.16	8.16	5.15	5.23





Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	11.82
802.11be EHT40_Nss2,(MCS0)_2TX	7.89
802.11be EHT80_Nss2,(MCS0)_2TX	4.63
802.11be EHT160_Nss2,(MCS0)_2TX	-0.95
5.25-5.35GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	10.69
802.11be EHT40_Nss2,(MCS0)_2TX	7.64
802.11be EHT80_Nss2,(MCS0)_2TX	3.80
802.11be EHT160_Nss2,(MCS0)_2TX	-0.21
5.47-5.725GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	10.74
802.11be EHT40_Nss2,(MCS0)_2TX	7.82
802.11be EHT80_Nss2,(MCS0)_2TX	4.50
802.11be EHT160_Nss2,(MCS0)_2TX	-1.22
5.725-5.85GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	11.29
802.11be EHT40_Nss2,(MCS0)_2TX	8.24
802.11be EHT80_Nss2,(MCS0)_2TX	4.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	4.08	7.39	7.99	10.57	17.00
5200MHz	Pass	4.08	7.68	8.41	11.02	17.00
5240MHz	Pass	4.08	8.29	9.41	11.82	17.00
5260MHz	Pass	3.46	7.61	7.88	10.69	11.00
5300MHz	Pass	3.46	7.45	7.48	10.40	11.00
5320MHz	Pass	3.46	7.57	7.61	10.56	11.00
5500MHz	Pass	4.66	7.12	7.88	10.47	11.00
5580MHz	Pass	4.66	7.22	7.72	10.43	11.00
5700MHz	Pass	4.66	3.94	4.17	6.95	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.66	7.50	8.05	10.74	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.06	5.68	6.23	8.93	30.00
5745MHz	Pass	4.06	7.93	8.19	11.05	30.00
5785MHz	Pass	4.06	8.18	8.46	11.29	30.00
5825MHz	Pass	4.06	8.14	8.37	11.23	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	4.08	4.15	4.50	7.24	17.00
5230MHz	Pass	4.08	4.68	5.15	7.89	17.00
5270MHz	Pass	3.46	4.62	4.81	7.61	11.00
5310MHz	Pass	3.46	4.86	4.55	7.64	11.00
5510MHz	Pass	4.66	1.01	1.32	4.15	11.00
5550MHz	Pass	4.66	2.66	2.93	5.74	11.00
5670MHz	Pass	4.66	1.75	2.00	4.86	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.66	4.79	4.99	7.82	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.06	2.91	3.18	6.05	30.00
5755MHz	Pass	4.06	5.00	5.02	8.00	30.00
5795MHz	Pass	4.06	5.22	5.28	8.24	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	4.08	1.42	1.95	4.63	17.00
5290MHz	Pass	3.46	0.59	1.04	3.80	11.00
5530MHz	Pass	4.66	1.33	1.44	4.33	11.00
5610MHz	Pass	4.66	0.23	0.42	3.26	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.66	1.34	1.64	4.50	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.06	-0.91	-0.54	2.29	30.00
5775MHz	Pass	4.06	1.87	2.00	4.92	30.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.08	-4.52	-3.39	-0.95	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.46	-2.80	-3.63	-0.21	11.00
5570MHz	Pass	4.66	-4.26	-4.11	-1.22	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

23/01/2026

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.82	11.82	8.29	9.41

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

23/01/2026

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.89	7.89	4.68	5.15

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

23/01/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.63	4.63	1.42	1.95

5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

23/01/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.95	-0.95	-4.52	-3.39

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5260MHz

23/01/2026




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5310MHz

23/01/2026




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

23/01/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.80	3.80	0.59	1.04

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5250MHz Straddle 5.25-5.35GHz

23/01/2026




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.21	-0.21	-2.80	-3.63

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

23/01/2026




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.74	10.74	7.50	8.05

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

23/01/2026



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.82	7.82	4.79	4.99




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

23/01/2026




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

5570MHz

23/01/2026






5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5785MHz

23/01/2026

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.29	11.29	8.18	8.46

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5795MHz

23/01/2026

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.24	8.24	5.22	5.28

Sum
Port 1
Port 2




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5775MHz

23/01/2026

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.92	4.92	1.87	2.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 1_Full RU_4T1S_AP5022S6D**

Appendix E.1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	QP	39.49M	36.81	40.00	-3.19	3	Vertical	172	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 1_Full RU_4T1S_AP5022S6D**


Appendix E.1

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz_Adapter	Pass	PK	70.74M	32.44	40.00	-7.56	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	249.22M	34.50	46.00	-11.50	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	503.36M	30.72	46.00	-15.28	3	Vertical	360	1.00
5290MHz_Adapter	Pass	PK	551.86M	37.75	46.00	-8.25	3	Vertical	360	1.00
5290MHz_Adapter	Pass	QP	39.49M	36.81	40.00	-3.19	3	Vertical	172	1.00
5290MHz_Adapter	Pass	QP	44.76M	34.42	40.00	-5.58	3	Vertical	348	1.00
5290MHz_Adapter	Pass	PK	37.76M	28.16	40.00	-11.84	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	94.02M	32.29	43.50	-11.21	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	249.22M	29.12	46.00	-16.88	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	282.2M	32.33	46.00	-13.67	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	427.7M	38.26	46.00	-7.74	3	Horizontal	0	1.00
5290MHz_Adapter	Pass	PK	551.86M	34.77	46.00	-11.23	3	Horizontal	0	1.00
5290MHz_PoE	Pass	PK	30M	30.47	40.00	-9.53	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	45.52M	29.88	40.00	-10.12	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	179.38M	23.79	43.50	-19.71	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	249.22M	38.05	46.00	-7.95	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	513.06M	36.57	46.00	-9.43	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	549.92M	39.14	46.00	-6.86	3	Vertical	0	1.00
5290MHz_PoE	Pass	PK	30M	29.32	40.00	-10.68	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	74.62M	26.90	40.00	-13.10	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	253.1M	28.64	46.00	-17.36	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	369.5M	32.52	46.00	-13.48	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	441.28M	29.81	46.00	-16.19	3	Horizontal	360	1.00
5290MHz_PoE	Pass	PK	549.92M	36.34	46.00	-9.66	3	Horizontal	360	1.00


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_Adapter



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_1T1S_AP5022S6D**

Appendix E.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1496G	52.10	54.00	-1.90	3	Vertical	20	2.67
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	52.98	54.00	-1.02	3	Vertical	20	2.47
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Vertical	22	1.51
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.149G	53.84	54.00	-0.16	3	Vertical	20	2.34
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3502G	53.73	54.00	-0.27	3	Vertical	13	1.47
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3512G	53.41	54.00	-0.59	3	Vertical	14	1.47
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.47	54.00	-0.53	3	Vertical	14	1.48
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.25	54.00	-0.75	3	Vertical	20	1.24

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1496G	52.10	54.00	-1.90	3	Vertical	20	2.67
5180MHz_TX	Pass	AV	5.1818G	104.63	Inf	-Inf	3	Vertical	20	2.67
5180MHz_TX	Pass	PK	5.149G	66.00	74.00	-8.00	3	Vertical	20	2.67
5180MHz_TX	Pass	PK	5.1816G	113.71	Inf	-Inf	3	Vertical	20	2.67
5180MHz_TX	Pass	AV	5.1498G	51.91	54.00	-2.09	3	Horizontal	337	1.50
5180MHz_TX	Pass	AV	5.1846G	103.70	Inf	-Inf	3	Horizontal	337	1.50
5180MHz_TX	Pass	PK	5.15G	65.28	74.00	-8.72	3	Horizontal	337	1.50
5180MHz_TX	Pass	PK	5.1842G	112.74	Inf	-Inf	3	Horizontal	337	1.50
5180MHz_TX	Pass	PK	10.36168G	54.01	68.20	-14.19	3	Vertical	334	1.84
5180MHz_TX	Pass	PK	10.36652G	52.59	68.20	-15.61	3	Horizontal	356	3.00
5200MHz_TX	Pass	AV	5.15G	51.53	54.00	-2.47	3	Vertical	19	1.81
5200MHz_TX	Pass	AV	5.206G	105.63	Inf	-Inf	3	Vertical	19	1.81
5200MHz_TX	Pass	PK	5.148G	68.44	74.00	-5.56	3	Vertical	19	1.81
5200MHz_TX	Pass	PK	5.2016G	114.62	Inf	-Inf	3	Vertical	19	1.81
5200MHz_TX	Pass	AV	5.15G	50.25	54.00	-3.75	3	Horizontal	22	1.62
5200MHz_TX	Pass	AV	5.2064G	104.98	Inf	-Inf	3	Horizontal	22	1.62
5200MHz_TX	Pass	PK	5.1496G	66.65	74.00	-7.35	3	Horizontal	22	1.62
5200MHz_TX	Pass	PK	5.2044G	114.02	Inf	-Inf	3	Horizontal	22	1.62
5200MHz_TX	Pass	PK	10.3966G	57.27	68.20	-10.93	3	Vertical	333	1.85
5200MHz_TX	Pass	PK	10.40084G	54.28	68.20	-13.92	3	Horizontal	9	2.89
5240MHz_TX	Pass	AV	5.15G	47.43	54.00	-6.57	3	Vertical	22	1.50
5240MHz_TX	Pass	AV	5.2454G	106.48	Inf	-Inf	3	Vertical	22	1.50
5240MHz_TX	Pass	AV	5.3534G	46.40	54.00	-7.60	3	Vertical	22	1.50
5240MHz_TX	Pass	PK	5.1488G	62.65	74.00	-11.35	3	Vertical	22	1.50
5240MHz_TX	Pass	PK	5.2472G	115.34	Inf	-Inf	3	Vertical	22	1.50
5240MHz_TX	Pass	PK	5.351G	57.08	74.00	-16.92	3	Vertical	22	1.50
5240MHz_TX	Pass	AV	5.1488G	46.53	54.00	-7.47	3	Horizontal	26	1.24
5240MHz_TX	Pass	AV	5.2442G	105.07	Inf	-Inf	3	Horizontal	26	1.24
5240MHz_TX	Pass	AV	5.3528G	45.95	54.00	-8.05	3	Horizontal	26	1.24
5240MHz_TX	Pass	PK	5.1488G	61.41	74.00	-12.59	3	Horizontal	26	1.24
5240MHz_TX	Pass	PK	5.2442G	114.11	Inf	-Inf	3	Horizontal	26	1.24
5240MHz_TX	Pass	PK	5.3666G	56.14	74.00	-17.86	3	Horizontal	26	1.24
5240MHz_TX	Pass	PK	10.47664G	60.71	68.20	-7.49	3	Vertical	332	1.61
5240MHz_TX	Pass	PK	10.47628G	58.48	68.20	-9.72	3	Horizontal	11	2.93
5260MHz_TX	Pass	AV	5.1484G	45.53	54.00	-8.47	3	Vertical	21	1.65
5260MHz_TX	Pass	AV	5.257G	107.01	Inf	-Inf	3	Vertical	21	1.65
5260MHz_TX	Pass	AV	5.356G	47.32	54.00	-6.68	3	Vertical	21	1.65
5260MHz_TX	Pass	PK	5.15G	56.34	74.00	-17.66	3	Vertical	21	1.65
5260MHz_TX	Pass	PK	5.2612G	115.93	Inf	-Inf	3	Vertical	21	1.65
5260MHz_TX	Pass	PK	5.35G	59.13	74.00	-14.87	3	Vertical	21	1.65
5260MHz_TX	Pass	AV	5.1484G	45.18	54.00	-8.82	3	Horizontal	336	1.58
5260MHz_TX	Pass	AV	5.2564G	105.50	Inf	-Inf	3	Horizontal	336	1.58
5260MHz_TX	Pass	AV	5.35G	46.83	54.00	-7.17	3	Horizontal	336	1.58
5260MHz_TX	Pass	PK	5.1436G	55.95	74.00	-18.05	3	Horizontal	336	1.58
5260MHz_TX	Pass	PK	5.257G	114.30	Inf	-Inf	3	Horizontal	336	1.58
5260MHz_TX	Pass	PK	5.359G	59.19	74.00	-14.81	3	Horizontal	336	1.58
5260MHz_TX	Pass	PK	10.51644G	62.06	68.20	-6.14	3	Vertical	26	1.94
5260MHz_TX	Pass	PK	10.51636G	57.53	68.20	-10.67	3	Horizontal	13	2.72
5300MHz_TX	Pass	AV	5.3016G	106.51	Inf	-Inf	3	Vertical	19	1.38
5300MHz_TX	Pass	AV	5.3508G	53.19	54.00	-0.81	3	Vertical	19	1.38
5300MHz_TX	Pass	PK	5.304G	115.55	Inf	-Inf	3	Vertical	19	1.38
5300MHz_TX	Pass	PK	5.35G	71.11	74.00	-2.89	3	Vertical	19	1.38
5300MHz_TX	Pass	AV	5.3028G	105.76	Inf	-Inf	3	Horizontal	0	1.75
5300MHz_TX	Pass	AV	5.3504G	52.53	54.00	-1.47	3	Horizontal	0	1.75
5300MHz_TX	Pass	PK	5.3016G	114.62	Inf	-Inf	3	Horizontal	0	1.75
5300MHz_TX	Pass	PK	5.354G	70.64	74.00	-3.36	3	Horizontal	0	1.75
5300MHz_TX	Pass	PK	10.5964G	58.53	68.20	-9.67	3	Vertical	331	1.62
5300MHz_TX	Pass	PK	10.59652G	55.15	68.20	-13.05	3	Horizontal	27	2.59
5320MHz_TX	Pass	AV	5.315G	105.22	Inf	-Inf	3	Vertical	13	1.47
5320MHz_TX	Pass	AV	5.3502G	53.73	54.00	-0.27	3	Vertical	13	1.47



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_1T1S_AP5022S6D**

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz_TX	Pass	PK	5.3188G	113.62	Inf	-Inf	3	Vertical	13	1.47
5320MHz_TX	Pass	PK	5.3554G	69.99	74.00	-4.01	3	Vertical	13	1.47
5320MHz_TX	Pass	AV	5.3226G	104.11	Inf	-Inf	3	Horizontal	5	1.73
5320MHz_TX	Pass	AV	5.35G	53.01	54.00	-0.99	3	Horizontal	5	1.73
5320MHz_TX	Pass	PK	5.324G	113.04	Inf	-Inf	3	Horizontal	5	1.73
5320MHz_TX	Pass	PK	5.3548G	68.76	74.00	-5.24	3	Horizontal	5	1.73
5320MHz_TX	Pass	AV	10.6488G	42.34	54.00	-11.66	3	Vertical	337	1.26
5320MHz_TX	Pass	PK	10.64056G	52.77	74.00	-21.23	3	Vertical	337	1.26
5320MHz_TX	Pass	AV	10.64468G	42.10	54.00	-11.90	3	Horizontal	258	1.87
5320MHz_TX	Pass	PK	10.64768G	52.66	74.00	-21.34	3	Horizontal	258	1.87
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	52.98	54.00	-1.02	3	Vertical	20	2.47
5180MHz_TX	Pass	AV	5.1834G	103.69	Inf	-Inf	3	Vertical	20	2.47
5180MHz_TX	Pass	PK	5.1468G	66.08	74.00	-7.92	3	Vertical	20	2.47
5180MHz_TX	Pass	PK	5.1866G	115.68	Inf	-Inf	3	Vertical	20	2.47
5180MHz_TX	Pass	AV	5.1498G	52.22	54.00	-1.78	3	Horizontal	339	1.50
5180MHz_TX	Pass	AV	5.1822G	102.30	Inf	-Inf	3	Horizontal	339	1.50
5180MHz_TX	Pass	PK	5.1492G	64.56	74.00	-9.44	3	Horizontal	339	1.50
5180MHz_TX	Pass	PK	5.1884G	114.92	Inf	-Inf	3	Horizontal	339	1.50
5180MHz_TX	Pass	PK	10.36628G	52.62	68.20	-15.58	3	Vertical	333	1.82
5180MHz_TX	Pass	PK	10.35072G	51.88	68.20	-16.32	3	Horizontal	327	2.48
5200MHz_TX	Pass	AV	5.15G	52.77	54.00	-1.23	3	Vertical	20	2.31
5200MHz_TX	Pass	AV	5.2088G	104.28	Inf	-Inf	3	Vertical	20	2.31
5200MHz_TX	Pass	PK	5.1464G	70.51	74.00	-3.49	3	Vertical	20	2.31
5200MHz_TX	Pass	PK	5.2016G	116.07	Inf	-Inf	3	Vertical	20	2.31
5200MHz_TX	Pass	AV	5.15G	51.31	54.00	-2.69	3	Horizontal	25	1.62
5200MHz_TX	Pass	AV	5.208G	103.54	Inf	-Inf	3	Horizontal	25	1.62
5200MHz_TX	Pass	PK	5.1492G	69.28	74.00	-4.72	3	Horizontal	25	1.62
5200MHz_TX	Pass	PK	5.2052G	115.04	Inf	-Inf	3	Horizontal	25	1.62
5200MHz_TX	Pass	PK	10.3994G	55.40	68.20	-12.80	3	Vertical	333	1.83
5200MHz_TX	Pass	PK	10.39648G	53.13	68.20	-15.07	3	Horizontal	15	2.86
5240MHz_TX	Pass	AV	5.15G	48.51	54.00	-5.49	3	Vertical	22	1.50
5240MHz_TX	Pass	AV	5.2466G	105.33	Inf	-Inf	3	Vertical	22	1.50
5240MHz_TX	Pass	AV	5.351G	46.31	54.00	-7.69	3	Vertical	22	1.50
5240MHz_TX	Pass	PK	5.1476G	67.19	74.00	-6.81	3	Vertical	22	1.50
5240MHz_TX	Pass	PK	5.2472G	117.17	Inf	-Inf	3	Vertical	22	1.50
5240MHz_TX	Pass	PK	5.3504G	60.80	74.00	-13.20	3	Vertical	22	1.50
5240MHz_TX	Pass	AV	5.15G	48.39	54.00	-5.61	3	Horizontal	20	1.41
5240MHz_TX	Pass	AV	5.2484G	104.33	Inf	-Inf	3	Horizontal	20	1.41
5240MHz_TX	Pass	AV	5.3504G	46.60	54.00	-7.40	3	Horizontal	20	1.41
5240MHz_TX	Pass	PK	5.1482G	65.74	74.00	-8.26	3	Horizontal	20	1.41
5240MHz_TX	Pass	PK	5.2454G	116.84	Inf	-Inf	3	Horizontal	20	1.41
5240MHz_TX	Pass	PK	5.35G	60.39	74.00	-13.61	3	Horizontal	20	1.41
5240MHz_TX	Pass	PK	10.47784G	59.10	68.20	-9.10	3	Vertical	332	1.81
5240MHz_TX	Pass	PK	10.48444G	55.98	68.20	-12.22	3	Horizontal	13	2.68
5260MHz_TX	Pass	AV	5.149G	46.51	54.00	-7.49	3	Vertical	20	1.47
5260MHz_TX	Pass	AV	5.2612G	105.84	Inf	-Inf	3	Vertical	20	1.47
5260MHz_TX	Pass	AV	5.35G	49.29	54.00	-4.71	3	Vertical	20	1.47
5260MHz_TX	Pass	PK	5.1496G	64.00	74.00	-10.00	3	Vertical	20	1.47
5260MHz_TX	Pass	PK	5.2594G	117.58	Inf	-Inf	3	Vertical	20	1.47
5260MHz_TX	Pass	PK	5.3506G	64.71	74.00	-9.29	3	Vertical	20	1.47
5260MHz_TX	Pass	AV	5.15G	45.40	54.00	-8.60	3	Horizontal	335	1.50
5260MHz_TX	Pass	AV	5.263G	104.84	Inf	-Inf	3	Horizontal	335	1.50
5260MHz_TX	Pass	AV	5.35G	48.38	54.00	-5.62	3	Horizontal	335	1.50
5260MHz_TX	Pass	PK	5.1496G	61.40	74.00	-12.60	3	Horizontal	335	1.50
5260MHz_TX	Pass	PK	5.266G	116.70	Inf	-Inf	3	Horizontal	335	1.50
5260MHz_TX	Pass	PK	5.3554G	65.83	74.00	-8.17	3	Horizontal	335	1.50
5260MHz_TX	Pass	PK	10.52176G	59.89	68.20	-8.31	3	Vertical	333	1.84
5260MHz_TX	Pass	PK	10.51832G	57.06	68.20	-11.14	3	Horizontal	13	2.79
5300MHz_TX	Pass	AV	5.3044G	104.23	Inf	-Inf	3	Vertical	19	1.25
5300MHz_TX	Pass	AV	5.35G	51.93	54.00	-2.07	3	Vertical	19	1.25
5300MHz_TX	Pass	PK	5.306G	116.31	Inf	-Inf	3	Vertical	19	1.25



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_1T1S_AP5022S6D**

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5300MHz_TX	Pass	PK	5.352G	71.54	74.00	-2.46	3	Vertical	19	1.25
5300MHz_TX	Pass	AV	5.3028G	103.89	Inf	-Inf	3	Horizontal	357	2.00
5300MHz_TX	Pass	AV	5.35G	51.54	54.00	-2.46	3	Horizontal	357	2.00
5300MHz_TX	Pass	PK	5.306G	115.93	Inf	-Inf	3	Horizontal	357	2.00
5300MHz_TX	Pass	PK	5.3516G	70.75	74.00	-3.25	3	Horizontal	357	2.00
5300MHz_TX	Pass	PK	10.59552G	56.44	68.20	-11.76	3	Vertical	331	1.75
5300MHz_TX	Pass	PK	10.5906G	52.40	68.20	-15.80	3	Horizontal	26	1.50
5320MHz_TX	Pass	AV	5.3176G	103.71	Inf	-Inf	3	Vertical	14	1.47
5320MHz_TX	Pass	AV	5.3512G	53.41	54.00	-0.59	3	Vertical	14	1.47
5320MHz_TX	Pass	PK	5.3162G	115.97	Inf	-Inf	3	Vertical	14	1.47
5320MHz_TX	Pass	PK	5.3602G	68.90	74.00	-5.10	3	Vertical	14	1.47
5320MHz_TX	Pass	AV	5.3182G	102.51	Inf	-Inf	3	Horizontal	1	1.88
5320MHz_TX	Pass	AV	5.3502G	53.04	54.00	-0.96	3	Horizontal	1	1.88
5320MHz_TX	Pass	PK	5.3164G	114.94	Inf	-Inf	3	Horizontal	1	1.88
5320MHz_TX	Pass	PK	5.3582G	66.09	74.00	-7.91	3	Horizontal	1	1.88
5320MHz_TX	Pass	AV	10.63328G	41.72	54.00	-12.28	3	Vertical	331	2.13
5320MHz_TX	Pass	PK	10.63788G	52.93	74.00	-21.07	3	Vertical	331	2.13
5320MHz_TX	Pass	AV	10.63996G	41.20	54.00	-12.80	3	Horizontal	238	1.50
5320MHz_TX	Pass	PK	10.6432G	52.49	74.00	-21.51	3	Horizontal	238	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.1496G	53.85	54.00	-0.15	3	Vertical	18	2.32
5190MHz_TX	Pass	AV	5.2068G	97.71	Inf	-Inf	3	Vertical	18	2.32
5190MHz_TX	Pass	PK	5.1488G	66.40	74.00	-7.60	3	Vertical	18	2.32
5190MHz_TX	Pass	PK	5.2052G	110.30	Inf	-Inf	3	Vertical	18	2.32
5190MHz_TX	Pass	AV	5.1496G	52.18	54.00	-1.82	3	Horizontal	21	1.61
5190MHz_TX	Pass	AV	5.2052G	97.21	Inf	-Inf	3	Horizontal	21	1.61
5190MHz_TX	Pass	PK	5.1436G	64.51	74.00	-9.49	3	Horizontal	21	1.61
5190MHz_TX	Pass	PK	5.2036G	109.07	Inf	-Inf	3	Horizontal	21	1.61
5190MHz_TX	Pass	PK	10.3876G	50.95	68.20	-17.25	3	Vertical	282	1.50
5190MHz_TX	Pass	PK	10.37304G	51.62	68.20	-16.58	3	Horizontal	246	1.72
5230MHz_TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Vertical	22	1.51
5230MHz_TX	Pass	AV	5.2472G	100.44	Inf	-Inf	3	Vertical	22	1.51
5230MHz_TX	Pass	PK	5.1472G	69.81	74.00	-4.19	3	Vertical	22	1.51
5230MHz_TX	Pass	PK	5.2396G	112.71	Inf	-Inf	3	Vertical	22	1.51
5230MHz_TX	Pass	AV	5.1496G	52.39	54.00	-1.61	3	Horizontal	337	1.24
5230MHz_TX	Pass	AV	5.2464G	99.04	Inf	-Inf	3	Horizontal	337	1.24
5230MHz_TX	Pass	PK	5.1492G	69.67	74.00	-4.33	3	Horizontal	337	1.24
5230MHz_TX	Pass	PK	5.2396G	111.95	Inf	-Inf	3	Horizontal	337	1.24
5230MHz_TX	Pass	PK	10.46304G	56.13	68.20	-12.07	3	Vertical	331	1.75
5230MHz_TX	Pass	PK	10.46288G	54.32	68.20	-13.88	3	Horizontal	12	2.85
5270MHz_TX	Pass	AV	5.2732G	101.11	Inf	-Inf	3	Vertical	20	1.50
5270MHz_TX	Pass	AV	5.35G	53.16	54.00	-0.84	3	Vertical	20	1.50
5270MHz_TX	Pass	PK	5.2776G	113.59	Inf	-Inf	3	Vertical	20	1.50
5270MHz_TX	Pass	PK	5.358G	68.52	74.00	-5.48	3	Vertical	20	1.50
5270MHz_TX	Pass	AV	5.2632G	100.11	Inf	-Inf	3	Horizontal	336	1.70
5270MHz_TX	Pass	AV	5.3508G	52.03	54.00	-1.97	3	Horizontal	336	1.70
5270MHz_TX	Pass	PK	5.2796G	112.26	Inf	-Inf	3	Horizontal	336	1.70
5270MHz_TX	Pass	PK	5.358G	66.77	74.00	-7.23	3	Horizontal	336	1.70
5270MHz_TX	Pass	PK	10.54284G	56.17	68.20	-12.03	3	Vertical	31	1.78
5270MHz_TX	Pass	PK	10.54024G	52.31	68.20	-15.89	3	Horizontal	40	2.91
5310MHz_TX	Pass	AV	5.3152G	99.70	Inf	-Inf	3	Vertical	14	1.48
5310MHz_TX	Pass	AV	5.35G	53.47	54.00	-0.53	3	Vertical	14	1.48
5310MHz_TX	Pass	PK	5.3172G	112.01	Inf	-Inf	3	Vertical	14	1.48
5310MHz_TX	Pass	PK	5.3536G	68.34	74.00	-5.66	3	Vertical	14	1.48
5310MHz_TX	Pass	AV	5.3116G	98.63	Inf	-Inf	3	Horizontal	14	1.67
5310MHz_TX	Pass	AV	5.35G	53.14	54.00	-0.86	3	Horizontal	14	1.67
5310MHz_TX	Pass	PK	5.3192G	110.77	Inf	-Inf	3	Horizontal	14	1.67
5310MHz_TX	Pass	PK	5.3532G	67.32	74.00	-6.68	3	Horizontal	14	1.67
5310MHz_TX	Pass	AV	10.61704G	41.26	54.00	-12.74	3	Vertical	26	1.50
5310MHz_TX	Pass	PK	10.62728G	52.16	74.00	-21.84	3	Vertical	26	1.50
5310MHz_TX	Pass	AV	10.6258G	41.20	54.00	-12.80	3	Horizontal	346	3.00
5310MHz_TX	Pass	PK	10.61888G	52.31	74.00	-21.69	3	Horizontal	346	3.00




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_1T1S_AP5022S6D**

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.149G	53.84	54.00	-0.16	3	Vertical	20	2.34
5210MHz_TX	Pass	AV	5.226G	94.70	Inf	-Inf	3	Vertical	20	2.34
5210MHz_TX	Pass	AV	5.353G	45.70	54.00	-8.30	3	Vertical	20	2.34
5210MHz_TX	Pass	PK	5.147G	65.77	74.00	-8.23	3	Vertical	20	2.34
5210MHz_TX	Pass	PK	5.223G	107.00	Inf	-Inf	3	Vertical	20	2.34
5210MHz_TX	Pass	PK	5.35G	56.72	74.00	-17.28	3	Vertical	20	2.34
5210MHz_TX	Pass	AV	5.149G	53.08	54.00	-0.92	3	Horizontal	341	1.50
5210MHz_TX	Pass	AV	5.222G	93.90	Inf	-Inf	3	Horizontal	341	1.50
5210MHz_TX	Pass	AV	5.352G	45.19	54.00	-8.81	3	Horizontal	341	1.50
5210MHz_TX	Pass	PK	5.143G	64.71	74.00	-9.29	3	Horizontal	341	1.50
5210MHz_TX	Pass	PK	5.222G	106.56	Inf	-Inf	3	Horizontal	341	1.50
5210MHz_TX	Pass	PK	5.357G	57.32	74.00	-16.68	3	Horizontal	341	1.50
5210MHz_TX	Pass	PK	10.42884G	51.15	68.20	-17.05	3	Vertical	33	2.02
5210MHz_TX	Pass	PK	10.42492G	52.01	68.20	-16.19	3	Horizontal	148	2.49
5290MHz_TX	Pass	AV	5.149G	46.21	54.00	-7.79	3	Vertical	20	1.24
5290MHz_TX	Pass	AV	5.306G	97.14	Inf	-Inf	3	Vertical	20	1.24
5290MHz_TX	Pass	AV	5.35G	53.25	54.00	-0.75	3	Vertical	20	1.24
5290MHz_TX	Pass	PK	5.145G	57.48	74.00	-16.52	3	Vertical	20	1.24
5290MHz_TX	Pass	PK	5.318G	108.73	Inf	-Inf	3	Vertical	20	1.24
5290MHz_TX	Pass	PK	5.35G	65.18	74.00	-8.82	3	Vertical	20	1.24
5290MHz_TX	Pass	PK	5.537G	55.94	68.20	-12.26	3	Vertical	20	1.24
5290MHz_TX	Pass	AV	5.146G	45.22	54.00	-8.78	3	Horizontal	353	2.03
5290MHz_TX	Pass	AV	5.302G	96.39	Inf	-Inf	3	Horizontal	353	2.03
5290MHz_TX	Pass	AV	5.35G	52.90	54.00	-1.10	3	Horizontal	353	2.03
5290MHz_TX	Pass	PK	5.15G	57.86	74.00	-16.14	3	Horizontal	353	2.03
5290MHz_TX	Pass	PK	5.298G	108.51	Inf	-Inf	3	Horizontal	353	2.03
5290MHz_TX	Pass	PK	5.352G	64.24	74.00	-9.76	3	Horizontal	353	2.03
5290MHz_TX	Pass	PK	5.513G	56.22	68.20	-11.98	3	Horizontal	353	2.03
5290MHz_TX	Pass	PK	10.5726G	52.40	68.20	-15.80	3	Vertical	31	1.83
5290MHz_TX	Pass	PK	10.57276G	52.33	68.20	-15.87	3	Horizontal	192	2.65


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.84	54.00	-0.16	0.78	3	Vertical	20	2.34	53.06	33.20	5.69	38.11
AV	5.226G	94.70	Inf	-Inf	0.76	3	Vertical	20	2.34	93.94	33.15	5.73	38.12
AV	5.353G	45.70	54.00	-8.30	0.64	3	Vertical	20	2.34	45.06	32.99	5.80	38.15
PK	5.147G	65.77	74.00	-8.23	0.77	3	Vertical	20	2.34	65.00	33.19	5.69	38.11
PK	5.223G	107.00	Inf	-Inf	0.75	3	Vertical	20	2.34	106.25	33.15	5.72	38.12
PK	5.35G	56.72	74.00	-17.28	0.65	3	Vertical	20	2.34	56.07	33.00	5.80	38.15

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.08	54.00	-0.92	0.78	3	Horizontal	341	1.50	52.30	33.20	5.69	38.11
AV	5.222G	93.90	Inf	-Inf	0.76	3	Horizontal	341	1.50	93.14	33.16	5.72	38.12
AV	5.352G	45.19	54.00	-8.81	0.65	3	Horizontal	341	1.50	44.54	33.00	5.80	38.15
PK	5.143G	64.71	74.00	-9.29	0.78	3	Horizontal	341	1.50	63.93	33.19	5.69	38.10
PK	5.222G	106.56	Inf	-Inf	0.76	3	Horizontal	341	1.50	105.80	33.16	5.72	38.12
PK	5.357G	57.32	74.00	-16.68	0.63	3	Horizontal	341	1.50	56.69	32.99	5.80	38.16


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_2T1S_AP5022S6D**

Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1488G	53.64	54.00	-0.36	3	Horizontal	24	2.33
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.87	54.00	-0.13	3	Horizontal	17	2.20
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.28	54.00	-0.72	3	Horizontal	15	1.82
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.149G	53.01	54.00	-0.99	3	Vertical	16	1.90
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.42	54.00	-0.58	3	Vertical	16	1.71
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	53.66	54.00	-0.34	3	Horizontal	27	2.24
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.352G	53.30	54.00	-0.70	3	Horizontal	17	2.29
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.60	54.00	-0.40	3	Horizontal	17	2.26

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	53.44	54.00	-0.56	3	Vertical	15	1.45
5180MHz_TX	Pass	AV	5.1852G	109.11	Inf	-Inf	3	Vertical	15	1.45
5180MHz_TX	Pass	PK	5.15G	63.88	74.00	-10.12	3	Vertical	15	1.45
5180MHz_TX	Pass	PK	5.185G	118.05	Inf	-Inf	3	Vertical	15	1.45
5180MHz_TX	Pass	AV	5.1488G	53.64	54.00	-0.36	3	Horizontal	24	2.33
5180MHz_TX	Pass	AV	5.1838G	109.81	Inf	-Inf	3	Horizontal	24	2.33
5180MHz_TX	Pass	PK	5.149G	65.70	74.00	-8.30	3	Horizontal	24	2.33
5180MHz_TX	Pass	PK	5.1786G	118.46	Inf	-Inf	3	Horizontal	24	2.33
5180MHz_TX	Pass	PK	10.35652G	51.83	68.20	-16.37	3	Vertical	33	1.50
5180MHz_TX	Pass	PK	10.35916G	51.50	68.20	-16.70	3	Horizontal	171	1.57
5200MHz_TX	Pass	AV	5.1496G	52.42	54.00	-1.58	3	Vertical	14	1.66
5200MHz_TX	Pass	AV	5.2052G	110.70	Inf	-Inf	3	Vertical	14	1.66
5200MHz_TX	Pass	PK	5.15G	70.00	74.00	-4.00	3	Vertical	14	1.66
5200MHz_TX	Pass	PK	5.2048G	118.58	Inf	-Inf	3	Vertical	14	1.66
5200MHz_TX	Pass	AV	5.1496G	52.55	54.00	-1.45	3	Horizontal	15	1.47
5200MHz_TX	Pass	AV	5.2052G	110.74	Inf	-Inf	3	Horizontal	15	1.47
5200MHz_TX	Pass	PK	5.15G	69.88	74.00	-4.12	3	Horizontal	15	1.47
5200MHz_TX	Pass	PK	5.2048G	119.91	Inf	-Inf	3	Horizontal	15	1.47
5200MHz_TX	Pass	PK	10.3944G	57.49	68.20	-10.71	3	Vertical	334	1.85
5200MHz_TX	Pass	PK	10.39308G	52.07	68.20	-16.13	3	Horizontal	307	2.99
5240MHz_TX	Pass	AV	5.15G	49.85	54.00	-4.15	3	Vertical	17	1.73
5240MHz_TX	Pass	AV	5.2448G	111.59	Inf	-Inf	3	Vertical	17	1.73
5240MHz_TX	Pass	AV	5.35G	47.44	54.00	-6.56	3	Vertical	17	1.73
5240MHz_TX	Pass	PK	5.1488G	66.06	74.00	-7.94	3	Vertical	17	1.73
5240MHz_TX	Pass	PK	5.2448G	120.35	Inf	-Inf	3	Vertical	17	1.73
5240MHz_TX	Pass	PK	5.3546G	60.73	74.00	-13.27	3	Vertical	17	1.73
5240MHz_TX	Pass	AV	5.1494G	49.84	54.00	-4.16	3	Horizontal	25	2.29
5240MHz_TX	Pass	AV	5.2388G	112.36	Inf	-Inf	3	Horizontal	25	2.29
5240MHz_TX	Pass	AV	5.3606G	47.89	54.00	-6.11	3	Horizontal	25	2.29
5240MHz_TX	Pass	PK	5.1488G	66.81	74.00	-7.19	3	Horizontal	25	2.29
5240MHz_TX	Pass	PK	5.2436G	121.14	Inf	-Inf	3	Horizontal	25	2.29
5240MHz_TX	Pass	PK	5.3528G	58.96	74.00	-15.04	3	Horizontal	25	2.29
5240MHz_TX	Pass	PK	10.47864G	63.89	68.20	-4.31	3	Vertical	333	1.92
5240MHz_TX	Pass	PK	10.4796G	60.46	68.20	-7.74	3	Horizontal	349	3.00
5260MHz_TX	Pass	AV	5.1454G	46.28	54.00	-7.72	3	Vertical	16	1.75
5260MHz_TX	Pass	AV	5.2552G	111.58	Inf	-Inf	3	Vertical	16	1.75
5260MHz_TX	Pass	AV	5.3506G	48.84	54.00	-5.16	3	Vertical	16	1.75
5260MHz_TX	Pass	PK	5.1448G	59.06	74.00	-14.94	3	Vertical	16	1.75
5260MHz_TX	Pass	PK	5.2546G	120.58	Inf	-Inf	3	Vertical	16	1.75
5260MHz_TX	Pass	PK	5.3602G	62.53	74.00	-11.47	3	Vertical	16	1.75
5260MHz_TX	Pass	AV	5.1484G	46.79	54.00	-7.21	3	Horizontal	12	2.21
5260MHz_TX	Pass	AV	5.2636G	111.34	Inf	-Inf	3	Horizontal	12	2.21
5260MHz_TX	Pass	AV	5.3542G	49.29	54.00	-4.71	3	Horizontal	12	2.21
5260MHz_TX	Pass	PK	5.1478G	57.46	74.00	-16.54	3	Horizontal	12	2.21
5260MHz_TX	Pass	PK	5.2588G	119.79	Inf	-Inf	3	Horizontal	12	2.21
5260MHz_TX	Pass	PK	5.3584G	64.37	74.00	-9.63	3	Horizontal	12	2.21
5260MHz_TX	Pass	PK	10.51648G	64.60	68.20	-3.60	3	Vertical	336	1.50
5260MHz_TX	Pass	PK	10.5164G	56.33	68.20	-11.87	3	Horizontal	311	2.80
5300MHz_TX	Pass	AV	5.3048G	110.48	Inf	-Inf	3	Vertical	16	1.71
5300MHz_TX	Pass	AV	5.35G	53.42	54.00	-0.58	3	Vertical	16	1.71
5300MHz_TX	Pass	PK	5.3048G	119.53	Inf	-Inf	3	Vertical	16	1.71
5300MHz_TX	Pass	PK	5.35G	71.73	74.00	-2.27	3	Vertical	16	1.71
5300MHz_TX	Pass	AV	5.2984G	111.02	Inf	-Inf	3	Horizontal	22	2.19
5300MHz_TX	Pass	AV	5.35G	53.18	54.00	-0.82	3	Horizontal	22	2.19
5300MHz_TX	Pass	PK	5.2984G	119.71	Inf	-Inf	3	Horizontal	22	2.19
5300MHz_TX	Pass	PK	5.3532G	70.35	74.00	-3.65	3	Horizontal	22	2.19
5300MHz_TX	Pass	PK	10.59628G	61.03	68.20	-7.17	3	Vertical	333	1.36
5300MHz_TX	Pass	PK	10.59928G	53.54	68.20	-14.66	3	Horizontal	334	2.93
5320MHz_TX	Pass	AV	5.3138G	108.70	Inf	-Inf	3	Vertical	7	2.01
5320MHz_TX	Pass	AV	5.3502G	52.83	54.00	-1.17	3	Vertical	7	2.01

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz_TX	Pass	PK	5.3242G	117.34	Inf	-Inf	3	Vertical	7	2.01
5320MHz_TX	Pass	PK	5.3548G	67.80	74.00	-6.20	3	Vertical	7	2.01
5320MHz_TX	Pass	AV	5.3184G	109.98	Inf	-Inf	3	Horizontal	26	2.28
5320MHz_TX	Pass	AV	5.3536G	53.26	54.00	-0.74	3	Horizontal	26	2.28
5320MHz_TX	Pass	PK	5.3194G	118.64	Inf	-Inf	3	Horizontal	26	2.28
5320MHz_TX	Pass	PK	5.3532G	66.53	74.00	-7.47	3	Horizontal	26	2.28
5320MHz_TX	Pass	AV	10.63616G	42.54	54.00	-11.46	3	Vertical	328	1.30
5320MHz_TX	Pass	PK	10.63348G	52.39	74.00	-21.61	3	Vertical	328	1.30
5320MHz_TX	Pass	AV	10.63344G	42.20	54.00	-11.80	3	Horizontal	325	1.13
5320MHz_TX	Pass	PK	10.6476G	52.19	74.00	-21.81	3	Horizontal	325	1.13
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	53.65	54.00	-0.35	3	Vertical	15	1.79
5180MHz_TX	Pass	AV	5.1822G	107.65	Inf	-Inf	3	Vertical	15	1.79
5180MHz_TX	Pass	PK	5.1392G	66.56	74.00	-7.44	3	Vertical	15	1.79
5180MHz_TX	Pass	PK	5.1746G	118.71	Inf	-Inf	3	Vertical	15	1.79
5180MHz_TX	Pass	AV	5.149G	53.34	54.00	-0.66	3	Horizontal	27	2.36
5180MHz_TX	Pass	AV	5.1818G	107.78	Inf	-Inf	3	Horizontal	27	2.36
5180MHz_TX	Pass	PK	5.1492G	65.92	74.00	-8.08	3	Horizontal	27	2.36
5180MHz_TX	Pass	PK	5.182G	119.52	Inf	-Inf	3	Horizontal	27	2.36
5180MHz_TX	Pass	PK	10.35988G	52.80	68.20	-15.40	3	Vertical	333	1.24
5180MHz_TX	Pass	PK	10.35704G	51.93	68.20	-16.27	3	Horizontal	2	1.50
5200MHz_TX	Pass	AV	5.15G	53.52	54.00	-0.48	3	Vertical	15	1.65
5200MHz_TX	Pass	AV	5.2076G	108.12	Inf	-Inf	3	Vertical	15	1.65
5200MHz_TX	Pass	PK	5.1476G	71.08	74.00	-2.92	3	Vertical	15	1.65
5200MHz_TX	Pass	PK	5.2052G	120.31	Inf	-Inf	3	Vertical	15	1.65
5200MHz_TX	Pass	AV	5.1492G	53.87	54.00	-0.13	3	Horizontal	17	2.20
5200MHz_TX	Pass	AV	5.2044G	108.82	Inf	-Inf	3	Horizontal	17	2.20
5200MHz_TX	Pass	PK	5.1492G	72.55	74.00	-1.45	3	Horizontal	17	2.20
5200MHz_TX	Pass	PK	5.202G	120.45	Inf	-Inf	3	Horizontal	17	2.20
5200MHz_TX	Pass	PK	10.39992G	56.79	68.20	-11.41	3	Vertical	336	1.70
5200MHz_TX	Pass	PK	10.40128G	51.52	68.20	-16.68	3	Horizontal	151	1.50
5240MHz_TX	Pass	AV	5.15G	52.17	54.00	-1.83	3	Vertical	16	1.67
5240MHz_TX	Pass	AV	5.2472G	110.03	Inf	-Inf	3	Vertical	16	1.67
5240MHz_TX	Pass	AV	5.3504G	48.58	54.00	-5.42	3	Vertical	16	1.67
5240MHz_TX	Pass	PK	5.1494G	71.96	74.00	-2.04	3	Vertical	16	1.67
5240MHz_TX	Pass	PK	5.2454G	120.34	Inf	-Inf	3	Vertical	16	1.67
5240MHz_TX	Pass	PK	5.3528G	62.32	74.00	-11.68	3	Vertical	16	1.67
5240MHz_TX	Pass	AV	5.1488G	52.14	54.00	-1.86	3	Horizontal	17	2.29
5240MHz_TX	Pass	AV	5.2442G	110.50	Inf	-Inf	3	Horizontal	17	2.29
5240MHz_TX	Pass	AV	5.35G	48.66	54.00	-5.34	3	Horizontal	17	2.29
5240MHz_TX	Pass	PK	5.1464G	69.17	74.00	-4.83	3	Horizontal	17	2.29
5240MHz_TX	Pass	PK	5.2394G	121.44	Inf	-Inf	3	Horizontal	17	2.29
5240MHz_TX	Pass	PK	5.35G	64.50	74.00	-9.50	3	Horizontal	17	2.29
5240MHz_TX	Pass	PK	10.47712G	62.64	68.20	-5.56	3	Vertical	334	1.85
5240MHz_TX	Pass	PK	10.48128G	55.83	68.20	-12.37	3	Horizontal	323	2.82
5260MHz_TX	Pass	AV	5.1496G	47.25	54.00	-6.75	3	Vertical	12	1.61
5260MHz_TX	Pass	AV	5.2624G	110.41	Inf	-Inf	3	Vertical	12	1.61
5260MHz_TX	Pass	AV	5.35G	51.35	54.00	-2.65	3	Vertical	12	1.61
5260MHz_TX	Pass	PK	5.1442G	62.49	74.00	-11.51	3	Vertical	12	1.61
5260MHz_TX	Pass	PK	5.2576G	122.07	Inf	-Inf	3	Vertical	12	1.61
5260MHz_TX	Pass	PK	5.35G	66.68	74.00	-7.32	3	Vertical	12	1.61
5260MHz_TX	Pass	AV	5.149G	47.33	54.00	-6.67	3	Horizontal	18	2.40
5260MHz_TX	Pass	AV	5.2594G	110.89	Inf	-Inf	3	Horizontal	18	2.40
5260MHz_TX	Pass	AV	5.3518G	51.91	54.00	-2.09	3	Horizontal	18	2.40
5260MHz_TX	Pass	PK	5.149G	62.31	74.00	-11.69	3	Horizontal	18	2.40
5260MHz_TX	Pass	PK	5.257G	121.80	Inf	-Inf	3	Horizontal	18	2.40
5260MHz_TX	Pass	PK	5.3542G	68.10	74.00	-5.90	3	Horizontal	18	2.40
5260MHz_TX	Pass	PK	10.51456G	62.36	68.20	-5.84	3	Vertical	333	1.81
5260MHz_TX	Pass	PK	10.5164G	55.04	68.20	-13.16	3	Horizontal	322	2.84
5300MHz_TX	Pass	AV	5.2972G	108.17	Inf	-Inf	3	Vertical	16	1.70
5300MHz_TX	Pass	AV	5.35G	51.89	54.00	-2.11	3	Vertical	16	1.70
5300MHz_TX	Pass	PK	5.2948G	119.88	Inf	-Inf	3	Vertical	16	1.70

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5300MHz_TX	Pass	PK	5.3504G	71.27	74.00	-2.73	3	Vertical	16	1.70
5300MHz_TX	Pass	AV	5.304G	108.63	Inf	-Inf	3	Horizontal	27	2.24
5300MHz_TX	Pass	AV	5.3512G	53.66	54.00	-0.34	3	Horizontal	27	2.24
5300MHz_TX	Pass	PK	5.3068G	120.02	Inf	-Inf	3	Horizontal	27	2.24
5300MHz_TX	Pass	PK	5.35G	72.92	74.00	-1.08	3	Horizontal	27	2.24
5300MHz_TX	Pass	PK	10.60324G	57.40	74.00	-16.60	3	Vertical	333	1.35
5300MHz_TX	Pass	PK	10.59072G	51.76	68.20	-16.44	3	Horizontal	251	1.50
5320MHz_TX	Pass	AV	5.317G	107.15	Inf	-Inf	3	Vertical	12	1.81
5320MHz_TX	Pass	AV	5.35G	53.55	54.00	-0.45	3	Vertical	12	1.81
5320MHz_TX	Pass	PK	5.3222G	118.46	Inf	-Inf	3	Vertical	12	1.81
5320MHz_TX	Pass	PK	5.3602G	69.07	74.00	-4.93	3	Vertical	12	1.81
5320MHz_TX	Pass	AV	5.3168G	108.22	Inf	-Inf	3	Horizontal	19	2.27
5320MHz_TX	Pass	AV	5.3516G	53.62	54.00	-0.38	3	Horizontal	19	2.27
5320MHz_TX	Pass	PK	5.3192G	120.03	Inf	-Inf	3	Horizontal	19	2.27
5320MHz_TX	Pass	PK	5.3592G	69.13	74.00	-4.87	3	Horizontal	19	2.27
5320MHz_TX	Pass	AV	10.64472G	41.86	54.00	-12.14	3	Vertical	335	1.53
5320MHz_TX	Pass	PK	10.648G	52.39	74.00	-21.61	3	Vertical	335	1.53
5320MHz_TX	Pass	AV	10.64992G	41.15	54.00	-12.85	3	Horizontal	289	1.50
5320MHz_TX	Pass	PK	10.64284G	52.88	74.00	-21.12	3	Horizontal	289	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.15G	52.78	54.00	-1.22	3	Vertical	12	1.50
5190MHz_TX	Pass	AV	5.2052G	100.02	Inf	-Inf	3	Vertical	12	1.50
5190MHz_TX	Pass	PK	5.15G	64.22	74.00	-9.78	3	Vertical	12	1.50
5190MHz_TX	Pass	PK	5.1824G	112.38	Inf	-Inf	3	Vertical	12	1.50
5190MHz_TX	Pass	AV	5.1496G	53.28	54.00	-0.72	3	Horizontal	15	1.82
5190MHz_TX	Pass	AV	5.2048G	100.93	Inf	-Inf	3	Horizontal	15	1.82
5190MHz_TX	Pass	PK	5.1492G	63.71	74.00	-10.29	3	Horizontal	15	1.82
5190MHz_TX	Pass	PK	5.1996G	113.47	Inf	-Inf	3	Horizontal	15	1.82
5190MHz_TX	Pass	PK	10.38736G	51.34	68.20	-16.86	3	Vertical	360	2.13
5190MHz_TX	Pass	PK	10.3866G	51.53	68.20	-16.67	3	Horizontal	336	2.40
5230MHz_TX	Pass	AV	5.1496G	52.92	54.00	-1.08	3	Vertical	15	1.65
5230MHz_TX	Pass	AV	5.2476G	104.13	Inf	-Inf	3	Vertical	15	1.65
5230MHz_TX	Pass	PK	5.1496G	71.83	74.00	-2.17	3	Vertical	15	1.65
5230MHz_TX	Pass	PK	5.2224G	116.42	Inf	-Inf	3	Vertical	15	1.65
5230MHz_TX	Pass	AV	5.1492G	52.79	54.00	-1.21	3	Horizontal	22	2.34
5230MHz_TX	Pass	AV	5.2468G	104.38	Inf	-Inf	3	Horizontal	22	2.34
5230MHz_TX	Pass	PK	5.1492G	70.95	74.00	-3.05	3	Horizontal	22	2.34
5230MHz_TX	Pass	PK	5.2468G	116.25	Inf	-Inf	3	Horizontal	22	2.34
5230MHz_TX	Pass	PK	10.4606G	57.93	68.20	-10.27	3	Vertical	334	1.70
5230MHz_TX	Pass	PK	10.46748G	55.34	68.20	-12.86	3	Horizontal	16	2.83
5270MHz_TX	Pass	AV	5.2748G	104.44	Inf	-Inf	3	Vertical	14	1.59
5270MHz_TX	Pass	AV	5.35G	53.22	54.00	-0.78	3	Vertical	14	1.59
5270MHz_TX	Pass	PK	5.2624G	116.42	Inf	-Inf	3	Vertical	14	1.59
5270MHz_TX	Pass	PK	5.35G	69.26	74.00	-4.74	3	Vertical	14	1.59
5270MHz_TX	Pass	AV	5.2592G	104.87	Inf	-Inf	3	Horizontal	17	2.29
5270MHz_TX	Pass	AV	5.352G	53.30	54.00	-0.70	3	Horizontal	17	2.29
5270MHz_TX	Pass	PK	5.2796G	116.90	Inf	-Inf	3	Horizontal	17	2.29
5270MHz_TX	Pass	PK	5.3544G	69.88	74.00	-4.12	3	Horizontal	17	2.29
5270MHz_TX	Pass	PK	10.53628G	57.59	68.20	-10.61	3	Vertical	333	1.31
5270MHz_TX	Pass	PK	10.54132G	51.46	68.20	-16.74	3	Horizontal	301	1.36
5310MHz_TX	Pass	AV	5.3124G	103.22	Inf	-Inf	3	Vertical	10	1.84
5310MHz_TX	Pass	AV	5.35G	52.66	54.00	-1.34	3	Vertical	10	1.84
5310MHz_TX	Pass	PK	5.3172G	115.45	Inf	-Inf	3	Vertical	10	1.84
5310MHz_TX	Pass	PK	5.3572G	64.83	74.00	-9.17	3	Vertical	10	1.84
5310MHz_TX	Pass	AV	5.3144G	104.09	Inf	-Inf	3	Horizontal	19	2.25
5310MHz_TX	Pass	AV	5.3516G	53.23	54.00	-0.77	3	Horizontal	19	2.25
5310MHz_TX	Pass	PK	5.314G	115.77	Inf	-Inf	3	Horizontal	19	2.25
5310MHz_TX	Pass	PK	5.3516G	65.05	74.00	-8.95	3	Horizontal	19	2.25
5310MHz_TX	Pass	AV	10.61572G	41.61	54.00	-12.39	3	Vertical	330	1.39
5310MHz_TX	Pass	PK	10.61604G	52.37	74.00	-21.63	3	Vertical	330	1.39
5310MHz_TX	Pass	AV	10.61552G	41.46	54.00	-12.54	3	Horizontal	239	1.50
5310MHz_TX	Pass	PK	10.61408G	51.95	74.00	-22.05	3	Horizontal	239	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_2T1S_AP5022S6D**

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.149G	53.01	54.00	-0.99	3	Vertical	16	1.90
5210MHz_TX	Pass	AV	5.222G	97.12	Inf	-Inf	3	Vertical	16	1.90
5210MHz_TX	Pass	AV	5.36G	46.01	54.00	-7.99	3	Vertical	16	1.90
5210MHz_TX	Pass	PK	5.142G	63.58	74.00	-10.42	3	Vertical	16	1.90
5210MHz_TX	Pass	PK	5.22G	108.62	Inf	-Inf	3	Vertical	16	1.90
5210MHz_TX	Pass	PK	5.358G	56.82	74.00	-17.18	3	Vertical	16	1.90
5210MHz_TX	Pass	AV	5.149G	53.01	54.00	-0.99	3	Horizontal	15	1.69
5210MHz_TX	Pass	AV	5.225G	97.48	Inf	-Inf	3	Horizontal	15	1.69
5210MHz_TX	Pass	AV	5.355G	45.91	54.00	-8.09	3	Horizontal	15	1.69
5210MHz_TX	Pass	PK	5.1G	64.42	74.00	-9.58	3	Horizontal	15	1.69
5210MHz_TX	Pass	PK	5.22G	109.06	Inf	-Inf	3	Horizontal	15	1.69
5210MHz_TX	Pass	PK	5.358G	57.44	74.00	-16.56	3	Horizontal	15	1.69
5210MHz_TX	Pass	PK	10.42192G	51.47	68.20	-16.73	3	Vertical	297	1.48
5210MHz_TX	Pass	PK	10.41304G	52.44	68.20	-15.76	3	Horizontal	0	1.50
5290MHz_TX	Pass	AV	5.15G	45.44	54.00	-8.56	3	Vertical	9	1.71
5290MHz_TX	Pass	AV	5.307G	100.66	Inf	-Inf	3	Vertical	9	1.71
5290MHz_TX	Pass	AV	5.35G	53.44	54.00	-0.56	3	Vertical	9	1.71
5290MHz_TX	Pass	PK	5.149G	57.40	74.00	-16.60	3	Vertical	9	1.71
5290MHz_TX	Pass	PK	5.318G	112.27	Inf	-Inf	3	Vertical	9	1.71
5290MHz_TX	Pass	PK	5.35G	64.23	74.00	-9.77	3	Vertical	9	1.71
5290MHz_TX	Pass	PK	5.505G	56.04	68.20	-12.16	3	Vertical	9	1.71
5290MHz_TX	Pass	AV	5.144G	46.28	54.00	-7.72	3	Horizontal	17	2.26
5290MHz_TX	Pass	AV	5.317G	100.89	Inf	-Inf	3	Horizontal	17	2.26
5290MHz_TX	Pass	AV	5.35G	53.60	54.00	-0.40	3	Horizontal	17	2.26
5290MHz_TX	Pass	PK	5.149G	58.28	74.00	-15.72	3	Horizontal	17	2.26
5290MHz_TX	Pass	PK	5.309G	112.70	Inf	-Inf	3	Horizontal	17	2.26
5290MHz_TX	Pass	PK	5.357G	64.14	74.00	-9.86	3	Horizontal	17	2.26
5290MHz_TX	Pass	PK	5.525G	55.83	68.20	-12.37	3	Horizontal	17	2.26
5290MHz_TX	Pass	PK	10.57024G	53.26	68.20	-14.94	3	Vertical	333	1.43
5290MHz_TX	Pass	PK	10.58824G	51.66	68.20	-16.54	3	Horizontal	142	1.71


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.01	54.00	-0.99	0.78	3	Vertical	16	1.90	52.23	33.20	5.69	38.11
AV	5.222G	97.12	Inf	-Inf	0.76	3	Vertical	16	1.90	96.36	33.16	5.72	38.12
AV	5.36G	46.01	54.00	-7.99	0.63	3	Vertical	16	1.90	45.38	32.98	5.81	38.16
PK	5.142G	63.58	74.00	-10.42	0.77	3	Vertical	16	1.90	62.81	33.18	5.69	38.10
PK	5.22G	108.62	Inf	-Inf	0.76	3	Vertical	16	1.90	107.86	33.16	5.72	38.12
PK	5.358G	56.82	74.00	-17.18	0.62	3	Vertical	16	1.90	56.20	32.98	5.80	38.16

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.01	54.00	-0.99	0.78	3	Horizontal	15	1.69	52.23	33.20	5.69	38.11
AV	5.225G	97.48	Inf	-Inf	0.75	3	Horizontal	15	1.69	96.73	33.15	5.72	38.12
AV	5.355G	45.91	54.00	-8.09	0.63	3	Horizontal	15	1.69	45.28	32.99	5.80	38.16
PK	5.15G	64.42	74.00	-9.58	0.79	3	Horizontal	15	1.69	63.63	33.20	5.70	38.11
PK	5.22G	109.06	Inf	-Inf	0.76	3	Horizontal	15	1.69	108.30	33.16	5.72	38.12
PK	5.358G	57.44	74.00	-16.56	0.62	3	Horizontal	15	1.69	56.82	32.98	5.80	38.16


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_2T2S_AP5022S6D**

Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1496G	52.55	54.00	-1.45	3	Horizontal	15	2.30
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1492G	53.34	54.00	-0.66	3	Horizontal	22	2.31
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.149G	53.57	54.00	-0.43	3	Horizontal	17	2.09
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3508G	53.36	54.00	-0.64	3	Horizontal	20	2.14
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.3508G	53.09	54.00	-0.91	3	Horizontal	24	2.20
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.17	54.00	-0.83	3	Horizontal	21	2.26



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_2T2S_AP5022S6D**

Appendix E.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1494G	52.23	54.00	-1.77	3	Vertical	15	1.55
5180MHz_TX	Pass	AV	5.1862G	105.82	Inf	-Inf	3	Vertical	15	1.55
5180MHz_TX	Pass	PK	5.14G	63.88	74.00	-10.12	3	Vertical	15	1.55
5180MHz_TX	Pass	PK	5.1872G	116.79	Inf	-Inf	3	Vertical	15	1.55
5180MHz_TX	Pass	AV	5.15G	52.50	54.00	-1.50	3	Horizontal	26	2.28
5180MHz_TX	Pass	AV	5.1818G	106.52	Inf	-Inf	3	Horizontal	26	2.28
5180MHz_TX	Pass	PK	5.132G	67.53	74.00	-6.47	3	Horizontal	26	2.28
5180MHz_TX	Pass	PK	5.1792G	118.59	Inf	-Inf	3	Horizontal	26	2.28
5180MHz_TX	Pass	PK	10.35176G	52.36	68.20	-15.84	3	Vertical	29	1.78
5180MHz_TX	Pass	PK	10.3656G	51.05	68.20	-17.15	3	Horizontal	187	1.50
5200MHz_TX	Pass	AV	5.1496G	52.07	54.00	-1.93	3	Vertical	16	1.90
5200MHz_TX	Pass	AV	5.2048G	106.47	Inf	-Inf	3	Vertical	16	1.90
5200MHz_TX	Pass	PK	5.1432G	69.48	74.00	-4.52	3	Vertical	16	1.90
5200MHz_TX	Pass	PK	5.2072G	117.89	Inf	-Inf	3	Vertical	16	1.90
5200MHz_TX	Pass	AV	5.1496G	52.55	54.00	-1.45	3	Horizontal	15	2.30
5200MHz_TX	Pass	AV	5.2088G	106.79	Inf	-Inf	3	Horizontal	15	2.30
5200MHz_TX	Pass	PK	5.1496G	69.49	74.00	-4.51	3	Horizontal	15	2.30
5200MHz_TX	Pass	PK	5.2052G	117.93	Inf	-Inf	3	Horizontal	15	2.30
5200MHz_TX	Pass	PK	10.40152G	55.66	68.20	-12.54	3	Vertical	333	1.89
5200MHz_TX	Pass	PK	10.40452G	52.65	68.20	-15.55	3	Horizontal	48	2.88
5240MHz_TX	Pass	AV	5.1494G	50.92	54.00	-3.08	3	Vertical	15	1.65
5240MHz_TX	Pass	AV	5.2472G	108.33	Inf	-Inf	3	Vertical	15	1.65
5240MHz_TX	Pass	AV	5.3504G	47.74	54.00	-6.26	3	Vertical	15	1.65
5240MHz_TX	Pass	PK	5.1482G	65.50	74.00	-8.50	3	Vertical	15	1.65
5240MHz_TX	Pass	PK	5.246G	119.62	Inf	-Inf	3	Vertical	15	1.65
5240MHz_TX	Pass	PK	5.35G	61.15	74.00	-12.85	3	Vertical	15	1.65
5240MHz_TX	Pass	AV	5.15G	51.60	54.00	-2.40	3	Horizontal	27	2.31
5240MHz_TX	Pass	AV	5.2466G	109.25	Inf	-Inf	3	Horizontal	27	2.31
5240MHz_TX	Pass	AV	5.35G	48.17	54.00	-5.83	3	Horizontal	27	2.31
5240MHz_TX	Pass	PK	5.1494G	66.15	74.00	-7.85	3	Horizontal	27	2.31
5240MHz_TX	Pass	PK	5.249G	120.58	Inf	-Inf	3	Horizontal	27	2.31
5240MHz_TX	Pass	PK	5.3558G	60.71	74.00	-13.29	3	Horizontal	27	2.31
5240MHz_TX	Pass	PK	10.48128G	62.08	68.20	-6.12	3	Vertical	334	1.33
5240MHz_TX	Pass	PK	10.47616G	56.17	68.20	-12.03	3	Horizontal	326	2.85
5260MHz_TX	Pass	AV	5.1484G	47.46	54.00	-6.54	3	Vertical	14	1.96
5260MHz_TX	Pass	AV	5.257G	108.56	Inf	-Inf	3	Vertical	14	1.96
5260MHz_TX	Pass	AV	5.35G	51.50	54.00	-2.50	3	Vertical	14	1.96
5260MHz_TX	Pass	PK	5.1496G	61.03	74.00	-12.97	3	Vertical	14	1.96
5260MHz_TX	Pass	PK	5.2618G	120.06	Inf	-Inf	3	Vertical	14	1.96
5260MHz_TX	Pass	PK	5.3554G	67.25	74.00	-6.75	3	Vertical	14	1.96
5260MHz_TX	Pass	AV	5.15G	48.41	54.00	-5.59	3	Horizontal	17	2.35
5260MHz_TX	Pass	AV	5.254G	109.00	Inf	-Inf	3	Horizontal	17	2.35
5260MHz_TX	Pass	AV	5.3518G	51.91	54.00	-2.09	3	Horizontal	17	2.35
5260MHz_TX	Pass	PK	5.1466G	63.26	74.00	-10.74	3	Horizontal	17	2.35
5260MHz_TX	Pass	PK	5.2636G	121.09	Inf	-Inf	3	Horizontal	17	2.35
5260MHz_TX	Pass	PK	5.353G	68.86	74.00	-5.14	3	Horizontal	17	2.35
5260MHz_TX	Pass	PK	10.51656G	62.88	68.20	-5.32	3	Vertical	334	1.45
5260MHz_TX	Pass	PK	10.521G	56.27	68.20	-11.93	3	Horizontal	324	2.90
5300MHz_TX	Pass	AV	5.3072G	106.50	Inf	-Inf	3	Vertical	9	1.85
5300MHz_TX	Pass	AV	5.35G	53.01	54.00	-0.99	3	Vertical	9	1.85
5300MHz_TX	Pass	PK	5.294G	118.40	Inf	-Inf	3	Vertical	9	1.85
5300MHz_TX	Pass	PK	5.3576G	70.35	74.00	-3.65	3	Vertical	9	1.85
5300MHz_TX	Pass	AV	5.308G	107.33	Inf	-Inf	3	Horizontal	20	2.14
5300MHz_TX	Pass	AV	5.3508G	53.36	54.00	-0.64	3	Horizontal	20	2.14
5300MHz_TX	Pass	PK	5.3008G	119.06	Inf	-Inf	3	Horizontal	20	2.14
5300MHz_TX	Pass	PK	5.352G	71.09	74.00	-2.91	3	Horizontal	20	2.14
5300MHz_TX	Pass	PK	10.59608G	56.71	68.20	-11.49	3	Vertical	333	1.50
5300MHz_TX	Pass	PK	10.59008G	51.95	68.20	-16.25	3	Horizontal	184	1.50
5320MHz_TX	Pass	AV	5.3218G	104.91	Inf	-Inf	3	Vertical	11	2.07
5320MHz_TX	Pass	AV	5.35G	52.13	54.00	-1.87	3	Vertical	11	2.07



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_2T2S_AP5022S6D**

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz_TX	Pass	PK	5.3168G	116.54	Inf	-Inf	3	Vertical	11	2.07
5320MHz_TX	Pass	PK	5.36G	65.82	74.00	-8.18	3	Vertical	11	2.07
5320MHz_TX	Pass	AV	5.317G	105.77	Inf	-Inf	3	Horizontal	15	2.25
5320MHz_TX	Pass	AV	5.3504G	51.77	54.00	-2.23	3	Horizontal	15	2.25
5320MHz_TX	Pass	PK	5.3194G	118.19	Inf	-Inf	3	Horizontal	15	2.25
5320MHz_TX	Pass	PK	5.3652G	66.66	74.00	-7.34	3	Horizontal	15	2.25
5320MHz_TX	Pass	AV	10.63172G	41.22	54.00	-12.78	3	Vertical	162	1.50
5320MHz_TX	Pass	PK	10.64004G	51.93	74.00	-22.07	3	Vertical	162	1.50
5320MHz_TX	Pass	AV	10.64676G	41.19	54.00	-12.81	3	Horizontal	38	1.50
5320MHz_TX	Pass	PK	10.63588G	52.29	74.00	-21.71	3	Horizontal	38	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.15G	53.27	54.00	-0.73	3	Vertical	15	1.68
5190MHz_TX	Pass	AV	5.2072G	99.73	Inf	-Inf	3	Vertical	15	1.68
5190MHz_TX	Pass	PK	5.15G	65.96	74.00	-8.04	3	Vertical	15	1.68
5190MHz_TX	Pass	PK	5.206G	111.48	Inf	-Inf	3	Vertical	15	1.68
5190MHz_TX	Pass	AV	5.15G	53.30	54.00	-0.70	3	Horizontal	16	2.43
5190MHz_TX	Pass	AV	5.2064G	100.09	Inf	-Inf	3	Horizontal	16	2.43
5190MHz_TX	Pass	PK	5.1492G	66.02	74.00	-7.98	3	Horizontal	16	2.43
5190MHz_TX	Pass	PK	5.1888G	111.63	Inf	-Inf	3	Horizontal	16	2.43
5190MHz_TX	Pass	PK	10.37836G	51.50	68.20	-16.70	3	Vertical	126	1.50
5190MHz_TX	Pass	PK	10.37676G	51.62	68.20	-16.58	3	Horizontal	209	2.49
5230MHz_TX	Pass	AV	5.15G	51.90	54.00	-2.10	3	Vertical	16	1.50
5230MHz_TX	Pass	AV	5.2328G	101.97	Inf	-Inf	3	Vertical	16	1.50
5230MHz_TX	Pass	PK	5.1348G	68.79	74.00	-5.21	3	Vertical	16	1.50
5230MHz_TX	Pass	PK	5.2252G	113.73	Inf	-Inf	3	Vertical	16	1.50
5230MHz_TX	Pass	AV	5.1492G	53.34	54.00	-0.66	3	Horizontal	22	2.31
5230MHz_TX	Pass	AV	5.2352G	102.77	Inf	-Inf	3	Horizontal	22	2.31
5230MHz_TX	Pass	PK	5.1484G	69.92	74.00	-4.08	3	Horizontal	22	2.31
5230MHz_TX	Pass	PK	5.222G	115.60	Inf	-Inf	3	Horizontal	22	2.31
5230MHz_TX	Pass	PK	10.46052G	56.26	68.20	-11.94	3	Vertical	335	1.50
5230MHz_TX	Pass	PK	10.45556G	51.47	68.20	-16.73	3	Horizontal	119	2.89
5270MHz_TX	Pass	AV	5.2672G	103.55	Inf	-Inf	3	Vertical	15	1.72
5270MHz_TX	Pass	AV	5.3512G	52.68	54.00	-1.32	3	Vertical	15	1.72
5270MHz_TX	Pass	PK	5.2828G	115.20	Inf	-Inf	3	Vertical	15	1.72
5270MHz_TX	Pass	PK	5.3644G	70.10	74.00	-3.90	3	Vertical	15	1.72
5270MHz_TX	Pass	AV	5.2628G	102.86	Inf	-Inf	3	Horizontal	14	1.34
5270MHz_TX	Pass	AV	5.3504G	52.68	54.00	-1.32	3	Horizontal	14	1.34
5270MHz_TX	Pass	PK	5.2852G	115.88	Inf	-Inf	3	Horizontal	14	1.34
5270MHz_TX	Pass	PK	5.3556G	70.06	74.00	-3.94	3	Horizontal	14	1.34
5270MHz_TX	Pass	PK	10.54108G	57.59	68.20	-10.61	3	Vertical	335	1.40
5270MHz_TX	Pass	PK	10.54036G	52.07	68.20	-16.13	3	Horizontal	307	2.85
5310MHz_TX	Pass	AV	5.3196G	101.60	Inf	-Inf	3	Vertical	9	1.75
5310MHz_TX	Pass	AV	5.3516G	52.30	54.00	-1.70	3	Vertical	9	1.75
5310MHz_TX	Pass	PK	5.3148G	113.17	Inf	-Inf	3	Vertical	9	1.75
5310MHz_TX	Pass	PK	5.3584G	64.61	74.00	-9.39	3	Vertical	9	1.75
5310MHz_TX	Pass	AV	5.3196G	102.43	Inf	-Inf	3	Horizontal	24	2.20
5310MHz_TX	Pass	AV	5.3508G	53.09	54.00	-0.91	3	Horizontal	24	2.20
5310MHz_TX	Pass	PK	5.3064G	114.14	Inf	-Inf	3	Horizontal	24	2.20
5310MHz_TX	Pass	PK	5.3568G	65.41	74.00	-8.59	3	Horizontal	24	2.20
5310MHz_TX	Pass	AV	10.6126G	41.74	54.00	-12.26	3	Vertical	335	1.27
5310MHz_TX	Pass	PK	10.62172G	52.31	74.00	-21.69	3	Vertical	335	1.27
5310MHz_TX	Pass	AV	10.613G	41.32	54.00	-12.68	3	Horizontal	360	2.29
5310MHz_TX	Pass	PK	10.6198G	52.71	74.00	-21.29	3	Horizontal	360	2.29
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.145G	52.37	54.00	-1.63	3	Vertical	13	1.88
5210MHz_TX	Pass	AV	5.228G	95.74	Inf	-Inf	3	Vertical	13	1.88
5210MHz_TX	Pass	AV	5.351G	46.24	54.00	-7.76	3	Vertical	13	1.88
5210MHz_TX	Pass	PK	5.146G	63.76	74.00	-10.24	3	Vertical	13	1.88
5210MHz_TX	Pass	PK	5.225G	107.48	Inf	-Inf	3	Vertical	13	1.88
5210MHz_TX	Pass	PK	5.355G	57.70	74.00	-16.30	3	Vertical	13	1.88
5210MHz_TX	Pass	AV	5.149G	53.57	54.00	-0.43	3	Horizontal	17	2.09
5210MHz_TX	Pass	AV	5.222G	96.65	Inf	-Inf	3	Horizontal	17	2.09




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_2T2S_AP5022S6D**

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz_TX	Pass	AV	5.354G	46.31	54.00	-7.69	3	Horizontal	17	2.09
5210MHz_TX	Pass	PK	5.149G	64.68	74.00	-9.32	3	Horizontal	17	2.09
5210MHz_TX	Pass	PK	5.22G	108.37	Inf	-Inf	3	Horizontal	17	2.09
5210MHz_TX	Pass	PK	5.361G	57.94	74.00	-16.06	3	Horizontal	17	2.09
5210MHz_TX	Pass	PK	10.41256G	51.67	68.20	-16.53	3	Vertical	338	1.57
5210MHz_TX	Pass	PK	10.42684G	51.33	68.20	-16.87	3	Horizontal	179	1.50
5290MHz_TX	Pass	AV	5.15G	46.20	54.00	-7.80	3	Vertical	14	1.71
5290MHz_TX	Pass	AV	5.298G	98.86	Inf	-Inf	3	Vertical	14	1.71
5290MHz_TX	Pass	AV	5.35G	52.66	54.00	-1.34	3	Vertical	14	1.71
5290MHz_TX	Pass	PK	5.142G	58.32	74.00	-15.68	3	Vertical	14	1.71
5290MHz_TX	Pass	PK	5.314G	109.95	Inf	-Inf	3	Vertical	14	1.71
5290MHz_TX	Pass	PK	5.355G	63.75	74.00	-10.25	3	Vertical	14	1.71
5290MHz_TX	Pass	PK	5.514G	55.51	68.20	-12.69	3	Vertical	14	1.71
5290MHz_TX	Pass	AV	5.147G	46.42	54.00	-7.58	3	Horizontal	21	2.26
5290MHz_TX	Pass	AV	5.319G	99.05	Inf	-Inf	3	Horizontal	21	2.26
5290MHz_TX	Pass	AV	5.35G	53.17	54.00	-0.83	3	Horizontal	21	2.26
5290MHz_TX	Pass	PK	5.149G	57.64	74.00	-16.36	3	Horizontal	21	2.26
5290MHz_TX	Pass	PK	5.312G	111.10	Inf	-Inf	3	Horizontal	21	2.26
5290MHz_TX	Pass	PK	5.354G	64.17	74.00	-9.83	3	Horizontal	21	2.26
5290MHz_TX	Pass	PK	5.473G	55.61	68.20	-12.59	3	Horizontal	21	2.26
5290MHz_TX	Pass	PK	10.57284G	52.69	68.20	-15.51	3	Vertical	334	1.87
5290MHz_TX	Pass	PK	10.58224G	52.72	68.20	-15.48	3	Horizontal	135	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	52.37	54.00	-1.63	0.78	3	Vertical	13	1.88	51.59	33.19	5.69	38.10
AV	5.228G	95.74	Inf	-Inf	0.75	3	Vertical	13	1.88	94.99	33.14	5.73	38.12
AV	5.351G	46.24	54.00	-7.76	0.65	3	Vertical	13	1.88	45.59	33.00	5.80	38.15
PK	5.146G	63.76	74.00	-10.24	0.77	3	Vertical	13	1.88	62.99	33.19	5.69	38.11
PK	5.225G	107.48	Inf	-Inf	0.75	3	Vertical	13	1.88	106.73	33.15	5.72	38.12
PK	5.355G	57.70	74.00	-16.30	0.63	3	Vertical	13	1.88	57.07	32.99	5.80	38.16

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.57	54.00	-0.43	0.78	3	Horizontal	17	2.09	52.79	33.20	5.69	38.11
AV	5.222G	96.65	Inf	-Inf	0.76	3	Horizontal	17	2.09	95.89	33.16	5.72	38.12
AV	5.354G	46.31	54.00	-7.69	0.64	3	Horizontal	17	2.09	45.67	32.99	5.80	38.15
PK	5.149G	64.68	74.00	-9.32	0.78	3	Horizontal	17	2.09	63.90	33.20	5.69	38.11
PK	5.22G	108.37	Inf	-Inf	0.76	3	Horizontal	17	2.09	107.61	33.16	5.72	38.12
PK	5.361G	57.94	74.00	-16.06	0.63	3	Horizontal	17	2.09	57.31	32.98	5.81	38.16


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_4T1S_AP5022S6D**

Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.15G	73.78	74.00	-0.22	3	Vertical	353	2.21
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.1482G	53.64	54.00	-0.36	3	Horizontal	14	1.88
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.148G	53.32	54.00	-0.68	3	Horizontal	14	1.92
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.148G	53.65	54.00	-0.35	3	Horizontal	14	1.88
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3528G	53.73	54.00	-0.27	3	Vertical	349	2.66
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.353G	53.77	54.00	-0.23	3	Horizontal	15	1.76
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.3536G	53.51	54.00	-0.49	3	Horizontal	14	2.16
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.353G	53.22	54.00	-0.78	3	Horizontal	15	1.87

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	52.17	54.00	-1.83	3	Vertical	353	2.21
5180MHz_TX	Pass	AV	5.1736G	111.24	Inf	-Inf	3	Vertical	353	2.21
5180MHz_TX	Pass	PK	5.15G	73.78	74.00	-0.22	3	Vertical	353	2.21
5180MHz_TX	Pass	PK	5.1736G	119.29	Inf	-Inf	3	Vertical	353	2.21
5180MHz_TX	Pass	AV	5.1452G	53.66	54.00	-0.34	3	Horizontal	10	1.74
5180MHz_TX	Pass	AV	5.1846G	113.63	Inf	-Inf	3	Horizontal	10	1.74
5180MHz_TX	Pass	PK	5.1446G	66.21	74.00	-7.79	3	Horizontal	10	1.74
5180MHz_TX	Pass	PK	5.185G	122.51	Inf	-Inf	3	Horizontal	10	1.74
5180MHz_TX	Pass	PK	10.3664G	52.14	68.20	-16.06	3	Vertical	31	1.24
5180MHz_TX	Pass	PK	10.36704G	51.52	68.20	-16.68	3	Horizontal	161	1.18
5200MHz_TX	Pass	AV	5.15G	53.64	54.00	-0.36	3	Vertical	349	2.07
5200MHz_TX	Pass	AV	5.1924G	113.94	Inf	-Inf	3	Vertical	349	2.07
5200MHz_TX	Pass	PK	5.15G	68.05	74.00	-5.95	3	Vertical	349	2.07
5200MHz_TX	Pass	PK	5.1928G	121.68	Inf	-Inf	3	Vertical	349	2.07
5200MHz_TX	Pass	AV	5.144G	53.73	54.00	-0.27	3	Horizontal	10	1.68
5200MHz_TX	Pass	AV	5.2052G	115.38	Inf	-Inf	3	Horizontal	10	1.68
5200MHz_TX	Pass	PK	5.1444G	72.66	74.00	-1.34	3	Horizontal	10	1.68
5200MHz_TX	Pass	PK	5.206G	124.35	Inf	-Inf	3	Horizontal	10	1.68
5200MHz_TX	Pass	PK	10.399G	59.95	68.20	-8.25	3	Vertical	319	1.44
5200MHz_TX	Pass	PK	10.39984G	58.92	68.20	-9.28	3	Horizontal	360	2.89
5240MHz_TX	Pass	AV	5.1434G	50.07	54.00	-3.93	3	Vertical	352	2.19
5240MHz_TX	Pass	AV	5.2334G	115.39	Inf	-Inf	3	Vertical	352	2.19
5240MHz_TX	Pass	AV	5.35G	48.33	54.00	-5.67	3	Vertical	352	2.19
5240MHz_TX	Pass	PK	5.1332G	64.49	74.00	-9.51	3	Vertical	352	2.19
5240MHz_TX	Pass	PK	5.2334G	123.69	Inf	-Inf	3	Vertical	352	2.19
5240MHz_TX	Pass	PK	5.354G	63.79	74.00	-10.21	3	Vertical	352	2.19
5240MHz_TX	Pass	AV	5.1458G	51.70	54.00	-2.30	3	Horizontal	11	1.50
5240MHz_TX	Pass	AV	5.2448G	117.07	Inf	-Inf	3	Horizontal	11	1.50
5240MHz_TX	Pass	AV	5.3528G	48.19	54.00	-5.81	3	Horizontal	11	1.50
5240MHz_TX	Pass	PK	5.144G	68.86	74.00	-5.14	3	Horizontal	11	1.50
5240MHz_TX	Pass	PK	5.2448G	125.86	Inf	-Inf	3	Horizontal	11	1.50
5240MHz_TX	Pass	PK	5.3636G	59.89	74.00	-14.11	3	Horizontal	11	1.50
5240MHz_TX	Pass	PK	10.48632G	67.45	68.20	-0.75	3	Vertical	26	1.78
5240MHz_TX	Pass	PK	10.4792G	65.64	68.20	-2.56	3	Horizontal	360	2.94
5260MHz_TX	Pass	AV	5.15G	47.91	54.00	-6.09	3	Vertical	349	2.06
5260MHz_TX	Pass	AV	5.2522G	115.88	Inf	-Inf	3	Vertical	349	2.06
5260MHz_TX	Pass	AV	5.3518G	52.60	54.00	-1.40	3	Vertical	349	2.06
5260MHz_TX	Pass	PK	5.15G	61.37	74.00	-12.63	3	Vertical	349	2.06
5260MHz_TX	Pass	PK	5.2522G	124.30	Inf	-Inf	3	Vertical	349	2.06
5260MHz_TX	Pass	PK	5.353G	68.34	74.00	-5.66	3	Vertical	349	2.06
5260MHz_TX	Pass	AV	5.1454G	48.75	54.00	-5.25	3	Horizontal	11	1.54
5260MHz_TX	Pass	AV	5.2654G	117.24	Inf	-Inf	3	Horizontal	11	1.54
5260MHz_TX	Pass	AV	5.3542G	51.22	54.00	-2.78	3	Horizontal	11	1.54
5260MHz_TX	Pass	PK	5.1448G	63.56	74.00	-10.44	3	Horizontal	11	1.54
5260MHz_TX	Pass	PK	5.2648G	125.97	Inf	-Inf	3	Horizontal	11	1.54
5260MHz_TX	Pass	PK	5.3644G	66.65	74.00	-7.35	3	Horizontal	11	1.54
5260MHz_TX	Pass	PK	10.52588G	67.38	68.20	-0.82	3	Vertical	26	1.50
5260MHz_TX	Pass	PK	10.52132G	65.03	68.20	-3.17	3	Horizontal	360	2.94
5300MHz_TX	Pass	AV	5.2932G	113.85	Inf	-Inf	3	Vertical	349	2.66
5300MHz_TX	Pass	AV	5.3528G	53.73	54.00	-0.27	3	Vertical	349	2.66
5300MHz_TX	Pass	PK	5.2944G	122.10	Inf	-Inf	3	Vertical	349	2.66
5300MHz_TX	Pass	PK	5.3528G	70.62	74.00	-3.38	3	Vertical	349	2.66
5300MHz_TX	Pass	AV	5.3052G	115.67	Inf	-Inf	3	Horizontal	11	1.98
5300MHz_TX	Pass	AV	5.3544G	51.89	54.00	-2.11	3	Horizontal	11	1.98
5300MHz_TX	Pass	PK	5.3064G	124.83	Inf	-Inf	3	Horizontal	11	1.98
5300MHz_TX	Pass	PK	5.366G	68.04	74.00	-5.96	3	Horizontal	11	1.98
5300MHz_TX	Pass	AV	10.60524G	50.90	54.00	-3.10	3	Vertical	25	1.50
5300MHz_TX	Pass	PK	10.6038G	60.38	74.00	-13.62	3	Vertical	25	1.50
5300MHz_TX	Pass	AV	10.60092G	45.89	54.00	-8.11	3	Horizontal	343	1.00
5300MHz_TX	Pass	PK	10.6026G	56.06	74.00	-17.94	3	Horizontal	343	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz_TX	Pass	AV	5.3128G	112.02	Inf	-Inf	3	Vertical	348	2.45
5320MHz_TX	Pass	AV	5.352G	52.64	54.00	-1.36	3	Vertical	348	2.45
5320MHz_TX	Pass	PK	5.3126G	120.09	Inf	-Inf	3	Vertical	348	2.45
5320MHz_TX	Pass	PK	5.3522G	65.04	74.00	-8.96	3	Vertical	348	2.45
5320MHz_TX	Pass	AV	5.3252G	113.10	Inf	-Inf	3	Horizontal	11	1.75
5320MHz_TX	Pass	AV	5.3654G	50.76	54.00	-3.24	3	Horizontal	11	1.75
5320MHz_TX	Pass	PK	5.325G	121.72	Inf	-Inf	3	Horizontal	11	1.75
5320MHz_TX	Pass	PK	5.364G	62.85	74.00	-11.15	3	Horizontal	11	1.75
5320MHz_TX	Pass	AV	10.63652G	42.76	54.00	-11.24	3	Vertical	329	2.14
5320MHz_TX	Pass	PK	10.63648G	52.74	74.00	-21.26	3	Vertical	329	2.14
5320MHz_TX	Pass	AV	10.63376G	42.42	54.00	-11.58	3	Horizontal	41	2.23
5320MHz_TX	Pass	PK	10.64904G	52.37	74.00	-21.63	3	Horizontal	41	2.23
802.11be EHT20_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1408G	52.25	54.00	-1.75	3	Vertical	15	2.39
5180MHz_TX	Pass	AV	5.1806G	110.08	Inf	-Inf	3	Vertical	15	2.39
5180MHz_TX	Pass	PK	5.1496G	70.55	74.00	-3.45	3	Vertical	15	2.39
5180MHz_TX	Pass	PK	5.186G	122.26	Inf	-Inf	3	Vertical	15	2.39
5180MHz_TX	Pass	AV	5.148G	53.62	54.00	-0.38	3	Horizontal	13	1.91
5180MHz_TX	Pass	AV	5.188G	110.37	Inf	-Inf	3	Horizontal	13	1.91
5180MHz_TX	Pass	PK	5.1384G	68.22	74.00	-5.78	3	Horizontal	13	1.91
5180MHz_TX	Pass	PK	5.1782G	121.69	Inf	-Inf	3	Horizontal	13	1.91
5180MHz_TX	Pass	PK	10.3654G	51.83	68.20	-16.37	3	Vertical	317	1.00
5180MHz_TX	Pass	PK	10.36716G	51.22	68.20	-16.98	3	Horizontal	73	2.46
5200MHz_TX	Pass	AV	5.146G	49.31	54.00	-4.69	3	Vertical	18	2.39
5200MHz_TX	Pass	AV	5.206G	110.41	Inf	-Inf	3	Vertical	18	2.39
5200MHz_TX	Pass	PK	5.15G	68.65	74.00	-5.35	3	Vertical	18	2.39
5200MHz_TX	Pass	PK	5.1956G	122.21	Inf	-Inf	3	Vertical	18	2.39
5200MHz_TX	Pass	AV	5.1484G	50.65	54.00	-3.35	3	Horizontal	12	1.83
5200MHz_TX	Pass	AV	5.208G	111.37	Inf	-Inf	3	Horizontal	12	1.83
5200MHz_TX	Pass	PK	5.1476G	69.35	74.00	-4.65	3	Horizontal	12	1.83
5200MHz_TX	Pass	PK	5.2084G	123.10	Inf	-Inf	3	Horizontal	12	1.83
5200MHz_TX	Pass	PK	10.3976G	56.77	68.20	-11.43	3	Vertical	32	1.38
5200MHz_TX	Pass	PK	10.40612G	54.59	68.20	-13.61	3	Horizontal	353	2.63
5240MHz_TX	Pass	AV	5.15G	52.70	54.00	-1.30	3	Vertical	16	1.94
5240MHz_TX	Pass	AV	5.2454G	113.57	Inf	-Inf	3	Vertical	16	1.94
5240MHz_TX	Pass	AV	5.351G	48.12	54.00	-5.88	3	Vertical	16	1.94
5240MHz_TX	Pass	PK	5.1452G	71.69	74.00	-2.31	3	Vertical	16	1.94
5240MHz_TX	Pass	PK	5.246G	125.87	Inf	-Inf	3	Vertical	16	1.94
5240MHz_TX	Pass	PK	5.351G	64.47	74.00	-9.53	3	Vertical	16	1.94
5240MHz_TX	Pass	AV	5.1482G	53.64	54.00	-0.36	3	Horizontal	14	1.88
5240MHz_TX	Pass	AV	5.243G	115.24	Inf	-Inf	3	Horizontal	14	1.88
5240MHz_TX	Pass	AV	5.3528G	49.29	54.00	-4.71	3	Horizontal	14	1.88
5240MHz_TX	Pass	PK	5.1476G	69.85	74.00	-4.15	3	Horizontal	14	1.88
5240MHz_TX	Pass	PK	5.243G	126.25	Inf	-Inf	3	Horizontal	14	1.88
5240MHz_TX	Pass	PK	5.3588G	64.74	74.00	-9.26	3	Horizontal	14	1.88
5240MHz_TX	Pass	PK	10.47804G	66.31	68.20	-1.89	3	Vertical	27	1.93
5240MHz_TX	Pass	PK	10.47492G	63.40	68.20	-4.80	3	Horizontal	360	2.95
5260MHz_TX	Pass	AV	5.15G	49.17	54.00	-4.83	3	Vertical	17	1.65
5260MHz_TX	Pass	AV	5.2654G	113.81	Inf	-Inf	3	Vertical	17	1.65
5260MHz_TX	Pass	AV	5.3512G	53.51	54.00	-0.49	3	Vertical	17	1.65
5260MHz_TX	Pass	PK	5.1346G	65.04	74.00	-8.96	3	Vertical	17	1.65
5260MHz_TX	Pass	PK	5.2606G	124.29	Inf	-Inf	3	Vertical	17	1.65
5260MHz_TX	Pass	PK	5.356G	69.58	74.00	-4.42	3	Vertical	17	1.65
5260MHz_TX	Pass	AV	5.1478G	49.33	54.00	-4.67	3	Horizontal	15	1.76
5260MHz_TX	Pass	AV	5.2582G	114.54	Inf	-Inf	3	Horizontal	15	1.76
5260MHz_TX	Pass	AV	5.353G	53.77	54.00	-0.23	3	Horizontal	15	1.76
5260MHz_TX	Pass	PK	5.1484G	63.48	74.00	-10.52	3	Horizontal	15	1.76
5260MHz_TX	Pass	PK	5.2582G	125.25	Inf	-Inf	3	Horizontal	15	1.76
5260MHz_TX	Pass	PK	5.3584G	68.81	74.00	-5.19	3	Horizontal	15	1.76
5260MHz_TX	Pass	PK	10.51812G	65.67	68.20	-2.53	3	Vertical	26	1.83
5260MHz_TX	Pass	PK	10.5194G	66.32	68.20	-1.88	3	Horizontal	357	2.95
5300MHz_TX	Pass	AV	5.306G	110.92	Inf	-Inf	3	Vertical	22	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_4T1S_AP5022S6D**

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5300MHz_TX	Pass	AV	5.3504G	53.43	54.00	-0.57	3	Vertical	22	1.50
5300MHz_TX	Pass	PK	5.3056G	122.89	Inf	-Inf	3	Vertical	22	1.50
5300MHz_TX	Pass	PK	5.3504G	72.27	74.00	-1.73	3	Vertical	22	1.50
5300MHz_TX	Pass	AV	5.3032G	112.17	Inf	-Inf	3	Horizontal	16	1.72
5300MHz_TX	Pass	AV	5.3528G	53.13	54.00	-0.87	3	Horizontal	16	1.72
5300MHz_TX	Pass	PK	5.298G	123.95	Inf	-Inf	3	Horizontal	16	1.72
5300MHz_TX	Pass	PK	5.3532G	71.52	74.00	-2.48	3	Horizontal	16	1.72
5300MHz_TX	Pass	PK	10.59816G	59.45	68.20	-8.75	3	Vertical	26	1.86
5300MHz_TX	Pass	PK	10.60096G	57.37	74.00	-16.63	3	Horizontal	349	3.00
5320MHz_TX	Pass	AV	5.3208G	109.81	Inf	-Inf	3	Vertical	20	1.48
5320MHz_TX	Pass	AV	5.3608G	53.33	54.00	-0.67	3	Vertical	20	1.48
5320MHz_TX	Pass	PK	5.3156G	121.65	Inf	-Inf	3	Vertical	20	1.48
5320MHz_TX	Pass	PK	5.3506G	67.29	74.00	-6.71	3	Vertical	20	1.48
5320MHz_TX	Pass	AV	5.3132G	110.75	Inf	-Inf	3	Horizontal	15	1.92
5320MHz_TX	Pass	AV	5.3534G	53.10	54.00	-0.90	3	Horizontal	15	1.92
5320MHz_TX	Pass	PK	5.3282G	122.88	Inf	-Inf	3	Horizontal	15	1.92
5320MHz_TX	Pass	PK	5.363G	65.24	74.00	-8.76	3	Horizontal	15	1.92
5320MHz_TX	Pass	AV	10.648G	41.98	54.00	-12.02	3	Vertical	30	1.87
5320MHz_TX	Pass	PK	10.63576G	52.62	74.00	-21.38	3	Vertical	30	1.87
5320MHz_TX	Pass	AV	10.64744G	41.19	54.00	-12.81	3	Horizontal	174	1.50
5320MHz_TX	Pass	PK	10.64084G	51.25	74.00	-22.75	3	Horizontal	174	1.50
802.11be EHT40_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.15G	52.70	54.00	-1.30	3	Vertical	13	1.98
5190MHz_TX	Pass	AV	5.2008G	103.96	Inf	-Inf	3	Vertical	13	1.98
5190MHz_TX	Pass	PK	5.15G	63.83	74.00	-10.17	3	Vertical	13	1.98
5190MHz_TX	Pass	PK	5.1856G	115.45	Inf	-Inf	3	Vertical	13	1.98
5190MHz_TX	Pass	AV	5.148G	53.32	54.00	-0.68	3	Horizontal	14	1.92
5190MHz_TX	Pass	AV	5.1932G	104.84	Inf	-Inf	3	Horizontal	14	1.92
5190MHz_TX	Pass	PK	5.1484G	64.62	74.00	-9.38	3	Horizontal	14	1.92
5190MHz_TX	Pass	PK	5.188G	116.53	Inf	-Inf	3	Horizontal	14	1.92
5190MHz_TX	Pass	PK	10.38516G	51.29	68.20	-16.91	3	Vertical	317	1.50
5190MHz_TX	Pass	PK	10.3856G	51.39	68.20	-16.81	3	Horizontal	12	1.50
5230MHz_TX	Pass	AV	5.15G	51.90	54.00	-2.10	3	Vertical	20	1.77
5230MHz_TX	Pass	AV	5.226G	107.23	Inf	-Inf	3	Vertical	20	1.77
5230MHz_TX	Pass	PK	5.15G	70.36	74.00	-3.64	3	Vertical	20	1.77
5230MHz_TX	Pass	PK	5.2356G	119.07	Inf	-Inf	3	Vertical	20	1.77
5230MHz_TX	Pass	AV	5.148G	53.14	54.00	-0.86	3	Horizontal	14	1.72
5230MHz_TX	Pass	AV	5.2432G	108.39	Inf	-Inf	3	Horizontal	14	1.72
5230MHz_TX	Pass	PK	5.148G	72.70	74.00	-1.30	3	Horizontal	14	1.72
5230MHz_TX	Pass	PK	5.238G	119.92	Inf	-Inf	3	Horizontal	14	1.72
5230MHz_TX	Pass	PK	10.46492G	59.17	68.20	-9.03	3	Vertical	27	1.72
5230MHz_TX	Pass	PK	10.46048G	58.11	68.20	-10.09	3	Horizontal	360	3.00
5270MHz_TX	Pass	AV	5.2608G	107.46	Inf	-Inf	3	Vertical	19	1.66
5270MHz_TX	Pass	AV	5.3512G	53.15	54.00	-0.85	3	Vertical	19	1.66
5270MHz_TX	Pass	PK	5.2756G	119.19	Inf	-Inf	3	Vertical	19	1.66
5270MHz_TX	Pass	PK	5.3508G	72.58	74.00	-1.42	3	Vertical	19	1.66
5270MHz_TX	Pass	AV	5.2832G	108.40	Inf	-Inf	3	Horizontal	14	1.87
5270MHz_TX	Pass	AV	5.3536G	53.43	54.00	-0.57	3	Horizontal	14	1.87
5270MHz_TX	Pass	PK	5.2832G	120.05	Inf	-Inf	3	Horizontal	14	1.87
5270MHz_TX	Pass	PK	5.3532G	71.91	74.00	-2.09	3	Horizontal	14	1.87
5270MHz_TX	Pass	PK	10.53776G	59.34	68.20	-8.86	3	Vertical	26	1.96
5270MHz_TX	Pass	PK	10.54132G	55.76	68.20	-12.44	3	Horizontal	349	2.95
5310MHz_TX	Pass	AV	5.3208G	106.07	Inf	-Inf	3	Vertical	19	1.75
5310MHz_TX	Pass	AV	5.3512G	53.26	54.00	-0.74	3	Vertical	19	1.75
5310MHz_TX	Pass	PK	5.316G	118.06	Inf	-Inf	3	Vertical	19	1.75
5310MHz_TX	Pass	PK	5.3508G	64.15	74.00	-9.85	3	Vertical	19	1.75
5310MHz_TX	Pass	AV	5.3132G	106.79	Inf	-Inf	3	Horizontal	14	2.16
5310MHz_TX	Pass	AV	5.3536G	53.51	54.00	-0.49	3	Horizontal	14	2.16
5310MHz_TX	Pass	PK	5.3132G	118.29	Inf	-Inf	3	Horizontal	14	2.16
5310MHz_TX	Pass	PK	5.3536G	66.50	74.00	-7.50	3	Horizontal	14	2.16
5310MHz_TX	Pass	AV	10.614G	42.22	54.00	-11.78	3	Vertical	329	2.01
5310MHz_TX	Pass	PK	10.61872G	52.30	74.00	-21.70	3	Vertical	329	2.01




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_4T1S_AP5022S6D**

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz_TX	Pass	AV	10.61496G	41.11	54.00	-12.89	3	Horizontal	167	2.88
5310MHz_TX	Pass	PK	10.6196G	53.09	74.00	-20.91	3	Horizontal	167	2.88
802.11be EHT80_Nss1 ₁ (MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.15G	53.39	54.00	-0.61	3	Vertical	15	1.92
5210MHz_TX	Pass	AV	5.221G	99.63	Inf	-Inf	3	Vertical	15	1.92
5210MHz_TX	Pass	AV	5.351G	45.87	54.00	-8.13	3	Vertical	15	1.92
5210MHz_TX	Pass	PK	5.146G	64.37	74.00	-9.63	3	Vertical	15	1.92
5210MHz_TX	Pass	PK	5.226G	110.97	Inf	-Inf	3	Vertical	15	1.92
5210MHz_TX	Pass	PK	5.35G	56.99	74.00	-17.01	3	Vertical	15	1.92
5210MHz_TX	Pass	AV	5.148G	53.65	54.00	-0.35	3	Horizontal	14	1.88
5210MHz_TX	Pass	AV	5.238G	100.37	Inf	-Inf	3	Horizontal	14	1.88
5210MHz_TX	Pass	AV	5.359G	46.27	54.00	-7.73	3	Horizontal	14	1.88
5210MHz_TX	Pass	PK	5.138G	63.84	74.00	-10.16	3	Horizontal	14	1.88
5210MHz_TX	Pass	PK	5.218G	112.24	Inf	-Inf	3	Horizontal	14	1.88
5210MHz_TX	Pass	PK	5.356G	57.27	74.00	-16.73	3	Horizontal	14	1.88
5210MHz_TX	Pass	PK	10.42524G	51.91	68.20	-16.29	3	Vertical	137	1.50
5210MHz_TX	Pass	PK	10.41704G	51.66	68.20	-16.54	3	Horizontal	281	1.50
5290MHz_TX	Pass	AV	5.15G	45.78	54.00	-8.22	3	Vertical	19	1.54
5290MHz_TX	Pass	AV	5.301G	100.93	Inf	-Inf	3	Vertical	19	1.54
5290MHz_TX	Pass	AV	5.351G	53.03	54.00	-0.97	3	Vertical	19	1.54
5290MHz_TX	Pass	PK	5.139G	57.77	74.00	-16.23	3	Vertical	19	1.54
5290MHz_TX	Pass	PK	5.276G	112.30	Inf	-Inf	3	Vertical	19	1.54
5290MHz_TX	Pass	PK	5.35G	64.57	74.00	-9.43	3	Vertical	19	1.54
5290MHz_TX	Pass	PK	5.501G	54.78	68.20	-13.42	3	Vertical	19	1.54
5290MHz_TX	Pass	AV	5.148G	46.56	54.00	-7.44	3	Horizontal	15	1.87
5290MHz_TX	Pass	AV	5.318G	102.16	Inf	-Inf	3	Horizontal	15	1.87
5290MHz_TX	Pass	AV	5.353G	53.22	54.00	-0.78	3	Horizontal	15	1.87
5290MHz_TX	Pass	PK	5.148G	57.99	74.00	-16.01	3	Horizontal	15	1.87
5290MHz_TX	Pass	PK	5.318G	113.29	Inf	-Inf	3	Horizontal	15	1.87
5290MHz_TX	Pass	PK	5.353G	64.20	74.00	-9.80	3	Horizontal	15	1.87
5290MHz_TX	Pass	PK	5.5G	55.76	68.20	-12.44	3	Horizontal	15	1.87
5290MHz_TX	Pass	PK	10.58824G	52.56	68.20	-15.64	3	Vertical	26	1.44
5290MHz_TX	Pass	PK	10.58824G	52.05	68.20	-16.15	3	Horizontal	56	1.58


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.70	54.00	-1.30	0.79	3	Vertical	16	1.94	51.91	33.20	5.70	38.11
AV	5.2454G	113.57	Inf	-Inf	0.72	3	Vertical	16	1.94	112.85	33.11	5.74	38.13
AV	5.351G	48.12	54.00	-5.88	0.65	3	Vertical	16	1.94	47.47	33.00	5.80	38.15
PK	5.1452G	71.69	74.00	-2.31	0.78	3	Vertical	16	1.94	70.91	33.19	5.69	38.10
PK	5.246G	125.87	Inf	-Inf	0.72	3	Vertical	16	1.94	125.15	33.11	5.74	38.13
PK	5.351G	64.47	74.00	-9.53	0.65	3	Vertical	16	1.94	63.82	33.00	5.80	38.15

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	53.64	54.00	-0.36	0.78	3	Horizontal	14	1.88	52.86	33.20	5.69	38.11
AV	5.243G	115.24	Inf	-Inf	0.72	3	Horizontal	14	1.88	114.52	33.11	5.74	38.13
AV	5.3528G	49.29	54.00	-4.71	0.64	3	Horizontal	14	1.88	48.65	32.99	5.80	38.15
PK	5.1476G	69.85	74.00	-4.15	0.78	3	Horizontal	14	1.88	69.07	33.20	5.69	38.11
PK	5.243G	126.25	Inf	-Inf	0.72	3	Horizontal	14	1.88	125.53	33.11	5.74	38.13
PK	5.3588G	64.74	74.00	-9.26	0.63	3	Horizontal	14	1.88	64.11	32.98	5.81	38.16


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.39	54.00	-0.61	0.79	3	Vertical	15	1.92	52.60	33.20	5.70	38.11
AV	5.221G	99.63	Inf	-Inf	0.76	3	Vertical	15	1.92	98.87	33.16	5.72	38.12
AV	5.351G	45.87	54.00	-8.13	0.65	3	Vertical	15	1.92	45.22	33.00	5.80	38.15
PK	5.146G	64.37	74.00	-9.63	0.77	3	Vertical	15	1.92	63.60	33.19	5.69	38.11
PK	5.226G	110.97	Inf	-Inf	0.76	3	Vertical	15	1.92	110.21	33.15	5.73	38.12
PK	5.35G	56.99	74.00	-17.01	0.65	3	Vertical	15	1.92	56.34	33.00	5.80	38.15

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.65	54.00	-0.35	0.78	3	Horizontal	14	1.88	52.87	33.20	5.69	38.11
AV	5.238G	100.37	Inf	-Inf	0.72	3	Horizontal	14	1.88	99.65	33.12	5.73	38.13
AV	5.359G	46.27	54.00	-7.73	0.63	3	Horizontal	14	1.88	45.64	32.98	5.81	38.16
PK	5.138G	63.84	74.00	-10.16	0.77	3	Horizontal	14	1.88	63.07	33.18	5.69	38.10
PK	5.218G	112.24	Inf	-Inf	0.76	3	Horizontal	14	1.88	111.48	33.16	5.72	38.12
PK	5.356G	57.27	74.00	-16.73	0.63	3	Horizontal	14	1.88	56.64	32.99	5.80	38.16


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX






5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX






5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_4T4S_AP5022S6D**

Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	5.1496G	53.51	54.00	-0.49	3	Vertical	12	1.57
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.81	54.00	-0.19	3	Vertical	14	1.57
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.15G	53.61	54.00	-0.39	3	Vertical	13	1.71
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	5.35G	53.75	54.00	-0.25	3	Vertical	5	1.59
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	AV	5.3504G	53.73	54.00	-0.27	3	Horizontal	360	1.66
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.353G	53.42	54.00	-0.58	3	Vertical	12	1.37

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss4(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1496G	53.51	54.00	-0.49	3	Vertical	12	1.57
5180MHz_TX	Pass	AV	5.1786G	108.11	Inf	-Inf	3	Vertical	12	1.57
5180MHz_TX	Pass	PK	5.15G	65.91	74.00	-8.09	3	Vertical	12	1.57
5180MHz_TX	Pass	PK	5.1782G	119.22	Inf	-Inf	3	Vertical	12	1.57
5180MHz_TX	Pass	AV	5.1498G	53.00	54.00	-1.00	3	Horizontal	10	1.49
5180MHz_TX	Pass	AV	5.1812G	107.61	Inf	-Inf	3	Horizontal	10	1.49
5180MHz_TX	Pass	PK	5.15G	65.56	74.00	-8.44	3	Horizontal	10	1.49
5180MHz_TX	Pass	PK	5.1812G	118.94	Inf	-Inf	3	Horizontal	10	1.49
5180MHz_TX	Pass	PK	10.35224G	52.06	68.20	-16.14	3	Vertical	332	1.59
5180MHz_TX	Pass	PK	10.3532G	51.58	68.20	-16.62	3	Horizontal	10	1.50
5200MHz_TX	Pass	AV	5.15G	52.67	54.00	-1.33	3	Vertical	10	1.55
5200MHz_TX	Pass	AV	5.2088G	108.93	Inf	-Inf	3	Vertical	10	1.55
5200MHz_TX	Pass	PK	5.15G	69.19	74.00	-4.81	3	Vertical	10	1.55
5200MHz_TX	Pass	PK	5.208G	119.57	Inf	-Inf	3	Vertical	10	1.55
5200MHz_TX	Pass	AV	5.1496G	51.49	54.00	-2.51	3	Horizontal	11	1.76
5200MHz_TX	Pass	AV	5.206G	107.77	Inf	-Inf	3	Horizontal	11	1.76
5200MHz_TX	Pass	PK	5.1496G	67.85	74.00	-6.15	3	Horizontal	11	1.76
5200MHz_TX	Pass	PK	5.1948G	119.09	Inf	-Inf	3	Horizontal	11	1.76
5200MHz_TX	Pass	PK	10.4074G	56.08	68.20	-12.12	3	Vertical	338	1.50
5200MHz_TX	Pass	PK	10.40424G	52.09	68.20	-16.11	3	Horizontal	329	2.90
5240MHz_TX	Pass	AV	5.15G	53.42	54.00	-0.58	3	Vertical	14	1.67
5240MHz_TX	Pass	AV	5.2484G	111.63	Inf	-Inf	3	Vertical	14	1.67
5240MHz_TX	Pass	AV	5.351G	48.89	54.00	-5.11	3	Vertical	14	1.67
5240MHz_TX	Pass	PK	5.15G	67.41	74.00	-6.59	3	Vertical	14	1.67
5240MHz_TX	Pass	PK	5.2376G	122.19	Inf	-Inf	3	Vertical	14	1.67
5240MHz_TX	Pass	PK	5.3546G	61.25	74.00	-12.75	3	Vertical	14	1.67
5240MHz_TX	Pass	AV	5.1476G	51.89	54.00	-2.11	3	Horizontal	10	1.83
5240MHz_TX	Pass	AV	5.2478G	110.29	Inf	-Inf	3	Horizontal	10	1.83
5240MHz_TX	Pass	AV	5.35G	48.34	54.00	-5.66	3	Horizontal	10	1.83
5240MHz_TX	Pass	PK	5.1464G	65.88	74.00	-8.12	3	Horizontal	10	1.83
5240MHz_TX	Pass	PK	5.2328G	121.97	Inf	-Inf	3	Horizontal	10	1.83
5240MHz_TX	Pass	PK	5.3576G	61.48	74.00	-12.52	3	Horizontal	10	1.83
5240MHz_TX	Pass	PK	10.47436G	65.40	68.20	-2.80	3	Vertical	335	1.91
5240MHz_TX	Pass	PK	10.47876G	57.23	68.20	-10.97	3	Horizontal	327	2.86
5260MHz_TX	Pass	AV	5.15G	50.51	54.00	-3.49	3	Vertical	14	1.50
5260MHz_TX	Pass	AV	5.2588G	111.45	Inf	-Inf	3	Vertical	14	1.50
5260MHz_TX	Pass	AV	5.3512G	53.28	54.00	-0.72	3	Vertical	14	1.50
5260MHz_TX	Pass	PK	5.15G	62.95	74.00	-11.05	3	Vertical	14	1.50
5260MHz_TX	Pass	PK	5.2588G	122.94	Inf	-Inf	3	Vertical	14	1.50
5260MHz_TX	Pass	PK	5.3524G	65.91	74.00	-8.09	3	Vertical	14	1.50
5260MHz_TX	Pass	AV	5.15G	49.14	54.00	-4.86	3	Horizontal	352	1.50
5260MHz_TX	Pass	AV	5.2522G	110.57	Inf	-Inf	3	Horizontal	352	1.50
5260MHz_TX	Pass	AV	5.35G	53.14	54.00	-0.86	3	Horizontal	352	1.50
5260MHz_TX	Pass	PK	5.1484G	61.74	74.00	-12.26	3	Horizontal	352	1.50
5260MHz_TX	Pass	PK	5.2546G	122.45	Inf	-Inf	3	Horizontal	352	1.50
5260MHz_TX	Pass	PK	5.3566G	65.92	74.00	-8.08	3	Horizontal	352	1.50
5260MHz_TX	Pass	PK	10.52724G	63.60	68.20	-4.60	3	Vertical	335	1.50
5260MHz_TX	Pass	PK	10.52124G	62.79	68.20	-5.41	3	Horizontal	354	3.00
5300MHz_TX	Pass	AV	5.3008G	108.66	Inf	-Inf	3	Vertical	10	1.75
5300MHz_TX	Pass	AV	5.35G	52.95	54.00	-1.05	3	Vertical	10	1.75
5300MHz_TX	Pass	PK	5.2972G	119.68	Inf	-Inf	3	Vertical	10	1.75
5300MHz_TX	Pass	PK	5.3532G	70.63	74.00	-3.37	3	Vertical	10	1.75
5300MHz_TX	Pass	AV	5.298G	108.22	Inf	-Inf	3	Horizontal	0	1.34
5300MHz_TX	Pass	AV	5.35G	52.27	54.00	-1.73	3	Horizontal	0	1.34
5300MHz_TX	Pass	PK	5.308G	119.61	Inf	-Inf	3	Horizontal	0	1.34
5300MHz_TX	Pass	PK	5.3536G	70.83	74.00	-3.17	3	Horizontal	0	1.34
5300MHz_TX	Pass	PK	10.60604G	57.59	74.00	-16.41	3	Vertical	332	1.50
5300MHz_TX	Pass	PK	10.59984G	53.46	68.20	-14.74	3	Horizontal	211	1.50
5320MHz_TX	Pass	AV	5.3208G	107.89	Inf	-Inf	3	Vertical	5	1.59
5320MHz_TX	Pass	AV	5.35G	53.75	54.00	-0.25	3	Vertical	5	1.59

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz_TX	Pass	PK	5.3112G	119.41	Inf	-Inf	3	Vertical	5	1.59
5320MHz_TX	Pass	PK	5.3604G	66.16	74.00	-7.84	3	Vertical	5	1.59
5320MHz_TX	Pass	AV	5.3148G	107.49	Inf	-Inf	3	Horizontal	356	1.45
5320MHz_TX	Pass	AV	5.3522G	53.32	54.00	-0.68	3	Horizontal	356	1.45
5320MHz_TX	Pass	PK	5.3278G	118.93	Inf	-Inf	3	Horizontal	356	1.45
5320MHz_TX	Pass	PK	5.3546G	65.58	74.00	-8.42	3	Horizontal	356	1.45
5320MHz_TX	Pass	AV	10.64708G	42.03	54.00	-11.97	3	Vertical	337	1.50
5320MHz_TX	Pass	PK	10.64792G	52.92	74.00	-21.08	3	Vertical	337	1.50
5320MHz_TX	Pass	AV	10.6378G	41.63	54.00	-12.37	3	Horizontal	296	2.97
5320MHz_TX	Pass	PK	10.64632G	51.96	74.00	-22.04	3	Horizontal	296	2.97
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.15G	53.81	54.00	-0.19	3	Vertical	14	1.57
5190MHz_TX	Pass	AV	5.2032G	102.32	Inf	-Inf	3	Vertical	14	1.57
5190MHz_TX	Pass	PK	5.15G	65.59	74.00	-8.41	3	Vertical	14	1.57
5190MHz_TX	Pass	PK	5.1988G	113.32	Inf	-Inf	3	Vertical	14	1.57
5190MHz_TX	Pass	AV	5.15G	52.22	54.00	-1.78	3	Horizontal	0	1.50
5190MHz_TX	Pass	AV	5.2052G	101.77	Inf	-Inf	3	Horizontal	0	1.50
5190MHz_TX	Pass	PK	5.15G	66.31	74.00	-7.69	3	Horizontal	0	1.50
5190MHz_TX	Pass	PK	5.1844G	113.15	Inf	-Inf	3	Horizontal	0	1.50
5190MHz_TX	Pass	PK	10.37708G	51.41	68.20	-16.79	3	Vertical	350	1.50
5190MHz_TX	Pass	PK	10.37592G	51.68	68.20	-16.52	3	Horizontal	26	2.71
5230MHz_TX	Pass	AV	5.15G	53.79	54.00	-0.21	3	Vertical	14	1.53
5230MHz_TX	Pass	AV	5.2436G	104.92	Inf	-Inf	3	Vertical	14	1.53
5230MHz_TX	Pass	PK	5.1496G	69.92	74.00	-4.08	3	Vertical	14	1.53
5230MHz_TX	Pass	PK	5.2364G	116.72	Inf	-Inf	3	Vertical	14	1.53
5230MHz_TX	Pass	AV	5.15G	52.48	54.00	-1.52	3	Horizontal	355	1.49
5230MHz_TX	Pass	AV	5.2448G	104.40	Inf	-Inf	3	Horizontal	355	1.49
5230MHz_TX	Pass	PK	5.1444G	69.88	74.00	-4.12	3	Horizontal	355	1.49
5230MHz_TX	Pass	PK	5.2348G	115.37	Inf	-Inf	3	Horizontal	355	1.49
5230MHz_TX	Pass	PK	10.4648G	58.75	68.20	-9.45	3	Vertical	27	1.81
5230MHz_TX	Pass	PK	10.45204G	52.49	68.20	-15.71	3	Horizontal	321	2.94
5270MHz_TX	Pass	AV	5.264G	104.71	Inf	-Inf	3	Vertical	15	2.41
5270MHz_TX	Pass	AV	5.3504G	51.70	54.00	-2.30	3	Vertical	15	2.41
5270MHz_TX	Pass	PK	5.264G	116.08	Inf	-Inf	3	Vertical	15	2.41
5270MHz_TX	Pass	PK	5.358G	72.79	74.00	-1.21	3	Vertical	15	2.41
5270MHz_TX	Pass	AV	5.262G	104.19	Inf	-Inf	3	Horizontal	360	1.59
5270MHz_TX	Pass	AV	5.35G	51.97	54.00	-2.03	3	Horizontal	360	1.59
5270MHz_TX	Pass	PK	5.2856G	115.99	Inf	-Inf	3	Horizontal	360	1.59
5270MHz_TX	Pass	PK	5.358G	72.35	74.00	-1.65	3	Horizontal	360	1.59
5270MHz_TX	Pass	PK	10.5414G	59.95	68.20	-8.25	3	Vertical	27	1.54
5270MHz_TX	Pass	PK	10.53764G	51.70	68.20	-16.50	3	Horizontal	224	1.50
5310MHz_TX	Pass	AV	5.318G	104.38	Inf	-Inf	3	Vertical	10	1.03
5310MHz_TX	Pass	AV	5.3512G	53.31	54.00	-0.69	3	Vertical	10	1.03
5310MHz_TX	Pass	PK	5.3152G	116.60	Inf	-Inf	3	Vertical	10	1.03
5310MHz_TX	Pass	PK	5.3588G	66.64	74.00	-7.36	3	Vertical	10	1.03
5310MHz_TX	Pass	AV	5.3248G	103.99	Inf	-Inf	3	Horizontal	360	1.66
5310MHz_TX	Pass	AV	5.3504G	53.73	54.00	-0.27	3	Horizontal	360	1.66
5310MHz_TX	Pass	PK	5.3252G	115.38	Inf	-Inf	3	Horizontal	360	1.66
5310MHz_TX	Pass	PK	5.3508G	66.42	74.00	-7.58	3	Horizontal	360	1.66
5310MHz_TX	Pass	AV	10.61652G	42.57	54.00	-11.43	3	Vertical	335	2.23
5310MHz_TX	Pass	PK	10.61364G	52.63	74.00	-21.37	3	Vertical	335	2.23
5310MHz_TX	Pass	AV	10.6124G	41.44	54.00	-12.56	3	Horizontal	3	3.00
5310MHz_TX	Pass	PK	10.61864G	52.73	74.00	-21.27	3	Horizontal	3	3.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.15G	53.61	54.00	-0.39	3	Vertical	13	1.71
5210MHz_TX	Pass	AV	5.226G	97.43	Inf	-Inf	3	Vertical	13	1.71
5210MHz_TX	Pass	AV	5.35G	46.54	54.00	-7.46	3	Vertical	13	1.71
5210MHz_TX	Pass	PK	5.148G	64.17	74.00	-9.83	3	Vertical	13	1.71
5210MHz_TX	Pass	PK	5.214G	109.25	Inf	-Inf	3	Vertical	13	1.71
5210MHz_TX	Pass	PK	5.358G	58.74	74.00	-15.26	3	Vertical	13	1.71
5210MHz_TX	Pass	AV	5.15G	52.16	54.00	-1.84	3	Horizontal	13	2.09
5210MHz_TX	Pass	AV	5.222G	97.32	Inf	-Inf	3	Horizontal	13	2.09




**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Full RU_4T4S_AP5022S6D**

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz_TX	Pass	AV	5.35G	45.75	54.00	-8.25	3	Horizontal	13	2.09
5210MHz_TX	Pass	PK	5.123G	65.23	74.00	-8.77	3	Horizontal	13	2.09
5210MHz_TX	Pass	PK	5.223G	110.58	Inf	-Inf	3	Horizontal	13	2.09
5210MHz_TX	Pass	PK	5.355G	57.42	74.00	-16.58	3	Horizontal	13	2.09
5210MHz_TX	Pass	PK	10.4254G	51.78	68.20	-16.42	3	Vertical	332	1.73
5210MHz_TX	Pass	PK	10.41964G	51.39	68.20	-16.81	3	Horizontal	172	2.99
5290MHz_TX	Pass	AV	5.149G	46.74	54.00	-7.26	3	Vertical	12	1.37
5290MHz_TX	Pass	AV	5.282G	100.21	Inf	-Inf	3	Vertical	12	1.37
5290MHz_TX	Pass	AV	5.353G	53.42	54.00	-0.58	3	Vertical	12	1.37
5290MHz_TX	Pass	PK	5.141G	58.68	74.00	-15.32	3	Vertical	12	1.37
5290MHz_TX	Pass	PK	5.274G	112.15	Inf	-Inf	3	Vertical	12	1.37
5290MHz_TX	Pass	PK	5.359G	65.14	74.00	-8.86	3	Vertical	12	1.37
5290MHz_TX	Pass	PK	5.51G	56.13	68.20	-12.07	3	Vertical	12	1.37
5290MHz_TX	Pass	AV	5.143G	46.19	54.00	-7.81	3	Horizontal	5	2.10
5290MHz_TX	Pass	AV	5.305G	99.19	Inf	-Inf	3	Horizontal	5	2.10
5290MHz_TX	Pass	AV	5.35G	53.36	54.00	-0.64	3	Horizontal	5	2.10
5290MHz_TX	Pass	PK	5.122G	58.21	74.00	-15.79	3	Horizontal	5	2.10
5290MHz_TX	Pass	PK	5.282G	113.02	Inf	-Inf	3	Horizontal	5	2.10
5290MHz_TX	Pass	PK	5.353G	65.55	74.00	-8.45	3	Horizontal	5	2.10
5290MHz_TX	Pass	PK	5.473G	56.22	68.20	-11.98	3	Horizontal	5	2.10
5290MHz_TX	Pass	PK	10.58536G	52.94	68.20	-15.26	3	Vertical	337	1.31
5290MHz_TX	Pass	PK	10.57712G	52.09	68.20	-16.11	3	Horizontal	172	2.16


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.61	54.00	-0.39	0.79	3	Vertical	13	1.71	52.82	33.20	5.70	38.11
AV	5.22G	97.43	Inf	-Inf	0.76	3	Vertical	13	1.71	96.67	33.15	5.73	38.12
AV	5.35G	46.54	54.00	-7.46	0.65	3	Vertical	13	1.71	45.89	33.00	5.80	38.15
PK	5.148G	64.17	74.00	-9.83	0.78	3	Vertical	13	1.71	63.39	33.20	5.69	38.11
PK	5.214G	109.25	Inf	-Inf	0.77	3	Vertical	13	1.71	108.48	33.17	5.72	38.12
PK	5.358G	58.74	74.00	-15.26	0.62	3	Vertical	13	1.71	58.12	32.98	5.80	38.16

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.16	54.00	-1.84	0.79	3	Horizontal	13	2.09	51.37	33.20	5.70	38.11
AV	5.22G	97.32	Inf	-Inf	0.76	3	Horizontal	13	2.09	96.56	33.16	5.72	38.12
AV	5.35G	45.75	54.00	-8.25	0.65	3	Horizontal	13	2.09	45.10	33.00	5.80	38.15
PK	5.123G	65.23	74.00	-8.77	0.74	3	Horizontal	13	2.09	64.49	33.15	5.69	38.10
PK	5.223G	110.58	Inf	-Inf	0.75	3	Horizontal	13	2.09	109.83	33.15	5.72	38.12
PK	5.355G	57.42	74.00	-16.58	0.63	3	Horizontal	13	2.09	56.79	32.99	5.80	38.16


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5290MHz_TX






5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Multi-RU_1T1S_AP5022S6D**

Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	PK	5.132G	73.23	74.00	-0.77	3	Vertical	17	1.99
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	Pass	PK	5.358G	73.62	74.00	-0.38	3	Horizontal	13	1.76



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Multi-RU_1T1S_AP5022S6D**


Appendix E.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.139G	51.97	54.00	-2.03	3	Vertical	17	1.99
5210MHz	Pass	AV	5.241G	93.68	Inf	-Inf	3	Vertical	17	1.99
5210MHz	Pass	AV	5.35G	44.19	54.00	-9.81	3	Vertical	17	1.99
5210MHz	Pass	PK	5.132G	73.23	74.00	-0.77	3	Vertical	17	1.99
5210MHz	Pass	PK	5.238G	105.09	Inf	-Inf	3	Vertical	17	1.99
5210MHz	Pass	PK	5.375G	58.80	74.00	-15.20	3	Vertical	17	1.99
5210MHz	Pass	AV	5.139G	51.83	54.00	-2.17	3	Horizontal	20	1.60
5210MHz	Pass	AV	5.248G	92.88	Inf	-Inf	3	Horizontal	20	1.60
5210MHz	Pass	AV	5.354G	44.99	54.00	-9.01	3	Horizontal	20	1.60
5210MHz	Pass	PK	5.132G	72.46	74.00	-1.54	3	Horizontal	20	1.60
5210MHz	Pass	PK	5.207G	104.79	Inf	-Inf	3	Horizontal	20	1.60
5210MHz	Pass	PK	5.374G	59.54	74.00	-14.46	3	Horizontal	20	1.60
5210MHz	Pass	PK	10.39472G	53.74	68.20	-14.46	3	Vertical	0	1.50
5210MHz	Pass	PK	10.3936G	53.22	68.20	-14.98	3	Horizontal	5	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.132G	42.09	54.00	-11.91	3	Vertical	16	1.42
5290MHz	Pass	AV	5.303G	92.67	Inf	-Inf	3	Vertical	16	1.42
5290MHz	Pass	AV	5.368G	47.20	54.00	-6.80	3	Vertical	16	1.42
5290MHz	Pass	PK	5.135G	56.45	74.00	-17.55	3	Vertical	16	1.42
5290MHz	Pass	PK	5.301G	105.96	Inf	-Inf	3	Vertical	16	1.42
5290MHz	Pass	PK	5.359G	73.47	74.00	-0.53	3	Vertical	16	1.42
5290MHz	Pass	PK	5.5G	54.24	68.20	-13.96	3	Vertical	16	1.42
5290MHz	Pass	AV	5.15G	43.60	54.00	-10.40	3	Horizontal	13	1.76
5290MHz	Pass	AV	5.318G	92.56	Inf	-Inf	3	Horizontal	13	1.76
5290MHz	Pass	AV	5.376G	47.99	54.00	-6.01	3	Horizontal	13	1.76
5290MHz	Pass	PK	5.149G	56.78	74.00	-17.22	3	Horizontal	13	1.76
5290MHz	Pass	PK	5.3G	104.24	Inf	-Inf	3	Horizontal	13	1.76
5290MHz	Pass	PK	5.358G	73.62	74.00	-0.38	3	Horizontal	13	1.76
5290MHz	Pass	PK	5.536G	55.68	68.20	-12.52	3	Horizontal	13	1.76
5290MHz	Pass	AV	10.61936G	40.92	54.00	-13.08	3	Vertical	37	1.50
5290MHz	Pass	PK	10.60304G	53.15	74.00	-20.85	3	Vertical	37	1.50
5290MHz	Pass	PK	10.61744G	52.99	74.00	-21.01	3	Horizontal	280	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	51.97	54.00	-2.03	0.77	3	Vertical	17	1.99	51.20	33.18	5.69	38.10
AV	5.241G	93.68	Inf	-Inf	0.72	3	Vertical	17	1.99	92.96	33.12	5.73	38.13
AV	5.35G	44.19	54.00	-9.81	0.65	3	Vertical	17	1.99	43.54	33.00	5.80	38.15
PK	5.132G	73.23	74.00	-0.77	0.75	3	Vertical	17	1.99	72.48	33.16	5.69	38.10
PK	5.238G	105.09	Inf	-Inf	0.72	3	Vertical	17	1.99	104.37	33.12	5.73	38.13
PK	5.375G	58.80	74.00	-15.20	0.61	3	Vertical	17	1.99	58.19	32.95	5.82	38.16

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	51.83	54.00	-2.17	0.77	3	Horizontal	20	1.60	51.06	33.18	5.69	38.10
AV	5.248G	92.88	Inf	-Inf	0.71	3	Horizontal	20	1.60	92.17	33.10	5.74	38.13
AV	5.354G	44.99	54.00	-9.01	0.64	3	Horizontal	20	1.60	44.35	32.99	5.80	38.15
PK	5.132G	72.46	74.00	-1.54	0.75	3	Horizontal	20	1.60	71.71	33.16	5.69	38.10
PK	5.207G	104.79	Inf	-Inf	0.78	3	Horizontal	20	1.60	104.01	33.19	5.71	38.12
PK	5.374G	59.54	74.00	-14.46	0.60	3	Horizontal	20	1.60	58.94	32.95	5.81	38.16


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Multi-RU_2T1S_AP5022S6D**

Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.139G	52.84	54.00	-1.16	3	Horizontal	27	2.39
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.359G	72.87	74.00	-1.13	3	Horizontal	26	2.17



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Multi-RU_2T1S_AP5022S6D**


Appendix E.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.144G	52.00	54.00	-2.00	3	Vertical	17	1.77
5210MHz	Pass	AV	5.247G	96.88	Inf	-Inf	3	Vertical	17	1.77
5210MHz	Pass	AV	5.351G	45.44	54.00	-8.56	3	Vertical	17	1.77
5210MHz	Pass	PK	5.15G	69.76	74.00	-4.24	3	Vertical	17	1.77
5210MHz	Pass	PK	5.208G	108.72	Inf	-Inf	3	Vertical	17	1.77
5210MHz	Pass	PK	5.356G	59.38	74.00	-14.62	3	Vertical	17	1.77
5210MHz	Pass	AV	5.139G	52.84	54.00	-1.16	3	Horizontal	27	2.39
5210MHz	Pass	AV	5.239G	96.94	Inf	-Inf	3	Horizontal	27	2.39
5210MHz	Pass	AV	5.357G	45.49	54.00	-8.51	3	Horizontal	27	2.39
5210MHz	Pass	PK	5.148G	71.24	74.00	-2.76	3	Horizontal	27	2.39
5210MHz	Pass	PK	5.239G	108.19	Inf	-Inf	3	Horizontal	27	2.39
5210MHz	Pass	PK	5.35G	59.32	74.00	-14.68	3	Horizontal	27	2.39
5210MHz	Pass	PK	10.44576G	53.36	68.20	-14.84	3	Vertical	103	2.36
5210MHz	Pass	PK	10.43408G	52.94	68.20	-15.26	3	Horizontal	0	2.96
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	43.82	54.00	-10.18	3	Vertical	11	1.89
5290MHz	Pass	AV	5.297G	95.68	Inf	-Inf	3	Vertical	11	1.89
5290MHz	Pass	AV	5.358G	47.65	54.00	-6.35	3	Vertical	11	1.89
5290MHz	Pass	PK	5.149G	56.97	74.00	-17.03	3	Vertical	11	1.89
5290MHz	Pass	PK	5.292G	108.05	Inf	-Inf	3	Vertical	11	1.89
5290MHz	Pass	PK	5.355G	72.49	74.00	-1.51	3	Vertical	11	1.89
5290MHz	Pass	PK	5.483G	56.16	68.20	-12.04	3	Vertical	11	1.89
5290MHz	Pass	AV	5.15G	43.88	54.00	-10.12	3	Horizontal	26	2.17
5290MHz	Pass	AV	5.319G	96.07	Inf	-Inf	3	Horizontal	26	2.17
5290MHz	Pass	AV	5.358G	47.72	54.00	-6.28	3	Horizontal	26	2.17
5290MHz	Pass	PK	5.149G	57.12	74.00	-16.88	3	Horizontal	26	2.17
5290MHz	Pass	PK	5.312G	108.01	Inf	-Inf	3	Horizontal	26	2.17
5290MHz	Pass	PK	5.359G	72.87	74.00	-1.13	3	Horizontal	26	2.17
5290MHz	Pass	PK	5.506G	55.39	68.20	-12.81	3	Horizontal	26	2.17
5290MHz	Pass	AV	10.61744G	40.91	54.00	-13.09	3	Vertical	321	2.47
5290MHz	Pass	PK	10.59456G	53.45	68.20	-14.75	3	Vertical	321	2.47
5290MHz	Pass	AV	10.60656G	41.06	54.00	-12.94	3	Horizontal	340	1.50
5290MHz	Pass	PK	10.59408G	52.63	68.20	-15.57	3	Horizontal	340	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	52.00	54.00	-2.00	0.78	3	Vertical	17	1.77	51.22	33.19	5.69	38.10
AV	5.247G	96.88	Inf	-Inf	0.72	3	Vertical	17	1.77	96.16	33.11	5.74	38.13
AV	5.351G	45.44	54.00	-8.56	0.65	3	Vertical	17	1.77	44.79	33.00	5.80	38.15
PK	5.15G	69.76	74.00	-4.24	0.79	3	Vertical	17	1.77	68.97	33.20	5.70	38.11
PK	5.208G	108.72	Inf	-Inf	0.77	3	Vertical	17	1.77	107.95	33.18	5.71	38.12
PK	5.356G	59.38	74.00	-14.62	0.63	3	Vertical	17	1.77	58.75	32.99	5.80	38.16

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	52.84	54.00	-1.16	0.77	3	Horizontal	27	2.39	52.07	33.18	5.69	38.10
AV	5.239G	96.94	Inf	-Inf	0.72	3	Horizontal	27	2.39	96.22	33.12	5.73	38.13
AV	5.357G	45.49	54.00	-8.51	0.63	3	Horizontal	27	2.39	44.86	32.99	5.80	38.16
PK	5.148G	71.24	74.00	-2.76	0.78	3	Horizontal	27	2.39	70.46	33.20	5.69	38.11
PK	5.239G	108.19	Inf	-Inf	0.72	3	Horizontal	27	2.39	107.47	33.12	5.73	38.13
PK	5.35G	59.32	74.00	-14.68	0.65	3	Horizontal	27	2.39	58.67	33.00	5.80	38.15


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.82	54.00	-10.18	0.78	3	Vertical	11	1.89	43.04	33.20	5.69	38.11
AV	5.297G	95.68	Inf	-Inf	0.54	3	Vertical	11	1.89	95.14	32.91	5.77	38.14
AV	5.358G	47.65	54.00	-6.35	0.62	3	Vertical	11	1.89	47.03	32.98	5.80	38.16
PK	5.149G	56.97	74.00	-17.03	0.78	3	Vertical	11	1.89	56.19	33.20	5.69	38.11
PK	5.292G	108.05	Inf	-Inf	0.56	3	Vertical	11	1.89	107.49	32.93	5.77	38.14
PK	5.355G	72.49	74.00	-1.51	0.63	3	Vertical	11	1.89	71.86	32.99	5.80	38.16
PK	5.483G	56.16	68.20	-12.04	0.70	3	Vertical	11	1.89	55.46	33.00	5.89	38.19

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.88	54.00	-10.12	0.79	3	Horizontal	26	2.17	43.09	33.20	5.70	38.11
AV	5.319G	96.07	Inf	-Inf	0.57	3	Horizontal	26	2.17	95.50	32.94	5.78	38.15
AV	5.358G	47.72	54.00	-6.28	0.62	3	Horizontal	26	2.17	47.10	32.98	5.80	38.16
PK	5.149G	57.12	74.00	-16.88	0.78	3	Horizontal	26	2.17	56.34	33.20	5.69	38.11
PK	5.312G	108.01	Inf	-Inf	0.56	3	Horizontal	26	2.17	107.45	32.92	5.78	38.14
PK	5.359G	72.87	74.00	-1.13	0.63	3	Horizontal	26	2.17	72.24	32.98	5.81	38.16
PK	5.506G	55.39	68.20	-12.81	0.72	3	Horizontal	26	2.17	54.67	33.00	5.91	38.19


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Multi-RU_2T2S_AP5022S6D**

Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.139G	51.85	54.00	-2.15	3	Vertical	18	1.76
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	Pass	PK	5.354G	73.77	74.00	-0.23	3	Vertical	10	1.88



RSE TX above 1GHz_Non-Beamforming_ Radio 1_Multi-RU_2T2S_AP5022S6D


Appendix E.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.139G	51.85	54.00	-2.15	3	Vertical	18	1.76
5210MHz	Pass	AV	5.248G	95.36	Inf	-Inf	3	Vertical	18	1.76
5210MHz	Pass	AV	5.371G	45.29	54.00	-8.71	3	Vertical	18	1.76
5210MHz	Pass	PK	5.144G	64.16	74.00	-9.84	3	Vertical	18	1.76
5210MHz	Pass	PK	5.239G	106.33	Inf	-Inf	3	Vertical	18	1.76
5210MHz	Pass	PK	5.359G	57.28	74.00	-16.72	3	Vertical	18	1.76
5210MHz	Pass	AV	5.145G	51.61	54.00	-2.39	3	Horizontal	15	1.61
5210MHz	Pass	AV	5.24G	95.71	Inf	-Inf	3	Horizontal	15	1.61
5210MHz	Pass	AV	5.364G	45.52	54.00	-8.48	3	Horizontal	15	1.61
5210MHz	Pass	PK	5.134G	64.38	74.00	-9.62	3	Horizontal	15	1.61
5210MHz	Pass	PK	5.197G	106.71	Inf	-Inf	3	Horizontal	15	1.61
5210MHz	Pass	PK	5.352G	56.75	74.00	-17.25	3	Horizontal	15	1.61
5210MHz	Pass	PK	10.38032G	53.55	68.20	-14.65	3	Vertical	282	1.50
5210MHz	Pass	PK	10.44512G	53.32	68.20	-14.88	3	Horizontal	87	1.50
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.116G	44.30	54.00	-9.70	3	Vertical	10	1.88
5290MHz	Pass	AV	5.298G	96.99	Inf	-Inf	3	Vertical	10	1.88
5290MHz	Pass	AV	5.354G	52.01	54.00	-1.99	3	Vertical	10	1.88
5290MHz	Pass	PK	5.146G	55.52	74.00	-18.48	3	Vertical	10	1.88
5290MHz	Pass	PK	5.302G	108.62	Inf	-Inf	3	Vertical	10	1.88
5290MHz	Pass	PK	5.354G	73.77	74.00	-0.23	3	Vertical	10	1.88
5290MHz	Pass	PK	5.468G	55.86	68.20	-12.34	3	Vertical	10	1.88
5290MHz	Pass	AV	5.15G	44.19	54.00	-9.81	3	Horizontal	10	1.81
5290MHz	Pass	AV	5.306G	97.44	Inf	-Inf	3	Horizontal	10	1.81
5290MHz	Pass	AV	5.354G	51.87	54.00	-2.13	3	Horizontal	10	1.81
5290MHz	Pass	PK	5.13G	55.86	74.00	-18.14	3	Horizontal	10	1.81
5290MHz	Pass	PK	5.305G	108.62	Inf	-Inf	3	Horizontal	10	1.81
5290MHz	Pass	PK	5.355G	73.75	74.00	-0.25	3	Horizontal	10	1.81
5290MHz	Pass	PK	5.535G	55.51	68.20	-12.69	3	Horizontal	10	1.81
5290MHz	Pass	PK	10.61344G	54.08	74.00	-19.92	3	Vertical	28	1.73
5290MHz	Pass	AV	10.6184G	40.92	54.00	-13.08	3	Horizontal	302	1.08
5290MHz	Pass	PK	10.56976G	53.18	68.20	-15.02	3	Horizontal	302	1.08

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	51.85	54.00	-2.15	0.77	3	Vertical	18	1.76	51.08	33.18	5.69	38.10
AV	5.248G	95.36	Inf	-Inf	0.71	3	Vertical	18	1.76	94.65	33.10	5.74	38.13
AV	5.371G	45.29	54.00	-8.71	0.61	3	Vertical	18	1.76	44.68	32.96	5.81	38.16
PK	5.144G	64.16	74.00	-9.84	0.78	3	Vertical	18	1.76	63.38	33.19	5.69	38.10
PK	5.239G	106.33	Inf	-Inf	0.72	3	Vertical	18	1.76	105.61	33.12	5.73	38.13
PK	5.359G	57.28	74.00	-16.72	0.63	3	Vertical	18	1.76	56.65	32.98	5.81	38.16

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	51.61	54.00	-2.39	0.78	3	Horizontal	15	1.61	50.83	33.19	5.69	38.10
AV	5.24G	95.71	Inf	-Inf	0.72	3	Horizontal	15	1.61	94.99	33.12	5.73	38.13
AV	5.364G	45.52	54.00	-8.48	0.62	3	Horizontal	15	1.61	44.90	32.97	5.81	38.16
PK	5.134G	64.38	74.00	-9.62	0.76	3	Horizontal	15	1.61	63.62	33.17	5.69	38.10
PK	5.197G	106.71	Inf	-Inf	0.79	3	Horizontal	15	1.61	105.92	33.20	5.71	38.12
PK	5.352G	56.75	74.00	-17.25	0.65	3	Horizontal	15	1.61	56.10	33.00	5.80	38.15


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 1_2TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Multi-RU_4T1S_AP5022S6D**

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.138G	51.29	54.00	-2.71	3	Horizontal	14	2.33
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	Pass	PK	5.355G	72.84	74.00	-1.16	3	Horizontal	11	2.09



RSE TX above 1GHz_Non-Beamforming_ Radio 1_Multi-RU_4T1S_AP5022S6D


Appendix E.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.145G	49.95	54.00	-4.05	3	Vertical	13	1.97
5210MHz	Pass	AV	5.241G	98.47	Inf	-Inf	3	Vertical	13	1.97
5210MHz	Pass	AV	5.356G	43.93	54.00	-10.07	3	Vertical	13	1.97
5210MHz	Pass	PK	5.101G	62.04	74.00	-11.96	3	Vertical	13	1.97
5210MHz	Pass	PK	5.236G	110.03	Inf	-Inf	3	Vertical	13	1.97
5210MHz	Pass	PK	5.354G	55.33	74.00	-18.67	3	Vertical	13	1.97
5210MHz	Pass	AV	5.138G	51.29	54.00	-2.71	3	Horizontal	14	2.33
5210MHz	Pass	AV	5.238G	99.20	Inf	-Inf	3	Horizontal	14	2.33
5210MHz	Pass	AV	5.353G	45.20	54.00	-8.80	3	Horizontal	14	2.33
5210MHz	Pass	PK	5.116G	64.36	74.00	-9.64	3	Horizontal	14	2.33
5210MHz	Pass	PK	5.198G	111.17	Inf	-Inf	3	Horizontal	14	2.33
5210MHz	Pass	PK	5.357G	57.19	74.00	-16.81	3	Horizontal	14	2.33
5210MHz	Pass	PK	10.43232G	53.37	68.20	-14.83	3	Vertical	229	2.04
5210MHz	Pass	PK	10.3888G	53.54	68.20	-14.66	3	Horizontal	357	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.043G	43.42	54.00	-10.58	3	Vertical	17	1.80
5290MHz	Pass	AV	5.301G	96.30	Inf	-Inf	3	Vertical	17	1.80
5290MHz	Pass	AV	5.359G	46.28	54.00	-7.72	3	Vertical	17	1.80
5290MHz	Pass	PK	5.146G	54.95	74.00	-19.05	3	Vertical	17	1.80
5290MHz	Pass	PK	5.3G	107.13	Inf	-Inf	3	Vertical	17	1.80
5290MHz	Pass	PK	5.36G	69.84	74.00	-4.16	3	Vertical	17	1.80
5290MHz	Pass	PK	5.475G	55.43	68.20	-12.77	3	Vertical	17	1.80
5290MHz	Pass	AV	5.143G	43.72	54.00	-10.28	3	Horizontal	11	2.09
5290MHz	Pass	AV	5.318G	97.19	Inf	-Inf	3	Horizontal	11	2.09
5290MHz	Pass	AV	5.355G	47.91	54.00	-6.09	3	Horizontal	11	2.09
5290MHz	Pass	PK	5.04G	55.31	74.00	-18.69	3	Horizontal	11	2.09
5290MHz	Pass	PK	5.303G	108.38	Inf	-Inf	3	Horizontal	11	2.09
5290MHz	Pass	PK	5.355G	72.84	74.00	-1.16	3	Horizontal	11	2.09
5290MHz	Pass	PK	5.532G	56.17	68.20	-12.03	3	Horizontal	11	2.09
5290MHz	Pass	AV	10.608G	40.83	54.00	-13.17	3	Vertical	104	2.78
5290MHz	Pass	PK	10.57824G	53.13	68.20	-15.07	3	Vertical	104	2.78
5290MHz	Pass	PK	10.61776G	53.48	74.00	-20.52	3	Horizontal	18	2.39

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	49.95	54.00	-4.05	0.78	3	Vertical	13	1.97	49.17	33.19	5.69	38.10
AV	5.241G	98.47	Inf	-Inf	0.72	3	Vertical	13	1.97	97.75	33.12	5.73	38.13
AV	5.356G	43.93	54.00	-10.07	0.63	3	Vertical	13	1.97	43.30	32.99	5.80	38.16
PK	5.101G	62.04	74.00	-11.96	0.69	3	Vertical	13	1.97	61.35	33.10	5.68	38.09
PK	5.236G	110.03	Inf	-Inf	0.73	3	Vertical	13	1.97	109.30	33.13	5.73	38.13
PK	5.354G	55.33	74.00	-18.67	0.64	3	Vertical	13	1.97	54.69	32.99	5.80	38.15

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.138G	51.29	54.00	-2.71	0.77	3	Horizontal	14	2.33	50.52	33.18	5.69	38.10
AV	5.238G	99.20	Inf	-Inf	0.72	3	Horizontal	14	2.33	98.48	33.12	5.73	38.13
AV	5.353G	45.20	54.00	-8.80	0.64	3	Horizontal	14	2.33	44.56	32.99	5.80	38.15
PK	5.116G	64.36	74.00	-9.64	0.71	3	Horizontal	14	2.33	63.65	33.13	5.68	38.10
PK	5.198G	111.17	Inf	-Inf	0.79	3	Horizontal	14	2.33	110.38	33.20	5.71	38.12
PK	5.357G	57.19	74.00	-16.81	0.63	3	Horizontal	14	2.33	56.56	32.99	5.80	38.16


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.043G	43.42	54.00	-10.58	0.88	3	Vertical	17	1.80	42.54	33.30	5.66	38.08
AV	5.301G	96.30	Inf	-Inf	0.53	3	Vertical	17	1.80	95.77	32.90	5.77	38.14
AV	5.359G	46.28	54.00	-7.72	0.63	3	Vertical	17	1.80	45.65	32.98	5.81	38.16
PK	5.146G	54.95	74.00	-19.05	0.77	3	Vertical	17	1.80	54.18	33.19	5.69	38.11
PK	5.3G	107.13	Inf	-Inf	0.53	3	Vertical	17	1.80	106.60	32.90	5.77	38.14
PK	5.36G	69.84	74.00	-4.16	0.63	3	Vertical	17	1.80	69.21	32.98	5.81	38.16
PK	5.475G	55.43	68.20	-12.77	0.71	3	Vertical	17	1.80	54.72	33.00	5.89	38.18

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	43.72	54.00	-10.28	0.78	3	Horizontal	11	2.09	42.94	33.19	5.69	38.10
AV	5.318G	97.19	Inf	-Inf	0.57	3	Horizontal	11	2.09	96.62	32.94	5.78	38.15
AV	5.355G	47.91	54.00	-6.09	0.63	3	Horizontal	11	2.09	47.28	32.99	5.80	38.16
PK	5.04G	55.31	74.00	-18.69	0.88	3	Horizontal	11	2.09	54.43	33.30	5.66	38.08
PK	5.303G	108.38	Inf	-Inf	0.54	3	Horizontal	11	2.09	107.84	32.91	5.77	38.14
PK	5.355G	72.84	74.00	-1.16	0.63	3	Horizontal	11	2.09	72.21	32.99	5.80	38.16
PK	5.532G	56.17	68.20	-12.03	0.76	3	Horizontal	11	2.09	55.41	33.00	5.93	38.17


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 1_4TX

5290MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Multi-RU_4T4S_AP5022S6D**

Appendix E.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.141G	73.58	74.00	-0.42	3	Horizontal	355	2.37
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	Pass	PK	5.359G	73.65	74.00	-0.35	3	Horizontal	0	1.33



**RSE TX above 1GHz_Non-Beamforming_
Radio 1_Multi-RU_4T4S_AP5022S6D**


Appendix E.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.136G	52.22	54.00	-1.78	3	Vertical	8	1.28
5210MHz	Pass	AV	5.233G	95.97	Inf	-Inf	3	Vertical	8	1.28
5210MHz	Pass	AV	5.354G	45.30	54.00	-8.70	3	Vertical	8	1.28
5210MHz	Pass	PK	5.135G	72.94	74.00	-1.06	3	Vertical	8	1.28
5210MHz	Pass	PK	5.235G	108.54	Inf	-Inf	3	Vertical	8	1.28
5210MHz	Pass	PK	5.356G	59.17	74.00	-14.83	3	Vertical	8	1.28
5210MHz	Pass	AV	5.141G	53.14	54.00	-0.86	3	Horizontal	355	2.37
5210MHz	Pass	AV	5.241G	95.82	Inf	-Inf	3	Horizontal	355	2.37
5210MHz	Pass	AV	5.359G	45.88	54.00	-8.12	3	Horizontal	355	2.37
5210MHz	Pass	PK	5.141G	73.58	74.00	-0.42	3	Horizontal	355	2.37
5210MHz	Pass	PK	5.241G	107.94	Inf	-Inf	3	Horizontal	355	2.37
5210MHz	Pass	PK	5.359G	59.21	74.00	-14.79	3	Horizontal	355	2.37
5210MHz	Pass	PK	10.4368G	53.46	68.20	-14.74	3	Vertical	341	1.50
5210MHz	Pass	PK	10.44736G	53.20	68.20	-15.00	3	Horizontal	243	1.24
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.148G	43.93	54.00	-10.07	3	Vertical	11	2.50
5290MHz	Pass	AV	5.299G	94.49	Inf	-Inf	3	Vertical	11	2.50
5290MHz	Pass	AV	5.357G	48.25	54.00	-5.75	3	Vertical	11	2.50
5290MHz	Pass	PK	5.121G	55.18	74.00	-18.82	3	Vertical	11	2.50
5290MHz	Pass	PK	5.319G	105.67	Inf	-Inf	3	Vertical	11	2.50
5290MHz	Pass	PK	5.359G	72.54	74.00	-1.46	3	Vertical	11	2.50
5290MHz	Pass	PK	5.5G	55.55	68.20	-12.65	3	Vertical	11	2.50
5290MHz	Pass	AV	5.148G	43.84	54.00	-10.16	3	Horizontal	0	1.33
5290MHz	Pass	AV	5.316G	94.17	Inf	-Inf	3	Horizontal	0	1.33
5290MHz	Pass	AV	5.357G	48.07	54.00	-5.93	3	Horizontal	0	1.33
5290MHz	Pass	PK	5.149G	56.78	74.00	-17.22	3	Horizontal	0	1.33
5290MHz	Pass	PK	5.299G	106.01	Inf	-Inf	3	Horizontal	0	1.33
5290MHz	Pass	PK	5.359G	73.65	74.00	-0.35	3	Horizontal	0	1.33
5290MHz	Pass	PK	5.467G	56.07	68.20	-12.13	3	Horizontal	0	1.33
5290MHz	Pass	PK	10.57984G	53.28	68.20	-14.92	3	Vertical	37	1.38
5290MHz	Pass	PK	10.58016G	53.51	68.20	-14.69	3	Horizontal	0	2.71


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	43.93	54.00	-10.07	0.78	3	Vertical	11	2.50	43.15	33.20	5.69	38.11
AV	5.299G	94.49	Inf	-Inf	0.53	3	Vertical	11	2.50	93.96	32.90	5.77	38.14
AV	5.357G	48.25	54.00	-5.75	0.63	3	Vertical	11	2.50	47.62	32.99	5.80	38.16
PK	5.121G	55.18	74.00	-18.82	0.73	3	Vertical	11	2.50	54.45	33.14	5.69	38.10
PK	5.319G	105.67	Inf	-Inf	0.57	3	Vertical	11	2.50	105.10	32.94	5.78	38.15
PK	5.359G	72.54	74.00	-1.46	0.63	3	Vertical	11	2.50	71.91	32.98	5.81	38.16
PK	5.5G	55.55	68.20	-12.65	0.72	3	Vertical	11	2.50	54.83	33.00	5.91	38.19

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	43.84	54.00	-10.16	0.78	3	Horizontal	0	1.33	43.06	33.20	5.69	38.11
AV	5.316G	94.17	Inf	-Inf	0.56	3	Horizontal	0	1.33	93.61	32.93	5.78	38.15
AV	5.357G	48.07	54.00	-5.93	0.63	3	Horizontal	0	1.33	47.44	32.99	5.80	38.16
PK	5.149G	56.78	74.00	-17.22	0.78	3	Horizontal	0	1.33	56.00	33.20	5.69	38.11
PK	5.299G	106.01	Inf	-Inf	0.53	3	Horizontal	0	1.33	105.48	32.90	5.77	38.14
PK	5.359G	73.65	74.00	-0.35	0.63	3	Horizontal	0	1.33	73.02	32.98	5.81	38.16
PK	5.467G	56.07	68.20	-12.13	0.70	3	Horizontal	0	1.33	55.37	33.00	5.88	38.18


5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**

Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	47.46M	36.58	40.00	-3.42	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**


Appendix E.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	47.46M	36.58	40.00	-3.42	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	99.84M	32.33	43.50	-11.17	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	171.62M	27.59	43.50	-15.91	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	233.7M	28.24	46.00	-17.76	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	305.48M	30.84	46.00	-15.16	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	503.36M	35.56	46.00	-10.44	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	64.92M	29.09	40.00	-10.91	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	99.84M	33.13	43.50	-10.37	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	233.7M	33.81	46.00	-12.19	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	309.36M	34.48	46.00	-11.52	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	505.3M	37.02	46.00	-8.98	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	544.1M	33.57	46.00	-12.43	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	45.52M	32.08	40.00	-7.92	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	103.72M	20.84	43.50	-22.66	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	216.24M	24.98	46.00	-21.02	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	305.48M	31.95	46.00	-14.05	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	375.32M	32.03	46.00	-13.97	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	501.42M	36.61	46.00	-9.39	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	45.52M	25.34	40.00	-14.66	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	92.08M	23.86	43.50	-19.64	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	210.42M	31.26	43.50	-12.24	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	307.42M	35.80	46.00	-10.20	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	373.38M	31.10	46.00	-14.90	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	503.36M	34.97	46.00	-11.03	3	Horizontal	0	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_Adapter

