



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_1T1S_AP5022S6D**

Appendix E.13

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1472G	52.87	54.00	-1.13	3	Vertical	348	1.49
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.1344G	73.04	74.00	-0.96	3	Horizontal	360	2.02
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.1472G	53.61	54.00	-0.39	3	Horizontal	0	1.77
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.145G	53.75	54.00	-0.25	3	Horizontal	3	1.76
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3596G	53.95	54.00	-0.05	3	Horizontal	20	1.56
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3548G	53.27	54.00	-0.73	3	Vertical	342	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.3512G	53.81	54.00	-0.19	3	Vertical	341	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.356G	53.52	54.00	-0.48	3	Horizontal	18	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.3652G	53.77	54.00	-0.23	3	Horizontal	18	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.4624G	67.71	68.20	-0.49	3	Horizontal	13	1.57
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	68.19	68.20	-0.01	3	Vertical	356	1.48
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	67.93	68.20	-0.27	3	Vertical	14	1.75
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.439G	53.90	54.00	-0.10	3	Vertical	15	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.4656G	67.89	68.20	-0.31	3	Horizontal	16	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.6494G	67.21	68.20	-0.99	3	Vertical	358	1.38
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.64577G	67.87	68.20	-0.33	3	Horizontal	356	1.57
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.6342G	67.78	68.20	-0.42	3	Horizontal	354	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.6298G	66.94	68.20	-1.26	3	Vertical	0	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_1T1S_AP5022S6D**

Appendix E.13

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	52.77	54.00	-1.23	3	Vertical	345	1.48
5180MHz	Pass	AV	5.1838G	102.99	Inf	-Inf	3	Vertical	345	1.48
5180MHz	Pass	PK	5.145G	64.42	74.00	-9.58	3	Vertical	345	1.48
5180MHz	Pass	PK	5.184G	110.78	Inf	-Inf	3	Vertical	345	1.48
5180MHz	Pass	AV	5.141G	52.62	54.00	-1.38	3	Horizontal	2	1.50
5180MHz	Pass	AV	5.1734G	103.06	Inf	-Inf	3	Horizontal	2	1.50
5180MHz	Pass	PK	5.144G	63.78	74.00	-10.22	3	Horizontal	2	1.50
5180MHz	Pass	PK	5.184G	110.72	Inf	-Inf	3	Horizontal	2	1.50
5180MHz	Pass	PK	10.35096G	53.92	68.20	-14.28	3	Vertical	317	1.50
5180MHz	Pass	PK	10.35404G	53.45	68.20	-14.75	3	Horizontal	139	1.50
5200MHz	Pass	AV	5.1472G	52.87	54.00	-1.13	3	Vertical	348	1.49
5200MHz	Pass	AV	5.1972G	102.42	Inf	-Inf	3	Vertical	348	1.49
5200MHz	Pass	PK	5.1416G	66.73	74.00	-7.27	3	Vertical	348	1.49
5200MHz	Pass	PK	5.1944G	109.85	Inf	-Inf	3	Vertical	348	1.49
5200MHz	Pass	AV	5.1452G	52.57	54.00	-1.43	3	Horizontal	2	1.50
5200MHz	Pass	AV	5.1972G	102.22	Inf	-Inf	3	Horizontal	2	1.50
5200MHz	Pass	PK	5.1428G	67.86	74.00	-6.14	3	Horizontal	2	1.50
5200MHz	Pass	PK	5.194G	109.69	Inf	-Inf	3	Horizontal	2	1.50
5200MHz	Pass	PK	10.39084G	53.24	68.20	-14.96	3	Vertical	157	2.99
5200MHz	Pass	PK	10.40648G	52.90	68.20	-15.30	3	Horizontal	0	1.91
5240MHz	Pass	AV	5.15G	52.04	54.00	-1.96	3	Vertical	342	1.50
5240MHz	Pass	AV	5.2382G	103.19	Inf	-Inf	3	Vertical	342	1.50
5240MHz	Pass	AV	5.3588G	52.18	54.00	-1.82	3	Vertical	342	1.50
5240MHz	Pass	PK	5.1482G	66.31	74.00	-7.69	3	Vertical	342	1.50
5240MHz	Pass	PK	5.2388G	110.56	Inf	-Inf	3	Vertical	342	1.50
5240MHz	Pass	PK	5.35G	67.40	74.00	-6.60	3	Vertical	342	1.50
5240MHz	Pass	AV	5.1476G	51.86	54.00	-2.14	3	Horizontal	21	1.58
5240MHz	Pass	AV	5.2382G	102.99	Inf	-Inf	3	Horizontal	21	1.58
5240MHz	Pass	AV	5.3504G	52.61	54.00	-1.39	3	Horizontal	21	1.58
5240MHz	Pass	PK	5.1476G	67.14	74.00	-6.86	3	Horizontal	21	1.58
5240MHz	Pass	PK	5.2346G	110.14	Inf	-Inf	3	Horizontal	21	1.58
5240MHz	Pass	PK	5.35G	67.00	74.00	-7.00	3	Horizontal	21	1.58
5240MHz	Pass	PK	10.48216G	53.52	68.20	-14.68	3	Vertical	34	1.50
5240MHz	Pass	PK	10.48852G	53.27	68.20	-14.93	3	Horizontal	326	1.50
5260MHz	Pass	AV	5.1472G	51.40	54.00	-2.60	3	Vertical	342	1.50
5260MHz	Pass	AV	5.257G	102.70	Inf	-Inf	3	Vertical	342	1.50
5260MHz	Pass	AV	5.35G	53.11	54.00	-0.89	3	Vertical	342	1.50
5260MHz	Pass	PK	5.15G	66.92	74.00	-7.08	3	Vertical	342	1.50
5260MHz	Pass	PK	5.2546G	109.99	Inf	-Inf	3	Vertical	342	1.50
5260MHz	Pass	PK	5.3524G	69.42	74.00	-4.58	3	Vertical	342	1.50
5260MHz	Pass	AV	5.1484G	51.40	54.00	-2.60	3	Horizontal	20	1.56
5260MHz	Pass	AV	5.254G	102.33	Inf	-Inf	3	Horizontal	20	1.56
5260MHz	Pass	AV	5.3596G	53.95	54.00	-0.05	3	Horizontal	20	1.56
5260MHz	Pass	PK	5.1376G	64.33	74.00	-9.67	3	Horizontal	20	1.56
5260MHz	Pass	PK	5.263G	109.92	Inf	-Inf	3	Horizontal	20	1.56
5260MHz	Pass	PK	5.3512G	70.65	74.00	-3.35	3	Horizontal	20	1.56
5260MHz	Pass	PK	10.51944G	53.81	68.20	-14.39	3	Vertical	81	1.50
5260MHz	Pass	PK	10.52372G	53.82	68.20	-14.38	3	Horizontal	303	1.25
5300MHz	Pass	AV	5.2968G	101.59	Inf	-Inf	3	Vertical	343	1.47
5300MHz	Pass	AV	5.35G	52.60	54.00	-1.40	3	Vertical	343	1.47
5300MHz	Pass	PK	5.3032G	109.14	Inf	-Inf	3	Vertical	343	1.47
5300MHz	Pass	PK	5.3544G	66.05	74.00	-7.95	3	Vertical	343	1.47
5300MHz	Pass	AV	5.2984G	102.25	Inf	-Inf	3	Horizontal	16	1.43
5300MHz	Pass	AV	5.35G	53.68	54.00	-0.32	3	Horizontal	16	1.43
5300MHz	Pass	PK	5.2988G	109.58	Inf	-Inf	3	Horizontal	16	1.43
5300MHz	Pass	PK	5.356G	64.57	74.00	-9.43	3	Horizontal	16	1.43
5300MHz	Pass	PK	10.59076G	53.90	68.20	-14.30	3	Vertical	306	2.55
5300MHz	Pass	PK	10.5964G	53.97	68.20	-14.23	3	Horizontal	165	1.50
5320MHz	Pass	AV	5.324G	101.67	Inf	-Inf	3	Vertical	342	1.50
5320MHz	Pass	AV	5.355G	52.84	54.00	-1.16	3	Vertical	342	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_1T1S_AP5022S6D**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.327G	109.27	Inf	-Inf	3	Vertical	342	1.50
5320MHz	Pass	PK	5.3552G	65.66	74.00	-8.34	3	Vertical	342	1.50
5320MHz	Pass	AV	5.3238G	102.22	Inf	-Inf	3	Horizontal	16	1.50
5320MHz	Pass	AV	5.35G	52.98	54.00	-1.02	3	Horizontal	16	1.50
5320MHz	Pass	PK	5.3272G	110.17	Inf	-Inf	3	Horizontal	16	1.50
5320MHz	Pass	PK	5.3554G	66.34	74.00	-7.66	3	Horizontal	16	1.50
5320MHz	Pass	AV	10.63068G	44.38	54.00	-9.62	3	Vertical	87	2.30
5320MHz	Pass	PK	10.63272G	53.86	74.00	-20.14	3	Vertical	87	2.30
5320MHz	Pass	AV	10.63132G	44.31	54.00	-9.69	3	Horizontal	91	1.50
5320MHz	Pass	PK	10.63252G	53.79	74.00	-20.21	3	Horizontal	91	1.50
5500MHz	Pass	AV	5.46G	52.72	54.00	-1.28	3	Vertical	16	1.50
5500MHz	Pass	AV	5.504G	103.51	Inf	-Inf	3	Vertical	16	1.50
5500MHz	Pass	PK	5.4598G	62.77	74.00	-11.23	3	Vertical	16	1.50
5500MHz	Pass	PK	5.4682G	64.73	68.20	-3.47	3	Vertical	16	1.50
5500MHz	Pass	PK	5.5072G	111.49	Inf	-Inf	3	Vertical	16	1.50
5500MHz	Pass	AV	5.4574G	53.48	54.00	-0.52	3	Horizontal	15	1.50
5500MHz	Pass	AV	5.497G	103.19	Inf	-Inf	3	Horizontal	15	1.50
5500MHz	Pass	PK	5.4598G	63.93	74.00	-10.07	3	Horizontal	15	1.50
5500MHz	Pass	PK	5.4694G	65.80	68.20	-2.40	3	Horizontal	15	1.50
5500MHz	Pass	PK	5.5042G	110.82	Inf	-Inf	3	Horizontal	15	1.50
5500MHz	Pass	AV	10.99977G	42.89	54.00	-11.11	3	Vertical	231	2.03
5500MHz	Pass	PK	11.00031G	53.50	74.00	-20.50	3	Vertical	231	2.03
5500MHz	Pass	AV	11.00086G	43.07	54.00	-10.93	3	Horizontal	186	1.04
5500MHz	Pass	PK	10.99926G	52.97	74.00	-21.03	3	Horizontal	186	1.04
5580MHz	Pass	AV	5.4348G	51.85	54.00	-2.15	3	Vertical	16	1.49
5580MHz	Pass	AV	5.586G	104.09	Inf	-Inf	3	Vertical	16	1.49
5580MHz	Pass	PK	5.4558G	67.24	74.00	-6.76	3	Vertical	16	1.49
5580MHz	Pass	PK	5.463G	66.53	68.20	-1.67	3	Vertical	16	1.49
5580MHz	Pass	PK	5.5872G	112.32	Inf	-Inf	3	Vertical	16	1.49
5580MHz	Pass	PK	5.7252G	62.58	68.20	-5.62	3	Vertical	16	1.49
5580MHz	Pass	AV	5.457G	52.35	54.00	-1.65	3	Horizontal	13	1.57
5580MHz	Pass	AV	5.5782G	103.93	Inf	-Inf	3	Horizontal	13	1.57
5580MHz	Pass	PK	5.4594G	67.36	74.00	-6.64	3	Horizontal	13	1.57
5580MHz	Pass	PK	5.4624G	67.71	68.20	-0.49	3	Horizontal	13	1.57
5580MHz	Pass	PK	5.5782G	111.27	Inf	-Inf	3	Horizontal	13	1.57
5580MHz	Pass	PK	5.7264G	61.02	68.20	-7.18	3	Horizontal	13	1.57
5580MHz	Pass	AV	11.15992G	43.31	54.00	-10.69	3	Vertical	77	2.41
5580MHz	Pass	PK	11.15992G	53.23	74.00	-20.77	3	Vertical	77	2.41
5580MHz	Pass	AV	11.15918G	43.30	54.00	-10.70	3	Horizontal	349	2.86
5580MHz	Pass	PK	11.1604G	53.24	74.00	-20.76	3	Horizontal	349	2.86
5700MHz	Pass	AV	5.702G	98.50	Inf	-Inf	3	Vertical	360	1.50
5700MHz	Pass	PK	5.7072G	106.11	Inf	-Inf	3	Vertical	360	1.50
5700MHz	Pass	PK	5.7252G	66.48	68.20	-1.72	3	Vertical	360	1.50
5700MHz	Pass	AV	5.6968G	98.29	Inf	-Inf	3	Horizontal	27	1.50
5700MHz	Pass	PK	5.7072G	105.68	Inf	-Inf	3	Horizontal	27	1.50
5700MHz	Pass	PK	5.7276G	67.10	68.20	-1.10	3	Horizontal	27	1.50
5700MHz	Pass	AV	11.40088G	44.49	54.00	-9.51	3	Vertical	152	2.29
5700MHz	Pass	PK	11.39992G	54.41	74.00	-19.59	3	Vertical	152	2.29
5700MHz	Pass	AV	11.39988G	44.37	54.00	-9.63	3	Horizontal	345	1.58
5700MHz	Pass	PK	11.40012G	54.62	74.00	-19.38	3	Horizontal	345	1.58
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	51.79	54.00	-2.21	3	Vertical	357	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	104.49	Inf	-Inf	3	Vertical	357	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	60.79	74.00	-13.21	3	Vertical	357	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	60.84	68.20	-7.36	3	Vertical	357	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	111.99	Inf	-Inf	3	Vertical	357	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8688G	62.76	68.20	-5.44	3	Vertical	357	1.43
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	51.33	54.00	-2.67	3	Horizontal	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	103.55	Inf	-Inf	3	Horizontal	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.426G	60.97	74.00	-13.03	3	Horizontal	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	60.48	68.20	-7.72	3	Horizontal	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	111.04	Inf	-Inf	3	Horizontal	28	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	64.49	68.20	-3.71	3	Horizontal	28	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_1T1S_AP5022S6D**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44086G	44.74	54.00	-9.26	3	Vertical	352	2.17
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43954G	54.45	74.00	-19.55	3	Vertical	352	2.17
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44095G	44.33	54.00	-9.67	3	Horizontal	317	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4404G	54.86	74.00	-19.14	3	Horizontal	317	2.68
5745MHz	Pass	AV	5.4486G	51.17	54.00	-2.83	3	Vertical	360	1.49
5745MHz	Pass	AV	5.7462G	106.16	Inf	-Inf	3	Vertical	360	1.49
5745MHz	Pass	PK	5.6442G	62.13	68.20	-6.07	3	Vertical	360	1.49
5745MHz	Pass	PK	5.7486G	114.41	Inf	-Inf	3	Vertical	360	1.49
5745MHz	Pass	PK	6.0402G	62.77	68.20	-5.43	3	Vertical	360	1.49
5745MHz	Pass	AV	5.445G	51.72	54.00	-2.28	3	Horizontal	345	1.50
5745MHz	Pass	AV	5.7462G	104.80	Inf	-Inf	3	Horizontal	345	1.50
5745MHz	Pass	PK	5.607G	61.92	68.20	-6.28	3	Horizontal	345	1.50
5745MHz	Pass	PK	5.7486G	112.72	Inf	-Inf	3	Horizontal	345	1.50
5745MHz	Pass	PK	5.9814G	63.60	68.20	-4.60	3	Horizontal	345	1.50
5745MHz	Pass	AV	11.48708G	45.57	54.00	-8.43	3	Vertical	17	1.50
5745MHz	Pass	PK	11.49064G	55.93	74.00	-18.07	3	Vertical	17	1.50
5745MHz	Pass	AV	11.48516G	45.53	54.00	-8.47	3	Horizontal	18	1.01
5745MHz	Pass	PK	11.48056G	56.23	74.00	-17.77	3	Horizontal	18	1.01
5785MHz	Pass	AV	5.78008G	105.17	Inf	-Inf	3	Vertical	358	1.38
5785MHz	Pass	PK	5.6494G	67.21	68.20	-0.99	3	Vertical	358	1.38
5785MHz	Pass	PK	5.78008G	112.62	Inf	-Inf	3	Vertical	358	1.38
5785MHz	Pass	PK	5.99304G	62.76	68.20	-5.44	3	Vertical	358	1.38
5785MHz	Pass	AV	5.78371G	104.35	Inf	-Inf	3	Horizontal	360	1.59
5785MHz	Pass	PK	5.6373G	67.04	68.20	-1.16	3	Horizontal	360	1.59
5785MHz	Pass	PK	5.77887G	111.61	Inf	-Inf	3	Horizontal	360	1.59
5785MHz	Pass	PK	5.93133G	63.07	68.20	-5.13	3	Horizontal	360	1.59
5785MHz	Pass	AV	11.56016G	45.24	54.00	-8.76	3	Vertical	260	1.50
5785MHz	Pass	PK	11.56844G	55.46	74.00	-18.54	3	Vertical	260	1.50
5785MHz	Pass	AV	11.57508G	45.39	54.00	-8.61	3	Horizontal	221	1.50
5785MHz	Pass	PK	11.57412G	55.68	74.00	-18.32	3	Horizontal	221	1.50
5825MHz	Pass	AV	5.8226G	105.07	Inf	-Inf	3	Vertical	358	1.40
5825MHz	Pass	PK	5.6498G	66.61	68.20	-1.59	3	Vertical	358	1.40
5825MHz	Pass	PK	5.819G	112.57	Inf	-Inf	3	Vertical	358	1.40
5825MHz	Pass	PK	6.0674G	62.93	68.20	-5.27	3	Vertical	358	1.40
5825MHz	Pass	AV	5.8226G	104.56	Inf	-Inf	3	Horizontal	354	1.49
5825MHz	Pass	PK	5.6486G	66.76	68.20	-1.44	3	Horizontal	354	1.49
5825MHz	Pass	PK	5.8226G	112.18	Inf	-Inf	3	Horizontal	354	1.49
5825MHz	Pass	PK	5.9714G	62.87	68.20	-5.33	3	Horizontal	354	1.49
5825MHz	Pass	AV	11.6432G	44.86	54.00	-9.14	3	Vertical	95	1.50
5825MHz	Pass	PK	11.64684G	54.78	74.00	-19.22	3	Vertical	95	1.50
5825MHz	Pass	AV	11.64976G	45.37	54.00	-8.63	3	Horizontal	190	1.50
5825MHz	Pass	PK	11.64864G	54.69	74.00	-19.31	3	Horizontal	190	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.80	54.00	-1.20	3	Vertical	347	1.47
5180MHz	Pass	AV	5.187G	101.72	Inf	-Inf	3	Vertical	347	1.47
5180MHz	Pass	PK	5.14G	65.30	74.00	-8.70	3	Vertical	347	1.47
5180MHz	Pass	PK	5.1758G	112.69	Inf	-Inf	3	Vertical	347	1.47
5180MHz	Pass	AV	5.1398G	52.79	54.00	-1.21	3	Horizontal	0	1.50
5180MHz	Pass	AV	5.1756G	101.70	Inf	-Inf	3	Horizontal	0	1.50
5180MHz	Pass	PK	5.1396G	65.38	74.00	-8.62	3	Horizontal	0	1.50
5180MHz	Pass	PK	5.183G	112.66	Inf	-Inf	3	Horizontal	0	1.50
5180MHz	Pass	PK	10.35048G	53.76	68.20	-14.44	3	Vertical	82	1.50
5180MHz	Pass	PK	10.3522G	54.41	68.20	-13.79	3	Horizontal	240	1.50
5200MHz	Pass	AV	5.1448G	51.75	54.00	-2.25	3	Vertical	342	1.49
5200MHz	Pass	AV	5.1952G	100.40	Inf	-Inf	3	Vertical	342	1.49
5200MHz	Pass	PK	5.136G	70.91	74.00	-3.09	3	Vertical	342	1.49
5200MHz	Pass	PK	5.1956G	111.49	Inf	-Inf	3	Vertical	342	1.49
5200MHz	Pass	AV	5.1496G	52.74	54.00	-1.26	3	Horizontal	360	2.02
5200MHz	Pass	AV	5.204G	101.10	Inf	-Inf	3	Horizontal	360	2.02
5200MHz	Pass	PK	5.1344G	73.04	74.00	-0.96	3	Horizontal	360	2.02
5200MHz	Pass	PK	5.1976G	111.67	Inf	-Inf	3	Horizontal	360	2.02
5200MHz	Pass	PK	10.39924G	53.77	68.20	-14.43	3	Vertical	114	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_1T1S_AP5022S6D**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	10.40132G	53.84	68.20	-14.36	3	Horizontal	52	2.77
5240MHz	Pass	AV	5.1494G	52.98	54.00	-1.02	3	Vertical	345	1.50
5240MHz	Pass	AV	5.2388G	101.95	Inf	-Inf	3	Vertical	345	1.50
5240MHz	Pass	AV	5.3546G	52.53	54.00	-1.47	3	Vertical	345	1.50
5240MHz	Pass	PK	5.1458G	70.94	74.00	-3.06	3	Vertical	345	1.50
5240MHz	Pass	PK	5.2418G	113.18	Inf	-Inf	3	Vertical	345	1.50
5240MHz	Pass	PK	5.36G	69.72	74.00	-4.28	3	Vertical	345	1.50
5240MHz	Pass	AV	5.1446G	51.88	54.00	-2.12	3	Horizontal	20	1.59
5240MHz	Pass	AV	5.2454G	101.82	Inf	-Inf	3	Horizontal	20	1.59
5240MHz	Pass	AV	5.3516G	52.83	54.00	-1.17	3	Horizontal	20	1.59
5240MHz	Pass	PK	5.141G	69.04	74.00	-4.96	3	Horizontal	20	1.59
5240MHz	Pass	PK	5.2454G	112.84	Inf	-Inf	3	Horizontal	20	1.59
5240MHz	Pass	PK	5.3582G	70.20	74.00	-3.80	3	Horizontal	20	1.59
5240MHz	Pass	PK	10.48876G	54.07	68.20	-14.13	3	Vertical	151	1.50
5240MHz	Pass	PK	10.48772G	53.89	68.20	-14.31	3	Horizontal	6	1.30
5260MHz	Pass	AV	5.1394G	51.37	54.00	-2.63	3	Vertical	342	1.50
5260MHz	Pass	AV	5.2546G	101.84	Inf	-Inf	3	Vertical	342	1.50
5260MHz	Pass	AV	5.3548G	53.27	54.00	-0.73	3	Vertical	342	1.50
5260MHz	Pass	PK	5.146G	67.63	74.00	-6.37	3	Vertical	342	1.50
5260MHz	Pass	PK	5.2582G	113.18	Inf	-Inf	3	Vertical	342	1.50
5260MHz	Pass	PK	5.3572G	71.46	74.00	-2.54	3	Vertical	342	1.50
5260MHz	Pass	AV	5.1424G	51.36	54.00	-2.64	3	Horizontal	357	1.71
5260MHz	Pass	AV	5.2666G	102.20	Inf	-Inf	3	Horizontal	357	1.71
5260MHz	Pass	AV	5.3524G	52.77	54.00	-1.23	3	Horizontal	357	1.71
5260MHz	Pass	PK	5.1466G	67.32	74.00	-6.68	3	Horizontal	357	1.71
5260MHz	Pass	PK	5.2654G	113.27	Inf	-Inf	3	Horizontal	357	1.71
5260MHz	Pass	PK	5.35G	71.60	74.00	-2.40	3	Horizontal	357	1.71
5260MHz	Pass	PK	10.51936G	53.56	68.20	-14.64	3	Vertical	278	2.88
5260MHz	Pass	PK	10.52084G	54.17	68.20	-14.03	3	Horizontal	12	1.04
5300MHz	Pass	AV	5.2964G	101.04	Inf	-Inf	3	Vertical	342	1.50
5300MHz	Pass	AV	5.352G	52.31	54.00	-1.69	3	Vertical	342	1.50
5300MHz	Pass	PK	5.3084G	112.56	Inf	-Inf	3	Vertical	342	1.50
5300MHz	Pass	PK	5.352G	66.62	74.00	-7.38	3	Vertical	342	1.50
5300MHz	Pass	AV	5.3016G	101.13	Inf	-Inf	3	Horizontal	0	1.50
5300MHz	Pass	AV	5.3512G	52.37	54.00	-1.63	3	Horizontal	0	1.50
5300MHz	Pass	PK	5.3084G	112.51	Inf	-Inf	3	Horizontal	0	1.50
5300MHz	Pass	PK	5.3504G	69.63	74.00	-4.37	3	Horizontal	0	1.50
5300MHz	Pass	PK	10.60013G	53.33	74.00	-20.67	3	Vertical	150	2.91
5300MHz	Pass	PK	10.60919G	53.21	74.00	-20.79	3	Horizontal	153	1.63
5320MHz	Pass	AV	5.3244G	100.86	Inf	-Inf	3	Vertical	343	1.49
5320MHz	Pass	AV	5.3514G	52.36	54.00	-1.64	3	Vertical	343	1.49
5320MHz	Pass	PK	5.3266G	111.34	Inf	-Inf	3	Vertical	343	1.49
5320MHz	Pass	PK	5.3604G	65.58	74.00	-8.42	3	Vertical	343	1.49
5320MHz	Pass	AV	5.3256G	101.28	Inf	-Inf	3	Horizontal	15	1.50
5320MHz	Pass	AV	5.3508G	52.97	54.00	-1.03	3	Horizontal	15	1.50
5320MHz	Pass	PK	5.3216G	112.00	Inf	-Inf	3	Horizontal	15	1.50
5320MHz	Pass	PK	5.3594G	65.43	74.00	-8.57	3	Horizontal	15	1.50
5320MHz	Pass	AV	10.63915G	42.79	54.00	-11.21	3	Vertical	65	1.19
5320MHz	Pass	PK	10.63993G	53.38	74.00	-20.62	3	Vertical	65	1.19
5320MHz	Pass	AV	10.64069G	42.72	54.00	-11.28	3	Horizontal	347	2.82
5320MHz	Pass	PK	10.63992G	53.43	74.00	-20.57	3	Horizontal	347	2.82
5500MHz	Pass	AV	5.4596G	53.05	54.00	-0.95	3	Vertical	17	1.46
5500MHz	Pass	AV	5.5046G	102.63	Inf	-Inf	3	Vertical	17	1.46
5500MHz	Pass	PK	5.4598G	63.14	74.00	-10.86	3	Vertical	17	1.46
5500MHz	Pass	PK	5.4602G	64.23	68.20	-3.97	3	Vertical	17	1.46
5500MHz	Pass	PK	5.5056G	113.94	Inf	-Inf	3	Vertical	17	1.46
5500MHz	Pass	AV	5.4598G	52.68	54.00	-1.32	3	Horizontal	10	1.50
5500MHz	Pass	AV	5.4968G	101.45	Inf	-Inf	3	Horizontal	10	1.50
5500MHz	Pass	PK	5.4598G	64.92	74.00	-9.08	3	Horizontal	10	1.50
5500MHz	Pass	PK	5.4608G	65.18	68.20	-3.02	3	Horizontal	10	1.50
5500MHz	Pass	PK	5.5058G	112.86	Inf	-Inf	3	Horizontal	10	1.50
5500MHz	Pass	AV	10.99969G	42.03	54.00	-11.97	3	Vertical	177	1.39

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	11.00074G	53.53	74.00	-20.47	3	Vertical	177	1.39
5500MHz	Pass	AV	10.99996G	42.12	54.00	-11.88	3	Horizontal	32	2.58
5500MHz	Pass	PK	10.99958G	52.99	74.00	-21.01	3	Horizontal	32	2.58
5580MHz	Pass	AV	5.4438G	50.82	54.00	-3.18	3	Vertical	15	1.50
5580MHz	Pass	AV	5.5878G	102.38	Inf	-Inf	3	Vertical	15	1.50
5580MHz	Pass	PK	5.4564G	67.09	74.00	-6.91	3	Vertical	15	1.50
5580MHz	Pass	PK	5.4624G	66.02	68.20	-2.18	3	Vertical	15	1.50
5580MHz	Pass	PK	5.5848G	113.06	Inf	-Inf	3	Vertical	15	1.50
5580MHz	Pass	PK	5.7282G	62.19	68.20	-6.01	3	Vertical	15	1.50
5580MHz	Pass	AV	5.4564G	50.85	54.00	-3.15	3	Horizontal	14	1.50
5580MHz	Pass	AV	5.5884G	101.11	Inf	-Inf	3	Horizontal	14	1.50
5580MHz	Pass	PK	5.445G	66.85	74.00	-7.15	3	Horizontal	14	1.50
5580MHz	Pass	PK	5.4618G	68.00	68.20	-0.20	3	Horizontal	14	1.50
5580MHz	Pass	PK	5.5794G	112.15	Inf	-Inf	3	Horizontal	14	1.50
5580MHz	Pass	PK	5.7282G	60.87	68.20	-7.33	3	Horizontal	14	1.50
5580MHz	Pass	AV	11.15934G	42.50	54.00	-11.50	3	Vertical	60	1.76
5580MHz	Pass	PK	11.15932G	53.10	74.00	-20.90	3	Vertical	60	1.76
5580MHz	Pass	AV	11.16053G	42.47	54.00	-11.53	3	Horizontal	146	2.77
5580MHz	Pass	PK	11.15915G	53.33	74.00	-20.67	3	Horizontal	146	2.77
5700MHz	Pass	AV	5.7028G	96.60	Inf	-Inf	3	Vertical	356	1.48
5700MHz	Pass	PK	5.702G	107.53	Inf	-Inf	3	Vertical	356	1.48
5700MHz	Pass	PK	5.7252G	68.19	68.20	-0.01	3	Vertical	356	1.48
5700MHz	Pass	AV	5.6964G	95.77	Inf	-Inf	3	Horizontal	18	1.50
5700MHz	Pass	PK	5.696G	107.60	Inf	-Inf	3	Horizontal	18	1.50
5700MHz	Pass	PK	5.7252G	67.10	68.20	-1.10	3	Horizontal	18	1.50
5700MHz	Pass	AV	11.39966G	44.06	54.00	-9.94	3	Vertical	188	2.03
5700MHz	Pass	PK	11.40093G	54.90	74.00	-19.10	3	Vertical	188	2.03
5700MHz	Pass	AV	11.39943G	43.90	54.00	-10.10	3	Horizontal	260	2.30
5700MHz	Pass	PK	11.40034G	54.34	74.00	-19.66	3	Horizontal	260	2.30
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	50.71	54.00	-3.29	3	Vertical	357	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	103.06	Inf	-Inf	3	Vertical	357	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	60.96	74.00	-13.04	3	Vertical	357	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	60.60	68.20	-7.60	3	Vertical	357	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	114.66	Inf	-Inf	3	Vertical	357	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	64.30	68.20	-3.90	3	Vertical	357	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	50.49	54.00	-3.51	3	Horizontal	26	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	102.16	Inf	-Inf	3	Horizontal	26	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	60.96	74.00	-13.04	3	Horizontal	26	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	60.95	68.20	-7.25	3	Horizontal	26	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	112.94	Inf	-Inf	3	Horizontal	26	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	66.08	68.20	-2.12	3	Horizontal	26	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43943G	43.78	54.00	-10.22	3	Vertical	11	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43918G	54.77	74.00	-19.23	3	Vertical	11	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43992G	44.09	54.00	-9.91	3	Horizontal	3	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44075G	55.01	74.00	-18.99	3	Horizontal	3	2.80
5745MHz	Pass	AV	5.4558G	50.52	54.00	-3.48	3	Vertical	0	1.38
5745MHz	Pass	AV	5.7498G	104.86	Inf	-Inf	3	Vertical	0	1.38
5745MHz	Pass	PK	5.6502G	62.67	68.35	-5.68	3	Vertical	0	1.38
5745MHz	Pass	PK	5.7426G	115.11	Inf	-Inf	3	Vertical	0	1.38
5745MHz	Pass	PK	5.9742G	62.88	68.20	-5.32	3	Vertical	0	1.38
5745MHz	Pass	AV	5.4498G	50.49	54.00	-3.51	3	Horizontal	25	1.71
5745MHz	Pass	AV	5.7414G	103.72	Inf	-Inf	3	Horizontal	25	1.71
5745MHz	Pass	PK	5.6454G	63.80	68.20	-4.40	3	Horizontal	25	1.71
5745MHz	Pass	PK	5.7402G	114.30	Inf	-Inf	3	Horizontal	25	1.71
5745MHz	Pass	PK	5.9466G	63.21	68.20	-4.99	3	Horizontal	25	1.71
5745MHz	Pass	AV	11.48032G	44.72	54.00	-9.28	3	Vertical	269	2.39
5745MHz	Pass	PK	11.4964G	55.51	74.00	-18.49	3	Vertical	269	2.39
5745MHz	Pass	AV	11.4892G	44.88	54.00	-9.12	3	Horizontal	66	1.50
5745MHz	Pass	PK	11.49256G	55.67	74.00	-18.33	3	Horizontal	66	1.50
5785MHz	Pass	AV	5.79097G	103.82	Inf	-Inf	3	Vertical	360	1.50
5785MHz	Pass	PK	5.64577G	67.46	68.20	-0.74	3	Vertical	360	1.50
5785MHz	Pass	PK	5.78976G	114.12	Inf	-Inf	3	Vertical	360	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	6.00272G	62.93	68.20	-5.27	3	Vertical	360	1.50
5785MHz	Pass	AV	5.79218G	103.22	Inf	-Inf	3	Horizontal	356	1.57
5785MHz	Pass	PK	5.64577G	67.87	68.20	-0.33	3	Horizontal	356	1.57
5785MHz	Pass	PK	5.78371G	113.84	Inf	-Inf	3	Horizontal	356	1.57
5785MHz	Pass	PK	6.05838G	62.60	68.20	-5.60	3	Horizontal	356	1.57
5785MHz	Pass	AV	11.56752G	44.19	54.00	-9.81	3	Vertical	298	1.50
5785MHz	Pass	PK	11.56916G	55.24	74.00	-18.76	3	Vertical	298	1.50
5785MHz	Pass	AV	11.57236G	44.21	54.00	-9.79	3	Horizontal	77	1.50
5785MHz	Pass	PK	11.56188G	55.13	74.00	-18.87	3	Horizontal	77	1.50
5825MHz	Pass	AV	5.831G	103.39	Inf	-Inf	3	Vertical	12	1.50
5825MHz	Pass	PK	5.6486G	65.47	68.20	-2.73	3	Vertical	12	1.50
5825MHz	Pass	PK	5.8238G	113.46	Inf	-Inf	3	Vertical	12	1.50
5825MHz	Pass	PK	6.0074G	63.47	68.20	-4.73	3	Vertical	12	1.50
5825MHz	Pass	AV	5.8214G	103.23	Inf	-Inf	3	Horizontal	354	1.47
5825MHz	Pass	PK	5.6378G	66.55	68.20	-1.65	3	Horizontal	354	1.47
5825MHz	Pass	PK	5.8322G	113.79	Inf	-Inf	3	Horizontal	354	1.47
5825MHz	Pass	PK	5.9798G	63.17	68.20	-5.03	3	Horizontal	354	1.47
5825MHz	Pass	AV	11.64316G	43.60	54.00	-10.40	3	Vertical	310	1.97
5825MHz	Pass	PK	11.65284G	54.83	74.00	-19.17	3	Vertical	310	1.97
5825MHz	Pass	AV	11.65124G	43.73	54.00	-10.27	3	Horizontal	0	1.50
5825MHz	Pass	PK	11.65472G	54.59	74.00	-19.41	3	Horizontal	0	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.53	54.00	-0.47	3	Vertical	346	1.48
5190MHz	Pass	AV	5.186G	98.63	Inf	-Inf	3	Vertical	346	1.48
5190MHz	Pass	PK	5.1492G	63.28	74.00	-10.72	3	Vertical	346	1.48
5190MHz	Pass	PK	5.1848G	109.61	Inf	-Inf	3	Vertical	346	1.48
5190MHz	Pass	AV	5.1472G	53.61	54.00	-0.39	3	Horizontal	0	1.77
5190MHz	Pass	AV	5.186G	99.26	Inf	-Inf	3	Horizontal	0	1.77
5190MHz	Pass	PK	5.1492G	64.29	74.00	-9.71	3	Horizontal	0	1.77
5190MHz	Pass	PK	5.1976G	110.31	Inf	-Inf	3	Horizontal	0	1.77
5190MHz	Pass	PK	10.36136G	53.71	68.20	-14.49	3	Vertical	270	1.50
5190MHz	Pass	PK	10.37528G	53.97	68.20	-14.23	3	Horizontal	108	2.19
5230MHz	Pass	AV	5.1456G	51.79	54.00	-2.21	3	Vertical	342	1.50
5230MHz	Pass	AV	5.2392G	97.66	Inf	-Inf	3	Vertical	342	1.50
5230MHz	Pass	PK	5.144G	69.44	74.00	-4.56	3	Vertical	342	1.50
5230MHz	Pass	PK	5.2364G	108.59	Inf	-Inf	3	Vertical	342	1.50
5230MHz	Pass	AV	5.146G	51.57	54.00	-2.43	3	Horizontal	20	1.57
5230MHz	Pass	AV	5.2372G	97.40	Inf	-Inf	3	Horizontal	20	1.57
5230MHz	Pass	PK	5.1432G	68.65	74.00	-5.35	3	Horizontal	20	1.57
5230MHz	Pass	PK	5.2468G	108.96	Inf	-Inf	3	Horizontal	20	1.57
5230MHz	Pass	PK	10.46936G	54.74	68.20	-13.46	3	Vertical	160	1.50
5230MHz	Pass	PK	10.45352G	53.74	68.20	-14.46	3	Horizontal	87	2.26
5270MHz	Pass	AV	5.2824G	97.17	Inf	-Inf	3	Vertical	341	1.50
5270MHz	Pass	AV	5.3512G	53.81	54.00	-0.19	3	Vertical	341	1.50
5270MHz	Pass	PK	5.2792G	108.65	Inf	-Inf	3	Vertical	341	1.50
5270MHz	Pass	PK	5.3648G	67.53	74.00	-6.47	3	Vertical	341	1.50
5270MHz	Pass	AV	5.2652G	97.57	Inf	-Inf	3	Horizontal	360	1.69
5270MHz	Pass	AV	5.3512G	53.21	54.00	-0.79	3	Horizontal	360	1.69
5270MHz	Pass	PK	5.2828G	108.70	Inf	-Inf	3	Horizontal	360	1.69
5270MHz	Pass	PK	5.3632G	66.36	74.00	-7.64	3	Horizontal	360	1.69
5270MHz	Pass	PK	10.54087G	53.64	68.20	-14.56	3	Vertical	158	1.62
5270MHz	Pass	PK	10.53966G	53.96	68.20	-14.24	3	Horizontal	144	2.75
5310MHz	Pass	AV	5.3244G	97.42	Inf	-Inf	3	Vertical	342	1.50
5310MHz	Pass	AV	5.3516G	52.43	54.00	-1.57	3	Vertical	342	1.50
5310MHz	Pass	PK	5.3188G	109.38	Inf	-Inf	3	Vertical	342	1.50
5310MHz	Pass	PK	5.3548G	64.15	74.00	-9.85	3	Vertical	342	1.50
5310MHz	Pass	AV	5.3244G	98.13	Inf	-Inf	3	Horizontal	17	1.50
5310MHz	Pass	AV	5.3512G	52.68	54.00	-1.32	3	Horizontal	17	1.50
5310MHz	Pass	PK	5.3132G	108.66	Inf	-Inf	3	Horizontal	17	1.50
5310MHz	Pass	PK	5.356G	63.78	74.00	-10.22	3	Horizontal	17	1.50
5310MHz	Pass	AV	10.61946G	43.34	54.00	-10.66	3	Vertical	34	1.97
5310MHz	Pass	PK	10.61928G	54.03	74.00	-19.97	3	Vertical	34	1.97



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_1T1S_AP5022S6D**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.62008G	42.98	54.00	-11.02	3	Horizontal	297	2.25
5310MHz	Pass	PK	10.61992G	54.42	74.00	-19.58	3	Horizontal	297	2.25
5510MHz	Pass	AV	5.46G	53.64	54.00	-0.36	3	Vertical	15	1.47
5510MHz	Pass	AV	5.5052G	99.51	Inf	-Inf	3	Vertical	15	1.47
5510MHz	Pass	PK	5.4536G	63.45	74.00	-10.55	3	Vertical	15	1.47
5510MHz	Pass	PK	5.4696G	64.24	68.20	-3.96	3	Vertical	15	1.47
5510MHz	Pass	PK	5.5048G	110.53	Inf	-Inf	3	Vertical	15	1.47
5510MHz	Pass	AV	5.458G	52.59	54.00	-1.41	3	Horizontal	8	1.49
5510MHz	Pass	AV	5.512G	98.06	Inf	-Inf	3	Horizontal	8	1.49
5510MHz	Pass	PK	5.4596G	63.84	74.00	-10.16	3	Horizontal	8	1.49
5510MHz	Pass	PK	5.4604G	63.71	68.20	-4.49	3	Horizontal	8	1.49
5510MHz	Pass	PK	5.4984G	109.56	Inf	-Inf	3	Horizontal	8	1.49
5510MHz	Pass	AV	11.01993G	42.52	54.00	-11.48	3	Vertical	113	1.80
5510MHz	Pass	PK	11.01918G	53.03	74.00	-20.97	3	Vertical	113	1.80
5510MHz	Pass	AV	11.01916G	42.07	54.00	-11.93	3	Horizontal	183	1.37
5510MHz	Pass	PK	11.02047G	54.23	74.00	-19.77	3	Horizontal	183	1.37
5550MHz	Pass	AV	5.4568G	51.93	54.00	-2.07	3	Vertical	15	1.65
5550MHz	Pass	AV	5.5452G	98.37	Inf	-Inf	3	Vertical	15	1.65
5550MHz	Pass	PK	5.458G	65.82	74.00	-8.18	3	Vertical	15	1.65
5550MHz	Pass	PK	5.4688G	67.62	68.20	-0.58	3	Vertical	15	1.65
5550MHz	Pass	PK	5.5596G	110.00	Inf	-Inf	3	Vertical	15	1.65
5550MHz	Pass	AV	5.4556G	51.69	54.00	-2.31	3	Horizontal	0	1.50
5550MHz	Pass	AV	5.5412G	96.73	Inf	-Inf	3	Horizontal	0	1.50
5550MHz	Pass	PK	5.4544G	62.34	74.00	-11.66	3	Horizontal	0	1.50
5550MHz	Pass	PK	5.4628G	64.93	68.20	-3.27	3	Horizontal	0	1.50
5550MHz	Pass	PK	5.5384G	108.31	Inf	-Inf	3	Horizontal	0	1.50
5550MHz	Pass	AV	11.10008G	42.42	54.00	-11.58	3	Vertical	97	1.24
5550MHz	Pass	PK	11.1001G	53.45	74.00	-20.55	3	Vertical	97	1.24
5550MHz	Pass	AV	11.09911G	42.54	54.00	-11.46	3	Horizontal	251	1.58
5550MHz	Pass	PK	11.10051G	52.86	74.00	-21.14	3	Horizontal	251	1.58
5670MHz	Pass	AV	5.6694G	97.07	Inf	-Inf	3	Vertical	14	1.75
5670MHz	Pass	PK	5.6748G	108.60	Inf	-Inf	3	Vertical	14	1.75
5670MHz	Pass	PK	5.7252G	67.93	68.20	-0.27	3	Vertical	14	1.75
5670MHz	Pass	AV	5.6754G	95.82	Inf	-Inf	3	Horizontal	357	1.50
5670MHz	Pass	PK	5.6754G	107.65	Inf	-Inf	3	Horizontal	357	1.50
5670MHz	Pass	PK	5.7252G	65.59	68.20	-2.61	3	Horizontal	357	1.50
5670MHz	Pass	AV	11.34039G	43.22	54.00	-10.78	3	Vertical	156	1.78
5670MHz	Pass	PK	11.34019G	54.66	74.00	-19.34	3	Vertical	156	1.78
5670MHz	Pass	AV	11.34057G	43.24	54.00	-10.76	3	Horizontal	49	1.59
5670MHz	Pass	PK	11.33915G	54.19	74.00	-19.81	3	Horizontal	49	1.59
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	52.19	54.00	-1.81	3	Vertical	354	1.46
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	100.64	Inf	-Inf	3	Vertical	354	1.46
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.452G	64.40	74.00	-9.60	3	Vertical	354	1.46
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	65.02	68.20	-3.18	3	Vertical	354	1.46
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	111.69	Inf	-Inf	3	Vertical	354	1.46
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	67.36	68.20	-0.84	3	Vertical	354	1.46
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4292G	51.48	54.00	-2.52	3	Horizontal	25	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	99.47	Inf	-Inf	3	Horizontal	25	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4556G	63.63	74.00	-10.37	3	Horizontal	25	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	64.41	68.20	-3.79	3	Horizontal	25	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	110.80	Inf	-Inf	3	Horizontal	25	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	66.58	68.20	-1.62	3	Horizontal	25	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42093G	43.33	54.00	-10.67	3	Vertical	277	1.75
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42G	54.26	74.00	-19.74	3	Vertical	277	1.75
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42034G	43.83	54.00	-10.17	3	Horizontal	101	1.60
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41966G	55.14	74.00	-18.86	3	Horizontal	101	1.60
5755MHz	Pass	AV	5.455G	50.38	54.00	-3.62	3	Vertical	360	1.50
5755MHz	Pass	AV	5.7478G	101.53	Inf	-Inf	3	Vertical	360	1.50
5755MHz	Pass	PK	5.6518G	68.53	69.53	-1.00	3	Vertical	360	1.50
5755MHz	Pass	PK	5.761G	112.95	Inf	-Inf	3	Vertical	360	1.50
5755MHz	Pass	PK	6.0526G	62.56	68.20	-5.64	3	Vertical	360	1.50
5755MHz	Pass	AV	5.455G	50.33	54.00	-3.67	3	Horizontal	344	1.49



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_1T1S_AP5022S6D**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	5.7502G	100.11	Inf	-Inf	3	Horizontal	344	1.49
5755MHz	Pass	PK	5.6494G	65.92	68.20	-2.28	3	Horizontal	344	1.49
5755MHz	Pass	PK	5.7646G	110.76	Inf	-Inf	3	Horizontal	344	1.49
5755MHz	Pass	PK	6.0406G	62.86	68.20	-5.34	3	Horizontal	344	1.49
5755MHz	Pass	AV	11.51736G	44.50	54.00	-9.50	3	Vertical	66	1.50
5755MHz	Pass	PK	11.51904G	55.07	74.00	-18.93	3	Vertical	66	1.50
5755MHz	Pass	AV	11.50304G	44.60	54.00	-9.40	3	Horizontal	51	1.50
5755MHz	Pass	PK	11.51536G	56.13	74.00	-17.87	3	Horizontal	51	1.50
5795MHz	Pass	AV	5.789G	101.19	Inf	-Inf	3	Vertical	357	1.50
5795MHz	Pass	PK	5.6462G	67.55	68.20	-0.65	3	Vertical	357	1.50
5795MHz	Pass	PK	5.8022G	112.41	Inf	-Inf	3	Vertical	357	1.50
5795MHz	Pass	PK	5.945G	63.41	68.20	-4.79	3	Vertical	357	1.50
5795MHz	Pass	AV	5.8118G	99.44	Inf	-Inf	3	Horizontal	354	1.50
5795MHz	Pass	PK	5.6342G	67.78	68.20	-0.42	3	Horizontal	354	1.50
5795MHz	Pass	PK	5.7914G	110.93	Inf	-Inf	3	Horizontal	354	1.50
5795MHz	Pass	PK	6.0542G	63.58	68.20	-4.62	3	Horizontal	354	1.50
5795MHz	Pass	AV	11.57112G	43.83	54.00	-10.17	3	Vertical	60	2.87
5795MHz	Pass	PK	11.58056G	55.06	74.00	-18.94	3	Vertical	60	2.87
5795MHz	Pass	AV	11.5756G	44.04	54.00	-9.96	3	Horizontal	307	1.40
5795MHz	Pass	PK	11.58544G	55.51	74.00	-18.49	3	Horizontal	307	1.40
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	53.63	54.00	-0.37	3	Vertical	342	1.50
5210MHz	Pass	AV	5.239G	94.80	Inf	-Inf	3	Vertical	342	1.50
5210MHz	Pass	AV	5.354G	51.21	54.00	-2.79	3	Vertical	342	1.50
5210MHz	Pass	PK	5.146G	63.85	74.00	-10.15	3	Vertical	342	1.50
5210MHz	Pass	PK	5.212G	106.26	Inf	-Inf	3	Vertical	342	1.50
5210MHz	Pass	PK	5.363G	61.68	74.00	-12.32	3	Vertical	342	1.50
5210MHz	Pass	AV	5.145G	53.75	54.00	-0.25	3	Horizontal	3	1.76
5210MHz	Pass	AV	5.198G	95.38	Inf	-Inf	3	Horizontal	3	1.76
5210MHz	Pass	AV	5.414G	51.60	54.00	-2.40	3	Horizontal	3	1.76
5210MHz	Pass	PK	5.125G	64.08	74.00	-9.92	3	Horizontal	3	1.76
5210MHz	Pass	PK	5.215G	106.05	Inf	-Inf	3	Horizontal	3	1.76
5210MHz	Pass	PK	5.374G	61.64	74.00	-12.36	3	Horizontal	3	1.76
5210MHz	Pass	PK	10.4504G	53.64	68.20	-14.56	3	Vertical	4	1.50
5210MHz	Pass	PK	10.4296G	53.66	68.20	-14.54	3	Horizontal	284	2.17
5290MHz	Pass	AV	5.148G	50.69	54.00	-3.31	3	Vertical	343	1.50
5290MHz	Pass	AV	5.324G	93.99	Inf	-Inf	3	Vertical	343	1.50
5290MHz	Pass	AV	5.35G	52.84	54.00	-1.16	3	Vertical	343	1.50
5290MHz	Pass	PK	5.148G	60.70	74.00	-13.30	3	Vertical	343	1.50
5290MHz	Pass	PK	5.302G	105.40	Inf	-Inf	3	Vertical	343	1.50
5290MHz	Pass	PK	5.381G	63.93	74.00	-10.07	3	Vertical	343	1.50
5290MHz	Pass	PK	5.508G	60.98	68.20	-7.22	3	Vertical	343	1.50
5290MHz	Pass	AV	5.139G	50.39	54.00	-3.61	3	Horizontal	18	1.50
5290MHz	Pass	AV	5.321G	94.62	Inf	-Inf	3	Horizontal	18	1.50
5290MHz	Pass	AV	5.356G	53.52	54.00	-0.48	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.044G	60.47	74.00	-13.53	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.328G	105.27	Inf	-Inf	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.355G	64.91	74.00	-9.09	3	Horizontal	18	1.50
5290MHz	Pass	PK	5.49G	61.98	68.20	-6.22	3	Horizontal	18	1.50
5290MHz	Pass	PK	10.58019G	53.79	68.20	-14.41	3	Vertical	246	2.01
5290MHz	Pass	PK	10.58011G	53.60	68.20	-14.60	3	Horizontal	211	1.14
5530MHz	Pass	AV	5.35G	49.91	54.00	-4.09	3	Vertical	15	1.50
5530MHz	Pass	AV	5.439G	53.90	54.00	-0.10	3	Vertical	15	1.50
5530MHz	Pass	AV	5.52G	96.57	Inf	-Inf	3	Vertical	15	1.50
5530MHz	Pass	PK	5.343G	60.73	68.20	-7.47	3	Vertical	15	1.50
5530MHz	Pass	PK	5.413G	64.68	74.00	-9.32	3	Vertical	15	1.50
5530MHz	Pass	PK	5.465G	65.56	68.20	-2.64	3	Vertical	15	1.50
5530MHz	Pass	PK	5.523G	107.37	Inf	-Inf	3	Vertical	15	1.50
5530MHz	Pass	PK	5.759G	62.34	68.20	-5.86	3	Vertical	15	1.50
5530MHz	Pass	AV	5.35G	49.74	54.00	-4.26	3	Horizontal	8	1.50
5530MHz	Pass	AV	5.458G	53.73	54.00	-0.27	3	Horizontal	8	1.50
5530MHz	Pass	AV	5.516G	95.53	Inf	-Inf	3	Horizontal	8	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.286G	61.39	68.20	-6.81	3	Horizontal	8	1.50
5530MHz	Pass	PK	5.44G	64.26	74.00	-9.74	3	Horizontal	8	1.50
5530MHz	Pass	PK	5.465G	64.77	68.20	-3.43	3	Horizontal	8	1.50
5530MHz	Pass	PK	5.508G	106.29	Inf	-Inf	3	Horizontal	8	1.50
5530MHz	Pass	PK	5.764G	62.01	68.20	-6.19	3	Horizontal	8	1.50
5530MHz	Pass	AV	11.07376G	43.11	54.00	-10.89	3	Vertical	96	2.05
5530MHz	Pass	PK	11.04304G	53.94	74.00	-20.06	3	Vertical	96	2.05
5530MHz	Pass	AV	11.07008G	43.11	54.00	-10.89	3	Horizontal	274	1.50
5530MHz	Pass	PK	11.0336G	53.77	74.00	-20.23	3	Horizontal	274	1.50
5610MHz	Pass	AV	5.46G	52.27	54.00	-1.73	3	Vertical	16	1.78
5610MHz	Pass	AV	5.596G	96.31	Inf	-Inf	3	Vertical	16	1.78
5610MHz	Pass	PK	5.444G	65.41	74.00	-8.59	3	Vertical	16	1.78
5610MHz	Pass	PK	5.47G	65.86	68.20	-2.34	3	Vertical	16	1.78
5610MHz	Pass	PK	5.588G	107.80	Inf	-Inf	3	Vertical	16	1.78
5610MHz	Pass	PK	5.739G	67.68	68.20	-0.52	3	Vertical	16	1.78
5610MHz	Pass	AV	5.456G	52.23	54.00	-1.77	3	Horizontal	13	1.50
5610MHz	Pass	AV	5.618G	94.61	Inf	-Inf	3	Horizontal	13	1.50
5610MHz	Pass	PK	5.455G	64.25	74.00	-9.75	3	Horizontal	13	1.50
5610MHz	Pass	PK	5.469G	64.61	68.20	-3.59	3	Horizontal	13	1.50
5610MHz	Pass	PK	5.614G	105.92	Inf	-Inf	3	Horizontal	13	1.50
5610MHz	Pass	PK	5.73G	66.81	68.20	-1.39	3	Horizontal	13	1.50
5610MHz	Pass	AV	11.19424G	43.54	54.00	-10.46	3	Vertical	7	2.49
5610MHz	Pass	PK	11.2288G	54.98	74.00	-19.02	3	Vertical	7	2.49
5610MHz	Pass	AV	11.228G	43.43	54.00	-10.57	3	Horizontal	220	2.41
5610MHz	Pass	PK	11.22624G	54.39	74.00	-19.61	3	Horizontal	220	2.41
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	52.46	54.00	-1.54	3	Vertical	355	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.702G	97.60	Inf	-Inf	3	Vertical	355	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	64.53	74.00	-9.47	3	Vertical	355	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	64.90	68.20	-3.30	3	Vertical	355	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7032G	108.53	Inf	-Inf	3	Vertical	355	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	67.70	68.20	-0.50	3	Vertical	355	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	53.60	54.00	-0.40	3	Horizontal	14	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6758G	96.86	Inf	-Inf	3	Horizontal	14	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	65.46	74.00	-8.54	3	Horizontal	14	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	67.01	68.20	-1.19	3	Horizontal	14	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	107.66	Inf	-Inf	3	Horizontal	14	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	66.66	68.20	-1.54	3	Horizontal	14	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40048G	44.23	54.00	-9.77	3	Vertical	170	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36256G	55.17	74.00	-18.83	3	Vertical	170	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36768G	44.13	54.00	-9.87	3	Horizontal	79	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3896G	54.73	74.00	-19.27	3	Horizontal	79	1.50
5775MHz	Pass	AV	5.7654G	97.24	Inf	-Inf	3	Vertical	0	1.50
5775MHz	Pass	PK	5.6298G	66.94	68.20	-1.26	3	Vertical	0	1.50
5775MHz	Pass	PK	5.787G	108.59	Inf	-Inf	3	Vertical	0	1.50
5775MHz	Pass	PK	6.0546G	63.09	68.20	-5.11	3	Vertical	0	1.50
5775MHz	Pass	AV	5.7906G	96.15	Inf	-Inf	3	Horizontal	356	1.50
5775MHz	Pass	PK	5.6406G	66.30	68.20	-1.90	3	Horizontal	356	1.50
5775MHz	Pass	PK	5.793G	107.37	Inf	-Inf	3	Horizontal	356	1.50
5775MHz	Pass	PK	6.0726G	62.90	68.20	-5.30	3	Horizontal	356	1.50
5775MHz	Pass	AV	11.54648G	44.31	54.00	-9.69	3	Vertical	250	1.50
5775MHz	Pass	PK	11.56616G	55.08	74.00	-18.92	3	Vertical	250	1.50
5775MHz	Pass	AV	11.5244G	44.78	54.00	-9.22	3	Horizontal	7	1.50
5775MHz	Pass	PK	11.51192G	55.50	74.00	-18.50	3	Horizontal	7	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1372G	50.96	54.00	-3.04	3	Vertical	343	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	88.35	Inf	-Inf	3	Vertical	343	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	53.36	54.00	-0.64	3	Vertical	343	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1456G	62.82	74.00	-11.18	3	Vertical	343	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3268G	100.54	Inf	-Inf	3	Vertical	343	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35G	68.34	74.00	-5.66	3	Vertical	343	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5332G	61.44	68.20	-6.76	3	Vertical	343	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1468G	50.62	54.00	-3.38	3	Horizontal	18	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_1T1S_AP5022S6D**

Appendix E.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	89.06	Inf	-Inf	3	Horizontal	18	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3652G	53.77	54.00	-0.23	3	Horizontal	18	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	62.30	74.00	-11.70	3	Horizontal	18	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3256G	99.82	Inf	-Inf	3	Horizontal	18	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3544G	69.75	74.00	-4.25	3	Horizontal	18	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4936G	61.78	68.20	-6.42	3	Horizontal	18	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57968G	54.00	68.20	-14.20	3	Vertical	88	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5176G	54.68	68.20	-13.52	3	Horizontal	313	2.49
5570MHz	Pass	AV	5.4596G	52.04	54.00	-1.96	3	Vertical	16	1.59
5570MHz	Pass	AV	5.5064G	89.62	Inf	-Inf	3	Vertical	16	1.59
5570MHz	Pass	PK	5.3252G	61.09	68.20	-7.11	3	Vertical	16	1.59
5570MHz	Pass	PK	5.4596G	66.01	74.00	-7.99	3	Vertical	16	1.59
5570MHz	Pass	PK	5.4692G	67.48	68.20	-0.72	3	Vertical	16	1.59
5570MHz	Pass	PK	5.51G	99.94	Inf	-Inf	3	Vertical	16	1.59
5570MHz	Pass	PK	5.7644G	63.88	68.20	-4.32	3	Vertical	16	1.59
5570MHz	Pass	AV	5.4584G	52.08	54.00	-1.92	3	Horizontal	16	1.50
5570MHz	Pass	AV	5.4944G	88.23	Inf	-Inf	3	Horizontal	16	1.50
5570MHz	Pass	PK	5.3348G	61.42	68.20	-6.78	3	Horizontal	16	1.50
5570MHz	Pass	PK	5.4392G	66.18	74.00	-7.82	3	Horizontal	16	1.50
5570MHz	Pass	PK	5.4656G	67.89	68.20	-0.31	3	Horizontal	16	1.50
5570MHz	Pass	PK	5.4944G	100.15	Inf	-Inf	3	Horizontal	16	1.50
5570MHz	Pass	PK	5.7272G	62.78	68.20	-5.42	3	Horizontal	16	1.50
5570MHz	Pass	AV	11.13931G	42.51	54.00	-11.49	3	Vertical	285	1.76
5570MHz	Pass	PK	11.14072G	53.27	74.00	-20.73	3	Vertical	285	1.76
5570MHz	Pass	AV	11.13988G	42.56	54.00	-11.44	3	Horizontal	6	1.24
5570MHz	Pass	PK	11.13989G	53.45	74.00	-20.55	3	Horizontal	6	1.24


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.63	54.00	-0.37	6.45	3	Vertical	342	1.50	47.18	33.39	8.09	35.03
AV	5.239G	94.80	Inf	-Inf	6.42	3	Vertical	342	1.50	88.38	33.32	8.14	35.04
AV	5.354G	51.21	54.00	-2.79	6.14	3	Vertical	342	1.50	45.07	33.01	8.19	35.06
PK	5.146G	63.85	74.00	-10.15	6.45	3	Vertical	342	1.50	57.40	33.39	8.09	35.03
PK	5.212G	106.26	Inf	-Inf	6.47	3	Vertical	342	1.50	99.79	33.38	8.13	35.04
PK	5.363G	61.68	74.00	-12.32	6.15	3	Vertical	342	1.50	55.53	33.03	8.19	35.07

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	53.75	54.00	-0.25	6.45	3	Horizontal	3	1.76	47.30	33.39	8.09	35.03
AV	5.198G	95.38	Inf	-Inf	6.48	3	Horizontal	3	1.76	88.90	33.40	8.12	35.04
AV	5.414G	51.60	54.00	-2.40	6.29	3	Horizontal	3	1.76	45.31	33.13	8.23	35.07
PK	5.125G	64.08	74.00	-9.92	6.41	3	Horizontal	3	1.76	57.67	33.35	8.08	35.02
PK	5.215G	106.05	Inf	-Inf	6.46	3	Horizontal	3	1.76	99.59	33.37	8.13	35.04
PK	5.374G	61.64	74.00	-12.36	6.18	3	Horizontal	3	1.76	55.46	33.05	8.20	35.07


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	51.40	54.00	-2.60	6.45	3	Vertical	342	1.50	44.95	33.39	8.09	35.03
AV	5.257G	102.70	Inf	-Inf	6.37	3	Vertical	342	1.50	96.33	33.27	8.15	35.05
AV	5.35G	53.11	54.00	-0.89	6.13	3	Vertical	342	1.50	46.98	33.00	8.19	35.06
PK	5.15G	66.92	74.00	-7.08	6.46	3	Vertical	342	1.50	60.46	33.40	8.09	35.03
PK	5.2546G	109.99	Inf	-Inf	6.37	3	Vertical	342	1.50	103.62	33.28	8.14	35.05
PK	5.3524G	69.42	74.00	-4.58	6.13	3	Vertical	342	1.50	63.29	33.00	8.19	35.06

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	51.40	54.00	-2.60	6.46	3	Horizontal	20	1.56	44.94	33.40	8.09	35.03
AV	5.254G	102.33	Inf	-Inf	6.37	3	Horizontal	20	1.56	95.96	33.28	8.14	35.05
AV	5.3596G	53.95	54.00	-0.05	6.15	3	Horizontal	20	1.56	47.80	33.02	8.19	35.06
PK	5.1376G	64.33	74.00	-9.67	6.45	3	Horizontal	20	1.56	57.88	33.38	8.09	35.02
PK	5.263G	109.92	Inf	-Inf	6.35	3	Horizontal	20	1.56	103.57	33.25	8.15	35.05
PK	5.3512G	70.65	74.00	-3.35	6.13	3	Horizontal	20	1.56	64.52	33.00	8.19	35.06


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1394G	51.37	54.00	-2.63	6.44	3	Vertical	342	1.50	44.93	33.38	8.09	35.03
AV	5.2546G	101.84	Inf	-Inf	6.37	3	Vertical	342	1.50	95.47	33.28	8.14	35.05
AV	5.3548G	53.27	54.00	-0.73	6.14	3	Vertical	342	1.50	47.13	33.01	8.19	35.06
PK	5.146G	67.63	74.00	-6.37	6.45	3	Vertical	342	1.50	61.18	33.39	8.09	35.03
PK	5.2582G	113.18	Inf	-Inf	6.37	3	Vertical	342	1.50	106.81	33.27	8.15	35.05
PK	5.3572G	71.46	74.00	-2.54	6.14	3	Vertical	342	1.50	65.32	33.01	8.19	35.06

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1424G	51.36	54.00	-2.64	6.44	3	Horizontal	357	1.71	44.92	33.38	8.09	35.03
AV	5.2666G	102.20	Inf	-Inf	6.33	3	Horizontal	357	1.71	95.87	33.23	8.15	35.05
AV	5.3524G	52.77	54.00	-1.23	6.13	3	Horizontal	357	1.71	46.64	33.00	8.19	35.06
PK	5.1466G	67.32	74.00	-6.68	6.45	3	Horizontal	357	1.71	60.87	33.39	8.09	35.03
PK	5.2654G	113.27	Inf	-Inf	6.34	3	Horizontal	357	1.71	106.93	33.24	8.15	35.05
PK	5.35G	71.60	74.00	-2.40	6.13	3	Horizontal	357	1.71	65.47	33.00	8.19	35.06


5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5290MHz_TX






5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4348G	51.85	54.00	-2.15	6.34	3	Vertical	16	1.49	45.51	33.17	8.25	35.08
AV	5.586G	104.09	Inf	-Inf	6.64	3	Vertical	16	1.49	97.45	33.30	8.44	35.10
PK	5.4558G	67.24	74.00	-6.76	6.40	3	Vertical	16	1.49	60.84	33.20	8.28	35.08
PK	5.463G	66.53	68.20	-1.67	6.41	3	Vertical	16	1.49	60.12	33.20	8.29	35.08
PK	5.5872G	112.32	Inf	-Inf	6.64	3	Vertical	16	1.49	105.68	33.30	8.44	35.10
PK	5.7252G	62.58	68.20	-5.62	7.33	3	Vertical	16	1.49	55.25	33.85	8.59	35.11

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	52.35	54.00	-1.65	6.40	3	Horizontal	13	1.57	45.95	33.20	8.28	35.08
AV	5.5782G	103.93	Inf	-Inf	6.63	3	Horizontal	13	1.57	97.30	33.30	8.43	35.10
PK	5.4594G	67.36	74.00	-6.64	6.40	3	Horizontal	13	1.57	60.96	33.20	8.28	35.08
PK	5.4624G	67.71	68.20	-0.49	6.41	3	Horizontal	13	1.57	61.30	33.20	8.29	35.08
PK	5.5782G	111.27	Inf	-Inf	6.63	3	Horizontal	13	1.57	104.64	33.30	8.43	35.10
PK	5.7264G	61.02	68.20	-7.18	7.34	3	Horizontal	13	1.57	53.68	33.86	8.59	35.11


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.91	54.00	-4.09	6.13	3	Vertical	15	1.50	43.78	33.00	8.19	35.06
AV	5.439G	53.90	54.00	-0.10	6.36	3	Vertical	15	1.50	47.54	33.18	8.26	35.08
AV	5.52G	96.57	Inf	-Inf	6.51	3	Vertical	15	1.50	90.06	33.24	8.36	35.09
PK	5.343G	60.73	68.20	-7.47	6.13	3	Vertical	15	1.50	54.60	33.01	8.18	35.06
PK	5.413G	64.68	74.00	-9.32	6.29	3	Vertical	15	1.50	58.39	33.13	8.23	35.07
PK	5.465G	65.56	68.20	-2.64	6.41	3	Vertical	15	1.50	59.15	33.20	8.29	35.08
PK	5.523G	107.37	Inf	-Inf	6.52	3	Vertical	15	1.50	100.85	33.25	8.36	35.09
PK	5.759G	62.34	68.20	-5.86	7.55	3	Vertical	15	1.50	54.79	34.05	8.62	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.74	54.00	-4.26	6.13	3	Horizontal	8	1.50	43.61	33.00	8.19	35.06
AV	5.458G	53.73	54.00	-0.27	6.40	3	Horizontal	8	1.50	47.33	33.20	8.28	35.08
AV	5.516G	95.53	Inf	-Inf	6.50	3	Horizontal	8	1.50	89.03	33.23	8.36	35.09
PK	5.286G	61.39	68.20	-6.81	6.27	3	Horizontal	8	1.50	55.12	33.16	8.16	35.05
PK	5.44G	64.26	74.00	-9.74	6.36	3	Horizontal	8	1.50	57.90	33.18	8.26	35.08
PK	5.465G	64.77	68.20	-3.43	6.41	3	Horizontal	8	1.50	58.36	33.20	8.29	35.08
PK	5.508G	106.29	Inf	-Inf	6.48	3	Horizontal	8	1.50	99.81	33.22	8.35	35.09
PK	5.764G	62.01	68.20	-6.19	7.58	3	Horizontal	8	1.50	54.43	34.08	8.62	35.12


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX





RSE TX above 1GHz_Non-Beamforming_ Radio 2_Full RU_2T1S_AP5022S6D

Appendix E.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1406G	53.97	54.00	-0.03	3	Vertical	354	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.147G	53.90	54.00	-0.10	3	Vertical	7	1.48
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1444G	53.94	54.00	-0.06	3	Horizontal	358	1.78
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.147G	53.84	54.00	-0.16	3	Horizontal	357	1.78
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3506G	53.70	54.00	-0.30	3	Horizontal	358	1.91
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.36G	53.63	54.00	-0.37	3	Horizontal	356	2.01
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.352G	53.71	54.00	-0.29	3	Vertical	349	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.367G	53.79	54.00	-0.21	3	Vertical	0	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.77	54.00	-0.23	3	Horizontal	357	1.90
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.4592G	53.57	54.00	-0.43	3	Horizontal	352	1.76
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.46G	53.61	54.00	-0.39	3	Horizontal	353	1.87
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.468G	68.12	68.20	-0.08	3	Vertical	15	1.91
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.459G	53.73	54.00	-0.27	3	Vertical	15	1.86
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4692G	67.33	68.20	-0.87	3	Vertical	14	1.70
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.6373G	66.73	68.20	-1.47	3	Horizontal	350	1.89
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.651G	68.61	68.94	-0.33	3	Horizontal	348	2.03
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.6518G	68.87	69.53	-0.66	3	Horizontal	348	1.94
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6298G	67.32	68.20	-0.88	3	Vertical	354	1.50



RSE TX above 1GHz_Non-Beamforming_ Radio 2_Full RU_2T1S_AP5022S6D

Appendix E.14

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1406G	53.97	54.00	-0.03	3	Vertical	354	1.50
5180MHz	Pass	AV	5.1746G	107.90	Inf	-Inf	3	Vertical	354	1.50
5180MHz	Pass	PK	5.1394G	63.17	74.00	-10.83	3	Vertical	354	1.50
5180MHz	Pass	PK	5.1744G	115.70	Inf	-Inf	3	Vertical	354	1.50
5180MHz	Pass	AV	5.1492G	53.71	54.00	-0.29	3	Horizontal	0	1.50
5180MHz	Pass	AV	5.1744G	108.71	Inf	-Inf	3	Horizontal	0	1.50
5180MHz	Pass	PK	5.1498G	63.38	74.00	-10.62	3	Horizontal	0	1.50
5180MHz	Pass	PK	5.1746G	116.33	Inf	-Inf	3	Horizontal	0	1.50
5180MHz	Pass	PK	10.36252G	54.45	68.20	-13.75	3	Vertical	305	2.41
5180MHz	Pass	PK	10.35232G	53.69	68.20	-14.51	3	Horizontal	265	1.50
5200MHz	Pass	AV	5.1476G	53.43	54.00	-0.57	3	Vertical	353	1.49
5200MHz	Pass	AV	5.1948G	107.84	Inf	-Inf	3	Vertical	353	1.49
5200MHz	Pass	PK	5.15G	67.28	74.00	-6.72	3	Vertical	353	1.49
5200MHz	Pass	PK	5.1944G	115.40	Inf	-Inf	3	Vertical	353	1.49
5200MHz	Pass	AV	5.1484G	53.53	54.00	-0.47	3	Horizontal	357	1.92
5200MHz	Pass	AV	5.1952G	108.82	Inf	-Inf	3	Horizontal	357	1.92
5200MHz	Pass	PK	5.1496G	68.54	74.00	-5.46	3	Horizontal	357	1.92
5200MHz	Pass	PK	5.1944G	116.74	Inf	-Inf	3	Horizontal	357	1.92
5200MHz	Pass	PK	10.39004G	53.93	68.20	-14.27	3	Vertical	0	1.50
5200MHz	Pass	PK	10.40092G	53.31	68.20	-14.89	3	Horizontal	260	1.50
5240MHz	Pass	AV	5.1296G	52.59	54.00	-1.41	3	Vertical	2	1.79
5240MHz	Pass	AV	5.2346G	109.41	Inf	-Inf	3	Vertical	2	1.79
5240MHz	Pass	AV	5.3624G	52.38	54.00	-1.62	3	Vertical	2	1.79
5240MHz	Pass	PK	5.147G	69.60	74.00	-4.40	3	Vertical	2	1.79
5240MHz	Pass	PK	5.234G	116.93	Inf	-Inf	3	Vertical	2	1.79
5240MHz	Pass	PK	5.3522G	65.84	74.00	-8.16	3	Vertical	2	1.79
5240MHz	Pass	AV	5.1482G	53.35	54.00	-0.65	3	Horizontal	358	1.88
5240MHz	Pass	AV	5.2346G	110.31	Inf	-Inf	3	Horizontal	358	1.88
5240MHz	Pass	AV	5.3528G	53.18	54.00	-0.82	3	Horizontal	358	1.88
5240MHz	Pass	PK	5.1488G	70.45	74.00	-3.55	3	Horizontal	358	1.88
5240MHz	Pass	PK	5.2346G	118.25	Inf	-Inf	3	Horizontal	358	1.88
5240MHz	Pass	PK	5.3564G	67.44	74.00	-6.56	3	Horizontal	358	1.88
5240MHz	Pass	PK	10.48844G	53.71	68.20	-14.49	3	Vertical	248	1.50
5240MHz	Pass	PK	10.47616G	54.02	68.20	-14.18	3	Horizontal	139	2.89
5260MHz	Pass	AV	5.15G	51.78	54.00	-2.22	3	Vertical	0	1.50
5260MHz	Pass	AV	5.2546G	108.20	Inf	-Inf	3	Vertical	0	1.50
5260MHz	Pass	AV	5.3506G	53.41	54.00	-0.59	3	Vertical	0	1.50
5260MHz	Pass	PK	5.15G	64.63	74.00	-9.37	3	Vertical	0	1.50
5260MHz	Pass	PK	5.2648G	115.66	Inf	-Inf	3	Vertical	0	1.50
5260MHz	Pass	PK	5.3518G	69.23	74.00	-4.77	3	Vertical	0	1.50
5260MHz	Pass	AV	5.1454G	51.66	54.00	-2.34	3	Horizontal	357	1.58
5260MHz	Pass	AV	5.2546G	109.39	Inf	-Inf	3	Horizontal	357	1.58
5260MHz	Pass	AV	5.35G	53.57	54.00	-0.43	3	Horizontal	357	1.58
5260MHz	Pass	PK	5.1454G	65.39	74.00	-8.61	3	Horizontal	357	1.58
5260MHz	Pass	PK	5.2654G	116.45	Inf	-Inf	3	Horizontal	357	1.58
5260MHz	Pass	PK	5.3512G	69.83	74.00	-4.17	3	Horizontal	357	1.58
5260MHz	Pass	PK	10.51172G	54.30	68.20	-13.90	3	Vertical	198	1.90
5260MHz	Pass	PK	10.52428G	54.05	68.20	-14.15	3	Horizontal	222	1.50
5300MHz	Pass	AV	5.3048G	106.32	Inf	-Inf	3	Vertical	0	1.50
5300MHz	Pass	AV	5.354G	52.32	54.00	-1.68	3	Vertical	0	1.50
5300MHz	Pass	PK	5.2988G	114.33	Inf	-Inf	3	Vertical	0	1.50
5300MHz	Pass	PK	5.3504G	62.59	74.00	-11.41	3	Vertical	0	1.50
5300MHz	Pass	AV	5.2948G	107.91	Inf	-Inf	3	Horizontal	355	1.83
5300MHz	Pass	AV	5.35G	53.32	54.00	-0.68	3	Horizontal	355	1.83
5300MHz	Pass	PK	5.3048G	115.60	Inf	-Inf	3	Horizontal	355	1.83
5300MHz	Pass	PK	5.35G	64.42	74.00	-9.58	3	Horizontal	355	1.83
5300MHz	Pass	PK	10.59716G	53.91	68.20	-14.29	3	Vertical	360	2.96
5300MHz	Pass	PK	10.59076G	53.41	68.20	-14.79	3	Horizontal	294	2.70
5320MHz	Pass	AV	5.3254G	107.19	Inf	-Inf	3	Vertical	344	1.50
5320MHz	Pass	AV	5.35G	53.12	54.00	-0.88	3	Vertical	344	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T1S_AP5022S6D**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3256G	115.21	Inf	-Inf	3	Vertical	344	1.50
5320MHz	Pass	PK	5.3558G	66.09	74.00	-7.91	3	Vertical	344	1.50
5320MHz	Pass	AV	5.3248G	108.22	Inf	-Inf	3	Horizontal	358	1.91
5320MHz	Pass	AV	5.3506G	53.70	54.00	-0.30	3	Horizontal	358	1.91
5320MHz	Pass	PK	5.3246G	115.76	Inf	-Inf	3	Horizontal	358	1.91
5320MHz	Pass	PK	5.3554G	66.21	74.00	-7.79	3	Horizontal	358	1.91
5320MHz	Pass	AV	10.6438G	44.28	54.00	-9.72	3	Vertical	45	1.50
5320MHz	Pass	PK	10.63488G	53.69	74.00	-20.31	3	Vertical	45	1.50
5320MHz	Pass	AV	10.6308G	44.46	54.00	-9.54	3	Horizontal	186	2.61
5320MHz	Pass	PK	10.6454G	54.10	74.00	-19.90	3	Horizontal	186	2.61
5500MHz	Pass	AV	5.4584G	53.18	54.00	-0.82	3	Vertical	15	1.72
5500MHz	Pass	AV	5.4934G	107.89	Inf	-Inf	3	Vertical	15	1.72
5500MHz	Pass	PK	5.4594G	63.83	74.00	-10.17	3	Vertical	15	1.72
5500MHz	Pass	PK	5.4676G	62.36	68.20	-5.84	3	Vertical	15	1.72
5500MHz	Pass	PK	5.4982G	115.30	Inf	-Inf	3	Vertical	15	1.72
5500MHz	Pass	AV	5.4592G	53.57	54.00	-0.43	3	Horizontal	352	1.76
5500MHz	Pass	AV	5.5054G	108.21	Inf	-Inf	3	Horizontal	352	1.76
5500MHz	Pass	PK	5.4594G	63.83	74.00	-10.17	3	Horizontal	352	1.76
5500MHz	Pass	PK	5.4602G	63.86	68.20	-4.34	3	Horizontal	352	1.76
5500MHz	Pass	PK	5.5048G	115.95	Inf	-Inf	3	Horizontal	352	1.76
5500MHz	Pass	AV	10.99986G	42.61	54.00	-11.39	3	Vertical	223	1.82
5500MHz	Pass	PK	10.99906G	52.98	74.00	-21.02	3	Vertical	223	1.82
5500MHz	Pass	AV	11.00042G	42.99	54.00	-11.01	3	Horizontal	194	2.02
5500MHz	Pass	PK	11.00008G	52.91	74.00	-21.09	3	Horizontal	194	2.02
5580MHz	Pass	AV	5.448G	52.10	54.00	-1.90	3	Vertical	14	1.73
5580MHz	Pass	AV	5.5782G	109.16	Inf	-Inf	3	Vertical	14	1.73
5580MHz	Pass	PK	5.4504G	64.62	74.00	-9.38	3	Vertical	14	1.73
5580MHz	Pass	PK	5.4696G	64.58	68.20	-3.62	3	Vertical	14	1.73
5580MHz	Pass	PK	5.5776G	116.36	Inf	-Inf	3	Vertical	14	1.73
5580MHz	Pass	PK	5.7282G	61.60	68.20	-6.60	3	Vertical	14	1.73
5580MHz	Pass	AV	5.4498G	51.94	54.00	-2.06	3	Horizontal	351	2.05
5580MHz	Pass	AV	5.5854G	110.07	Inf	-Inf	3	Horizontal	351	2.05
5580MHz	Pass	PK	5.4498G	64.74	74.00	-9.26	3	Horizontal	351	2.05
5580MHz	Pass	PK	5.4696G	65.92	68.20	-2.28	3	Horizontal	351	2.05
5580MHz	Pass	PK	5.5848G	117.87	Inf	-Inf	3	Horizontal	351	2.05
5580MHz	Pass	PK	5.7282G	61.21	68.20	-6.99	3	Horizontal	351	2.05
5580MHz	Pass	AV	11.16034G	43.48	54.00	-10.52	3	Vertical	149	2.53
5580MHz	Pass	PK	11.15952G	53.23	74.00	-20.77	3	Vertical	149	2.53
5580MHz	Pass	AV	11.15923G	43.82	54.00	-10.18	3	Horizontal	87	2.20
5580MHz	Pass	PK	11.16035G	53.77	74.00	-20.23	3	Horizontal	87	2.20
5700MHz	Pass	AV	5.7048G	102.41	Inf	-Inf	3	Vertical	354	1.50
5700MHz	Pass	PK	5.6944G	110.25	Inf	-Inf	3	Vertical	354	1.50
5700MHz	Pass	PK	5.73G	63.66	68.20	-4.54	3	Vertical	354	1.50
5700MHz	Pass	AV	5.6952G	103.34	Inf	-Inf	3	Horizontal	350	1.96
5700MHz	Pass	PK	5.6944G	111.03	Inf	-Inf	3	Horizontal	350	1.96
5700MHz	Pass	PK	5.7256G	65.15	68.20	-3.05	3	Horizontal	350	1.96
5700MHz	Pass	AV	11.39977G	44.78	54.00	-9.22	3	Vertical	52	2.13
5700MHz	Pass	PK	11.39918G	54.57	74.00	-19.43	3	Vertical	52	2.13
5700MHz	Pass	AV	11.39924G	44.39	54.00	-9.61	3	Horizontal	26	1.65
5700MHz	Pass	PK	11.39913G	54.45	74.00	-19.55	3	Horizontal	26	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	51.88	54.00	-2.12	3	Vertical	351	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	109.27	Inf	-Inf	3	Vertical	351	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	63.73	74.00	-10.27	3	Vertical	351	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	62.68	68.20	-5.52	3	Vertical	351	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	117.07	Inf	-Inf	3	Vertical	351	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8784G	65.47	68.20	-2.73	3	Vertical	351	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4296G	52.03	54.00	-1.97	3	Horizontal	351	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	109.67	Inf	-Inf	3	Horizontal	351	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4428G	63.31	74.00	-10.69	3	Horizontal	351	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	63.51	68.20	-4.69	3	Horizontal	351	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	117.22	Inf	-Inf	3	Horizontal	351	1.87
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	66.76	68.20	-1.44	3	Horizontal	351	1.87



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T1S_AP5022S6D**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43918G	44.59	54.00	-9.41	3	Vertical	166	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44089G	54.37	74.00	-19.63	3	Vertical	166	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44079G	44.67	54.00	-9.33	3	Horizontal	63	2.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44035G	54.84	74.00	-19.16	3	Horizontal	63	2.41
5745MHz	Pass	AV	5.4558G	51.79	54.00	-2.21	3	Vertical	353	1.46
5745MHz	Pass	AV	5.7498G	110.82	Inf	-Inf	3	Vertical	353	1.46
5745MHz	Pass	PK	5.6502G	65.72	68.35	-2.63	3	Vertical	353	1.46
5745MHz	Pass	PK	5.7402G	118.33	Inf	-Inf	3	Vertical	353	1.46
5745MHz	Pass	PK	6.0126G	63.28	68.20	-4.92	3	Vertical	353	1.46
5745MHz	Pass	AV	5.445G	51.88	54.00	-2.12	3	Horizontal	350	1.93
5745MHz	Pass	AV	5.7402G	110.36	Inf	-Inf	3	Horizontal	350	1.93
5745MHz	Pass	PK	5.6502G	66.01	68.35	-2.34	3	Horizontal	350	1.93
5745MHz	Pass	PK	5.7402G	118.24	Inf	-Inf	3	Horizontal	350	1.93
5745MHz	Pass	PK	5.9286G	63.49	68.20	-4.71	3	Horizontal	350	1.93
5745MHz	Pass	AV	11.48648G	45.51	54.00	-8.49	3	Vertical	338	1.50
5745MHz	Pass	PK	11.49716G	55.34	74.00	-18.66	3	Vertical	338	1.50
5745MHz	Pass	AV	11.49228G	45.61	54.00	-8.39	3	Horizontal	142	1.50
5745MHz	Pass	PK	11.48664G	56.14	74.00	-17.86	3	Horizontal	142	1.50
5785MHz	Pass	AV	5.77887G	108.42	Inf	-Inf	3	Vertical	356	1.50
5785MHz	Pass	PK	5.63125G	64.01	68.20	-4.19	3	Vertical	356	1.50
5785MHz	Pass	PK	5.78976G	115.25	Inf	-Inf	3	Vertical	356	1.50
5785MHz	Pass	PK	6.06322G	63.08	68.20	-5.12	3	Vertical	356	1.50
5785MHz	Pass	AV	5.78008G	108.39	Inf	-Inf	3	Horizontal	350	1.89
5785MHz	Pass	PK	5.6373G	66.73	68.20	-1.47	3	Horizontal	350	1.89
5785MHz	Pass	PK	5.78976G	116.11	Inf	-Inf	3	Horizontal	350	1.89
5785MHz	Pass	PK	5.964G	63.31	68.20	-4.89	3	Horizontal	350	1.89
5785MHz	Pass	AV	11.57364G	45.20	54.00	-8.80	3	Vertical	78	1.50
5785MHz	Pass	PK	11.57016G	55.46	74.00	-18.54	3	Vertical	78	1.50
5785MHz	Pass	AV	11.566G	45.43	54.00	-8.57	3	Horizontal	323	1.50
5785MHz	Pass	PK	11.5674G	55.71	74.00	-18.29	3	Horizontal	323	1.50
5825MHz	Pass	AV	5.8202G	108.42	Inf	-Inf	3	Vertical	353	1.62
5825MHz	Pass	PK	5.6378G	65.58	68.20	-2.62	3	Vertical	353	1.62
5825MHz	Pass	PK	5.819G	116.41	Inf	-Inf	3	Vertical	353	1.62
5825MHz	Pass	PK	6.0002G	63.39	68.20	-4.81	3	Vertical	353	1.62
5825MHz	Pass	AV	5.8202G	108.55	Inf	-Inf	3	Horizontal	349	2.02
5825MHz	Pass	PK	5.6258G	66.58	68.20	-1.62	3	Horizontal	349	2.02
5825MHz	Pass	PK	5.8298G	116.65	Inf	-Inf	3	Horizontal	349	2.02
5825MHz	Pass	PK	6.119G	62.88	68.20	-5.32	3	Horizontal	349	2.02
5825MHz	Pass	AV	11.65084G	45.01	54.00	-8.99	3	Vertical	360	2.25
5825MHz	Pass	PK	11.64688G	54.95	74.00	-19.05	3	Vertical	360	2.25
5825MHz	Pass	AV	11.64656G	44.72	54.00	-9.28	3	Horizontal	322	2.29
5825MHz	Pass	PK	11.65452G	54.97	74.00	-19.03	3	Horizontal	322	2.29
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	53.12	54.00	-0.88	3	Vertical	354	1.50
5180MHz	Pass	AV	5.1826G	106.25	Inf	-Inf	3	Vertical	354	1.50
5180MHz	Pass	PK	5.1394G	64.02	74.00	-9.98	3	Vertical	354	1.50
5180MHz	Pass	PK	5.185G	116.40	Inf	-Inf	3	Vertical	354	1.50
5180MHz	Pass	AV	5.1496G	53.42	54.00	-0.58	3	Horizontal	360	1.94
5180MHz	Pass	AV	5.1874G	107.39	Inf	-Inf	3	Horizontal	360	1.94
5180MHz	Pass	PK	5.1498G	63.76	74.00	-10.24	3	Horizontal	360	1.94
5180MHz	Pass	PK	5.1824G	117.76	Inf	-Inf	3	Horizontal	360	1.94
5180MHz	Pass	PK	10.36388G	53.62	68.20	-14.58	3	Vertical	50	1.50
5180MHz	Pass	PK	10.35192G	53.66	68.20	-14.54	3	Horizontal	26	2.52
5200MHz	Pass	AV	5.15G	52.44	54.00	-1.56	3	Vertical	348	1.47
5200MHz	Pass	AV	5.2028G	105.87	Inf	-Inf	3	Vertical	348	1.47
5200MHz	Pass	PK	5.1476G	67.75	74.00	-6.25	3	Vertical	348	1.47
5200MHz	Pass	PK	5.1952G	116.60	Inf	-Inf	3	Vertical	348	1.47
5200MHz	Pass	AV	5.1496G	53.14	54.00	-0.86	3	Horizontal	360	1.79
5200MHz	Pass	AV	5.2044G	106.88	Inf	-Inf	3	Horizontal	360	1.79
5200MHz	Pass	PK	5.1472G	69.98	74.00	-4.02	3	Horizontal	360	1.79
5200MHz	Pass	PK	5.2072G	117.84	Inf	-Inf	3	Horizontal	360	1.79
5200MHz	Pass	PK	10.40364G	53.48	68.20	-14.72	3	Vertical	313	1.76



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T1S_AP5022S6D**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	10.39492G	54.11	68.20	-14.09	3	Horizontal	71	1.50
5240MHz	Pass	AV	5.147G	53.90	54.00	-0.10	3	Vertical	7	1.48
5240MHz	Pass	AV	5.2418G	108.07	Inf	-Inf	3	Vertical	7	1.48
5240MHz	Pass	AV	5.3558G	53.37	54.00	-0.63	3	Vertical	7	1.48
5240MHz	Pass	PK	5.1494G	73.42	74.00	-0.58	3	Vertical	7	1.48
5240MHz	Pass	PK	5.237G	119.38	Inf	-Inf	3	Vertical	7	1.48
5240MHz	Pass	PK	5.3522G	72.44	74.00	-1.56	3	Vertical	7	1.48
5240MHz	Pass	AV	5.15G	52.46	54.00	-1.54	3	Horizontal	358	1.90
5240MHz	Pass	AV	5.2346G	108.55	Inf	-Inf	3	Horizontal	358	1.90
5240MHz	Pass	AV	5.375G	52.11	54.00	-1.89	3	Horizontal	358	1.90
5240MHz	Pass	PK	5.1482G	73.52	74.00	-0.48	3	Horizontal	358	1.90
5240MHz	Pass	PK	5.2472G	119.13	Inf	-Inf	3	Horizontal	358	1.90
5240MHz	Pass	PK	5.3696G	69.70	74.00	-4.30	3	Horizontal	358	1.90
5240MHz	Pass	PK	10.48424G	53.80	68.20	-14.40	3	Vertical	230	2.06
5240MHz	Pass	PK	10.48704G	53.61	68.20	-14.59	3	Horizontal	282	2.88
5260MHz	Pass	AV	5.1424G	51.70	54.00	-2.30	3	Vertical	0	1.50
5260MHz	Pass	AV	5.2576G	106.79	Inf	-Inf	3	Vertical	0	1.50
5260MHz	Pass	AV	5.3566G	53.20	54.00	-0.80	3	Vertical	0	1.50
5260MHz	Pass	PK	5.1406G	69.03	74.00	-4.97	3	Vertical	0	1.50
5260MHz	Pass	PK	5.2546G	117.23	Inf	-Inf	3	Vertical	0	1.50
5260MHz	Pass	PK	5.35G	67.59	74.00	-6.41	3	Vertical	0	1.50
5260MHz	Pass	AV	5.14G	52.03	54.00	-1.97	3	Horizontal	358	1.80
5260MHz	Pass	AV	5.2576G	107.92	Inf	-Inf	3	Horizontal	358	1.80
5260MHz	Pass	AV	5.35G	52.97	54.00	-1.03	3	Horizontal	358	1.80
5260MHz	Pass	PK	5.14G	69.85	74.00	-4.15	3	Horizontal	358	1.80
5260MHz	Pass	PK	5.2624G	118.44	Inf	-Inf	3	Horizontal	358	1.80
5260MHz	Pass	PK	5.3566G	71.77	74.00	-2.23	3	Horizontal	358	1.80
5260MHz	Pass	PK	10.51906G	53.42	68.20	-14.78	3	Vertical	56	1.16
5260MHz	Pass	PK	10.51901G	53.59	68.20	-14.61	3	Horizontal	251	1.46
5300MHz	Pass	AV	5.3024G	104.91	Inf	-Inf	3	Vertical	0	1.50
5300MHz	Pass	AV	5.35G	52.86	54.00	-1.14	3	Vertical	0	1.50
5300MHz	Pass	PK	5.2948G	115.60	Inf	-Inf	3	Vertical	0	1.50
5300MHz	Pass	PK	5.35G	69.50	74.00	-4.50	3	Vertical	0	1.50
5300MHz	Pass	AV	5.3024G	106.61	Inf	-Inf	3	Horizontal	356	1.86
5300MHz	Pass	AV	5.35G	53.60	54.00	-0.40	3	Horizontal	356	1.86
5300MHz	Pass	PK	5.3072G	117.40	Inf	-Inf	3	Horizontal	356	1.86
5300MHz	Pass	PK	5.35G	68.89	74.00	-5.11	3	Horizontal	356	1.86
5300MHz	Pass	PK	10.6005G	53.23	74.00	-20.77	3	Vertical	139	2.49
5300MHz	Pass	PK	10.61907G	53.17	74.00	-20.83	3	Horizontal	273	1.44
5320MHz	Pass	AV	5.3252G	105.75	Inf	-Inf	3	Vertical	347	1.50
5320MHz	Pass	AV	5.3602G	53.23	54.00	-0.77	3	Vertical	347	1.50
5320MHz	Pass	PK	5.3252G	116.77	Inf	-Inf	3	Vertical	347	1.50
5320MHz	Pass	PK	5.3598G	64.96	74.00	-9.04	3	Vertical	347	1.50
5320MHz	Pass	AV	5.3248G	107.11	Inf	-Inf	3	Horizontal	356	2.01
5320MHz	Pass	AV	5.36G	53.63	54.00	-0.37	3	Horizontal	356	2.01
5320MHz	Pass	PK	5.3252G	117.69	Inf	-Inf	3	Horizontal	356	2.01
5320MHz	Pass	PK	5.36G	67.59	74.00	-6.41	3	Horizontal	356	2.01
5320MHz	Pass	AV	10.63939G	43.01	54.00	-10.99	3	Vertical	246	1.95
5320MHz	Pass	PK	10.64071G	53.88	74.00	-20.12	3	Vertical	246	1.95
5320MHz	Pass	AV	10.6403G	42.68	54.00	-11.32	3	Horizontal	89	2.88
5320MHz	Pass	PK	10.64073G	54.32	74.00	-19.68	3	Horizontal	89	2.88
5500MHz	Pass	AV	5.4586G	53.32	54.00	-0.68	3	Vertical	17	1.74
5500MHz	Pass	AV	5.4964G	106.45	Inf	-Inf	3	Vertical	17	1.74
5500MHz	Pass	PK	5.4592G	63.59	74.00	-10.41	3	Vertical	17	1.74
5500MHz	Pass	PK	5.4692G	63.61	68.20	-4.59	3	Vertical	17	1.74
5500MHz	Pass	PK	5.4938G	116.91	Inf	-Inf	3	Vertical	17	1.74
5500MHz	Pass	AV	5.46G	53.61	54.00	-0.39	3	Horizontal	353	1.87
5500MHz	Pass	AV	5.505G	106.49	Inf	-Inf	3	Horizontal	353	1.87
5500MHz	Pass	PK	5.46G	63.66	74.00	-10.34	3	Horizontal	353	1.87
5500MHz	Pass	PK	5.4698G	63.61	68.20	-4.59	3	Horizontal	353	1.87
5500MHz	Pass	PK	5.5076G	116.76	Inf	-Inf	3	Horizontal	353	1.87
5500MHz	Pass	AV	11.00003G	42.18	54.00	-11.82	3	Vertical	156	1.86



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T1S_AP5022S6D**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	10.99923G	52.69	74.00	-21.31	3	Vertical	156	1.86
5500MHz	Pass	AV	11.00003G	42.02	54.00	-11.98	3	Horizontal	149	1.23
5500MHz	Pass	PK	10.99912G	52.82	74.00	-21.18	3	Horizontal	149	1.23
5580MHz	Pass	AV	5.4492G	51.06	54.00	-2.94	3	Vertical	356	1.89
5580MHz	Pass	AV	5.5848G	107.47	Inf	-Inf	3	Vertical	356	1.89
5580MHz	Pass	PK	5.457G	68.24	74.00	-5.76	3	Vertical	356	1.89
5580MHz	Pass	PK	5.4612G	66.42	68.20	-1.78	3	Vertical	356	1.89
5580MHz	Pass	PK	5.5776G	117.86	Inf	-Inf	3	Vertical	356	1.89
5580MHz	Pass	PK	5.7294G	61.84	68.20	-6.36	3	Vertical	356	1.89
5580MHz	Pass	AV	5.4594G	51.41	54.00	-2.59	3	Horizontal	351	2.08
5580MHz	Pass	AV	5.5824G	108.19	Inf	-Inf	3	Horizontal	351	2.08
5580MHz	Pass	PK	5.454G	66.54	74.00	-7.46	3	Horizontal	351	2.08
5580MHz	Pass	PK	5.463G	67.70	68.20	-0.50	3	Horizontal	351	2.08
5580MHz	Pass	PK	5.5824G	118.90	Inf	-Inf	3	Horizontal	351	2.08
5580MHz	Pass	PK	5.7252G	61.72	68.20	-6.48	3	Horizontal	351	2.08
5580MHz	Pass	AV	11.15977G	42.53	54.00	-11.47	3	Vertical	305	1.79
5580MHz	Pass	PK	11.15942G	53.41	74.00	-20.59	3	Vertical	305	1.79
5580MHz	Pass	AV	11.15948G	42.66	54.00	-11.34	3	Horizontal	294	2.65
5580MHz	Pass	PK	11.16034G	53.30	74.00	-20.70	3	Horizontal	294	2.65
5700MHz	Pass	AV	5.7072G	100.22	Inf	-Inf	3	Vertical	353	1.49
5700MHz	Pass	PK	5.7028G	111.23	Inf	-Inf	3	Vertical	353	1.49
5700MHz	Pass	PK	5.7252G	66.16	68.20	-2.04	3	Vertical	353	1.49
5700MHz	Pass	AV	5.6924G	101.10	Inf	-Inf	3	Horizontal	348	1.98
5700MHz	Pass	PK	5.6976G	112.37	Inf	-Inf	3	Horizontal	348	1.98
5700MHz	Pass	PK	5.7296G	66.21	68.20	-1.99	3	Horizontal	348	1.98
5700MHz	Pass	AV	11.39951G	43.96	54.00	-10.04	3	Vertical	116	1.31
5700MHz	Pass	PK	11.4002G	55.54	74.00	-18.46	3	Vertical	116	1.31
5700MHz	Pass	AV	11.40056G	43.92	54.00	-10.08	3	Horizontal	288	1.67
5700MHz	Pass	PK	11.39998G	54.38	74.00	-19.62	3	Horizontal	288	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	51.18	54.00	-2.82	3	Vertical	354	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	108.15	Inf	-Inf	3	Vertical	354	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	65.06	74.00	-8.94	3	Vertical	354	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	63.43	68.20	-4.77	3	Vertical	354	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	118.59	Inf	-Inf	3	Vertical	354	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	67.73	68.20	-0.47	3	Vertical	354	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	51.03	54.00	-2.97	3	Horizontal	348	1.86
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	108.46	Inf	-Inf	3	Horizontal	348	1.86
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4356G	64.92	74.00	-9.08	3	Horizontal	348	1.86
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	62.47	68.20	-5.73	3	Horizontal	348	1.86
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	117.60	Inf	-Inf	3	Horizontal	348	1.86
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	67.58	68.20	-0.62	3	Horizontal	348	1.86
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43917G	43.55	54.00	-10.45	3	Vertical	206	2.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43985G	55.38	74.00	-18.62	3	Vertical	206	2.84
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43961G	43.75	54.00	-10.25	3	Horizontal	75	1.19
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43936G	54.90	74.00	-19.10	3	Horizontal	75	1.19
5745MHz	Pass	AV	5.445G	50.65	54.00	-3.35	3	Vertical	353	1.55
5745MHz	Pass	AV	5.7474G	109.25	Inf	-Inf	3	Vertical	353	1.55
5745MHz	Pass	PK	5.6418G	67.71	68.20	-0.49	3	Vertical	353	1.55
5745MHz	Pass	PK	5.7378G	118.21	Inf	-Inf	3	Vertical	353	1.55
5745MHz	Pass	PK	5.9802G	63.13	68.20	-5.07	3	Vertical	353	1.55
5745MHz	Pass	AV	5.4546G	50.64	54.00	-3.36	3	Horizontal	348	1.85
5745MHz	Pass	AV	5.7402G	109.27	Inf	-Inf	3	Horizontal	348	1.85
5745MHz	Pass	PK	5.6466G	67.41	68.20	-0.79	3	Horizontal	348	1.85
5745MHz	Pass	PK	5.7402G	119.19	Inf	-Inf	3	Horizontal	348	1.85
5745MHz	Pass	PK	6.0042G	62.72	68.20	-5.48	3	Horizontal	348	1.85
5745MHz	Pass	AV	11.48488G	44.79	54.00	-9.21	3	Vertical	37	1.50
5745MHz	Pass	PK	11.48896G	55.50	74.00	-18.50	3	Vertical	37	1.50
5745MHz	Pass	AV	11.48596G	44.73	54.00	-9.27	3	Horizontal	328	2.55
5745MHz	Pass	PK	11.4962G	55.35	74.00	-18.65	3	Horizontal	328	2.55
5785MHz	Pass	AV	5.78008G	107.36	Inf	-Inf	3	Vertical	356	1.65
5785MHz	Pass	PK	5.60342G	66.65	68.20	-1.55	3	Vertical	356	1.65
5785MHz	Pass	PK	5.7825G	117.89	Inf	-Inf	3	Vertical	356	1.65



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T1S_AP5022S6D**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	6.03902G	62.93	68.20	-5.27	3	Vertical	356	1.65
5785MHz	Pass	AV	5.78734G	107.07	Inf	-Inf	3	Horizontal	349	1.88
5785MHz	Pass	PK	5.63004G	66.40	68.20	-1.80	3	Horizontal	349	1.88
5785MHz	Pass	PK	5.79218G	116.65	Inf	-Inf	3	Horizontal	349	1.88
5785MHz	Pass	PK	6.02087G	62.83	68.20	-5.37	3	Horizontal	349	1.88
5785MHz	Pass	AV	11.57568G	44.20	54.00	-9.80	3	Vertical	322	1.50
5785MHz	Pass	PK	11.5642G	55.69	74.00	-18.31	3	Vertical	322	1.50
5785MHz	Pass	AV	11.56384G	44.39	54.00	-9.61	3	Horizontal	258	1.03
5785MHz	Pass	PK	11.5648G	55.12	74.00	-18.88	3	Horizontal	258	1.03
5825MHz	Pass	AV	5.8166G	107.27	Inf	-Inf	3	Vertical	356	1.65
5825MHz	Pass	PK	5.6462G	66.70	68.20	-1.50	3	Vertical	356	1.65
5825MHz	Pass	PK	5.8178G	117.89	Inf	-Inf	3	Vertical	356	1.65
5825MHz	Pass	PK	6.0926G	63.87	68.20	-4.33	3	Vertical	356	1.65
5825MHz	Pass	AV	5.8274G	107.51	Inf	-Inf	3	Horizontal	348	2.03
5825MHz	Pass	PK	5.651G	68.61	68.94	-0.33	3	Horizontal	348	2.03
5825MHz	Pass	PK	5.8202G	117.25	Inf	-Inf	3	Horizontal	348	2.03
5825MHz	Pass	PK	5.951G	63.58	68.20	-4.62	3	Horizontal	348	2.03
5825MHz	Pass	AV	11.65112G	43.77	54.00	-10.23	3	Vertical	339	1.50
5825MHz	Pass	PK	11.649G	54.62	74.00	-19.38	3	Vertical	339	1.50
5825MHz	Pass	AV	11.6496G	43.82	54.00	-10.18	3	Horizontal	94	1.50
5825MHz	Pass	PK	11.64128G	54.34	74.00	-19.66	3	Horizontal	94	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.62	54.00	-0.38	3	Vertical	347	1.47
5190MHz	Pass	AV	5.2G	101.20	Inf	-Inf	3	Vertical	347	1.47
5190MHz	Pass	PK	5.15G	64.48	74.00	-9.52	3	Vertical	347	1.47
5190MHz	Pass	PK	5.1928G	112.24	Inf	-Inf	3	Vertical	347	1.47
5190MHz	Pass	AV	5.1444G	53.94	54.00	-0.06	3	Horizontal	358	1.78
5190MHz	Pass	AV	5.2076G	102.36	Inf	-Inf	3	Horizontal	358	1.78
5190MHz	Pass	PK	5.15G	65.08	74.00	-8.92	3	Horizontal	358	1.78
5190MHz	Pass	PK	5.2024G	112.68	Inf	-Inf	3	Horizontal	358	1.78
5190MHz	Pass	PK	10.36128G	53.63	68.20	-14.57	3	Vertical	246	2.72
5190MHz	Pass	PK	10.37816G	54.28	68.20	-13.92	3	Horizontal	97	2.52
5230MHz	Pass	AV	5.148G	53.46	54.00	-0.54	3	Vertical	0	1.78
5230MHz	Pass	AV	5.2424G	103.49	Inf	-Inf	3	Vertical	0	1.78
5230MHz	Pass	PK	5.15G	67.82	74.00	-6.18	3	Vertical	0	1.78
5230MHz	Pass	PK	5.2448G	115.38	Inf	-Inf	3	Vertical	0	1.78
5230MHz	Pass	AV	5.15G	53.66	54.00	-0.34	3	Horizontal	357	1.89
5230MHz	Pass	AV	5.2352G	104.64	Inf	-Inf	3	Horizontal	357	1.89
5230MHz	Pass	PK	5.15G	67.89	74.00	-6.11	3	Horizontal	357	1.89
5230MHz	Pass	PK	5.2272G	114.93	Inf	-Inf	3	Horizontal	357	1.89
5230MHz	Pass	PK	10.46488G	53.89	68.20	-14.31	3	Vertical	337	1.50
5230MHz	Pass	PK	10.45104G	54.71	68.20	-13.49	3	Horizontal	51	1.50
5270MHz	Pass	AV	5.2804G	101.28	Inf	-Inf	3	Vertical	346	1.50
5270MHz	Pass	AV	5.3504G	53.01	54.00	-0.99	3	Vertical	346	1.50
5270MHz	Pass	PK	5.2776G	113.29	Inf	-Inf	3	Vertical	346	1.50
5270MHz	Pass	PK	5.3504G	66.22	74.00	-7.78	3	Vertical	346	1.50
5270MHz	Pass	AV	5.2548G	102.45	Inf	-Inf	3	Horizontal	357	1.79
5270MHz	Pass	AV	5.35G	53.64	54.00	-0.36	3	Horizontal	357	1.79
5270MHz	Pass	PK	5.2676G	113.95	Inf	-Inf	3	Horizontal	357	1.79
5270MHz	Pass	PK	5.35G	67.53	74.00	-6.47	3	Horizontal	357	1.79
5270MHz	Pass	PK	10.53913G	53.86	68.20	-14.34	3	Vertical	183	2.89
5270MHz	Pass	PK	10.53934G	53.26	68.20	-14.94	3	Horizontal	95	1.75
5310MHz	Pass	AV	5.3252G	102.32	Inf	-Inf	3	Vertical	349	1.50
5310MHz	Pass	AV	5.352G	53.71	54.00	-0.29	3	Vertical	349	1.50
5310MHz	Pass	PK	5.3224G	113.04	Inf	-Inf	3	Vertical	349	1.50
5310MHz	Pass	PK	5.3516G	63.65	74.00	-10.35	3	Vertical	349	1.50
5310MHz	Pass	AV	5.3024G	103.42	Inf	-Inf	3	Horizontal	356	1.82
5310MHz	Pass	AV	5.3568G	53.69	54.00	-0.31	3	Horizontal	356	1.82
5310MHz	Pass	PK	5.3076G	114.39	Inf	-Inf	3	Horizontal	356	1.82
5310MHz	Pass	PK	5.3516G	64.38	74.00	-9.62	3	Horizontal	356	1.82
5310MHz	Pass	AV	10.62028G	42.96	54.00	-11.04	3	Vertical	211	1.91
5310MHz	Pass	PK	10.61937G	54.08	74.00	-19.92	3	Vertical	211	1.91



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T1S_AP5022S6D**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.62028G	43.04	54.00	-10.96	3	Horizontal	81	1.66
5310MHz	Pass	PK	10.62036G	54.03	74.00	-19.97	3	Horizontal	81	1.66
5510MHz	Pass	AV	5.4588G	53.45	54.00	-0.55	3	Vertical	17	1.82
5510MHz	Pass	AV	5.5064G	103.53	Inf	-Inf	3	Vertical	17	1.82
5510MHz	Pass	PK	5.4592G	65.72	74.00	-8.28	3	Vertical	17	1.82
5510MHz	Pass	PK	5.4668G	66.20	68.20	-2.00	3	Vertical	17	1.82
5510MHz	Pass	PK	5.5064G	114.67	Inf	-Inf	3	Vertical	17	1.82
5510MHz	Pass	AV	5.46G	53.90	54.00	-0.10	3	Horizontal	351	1.89
5510MHz	Pass	AV	5.5072G	103.47	Inf	-Inf	3	Horizontal	351	1.89
5510MHz	Pass	PK	5.4556G	64.25	74.00	-9.75	3	Horizontal	351	1.89
5510MHz	Pass	PK	5.47G	67.58	68.20	-0.62	3	Horizontal	351	1.89
5510MHz	Pass	PK	5.5024G	114.53	Inf	-Inf	3	Horizontal	351	1.89
5510MHz	Pass	AV	11.02098G	42.29	54.00	-11.71	3	Vertical	292	1.95
5510MHz	Pass	PK	11.02051G	53.29	74.00	-20.71	3	Vertical	292	1.95
5510MHz	Pass	AV	11.02099G	42.22	54.00	-11.78	3	Horizontal	214	1.36
5510MHz	Pass	PK	11.0209G	53.07	74.00	-20.93	3	Horizontal	214	1.36
5550MHz	Pass	AV	5.4584G	51.93	54.00	-2.07	3	Vertical	15	1.91
5550MHz	Pass	AV	5.5544G	101.67	Inf	-Inf	3	Vertical	15	1.91
5550MHz	Pass	PK	5.458G	64.22	74.00	-9.78	3	Vertical	15	1.91
5550MHz	Pass	PK	5.468G	68.12	68.20	-0.08	3	Vertical	15	1.91
5550MHz	Pass	PK	5.5588G	113.48	Inf	-Inf	3	Vertical	15	1.91
5550MHz	Pass	AV	5.4596G	52.77	54.00	-1.23	3	Horizontal	352	1.95
5550MHz	Pass	AV	5.54G	102.30	Inf	-Inf	3	Horizontal	352	1.95
5550MHz	Pass	PK	5.4596G	65.43	74.00	-8.57	3	Horizontal	352	1.95
5550MHz	Pass	PK	5.47G	64.83	68.20	-3.37	3	Horizontal	352	1.95
5550MHz	Pass	PK	5.54G	112.87	Inf	-Inf	3	Horizontal	352	1.95
5550MHz	Pass	AV	11.09966G	42.22	54.00	-11.78	3	Vertical	211	2.48
5550MHz	Pass	PK	11.1004G	53.47	74.00	-20.53	3	Vertical	211	2.48
5550MHz	Pass	AV	11.10072G	42.57	54.00	-11.43	3	Horizontal	332	2.25
5550MHz	Pass	PK	11.09965G	53.84	74.00	-20.16	3	Horizontal	332	2.25
5670MHz	Pass	AV	5.6748G	99.93	Inf	-Inf	3	Vertical	360	1.96
5670MHz	Pass	PK	5.6748G	110.09	Inf	-Inf	3	Vertical	360	1.96
5670MHz	Pass	PK	5.7252G	67.97	68.20	-0.23	3	Vertical	360	1.96
5670MHz	Pass	AV	5.6718G	99.76	Inf	-Inf	3	Horizontal	4	1.98
5670MHz	Pass	PK	5.6748G	110.19	Inf	-Inf	3	Horizontal	4	1.98
5670MHz	Pass	PK	5.7252G	66.92	68.20	-1.28	3	Horizontal	4	1.98
5670MHz	Pass	AV	11.33933G	42.92	54.00	-11.08	3	Vertical	337	1.57
5670MHz	Pass	PK	11.3405G	53.85	74.00	-20.15	3	Vertical	337	1.57
5670MHz	Pass	AV	11.34014G	43.20	54.00	-10.80	3	Horizontal	162	1.02
5670MHz	Pass	PK	11.33906G	54.30	74.00	-19.70	3	Horizontal	162	1.02
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	51.81	54.00	-2.19	3	Vertical	353	1.48
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	104.67	Inf	-Inf	3	Vertical	353	1.48
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	65.21	74.00	-8.79	3	Vertical	353	1.48
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	65.84	68.20	-2.36	3	Vertical	353	1.48
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	115.50	Inf	-Inf	3	Vertical	353	1.48
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	66.62	68.20	-1.58	3	Vertical	353	1.48
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	51.61	54.00	-2.39	3	Horizontal	348	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	104.63	Inf	-Inf	3	Horizontal	348	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.44G	64.31	74.00	-9.69	3	Horizontal	348	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	65.63	68.20	-2.57	3	Horizontal	348	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.716G	115.64	Inf	-Inf	3	Horizontal	348	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	66.52	68.20	-1.68	3	Horizontal	348	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42019G	43.63	54.00	-10.37	3	Vertical	163	2.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41976G	54.80	74.00	-19.20	3	Vertical	163	2.82
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42052G	43.87	54.00	-10.13	3	Horizontal	80	1.95
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41968G	54.80	74.00	-19.20	3	Horizontal	80	1.95
5755MHz	Pass	AV	5.4562G	50.75	54.00	-3.25	3	Vertical	353	1.45
5755MHz	Pass	AV	5.7502G	104.75	Inf	-Inf	3	Vertical	353	1.45
5755MHz	Pass	PK	5.647G	66.75	68.20	-1.45	3	Vertical	353	1.45
5755MHz	Pass	PK	5.7442G	115.23	Inf	-Inf	3	Vertical	353	1.45
5755MHz	Pass	PK	6.0454G	62.83	68.20	-5.37	3	Vertical	353	1.45
5755MHz	Pass	AV	5.4574G	50.54	54.00	-3.46	3	Horizontal	348	1.94



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T1S_AP5022S6D**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	5.7406G	104.83	Inf	-Inf	3	Horizontal	348	1.94
5755MHz	Pass	PK	5.6518G	68.87	69.53	-0.66	3	Horizontal	348	1.94
5755MHz	Pass	PK	5.7622G	116.10	Inf	-Inf	3	Horizontal	348	1.94
5755MHz	Pass	PK	6.0334G	63.70	68.20	-4.50	3	Horizontal	348	1.94
5755MHz	Pass	AV	11.5G	44.82	54.00	-9.18	3	Vertical	287	1.88
5755MHz	Pass	PK	11.5236G	54.83	74.00	-19.17	3	Vertical	287	1.88
5755MHz	Pass	AV	11.49064G	44.52	54.00	-9.48	3	Horizontal	13	2.24
5755MHz	Pass	PK	11.49688G	55.27	74.00	-18.73	3	Horizontal	13	2.24
5795MHz	Pass	AV	5.7914G	103.12	Inf	-Inf	3	Vertical	360	1.50
5795MHz	Pass	PK	5.6402G	67.18	68.20	-1.02	3	Vertical	360	1.50
5795MHz	Pass	PK	5.8046G	113.18	Inf	-Inf	3	Vertical	360	1.50
5795MHz	Pass	PK	5.939G	63.02	68.20	-5.18	3	Vertical	360	1.50
5795MHz	Pass	AV	5.7866G	102.95	Inf	-Inf	3	Horizontal	2	1.90
5795MHz	Pass	PK	5.639G	67.00	68.20	-1.20	3	Horizontal	2	1.90
5795MHz	Pass	PK	5.7926G	113.52	Inf	-Inf	3	Horizontal	2	1.90
5795MHz	Pass	PK	6.0458G	63.23	68.20	-4.97	3	Horizontal	2	1.90
5795MHz	Pass	AV	11.57616G	44.30	54.00	-9.70	3	Vertical	205	1.50
5795MHz	Pass	PK	11.57224G	54.54	74.00	-19.46	3	Vertical	205	1.50
5795MHz	Pass	AV	11.5708G	44.11	54.00	-9.89	3	Horizontal	168	1.50
5795MHz	Pass	PK	11.57024G	54.56	74.00	-19.44	3	Horizontal	168	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	53.81	54.00	-0.19	3	Vertical	355	1.50
5210MHz	Pass	AV	5.22G	97.28	Inf	-Inf	3	Vertical	355	1.50
5210MHz	Pass	AV	5.363G	51.46	54.00	-2.54	3	Vertical	355	1.50
5210MHz	Pass	PK	5.135G	62.92	74.00	-11.08	3	Vertical	355	1.50
5210MHz	Pass	PK	5.22G	108.41	Inf	-Inf	3	Vertical	355	1.50
5210MHz	Pass	PK	5.36G	61.47	74.00	-12.53	3	Vertical	355	1.50
5210MHz	Pass	AV	5.147G	53.84	54.00	-0.16	3	Horizontal	357	1.78
5210MHz	Pass	AV	5.217G	98.89	Inf	-Inf	3	Horizontal	357	1.78
5210MHz	Pass	AV	5.454G	51.52	54.00	-2.48	3	Horizontal	357	1.78
5210MHz	Pass	PK	5.145G	64.13	74.00	-9.87	3	Horizontal	357	1.78
5210MHz	Pass	PK	5.223G	110.00	Inf	-Inf	3	Horizontal	357	1.78
5210MHz	Pass	PK	5.429G	61.56	74.00	-12.44	3	Horizontal	357	1.78
5210MHz	Pass	PK	10.40784G	53.68	68.20	-14.52	3	Vertical	140	1.10
5210MHz	Pass	PK	10.4544G	54.26	68.20	-13.94	3	Horizontal	178	2.46
5290MHz	Pass	AV	5.122G	50.76	54.00	-3.24	3	Vertical	0	1.50
5290MHz	Pass	AV	5.3G	98.41	Inf	-Inf	3	Vertical	0	1.50
5290MHz	Pass	AV	5.367G	53.79	54.00	-0.21	3	Vertical	0	1.50
5290MHz	Pass	PK	5.076G	61.70	74.00	-12.30	3	Vertical	0	1.50
5290MHz	Pass	PK	5.307G	109.21	Inf	-Inf	3	Vertical	0	1.50
5290MHz	Pass	PK	5.359G	63.35	74.00	-10.65	3	Vertical	0	1.50
5290MHz	Pass	PK	5.482G	62.50	68.20	-5.70	3	Vertical	0	1.50
5290MHz	Pass	AV	5.044G	51.00	54.00	-3.00	3	Horizontal	353	1.50
5290MHz	Pass	AV	5.3G	98.69	Inf	-Inf	3	Horizontal	353	1.50
5290MHz	Pass	AV	5.352G	53.54	54.00	-0.46	3	Horizontal	353	1.50
5290MHz	Pass	PK	5.129G	60.87	74.00	-13.13	3	Horizontal	353	1.50
5290MHz	Pass	PK	5.3G	109.69	Inf	-Inf	3	Horizontal	353	1.50
5290MHz	Pass	PK	5.362G	63.67	74.00	-10.33	3	Horizontal	353	1.50
5290MHz	Pass	PK	5.465G	62.06	68.20	-6.14	3	Horizontal	353	1.50
5290MHz	Pass	PK	10.58061G	53.50	68.20	-14.70	3	Vertical	336	2.65
5290MHz	Pass	PK	10.58028G	53.49	68.20	-14.71	3	Horizontal	107	2.96
5530MHz	Pass	AV	5.35G	49.91	54.00	-4.09	3	Vertical	15	1.86
5530MHz	Pass	AV	5.459G	53.73	54.00	-0.27	3	Vertical	15	1.86
5530MHz	Pass	AV	5.519G	98.56	Inf	-Inf	3	Vertical	15	1.86
5530MHz	Pass	PK	5.334G	61.00	68.20	-7.20	3	Vertical	15	1.86
5530MHz	Pass	PK	5.449G	64.20	74.00	-9.80	3	Vertical	15	1.86
5530MHz	Pass	PK	5.469G	64.03	68.20	-4.17	3	Vertical	15	1.86
5530MHz	Pass	PK	5.519G	108.72	Inf	-Inf	3	Vertical	15	1.86
5530MHz	Pass	PK	5.772G	61.60	68.20	-6.60	3	Vertical	15	1.86
5530MHz	Pass	AV	5.35G	49.89	54.00	-4.11	3	Horizontal	352	1.83
5530MHz	Pass	AV	5.457G	53.73	54.00	-0.27	3	Horizontal	352	1.83
5530MHz	Pass	AV	5.52G	98.73	Inf	-Inf	3	Horizontal	352	1.83



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T1S_AP5022S6D**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.291G	60.30	68.20	-7.90	3	Horizontal	352	1.83
5530MHz	Pass	PK	5.432G	64.24	74.00	-9.76	3	Horizontal	352	1.83
5530MHz	Pass	PK	5.467G	64.36	68.20	-3.84	3	Horizontal	352	1.83
5530MHz	Pass	PK	5.527G	109.66	Inf	-Inf	3	Horizontal	352	1.83
5530MHz	Pass	PK	5.777G	62.45	68.20	-5.75	3	Horizontal	352	1.83
5530MHz	Pass	AV	11.09536G	43.09	54.00	-10.91	3	Vertical	360	1.75
5530MHz	Pass	PK	11.02912G	53.53	74.00	-20.47	3	Vertical	360	1.75
5530MHz	Pass	AV	11.0768G	43.15	54.00	-10.85	3	Horizontal	291	1.50
5530MHz	Pass	PK	11.06288G	53.51	74.00	-20.49	3	Horizontal	291	1.50
5610MHz	Pass	AV	5.458G	51.99	54.00	-2.01	3	Vertical	13	1.84
5610MHz	Pass	AV	5.599G	98.37	Inf	-Inf	3	Vertical	13	1.84
5610MHz	Pass	PK	5.439G	63.09	74.00	-10.91	3	Vertical	13	1.84
5610MHz	Pass	PK	5.463G	64.08	68.20	-4.12	3	Vertical	13	1.84
5610MHz	Pass	PK	5.602G	108.67	Inf	-Inf	3	Vertical	13	1.84
5610MHz	Pass	PK	5.725G	66.43	68.20	-1.77	3	Vertical	13	1.84
5610MHz	Pass	AV	5.459G	52.09	54.00	-1.91	3	Horizontal	351	1.82
5610MHz	Pass	AV	5.595G	99.05	Inf	-Inf	3	Horizontal	351	1.82
5610MHz	Pass	PK	5.46G	63.83	74.00	-10.17	3	Horizontal	351	1.82
5610MHz	Pass	PK	5.469G	65.69	68.20	-2.51	3	Horizontal	351	1.82
5610MHz	Pass	PK	5.625G	110.42	Inf	-Inf	3	Horizontal	351	1.82
5610MHz	Pass	PK	5.735G	67.08	68.20	-1.12	3	Horizontal	351	1.82
5610MHz	Pass	AV	11.19552G	43.50	54.00	-10.50	3	Vertical	243	1.21
5610MHz	Pass	PK	11.2008G	54.08	74.00	-19.92	3	Vertical	243	1.21
5610MHz	Pass	AV	11.24032G	43.61	54.00	-10.39	3	Horizontal	143	2.02
5610MHz	Pass	PK	11.24496G	54.77	74.00	-19.23	3	Horizontal	143	2.02
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	52.09	54.00	-1.91	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7044G	100.49	Inf	-Inf	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	63.76	74.00	-10.24	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	64.01	68.20	-4.19	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6852G	111.27	Inf	-Inf	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	67.09	68.20	-1.11	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	52.89	54.00	-1.11	3	Horizontal	352	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	101.38	Inf	-Inf	3	Horizontal	352	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4296G	64.39	74.00	-9.61	3	Horizontal	352	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	65.10	68.20	-3.10	3	Horizontal	352	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6948G	111.04	Inf	-Inf	3	Horizontal	352	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	67.89	68.20	-0.31	3	Horizontal	352	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41376G	44.36	54.00	-9.64	3	Vertical	175	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35872G	54.89	74.00	-19.11	3	Vertical	175	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39824G	44.09	54.00	-9.91	3	Horizontal	55	1.08
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40992G	55.15	74.00	-18.85	3	Horizontal	55	1.08
5775MHz	Pass	AV	5.7798G	100.40	Inf	-Inf	3	Vertical	354	1.50
5775MHz	Pass	PK	5.6298G	67.32	68.20	-0.88	3	Vertical	354	1.50
5775MHz	Pass	PK	5.787G	110.88	Inf	-Inf	3	Vertical	354	1.50
5775MHz	Pass	PK	5.949G	62.96	68.20	-5.24	3	Vertical	354	1.50
5775MHz	Pass	AV	5.7642G	100.04	Inf	-Inf	3	Horizontal	3	1.92
5775MHz	Pass	PK	5.649G	66.76	68.20	-1.44	3	Horizontal	3	1.92
5775MHz	Pass	PK	5.7642G	110.02	Inf	-Inf	3	Horizontal	3	1.92
5775MHz	Pass	PK	6.0366G	63.02	68.20	-5.18	3	Horizontal	3	1.92
5775MHz	Pass	AV	11.52536G	44.67	54.00	-9.33	3	Vertical	148	2.17
5775MHz	Pass	PK	11.51848G	55.78	74.00	-18.22	3	Vertical	148	2.17
5775MHz	Pass	AV	11.51448G	44.32	54.00	-9.68	3	Horizontal	164	1.49
5775MHz	Pass	PK	11.52712G	54.95	74.00	-19.05	3	Horizontal	164	1.49
802.11be EHT160_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	51.70	54.00	-2.30	3	Vertical	346	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	92.89	Inf	-Inf	3	Vertical	346	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3604G	53.13	54.00	-0.87	3	Vertical	346	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1444G	63.07	74.00	-10.93	3	Vertical	346	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.298G	103.29	Inf	-Inf	3	Vertical	346	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3508G	69.93	74.00	-4.07	3	Vertical	346	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4948G	61.49	68.20	-6.71	3	Vertical	346	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1408G	52.00	54.00	-2.00	3	Horizontal	357	1.90




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T1S_AP5022S6D**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.31G	93.75	Inf	-Inf	3	Horizontal	357	1.90
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	53.77	54.00	-0.23	3	Horizontal	357	1.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1456G	62.90	74.00	-11.10	3	Horizontal	357	1.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2296G	104.95	Inf	-Inf	3	Horizontal	357	1.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3508G	70.82	74.00	-3.18	3	Horizontal	357	1.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5464G	62.12	68.20	-6.08	3	Horizontal	357	1.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49983G	53.26	68.20	-14.94	3	Vertical	211	2.20
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49939G	53.62	68.20	-14.58	3	Horizontal	14	1.88
5570MHz	Pass	AV	5.4512G	51.70	54.00	-2.30	3	Vertical	14	1.70
5570MHz	Pass	AV	5.4944G	93.34	Inf	-Inf	3	Vertical	14	1.70
5570MHz	Pass	PK	5.2784G	60.82	68.20	-7.38	3	Vertical	14	1.70
5570MHz	Pass	PK	5.4584G	65.40	74.00	-8.60	3	Vertical	14	1.70
5570MHz	Pass	PK	5.4692G	67.33	68.20	-0.87	3	Vertical	14	1.70
5570MHz	Pass	PK	5.5136G	104.30	Inf	-Inf	3	Vertical	14	1.70
5570MHz	Pass	PK	5.87G	63.22	68.20	-4.98	3	Vertical	14	1.70
5570MHz	Pass	AV	5.4584G	51.62	54.00	-2.38	3	Horizontal	353	1.86
5570MHz	Pass	AV	5.5076G	93.60	Inf	-Inf	3	Horizontal	353	1.86
5570MHz	Pass	PK	5.2772G	60.65	68.20	-7.55	3	Horizontal	353	1.86
5570MHz	Pass	PK	5.4596G	65.28	74.00	-8.72	3	Horizontal	353	1.86
5570MHz	Pass	PK	5.4656G	66.89	68.20	-1.31	3	Horizontal	353	1.86
5570MHz	Pass	PK	5.4956G	104.53	Inf	-Inf	3	Horizontal	353	1.86
5570MHz	Pass	PK	5.744G	62.38	68.20	-5.82	3	Horizontal	353	1.86
5570MHz	Pass	AV	11.13997G	42.35	54.00	-11.65	3	Vertical	57	2.23
5570MHz	Pass	PK	11.13979G	53.00	74.00	-21.00	3	Vertical	57	2.23
5570MHz	Pass	AV	11.13985G	42.63	54.00	-11.37	3	Horizontal	300	2.05
5570MHz	Pass	PK	11.14021G	53.10	74.00	-20.90	3	Horizontal	300	2.05


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.90	54.00	-0.10	6.45	3	Vertical	7	1.48	47.45	33.39	8.09	35.03
AV	5.2418G	108.07	Inf	-Inf	6.42	3	Vertical	7	1.48	101.65	33.32	8.14	35.04
AV	5.3558G	53.37	54.00	-0.63	6.14	3	Vertical	7	1.48	47.23	33.01	8.19	35.06
PK	5.1494G	73.42	74.00	-0.58	6.46	3	Vertical	7	1.48	66.96	33.40	8.09	35.03
PK	5.237G	119.38	Inf	-Inf	6.43	3	Vertical	7	1.48	112.95	33.33	8.14	35.04
PK	5.3522G	72.44	74.00	-1.56	6.13	3	Vertical	7	1.48	66.31	33.00	8.19	35.06

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.46	54.00	-1.54	6.46	3	Horizontal	358	1.90	46.00	33.40	8.09	35.03
AV	5.2346G	108.55	Inf	-Inf	6.43	3	Horizontal	358	1.90	102.12	33.33	8.14	35.04
AV	5.375G	52.11	54.00	-1.89	6.18	3	Horizontal	358	1.90	45.93	33.05	8.20	35.07
PK	5.1482G	73.52	74.00	-0.48	6.46	3	Horizontal	358	1.90	67.06	33.40	8.09	35.03
PK	5.2472G	119.13	Inf	-Inf	6.41	3	Horizontal	358	1.90	112.72	33.31	8.14	35.04
PK	5.3696G	69.70	74.00	-4.30	6.17	3	Horizontal	358	1.90	63.53	33.04	8.20	35.07




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.81	54.00	-0.19	6.45	3	Vertical	355	1.50	47.36	33.39	8.09	35.03
AV	5.22G	97.28	Inf	-Inf	6.45	3	Vertical	355	1.50	90.83	33.36	8.13	35.04
AV	5.363G	51.46	54.00	-2.54	6.15	3	Vertical	355	1.50	45.31	33.03	8.19	35.07
PK	5.135G	62.92	74.00	-11.08	6.44	3	Vertical	355	1.50	56.48	33.37	8.09	35.02
PK	5.22G	108.41	Inf	-Inf	6.45	3	Vertical	355	1.50	101.96	33.36	8.13	35.04
PK	5.36G	61.47	74.00	-12.53	6.15	3	Vertical	355	1.50	55.32	33.02	8.19	35.06

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.84	54.00	-0.16	6.45	3	Horizontal	357	1.78	47.39	33.39	8.09	35.03
AV	5.217G	98.89	Inf	-Inf	6.46	3	Horizontal	357	1.78	92.43	33.37	8.13	35.04
AV	5.454G	51.52	54.00	-2.48	6.40	3	Horizontal	357	1.78	45.12	33.20	8.28	35.08
PK	5.145G	64.13	74.00	-9.87	6.45	3	Horizontal	357	1.78	57.68	33.39	8.09	35.03
PK	5.223G	110.00	Inf	-Inf	6.44	3	Horizontal	357	1.78	103.56	33.35	8.13	35.04
PK	5.429G	61.56	74.00	-12.44	6.33	3	Horizontal	357	1.78	55.23	33.16	8.25	35.08


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	53.18	54.00	-0.82	6.40	3	Vertical	15	1.72	46.78	33.20	8.28	35.08
AV	5.4934G	107.89	Inf	-Inf	6.44	3	Vertical	15	1.72	101.45	33.20	8.33	35.09
PK	5.4594G	63.83	74.00	-10.17	6.40	3	Vertical	15	1.72	57.43	33.20	8.28	35.08
PK	5.4676G	62.36	68.20	-5.84	6.41	3	Vertical	15	1.72	55.95	33.20	8.29	35.08
PK	5.4982G	115.30	Inf	-Inf	6.44	3	Vertical	15	1.72	108.86	33.20	8.33	35.09

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	53.57	54.00	-0.43	6.40	3	Horizontal	352	1.76	47.17	33.20	8.28	35.08
AV	5.5054G	108.21	Inf	-Inf	6.46	3	Horizontal	352	1.76	101.75	33.21	8.34	35.09
PK	5.4594G	63.83	74.00	-10.17	6.40	3	Horizontal	352	1.76	57.43	33.20	8.28	35.08
PK	5.4602G	63.86	68.20	-4.34	6.41	3	Horizontal	352	1.76	57.45	33.20	8.29	35.08
PK	5.5048G	115.95	Inf	-Inf	6.46	3	Horizontal	352	1.76	109.49	33.21	8.34	35.09


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	53.32	54.00	-0.68	6.40	3	Vertical	17	1.74	46.92	33.20	8.28	35.08
AV	5.4964G	106.45	Inf	-Inf	6.44	3	Vertical	17	1.74	100.01	33.20	8.33	35.09
PK	5.4592G	63.59	74.00	-10.41	6.40	3	Vertical	17	1.74	57.19	33.20	8.28	35.08
PK	5.4692G	63.61	68.20	-4.59	6.42	3	Vertical	17	1.74	57.19	33.20	8.30	35.08
PK	5.4938G	116.91	Inf	-Inf	6.44	3	Vertical	17	1.74	110.47	33.20	8.33	35.09

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.61	54.00	-0.39	6.41	3	Horizontal	353	1.87	47.20	33.20	8.29	35.08
AV	5.505G	106.49	Inf	-Inf	6.46	3	Horizontal	353	1.87	100.03	33.21	8.34	35.09
PK	5.46G	63.66	74.00	-10.34	6.41	3	Horizontal	353	1.87	57.25	33.20	8.29	35.08
PK	5.4698G	63.61	68.20	-4.59	6.42	3	Horizontal	353	1.87	57.19	33.20	8.30	35.08
PK	5.5076G	116.76	Inf	-Inf	6.47	3	Horizontal	353	1.87	110.29	33.22	8.34	35.09


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.91	54.00	-4.09	6.13	3	Vertical	15	1.86	43.78	33.00	8.19	35.06
AV	5.459G	53.73	54.00	-0.27	6.40	3	Vertical	15	1.86	47.33	33.20	8.28	35.08
AV	5.519G	98.56	Inf	-Inf	6.51	3	Vertical	15	1.86	92.05	33.24	8.36	35.09
PK	5.334G	61.00	68.20	-7.20	6.15	3	Vertical	15	1.86	54.85	33.03	8.18	35.06
PK	5.449G	64.20	74.00	-9.80	6.39	3	Vertical	15	1.86	57.81	33.20	8.27	35.08
PK	5.469G	64.03	68.20	-4.17	6.42	3	Vertical	15	1.86	57.61	33.20	8.30	35.08
PK	5.519G	108.72	Inf	-Inf	6.51	3	Vertical	15	1.86	102.21	33.24	8.36	35.09
PK	5.772G	61.60	68.20	-6.60	7.64	3	Vertical	15	1.86	53.96	34.13	8.63	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.89	54.00	-4.11	6.13	3	Horizontal	352	1.83	43.76	33.00	8.19	35.06
AV	5.457G	53.73	54.00	-0.27	6.40	3	Horizontal	352	1.83	47.33	33.20	8.28	35.08
AV	5.52G	98.73	Inf	-Inf	6.51	3	Horizontal	352	1.83	92.22	33.24	8.36	35.09
PK	5.291G	60.30	68.20	-7.90	6.25	3	Horizontal	352	1.83	54.05	33.14	8.16	35.05
PK	5.432G	64.24	74.00	-9.76	6.33	3	Horizontal	352	1.83	57.91	33.16	8.25	35.08
PK	5.467G	64.36	68.20	-3.84	6.41	3	Horizontal	352	1.83	57.95	33.20	8.29	35.08
PK	5.527G	109.66	Inf	-Inf	6.53	3	Horizontal	352	1.83	103.13	33.25	8.37	35.09
PK	5.777G	62.45	68.20	-5.75	7.68	3	Horizontal	352	1.83	54.77	34.16	8.64	35.12


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022S6D**

Appendix E.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.351G	53.89	54.00	-0.11	3	Horizontal	358	1.98
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.89	54.00	-0.11	3	Vertical	346	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.135G	53.74	54.00	-0.26	3	Horizontal	356	1.49
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3542G	53.92	54.00	-0.08	3	Horizontal	357	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.92	54.00	-0.08	3	Vertical	346	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.376G	53.77	54.00	-0.23	3	Horizontal	355	1.82
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.4156G	53.23	54.00	-0.77	3	Vertical	348	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.4684G	68.07	68.20	-0.13	3	Horizontal	350	1.93
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.854G	67.84	68.20	-0.36	3	Vertical	355	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.438G	53.99	54.00	-0.01	3	Horizontal	8	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.468G	67.89	68.20	-0.31	3	Vertical	18	1.92
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.62883G	67.57	68.20	-0.63	3	Vertical	357	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.6458G	68.18	68.20	-0.02	3	Vertical	357	1.89
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.6502G	68.07	68.35	-0.28	3	Horizontal	349	1.96

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	53.49	54.00	-0.51	3	Vertical	354	1.50
5180MHz	Pass	AV	5.1748G	106.54	Inf	-Inf	3	Vertical	354	1.50
5180MHz	Pass	PK	5.1356G	69.95	74.00	-4.05	3	Vertical	354	1.50
5180MHz	Pass	PK	5.1826G	116.33	Inf	-Inf	3	Vertical	354	1.50
5180MHz	Pass	AV	5.1394G	53.27	54.00	-0.73	3	Horizontal	360	1.50
5180MHz	Pass	AV	5.1748G	106.67	Inf	-Inf	3	Horizontal	360	1.50
5180MHz	Pass	PK	5.1448G	65.42	74.00	-8.58	3	Horizontal	360	1.50
5180MHz	Pass	PK	5.177G	116.57	Inf	-Inf	3	Horizontal	360	1.50
5180MHz	Pass	PK	10.36736G	53.84	68.20	-14.36	3	Vertical	173	1.71
5180MHz	Pass	PK	10.36608G	54.35	68.20	-13.85	3	Horizontal	87	1.68
5200MHz	Pass	AV	5.1444G	53.69	54.00	-0.31	3	Vertical	356	1.50
5200MHz	Pass	AV	5.1948G	104.36	Inf	-Inf	3	Vertical	356	1.50
5200MHz	Pass	PK	5.1388G	70.31	74.00	-3.69	3	Vertical	356	1.50
5200MHz	Pass	PK	5.2008G	114.12	Inf	-Inf	3	Vertical	356	1.50
5200MHz	Pass	AV	5.146G	51.91	54.00	-2.09	3	Horizontal	360	1.50
5200MHz	Pass	AV	5.2044G	104.96	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.1488G	67.90	74.00	-6.10	3	Horizontal	360	1.50
5200MHz	Pass	PK	5.1996G	115.21	Inf	-Inf	3	Horizontal	360	1.50
5200MHz	Pass	PK	10.4008G	53.11	68.20	-15.09	3	Vertical	298	1.50
5200MHz	Pass	PK	10.40412G	53.48	68.20	-14.72	3	Horizontal	56	1.01
5240MHz	Pass	AV	5.1494G	51.85	54.00	-2.15	3	Vertical	347	1.50
5240MHz	Pass	AV	5.2352G	105.89	Inf	-Inf	3	Vertical	347	1.50
5240MHz	Pass	AV	5.3624G	52.79	54.00	-1.21	3	Vertical	347	1.50
5240MHz	Pass	PK	5.15G	68.45	74.00	-5.55	3	Vertical	347	1.50
5240MHz	Pass	PK	5.2352G	117.15	Inf	-Inf	3	Vertical	347	1.50
5240MHz	Pass	PK	5.3606G	69.46	74.00	-4.54	3	Vertical	347	1.50
5240MHz	Pass	AV	5.1482G	52.26	54.00	-1.74	3	Horizontal	358	1.98
5240MHz	Pass	AV	5.2346G	107.45	Inf	-Inf	3	Horizontal	358	1.98
5240MHz	Pass	AV	5.351G	53.89	54.00	-0.11	3	Horizontal	358	1.98
5240MHz	Pass	PK	5.147G	71.09	74.00	-2.91	3	Horizontal	358	1.98
5240MHz	Pass	PK	5.2382G	117.48	Inf	-Inf	3	Horizontal	358	1.98
5240MHz	Pass	PK	5.3522G	70.02	74.00	-3.98	3	Horizontal	358	1.98
5240MHz	Pass	PK	10.48792G	54.04	68.20	-14.16	3	Vertical	205	1.50
5240MHz	Pass	PK	10.484G	53.32	68.20	-14.88	3	Horizontal	326	2.63
5260MHz	Pass	AV	5.1286G	52.40	54.00	-1.60	3	Vertical	0	1.80
5260MHz	Pass	AV	5.2546G	106.22	Inf	-Inf	3	Vertical	0	1.80
5260MHz	Pass	AV	5.365G	53.67	54.00	-0.33	3	Vertical	0	1.80
5260MHz	Pass	PK	5.1238G	68.88	74.00	-5.12	3	Vertical	0	1.80
5260MHz	Pass	PK	5.2552G	116.34	Inf	-Inf	3	Vertical	0	1.80
5260MHz	Pass	PK	5.354G	71.56	74.00	-2.44	3	Vertical	0	1.80
5260MHz	Pass	AV	5.15G	52.69	54.00	-1.31	3	Horizontal	357	1.50
5260MHz	Pass	AV	5.2546G	107.05	Inf	-Inf	3	Horizontal	357	1.50
5260MHz	Pass	AV	5.3542G	53.92	54.00	-0.08	3	Horizontal	357	1.50
5260MHz	Pass	PK	5.1478G	71.64	74.00	-2.36	3	Horizontal	357	1.50
5260MHz	Pass	PK	5.2552G	117.76	Inf	-Inf	3	Horizontal	357	1.50
5260MHz	Pass	PK	5.35G	72.95	74.00	-1.05	3	Horizontal	357	1.50
5260MHz	Pass	PK	10.51943G	54.19	68.20	-14.01	3	Vertical	37	1.97
5260MHz	Pass	PK	10.51908G	53.57	68.20	-14.63	3	Horizontal	47	1.54
5300MHz	Pass	AV	5.3052G	104.02	Inf	-Inf	3	Vertical	346	1.50
5300MHz	Pass	AV	5.35G	53.28	54.00	-0.72	3	Vertical	346	1.50
5300MHz	Pass	PK	5.3004G	114.08	Inf	-Inf	3	Vertical	346	1.50
5300MHz	Pass	PK	5.3524G	71.66	74.00	-2.34	3	Vertical	346	1.50
5300MHz	Pass	AV	5.2948G	104.60	Inf	-Inf	3	Horizontal	360	1.50
5300MHz	Pass	AV	5.352G	53.08	54.00	-0.92	3	Horizontal	360	1.50
5300MHz	Pass	PK	5.3016G	115.27	Inf	-Inf	3	Horizontal	360	1.50
5300MHz	Pass	PK	5.3508G	73.25	74.00	-0.75	3	Horizontal	360	1.50
5300MHz	Pass	PK	10.59931G	53.80	68.20	-14.40	3	Vertical	58	2.70
5300MHz	Pass	PK	10.59966G	53.28	68.20	-14.92	3	Horizontal	350	1.04
5320MHz	Pass	AV	5.3252G	105.70	Inf	-Inf	3	Vertical	346	1.48
5320MHz	Pass	AV	5.36G	53.40	54.00	-0.60	3	Vertical	346	1.48



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022S6D**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.323G	115.36	Inf	-Inf	3	Vertical	346	1.48
5320MHz	Pass	PK	5.3596G	65.27	74.00	-8.73	3	Vertical	346	1.48
5320MHz	Pass	AV	5.3248G	105.54	Inf	-Inf	3	Horizontal	360	1.90
5320MHz	Pass	AV	5.36G	53.37	54.00	-0.63	3	Horizontal	360	1.90
5320MHz	Pass	PK	5.326G	115.44	Inf	-Inf	3	Horizontal	360	1.90
5320MHz	Pass	PK	5.3636G	73.60	74.00	-0.40	3	Horizontal	360	1.90
5320MHz	Pass	AV	10.63978G	42.88	54.00	-11.12	3	Vertical	79	1.83
5320MHz	Pass	PK	10.63934G	53.65	74.00	-20.35	3	Vertical	79	1.83
5320MHz	Pass	AV	10.64022G	43.05	54.00	-10.95	3	Horizontal	356	1.24
5320MHz	Pass	PK	10.63988G	53.46	74.00	-20.54	3	Horizontal	356	1.24
5500MHz	Pass	AV	5.459G	53.06	54.00	-0.94	3	Vertical	16	1.72
5500MHz	Pass	AV	5.4938G	105.93	Inf	-Inf	3	Vertical	16	1.72
5500MHz	Pass	PK	5.4596G	63.85	74.00	-10.15	3	Vertical	16	1.72
5500MHz	Pass	PK	5.4692G	64.93	68.20	-3.27	3	Vertical	16	1.72
5500MHz	Pass	PK	5.4992G	116.38	Inf	-Inf	3	Vertical	16	1.72
5500MHz	Pass	AV	5.459G	52.90	54.00	-1.10	3	Horizontal	7	1.85
5500MHz	Pass	AV	5.4986G	105.42	Inf	-Inf	3	Horizontal	7	1.85
5500MHz	Pass	PK	5.46G	64.08	74.00	-9.92	3	Horizontal	7	1.85
5500MHz	Pass	PK	5.4674G	63.58	68.20	-4.62	3	Horizontal	7	1.85
5500MHz	Pass	PK	5.5016G	115.61	Inf	-Inf	3	Horizontal	7	1.85
5500MHz	Pass	AV	11.00025G	42.46	54.00	-11.54	3	Vertical	356	2.33
5500MHz	Pass	PK	10.99945G	53.28	74.00	-20.72	3	Vertical	356	2.33
5500MHz	Pass	AV	10.99927G	42.11	54.00	-11.89	3	Horizontal	104	2.39
5500MHz	Pass	PK	10.99931G	53.06	74.00	-20.94	3	Horizontal	104	2.39
5580MHz	Pass	AV	5.46G	51.01	54.00	-2.99	3	Vertical	355	1.64
5580MHz	Pass	AV	5.5746G	106.11	Inf	-Inf	3	Vertical	355	1.64
5580MHz	Pass	PK	5.4564G	66.45	74.00	-7.55	3	Vertical	355	1.64
5580MHz	Pass	PK	5.4696G	67.91	68.20	-0.29	3	Vertical	355	1.64
5580MHz	Pass	PK	5.5812G	116.07	Inf	-Inf	3	Vertical	355	1.64
5580MHz	Pass	PK	5.7264G	62.03	68.20	-6.17	3	Vertical	355	1.64
5580MHz	Pass	AV	5.4588G	51.13	54.00	-2.87	3	Horizontal	350	1.93
5580MHz	Pass	AV	5.5752G	106.31	Inf	-Inf	3	Horizontal	350	1.93
5580MHz	Pass	PK	5.457G	66.13	74.00	-7.87	3	Horizontal	350	1.93
5580MHz	Pass	PK	5.4684G	68.07	68.20	-0.13	3	Horizontal	350	1.93
5580MHz	Pass	PK	5.5746G	116.46	Inf	-Inf	3	Horizontal	350	1.93
5580MHz	Pass	PK	5.7258G	61.74	68.20	-6.46	3	Horizontal	350	1.93
5580MHz	Pass	AV	11.15993G	42.75	54.00	-11.25	3	Vertical	34	2.82
5580MHz	Pass	PK	11.15932G	53.87	74.00	-20.13	3	Vertical	34	2.82
5580MHz	Pass	AV	11.16096G	42.38	54.00	-11.62	3	Horizontal	181	2.90
5580MHz	Pass	PK	11.16093G	53.26	74.00	-20.74	3	Horizontal	181	2.90
5700MHz	Pass	AV	5.7072G	100.10	Inf	-Inf	3	Vertical	355	1.47
5700MHz	Pass	PK	5.7012G	110.24	Inf	-Inf	3	Vertical	355	1.47
5700MHz	Pass	PK	5.7256G	67.76	68.20	-0.44	3	Vertical	355	1.47
5700MHz	Pass	AV	5.6948G	100.79	Inf	-Inf	3	Horizontal	350	1.97
5700MHz	Pass	PK	5.6952G	111.71	Inf	-Inf	3	Horizontal	350	1.97
5700MHz	Pass	PK	5.7288G	65.73	68.20	-2.47	3	Horizontal	350	1.97
5700MHz	Pass	AV	11.39918G	44.00	54.00	-10.00	3	Vertical	151	1.50
5700MHz	Pass	PK	11.39976G	54.52	74.00	-19.48	3	Vertical	151	1.50
5700MHz	Pass	AV	11.401G	43.82	54.00	-10.18	3	Horizontal	55	2.82
5700MHz	Pass	PK	11.39949G	54.91	74.00	-19.09	3	Horizontal	55	2.82
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	51.51	54.00	-2.49	3	Vertical	353	1.46
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	107.63	Inf	-Inf	3	Vertical	353	1.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4548G	62.29	74.00	-11.71	3	Vertical	353	1.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	61.84	68.20	-6.36	3	Vertical	353	1.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	118.19	Inf	-Inf	3	Vertical	353	1.46
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.60	68.20	-1.60	3	Vertical	353	1.46
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	51.30	54.00	-2.70	3	Horizontal	349	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	108.14	Inf	-Inf	3	Horizontal	349	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	62.41	74.00	-11.59	3	Horizontal	349	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	62.85	68.20	-5.35	3	Horizontal	349	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	117.55	Inf	-Inf	3	Horizontal	349	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	66.49	68.20	-1.71	3	Horizontal	349	1.88



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022S6D**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4402G	43.70	54.00	-10.30	3	Vertical	134	2.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44058G	54.34	74.00	-19.66	3	Vertical	134	2.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43963G	43.75	54.00	-10.25	3	Horizontal	77	2.12
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44056G	54.42	74.00	-19.58	3	Horizontal	77	2.12
5745MHz	Pass	AV	5.4522G	50.62	54.00	-3.38	3	Vertical	360	1.50
5745MHz	Pass	AV	5.7486G	107.75	Inf	-Inf	3	Vertical	360	1.50
5745MHz	Pass	PK	5.6466G	65.16	68.20	-3.04	3	Vertical	360	1.50
5745MHz	Pass	PK	5.7438G	117.46	Inf	-Inf	3	Vertical	360	1.50
5745MHz	Pass	PK	5.9418G	63.33	68.20	-4.87	3	Vertical	360	1.50
5745MHz	Pass	AV	5.4534G	51.37	54.00	-2.63	3	Horizontal	348	1.85
5745MHz	Pass	AV	5.7402G	108.32	Inf	-Inf	3	Horizontal	348	1.85
5745MHz	Pass	PK	5.6466G	65.98	68.20	-2.22	3	Horizontal	348	1.85
5745MHz	Pass	PK	5.7522G	118.10	Inf	-Inf	3	Horizontal	348	1.85
5745MHz	Pass	PK	6.021G	62.33	68.20	-5.87	3	Horizontal	348	1.85
5745MHz	Pass	AV	11.4948G	44.80	54.00	-9.20	3	Vertical	106	1.72
5745MHz	Pass	PK	11.49208G	55.75	74.00	-18.25	3	Vertical	106	1.72
5745MHz	Pass	AV	11.49316G	44.98	54.00	-9.02	3	Horizontal	333	1.90
5745MHz	Pass	PK	11.49084G	55.56	74.00	-18.44	3	Horizontal	333	1.90
5785MHz	Pass	AV	5.78008G	105.54	Inf	-Inf	3	Vertical	357	1.50
5785MHz	Pass	PK	5.62883G	67.57	68.20	-0.63	3	Vertical	357	1.50
5785MHz	Pass	PK	5.7825G	115.57	Inf	-Inf	3	Vertical	357	1.50
5785MHz	Pass	PK	5.93133G	62.62	68.20	-5.58	3	Vertical	357	1.50
5785MHz	Pass	AV	5.78008G	105.95	Inf	-Inf	3	Horizontal	348	1.80
5785MHz	Pass	PK	5.64577G	67.21	68.20	-0.99	3	Horizontal	348	1.80
5785MHz	Pass	PK	5.77887G	115.76	Inf	-Inf	3	Horizontal	348	1.80
5785MHz	Pass	PK	5.93738G	62.85	68.20	-5.35	3	Horizontal	348	1.80
5785MHz	Pass	AV	11.56108G	44.09	54.00	-9.91	3	Vertical	179	1.50
5785MHz	Pass	PK	11.56248G	55.23	74.00	-18.77	3	Vertical	179	1.50
5785MHz	Pass	AV	11.56484G	44.35	54.00	-9.65	3	Horizontal	315	1.40
5785MHz	Pass	PK	11.56424G	55.54	74.00	-18.46	3	Horizontal	315	1.40
5825MHz	Pass	AV	5.8202G	106.39	Inf	-Inf	3	Vertical	353	1.76
5825MHz	Pass	PK	5.6498G	65.99	68.20	-2.21	3	Vertical	353	1.76
5825MHz	Pass	PK	5.8166G	115.56	Inf	-Inf	3	Vertical	353	1.76
5825MHz	Pass	PK	6.0698G	62.91	68.20	-5.29	3	Vertical	353	1.76
5825MHz	Pass	AV	5.8202G	106.78	Inf	-Inf	3	Horizontal	348	2.02
5825MHz	Pass	PK	5.6342G	66.95	68.20	-1.25	3	Horizontal	348	2.02
5825MHz	Pass	PK	5.8226G	116.43	Inf	-Inf	3	Horizontal	348	2.02
5825MHz	Pass	PK	6.125G	63.19	68.20	-5.01	3	Horizontal	348	2.02
5825MHz	Pass	AV	11.6554G	43.95	54.00	-10.05	3	Vertical	151	1.31
5825MHz	Pass	PK	11.64308G	54.04	74.00	-19.96	3	Vertical	151	1.31
5825MHz	Pass	AV	11.64308G	43.43	54.00	-10.57	3	Horizontal	269	1.50
5825MHz	Pass	PK	11.65232G	54.55	74.00	-19.45	3	Horizontal	269	1.50
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.18	54.00	-0.82	3	Vertical	348	1.50
5190MHz	Pass	AV	5.1948G	100.28	Inf	-Inf	3	Vertical	348	1.50
5190MHz	Pass	PK	5.15G	64.53	74.00	-9.47	3	Vertical	348	1.50
5190MHz	Pass	PK	5.1936G	110.15	Inf	-Inf	3	Vertical	348	1.50
5190MHz	Pass	AV	5.15G	53.81	54.00	-0.19	3	Horizontal	359	1.93
5190MHz	Pass	AV	5.1948G	101.45	Inf	-Inf	3	Horizontal	359	1.93
5190MHz	Pass	PK	5.15G	64.68	74.00	-9.32	3	Horizontal	359	1.93
5190MHz	Pass	PK	5.1928G	111.82	Inf	-Inf	3	Horizontal	359	1.93
5190MHz	Pass	PK	10.37384G	54.34	68.20	-13.86	3	Vertical	297	1.50
5190MHz	Pass	PK	10.36112G	53.99	68.20	-14.21	3	Horizontal	292	1.50
5230MHz	Pass	AV	5.15G	53.89	54.00	-0.11	3	Vertical	346	1.50
5230MHz	Pass	AV	5.2348G	102.31	Inf	-Inf	3	Vertical	346	1.50
5230MHz	Pass	PK	5.15G	67.58	74.00	-6.42	3	Vertical	346	1.50
5230MHz	Pass	PK	5.2328G	113.00	Inf	-Inf	3	Vertical	346	1.50
5230MHz	Pass	AV	5.15G	53.56	54.00	-0.44	3	Horizontal	356	1.91
5230MHz	Pass	AV	5.2348G	103.08	Inf	-Inf	3	Horizontal	356	1.91
5230MHz	Pass	PK	5.15G	67.98	74.00	-6.02	3	Horizontal	356	1.91
5230MHz	Pass	PK	5.2452G	113.52	Inf	-Inf	3	Horizontal	356	1.91
5230MHz	Pass	PK	10.45272G	53.66	68.20	-14.54	3	Vertical	45	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022S6D**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.44968G	53.39	68.20	-14.81	3	Horizontal	242	1.50
5270MHz	Pass	AV	5.2548G	99.90	Inf	-Inf	3	Vertical	0	1.50
5270MHz	Pass	AV	5.35G	52.82	54.00	-1.18	3	Vertical	0	1.50
5270MHz	Pass	PK	5.2728G	110.18	Inf	-Inf	3	Vertical	0	1.50
5270MHz	Pass	PK	5.35G	65.85	74.00	-8.15	3	Vertical	0	1.50
5270MHz	Pass	AV	5.2548G	100.85	Inf	-Inf	3	Horizontal	357	1.49
5270MHz	Pass	AV	5.35G	53.52	54.00	-0.48	3	Horizontal	357	1.49
5270MHz	Pass	PK	5.2852G	111.39	Inf	-Inf	3	Horizontal	357	1.49
5270MHz	Pass	PK	5.35G	67.00	74.00	-7.00	3	Horizontal	357	1.49
5270MHz	Pass	PK	10.53901G	54.30	68.20	-13.90	3	Vertical	306	2.08
5270MHz	Pass	PK	10.54033G	54.20	68.20	-14.00	3	Horizontal	16	3.00
5310MHz	Pass	AV	5.324G	101.13	Inf	-Inf	3	Vertical	346	1.50
5310MHz	Pass	AV	5.35G	53.92	54.00	-0.08	3	Vertical	346	1.50
5310MHz	Pass	PK	5.3188G	111.39	Inf	-Inf	3	Vertical	346	1.50
5310MHz	Pass	PK	5.3536G	63.30	74.00	-10.70	3	Vertical	346	1.50
5310MHz	Pass	AV	5.3048G	102.29	Inf	-Inf	3	Horizontal	356	1.90
5310MHz	Pass	AV	5.352G	53.91	54.00	-0.09	3	Horizontal	356	1.90
5310MHz	Pass	PK	5.3072G	112.66	Inf	-Inf	3	Horizontal	356	1.90
5310MHz	Pass	PK	5.352G	63.93	74.00	-10.07	3	Horizontal	356	1.90
5310MHz	Pass	AV	10.62052G	43.04	54.00	-10.96	3	Vertical	224	2.67
5310MHz	Pass	PK	10.62091G	53.75	74.00	-20.25	3	Vertical	224	2.67
5310MHz	Pass	AV	10.61926G	43.13	54.00	-10.87	3	Horizontal	32	2.10
5310MHz	Pass	PK	10.62056G	53.85	74.00	-20.15	3	Horizontal	32	2.10
5510MHz	Pass	AV	5.4588G	52.77	54.00	-1.23	3	Vertical	357	1.72
5510MHz	Pass	AV	5.4948G	102.05	Inf	-Inf	3	Vertical	357	1.72
5510MHz	Pass	PK	5.4576G	63.39	74.00	-10.61	3	Vertical	357	1.72
5510MHz	Pass	PK	5.47G	67.19	68.20	-1.01	3	Vertical	357	1.72
5510MHz	Pass	PK	5.502G	112.54	Inf	-Inf	3	Vertical	357	1.72
5510MHz	Pass	AV	5.4588G	53.43	54.00	-0.57	3	Horizontal	7	1.85
5510MHz	Pass	AV	5.502G	102.06	Inf	-Inf	3	Horizontal	7	1.85
5510MHz	Pass	PK	5.4596G	63.64	74.00	-10.36	3	Horizontal	7	1.85
5510MHz	Pass	PK	5.4696G	66.80	68.20	-1.40	3	Horizontal	7	1.85
5510MHz	Pass	PK	5.4932G	112.69	Inf	-Inf	3	Horizontal	7	1.85
5510MHz	Pass	AV	11.02043G	42.69	54.00	-11.31	3	Vertical	304	2.13
5510MHz	Pass	PK	11.01991G	53.40	74.00	-20.60	3	Vertical	304	2.13
5510MHz	Pass	AV	11.01946G	42.40	54.00	-11.60	3	Horizontal	127	1.69
5510MHz	Pass	PK	11.02024G	53.48	74.00	-20.52	3	Horizontal	127	1.69
5550MHz	Pass	AV	5.458G	51.48	54.00	-2.52	3	Vertical	17	1.66
5550MHz	Pass	AV	5.5384G	100.01	Inf	-Inf	3	Vertical	17	1.66
5550MHz	Pass	PK	5.4576G	62.54	74.00	-11.46	3	Vertical	17	1.66
5550MHz	Pass	PK	5.4672G	66.65	68.20	-1.55	3	Vertical	17	1.66
5550MHz	Pass	PK	5.5524G	110.88	Inf	-Inf	3	Vertical	17	1.66
5550MHz	Pass	AV	5.46G	51.70	54.00	-2.30	3	Horizontal	352	1.95
5550MHz	Pass	AV	5.5348G	100.98	Inf	-Inf	3	Horizontal	352	1.95
5550MHz	Pass	PK	5.4592G	64.09	74.00	-9.91	3	Horizontal	352	1.95
5550MHz	Pass	PK	5.4692G	64.64	68.20	-3.56	3	Horizontal	352	1.95
5550MHz	Pass	PK	5.5652G	111.59	Inf	-Inf	3	Horizontal	352	1.95
5550MHz	Pass	AV	11.10035G	42.30	54.00	-11.70	3	Vertical	204	1.10
5550MHz	Pass	PK	11.09956G	53.15	74.00	-20.85	3	Vertical	204	1.10
5550MHz	Pass	AV	11.101G	42.41	54.00	-11.59	3	Horizontal	268	2.59
5550MHz	Pass	PK	11.1004G	53.67	74.00	-20.33	3	Horizontal	268	2.59
5670MHz	Pass	AV	5.6748G	97.35	Inf	-Inf	3	Vertical	352	1.48
5670MHz	Pass	PK	5.661G	106.77	Inf	-Inf	3	Vertical	352	1.48
5670MHz	Pass	PK	5.7252G	67.20	68.20	-1.00	3	Vertical	352	1.48
5670MHz	Pass	AV	5.6748G	98.63	Inf	-Inf	3	Horizontal	349	1.89
5670MHz	Pass	PK	5.673G	109.27	Inf	-Inf	3	Horizontal	349	1.89
5670MHz	Pass	PK	5.7294G	66.95	68.20	-1.25	3	Horizontal	349	1.89
5670MHz	Pass	AV	11.34086G	43.22	54.00	-10.78	3	Vertical	276	2.94
5670MHz	Pass	PK	11.34043G	54.07	74.00	-19.93	3	Vertical	276	2.94
5670MHz	Pass	AV	11.34006G	43.16	54.00	-10.84	3	Horizontal	243	2.93
5670MHz	Pass	PK	11.33923G	54.30	74.00	-19.70	3	Horizontal	243	2.93
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4484G	51.54	54.00	-2.46	3	Vertical	355	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022S6D**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	103.50	Inf	-Inf	3	Vertical	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.434G	64.31	74.00	-9.69	3	Vertical	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	64.15	68.20	-4.05	3	Vertical	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7016G	113.51	Inf	-Inf	3	Vertical	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	67.84	68.20	-0.36	3	Vertical	355	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4256G	51.37	54.00	-2.63	3	Horizontal	19	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6992G	102.37	Inf	-Inf	3	Horizontal	19	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4376G	62.82	74.00	-11.18	3	Horizontal	19	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	63.61	68.20	-4.59	3	Horizontal	19	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7184G	112.16	Inf	-Inf	3	Horizontal	19	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8612G	66.14	68.20	-2.06	3	Horizontal	19	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42624G	44.64	54.00	-9.36	3	Vertical	38	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40576G	55.17	74.00	-18.83	3	Vertical	38	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43512G	44.17	54.00	-9.83	3	Horizontal	203	2.29
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43472G	54.90	74.00	-19.10	3	Horizontal	203	2.29
5755MHz	Pass	AV	5.4574G	50.45	54.00	-3.55	3	Vertical	357	1.89
5755MHz	Pass	AV	5.7538G	103.72	Inf	-Inf	3	Vertical	357	1.89
5755MHz	Pass	PK	5.6458G	68.18	68.20	-0.02	3	Vertical	357	1.89
5755MHz	Pass	PK	5.7538G	113.81	Inf	-Inf	3	Vertical	357	1.89
5755MHz	Pass	PK	6.0106G	63.12	68.20	-5.08	3	Vertical	357	1.89
5755MHz	Pass	AV	5.4586G	51.22	54.00	-2.78	3	Horizontal	348	1.94
5755MHz	Pass	AV	5.7394G	103.67	Inf	-Inf	3	Horizontal	348	1.94
5755MHz	Pass	PK	5.647G	67.30	68.20	-0.90	3	Horizontal	348	1.94
5755MHz	Pass	PK	5.743G	114.06	Inf	-Inf	3	Horizontal	348	1.94
5755MHz	Pass	PK	5.9398G	62.96	68.20	-5.24	3	Horizontal	348	1.94
5755MHz	Pass	AV	11.49176G	44.48	54.00	-9.52	3	Vertical	108	2.72
5755MHz	Pass	PK	11.51496G	55.56	74.00	-18.44	3	Vertical	108	2.72
5755MHz	Pass	AV	11.49232G	44.86	54.00	-9.14	3	Horizontal	240	1.07
5755MHz	Pass	PK	11.51096G	55.50	74.00	-18.50	3	Horizontal	240	1.07
5795MHz	Pass	AV	5.7914G	101.46	Inf	-Inf	3	Vertical	359	1.50
5795MHz	Pass	PK	5.609G	65.54	68.20	-2.66	3	Vertical	359	1.50
5795MHz	Pass	PK	5.7902G	111.91	Inf	-Inf	3	Vertical	359	1.50
5795MHz	Pass	PK	5.9558G	63.06	68.20	-5.14	3	Vertical	359	1.50
5795MHz	Pass	AV	5.7902G	102.53	Inf	-Inf	3	Horizontal	348	1.92
5795MHz	Pass	PK	5.6414G	67.02	68.20	-1.18	3	Horizontal	348	1.92
5795MHz	Pass	PK	5.7998G	111.99	Inf	-Inf	3	Horizontal	348	1.92
5795MHz	Pass	PK	5.9678G	63.09	68.20	-5.11	3	Horizontal	348	1.92
5795MHz	Pass	AV	11.57144G	44.05	54.00	-9.95	3	Vertical	263	1.50
5795MHz	Pass	PK	11.57128G	54.58	74.00	-19.42	3	Vertical	263	1.50
5795MHz	Pass	AV	11.57112G	44.03	54.00	-9.97	3	Horizontal	226	1.50
5795MHz	Pass	PK	11.57648G	55.00	74.00	-19.00	3	Horizontal	226	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.141G	53.64	54.00	-0.36	3	Vertical	351	1.50
5210MHz	Pass	AV	5.225G	97.26	Inf	-Inf	3	Vertical	351	1.50
5210MHz	Pass	AV	5.419G	51.41	54.00	-2.59	3	Vertical	351	1.50
5210MHz	Pass	PK	5.138G	63.79	74.00	-10.21	3	Vertical	351	1.50
5210MHz	Pass	PK	5.193G	106.87	Inf	-Inf	3	Vertical	351	1.50
5210MHz	Pass	PK	5.443G	62.14	74.00	-11.86	3	Vertical	351	1.50
5210MHz	Pass	AV	5.135G	53.74	54.00	-0.26	3	Horizontal	356	1.49
5210MHz	Pass	AV	5.225G	97.69	Inf	-Inf	3	Horizontal	356	1.49
5210MHz	Pass	AV	5.381G	51.35	54.00	-2.65	3	Horizontal	356	1.49
5210MHz	Pass	PK	5.149G	64.65	74.00	-9.35	3	Horizontal	356	1.49
5210MHz	Pass	PK	5.213G	107.82	Inf	-Inf	3	Horizontal	356	1.49
5210MHz	Pass	PK	5.359G	61.84	74.00	-12.16	3	Horizontal	356	1.49
5210MHz	Pass	PK	10.38528G	54.01	68.20	-14.19	3	Vertical	160	1.76
5210MHz	Pass	PK	10.384G	53.64	68.20	-14.56	3	Horizontal	253	1.50
5290MHz	Pass	AV	5.145G	50.66	54.00	-3.34	3	Vertical	347	1.49
5290MHz	Pass	AV	5.305G	97.39	Inf	-Inf	3	Vertical	347	1.49
5290MHz	Pass	AV	5.38G	53.43	54.00	-0.57	3	Vertical	347	1.49
5290MHz	Pass	PK	5.107G	60.78	74.00	-13.22	3	Vertical	347	1.49
5290MHz	Pass	PK	5.297G	106.98	Inf	-Inf	3	Vertical	347	1.49
5290MHz	Pass	PK	5.364G	64.04	74.00	-9.96	3	Vertical	347	1.49



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022S6D**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.473G	61.72	68.20	-6.48	3	Vertical	347	1.49
5290MHz	Pass	AV	5.142G	50.87	54.00	-3.13	3	Horizontal	355	1.82
5290MHz	Pass	AV	5.305G	99.09	Inf	-Inf	3	Horizontal	355	1.82
5290MHz	Pass	AV	5.376G	53.77	54.00	-0.23	3	Horizontal	355	1.82
5290MHz	Pass	PK	5.128G	61.18	74.00	-12.82	3	Horizontal	355	1.82
5290MHz	Pass	PK	5.305G	108.23	Inf	-Inf	3	Horizontal	355	1.82
5290MHz	Pass	PK	5.36G	64.56	74.00	-9.44	3	Horizontal	355	1.82
5290MHz	Pass	PK	5.487G	61.63	68.20	-6.57	3	Horizontal	355	1.82
5290MHz	Pass	PK	10.57903G	53.54	68.20	-14.66	3	Vertical	62	1.72
5290MHz	Pass	PK	10.57903G	53.63	68.20	-14.57	3	Horizontal	26	2.07
5530MHz	Pass	AV	5.35G	50.23	54.00	-3.77	3	Vertical	14	1.84
5530MHz	Pass	AV	5.433G	53.47	54.00	-0.53	3	Vertical	14	1.84
5530MHz	Pass	AV	5.519G	98.10	Inf	-Inf	3	Vertical	14	1.84
5530MHz	Pass	PK	5.306G	61.44	68.20	-6.76	3	Vertical	14	1.84
5530MHz	Pass	PK	5.457G	63.84	74.00	-10.16	3	Vertical	14	1.84
5530MHz	Pass	PK	5.461G	63.88	68.20	-4.32	3	Vertical	14	1.84
5530MHz	Pass	PK	5.499G	107.10	Inf	-Inf	3	Vertical	14	1.84
5530MHz	Pass	PK	5.765G	61.89	68.20	-6.31	3	Vertical	14	1.84
5530MHz	Pass	AV	5.35G	50.10	54.00	-3.90	3	Horizontal	8	1.50
5530MHz	Pass	AV	5.438G	53.99	54.00	-0.01	3	Horizontal	8	1.50
5530MHz	Pass	AV	5.519G	97.26	Inf	-Inf	3	Horizontal	8	1.50
5530MHz	Pass	PK	5.308G	61.04	68.20	-7.16	3	Horizontal	8	1.50
5530MHz	Pass	PK	5.449G	63.81	74.00	-10.19	3	Horizontal	8	1.50
5530MHz	Pass	PK	5.465G	63.20	68.20	-5.00	3	Horizontal	8	1.50
5530MHz	Pass	PK	5.516G	106.88	Inf	-Inf	3	Horizontal	8	1.50
5530MHz	Pass	PK	5.777G	62.51	68.20	-5.69	3	Horizontal	8	1.50
5530MHz	Pass	AV	11.0776G	43.06	54.00	-10.94	3	Vertical	64	2.14
5530MHz	Pass	PK	11.07424G	54.13	74.00	-19.87	3	Vertical	64	2.14
5530MHz	Pass	AV	11.09472G	43.41	54.00	-10.59	3	Horizontal	280	1.05
5530MHz	Pass	PK	11.0736G	54.21	74.00	-19.79	3	Horizontal	280	1.05
5610MHz	Pass	AV	5.459G	51.97	54.00	-2.03	3	Vertical	356	2.01
5610MHz	Pass	AV	5.595G	98.17	Inf	-Inf	3	Vertical	356	2.01
5610MHz	Pass	PK	5.453G	63.48	74.00	-10.52	3	Vertical	356	2.01
5610MHz	Pass	PK	5.464G	64.19	68.20	-4.01	3	Vertical	356	2.01
5610MHz	Pass	PK	5.585G	109.01	Inf	-Inf	3	Vertical	356	2.01
5610MHz	Pass	PK	5.725G	67.37	68.20	-0.83	3	Vertical	356	2.01
5610MHz	Pass	AV	5.46G	51.82	54.00	-2.18	3	Horizontal	351	1.90
5610MHz	Pass	AV	5.625G	99.12	Inf	-Inf	3	Horizontal	351	1.90
5610MHz	Pass	PK	5.455G	63.48	74.00	-10.52	3	Horizontal	351	1.90
5610MHz	Pass	PK	5.464G	64.74	68.20	-3.46	3	Horizontal	351	1.90
5610MHz	Pass	PK	5.601G	108.31	Inf	-Inf	3	Horizontal	351	1.90
5610MHz	Pass	PK	5.726G	67.41	68.20	-0.79	3	Horizontal	351	1.90
5610MHz	Pass	AV	11.2312G	43.71	54.00	-10.29	3	Vertical	356	1.50
5610MHz	Pass	PK	11.20128G	54.10	74.00	-19.90	3	Vertical	356	1.50
5610MHz	Pass	AV	11.25888G	43.75	54.00	-10.25	3	Horizontal	140	1.50
5610MHz	Pass	PK	11.20144G	54.25	74.00	-19.75	3	Horizontal	140	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	52.34	54.00	-1.66	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7044G	99.87	Inf	-Inf	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4356G	64.17	74.00	-9.83	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	66.07	68.20	-2.13	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6996G	109.39	Inf	-Inf	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	67.11	68.20	-1.09	3	Vertical	356	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	52.34	54.00	-1.66	3	Horizontal	3	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	100.50	Inf	-Inf	3	Horizontal	3	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	65.29	74.00	-8.71	3	Horizontal	3	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	66.33	68.20	-1.87	3	Horizontal	3	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6624G	110.17	Inf	-Inf	3	Horizontal	3	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	67.44	68.20	-0.76	3	Horizontal	3	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.41776G	44.45	54.00	-9.55	3	Vertical	319	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34208G	55.14	74.00	-18.86	3	Vertical	319	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39904G	44.27	54.00	-9.73	3	Horizontal	38	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3552G	56.04	74.00	-17.96	3	Horizontal	38	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_2T2S_AP5022S6D**

Appendix E.15

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	AV	5.7894G	99.96	Inf	-Inf	3	Vertical	352	1.68
5775MHz	Pass	PK	5.6346G	65.69	68.20	-2.51	3	Vertical	352	1.68
5775MHz	Pass	PK	5.745G	110.21	Inf	-Inf	3	Vertical	352	1.68
5775MHz	Pass	PK	5.955G	63.68	68.20	-4.52	3	Vertical	352	1.68
5775MHz	Pass	AV	5.7906G	100.41	Inf	-Inf	3	Horizontal	349	1.96
5775MHz	Pass	PK	5.6502G	68.07	68.35	-0.28	3	Horizontal	349	1.96
5775MHz	Pass	PK	5.787G	109.44	Inf	-Inf	3	Horizontal	349	1.96
5775MHz	Pass	PK	6.0342G	62.90	68.20	-5.30	3	Horizontal	349	1.96
5775MHz	Pass	AV	11.562G	44.51	54.00	-9.49	3	Vertical	4	1.93
5775MHz	Pass	PK	11.52504G	56.06	74.00	-17.94	3	Vertical	4	1.93
5775MHz	Pass	AV	11.51624G	44.48	54.00	-9.52	3	Horizontal	264	1.50
5775MHz	Pass	PK	11.52072G	54.73	74.00	-19.27	3	Horizontal	264	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1456G	52.05	54.00	-1.95	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	93.48	Inf	-Inf	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4156G	53.23	54.00	-0.77	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1348G	63.05	74.00	-10.95	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2176G	103.40	Inf	-Inf	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3688G	66.43	74.00	-7.57	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5116G	62.53	68.20	-5.67	3	Vertical	348	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	52.01	54.00	-1.99	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	93.20	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	52.46	54.00	-1.54	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1336G	63.57	74.00	-10.43	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2152G	103.79	Inf	-Inf	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3736G	65.17	74.00	-8.83	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5392G	62.62	68.20	-5.58	3	Horizontal	0	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49994G	53.76	68.20	-14.44	3	Vertical	70	2.79
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.499G	53.97	68.20	-14.23	3	Horizontal	346	1.16
5570MHz	Pass	AV	5.4536G	53.68	54.00	-0.32	3	Vertical	18	1.92
5570MHz	Pass	AV	5.5088G	94.73	Inf	-Inf	3	Vertical	18	1.92
5570MHz	Pass	PK	5.3324G	61.45	68.20	-6.75	3	Vertical	18	1.92
5570MHz	Pass	PK	5.4368G	66.62	74.00	-7.38	3	Vertical	18	1.92
5570MHz	Pass	PK	5.468G	67.89	68.20	-0.31	3	Vertical	18	1.92
5570MHz	Pass	PK	5.51G	106.06	Inf	-Inf	3	Vertical	18	1.92
5570MHz	Pass	PK	5.7344G	65.94	68.20	-2.26	3	Vertical	18	1.92
5570MHz	Pass	AV	5.4176G	53.40	54.00	-0.60	3	Horizontal	351	1.88
5570MHz	Pass	AV	5.5448G	95.01	Inf	-Inf	3	Horizontal	351	1.88
5570MHz	Pass	PK	5.35G	61.67	74.00	-12.33	3	Horizontal	351	1.88
5570MHz	Pass	PK	5.4356G	64.94	74.00	-9.06	3	Horizontal	351	1.88
5570MHz	Pass	PK	5.462G	66.48	68.20	-1.72	3	Horizontal	351	1.88
5570MHz	Pass	PK	5.5112G	104.64	Inf	-Inf	3	Horizontal	351	1.88
5570MHz	Pass	PK	5.7572G	65.39	68.20	-2.81	3	Horizontal	351	1.88
5570MHz	Pass	AV	11.13988G	42.21	54.00	-11.79	3	Vertical	75	2.04
5570MHz	Pass	PK	11.13991G	52.95	74.00	-21.05	3	Vertical	75	2.04
5570MHz	Pass	AV	11.13921G	42.36	54.00	-11.64	3	Horizontal	129	1.63
5570MHz	Pass	PK	11.14087G	53.13	74.00	-20.87	3	Horizontal	129	1.63


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	53.64	54.00	-0.36	6.44	3	Vertical	351	1.50	47.20	33.38	8.09	35.03
AV	5.225G	97.26	Inf	-Inf	6.44	3	Vertical	351	1.50	90.82	33.35	8.13	35.04
AV	5.419G	51.41	54.00	-2.59	6.29	3	Vertical	351	1.50	45.12	33.14	8.23	35.08
PK	5.138G	63.79	74.00	-10.21	6.45	3	Vertical	351	1.50	57.34	33.38	8.09	35.02
PK	5.193G	106.87	Inf	-Inf	6.49	3	Vertical	351	1.50	100.38	33.40	8.12	35.03
PK	5.443G	62.14	74.00	-11.86	6.37	3	Vertical	351	1.50	55.77	33.19	8.26	35.08

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.135G	53.74	54.00	-0.26	6.44	3	Horizontal	356	1.49	47.30	33.37	8.09	35.02
AV	5.225G	97.69	Inf	-Inf	6.44	3	Horizontal	356	1.49	91.25	33.35	8.13	35.04
AV	5.381G	51.35	54.00	-2.65	6.19	3	Horizontal	356	1.49	45.16	33.06	8.20	35.07
PK	5.149G	64.65	74.00	-9.35	6.46	3	Horizontal	356	1.49	58.19	33.40	8.09	35.03
PK	5.213G	107.82	Inf	-Inf	6.46	3	Horizontal	356	1.49	101.36	33.37	8.13	35.04
PK	5.359G	61.84	74.00	-12.16	6.15	3	Horizontal	356	1.49	55.69	33.02	8.19	35.06


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1286G	52.40	54.00	-1.60	6.42	3	Vertical	0	1.80	45.98	33.36	8.08	35.02
AV	5.2546G	106.22	Inf	-Inf	6.37	3	Vertical	0	1.80	99.85	33.28	8.14	35.05
AV	5.365G	53.67	54.00	-0.33	6.15	3	Vertical	0	1.80	47.52	33.03	8.19	35.07
PK	5.1238G	68.88	74.00	-5.12	6.41	3	Vertical	0	1.80	62.47	33.35	8.08	35.02
PK	5.2552G	116.34	Inf	-Inf	6.37	3	Vertical	0	1.80	109.97	33.28	8.14	35.05
PK	5.3554G	71.56	74.00	-2.44	6.14	3	Vertical	0	1.80	65.42	33.01	8.19	35.06

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.69	54.00	-1.31	6.46	3	Horizontal	357	1.50	46.23	33.40	8.09	35.03
AV	5.2546G	107.05	Inf	-Inf	6.37	3	Horizontal	357	1.50	100.68	33.28	8.14	35.05
AV	5.3542G	53.92	54.00	-0.08	6.14	3	Horizontal	357	1.50	47.78	33.01	8.19	35.06
PK	5.1478G	71.64	74.00	-2.36	6.46	3	Horizontal	357	1.50	65.18	33.40	8.09	35.03
PK	5.2552G	117.76	Inf	-Inf	6.37	3	Horizontal	357	1.50	111.39	33.28	8.14	35.05
PK	5.35G	72.95	74.00	-1.05	6.13	3	Horizontal	357	1.50	66.82	33.00	8.19	35.06


5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.01	54.00	-2.99	6.41	3	Vertical	355	1.64	44.60	33.20	8.29	35.08
AV	5.5746G	106.11	Inf	-Inf	6.63	3	Vertical	355	1.64	99.48	33.30	8.43	35.10
PK	5.4564G	66.45	74.00	-7.55	6.40	3	Vertical	355	1.64	60.05	33.20	8.28	35.08
PK	5.4696G	67.91	68.20	-0.29	6.42	3	Vertical	355	1.64	61.49	33.20	8.30	35.08
PK	5.5812G	116.07	Inf	-Inf	6.64	3	Vertical	355	1.64	109.43	33.30	8.44	35.10
PK	5.7264G	62.03	68.20	-6.17	7.34	3	Vertical	355	1.64	54.69	33.86	8.59	35.11

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	51.13	54.00	-2.87	6.40	3	Horizontal	350	1.93	44.73	33.20	8.28	35.08
AV	5.5752G	106.31	Inf	-Inf	6.63	3	Horizontal	350	1.93	99.68	33.30	8.43	35.10
PK	5.457G	66.13	74.00	-7.87	6.40	3	Horizontal	350	1.93	59.73	33.20	8.28	35.08
PK	5.4684G	68.07	68.20	-0.13	6.42	3	Horizontal	350	1.93	61.65	33.20	8.30	35.08
PK	5.5746G	116.46	Inf	-Inf	6.63	3	Horizontal	350	1.93	109.83	33.30	8.43	35.10
PK	5.7258G	61.74	68.20	-6.46	7.33	3	Horizontal	350	1.93	54.41	33.85	8.59	35.11


5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	50.23	54.00	-3.77	6.13	3	Vertical	14	1.84	44.10	33.00	8.19	35.06
AV	5.433G	53.47	54.00	-0.53	6.34	3	Vertical	14	1.84	47.13	33.17	8.25	35.08
AV	5.519G	98.10	Inf	-Inf	6.51	3	Vertical	14	1.84	91.59	33.24	8.36	35.09
PK	5.306G	61.44	68.20	-6.76	6.20	3	Vertical	14	1.84	55.24	33.09	8.17	35.06
PK	5.457G	63.84	74.00	-10.16	6.40	3	Vertical	14	1.84	57.44	33.20	8.28	35.08
PK	5.461G	63.88	68.20	-4.32	6.41	3	Vertical	14	1.84	57.47	33.20	8.29	35.08
PK	5.499G	107.10	Inf	-Inf	6.44	3	Vertical	14	1.84	100.66	33.20	8.33	35.09
PK	5.765G	61.89	68.20	-6.31	7.59	3	Vertical	14	1.84	54.30	34.09	8.62	35.12

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	50.10	54.00	-3.90	6.13	3	Horizontal	8	1.50	43.97	33.00	8.19	35.06
AV	5.438G	53.99	54.00	-0.01	6.36	3	Horizontal	8	1.50	47.63	33.18	8.26	35.08
AV	5.519G	97.26	Inf	-Inf	6.51	3	Horizontal	8	1.50	90.75	33.24	8.36	35.09
PK	5.308G	61.04	68.20	-7.16	6.19	3	Horizontal	8	1.50	54.85	33.08	8.17	35.06
PK	5.449G	63.81	74.00	-10.19	6.39	3	Horizontal	8	1.50	57.42	33.20	8.27	35.08
PK	5.465G	63.20	68.20	-5.00	6.41	3	Horizontal	8	1.50	56.79	33.20	8.29	35.08
PK	5.516G	106.88	Inf	-Inf	6.50	3	Horizontal	8	1.50	100.38	33.23	8.36	35.09
PK	5.777G	62.51	68.20	-5.69	7.68	3	Horizontal	8	1.50	54.83	34.16	8.64	35.12


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**

Appendix E.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3528G	53.98	54.00	-0.02	3	Vertical	358	1.50
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.1376G	53.64	54.00	-0.36	3	Horizontal	358	1.73
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.1472G	53.83	54.00	-0.17	3	Horizontal	358	1.84
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.147G	53.62	54.00	-0.38	3	Horizontal	360	1.92
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3508G	53.76	54.00	-0.24	3	Vertical	357	1.50
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.38G	53.85	54.00	-0.15	3	Horizontal	358	1.92
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.3524G	53.74	54.00	-0.26	3	Horizontal	357	1.89
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.367G	53.56	54.00	-0.44	3	Horizontal	357	1.90
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	5.3676G	53.82	54.00	-0.18	3	Horizontal	358	1.85
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.4598G	53.52	54.00	-0.48	3	Horizontal	348	1.29
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	5.4576G	53.77	54.00	-0.23	3	Horizontal	355	1.99
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	5.4568G	53.61	54.00	-0.39	3	Horizontal	354	1.98
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.457G	53.41	54.00	-0.59	3	Horizontal	353	1.98
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	PK	5.4656G	67.29	68.20	-0.91	3	Horizontal	354	1.99
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.655G	71.64	71.90	-0.26	3	Vertical	353	1.65
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	PK	5.6502G	68.26	68.35	-0.09	3	Vertical	341	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	PK	5.647G	68.19	68.20	-0.01	3	Horizontal	350	1.93
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	PK	5.6298G	66.70	68.20	-1.50	3	Vertical	351	1.61



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**

Appendix E.16

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1392G	53.70	54.00	-0.30	3	Vertical	357	1.81
5180MHz	Pass	AV	5.1786G	111.51	Inf	-Inf	3	Vertical	357	1.81
5180MHz	Pass	PK	5.1402G	64.88	74.00	-9.12	3	Vertical	357	1.81
5180MHz	Pass	PK	5.1786G	119.00	Inf	-Inf	3	Vertical	357	1.81
5180MHz	Pass	AV	5.1394G	53.95	54.00	-0.05	3	Horizontal	353	1.50
5180MHz	Pass	AV	5.1816G	110.87	Inf	-Inf	3	Horizontal	353	1.50
5180MHz	Pass	PK	5.1402G	64.71	74.00	-9.29	3	Horizontal	353	1.50
5180MHz	Pass	PK	5.1816G	117.91	Inf	-Inf	3	Horizontal	353	1.50
5180MHz	Pass	PK	10.35988G	53.98	68.20	-14.22	3	Vertical	35	2.23
5180MHz	Pass	PK	10.36232G	53.61	68.20	-14.59	3	Horizontal	315	1.50
5200MHz	Pass	AV	5.1328G	52.69	54.00	-1.31	3	Vertical	356	1.50
5200MHz	Pass	AV	5.1984G	111.00	Inf	-Inf	3	Vertical	356	1.50
5200MHz	Pass	PK	5.1412G	67.54	74.00	-6.46	3	Vertical	356	1.50
5200MHz	Pass	PK	5.1976G	118.60	Inf	-Inf	3	Vertical	356	1.50
5200MHz	Pass	AV	5.1416G	53.46	54.00	-0.54	3	Horizontal	352	1.82
5200MHz	Pass	AV	5.202G	111.24	Inf	-Inf	3	Horizontal	352	1.82
5200MHz	Pass	PK	5.1368G	67.27	74.00	-6.73	3	Horizontal	352	1.82
5200MHz	Pass	PK	5.2008G	118.77	Inf	-Inf	3	Horizontal	352	1.82
5200MHz	Pass	PK	10.408G	53.72	68.20	-14.48	3	Vertical	206	1.50
5200MHz	Pass	PK	10.40244G	54.11	68.20	-14.09	3	Horizontal	17	1.57
5240MHz	Pass	AV	5.1392G	52.19	54.00	-1.81	3	Vertical	358	1.50
5240MHz	Pass	AV	5.2388G	111.98	Inf	-Inf	3	Vertical	358	1.50
5240MHz	Pass	AV	5.3528G	53.98	54.00	-0.02	3	Vertical	358	1.50
5240MHz	Pass	PK	5.1464G	65.96	74.00	-8.04	3	Vertical	358	1.50
5240MHz	Pass	PK	5.2388G	119.86	Inf	-Inf	3	Vertical	358	1.50
5240MHz	Pass	PK	5.3576G	67.21	74.00	-6.79	3	Vertical	358	1.50
5240MHz	Pass	AV	5.1308G	52.73	54.00	-1.27	3	Horizontal	355	1.32
5240MHz	Pass	AV	5.2424G	112.12	Inf	-Inf	3	Horizontal	355	1.32
5240MHz	Pass	AV	5.354G	52.63	54.00	-1.37	3	Horizontal	355	1.32
5240MHz	Pass	PK	5.1488G	67.02	74.00	-6.98	3	Horizontal	355	1.32
5240MHz	Pass	PK	5.2424G	119.48	Inf	-Inf	3	Horizontal	355	1.32
5240MHz	Pass	PK	5.35G	69.23	74.00	-4.77	3	Horizontal	355	1.32
5240MHz	Pass	PK	10.47428G	54.17	68.20	-14.03	3	Vertical	349	1.69
5240MHz	Pass	PK	10.48308G	53.90	68.20	-14.30	3	Horizontal	16	1.43
5260MHz	Pass	AV	5.1472G	52.01	54.00	-1.99	3	Vertical	357	1.86
5260MHz	Pass	AV	5.2588G	112.86	Inf	-Inf	3	Vertical	357	1.86
5260MHz	Pass	AV	5.3698G	53.68	54.00	-0.32	3	Vertical	357	1.86
5260MHz	Pass	PK	5.15G	65.83	74.00	-8.17	3	Vertical	357	1.86
5260MHz	Pass	PK	5.2588G	120.51	Inf	-Inf	3	Vertical	357	1.86
5260MHz	Pass	PK	5.3734G	68.10	74.00	-5.90	3	Vertical	357	1.86
5260MHz	Pass	AV	5.1448G	52.33	54.00	-1.67	3	Horizontal	354	1.50
5260MHz	Pass	AV	5.2618G	111.70	Inf	-Inf	3	Horizontal	354	1.50
5260MHz	Pass	AV	5.362G	53.37	54.00	-0.63	3	Horizontal	354	1.50
5260MHz	Pass	PK	5.15G	66.92	74.00	-7.08	3	Horizontal	354	1.50
5260MHz	Pass	PK	5.2618G	118.98	Inf	-Inf	3	Horizontal	354	1.50
5260MHz	Pass	PK	5.3752G	68.25	74.00	-5.75	3	Horizontal	354	1.50
5260MHz	Pass	PK	10.51368G	54.84	68.20	-13.36	3	Vertical	15	2.31
5260MHz	Pass	PK	10.51628G	55.84	68.20	-12.36	3	Horizontal	339	2.02
5300MHz	Pass	AV	5.2992G	109.59	Inf	-Inf	3	Vertical	358	1.50
5300MHz	Pass	AV	5.3544G	52.85	54.00	-1.15	3	Vertical	358	1.50
5300MHz	Pass	PK	5.2984G	117.54	Inf	-Inf	3	Vertical	358	1.50
5300MHz	Pass	PK	5.3572G	67.52	74.00	-6.48	3	Vertical	358	1.50
5300MHz	Pass	AV	5.3016G	110.47	Inf	-Inf	3	Horizontal	352	1.50
5300MHz	Pass	AV	5.3508G	52.47	54.00	-1.53	3	Horizontal	352	1.50
5300MHz	Pass	PK	5.3008G	117.65	Inf	-Inf	3	Horizontal	352	1.50
5300MHz	Pass	PK	5.3608G	65.18	74.00	-8.82	3	Horizontal	352	1.50
5300MHz	Pass	PK	10.61156G	53.58	74.00	-20.42	3	Vertical	29	2.48
5300MHz	Pass	PK	10.60608G	54.36	74.00	-19.64	3	Horizontal	292	1.49
5320MHz	Pass	AV	5.3186G	110.06	Inf	-Inf	3	Vertical	357	1.50
5320MHz	Pass	AV	5.3508G	53.76	54.00	-0.24	3	Vertical	357	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3188G	117.45	Inf	-Inf	3	Vertical	357	1.50
5320MHz	Pass	PK	5.3608G	66.01	74.00	-7.99	3	Vertical	357	1.50
5320MHz	Pass	AV	5.3218G	110.63	Inf	-Inf	3	Horizontal	352	1.48
5320MHz	Pass	AV	5.3604G	53.21	54.00	-0.79	3	Horizontal	352	1.48
5320MHz	Pass	PK	5.3218G	117.78	Inf	-Inf	3	Horizontal	352	1.48
5320MHz	Pass	PK	5.3606G	65.62	74.00	-8.38	3	Horizontal	352	1.48
5320MHz	Pass	AV	10.64368G	44.27	54.00	-9.73	3	Vertical	96	1.50
5320MHz	Pass	PK	10.63488G	53.33	74.00	-20.67	3	Vertical	96	1.50
5320MHz	Pass	AV	10.64468G	44.31	54.00	-9.69	3	Horizontal	117	2.13
5320MHz	Pass	PK	10.6396G	53.93	74.00	-20.07	3	Horizontal	117	2.13
5500MHz	Pass	AV	5.4596G	53.20	54.00	-0.80	3	Vertical	358	1.50
5500MHz	Pass	AV	5.5012G	110.49	Inf	-Inf	3	Vertical	358	1.50
5500MHz	Pass	PK	5.46G	66.02	74.00	-7.98	3	Vertical	358	1.50
5500MHz	Pass	PK	5.4602G	63.70	68.20	-4.50	3	Vertical	358	1.50
5500MHz	Pass	PK	5.5006G	117.65	Inf	-Inf	3	Vertical	358	1.50
5500MHz	Pass	AV	5.4598G	53.52	54.00	-0.48	3	Horizontal	348	1.29
5500MHz	Pass	AV	5.5012G	110.48	Inf	-Inf	3	Horizontal	348	1.29
5500MHz	Pass	PK	5.4594G	65.01	74.00	-8.99	3	Horizontal	348	1.29
5500MHz	Pass	PK	5.4604G	63.25	68.20	-4.95	3	Horizontal	348	1.29
5500MHz	Pass	PK	5.5006G	117.82	Inf	-Inf	3	Horizontal	348	1.29
5500MHz	Pass	AV	10.99928G	42.83	54.00	-11.17	3	Vertical	149	2.88
5500MHz	Pass	PK	11.0004G	53.18	74.00	-20.82	3	Vertical	149	2.88
5500MHz	Pass	AV	10.99978G	42.85	54.00	-11.15	3	Horizontal	286	1.65
5500MHz	Pass	PK	11.00044G	53.27	74.00	-20.73	3	Horizontal	286	1.65
5580MHz	Pass	AV	5.4558G	52.29	54.00	-1.71	3	Vertical	356	1.50
5580MHz	Pass	AV	5.5812G	112.69	Inf	-Inf	3	Vertical	356	1.50
5580MHz	Pass	PK	5.454G	64.94	74.00	-9.06	3	Vertical	356	1.50
5580MHz	Pass	PK	5.4696G	66.07	68.20	-2.13	3	Vertical	356	1.50
5580MHz	Pass	PK	5.5812G	120.07	Inf	-Inf	3	Vertical	356	1.50
5580MHz	Pass	PK	5.7264G	61.45	68.20	-6.75	3	Vertical	356	1.50
5580MHz	Pass	AV	5.4456G	52.25	54.00	-1.75	3	Horizontal	347	1.33
5580MHz	Pass	AV	5.5812G	112.23	Inf	-Inf	3	Horizontal	347	1.33
5580MHz	Pass	PK	5.4504G	64.63	74.00	-9.37	3	Horizontal	347	1.33
5580MHz	Pass	PK	5.4612G	65.07	68.20	-3.13	3	Horizontal	347	1.33
5580MHz	Pass	PK	5.5812G	119.34	Inf	-Inf	3	Horizontal	347	1.33
5580MHz	Pass	PK	5.7258G	61.85	68.20	-6.35	3	Horizontal	347	1.33
5580MHz	Pass	AV	11.15994G	43.23	54.00	-10.77	3	Vertical	245	1.74
5580MHz	Pass	PK	11.1607G	52.90	74.00	-21.10	3	Vertical	245	1.74
5580MHz	Pass	AV	11.15924G	43.02	54.00	-10.98	3	Horizontal	224	2.66
5580MHz	Pass	PK	11.15993G	53.07	74.00	-20.93	3	Horizontal	224	2.66
5700MHz	Pass	AV	5.6988G	108.63	Inf	-Inf	3	Vertical	350	1.63
5700MHz	Pass	PK	5.6988G	116.59	Inf	-Inf	3	Vertical	350	1.63
5700MHz	Pass	PK	5.726G	64.33	68.20	-3.87	3	Vertical	350	1.63
5700MHz	Pass	AV	5.6972G	110.29	Inf	-Inf	3	Horizontal	353	2.51
5700MHz	Pass	PK	5.6972G	118.26	Inf	-Inf	3	Horizontal	353	2.51
5700MHz	Pass	PK	5.7352G	66.49	68.20	-1.71	3	Horizontal	353	2.51
5700MHz	Pass	AV	11.39912G	44.69	54.00	-9.31	3	Vertical	346	2.04
5700MHz	Pass	PK	11.39942G	55.20	74.00	-18.80	3	Vertical	346	2.04
5700MHz	Pass	AV	11.4009G	44.65	54.00	-9.35	3	Horizontal	77	2.98
5700MHz	Pass	PK	11.4006G	54.61	74.00	-19.39	3	Horizontal	77	2.98
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	52.53	54.00	-1.47	3	Vertical	350	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	114.14	Inf	-Inf	3	Vertical	350	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4308G	64.25	74.00	-9.75	3	Vertical	350	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	63.09	68.20	-5.11	3	Vertical	350	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	121.53	Inf	-Inf	3	Vertical	350	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	66.13	68.20	-2.07	3	Vertical	350	1.77
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	52.19	54.00	-1.81	3	Horizontal	345	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	114.31	Inf	-Inf	3	Horizontal	345	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.432G	62.90	74.00	-11.10	3	Horizontal	345	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	64.77	68.20	-3.43	3	Horizontal	345	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	121.25	Inf	-Inf	3	Horizontal	345	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.02	68.20	-2.18	3	Horizontal	345	1.01

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44051G	44.53	54.00	-9.47	3	Vertical	300	1.31
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43938G	54.57	74.00	-19.43	3	Vertical	300	1.31
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.439G	44.30	54.00	-9.70	3	Horizontal	244	2.05
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43955G	54.55	74.00	-19.45	3	Horizontal	244	2.05
5745MHz	Pass	AV	5.4498G	51.75	54.00	-2.25	3	Vertical	353	1.65
5745MHz	Pass	AV	5.7462G	116.51	Inf	-Inf	3	Vertical	353	1.65
5745MHz	Pass	PK	5.655G	71.64	71.90	-0.26	3	Vertical	353	1.65
5745MHz	Pass	PK	5.7462G	123.88	Inf	-Inf	3	Vertical	353	1.65
5745MHz	Pass	PK	5.9994G	63.10	68.20	-5.10	3	Vertical	353	1.65
5745MHz	Pass	AV	5.4462G	51.50	54.00	-2.50	3	Horizontal	344	1.07
5745MHz	Pass	AV	5.7462G	115.61	Inf	-Inf	3	Horizontal	344	1.07
5745MHz	Pass	PK	5.6478G	66.68	68.20	-1.52	3	Horizontal	344	1.07
5745MHz	Pass	PK	5.7462G	122.95	Inf	-Inf	3	Horizontal	344	1.07
5745MHz	Pass	PK	6.0282G	62.60	68.20	-5.60	3	Horizontal	344	1.07
5745MHz	Pass	AV	11.48028G	46.32	54.00	-7.68	3	Vertical	35	1.33
5745MHz	Pass	PK	11.494G	56.39	74.00	-17.61	3	Vertical	35	1.33
5745MHz	Pass	AV	11.4962G	46.35	54.00	-7.65	3	Horizontal	31	2.68
5745MHz	Pass	PK	11.4808G	55.92	74.00	-18.08	3	Horizontal	31	2.68
5785MHz	Pass	AV	5.78371G	112.81	Inf	-Inf	3	Vertical	350	1.50
5785MHz	Pass	PK	5.62762G	65.19	68.20	-3.01	3	Vertical	350	1.50
5785MHz	Pass	PK	5.78371G	119.38	Inf	-Inf	3	Vertical	350	1.50
5785MHz	Pass	PK	5.9761G	62.55	68.20	-5.65	3	Vertical	350	1.50
5785MHz	Pass	AV	5.78613G	112.40	Inf	-Inf	3	Horizontal	344	1.39
5785MHz	Pass	PK	5.63609G	66.96	68.20	-1.24	3	Horizontal	344	1.39
5785MHz	Pass	PK	5.78613G	119.56	Inf	-Inf	3	Horizontal	344	1.39
5785MHz	Pass	PK	5.92528G	62.82	68.20	-5.38	3	Horizontal	344	1.39
5785MHz	Pass	AV	11.56516G	45.40	54.00	-8.60	3	Vertical	344	1.28
5785MHz	Pass	PK	11.5606G	55.09	74.00	-18.91	3	Vertical	344	1.28
5785MHz	Pass	AV	11.5686G	45.42	54.00	-8.58	3	Horizontal	345	1.29
5785MHz	Pass	PK	11.56688G	55.58	74.00	-18.42	3	Horizontal	345	1.29
5825MHz	Pass	AV	5.8262G	113.39	Inf	-Inf	3	Vertical	352	1.71
5825MHz	Pass	PK	5.6342G	67.57	68.20	-0.63	3	Vertical	352	1.71
5825MHz	Pass	PK	5.8262G	120.50	Inf	-Inf	3	Vertical	352	1.71
5825MHz	Pass	PK	6.0794G	62.55	68.20	-5.65	3	Vertical	352	1.71
5825MHz	Pass	AV	5.8262G	112.80	Inf	-Inf	3	Horizontal	344	1.49
5825MHz	Pass	PK	5.6414G	66.95	68.20	-1.25	3	Horizontal	344	1.49
5825MHz	Pass	PK	5.8274G	119.75	Inf	-Inf	3	Horizontal	344	1.49
5825MHz	Pass	PK	6.1178G	63.32	68.20	-4.88	3	Horizontal	344	1.49
5825MHz	Pass	AV	11.64868G	46.16	54.00	-7.84	3	Vertical	34	1.77
5825MHz	Pass	PK	11.64672G	55.26	74.00	-18.74	3	Vertical	34	1.77
5825MHz	Pass	AV	11.65096G	45.33	54.00	-8.67	3	Horizontal	326	2.04
5825MHz	Pass	PK	11.65368G	56.28	74.00	-17.72	3	Horizontal	326	2.04
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1374G	53.36	54.00	-0.64	3	Vertical	348	1.50
5180MHz	Pass	AV	5.1774G	109.67	Inf	-Inf	3	Vertical	348	1.50
5180MHz	Pass	PK	5.1376G	64.34	74.00	-9.66	3	Vertical	348	1.50
5180MHz	Pass	PK	5.1876G	120.46	Inf	-Inf	3	Vertical	348	1.50
5180MHz	Pass	AV	5.1376G	53.64	54.00	-0.36	3	Horizontal	358	1.73
5180MHz	Pass	AV	5.1824G	111.44	Inf	-Inf	3	Horizontal	358	1.73
5180MHz	Pass	PK	5.1372G	65.03	74.00	-8.97	3	Horizontal	358	1.73
5180MHz	Pass	PK	5.1822G	121.47	Inf	-Inf	3	Horizontal	358	1.73
5180MHz	Pass	PK	10.3508G	54.21	68.20	-13.99	3	Vertical	116	1.50
5180MHz	Pass	PK	10.36144G	53.82	68.20	-14.38	3	Horizontal	314	1.50
5200MHz	Pass	AV	5.1476G	51.69	54.00	-2.31	3	Vertical	349	1.49
5200MHz	Pass	AV	5.1976G	109.27	Inf	-Inf	3	Vertical	349	1.49
5200MHz	Pass	PK	5.1292G	67.98	74.00	-6.02	3	Vertical	349	1.49
5200MHz	Pass	PK	5.2024G	120.04	Inf	-Inf	3	Vertical	349	1.49
5200MHz	Pass	AV	5.1488G	52.11	54.00	-1.89	3	Horizontal	359	1.82
5200MHz	Pass	AV	5.2072G	110.55	Inf	-Inf	3	Horizontal	359	1.82
5200MHz	Pass	PK	5.134G	69.15	74.00	-4.85	3	Horizontal	359	1.82
5200MHz	Pass	PK	5.1972G	121.13	Inf	-Inf	3	Horizontal	359	1.82
5200MHz	Pass	PK	10.40512G	53.96	68.20	-14.24	3	Vertical	277	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	10.39464G	54.63	68.20	-13.57	3	Horizontal	21	1.44
5240MHz	Pass	AV	5.1494G	53.11	54.00	-0.89	3	Vertical	348	1.50
5240MHz	Pass	AV	5.2376G	111.23	Inf	-Inf	3	Vertical	348	1.50
5240MHz	Pass	AV	5.3516G	53.08	54.00	-0.92	3	Vertical	348	1.50
5240MHz	Pass	PK	5.1434G	69.98	74.00	-4.02	3	Vertical	348	1.50
5240MHz	Pass	PK	5.2424G	121.51	Inf	-Inf	3	Vertical	348	1.50
5240MHz	Pass	PK	5.3522G	69.18	74.00	-4.82	3	Vertical	348	1.50
5240MHz	Pass	AV	5.1452G	53.21	54.00	-0.79	3	Horizontal	358	1.86
5240MHz	Pass	AV	5.2424G	113.29	Inf	-Inf	3	Horizontal	358	1.86
5240MHz	Pass	AV	5.3516G	53.10	54.00	-0.90	3	Horizontal	358	1.86
5240MHz	Pass	PK	5.1488G	72.07	74.00	-1.93	3	Horizontal	358	1.86
5240MHz	Pass	PK	5.2376G	122.86	Inf	-Inf	3	Horizontal	358	1.86
5240MHz	Pass	PK	5.3504G	71.31	74.00	-2.69	3	Horizontal	358	1.86
5240MHz	Pass	PK	10.47636G	53.90	68.20	-14.30	3	Vertical	316	1.09
5240MHz	Pass	PK	10.47156G	54.61	68.20	-13.59	3	Horizontal	17	1.57
5260MHz	Pass	AV	5.14G	51.47	54.00	-2.53	3	Vertical	358	1.81
5260MHz	Pass	AV	5.2648G	111.69	Inf	-Inf	3	Vertical	358	1.81
5260MHz	Pass	AV	5.3578G	53.72	54.00	-0.28	3	Vertical	358	1.81
5260MHz	Pass	PK	5.1376G	68.50	74.00	-5.50	3	Vertical	358	1.81
5260MHz	Pass	PK	5.2648G	123.07	Inf	-Inf	3	Vertical	358	1.81
5260MHz	Pass	PK	5.3518G	71.35	74.00	-2.65	3	Vertical	358	1.81
5260MHz	Pass	AV	5.143G	52.41	54.00	-1.59	3	Horizontal	358	1.92
5260MHz	Pass	AV	5.2678G	112.57	Inf	-Inf	3	Horizontal	358	1.92
5260MHz	Pass	AV	5.38G	53.85	54.00	-0.15	3	Horizontal	358	1.92
5260MHz	Pass	PK	5.1322G	68.90	74.00	-5.10	3	Horizontal	358	1.92
5260MHz	Pass	PK	5.2528G	123.22	Inf	-Inf	3	Horizontal	358	1.92
5260MHz	Pass	PK	5.3554G	71.96	74.00	-2.04	3	Horizontal	358	1.92
5260MHz	Pass	PK	10.51967G	54.77	68.20	-13.43	3	Vertical	96	2.85
5260MHz	Pass	PK	10.51956G	53.71	68.20	-14.49	3	Horizontal	354	2.77
5300MHz	Pass	AV	5.3024G	108.77	Inf	-Inf	3	Vertical	346	1.49
5300MHz	Pass	AV	5.3528G	52.32	54.00	-1.68	3	Vertical	346	1.49
5300MHz	Pass	PK	5.3076G	119.29	Inf	-Inf	3	Vertical	346	1.49
5300MHz	Pass	PK	5.354G	67.25	74.00	-6.75	3	Vertical	346	1.49
5300MHz	Pass	AV	5.3076G	109.93	Inf	-Inf	3	Horizontal	357	1.92
5300MHz	Pass	AV	5.352G	52.36	54.00	-1.64	3	Horizontal	357	1.92
5300MHz	Pass	PK	5.3024G	120.31	Inf	-Inf	3	Horizontal	357	1.92
5300MHz	Pass	PK	5.3528G	67.11	74.00	-6.89	3	Horizontal	357	1.92
5300MHz	Pass	PK	10.60072G	52.92	74.00	-21.08	3	Vertical	320	1.60
5300MHz	Pass	PK	10.60055G	53.66	74.00	-20.34	3	Horizontal	196	2.29
5320MHz	Pass	AV	5.3226G	109.26	Inf	-Inf	3	Vertical	347	1.50
5320MHz	Pass	AV	5.3622G	53.47	54.00	-0.53	3	Vertical	347	1.50
5320MHz	Pass	PK	5.3224G	118.98	Inf	-Inf	3	Vertical	347	1.50
5320MHz	Pass	PK	5.3624G	64.97	74.00	-9.03	3	Vertical	347	1.50
5320MHz	Pass	AV	5.3274G	110.25	Inf	-Inf	3	Horizontal	357	1.85
5320MHz	Pass	AV	5.3626G	53.69	54.00	-0.31	3	Horizontal	357	1.85
5320MHz	Pass	PK	5.3174G	120.95	Inf	-Inf	3	Horizontal	357	1.85
5320MHz	Pass	PK	5.3632G	65.32	74.00	-8.68	3	Horizontal	357	1.85
5320MHz	Pass	AV	10.64077G	42.82	54.00	-11.18	3	Vertical	282	1.06
5320MHz	Pass	PK	10.6391G	54.37	74.00	-19.63	3	Vertical	282	1.06
5320MHz	Pass	AV	10.63903G	42.84	54.00	-11.16	3	Horizontal	325	1.51
5320MHz	Pass	PK	10.64023G	53.28	74.00	-20.72	3	Horizontal	325	1.51
5500MHz	Pass	AV	5.4596G	53.60	54.00	-0.40	3	Vertical	356	1.50
5500MHz	Pass	AV	5.505G	108.90	Inf	-Inf	3	Vertical	356	1.50
5500MHz	Pass	PK	5.4596G	64.86	74.00	-9.14	3	Vertical	356	1.50
5500MHz	Pass	PK	5.4602G	64.75	68.20	-3.45	3	Vertical	356	1.50
5500MHz	Pass	PK	5.5054G	119.18	Inf	-Inf	3	Vertical	356	1.50
5500MHz	Pass	AV	5.4576G	53.77	54.00	-0.23	3	Horizontal	355	1.99
5500MHz	Pass	AV	5.5024G	109.83	Inf	-Inf	3	Horizontal	355	1.99
5500MHz	Pass	PK	5.4574G	64.73	74.00	-9.27	3	Horizontal	355	1.99
5500MHz	Pass	PK	5.4664G	62.80	68.20	-5.40	3	Horizontal	355	1.99
5500MHz	Pass	PK	5.5026G	120.13	Inf	-Inf	3	Horizontal	355	1.99
5500MHz	Pass	AV	10.99981G	42.24	54.00	-11.76	3	Vertical	68	1.43



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	11.00043G	53.47	74.00	-20.53	3	Vertical	68	1.43
5500MHz	Pass	AV	10.99931G	42.42	54.00	-11.58	3	Horizontal	188	2.03
5500MHz	Pass	PK	10.99972G	52.98	74.00	-21.02	3	Horizontal	188	2.03
5580MHz	Pass	AV	5.451G	51.79	54.00	-2.21	3	Vertical	354	1.63
5580MHz	Pass	AV	5.5848G	111.60	Inf	-Inf	3	Vertical	354	1.63
5580MHz	Pass	PK	5.4528G	66.09	74.00	-7.91	3	Vertical	354	1.63
5580MHz	Pass	PK	5.4672G	67.82	68.20	-0.38	3	Vertical	354	1.63
5580MHz	Pass	PK	5.5752G	121.12	Inf	-Inf	3	Vertical	354	1.63
5580MHz	Pass	PK	5.7252G	62.11	68.20	-6.09	3	Vertical	354	1.63
5580MHz	Pass	AV	5.4534G	51.60	54.00	-2.40	3	Horizontal	352	2.04
5580MHz	Pass	AV	5.5722G	112.52	Inf	-Inf	3	Horizontal	352	2.04
5580MHz	Pass	PK	5.4588G	66.20	74.00	-7.80	3	Horizontal	352	2.04
5580MHz	Pass	PK	5.4678G	67.39	68.20	-0.81	3	Horizontal	352	2.04
5580MHz	Pass	PK	5.5778G	122.56	Inf	-Inf	3	Horizontal	352	2.04
5580MHz	Pass	PK	5.7258G	61.23	68.20	-6.97	3	Horizontal	352	2.04
5580MHz	Pass	AV	11.16068G	42.61	54.00	-11.39	3	Vertical	170	2.68
5580MHz	Pass	PK	11.16045G	53.06	74.00	-20.94	3	Vertical	170	2.68
5580MHz	Pass	AV	11.16095G	42.38	54.00	-11.62	3	Horizontal	298	2.78
5580MHz	Pass	PK	11.16004G	53.79	74.00	-20.21	3	Horizontal	298	2.78
5700MHz	Pass	AV	5.7052G	104.45	Inf	-Inf	3	Vertical	352	1.56
5700MHz	Pass	PK	5.6948G	115.45	Inf	-Inf	3	Vertical	352	1.56
5700MHz	Pass	PK	5.7252G	66.66	68.20	-1.54	3	Vertical	352	1.56
5700MHz	Pass	AV	5.6924G	104.86	Inf	-Inf	3	Horizontal	352	1.87
5700MHz	Pass	PK	5.6976G	114.61	Inf	-Inf	3	Horizontal	352	1.87
5700MHz	Pass	PK	5.738G	64.91	68.20	-3.29	3	Horizontal	352	1.87
5700MHz	Pass	AV	11.39944G	43.89	54.00	-10.11	3	Vertical	325	2.33
5700MHz	Pass	PK	11.39967G	55.69	74.00	-18.31	3	Vertical	325	2.33
5700MHz	Pass	AV	11.40071G	43.97	54.00	-10.03	3	Horizontal	134	1.18
5700MHz	Pass	PK	11.40081G	54.48	74.00	-19.52	3	Horizontal	134	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4404G	51.03	54.00	-2.97	3	Vertical	352	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	112.29	Inf	-Inf	3	Vertical	352	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	63.58	74.00	-10.42	3	Vertical	352	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	65.07	68.20	-3.13	3	Vertical	352	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	122.39	Inf	-Inf	3	Vertical	352	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	67.31	68.20	-0.89	3	Vertical	352	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	51.04	54.00	-2.96	3	Horizontal	350	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	112.54	Inf	-Inf	3	Horizontal	350	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4332G	62.66	74.00	-11.34	3	Horizontal	350	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	64.64	68.20	-3.56	3	Horizontal	350	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	121.16	Inf	-Inf	3	Horizontal	350	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	66.43	68.20	-1.77	3	Horizontal	350	1.97
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43909G	43.89	54.00	-10.11	3	Vertical	268	2.19
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43972G	54.41	74.00	-19.59	3	Vertical	268	2.19
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43934G	43.95	54.00	-10.05	3	Horizontal	212	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44008G	54.58	74.00	-19.42	3	Horizontal	212	2.66
5745MHz	Pass	AV	5.457G	50.84	54.00	-3.16	3	Vertical	341	1.50
5745MHz	Pass	AV	5.7426G	112.93	Inf	-Inf	3	Vertical	341	1.50
5745MHz	Pass	PK	5.6502G	68.26	68.35	-0.09	3	Vertical	341	1.50
5745MHz	Pass	PK	5.7426G	121.93	Inf	-Inf	3	Vertical	341	1.50
5745MHz	Pass	PK	6.027G	62.79	68.20	-5.41	3	Vertical	341	1.50
5745MHz	Pass	AV	5.4522G	50.93	54.00	-3.07	3	Horizontal	351	1.79
5745MHz	Pass	AV	5.7474G	112.99	Inf	-Inf	3	Horizontal	351	1.79
5745MHz	Pass	PK	5.6514G	67.58	69.24	-1.66	3	Horizontal	351	1.79
5745MHz	Pass	PK	5.7426G	123.11	Inf	-Inf	3	Horizontal	351	1.79
5745MHz	Pass	PK	6.0438G	63.47	68.20	-4.73	3	Horizontal	351	1.79
5745MHz	Pass	AV	11.49312G	45.24	54.00	-8.76	3	Vertical	25	1.32
5745MHz	Pass	PK	11.49464G	55.58	74.00	-18.42	3	Vertical	25	1.32
5745MHz	Pass	AV	11.48716G	44.82	54.00	-9.18	3	Horizontal	301	1.50
5745MHz	Pass	PK	11.49184G	55.48	74.00	-18.52	3	Horizontal	301	1.50
5785MHz	Pass	AV	5.78008G	110.88	Inf	-Inf	3	Vertical	352	1.50
5785MHz	Pass	PK	5.64456G	66.40	68.20	-1.80	3	Vertical	352	1.50
5785MHz	Pass	PK	5.78008G	120.36	Inf	-Inf	3	Vertical	352	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.96279G	63.29	68.20	-4.91	3	Vertical	352	1.50
5785MHz	Pass	AV	5.7825G	111.58	Inf	-Inf	3	Horizontal	349	2.03
5785MHz	Pass	PK	5.64456G	66.84	68.20	-1.36	3	Horizontal	349	2.03
5785MHz	Pass	PK	5.7825G	122.19	Inf	-Inf	3	Horizontal	349	2.03
5785MHz	Pass	PK	6.00393G	63.13	68.20	-5.07	3	Horizontal	349	2.03
5785MHz	Pass	AV	11.56552G	44.21	54.00	-9.79	3	Vertical	290	1.50
5785MHz	Pass	PK	11.57088G	55.22	74.00	-18.78	3	Vertical	290	1.50
5785MHz	Pass	AV	11.56284G	44.09	54.00	-9.91	3	Horizontal	326	1.55
5785MHz	Pass	PK	11.56296G	55.19	74.00	-18.81	3	Horizontal	326	1.55
5825MHz	Pass	AV	5.8178G	110.98	Inf	-Inf	3	Vertical	340	1.50
5825MHz	Pass	PK	5.6438G	67.01	68.20	-1.19	3	Vertical	340	1.50
5825MHz	Pass	PK	5.8178G	120.72	Inf	-Inf	3	Vertical	340	1.50
5825MHz	Pass	PK	5.9366G	63.50	68.20	-4.70	3	Vertical	340	1.50
5825MHz	Pass	AV	5.8178G	111.14	Inf	-Inf	3	Horizontal	350	1.77
5825MHz	Pass	PK	5.6438G	66.35	68.20	-1.85	3	Horizontal	350	1.77
5825MHz	Pass	PK	5.8226G	121.57	Inf	-Inf	3	Horizontal	350	1.77
5825MHz	Pass	PK	6.0746G	63.15	68.20	-5.05	3	Horizontal	350	1.77
5825MHz	Pass	AV	11.64464G	44.08	54.00	-9.92	3	Vertical	34	1.65
5825MHz	Pass	PK	11.64992G	54.89	74.00	-19.11	3	Vertical	34	1.65
5825MHz	Pass	AV	11.65484G	44.21	54.00	-9.79	3	Horizontal	326	1.90
5825MHz	Pass	PK	11.65144G	55.15	74.00	-18.85	3	Horizontal	326	1.90
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1476G	53.16	54.00	-0.84	3	Vertical	350	1.50
5190MHz	Pass	AV	5.1876G	104.16	Inf	-Inf	3	Vertical	350	1.50
5190MHz	Pass	PK	5.1472G	63.03	74.00	-10.97	3	Vertical	350	1.50
5190MHz	Pass	PK	5.1824G	115.08	Inf	-Inf	3	Vertical	350	1.50
5190MHz	Pass	AV	5.1472G	53.83	54.00	-0.17	3	Horizontal	358	1.84
5190MHz	Pass	AV	5.1924G	105.79	Inf	-Inf	3	Horizontal	358	1.84
5190MHz	Pass	PK	5.1476G	63.24	74.00	-10.76	3	Horizontal	358	1.84
5190MHz	Pass	PK	5.1824G	117.23	Inf	-Inf	3	Horizontal	358	1.84
5190MHz	Pass	PK	10.3648G	54.36	68.20	-13.84	3	Vertical	288	1.68
5190MHz	Pass	PK	10.37792G	53.96	68.20	-14.24	3	Horizontal	3	1.50
5230MHz	Pass	AV	5.1496G	53.65	54.00	-0.35	3	Vertical	0	1.50
5230MHz	Pass	AV	5.2352G	106.66	Inf	-Inf	3	Vertical	0	1.50
5230MHz	Pass	PK	5.1476G	70.91	74.00	-3.09	3	Vertical	0	1.50
5230MHz	Pass	PK	5.2248G	117.46	Inf	-Inf	3	Vertical	0	1.50
5230MHz	Pass	AV	5.1496G	53.38	54.00	-0.62	3	Horizontal	357	1.92
5230MHz	Pass	AV	5.2372G	108.51	Inf	-Inf	3	Horizontal	357	1.92
5230MHz	Pass	PK	5.1496G	70.29	74.00	-3.71	3	Horizontal	357	1.92
5230MHz	Pass	PK	5.2376G	119.70	Inf	-Inf	3	Horizontal	357	1.92
5230MHz	Pass	PK	10.45352G	53.35	68.20	-14.85	3	Vertical	338	1.51
5230MHz	Pass	PK	10.45488G	53.98	68.20	-14.22	3	Horizontal	21	1.50
5270MHz	Pass	AV	5.2624G	105.60	Inf	-Inf	3	Vertical	349	1.50
5270MHz	Pass	AV	5.35G	53.43	54.00	-0.57	3	Vertical	349	1.50
5270MHz	Pass	PK	5.2628G	116.65	Inf	-Inf	3	Vertical	349	1.50
5270MHz	Pass	PK	5.35G	66.59	74.00	-7.41	3	Vertical	349	1.50
5270MHz	Pass	AV	5.2624G	107.30	Inf	-Inf	3	Horizontal	358	1.89
5270MHz	Pass	AV	5.35G	53.63	54.00	-0.37	3	Horizontal	358	1.89
5270MHz	Pass	PK	5.2776G	118.08	Inf	-Inf	3	Horizontal	358	1.89
5270MHz	Pass	PK	5.3528G	69.12	74.00	-4.88	3	Horizontal	358	1.89
5270MHz	Pass	PK	10.53929G	54.00	68.20	-14.20	3	Vertical	308	2.57
5270MHz	Pass	PK	10.54078G	53.47	68.20	-14.73	3	Horizontal	111	2.51
5310MHz	Pass	AV	5.3224G	105.91	Inf	-Inf	3	Vertical	345	1.50
5310MHz	Pass	AV	5.3532G	52.53	54.00	-1.47	3	Vertical	345	1.50
5310MHz	Pass	PK	5.3176G	117.04	Inf	-Inf	3	Vertical	345	1.50
5310MHz	Pass	PK	5.352G	64.23	74.00	-9.77	3	Vertical	345	1.50
5310MHz	Pass	AV	5.3076G	107.46	Inf	-Inf	3	Horizontal	357	1.89
5310MHz	Pass	AV	5.3524G	53.74	54.00	-0.26	3	Horizontal	357	1.89
5310MHz	Pass	PK	5.3072G	117.83	Inf	-Inf	3	Horizontal	357	1.89
5310MHz	Pass	PK	5.3524G	64.91	74.00	-9.09	3	Horizontal	357	1.89
5310MHz	Pass	AV	10.62096G	42.98	54.00	-11.02	3	Vertical	132	2.52
5310MHz	Pass	PK	10.61943G	53.36	74.00	-20.64	3	Vertical	132	2.52



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.61936G	42.89	54.00	-11.11	3	Horizontal	305	1.68
5310MHz	Pass	PK	10.61975G	54.20	74.00	-19.80	3	Horizontal	305	1.68
5510MHz	Pass	AV	5.46G	53.50	54.00	-0.50	3	Vertical	355	1.66
5510MHz	Pass	AV	5.5052G	106.92	Inf	-Inf	3	Vertical	355	1.66
5510MHz	Pass	PK	5.46G	62.54	74.00	-11.46	3	Vertical	355	1.66
5510MHz	Pass	PK	5.47G	66.70	68.20	-1.50	3	Vertical	355	1.66
5510MHz	Pass	PK	5.5152G	117.24	Inf	-Inf	3	Vertical	355	1.66
5510MHz	Pass	AV	5.4568G	53.61	54.00	-0.39	3	Horizontal	354	1.98
5510MHz	Pass	AV	5.5076G	107.26	Inf	-Inf	3	Horizontal	354	1.98
5510MHz	Pass	PK	5.4572G	63.24	74.00	-10.76	3	Horizontal	354	1.98
5510MHz	Pass	PK	5.4676G	65.73	68.20	-2.47	3	Horizontal	354	1.98
5510MHz	Pass	PK	5.5076G	117.80	Inf	-Inf	3	Horizontal	354	1.98
5510MHz	Pass	AV	11.01911G	42.15	54.00	-11.85	3	Vertical	169	1.00
5510MHz	Pass	PK	11.0194G	53.58	74.00	-20.42	3	Vertical	169	1.00
5510MHz	Pass	AV	11.02083G	42.13	54.00	-11.87	3	Horizontal	171	1.93
5510MHz	Pass	PK	11.02028G	52.93	74.00	-21.07	3	Horizontal	171	1.93
5550MHz	Pass	AV	5.4516G	51.63	54.00	-2.37	3	Vertical	354	1.76
5550MHz	Pass	AV	5.5448G	106.25	Inf	-Inf	3	Vertical	354	1.76
5550MHz	Pass	PK	5.4512G	62.97	74.00	-11.03	3	Vertical	354	1.76
5550MHz	Pass	PK	5.4692G	65.74	68.20	-2.46	3	Vertical	354	1.76
5550MHz	Pass	PK	5.54G	117.16	Inf	-Inf	3	Vertical	354	1.76
5550MHz	Pass	AV	5.454G	52.04	54.00	-1.96	3	Horizontal	353	1.98
5550MHz	Pass	AV	5.5376G	106.79	Inf	-Inf	3	Horizontal	353	1.98
5550MHz	Pass	PK	5.454G	66.16	74.00	-7.84	3	Horizontal	353	1.98
5550MHz	Pass	PK	5.4676G	67.28	68.20	-0.92	3	Horizontal	353	1.98
5550MHz	Pass	PK	5.5424G	118.27	Inf	-Inf	3	Horizontal	353	1.98
5550MHz	Pass	AV	11.10025G	42.27	54.00	-11.73	3	Vertical	108	2.18
5550MHz	Pass	PK	11.10083G	53.74	74.00	-20.26	3	Vertical	108	2.18
5550MHz	Pass	AV	11.10025G	42.77	54.00	-11.23	3	Horizontal	318	2.23
5550MHz	Pass	PK	11.09904G	53.14	74.00	-20.86	3	Horizontal	318	2.23
5670MHz	Pass	AV	5.6778G	103.20	Inf	-Inf	3	Vertical	343	1.50
5670MHz	Pass	PK	5.6778G	114.84	Inf	-Inf	3	Vertical	343	1.50
5670MHz	Pass	PK	5.7282G	65.60	68.20	-2.60	3	Vertical	343	1.50
5670MHz	Pass	AV	5.6724G	104.05	Inf	-Inf	3	Horizontal	351	1.99
5670MHz	Pass	PK	5.6778G	114.75	Inf	-Inf	3	Horizontal	351	1.99
5670MHz	Pass	PK	5.7276G	66.16	68.20	-2.04	3	Horizontal	351	1.99
5670MHz	Pass	AV	11.33906G	43.43	54.00	-10.57	3	Vertical	152	2.36
5670MHz	Pass	PK	11.33938G	54.09	74.00	-19.91	3	Vertical	152	2.36
5670MHz	Pass	AV	11.33927G	43.27	54.00	-10.73	3	Horizontal	55	1.21
5670MHz	Pass	PK	11.34063G	54.00	74.00	-20.00	3	Horizontal	55	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	51.51	54.00	-2.49	3	Vertical	343	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7076G	108.37	Inf	-Inf	3	Vertical	343	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4316G	62.51	74.00	-11.49	3	Vertical	343	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	64.00	68.20	-4.20	3	Vertical	343	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7172G	118.71	Inf	-Inf	3	Vertical	343	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	66.43	68.20	-1.77	3	Vertical	343	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4304G	51.24	54.00	-2.76	3	Horizontal	351	1.86
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	108.70	Inf	-Inf	3	Horizontal	351	1.86
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4532G	63.07	74.00	-10.93	3	Horizontal	351	1.86
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	64.72	68.20	-3.48	3	Horizontal	351	1.86
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7028G	120.16	Inf	-Inf	3	Horizontal	351	1.86
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	65.12	68.20	-3.08	3	Horizontal	351	1.86
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4202G	43.52	54.00	-10.48	3	Vertical	87	1.42
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42084G	54.40	74.00	-19.60	3	Vertical	87	1.42
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42073G	43.65	54.00	-10.35	3	Horizontal	52	1.10
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41975G	54.21	74.00	-19.79	3	Horizontal	52	1.10
5755MHz	Pass	AV	5.4574G	50.54	54.00	-3.46	3	Vertical	351	1.50
5755MHz	Pass	AV	5.7502G	108.96	Inf	-Inf	3	Vertical	351	1.50
5755MHz	Pass	PK	5.6494G	67.03	68.20	-1.17	3	Vertical	351	1.50
5755MHz	Pass	PK	5.7502G	119.66	Inf	-Inf	3	Vertical	351	1.50
5755MHz	Pass	PK	5.9338G	62.81	68.20	-5.39	3	Vertical	351	1.50
5755MHz	Pass	AV	5.4598G	50.70	54.00	-3.30	3	Horizontal	350	1.93



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	5.7574G	109.01	Inf	-Inf	3	Horizontal	350	1.93
5755MHz	Pass	PK	5.647G	68.19	68.20	-0.01	3	Horizontal	350	1.93
5755MHz	Pass	PK	5.7478G	119.54	Inf	-Inf	3	Horizontal	350	1.93
5755MHz	Pass	PK	6.0442G	62.48	68.20	-5.72	3	Horizontal	350	1.93
5755MHz	Pass	AV	11.50152G	44.79	54.00	-9.21	3	Vertical	79	1.50
5755MHz	Pass	PK	11.50056G	55.17	74.00	-18.83	3	Vertical	79	1.50
5755MHz	Pass	AV	11.49504G	44.48	54.00	-9.52	3	Horizontal	254	1.50
5755MHz	Pass	PK	11.494G	55.27	74.00	-18.73	3	Horizontal	254	1.50
5795MHz	Pass	AV	5.7878G	107.17	Inf	-Inf	3	Vertical	341	1.50
5795MHz	Pass	PK	5.633G	66.39	68.20	-1.81	3	Vertical	341	1.50
5795MHz	Pass	PK	5.7878G	119.21	Inf	-Inf	3	Vertical	341	1.50
5795MHz	Pass	PK	6.0698G	62.43	68.20	-5.77	3	Vertical	341	1.50
5795MHz	Pass	AV	5.7818G	107.68	Inf	-Inf	3	Horizontal	349	2.04
5795MHz	Pass	PK	5.633G	66.92	68.20	-1.28	3	Horizontal	349	2.04
5795MHz	Pass	PK	5.777G	118.29	Inf	-Inf	3	Horizontal	349	2.04
5795MHz	Pass	PK	5.9846G	62.33	68.20	-5.87	3	Horizontal	349	2.04
5795MHz	Pass	AV	11.57232G	44.07	54.00	-9.93	3	Vertical	333	1.50
5795MHz	Pass	PK	11.59752G	54.72	74.00	-19.28	3	Vertical	333	1.50
5795MHz	Pass	AV	11.57088G	43.90	54.00	-10.10	3	Horizontal	229	1.50
5795MHz	Pass	PK	11.58928G	55.14	74.00	-18.86	3	Horizontal	229	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.145G	52.88	54.00	-1.12	3	Vertical	360	1.75
5210MHz	Pass	AV	5.22G	99.90	Inf	-Inf	3	Vertical	360	1.75
5210MHz	Pass	AV	5.433G	51.54	54.00	-2.46	3	Vertical	360	1.75
5210MHz	Pass	PK	5.14G	62.73	74.00	-11.27	3	Vertical	360	1.75
5210MHz	Pass	PK	5.18G	109.44	Inf	-Inf	3	Vertical	360	1.75
5210MHz	Pass	PK	5.46G	62.48	74.00	-11.52	3	Vertical	360	1.75
5210MHz	Pass	AV	5.147G	53.62	54.00	-0.38	3	Horizontal	360	1.92
5210MHz	Pass	AV	5.222G	101.19	Inf	-Inf	3	Horizontal	360	1.92
5210MHz	Pass	AV	5.392G	51.54	54.00	-2.46	3	Horizontal	360	1.92
5210MHz	Pass	PK	5.147G	63.48	74.00	-10.52	3	Horizontal	360	1.92
5210MHz	Pass	PK	5.218G	111.37	Inf	-Inf	3	Horizontal	360	1.92
5210MHz	Pass	PK	5.399G	62.01	74.00	-11.99	3	Horizontal	360	1.92
5210MHz	Pass	PK	10.4104G	53.85	68.20	-14.35	3	Vertical	206	1.50
5210MHz	Pass	PK	10.41728G	53.48	68.20	-14.72	3	Horizontal	150	2.76
5290MHz	Pass	AV	5.144G	50.62	54.00	-3.38	3	Vertical	347	1.50
5290MHz	Pass	AV	5.303G	101.06	Inf	-Inf	3	Vertical	347	1.50
5290MHz	Pass	AV	5.362G	52.99	54.00	-1.01	3	Vertical	347	1.50
5290MHz	Pass	PK	5.127G	60.61	74.00	-13.39	3	Vertical	347	1.50
5290MHz	Pass	PK	5.318G	112.83	Inf	-Inf	3	Vertical	347	1.50
5290MHz	Pass	PK	5.367G	63.20	74.00	-10.80	3	Vertical	347	1.50
5290MHz	Pass	PK	5.492G	62.09	68.20	-6.11	3	Vertical	347	1.50
5290MHz	Pass	AV	5.145G	50.93	54.00	-3.07	3	Horizontal	357	1.90
5290MHz	Pass	AV	5.302G	102.96	Inf	-Inf	3	Horizontal	357	1.90
5290MHz	Pass	AV	5.367G	53.56	54.00	-0.44	3	Horizontal	357	1.90
5290MHz	Pass	PK	5.066G	61.55	74.00	-12.45	3	Horizontal	357	1.90
5290MHz	Pass	PK	5.277G	112.89	Inf	-Inf	3	Horizontal	357	1.90
5290MHz	Pass	PK	5.352G	63.88	74.00	-10.12	3	Horizontal	357	1.90
5290MHz	Pass	PK	5.502G	61.85	68.20	-6.35	3	Horizontal	357	1.90
5290MHz	Pass	PK	10.58092G	53.62	68.20	-14.58	3	Vertical	272	2.65
5290MHz	Pass	PK	10.58078G	54.32	68.20	-13.88	3	Horizontal	227	1.12
5530MHz	Pass	AV	5.35G	49.72	54.00	-4.28	3	Vertical	344	1.49
5530MHz	Pass	AV	5.457G	52.94	54.00	-1.06	3	Vertical	344	1.49
5530MHz	Pass	AV	5.517G	100.11	Inf	-Inf	3	Vertical	344	1.49
5530MHz	Pass	PK	5.332G	60.78	68.20	-7.42	3	Vertical	344	1.49
5530MHz	Pass	PK	5.434G	62.13	74.00	-11.87	3	Vertical	344	1.49
5530MHz	Pass	PK	5.467G	63.50	68.20	-4.70	3	Vertical	344	1.49
5530MHz	Pass	PK	5.558G	111.18	Inf	-Inf	3	Vertical	344	1.49
5530MHz	Pass	PK	5.767G	61.84	68.20	-6.36	3	Vertical	344	1.49
5530MHz	Pass	AV	5.35G	50.00	54.00	-4.00	3	Horizontal	353	1.98
5530MHz	Pass	AV	5.457G	53.41	54.00	-0.59	3	Horizontal	353	1.98
5530MHz	Pass	AV	5.517G	101.63	Inf	-Inf	3	Horizontal	353	1.98



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.327G	61.08	68.20	-7.12	3	Horizontal	353	1.98
5530MHz	Pass	PK	5.452G	63.41	74.00	-10.59	3	Horizontal	353	1.98
5530MHz	Pass	PK	5.467G	63.25	68.20	-4.95	3	Horizontal	353	1.98
5530MHz	Pass	PK	5.508G	112.08	Inf	-Inf	3	Horizontal	353	1.98
5530MHz	Pass	PK	5.767G	61.79	68.20	-6.41	3	Horizontal	353	1.98
5530MHz	Pass	AV	11.06448G	42.95	54.00	-11.05	3	Vertical	83	1.98
5530MHz	Pass	PK	11.09024G	53.67	74.00	-20.33	3	Vertical	83	1.98
5530MHz	Pass	AV	11.07456G	43.06	54.00	-10.94	3	Horizontal	348	1.50
5530MHz	Pass	PK	11.08304G	54.74	74.00	-19.26	3	Horizontal	348	1.50
5610MHz	Pass	AV	5.431G	51.26	54.00	-2.74	3	Vertical	353	1.50
5610MHz	Pass	AV	5.625G	102.18	Inf	-Inf	3	Vertical	353	1.50
5610MHz	Pass	PK	5.452G	63.90	74.00	-10.10	3	Vertical	353	1.50
5610MHz	Pass	PK	5.467G	63.28	68.20	-4.92	3	Vertical	353	1.50
5610MHz	Pass	PK	5.62G	113.23	Inf	-Inf	3	Vertical	353	1.50
5610MHz	Pass	PK	5.725G	67.61	68.20	-0.59	3	Vertical	353	1.50
5610MHz	Pass	AV	5.453G	52.25	54.00	-1.75	3	Horizontal	352	2.04
5610MHz	Pass	AV	5.597G	103.55	Inf	-Inf	3	Horizontal	352	2.04
5610MHz	Pass	PK	5.455G	65.28	74.00	-8.72	3	Horizontal	352	2.04
5610MHz	Pass	PK	5.468G	64.75	68.20	-3.45	3	Horizontal	352	2.04
5610MHz	Pass	PK	5.602G	114.16	Inf	-Inf	3	Horizontal	352	2.04
5610MHz	Pass	PK	5.726G	66.75	68.20	-1.45	3	Horizontal	352	2.04
5610MHz	Pass	AV	11.25376G	43.63	54.00	-10.37	3	Vertical	80	1.06
5610MHz	Pass	PK	11.25568G	54.10	74.00	-19.90	3	Vertical	80	1.06
5610MHz	Pass	AV	11.23872G	43.83	54.00	-10.17	3	Horizontal	281	1.50
5610MHz	Pass	PK	11.2312G	54.17	74.00	-19.83	3	Horizontal	281	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	52.04	54.00	-1.96	3	Vertical	343	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.672G	104.92	Inf	-Inf	3	Vertical	343	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4248G	63.73	74.00	-10.27	3	Vertical	343	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	63.54	68.20	-4.66	3	Vertical	343	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6624G	115.77	Inf	-Inf	3	Vertical	343	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	66.98	68.20	-1.22	3	Vertical	343	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	51.95	54.00	-2.05	3	Horizontal	351	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	105.35	Inf	-Inf	3	Horizontal	351	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.426G	63.99	74.00	-10.01	3	Horizontal	351	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	64.12	68.20	-4.08	3	Horizontal	351	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6672G	115.92	Inf	-Inf	3	Horizontal	351	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	67.00	68.20	-1.20	3	Horizontal	351	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3912G	44.39	54.00	-9.61	3	Vertical	104	1.56
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3944G	54.67	74.00	-19.33	3	Vertical	104	1.56
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36432G	44.16	54.00	-9.84	3	Horizontal	263	1.86
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39424G	56.53	74.00	-17.47	3	Horizontal	263	1.86
5775MHz	Pass	AV	5.7606G	104.93	Inf	-Inf	3	Vertical	351	1.61
5775MHz	Pass	PK	5.6298G	66.70	68.20	-1.50	3	Vertical	351	1.61
5775MHz	Pass	PK	5.7846G	114.99	Inf	-Inf	3	Vertical	351	1.61
5775MHz	Pass	PK	5.9574G	62.54	68.20	-5.66	3	Vertical	351	1.61
5775MHz	Pass	AV	5.7618G	104.76	Inf	-Inf	3	Horizontal	350	1.80
5775MHz	Pass	PK	5.6298G	66.58	68.20	-1.62	3	Horizontal	350	1.80
5775MHz	Pass	PK	5.7726G	115.59	Inf	-Inf	3	Horizontal	350	1.80
5775MHz	Pass	PK	6.051G	62.77	68.20	-5.43	3	Horizontal	350	1.80
5775MHz	Pass	AV	11.5292G	44.32	54.00	-9.68	3	Vertical	18	1.50
5775MHz	Pass	PK	11.5284G	54.92	74.00	-19.08	3	Vertical	18	1.50
5775MHz	Pass	AV	11.53112G	44.44	54.00	-9.56	3	Horizontal	264	1.22
5775MHz	Pass	PK	11.52136G	55.71	74.00	-18.29	3	Horizontal	264	1.22
802.11be EHT160_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	51.96	54.00	-2.04	3	Vertical	358	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	96.39	Inf	-Inf	3	Vertical	358	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	53.36	54.00	-0.64	3	Vertical	358	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	61.72	74.00	-12.28	3	Vertical	358	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2296G	107.15	Inf	-Inf	3	Vertical	358	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	69.16	74.00	-4.84	3	Vertical	358	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4996G	61.88	68.20	-6.32	3	Vertical	358	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1468G	53.50	54.00	-0.50	3	Horizontal	358	1.85




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T1S_AP5022S6D**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3124G	97.64	Inf	-Inf	3	Horizontal	358	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3676G	53.82	54.00	-0.18	3	Horizontal	358	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1372G	62.63	74.00	-11.37	3	Horizontal	358	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2632G	108.37	Inf	-Inf	3	Horizontal	358	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3676G	68.11	74.00	-5.89	3	Horizontal	358	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5416G	61.86	68.20	-6.34	3	Horizontal	358	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50028G	53.62	68.20	-14.58	3	Vertical	66	2.51
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49906G	53.41	68.20	-14.79	3	Horizontal	50	1.82
5570MHz	Pass	AV	5.4236G	52.38	54.00	-1.62	3	Vertical	21	1.60
5570MHz	Pass	AV	5.5088G	97.44	Inf	-Inf	3	Vertical	21	1.60
5570MHz	Pass	PK	5.3492G	61.19	68.20	-7.01	3	Vertical	21	1.60
5570MHz	Pass	PK	5.4572G	66.53	74.00	-7.47	3	Vertical	21	1.60
5570MHz	Pass	PK	5.4692G	65.56	68.20	-2.64	3	Vertical	21	1.60
5570MHz	Pass	PK	5.6036G	107.15	Inf	-Inf	3	Vertical	21	1.60
5570MHz	Pass	PK	5.75G	63.27	68.20	-4.93	3	Vertical	21	1.60
5570MHz	Pass	AV	5.4524G	52.71	54.00	-1.29	3	Horizontal	354	1.99
5570MHz	Pass	AV	5.5124G	98.24	Inf	-Inf	3	Horizontal	354	1.99
5570MHz	Pass	PK	5.3432G	60.92	68.20	-7.28	3	Horizontal	354	1.99
5570MHz	Pass	PK	5.4224G	70.23	74.00	-3.77	3	Horizontal	354	1.99
5570MHz	Pass	PK	5.4656G	67.29	68.20	-0.91	3	Horizontal	354	1.99
5570MHz	Pass	PK	5.5424G	107.90	Inf	-Inf	3	Horizontal	354	1.99
5570MHz	Pass	PK	5.7284G	64.20	68.20	-4.00	3	Horizontal	354	1.99
5570MHz	Pass	AV	11.13932G	42.11	54.00	-11.89	3	Vertical	287	1.94
5570MHz	Pass	PK	11.14042G	52.94	74.00	-21.06	3	Vertical	287	1.94
5570MHz	Pass	AV	11.14012G	42.32	54.00	-11.68	3	Horizontal	24	2.94
5570MHz	Pass	PK	11.13947G	52.93	74.00	-21.07	3	Horizontal	24	2.94


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	52.88	54.00	-1.12	6.45	3	Vertical	360	1.75	46.43	33.39	8.09	35.03
AV	5.22G	99.90	Inf	-Inf	6.45	3	Vertical	360	1.75	93.45	33.36	8.13	35.04
AV	5.433G	51.54	54.00	-2.46	6.34	3	Vertical	360	1.75	45.20	33.17	8.25	35.08
PK	5.14G	62.73	74.00	-11.27	6.44	3	Vertical	360	1.75	56.29	33.38	8.09	35.03
PK	5.18G	109.44	Inf	-Inf	6.48	3	Vertical	360	1.75	102.96	33.40	8.11	35.03
PK	5.46G	62.48	74.00	-11.52	6.41	3	Vertical	360	1.75	56.07	33.20	8.29	35.08

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.62	54.00	-0.38	6.45	3	Horizontal	360	1.92	47.17	33.39	8.09	35.03
AV	5.222G	101.19	Inf	-Inf	6.45	3	Horizontal	360	1.92	94.74	33.36	8.13	35.04
AV	5.392G	51.54	54.00	-2.46	6.22	3	Horizontal	360	1.92	45.32	33.08	8.21	35.07
PK	5.147G	63.48	74.00	-10.52	6.45	3	Horizontal	360	1.92	57.03	33.39	8.09	35.03
PK	5.218G	111.37	Inf	-Inf	6.45	3	Horizontal	360	1.92	104.92	33.36	8.13	35.04
PK	5.399G	62.01	74.00	-11.99	6.24	3	Horizontal	360	1.92	55.77	33.10	8.21	35.07


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	51.47	54.00	-2.53	6.44	3	Vertical	358	1.81	45.03	33.38	8.09	35.03
AV	5.2648G	111.69	Inf	-Inf	6.34	3	Vertical	358	1.81	105.35	33.24	8.15	35.05
AV	5.3578G	53.72	54.00	-0.28	6.15	3	Vertical	358	1.81	47.57	33.02	8.19	35.06
PK	5.1376G	68.50	74.00	-5.50	6.45	3	Vertical	358	1.81	62.05	33.38	8.09	35.02
PK	5.2648G	123.07	Inf	-Inf	6.34	3	Vertical	358	1.81	116.73	33.24	8.15	35.05
PK	5.3518G	71.35	74.00	-2.65	6.13	3	Vertical	358	1.81	65.22	33.00	8.19	35.06

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	52.41	54.00	-1.59	6.45	3	Horizontal	358	1.92	45.96	33.39	8.09	35.03
AV	5.2678G	112.57	Inf	-Inf	6.33	3	Horizontal	358	1.92	106.24	33.23	8.15	35.05
AV	5.38G	53.85	54.00	-0.15	6.19	3	Horizontal	358	1.92	47.66	33.06	8.20	35.07
PK	5.1322G	68.90	74.00	-5.10	6.43	3	Horizontal	358	1.92	62.47	33.36	8.09	35.02
PK	5.2528G	123.22	Inf	-Inf	6.38	3	Horizontal	358	1.92	116.84	33.29	8.14	35.05
PK	5.3554G	71.96	74.00	-2.04	6.14	3	Horizontal	358	1.92	65.82	33.01	8.19	35.06




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.20	54.00	-0.80	6.40	3	Vertical	358	1.50	46.80	33.20	8.28	35.08
AV	5.5012G	110.49	Inf	-Inf	6.45	3	Vertical	358	1.50	104.04	33.20	8.34	35.09
PK	5.46G	66.02	74.00	-7.98	6.41	3	Vertical	358	1.50	59.61	33.20	8.29	35.08
PK	5.4602G	63.70	68.20	-4.50	6.41	3	Vertical	358	1.50	57.29	33.20	8.29	35.08
PK	5.5006G	117.65	Inf	-Inf	6.45	3	Vertical	358	1.50	111.20	33.20	8.34	35.09

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	53.52	54.00	-0.48	6.40	3	Horizontal	348	1.29	47.12	33.20	8.28	35.08
AV	5.5012G	110.48	Inf	-Inf	6.45	3	Horizontal	348	1.29	104.03	33.20	8.34	35.09
PK	5.4594G	65.01	74.00	-8.99	6.40	3	Horizontal	348	1.29	58.61	33.20	8.28	35.08
PK	5.4604G	63.25	68.20	-4.95	6.41	3	Horizontal	348	1.29	56.84	33.20	8.29	35.08
PK	5.5006G	117.82	Inf	-Inf	6.45	3	Horizontal	348	1.29	111.37	33.20	8.34	35.09


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.60	54.00	-0.40	6.40	3	Vertical	356	1.50	47.20	33.20	8.28	35.08
AV	5.505G	108.90	Inf	-Inf	6.46	3	Vertical	356	1.50	102.44	33.21	8.34	35.09
PK	5.4596G	64.86	74.00	-9.14	6.40	3	Vertical	356	1.50	58.46	33.20	8.28	35.08
PK	5.4602G	64.75	68.20	-3.45	6.41	3	Vertical	356	1.50	58.34	33.20	8.29	35.08
PK	5.5054G	119.18	Inf	-Inf	6.46	3	Vertical	356	1.50	112.72	33.21	8.34	35.09

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	53.77	54.00	-0.23	6.40	3	Horizontal	355	1.99	47.37	33.20	8.28	35.08
AV	5.5024G	109.83	Inf	-Inf	6.45	3	Horizontal	355	1.99	103.38	33.20	8.34	35.09
PK	5.4574G	64.73	74.00	-9.27	6.40	3	Horizontal	355	1.99	58.33	33.20	8.28	35.08
PK	5.4664G	62.80	68.20	-5.40	6.41	3	Horizontal	355	1.99	56.39	33.20	8.29	35.08
PK	5.5026G	120.13	Inf	-Inf	6.46	3	Horizontal	355	1.99	113.67	33.21	8.34	35.09


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.72	54.00	-4.28	6.13	3	Vertical	344	1.49	43.59	33.00	8.19	35.06
AV	5.457G	52.94	54.00	-1.06	6.40	3	Vertical	344	1.49	46.54	33.20	8.28	35.08
AV	5.517G	100.11	Inf	-Inf	6.50	3	Vertical	344	1.49	93.61	33.23	8.36	35.09
PK	5.332G	60.78	68.20	-7.42	6.16	3	Vertical	344	1.49	54.62	33.04	8.18	35.06
PK	5.434G	62.13	74.00	-11.87	6.34	3	Vertical	344	1.49	55.79	33.17	8.25	35.08
PK	5.467G	63.50	68.20	-4.70	6.41	3	Vertical	344	1.49	57.09	33.20	8.29	35.08
PK	5.508G	111.18	Inf	-Inf	6.61	3	Vertical	344	1.49	104.57	33.30	8.41	35.10
PK	5.767G	61.84	68.20	-6.36	7.61	3	Vertical	344	1.49	54.23	34.10	8.63	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	50.00	54.00	-4.00	6.13	3	Horizontal	353	1.98	43.87	33.00	8.19	35.06
AV	5.457G	53.41	54.00	-0.59	6.40	3	Horizontal	353	1.98	47.01	33.20	8.28	35.08
AV	5.517G	101.63	Inf	-Inf	6.50	3	Horizontal	353	1.98	95.13	33.23	8.36	35.09
PK	5.327G	61.08	68.20	-7.12	6.17	3	Horizontal	353	1.98	54.91	33.05	8.18	35.06
PK	5.452G	63.41	74.00	-10.59	6.40	3	Horizontal	353	1.98	57.01	33.20	8.28	35.08
PK	5.467G	63.25	68.20	-4.95	6.41	3	Horizontal	353	1.98	56.84	33.20	8.29	35.08
PK	5.508G	112.08	Inf	-Inf	6.48	3	Horizontal	353	1.98	105.60	33.22	8.35	35.09
PK	5.767G	61.79	68.20	-6.41	7.61	3	Horizontal	353	1.98	54.18	34.10	8.63	35.12


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	51.75	54.00	-2.25	6.39	3	Vertical	353	1.65	45.36	33.20	8.27	35.08
AV	5.7462G	116.51	Inf	-Inf	7.48	3	Vertical	353	1.65	109.03	33.98	8.61	35.11
PK	5.655G	71.64	71.90	-0.26	6.93	3	Vertical	353	1.65	64.71	33.52	8.52	35.11
PK	5.7462G	123.88	Inf	-Inf	7.48	3	Vertical	353	1.65	116.40	33.98	8.61	35.11
PK	5.9994G	63.10	68.20	-5.10	7.89	3	Vertical	353	1.65	55.21	34.30	8.73	35.14

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	51.50	54.00	-2.50	6.38	3	Horizontal	344	1.07	45.12	33.19	8.27	35.08
AV	5.7462G	115.61	Inf	-Inf	7.48	3	Horizontal	344	1.07	108.13	33.98	8.61	35.11
PK	5.6478G	66.68	68.20	-1.52	6.90	3	Horizontal	344	1.07	59.78	33.49	8.51	35.10
PK	5.7462G	122.95	Inf	-Inf	7.48	3	Horizontal	344	1.07	115.47	33.98	8.61	35.11
PK	6.0282G	62.60	68.20	-5.60	7.90	3	Horizontal	344	1.07	54.70	34.30	8.75	35.15


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX

