



RSE TX above 1GHz_Non-Beamforming_ Radio 2_Full RU_4T4S_AP5022S6D

Appendix E.17

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	5.1464G	53.65	54.00	-0.35	3	Horizontal	358	1.60
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	AV	5.1496G	53.87	54.00	-0.13	3	Horizontal	356	1.86
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.122G	53.82	54.00	-0.18	3	Horizontal	356	2.27
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	5.3612G	53.70	54.00	-0.30	3	Vertical	356	1.87
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	AV	5.3516G	53.92	54.00	-0.08	3	Horizontal	356	1.91
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.366G	53.75	54.00	-0.25	3	Horizontal	354	1.83
802.11be EHT160_Nss4,(MCS0)_4TX	Pass	AV	5.3604G	53.87	54.00	-0.13	3	Vertical	30	1.85
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	5.46G	53.94	54.00	-0.06	3	Horizontal	360	2.00
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	AV	5.4584G	53.86	54.00	-0.14	3	Vertical	25	1.76
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.437G	53.86	54.00	-0.14	3	Vertical	25	1.79
802.11be EHT160_Nss4,(MCS0)_4TX	Pass	PK	5.4692G	67.28	68.20	-0.92	3	Horizontal	353	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	PK	5.6534G	69.96	70.72	-0.76	3	Vertical	349	1.75
802.11be EHT40_Nss4,(MCS0)_4TX	Pass	PK	5.6482G	67.91	68.20	-0.29	3	Vertical	20	1.68
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	PK	5.6322G	64.18	68.20	-4.02	3	Horizontal	353	2.58



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022S6D**

Appendix E.17

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	53.43	54.00	-0.57	3	Vertical	358	1.83
5180MHz	Pass	AV	5.1788G	109.16	Inf	-Inf	3	Vertical	358	1.83
5180MHz	Pass	PK	5.1496G	63.71	74.00	-10.29	3	Vertical	358	1.83
5180MHz	Pass	PK	5.1794G	117.87	Inf	-Inf	3	Vertical	358	1.83
5180MHz	Pass	AV	5.1406G	53.48	54.00	-0.52	3	Horizontal	356	1.50
5180MHz	Pass	AV	5.1824G	109.02	Inf	-Inf	3	Horizontal	356	1.50
5180MHz	Pass	PK	5.14G	64.51	74.00	-9.49	3	Horizontal	356	1.50
5180MHz	Pass	PK	5.1824G	118.44	Inf	-Inf	3	Horizontal	356	1.50
5180MHz	Pass	PK	10.36936G	53.66	68.20	-14.54	3	Vertical	322	1.50
5180MHz	Pass	PK	10.35208G	54.21	68.20	-13.99	3	Horizontal	341	2.00
5200MHz	Pass	AV	5.1476G	52.99	54.00	-1.01	3	Vertical	358	1.79
5200MHz	Pass	AV	5.1988G	108.42	Inf	-Inf	3	Vertical	358	1.79
5200MHz	Pass	PK	5.1348G	71.34	74.00	-2.66	3	Vertical	358	1.79
5200MHz	Pass	PK	5.1988G	117.40	Inf	-Inf	3	Vertical	358	1.79
5200MHz	Pass	AV	5.1464G	53.65	54.00	-0.35	3	Horizontal	358	1.60
5200MHz	Pass	AV	5.2024G	107.94	Inf	-Inf	3	Horizontal	358	1.60
5200MHz	Pass	PK	5.1436G	73.05	74.00	-0.95	3	Horizontal	358	1.60
5200MHz	Pass	PK	5.1924G	117.68	Inf	-Inf	3	Horizontal	358	1.60
5200MHz	Pass	PK	10.40704G	54.37	68.20	-13.83	3	Vertical	29	1.50
5200MHz	Pass	PK	10.40444G	54.39	68.20	-13.81	3	Horizontal	24	1.44
5240MHz	Pass	AV	5.147G	52.63	54.00	-1.37	3	Vertical	357	1.89
5240MHz	Pass	AV	5.2388G	109.78	Inf	-Inf	3	Vertical	357	1.89
5240MHz	Pass	AV	5.3522G	52.45	54.00	-1.55	3	Vertical	357	1.89
5240MHz	Pass	PK	5.1416G	69.25	74.00	-4.75	3	Vertical	357	1.89
5240MHz	Pass	PK	5.2388G	118.69	Inf	-Inf	3	Vertical	357	1.89
5240MHz	Pass	PK	5.351G	67.54	74.00	-6.46	3	Vertical	357	1.89
5240MHz	Pass	AV	5.1446G	53.48	54.00	-0.52	3	Horizontal	355	1.92
5240MHz	Pass	AV	5.2424G	109.31	Inf	-Inf	3	Horizontal	355	1.92
5240MHz	Pass	AV	5.35G	52.35	54.00	-1.65	3	Horizontal	355	1.92
5240MHz	Pass	PK	5.1494G	68.68	74.00	-5.32	3	Horizontal	355	1.92
5240MHz	Pass	PK	5.246G	118.30	Inf	-Inf	3	Horizontal	355	1.92
5240MHz	Pass	PK	5.3528G	65.69	74.00	-8.31	3	Horizontal	355	1.92
5240MHz	Pass	PK	10.48904G	54.48	68.20	-13.72	3	Vertical	347	2.04
5240MHz	Pass	PK	10.47716G	55.02	68.20	-13.18	3	Horizontal	339	1.50
5260MHz	Pass	AV	5.1274G	51.63	54.00	-2.37	3	Vertical	357	1.86
5260MHz	Pass	AV	5.2588G	108.98	Inf	-Inf	3	Vertical	357	1.86
5260MHz	Pass	AV	5.353G	52.22	54.00	-1.78	3	Vertical	357	1.86
5260MHz	Pass	PK	5.1496G	66.29	74.00	-7.71	3	Vertical	357	1.86
5260MHz	Pass	PK	5.2588G	117.97	Inf	-Inf	3	Vertical	357	1.86
5260MHz	Pass	PK	5.3524G	71.44	74.00	-2.56	3	Vertical	357	1.86
5260MHz	Pass	AV	5.15G	52.59	54.00	-1.41	3	Horizontal	356	2.20
5260MHz	Pass	AV	5.2672G	109.03	Inf	-Inf	3	Horizontal	356	2.20
5260MHz	Pass	AV	5.3506G	53.37	54.00	-0.63	3	Horizontal	356	2.20
5260MHz	Pass	PK	5.149G	66.10	74.00	-7.90	3	Horizontal	356	2.20
5260MHz	Pass	PK	5.2648G	118.82	Inf	-Inf	3	Horizontal	356	2.20
5260MHz	Pass	PK	5.3548G	72.72	74.00	-1.28	3	Horizontal	356	2.20
5260MHz	Pass	PK	10.52031G	53.52	68.20	-14.68	3	Vertical	250	2.15
5260MHz	Pass	PK	10.51975G	53.65	68.20	-14.55	3	Horizontal	111	2.55
5300MHz	Pass	AV	5.2988G	108.44	Inf	-Inf	3	Vertical	356	1.87
5300MHz	Pass	AV	5.3612G	53.70	54.00	-0.30	3	Vertical	356	1.87
5300MHz	Pass	PK	5.2988G	117.28	Inf	-Inf	3	Vertical	356	1.87
5300MHz	Pass	PK	5.3532G	71.35	74.00	-2.65	3	Vertical	356	1.87
5300MHz	Pass	AV	5.3012G	107.43	Inf	-Inf	3	Horizontal	352	1.50
5300MHz	Pass	AV	5.3532G	53.40	54.00	-0.60	3	Horizontal	352	1.50
5300MHz	Pass	PK	5.3024G	115.97	Inf	-Inf	3	Horizontal	352	1.50
5300MHz	Pass	PK	5.3544G	69.44	74.00	-4.56	3	Horizontal	352	1.50
5300MHz	Pass	PK	10.59922G	52.79	68.20	-15.41	3	Vertical	71	2.36
5300MHz	Pass	PK	10.59974G	53.63	68.20	-14.57	3	Horizontal	359	2.74
5320MHz	Pass	AV	5.3276G	107.71	Inf	-Inf	3	Vertical	28	1.71
5320MHz	Pass	AV	5.3602G	52.85	54.00	-1.15	3	Vertical	28	1.71

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3278G	117.57	Inf	-Inf	3	Vertical	28	1.71
5320MHz	Pass	PK	5.3502G	63.79	74.00	-10.21	3	Vertical	28	1.71
5320MHz	Pass	AV	5.3224G	107.96	Inf	-Inf	3	Horizontal	353	1.90
5320MHz	Pass	AV	5.3602G	52.88	54.00	-1.12	3	Horizontal	353	1.90
5320MHz	Pass	PK	5.3224G	117.17	Inf	-Inf	3	Horizontal	353	1.90
5320MHz	Pass	PK	5.3602G	64.11	74.00	-9.89	3	Horizontal	353	1.90
5320MHz	Pass	AV	10.64014G	42.74	54.00	-11.26	3	Vertical	16	1.46
5320MHz	Pass	PK	10.64056G	54.21	74.00	-19.79	3	Vertical	16	1.46
5320MHz	Pass	AV	10.64045G	43.25	54.00	-10.75	3	Horizontal	49	1.79
5320MHz	Pass	PK	10.64084G	53.53	74.00	-20.47	3	Horizontal	49	1.79
5500MHz	Pass	AV	5.4596G	53.54	54.00	-0.46	3	Vertical	24	1.50
5500MHz	Pass	AV	5.5074G	107.96	Inf	-Inf	3	Vertical	24	1.50
5500MHz	Pass	PK	5.4596G	63.76	74.00	-10.24	3	Vertical	24	1.50
5500MHz	Pass	PK	5.4614G	63.98	68.20	-4.22	3	Vertical	24	1.50
5500MHz	Pass	PK	5.4986G	116.69	Inf	-Inf	3	Vertical	24	1.50
5500MHz	Pass	AV	5.46G	53.94	54.00	-0.06	3	Horizontal	360	2.00
5500MHz	Pass	AV	5.4986G	108.66	Inf	-Inf	3	Horizontal	360	2.00
5500MHz	Pass	PK	5.4596G	64.17	74.00	-9.83	3	Horizontal	360	2.00
5500MHz	Pass	PK	5.465G	64.73	68.20	-3.47	3	Horizontal	360	2.00
5500MHz	Pass	PK	5.498G	117.04	Inf	-Inf	3	Horizontal	360	2.00
5500MHz	Pass	AV	10.99963G	42.19	54.00	-11.81	3	Vertical	90	1.17
5500MHz	Pass	PK	11.0007G	53.72	74.00	-20.28	3	Vertical	90	1.17
5500MHz	Pass	AV	11.00046G	42.53	54.00	-11.47	3	Horizontal	184	2.22
5500MHz	Pass	PK	10.99953G	52.87	74.00	-21.13	3	Horizontal	184	2.22
5580MHz	Pass	AV	5.4564G	52.38	54.00	-1.62	3	Vertical	352	1.80
5580MHz	Pass	AV	5.5788G	110.09	Inf	-Inf	3	Vertical	352	1.80
5580MHz	Pass	PK	5.4576G	66.80	74.00	-7.20	3	Vertical	352	1.80
5580MHz	Pass	PK	5.4672G	67.29	68.20	-0.91	3	Vertical	352	1.80
5580MHz	Pass	PK	5.5824G	118.36	Inf	-Inf	3	Vertical	352	1.80
5580MHz	Pass	PK	5.727G	61.95	68.20	-6.25	3	Vertical	352	1.80
5580MHz	Pass	AV	5.4504G	52.61	54.00	-1.39	3	Horizontal	355	2.16
5580MHz	Pass	AV	5.5776G	110.45	Inf	-Inf	3	Horizontal	355	2.16
5580MHz	Pass	PK	5.4558G	68.12	74.00	-5.88	3	Horizontal	355	2.16
5580MHz	Pass	PK	5.4636G	67.77	68.20	-0.43	3	Horizontal	355	2.16
5580MHz	Pass	PK	5.5764G	119.04	Inf	-Inf	3	Horizontal	355	2.16
5580MHz	Pass	PK	5.7294G	62.83	68.20	-5.37	3	Horizontal	355	2.16
5580MHz	Pass	AV	11.16051G	42.59	54.00	-11.41	3	Vertical	292	1.19
5580MHz	Pass	PK	11.15961G	53.63	74.00	-20.37	3	Vertical	292	1.19
5580MHz	Pass	AV	11.15965G	42.33	54.00	-11.67	3	Horizontal	307	2.85
5580MHz	Pass	PK	11.15915G	53.71	74.00	-20.29	3	Horizontal	307	2.85
5700MHz	Pass	AV	5.6988G	104.22	Inf	-Inf	3	Vertical	351	1.79
5700MHz	Pass	PK	5.6992G	112.03	Inf	-Inf	3	Vertical	351	1.79
5700MHz	Pass	PK	5.7256G	67.00	68.20	-1.20	3	Vertical	351	1.79
5700MHz	Pass	AV	5.696G	103.93	Inf	-Inf	3	Horizontal	349	2.80
5700MHz	Pass	PK	5.696G	113.31	Inf	-Inf	3	Horizontal	349	2.80
5700MHz	Pass	PK	5.7264G	65.80	68.20	-2.40	3	Horizontal	349	2.80
5700MHz	Pass	AV	11.39994G	43.96	54.00	-10.04	3	Vertical	241	2.04
5700MHz	Pass	PK	11.39939G	54.84	74.00	-19.16	3	Vertical	241	2.04
5700MHz	Pass	AV	11.40031G	44.31	54.00	-9.69	3	Horizontal	86	2.26
5700MHz	Pass	PK	11.39952G	54.98	74.00	-19.02	3	Horizontal	86	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	53.78	54.00	-0.22	3	Vertical	351	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	111.34	Inf	-Inf	3	Vertical	351	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4368G	66.06	74.00	-7.94	3	Vertical	351	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	66.32	68.20	-1.88	3	Vertical	351	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	119.77	Inf	-Inf	3	Vertical	351	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	68.14	68.20	-0.06	3	Vertical	351	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	53.67	54.00	-0.33	3	Horizontal	346	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	111.06	Inf	-Inf	3	Horizontal	346	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	66.28	74.00	-7.72	3	Horizontal	346	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	66.32	68.20	-1.88	3	Horizontal	346	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	120.16	Inf	-Inf	3	Horizontal	346	1.37
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	67.73	68.20	-0.47	3	Horizontal	346	1.37



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022S6D**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43969G	43.94	54.00	-10.06	3	Vertical	282	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44048G	54.65	74.00	-19.35	3	Vertical	282	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44056G	43.87	54.00	-10.13	3	Horizontal	310	1.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43966G	54.17	74.00	-19.83	3	Horizontal	310	1.47
5745MHz	Pass	AV	5.4558G	51.06	54.00	-2.94	3	Vertical	350	1.64
5745MHz	Pass	AV	5.7438G	111.91	Inf	-Inf	3	Vertical	350	1.64
5745MHz	Pass	PK	5.6478G	66.78	68.20	-1.42	3	Vertical	350	1.64
5745MHz	Pass	PK	5.7438G	120.57	Inf	-Inf	3	Vertical	350	1.64
5745MHz	Pass	PK	5.9322G	63.10	68.20	-5.10	3	Vertical	350	1.64
5745MHz	Pass	AV	5.4582G	50.95	54.00	-3.05	3	Horizontal	347	1.94
5745MHz	Pass	AV	5.7474G	111.48	Inf	-Inf	3	Horizontal	347	1.94
5745MHz	Pass	PK	5.6454G	66.42	68.20	-1.78	3	Horizontal	347	1.94
5745MHz	Pass	PK	5.7474G	121.09	Inf	-Inf	3	Horizontal	347	1.94
5745MHz	Pass	PK	5.9466G	62.77	68.20	-5.43	3	Horizontal	347	1.94
5745MHz	Pass	AV	11.48432G	45.62	54.00	-8.38	3	Vertical	19	2.51
5745MHz	Pass	PK	11.49212G	56.29	74.00	-17.71	3	Vertical	19	2.51
5745MHz	Pass	AV	11.49356G	45.71	54.00	-8.29	3	Horizontal	7	1.03
5745MHz	Pass	PK	11.48148G	56.27	74.00	-17.73	3	Horizontal	7	1.03
5785MHz	Pass	AV	5.78371G	109.93	Inf	-Inf	3	Vertical	351	1.50
5785MHz	Pass	PK	5.6373G	67.08	68.20	-1.12	3	Vertical	351	1.50
5785MHz	Pass	PK	5.78492G	118.22	Inf	-Inf	3	Vertical	351	1.50
5785MHz	Pass	PK	6.01845G	63.18	68.20	-5.02	3	Vertical	351	1.50
5785MHz	Pass	AV	5.78613G	109.47	Inf	-Inf	3	Horizontal	345	1.90
5785MHz	Pass	PK	5.63004G	66.92	68.20	-1.28	3	Horizontal	345	1.90
5785MHz	Pass	PK	5.78734G	118.74	Inf	-Inf	3	Horizontal	345	1.90
5785MHz	Pass	PK	6.02329G	62.81	68.20	-5.39	3	Horizontal	345	1.90
5785MHz	Pass	AV	11.56644G	44.20	54.00	-9.80	3	Vertical	275	2.01
5785MHz	Pass	PK	11.56396G	55.07	74.00	-18.93	3	Vertical	275	2.01
5785MHz	Pass	AV	11.56564G	44.37	54.00	-9.63	3	Horizontal	256	1.50
5785MHz	Pass	PK	11.5712G	55.72	74.00	-18.28	3	Horizontal	256	1.50
5825MHz	Pass	AV	5.8238G	110.25	Inf	-Inf	3	Vertical	349	1.75
5825MHz	Pass	PK	5.6534G	69.96	70.72	-0.76	3	Vertical	349	1.75
5825MHz	Pass	PK	5.8238G	118.49	Inf	-Inf	3	Vertical	349	1.75
5825MHz	Pass	PK	5.9546G	63.15	68.20	-5.05	3	Vertical	349	1.75
5825MHz	Pass	AV	5.8274G	109.94	Inf	-Inf	3	Horizontal	346	1.87
5825MHz	Pass	PK	5.645G	67.34	68.20	-0.86	3	Horizontal	346	1.87
5825MHz	Pass	PK	5.8274G	119.48	Inf	-Inf	3	Horizontal	346	1.87
5825MHz	Pass	PK	6.0518G	63.56	68.20	-4.64	3	Horizontal	346	1.87
5825MHz	Pass	AV	11.65356G	44.00	54.00	-10.00	3	Vertical	6	2.67
5825MHz	Pass	PK	11.6542G	56.31	74.00	-17.69	3	Vertical	6	2.67
5825MHz	Pass	AV	11.64808G	44.55	54.00	-9.45	3	Horizontal	326	1.98
5825MHz	Pass	PK	11.64428G	55.19	74.00	-18.81	3	Horizontal	326	1.98
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.49	54.00	-0.51	3	Vertical	354	1.82
5190MHz	Pass	AV	5.1872G	103.36	Inf	-Inf	3	Vertical	354	1.82
5190MHz	Pass	PK	5.1468G	63.28	74.00	-10.72	3	Vertical	354	1.82
5190MHz	Pass	PK	5.1964G	111.71	Inf	-Inf	3	Vertical	354	1.82
5190MHz	Pass	AV	5.1496G	53.87	54.00	-0.13	3	Horizontal	356	1.86
5190MHz	Pass	AV	5.1924G	103.65	Inf	-Inf	3	Horizontal	356	1.86
5190MHz	Pass	PK	5.1496G	63.86	74.00	-10.14	3	Horizontal	356	1.86
5190MHz	Pass	PK	5.1836G	112.60	Inf	-Inf	3	Horizontal	356	1.86
5190MHz	Pass	PK	10.37968G	53.74	68.20	-14.46	3	Vertical	206	1.40
5190MHz	Pass	PK	10.37288G	53.95	68.20	-14.25	3	Horizontal	339	1.50
5230MHz	Pass	AV	5.1484G	51.23	54.00	-2.77	3	Vertical	30	1.50
5230MHz	Pass	AV	5.2388G	103.70	Inf	-Inf	3	Vertical	30	1.50
5230MHz	Pass	PK	5.15G	68.54	74.00	-5.46	3	Vertical	30	1.50
5230MHz	Pass	PK	5.238G	112.96	Inf	-Inf	3	Vertical	30	1.50
5230MHz	Pass	AV	5.1472G	52.20	54.00	-1.80	3	Horizontal	360	1.96
5230MHz	Pass	AV	5.2272G	105.43	Inf	-Inf	3	Horizontal	360	1.96
5230MHz	Pass	PK	5.1464G	69.54	74.00	-4.46	3	Horizontal	360	1.96
5230MHz	Pass	PK	5.2332G	114.02	Inf	-Inf	3	Horizontal	360	1.96
5230MHz	Pass	PK	10.44696G	54.02	68.20	-14.18	3	Vertical	357	1.59



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022S6D**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.46864G	54.58	68.20	-13.62	3	Horizontal	16	1.76
5270MHz	Pass	AV	5.2788G	104.00	Inf	-Inf	3	Vertical	31	1.50
5270MHz	Pass	AV	5.3604G	52.34	54.00	-1.66	3	Vertical	31	1.50
5270MHz	Pass	PK	5.258G	113.24	Inf	-Inf	3	Vertical	31	1.50
5270MHz	Pass	PK	5.3588G	66.80	74.00	-7.20	3	Vertical	31	1.50
5270MHz	Pass	AV	5.2724G	104.72	Inf	-Inf	3	Horizontal	355	2.04
5270MHz	Pass	AV	5.368G	53.51	54.00	-0.49	3	Horizontal	355	2.04
5270MHz	Pass	PK	5.2724G	113.50	Inf	-Inf	3	Horizontal	355	2.04
5270MHz	Pass	PK	5.3676G	67.77	74.00	-6.23	3	Horizontal	355	2.04
5270MHz	Pass	PK	10.53971G	53.29	68.20	-14.91	3	Vertical	132	2.84
5270MHz	Pass	PK	10.54035G	54.77	68.20	-13.43	3	Horizontal	324	2.16
5310MHz	Pass	AV	5.3188G	104.89	Inf	-Inf	3	Vertical	30	1.68
5310MHz	Pass	AV	5.3504G	53.11	54.00	-0.89	3	Vertical	30	1.68
5310MHz	Pass	PK	5.3188G	114.14	Inf	-Inf	3	Vertical	30	1.68
5310MHz	Pass	PK	5.3528G	63.21	74.00	-10.79	3	Vertical	30	1.68
5310MHz	Pass	AV	5.3124G	105.33	Inf	-Inf	3	Horizontal	356	1.91
5310MHz	Pass	AV	5.3516G	53.92	54.00	-0.08	3	Horizontal	356	1.91
5310MHz	Pass	PK	5.3272G	114.17	Inf	-Inf	3	Horizontal	356	1.91
5310MHz	Pass	PK	5.3556G	64.59	74.00	-9.41	3	Horizontal	356	1.91
5310MHz	Pass	AV	10.61912G	43.44	54.00	-10.56	3	Vertical	213	1.97
5310MHz	Pass	PK	10.62078G	54.02	74.00	-19.98	3	Vertical	213	1.97
5310MHz	Pass	AV	10.61923G	43.37	54.00	-10.63	3	Horizontal	257	2.98
5310MHz	Pass	PK	10.61947G	53.62	74.00	-20.38	3	Horizontal	257	2.98
5510MHz	Pass	AV	5.4584G	53.86	54.00	-0.14	3	Vertical	25	1.76
5510MHz	Pass	AV	5.5188G	105.47	Inf	-Inf	3	Vertical	25	1.76
5510MHz	Pass	PK	5.4576G	66.11	74.00	-7.89	3	Vertical	25	1.76
5510MHz	Pass	PK	5.47G	65.60	68.20	-2.60	3	Vertical	25	1.76
5510MHz	Pass	PK	5.4992G	114.94	Inf	-Inf	3	Vertical	25	1.76
5510MHz	Pass	AV	5.4592G	53.60	54.00	-0.40	3	Horizontal	360	1.97
5510MHz	Pass	AV	5.5072G	105.23	Inf	-Inf	3	Horizontal	360	1.97
5510MHz	Pass	PK	5.4564G	63.88	74.00	-10.12	3	Horizontal	360	1.97
5510MHz	Pass	PK	5.4692G	67.40	68.20	-0.80	3	Horizontal	360	1.97
5510MHz	Pass	PK	5.5088G	114.06	Inf	-Inf	3	Horizontal	360	1.97
5510MHz	Pass	AV	11.02352G	43.08	54.00	-10.92	3	Vertical	271	1.50
5510MHz	Pass	PK	11.02264G	53.42	74.00	-20.58	3	Vertical	271	1.50
5510MHz	Pass	AV	11.03216G	42.85	54.00	-11.15	3	Horizontal	249	1.50
5510MHz	Pass	PK	11.03656G	53.78	74.00	-20.22	3	Horizontal	249	1.50
5550MHz	Pass	AV	5.4596G	53.36	54.00	-0.64	3	Vertical	24	1.75
5550MHz	Pass	AV	5.5388G	105.28	Inf	-Inf	3	Vertical	24	1.75
5550MHz	Pass	PK	5.4584G	64.76	74.00	-9.24	3	Vertical	24	1.75
5550MHz	Pass	PK	5.4616G	65.07	68.20	-3.13	3	Vertical	24	1.75
5550MHz	Pass	PK	5.5388G	114.80	Inf	-Inf	3	Vertical	24	1.75
5550MHz	Pass	AV	5.458G	52.44	54.00	-1.56	3	Horizontal	355	2.08
5550MHz	Pass	AV	5.5476G	106.41	Inf	-Inf	3	Horizontal	355	2.08
5550MHz	Pass	PK	5.4568G	65.83	74.00	-8.17	3	Horizontal	355	2.08
5550MHz	Pass	PK	5.4696G	67.93	68.20	-0.27	3	Horizontal	355	2.08
5550MHz	Pass	PK	5.5668G	115.51	Inf	-Inf	3	Horizontal	355	2.08
5550MHz	Pass	AV	11.1176G	42.95	54.00	-11.05	3	Vertical	143	1.50
5550MHz	Pass	PK	11.11168G	53.78	74.00	-20.22	3	Vertical	143	1.50
5550MHz	Pass	AV	11.10624G	43.04	54.00	-10.96	3	Horizontal	103	1.33
5550MHz	Pass	PK	11.0888G	54.03	74.00	-19.97	3	Horizontal	103	1.33
5670MHz	Pass	AV	5.6784G	100.09	Inf	-Inf	3	Vertical	22	1.79
5670MHz	Pass	PK	5.6784G	109.68	Inf	-Inf	3	Vertical	22	1.79
5670MHz	Pass	PK	5.7876G	62.89	68.20	-5.31	3	Vertical	22	1.79
5670MHz	Pass	AV	5.6676G	102.04	Inf	-Inf	3	Horizontal	353	2.77
5670MHz	Pass	PK	5.667G	110.65	Inf	-Inf	3	Horizontal	353	2.77
5670MHz	Pass	PK	5.7276G	67.40	68.20	-0.80	3	Horizontal	353	2.77
5670MHz	Pass	AV	11.35352G	43.87	54.00	-10.13	3	Vertical	8	2.77
5670MHz	Pass	PK	11.32544G	54.71	74.00	-19.29	3	Vertical	8	2.77
5670MHz	Pass	AV	11.35248G	43.97	54.00	-10.03	3	Horizontal	167	2.68
5670MHz	Pass	PK	11.34G	54.93	74.00	-19.07	3	Horizontal	167	2.68
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	51.21	54.00	-2.79	3	Vertical	22	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6992G	105.91	Inf	-Inf	3	Vertical	22	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4556G	64.48	74.00	-9.52	3	Vertical	22	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	64.11	68.20	-4.09	3	Vertical	22	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	115.51	Inf	-Inf	3	Vertical	22	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	66.41	68.20	-1.79	3	Vertical	22	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4232G	50.85	54.00	-3.15	3	Horizontal	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.692G	106.09	Inf	-Inf	3	Horizontal	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4472G	64.91	74.00	-9.09	3	Horizontal	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	64.87	68.20	-3.33	3	Horizontal	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	115.40	Inf	-Inf	3	Horizontal	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8648G	66.04	68.20	-2.16	3	Horizontal	349	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43008G	44.52	54.00	-9.48	3	Vertical	217	1.20
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41008G	55.33	74.00	-18.67	3	Vertical	217	1.20
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40224G	44.31	54.00	-9.69	3	Horizontal	325	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42632G	55.79	74.00	-18.21	3	Horizontal	325	1.50
5755MHz	Pass	AV	5.4598G	50.97	54.00	-3.03	3	Vertical	20	1.68
5755MHz	Pass	AV	5.7442G	107.06	Inf	-Inf	3	Vertical	20	1.68
5755MHz	Pass	PK	5.6482G	67.91	68.20	-0.29	3	Vertical	20	1.68
5755MHz	Pass	PK	5.7442G	116.72	Inf	-Inf	3	Vertical	20	1.68
5755MHz	Pass	PK	6.0262G	63.28	68.20	-4.92	3	Vertical	20	1.68
5755MHz	Pass	AV	5.4574G	50.89	54.00	-3.11	3	Horizontal	347	1.81
5755MHz	Pass	AV	5.7574G	107.33	Inf	-Inf	3	Horizontal	347	1.81
5755MHz	Pass	PK	5.6506G	68.26	68.64	-0.38	3	Horizontal	347	1.81
5755MHz	Pass	PK	5.7574G	116.44	Inf	-Inf	3	Horizontal	347	1.81
5755MHz	Pass	PK	5.9758G	62.67	68.20	-5.53	3	Horizontal	347	1.81
5755MHz	Pass	AV	11.49504G	44.64	54.00	-9.36	3	Vertical	81	1.50
5755MHz	Pass	PK	11.52336G	55.62	74.00	-18.38	3	Vertical	81	1.50
5755MHz	Pass	AV	11.5148G	44.59	54.00	-9.41	3	Horizontal	60	1.91
5755MHz	Pass	PK	11.49152G	55.27	74.00	-18.73	3	Horizontal	60	1.91
5795MHz	Pass	AV	5.7842G	106.22	Inf	-Inf	3	Vertical	20	1.68
5795MHz	Pass	PK	5.6354G	66.55	68.20	-1.65	3	Vertical	20	1.68
5795MHz	Pass	PK	5.7842G	115.77	Inf	-Inf	3	Vertical	20	1.68
5795MHz	Pass	PK	6.0686G	62.85	68.20	-5.35	3	Vertical	20	1.68
5795MHz	Pass	AV	5.7974G	106.01	Inf	-Inf	3	Horizontal	347	1.90
5795MHz	Pass	PK	5.6366G	66.62	68.20	-1.58	3	Horizontal	347	1.90
5795MHz	Pass	PK	5.7938G	114.83	Inf	-Inf	3	Horizontal	347	1.90
5795MHz	Pass	PK	6.0434G	63.23	68.20	-4.97	3	Horizontal	347	1.90
5795MHz	Pass	AV	11.57048G	43.93	54.00	-10.07	3	Vertical	32	2.99
5795MHz	Pass	PK	11.57456G	54.63	74.00	-19.37	3	Vertical	32	2.99
5795MHz	Pass	AV	11.5704G	44.07	54.00	-9.93	3	Horizontal	55	2.95
5795MHz	Pass	PK	11.57336G	54.74	74.00	-19.26	3	Horizontal	55	2.95
802.11be EHT80_Nss4_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.118G	53.42	54.00	-0.58	3	Vertical	33	1.69
5210MHz	Pass	AV	5.199G	99.16	Inf	-Inf	3	Vertical	33	1.69
5210MHz	Pass	AV	5.456G	51.72	54.00	-2.28	3	Vertical	33	1.69
5210MHz	Pass	PK	5.138G	62.75	74.00	-11.25	3	Vertical	33	1.69
5210MHz	Pass	PK	5.199G	107.16	Inf	-Inf	3	Vertical	33	1.69
5210MHz	Pass	PK	5.444G	62.08	74.00	-11.92	3	Vertical	33	1.69
5210MHz	Pass	AV	5.122G	53.82	54.00	-0.18	3	Horizontal	356	2.27
5210MHz	Pass	AV	5.225G	99.25	Inf	-Inf	3	Horizontal	356	2.27
5210MHz	Pass	AV	5.355G	51.72	54.00	-2.28	3	Horizontal	356	2.27
5210MHz	Pass	PK	5.144G	63.82	74.00	-10.18	3	Horizontal	356	2.27
5210MHz	Pass	PK	5.214G	109.45	Inf	-Inf	3	Horizontal	356	2.27
5210MHz	Pass	PK	5.452G	61.78	74.00	-12.22	3	Horizontal	356	2.27
5210MHz	Pass	PK	10.43536G	53.57	68.20	-14.63	3	Vertical	15	2.43
5210MHz	Pass	PK	10.38864G	53.55	68.20	-14.65	3	Horizontal	321	1.50
5290MHz	Pass	AV	5.044G	50.58	54.00	-3.42	3	Vertical	28	1.50
5290MHz	Pass	AV	5.279G	100.36	Inf	-Inf	3	Vertical	28	1.50
5290MHz	Pass	AV	5.353G	52.56	54.00	-1.44	3	Vertical	28	1.50
5290MHz	Pass	PK	5.14G	60.89	74.00	-13.11	3	Vertical	28	1.50
5290MHz	Pass	PK	5.278G	108.78	Inf	-Inf	3	Vertical	28	1.50
5290MHz	Pass	PK	5.353G	63.03	74.00	-10.97	3	Vertical	28	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022S6D**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.509G	61.81	68.20	-6.39	3	Vertical	28	1.50
5290MHz	Pass	AV	5.145G	51.13	54.00	-2.87	3	Horizontal	354	1.83
5290MHz	Pass	AV	5.272G	101.33	Inf	-Inf	3	Horizontal	354	1.83
5290MHz	Pass	AV	5.366G	53.75	54.00	-0.25	3	Horizontal	354	1.83
5290MHz	Pass	PK	5.128G	61.89	74.00	-12.11	3	Horizontal	354	1.83
5290MHz	Pass	PK	5.283G	110.62	Inf	-Inf	3	Horizontal	354	1.83
5290MHz	Pass	PK	5.364G	64.91	74.00	-9.09	3	Horizontal	354	1.83
5290MHz	Pass	PK	5.474G	62.53	68.20	-5.67	3	Horizontal	354	1.83
5290MHz	Pass	PK	10.5798G	54.07	68.20	-14.13	3	Vertical	95	2.78
5290MHz	Pass	PK	10.5801G	53.54	68.20	-14.66	3	Horizontal	344	1.79
5530MHz	Pass	AV	5.35G	50.38	54.00	-3.62	3	Vertical	25	1.79
5530MHz	Pass	AV	5.437G	53.86	54.00	-0.14	3	Vertical	25	1.79
5530MHz	Pass	AV	5.519G	100.41	Inf	-Inf	3	Vertical	25	1.79
5530MHz	Pass	PK	5.332G	61.27	68.20	-6.93	3	Vertical	25	1.79
5530MHz	Pass	PK	5.458G	63.17	74.00	-10.83	3	Vertical	25	1.79
5530MHz	Pass	PK	5.463G	62.47	68.20	-5.73	3	Vertical	25	1.79
5530MHz	Pass	PK	5.518G	108.57	Inf	-Inf	3	Vertical	25	1.79
5530MHz	Pass	PK	5.743G	62.28	68.20	-5.92	3	Vertical	25	1.79
5530MHz	Pass	AV	5.35G	50.16	54.00	-3.84	3	Horizontal	352	1.89
5530MHz	Pass	AV	5.433G	53.50	54.00	-0.50	3	Horizontal	352	1.89
5530MHz	Pass	AV	5.512G	99.81	Inf	-Inf	3	Horizontal	352	1.89
5530MHz	Pass	PK	5.313G	61.25	68.20	-6.95	3	Horizontal	352	1.89
5530MHz	Pass	PK	5.458G	63.39	74.00	-10.61	3	Horizontal	352	1.89
5530MHz	Pass	PK	5.463G	64.58	68.20	-3.62	3	Horizontal	352	1.89
5530MHz	Pass	PK	5.514G	109.07	Inf	-Inf	3	Horizontal	352	1.89
5530MHz	Pass	PK	5.75G	61.99	68.20	-6.21	3	Horizontal	352	1.89
5530MHz	Pass	AV	11.08G	43.12	54.00	-10.88	3	Vertical	47	1.50
5530MHz	Pass	PK	11.06928G	54.28	74.00	-19.72	3	Vertical	47	1.50
5530MHz	Pass	AV	11.0624G	42.94	54.00	-11.06	3	Horizontal	200	1.45
5530MHz	Pass	PK	11.03168G	54.02	74.00	-19.98	3	Horizontal	200	1.45
5610MHz	Pass	AV	5.459G	50.91	54.00	-3.09	3	Vertical	24	1.80
5610MHz	Pass	AV	5.599G	97.68	Inf	-Inf	3	Vertical	24	1.80
5610MHz	Pass	PK	5.457G	64.29	74.00	-9.71	3	Vertical	24	1.80
5610MHz	Pass	PK	5.461G	62.77	68.20	-5.43	3	Vertical	24	1.80
5610MHz	Pass	PK	5.599G	105.26	Inf	-Inf	3	Vertical	24	1.80
5610MHz	Pass	PK	5.763G	62.43	68.20	-5.77	3	Vertical	24	1.80
5610MHz	Pass	AV	5.455G	51.00	54.00	-3.00	3	Horizontal	353	2.42
5610MHz	Pass	AV	5.627G	98.65	Inf	-Inf	3	Horizontal	353	2.42
5610MHz	Pass	PK	5.453G	62.52	74.00	-11.48	3	Horizontal	353	2.42
5610MHz	Pass	PK	5.465G	65.33	68.20	-2.87	3	Horizontal	353	2.42
5610MHz	Pass	PK	5.627G	107.89	Inf	-Inf	3	Horizontal	353	2.42
5610MHz	Pass	PK	5.728G	66.60	68.20	-1.60	3	Horizontal	353	2.42
5610MHz	Pass	AV	11.25152G	43.81	54.00	-10.19	3	Vertical	202	1.50
5610MHz	Pass	PK	11.23536G	54.22	74.00	-19.78	3	Vertical	202	1.50
5610MHz	Pass	AV	11.24688G	43.45	54.00	-10.55	3	Horizontal	120	1.50
5610MHz	Pass	PK	11.2264G	54.26	74.00	-19.74	3	Horizontal	120	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	51.29	54.00	-2.71	3	Vertical	21	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	101.08	Inf	-Inf	3	Vertical	21	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	65.52	74.00	-8.48	3	Vertical	21	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	65.41	68.20	-2.79	3	Vertical	21	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	109.44	Inf	-Inf	3	Vertical	21	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	64.97	68.20	-3.23	3	Vertical	21	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	52.30	54.00	-1.70	3	Horizontal	350	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.672G	101.27	Inf	-Inf	3	Horizontal	350	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	68.29	74.00	-5.71	3	Horizontal	350	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	66.96	68.20	-1.24	3	Horizontal	350	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6744G	110.26	Inf	-Inf	3	Horizontal	350	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	68.01	68.20	-0.19	3	Horizontal	350	1.62
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40464G	44.54	54.00	-9.46	3	Vertical	359	1.19
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40192G	55.52	74.00	-18.48	3	Vertical	359	1.19
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40096G	44.41	54.00	-9.59	3	Horizontal	224	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34272G	55.85	74.00	-18.15	3	Horizontal	224	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Full RU_4T4S_AP5022S6D**

Appendix E.17

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	AV	5.7642G	102.81	Inf	-Inf	3	Vertical	19	1.95
5775MHz	Pass	PK	5.6466G	63.08	68.20	-5.12	3	Vertical	19	1.95
5775MHz	Pass	PK	5.7642G	110.80	Inf	-Inf	3	Vertical	19	1.95
5775MHz	Pass	PK	5.9574G	62.31	68.20	-5.89	3	Vertical	19	1.95
5775MHz	Pass	AV	5.7522G	102.75	Inf	-Inf	3	Horizontal	353	2.58
5775MHz	Pass	PK	5.6322G	64.18	68.20	-4.02	3	Horizontal	353	2.58
5775MHz	Pass	PK	5.7534G	112.77	Inf	-Inf	3	Horizontal	353	2.58
5775MHz	Pass	PK	6.0198G	62.77	68.20	-5.43	3	Horizontal	353	2.58
5775MHz	Pass	AV	11.56536G	44.41	54.00	-9.59	3	Vertical	4	1.50
5775MHz	Pass	PK	11.52824G	55.27	74.00	-18.73	3	Vertical	4	1.50
5775MHz	Pass	AV	11.51256G	44.38	54.00	-9.62	3	Horizontal	328	1.50
5775MHz	Pass	PK	11.5356G	55.79	74.00	-18.21	3	Horizontal	328	1.50
802.11be EHT160_Nss4_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.136G	52.36	54.00	-1.64	3	Vertical	30	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2788G	94.22	Inf	-Inf	3	Vertical	30	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3604G	53.87	54.00	-0.13	3	Vertical	30	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1408G	64.91	74.00	-9.09	3	Vertical	30	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2788G	102.28	Inf	-Inf	3	Vertical	30	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3604G	71.53	74.00	-2.47	3	Vertical	30	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	63.45	68.20	-4.75	3	Vertical	30	1.85
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1336G	51.64	54.00	-2.36	3	Horizontal	356	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2728G	93.92	Inf	-Inf	3	Horizontal	356	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4072G	53.43	54.00	-0.57	3	Horizontal	356	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1336G	65.62	74.00	-8.38	3	Horizontal	356	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2764G	104.57	Inf	-Inf	3	Horizontal	356	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	70.16	74.00	-3.84	3	Horizontal	356	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	63.83	68.20	-4.37	3	Horizontal	356	1.98
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50078G	53.48	68.20	-14.72	3	Vertical	234	2.22
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49933G	53.55	68.20	-14.65	3	Horizontal	311	1.00
5570MHz	Pass	AV	5.4572G	52.00	54.00	-2.00	3	Vertical	26	1.50
5570MHz	Pass	AV	5.5388G	93.19	Inf	-Inf	3	Vertical	26	1.50
5570MHz	Pass	PK	5.336G	61.52	68.20	-6.68	3	Vertical	26	1.50
5570MHz	Pass	PK	5.4572G	67.90	74.00	-6.10	3	Vertical	26	1.50
5570MHz	Pass	PK	5.4608G	66.56	68.20	-1.64	3	Vertical	26	1.50
5570MHz	Pass	PK	5.6012G	101.27	Inf	-Inf	3	Vertical	26	1.50
5570MHz	Pass	PK	5.7476G	63.78	68.20	-4.42	3	Vertical	26	1.50
5570MHz	Pass	AV	5.4512G	51.87	54.00	-2.13	3	Horizontal	353	1.50
5570MHz	Pass	AV	5.5124G	93.35	Inf	-Inf	3	Horizontal	353	1.50
5570MHz	Pass	PK	5.35G	61.89	74.00	-12.11	3	Horizontal	353	1.50
5570MHz	Pass	PK	5.4548G	67.92	74.00	-6.08	3	Horizontal	353	1.50
5570MHz	Pass	PK	5.4692G	67.28	68.20	-0.92	3	Horizontal	353	1.50
5570MHz	Pass	PK	5.5928G	102.63	Inf	-Inf	3	Horizontal	353	1.50
5570MHz	Pass	PK	5.852G	62.70	68.20	-5.50	3	Horizontal	353	1.50
5570MHz	Pass	AV	11.13953G	42.17	54.00	-11.83	3	Vertical	303	2.21
5570MHz	Pass	PK	11.13918G	53.05	74.00	-20.95	3	Vertical	303	2.21
5570MHz	Pass	AV	11.14098G	42.24	54.00	-11.76	3	Horizontal	280	2.11
5570MHz	Pass	PK	11.14029G	53.63	74.00	-20.37	3	Horizontal	280	2.11


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.118G	53.42	54.00	-0.58	6.40	3	Vertical	33	1.69	47.02	33.34	8.08	35.02
AV	5.199G	99.16	Inf	-Inf	6.48	3	Vertical	33	1.69	92.68	33.40	8.12	35.04
AV	5.456G	51.72	54.00	-2.28	6.40	3	Vertical	33	1.69	45.32	33.20	8.28	35.08
PK	5.138G	62.75	74.00	-11.25	6.45	3	Vertical	33	1.69	56.30	33.38	8.09	35.02
PK	5.199G	107.16	Inf	-Inf	6.48	3	Vertical	33	1.69	100.68	33.40	8.12	35.04
PK	5.444G	62.08	74.00	-11.92	6.38	3	Vertical	33	1.69	55.70	33.19	8.27	35.08

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.122G	53.82	54.00	-0.18	6.40	3	Horizontal	356	2.27	47.42	33.34	8.08	35.02
AV	5.225G	99.25	Inf	-Inf	6.44	3	Horizontal	356	2.27	92.81	33.35	8.13	35.04
AV	5.355G	51.72	54.00	-2.28	6.14	3	Horizontal	356	2.27	45.58	33.01	8.19	35.06
PK	5.144G	63.82	74.00	-10.18	6.45	3	Horizontal	356	2.27	57.37	33.39	8.09	35.03
PK	5.214G	109.45	Inf	-Inf	6.46	3	Horizontal	356	2.27	102.99	33.37	8.13	35.04
PK	5.452G	61.78	74.00	-12.22	6.40	3	Horizontal	356	2.27	55.38	33.20	8.28	35.08


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.54	54.00	-0.46	6.40	3	Vertical	24	1.50	47.14	33.20	8.28	35.08
AV	5.5074G	107.96	Inf	-Inf	6.46	3	Vertical	24	1.50	101.50	33.21	8.34	35.09
PK	5.4596G	63.76	74.00	-10.24	6.40	3	Vertical	24	1.50	57.36	33.20	8.28	35.08
PK	5.4614G	63.98	68.20	-4.22	6.41	3	Vertical	24	1.50	57.57	33.20	8.29	35.08
PK	5.4986G	116.69	Inf	-Inf	6.44	3	Vertical	24	1.50	110.25	33.20	8.33	35.09

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.94	54.00	-0.06	6.41	3	Horizontal	360	2.00	47.53	33.20	8.29	35.08
AV	5.4986G	108.66	Inf	-Inf	6.44	3	Horizontal	360	2.00	102.22	33.20	8.33	35.09
PK	5.4596G	64.17	74.00	-9.83	6.40	3	Horizontal	360	2.00	57.77	33.20	8.28	35.08
PK	5.465G	64.73	68.20	-3.47	6.41	3	Horizontal	360	2.00	58.32	33.20	8.29	35.08
PK	5.498G	117.04	Inf	-Inf	6.44	3	Horizontal	360	2.00	110.60	33.20	8.33	35.09


5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	50.38	54.00	-3.62	6.13	3	Vertical	25	1.79	44.25	33.00	8.19	35.06
AV	5.437G	53.86	54.00	-0.14	6.35	3	Vertical	25	1.79	47.51	33.17	8.26	35.08
AV	5.519G	100.41	Inf	-Inf	6.51	3	Vertical	25	1.79	93.90	33.24	8.36	35.09
PK	5.332G	61.27	68.20	-6.93	6.16	3	Vertical	25	1.79	55.11	33.04	8.18	35.06
PK	5.458G	63.17	74.00	-10.83	6.40	3	Vertical	25	1.79	56.77	33.20	8.28	35.08
PK	5.463G	62.47	68.20	-5.73	6.41	3	Vertical	25	1.79	56.06	33.20	8.29	35.08
PK	5.518G	108.57	Inf	-Inf	6.51	3	Vertical	25	1.79	102.06	33.24	8.36	35.09
PK	5.743G	62.28	68.20	-5.92	7.45	3	Vertical	25	1.79	54.83	33.96	8.60	35.11

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	50.16	54.00	-3.84	6.13	3	Horizontal	352	1.89	44.03	33.00	8.19	35.06
AV	5.433G	53.50	54.00	-0.50	6.34	3	Horizontal	352	1.89	47.16	33.17	8.25	35.08
AV	5.512G	99.81	Inf	-Inf	6.48	3	Horizontal	352	1.89	93.33	33.22	8.35	35.09
PK	5.313G	61.25	68.20	-6.95	6.18	3	Horizontal	352	1.89	55.07	33.07	8.17	35.06
PK	5.458G	63.39	74.00	-10.61	6.40	3	Horizontal	352	1.89	56.99	33.20	8.28	35.08
PK	5.463G	64.58	68.20	-3.62	6.41	3	Horizontal	352	1.89	58.17	33.20	8.29	35.08
PK	5.514G	109.07	Inf	-Inf	6.49	3	Horizontal	352	1.89	102.58	33.23	8.35	35.09
PK	5.75G	61.99	68.20	-6.21	7.49	3	Horizontal	352	1.89	54.50	34.00	8.61	35.12


5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming
_Radio 2_Multi-RU_1T1S_AP5022S6D**

Appendix E.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	Pass	AV	5.142G	53.59	54.00	-0.41	3	Vertical	340	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX	Pass	AV	5.3556G	52.63	54.00	-1.37	3	Horizontal	16	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	Pass	AV	5.355G	53.90	54.00	-0.10	3	Horizontal	0	1.78
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	Pass	PK	5.47G	67.20	68.20	-1.00	3	Horizontal	8	1.67
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX	Pass	PK	5.4692G	67.22	68.20	-0.98	3	Horizontal	13	1.65
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	Pass	PK	5.631G	67.93	68.20	-0.27	3	Horizontal	0	1.34

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.142G	53.59	54.00	-0.41	3	Vertical	340	1.50
5210MHz	Pass	AV	5.24G	91.81	Inf	-Inf	3	Vertical	340	1.50
5210MHz	Pass	AV	5.424G	50.99	54.00	-3.01	3	Vertical	340	1.50
5210MHz	Pass	PK	5.147G	69.39	74.00	-4.61	3	Vertical	340	1.50
5210MHz	Pass	PK	5.198G	102.15	Inf	-Inf	3	Vertical	340	1.50
5210MHz	Pass	PK	5.375G	62.11	74.00	-11.89	3	Vertical	340	1.50
5210MHz	Pass	AV	5.136G	52.91	54.00	-1.09	3	Horizontal	24	1.59
5210MHz	Pass	AV	5.2G	91.40	Inf	-Inf	3	Horizontal	24	1.59
5210MHz	Pass	AV	5.457G	51.18	54.00	-2.82	3	Horizontal	24	1.59
5210MHz	Pass	PK	5.147G	68.78	74.00	-5.22	3	Horizontal	24	1.59
5210MHz	Pass	PK	5.201G	102.41	Inf	-Inf	3	Horizontal	24	1.59
5210MHz	Pass	PK	5.437G	61.73	74.00	-12.27	3	Horizontal	24	1.59
5210MHz	Pass	PK	10.44928G	53.63	68.20	-14.57	3	Vertical	27	2.10
5210MHz	Pass	PK	10.4288G	54.28	68.20	-13.92	3	Horizontal	207	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.04G	50.22	54.00	-3.78	3	Vertical	342	1.49
5290MHz	Pass	AV	5.321G	90.13	Inf	-Inf	3	Vertical	342	1.49
5290MHz	Pass	AV	5.352G	53.47	54.00	-0.53	3	Vertical	342	1.49
5290MHz	Pass	PK	5.051G	61.07	74.00	-12.93	3	Vertical	342	1.49
5290MHz	Pass	PK	5.313G	101.54	Inf	-Inf	3	Vertical	342	1.49
5290MHz	Pass	PK	5.36G	71.25	74.00	-2.75	3	Vertical	342	1.49
5290MHz	Pass	PK	5.492G	61.07	68.20	-7.13	3	Vertical	342	1.49
5290MHz	Pass	AV	5.138G	50.28	54.00	-3.72	3	Horizontal	0	1.78
5290MHz	Pass	AV	5.301G	91.33	Inf	-Inf	3	Horizontal	0	1.78
5290MHz	Pass	AV	5.355G	53.90	54.00	-0.10	3	Horizontal	0	1.78
5290MHz	Pass	PK	5.122G	60.79	74.00	-13.21	3	Horizontal	0	1.78
5290MHz	Pass	PK	5.301G	102.68	Inf	-Inf	3	Horizontal	0	1.78
5290MHz	Pass	PK	5.358G	71.37	74.00	-2.63	3	Horizontal	0	1.78
5290MHz	Pass	PK	5.538G	61.83	68.20	-6.37	3	Horizontal	0	1.78
5290MHz	Pass	PK	10.54064G	53.66	68.20	-14.54	3	Vertical	9	1.50
5290MHz	Pass	PK	10.58368G	54.28	68.20	-13.92	3	Horizontal	121	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	50.06	54.00	-3.94	3	Vertical	16	1.50
5530MHz	Pass	AV	5.46G	51.55	54.00	-2.45	3	Vertical	16	1.50
5530MHz	Pass	AV	5.521G	92.09	Inf	-Inf	3	Vertical	16	1.50
5530MHz	Pass	PK	5.327G	60.91	68.20	-7.29	3	Vertical	16	1.50
5530MHz	Pass	PK	5.452G	65.39	74.00	-8.61	3	Vertical	16	1.50
5530MHz	Pass	PK	5.469G	66.53	68.20	-1.67	3	Vertical	16	1.50
5530MHz	Pass	PK	5.518G	103.55	Inf	-Inf	3	Vertical	16	1.50
5530MHz	Pass	PK	5.731G	61.66	68.20	-6.54	3	Vertical	16	1.50
5530MHz	Pass	AV	5.35G	49.25	54.00	-4.75	3	Horizontal	8	1.67
5530MHz	Pass	AV	5.453G	51.39	54.00	-2.61	3	Horizontal	8	1.67
5530MHz	Pass	AV	5.515G	91.51	Inf	-Inf	3	Horizontal	8	1.67
5530MHz	Pass	PK	5.339G	60.70	68.20	-7.50	3	Horizontal	8	1.67
5530MHz	Pass	PK	5.451G	65.91	74.00	-8.09	3	Horizontal	8	1.67
5530MHz	Pass	PK	5.47G	67.20	68.20	-1.00	3	Horizontal	8	1.67
5530MHz	Pass	PK	5.52G	102.66	Inf	-Inf	3	Horizontal	8	1.67
5530MHz	Pass	PK	5.751G	62.02	68.20	-6.18	3	Horizontal	8	1.67
5530MHz	Pass	AV	11.0612G	42.95	54.00	-11.05	3	Vertical	12	2.96
5530MHz	Pass	PK	11.07374G	53.36	74.00	-20.64	3	Vertical	12	2.96
5530MHz	Pass	AV	11.05568G	43.00	54.00	-11.00	3	Horizontal	0	1.67
5530MHz	Pass	PK	11.05934G	53.34	74.00	-20.66	3	Horizontal	0	1.67
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.458G	52.10	54.00	-1.90	3	Vertical	16	1.50
5610MHz	Pass	AV	5.593G	94.92	Inf	-Inf	3	Vertical	16	1.50
5610MHz	Pass	PK	5.455G	66.35	74.00	-7.65	3	Vertical	16	1.50
5610MHz	Pass	PK	5.47G	67.13	68.20	-1.07	3	Vertical	16	1.50
5610MHz	Pass	PK	5.592G	105.78	Inf	-Inf	3	Vertical	16	1.50
5610MHz	Pass	PK	5.73G	67.04	68.20	-1.16	3	Vertical	16	1.50
5610MHz	Pass	AV	5.455G	52.19	54.00	-1.81	3	Horizontal	7	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.598G	94.75	Inf	-Inf	3	Horizontal	7	1.50
5610MHz	Pass	PK	5.456G	66.93	74.00	-7.07	3	Horizontal	7	1.50
5610MHz	Pass	PK	5.47G	64.99	68.20	-3.21	3	Horizontal	7	1.50
5610MHz	Pass	PK	5.58G	105.45	Inf	-Inf	3	Horizontal	7	1.50
5610MHz	Pass	PK	5.733G	66.65	68.20	-1.55	3	Horizontal	7	1.50
5610MHz	Pass	AV	11.26G	43.59	54.00	-10.41	3	Vertical	360	1.50
5610MHz	Pass	PK	11.23488G	53.21	74.00	-20.79	3	Vertical	360	1.50
5610MHz	Pass	AV	11.23488G	43.54	54.00	-10.46	3	Horizontal	101	1.50
5610MHz	Pass	PK	11.2592G	52.93	74.00	-21.07	3	Horizontal	101	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX										
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	51.09	54.00	-2.91	3	Vertical	356	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7068G	97.08	Inf	-Inf	3	Vertical	356	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4356G	62.22	74.00	-11.78	3	Vertical	356	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	62.90	68.20	-5.30	3	Vertical	356	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	107.84	Inf	-Inf	3	Vertical	356	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	66.86	68.20	-1.34	3	Vertical	356	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	51.17	54.00	-2.83	3	Horizontal	351	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6996G	97.00	Inf	-Inf	3	Horizontal	351	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	62.19	74.00	-11.81	3	Horizontal	351	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	61.53	68.20	-6.67	3	Horizontal	351	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6948G	108.12	Inf	-Inf	3	Horizontal	351	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	66.75	68.20	-1.45	3	Horizontal	351	1.89
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38704G	44.72	54.00	-9.28	3	Vertical	117	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36384G	53.98	74.00	-20.02	3	Vertical	117	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39728G	44.36	54.00	-9.64	3	Horizontal	134	2.21
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34912G	54.44	74.00	-19.56	3	Horizontal	134	2.21
5775MHz	Pass	AV	5.7474G	95.91	Inf	-Inf	3	Vertical	360	1.50
5775MHz	Pass	PK	5.6298G	67.87	68.20	-0.33	3	Vertical	360	1.50
5775MHz	Pass	PK	5.7462G	107.16	Inf	-Inf	3	Vertical	360	1.50
5775MHz	Pass	PK	5.973G	62.40	68.20	-5.80	3	Vertical	360	1.50
5775MHz	Pass	AV	5.7846G	95.44	Inf	-Inf	3	Horizontal	0	1.34
5775MHz	Pass	PK	5.631G	67.93	68.20	-0.27	3	Horizontal	0	1.34
5775MHz	Pass	PK	5.7906G	106.62	Inf	-Inf	3	Horizontal	0	1.34
5775MHz	Pass	PK	5.9478G	63.13	68.20	-5.07	3	Horizontal	0	1.34
5775MHz	Pass	AV	11.53764G	44.27	54.00	-9.73	3	Vertical	7	1.20
5775MHz	Pass	PK	11.55534G	55.58	74.00	-18.42	3	Vertical	7	1.20
5775MHz	Pass	AV	11.55066G	44.14	54.00	-9.86	3	Horizontal	223	2.19
5775MHz	Pass	PK	11.53602G	54.55	74.00	-19.45	3	Horizontal	223	2.19
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX										
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.136G	51.02	54.00	-2.98	3	Vertical	339	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3268G	88.04	Inf	-Inf	3	Vertical	339	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3664G	52.28	54.00	-1.72	3	Vertical	339	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0304G	61.28	74.00	-12.72	3	Vertical	339	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2668G	98.47	Inf	-Inf	3	Vertical	339	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	67.60	74.00	-6.40	3	Vertical	339	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.484G	61.90	68.20	-6.30	3	Vertical	339	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1396G	50.48	54.00	-3.52	3	Horizontal	14	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3268G	88.08	Inf	-Inf	3	Horizontal	14	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4084G	52.24	54.00	-1.76	3	Horizontal	14	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0592G	60.74	74.00	-13.26	3	Horizontal	14	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3112G	98.68	Inf	-Inf	3	Horizontal	14	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35G	68.74	74.00	-5.26	3	Horizontal	14	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5116G	62.40	68.20	-5.80	3	Horizontal	14	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.54544G	54.11	68.20	-14.09	3	Vertical	235	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.46832G	53.44	68.20	-14.76	3	Horizontal	344	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX										
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	50.58	54.00	-3.42	3	Vertical	341	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	87.67	Inf	-Inf	3	Vertical	341	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.358G	52.28	54.00	-1.72	3	Vertical	341	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1336G	60.92	74.00	-13.08	3	Vertical	341	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3112G	98.53	Inf	-Inf	3	Vertical	341	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3532G	67.62	74.00	-6.38	3	Vertical	341	1.50




**RSE TX above 1GHz_Non-Beamforming
_Radio 2_Multi-RU_1T1S_AP5022S6D**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.508G	61.35	68.20	-6.85	3	Vertical	341	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0112G	50.45	54.00	-3.55	3	Horizontal	16	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3268G	87.52	Inf	-Inf	3	Horizontal	16	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3556G	52.63	54.00	-1.37	3	Horizontal	16	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.148G	61.11	74.00	-12.89	3	Horizontal	16	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3148G	98.40	Inf	-Inf	3	Horizontal	16	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	67.64	74.00	-6.36	3	Horizontal	16	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4948G	61.98	68.20	-6.22	3	Horizontal	16	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.45936G	53.45	68.20	-14.75	3	Vertical	301	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.54128G	53.76	68.20	-14.44	3	Horizontal	90	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4572G	51.33	54.00	-2.67	3	Vertical	16	1.66
5570MHz	Pass	AV	5.5064G	89.40	Inf	-Inf	3	Vertical	16	1.66
5570MHz	Pass	PK	5.3264G	60.40	68.20	-7.80	3	Vertical	16	1.66
5570MHz	Pass	PK	5.4572G	64.98	74.00	-9.02	3	Vertical	16	1.66
5570MHz	Pass	PK	5.468G	66.64	68.20	-1.56	3	Vertical	16	1.66
5570MHz	Pass	PK	5.5136G	100.13	Inf	-Inf	3	Vertical	16	1.66
5570MHz	Pass	PK	5.8328G	62.06	68.20	-6.14	3	Vertical	16	1.66
5570MHz	Pass	AV	5.432G	51.41	54.00	-2.59	3	Horizontal	13	1.65
5570MHz	Pass	AV	5.5112G	88.75	Inf	-Inf	3	Horizontal	13	1.65
5570MHz	Pass	PK	5.2964G	60.27	68.20	-7.93	3	Horizontal	13	1.65
5570MHz	Pass	PK	5.4584G	65.37	74.00	-8.63	3	Horizontal	13	1.65
5570MHz	Pass	PK	5.4692G	67.22	68.20	-0.98	3	Horizontal	13	1.65
5570MHz	Pass	PK	5.4956G	100.04	Inf	-Inf	3	Horizontal	13	1.65
5570MHz	Pass	PK	5.8448G	63.06	68.20	-5.14	3	Horizontal	13	1.65
5570MHz	Pass	AV	11.10384G	42.99	54.00	-11.01	3	Vertical	44	2.09
5570MHz	Pass	PK	11.09584G	52.30	74.00	-21.70	3	Vertical	44	2.09
5570MHz	Pass	AV	11.1944G	43.31	54.00	-10.69	3	Horizontal	198	1.88
5570MHz	Pass	PK	11.1464G	52.62	74.00	-21.38	3	Horizontal	198	1.88
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4212G	51.11	54.00	-2.89	3	Vertical	17	1.66
5570MHz	Pass	AV	5.5088G	88.68	Inf	-Inf	3	Vertical	17	1.66
5570MHz	Pass	PK	5.2988G	62.40	68.20	-5.80	3	Vertical	17	1.66
5570MHz	Pass	PK	5.4488G	63.55	74.00	-10.45	3	Vertical	17	1.66
5570MHz	Pass	PK	5.468G	65.61	68.20	-2.59	3	Vertical	17	1.66
5570MHz	Pass	PK	5.5388G	100.61	Inf	-Inf	3	Vertical	17	1.66
5570MHz	Pass	PK	5.8076G	62.86	68.20	-5.34	3	Vertical	17	1.66
5570MHz	Pass	AV	5.4116G	51.02	54.00	-2.98	3	Horizontal	11	1.50
5570MHz	Pass	AV	5.4932G	88.05	Inf	-Inf	3	Horizontal	11	1.50
5570MHz	Pass	PK	5.3348G	60.30	68.20	-7.90	3	Horizontal	11	1.50
5570MHz	Pass	PK	5.4596G	64.90	74.00	-9.10	3	Horizontal	11	1.50
5570MHz	Pass	PK	5.4644G	65.76	68.20	-2.44	3	Horizontal	11	1.50
5570MHz	Pass	PK	5.5076G	99.28	Inf	-Inf	3	Horizontal	11	1.50
5570MHz	Pass	PK	5.8508G	62.45	68.20	-5.75	3	Horizontal	11	1.50
5570MHz	Pass	AV	11.19184G	43.20	54.00	-10.80	3	Vertical	43	2.22
5570MHz	Pass	PK	11.18352G	52.62	74.00	-21.38	3	Vertical	43	2.22
5570MHz	Pass	AV	11.19248G	43.11	54.00	-10.89	3	Horizontal	0	1.47
5570MHz	Pass	PK	11.21328G	52.46	74.00	-21.54	3	Horizontal	0	1.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	53.59	54.00	-0.41	6.44	3	Vertical	340	1.50	47.15	33.38	8.09	35.03
AV	5.24G	91.81	Inf	-Inf	6.42	3	Vertical	340	1.50	85.39	33.32	8.14	35.04
AV	5.424G	50.99	54.00	-3.01	6.31	3	Vertical	340	1.50	44.68	33.15	8.24	35.08
PK	5.147G	69.39	74.00	-4.61	6.45	3	Vertical	340	1.50	62.94	33.39	8.09	35.03
PK	5.198G	102.15	Inf	-Inf	6.48	3	Vertical	340	1.50	95.67	33.40	8.12	35.04
PK	5.375G	62.11	74.00	-11.89	6.18	3	Vertical	340	1.50	55.93	33.05	8.20	35.07

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	52.91	54.00	-1.09	6.44	3	Horizontal	24	1.59	46.47	33.37	8.09	35.02
AV	5.2G	91.40	Inf	-Inf	6.48	3	Horizontal	24	1.59	84.92	33.40	8.12	35.04
AV	5.457G	51.18	54.00	-2.82	6.40	3	Horizontal	24	1.59	44.78	33.20	8.28	35.08
PK	5.147G	68.78	74.00	-5.22	6.45	3	Horizontal	24	1.59	62.33	33.39	8.09	35.03
PK	5.201G	102.41	Inf	-Inf	6.48	3	Horizontal	24	1.59	95.93	33.40	8.12	35.04
PK	5.437G	61.73	74.00	-12.27	6.35	3	Horizontal	24	1.59	55.38	33.17	8.26	35.08


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	50.06	54.00	-3.94	6.13	3	Vertical	16	1.50	43.93	33.00	8.19	35.06
AV	5.46G	51.55	54.00	-2.45	6.41	3	Vertical	16	1.50	45.14	33.20	8.29	35.08
AV	5.521G	92.09	Inf	-Inf	6.51	3	Vertical	16	1.50	85.58	33.24	8.36	35.09
PK	5.327G	60.91	68.20	-7.29	6.17	3	Vertical	16	1.50	54.74	33.05	8.18	35.06
PK	5.452G	65.39	74.00	-8.61	6.40	3	Vertical	16	1.50	58.99	33.20	8.28	35.08
PK	5.469G	66.53	68.20	-1.67	6.42	3	Vertical	16	1.50	60.11	33.20	8.30	35.08
PK	5.518G	103.55	Inf	-Inf	6.51	3	Vertical	16	1.50	97.04	33.24	8.36	35.09
PK	5.731G	61.66	68.20	-6.54	7.37	3	Vertical	16	1.50	54.29	33.89	8.59	35.11

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.25	54.00	-4.75	6.13	3	Horizontal	8	1.67	43.12	33.00	8.19	35.06
AV	5.453G	51.39	54.00	-2.61	6.40	3	Horizontal	8	1.67	44.99	33.20	8.28	35.08
AV	5.515G	91.51	Inf	-Inf	6.49	3	Horizontal	8	1.67	85.02	33.23	8.35	35.09
PK	5.339G	60.70	68.20	-7.50	6.14	3	Horizontal	8	1.67	54.56	33.02	8.18	35.06
PK	5.451G	65.91	74.00	-8.09	6.39	3	Horizontal	8	1.67	59.52	33.20	8.27	35.08
PK	5.47G	67.20	68.20	-1.00	6.42	3	Horizontal	8	1.67	60.78	33.20	8.30	35.08
PK	5.52G	102.66	Inf	-Inf	6.51	3	Horizontal	8	1.67	96.15	33.24	8.36	35.09
PK	5.751G	62.02	68.20	-6.18	7.50	3	Horizontal	8	1.67	54.52	34.01	8.61	35.12


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	95.91	Inf	-Inf	7.48	3	Vertical	360	1.50	88.43	33.98	8.61	35.11
PK	5.6298G	67.87	68.20	-0.33	6.81	3	Vertical	360	1.50	61.06	33.42	8.49	35.10
PK	5.7462G	107.16	Inf	-Inf	7.48	3	Vertical	360	1.50	99.68	33.98	8.61	35.11
PK	5.973G	62.40	68.20	-5.80	7.93	3	Vertical	360	1.50	54.47	34.35	8.72	35.14

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7846G	95.44	Inf	-Inf	7.73	3	Horizontal	0	1.34	87.71	34.21	8.64	35.12
PK	5.631G	67.93	68.20	-0.27	6.81	3	Horizontal	0	1.34	61.12	33.42	8.49	35.10
PK	5.7906G	106.62	Inf	-Inf	7.77	3	Horizontal	0	1.34	98.85	34.24	8.65	35.12
PK	5.9478G	63.13	68.20	-5.07	7.98	3	Horizontal	0	1.34	55.15	34.40	8.71	35.13


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_2T1S_AP5022S6D**

Appendix E.19

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.145G	53.47	54.00	-0.53	3	Vertical	349	1.48
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.3556G	53.52	54.00	-0.48	3	Horizontal	354	1.99
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	5.355G	53.67	54.00	-0.33	3	Horizontal	354	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.736G	67.45	68.20	-0.75	3	Horizontal	348	1.94
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX	Pass	PK	5.4692G	66.46	68.20	-1.74	3	Vertical	16	1.76
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.6178G	67.27	68.20	-0.93	3	Horizontal	2	1.93

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.145G	53.47	54.00	-0.53	3	Vertical	349	1.48
5210MHz	Pass	AV	5.203G	95.47	Inf	-Inf	3	Vertical	349	1.48
5210MHz	Pass	AV	5.391G	50.83	54.00	-3.17	3	Vertical	349	1.48
5210MHz	Pass	PK	5.145G	68.31	74.00	-5.69	3	Vertical	349	1.48
5210MHz	Pass	PK	5.193G	106.61	Inf	-Inf	3	Vertical	349	1.48
5210MHz	Pass	PK	5.35G	62.23	74.00	-11.77	3	Vertical	349	1.48
5210MHz	Pass	AV	5.135G	53.25	54.00	-0.75	3	Horizontal	355	1.50
5210MHz	Pass	AV	5.24G	95.38	Inf	-Inf	3	Horizontal	355	1.50
5210MHz	Pass	AV	5.426G	51.32	54.00	-2.68	3	Horizontal	355	1.50
5210MHz	Pass	PK	5.149G	67.69	74.00	-6.31	3	Horizontal	355	1.50
5210MHz	Pass	PK	5.202G	105.74	Inf	-Inf	3	Horizontal	355	1.50
5210MHz	Pass	PK	5.352G	62.51	74.00	-11.49	3	Horizontal	355	1.50
5210MHz	Pass	PK	10.41864G	54.00	68.20	-14.20	3	Vertical	55	1.50
5210MHz	Pass	PK	10.42768G	54.01	68.20	-14.19	3	Horizontal	334	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.04G	50.05	54.00	-3.95	3	Vertical	0	1.50
5290MHz	Pass	AV	5.3G	93.50	Inf	-Inf	3	Vertical	0	1.50
5290MHz	Pass	AV	5.365G	53.43	54.00	-0.57	3	Vertical	0	1.50
5290MHz	Pass	PK	5.084G	61.00	74.00	-13.00	3	Vertical	0	1.50
5290MHz	Pass	PK	5.297G	104.69	Inf	-Inf	3	Vertical	0	1.50
5290MHz	Pass	PK	5.36G	69.90	74.00	-4.10	3	Vertical	0	1.50
5290MHz	Pass	PK	5.518G	61.32	68.20	-6.88	3	Vertical	0	1.50
5290MHz	Pass	AV	5.131G	50.31	54.00	-3.69	3	Horizontal	354	1.50
5290MHz	Pass	AV	5.3G	95.15	Inf	-Inf	3	Horizontal	354	1.50
5290MHz	Pass	AV	5.355G	53.67	54.00	-0.33	3	Horizontal	354	1.50
5290MHz	Pass	PK	5.066G	60.74	74.00	-13.26	3	Horizontal	354	1.50
5290MHz	Pass	PK	5.3G	107.36	Inf	-Inf	3	Horizontal	354	1.50
5290MHz	Pass	PK	5.36G	71.03	74.00	-2.97	3	Horizontal	354	1.50
5290MHz	Pass	PK	5.462G	61.50	68.20	-6.70	3	Horizontal	354	1.50
5290MHz	Pass	PK	10.57328G	54.45	68.20	-13.75	3	Vertical	32	1.98
5290MHz	Pass	PK	10.58496G	54.27	68.20	-13.93	3	Horizontal	54	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	49.43	54.00	-4.57	3	Vertical	16	1.50
5530MHz	Pass	AV	5.458G	51.98	54.00	-2.02	3	Vertical	16	1.50
5530MHz	Pass	AV	5.516G	94.85	Inf	-Inf	3	Vertical	16	1.50
5530MHz	Pass	PK	5.308G	61.17	68.20	-7.03	3	Vertical	16	1.50
5530MHz	Pass	PK	5.428G	65.13	74.00	-8.87	3	Vertical	16	1.50
5530MHz	Pass	PK	5.468G	66.58	68.20	-1.62	3	Vertical	16	1.50
5530MHz	Pass	PK	5.524G	105.10	Inf	-Inf	3	Vertical	16	1.50
5530MHz	Pass	PK	5.776G	61.91	68.20	-6.29	3	Vertical	16	1.50
5530MHz	Pass	AV	5.35G	49.33	54.00	-4.67	3	Horizontal	6	1.72
5530MHz	Pass	AV	5.459G	52.15	54.00	-1.85	3	Horizontal	6	1.72
5530MHz	Pass	AV	5.517G	94.93	Inf	-Inf	3	Horizontal	6	1.72
5530MHz	Pass	PK	5.29G	60.44	68.20	-7.76	3	Horizontal	6	1.72
5530MHz	Pass	PK	5.449G	65.04	74.00	-8.96	3	Horizontal	6	1.72
5530MHz	Pass	PK	5.469G	66.70	68.20	-1.50	3	Horizontal	6	1.72
5530MHz	Pass	PK	5.502G	105.67	Inf	-Inf	3	Horizontal	6	1.72
5530MHz	Pass	PK	5.77G	61.96	68.20	-6.24	3	Horizontal	6	1.72
5530MHz	Pass	AV	11.07048G	42.90	54.00	-11.10	3	Vertical	247	1.55
5530MHz	Pass	PK	11.04368G	52.66	74.00	-21.34	3	Vertical	247	1.55
5530MHz	Pass	AV	11.07592G	42.92	54.00	-11.08	3	Horizontal	151	1.50
5530MHz	Pass	PK	11.07712G	52.38	74.00	-21.62	3	Horizontal	151	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.449G	50.64	54.00	-3.36	3	Vertical	355	1.50
5610MHz	Pass	AV	5.612G	96.57	Inf	-Inf	3	Vertical	355	1.50
5610MHz	Pass	PK	5.445G	61.89	74.00	-12.11	3	Vertical	355	1.50
5610MHz	Pass	PK	5.47G	61.20	68.20	-7.00	3	Vertical	355	1.50
5610MHz	Pass	PK	5.615G	106.87	Inf	-Inf	3	Vertical	355	1.50
5610MHz	Pass	PK	5.735G	66.96	68.20	-1.24	3	Vertical	355	1.50
5610MHz	Pass	AV	5.428G	50.79	54.00	-3.21	3	Horizontal	348	1.94

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.62G	97.63	Inf	-Inf	3	Horizontal	348	1.94
5610MHz	Pass	PK	5.433G	62.06	74.00	-11.94	3	Horizontal	348	1.94
5610MHz	Pass	PK	5.47G	61.93	68.20	-6.27	3	Horizontal	348	1.94
5610MHz	Pass	PK	5.64G	107.96	Inf	-Inf	3	Horizontal	348	1.94
5610MHz	Pass	PK	5.736G	67.45	68.20	-0.75	3	Horizontal	348	1.94
5610MHz	Pass	AV	11.23552G	43.49	54.00	-10.51	3	Vertical	282	1.50
5610MHz	Pass	PK	11.23G	53.04	74.00	-20.96	3	Vertical	282	1.50
5610MHz	Pass	AV	11.22616G	43.43	54.00	-10.57	3	Horizontal	244	1.50
5610MHz	Pass	PK	11.23264G	53.56	74.00	-20.44	3	Horizontal	244	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	50.88	54.00	-3.12	3	Vertical	355	1.86
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6996G	100.49	Inf	-Inf	3	Vertical	355	1.86
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4452G	62.92	74.00	-11.08	3	Vertical	355	1.86
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	62.76	68.20	-5.44	3	Vertical	355	1.86
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	111.17	Inf	-Inf	3	Vertical	355	1.86
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	65.68	68.20	-2.52	3	Vertical	355	1.86
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	50.51	54.00	-3.49	3	Horizontal	348	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6924G	100.40	Inf	-Inf	3	Horizontal	348	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4404G	62.66	74.00	-11.34	3	Horizontal	348	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	62.32	68.20	-5.88	3	Horizontal	348	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6972G	110.70	Inf	-Inf	3	Horizontal	348	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	65.69	68.20	-2.51	3	Horizontal	348	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39408G	44.31	54.00	-9.69	3	Vertical	259	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36992G	54.48	74.00	-19.52	3	Vertical	259	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39368G	44.52	54.00	-9.48	3	Horizontal	262	2.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38488G	54.69	74.00	-19.31	3	Horizontal	262	2.88
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7642G	98.53	Inf	-Inf	3	Vertical	356	1.81
5775MHz	Pass	PK	5.619G	66.99	68.20	-1.21	3	Vertical	356	1.81
5775MHz	Pass	PK	5.745G	109.38	Inf	-Inf	3	Vertical	356	1.81
5775MHz	Pass	PK	5.9358G	62.66	68.20	-5.54	3	Vertical	356	1.81
5775MHz	Pass	AV	5.7618G	97.93	Inf	-Inf	3	Horizontal	2	1.93
5775MHz	Pass	PK	5.6178G	67.27	68.20	-0.93	3	Horizontal	2	1.93
5775MHz	Pass	PK	5.7594G	108.24	Inf	-Inf	3	Horizontal	2	1.93
5775MHz	Pass	PK	6.057G	62.26	68.20	-5.94	3	Horizontal	2	1.93
5775MHz	Pass	AV	11.5324G	44.29	54.00	-9.71	3	Vertical	142	1.50
5775MHz	Pass	PK	11.55512G	54.79	74.00	-19.21	3	Vertical	142	1.50
5775MHz	Pass	AV	11.5308G	44.31	54.00	-9.69	3	Horizontal	202	2.72
5775MHz	Pass	PK	11.56544G	54.29	74.00	-19.71	3	Horizontal	202	2.72
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1432G	50.96	54.00	-3.04	3	Vertical	344	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	92.54	Inf	-Inf	3	Vertical	344	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3556G	52.19	54.00	-1.81	3	Vertical	344	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0208G	60.79	74.00	-13.21	3	Vertical	344	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.31G	103.06	Inf	-Inf	3	Vertical	344	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.352G	68.39	74.00	-5.61	3	Vertical	344	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4648G	61.05	68.20	-7.15	3	Vertical	344	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1396G	50.83	54.00	-3.17	3	Horizontal	355	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	92.74	Inf	-Inf	3	Horizontal	355	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3652G	52.82	54.00	-1.18	3	Horizontal	355	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.15G	62.09	74.00	-11.91	3	Horizontal	355	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3028G	103.03	Inf	-Inf	3	Horizontal	355	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35G	68.91	74.00	-5.09	3	Horizontal	355	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4996G	61.25	68.20	-6.95	3	Horizontal	355	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.51984G	53.97	68.20	-14.23	3	Vertical	203	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.4704G	54.82	68.20	-13.38	3	Horizontal	295	1.10
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.148G	51.18	54.00	-2.82	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	92.92	Inf	-Inf	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3556G	53.13	54.00	-0.87	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1144G	61.33	74.00	-12.67	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.31G	103.38	Inf	-Inf	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35G	69.53	74.00	-4.47	3	Vertical	347	1.48

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4612G	62.37	68.20	-5.83	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.0892G	50.97	54.00	-3.03	3	Horizontal	354	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	94.14	Inf	-Inf	3	Horizontal	354	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3556G	53.52	54.00	-0.48	3	Horizontal	354	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.0904G	61.39	74.00	-12.61	3	Horizontal	354	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2728G	104.34	Inf	-Inf	3	Horizontal	354	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3556G	70.06	74.00	-3.94	3	Horizontal	354	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5476G	61.72	68.20	-6.48	3	Horizontal	354	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50416G	54.11	68.20	-14.09	3	Vertical	253	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.51904G	54.09	68.20	-14.11	3	Horizontal	121	1.25
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.426G	51.02	54.00	-2.98	3	Vertical	16	1.76
5570MHz	Pass	AV	5.5088G	92.75	Inf	-Inf	3	Vertical	16	1.76
5570MHz	Pass	PK	5.3084G	60.48	68.20	-7.72	3	Vertical	16	1.76
5570MHz	Pass	PK	5.4428G	63.83	74.00	-10.17	3	Vertical	16	1.76
5570MHz	Pass	PK	5.4692G	66.46	68.20	-1.74	3	Vertical	16	1.76
5570MHz	Pass	PK	5.5088G	102.92	Inf	-Inf	3	Vertical	16	1.76
5570MHz	Pass	PK	5.8556G	62.51	68.20	-5.69	3	Vertical	16	1.76
5570MHz	Pass	AV	5.3888G	51.14	54.00	-2.86	3	Horizontal	351	2.01
5570MHz	Pass	AV	5.5952G	92.76	Inf	-Inf	3	Horizontal	351	2.01
5570MHz	Pass	PK	5.2976G	60.04	68.20	-8.16	3	Horizontal	351	2.01
5570MHz	Pass	PK	5.456G	63.64	74.00	-10.36	3	Horizontal	351	2.01
5570MHz	Pass	PK	5.4608G	64.76	68.20	-3.44	3	Horizontal	351	2.01
5570MHz	Pass	PK	5.5976G	103.80	Inf	-Inf	3	Horizontal	351	2.01
5570MHz	Pass	PK	5.7356G	62.30	68.20	-5.90	3	Horizontal	351	2.01
5570MHz	Pass	AV	11.1664G	42.83	54.00	-11.17	3	Vertical	0	1.50
5570MHz	Pass	PK	11.11776G	52.56	74.00	-21.44	3	Vertical	0	1.50
5570MHz	Pass	AV	11.17488G	42.97	54.00	-11.03	3	Horizontal	80	1.50
5570MHz	Pass	PK	11.15232G	52.74	74.00	-21.26	3	Horizontal	80	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4272G	50.94	54.00	-3.06	3	Vertical	18	1.50
5570MHz	Pass	AV	5.4944G	91.54	Inf	-Inf	3	Vertical	18	1.50
5570MHz	Pass	PK	5.3252G	60.69	68.20	-7.51	3	Vertical	18	1.50
5570MHz	Pass	PK	5.4596G	63.33	74.00	-10.67	3	Vertical	18	1.50
5570MHz	Pass	PK	5.4692G	63.92	68.20	-4.28	3	Vertical	18	1.50
5570MHz	Pass	PK	5.504G	102.51	Inf	-Inf	3	Vertical	18	1.50
5570MHz	Pass	PK	5.8652G	62.05	68.20	-6.15	3	Vertical	18	1.50
5570MHz	Pass	AV	5.3912G	50.93	54.00	-3.07	3	Horizontal	7	1.82
5570MHz	Pass	AV	5.4944G	92.58	Inf	-Inf	3	Horizontal	7	1.82
5570MHz	Pass	PK	5.3432G	60.35	68.20	-7.85	3	Horizontal	7	1.82
5570MHz	Pass	PK	5.4584G	64.89	74.00	-9.11	3	Horizontal	7	1.82
5570MHz	Pass	PK	5.4692G	64.86	68.20	-3.34	3	Horizontal	7	1.82
5570MHz	Pass	PK	5.5088G	103.56	Inf	-Inf	3	Horizontal	7	1.82
5570MHz	Pass	PK	5.834G	62.10	68.20	-6.10	3	Horizontal	7	1.82
5570MHz	Pass	AV	11.12128G	42.88	54.00	-11.12	3	Vertical	236	1.50
5570MHz	Pass	PK	11.11936G	52.67	74.00	-21.33	3	Vertical	236	1.50
5570MHz	Pass	AV	11.15152G	43.12	54.00	-10.88	3	Horizontal	237	2.63
5570MHz	Pass	PK	11.13648G	53.20	74.00	-20.80	3	Horizontal	237	2.63


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.449G	50.64	54.00	-3.36	6.39	3	Vertical	355	1.50	44.25	33.20	8.27	35.08
AV	5.612G	96.57	Inf	-Inf	6.72	3	Vertical	355	1.50	89.85	33.35	8.47	35.10
PK	5.445G	61.89	74.00	-12.11	6.38	3	Vertical	355	1.50	55.51	33.19	8.27	35.08
PK	5.47G	61.20	68.20	-7.00	6.42	3	Vertical	355	1.50	54.78	33.20	8.30	35.08
PK	5.615G	106.87	Inf	-Inf	6.74	3	Vertical	355	1.50	100.13	33.36	8.48	35.10
PK	5.735G	66.96	68.20	-1.24	7.40	3	Vertical	355	1.50	59.56	33.91	8.60	35.11

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.428G	50.79	54.00	-3.21	6.33	3	Horizontal	348	1.94	44.46	33.16	8.25	35.08
AV	5.62G	97.63	Inf	-Inf	6.76	3	Horizontal	348	1.94	90.87	33.38	8.48	35.10
PK	5.433G	62.06	74.00	-11.94	6.34	3	Horizontal	348	1.94	55.72	33.17	8.25	35.08
PK	5.47G	61.93	68.20	-6.27	6.42	3	Horizontal	348	1.94	55.51	33.20	8.30	35.08
PK	5.64G	107.96	Inf	-Inf	6.86	3	Horizontal	348	1.94	101.10	33.46	8.50	35.10
PK	5.736G	67.45	68.20	-0.75	7.41	3	Horizontal	348	1.94	60.04	33.92	8.60	35.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 5_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_2T2S_AP5022S6D**

Appendix E.20

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.134G	53.79	54.00	-0.21	3	Horizontal	355	1.87
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	Pass	AV	5.4144G	53.78	54.00	-0.22	3	Horizontal	356	1.99
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	Pass	AV	5.364G	53.48	54.00	-0.52	3	Horizontal	355	1.85
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.736G	68.16	68.20	-0.04	3	Vertical	354	1.54
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	Pass	PK	5.462G	68.00	68.20	-0.20	3	Vertical	15	1.67
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	Pass	PK	5.6334G	67.24	68.20	-0.96	3	Horizontal	3	1.69



RSE TX above 1GHz_Non-Beamforming_ Radio 2_Multi-RU_2T2S_AP5022S6D

Appendix E.20

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.135G	53.53	54.00	-0.47	3	Vertical	0	1.83
5210MHz	Pass	AV	5.24G	95.58	Inf	-Inf	3	Vertical	0	1.83
5210MHz	Pass	AV	5.456G	51.07	54.00	-2.93	3	Vertical	0	1.83
5210MHz	Pass	PK	5.104G	66.23	74.00	-7.77	3	Vertical	0	1.83
5210MHz	Pass	PK	5.239G	105.82	Inf	-Inf	3	Vertical	0	1.83
5210MHz	Pass	PK	5.388G	61.59	74.00	-12.41	3	Vertical	0	1.83
5210MHz	Pass	AV	5.134G	53.79	54.00	-0.21	3	Horizontal	355	1.87
5210MHz	Pass	AV	5.205G	95.79	Inf	-Inf	3	Horizontal	355	1.87
5210MHz	Pass	AV	5.46G	51.10	54.00	-2.90	3	Horizontal	355	1.87
5210MHz	Pass	PK	5.149G	65.36	74.00	-8.64	3	Horizontal	355	1.87
5210MHz	Pass	PK	5.246G	105.67	Inf	-Inf	3	Horizontal	355	1.87
5210MHz	Pass	PK	5.415G	61.88	74.00	-12.12	3	Horizontal	355	1.87
5210MHz	Pass	PK	10.45328G	54.33	68.20	-13.87	3	Vertical	353	1.53
5210MHz	Pass	PK	10.40864G	54.12	68.20	-14.08	3	Horizontal	260	1.39
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.042G	50.27	54.00	-3.73	3	Vertical	356	1.75
5290MHz	Pass	AV	5.305G	94.48	Inf	-Inf	3	Vertical	356	1.75
5290MHz	Pass	AV	5.355G	52.96	54.00	-1.04	3	Vertical	356	1.75
5290MHz	Pass	PK	5.149G	62.15	74.00	-11.85	3	Vertical	356	1.75
5290MHz	Pass	PK	5.302G	104.70	Inf	-Inf	3	Vertical	356	1.75
5290MHz	Pass	PK	5.365G	67.93	74.00	-6.07	3	Vertical	356	1.75
5290MHz	Pass	PK	5.491G	61.61	68.20	-6.59	3	Vertical	356	1.75
5290MHz	Pass	AV	5.047G	51.06	54.00	-2.94	3	Horizontal	355	1.85
5290MHz	Pass	AV	5.305G	95.83	Inf	-Inf	3	Horizontal	355	1.85
5290MHz	Pass	AV	5.364G	53.48	54.00	-0.52	3	Horizontal	355	1.85
5290MHz	Pass	PK	5.051G	60.67	74.00	-13.33	3	Horizontal	355	1.85
5290MHz	Pass	PK	5.3G	105.76	Inf	-Inf	3	Horizontal	355	1.85
5290MHz	Pass	PK	5.365G	69.34	74.00	-4.66	3	Horizontal	355	1.85
5290MHz	Pass	PK	5.536G	61.79	68.20	-6.41	3	Horizontal	355	1.85
5290MHz	Pass	AV	10.6128G	43.52	54.00	-10.48	3	Vertical	302	1.50
5290MHz	Pass	PK	10.55424G	53.90	68.20	-14.30	3	Vertical	302	1.50
5290MHz	Pass	AV	10.61504G	43.30	54.00	-10.70	3	Horizontal	192	1.50
5290MHz	Pass	PK	10.58016G	53.99	68.20	-14.21	3	Horizontal	192	1.50
5530MHz	Pass	AV	5.35G	49.92	54.00	-4.08	3	Vertical	16	1.71
5530MHz	Pass	AV	5.441G	51.32	54.00	-2.68	3	Vertical	16	1.71
5530MHz	Pass	AV	5.504G	94.75	Inf	-Inf	3	Vertical	16	1.71
5530MHz	Pass	PK	5.343G	60.70	68.20	-7.50	3	Vertical	16	1.71
5530MHz	Pass	PK	5.428G	67.08	74.00	-6.92	3	Vertical	16	1.71
5530MHz	Pass	PK	5.469G	65.96	68.20	-2.24	3	Vertical	16	1.71
5530MHz	Pass	PK	5.495G	104.54	Inf	-Inf	3	Vertical	16	1.71
5530MHz	Pass	PK	5.774G	61.89	68.20	-6.31	3	Vertical	16	1.71
5530MHz	Pass	AV	5.35G	49.55	54.00	-4.45	3	Horizontal	354	1.87
5530MHz	Pass	AV	5.435G	51.75	54.00	-2.25	3	Horizontal	354	1.87
5530MHz	Pass	AV	5.545G	95.35	Inf	-Inf	3	Horizontal	354	1.87
5530MHz	Pass	PK	5.306G	60.23	68.20	-7.97	3	Horizontal	354	1.87
5530MHz	Pass	PK	5.455G	66.95	74.00	-7.05	3	Horizontal	354	1.87
5530MHz	Pass	PK	5.47G	66.77	68.20	-1.43	3	Horizontal	354	1.87
5530MHz	Pass	PK	5.541G	105.03	Inf	-Inf	3	Horizontal	354	1.87
5530MHz	Pass	PK	5.749G	62.08	68.20	-6.12	3	Horizontal	354	1.87
5530MHz	Pass	AV	11.02912G	42.24	54.00	-11.76	3	Vertical	233	2.77
5530MHz	Pass	PK	11.08528G	53.19	74.00	-20.81	3	Vertical	233	2.77
5530MHz	Pass	AV	11.05792G	42.29	54.00	-11.71	3	Horizontal	353	1.77
5530MHz	Pass	PK	11.06192G	53.65	74.00	-20.35	3	Horizontal	353	1.77
5610MHz	Pass	AV	5.457G	50.53	54.00	-3.47	3	Vertical	354	1.54
5610MHz	Pass	AV	5.615G	96.39	Inf	-Inf	3	Vertical	354	1.54
5610MHz	Pass	PK	5.445G	62.49	74.00	-11.51	3	Vertical	354	1.54
5610MHz	Pass	PK	5.47G	62.53	68.20	-5.67	3	Vertical	354	1.54
5610MHz	Pass	PK	5.589G	106.56	Inf	-Inf	3	Vertical	354	1.54
5610MHz	Pass	PK	5.736G	68.16	68.20	-0.04	3	Vertical	354	1.54
5610MHz	Pass	AV	5.455G	50.56	54.00	-3.44	3	Horizontal	348	1.94

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.615G	96.78	Inf	-Inf	3	Horizontal	348	1.94
5610MHz	Pass	PK	5.445G	62.12	74.00	-11.88	3	Horizontal	348	1.94
5610MHz	Pass	PK	5.47G	62.17	68.20	-6.03	3	Horizontal	348	1.94
5610MHz	Pass	PK	5.639G	107.88	Inf	-Inf	3	Horizontal	348	1.94
5610MHz	Pass	PK	5.736G	67.20	68.20	-1.00	3	Horizontal	348	1.94
5610MHz	Pass	AV	11.22704G	43.23	54.00	-10.77	3	Vertical	170	2.67
5610MHz	Pass	PK	11.2368G	53.82	74.00	-20.18	3	Vertical	170	2.67
5610MHz	Pass	AV	11.25312G	43.15	54.00	-10.85	3	Horizontal	73	1.50
5610MHz	Pass	PK	11.21008G	53.87	74.00	-20.13	3	Horizontal	73	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	51.16	54.00	-2.84	3	Vertical	356	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	99.42	Inf	-Inf	3	Vertical	356	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4188G	63.17	74.00	-10.83	3	Vertical	356	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	62.57	68.20	-5.63	3	Vertical	356	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6948G	110.15	Inf	-Inf	3	Vertical	356	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	66.99	68.20	-1.21	3	Vertical	356	1.83
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	50.56	54.00	-3.44	3	Horizontal	348	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7056G	99.09	Inf	-Inf	3	Horizontal	348	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	62.78	74.00	-11.22	3	Horizontal	348	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	60.89	68.20	-7.31	3	Horizontal	348	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7032G	108.69	Inf	-Inf	3	Horizontal	348	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	66.23	68.20	-1.97	3	Horizontal	348	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40256G	44.18	54.00	-9.82	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3968G	54.92	74.00	-19.08	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39392G	44.20	54.00	-9.80	3	Horizontal	240	2.63
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39168G	55.11	74.00	-18.89	3	Horizontal	240	2.63
5775MHz	Pass	AV	5.7474G	97.25	Inf	-Inf	3	Vertical	357	1.46
5775MHz	Pass	PK	5.6238G	66.84	68.20	-1.36	3	Vertical	357	1.46
5775MHz	Pass	PK	5.7426G	106.69	Inf	-Inf	3	Vertical	357	1.46
5775MHz	Pass	PK	6.0474G	62.20	68.20	-6.00	3	Vertical	357	1.46
5775MHz	Pass	AV	5.7786G	95.73	Inf	-Inf	3	Horizontal	3	1.69
5775MHz	Pass	PK	5.6334G	67.24	68.20	-0.96	3	Horizontal	3	1.69
5775MHz	Pass	PK	5.7462G	105.59	Inf	-Inf	3	Horizontal	3	1.69
5775MHz	Pass	PK	6.0582G	62.54	68.20	-5.66	3	Horizontal	3	1.69
5775MHz	Pass	AV	11.52728G	44.24	54.00	-9.76	3	Vertical	79	1.50
5775MHz	Pass	PK	11.52424G	54.66	74.00	-19.34	3	Vertical	79	1.50
5775MHz	Pass	AV	11.5644G	44.08	54.00	-9.92	3	Horizontal	6	2.43
5775MHz	Pass	PK	11.56088G	54.86	74.00	-19.14	3	Horizontal	6	2.43
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1408G	51.11	54.00	-2.89	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	92.58	Inf	-Inf	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3604G	52.00	54.00	-2.00	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1288G	61.59	74.00	-12.41	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2272G	102.33	Inf	-Inf	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	64.54	74.00	-9.46	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5296G	61.53	68.20	-6.67	3	Vertical	347	1.48
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.136G	51.19	54.00	-2.81	3	Horizontal	356	1.75
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	93.18	Inf	-Inf	3	Horizontal	356	1.75
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3736G	51.77	54.00	-2.23	3	Horizontal	356	1.75
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.142G	60.95	74.00	-13.05	3	Horizontal	356	1.75
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2668G	103.19	Inf	-Inf	3	Horizontal	356	1.75
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	65.49	74.00	-8.51	3	Horizontal	356	1.75
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4876G	61.63	68.20	-6.57	3	Horizontal	356	1.75
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.49616G	54.44	68.20	-13.76	3	Vertical	145	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.56336G	53.92	68.20	-14.28	3	Horizontal	309	2.23
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.142G	50.94	54.00	-3.06	3	Vertical	347	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	92.42	Inf	-Inf	3	Vertical	347	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.406G	53.36	54.00	-0.64	3	Vertical	347	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1228G	61.92	74.00	-12.08	3	Vertical	347	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3256G	102.62	Inf	-Inf	3	Vertical	347	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4096G	64.95	74.00	-9.05	3	Vertical	347	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5164G	61.62	68.20	-6.58	3	Vertical	347	1.49




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_2T2S_AP5022S6D**

Appendix E.20

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	51.09	54.00	-2.91	3	Horizontal	356	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	93.66	Inf	-Inf	3	Horizontal	356	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4144G	53.78	54.00	-0.22	3	Horizontal	356	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.142G	61.54	74.00	-12.46	3	Horizontal	356	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3268G	103.87	Inf	-Inf	3	Horizontal	356	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4096G	66.61	74.00	-7.39	3	Horizontal	356	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4972G	61.65	68.20	-6.55	3	Horizontal	356	1.99
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.55056G	54.17	68.20	-14.03	3	Vertical	281	2.86
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.54128G	54.27	68.20	-13.93	3	Horizontal	14	1.01
802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4416G	52.37	54.00	-1.63	3	Vertical	15	1.67
5570MHz	Pass	AV	5.5088G	93.10	Inf	-Inf	3	Vertical	15	1.67
5570MHz	Pass	PK	5.3372G	60.34	68.20	-7.86	3	Vertical	15	1.67
5570MHz	Pass	PK	5.4428G	66.04	74.00	-7.96	3	Vertical	15	1.67
5570MHz	Pass	PK	5.462G	68.00	68.20	-0.20	3	Vertical	15	1.67
5570MHz	Pass	PK	5.51G	103.18	Inf	-Inf	3	Vertical	15	1.67
5570MHz	Pass	PK	5.7332G	64.14	68.20	-4.06	3	Vertical	15	1.67
5570MHz	Pass	AV	5.45G	51.93	54.00	-2.07	3	Horizontal	350	1.95
5570MHz	Pass	AV	5.5448G	93.63	Inf	-Inf	3	Horizontal	350	1.95
5570MHz	Pass	PK	5.3432G	61.70	68.20	-6.50	3	Horizontal	350	1.95
5570MHz	Pass	PK	5.4548G	66.19	74.00	-7.81	3	Horizontal	350	1.95
5570MHz	Pass	PK	5.4692G	65.34	68.20	-2.86	3	Horizontal	350	1.95
5570MHz	Pass	PK	5.546G	103.42	Inf	-Inf	3	Horizontal	350	1.95
5570MHz	Pass	PK	5.8148G	63.07	68.20	-5.13	3	Horizontal	350	1.95
5570MHz	Pass	AV	11.20112G	42.88	54.00	-11.12	3	Vertical	322	1.50
5570MHz	Pass	PK	11.07344G	53.62	74.00	-20.38	3	Vertical	322	1.50
5570MHz	Pass	AV	11.14672G	42.74	54.00	-11.26	3	Horizontal	152	1.50
5570MHz	Pass	PK	11.1176G	53.35	74.00	-20.65	3	Horizontal	152	1.50
802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.3828G	51.12	54.00	-2.88	3	Vertical	13	1.50
5570MHz	Pass	AV	5.4932G	92.48	Inf	-Inf	3	Vertical	13	1.50
5570MHz	Pass	PK	5.3012G	60.49	68.20	-7.71	3	Vertical	13	1.50
5570MHz	Pass	PK	5.4488G	62.43	74.00	-11.57	3	Vertical	13	1.50
5570MHz	Pass	PK	5.4644G	60.67	68.20	-7.53	3	Vertical	13	1.50
5570MHz	Pass	PK	5.5088G	102.41	Inf	-Inf	3	Vertical	13	1.50
5570MHz	Pass	PK	5.7296G	65.61	68.20	-2.59	3	Vertical	13	1.50
5570MHz	Pass	AV	5.4368G	52.00	54.00	-2.00	3	Horizontal	7	1.82
5570MHz	Pass	AV	5.5064G	93.17	Inf	-Inf	3	Horizontal	7	1.82
5570MHz	Pass	PK	5.3432G	60.58	68.20	-7.62	3	Horizontal	7	1.82
5570MHz	Pass	PK	5.4176G	63.27	74.00	-10.73	3	Horizontal	7	1.82
5570MHz	Pass	PK	5.4668G	61.67	68.20	-6.53	3	Horizontal	7	1.82
5570MHz	Pass	PK	5.5076G	102.33	Inf	-Inf	3	Horizontal	7	1.82
5570MHz	Pass	PK	5.726G	64.66	68.20	-3.54	3	Horizontal	7	1.82
5570MHz	Pass	AV	11.18512G	42.72	54.00	-11.28	3	Vertical	181	1.50
5570MHz	Pass	PK	11.20912G	53.60	74.00	-20.40	3	Vertical	181	1.50
5570MHz	Pass	AV	11.1864G	43.06	54.00	-10.94	3	Horizontal	10	1.50
5570MHz	Pass	PK	11.16048G	53.24	74.00	-20.76	3	Horizontal	10	1.50


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	50.53	54.00	-3.47	6.40	3	Vertical	354	1.54	44.13	33.20	8.28	35.08
AV	5.615G	96.39	Inf	-Inf	6.74	3	Vertical	354	1.54	89.65	33.36	8.48	35.10
PK	5.445G	62.49	74.00	-11.51	6.38	3	Vertical	354	1.54	56.11	33.19	8.27	35.08
PK	5.47G	62.53	68.20	-5.67	6.42	3	Vertical	354	1.54	56.11	33.20	8.30	35.08
PK	5.589G	106.56	Inf	-Inf	6.65	3	Vertical	354	1.54	99.91	33.30	8.45	35.10
PK	5.736G	68.16	68.20	-0.04	7.41	3	Vertical	354	1.54	60.75	33.92	8.60	35.11

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	50.56	54.00	-3.44	6.40	3	Horizontal	348	1.94	44.16	33.20	8.28	35.08
AV	5.615G	96.78	Inf	-Inf	6.74	3	Horizontal	348	1.94	90.04	33.36	8.48	35.10
PK	5.445G	62.12	74.00	-11.88	6.38	3	Horizontal	348	1.94	55.74	33.19	8.27	35.08
PK	5.47G	62.17	68.20	-6.03	6.42	3	Horizontal	348	1.94	55.75	33.20	8.30	35.08
PK	5.639G	107.88	Inf	-Inf	6.86	3	Horizontal	348	1.94	101.02	33.46	8.50	35.10
PK	5.736G	67.20	68.20	-1.00	7.41	3	Horizontal	348	1.94	59.79	33.92	8.60	35.11


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	97.25	Inf	-Inf	7.48	3	Vertical	357	1.46	89.77	33.98	8.61	35.11
PK	5.6238G	66.84	68.20	-1.36	6.78	3	Vertical	357	1.46	60.06	33.40	8.48	35.10
PK	5.7426G	106.69	Inf	-Inf	7.45	3	Vertical	357	1.46	99.24	33.96	8.60	35.11
PK	6.0474G	62.20	68.20	-6.00	7.92	3	Vertical	357	1.46	54.28	34.30	8.77	35.15

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7786G	95.73	Inf	-Inf	7.69	3	Horizontal	3	1.69	88.04	34.17	8.64	35.12
PK	5.6334G	67.24	68.20	-0.96	6.82	3	Horizontal	3	1.69	60.42	33.43	8.49	35.10
PK	5.7462G	105.59	Inf	-Inf	7.48	3	Horizontal	3	1.69	98.11	33.98	8.61	35.11
PK	6.0582G	62.54	68.20	-5.66	7.95	3	Horizontal	3	1.69	54.59	34.32	8.78	35.15


5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5775MHz_TX





**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_4T1S_AP5022S6D**

Appendix E.21

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.133G	53.60	54.00	-0.40	3	Horizontal	359	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	Pass	AV	5.15G	52.83	54.00	-1.17	3	Horizontal	357	1.91
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	Pass	AV	5.367G	53.23	54.00	-0.77	3	Horizontal	357	1.91
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.456G	53.63	54.00	-0.37	3	Horizontal	355	1.99
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	Pass	PK	5.468G	67.18	68.20	-1.02	3	Horizontal	355	2.05
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.6394G	66.17	68.20	-2.03	3	Vertical	344	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.133G	52.66	54.00	-1.34	3	Vertical	349	1.49
5210MHz	Pass	AV	5.202G	97.81	Inf	-Inf	3	Vertical	349	1.49
5210MHz	Pass	AV	5.411G	51.51	54.00	-2.49	3	Vertical	349	1.49
5210MHz	Pass	PK	5.133G	66.08	74.00	-7.92	3	Vertical	349	1.49
5210MHz	Pass	PK	5.172G	109.07	Inf	-Inf	3	Vertical	349	1.49
5210MHz	Pass	PK	5.389G	62.09	74.00	-11.91	3	Vertical	349	1.49
5210MHz	Pass	AV	5.133G	53.60	54.00	-0.40	3	Horizontal	359	1.50
5210MHz	Pass	AV	5.208G	98.28	Inf	-Inf	3	Horizontal	359	1.50
5210MHz	Pass	AV	5.424G	51.05	54.00	-2.95	3	Horizontal	359	1.50
5210MHz	Pass	PK	5.133G	67.14	74.00	-6.86	3	Horizontal	359	1.50
5210MHz	Pass	PK	5.247G	108.21	Inf	-Inf	3	Horizontal	359	1.50
5210MHz	Pass	PK	5.426G	61.45	74.00	-12.55	3	Horizontal	359	1.50
5210MHz	Pass	PK	10.38224G	54.28	68.20	-13.92	3	Vertical	213	2.13
5210MHz	Pass	PK	10.40848G	53.47	68.20	-14.73	3	Horizontal	175	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.15G	50.29	54.00	-3.71	3	Vertical	348	1.49
5290MHz	Pass	AV	5.298G	97.74	Inf	-Inf	3	Vertical	348	1.49
5290MHz	Pass	AV	5.367G	52.18	54.00	-1.82	3	Vertical	348	1.49
5290MHz	Pass	PK	5.142G	60.43	74.00	-13.57	3	Vertical	348	1.49
5290MHz	Pass	PK	5.327G	108.01	Inf	-Inf	3	Vertical	348	1.49
5290MHz	Pass	PK	5.368G	66.11	74.00	-7.89	3	Vertical	348	1.49
5290MHz	Pass	PK	5.491G	62.21	68.20	-5.99	3	Vertical	348	1.49
5290MHz	Pass	AV	5.048G	50.31	54.00	-3.69	3	Horizontal	357	1.91
5290MHz	Pass	AV	5.303G	99.82	Inf	-Inf	3	Horizontal	357	1.91
5290MHz	Pass	AV	5.367G	53.23	54.00	-0.77	3	Horizontal	357	1.91
5290MHz	Pass	PK	5.061G	60.49	74.00	-13.51	3	Horizontal	357	1.91
5290MHz	Pass	PK	5.302G	110.00	Inf	-Inf	3	Horizontal	357	1.91
5290MHz	Pass	PK	5.365G	67.52	74.00	-6.48	3	Horizontal	357	1.91
5290MHz	Pass	PK	5.493G	62.29	68.20	-5.91	3	Horizontal	357	1.91
5290MHz	Pass	PK	10.55776G	53.70	68.20	-14.50	3	Vertical	0	1.02
5290MHz	Pass	PK	10.57392G	54.28	68.20	-13.92	3	Horizontal	79	3.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	49.38	54.00	-4.62	3	Vertical	21	1.50
5530MHz	Pass	AV	5.456G	52.99	54.00	-1.01	3	Vertical	21	1.50
5530MHz	Pass	AV	5.518G	98.81	Inf	-Inf	3	Vertical	21	1.50
5530MHz	Pass	PK	5.318G	60.67	68.20	-7.53	3	Vertical	21	1.50
5530MHz	Pass	PK	5.415G	65.56	74.00	-8.44	3	Vertical	21	1.50
5530MHz	Pass	PK	5.465G	64.93	68.20	-3.27	3	Vertical	21	1.50
5530MHz	Pass	PK	5.498G	109.52	Inf	-Inf	3	Vertical	21	1.50
5530MHz	Pass	PK	5.776G	62.14	68.20	-6.06	3	Vertical	21	1.50
5530MHz	Pass	AV	5.35G	49.67	54.00	-4.33	3	Horizontal	355	1.99
5530MHz	Pass	AV	5.456G	53.63	54.00	-0.37	3	Horizontal	355	1.99
5530MHz	Pass	AV	5.518G	100.37	Inf	-Inf	3	Horizontal	355	1.99
5530MHz	Pass	PK	5.305G	61.14	68.20	-7.06	3	Horizontal	355	1.99
5530MHz	Pass	PK	5.456G	67.03	74.00	-6.97	3	Horizontal	355	1.99
5530MHz	Pass	PK	5.467G	66.73	68.20	-1.47	3	Horizontal	355	1.99
5530MHz	Pass	PK	5.523G	110.86	Inf	-Inf	3	Horizontal	355	1.99
5530MHz	Pass	PK	5.732G	61.56	68.20	-6.64	3	Horizontal	355	1.99
5530MHz	Pass	AV	11.096G	42.25	54.00	-11.75	3	Vertical	360	1.50
5530MHz	Pass	PK	11.07936G	52.97	74.00	-21.03	3	Vertical	360	1.50
5530MHz	Pass	AV	11.0944G	42.14	54.00	-11.86	3	Horizontal	319	2.33
5530MHz	Pass	PK	11.03056G	53.44	74.00	-20.56	3	Horizontal	319	2.33
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.452G	50.51	54.00	-3.49	3	Vertical	354	1.50
5610MHz	Pass	AV	5.62G	99.61	Inf	-Inf	3	Vertical	354	1.50
5610MHz	Pass	PK	5.446G	61.17	74.00	-12.83	3	Vertical	354	1.50
5610MHz	Pass	PK	5.468G	61.03	68.20	-7.17	3	Vertical	354	1.50
5610MHz	Pass	PK	5.615G	110.79	Inf	-Inf	3	Vertical	354	1.50
5610MHz	Pass	PK	5.732G	67.80	68.20	-0.40	3	Vertical	354	1.50
5610MHz	Pass	AV	5.419G	50.75	54.00	-3.25	3	Horizontal	353	1.94

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.617G	100.00	Inf	-Inf	3	Horizontal	353	1.94
5610MHz	Pass	PK	5.459G	61.05	74.00	-12.95	3	Horizontal	353	1.94
5610MHz	Pass	PK	5.465G	61.06	68.20	-7.14	3	Horizontal	353	1.94
5610MHz	Pass	PK	5.623G	110.48	Inf	-Inf	3	Horizontal	353	1.94
5610MHz	Pass	PK	5.728G	67.65	68.20	-0.55	3	Horizontal	353	1.94
5610MHz	Pass	AV	11.22384G	42.94	54.00	-11.06	3	Vertical	116	1.50
5610MHz	Pass	PK	11.19728G	54.17	74.00	-19.83	3	Vertical	116	1.50
5610MHz	Pass	AV	11.2312G	43.07	54.00	-10.93	3	Horizontal	227	1.81
5610MHz	Pass	PK	11.2296G	53.47	74.00	-20.53	3	Horizontal	227	1.81
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	50.63	54.00	-3.37	3	Vertical	341	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	102.15	Inf	-Inf	3	Vertical	341	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3924G	60.71	74.00	-13.29	3	Vertical	341	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	60.72	68.20	-7.48	3	Vertical	341	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6972G	112.49	Inf	-Inf	3	Vertical	341	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	65.47	68.20	-2.73	3	Vertical	341	1.48
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	50.53	54.00	-3.47	3	Horizontal	352	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6972G	103.29	Inf	-Inf	3	Horizontal	352	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	62.11	74.00	-11.89	3	Horizontal	352	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	60.33	68.20	-7.87	3	Horizontal	352	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6528G	114.20	Inf	-Inf	3	Horizontal	352	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8688G	65.75	68.20	-2.45	3	Horizontal	352	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36112G	43.77	54.00	-10.23	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36272G	54.60	74.00	-19.40	3	Vertical	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38864G	43.81	54.00	-10.19	3	Horizontal	190	2.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35568G	55.03	74.00	-18.97	3	Horizontal	190	2.00
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7678G	99.80	Inf	-Inf	3	Vertical	344	1.50
5775MHz	Pass	PK	5.6394G	66.17	68.20	-2.03	3	Vertical	344	1.50
5775MHz	Pass	PK	5.7678G	110.09	Inf	-Inf	3	Vertical	344	1.50
5775MHz	Pass	PK	6.0078G	63.00	68.20	-5.20	3	Vertical	344	1.50
5775MHz	Pass	AV	5.7642G	100.50	Inf	-Inf	3	Horizontal	353	2.91
5775MHz	Pass	PK	5.6334G	65.25	68.20	-2.95	3	Horizontal	353	2.91
5775MHz	Pass	PK	5.769G	111.70	Inf	-Inf	3	Horizontal	353	2.91
5775MHz	Pass	PK	6.075G	62.32	68.20	-5.88	3	Horizontal	353	2.91
5775MHz	Pass	AV	11.54452G	43.25	54.00	-10.75	3	Vertical	298	1.29
5775MHz	Pass	PK	11.541G	53.59	74.00	-20.41	3	Vertical	298	1.29
5775MHz	Pass	AV	11.52504G	43.76	54.00	-10.24	3	Horizontal	92	3.00
5775MHz	Pass	PK	11.51848G	53.82	74.00	-20.18	3	Horizontal	92	2.94
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.142G	51.76	54.00	-2.24	3	Vertical	349	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2728G	95.96	Inf	-Inf	3	Vertical	349	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3856G	51.49	54.00	-2.51	3	Vertical	349	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.148G	62.59	74.00	-11.41	3	Vertical	349	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2068G	106.14	Inf	-Inf	3	Vertical	349	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4336G	62.59	74.00	-11.41	3	Vertical	349	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.55G	61.53	68.20	-6.67	3	Vertical	349	1.49
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1312G	52.28	54.00	-1.72	3	Horizontal	358	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2776G	97.92	Inf	-Inf	3	Horizontal	358	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.4084G	51.70	54.00	-2.30	3	Horizontal	358	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1432G	63.06	74.00	-10.94	3	Horizontal	358	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.232G	108.59	Inf	-Inf	3	Horizontal	358	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3604G	63.54	74.00	-10.46	3	Horizontal	358	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.5344G	61.29	68.20	-6.91	3	Horizontal	358	1.92
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.55248G	54.16	68.20	-14.04	3	Vertical	360	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5176G	54.11	68.20	-14.09	3	Horizontal	79	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1324G	51.36	54.00	-2.64	3	Vertical	348	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2728G	95.49	Inf	-Inf	3	Vertical	348	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3664G	51.10	54.00	-2.90	3	Vertical	348	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1336G	62.45	74.00	-11.55	3	Vertical	348	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.238G	106.15	Inf	-Inf	3	Vertical	348	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4084G	62.69	74.00	-11.31	3	Vertical	348	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_4T1S_AP5022S6D**

Appendix E.21

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4696G	62.23	68.20	-5.97	3	Vertical	348	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	52.83	54.00	-1.17	3	Horizontal	357	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2776G	97.78	Inf	-Inf	3	Horizontal	357	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3628G	51.26	54.00	-2.74	3	Horizontal	357	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1336G	63.41	74.00	-10.59	3	Horizontal	357	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2176G	107.72	Inf	-Inf	3	Horizontal	357	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3664G	63.20	74.00	-10.80	3	Horizontal	357	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4948G	61.96	68.20	-6.24	3	Horizontal	357	1.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.49712G	54.26	68.20	-13.94	3	Vertical	241	1.94
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50832G	54.06	68.20	-14.14	3	Horizontal	86	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4356G	52.16	54.00	-1.84	3	Vertical	22	1.72
5570MHz	Pass	AV	5.5088G	97.11	Inf	-Inf	3	Vertical	22	1.72
5570MHz	Pass	PK	5.2976G	61.44	68.20	-6.76	3	Vertical	22	1.72
5570MHz	Pass	PK	5.4572G	66.54	74.00	-7.46	3	Vertical	22	1.72
5570MHz	Pass	PK	5.4692G	64.68	68.20	-3.52	3	Vertical	22	1.72
5570MHz	Pass	PK	5.4932G	107.27	Inf	-Inf	3	Vertical	22	1.72
5570MHz	Pass	PK	5.8604G	62.48	68.20	-5.72	3	Vertical	22	1.72
5570MHz	Pass	AV	5.4536G	52.82	54.00	-1.18	3	Horizontal	352	2.07
5570MHz	Pass	AV	5.5976G	98.38	Inf	-Inf	3	Horizontal	352	2.07
5570MHz	Pass	PK	5.3324G	60.51	68.20	-7.69	3	Horizontal	352	2.07
5570MHz	Pass	PK	5.4536G	66.15	74.00	-7.85	3	Horizontal	352	2.07
5570MHz	Pass	PK	5.4656G	66.43	68.20	-1.77	3	Horizontal	352	2.07
5570MHz	Pass	PK	5.6024G	108.34	Inf	-Inf	3	Horizontal	352	2.07
5570MHz	Pass	PK	5.846G	63.01	68.20	-5.19	3	Horizontal	352	2.07
5570MHz	Pass	AV	11.19888G	42.50	54.00	-11.50	3	Vertical	42	1.50
5570MHz	Pass	PK	11.21232G	53.09	74.00	-20.91	3	Vertical	42	1.50
5570MHz	Pass	AV	11.19728G	42.40	54.00	-11.60	3	Horizontal	283	1.53
5570MHz	Pass	PK	11.20432G	53.43	74.00	-20.57	3	Horizontal	283	1.53
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4356G	52.16	54.00	-1.84	3	Vertical	21	1.81
5570MHz	Pass	AV	5.5088G	96.93	Inf	-Inf	3	Vertical	21	1.81
5570MHz	Pass	PK	5.3384G	60.59	68.20	-7.61	3	Vertical	21	1.81
5570MHz	Pass	PK	5.4572G	66.23	74.00	-7.77	3	Vertical	21	1.81
5570MHz	Pass	PK	5.468G	65.06	68.20	-3.14	3	Vertical	21	1.81
5570MHz	Pass	PK	5.5436G	108.54	Inf	-Inf	3	Vertical	21	1.81
5570MHz	Pass	PK	5.852G	62.73	68.20	-5.47	3	Vertical	21	1.81
5570MHz	Pass	AV	5.4224G	52.31	54.00	-1.69	3	Horizontal	355	2.05
5570MHz	Pass	AV	5.5076G	97.56	Inf	-Inf	3	Horizontal	355	2.05
5570MHz	Pass	PK	5.3408G	61.00	68.20	-7.20	3	Horizontal	355	2.05
5570MHz	Pass	PK	5.4536G	66.22	74.00	-7.78	3	Horizontal	355	2.05
5570MHz	Pass	PK	5.468G	67.18	68.20	-1.02	3	Horizontal	355	2.05
5570MHz	Pass	PK	5.5376G	108.31	Inf	-Inf	3	Horizontal	355	2.05
5570MHz	Pass	PK	5.8472G	62.67	68.20	-5.53	3	Horizontal	355	2.05
5570MHz	Pass	AV	11.1992G	42.45	54.00	-11.55	3	Vertical	28	1.51
5570MHz	Pass	PK	11.17936G	53.44	74.00	-20.56	3	Vertical	28	1.51
5570MHz	Pass	AV	11.1992G	42.40	54.00	-11.60	3	Horizontal	107	2.27
5570MHz	Pass	PK	11.19376G	53.72	74.00	-20.28	3	Horizontal	107	2.27


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.38	54.00	-4.62	6.13	3	Vertical	21	1.50	43.25	33.00	8.19	35.06
AV	5.456G	52.99	54.00	-1.01	6.40	3	Vertical	21	1.50	46.59	33.20	8.28	35.08
AV	5.518G	98.81	Inf	-Inf	6.51	3	Vertical	21	1.50	92.30	33.24	8.36	35.09
PK	5.318G	60.67	68.20	-7.53	6.17	3	Vertical	21	1.50	54.50	33.06	8.17	35.06
PK	5.415G	65.56	74.00	-8.44	6.29	3	Vertical	21	1.50	59.27	33.13	8.23	35.07
PK	5.465G	64.93	68.20	-3.27	6.41	3	Vertical	21	1.50	58.52	33.20	8.29	35.08
PK	5.498G	109.52	Inf	-Inf	6.44	3	Vertical	21	1.50	103.08	33.20	8.33	35.09
PK	5.776G	62.14	68.20	-6.06	7.68	3	Vertical	21	1.50	54.46	34.16	8.64	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.67	54.00	-4.33	6.13	3	Horizontal	355	1.99	43.54	33.00	8.19	35.06
AV	5.456G	53.63	54.00	-0.37	6.40	3	Horizontal	355	1.99	47.23	33.20	8.28	35.08
AV	5.518G	100.37	Inf	-Inf	6.51	3	Horizontal	355	1.99	93.86	33.24	8.36	35.09
PK	5.305G	61.14	68.20	-7.06	6.21	3	Horizontal	355	1.99	54.93	33.09	8.17	35.05
PK	5.456G	67.03	74.00	-6.97	6.40	3	Horizontal	355	1.99	60.63	33.20	8.28	35.08
PK	5.467G	66.73	68.20	-1.47	6.41	3	Horizontal	355	1.99	60.32	33.20	8.29	35.08
PK	5.523G	110.86	Inf	-Inf	6.52	3	Horizontal	355	1.99	104.34	33.25	8.36	35.09
PK	5.732G	61.56	68.20	-6.64	7.37	3	Horizontal	355	1.99	54.19	33.89	8.59	35.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX

