



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_4T4S_AP5022S6D**

Appendix E.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	Pass	AV	5.145G	53.67	54.00	-0.33	3	Horizontal	357	1.84
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	5.3544G	53.46	54.00	-0.54	3	Horizontal	354	1.95
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	Pass	AV	5.358G	53.96	54.00	-0.04	3	Vertical	30	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.47G	67.33	68.20	-0.87	3	Horizontal	353	1.70
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	Pass	PK	5.462G	68.13	68.20	-0.07	3	Horizontal	354	2.72
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	Pass	PK	5.6022G	67.24	68.20	-0.96	3	Vertical	20	1.50



RSE TX above 1GHz_Non-Beamforming_ Radio 2_Multi-RU_4T4S_AP5022S6D

Appendix E.22

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.137G	52.68	54.00	-1.32	3	Vertical	33	1.48
5210MHz	Pass	AV	5.239G	95.45	Inf	-Inf	3	Vertical	33	1.48
5210MHz	Pass	AV	5.459G	51.12	54.00	-2.88	3	Vertical	33	1.48
5210MHz	Pass	PK	5.137G	64.62	74.00	-9.38	3	Vertical	33	1.48
5210MHz	Pass	PK	5.239G	104.41	Inf	-Inf	3	Vertical	33	1.48
5210MHz	Pass	PK	5.413G	61.56	74.00	-12.44	3	Vertical	33	1.48
5210MHz	Pass	AV	5.145G	53.67	54.00	-0.33	3	Horizontal	357	1.84
5210MHz	Pass	AV	5.192G	96.22	Inf	-Inf	3	Horizontal	357	1.84
5210MHz	Pass	AV	5.382G	51.18	54.00	-2.82	3	Horizontal	357	1.84
5210MHz	Pass	PK	5.15G	66.31	74.00	-7.69	3	Horizontal	357	1.84
5210MHz	Pass	PK	5.192G	105.19	Inf	-Inf	3	Horizontal	357	1.84
5210MHz	Pass	PK	5.416G	61.10	74.00	-12.90	3	Horizontal	357	1.84
5210MHz	Pass	PK	10.45488G	54.06	68.20	-14.14	3	Vertical	192	1.50
5210MHz	Pass	PK	10.41712G	53.81	68.20	-14.39	3	Horizontal	177	1.50
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.051G	50.12	54.00	-3.88	3	Vertical	30	1.50
5290MHz	Pass	AV	5.299G	95.58	Inf	-Inf	3	Vertical	30	1.50
5290MHz	Pass	AV	5.358G	53.96	54.00	-0.04	3	Vertical	30	1.50
5290MHz	Pass	PK	5.063G	60.34	74.00	-13.66	3	Vertical	30	1.50
5290MHz	Pass	PK	5.298G	104.06	Inf	-Inf	3	Vertical	30	1.50
5290MHz	Pass	PK	5.359G	70.77	74.00	-3.23	3	Vertical	30	1.50
5290MHz	Pass	PK	5.49G	61.52	68.20	-6.68	3	Vertical	30	1.50
5290MHz	Pass	AV	5.141G	50.20	54.00	-3.80	3	Horizontal	356	1.49
5290MHz	Pass	AV	5.292G	95.47	Inf	-Inf	3	Horizontal	356	1.49
5290MHz	Pass	AV	5.353G	53.74	54.00	-0.26	3	Horizontal	356	1.49
5290MHz	Pass	PK	5.132G	60.39	74.00	-13.61	3	Horizontal	356	1.49
5290MHz	Pass	PK	5.292G	104.52	Inf	-Inf	3	Horizontal	356	1.49
5290MHz	Pass	PK	5.353G	71.43	74.00	-2.57	3	Horizontal	356	1.49
5290MHz	Pass	PK	5.474G	61.58	68.20	-6.62	3	Horizontal	356	1.49
5290MHz	Pass	PK	10.59536G	53.87	68.20	-14.33	3	Vertical	331	2.29
5290MHz	Pass	PK	10.56048G	54.00	68.20	-14.20	3	Horizontal	347	2.20
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.35G	48.98	54.00	-5.02	3	Vertical	25	1.50
5530MHz	Pass	AV	5.457G	52.58	54.00	-1.42	3	Vertical	25	1.50
5530MHz	Pass	AV	5.519G	95.82	Inf	-Inf	3	Vertical	25	1.50
5530MHz	Pass	PK	5.325G	59.75	68.20	-8.45	3	Vertical	25	1.50
5530MHz	Pass	PK	5.459G	64.99	74.00	-9.01	3	Vertical	25	1.50
5530MHz	Pass	PK	5.464G	64.42	68.20	-3.78	3	Vertical	25	1.50
5530MHz	Pass	PK	5.518G	104.59	Inf	-Inf	3	Vertical	25	1.50
5530MHz	Pass	PK	5.77G	61.27	68.20	-6.93	3	Vertical	25	1.50
5530MHz	Pass	AV	5.35G	49.25	54.00	-4.75	3	Horizontal	353	1.70
5530MHz	Pass	AV	5.454G	52.21	54.00	-1.79	3	Horizontal	353	1.70
5530MHz	Pass	AV	5.512G	95.58	Inf	-Inf	3	Horizontal	353	1.70
5530MHz	Pass	PK	5.323G	59.60	68.20	-8.60	3	Horizontal	353	1.70
5530MHz	Pass	PK	5.412G	64.79	74.00	-9.21	3	Horizontal	353	1.70
5530MHz	Pass	PK	5.47G	67.33	68.20	-0.87	3	Horizontal	353	1.70
5530MHz	Pass	PK	5.513G	104.85	Inf	-Inf	3	Horizontal	353	1.70
5530MHz	Pass	PK	5.767G	61.36	68.20	-6.84	3	Horizontal	353	1.70
5530MHz	Pass	AV	11.07328G	42.81	54.00	-11.19	3	Vertical	132	2.90
5530MHz	Pass	PK	11.06096G	53.90	74.00	-20.10	3	Vertical	132	2.90
5530MHz	Pass	AV	11.02016G	42.98	54.00	-11.02	3	Horizontal	142	1.03
5530MHz	Pass	PK	11.07248G	53.88	74.00	-20.12	3	Horizontal	142	1.03
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5610MHz	Pass	AV	5.459G	50.46	54.00	-3.54	3	Vertical	24	1.74
5610MHz	Pass	AV	5.579G	97.12	Inf	-Inf	3	Vertical	24	1.74
5610MHz	Pass	PK	5.397G	61.20	74.00	-12.80	3	Vertical	24	1.74
5610MHz	Pass	PK	5.463G	60.61	68.20	-7.59	3	Vertical	24	1.74
5610MHz	Pass	PK	5.578G	105.16	Inf	-Inf	3	Vertical	24	1.74
5610MHz	Pass	PK	5.74G	65.15	68.20	-3.05	3	Vertical	24	1.74
5610MHz	Pass	AV	5.459G	50.51	54.00	-3.49	3	Horizontal	356	2.73

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.587G	97.61	Inf	-Inf	3	Horizontal	356	2.73
5610MHz	Pass	PK	5.452G	60.95	74.00	-13.05	3	Horizontal	356	2.73
5610MHz	Pass	PK	5.465G	61.85	68.20	-6.35	3	Horizontal	356	2.73
5610MHz	Pass	PK	5.588G	107.09	Inf	-Inf	3	Horizontal	356	2.73
5610MHz	Pass	PK	5.728G	66.02	68.20	-2.18	3	Horizontal	356	2.73
5610MHz	Pass	AV	11.2496G	43.15	54.00	-10.85	3	Vertical	183	1.50
5610MHz	Pass	PK	11.23584G	54.34	74.00	-19.66	3	Vertical	183	1.50
5610MHz	Pass	AV	11.2376G	43.11	54.00	-10.89	3	Horizontal	103	1.50
5610MHz	Pass	PK	11.19232G	54.18	74.00	-19.82	3	Horizontal	103	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	50.13	54.00	-3.87	3	Vertical	20	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6984G	100.00	Inf	-Inf	3	Vertical	20	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4044G	60.61	74.00	-13.39	3	Vertical	20	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	59.85	68.20	-8.35	3	Vertical	20	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6972G	108.90	Inf	-Inf	3	Vertical	20	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	63.10	68.20	-5.10	3	Vertical	20	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	50.02	54.00	-3.98	3	Horizontal	349	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6924G	99.91	Inf	-Inf	3	Horizontal	349	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4176G	61.38	74.00	-12.62	3	Horizontal	349	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	59.98	68.20	-8.22	3	Horizontal	349	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6924G	108.62	Inf	-Inf	3	Horizontal	349	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.876G	63.50	68.20	-4.70	3	Horizontal	349	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39376G	43.46	54.00	-10.54	3	Vertical	7	1.30
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39344G	54.52	74.00	-19.48	3	Vertical	7	1.30
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3592G	43.44	54.00	-10.56	3	Horizontal	245	2.15
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39232G	54.44	74.00	-19.56	3	Horizontal	245	2.15
802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.763G	99.13	Inf	-Inf	3	Vertical	20	1.50
5775MHz	Pass	PK	5.6022G	67.24	68.20	-0.96	3	Vertical	20	1.50
5775MHz	Pass	PK	5.7642G	108.07	Inf	-Inf	3	Vertical	20	1.50
5775MHz	Pass	PK	6.0618G	62.95	68.20	-5.25	3	Vertical	20	1.50
5775MHz	Pass	AV	5.757G	98.13	Inf	-Inf	3	Horizontal	348	1.47
5775MHz	Pass	PK	5.5974G	66.54	68.20	-1.66	3	Horizontal	348	1.47
5775MHz	Pass	PK	5.757G	107.14	Inf	-Inf	3	Horizontal	348	1.47
5775MHz	Pass	PK	5.9958G	62.48	68.20	-5.72	3	Horizontal	348	1.47
5775MHz	Pass	AV	11.53144G	43.64	54.00	-10.36	3	Vertical	303	2.89
5775MHz	Pass	PK	11.54024G	54.37	74.00	-19.63	3	Vertical	303	2.89
5775MHz	Pass	AV	11.53864G	43.46	54.00	-10.54	3	Horizontal	142	1.98
5775MHz	Pass	PK	11.53208G	54.06	74.00	-19.94	3	Horizontal	142	1.98
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 6_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.112G	50.75	54.00	-3.25	3	Vertical	354	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.328G	93.11	Inf	-Inf	3	Vertical	354	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3508G	52.61	54.00	-1.39	3	Vertical	354	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1456G	63.03	74.00	-10.97	3	Vertical	354	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3076G	102.56	Inf	-Inf	3	Vertical	354	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	68.28	74.00	-5.72	3	Vertical	354	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4696G	62.21	68.20	-5.99	3	Vertical	354	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1324G	51.24	54.00	-2.76	3	Horizontal	360	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.328G	95.34	Inf	-Inf	3	Horizontal	360	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3676G	52.79	54.00	-1.21	3	Horizontal	360	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1288G	63.12	74.00	-10.88	3	Horizontal	360	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3268G	104.06	Inf	-Inf	3	Horizontal	360	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3508G	69.79	74.00	-4.21	3	Horizontal	360	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4876G	64.17	68.20	-4.03	3	Horizontal	360	2.34
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.45136G	53.89	68.20	-14.31	3	Vertical	261	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.44336G	53.70	68.20	-14.50	3	Horizontal	71	1.50
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1348G	50.94	54.00	-3.06	3	Vertical	31	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2788G	93.96	Inf	-Inf	3	Vertical	31	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3604G	53.36	54.00	-0.64	3	Vertical	31	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1348G	61.92	74.00	-12.08	3	Vertical	31	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2788G	101.95	Inf	-Inf	3	Vertical	31	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3592G	71.63	74.00	-2.37	3	Vertical	31	1.50




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_Multi-RU_4T4S_AP5022S6D**

Appendix E.22

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4612G	64.70	68.20	-3.50	3	Vertical	31	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1312G	51.25	54.00	-2.75	3	Horizontal	354	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3124G	94.24	Inf	-Inf	3	Horizontal	354	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3544G	53.46	54.00	-0.54	3	Horizontal	354	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.15G	65.20	74.00	-8.80	3	Horizontal	354	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2752G	104.17	Inf	-Inf	3	Horizontal	354	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3544G	72.01	74.00	-1.99	3	Horizontal	354	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4648G	62.54	68.20	-5.66	3	Horizontal	354	1.95
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.43184G	54.26	68.20	-13.94	3	Vertical	15	2.43
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.44048G	53.85	68.20	-14.35	3	Horizontal	68	1.50
802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.456G	52.06	54.00	-1.94	3	Vertical	25	1.74
5570MHz	Pass	AV	5.5388G	93.47	Inf	-Inf	3	Vertical	25	1.74
5570MHz	Pass	PK	5.2988G	60.20	68.20	-8.00	3	Vertical	25	1.74
5570MHz	Pass	PK	5.4584G	68.50	74.00	-5.50	3	Vertical	25	1.74
5570MHz	Pass	PK	5.4608G	67.17	68.20	-1.03	3	Vertical	25	1.74
5570MHz	Pass	PK	5.5388G	102.58	Inf	-Inf	3	Vertical	25	1.74
5570MHz	Pass	PK	5.7404G	62.13	68.20	-6.07	3	Vertical	25	1.74
5570MHz	Pass	AV	5.4452G	52.44	54.00	-1.56	3	Horizontal	354	2.72
5570MHz	Pass	AV	5.588G	94.70	Inf	-Inf	3	Horizontal	354	2.72
5570MHz	Pass	PK	5.3228G	62.32	68.20	-5.88	3	Horizontal	354	2.72
5570MHz	Pass	PK	5.4464G	68.38	74.00	-5.62	3	Horizontal	354	2.72
5570MHz	Pass	PK	5.462G	68.13	68.20	-0.07	3	Horizontal	354	2.72
5570MHz	Pass	PK	5.588G	103.47	Inf	-Inf	3	Horizontal	354	2.72
5570MHz	Pass	PK	5.7488G	64.09	68.20	-4.11	3	Horizontal	354	2.72
5570MHz	Pass	AV	11.10608G	43.00	54.00	-11.00	3	Vertical	67	1.12
5570MHz	Pass	PK	11.0696G	53.83	74.00	-20.17	3	Vertical	67	1.12
5570MHz	Pass	AV	11.14768G	42.88	54.00	-11.12	3	Horizontal	45	1.94
5570MHz	Pass	PK	11.08464G	53.63	74.00	-20.37	3	Horizontal	45	1.94
802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.4164G	51.12	54.00	-2.88	3	Vertical	24	1.50
5570MHz	Pass	AV	5.5388G	93.49	Inf	-Inf	3	Vertical	24	1.50
5570MHz	Pass	PK	5.294G	60.21	68.20	-7.99	3	Vertical	24	1.50
5570MHz	Pass	PK	5.4368G	66.10	74.00	-7.90	3	Vertical	24	1.50
5570MHz	Pass	PK	5.4644G	61.36	68.20	-6.84	3	Vertical	24	1.50
5570MHz	Pass	PK	5.5376G	101.41	Inf	-Inf	3	Vertical	24	1.50
5570MHz	Pass	PK	5.7944G	62.28	68.20	-5.92	3	Vertical	24	1.50
5570MHz	Pass	AV	5.432G	51.12	54.00	-2.88	3	Horizontal	351	1.73
5570MHz	Pass	AV	5.5124G	93.17	Inf	-Inf	3	Horizontal	351	1.73
5570MHz	Pass	PK	5.3336G	60.22	68.20	-7.98	3	Horizontal	351	1.73
5570MHz	Pass	PK	5.432G	64.82	74.00	-9.18	3	Horizontal	351	1.73
5570MHz	Pass	PK	5.4644G	64.25	68.20	-3.95	3	Horizontal	351	1.73
5570MHz	Pass	PK	5.5124G	102.64	Inf	-Inf	3	Horizontal	351	1.73
5570MHz	Pass	PK	5.8016G	61.93	68.20	-6.27	3	Horizontal	351	1.73
5570MHz	Pass	AV	11.19376G	42.91	54.00	-11.09	3	Vertical	60	1.50
5570MHz	Pass	PK	11.20784G	53.62	74.00	-20.38	3	Vertical	60	1.50
5570MHz	Pass	AV	11.15024G	42.77	54.00	-11.23	3	Horizontal	93	2.32
5570MHz	Pass	PK	11.10128G	54.37	74.00	-19.63	3	Horizontal	93	2.32

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	52.68	54.00	-1.32	6.44	3	Vertical	33	1.48	46.24	33.37	8.09	35.02
AV	5.239G	95.45	Inf	-Inf	6.42	3	Vertical	33	1.48	89.03	33.32	8.14	35.04
AV	5.459G	51.12	54.00	-2.88	6.40	3	Vertical	33	1.48	44.72	33.20	8.28	35.08
PK	5.137G	64.62	74.00	-9.38	6.44	3	Vertical	33	1.48	58.18	33.37	8.09	35.02
PK	5.239G	104.41	Inf	-Inf	6.42	3	Vertical	33	1.48	97.99	33.32	8.14	35.04
PK	5.413G	61.56	74.00	-12.44	6.29	3	Vertical	33	1.48	55.27	33.13	8.23	35.07

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	53.67	54.00	-0.33	6.45	3	Horizontal	357	1.84	47.22	33.39	8.09	35.03
AV	5.192G	96.22	Inf	-Inf	6.49	3	Horizontal	357	1.84	89.73	33.40	8.12	35.03
AV	5.382G	51.18	54.00	-2.82	6.19	3	Horizontal	357	1.84	44.99	33.06	8.20	35.07
PK	5.15G	66.31	74.00	-7.69	6.46	3	Horizontal	357	1.84	59.85	33.40	8.09	35.03
PK	5.192G	105.19	Inf	-Inf	6.49	3	Horizontal	357	1.84	98.70	33.40	8.12	35.03
PK	5.416G	61.10	74.00	-12.90	6.29	3	Horizontal	357	1.84	54.81	33.13	8.23	35.07


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	48.98	54.00	-5.02	6.13	3	Vertical	25	1.50	42.85	33.00	8.19	35.06
AV	5.457G	52.58	54.00	-1.42	6.40	3	Vertical	25	1.50	46.18	33.20	8.28	35.08
AV	5.519G	95.82	Inf	-Inf	6.51	3	Vertical	25	1.50	89.31	33.24	8.36	35.09
PK	5.325G	59.75	68.20	-8.45	6.17	3	Vertical	25	1.50	53.58	33.05	8.18	35.06
PK	5.459G	64.99	74.00	-9.01	6.40	3	Vertical	25	1.50	58.59	33.20	8.28	35.08
PK	5.464G	64.42	68.20	-3.78	6.41	3	Vertical	25	1.50	58.01	33.20	8.29	35.08
PK	5.518G	104.59	Inf	-Inf	6.51	3	Vertical	25	1.50	98.08	33.24	8.36	35.09
PK	5.77G	61.27	68.20	-6.93	7.63	3	Vertical	25	1.50	53.64	34.12	8.63	35.12

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.25	54.00	-4.75	6.13	3	Horizontal	353	1.70	43.12	33.00	8.19	35.06
AV	5.454G	52.21	54.00	-1.79	6.40	3	Horizontal	353	1.70	45.81	33.20	8.28	35.08
AV	5.512G	95.58	Inf	-Inf	6.48	3	Horizontal	353	1.70	89.10	33.22	8.35	35.09
PK	5.323G	59.60	68.20	-8.60	6.17	3	Horizontal	353	1.70	53.43	33.05	8.18	35.06
PK	5.412G	64.79	74.00	-9.21	6.28	3	Horizontal	353	1.70	58.51	33.12	8.23	35.07
PK	5.47G	67.33	68.20	-0.87	6.42	3	Horizontal	353	1.70	60.91	33.20	8.30	35.08
PK	5.513G	104.85	Inf	-Inf	6.49	3	Horizontal	353	1.70	98.36	33.23	8.35	35.09
PK	5.767G	61.36	68.20	-6.84	7.61	3	Horizontal	353	1.70	53.75	34.10	8.63	35.12


5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 7_4TX

5570MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	99.13	Inf	-Inf	7.58	3	Vertical	20	1.50	91.55	34.08	8.62	35.12
PK	5.6022G	67.24	68.20	-0.96	6.67	3	Vertical	20	1.50	60.57	33.31	8.46	35.10
PK	5.7642G	108.07	Inf	-Inf	7.59	3	Vertical	20	1.50	100.48	34.09	8.62	35.12
PK	6.0618G	62.95	68.20	-5.25	7.95	3	Vertical	20	1.50	55.00	34.32	8.78	35.15

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	98.13	Inf	-Inf	7.54	3	Horizontal	348	1.47	90.59	34.04	8.62	35.12
PK	5.5974G	66.54	68.20	-1.66	6.66	3	Horizontal	348	1.47	59.88	33.30	8.46	35.10
PK	5.757G	107.14	Inf	-Inf	7.54	3	Horizontal	348	1.47	99.60	34.04	8.62	35.12
PK	5.9958G	62.48	68.20	-5.72	7.90	3	Horizontal	348	1.47	54.58	34.31	8.73	35.14


5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	37.76M	36.91	40.00	-3.09	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022S6D**


Appendix E.23

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	37.76M	36.91	40.00	-3.09	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	92.08M	29.15	43.50	-14.35	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	183.26M	21.43	43.50	-22.07	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	262.8M	21.26	46.00	-24.74	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	499.48M	37.29	46.00	-8.71	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	598.42M	34.14	46.00	-11.86	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	39.7M	26.47	40.00	-13.53	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	90.14M	28.48	43.50	-15.02	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	185.2M	22.28	43.50	-21.22	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	326.82M	26.89	46.00	-19.11	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	495.6M	31.68	46.00	-14.32	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	565.44M	35.31	46.00	-10.69	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	37.76M	30.24	40.00	-9.76	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	90.14M	25.70	43.50	-17.80	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	224M	28.04	46.00	-17.96	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	363.68M	24.86	46.00	-21.14	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	493.66M	36.82	46.00	-9.18	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	598.42M	32.51	46.00	-13.49	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	31.94M	20.93	40.00	-19.07	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	90.14M	27.72	43.50	-15.78	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	224M	29.01	46.00	-16.99	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	402.48M	28.77	46.00	-17.23	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	497.54M	30.36	46.00	-15.64	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	563.5M	34.28	46.00	-11.72	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T1S_AP5022S6D

Appendix E.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1484G	53.12	54.00	-0.88	3	Vertical	335	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.67	54.00	-0.33	3	Vertical	335	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.71	54.00	-0.29	3	Vertical	333	2.57
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.47	54.00	-0.53	3	Vertical	334	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3522G	51.72	54.00	-2.28	3	Vertical	331	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3506G	53.55	54.00	-0.45	3	Vertical	331	1.70
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3516G	53.66	54.00	-0.34	3	Vertical	339	1.76
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.355G	53.27	54.00	-0.73	3	Vertical	332	2.33
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.35G	72.73	74.00	-1.27	3	Vertical	341	2.33
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7252G	67.23	68.20	-0.97	3	Horizontal	307	1.77
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	66.92	68.20	-1.28	3	Vertical	7	2.89
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.62	68.20	-0.58	3	Vertical	328	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.466G	68.14	68.20	-0.06	3	Vertical	330	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4656G	67.55	68.20	-0.65	3	Vertical	328	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.4558G	46.62	54.00	-7.38	3	Vertical	16	1.01
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.927G	60.87	68.20	-7.33	3	Horizontal	309	1.64
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.933G	66.53	68.20	-1.67	3	Horizontal	302	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6298G	66.59	68.20	-1.61	3	Horizontal	296	1.50



RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T1S_AP5022S6D

Appendix E.24

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	53.12	54.00	-0.88	3	Vertical	335	1.50
5180MHz	Pass	AV	5.1786G	106.58	Inf	-Inf	3	Vertical	335	1.50
5180MHz	Pass	PK	5.1434G	66.02	74.00	-7.98	3	Vertical	335	1.50
5180MHz	Pass	PK	5.1834G	115.04	Inf	-Inf	3	Vertical	335	1.50
5180MHz	Pass	AV	5.1498G	48.45	54.00	-5.55	3	Horizontal	307	1.50
5180MHz	Pass	AV	5.1846G	101.43	Inf	-Inf	3	Horizontal	307	1.50
5180MHz	Pass	PK	5.145G	60.75	74.00	-13.25	3	Horizontal	307	1.50
5180MHz	Pass	PK	5.1846G	109.56	Inf	-Inf	3	Horizontal	307	1.50
5180MHz	Pass	PK	10.35616G	53.94	68.20	-14.26	3	Vertical	4	1.50
5180MHz	Pass	PK	10.35952G	54.55	68.20	-13.65	3	Horizontal	319	1.25
5200MHz	Pass	AV	5.15G	52.42	54.00	-1.58	3	Vertical	336	1.00
5200MHz	Pass	AV	5.2052G	106.67	Inf	-Inf	3	Vertical	336	1.00
5200MHz	Pass	PK	5.1496G	68.48	74.00	-5.52	3	Vertical	336	1.00
5200MHz	Pass	PK	5.2048G	115.47	Inf	-Inf	3	Vertical	336	1.00
5200MHz	Pass	AV	5.15G	49.04	54.00	-4.96	3	Horizontal	54	1.50
5200MHz	Pass	AV	5.2044G	101.04	Inf	-Inf	3	Horizontal	54	1.50
5200MHz	Pass	PK	5.15G	63.58	74.00	-10.42	3	Horizontal	54	1.50
5200MHz	Pass	PK	5.1944G	109.20	Inf	-Inf	3	Horizontal	54	1.50
5200MHz	Pass	PK	10.40582G	54.56	68.20	-13.64	3	Vertical	0	1.53
5200MHz	Pass	PK	10.39664G	54.73	68.20	-13.47	3	Horizontal	338	1.42
5240MHz	Pass	AV	5.132G	46.81	54.00	-7.19	3	Vertical	336	2.80
5240MHz	Pass	AV	5.2388G	107.46	Inf	-Inf	3	Vertical	336	2.80
5240MHz	Pass	AV	5.387G	47.90	54.00	-6.10	3	Vertical	336	2.80
5240MHz	Pass	PK	5.09G	57.73	74.00	-16.27	3	Vertical	336	2.80
5240MHz	Pass	PK	5.2346G	115.67	Inf	-Inf	3	Vertical	336	2.80
5240MHz	Pass	PK	5.3846G	58.57	74.00	-15.43	3	Vertical	336	2.80
5240MHz	Pass	AV	5.1476G	46.65	54.00	-7.35	3	Horizontal	38	1.00
5240MHz	Pass	AV	5.2436G	102.03	Inf	-Inf	3	Horizontal	38	1.00
5240MHz	Pass	AV	5.3744G	47.44	54.00	-6.56	3	Horizontal	38	1.00
5240MHz	Pass	PK	5.1452G	58.03	74.00	-15.97	3	Horizontal	38	1.00
5240MHz	Pass	PK	5.243G	110.03	Inf	-Inf	3	Horizontal	38	1.00
5240MHz	Pass	PK	5.372G	58.16	74.00	-15.84	3	Horizontal	38	1.00
5240MHz	Pass	PK	10.47632G	53.02	68.20	-15.18	3	Vertical	3	1.50
5240MHz	Pass	PK	10.47616G	53.45	68.20	-14.75	3	Horizontal	303	1.50
5260MHz	Pass	AV	5.149G	47.15	54.00	-6.85	3	Vertical	336	1.50
5260MHz	Pass	AV	5.2588G	106.78	Inf	-Inf	3	Vertical	336	1.50
5260MHz	Pass	AV	5.3704G	48.11	54.00	-5.89	3	Vertical	336	1.50
5260MHz	Pass	PK	5.1472G	57.41	74.00	-16.59	3	Vertical	336	1.50
5260MHz	Pass	PK	5.2594G	115.25	Inf	-Inf	3	Vertical	336	1.50
5260MHz	Pass	PK	5.395G	58.61	74.00	-15.39	3	Vertical	336	1.50
5260MHz	Pass	AV	5.1454G	46.33	54.00	-7.67	3	Horizontal	52	1.50
5260MHz	Pass	AV	5.254G	101.35	Inf	-Inf	3	Horizontal	52	1.50
5260MHz	Pass	AV	5.398G	47.11	54.00	-6.89	3	Horizontal	52	1.50
5260MHz	Pass	PK	5.1454G	57.18	74.00	-16.82	3	Horizontal	52	1.50
5260MHz	Pass	PK	5.254G	109.38	Inf	-Inf	3	Horizontal	52	1.50
5260MHz	Pass	PK	5.3848G	57.96	74.00	-16.04	3	Horizontal	52	1.50
5260MHz	Pass	PK	10.51552G	52.38	68.20	-15.82	3	Vertical	185	1.50
5260MHz	Pass	PK	10.51104G	51.55	68.20	-16.65	3	Horizontal	356	1.50
5300MHz	Pass	AV	5.2984G	106.64	Inf	-Inf	3	Vertical	335	1.50
5300MHz	Pass	AV	5.358G	49.74	54.00	-4.26	3	Vertical	335	1.50
5300MHz	Pass	PK	5.3028G	115.00	Inf	-Inf	3	Vertical	335	1.50
5300MHz	Pass	PK	5.3524G	61.53	74.00	-12.47	3	Vertical	335	1.50
5300MHz	Pass	AV	5.3032G	103.84	Inf	-Inf	3	Horizontal	35	1.00
5300MHz	Pass	AV	5.3528G	48.50	54.00	-5.50	3	Horizontal	35	1.00
5300MHz	Pass	PK	5.3032G	111.83	Inf	-Inf	3	Horizontal	35	1.00
5300MHz	Pass	PK	5.3528G	61.22	74.00	-12.78	3	Horizontal	35	1.00
5300MHz	Pass	AV	10.606G	41.61	54.00	-12.39	3	Vertical	325	1.50
5300MHz	Pass	PK	10.60024G	51.60	74.00	-22.40	3	Vertical	325	1.50
5300MHz	Pass	PK	10.5908G	51.75	68.20	-16.45	3	Horizontal	142	1.50
5320MHz	Pass	AV	5.3226G	107.69	Inf	-Inf	3	Vertical	331	1.50



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022S6D**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3522G	51.72	54.00	-2.28	3	Vertical	331	1.50
5320MHz	Pass	PK	5.3176G	115.98	Inf	-Inf	3	Vertical	331	1.50
5320MHz	Pass	PK	5.3532G	63.09	74.00	-10.91	3	Vertical	331	1.50
5320MHz	Pass	AV	5.3254G	102.45	Inf	-Inf	3	Horizontal	22	1.50
5320MHz	Pass	AV	5.3504G	49.98	54.00	-4.02	3	Horizontal	22	1.50
5320MHz	Pass	PK	5.3248G	110.40	Inf	-Inf	3	Horizontal	22	1.50
5320MHz	Pass	PK	5.3554G	60.82	74.00	-13.18	3	Horizontal	22	1.50
5320MHz	Pass	AV	10.64864G	41.53	54.00	-12.47	3	Vertical	350	2.93
5320MHz	Pass	PK	10.63336G	53.14	74.00	-20.86	3	Vertical	350	2.93
5320MHz	Pass	AV	10.6414G	41.50	54.00	-12.50	3	Horizontal	201	1.50
5320MHz	Pass	PK	10.63752G	52.07	74.00	-21.93	3	Horizontal	201	1.50
5500MHz	Pass	AV	5.4564G	51.26	54.00	-2.74	3	Vertical	336	1.65
5500MHz	Pass	AV	5.5016G	107.03	Inf	-Inf	3	Vertical	336	1.65
5500MHz	Pass	PK	5.4568G	61.26	74.00	-12.74	3	Vertical	336	1.65
5500MHz	Pass	PK	5.4682G	66.80	68.20	-1.40	3	Vertical	336	1.65
5500MHz	Pass	PK	5.5064G	115.40	Inf	-Inf	3	Vertical	336	1.65
5500MHz	Pass	AV	5.4582G	49.83	54.00	-4.17	3	Horizontal	297	2.29
5500MHz	Pass	AV	5.4986G	105.91	Inf	-Inf	3	Horizontal	297	2.29
5500MHz	Pass	PK	5.4586G	60.87	74.00	-13.13	3	Horizontal	297	2.29
5500MHz	Pass	PK	5.47G	65.83	68.20	-2.37	3	Horizontal	297	2.29
5500MHz	Pass	PK	5.5032G	114.43	Inf	-Inf	3	Horizontal	297	2.29
5500MHz	Pass	AV	10.99572G	41.83	54.00	-12.17	3	Vertical	93	1.50
5500MHz	Pass	PK	11.00276G	51.53	74.00	-22.47	3	Vertical	93	1.50
5500MHz	Pass	AV	11.00908G	41.60	54.00	-12.40	3	Horizontal	331	1.50
5500MHz	Pass	PK	10.998G	52.20	74.00	-21.80	3	Horizontal	331	1.50
5580MHz	Pass	AV	5.4318G	47.29	54.00	-6.71	3	Vertical	325	1.50
5580MHz	Pass	AV	5.5752G	106.64	Inf	-Inf	3	Vertical	325	1.50
5580MHz	Pass	PK	5.4306G	58.06	74.00	-15.94	3	Vertical	325	1.50
5580MHz	Pass	PK	5.4648G	57.35	68.20	-10.85	3	Vertical	325	1.50
5580MHz	Pass	PK	5.5854G	115.15	Inf	-Inf	3	Vertical	325	1.50
5580MHz	Pass	PK	5.7252G	58.56	68.20	-9.64	3	Vertical	325	1.50
5580MHz	Pass	AV	5.4582G	46.69	54.00	-7.31	3	Horizontal	312	2.19
5580MHz	Pass	AV	5.5842G	106.02	Inf	-Inf	3	Horizontal	312	2.19
5580MHz	Pass	PK	5.448G	57.96	74.00	-16.04	3	Horizontal	312	2.19
5580MHz	Pass	PK	5.4654G	57.46	68.20	-10.74	3	Horizontal	312	2.19
5580MHz	Pass	PK	5.5848G	114.48	Inf	-Inf	3	Horizontal	312	2.19
5580MHz	Pass	PK	5.7288G	57.62	68.20	-10.58	3	Horizontal	312	2.19
5580MHz	Pass	AV	11.1516G	41.71	54.00	-12.29	3	Vertical	360	1.26
5580MHz	Pass	PK	11.1556G	52.36	74.00	-21.64	3	Vertical	360	1.26
5580MHz	Pass	AV	11.15508G	41.84	54.00	-12.16	3	Horizontal	247	1.23
5580MHz	Pass	PK	11.16232G	51.52	74.00	-22.48	3	Horizontal	247	1.23
5700MHz	Pass	AV	5.694G	101.93	Inf	-Inf	3	Vertical	0	1.50
5700MHz	Pass	PK	5.6988G	109.76	Inf	-Inf	3	Vertical	0	1.50
5700MHz	Pass	PK	5.728G	64.93	68.20	-3.27	3	Vertical	0	1.50
5700MHz	Pass	AV	5.7052G	103.16	Inf	-Inf	3	Horizontal	307	1.77
5700MHz	Pass	PK	5.7056G	111.61	Inf	-Inf	3	Horizontal	307	1.77
5700MHz	Pass	PK	5.7252G	67.23	68.20	-0.97	3	Horizontal	307	1.77
5700MHz	Pass	AV	11.40232G	42.07	54.00	-11.93	3	Vertical	172	1.03
5700MHz	Pass	PK	11.40908G	52.80	74.00	-21.20	3	Vertical	172	1.03
5700MHz	Pass	AV	11.39428G	41.97	54.00	-12.03	3	Horizontal	170	1.50
5700MHz	Pass	PK	11.39548G	52.07	74.00	-21.93	3	Horizontal	170	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	46.70	54.00	-7.30	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	105.43	Inf	-Inf	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4524G	56.85	74.00	-17.15	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.22	68.20	-10.98	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	114.59	Inf	-Inf	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9444G	60.81	68.20	-7.39	3	Vertical	0	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	46.92	54.00	-7.08	3	Horizontal	304	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	106.14	Inf	-Inf	3	Horizontal	304	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	57.26	74.00	-16.74	3	Horizontal	304	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	56.41	68.20	-11.79	3	Horizontal	304	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	115.03	Inf	-Inf	3	Horizontal	304	1.64



RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T1S_AP5022S6D

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9156G	59.36	68.20	-8.84	3	Horizontal	304	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44164G	41.68	54.00	-12.32	3	Vertical	356	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4456G	52.02	74.00	-21.98	3	Vertical	356	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44292G	41.76	54.00	-12.24	3	Horizontal	279	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44812G	51.73	74.00	-22.27	3	Horizontal	279	1.01
5745MHz	Pass	AV	5.4558G	46.62	54.00	-7.38	3	Vertical	16	1.01
5745MHz	Pass	AV	5.7474G	107.40	Inf	-Inf	3	Vertical	16	1.01
5745MHz	Pass	PK	5.6322G	58.38	68.20	-9.82	3	Vertical	16	1.01
5745MHz	Pass	PK	5.7474G	115.92	Inf	-Inf	3	Vertical	16	1.01
5745MHz	Pass	PK	6.0198G	60.34	68.20	-7.86	3	Vertical	16	1.01
5745MHz	Pass	AV	5.4474G	46.51	54.00	-7.49	3	Horizontal	298	1.50
5745MHz	Pass	AV	5.739G	107.21	Inf	-Inf	3	Horizontal	298	1.50
5745MHz	Pass	PK	5.6454G	58.03	68.20	-10.17	3	Horizontal	298	1.50
5745MHz	Pass	PK	5.7498G	116.25	Inf	-Inf	3	Horizontal	298	1.50
5745MHz	Pass	PK	6.027G	59.81	68.20	-8.39	3	Horizontal	298	1.50
5745MHz	Pass	AV	11.49552G	41.21	54.00	-12.79	3	Vertical	332	1.50
5745MHz	Pass	PK	11.4996G	51.66	74.00	-22.34	3	Vertical	332	1.50
5745MHz	Pass	AV	11.4978G	41.66	54.00	-12.34	3	Horizontal	215	1.50
5745MHz	Pass	PK	11.49384G	51.81	74.00	-22.19	3	Horizontal	215	1.50
5785MHz	Pass	AV	5.7898G	107.74	Inf	-Inf	3	Vertical	0	1.00
5785MHz	Pass	PK	5.6002G	58.34	68.20	-9.86	3	Vertical	0	1.00
5785MHz	Pass	PK	5.7898G	115.69	Inf	-Inf	3	Vertical	0	1.00
5785MHz	Pass	PK	5.9542G	59.46	68.20	-8.74	3	Vertical	0	1.00
5785MHz	Pass	AV	5.779G	107.13	Inf	-Inf	3	Horizontal	302	1.50
5785MHz	Pass	PK	5.6362G	58.38	68.20	-9.82	3	Horizontal	302	1.50
5785MHz	Pass	PK	5.791G	115.61	Inf	-Inf	3	Horizontal	302	1.50
5785MHz	Pass	PK	5.9494G	59.56	68.20	-8.64	3	Horizontal	302	1.50
5785MHz	Pass	AV	11.5678G	41.24	54.00	-12.76	3	Vertical	184	1.01
5785MHz	Pass	PK	11.56856G	52.43	74.00	-21.57	3	Vertical	184	1.01
5785MHz	Pass	AV	11.57552G	41.55	54.00	-12.45	3	Horizontal	36	2.61
5785MHz	Pass	PK	11.56132G	51.72	74.00	-22.28	3	Horizontal	36	2.61
5825MHz	Pass	AV	5.8298G	108.49	Inf	-Inf	3	Vertical	18	1.74
5825MHz	Pass	PK	5.6426G	57.74	68.20	-10.46	3	Vertical	18	1.74
5825MHz	Pass	PK	5.8298G	116.62	Inf	-Inf	3	Vertical	18	1.74
5825MHz	Pass	PK	5.9354G	60.76	68.20	-7.44	3	Vertical	18	1.74
5825MHz	Pass	AV	5.819G	107.33	Inf	-Inf	3	Horizontal	299	1.50
5825MHz	Pass	PK	5.6402G	58.14	68.20	-10.06	3	Horizontal	299	1.50
5825MHz	Pass	PK	5.8286G	115.99	Inf	-Inf	3	Horizontal	299	1.50
5825MHz	Pass	PK	6.0734G	59.97	68.20	-8.23	3	Horizontal	299	1.50
5825MHz	Pass	AV	11.6504G	41.03	54.00	-12.97	3	Vertical	95	2.05
5825MHz	Pass	PK	11.65232G	51.43	74.00	-22.57	3	Vertical	95	2.05
5825MHz	Pass	AV	11.647G	40.98	54.00	-13.02	3	Horizontal	280	1.50
5825MHz	Pass	PK	11.64656G	51.47	74.00	-22.53	3	Horizontal	280	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	53.67	54.00	-0.33	3	Vertical	335	1.50
5180MHz	Pass	AV	5.1844G	105.25	Inf	-Inf	3	Vertical	335	1.50
5180MHz	Pass	PK	5.1388G	68.79	74.00	-5.21	3	Vertical	335	1.50
5180MHz	Pass	PK	5.1866G	117.39	Inf	-Inf	3	Vertical	335	1.50
5180MHz	Pass	AV	5.1498G	47.97	54.00	-6.03	3	Horizontal	311	1.50
5180MHz	Pass	AV	5.1876G	99.02	Inf	-Inf	3	Horizontal	311	1.50
5180MHz	Pass	PK	5.1408G	61.57	74.00	-12.43	3	Horizontal	311	1.50
5180MHz	Pass	PK	5.1776G	111.08	Inf	-Inf	3	Horizontal	311	1.50
5180MHz	Pass	PK	10.3633G	53.74	68.20	-14.46	3	Vertical	8	1.50
5180MHz	Pass	PK	10.36138G	53.37	68.20	-14.83	3	Horizontal	315	1.29
5200MHz	Pass	AV	5.1492G	53.49	54.00	-0.51	3	Vertical	334	1.50
5200MHz	Pass	AV	5.204G	105.30	Inf	-Inf	3	Vertical	334	1.50
5200MHz	Pass	PK	5.1492G	71.59	74.00	-2.41	3	Vertical	334	1.50
5200MHz	Pass	PK	5.1992G	116.88	Inf	-Inf	3	Vertical	334	1.50
5200MHz	Pass	AV	5.1488G	48.79	54.00	-5.21	3	Horizontal	309	2.55
5200MHz	Pass	AV	5.198G	100.01	Inf	-Inf	3	Horizontal	309	2.55
5200MHz	Pass	PK	5.1456G	64.80	74.00	-9.20	3	Horizontal	309	2.55
5200MHz	Pass	PK	5.198G	111.56	Inf	-Inf	3	Horizontal	309	2.55



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022S6D**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	10.40048G	53.43	68.20	-14.77	3	Vertical	360	1.50
5200MHz	Pass	PK	10.39996G	52.61	68.20	-15.59	3	Horizontal	321	1.34
5240MHz	Pass	AV	5.1374G	46.31	54.00	-7.69	3	Vertical	336	1.50
5240MHz	Pass	AV	5.2364G	105.61	Inf	-Inf	3	Vertical	336	1.50
5240MHz	Pass	AV	5.3624G	47.11	54.00	-6.89	3	Vertical	336	1.50
5240MHz	Pass	PK	5.1494G	59.53	74.00	-14.47	3	Vertical	336	1.50
5240MHz	Pass	PK	5.2418G	117.45	Inf	-Inf	3	Vertical	336	1.50
5240MHz	Pass	PK	5.3588G	58.45	74.00	-15.55	3	Vertical	336	1.50
5240MHz	Pass	AV	5.1488G	45.46	54.00	-8.54	3	Horizontal	27	1.50
5240MHz	Pass	AV	5.2478G	99.30	Inf	-Inf	3	Horizontal	27	1.50
5240MHz	Pass	AV	5.3678G	45.93	54.00	-8.07	3	Horizontal	27	1.50
5240MHz	Pass	PK	5.1098G	57.10	74.00	-16.90	3	Horizontal	27	1.50
5240MHz	Pass	PK	5.2454G	111.06	Inf	-Inf	3	Horizontal	27	1.50
5240MHz	Pass	PK	5.3654G	57.75	74.00	-16.25	3	Horizontal	27	1.50
5240MHz	Pass	PK	10.47272G	53.13	68.20	-15.07	3	Vertical	8	2.27
5240MHz	Pass	PK	10.4764G	52.54	68.20	-15.66	3	Horizontal	355	1.50
5260MHz	Pass	AV	5.14G	46.20	54.00	-7.80	3	Vertical	340	2.72
5260MHz	Pass	AV	5.2648G	106.49	Inf	-Inf	3	Vertical	340	2.72
5260MHz	Pass	AV	5.395G	47.31	54.00	-6.69	3	Vertical	340	2.72
5260MHz	Pass	PK	5.1424G	58.34	74.00	-15.66	3	Vertical	340	2.72
5260MHz	Pass	PK	5.2648G	118.18	Inf	-Inf	3	Vertical	340	2.72
5260MHz	Pass	PK	5.3548G	62.57	74.00	-11.43	3	Vertical	340	2.72
5260MHz	Pass	AV	5.1346G	45.57	54.00	-8.43	3	Horizontal	53	1.50
5260MHz	Pass	AV	5.2642G	100.15	Inf	-Inf	3	Horizontal	53	1.50
5260MHz	Pass	AV	5.3866G	46.25	54.00	-7.75	3	Horizontal	53	1.50
5260MHz	Pass	PK	5.1154G	57.72	74.00	-16.28	3	Horizontal	53	1.50
5260MHz	Pass	PK	5.2546G	111.70	Inf	-Inf	3	Horizontal	53	1.50
5260MHz	Pass	PK	5.3554G	59.34	74.00	-14.66	3	Horizontal	53	1.50
5260MHz	Pass	PK	10.51724G	51.68	68.20	-16.52	3	Vertical	4	1.16
5260MHz	Pass	PK	10.51204G	52.48	68.20	-15.72	3	Horizontal	9	1.75
5300MHz	Pass	AV	5.3084G	107.36	Inf	-Inf	3	Vertical	344	2.29
5300MHz	Pass	AV	5.35G	52.97	54.00	-1.03	3	Vertical	344	2.29
5300MHz	Pass	PK	5.3056G	119.05	Inf	-Inf	3	Vertical	344	2.29
5300MHz	Pass	PK	5.3504G	72.15	74.00	-1.85	3	Vertical	344	2.29
5300MHz	Pass	AV	5.2976G	100.43	Inf	-Inf	3	Horizontal	23	1.50
5300MHz	Pass	AV	5.3524G	48.91	54.00	-5.09	3	Horizontal	23	1.50
5300MHz	Pass	PK	5.2952G	112.63	Inf	-Inf	3	Horizontal	23	1.50
5300MHz	Pass	PK	5.3548G	66.05	74.00	-7.95	3	Horizontal	23	1.50
5300MHz	Pass	PK	10.60252G	51.55	74.00	-22.45	3	Vertical	227	1.51
5300MHz	Pass	AV	10.60756G	40.73	54.00	-13.27	3	Horizontal	72	1.50
5300MHz	Pass	PK	10.60912G	51.52	74.00	-22.48	3	Horizontal	72	1.50
5320MHz	Pass	AV	5.326G	106.83	Inf	-Inf	3	Vertical	331	1.70
5320MHz	Pass	AV	5.3506G	53.55	54.00	-0.45	3	Vertical	331	1.70
5320MHz	Pass	PK	5.3158G	118.21	Inf	-Inf	3	Vertical	331	1.70
5320MHz	Pass	PK	5.3608G	70.35	74.00	-3.65	3	Vertical	331	1.70
5320MHz	Pass	AV	5.3224G	100.90	Inf	-Inf	3	Horizontal	21	1.50
5320MHz	Pass	AV	5.35G	49.38	54.00	-4.62	3	Horizontal	21	1.50
5320MHz	Pass	PK	5.3176G	112.41	Inf	-Inf	3	Horizontal	21	1.50
5320MHz	Pass	PK	5.3602G	65.96	74.00	-8.04	3	Horizontal	21	1.50
5320MHz	Pass	AV	10.645G	40.50	54.00	-13.50	3	Vertical	248	1.98
5320MHz	Pass	PK	10.64668G	51.51	74.00	-22.49	3	Vertical	248	1.98
5320MHz	Pass	AV	10.63484G	40.62	54.00	-13.38	3	Horizontal	154	1.50
5320MHz	Pass	PK	10.63036G	52.36	74.00	-21.64	3	Horizontal	154	1.50
5500MHz	Pass	AV	5.46G	50.98	54.00	-3.02	3	Vertical	326	1.50
5500MHz	Pass	AV	5.4928G	104.67	Inf	-Inf	3	Vertical	326	1.50
5500MHz	Pass	PK	5.46G	65.18	74.00	-8.82	3	Vertical	326	1.50
5500MHz	Pass	PK	5.4606G	65.79	68.20	-2.41	3	Vertical	326	1.50
5500MHz	Pass	PK	5.498G	116.61	Inf	-Inf	3	Vertical	326	1.50
5500MHz	Pass	AV	5.4592G	50.81	54.00	-3.19	3	Horizontal	293	2.34
5500MHz	Pass	AV	5.4938G	103.85	Inf	-Inf	3	Horizontal	293	2.34
5500MHz	Pass	PK	5.4594G	66.70	74.00	-7.30	3	Horizontal	293	2.34
5500MHz	Pass	PK	5.469G	62.44	68.20	-5.76	3	Horizontal	293	2.34

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.4918G	116.04	Inf	-Inf	3	Horizontal	293	2.34
5500MHz	Pass	AV	11.0074G	40.41	54.00	-13.59	3	Vertical	97	2.20
5500MHz	Pass	PK	10.99208G	51.28	74.00	-22.72	3	Vertical	97	2.20
5500MHz	Pass	AV	10.9906G	40.65	54.00	-13.35	3	Horizontal	107	1.50
5500MHz	Pass	PK	11.00392G	51.11	74.00	-22.89	3	Horizontal	107	1.50
5580MHz	Pass	AV	5.439G	46.44	54.00	-7.56	3	Vertical	325	1.50
5580MHz	Pass	AV	5.5848G	105.74	Inf	-Inf	3	Vertical	325	1.50
5580MHz	Pass	PK	5.4522G	57.81	74.00	-16.19	3	Vertical	325	1.50
5580MHz	Pass	PK	5.4684G	57.27	68.20	-10.93	3	Vertical	325	1.50
5580MHz	Pass	PK	5.5752G	116.94	Inf	-Inf	3	Vertical	325	1.50
5580MHz	Pass	PK	5.7294G	59.30	68.20	-8.90	3	Vertical	325	1.50
5580MHz	Pass	AV	5.4426G	46.17	54.00	-7.83	3	Horizontal	314	2.26
5580MHz	Pass	AV	5.5824G	104.53	Inf	-Inf	3	Horizontal	314	2.26
5580MHz	Pass	PK	5.4378G	58.40	74.00	-15.60	3	Horizontal	314	2.26
5580MHz	Pass	PK	5.4666G	57.64	68.20	-10.56	3	Horizontal	314	2.26
5580MHz	Pass	PK	5.5728G	116.07	Inf	-Inf	3	Horizontal	314	2.26
5580MHz	Pass	PK	5.7276G	57.55	68.20	-10.65	3	Horizontal	314	2.26
5580MHz	Pass	AV	11.15228G	40.64	54.00	-13.36	3	Vertical	196	2.68
5580MHz	Pass	PK	11.15652G	52.20	74.00	-21.80	3	Vertical	196	2.68
5580MHz	Pass	AV	11.15872G	40.67	54.00	-13.33	3	Horizontal	45	1.50
5580MHz	Pass	PK	11.157G	52.02	74.00	-21.98	3	Horizontal	45	1.50
5700MHz	Pass	AV	5.6972G	100.75	Inf	-Inf	3	Vertical	7	2.89
5700MHz	Pass	PK	5.6944G	112.63	Inf	-Inf	3	Vertical	7	2.89
5700MHz	Pass	PK	5.7252G	66.92	68.20	-1.28	3	Vertical	7	2.89
5700MHz	Pass	AV	5.7052G	98.73	Inf	-Inf	3	Horizontal	306	1.50
5700MHz	Pass	PK	5.7052G	111.89	Inf	-Inf	3	Horizontal	306	1.50
5700MHz	Pass	PK	5.7256G	66.61	68.20	-1.59	3	Horizontal	306	1.50
5700MHz	Pass	AV	11.39712G	40.96	54.00	-13.04	3	Vertical	164	1.50
5700MHz	Pass	PK	11.40972G	51.47	74.00	-22.53	3	Vertical	164	1.50
5700MHz	Pass	AV	11.4042G	40.86	54.00	-13.14	3	Horizontal	308	1.50
5700MHz	Pass	PK	11.40988G	51.87	74.00	-22.13	3	Horizontal	308	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	46.39	54.00	-7.61	3	Vertical	5	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	105.66	Inf	-Inf	3	Vertical	5	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	57.99	74.00	-16.01	3	Vertical	5	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	57.79	68.20	-10.41	3	Vertical	5	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	116.19	Inf	-Inf	3	Vertical	5	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8772G	60.13	68.20	-8.07	3	Vertical	5	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4404G	45.76	54.00	-8.24	3	Horizontal	305	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	104.89	Inf	-Inf	3	Horizontal	305	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	57.31	74.00	-16.69	3	Horizontal	305	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	56.81	68.20	-11.39	3	Horizontal	305	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	115.83	Inf	-Inf	3	Horizontal	305	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	59.99	68.20	-8.21	3	Horizontal	305	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44524G	40.70	54.00	-13.30	3	Vertical	7	2.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.432G	52.23	74.00	-21.77	3	Vertical	7	2.33
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44544G	40.80	54.00	-13.20	3	Horizontal	260	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43616G	52.42	74.00	-21.58	3	Horizontal	260	1.50
5745MHz	Pass	AV	5.445G	46.08	54.00	-7.92	3	Vertical	17	1.01
5745MHz	Pass	AV	5.751G	105.78	Inf	-Inf	3	Vertical	17	1.01
5745MHz	Pass	PK	5.5638G	58.78	68.20	-9.42	3	Vertical	17	1.01
5745MHz	Pass	PK	5.751G	117.63	Inf	-Inf	3	Vertical	17	1.01
5745MHz	Pass	PK	5.9298G	59.31	68.20	-8.89	3	Vertical	17	1.01
5745MHz	Pass	AV	5.457G	45.62	54.00	-8.38	3	Horizontal	298	1.50
5745MHz	Pass	AV	5.739G	105.22	Inf	-Inf	3	Horizontal	298	1.50
5745MHz	Pass	PK	5.5806G	58.04	68.20	-10.16	3	Horizontal	298	1.50
5745MHz	Pass	PK	5.7498G	116.93	Inf	-Inf	3	Horizontal	298	1.50
5745MHz	Pass	PK	5.9394G	59.40	68.20	-8.80	3	Horizontal	298	1.50
5745MHz	Pass	AV	11.4956G	40.75	54.00	-13.25	3	Vertical	265	2.96
5745MHz	Pass	PK	11.48096G	52.55	74.00	-21.45	3	Vertical	265	2.96
5745MHz	Pass	AV	11.4926G	40.44	54.00	-13.56	3	Horizontal	336	1.50
5745MHz	Pass	PK	11.4962G	51.99	74.00	-22.01	3	Horizontal	336	1.50
5785MHz	Pass	AV	5.7934G	106.27	Inf	-Inf	3	Vertical	18	1.00



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022S6D**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	5.6398G	58.51	68.20	-9.69	3	Vertical	18	1.00
5785MHz	Pass	PK	5.7886G	117.43	Inf	-Inf	3	Vertical	18	1.00
5785MHz	Pass	PK	5.929G	58.78	68.20	-9.42	3	Vertical	18	1.00
5785MHz	Pass	AV	5.7874G	105.73	Inf	-Inf	3	Horizontal	298	1.50
5785MHz	Pass	PK	5.6398G	58.07	68.20	-10.13	3	Horizontal	298	1.50
5785MHz	Pass	PK	5.7898G	117.26	Inf	-Inf	3	Horizontal	298	1.50
5785MHz	Pass	PK	5.9446G	59.80	68.20	-8.40	3	Horizontal	298	1.50
5785MHz	Pass	AV	11.57492G	40.26	54.00	-13.74	3	Vertical	349	1.50
5785MHz	Pass	PK	11.56028G	51.92	74.00	-22.08	3	Vertical	349	1.50
5785MHz	Pass	AV	11.56816G	40.36	54.00	-13.64	3	Horizontal	201	1.79
5785MHz	Pass	PK	11.56124G	51.75	74.00	-22.25	3	Horizontal	201	1.79
5825MHz	Pass	AV	5.8202G	105.79	Inf	-Inf	3	Vertical	14	1.01
5825MHz	Pass	PK	5.6306G	58.02	68.20	-10.18	3	Vertical	14	1.01
5825MHz	Pass	PK	5.8202G	116.73	Inf	-Inf	3	Vertical	14	1.01
5825MHz	Pass	PK	5.9474G	60.28	68.20	-7.92	3	Vertical	14	1.01
5825MHz	Pass	AV	5.8274G	106.92	Inf	-Inf	3	Horizontal	309	1.64
5825MHz	Pass	PK	5.6186G	58.14	68.20	-10.06	3	Horizontal	309	1.64
5825MHz	Pass	PK	5.8298G	118.46	Inf	-Inf	3	Horizontal	309	1.64
5825MHz	Pass	PK	5.927G	60.87	68.20	-7.33	3	Horizontal	309	1.64
5825MHz	Pass	AV	11.65672G	39.92	54.00	-14.08	3	Vertical	158	1.28
5825MHz	Pass	PK	11.65432G	51.60	74.00	-22.40	3	Vertical	158	1.28
5825MHz	Pass	AV	11.65988G	39.82	54.00	-14.18	3	Horizontal	0	1.97
5825MHz	Pass	PK	11.64948G	50.86	74.00	-23.14	3	Horizontal	0	1.97
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.71	54.00	-0.29	3	Vertical	333	2.57
5190MHz	Pass	AV	5.202G	102.64	Inf	-Inf	3	Vertical	333	2.57
5190MHz	Pass	PK	5.1408G	67.25	74.00	-6.75	3	Vertical	333	2.57
5190MHz	Pass	PK	5.1848G	114.38	Inf	-Inf	3	Vertical	333	2.57
5190MHz	Pass	AV	5.15G	48.37	54.00	-5.63	3	Horizontal	309	1.50
5190MHz	Pass	AV	5.1872G	96.48	Inf	-Inf	3	Horizontal	309	1.50
5190MHz	Pass	PK	5.1448G	59.36	74.00	-14.64	3	Horizontal	309	1.50
5190MHz	Pass	PK	5.192G	108.05	Inf	-Inf	3	Horizontal	309	1.50
5190MHz	Pass	PK	10.37216G	52.63	68.20	-15.57	3	Vertical	0	1.73
5190MHz	Pass	PK	10.38472G	52.52	68.20	-15.68	3	Horizontal	341	1.27
5230MHz	Pass	AV	5.1488G	53.10	54.00	-0.90	3	Vertical	333	1.61
5230MHz	Pass	AV	5.224G	102.14	Inf	-Inf	3	Vertical	333	1.61
5230MHz	Pass	PK	5.138G	70.64	74.00	-3.36	3	Vertical	333	1.61
5230MHz	Pass	PK	5.2364G	113.97	Inf	-Inf	3	Vertical	333	1.61
5230MHz	Pass	AV	5.1484G	50.52	54.00	-3.48	3	Horizontal	64	1.01
5230MHz	Pass	AV	5.2432G	97.97	Inf	-Inf	3	Horizontal	64	1.01
5230MHz	Pass	PK	5.1364G	67.11	74.00	-6.89	3	Horizontal	64	1.01
5230MHz	Pass	PK	5.228G	110.34	Inf	-Inf	3	Horizontal	64	1.01
5230MHz	Pass	PK	10.46688G	52.24	68.20	-15.96	3	Vertical	5	1.62
5230MHz	Pass	PK	10.456G	51.88	68.20	-16.32	3	Horizontal	360	1.50
5270MHz	Pass	AV	5.2764G	103.23	Inf	-Inf	3	Vertical	339	1.76
5270MHz	Pass	AV	5.3516G	53.66	54.00	-0.34	3	Vertical	339	1.76
5270MHz	Pass	PK	5.284G	115.46	Inf	-Inf	3	Vertical	339	1.76
5270MHz	Pass	PK	5.3572G	71.93	74.00	-2.07	3	Vertical	339	1.76
5270MHz	Pass	AV	5.2788G	99.90	Inf	-Inf	3	Horizontal	33	1.02
5270MHz	Pass	AV	5.3516G	51.93	54.00	-2.07	3	Horizontal	33	1.02
5270MHz	Pass	PK	5.2764G	112.25	Inf	-Inf	3	Horizontal	33	1.02
5270MHz	Pass	PK	5.3524G	69.85	74.00	-4.15	3	Horizontal	33	1.02
5270MHz	Pass	PK	10.54472G	52.86	68.20	-15.34	3	Vertical	168	1.50
5270MHz	Pass	PK	10.5236G	51.86	68.20	-16.34	3	Horizontal	130	1.50
5310MHz	Pass	AV	5.3164G	102.94	Inf	-Inf	3	Vertical	333	1.50
5310MHz	Pass	AV	5.3512G	53.31	54.00	-0.69	3	Vertical	333	1.50
5310MHz	Pass	PK	5.3212G	114.89	Inf	-Inf	3	Vertical	333	1.50
5310MHz	Pass	PK	5.354G	64.37	74.00	-9.63	3	Vertical	333	1.50
5310MHz	Pass	AV	5.3172G	96.57	Inf	-Inf	3	Horizontal	22	1.50
5310MHz	Pass	AV	5.35G	48.79	54.00	-5.21	3	Horizontal	22	1.50
5310MHz	Pass	PK	5.3272G	108.25	Inf	-Inf	3	Horizontal	22	1.50
5310MHz	Pass	PK	5.35G	60.93	74.00	-13.07	3	Horizontal	22	1.50



RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T1S_AP5022S6D

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.61848G	40.71	54.00	-13.29	3	Vertical	178	2.46
5310MHz	Pass	PK	10.63632G	52.04	74.00	-21.96	3	Vertical	178	2.46
5310MHz	Pass	AV	10.61936G	40.61	54.00	-13.39	3	Horizontal	0	1.40
5310MHz	Pass	PK	10.634G	51.96	74.00	-22.04	3	Horizontal	0	1.40
5510MHz	Pass	AV	5.458G	53.04	54.00	-0.96	3	Vertical	329	1.50
5510MHz	Pass	AV	5.5256G	102.86	Inf	-Inf	3	Vertical	329	1.50
5510MHz	Pass	PK	5.4572G	64.78	74.00	-9.22	3	Vertical	329	1.50
5510MHz	Pass	PK	5.4652G	67.56	68.20	-0.64	3	Vertical	329	1.50
5510MHz	Pass	PK	5.498G	115.17	Inf	-Inf	3	Vertical	329	1.50
5510MHz	Pass	AV	5.4568G	51.45	54.00	-2.55	3	Horizontal	292	2.38
5510MHz	Pass	AV	5.5264G	101.72	Inf	-Inf	3	Horizontal	292	2.38
5510MHz	Pass	PK	5.4496G	64.79	74.00	-9.21	3	Horizontal	292	2.38
5510MHz	Pass	PK	5.4688G	65.14	68.20	-3.06	3	Horizontal	292	2.38
5510MHz	Pass	PK	5.5168G	113.40	Inf	-Inf	3	Horizontal	292	2.38
5510MHz	Pass	AV	11.0228G	40.62	54.00	-13.38	3	Vertical	239	1.50
5510MHz	Pass	PK	11.00576G	51.83	74.00	-22.17	3	Vertical	239	1.50
5510MHz	Pass	AV	11.0168G	40.89	54.00	-13.11	3	Horizontal	123	1.86
5510MHz	Pass	PK	11.02312G	51.48	74.00	-22.52	3	Horizontal	123	1.86
5550MHz	Pass	AV	5.4512G	48.20	54.00	-5.80	3	Vertical	328	1.50
5550MHz	Pass	AV	5.5528G	100.45	Inf	-Inf	3	Vertical	328	1.50
5550MHz	Pass	PK	5.4508G	68.82	74.00	-5.18	3	Vertical	328	1.50
5550MHz	Pass	PK	5.4612G	67.44	68.20	-0.76	3	Vertical	328	1.50
5550MHz	Pass	PK	5.5356G	112.28	Inf	-Inf	3	Vertical	328	1.50
5550MHz	Pass	AV	5.4512G	47.22	54.00	-6.78	3	Horizontal	59	2.27
5550MHz	Pass	AV	5.5604G	97.85	Inf	-Inf	3	Horizontal	59	2.27
5550MHz	Pass	PK	5.4516G	65.92	74.00	-8.08	3	Horizontal	59	2.27
5550MHz	Pass	PK	5.462G	64.13	68.20	-4.07	3	Horizontal	59	2.27
5550MHz	Pass	PK	5.5376G	109.58	Inf	-Inf	3	Horizontal	59	2.27
5550MHz	Pass	AV	11.1168G	40.51	54.00	-13.49	3	Vertical	6	1.50
5550MHz	Pass	PK	11.10216G	52.28	74.00	-21.72	3	Vertical	6	1.50
5550MHz	Pass	AV	11.10368G	40.56	54.00	-13.44	3	Horizontal	90	1.96
5550MHz	Pass	PK	11.11104G	51.60	74.00	-22.40	3	Horizontal	90	1.96
5670MHz	Pass	AV	5.6646G	98.79	Inf	-Inf	3	Vertical	328	1.50
5670MHz	Pass	PK	5.6724G	110.53	Inf	-Inf	3	Vertical	328	1.50
5670MHz	Pass	PK	5.7252G	67.62	68.20	-0.58	3	Vertical	328	1.50
5670MHz	Pass	AV	5.6646G	98.66	Inf	-Inf	3	Horizontal	311	2.12
5670MHz	Pass	PK	5.6796G	111.56	Inf	-Inf	3	Horizontal	311	2.12
5670MHz	Pass	PK	5.7384G	67.51	68.20	-0.69	3	Horizontal	311	2.12
5670MHz	Pass	AV	11.3344G	40.76	54.00	-13.24	3	Vertical	311	2.52
5670MHz	Pass	PK	11.32592G	53.51	74.00	-20.49	3	Vertical	311	2.52
5670MHz	Pass	AV	11.33048G	40.75	54.00	-13.25	3	Horizontal	55	1.50
5670MHz	Pass	PK	11.35648G	51.94	74.00	-22.06	3	Horizontal	55	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.452G	46.35	54.00	-7.65	3	Vertical	3	2.99
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7244G	103.07	Inf	-Inf	3	Vertical	3	2.99
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4244G	58.02	74.00	-15.98	3	Vertical	3	2.99
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	58.41	68.20	-9.79	3	Vertical	3	2.99
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7244G	114.75	Inf	-Inf	3	Vertical	3	2.99
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8768G	62.03	68.20	-6.17	3	Vertical	3	2.99
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	46.23	54.00	-7.77	3	Horizontal	306	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	101.86	Inf	-Inf	3	Horizontal	306	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4292G	57.84	74.00	-16.16	3	Horizontal	306	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	57.01	68.20	-11.19	3	Horizontal	306	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7196G	113.41	Inf	-Inf	3	Horizontal	306	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	64.82	68.20	-3.38	3	Horizontal	306	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43832G	40.94	54.00	-13.06	3	Vertical	340	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40632G	51.92	74.00	-22.08	3	Vertical	340	1.43
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42992G	40.83	54.00	-13.17	3	Horizontal	356	2.76
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42816G	52.69	74.00	-21.31	3	Horizontal	356	2.76
5755MHz	Pass	AV	5.4598G	45.72	54.00	-8.28	3	Vertical	8	1.50
5755MHz	Pass	AV	5.7574G	102.99	Inf	-Inf	3	Vertical	8	1.50
5755MHz	Pass	PK	5.6482G	60.70	68.20	-7.50	3	Vertical	8	1.50
5755MHz	Pass	PK	5.7526G	113.68	Inf	-Inf	3	Vertical	8	1.50



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T1S_AP5022S6D**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	PK	5.9866G	59.25	68.20	-8.95	3	Vertical	8	1.50
5755MHz	Pass	AV	5.4562G	46.15	54.00	-7.85	3	Horizontal	301	1.64
5755MHz	Pass	AV	5.7526G	103.62	Inf	-Inf	3	Horizontal	301	1.64
5755MHz	Pass	PK	5.6074G	60.63	68.20	-7.57	3	Horizontal	301	1.64
5755MHz	Pass	PK	5.7442G	115.04	Inf	-Inf	3	Horizontal	301	1.64
5755MHz	Pass	PK	5.9362G	60.11	68.20	-8.09	3	Horizontal	301	1.64
5755MHz	Pass	AV	11.49624G	40.57	54.00	-13.43	3	Vertical	204	1.56
5755MHz	Pass	PK	11.5096G	52.56	74.00	-21.44	3	Vertical	204	1.56
5755MHz	Pass	AV	11.4956G	40.48	54.00	-13.52	3	Horizontal	31	1.11
5755MHz	Pass	PK	11.5012G	51.31	74.00	-22.69	3	Horizontal	31	1.11
5795MHz	Pass	AV	5.801G	103.68	Inf	-Inf	3	Vertical	19	1.50
5795MHz	Pass	PK	5.6366G	64.08	68.20	-4.12	3	Vertical	19	1.50
5795MHz	Pass	PK	5.7878G	114.96	Inf	-Inf	3	Vertical	19	1.50
5795MHz	Pass	PK	5.9306G	64.73	68.20	-3.47	3	Vertical	19	1.50
5795MHz	Pass	AV	5.7998G	103.26	Inf	-Inf	3	Horizontal	302	1.50
5795MHz	Pass	PK	5.6354G	63.41	68.20	-4.79	3	Horizontal	302	1.50
5795MHz	Pass	PK	5.7974G	115.39	Inf	-Inf	3	Horizontal	302	1.50
5795MHz	Pass	PK	5.933G	66.53	68.20	-1.67	3	Horizontal	302	1.50
5795MHz	Pass	AV	11.5908G	40.52	54.00	-13.48	3	Vertical	194	1.50
5795MHz	Pass	PK	11.57736G	51.24	74.00	-22.76	3	Vertical	194	1.50
5795MHz	Pass	AV	11.58184G	40.16	54.00	-13.84	3	Horizontal	211	1.50
5795MHz	Pass	PK	11.5808G	51.59	74.00	-22.41	3	Horizontal	211	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.47	54.00	-0.53	3	Vertical	334	1.50
5210MHz	Pass	AV	5.219G	99.53	Inf	-Inf	3	Vertical	334	1.50
5210MHz	Pass	AV	5.354G	50.06	54.00	-3.94	3	Vertical	334	1.50
5210MHz	Pass	PK	5.118G	65.89	74.00	-8.11	3	Vertical	334	1.50
5210MHz	Pass	PK	5.222G	111.22	Inf	-Inf	3	Vertical	334	1.50
5210MHz	Pass	PK	5.351G	61.65	74.00	-12.35	3	Vertical	334	1.50
5210MHz	Pass	AV	5.15G	48.45	54.00	-5.55	3	Horizontal	52	1.65
5210MHz	Pass	AV	5.224G	93.62	Inf	-Inf	3	Horizontal	52	1.65
5210MHz	Pass	AV	5.355G	47.62	54.00	-6.38	3	Horizontal	52	1.65
5210MHz	Pass	PK	5.145G	59.67	74.00	-14.33	3	Horizontal	52	1.65
5210MHz	Pass	PK	5.214G	105.04	Inf	-Inf	3	Horizontal	52	1.65
5210MHz	Pass	PK	5.356G	59.75	74.00	-14.25	3	Horizontal	52	1.65
5210MHz	Pass	PK	10.38016G	51.57	68.20	-16.63	3	Vertical	147	1.50
5210MHz	Pass	PK	10.428G	52.21	68.20	-15.99	3	Horizontal	215	1.50
5290MHz	Pass	AV	5.15G	47.97	54.00	-6.03	3	Vertical	332	2.33
5290MHz	Pass	AV	5.307G	99.63	Inf	-Inf	3	Vertical	332	2.33
5290MHz	Pass	AV	5.355G	53.27	54.00	-0.73	3	Vertical	332	2.33
5290MHz	Pass	PK	5.121G	59.43	74.00	-14.57	3	Vertical	332	2.33
5290MHz	Pass	PK	5.302G	111.81	Inf	-Inf	3	Vertical	332	2.33
5290MHz	Pass	PK	5.362G	65.05	74.00	-8.95	3	Vertical	332	2.33
5290MHz	Pass	PK	5.48G	60.03	68.20	-8.17	3	Vertical	332	2.33
5290MHz	Pass	AV	5.143G	46.07	54.00	-7.93	3	Horizontal	22	1.50
5290MHz	Pass	AV	5.282G	93.29	Inf	-Inf	3	Horizontal	22	1.50
5290MHz	Pass	AV	5.36G	49.30	54.00	-4.70	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.148G	57.53	74.00	-16.47	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.283G	105.20	Inf	-Inf	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.363G	60.11	74.00	-13.89	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.475G	58.93	68.20	-9.27	3	Horizontal	22	1.50
5290MHz	Pass	PK	10.5744G	52.39	68.20	-15.81	3	Vertical	354	1.30
5290MHz	Pass	AV	10.6184G	40.61	54.00	-13.39	3	Horizontal	262	2.37
5290MHz	Pass	PK	10.5464G	52.70	68.20	-15.50	3	Horizontal	262	2.37
5530MHz	Pass	AV	5.35G	46.83	54.00	-7.17	3	Vertical	328	1.49
5530MHz	Pass	AV	5.455G	53.30	54.00	-0.70	3	Vertical	328	1.49
5530MHz	Pass	AV	5.545G	99.72	Inf	-Inf	3	Vertical	328	1.49
5530MHz	Pass	PK	5.327G	58.96	68.20	-9.24	3	Vertical	328	1.49
5530MHz	Pass	PK	5.458G	64.91	74.00	-9.09	3	Vertical	328	1.49
5530MHz	Pass	PK	5.466G	68.05	68.20	-0.15	3	Vertical	328	1.49
5530MHz	Pass	PK	5.535G	110.93	Inf	-Inf	3	Vertical	328	1.49
5530MHz	Pass	PK	5.767G	59.28	68.20	-8.92	3	Vertical	328	1.49



RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T1S_AP5022S6D

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.35G	46.83	54.00	-7.17	3	Horizontal	296	2.27
5530MHz	Pass	AV	5.455G	51.65	54.00	-2.35	3	Horizontal	296	2.27
5530MHz	Pass	AV	5.537G	98.51	Inf	-Inf	3	Horizontal	296	2.27
5530MHz	Pass	PK	5.327G	58.70	68.20	-9.50	3	Horizontal	296	2.27
5530MHz	Pass	PK	5.454G	63.42	74.00	-10.58	3	Horizontal	296	2.27
5530MHz	Pass	PK	5.469G	63.60	68.20	-4.60	3	Horizontal	296	2.27
5530MHz	Pass	PK	5.539G	110.00	Inf	-Inf	3	Horizontal	296	2.27
5530MHz	Pass	PK	5.743G	59.26	68.20	-8.94	3	Horizontal	296	2.27
5530MHz	Pass	AV	11.06208G	40.57	54.00	-13.43	3	Vertical	325	2.78
5530MHz	Pass	PK	11.0304G	51.96	74.00	-22.04	3	Vertical	325	2.78
5530MHz	Pass	AV	11.06944G	40.47	54.00	-13.53	3	Horizontal	147	1.50
5530MHz	Pass	PK	11.02656G	53.47	74.00	-20.53	3	Horizontal	147	1.50
5610MHz	Pass	AV	5.456G	49.88	54.00	-4.12	3	Vertical	330	1.50
5610MHz	Pass	AV	5.598G	97.87	Inf	-Inf	3	Vertical	330	1.50
5610MHz	Pass	PK	5.457G	66.31	74.00	-7.69	3	Vertical	330	1.50
5610MHz	Pass	PK	5.466G	68.14	68.20	-0.06	3	Vertical	330	1.50
5610MHz	Pass	PK	5.588G	109.45	Inf	-Inf	3	Vertical	330	1.50
5610MHz	Pass	PK	5.74G	65.65	68.20	-2.55	3	Vertical	330	1.50
5610MHz	Pass	AV	5.452G	48.60	54.00	-5.40	3	Horizontal	314	2.23
5610MHz	Pass	AV	5.602G	96.99	Inf	-Inf	3	Horizontal	314	2.23
5610MHz	Pass	PK	5.455G	63.23	74.00	-10.77	3	Horizontal	314	2.23
5610MHz	Pass	PK	5.466G	65.26	68.20	-2.94	3	Horizontal	314	2.23
5610MHz	Pass	PK	5.6G	108.89	Inf	-Inf	3	Horizontal	314	2.23
5610MHz	Pass	PK	5.727G	67.61	68.20	-0.59	3	Horizontal	314	2.23
5610MHz	Pass	AV	11.18832G	40.57	54.00	-13.43	3	Vertical	299	1.50
5610MHz	Pass	PK	11.232G	51.59	74.00	-22.41	3	Vertical	299	1.50
5610MHz	Pass	AV	11.24192G	40.48	54.00	-13.52	3	Horizontal	205	1.50
5610MHz	Pass	PK	11.22368G	51.62	74.00	-22.38	3	Horizontal	205	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	49.91	54.00	-4.09	3	Vertical	0	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	101.20	Inf	-Inf	3	Vertical	0	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	64.85	74.00	-9.15	3	Vertical	0	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	67.26	68.20	-0.94	3	Vertical	0	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6852G	112.43	Inf	-Inf	3	Vertical	0	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	66.86	68.20	-1.34	3	Vertical	0	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	48.58	54.00	-5.42	3	Horizontal	306	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	98.84	Inf	-Inf	3	Horizontal	306	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4536G	62.42	74.00	-11.58	3	Horizontal	306	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	64.03	68.20	-4.17	3	Horizontal	306	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	110.07	Inf	-Inf	3	Horizontal	306	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	66.52	68.20	-1.68	3	Horizontal	306	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40976G	41.19	54.00	-12.81	3	Vertical	188	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36752G	51.73	74.00	-22.27	3	Vertical	188	2.55
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36528G	40.54	54.00	-13.46	3	Horizontal	312	1.56
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40288G	51.99	74.00	-22.01	3	Horizontal	312	1.56
5775MHz	Pass	AV	5.8038G	99.46	Inf	-Inf	3	Vertical	20	1.00
5775MHz	Pass	PK	5.6418G	66.45	68.20	-1.75	3	Vertical	20	1.00
5775MHz	Pass	PK	5.8062G	111.01	Inf	-Inf	3	Vertical	20	1.00
5775MHz	Pass	PK	5.9262G	64.00	68.20	-4.20	3	Vertical	20	1.00
5775MHz	Pass	AV	5.787G	99.75	Inf	-Inf	3	Horizontal	296	1.50
5775MHz	Pass	PK	5.6298G	66.59	68.20	-1.61	3	Horizontal	296	1.50
5775MHz	Pass	PK	5.787G	112.37	Inf	-Inf	3	Horizontal	296	1.50
5775MHz	Pass	PK	5.9322G	63.21	68.20	-4.99	3	Horizontal	296	1.50
5775MHz	Pass	AV	11.56888G	40.47	54.00	-13.53	3	Vertical	196	1.50
5775MHz	Pass	PK	11.5852G	51.94	74.00	-22.06	3	Vertical	196	1.50
5775MHz	Pass	AV	11.53624G	40.30	54.00	-13.70	3	Horizontal	299	1.99
5775MHz	Pass	PK	11.56104G	51.28	74.00	-22.72	3	Horizontal	299	1.99
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	49.82	54.00	-4.18	3	Vertical	341	2.33
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3256G	94.80	Inf	-Inf	3	Vertical	341	2.33
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3508G	51.34	54.00	-2.66	3	Vertical	341	2.33
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	69.95	74.00	-4.05	3	Vertical	341	2.33
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3052G	107.26	Inf	-Inf	3	Vertical	341	2.33




RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T1S_AP5022S6D

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35G	72.73	74.00	-1.27	3	Vertical	341	2.33
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.49G	60.85	68.20	-7.35	3	Vertical	341	2.33
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	47.65	54.00	-6.35	3	Horizontal	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.31G	87.94	Inf	-Inf	3	Horizontal	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3652G	48.62	54.00	-5.38	3	Horizontal	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	64.91	74.00	-9.09	3	Horizontal	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3124G	99.44	Inf	-Inf	3	Horizontal	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.35G	68.12	74.00	-5.88	3	Horizontal	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.484G	58.83	68.20	-9.37	3	Horizontal	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.42896G	51.37	68.20	-16.83	3	Vertical	55	1.39
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57584G	51.64	68.20	-16.56	3	Horizontal	62	1.50
5570MHz	Pass	AV	5.4548G	47.57	54.00	-6.43	3	Vertical	328	1.50
5570MHz	Pass	AV	5.5556G	91.68	Inf	-Inf	3	Vertical	328	1.50
5570MHz	Pass	PK	5.3336G	57.59	68.20	-10.61	3	Vertical	328	1.50
5570MHz	Pass	PK	5.456G	66.33	74.00	-7.67	3	Vertical	328	1.50
5570MHz	Pass	PK	5.4656G	67.55	68.20	-0.65	3	Vertical	328	1.50
5570MHz	Pass	PK	5.5496G	104.42	Inf	-Inf	3	Vertical	328	1.50
5570MHz	Pass	PK	5.7344G	61.61	68.20	-6.59	3	Vertical	328	1.50
5570MHz	Pass	AV	5.4584G	47.47	54.00	-6.53	3	Horizontal	295	2.24
5570MHz	Pass	AV	5.546G	90.44	Inf	-Inf	3	Horizontal	295	2.24
5570MHz	Pass	PK	5.3396G	57.94	68.20	-10.26	3	Horizontal	295	2.24
5570MHz	Pass	PK	5.4584G	66.88	74.00	-7.12	3	Horizontal	295	2.24
5570MHz	Pass	PK	5.468G	67.17	68.20	-1.03	3	Horizontal	295	2.24
5570MHz	Pass	PK	5.5544G	102.96	Inf	-Inf	3	Horizontal	295	2.24
5570MHz	Pass	PK	5.7284G	63.09	68.20	-5.11	3	Horizontal	295	2.24
5570MHz	Pass	AV	11.172G	40.99	54.00	-13.01	3	Vertical	71	1.50
5570MHz	Pass	PK	11.08496G	52.02	74.00	-21.98	3	Vertical	71	1.50
5570MHz	Pass	AV	11.1864G	40.92	54.00	-13.08	3	Horizontal	344	1.50
5570MHz	Pass	PK	11.07248G	51.64	74.00	-22.36	3	Horizontal	344	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX






5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX






5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.47	54.00	-0.53	2.54	3	Vertical	334	1.50	50.93	33.40	6.67	37.53
AV	5.219G	99.53	Inf	-Inf	2.60	3	Vertical	334	1.50	96.93	33.42	6.71	37.53
AV	5.354G	50.06	54.00	-3.94	2.28	3	Vertical	334	1.50	47.78	33.11	6.70	37.53
PK	5.118G	65.89	74.00	-8.11	2.39	3	Vertical	334	1.50	63.50	33.27	6.64	37.52
PK	5.222G	111.22	Inf	-Inf	2.59	3	Vertical	334	1.50	108.63	33.41	6.71	37.53
PK	5.351G	61.65	74.00	-12.35	2.27	3	Vertical	334	1.50	59.38	33.10	6.70	37.53

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.45	54.00	-5.55	2.54	3	Horizontal	52	1.65	45.91	33.40	6.67	37.53
AV	5.224G	93.62	Inf	-Inf	2.58	3	Horizontal	52	1.65	91.04	33.40	6.71	37.53
AV	5.355G	47.62	54.00	-6.38	2.28	3	Horizontal	52	1.65	45.34	33.11	6.70	37.53
PK	5.145G	59.67	74.00	-14.33	2.51	3	Horizontal	52	1.65	57.16	33.38	6.66	37.53
PK	5.214G	105.04	Inf	-Inf	2.62	3	Horizontal	52	1.65	102.42	33.44	6.71	37.53
PK	5.356G	59.75	74.00	-14.25	2.28	3	Horizontal	52	1.65	57.47	33.11	6.70	37.53




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX






5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX





5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX






5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX






5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	49.88	54.00	-4.12	2.43	3	Vertical	330	1.50	47.45	33.21	6.76	37.54
AV	5.598G	97.87	Inf	-Inf	2.79	3	Vertical	330	1.50	95.08	33.40	6.90	37.51
PK	5.457G	66.31	74.00	-7.69	2.43	3	Vertical	330	1.50	63.88	33.21	6.76	37.54
PK	5.466G	68.14	68.20	-0.06	2.46	3	Vertical	330	1.50	65.68	33.23	6.77	37.54
PK	5.588G	109.45	Inf	-Inf	2.78	3	Vertical	330	1.50	106.67	33.40	6.89	37.51
PK	5.74G	65.65	68.20	-2.55	3.75	3	Vertical	330	1.50	61.90	34.04	7.17	37.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	48.60	54.00	-5.40	2.41	3	Horizontal	314	2.23	46.19	33.20	6.75	37.54
AV	5.602G	96.99	Inf	-Inf	2.80	3	Horizontal	314	2.23	94.19	33.41	6.90	37.51
PK	5.455G	63.23	74.00	-10.77	2.42	3	Horizontal	314	2.23	60.81	33.21	6.75	37.54
PK	5.466G	65.26	68.20	-2.94	2.46	3	Horizontal	314	2.23	62.80	33.23	6.77	37.54
PK	5.6G	108.89	Inf	-Inf	2.79	3	Horizontal	314	2.23	106.10	33.40	6.90	37.51
PK	5.727G	67.61	68.20	-0.59	3.65	3	Horizontal	314	2.23	63.96	33.96	7.15	37.46


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX





5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	105.79	Inf	-Inf	4.16	3	Vertical	14	1.01	101.63	34.40	7.19	37.43
PK	5.8306G	58.02	68.20	-10.18	2.98	3	Vertical	14	1.01	55.04	33.52	6.96	37.50
PK	5.8202G	116.73	Inf	-Inf	4.16	3	Vertical	14	1.01	112.57	34.40	7.19	37.43
PK	5.9474G	60.28	68.20	-7.92	3.60	3	Vertical	14	1.01	56.68	34.41	6.58	37.39

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	106.92	Inf	-Inf	4.13	3	Horizontal	309	1.64	102.79	34.40	7.16	37.43
PK	5.8186G	58.14	68.20	-10.06	2.91	3	Horizontal	309	1.64	55.23	33.47	6.94	37.50
PK	5.8298G	118.46	Inf	-Inf	4.12	3	Horizontal	309	1.64	114.34	34.40	7.15	37.43
PK	5.927G	60.87	68.20	-7.33	3.74	3	Horizontal	309	1.64	57.13	34.45	6.68	37.39


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T2S_AP5022S6D

Appendix E.25

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.93	54.00	-0.07	3	Vertical	335	1.38
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1472G	53.56	54.00	-0.44	3	Vertical	334	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.147G	53.86	54.00	-0.14	3	Vertical	335	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3504G	53.55	54.00	-0.45	3	Vertical	337	1.72
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.3512G	53.92	54.00	-0.08	3	Vertical	333	1.73
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.351G	53.58	54.00	-0.42	3	Vertical	336	2.45
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.1432G	53.35	54.00	-0.65	3	Vertical	336	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.4598G	53.73	54.00	-0.27	3	Vertical	333	1.71
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.7252G	68.11	68.20	-0.09	3	Horizontal	307	1.77
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.8508G	67.85	68.20	-0.35	3	Horizontal	305	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.4668G	67.24	68.20	-0.96	3	Vertical	328	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	6.0194G	60.87	68.20	-7.33	3	Horizontal	306	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.933G	66.72	68.20	-1.48	3	Horizontal	300	1.53
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.649G	67.20	68.20	-1.00	3	Horizontal	297	1.64



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022S6D**

Appendix E.25

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	53.89	54.00	-0.11	3	Vertical	333	1.50
5180MHz	Pass	AV	5.1814G	104.46	Inf	-Inf	3	Vertical	333	1.50
5180MHz	Pass	PK	5.1394G	67.45	74.00	-6.55	3	Vertical	333	1.50
5180MHz	Pass	PK	5.1794G	116.72	Inf	-Inf	3	Vertical	333	1.50
5180MHz	Pass	AV	5.1494G	48.69	54.00	-5.31	3	Horizontal	309	1.50
5180MHz	Pass	AV	5.1876G	99.74	Inf	-Inf	3	Horizontal	309	1.50
5180MHz	Pass	PK	5.1462G	62.17	74.00	-11.83	3	Horizontal	309	1.50
5180MHz	Pass	PK	5.1718G	111.46	Inf	-Inf	3	Horizontal	309	1.50
5180MHz	Pass	PK	10.36852G	53.57	68.20	-14.63	3	Vertical	7	1.95
5180MHz	Pass	PK	10.35958G	54.15	68.20	-14.05	3	Horizontal	318	1.26
5200MHz	Pass	AV	5.15G	53.93	54.00	-0.07	3	Vertical	335	1.38
5200MHz	Pass	AV	5.2068G	104.58	Inf	-Inf	3	Vertical	335	1.38
5200MHz	Pass	PK	5.1496G	70.43	74.00	-3.57	3	Vertical	335	1.38
5200MHz	Pass	PK	5.208G	115.75	Inf	-Inf	3	Vertical	335	1.38
5200MHz	Pass	AV	5.15G	50.28	54.00	-3.72	3	Horizontal	36	1.14
5200MHz	Pass	AV	5.1952G	99.65	Inf	-Inf	3	Horizontal	36	1.14
5200MHz	Pass	PK	5.1496G	67.18	74.00	-6.82	3	Horizontal	36	1.14
5200MHz	Pass	PK	5.1968G	112.04	Inf	-Inf	3	Horizontal	36	1.14
5200MHz	Pass	PK	10.39478G	54.08	68.20	-14.12	3	Vertical	7	1.43
5200MHz	Pass	PK	10.40666G	53.74	68.20	-14.46	3	Horizontal	355	1.50
5240MHz	Pass	AV	5.15G	47.43	54.00	-6.57	3	Vertical	336	1.50
5240MHz	Pass	AV	5.2418G	105.27	Inf	-Inf	3	Vertical	336	1.50
5240MHz	Pass	AV	5.3612G	47.24	54.00	-6.76	3	Vertical	336	1.50
5240MHz	Pass	PK	5.1446G	60.60	74.00	-13.40	3	Vertical	336	1.50
5240MHz	Pass	PK	5.2364G	116.94	Inf	-Inf	3	Vertical	336	1.50
5240MHz	Pass	PK	5.3762G	59.12	74.00	-14.88	3	Vertical	336	1.50
5240MHz	Pass	AV	5.1482G	45.80	54.00	-8.20	3	Horizontal	53	1.50
5240MHz	Pass	AV	5.2418G	100.13	Inf	-Inf	3	Horizontal	53	1.50
5240MHz	Pass	AV	5.3594G	46.43	54.00	-7.57	3	Horizontal	53	1.50
5240MHz	Pass	PK	5.1194G	57.25	74.00	-16.75	3	Horizontal	53	1.50
5240MHz	Pass	PK	5.2412G	111.32	Inf	-Inf	3	Horizontal	53	1.50
5240MHz	Pass	PK	5.3888G	57.78	74.00	-16.22	3	Horizontal	53	1.50
5240MHz	Pass	PK	10.49278G	53.12	68.20	-15.08	3	Vertical	7	1.50
5240MHz	Pass	PK	10.4788G	53.19	68.20	-15.01	3	Horizontal	341	1.30
5260MHz	Pass	AV	5.1454G	46.18	54.00	-7.82	3	Vertical	334	1.50
5260MHz	Pass	AV	5.2618G	104.86	Inf	-Inf	3	Vertical	334	1.50
5260MHz	Pass	AV	5.3608G	47.45	54.00	-6.55	3	Vertical	334	1.50
5260MHz	Pass	PK	5.15G	57.73	74.00	-16.27	3	Vertical	334	1.50
5260MHz	Pass	PK	5.2576G	116.86	Inf	-Inf	3	Vertical	334	1.50
5260MHz	Pass	PK	5.3548G	59.30	74.00	-14.70	3	Vertical	334	1.50
5260MHz	Pass	AV	5.137G	45.70	54.00	-8.30	3	Horizontal	68	1.01
5260MHz	Pass	AV	5.2648G	101.41	Inf	-Inf	3	Horizontal	68	1.01
5260MHz	Pass	AV	5.353G	46.65	54.00	-7.35	3	Horizontal	68	1.01
5260MHz	Pass	PK	5.1496G	57.28	74.00	-16.72	3	Horizontal	68	1.01
5260MHz	Pass	PK	5.269G	112.65	Inf	-Inf	3	Horizontal	68	1.01
5260MHz	Pass	PK	5.3596G	58.67	74.00	-15.33	3	Horizontal	68	1.01
5260MHz	Pass	PK	10.5122G	53.44	68.20	-14.76	3	Vertical	3	1.53
5260MHz	Pass	PK	10.5092G	52.76	68.20	-15.44	3	Horizontal	98	2.62
5300MHz	Pass	AV	5.3052G	105.21	Inf	-Inf	3	Vertical	336	1.50
5300MHz	Pass	AV	5.3504G	51.20	54.00	-2.80	3	Vertical	336	1.50
5300MHz	Pass	PK	5.2996G	116.85	Inf	-Inf	3	Vertical	336	1.50
5300MHz	Pass	PK	5.3512G	69.10	74.00	-4.90	3	Vertical	336	1.50
5300MHz	Pass	AV	5.3072G	100.60	Inf	-Inf	3	Horizontal	21	1.50
5300MHz	Pass	AV	5.35G	48.93	54.00	-5.07	3	Horizontal	21	1.50
5300MHz	Pass	PK	5.302G	112.17	Inf	-Inf	3	Horizontal	21	1.50
5300MHz	Pass	PK	5.3532G	64.49	74.00	-9.51	3	Horizontal	21	1.50
5300MHz	Pass	PK	10.5937G	52.94	68.20	-15.26	3	Vertical	64	1.50
5300MHz	Pass	AV	10.60402G	40.63	54.00	-13.37	3	Horizontal	280	1.74
5300MHz	Pass	PK	10.60402G	53.26	74.00	-20.74	3	Horizontal	280	1.74
5320MHz	Pass	AV	5.3278G	106.58	Inf	-Inf	3	Vertical	337	1.72



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022S6D**

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3504G	53.55	54.00	-0.45	3	Vertical	337	1.72
5320MHz	Pass	PK	5.329G	119.09	Inf	-Inf	3	Vertical	337	1.72
5320MHz	Pass	PK	5.3634G	69.73	74.00	-4.27	3	Vertical	337	1.72
5320MHz	Pass	AV	5.3218G	102.53	Inf	-Inf	3	Horizontal	38	1.02
5320MHz	Pass	AV	5.3532G	52.55	54.00	-1.45	3	Horizontal	38	1.02
5320MHz	Pass	PK	5.3188G	114.09	Inf	-Inf	3	Horizontal	38	1.02
5320MHz	Pass	PK	5.3604G	66.53	74.00	-7.47	3	Horizontal	38	1.02
5320MHz	Pass	AV	10.64324G	41.14	54.00	-12.86	3	Vertical	186	1.50
5320MHz	Pass	PK	10.64744G	52.67	74.00	-21.33	3	Vertical	186	1.50
5320MHz	Pass	AV	10.64138G	40.47	54.00	-13.53	3	Horizontal	58	1.96
5320MHz	Pass	PK	10.62992G	53.04	74.00	-20.96	3	Horizontal	58	1.96
5500MHz	Pass	AV	5.4598G	53.73	54.00	-0.27	3	Vertical	333	1.71
5500MHz	Pass	AV	5.499G	105.83	Inf	-Inf	3	Vertical	333	1.71
5500MHz	Pass	PK	5.4598G	71.02	74.00	-2.98	3	Vertical	333	1.71
5500MHz	Pass	PK	5.4612G	67.03	68.20	-1.17	3	Vertical	333	1.71
5500MHz	Pass	PK	5.5028G	117.29	Inf	-Inf	3	Vertical	333	1.71
5500MHz	Pass	AV	5.46G	52.34	54.00	-1.66	3	Horizontal	296	2.30
5500MHz	Pass	AV	5.5078G	104.59	Inf	-Inf	3	Horizontal	296	2.30
5500MHz	Pass	PK	5.459G	67.38	74.00	-6.62	3	Horizontal	296	2.30
5500MHz	Pass	PK	5.4612G	67.51	68.20	-0.69	3	Horizontal	296	2.30
5500MHz	Pass	PK	5.4952G	116.60	Inf	-Inf	3	Horizontal	296	2.30
5500MHz	Pass	AV	11.00432G	40.79	54.00	-13.21	3	Vertical	148	1.50
5500MHz	Pass	PK	10.98914G	53.08	74.00	-20.92	3	Vertical	148	1.50
5500MHz	Pass	AV	11.00378G	40.55	54.00	-13.45	3	Horizontal	203	2.91
5500MHz	Pass	PK	11.0069G	52.38	74.00	-21.62	3	Horizontal	203	2.91
5580MHz	Pass	AV	5.451G	46.93	54.00	-7.07	3	Vertical	327	1.50
5580MHz	Pass	AV	5.5728G	105.31	Inf	-Inf	3	Vertical	327	1.50
5580MHz	Pass	PK	5.4408G	58.42	74.00	-15.58	3	Vertical	327	1.50
5580MHz	Pass	PK	5.4624G	57.39	68.20	-10.81	3	Vertical	327	1.50
5580MHz	Pass	PK	5.5752G	116.79	Inf	-Inf	3	Vertical	327	1.50
5580MHz	Pass	PK	5.7252G	58.17	68.20	-10.03	3	Vertical	327	1.50
5580MHz	Pass	AV	5.4504G	46.68	54.00	-7.32	3	Horizontal	301	2.32
5580MHz	Pass	AV	5.5716G	103.89	Inf	-Inf	3	Horizontal	301	2.32
5580MHz	Pass	PK	5.439G	58.98	74.00	-15.02	3	Horizontal	301	2.32
5580MHz	Pass	PK	5.4666G	58.03	68.20	-10.17	3	Horizontal	301	2.32
5580MHz	Pass	PK	5.5752G	116.76	Inf	-Inf	3	Horizontal	301	2.32
5580MHz	Pass	PK	5.7282G	59.23	68.20	-8.97	3	Horizontal	301	2.32
5580MHz	Pass	AV	11.16402G	40.82	54.00	-13.18	3	Vertical	68	1.50
5580MHz	Pass	PK	11.14998G	52.77	74.00	-21.23	3	Vertical	68	1.50
5580MHz	Pass	AV	11.15124G	40.75	54.00	-13.25	3	Horizontal	341	2.25
5580MHz	Pass	PK	11.1534G	53.35	74.00	-20.65	3	Horizontal	341	2.25
5700MHz	Pass	AV	5.6984G	100.09	Inf	-Inf	3	Vertical	25	1.79
5700MHz	Pass	PK	5.6928G	111.82	Inf	-Inf	3	Vertical	25	1.79
5700MHz	Pass	PK	5.7304G	67.67	68.20	-0.53	3	Vertical	25	1.79
5700MHz	Pass	AV	5.7084G	99.99	Inf	-Inf	3	Horizontal	302	1.78
5700MHz	Pass	PK	5.7008G	111.94	Inf	-Inf	3	Horizontal	302	1.78
5700MHz	Pass	PK	5.7276G	67.19	68.20	-1.01	3	Horizontal	302	1.78
5700MHz	Pass	AV	11.40408G	41.12	54.00	-12.88	3	Vertical	47	1.23
5700MHz	Pass	PK	11.39478G	53.12	74.00	-20.88	3	Vertical	47	1.23
5700MHz	Pass	AV	11.4099G	40.79	54.00	-13.21	3	Horizontal	337	1.00
5700MHz	Pass	PK	11.40444G	53.14	74.00	-20.86	3	Horizontal	337	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	46.31	54.00	-7.69	3	Vertical	4	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	105.78	Inf	-Inf	3	Vertical	4	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4236G	58.17	74.00	-15.83	3	Vertical	4	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	57.17	68.20	-11.03	3	Vertical	4	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	118.14	Inf	-Inf	3	Vertical	4	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	60.20	68.20	-8.00	3	Vertical	4	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	45.83	54.00	-8.17	3	Horizontal	303	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7272G	103.86	Inf	-Inf	3	Horizontal	303	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4416G	57.83	74.00	-16.17	3	Horizontal	303	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	57.01	68.20	-11.19	3	Horizontal	303	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	115.88	Inf	-Inf	3	Horizontal	303	1.50



RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T2S_AP5022S6D

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8904G	59.88	68.20	-8.32	3	Horizontal	303	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44186G	40.90	54.00	-13.10	3	Vertical	182	1.41
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4484G	52.96	74.00	-21.04	3	Vertical	182	1.41
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4478G	40.92	54.00	-13.08	3	Horizontal	185	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43712G	52.82	74.00	-21.18	3	Horizontal	185	1.50
5745MHz	Pass	AV	5.4462G	45.89	54.00	-8.11	3	Vertical	24	1.80
5745MHz	Pass	AV	5.7438G	104.31	Inf	-Inf	3	Vertical	24	1.80
5745MHz	Pass	PK	5.4798G	58.70	68.20	-9.50	3	Vertical	24	1.80
5745MHz	Pass	PK	5.7366G	116.38	Inf	-Inf	3	Vertical	24	1.80
5745MHz	Pass	PK	5.9358G	58.80	68.20	-9.40	3	Vertical	24	1.80
5745MHz	Pass	AV	5.4546G	45.96	54.00	-8.04	3	Horizontal	301	1.50
5745MHz	Pass	AV	5.739G	103.81	Inf	-Inf	3	Horizontal	301	1.50
5745MHz	Pass	PK	5.607G	58.09	68.20	-10.11	3	Horizontal	301	1.50
5745MHz	Pass	PK	5.7402G	115.40	Inf	-Inf	3	Horizontal	301	1.50
5745MHz	Pass	PK	5.9946G	59.58	68.20	-8.62	3	Horizontal	301	1.50
5745MHz	Pass	AV	11.47764G	40.95	54.00	-13.05	3	Vertical	351	2.62
5745MHz	Pass	PK	11.48016G	52.96	74.00	-21.04	3	Vertical	351	2.62
5745MHz	Pass	AV	11.49366G	41.11	54.00	-12.89	3	Horizontal	231	1.11
5745MHz	Pass	PK	11.4933G	52.97	74.00	-21.03	3	Horizontal	231	1.11
5785MHz	Pass	AV	5.7826G	104.08	Inf	-Inf	3	Vertical	22	1.50
5785MHz	Pass	PK	5.6098G	58.24	68.20	-9.96	3	Vertical	22	1.50
5785MHz	Pass	PK	5.7766G	115.96	Inf	-Inf	3	Vertical	22	1.50
5785MHz	Pass	PK	5.9914G	59.19	68.20	-9.01	3	Vertical	22	1.50
5785MHz	Pass	AV	5.7814G	104.36	Inf	-Inf	3	Horizontal	302	1.50
5785MHz	Pass	PK	5.5462G	57.80	68.20	-10.40	3	Horizontal	302	1.50
5785MHz	Pass	PK	5.7838G	116.47	Inf	-Inf	3	Horizontal	302	1.50
5785MHz	Pass	PK	5.9338G	59.71	68.20	-8.49	3	Horizontal	302	1.50
5785MHz	Pass	AV	11.56448G	40.67	54.00	-13.33	3	Vertical	0	2.08
5785MHz	Pass	PK	11.57882G	52.59	74.00	-21.41	3	Vertical	0	2.08
5785MHz	Pass	AV	11.58266G	40.52	54.00	-13.48	3	Horizontal	27	2.64
5785MHz	Pass	PK	11.57006G	52.87	74.00	-21.13	3	Horizontal	27	2.64
5825MHz	Pass	AV	5.8166G	104.43	Inf	-Inf	3	Vertical	20	1.01
5825MHz	Pass	PK	5.567G	58.55	68.20	-9.65	3	Vertical	20	1.01
5825MHz	Pass	PK	5.8334G	116.86	Inf	-Inf	3	Vertical	20	1.01
5825MHz	Pass	PK	5.9318G	59.61	68.20	-8.59	3	Vertical	20	1.01
5825MHz	Pass	AV	5.819G	104.49	Inf	-Inf	3	Horizontal	306	1.50
5825MHz	Pass	PK	5.5958G	58.44	68.20	-9.76	3	Horizontal	306	1.50
5825MHz	Pass	PK	5.831G	115.93	Inf	-Inf	3	Horizontal	306	1.50
5825MHz	Pass	PK	6.0194G	60.87	68.20	-7.33	3	Horizontal	306	1.50
5825MHz	Pass	AV	11.6602G	40.17	54.00	-13.83	3	Vertical	357	3.00
5825MHz	Pass	PK	11.65288G	52.67	74.00	-21.33	3	Vertical	357	3.00
5825MHz	Pass	AV	11.6503G	40.37	54.00	-13.63	3	Horizontal	172	2.74
5825MHz	Pass	PK	11.66476G	52.50	74.00	-21.50	3	Horizontal	172	2.74
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1472G	53.56	54.00	-0.44	3	Vertical	334	1.50
5190MHz	Pass	AV	5.188G	101.59	Inf	-Inf	3	Vertical	334	1.50
5190MHz	Pass	PK	5.1464G	66.69	74.00	-7.31	3	Vertical	334	1.50
5190MHz	Pass	PK	5.1864G	113.52	Inf	-Inf	3	Vertical	334	1.50
5190MHz	Pass	AV	5.15G	50.67	54.00	-3.33	3	Horizontal	296	2.28
5190MHz	Pass	AV	5.2032G	97.51	Inf	-Inf	3	Horizontal	296	2.28
5190MHz	Pass	PK	5.1456G	63.29	74.00	-10.71	3	Horizontal	296	2.28
5190MHz	Pass	PK	5.1928G	109.58	Inf	-Inf	3	Horizontal	296	2.28
5190MHz	Pass	PK	10.38132G	53.38	68.20	-14.82	3	Vertical	3	1.57
5190MHz	Pass	PK	10.37736G	52.81	68.20	-15.39	3	Horizontal	322	1.33
5230MHz	Pass	AV	5.1488G	53.53	54.00	-0.47	3	Vertical	334	1.50
5230MHz	Pass	AV	5.2164G	101.85	Inf	-Inf	3	Vertical	334	1.50
5230MHz	Pass	PK	5.1436G	69.67	74.00	-4.33	3	Vertical	334	1.50
5230MHz	Pass	PK	5.2444G	113.37	Inf	-Inf	3	Vertical	334	1.50
5230MHz	Pass	AV	5.1472G	51.20	54.00	-2.80	3	Horizontal	65	1.01
5230MHz	Pass	AV	5.236G	97.98	Inf	-Inf	3	Horizontal	65	1.01
5230MHz	Pass	PK	5.1472G	66.42	74.00	-7.58	3	Horizontal	65	1.01
5230MHz	Pass	PK	5.2284G	109.81	Inf	-Inf	3	Horizontal	65	1.01



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022S6D**

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.48244G	52.73	68.20	-15.47	3	Vertical	15	1.94
5230MHz	Pass	PK	10.4606G	52.55	68.20	-15.65	3	Horizontal	314	1.50
5270MHz	Pass	AV	5.2724G	103.11	Inf	-Inf	3	Vertical	335	2.49
5270MHz	Pass	AV	5.35G	51.38	54.00	-2.62	3	Vertical	335	2.49
5270MHz	Pass	PK	5.2788G	114.78	Inf	-Inf	3	Vertical	335	2.49
5270MHz	Pass	PK	5.3544G	73.65	74.00	-0.35	3	Vertical	335	2.49
5270MHz	Pass	AV	5.286G	96.66	Inf	-Inf	3	Horizontal	20	1.50
5270MHz	Pass	AV	5.354G	48.37	54.00	-5.63	3	Horizontal	20	1.50
5270MHz	Pass	PK	5.2744G	108.34	Inf	-Inf	3	Horizontal	20	1.50
5270MHz	Pass	PK	5.3544G	68.01	74.00	-5.99	3	Horizontal	20	1.50
5270MHz	Pass	PK	10.55248G	52.97	68.20	-15.23	3	Vertical	333	2.38
5270MHz	Pass	PK	10.54756G	52.56	68.20	-15.64	3	Horizontal	226	1.03
5310MHz	Pass	AV	5.3084G	102.95	Inf	-Inf	3	Vertical	333	1.73
5310MHz	Pass	AV	5.3512G	53.92	54.00	-0.08	3	Vertical	333	1.73
5310MHz	Pass	PK	5.3088G	114.59	Inf	-Inf	3	Vertical	333	1.73
5310MHz	Pass	PK	5.3584G	65.54	74.00	-8.46	3	Vertical	333	1.73
5310MHz	Pass	AV	5.3176G	96.97	Inf	-Inf	3	Horizontal	21	1.50
5310MHz	Pass	AV	5.3552G	49.41	54.00	-4.59	3	Horizontal	21	1.50
5310MHz	Pass	PK	5.3052G	108.89	Inf	-Inf	3	Horizontal	21	1.50
5310MHz	Pass	PK	5.3588G	62.37	74.00	-11.63	3	Horizontal	21	1.50
5310MHz	Pass	AV	10.60896G	40.51	54.00	-13.49	3	Vertical	14	1.50
5310MHz	Pass	PK	10.63188G	52.69	74.00	-21.31	3	Vertical	14	1.50
5310MHz	Pass	AV	10.64676G	40.44	54.00	-13.56	3	Horizontal	318	1.69
5310MHz	Pass	PK	10.6236G	52.84	74.00	-21.16	3	Horizontal	318	1.69
5510MHz	Pass	AV	5.4508G	52.96	54.00	-1.04	3	Vertical	330	1.53
5510MHz	Pass	AV	5.5128G	101.89	Inf	-Inf	3	Vertical	330	1.53
5510MHz	Pass	PK	5.4488G	64.01	74.00	-9.99	3	Vertical	330	1.53
5510MHz	Pass	PK	5.4692G	66.78	68.20	-1.42	3	Vertical	330	1.53
5510MHz	Pass	PK	5.5108G	114.58	Inf	-Inf	3	Vertical	330	1.53
5510MHz	Pass	AV	5.4588G	50.70	54.00	-3.30	3	Horizontal	300	2.37
5510MHz	Pass	AV	5.4964G	100.48	Inf	-Inf	3	Horizontal	300	2.37
5510MHz	Pass	PK	5.454G	63.54	74.00	-10.46	3	Horizontal	300	2.37
5510MHz	Pass	PK	5.4656G	65.54	68.20	-2.66	3	Horizontal	300	2.37
5510MHz	Pass	PK	5.5144G	112.17	Inf	-Inf	3	Horizontal	300	2.37
5510MHz	Pass	AV	11.01988G	40.80	54.00	-13.20	3	Vertical	360	1.77
5510MHz	Pass	PK	11.02492G	52.94	74.00	-21.06	3	Vertical	360	1.77
5510MHz	Pass	AV	11.03644G	40.98	54.00	-13.02	3	Horizontal	173	2.68
5510MHz	Pass	PK	11.04736G	52.37	74.00	-21.63	3	Horizontal	173	2.68
5550MHz	Pass	AV	5.4588G	47.84	54.00	-6.16	3	Vertical	330	1.50
5550MHz	Pass	AV	5.548G	99.83	Inf	-Inf	3	Vertical	330	1.50
5550MHz	Pass	PK	5.4512G	65.12	74.00	-8.88	3	Vertical	330	1.50
5550MHz	Pass	PK	5.4616G	68.09	68.20	-0.11	3	Vertical	330	1.50
5550MHz	Pass	PK	5.5628G	112.50	Inf	-Inf	3	Vertical	330	1.50
5550MHz	Pass	AV	5.4536G	47.58	54.00	-6.42	3	Horizontal	296	2.28
5550MHz	Pass	AV	5.5364G	98.52	Inf	-Inf	3	Horizontal	296	2.28
5550MHz	Pass	PK	5.4588G	62.86	74.00	-11.14	3	Horizontal	296	2.28
5550MHz	Pass	PK	5.4636G	66.66	68.20	-1.54	3	Horizontal	296	2.28
5550MHz	Pass	PK	5.542G	111.45	Inf	-Inf	3	Horizontal	296	2.28
5550MHz	Pass	AV	11.08656G	40.75	54.00	-13.25	3	Vertical	0	1.50
5550MHz	Pass	PK	11.0736G	52.96	74.00	-21.04	3	Vertical	0	1.50
5550MHz	Pass	AV	11.1258G	40.70	54.00	-13.30	3	Horizontal	72	2.37
5550MHz	Pass	PK	11.11728G	53.12	74.00	-20.88	3	Horizontal	72	2.37
5670MHz	Pass	AV	5.6664G	96.73	Inf	-Inf	3	Vertical	326	1.50
5670MHz	Pass	PK	5.6652G	108.90	Inf	-Inf	3	Vertical	326	1.50
5670MHz	Pass	PK	5.7252G	67.36	68.20	-0.84	3	Vertical	326	1.50
5670MHz	Pass	AV	5.6676G	96.69	Inf	-Inf	3	Horizontal	307	1.77
5670MHz	Pass	PK	5.6754G	108.87	Inf	-Inf	3	Horizontal	307	1.77
5670MHz	Pass	PK	5.7252G	68.11	68.20	-0.09	3	Horizontal	307	1.77
5670MHz	Pass	AV	11.32056G	41.02	54.00	-12.98	3	Vertical	38	1.50
5670MHz	Pass	PK	11.33388G	52.72	74.00	-21.28	3	Vertical	38	1.50
5670MHz	Pass	AV	11.31588G	40.87	54.00	-13.13	3	Horizontal	269	1.33
5670MHz	Pass	PK	11.31876G	53.39	74.00	-20.61	3	Horizontal	269	1.33

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	46.53	54.00	-7.47	3	Vertical	5	2.98
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7244G	101.78	Inf	-Inf	3	Vertical	5	2.98
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4376G	58.30	74.00	-15.70	3	Vertical	5	2.98
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	58.18	68.20	-10.02	3	Vertical	5	2.98
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	113.13	Inf	-Inf	3	Vertical	5	2.98
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	61.78	68.20	-6.42	3	Vertical	5	2.98
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4532G	46.23	54.00	-7.77	3	Horizontal	305	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	101.44	Inf	-Inf	3	Horizontal	305	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.416G	58.06	74.00	-15.94	3	Horizontal	305	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	56.76	68.20	-11.44	3	Horizontal	305	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	112.28	Inf	-Inf	3	Horizontal	305	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	64.25	68.20	-3.95	3	Horizontal	305	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4332G	40.95	54.00	-13.05	3	Vertical	119	2.69
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40956G	53.21	74.00	-20.79	3	Vertical	119	2.69
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40896G	41.04	54.00	-12.96	3	Horizontal	319	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4242G	52.93	74.00	-21.07	3	Horizontal	319	1.50
5755MHz	Pass	AV	5.4586G	45.92	54.00	-8.08	3	Vertical	18	1.01
5755MHz	Pass	AV	5.7502G	101.48	Inf	-Inf	3	Vertical	18	1.01
5755MHz	Pass	PK	5.6098G	59.31	68.20	-8.89	3	Vertical	18	1.01
5755MHz	Pass	PK	5.737G	113.30	Inf	-Inf	3	Vertical	18	1.01
5755MHz	Pass	PK	5.9602G	59.33	68.20	-8.87	3	Vertical	18	1.01
5755MHz	Pass	AV	5.4562G	45.93	54.00	-8.07	3	Horizontal	297	1.50
5755MHz	Pass	AV	5.7466G	101.24	Inf	-Inf	3	Horizontal	297	1.50
5755MHz	Pass	PK	5.6506G	60.01	68.64	-8.63	3	Horizontal	297	1.50
5755MHz	Pass	PK	5.7562G	113.17	Inf	-Inf	3	Horizontal	297	1.50
5755MHz	Pass	PK	5.941G	59.49	68.20	-8.71	3	Horizontal	297	1.50
5755MHz	Pass	AV	11.49872G	41.15	54.00	-12.85	3	Vertical	0	2.99
5755MHz	Pass	PK	11.53856G	52.61	74.00	-21.39	3	Vertical	0	2.99
5755MHz	Pass	AV	11.4872G	41.08	54.00	-12.92	3	Horizontal	135	1.47
5755MHz	Pass	PK	11.5394G	53.64	74.00	-20.36	3	Horizontal	135	1.47
5795MHz	Pass	AV	5.7974G	102.19	Inf	-Inf	3	Vertical	21	1.74
5795MHz	Pass	PK	5.651G	64.25	68.94	-4.69	3	Vertical	21	1.74
5795MHz	Pass	PK	5.7818G	113.57	Inf	-Inf	3	Vertical	21	1.74
5795MHz	Pass	PK	5.9342G	65.21	68.20	-2.99	3	Vertical	21	1.74
5795MHz	Pass	AV	5.7974G	102.12	Inf	-Inf	3	Horizontal	300	1.53
5795MHz	Pass	PK	5.6378G	63.83	68.20	-4.37	3	Horizontal	300	1.53
5795MHz	Pass	PK	5.8034G	113.85	Inf	-Inf	3	Horizontal	300	1.53
5795MHz	Pass	PK	5.933G	66.72	68.20	-1.48	3	Horizontal	300	1.53
5795MHz	Pass	AV	11.57512G	40.67	54.00	-13.33	3	Vertical	168	2.18
5795MHz	Pass	PK	11.57524G	52.47	74.00	-21.53	3	Vertical	168	2.18
5795MHz	Pass	AV	11.56564G	40.79	54.00	-13.21	3	Horizontal	355	1.50
5795MHz	Pass	PK	11.57596G	52.48	74.00	-21.52	3	Horizontal	355	1.50
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	53.86	54.00	-0.14	3	Vertical	335	1.50
5210MHz	Pass	AV	5.219G	98.77	Inf	-Inf	3	Vertical	335	1.50
5210MHz	Pass	AV	5.358G	50.21	54.00	-3.79	3	Vertical	335	1.50
5210MHz	Pass	PK	5.148G	65.16	74.00	-8.84	3	Vertical	335	1.50
5210MHz	Pass	PK	5.217G	110.90	Inf	-Inf	3	Vertical	335	1.50
5210MHz	Pass	PK	5.358G	61.63	74.00	-12.37	3	Vertical	335	1.50
5210MHz	Pass	AV	5.117G	49.60	54.00	-4.40	3	Horizontal	46	1.04
5210MHz	Pass	AV	5.223G	93.80	Inf	-Inf	3	Horizontal	46	1.04
5210MHz	Pass	AV	5.353G	48.38	54.00	-5.62	3	Horizontal	46	1.04
5210MHz	Pass	PK	5.134G	61.94	74.00	-12.06	3	Horizontal	46	1.04
5210MHz	Pass	PK	5.196G	105.54	Inf	-Inf	3	Horizontal	46	1.04
5210MHz	Pass	PK	5.352G	60.09	74.00	-13.91	3	Horizontal	46	1.04
5210MHz	Pass	PK	10.37128G	52.69	68.20	-15.51	3	Vertical	326	1.35
5210MHz	Pass	PK	10.41928G	52.81	68.20	-15.39	3	Horizontal	307	1.50
5290MHz	Pass	AV	5.149G	48.04	54.00	-5.96	3	Vertical	336	2.45
5290MHz	Pass	AV	5.309G	99.70	Inf	-Inf	3	Vertical	336	2.45
5290MHz	Pass	AV	5.351G	53.58	54.00	-0.42	3	Vertical	336	2.45
5290MHz	Pass	PK	5.149G	59.88	74.00	-14.12	3	Vertical	336	2.45
5290MHz	Pass	PK	5.302G	112.55	Inf	-Inf	3	Vertical	336	2.45



**RSE TX above 1GHz_Non-Beamforming_
Scan Radio_2T2S_AP5022S6D**

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.357G	64.58	74.00	-9.42	3	Vertical	336	2.45
5290MHz	Pass	PK	5.464G	59.52	68.20	-8.68	3	Vertical	336	2.45
5290MHz	Pass	AV	5.147G	46.33	54.00	-7.67	3	Horizontal	22	1.50
5290MHz	Pass	AV	5.319G	92.79	Inf	-Inf	3	Horizontal	22	1.50
5290MHz	Pass	AV	5.353G	49.26	54.00	-4.74	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.047G	58.32	74.00	-15.68	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.279G	104.90	Inf	-Inf	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.368G	60.70	74.00	-13.30	3	Horizontal	22	1.50
5290MHz	Pass	PK	5.536G	58.88	68.20	-9.32	3	Horizontal	22	1.50
5290MHz	Pass	AV	10.60592G	40.52	54.00	-13.48	3	Vertical	251	1.50
5290MHz	Pass	PK	10.59152G	52.45	68.20	-15.75	3	Vertical	251	1.50
5290MHz	Pass	PK	10.61312G	52.16	74.00	-21.84	3	Horizontal	275	1.50
5530MHz	Pass	AV	5.35G	47.19	54.00	-6.81	3	Vertical	331	1.56
5530MHz	Pass	AV	5.46G	53.20	54.00	-0.80	3	Vertical	331	1.56
5530MHz	Pass	AV	5.543G	98.17	Inf	-Inf	3	Vertical	331	1.56
5530MHz	Pass	PK	5.344G	59.06	68.20	-9.14	3	Vertical	331	1.56
5530MHz	Pass	PK	5.442G	65.08	74.00	-8.92	3	Vertical	331	1.56
5530MHz	Pass	PK	5.466G	67.69	68.20	-0.51	3	Vertical	331	1.56
5530MHz	Pass	PK	5.512G	109.88	Inf	-Inf	3	Vertical	331	1.56
5530MHz	Pass	PK	5.779G	59.18	68.20	-9.02	3	Vertical	331	1.56
5530MHz	Pass	AV	5.35G	46.36	54.00	-7.64	3	Horizontal	296	2.31
5530MHz	Pass	AV	5.451G	51.39	54.00	-2.61	3	Horizontal	296	2.31
5530MHz	Pass	AV	5.536G	96.68	Inf	-Inf	3	Horizontal	296	2.31
5530MHz	Pass	PK	5.338G	58.52	68.20	-9.68	3	Horizontal	296	2.31
5530MHz	Pass	PK	5.455G	64.29	74.00	-9.71	3	Horizontal	296	2.31
5530MHz	Pass	PK	5.47G	62.77	68.20	-5.43	3	Horizontal	296	2.31
5530MHz	Pass	PK	5.542G	108.95	Inf	-Inf	3	Horizontal	296	2.31
5530MHz	Pass	PK	5.771G	59.46	68.20	-8.74	3	Horizontal	296	2.31
5530MHz	Pass	AV	11.06G	40.71	54.00	-13.29	3	Vertical	7	1.50
5530MHz	Pass	PK	11.09984G	52.84	74.00	-21.16	3	Vertical	7	1.50
5530MHz	Pass	AV	11.0396G	40.72	54.00	-13.28	3	Horizontal	344	2.05
5530MHz	Pass	PK	11.03216G	53.80	74.00	-20.20	3	Horizontal	344	2.05
5610MHz	Pass	AV	5.457G	49.25	54.00	-4.75	3	Vertical	330	1.50
5610MHz	Pass	AV	5.598G	96.18	Inf	-Inf	3	Vertical	330	1.50
5610MHz	Pass	PK	5.457G	66.45	74.00	-7.55	3	Vertical	330	1.50
5610MHz	Pass	PK	5.462G	67.58	68.20	-0.62	3	Vertical	330	1.50
5610MHz	Pass	PK	5.619G	107.50	Inf	-Inf	3	Vertical	330	1.50
5610MHz	Pass	PK	5.74G	64.89	68.20	-3.31	3	Vertical	330	1.50
5610MHz	Pass	AV	5.46G	47.51	54.00	-6.49	3	Horizontal	313	2.24
5610MHz	Pass	AV	5.597G	95.17	Inf	-Inf	3	Horizontal	313	2.24
5610MHz	Pass	PK	5.455G	62.70	74.00	-11.30	3	Horizontal	313	2.24
5610MHz	Pass	PK	5.47G	64.51	68.20	-3.69	3	Horizontal	313	2.24
5610MHz	Pass	PK	5.62G	107.79	Inf	-Inf	3	Horizontal	313	2.24
5610MHz	Pass	PK	5.726G	64.86	68.20	-3.34	3	Horizontal	313	2.24
5610MHz	Pass	AV	11.26776G	40.90	54.00	-13.10	3	Vertical	171	1.50
5610MHz	Pass	PK	11.26608G	52.77	74.00	-21.23	3	Vertical	171	1.50
5610MHz	Pass	AV	11.18232G	41.18	54.00	-12.82	3	Horizontal	360	1.50
5610MHz	Pass	PK	11.20752G	52.62	74.00	-21.38	3	Horizontal	360	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	49.52	54.00	-4.48	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	98.90	Inf	-Inf	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	64.55	74.00	-9.45	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	66.69	68.20	-1.51	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6768G	110.58	Inf	-Inf	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.25	68.20	-1.95	3	Vertical	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	50.22	54.00	-3.78	3	Horizontal	305	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6948G	97.77	Inf	-Inf	3	Horizontal	305	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	63.95	74.00	-10.05	3	Horizontal	305	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	66.22	68.20	-1.98	3	Horizontal	305	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	109.52	Inf	-Inf	3	Horizontal	305	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	67.85	68.20	-0.35	3	Horizontal	305	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.40568G	40.98	54.00	-13.02	3	Vertical	287	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.43256G	53.17	74.00	-20.83	3	Vertical	287	1.50




RSE TX above 1GHz_Non-Beamforming_ Scan Radio_2T2S_AP5022S6D

Appendix E.25

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36992G	40.94	54.00	-13.06	3	Horizontal	97	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3476G	52.77	74.00	-21.23	3	Horizontal	97	1.50
5775MHz	Pass	AV	5.7654G	98.06	Inf	-Inf	3	Vertical	22	1.50
5775MHz	Pass	PK	5.6262G	65.29	68.20	-2.91	3	Vertical	22	1.50
5775MHz	Pass	PK	5.7834G	109.03	Inf	-Inf	3	Vertical	22	1.50
5775MHz	Pass	PK	5.937G	62.80	68.20	-5.40	3	Vertical	22	1.50
5775MHz	Pass	AV	5.763G	98.76	Inf	-Inf	3	Horizontal	297	1.64
5775MHz	Pass	PK	5.649G	67.20	68.20	-1.00	3	Horizontal	297	1.64
5775MHz	Pass	PK	5.7978G	111.32	Inf	-Inf	3	Horizontal	297	1.64
5775MHz	Pass	PK	5.9298G	64.77	68.20	-3.43	3	Horizontal	297	1.64
5775MHz	Pass	AV	11.53896G	40.66	54.00	-13.34	3	Vertical	348	1.50
5775MHz	Pass	PK	11.58816G	53.19	74.00	-20.81	3	Vertical	348	1.50
5775MHz	Pass	AV	11.49864G	40.62	54.00	-13.38	3	Horizontal	152	2.64
5775MHz	Pass	PK	11.53152G	53.02	74.00	-20.98	3	Horizontal	152	2.64
802.11be EHT160_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1432G	53.35	54.00	-0.65	3	Vertical	336	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	94.17	Inf	-Inf	3	Vertical	336	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3556G	52.72	54.00	-1.28	3	Vertical	336	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1432G	72.74	74.00	-1.26	3	Vertical	336	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3136G	106.38	Inf	-Inf	3	Vertical	336	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	70.36	74.00	-3.64	3	Vertical	336	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	64.01	68.20	-4.19	3	Vertical	336	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1432G	50.10	54.00	-3.90	3	Horizontal	40	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3268G	91.12	Inf	-Inf	3	Horizontal	40	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3616G	51.35	54.00	-2.65	3	Horizontal	40	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	67.17	74.00	-6.83	3	Horizontal	40	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3244G	103.22	Inf	-Inf	3	Horizontal	40	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3544G	68.19	74.00	-5.81	3	Horizontal	40	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4636G	61.60	68.20	-6.60	3	Horizontal	40	1.01
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5456G	52.68	68.20	-15.52	3	Vertical	331	2.85
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.60656G	40.54	54.00	-13.46	3	Horizontal	43	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.58016G	52.66	68.20	-15.54	3	Horizontal	43	1.50
5570MHz	Pass	AV	5.4476G	50.09	54.00	-3.91	3	Vertical	328	1.50
5570MHz	Pass	AV	5.5448G	93.33	Inf	-Inf	3	Vertical	328	1.50
5570MHz	Pass	PK	5.3312G	63.13	68.20	-5.07	3	Vertical	328	1.50
5570MHz	Pass	PK	5.4584G	67.51	74.00	-6.49	3	Vertical	328	1.50
5570MHz	Pass	PK	5.4668G	67.24	68.20	-0.96	3	Vertical	328	1.50
5570MHz	Pass	PK	5.546G	104.33	Inf	-Inf	3	Vertical	328	1.50
5570MHz	Pass	PK	5.7308G	61.69	68.20	-6.51	3	Vertical	328	1.50
5570MHz	Pass	AV	5.4548G	48.19	54.00	-5.81	3	Horizontal	313	2.25
5570MHz	Pass	AV	5.5472G	92.26	Inf	-Inf	3	Horizontal	313	2.25
5570MHz	Pass	PK	5.35G	60.55	74.00	-13.45	3	Horizontal	313	2.25
5570MHz	Pass	PK	5.456G	64.44	74.00	-9.56	3	Horizontal	313	2.25
5570MHz	Pass	PK	5.468G	65.99	68.20	-2.21	3	Horizontal	313	2.25
5570MHz	Pass	PK	5.5484G	104.18	Inf	-Inf	3	Horizontal	313	2.25
5570MHz	Pass	PK	5.7332G	62.74	68.20	-5.46	3	Horizontal	313	2.25
5570MHz	Pass	AV	11.188G	40.93	54.00	-13.07	3	Vertical	352	1.50
5570MHz	Pass	PK	11.06176G	53.07	74.00	-20.93	3	Vertical	352	1.50
5570MHz	Pass	AV	11.05984G	40.94	54.00	-13.06	3	Horizontal	19	1.50
5570MHz	Pass	PK	11.14528G	54.19	74.00	-19.81	3	Horizontal	19	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5200MHz_TX






5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	53.56	54.00	-0.44	2.52	3	Vertical	334	1.50	51.04	33.39	6.66	37.53
AV	5.188G	101.59	Inf	-Inf	2.65	3	Vertical	334	1.50	98.94	33.48	6.70	37.53
PK	5.1464G	66.69	74.00	-7.31	2.52	3	Vertical	334	1.50	64.17	33.39	6.66	37.53
PK	5.1864G	113.52	Inf	-Inf	2.64	3	Vertical	334	1.50	110.88	33.47	6.70	37.53

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.67	54.00	-3.33	2.54	3	Horizontal	296	2.28	48.13	33.40	6.67	37.53
AV	5.2032G	97.51	Inf	-Inf	2.67	3	Horizontal	296	2.28	94.84	33.49	6.71	37.53
PK	5.1456G	63.29	74.00	-10.71	2.51	3	Horizontal	296	2.28	60.78	33.38	6.66	37.53
PK	5.1928G	109.58	Inf	-Inf	2.66	3	Horizontal	296	2.28	106.92	33.49	6.70	37.53




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.86	54.00	-0.14	2.52	3	Vertical	335	1.50	51.34	33.39	6.66	37.53
AV	5.219G	98.77	Inf	-Inf	2.60	3	Vertical	335	1.50	96.17	33.42	6.71	37.53
AV	5.358G	50.21	54.00	-3.79	2.29	3	Vertical	335	1.50	47.92	33.12	6.70	37.53
PK	5.148G	65.16	74.00	-8.84	2.52	3	Vertical	335	1.50	62.64	33.39	6.66	37.53
PK	5.217G	110.90	Inf	-Inf	2.61	3	Vertical	335	1.50	108.29	33.43	6.71	37.53
PK	5.358G	61.63	74.00	-12.37	2.29	3	Vertical	335	1.50	59.34	33.12	6.70	37.53

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.117G	49.60	54.00	-4.40	2.39	3	Horizontal	46	1.04	47.21	33.27	6.64	37.52
AV	5.223G	93.80	Inf	-Inf	2.59	3	Horizontal	46	1.04	91.21	33.41	6.71	37.53
AV	5.353G	48.38	54.00	-5.62	2.28	3	Horizontal	46	1.04	46.10	33.11	6.70	37.53
PK	5.134G	61.94	74.00	-12.06	2.46	3	Horizontal	46	1.04	59.48	33.34	6.65	37.53
PK	5.196G	105.54	Inf	-Inf	2.67	3	Horizontal	46	1.04	102.87	33.49	6.71	37.53
PK	5.352G	60.09	74.00	-13.91	2.27	3	Horizontal	46	1.04	57.82	33.10	6.70	37.53




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX






5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4598G	53.73	54.00	-0.27	2.44	3	Vertical	333	1.71	51.29	33.22	6.76	37.54				
AV	5.499G	105.83	Inf	-Inf	2.56	3	Vertical	333	1.71	103.27	33.30	6.80	37.54				
PK	5.4598G	71.02	74.00	-2.98	2.44	3	Vertical	333	1.71	68.58	33.22	6.76	37.54				
PK	5.4612G	67.03	68.20	-1.17	2.44	3	Vertical	333	1.71	64.59	33.22	6.76	37.54				
PK	5.5028G	117.29	Inf	-Inf	2.57	3	Vertical	333	1.71	114.72	33.31	6.80	37.54				

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.46G	52.34	54.00	-1.66	2.44	3	Horizontal	296	2.30	49.90	33.22	6.76	37.54				
AV	5.5078G	104.59	Inf	-Inf	2.59	3	Horizontal	296	2.30	102.00	33.32	6.81	37.54				
PK	5.459G	67.38	74.00	-6.62	2.44	3	Horizontal	296	2.30	64.94	33.22	6.76	37.54				
PK	5.4612G	67.51	68.20	-0.69	2.44	3	Horizontal	296	2.30	65.07	33.22	6.76	37.54				
PK	5.4952G	116.60	Inf	-Inf	2.55	3	Horizontal	296	2.30	114.05	33.29	6.80	37.54				


5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX





5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX





5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	98.06	Inf	-Inf	3.96	3	Vertical	22	1.50	94.10	34.19	7.22	37.45
PK	5.6262G	65.29	68.20	-2.91	2.95	3	Vertical	22	1.50	62.34	33.50	6.95	37.50
PK	5.7834G	109.03	Inf	-Inf	4.12	3	Vertical	22	1.50	104.91	34.30	7.26	37.44
PK	5.937G	62.80	68.20	-5.40	3.67	3	Vertical	22	1.50	59.13	34.43	6.63	37.39

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	98.76	Inf	-Inf	3.95	3	Horizontal	297	1.64	94.81	34.18	7.22	37.45
PK	5.649G	67.20	68.20	-1.00	3.11	3	Horizontal	297	1.64	64.09	33.60	7.00	37.49
PK	5.7978G	111.32	Inf	-Inf	4.24	3	Horizontal	297	1.64	107.08	34.39	7.29	37.44
PK	5.9298G	64.77	68.20	-3.43	3.72	3	Horizontal	297	1.64	61.05	34.44	6.67	37.39




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	13.38364G	49.87	54.00	-4.13	Vertical
Mode 2	Pass	AV	13.38874G	50.00	54.00	-4.00	Vertical
Mode 3	Pass	AV	13.39252G	49.84	54.00	-4.16	Horizontal
Mode 4	Pass	AV	13.39366G	49.23	54.00	-4.77	Vertical
Mode 5	Pass	AV	13.3887G	49.73	54.00	-4.27	Horizontal
Mode 6	Pass	AV	13.38888G	48.83	54.00	-5.17	Horizontal
Mode 7	Pass	AV	13.38868G	48.92	54.00	-5.08	Horizontal
Mode 8	Pass	AV	13.38876G	50.21	54.00	-3.79	Horizontal
Mode 9	Pass	AV	13.38848G	50.37	54.00	-3.63	Horizontal
Mode 10	Pass	AV	13.38848G	49.83	54.00	-4.17	Horizontal
Mode 11	Pass	AV	13.3884G	50.08	54.00	-3.92	Horizontal
Mode 12	Pass	AV	13.3862G	49.12	54.00	-4.88	Horizontal
Mode 13	Pass	AV	13.38868G	53.90	54.00	-0.10	Vertical
Mode 14	Pass	AV	13.3887G	53.91	54.00	-0.09	Vertical
Mode 15	Pass	AV	13.39012G	53.37	54.00	-0.63	Vertical
Mode 16	Pass	AV	13.39824G	46.44	54.00	-7.56	Vertical
Mode 17	Pass	AV	13.3864G	46.35	54.00	-7.65	Horizontal
Mode 18	Pass	AV	13.39888G	46.49	54.00	-7.51	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.83324G	33.82	54.00	-20.18	3	Vertical	347	2.32
Mode 1	Pass	AV	4.87392G	34.48	54.00	-19.52	3	Vertical	139	1.17
Mode 1	Pass	AV	4.95276G	34.17	54.00	-19.83	3	Vertical	56	1.52
Mode 1	Pass	AV	11.49916G	44.73	54.00	-9.27	3	Vertical	170	1.12
Mode 1	Pass	AV	13.38364G	49.87	54.00	-4.13	3	Vertical	155	2.95
Mode 1	Pass	AV	15.98284G	45.77	54.00	-8.23	3	Vertical	212	2.39
Mode 1	Pass	PK	4.81712G	45.71	74.00	-28.29	3	Vertical	347	2.32
Mode 1	Pass	PK	4.878G	46.51	74.00	-27.49	3	Vertical	139	1.17
Mode 1	Pass	PK	4.96892G	46.34	74.00	-27.66	3	Vertical	56	1.52
Mode 1	Pass	PK	11.48568G	57.36	74.00	-16.64	3	Vertical	170	1.12
Mode 1	Pass	PK	13.39396G	62.59	74.00	-11.41	3	Vertical	155	2.95
Mode 1	Pass	PK	15.98304G	57.77	74.00	-16.23	3	Vertical	212	2.39
Mode 1	Pass	AV	4.8228G	33.93	54.00	-20.07	3	Horizontal	321	1.82
Mode 1	Pass	AV	4.88184G	33.99	54.00	-20.01	3	Horizontal	296	1.03
Mode 1	Pass	AV	4.95388G	34.27	54.00	-19.73	3	Horizontal	351	1.99
Mode 1	Pass	AV	11.49588G	44.72	54.00	-9.28	3	Horizontal	71	1.94
Mode 1	Pass	AV	13.38748G	49.77	54.00	-4.23	3	Horizontal	0	2.90
Mode 1	Pass	AV	15.98048G	45.73	54.00	-8.27	3	Horizontal	144	1.96
Mode 1	Pass	PK	4.828G	46.14	74.00	-27.86	3	Horizontal	321	1.82
Mode 1	Pass	PK	4.88256G	46.61	74.00	-27.39	3	Horizontal	296	1.03
Mode 1	Pass	PK	4.95224G	46.77	74.00	-27.23	3	Horizontal	351	1.99
Mode 1	Pass	PK	11.493G	57.11	74.00	-16.89	3	Horizontal	71	1.94
Mode 1	Pass	PK	13.39276G	62.23	74.00	-11.77	3	Horizontal	0	2.90
Mode 1	Pass	PK	15.97092G	57.65	74.00	-16.35	3	Horizontal	144	1.96
Mode 2	Pass	AV	4.87394G	34.39	54.00	-19.61	3	Vertical	329	1.69
Mode 2	Pass	AV	4.9586G	34.78	54.00	-19.22	3	Vertical	340	2.01
Mode 2	Pass	AV	11.40245G	44.32	54.00	-9.68	3	Vertical	293	1.50
Mode 2	Pass	AV	11.49668G	44.26	54.00	-9.74	3	Vertical	314	1.90
Mode 2	Pass	AV	13.38874G	50.00	54.00	-4.00	3	Vertical	160	2.97
Mode 2	Pass	AV	15.97403G	45.46	54.00	-8.54	3	Vertical	114	1.50
Mode 2	Pass	PK	4.8736G	46.75	74.00	-27.25	3	Vertical	329	1.69
Mode 2	Pass	PK	4.95809G	47.00	74.00	-27.00	3	Vertical	340	2.01
Mode 2	Pass	PK	11.3984G	56.42	74.00	-17.58	3	Vertical	293	1.50
Mode 2	Pass	PK	11.48996G	56.45	74.00	-17.55	3	Vertical	314	1.90
Mode 2	Pass	PK	13.38886G	62.89	74.00	-11.11	3	Vertical	160	2.97
Mode 2	Pass	PK	15.97434G	58.93	74.00	-15.07	3	Vertical	114	1.50
Mode 2	Pass	AV	4.87377G	35.02	54.00	-18.98	3	Horizontal	5	1.67
Mode 2	Pass	AV	4.95897G	35.47	54.00	-18.53	3	Horizontal	360	2.63
Mode 2	Pass	AV	11.39965G	44.24	54.00	-9.76	3	Horizontal	133	1.31
Mode 2	Pass	AV	11.49624G	44.27	54.00	-9.73	3	Horizontal	53	1.16
Mode 2	Pass	AV	13.39258G	49.66	54.00	-4.34	3	Horizontal	5	2.95
Mode 2	Pass	AV	15.97385G	45.53	54.00	-8.47	3	Horizontal	175	1.50
Mode 2	Pass	PK	4.87363G	47.49	74.00	-26.51	3	Horizontal	5	1.67
Mode 2	Pass	PK	4.95816G	47.80	74.00	-26.20	3	Horizontal	360	2.63
Mode 2	Pass	PK	11.40061G	57.03	74.00	-16.97	3	Horizontal	133	1.31
Mode 2	Pass	PK	11.49172G	56.40	74.00	-17.60	3	Horizontal	53	1.16
Mode 2	Pass	PK	13.38754G	61.75	74.00	-12.25	3	Horizontal	5	2.95
Mode 2	Pass	PK	15.97221G	57.81	74.00	-16.19	3	Horizontal	175	1.50
Mode 3	Pass	AV	4.874G	34.23	54.00	-19.77	3	Vertical	327	1.50
Mode 3	Pass	AV	4.95776G	34.62	54.00	-19.38	3	Vertical	329	2.37

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	11.49247G	44.29	54.00	-9.71	3	Vertical	262	1.96
Mode 3	Pass	AV	11.9213G	43.77	54.00	-10.23	3	Vertical	17	1.50
Mode 3	Pass	AV	13.38862G	49.53	54.00	-4.47	3	Vertical	158	2.97
Mode 3	Pass	AV	15.97479G	45.50	54.00	-8.50	3	Vertical	276	1.63
Mode 3	Pass	PK	4.862G	46.56	74.00	-27.44	3	Vertical	327	1.50
Mode 3	Pass	PK	4.96247G	46.57	74.00	-27.43	3	Vertical	329	2.37
Mode 3	Pass	PK	11.49118G	56.18	74.00	-17.82	3	Vertical	262	1.96
Mode 3	Pass	PK	11.93624G	56.69	74.00	-17.31	3	Vertical	17	1.50
Mode 3	Pass	PK	13.39384G	62.03	74.00	-11.97	3	Vertical	158	2.97
Mode 3	Pass	PK	15.9725G	57.28	74.00	-16.72	3	Vertical	276	1.63
Mode 3	Pass	AV	4.87436G	34.68	54.00	-19.32	3	Horizontal	5	1.57
Mode 3	Pass	AV	4.95994G	35.11	54.00	-18.89	3	Horizontal	349	1.37
Mode 3	Pass	AV	11.49114G	44.50	54.00	-9.50	3	Horizontal	59	1.50
Mode 3	Pass	AV	11.92841G	43.77	54.00	-10.23	3	Horizontal	347	1.50
Mode 3	Pass	AV	13.39252G	49.84	54.00	-4.16	3	Horizontal	0	2.97
Mode 3	Pass	AV	15.97561G	45.53	54.00	-8.47	3	Horizontal	190	2.95
Mode 3	Pass	PK	4.87341G	46.92	74.00	-27.08	3	Horizontal	5	1.57
Mode 3	Pass	PK	4.96082G	47.40	74.00	-26.60	3	Horizontal	349	1.37
Mode 3	Pass	PK	11.49143G	56.59	74.00	-17.41	3	Horizontal	59	1.50
Mode 3	Pass	PK	11.92852G	55.73	74.00	-18.27	3	Horizontal	347	1.50
Mode 3	Pass	PK	13.3864G	62.20	74.00	-11.80	3	Horizontal	0	2.97
Mode 3	Pass	PK	15.97593G	57.80	74.00	-16.20	3	Horizontal	190	2.95
Mode 4	Pass	AV	4.81008G	33.71	54.00	-20.29	3	Vertical	9	1.14
Mode 4	Pass	AV	4.82565G	33.82	54.00	-20.18	3	Vertical	287	2.28
Mode 4	Pass	AV	4.87406G	34.74	54.00	-19.26	3	Vertical	13	2.54
Mode 4	Pass	AV	11.49001G	44.85	54.00	-9.15	3	Vertical	237	1.79
Mode 4	Pass	AV	13.39366G	49.23	54.00	-4.77	3	Vertical	159	2.91
Mode 4	Pass	AV	15.97294G	45.38	54.00	-8.62	3	Vertical	207	2.04
Mode 4	Pass	PK	4.80925G	46.30	74.00	-27.70	3	Vertical	9	1.14
Mode 4	Pass	PK	4.8254G	46.10	74.00	-27.90	3	Vertical	287	2.28
Mode 4	Pass	PK	4.87551G	46.09	74.00	-27.91	3	Vertical	13	2.54
Mode 4	Pass	PK	11.48932G	57.17	74.00	-16.83	3	Vertical	237	1.79
Mode 4	Pass	PK	13.3891G	62.43	74.00	-11.57	3	Vertical	159	2.91
Mode 4	Pass	PK	15.97393G	57.27	74.00	-16.73	3	Vertical	207	2.04
Mode 4	Pass	AV	4.81188G	33.70	54.00	-20.30	3	Horizontal	301	1.50
Mode 4	Pass	AV	4.82579G	33.75	54.00	-20.25	3	Horizontal	170	1.50
Mode 4	Pass	AV	4.87379G	33.87	54.00	-20.13	3	Horizontal	37	1.50
Mode 4	Pass	AV	11.49027G	44.83	54.00	-9.17	3	Horizontal	160	1.28
Mode 4	Pass	AV	13.39264G	49.19	54.00	-4.81	3	Horizontal	360	3.00
Mode 4	Pass	AV	15.97303G	45.81	54.00	-8.19	3	Horizontal	331	1.50
Mode 4	Pass	PK	4.809G	46.11	74.00	-27.89	3	Horizontal	301	1.50
Mode 4	Pass	PK	4.82503G	45.98	74.00	-28.02	3	Horizontal	170	1.50
Mode 4	Pass	PK	4.87396G	46.61	74.00	-27.39	3	Horizontal	37	1.50
Mode 4	Pass	PK	11.48839G	57.39	74.00	-16.61	3	Horizontal	160	1.28
Mode 4	Pass	PK	13.39228G	62.38	74.00	-11.62	3	Horizontal	360	3.00
Mode 4	Pass	PK	15.97474G	58.29	74.00	-15.71	3	Horizontal	331	1.50
Mode 5	Pass	AV	4.80756G	33.60	54.00	-20.40	3	Vertical	320	1.49
Mode 5	Pass	AV	4.874G	34.94	54.00	-19.06	3	Vertical	13	2.41
Mode 5	Pass	AV	11.39812G	44.78	54.00	-9.22	3	Vertical	305	1.50
Mode 5	Pass	AV	11.49167G	44.18	54.00	-9.82	3	Vertical	192	1.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	13.3889G	47.67	54.00	-6.33	3	Vertical	174	1.13
Mode 5	Pass	AV	15.9726G	45.84	54.00	-8.16	3	Vertical	243	1.01
Mode 5	Pass	PK	4.81088G	46.54	74.00	-27.46	3	Vertical	320	1.49
Mode 5	Pass	PK	4.87094G	46.72	74.00	-27.28	3	Vertical	13	2.41
Mode 5	Pass	PK	11.39824G	57.23	74.00	-16.77	3	Vertical	305	1.50
Mode 5	Pass	PK	11.49026G	56.41	74.00	-17.59	3	Vertical	192	1.18
Mode 5	Pass	PK	13.3941G	59.91	74.00	-14.09	3	Vertical	174	1.13
Mode 5	Pass	PK	15.97402G	58.11	74.00	-15.89	3	Vertical	243	1.01
Mode 5	Pass	AV	4.80759G	33.76	54.00	-20.24	3	Horizontal	201	2.74
Mode 5	Pass	AV	4.874G	34.46	54.00	-19.54	3	Horizontal	185	2.42
Mode 5	Pass	AV	11.40023G	44.80	54.00	-9.20	3	Horizontal	281	1.50
Mode 5	Pass	AV	11.49126G	44.49	54.00	-9.51	3	Horizontal	20	1.50
Mode 5	Pass	AV	13.3887G	49.73	54.00	-4.27	3	Horizontal	14	2.95
Mode 5	Pass	AV	15.97469G	45.91	54.00	-8.09	3	Horizontal	247	1.50
Mode 5	Pass	PK	4.80932G	46.60	74.00	-27.40	3	Horizontal	201	2.74
Mode 5	Pass	PK	4.8737G	46.85	74.00	-27.15	3	Horizontal	185	2.42
Mode 5	Pass	PK	11.40135G	57.09	74.00	-16.91	3	Horizontal	281	1.50
Mode 5	Pass	PK	11.49141G	57.03	74.00	-16.97	3	Horizontal	20	1.50
Mode 5	Pass	PK	13.388G	61.47	74.00	-12.53	3	Horizontal	14	2.95
Mode 5	Pass	PK	15.97598G	58.96	74.00	-15.04	3	Horizontal	247	1.50
Mode 6	Pass	AV	4.80826G	33.78	54.00	-20.22	3	Vertical	38	2.47
Mode 6	Pass	AV	4.87382G	35.00	54.00	-19.00	3	Vertical	15	2.63
Mode 6	Pass	AV	11.49225G	44.10	54.00	-9.90	3	Vertical	279	1.50
Mode 6	Pass	AV	11.92754G	43.49	54.00	-10.51	3	Vertical	17	2.05
Mode 6	Pass	AV	13.3888G	46.81	54.00	-7.19	3	Vertical	175	1.17
Mode 6	Pass	AV	15.97604G	45.48	54.00	-8.52	3	Vertical	55	1.50
Mode 6	Pass	PK	4.81014G	46.45	74.00	-27.55	3	Vertical	38	2.47
Mode 6	Pass	PK	4.87392G	46.41	74.00	-27.59	3	Vertical	15	2.63
Mode 6	Pass	PK	11.48773G	56.30	74.00	-17.70	3	Vertical	279	1.50
Mode 6	Pass	PK	11.92915G	55.98	74.00	-18.02	3	Vertical	17	2.05
Mode 6	Pass	PK	13.38904G	58.91	74.00	-15.09	3	Vertical	175	1.17
Mode 6	Pass	PK	15.9728G	57.90	74.00	-16.10	3	Vertical	55	1.50
Mode 6	Pass	AV	4.80512G	33.83	54.00	-20.17	3	Horizontal	195	2.47
Mode 6	Pass	AV	4.87316G	34.38	54.00	-19.62	3	Horizontal	0	2.99
Mode 6	Pass	AV	11.49223G	44.16	54.00	-9.84	3	Horizontal	207	1.50
Mode 6	Pass	AV	11.92764G	43.45	54.00	-10.55	3	Horizontal	221	1.50
Mode 6	Pass	AV	13.38888G	48.83	54.00	-5.17	3	Horizontal	15	3.00
Mode 6	Pass	AV	15.97634G	45.78	54.00	-8.22	3	Horizontal	272	1.49
Mode 6	Pass	PK	4.80988G	47.56	74.00	-26.44	3	Horizontal	195	2.47
Mode 6	Pass	PK	4.87564G	47.32	74.00	-26.68	3	Horizontal	0	2.99
Mode 6	Pass	PK	11.49047G	56.17	74.00	-17.83	3	Horizontal	207	1.50
Mode 6	Pass	PK	11.93138G	55.38	74.00	-18.62	3	Horizontal	221	1.50
Mode 6	Pass	PK	13.3888G	61.49	74.00	-12.51	3	Horizontal	15	3.00
Mode 6	Pass	PK	15.97625G	57.51	74.00	-16.49	3	Horizontal	272	1.49
Mode 7	Pass	AV	4.83272G	33.98	54.00	-20.02	3	Vertical	111	1.50
Mode 7	Pass	AV	4.9696G	34.66	54.00	-19.34	3	Vertical	79	2.98
Mode 7	Pass	AV	10.47056G	43.53	68.20	-24.67	3	Vertical	221	1.18
Mode 7	Pass	AV	11.4974G	44.54	54.00	-9.46	3	Vertical	151	1.50
Mode 7	Pass	AV	13.38956G	46.32	54.00	-7.68	3	Vertical	176	1.23
Mode 7	Pass	AV	15.9648G	44.94	54.00	-9.06	3	Vertical	130	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 7	Pass	PK	4.8248G	46.06	74.00	-27.94	3	Vertical	111	1.50
Mode 7	Pass	PK	4.9694G	46.49	74.00	-27.51	3	Vertical	79	2.98
Mode 7	Pass	PK	10.48448G	55.90	88.20	-32.30	3	Vertical	221	1.18
Mode 7	Pass	PK	11.49572G	57.32	74.00	-16.68	3	Vertical	151	1.50
Mode 7	Pass	PK	13.39516G	58.37	74.00	-15.63	3	Vertical	176	1.23
Mode 7	Pass	PK	15.96572G	57.29	74.00	-16.71	3	Vertical	130	1.50
Mode 7	Pass	AV	4.83096G	33.96	54.00	-20.04	3	Horizontal	349	1.26
Mode 7	Pass	AV	4.95396G	34.69	54.00	-19.31	3	Horizontal	46	1.50
Mode 7	Pass	AV	10.47232G	43.77	68.20	-24.43	3	Horizontal	52	2.90
Mode 7	Pass	AV	11.4982G	44.30	54.00	-9.70	3	Horizontal	98	1.50
Mode 7	Pass	AV	13.38868G	48.92	54.00	-5.08	3	Horizontal	14	3.00
Mode 7	Pass	AV	15.96732G	44.93	54.00	-9.07	3	Horizontal	136	1.50
Mode 7	Pass	PK	4.8206G	46.48	74.00	-27.52	3	Horizontal	349	1.26
Mode 7	Pass	PK	4.96364G	47.10	74.00	-26.90	3	Horizontal	46	1.50
Mode 7	Pass	PK	10.47944G	56.15	88.20	-32.05	3	Horizontal	52	2.90
Mode 7	Pass	PK	11.4954G	56.37	74.00	-17.63	3	Horizontal	98	1.50
Mode 7	Pass	PK	13.3934G	61.56	74.00	-12.44	3	Horizontal	14	3.00
Mode 7	Pass	PK	15.9792G	57.50	74.00	-16.50	3	Horizontal	136	1.50
Mode 8	Pass	AV	4.9688G	35.23	54.00	-18.77	3	Vertical	45	2.60
Mode 8	Pass	AV	10.47872G	45.85	68.20	-22.35	3	Vertical	51	2.98
Mode 8	Pass	AV	11.39776G	44.99	54.00	-9.01	3	Vertical	51	1.90
Mode 8	Pass	AV	11.49684G	44.64	54.00	-9.36	3	Vertical	3	1.50
Mode 8	Pass	AV	13.38892G	47.97	54.00	-6.03	3	Vertical	175	1.21
Mode 8	Pass	AV	15.98168G	46.14	54.00	-7.86	3	Vertical	156	1.50
Mode 8	Pass	PK	4.96624G	47.38	74.00	-26.62	3	Vertical	45	2.60
Mode 8	Pass	PK	10.4788G	58.40	88.20	-29.80	3	Vertical	51	2.98
Mode 8	Pass	PK	11.40924G	57.10	74.00	-16.90	3	Vertical	51	1.90
Mode 8	Pass	PK	11.49076G	56.98	74.00	-17.02	3	Vertical	3	1.50
Mode 8	Pass	PK	13.38656G	60.44	74.00	-13.56	3	Vertical	175	1.21
Mode 8	Pass	PK	15.97116G	58.84	74.00	-15.16	3	Vertical	156	1.50
Mode 8	Pass	AV	4.96884G	35.44	54.00	-18.56	3	Horizontal	15	2.94
Mode 8	Pass	AV	10.4812G	45.65	68.20	-22.55	3	Horizontal	194	1.77
Mode 8	Pass	AV	11.39872G	45.09	54.00	-8.91	3	Horizontal	6	1.50
Mode 8	Pass	AV	11.49568G	44.54	54.00	-9.46	3	Horizontal	356	1.50
Mode 8	Pass	AV	13.38876G	50.21	54.00	-3.79	3	Horizontal	13	2.94
Mode 8	Pass	AV	15.96528G	46.10	54.00	-7.90	3	Horizontal	22	2.81
Mode 8	Pass	PK	4.9602G	48.08	74.00	-25.92	3	Horizontal	15	2.94
Mode 8	Pass	PK	10.4762G	58.18	88.20	-30.02	3	Horizontal	194	1.77
Mode 8	Pass	PK	11.40044G	57.24	74.00	-16.76	3	Horizontal	6	1.50
Mode 8	Pass	PK	11.49056G	56.51	74.00	-17.49	3	Horizontal	356	1.50
Mode 8	Pass	PK	13.39344G	62.59	74.00	-11.41	3	Horizontal	13	2.94
Mode 8	Pass	PK	15.98264G	58.46	74.00	-15.54	3	Horizontal	22	2.81
Mode 9	Pass	AV	4.8144G	33.75	54.00	-20.25	3	Vertical	268	1.50
Mode 9	Pass	AV	10.4788G	44.16	68.20	-24.04	3	Vertical	140	2.49
Mode 9	Pass	AV	11.49992G	44.45	54.00	-9.55	3	Vertical	315	3.00
Mode 9	Pass	AV	11.92412G	44.07	54.00	-9.93	3	Vertical	88	1.50
Mode 9	Pass	AV	13.3888G	47.81	54.00	-6.19	3	Vertical	176	1.23
Mode 9	Pass	AV	15.98224G	45.96	54.00	-8.04	3	Vertical	285	1.50
Mode 9	Pass	PK	4.80464G	45.91	74.00	-28.09	3	Vertical	268	1.50
Mode 9	Pass	PK	10.48224G	56.55	88.20	-31.65	3	Vertical	140	2.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 9	Pass	PK	11.49568G	57.15	74.00	-16.85	3	Vertical	315	3.00
Mode 9	Pass	PK	11.9246G	56.23	74.00	-17.77	3	Vertical	88	1.50
Mode 9	Pass	PK	13.39444G	60.13	74.00	-13.87	3	Vertical	176	1.23
Mode 9	Pass	PK	15.9812G	57.88	74.00	-16.12	3	Vertical	285	1.50
Mode 9	Pass	AV	4.8044G	34.04	54.00	-19.96	3	Horizontal	164	2.98
Mode 9	Pass	AV	10.4786G	46.15	68.20	-22.05	3	Horizontal	261	1.01
Mode 9	Pass	AV	11.49668G	44.50	54.00	-9.50	3	Horizontal	124	2.61
Mode 9	Pass	AV	11.93812G	44.10	54.00	-9.90	3	Horizontal	88	1.50
Mode 9	Pass	AV	13.38848G	50.37	54.00	-3.63	3	Horizontal	11	3.00
Mode 9	Pass	AV	15.98092G	45.90	54.00	-8.10	3	Horizontal	300	1.95
Mode 9	Pass	PK	4.8082G	46.31	74.00	-27.69	3	Horizontal	164	2.98
Mode 9	Pass	PK	10.47936G	58.77	88.20	-29.43	3	Horizontal	261	1.01
Mode 9	Pass	PK	11.497G	56.53	74.00	-17.47	3	Horizontal	124	2.61
Mode 9	Pass	PK	11.92996G	56.79	74.00	-17.21	3	Horizontal	88	1.50
Mode 9	Pass	PK	13.3914G	62.42	74.00	-11.58	3	Horizontal	11	3.00
Mode 9	Pass	PK	15.96708G	58.53	74.00	-15.47	3	Horizontal	300	1.95
Mode 10	Pass	AV	4.81984G	33.89	54.00	-20.11	3	Vertical	302	2.20
Mode 10	Pass	AV	4.82696G	33.95	54.00	-20.05	3	Vertical	269	1.50
Mode 10	Pass	AV	10.47924G	44.21	68.20	-23.99	3	Vertical	174	1.50
Mode 10	Pass	AV	11.49676G	44.11	54.00	-9.89	3	Vertical	115	1.50
Mode 10	Pass	AV	13.38888G	47.57	54.00	-6.43	3	Vertical	175	1.32
Mode 10	Pass	AV	15.97976G	45.76	54.00	-8.24	3	Vertical	188	1.50
Mode 10	Pass	PK	4.80268G	46.64	74.00	-27.36	3	Vertical	302	2.20
Mode 10	Pass	PK	4.81464G	45.82	74.00	-28.18	3	Vertical	269	1.50
Mode 10	Pass	PK	10.48984G	56.65	88.20	-31.55	3	Vertical	174	1.50
Mode 10	Pass	PK	11.49908G	56.70	74.00	-17.30	3	Vertical	115	1.50
Mode 10	Pass	PK	13.38856G	60.29	74.00	-13.71	3	Vertical	175	1.32
Mode 10	Pass	PK	15.97672G	58.68	74.00	-15.32	3	Vertical	188	1.50
Mode 10	Pass	AV	4.8184G	33.81	54.00	-20.19	3	Horizontal	306	1.00
Mode 10	Pass	AV	4.83184G	34.05	54.00	-19.95	3	Horizontal	163	1.00
Mode 10	Pass	AV	10.47868G	45.94	68.20	-22.26	3	Horizontal	201	1.83
Mode 10	Pass	AV	11.49808G	44.14	54.00	-9.86	3	Horizontal	323	3.00
Mode 10	Pass	AV	13.38848G	49.83	54.00	-4.17	3	Horizontal	12	3.00
Mode 10	Pass	AV	15.9808G	45.70	54.00	-8.30	3	Horizontal	23	1.50
Mode 10	Pass	PK	4.81868G	46.24	74.00	-27.76	3	Horizontal	306	1.00
Mode 10	Pass	PK	4.8328G	46.37	74.00	-27.63	3	Horizontal	163	1.00
Mode 10	Pass	PK	10.47476G	58.07	88.20	-30.13	3	Horizontal	201	1.83
Mode 10	Pass	PK	11.49904G	56.35	74.00	-17.65	3	Horizontal	323	3.00
Mode 10	Pass	PK	13.3932G	62.76	74.00	-11.24	3	Horizontal	12	3.00
Mode 10	Pass	PK	15.97404G	57.79	74.00	-16.21	3	Horizontal	23	1.50
Mode 11	Pass	AV	4.80048G	33.79	54.00	-20.21	3	Vertical	322	2.49
Mode 11	Pass	AV	10.47876G	45.64	68.20	-22.56	3	Vertical	209	2.98
Mode 11	Pass	AV	11.392G	44.62	54.00	-9.38	3	Vertical	61	1.50
Mode 11	Pass	AV	11.49768G	44.44	54.00	-9.56	3	Vertical	35	1.50
Mode 11	Pass	AV	13.38872G	47.75	54.00	-6.25	3	Vertical	175	1.33
Mode 11	Pass	AV	15.96772G	45.95	54.00	-8.05	3	Vertical	265	1.50
Mode 11	Pass	PK	4.81296G	46.30	74.00	-27.70	3	Vertical	322	2.49
Mode 11	Pass	PK	10.47396G	58.06	88.20	-30.14	3	Vertical	209	2.98
Mode 11	Pass	PK	11.399G	57.07	74.00	-16.93	3	Vertical	61	1.50
Mode 11	Pass	PK	11.49224G	56.67	74.00	-17.33	3	Vertical	35	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 11	Pass	PK	13.39452G	59.96	74.00	-14.04	3	Vertical	175	1.33
Mode 11	Pass	PK	15.98088G	58.22	74.00	-15.78	3	Vertical	265	1.50
Mode 11	Pass	AV	4.8002G	33.93	54.00	-20.07	3	Horizontal	204	2.32
Mode 11	Pass	AV	10.4812G	46.13	68.20	-22.07	3	Horizontal	219	2.97
Mode 11	Pass	AV	11.39436G	44.88	54.00	-9.12	3	Horizontal	199	1.50
Mode 11	Pass	AV	11.49784G	44.42	54.00	-9.58	3	Horizontal	138	1.50
Mode 11	Pass	AV	13.3884G	50.08	54.00	-3.92	3	Horizontal	10	2.97
Mode 11	Pass	AV	15.98064G	45.87	54.00	-8.13	3	Horizontal	75	1.50
Mode 11	Pass	PK	4.81144G	46.78	74.00	-27.22	3	Horizontal	204	2.32
Mode 11	Pass	PK	10.48136G	59.12	88.20	-29.08	3	Horizontal	219	2.97
Mode 11	Pass	PK	11.39892G	57.06	74.00	-16.94	3	Horizontal	199	1.50
Mode 11	Pass	PK	11.49412G	56.24	74.00	-17.76	3	Horizontal	138	1.50
Mode 11	Pass	PK	13.39296G	62.55	74.00	-11.45	3	Horizontal	10	2.97
Mode 11	Pass	PK	15.97668G	58.09	74.00	-15.91	3	Horizontal	75	1.50
Mode 12	Pass	AV	4.80853G	33.39	54.00	-20.61	3	Vertical	7	2.57
Mode 12	Pass	AV	10.4815G	52.48	68.20	-15.72	3	Vertical	30	1.64
Mode 12	Pass	AV	11.4984G	44.47	54.00	-9.53	3	Vertical	0	1.50
Mode 12	Pass	AV	11.92915G	44.79	54.00	-9.21	3	Vertical	327	1.50
Mode 12	Pass	AV	13.3921G	48.80	54.00	-5.20	3	Vertical	191	2.93
Mode 12	Pass	AV	15.97405G	46.09	54.00	-7.91	3	Vertical	158	1.50
Mode 12	Pass	PK	4.80796G	46.16	74.00	-27.84	3	Vertical	7	2.57
Mode 12	Pass	PK	10.4764G	65.04	88.20	-23.16	3	Vertical	30	1.64
Mode 12	Pass	PK	11.4721G	56.61	74.00	-17.39	3	Vertical	0	1.50
Mode 12	Pass	PK	11.93197G	57.98	74.00	-16.02	3	Vertical	327	1.50
Mode 12	Pass	PK	13.3935G	61.34	74.00	-12.66	3	Vertical	191	2.93
Mode 12	Pass	PK	15.97674G	58.47	74.00	-15.53	3	Vertical	158	1.50
Mode 12	Pass	AV	4.81169G	33.62	54.00	-20.38	3	Horizontal	19	2.93
Mode 12	Pass	AV	10.4811G	49.64	68.20	-18.56	3	Horizontal	10	2.70
Mode 12	Pass	AV	11.5052G	44.33	54.00	-9.67	3	Horizontal	120	1.50
Mode 12	Pass	AV	11.93047G	44.68	54.00	-9.32	3	Horizontal	360	1.50
Mode 12	Pass	AV	13.3862G	49.12	54.00	-4.88	3	Horizontal	1	2.90
Mode 12	Pass	AV	15.9651G	46.02	54.00	-7.98	3	Horizontal	113	1.50
Mode 12	Pass	PK	4.80776G	46.19	74.00	-27.81	3	Horizontal	19	2.93
Mode 12	Pass	PK	10.4762G	62.14	88.20	-26.06	3	Horizontal	10	2.70
Mode 12	Pass	PK	11.4908G	56.60	74.00	-17.40	3	Horizontal	120	1.50
Mode 12	Pass	PK	11.93183G	57.15	74.00	-16.85	3	Horizontal	360	1.50
Mode 12	Pass	PK	13.3868G	61.37	74.00	-12.63	3	Horizontal	1	2.90
Mode 12	Pass	PK	15.9736G	58.75	74.00	-15.25	3	Horizontal	113	1.50
Mode 13	Pass	AV	4.81113G	33.28	54.00	-20.72	3	Vertical	303	1.50
Mode 13	Pass	AV	4.82499G	33.39	54.00	-20.61	3	Vertical	344	1.18
Mode 13	Pass	AV	11.49194G	44.37	54.00	-9.63	3	Vertical	238	2.95
Mode 13	Pass	AV	12.3867G	49.30	54.00	-4.70	3	Vertical	232	3.00
Mode 13	Pass	AV	13.38868G	53.90	54.00	-0.10	3	Vertical	43	1.27
Mode 13	Pass	AV	15.97386G	45.87	54.00	-8.13	3	Vertical	69	1.50
Mode 13	Pass	PK	4.80956G	45.58	74.00	-28.42	3	Vertical	303	1.50
Mode 13	Pass	PK	4.82615G	46.22	74.00	-27.78	3	Vertical	344	1.18
Mode 13	Pass	PK	11.491G	56.95	74.00	-17.05	3	Vertical	238	2.95
Mode 13	Pass	PK	12.3871G	62.07	74.00	-11.93	3	Vertical	232	3.00
Mode 13	Pass	PK	13.39372G	68.47	74.00	-5.53	3	Vertical	43	1.27
Mode 13	Pass	PK	15.97434G	58.17	74.00	-15.83	3	Vertical	69	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 13	Pass	AV	4.81217G	33.26	54.00	-20.74	3	Horizontal	202	1.50
Mode 13	Pass	AV	4.82565G	33.41	54.00	-20.59	3	Horizontal	148	3.00
Mode 13	Pass	AV	11.49125G	44.58	54.00	-9.42	3	Horizontal	360	1.81
Mode 13	Pass	AV	12.3885G	48.93	54.00	-5.07	3	Horizontal	17	3.00
Mode 13	Pass	AV	13.38418G	53.29	54.00	-0.71	3	Horizontal	335	1.18
Mode 13	Pass	AV	15.97545G	46.07	54.00	-7.93	3	Horizontal	90	1.22
Mode 13	Pass	PK	4.80915G	45.53	74.00	-28.47	3	Horizontal	202	1.50
Mode 13	Pass	PK	4.82588G	45.93	74.00	-28.07	3	Horizontal	148	3.00
Mode 13	Pass	PK	11.49162G	56.68	74.00	-17.32	3	Horizontal	360	1.81
Mode 13	Pass	PK	12.3898G	62.12	74.00	-11.88	3	Horizontal	17	3.00
Mode 13	Pass	PK	13.3891G	67.84	74.00	-6.16	3	Horizontal	335	1.18
Mode 13	Pass	PK	15.97608G	58.93	74.00	-15.07	3	Horizontal	90	1.22
Mode 14	Pass	AV	4.95768G	34.92	54.00	-19.08	3	Vertical	46	2.10
Mode 14	Pass	AV	11.3975G	44.38	54.00	-9.62	3	Vertical	284	1.50
Mode 14	Pass	AV	11.49177G	43.47	54.00	-10.53	3	Vertical	282	2.45
Mode 14	Pass	AV	12.389G	49.01	54.00	-4.99	3	Vertical	333	2.92
Mode 14	Pass	AV	13.3887G	53.91	54.00	-0.09	3	Vertical	44	1.24
Mode 14	Pass	AV	15.97519G	46.16	54.00	-7.84	3	Vertical	26	1.15
Mode 14	Pass	PK	4.9579G	47.49	74.00	-26.51	3	Vertical	46	2.10
Mode 14	Pass	PK	11.40208G	56.81	74.00	-17.19	3	Vertical	284	1.50
Mode 14	Pass	PK	11.49235G	56.63	74.00	-17.37	3	Vertical	282	2.45
Mode 14	Pass	PK	12.3893G	61.91	74.00	-12.09	3	Vertical	333	2.92
Mode 14	Pass	PK	13.3919G	67.56	74.00	-6.44	3	Vertical	44	1.24
Mode 14	Pass	PK	15.97331G	58.30	74.00	-15.70	3	Vertical	26	1.15
Mode 14	Pass	AV	4.95827G	34.78	54.00	-19.22	3	Horizontal	207	2.75
Mode 14	Pass	AV	11.40047G	43.74	54.00	-10.26	3	Horizontal	303	1.00
Mode 14	Pass	AV	11.49158G	43.50	54.00	-10.50	3	Horizontal	354	2.05
Mode 14	Pass	AV	12.3898G	47.95	54.00	-6.05	3	Horizontal	26	1.84
Mode 14	Pass	AV	13.3843G	52.38	54.00	-1.62	3	Horizontal	336	1.15
Mode 14	Pass	AV	15.97385G	45.85	54.00	-8.15	3	Horizontal	52	1.50
Mode 14	Pass	PK	4.96032G	47.10	74.00	-26.90	3	Horizontal	207	2.75
Mode 14	Pass	PK	11.40236G	56.79	74.00	-17.21	3	Horizontal	303	1.00
Mode 14	Pass	PK	11.4907G	57.18	74.00	-16.82	3	Horizontal	354	2.05
Mode 14	Pass	PK	12.3905G	59.77	74.00	-14.23	3	Horizontal	26	1.84
Mode 14	Pass	PK	13.3916G	67.34	74.00	-6.66	3	Horizontal	336	1.15
Mode 14	Pass	PK	15.97573G	58.26	74.00	-15.74	3	Horizontal	52	1.50
Mode 15	Pass	AV	4.95798G	34.33	54.00	-19.67	3	Vertical	334	1.50
Mode 15	Pass	AV	11.49996G	44.98	54.00	-9.02	3	Vertical	70	2.57
Mode 15	Pass	AV	11.92822G	44.78	54.00	-9.22	3	Vertical	187	1.50
Mode 15	Pass	AV	12.38938G	49.35	54.00	-4.65	3	Vertical	53	2.72
Mode 15	Pass	AV	13.39012G	53.37	54.00	-0.63	3	Vertical	35	2.75
Mode 15	Pass	AV	15.98228G	45.62	54.00	-8.38	3	Vertical	87	1.25
Mode 15	Pass	PK	4.9606G	47.30	74.00	-26.70	3	Vertical	334	1.50
Mode 15	Pass	PK	11.49612G	57.18	74.00	-16.82	3	Vertical	70	2.57
Mode 15	Pass	PK	11.92955G	57.06	74.00	-16.94	3	Vertical	187	1.50
Mode 15	Pass	PK	12.38961G	62.12	74.00	-11.88	3	Vertical	53	2.72
Mode 15	Pass	PK	13.39244G	67.18	74.00	-6.82	3	Vertical	35	2.75
Mode 15	Pass	PK	15.97532G	57.78	74.00	-16.22	3	Vertical	87	1.25
Mode 15	Pass	AV	4.96095G	34.26	54.00	-19.74	3	Horizontal	128	1.50
Mode 15	Pass	AV	11.49808G	45.12	54.00	-8.88	3	Horizontal	69	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 15	Pass	AV	11.92753G	44.82	54.00	-9.18	3	Horizontal	156	1.50
Mode 15	Pass	AV	12.39001G	48.05	54.00	-5.95	3	Horizontal	26	3.00
Mode 15	Pass	AV	13.38412G	53.29	54.00	-0.71	3	Horizontal	335	1.17
Mode 15	Pass	AV	15.97446G	45.84	54.00	-8.16	3	Horizontal	353	1.50
Mode 15	Pass	PK	4.96232G	46.51	74.00	-27.49	3	Horizontal	128	1.50
Mode 15	Pass	PK	11.48324G	57.39	74.00	-16.61	3	Horizontal	69	1.50
Mode 15	Pass	PK	11.92874G	56.85	74.00	-17.15	3	Horizontal	156	1.50
Mode 15	Pass	PK	12.38968G	60.92	74.00	-13.08	3	Horizontal	26	3.00
Mode 15	Pass	PK	13.38676G	66.22	74.00	-7.78	3	Horizontal	335	1.17
Mode 15	Pass	PK	15.97358G	58.09	74.00	-15.91	3	Horizontal	353	1.50
Mode 16	Pass	AV	4.81976G	33.35	54.00	-20.65	3	Vertical	288	1.50
Mode 16	Pass	AV	4.82404G	37.93	54.00	-16.07	3	Vertical	348	2.54
Mode 16	Pass	AV	11.49948G	45.07	54.00	-8.93	3	Vertical	201	1.50
Mode 16	Pass	AV	12.38424G	46.14	54.00	-7.86	3	Vertical	269	2.99
Mode 16	Pass	AV	13.39824G	46.44	54.00	-7.56	3	Vertical	185	1.51
Mode 16	Pass	AV	15.9834G	45.99	54.00	-8.01	3	Vertical	286	1.50
Mode 16	Pass	PK	4.80828G	46.01	74.00	-27.99	3	Vertical	288	1.50
Mode 16	Pass	PK	4.8238G	46.68	74.00	-27.32	3	Vertical	348	2.54
Mode 16	Pass	PK	11.48248G	57.14	74.00	-16.86	3	Vertical	201	1.50
Mode 16	Pass	PK	12.38128G	57.83	74.00	-16.17	3	Vertical	269	2.99
Mode 16	Pass	PK	13.39104G	58.71	74.00	-15.29	3	Vertical	185	1.51
Mode 16	Pass	PK	15.98284G	58.76	74.00	-15.24	3	Vertical	286	1.50
Mode 16	Pass	AV	4.80444G	33.42	54.00	-20.58	3	Horizontal	207	1.35
Mode 16	Pass	AV	4.82388G	35.42	54.00	-18.58	3	Horizontal	359	2.51
Mode 16	Pass	AV	11.5G	45.13	54.00	-8.87	3	Horizontal	296	1.50
Mode 16	Pass	AV	12.38852G	46.24	54.00	-7.76	3	Horizontal	202	1.98
Mode 16	Pass	AV	13.38604G	46.35	54.00	-7.65	3	Horizontal	104	1.50
Mode 16	Pass	AV	15.98188G	45.98	54.00	-8.02	3	Horizontal	332	1.50
Mode 16	Pass	PK	4.82G	45.96	74.00	-28.04	3	Horizontal	207	1.35
Mode 16	Pass	PK	4.82396G	46.58	74.00	-27.42	3	Horizontal	359	2.51
Mode 16	Pass	PK	11.49064G	57.48	74.00	-16.52	3	Horizontal	296	1.50
Mode 16	Pass	PK	12.38184G	58.41	74.00	-15.59	3	Horizontal	202	1.98
Mode 16	Pass	PK	13.3828G	58.78	74.00	-15.22	3	Horizontal	104	1.50
Mode 16	Pass	PK	15.97952G	57.91	74.00	-16.09	3	Horizontal	332	1.50
Mode 17	Pass	AV	4.81836G	33.67	54.00	-20.33	3	Vertical	323	3.00
Mode 17	Pass	AV	11.39492G	44.83	54.00	-9.17	3	Vertical	344	1.50
Mode 17	Pass	AV	11.4982G	45.09	54.00	-8.91	3	Vertical	185	1.50
Mode 17	Pass	AV	12.3818G	45.86	54.00	-8.14	3	Vertical	225	1.50
Mode 17	Pass	AV	13.39932G	46.31	54.00	-7.69	3	Vertical	69	1.50
Mode 17	Pass	AV	15.98332G	45.84	54.00	-8.16	3	Vertical	60	1.50
Mode 17	Pass	PK	4.81312G	45.74	74.00	-28.26	3	Vertical	323	3.00
Mode 17	Pass	PK	11.39988G	57.02	74.00	-16.98	3	Vertical	344	1.50
Mode 17	Pass	PK	11.48884G	57.20	74.00	-16.80	3	Vertical	185	1.50
Mode 17	Pass	PK	12.38008G	58.28	74.00	-15.72	3	Vertical	225	1.50
Mode 17	Pass	PK	13.39624G	58.28	74.00	-15.72	3	Vertical	69	1.50
Mode 17	Pass	PK	15.97824G	58.64	74.00	-15.36	3	Vertical	60	1.50
Mode 17	Pass	AV	4.81948G	33.87	54.00	-20.13	3	Horizontal	351	2.89
Mode 17	Pass	AV	11.40452G	44.89	54.00	-9.11	3	Horizontal	341	1.50
Mode 17	Pass	AV	11.49744G	44.83	54.00	-9.17	3	Horizontal	299	1.50
Mode 17	Pass	AV	12.38636G	45.90	54.00	-8.10	3	Horizontal	306	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 17	Pass	AV	13.3864G	46.35	54.00	-7.65	3	Horizontal	67	1.50
Mode 17	Pass	AV	15.98056G	46.01	54.00	-7.99	3	Horizontal	146	1.50
Mode 17	Pass	PK	4.80112G	46.70	74.00	-27.30	3	Horizontal	351	2.89
Mode 17	Pass	PK	11.40388G	56.85	74.00	-17.15	3	Horizontal	341	1.50
Mode 17	Pass	PK	11.48728G	57.01	74.00	-16.99	3	Horizontal	299	1.50
Mode 17	Pass	PK	12.39944G	57.94	74.00	-16.06	3	Horizontal	306	1.50
Mode 17	Pass	PK	13.39016G	58.44	74.00	-15.56	3	Horizontal	67	1.50
Mode 17	Pass	PK	15.97632G	57.98	74.00	-16.02	3	Horizontal	146	1.50
Mode 18	Pass	AV	4.81972G	34.10	54.00	-19.90	3	Vertical	317	2.21
Mode 18	Pass	AV	11.49432G	45.08	54.00	-8.92	3	Vertical	247	1.50
Mode 18	Pass	AV	11.93916G	44.25	54.00	-9.75	3	Vertical	290	1.50
Mode 18	Pass	AV	12.3848G	45.94	54.00	-8.06	3	Vertical	31	1.50
Mode 18	Pass	AV	13.39888G	46.49	54.00	-7.51	3	Vertical	146	1.32
Mode 18	Pass	AV	15.9838G	45.98	54.00	-8.02	3	Vertical	179	1.50
Mode 18	Pass	PK	4.81996G	46.53	74.00	-27.47	3	Vertical	317	2.21
Mode 18	Pass	PK	11.49392G	57.55	74.00	-16.45	3	Vertical	247	1.50
Mode 18	Pass	PK	11.9394G	56.44	74.00	-17.56	3	Vertical	290	1.50
Mode 18	Pass	PK	12.38004G	57.95	74.00	-16.05	3	Vertical	31	1.50
Mode 18	Pass	PK	13.38492G	58.60	74.00	-15.40	3	Vertical	146	1.32
Mode 18	Pass	PK	15.98312G	58.18	74.00	-15.82	3	Vertical	179	1.50
Mode 18	Pass	AV	4.81764G	34.10	54.00	-19.90	3	Horizontal	244	2.98
Mode 18	Pass	AV	11.49672G	44.95	54.00	-9.05	3	Horizontal	50	1.50
Mode 18	Pass	AV	11.92156G	44.26	54.00	-9.74	3	Horizontal	119	1.50
Mode 18	Pass	AV	12.38988G	46.35	54.00	-7.65	3	Horizontal	25	3.00
Mode 18	Pass	AV	13.39436G	46.48	54.00	-7.52	3	Horizontal	198	1.90
Mode 18	Pass	AV	15.9804G	45.94	54.00	-8.06	3	Horizontal	272	1.00
Mode 18	Pass	PK	4.81604G	46.34	74.00	-27.66	3	Horizontal	244	2.98
Mode 18	Pass	PK	11.48436G	57.54	74.00	-16.46	3	Horizontal	50	1.50
Mode 18	Pass	PK	11.9256G	57.02	74.00	-16.98	3	Horizontal	119	1.50
Mode 18	Pass	PK	12.3802G	58.55	74.00	-15.45	3	Horizontal	25	3.00
Mode 18	Pass	PK	13.38972G	58.93	74.00	-15.07	3	Horizontal	198	1.90
Mode 18	Pass	PK	15.98156G	58.39	74.00	-15.61	3	Horizontal	272	1.00

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83324G	33.82	54.00	-20.18	5.31	3	Vertical	347	2.32	28.51	32.67	7.06	34.42
AV	4.87392G	34.48	54.00	-19.52	5.53	3	Vertical	139	1.17	28.95	32.85	7.10	34.42
AV	4.95276G	34.17	54.00	-19.83	5.96	3	Vertical	56	1.52	28.21	33.21	7.15	34.40
AV	11.49916G	44.73	54.00	-9.27	16.42	3	Vertical	170	1.12	28.31	39.30	10.83	33.71
AV	13.38364G	49.87	54.00	-4.13	19.42	3	Vertical	155	2.95	30.45	40.00	11.79	32.37
AV	15.98284G	45.77	54.00	-8.23	17.40	3	Vertical	212	2.39	28.37	38.03	13.13	33.76
PK	4.81712G	45.71	74.00	-28.29	5.16	3	Vertical	347	2.32	40.55	32.54	7.05	34.43
PK	4.878G	46.51	74.00	-27.49	5.55	3	Vertical	139	1.17	40.96	32.86	7.10	34.41
PK	4.96892G	46.34	74.00	-27.66	6.05	3	Vertical	56	1.52	40.29	33.28	7.17	34.40
PK	11.48568G	57.36	74.00	-16.64	16.35	3	Vertical	170	1.12	41.01	39.24	10.83	33.72
PK	13.39396G	62.59	74.00	-11.41	19.43	3	Vertical	155	2.95	43.16	40.00	11.79	32.36
PK	15.98304G	57.77	74.00	-16.23	17.40	3	Vertical	212	2.39	40.37	38.03	13.13	33.76

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.8228G	33.93	54.00	-20.07	5.21	3	Horizontal	321	1.82	28.72	32.58	7.06	34.43
AV	4.88184G	33.99	54.00	-20.01	5.55	3	Horizontal	296	1.03	28.44	32.86	7.10	34.41
AV	4.95388G	34.27	54.00	-19.73	5.98	3	Horizontal	351	1.99	28.29	33.22	7.16	34.40
AV	11.49588G	44.72	54.00	-9.28	16.40	3	Horizontal	71	1.94	28.32	39.28	10.83	33.71
AV	13.38748G	49.77	54.00	-4.23	19.43	3	Horizontal	0	2.90	30.34	40.00	11.79	32.36
AV	15.98048G	45.73	54.00	-8.27	17.41	3	Horizontal	144	1.96	28.32	38.04	13.13	33.76
PK	4.828G	46.14	74.00	-27.86	5.26	3	Horizontal	321	1.82	40.88	32.62	7.06	34.42
PK	4.88256G	46.61	74.00	-27.39	5.56	3	Horizontal	296	1.03	41.05	32.87	7.10	34.41
PK	4.95224G	46.77	74.00	-27.23	5.96	3	Horizontal	351	1.99	40.81	33.21	7.15	34.40
PK	11.493G	57.11	74.00	-16.89	16.39	3	Horizontal	71	1.94	40.72	39.27	10.83	33.71
PK	13.39276G	62.23	74.00	-11.77	19.43	3	Horizontal	0	2.90	42.80	40.00	11.79	32.36
PK	15.97092G	57.65	74.00	-16.35	17.43	3	Horizontal	144	1.96	40.22	38.06	13.13	33.76

Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87394G	34.39	54.00	-19.61	5.53	3	Vertical	329	1.69	28.86	32.85	7.10	34.42
AV	4.9586G	34.78	54.00	-19.22	5.99	3	Vertical	340	2.01	28.79	33.23	7.16	34.40
AV	11.40245G	44.32	54.00	-9.68	16.35	3	Vertical	293	1.50	27.97	39.29	10.81	33.75
AV	11.49668G	44.26	54.00	-9.74	16.41	3	Vertical	314	1.90	27.85	39.29	10.83	33.71
AV	13.38874G	50.00	54.00	-4.00	19.43	3	Vertical	160	2.97	30.57	40.00	11.79	32.36
AV	15.97403G	45.46	54.00	-8.54	17.42	3	Vertical	114	1.50	28.04	38.05	13.13	33.76
PK	4.8736G	46.75	74.00	-27.25	5.53	3	Vertical	329	1.69	41.22	32.85	7.10	34.42
PK	4.95809G	47.00	74.00	-27.00	5.99	3	Vertical	340	2.01	41.01	33.23	7.16	34.40
PK	11.3984G	56.42	74.00	-17.58	16.37	3	Vertical	293	1.50	40.05	39.31	10.81	33.75
PK	11.48996G	56.45	74.00	-17.55	16.38	3	Vertical	314	1.90	40.07	39.26	10.83	33.71
PK	13.38886G	62.89	74.00	-11.11	19.43	3	Vertical	160	2.97	43.46	40.00	11.79	32.36
PK	15.97434G	58.93	74.00	-15.07	17.42	3	Vertical	114	1.50	41.51	38.05	13.13	33.76

Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87377G	35.02	54.00	-18.98	5.53	3	Horizontal	5	1.67	29.49	32.85	7.10	34.42
AV	4.95897G	35.47	54.00	-18.53	6.00	3	Horizontal	360	2.63	29.47	33.24	7.16	34.40
AV	11.39965G	44.24	54.00	-9.76	16.36	3	Horizontal	133	1.31	27.88	39.30	10.81	33.75
AV	11.49624G	44.27	54.00	-9.73	16.40	3	Horizontal	53	1.16	27.87	39.28	10.83	33.71
AV	13.39258G	49.66	54.00	-4.34	19.43	3	Horizontal	5	2.95	30.23	40.00	11.79	32.36
AV	15.97385G	45.53	54.00	-8.47	17.42	3	Horizontal	175	1.50	28.11	38.05	13.13	33.76
PK	4.87363G	47.49	74.00	-26.51	5.53	3	Horizontal	5	1.67	41.96	32.85	7.10	34.42
PK	4.95816G	47.80	74.00	-26.20	5.99	3	Horizontal	360	2.63	41.81	33.23	7.16	34.40
PK	11.40061G	57.03	74.00	-16.97	16.36	3	Horizontal	133	1.31	40.67	39.30	10.81	33.75
PK	11.49172G	56.40	74.00	-17.60	16.39	3	Horizontal	53	1.16	40.01	39.27	10.83	33.71
PK	13.38754G	61.75	74.00	-12.25	19.43	3	Horizontal	5	2.95	42.32	40.00	11.79	32.36
PK	15.97221G	57.81	74.00	-16.19	17.43	3	Horizontal	175	1.50	40.38	38.06	13.13	33.76

Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.874G	34.23	54.00	-19.77	5.53	3	Vertical	327	1.50	28.70	32.85	7.10	34.42
AV	4.95776G	34.62	54.00	-19.38	5.99	3	Vertical	329	2.37	28.63	33.23	7.16	34.40
AV	11.49247G	44.29	54.00	-9.71	16.39	3	Vertical	262	1.96	27.90	39.27	10.83	33.71
AV	11.9213G	43.77	54.00	-10.23	16.16	3	Vertical	17	1.50	27.61	38.94	10.95	33.73
AV	13.38862G	49.53	54.00	-4.47	19.43	3	Vertical	158	2.97	30.10	40.00	11.79	32.36
AV	15.97479G	45.50	54.00	-8.50	17.42	3	Vertical	276	1.63	28.08	38.05	13.13	33.76
PK	4.862G	46.56	74.00	-27.44	5.49	3	Vertical	327	1.50	41.07	32.82	7.09	34.42
PK	4.96247G	46.57	74.00	-27.43	6.01	3	Vertical	329	2.37	40.56	33.25	7.16	34.40
PK	11.49118G	56.18	74.00	-17.82	16.38	3	Vertical	262	1.96	39.80	39.26	10.83	33.71
PK	11.93624G	56.69	74.00	-17.31	16.19	3	Vertical	17	1.50	40.50	38.97	10.95	33.73
PK	13.39384G	62.03	74.00	-11.97	19.43	3	Vertical	158	2.97	42.60	40.00	11.79	32.36
PK	15.9725G	57.28	74.00	-16.72	17.42	3	Vertical	276	1.63	39.86	38.05	13.13	33.76

Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87436G	34.68	54.00	-19.32	5.53	3	Horizontal	5	1.57	29.15	32.85	7.10	34.42
AV	4.95994G	35.11	54.00	-18.89	6.00	3	Horizontal	349	1.37	29.11	33.24	7.16	34.40
AV	11.49114G	44.50	54.00	-9.50	16.38	3	Horizontal	59	1.50	28.12	39.26	10.83	33.71
AV	11.92841G	43.77	54.00	-10.23	16.18	3	Horizontal	347	1.50	27.59	38.96	10.95	33.73
AV	13.39252G	49.84	54.00	-4.16	19.43	3	Horizontal	0	2.97	30.41	40.00	11.79	32.36
AV	15.97561G	45.53	54.00	-8.47	17.42	3	Horizontal	190	2.95	28.11	38.05	13.13	33.76
PK	4.87341G	46.92	74.00	-27.08	5.53	3	Horizontal	5	1.57	41.39	32.85	7.10	34.42
PK	4.96082G	47.40	74.00	-26.60	6.00	3	Horizontal	349	1.37	41.40	33.24	7.16	34.40
PK	11.49143G	56.59	74.00	-17.41	16.39	3	Horizontal	59	1.50	40.20	39.27	10.83	33.71
PK	11.92852G	55.73	74.00	-18.27	16.18	3	Horizontal	347	1.50	39.55	38.96	10.95	33.73
PK	13.3864G	62.20	74.00	-11.80	19.43	3	Horizontal	0	2.97	42.77	40.00	11.79	32.36
PK	15.97593G	57.80	74.00	-16.20	17.42	3	Horizontal	190	2.95	40.38	38.05	13.13	33.76

Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81008G	33.71	54.00	-20.29	5.10	3	Vertical	9	1.14	28.61	32.48	7.05	34.43
AV	4.82565G	33.82	54.00	-20.18	5.25	3	Vertical	287	2.28	28.57	32.61	7.06	34.42
AV	4.87406G	34.74	54.00	-19.26	5.53	3	Vertical	13	2.54	29.21	32.85	7.10	34.42
AV	11.49001G	44.85	54.00	-9.15	16.38	3	Vertical	237	1.79	28.47	39.26	10.83	33.71
AV	13.39366G	49.23	54.00	-4.77	19.43	3	Vertical	159	2.91	29.80	40.00	11.79	32.36
AV	15.97294G	45.38	54.00	-8.62	17.42	3	Vertical	207	2.04	27.96	38.05	13.13	33.76
PK	4.80925G	46.30	74.00	-27.70	5.09	3	Vertical	9	1.14	41.21	32.47	7.05	34.43
PK	4.8254G	46.10	74.00	-27.90	5.24	3	Vertical	287	2.28	40.86	32.60	7.06	34.42
PK	4.87551G	46.09	74.00	-27.91	5.54	3	Vertical	13	2.54	40.55	32.85	7.10	34.41
PK	11.48932G	57.17	74.00	-16.83	16.38	3	Vertical	237	1.79	40.79	39.26	10.83	33.71
PK	13.3891G	62.43	74.00	-11.57	19.43	3	Vertical	159	2.91	43.00	40.00	11.79	32.36
PK	15.97393G	57.27	74.00	-16.73	17.42	3	Vertical	207	2.04	39.85	38.05	13.13	33.76

Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81188G	33.70	54.00	-20.30	5.12	3	Horizontal	301	1.50	28.58	32.50	7.05	34.43
AV	4.82579G	33.75	54.00	-20.25	5.25	3	Horizontal	170	1.50	28.50	32.61	7.06	34.42
AV	4.87379G	33.87	54.00	-20.13	5.53	3	Horizontal	37	1.50	28.34	32.85	7.10	34.42
AV	11.49027G	44.83	54.00	-9.17	16.38	3	Horizontal	160	1.28	28.45	39.26	10.83	33.71
AV	13.39264G	49.19	54.00	-4.81	19.43	3	Horizontal	360	3.00	29.76	40.00	11.79	32.36
AV	15.97303G	45.81	54.00	-8.19	17.42	3	Horizontal	331	1.50	28.39	38.05	13.13	33.76
PK	4.809G	46.11	74.00	-27.89	5.09	3	Horizontal	301	1.50	41.02	32.47	7.05	34.43
PK	4.82503G	45.98	74.00	-28.02	5.24	3	Horizontal	170	1.50	40.74	32.60	7.06	34.42
PK	4.87396G	46.61	74.00	-27.39	5.53	3	Horizontal	37	1.50	41.08	32.85	7.10	34.42
PK	11.48839G	57.39	74.00	-16.61	16.37	3	Horizontal	160	1.28	41.02	39.25	10.83	33.71
PK	13.39228G	62.38	74.00	-11.62	19.43	3	Horizontal	360	3.00	42.95	40.00	11.79	32.36
PK	15.97474G	58.29	74.00	-15.71	17.42	3	Horizontal	331	1.50	40.87	38.05	13.13	33.76

Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80756G	33.60	54.00	-20.40	5.08	3	Vertical	320	1.49	28.52	32.46	7.05	34.43
AV	4.874G	34.94	54.00	-19.06	5.53	3	Vertical	13	2.41	29.41	32.85	7.10	34.42
AV	11.39812G	44.78	54.00	-9.22	16.37	3	Vertical	305	1.50	28.41	39.31	10.81	33.75
AV	11.49167G	44.18	54.00	-9.82	16.39	3	Vertical	192	1.18	27.79	39.27	10.83	33.71
AV	13.3889G	47.67	54.00	-6.33	19.43	3	Vertical	174	1.13	28.24	40.00	11.79	32.36
AV	15.9726G	45.84	54.00	-8.16	17.42	3	Vertical	243	1.01	28.42	38.05	13.13	33.76
PK	4.81088G	46.54	74.00	-27.46	5.11	3	Vertical	320	1.49	41.43	32.49	7.05	34.43
PK	4.87094G	46.72	74.00	-27.28	5.51	3	Vertical	13	2.41	41.21	32.84	7.09	34.42
PK	11.39824G	57.23	74.00	-16.77	16.37	3	Vertical	305	1.50	40.86	39.31	10.81	33.75
PK	11.49026G	56.41	74.00	-17.59	16.38	3	Vertical	192	1.18	40.03	39.26	10.83	33.71
PK	13.3941G	59.91	74.00	-14.09	19.43	3	Vertical	174	1.13	40.48	40.00	11.79	32.36
PK	15.97402G	58.11	74.00	-15.89	17.42	3	Vertical	243	1.01	40.69	38.05	13.13	33.76

Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80759G	33.76	54.00	-20.24	5.08	3	Horizontal	201	2.74	28.68	32.46	7.05	34.43
AV	4.874G	34.46	54.00	-19.54	5.53	3	Horizontal	185	2.42	28.93	32.85	7.10	34.42
AV	11.40023G	44.80	54.00	-9.20	16.36	3	Horizontal	281	1.50	28.44	39.30	10.81	33.75
AV	11.49126G	44.49	54.00	-9.51	16.39	3	Horizontal	20	1.50	28.10	39.27	10.83	33.71
AV	13.3887G	49.73	54.00	-4.27	19.43	3	Horizontal	14	2.95	30.30	40.00	11.79	32.36
AV	15.97469G	45.91	54.00	-8.09	17.42	3	Horizontal	247	1.50	28.49	38.05	13.13	33.76
PK	4.80932G	46.60	74.00	-27.40	5.09	3	Horizontal	201	2.74	41.51	32.47	7.05	34.43
PK	4.8737G	46.85	74.00	-27.15	5.53	3	Horizontal	185	2.42	41.32	32.85	7.10	34.42
PK	11.40135G	57.09	74.00	-16.91	16.35	3	Horizontal	281	1.50	40.74	39.29	10.81	33.75
PK	11.49141G	57.03	74.00	-16.97	16.39	3	Horizontal	20	1.50	40.64	39.27	10.83	33.71
PK	13.388G	61.47	74.00	-12.53	19.43	3	Horizontal	14	2.95	42.04	40.00	11.79	32.36
PK	15.97598G	58.96	74.00	-15.04	17.42	3	Horizontal	247	1.50	41.54	38.05	13.13	33.76

Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80826G	33.78	54.00	-20.22	5.09	3	Vertical	38	2.47	28.69	32.47	7.05	34.43
AV	4.87382G	35.00	54.00	-19.00	5.53	3	Vertical	15	2.63	29.47	32.85	7.10	34.42
AV	11.49225G	44.10	54.00	-9.90	16.39	3	Vertical	279	1.50	27.71	39.27	10.83	33.71
AV	11.92754G	43.49	54.00	-10.51	16.18	3	Vertical	17	2.05	27.31	38.96	10.95	33.73
AV	13.3888G	46.81	54.00	-7.19	19.43	3	Vertical	175	1.17	27.38	40.00	11.79	32.36
AV	15.97604G	45.48	54.00	-8.52	17.42	3	Vertical	55	1.50	28.06	38.05	13.13	33.76
PK	4.81014G	46.45	74.00	-27.55	5.10	3	Vertical	38	2.47	41.35	32.48	7.05	34.43
PK	4.87392G	46.41	74.00	-27.59	5.53	3	Vertical	15	2.63	40.88	32.85	7.10	34.42
PK	11.48773G	56.30	74.00	-17.70	16.37	3	Vertical	279	1.50	39.93	39.25	10.83	33.71
PK	11.92915G	55.98	74.00	-18.02	16.18	3	Vertical	17	2.05	39.80	38.96	10.95	33.73
PK	13.38904G	58.91	74.00	-15.09	19.43	3	Vertical	175	1.17	39.48	40.00	11.79	32.36
PK	15.9728G	57.90	74.00	-16.10	17.42	3	Vertical	55	1.50	40.48	38.05	13.13	33.76

Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80512G	33.83	54.00	-20.17	5.05	3	Horizontal	195	2.47	28.78	32.44	7.04	34.43
AV	4.87316G	34.38	54.00	-19.62	5.52	3	Horizontal	0	2.99	28.86	32.85	7.09	34.42
AV	11.49223G	44.16	54.00	-9.84	16.39	3	Horizontal	207	1.50	27.77	39.27	10.83	33.71
AV	11.92764G	43.45	54.00	-10.55	16.18	3	Horizontal	221	1.50	27.42	38.96	10.95	33.73
AV	13.38888G	48.83	54.00	-5.17	19.43	3	Horizontal	15	3.00	29.40	40.00	11.79	32.36
AV	15.97634G	45.78	54.00	-8.22	17.42	3	Horizontal	272	1.49	28.36	38.05	13.13	33.76
PK	4.80988G	47.56	74.00	-26.44	5.10	3	Horizontal	195	2.47	42.46	32.48	7.05	34.43
PK	4.87564G	47.32	74.00	-26.68	5.54	3	Horizontal	0	2.99	41.78	32.85	7.10	34.41
PK	11.49047G	56.17	74.00	-17.83	16.38	3	Horizontal	207	1.50	39.79	39.26	10.83	33.71
PK	11.93138G	55.38	74.00	-18.62	16.18	3	Horizontal	221	1.50	39.20	38.96	10.95	33.73
PK	13.3888G	61.49	74.00	-12.51	19.43	3	Horizontal	15	3.00	42.06	40.00	11.79	32.36
PK	15.97625G	57.51	74.00	-16.49	17.42	3	Horizontal	272	1.49	40.09	38.05	13.13	33.76

Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83272G	33.98	54.00	-20.02	5.30	3	Vertical	111	1.50	28.68	32.66	7.06	34.42
AV	4.9696G	34.66	54.00	-19.34	6.05	3	Vertical	79	2.98	28.61	33.28	7.17	34.40
AV	10.47056G	43.53	68.20	-24.67	15.64	3	Vertical	221	1.18	27.89	38.90	10.56	33.82
AV	11.4974G	44.54	54.00	-9.46	16.41	3	Vertical	151	1.50	28.13	39.29	10.83	33.71
AV	13.38956G	46.32	54.00	-7.68	19.43	3	Vertical	176	1.23	26.89	40.00	11.79	32.36
AV	15.9648G	44.94	54.00	-9.06	17.43	3	Vertical	130	1.50	27.51	38.07	13.12	33.76
PK	4.8248G	46.06	74.00	-27.94	5.23	3	Vertical	111	1.50	40.83	32.60	7.06	34.43
PK	4.9694G	46.49	74.00	-27.51	6.05	3	Vertical	79	2.98	40.44	33.28	7.17	34.40
PK	10.48448G	55.90	88.20	-32.30	15.65	3	Vertical	221	1.18	40.25	38.90	10.56	33.81
PK	11.49572G	57.32	74.00	-16.68	16.40	3	Vertical	151	1.50	40.92	39.28	10.83	33.71
PK	13.39516G	58.37	74.00	-15.63	19.43	3	Vertical	176	1.23	38.94	40.00	11.79	32.36
PK	15.96572G	57.29	74.00	-16.71	17.43	3	Vertical	130	1.50	39.86	38.07	13.12	33.76

Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83096G	33.96	54.00	-20.04	5.29	3	Horizontal	349	1.26	28.67	32.65	7.06	34.42
AV	4.95396G	34.69	54.00	-19.31	5.98	3	Horizontal	46	1.50	28.71	33.22	7.16	34.40
AV	10.47232G	43.77	68.20	-24.43	15.64	3	Horizontal	52	2.90	28.13	38.90	10.56	33.82
AV	11.4982G	44.30	54.00	-9.70	16.41	3	Horizontal	98	1.50	27.89	39.29	10.83	33.71
AV	13.38868G	48.92	54.00	-5.08	19.43	3	Horizontal	14	3.00	29.49	40.00	11.79	32.36
AV	15.96732G	44.93	54.00	-9.07	17.43	3	Horizontal	136	1.50	27.50	38.07	13.12	33.76
PK	4.8206G	46.48	74.00	-27.52	5.19	3	Horizontal	349	1.26	41.29	32.56	7.06	34.43
PK	4.96364G	47.10	74.00	-26.90	6.01	3	Horizontal	46	1.50	41.09	33.25	7.16	34.40
PK	10.47944G	56.15	88.20	-32.05	15.65	3	Horizontal	52	2.90	40.50	38.90	10.56	33.81
PK	11.4954G	56.37	74.00	-17.63	16.40	3	Horizontal	98	1.50	39.97	39.28	10.83	33.71
PK	13.3934G	61.56	74.00	-12.44	19.43	3	Horizontal	14	3.00	42.13	40.00	11.79	32.36
PK	15.9792G	57.50	74.00	-16.50	17.41	3	Horizontal	136	1.50	40.09	38.04	13.13	33.76


Mode 8




Mode 8




Mode 9




Mode 9




Mode 10




Mode 10




Mode 11




Mode 11




Mode 12



Mode 12




Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81113G	33.28	54.00	-20.72	5.11	3	Vertical	303	1.50	28.17	32.49	7.05	34.43
AV	4.82499G	33.39	54.00	-20.61	5.23	3	Vertical	344	1.18	28.16	32.60	7.06	34.43
AV	11.49194G	44.37	54.00	-9.63	16.39	3	Vertical	238	2.95	27.98	39.27	10.83	33.71
AV	12.3867G	49.30	54.00	-4.70	17.09	3	Vertical	232	3.00	32.21	39.33	11.20	33.44
AV	13.38868G	53.90	54.00	-0.10	19.43	3	Vertical	43	1.27	34.47	40.00	11.79	32.36
AV	15.97386G	45.87	54.00	-8.13	17.42	3	Vertical	69	1.50	28.45	38.05	13.13	33.76
PK	4.80956G	45.58	74.00	-28.42	5.10	3	Vertical	303	1.50	40.48	32.48	7.05	34.43
PK	4.82615G	46.22	74.00	-27.78	5.25	3	Vertical	344	1.18	40.97	32.61	7.06	34.42
PK	11.491G	56.95	74.00	-17.05	16.38	3	Vertical	238	2.95	40.57	39.26	10.83	33.71
PK	12.3871G	62.07	74.00	-11.93	17.09	3	Vertical	232	3.00	44.98	39.33	11.20	33.44
PK	13.39372G	68.47	74.00	-5.53	19.43	3	Vertical	43	1.27	49.04	40.00	11.79	32.36
PK	15.97434G	58.17	74.00	-15.83	17.42	3	Vertical	69	1.50	40.75	38.05	13.13	33.76

Mode 13




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81217G	33.26	54.00	-20.74	5.12	3	Horizontal	202	1.50	28.14	32.50	7.05	34.43
AV	4.82565G	33.41	54.00	-20.59	5.25	3	Horizontal	148	3.00	28.16	32.61	7.06	34.42
AV	11.49125G	44.58	54.00	-9.42	16.38	3	Horizontal	360	1.81	28.20	39.26	10.83	33.71
AV	12.3885G	48.93	54.00	-5.07	17.08	3	Horizontal	17	3.00	31.85	39.32	11.20	33.44
AV	13.38418G	53.29	54.00	-0.71	19.43	3	Horizontal	335	1.18	33.86	40.00	11.79	32.36
AV	15.97545G	46.07	54.00	-7.93	17.42	3	Horizontal	90	1.22	28.65	38.05	13.13	33.76
PK	4.80915G	45.53	74.00	-28.47	5.09	3	Horizontal	202	1.50	40.44	32.47	7.05	34.43
PK	4.82588G	45.93	74.00	-28.07	5.25	3	Horizontal	148	3.00	40.68	32.61	7.06	34.42
PK	11.49162G	56.68	74.00	-17.32	16.39	3	Horizontal	360	1.81	40.29	39.27	10.83	33.71
PK	12.3898G	62.12	74.00	-11.88	17.08	3	Horizontal	17	3.00	45.04	39.32	11.20	33.44
PK	13.3891G	67.84	74.00	-6.16	19.43	3	Horizontal	335	1.18	48.41	40.00	11.79	32.36
PK	15.97608G	58.93	74.00	-15.07	17.42	3	Horizontal	90	1.22	41.51	38.05	13.13	33.76

Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95768G	34.92	54.00	-19.08	5.99	3	Vertical	46	2.10	28.93	33.23	7.16	34.40
AV	11.3975G	44.38	54.00	-9.62	16.37	3	Vertical	284	1.50	28.01	39.31	10.81	33.75
AV	11.49177G	43.47	54.00	-10.53	16.39	3	Vertical	282	2.45	27.08	39.27	10.83	33.71
AV	12.389G	49.01	54.00	-4.99	17.08	3	Vertical	333	2.92	31.93	39.32	11.20	33.44
AV	13.3887G	53.91	54.00	-0.09	19.43	3	Vertical	44	1.24	34.48	40.00	11.79	32.36
AV	15.97519G	46.16	54.00	-7.84	17.42	3	Vertical	26	1.15	28.74	38.05	13.13	33.76
PK	4.9579G	47.49	74.00	-26.51	5.99	3	Vertical	46	2.10	41.50	33.23	7.16	34.40
PK	11.40208G	56.81	74.00	-17.19	16.35	3	Vertical	284	1.50	40.46	39.29	10.81	33.75
PK	11.49235G	56.63	74.00	-17.37	16.39	3	Vertical	282	2.45	40.24	39.27	10.83	33.71
PK	12.3893G	61.91	74.00	-12.09	17.08	3	Vertical	333	2.92	44.83	39.32	11.20	33.44
PK	13.3919G	67.56	74.00	-6.44	19.43	3	Vertical	44	1.24	48.13	40.00	11.79	32.36
PK	15.97331G	58.30	74.00	-15.70	17.42	3	Vertical	26	1.15	40.88	38.05	13.13	33.76

Mode 14




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95827G	34.78	54.00	-19.22	5.99	3	Horizontal	207	2.75	28.79	33.23	7.16	34.40
AV	11.40047G	43.74	54.00	-10.26	16.36	3	Horizontal	303	1.00	27.38	39.30	10.81	33.75
AV	11.49158G	43.50	54.00	-10.50	16.39	3	Horizontal	354	2.05	27.11	39.27	10.83	33.71
AV	12.3898G	47.95	54.00	-6.05	17.08	3	Horizontal	26	1.84	30.87	39.32	11.20	33.44
AV	13.3843G	52.38	54.00	-1.62	19.43	3	Horizontal	336	1.15	32.95	40.00	11.79	32.36
AV	15.97385G	45.85	54.00	-8.15	17.42	3	Horizontal	52	1.50	28.43	38.05	13.13	33.76
PK	4.96032G	47.10	74.00	-26.90	6.00	3	Horizontal	207	2.75	41.10	33.24	7.16	34.40
PK	11.40236G	56.79	74.00	-17.21	16.35	3	Horizontal	303	1.00	40.44	39.29	10.81	33.75
PK	11.4907G	57.18	74.00	-16.82	16.38	3	Horizontal	354	2.05	40.80	39.26	10.83	33.71
PK	12.3905G	59.77	74.00	-14.23	17.08	3	Horizontal	26	1.84	42.69	39.32	11.20	33.44
PK	13.3916G	67.34	74.00	-6.66	19.43	3	Horizontal	336	1.15	47.91	40.00	11.79	32.36
PK	15.97573G	58.26	74.00	-15.74	17.42	3	Horizontal	52	1.50	40.84	38.05	13.13	33.76


Mode 15



Mode 15




Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81976G	33.35	54.00	-20.65	5.18	3	Vertical	288	1.50	28.17	32.56	7.05	34.43
AV	4.82404G	37.93	54.00	-16.07	5.22	3	Vertical	348	2.54	32.71	32.59	7.06	34.43
AV	11.49948G	45.07	54.00	-8.93	16.42	3	Vertical	201	1.50	28.65	39.30	10.83	33.71
AV	12.38424G	46.14	54.00	-7.86	17.08	3	Vertical	269	2.99	29.06	39.33	11.20	33.45
AV	13.39824G	46.44	54.00	-7.56	19.44	3	Vertical	185	1.51	27.00	40.00	11.79	32.35
AV	15.9834G	45.99	54.00	-8.01	17.40	3	Vertical	286	1.50	28.59	38.03	13.13	33.76
PK	4.80828G	46.01	74.00	-27.99	5.09	3	Vertical	288	1.50	40.92	32.47	7.05	34.43
PK	4.8238G	46.68	74.00	-27.32	5.22	3	Vertical	348	2.54	41.46	32.59	7.06	34.43
PK	11.48248G	57.14	74.00	-16.86	16.34	3	Vertical	201	1.50	40.80	39.23	10.83	33.72
PK	12.38128G	57.83	74.00	-16.17	17.08	3	Vertical	269	2.99	40.75	39.34	11.19	33.45
PK	13.39104G	58.71	74.00	-15.29	19.43	3	Vertical	185	1.51	39.28	40.00	11.79	32.36
PK	15.98284G	58.76	74.00	-15.24	17.40	3	Vertical	286	1.50	41.36	38.03	13.13	33.76

Mode 16




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80444G	33.42	54.00	-20.58	5.05	3	Horizontal	207	1.35	28.37	32.44	7.04	34.43
AV	4.82388G	35.42	54.00	-18.58	5.22	3	Horizontal	359	2.51	30.20	32.59	7.06	34.43
AV	11.5G	45.13	54.00	-8.87	16.43	3	Horizontal	296	1.50	28.70	39.30	10.84	33.71
AV	12.38852G	46.24	54.00	-7.76	17.08	3	Horizontal	202	1.98	29.16	39.32	11.20	33.44
AV	13.38604G	46.35	54.00	-7.65	19.43	3	Horizontal	104	1.50	26.92	40.00	11.79	32.36
AV	15.98188G	45.98	54.00	-8.02	17.41	3	Horizontal	332	1.50	28.57	38.04	13.13	33.76
PK	4.82G	45.96	74.00	-28.04	5.19	3	Horizontal	207	1.35	40.77	32.56	7.06	34.43
PK	4.82396G	46.58	74.00	-27.42	5.22	3	Horizontal	359	2.51	41.36	32.59	7.06	34.43
PK	11.49064G	57.48	74.00	-16.52	16.38	3	Horizontal	296	1.50	41.10	39.26	10.83	33.71
PK	12.38184G	58.41	74.00	-15.59	17.09	3	Horizontal	202	1.98	41.32	39.34	11.20	33.45
PK	13.3828G	58.78	74.00	-15.22	19.42	3	Horizontal	104	1.50	39.36	40.00	11.79	32.37
PK	15.97952G	57.91	74.00	-16.09	17.41	3	Horizontal	332	1.50	40.50	38.04	13.13	33.76

Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81836G	33.67	54.00	-20.33	5.17	3	Vertical	323	3.00	28.50	32.55	7.05	34.43
AV	11.39492G	44.83	54.00	-9.17	16.38	3	Vertical	344	1.50	28.45	39.32	10.81	33.75
AV	11.4982G	45.09	54.00	-8.91	16.41	3	Vertical	185	1.50	28.68	39.29	10.83	33.71
AV	12.3818G	45.86	54.00	-8.14	17.09	3	Vertical	225	1.50	28.77	39.34	11.20	33.45
AV	13.39932G	46.31	54.00	-7.69	19.45	3	Vertical	69	1.50	26.86	40.00	11.80	32.35
AV	15.98332G	45.84	54.00	-8.16	17.40	3	Vertical	60	1.50	28.44	38.03	13.13	33.76
PK	4.81312G	45.74	74.00	-28.26	5.12	3	Vertical	323	3.00	40.62	32.50	7.05	34.43
PK	11.39988G	57.02	74.00	-16.98	16.36	3	Vertical	344	1.50	40.66	39.30	10.81	33.75
PK	11.48884G	57.20	74.00	-16.80	16.38	3	Vertical	185	1.50	40.82	39.26	10.83	33.71
PK	12.38008G	58.28	74.00	-15.72	17.08	3	Vertical	225	1.50	41.20	39.34	11.19	33.45
PK	13.39624G	58.28	74.00	-15.72	19.43	3	Vertical	69	1.50	38.85	40.00	11.79	32.36
PK	15.97824G	58.64	74.00	-15.36	17.41	3	Vertical	60	1.50	41.23	38.04	13.13	33.76

Mode 17




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81948G	33.87	54.00	-20.13	5.18	3	Horizontal	351	2.89	28.69	32.56	7.05	34.43
AV	11.40452G	44.89	54.00	-9.11	16.34	3	Horizontal	341	1.50	28.55	39.28	10.81	33.75
AV	11.49744G	44.83	54.00	-9.17	16.41	3	Horizontal	299	1.50	28.42	39.29	10.83	33.71
AV	12.38636G	45.90	54.00	-8.10	17.09	3	Horizontal	306	1.50	28.81	39.33	11.20	33.44
AV	13.3864G	46.35	54.00	-7.65	19.43	3	Horizontal	67	1.50	26.92	40.00	11.79	32.36
AV	15.98056G	46.01	54.00	-7.99	17.41	3	Horizontal	146	1.50	28.60	38.04	13.13	33.76
PK	4.80112G	46.70	74.00	-27.30	5.02	3	Horizontal	351	2.89	41.68	32.41	7.04	34.43
PK	11.40388G	56.85	74.00	-17.15	16.34	3	Horizontal	341	1.50	40.51	39.28	10.81	33.75
PK	11.48728G	57.01	74.00	-16.99	16.37	3	Horizontal	299	1.50	40.64	39.25	10.83	33.71
PK	12.39944G	57.94	74.00	-16.06	17.08	3	Horizontal	306	1.50	40.86	39.30	11.21	33.43
PK	13.39016G	58.44	74.00	-15.56	19.43	3	Horizontal	67	1.50	39.01	40.00	11.79	32.36
PK	15.97632G	57.98	74.00	-16.02	17.42	3	Horizontal	146	1.50	40.56	38.05	13.13	33.76

Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81972G	34.10	54.00	-19.90	5.18	3	Vertical	317	2.21	28.92	32.56	7.05	34.43
AV	11.49432G	45.08	54.00	-8.92	16.40	3	Vertical	247	1.50	28.68	39.28	10.83	33.71
AV	11.93916G	44.25	54.00	-9.75	16.20	3	Vertical	290	1.50	28.05	38.98	10.95	33.73
AV	12.3848G	45.94	54.00	-8.06	17.08	3	Vertical	31	1.50	28.86	39.33	11.20	33.45
AV	13.39888G	46.49	54.00	-7.51	19.45	3	Vertical	146	1.32	27.04	40.00	11.80	32.35
AV	15.9838G	45.98	54.00	-8.02	17.40	3	Vertical	179	1.50	28.58	38.03	13.13	33.76
PK	4.81996G	46.53	74.00	-27.47	5.18	3	Vertical	317	2.21	41.35	32.56	7.05	34.43
PK	11.49392G	57.55	74.00	-16.45	16.40	3	Vertical	247	1.50	41.15	39.28	10.83	33.71
PK	11.9394G	56.44	74.00	-17.56	16.20	3	Vertical	290	1.50	40.24	38.98	10.95	33.73
PK	12.38004G	57.95	74.00	-16.05	17.08	3	Vertical	31	1.50	40.87	39.34	11.19	33.45
PK	13.38492G	58.60	74.00	-15.40	19.43	3	Vertical	146	1.32	39.17	40.00	11.79	32.36
PK	15.98312G	58.18	74.00	-15.82	17.40	3	Vertical	179	1.50	40.78	38.03	13.13	33.76

Mode 18



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81764G	34.10	54.00	-19.90	5.16	3	Horizontal	244	2.98	28.94	32.54	7.05	34.43
AV	11.49672G	44.95	54.00	-9.05	16.41	3	Horizontal	50	1.50	28.54	39.29	10.83	33.71
AV	11.92156G	44.26	54.00	-9.74	16.16	3	Horizontal	119	1.50	28.10	38.94	10.95	33.73
AV	12.38988G	46.35	54.00	-7.65	17.08	3	Horizontal	25	3.00	29.27	39.32	11.20	33.44
AV	13.39436G	46.48	54.00	-7.52	19.43	3	Horizontal	198	1.90	27.05	40.00	11.79	32.36
AV	15.9804G	45.94	54.00	-8.06	17.41	3	Horizontal	272	1.00	28.53	38.04	13.13	33.76
PK	4.81604G	46.34	74.00	-27.66	5.15	3	Horizontal	244	2.98	41.19	32.53	7.05	34.43
PK	11.48436G	57.54	74.00	-16.46	16.35	3	Horizontal	50	1.50	41.19	39.24	10.83	33.72
PK	11.9256G	57.02	74.00	-16.98	16.17	3	Horizontal	119	1.50	40.85	38.95	10.95	33.73
PK	12.3802G	58.55	74.00	-15.45	17.08	3	Horizontal	25	3.00	41.47	39.34	11.19	33.45
PK	13.38972G	58.93	74.00	-15.07	19.43	3	Horizontal	198	1.90	39.50	40.00	11.79	32.36
PK	15.98156G	58.39	74.00	-15.61	17.41	3	Horizontal	272	1.00	40.98	38.04	13.13	33.76