


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

21/01/2026

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962451G	1.57	5.9366G	-27.27	-18.76	-8.51	1
5.973548G	1.19	5.9326G	-29.25	-23.31	-5.94	2
5.959851G	1.63	5.93595G	-27.51	-20.92	-6.59	3
5.951203G	2.35	5.933G	-28.27	-19.97	-8.30	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

21/01/2026

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202451G	2.12	6.17725G	-27.92	-19.54	-8.38	1
6.202651G	0.66	6.1711G	-30.25	-22.37	-7.88	2
6.213798G	1.69	6.17325G	-29.53	-21.95	-7.58	3
6.207599G	2.08	6.1765G	-28.23	-19.94	-8.29	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

21/01/2026

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3959G	1.64	6.3386G	-27.58	-18.79	-8.79	1
6.3998G	1.26	6.5141G	-47.70	-38.67	-9.03	2
6.3762G	1.93	6.3299G	-28.83	-20.26	-8.57	3
6.3728G	2.43	6.4288G	-26.53	-17.61	-8.92	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

21/01/2026

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59581G	1.46	6.4648G	-47.35	-38.54	-8.81	1
6.6307G	0.80	6.5692G	-29.08	-21.86	-7.22	2
6.6162G	1.71	6.5706G	-28.92	-19.15	-9.77	3
6.6136G	1.83	6.5694G	-28.19	-19.13	-9.06	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

29/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94982G	0.52	6.287G	-46.07	-39.48	-6.59	1
6.10078G	0.50	6.286G	-46.71	-39.50	-7.21	2
5.96142G	1.20	6.309G	-46.45	-38.80	-7.65	3
6.08838G	0.80	6.3218G	-46.87	-39.20	-7.67	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20839G	1.21	6.4598G	-44.11	-38.39	-5.72	1
6.15941G	1.40	5.9284G	-44.38	-37.86	-6.52	2
6.21159G	1.77	6.4726G	-43.04	-37.96	-5.08	3
6.21019G	1.77	6.4772G	-44.38	-37.49	-6.89	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37399G	1.54	6.6008G	-46.15	-38.46	-7.69	1
6.42098G	1.47	6.6138G	-46.74	-38.53	-8.21	2
6.37439G	1.59	6.5916G	-45.03	-38.41	-6.62	3
6.36699G	1.58	6.6088G	-45.87	-38.42	-7.45	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

19/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58962G	1.50	6.981G	-42.24	-38.50	-3.74	1
6.60561G	1.01	6.9642G	-42.00	-38.94	-3.06	2
6.63901G	1.77	6.2666G	-43.38	-35.06	-8.32	3
6.60801G	1.94	6.9804G	-40.91	-38.06	-2.85	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

29/01/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6265MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

21/01/2026

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958724G	1.37	5.93865G	-29.73	-20.97	-8.76	1
5.956225G	1.00	5.937325G	-31.00	-23.40	-7.60	2
5.948727G	0.82	5.93725G	-31.54	-24.56	-6.98	3
5.959949G	1.59	5.97345G	-31.17	-23.94	-7.23	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

21/01/2026

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.197499G	0.94	6.179975G	-28.76	-20.83	-7.93	1
6.188827G	0.54	6.17775G	-30.41	-22.62	-7.79	2
6.202498G	1.17	6.176125G	-31.40	-24.30	-7.10	3
6.201273G	1.37	6.1782G	-29.89	-22.03	-7.86	4

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

21/01/2026




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4011G	1.58	6.5166G	-47.56	-38.42	-9.14	1
6.3963G	0.96	6.5151G	-47.88	-39.04	-8.84	2
6.3971G	2.36	6.3414G	-26.64	-17.71	-8.93	3
6.3731G	2.15	6.3424G	-25.38	-17.96	-7.42	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

21/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.616G	1.46	6.5809G	-26.68	-18.69	-7.99	1
6.6368G	1.15	6.5829G	-24.97	-18.89	-6.08	2
6.6375G	1.87	6.5813G	-26.68	-18.16	-8.52	3
6.59571G	2.16	6.5814G	-25.70	-17.85	-7.85	4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

21/01/2026

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6941G	1.34	6.5447G	-46.51	-38.66	-7.85	1
6.6875G	0.92	6.6614G	-27.61	-19.13	-8.48	2
6.693G	1.75	6.8377G	-47.16	-38.25	-8.91	3
6.6988G	2.24	6.6614G	-26.12	-17.83	-8.29	4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

21/01/2026

CF (Hz)
6.785G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7777G	1.38	6.625G	-45.30	-38.62	-6.68	1
6.7711G	1.29	6.9176G	-47.89	-38.71	-9.18	2
6.7689G	2.06	6.9132G	-46.50	-37.94	-8.56	3
6.771G	1.65	6.7403G	-26.94	-18.66	-8.28	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

29/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96282G	0.42	6.307G	-46.47	-39.58	-6.89	1
6.04799G	0.14	6.381G	-47.05	-39.86	-7.19	2
5.94982G	0.57	6.3352G	-47.07	-39.43	-7.64	3
6.08838G	0.42	6.3264G	-47.23	-39.58	-7.65	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

19/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10962G	3.64	6.5566G	-40.76	-35.86	-4.90	1
6.21199G	3.77	6.4682G	-37.95	-36.23	-1.72	2
6.16021G	4.03	6.58G	-39.05	-31.06	-7.99	3
6.20899G	3.71	6.5008G	-38.92	-36.29	-2.63	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

21/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36919G	1.54	6.6158G	-46.56	-38.46	-8.10	1
6.40738G	1.12	6.0448G	-46.88	-38.88	-8.00	2
6.37239G	1.47	6.631G	-46.60	-38.53	-8.07	3
6.36819G	1.54	6.6396G	-46.68	-38.46	-8.22	4

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

19/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60262G	2.46	6.959G	-38.92	-37.54	-1.38	1
6.60721G	2.13	6.9646G	-39.23	-37.87	-1.36	2
6.58882G	2.33	6.8244G	-26.78	-17.78	-9.00	3
6.60741G	2.78	6.9524G	-37.21	-36.77	-0.44	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6105MHz_TX

29/01/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6265MHz_TX

21/01/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 4_1TX

MASK

5985MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 7_1TX

MASK

6025MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 4_1TX

MASK

6025MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_1TX

MASK

6105MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_1TX

MASK

6105MHz_TX

18/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_1TX

MASK

6105MHz_TX

18/06/2026




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 4_2TX

MASK

5985MHz_TX

17/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95641G	-1.53	5.9419G	-34.99	-20.93	-14.06	1
5.9733G	-1.87	6.1114G	-56.21	-41.87	-14.34	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 7_2TX

MASK

6025MHz_TX

17/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94962G	-0.38	6.2678G	-50.13	-40.08	-10.05	1
6.10198G	-0.03	6.2676G	-51.59	-39.60	-11.99	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 4_2TX

MASK

6025MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996+RU484 MRU 8_2TX

MASK

6105MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),3xRU996 MRU 4_2TX

MASK

6105MHz_TX

18/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13939G	-0.61	6.5926G	-53.89	-40.55	-13.34	1
6.15179G	-0.12	6.593G	-52.84	-40.09	-12.75	2

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0),2xRU996+RU484 MRU 6_2TX

MASK

6105MHz_TX

18/06/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.14059G	-0.48	6.5902G	-54.73	-40.24	-14.49	1
6.13499G	-0.07	6.5894G	-53.62	-39.78	-13.84	2


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU_4_4TX

MASK

5985MHz_TX

17/06/2026

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95831G	-2.51	6.1449G	-57.38	-42.51	-14.87	1
5.9903G	-2.48	6.1179G	-56.98	-42.48	-14.50	2
5.97G	-2.39	6.1101G	-57.69	-42.39	-15.30	3
5.9687G	-2.58	6.1234G	-57.45	-42.58	-14.87	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU_7_4TX

MASK

6025MHz_TX

17/06/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96242G	-2.73	6.2684G	-54.74	-40.43	-14.31	1
6.09998G	-3.08	6.2686G	-54.28	-40.72	-13.56	2
5.96242G	-2.78	6.3306G	-57.83	-42.78	-15.05	3
6.08738G	-3.49	6.307G	-57.35	-43.49	-13.86	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU_4_4TX

MASK

6025MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU_8_4TX

MASK

6105MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 6_4TX

MASK

6105MHz_TX

18/06/2026




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU_4_4TX

MASK

5985MHz_TX

17/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9739G	-2.01	6.1214G	-57.01	-42.01	-15.00	1
5.9715G	-2.01	6.1276G	-56.78	-42.01	-14.77	2
5.9738G	-1.53	5.9397G	-37.39	-21.89	-15.50	3
5.998G	-2.08	6.1261G	-56.68	-42.08	-14.60	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU_7_4TX

MASK

6025MHz_TX

17/06/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94902G	-1.72	6.3064G	-55.63	-41.72	-13.91	1
6.10078G	-1.83	6.3162G	-55.78	-41.83	-13.95	2
5.96062G	-1.71	6.3234G	-56.75	-41.71	-15.04	3
6.10058G	-2.31	6.3178G	-57.03	-42.28	-14.75	4


5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU_4_4TX

MASK

6025MHz_TX

18/06/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96721G	-1.69	6.318G	-57.64	-41.69	-15.95	1
6.04979G	-2.39	6.3258G	-56.74	-42.39	-14.35	2
5.96561G	-1.60	6.3322G	-57.98	-41.60	-16.38	3
6.05319G	-2.61	6.3182G	-57.93	-42.61	-15.32	4


5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU_8_4TX

MASK

6105MHz_TX

17/06/2026

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15139G	-2.61	6.5914G	-54.77	-42.37	-12.40	1
6.14899G	-1.96	6.6206G	-54.47	-41.96	-12.51	2
6.14019G	-2.11	6.8786G	-57.13	-42.11	-15.02	3
6.14859G	-2.42	6.7646G	-57.16	-42.42	-14.74	4

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996 MRU 4_4TX

MASK

6105MHz_TX

17/06/2026




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),2xRU996+RU484 MRU 6_4TX

MASK

6105MHz_TX

18/06/2026






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	12.41111G	45.17	54.00	-8.83	3	Horizontal	330	2.05	-

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 86
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40574G	55.09	74.00	-18.91	50.72	3	Vertical	36	2.88	-	38.90	11.03	45.56			
AV	12.40862G	44.91	54.00	-9.09	40.53	3	Vertical	36	2.88	-	38.90	11.03	45.55			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 86
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41201G	55.45	74.00	-18.55	51.07	3	Horizontal	330	2.05	-	38.90	11.03	45.55			
AV	12.41111G	45.17	54.00	-8.83	40.79	3	Horizontal	330	2.05	-	38.90	11.03	45.55			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 86
03-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62442G	49.77	74.00	-24.23	45.03	1	Vertical	184	1.50	-	37.65	15.76	48.67			
AV	18.61878G	38.36	63.54	-25.18	33.61	1	Vertical	184	1.50	-	37.66	15.76	48.67			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX

EUT_Y_2TX
Setting 86
03-D-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61644G	49.52	74.00	-24.48	44.76	1	Horizontal	0	1.50	-	37.67	15.76	48.67			
AV	18.61698G	37.90	63.54	-25.64	33.14	1	Horizontal	0	1.50	-	37.67	15.76	48.67			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX	Pass	AV	12.21885G	46.37	54.00	-7.63	3	Horizontal	0	1.77	-

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX




EUT_Y_4TX
Setting 61
04-Y-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21339G	57.85	74.00	-16.15	48.59	3	Vertical	235	2.12	-	38.87	13.78	43.39			
AV	12.22134G	46.26	54.00	-7.74	37.01	3	Vertical	235	2.12	-	38.86	13.78	43.39			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0),3xRU996+RU484 MRU 8_4TX

6105MHz_TX



EUT_Y_4TX
Setting 61
04-Y-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21411G	57.68	74.00	-16.32	48.42	3	Horizontal	0	1.77	-	38.87	13.78	43.39			
AV	12.21885G	46.37	54.00	-7.63	37.12	3	Horizontal	0	1.77	-	38.86	13.78	43.39			