


5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5755MHz_TX

EUT_Z_4TX
Setting 62
03-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52374G	46.79	74.00	-27.21	42.65	3	Vertical	65	1.76	-	39.19	10.76	45.81			
AV	11.52377G	33.98	54.00	-20.02	29.83	3	Vertical	65	1.76	-	39.20	10.76	45.81			
PK	17.26734G	48.55	68.20	-19.65	39.82	3	Vertical	320	2.82	-	40.90	12.95	45.12			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX

EUT_Z_4TX
Setting 62
03-D-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52428G	46.50	74.00	-27.50	42.35	3	Horizontal	314	1.91	-	39.20	10.76	45.81			
AV	11.52377G	33.98	54.00	-20.02	29.83	3	Horizontal	314	1.91	-	39.20	10.76	45.81			
PK	17.25753G	48.95	68.20	-19.25	40.27	3	Horizontal	180	2.67	-	40.85	12.95	45.12			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	11.54217G	47.13	54.00	-6.87	3	Vertical	135	1.80	-

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5775MHz_TX

EUT_Z_2TX
Setting 46
04-Y-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54547G	59.47	74.00	-14.53	49.24	3	Vertical	135	1.80	-	39.99	13.23	42.99			
AV	11.54217G	47.13	54.00	-6.87	36.91	3	Vertical	135	1.80	-	39.98	13.23	42.99			
PK	17.33688G	60.48	68.20	-7.72	46.59	3	Vertical	144	1.80	-	41.00	16.20	43.31			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX



EUT_Z_2TX
Setting 46
04-Y-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56239G	58.82	74.00	-15.18	48.59	3	Horizontal	165	1.82	-	39.98	13.25	43.00			
AV	11.54934G	47.01	54.00	-6.99	36.76	3	Horizontal	165	1.82	-	40.00	13.24	42.99			
PK	17.33607G	61.24	68.20	-6.96	47.36	3	Horizontal	65	2.22	-	40.99	16.20	43.31			