


5.925-6.425GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

01/09/2023

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.413625G	2.25	6.39865G	-30.81	-21.46	-9.35	1
6.411226G	2.18	6.39605G	-32.04	-23.96	-8.08	2
6.4162G	2.92	6.39645G	-31.84	-22.43	-9.41	3
6.41365G	2.83	6.40175G	-27.55	-18.61	-8.94	4


6.525-6.875GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

01/09/2023

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.528677G	2.41	6.520125G	-28.19	-20.24	-7.95	1
6.538674G	1.80	6.52065G	-28.94	-20.36	-8.58	2
6.536225G	3.00	6.518725G	-29.33	-20.68	-8.65	3
6.538699G	2.42	6.518725G	-29.53	-19.97	-9.56	4

6.525-6.875GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

01/09/2023

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.967549G	1.35	6.0255G	-46.57	-38.65	-7.92	1
5.951303G	1.21	6.02555G	-46.97	-38.79	-8.18	2
5.953753G	1.60	6.02675G	-45.37	-38.40	-6.97	3
5.968699G	1.19	6.02865G	-47.32	-38.81	-8.51	4


5.925-6.425GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

01/09/2023

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.207449G	2.14	6.16755G	-31.87	-24.60	-7.27	1
6.200001G	2.15	6.22605G	-25.12	-17.35	-7.77	2
6.209899G	5.75	6.16725G	-26.35	-20.86	-5.49	3
6.196402G	1.91	6.14295G	-46.38	-38.09	-8.29	4


5.925-6.425GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

01/09/2023

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.402551G	1.31	6.4657G	-46.94	-38.69	-8.25	1
6.407499G	1.10	6.3688G	-33.12	-24.88	-8.24	2
6.409949G	1.77	6.3788G	-29.00	-20.18	-8.82	3
6.401251G	0.85	6.42595G	-26.75	-19.29	-7.46	4


6.525-6.875GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

01/09/2023

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.569999G	3.06	6.53015G	-29.43	-22.60	-6.83	1
6.573948G	2.60	6.53025G	-30.24	-23.10	-7.14	2
6.558702G	3.15	6.53145G	-30.88	-21.68	-9.20	3
6.568899G	3.93	6.53255G	-28.72	-20.28	-8.44	4

6.525-6.875GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

01/09/2023

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9722G	3.33	6.1094G	-42.86	-36.67	-6.19	1
5.94761G	2.36	6.1079G	-43.99	-37.64	-6.35	2
5.9928G	3.06	6.1085G	-42.65	-36.94	-5.71	3
5.9699G	2.75	6.1105G	-43.85	-37.25	-6.60	4


5.925-6.425GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

01/09/2023

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2137G	2.93	6.0998G	-44.59	-37.07	-7.52	1
6.2338G	2.98	6.1026G	-43.72	-37.02	-6.70	2
6.2114G	3.39	6.1023G	-43.77	-36.61	-7.16	3
6.21G	3.49	6.0998G	-43.69	-36.51	-7.18	4

5.925-6.425GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

01/09/2023



6.525-6.875GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

01/09/2023



5.925-6.425GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

01/09/2023

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
3M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05339G	5.73	6.1608G	-21.52	-14.45	-7.07	1
6.05839G	4.45	6.4242G	-42.94	-35.55	-7.39	2
6.04859G	5.10	6.4028G	-41.39	-34.90	-6.49	3
6.06039G	4.67	6.4012G	-40.94	-35.02	-5.92	4

5.925-6.425GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

01/09/2023

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15941G	3.70	6.5706G	-44.96	-36.25	-8.71	1
6.15821G	2.49	6.4832G	-43.04	-37.42	-5.62	2
6.16161G	3.66	6.4874G	-41.75	-36.34	-5.41	3
6.16121G	3.43	6.5472G	-40.83	-35.41	-5.42	4

5.925-6.425GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

01/09/2023




6.525-6.875GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

01/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37299G	2.42	6.0968G	-41.79	-37.58	-4.21	1

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63801G	2.49	6.418G	-40.37	-37.51	-2.86	1

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.948752G	-1.26	5.971225G	-33.33	-25.03	-8.30	1
5.951201G	-2.16	5.93885G	-33.44	-25.90	-7.54	2

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

02/09/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.198699G	-1.80	6.178175G	-32.97	-26.03	-6.94	1
6.19625G	-1.91	6.2098G	-31.86	-24.68	-7.18	2


5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

02/09/2023

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4137G	-1.87	6.40005G	-31.53	-23.74	-7.79	1
6.41625G	-2.24	6.396625G	-34.74	-27.75	-6.99	2


6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

02/09/2023

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538724G	-1.51	6.522625G	-29.19	-22.02	-7.17	1
6.538724G	-2.01	6.520625G	-31.18	-22.99	-8.19	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.692076G	-1.47	6.679575G	-31.90	-24.49	-7.41	1
6.693725G	-2.61	6.680375G	-31.98	-25.00	-6.98	2

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852301G	-1.29	6.8374G	-34.17	-26.16	-8.01	1
6.85625G	-2.63	6.840575G	-32.47	-24.82	-7.65	2

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.969899G	-0.25	5.94365G	-28.70	-20.37	-8.33	1
5.960151G	-1.20	5.93255G	-32.88	-25.44	-7.44	2

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.211148G	-0.47	6.16875G	-33.09	-26.16	-6.93	1
6.198802G	-0.90	6.23855G	-32.85	-26.06	-6.79	2

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.410049G	-0.88	6.3676G	-34.54	-26.99	-7.55	1
6.391203G	-0.50	6.3675G	-34.29	-25.65	-8.64	2

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.562601G	-0.46	6.53245G	-31.26	-25.16	-6.10	1
6.573748G	-1.50	6.53425G	-32.95	-24.54	-8.41	2

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.690999G	-0.74	6.64775G	-34.91	-27.36	-7.55	1
6.688849G	-1.23	6.6634G	-28.54	-21.29	-7.25	2

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.839851G	-0.26	6.8239G	-27.57	-20.27	-7.30	1
6.836102G	-1.98	6.8234G	-28.92	-22.01	-6.91	2

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9999G	-0.09	6.1067G	-46.57	-40.07	-6.50	1
5.95581G	-1.48	6.1082G	-47.54	-41.13	-6.41	2

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

02/09/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2137G	-0.74	6.0999G	-47.63	-40.74	-6.89	1
6.2315G	-1.08	6.0995G	-47.50	-41.08	-6.42	2

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

02/09/2023

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3686G	-0.52	6.261G	-47.40	-40.50	-6.90	1
6.3763G	-1.50	6.2551G	-47.97	-41.50	-6.47	2

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

02/09/2023

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59781G	-1.13	6.4988G	-47.02	-41.13	-5.89	1
6.6339G	-0.82	6.5013G	-47.21	-40.82	-6.39	2

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

02/09/2023

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7142G	-0.69	6.5795G	-46.96	-40.69	-6.27	1
6.6965G	-1.49	6.6634G	-27.64	-21.49	-6.15	2

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

02/09/2023

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7957G	-0.88	6.661G	-46.95	-40.86	-6.09	1
6.7742G	-1.73	6.9189G	-47.58	-41.73	-5.85	2

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05339G	-0.05	6.2932G	-45.40	-40.05	-5.35	1
6.08918G	-1.43	6.2936G	-45.78	-41.43	-4.35	2

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15921G	-0.24	5.9412G	-44.80	-39.89	-4.91	1
6.12901G	-1.05	5.9382G	-44.85	-41.05	-3.80	2

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36779G	-0.64	6.101G	-44.79	-40.61	-4.18	1
6.31781G	-0.65	6.096G	-44.35	-40.65	-3.70	2

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6516G	-0.60	6.4196G	-44.00	-40.58	-3.42	1
6.63981G	-0.88	6.4202G	-44.88	-40.77	-4.11	2

5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

02/09/2023

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.413625G	-5.16	6.432175G	-36.64	-29.07	-7.57	1
6.415425G	-5.69	6.39865G	-35.97	-28.78	-7.19	2
6.41375G	-4.68	6.428325G	-32.98	-26.18	-6.80	3
6.418699G	-4.59	6.398375G	-35.61	-27.77	-7.84	4


6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

02/09/2023

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.533125G	-5.11	6.5167G	-37.09	-30.01	-7.08	1
6.532601G	-5.67	6.520375G	-35.12	-27.58	-7.54	2
6.531301G	-4.88	6.519925G	-34.45	-27.37	-7.08	3
6.529626G	-4.67	6.51765G	-35.88	-28.82	-7.06	4

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408299G	-3.94	6.37545G	-34.00	-27.36	-6.64	1
6.401351G	-4.25	6.3835G	-31.19	-24.27	-6.92	2
6.398402G	-3.64	6.38365G	-30.60	-23.66	-6.94	3
6.399001G	-3.95	6.3415G	-51.07	-43.95	-7.12	4

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.560251G	-3.63	6.53085G	-35.17	-28.31	-6.86	1
6.570199G	-4.67	6.53185G	-36.35	-29.66	-6.69	2
6.568499G	-3.99	6.52995G	-36.54	-29.65	-6.89	3
6.558902G	-3.09	6.52765G	-37.02	-29.83	-7.19	4

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9973G	-3.71	6.118G	-48.65	-43.71	-4.94	1
5.95571G	-5.01	6.1162G	-48.80	-45.01	-3.79	2
6.0022G	-4.36	6.1161G	-48.62	-44.36	-4.26	3
5.9742G	-3.90	6.1113G	-48.68	-43.90	-4.78	4

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2124G	-4.00	6.0759G	-49.31	-44.00	-5.31	1
6.2098G	-4.15	6.0918G	-48.89	-44.15	-4.74	2
6.2153G	-4.13	6.098G	-48.79	-44.13	-4.66	3
6.2107G	-3.43	6.0966G	-48.55	-43.43	-5.12	4

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

02/09/2023

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05639G	-3.17	6.364G	-46.50	-43.17	-3.33	1
6.04779G	-4.76	6.3586G	-46.76	-44.76	-2.00	2
6.08718G	-3.77	6.3994G	-46.41	-43.77	-2.64	3
6.08159G	-4.01	6.3922G	-46.17	-44.01	-2.16	4


5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

02/09/2023

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1668G	-3.73	5.911G	-46.74	-43.73	-3.01	1
6.12741G	-5.16	5.926G	-46.44	-45.16	-1.28	2
6.16241G	-3.98	5.9142G	-46.51	-43.98	-2.53	3
6.15941G	-3.92	6.5188G	-44.41	-43.92	-0.49	4

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

02/09/2023

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958699G	-4.63	5.940125G	-35.86	-25.86	-10.00	1
5.950026G	-4.93	5.9387G	-36.09	-28.63	-7.46	2
5.947477G	-4.23	5.938575G	-35.45	-27.83	-7.62	3
5.950051G	-5.14	5.937425G	-37.37	-29.17	-8.20	4


5.925-6.425GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

02/09/2023

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.193625G	-4.57	6.178675G	-35.80	-27.32	-8.48	1
6.192401G	-5.14	6.2098G	-35.33	-27.64	-7.69	2
6.189976G	-4.44	6.1774G	-37.47	-29.42	-8.05	3
6.198649G	-5.37	6.17795G	-37.66	-29.72	-7.94	4

5.925-6.425GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

02/09/2023




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.418649G	-5.25	6.398575G	-36.25	-29.15	-7.10	1
6.417399G	-5.47	6.39795G	-37.09	-27.98	-9.11	2
6.410001G	-5.12	6.398675G	-35.86	-27.79	-8.07	3
6.418724G	-4.64	6.39795G	-36.73	-28.88	-7.85	4

6.525-6.875GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

02/09/2023



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.529926G	-5.18	6.520825G	-34.54	-27.11	-7.43	1
6.538674G	-5.92	6.5202G	-35.81	-28.36	-7.45	2
6.532501G	-4.75	6.5499G	-35.03	-26.36	-8.67	3
6.530001G	-4.68	6.51955G	-35.54	-27.74	-7.80	4


6.525-6.875GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

02/09/2023

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688702G	-4.38	6.68035G	-35.05	-25.41	-9.64	1
6.690001G	-5.48	6.6764G	-39.17	-31.14	-8.03	2
6.697449G	-4.44	6.712525G	-37.63	-29.25	-8.38	3
6.688627G	-5.10	6.680325G	-35.15	-27.59	-7.56	4


6.525-6.875GHz_802.11ax_HEW20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

02/09/2023

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.853675G	-4.52	6.8396G	-35.84	-27.36	-8.48	1
6.85625G	-5.93	6.8393G	-37.11	-29.01	-8.10	2
6.857449G	-5.06	6.8697G	-35.59	-27.36	-8.23	3
6.848652G	-5.29	6.83995G	-35.78	-27.65	-8.13	4


5.925-6.425GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

02/09/2023

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.973798G	-3.85	6.0279G	-50.95	-43.85	-7.10	1
5.948654G	-4.58	6.02695G	-50.89	-44.58	-6.31	2
5.948804G	-3.32	6.0279G	-50.92	-43.32	-7.60	3
5.973698G	-3.77	6.0349G	-51.06	-43.77	-7.29	4


5.925-6.425GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

02/09/2023

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.202701G	-4.43	6.16655G	-36.99	-30.92	-6.07	1
6.211148G	-4.47	6.23675G	-35.46	-28.84	-6.62	2
6.209899G	-3.19	6.16855G	-36.20	-29.51	-6.69	3
6.193953G	-4.27	6.167G	-37.87	-31.15	-6.72	4

5.925-6.425GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax_HEW40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

02/09/2023

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9722G	-3.85	6.1078G	-48.65	-43.85	-4.80	1
5.95531G	-5.20	6.1134G	-49.00	-45.20	-3.80	2
5.95231G	-4.16	6.1129G	-48.63	-44.16	-4.47	3
5.9982G	-4.22	6.115G	-48.45	-44.22	-4.23	4


5.925-6.425GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

02/09/2023

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2101G	-4.37	6.102G	-49.09	-44.37	-4.72	1
6.19691G	-4.87	6.093G	-48.90	-44.87	-4.03	2
6.2317G	-4.42	6.0995G	-48.99	-44.42	-4.57	3
6.216G	-3.22	6.094G	-48.60	-43.22	-5.38	4

5.925-6.425GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

02/09/2023




6.525-6.875GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

02/09/2023



6.525-6.875GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

02/09/2023

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6924G	-4.44	6.8277G	-48.22	-44.33	-3.89	1
6.6915G	-5.08	6.8281G	-48.91	-45.08	-3.83	2
6.6925G	-3.38	6.8308G	-48.31	-43.38	-4.93	3
6.6937G	-4.37	6.8283G	-48.62	-44.37	-4.25	4

6.525-6.875GHz_802.11ax_HEW80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

02/09/2023

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7968G	-3.62	6.9582G	-48.14	-43.62	-4.52	1
6.7727G	-4.50	6.9717G	-48.55	-44.50	-4.05	2
6.772G	-4.56	6.9739G	-48.55	-44.56	-3.99	3
6.7703G	-4.05	6.9693G	-48.39	-44.05	-4.34	4

5.925-6.425GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

02/09/2023




5.925-6.425GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

02/09/2023



6.525-6.875GHz_802.11ax_HEW160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

02/09/2023

