


6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX



EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60929G	54.12	83.54	-29.42	50.87	1	Vertical	317	1.64	-	37.66	17.10	51.51			
AV	19.60968G	43.12	63.54	-20.42	39.87	1	Vertical	317	1.64	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60722G	56.14	83.54	-27.40	52.89	1	Horizontal	314	1.78	-	37.66	17.10	51.51			
AV	19.6083G	44.93	63.54	-18.61	41.68	1	Horizontal	314	1.78	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.122G	54.16	74.00	-19.84	38.55	3	Vertical	228	1.77	-	38.90	9.04	32.33			
AV	11.96136G	43.30	54.00	-10.70	27.40	3	Vertical	228	1.77	-	39.30	8.99	32.39			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.08712G	54.68	74.00	-19.32	39.05	3	Horizontal	244	1.92	-	38.95	9.03	32.35			
AV	12.01096G	42.92	54.00	-11.08	27.06	3	Horizontal	244	1.92	-	39.26	9.00	32.40			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 108
01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08056G	56.16	83.54	-27.38	53.32	1	Vertical	210	1.48	-	37.46	17.30	51.92			
AV	20.08362G	44.67	63.54	-18.87	41.82	1	Vertical	210	1.48	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08791G	56.93	83.54	-26.61	54.08	1	Horizontal	80	1.70	-	37.47	17.30	51.92			
AV	20.08752G	44.99	63.54	-18.55	42.14	1	Horizontal	80	1.70	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT V_2TX
Setting 57
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71353G	58.71	88.20	-29.49	36.92	3	Vertical	66	1.71	-	40.44	11.77	30.42			
RMS	13.71051G	46.42	68.20	-21.78	24.64	3	Vertical	66	1.71	-	40.43	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT V_2TX
Setting 57
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71191G	55.87	88.20	-32.33	34.08	3	Horizontal	151	1.81	-	40.44	11.77	30.42			
RMS	13.71259G	44.85	68.20	-23.35	23.06	3	Horizontal	151	1.81	-	40.44	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT V_2TX
Setting 57
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56165G	56.41	83.54	-27.13	50.67	1	Vertical	210	1.51	-	37.92	19.83	52.01			
AV	20.56387G	41.35	63.54	-22.19	35.60	1	Vertical	210	1.51	-	37.93	19.83	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz Straddle 6.525-6.875GHz_TX




EUT V_2TX
Setting 57
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.564777G	54.75	83.54	-28.79	51.32	1	Horizontal	58	1.56	-	37.93	17.51	52.01			
AV	20.56451G	41.28	63.54	-22.26	37.85	1	Horizontal	58	1.56	-	37.93	17.51	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
SET 87
87
0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	80.37	88.20	-7.83	70.94	3	Vertical	334	1.74	87	34.25	6.22	31.04			
RMS	5.925G	67.28	68.20	-0.92	57.85	3	Vertical	334	1.74	87	34.25	6.22	31.04			
PK	5.97G	113.45	Inf	-Inf	103.96	3	Vertical	334	1.74	87	34.30	6.27	31.08			
RMS	5.9702G	101.47	Inf	-Inf	91.98	3	Vertical	334	1.74	87	34.30	6.27	31.08			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 87
108\68\88\78\83\85\86\87
-17.90\8.12\0.59\6.19\3.97\2.38\1.36\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.03	88.20	-8.17	70.60	3	Horizontal	4	1.80	87	34.25	6.22	31.04			
RMS	5.9248G	67.71	68.20	-0.49	58.28	3	Horizontal	4	1.80	87	34.25	6.22	31.04			
PK	5.9692G	112.85	Inf	-Inf	103.36	3	Horizontal	4	1.80	87	34.30	6.27	31.08			
RMS	5.9712G	101.74	Inf	-Inf	92.25	3	Horizontal	4	1.80	87	34.30	6.27	31.08			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.14472G	54.66	74.00	-19.34	38.97	3	Vertical	13	1.84	-	38.84	9.16	32.31			
AV	12.14744G	42.86	54.00	-11.14	27.16	3	Vertical	13	1.84	-	38.85	9.16	32.31			
PK	17.90544G	62.31	74.00	-11.69	38.24	3	Vertical	22	1.76	-	42.83	11.46	30.22			
AV	17.9061G	49.56	54.00	-4.44	25.48	3	Vertical	22	1.76	-	42.83	11.46	30.21			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0324G	54.66	74.00	-19.34	39.10	3	Horizontal	353	1.86	-	38.87	9.11	32.42			
AV	12.02088G	42.82	54.00	-11.18	27.26	3	Horizontal	353	1.86	-	38.88	9.11	32.43			
PK	17.89641G	62.99	74.00	-11.01	38.98	3	Horizontal	271	1.58	-	42.79	11.46	30.24			
AV	17.89707G	49.79	54.00	-4.21	25.77	3	Horizontal	271	1.58	-	42.79	11.46	30.23			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 87
01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.87281G	45.69	83.54	-37.85	38.16	1	Vertical	32	1.39	-	38.80	18.98	50.25			
AV	23.86735G	34.61	63.54	-28.93	27.08	1	Vertical	32	1.39	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 87
01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.84782G	45.39	83.54	-38.15	37.88	1	Horizontal	115	1.76	-	38.80	18.97	50.26			
AV	23.85457G	34.42	63.54	-29.12	26.91	1	Horizontal	115	1.76	-	38.80	18.97	50.26			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.09864G	54.43	74.00	-19.57	38.84	3	Vertical	52	1.55	-	38.91	9.03	32.35			
AV	12.10664G	43.14	54.00	-10.86	27.54	3	Vertical	52	1.55	-	38.90	9.04	32.34			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX



EUT Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1332G	55.41	74.00	-18.59	39.78	3	Horizontal	269	2.25	-	38.90	9.05	32.32			
AV	12.01256G	42.91	54.00	-11.09	27.06	3	Horizontal	269	2.25	-	39.25	9.00	32.40			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61131G	56.14	83.54	-27.40	52.22	1	Vertical	18	1.53	-	37.64	16.69	50.41			
AV	18.61347G	43.26	63.54	-20.28	39.33	1	Vertical	18	1.53	-	37.65	16.69	50.41			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62409G	55.83	83.54	-27.71	51.90	1	Horizontal	0	1.85	-	37.65	16.70	50.42			
AV	18.62349G	43.65	63.54	-19.89	39.72	1	Horizontal	0	1.85	-	37.65	16.70	50.42			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.96712G	54.14	74.00	-19.86	38.24	3	Vertical	260	1.36	-	39.30	8.99	32.39				
AV	11.99624G	42.78	54.00	-11.22	26.89	3	Vertical	260	1.36	-	39.30	9.00	32.41				

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT V_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.05896G	53.73	74.00	-20.27	38.02	3	Horizontal	93	2.85	-	39.06	9.02	32.37			
AV	12.12264G	43.09	54.00	-10.91	27.48	3	Horizontal	93	2.85	-	38.90	9.04	32.33			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22487G	55.40	83.54	-28.14	51.94	1	Vertical	321	1.74	-	37.59	16.94	51.07			
AV	19.21017G	43.27	63.54	-20.27	39.80	1	Vertical	321	1.74	-	37.58	16.94	51.05			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22487G	55.61	83.54	-27.93	52.15	1	Horizontal	339.1	1.85	-	37.59	16.94	51.07			
AV	19.20717G	43.25	63.54	-20.29	39.79	1	Horizontal	339.1	1.85	-	37.58	16.93	51.05			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.14392G	56.59	88.20	-31.61	39.21	3	Vertical	4	1.07	-	39.89	9.40	31.91			
RMS	13.12391G	44.54	68.20	-23.66	27.21	3	Vertical	4	1.07	-	39.85	9.39	31.91			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12958G	56.44	88.20	-31.76	39.09	3	Horizontal	113	1.82	-	39.86	9.40	31.91			
RMS	13.13978G	44.50	68.20	-23.70	27.13	3	Horizontal	113	1.82	-	39.88	9.40	31.91			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70487G	54.33	83.54	-29.21	51.17	1	Vertical	309	1.35	-	37.62	17.14	51.60			
AV	19.689G	42.44	63.54	-21.10	39.28	1	Vertical	309	1.35	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70487G	54.68	83.54	-28.86	51.52	1	Horizontal	13	1.50	-	37.62	17.14	51.60			
AV	19.69311G	42.58	63.54	-20.96	39.42	1	Horizontal	13	1.50	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37267G	56.02	74.00	-17.98	38.07	3	Vertical	0	2.34	-	40.45	9.48	31.98			
AV	13.36739G	44.67	54.00	-9.33	26.74	3	Vertical	0	2.34	-	40.43	9.48	31.98			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38452G	56.46	74.00	-17.54	38.50	3	Horizontal	317	2.76	-	40.47	9.48	31.99			
AV	13.35563G	44.73	54.00	-9.27	26.83	3	Horizontal	317	2.76	-	40.41	9.47	31.98			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06424G	52.61	83.54	-30.93	49.78	1	Vertical	166	1.66	-	37.45	17.29	51.91			
AV	20.05785G	41.03	63.54	-22.51	38.20	1	Vertical	166	1.66	-	37.45	17.29	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 108
01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06496G	52.53	83.54	-31.01	49.70	1	Horizontal	43	1.70	-	37.45	17.29	51.91			
AV	20.05416G	40.91	63.54	-22.63	38.10	1	Horizontal	43	1.70	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz Straddle 6.525-6.875GHz_TX




EUT V_2TX
Setting 57
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69411G	54.89	88.20	-33.31	33.14	3	Vertical	71	1.52	-	40.40	11.76	30.41			
RMS	13.69396G	42.65	68.20	-25.55	20.90	3	Vertical	71	1.52	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz Straddle 6.525-6.875GHz_TX




EUT V_2TX
Setting 57
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.693333G	53.31	88.20	-34.89	31.56	3	Horizontal	271	1.58	-	40.40	11.76	30.41			
RMS	13.69318G	44.21	68.20	-23.99	22.46	3	Horizontal	271	1.58	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz Straddle 6.525-6.875GHz_TX




EUT V_2TX
Setting 57
01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.535261G	53.46	83.54	-30.08	47.83	1	Vertical	138	1.61	-	37.81	19.83	52.01			
AV	20.535383G	41.35	63.54	-22.19	35.72	1	Vertical	138	1.61	-	37.81	19.83	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz Straddle 6.525-6.875GHz_TX




EUT_V_2TX
Setting 57
01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53433G	53.57	83.54	-29.97	47.94	1	Horizontal	322	1.50	-	37.81	19.83	52.01			
AV	20.53457G	41.61	63.54	-21.93	35.98	1	Horizontal	322	1.50	-	37.81	19.83	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 84
85\82\83\84
-0.03\2.57\1.08\0.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	76.99	88.20	-11.21	67.56	3	Vertical	334	1.75	84	34.25	6.22	31.04			
RMS	5.925G	67.21	68.20	-0.99	57.78	3	Vertical	334	1.75	84	34.25	6.22	31.04			
PK	5.9718G	109.38	Inf	-Inf	99.89	3	Vertical	334	1.75	84	34.30	6.27	31.08			
RMS	5.9674G	99.27	Inf	-Inf	89.78	3	Vertical	334	1.75	84	34.30	6.27	31.08			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
SET 84
84
0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	77.14	88.20	-11.06	67.71	3	Horizontal	5	1.85	84	34.25	6.22	31.04			
RMS	5.9214G	67.57	68.20	-0.63	58.15	3	Horizontal	5	1.85	84	34.24	6.22	31.04			
PK	6.0062G	109.37	Inf	-Inf	99.85	3	Horizontal	5	1.85	84	34.32	6.30	31.10			
RMS	6.015G	99.08	Inf	-Inf	89.52	3	Horizontal	5	1.85	84	34.36	6.30	31.10			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36406G	56.30	74.00	-17.70	38.13	3	Vertical	100	1.14	-	40.36	8.38	30.57			
AV	13.3718G	45.94	54.00	-8.06	27.75	3	Vertical	100	1.14	-	40.37	8.38	30.56			
PK	17.96493G	63.61	74.00	-10.39	40.58	3	Vertical	312	1.79	-	43.12	9.99	30.08			
AV	17.96988G	49.70	54.00	-4.30	26.63	3	Vertical	312	1.79	-	43.15	9.99	30.07			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36013G	56.80	74.00	-17.20	37.38	3	Horizontal	128	2.30	-	40.36	9.64	30.58			
AV	13.37285G	46.09	54.00	-7.91	26.63	3	Horizontal	128	2.30	-	40.37	9.65	30.56			
PK	17.94534G	62.17	74.00	-11.83	37.78	3	Horizontal	217	1.38	-	43.03	11.48	30.12			
AV	17.95452G	49.43	54.00	-4.57	24.98	3	Horizontal	217	1.38	-	43.07	11.48	30.10			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
SET 84
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94846G	45.47	83.54	-38.07	37.87	1	Vertical	185	1.56	-	38.80	19.02	50.22			
AV	23.94969G	35.28	63.54	-28.26	27.68	1	Vertical	185	1.56	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
SET 84
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93481G	44.63	83.54	-38.91	37.05	1	Horizontal	75	1.37	-	38.80	19.01	50.23			
AV	23.94522G	35.53	63.54	-28.01	27.93	1	Horizontal	75	1.37	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4464G	54.47	74.00	-19.53	38.83	3	Vertical	224	2.17	-	38.60	9.16	32.12			
AV	12.44775G	43.83	54.00	-10.17	28.19	3	Vertical	224	2.17	-	38.60	9.16	32.12			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.447G	54.33	74.00	-19.67	38.69	3	Horizontal	345	2.82	-	38.60	9.16	32.12			
AV	12.44988G	43.86	54.00	-10.14	28.22	3	Horizontal	345	2.82	-	38.60	9.16	32.12			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67446G	52.11	83.54	-31.43	48.19	1	Vertical	331	1.83	-	37.67	16.72	50.47			
AV	18.66357G	42.38	63.54	-21.16	38.46	1	Vertical	331	1.83	-	37.67	16.71	50.46			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66405G	53.70	83.54	-29.84	49.78	1	Horizontal	22	1.77	-	37.67	16.71	50.46			
AV	18.68631G	44.10	63.54	-19.44	40.20	1	Horizontal	22	1.77	-	37.67	16.72	50.49			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44103G	53.80	74.00	-20.20	38.18	3	Vertical	322	1.71	-	38.60	9.15	32.13			
AV	12.44187G	43.68	54.00	-10.32	28.06	3	Vertical	322	1.71	-	38.60	9.15	32.13			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.46473G	54.54	74.00	-19.46	38.89	3	Horizontal	237	1.32	-	38.60	9.16	32.11			
AV	12.4602G	44.16	54.00	-9.84	28.52	3	Horizontal	237	1.32	-	38.60	9.16	32.12			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
SET 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14633G	53.10	83.54	-30.44	49.61	1	Vertical	51	1.81	-	37.56	16.91	50.98			
AV	19.1412G	44.12	63.54	-19.42	40.62	1	Vertical	51	1.81	-	37.56	16.91	50.97			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16835G	52.54	83.54	-31.00	49.05	1	Horizontal	46	1.80	-	37.57	16.92	51.00			
AV	19.16355G	43.06	63.54	-20.48	39.57	1	Horizontal	46	1.80	-	37.57	16.92	51.00			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93432G	55.46	88.20	-32.74	38.86	3	Vertical	10	2.13	-	39.17	9.33	31.90			
RMS	12.94377G	44.75	68.20	-23.45	28.12	3	Vertical	10	2.13	-	39.19	9.33	31.89			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93198G	54.45	88.20	-33.75	37.86	3	Horizontal	349	2.17	-	39.16	9.33	31.90			
RMS	12.93666G	44.49	68.20	-23.71	27.89	3	Horizontal	349	2.17	-	39.17	9.33	31.90			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
SET 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.88052G	54.93	83.54	-28.61	52.00	1	Vertical	57	1.71	-	37.50	17.21	51.78			
AV	19.87575G	45.24	63.54	-18.30	42.31	1	Vertical	57	1.71	-	37.50	17.21	51.78			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87998G	53.68	83.54	-29.86	50.75	1	Horizontal	193	1.70	-	37.50	17.21	51.78			
AV	19.88124G	45.22	63.54	-18.32	42.29	1	Horizontal	193	1.70	-	37.50	17.21	51.78			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93414G	55.26	88.20	-32.94	38.66	3	Vertical	183	1.82	-	39.17	9.33	31.90			
RMS	12.93327G	44.29	68.20	-23.91	27.69	3	Vertical	183	1.82	-	39.17	9.33	31.90			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.92751G	55.06	88.20	-33.14	38.48	3	Horizontal	290	2.84	-	39.16	9.32	31.90			
RMS	12.93513G	44.53	68.20	-23.67	27.93	3	Horizontal	290	2.84	-	39.17	9.33	31.90			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
SET 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.12361G	50.53	83.54	-33.01	47.64	1	Vertical	314	1.80	-	37.50	17.31	51.92			
AV	20.12724G	41.18	63.54	-22.36	38.29	1	Vertical	314	1.80	-	37.50	17.32	51.93			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12715G	50.32	83.54	-33.22	47.43	1	Horizontal	273	1.70	-	37.50	17.32	51.93			
AV	20.11848G	40.78	63.54	-22.76	37.90	1	Horizontal	273	1.70	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94212G	54.16	88.20	-34.04	37.55	3	Vertical	230	2.69	-	39.18	9.33	31.90			
RMS	12.94035G	44.50	68.20	-23.70	27.89	3	Vertical	230	2.69	-	39.18	9.33	31.90			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93078G	55.07	88.20	-33.13	38.48	3	Horizontal	27	1.97	-	39.16	9.33	31.90			
RMS	12.93414G	44.36	68.20	-23.84	27.76	3	Horizontal	27	1.97	-	39.17	9.33	31.90			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35845G	49.89	83.54	-33.65	46.80	1	Vertical	57	1.95	-	37.64	17.42	51.97			
AV	20.34216G	40.73	63.54	-22.81	37.65	1	Vertical	57	1.95	-	37.64	17.41	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34228G	50.57	83.54	-32.97	47.49	1	Horizontal	160	1.35	-	37.64	17.41	51.97			
AV	20.34198G	40.45	63.54	-23.09	37.37	1	Horizontal	160	1.35	-	37.64	17.41	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 82
82
0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9105G	81.63	88.20	-6.57	72.23	3	Vertical	334	1.88	82	34.22	6.21	31.03			
RMS	5.915G	67.99	68.20	-0.21	58.59	3	Vertical	334	1.88	82	34.23	6.21	31.04			
PK	6.056G	106.60	Inf	-Inf	96.92	3	Vertical	334	1.88	82	34.50	6.30	31.12			
RMS	6.05G	95.81	Inf	-Inf	86.13	3	Vertical	334	1.88	82	34.50	6.30	31.12			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
SET 82
82
0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.907G	82.38	88.20	-5.82	73.00	3	Horizontal	3	1.80	82	34.21	6.20	31.03			
RMS	5.9175G	67.58	68.20	-0.62	58.17	3	Horizontal	3	1.80	82	34.24	6.21	31.04			
PK	6.051G	107.08	Inf	-Inf	97.40	3	Horizontal	3	1.80	82	34.50	6.30	31.12			
RMS	6.036G	96.57	Inf	-Inf	86.94	3	Horizontal	3	1.80	82	34.44	6.30	31.11			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.06434G	61.41	88.20	-26.79	41.46	3	Vertical	360	1.18	-	41.73	9.73	31.51			
RMS	14.05972G	51.19	68.20	-17.01	31.26	3	Vertical	360	1.18	-	41.72	9.72	31.51			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.0371G	61.73	88.20	-26.47	41.89	3	Horizontal	229	2.25	-	41.65	9.71	31.52			
RMS	14.03911G	51.14	68.20	-17.06	31.28	3	Horizontal	229	2.25	-	41.66	9.72	31.52			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
SET 82
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08733G	43.35	83.54	-40.19	39.09	1	Vertical	71	1.93	-	37.50	16.48	49.72			
AV	18.07041G	33.83	63.54	-29.71	29.56	1	Vertical	71	1.93	-	37.50	16.47	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
SET 82
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07167G	44.14	83.54	-39.40	39.87	1	Horizontal	341	1.35	-	37.50	16.47	49.70			
AV	18.06843G	34.26	63.54	-29.28	29.99	1	Horizontal	341	1.35	-	37.50	16.47	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93288G	54.46	74.00	-19.54	38.55	3	Vertical	107	2.26	-	39.30	8.98	32.37			
AV	11.97064G	44.89	54.00	-9.11	28.99	3	Vertical	107	2.26	-	39.30	8.99	32.39			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.026G	53.72	74.00	-20.28	37.90	3	Horizontal	21	1.42	-	39.20	9.01	32.39			
AV	12.03816G	44.68	54.00	-9.32	28.91	3	Horizontal	21	1.42	-	39.15	9.01	32.39			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56745G	50.88	83.54	-32.66	46.95	1	Vertical	313	1.81	-	37.63	16.67	50.37			
AV	18.54759G	41.11	63.54	-22.43	37.18	1	Vertical	313	1.81	-	37.62	16.66	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.561G	50.55	83.54	-32.99	46.62	1	Horizontal	26	1.44	-	37.62	16.67	50.36			
AV	18.54744G	40.99	63.54	-22.55	37.06	1	Horizontal	26	1.44	-	37.62	16.66	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.96349G	61.26	88.20	-26.94	41.80	3	Vertical	144	1.16	-	41.35	9.69	31.58			
RMS	13.98134G	51.00	68.20	-17.20	31.44	3	Vertical	144	1.16	-	41.43	9.69	31.56			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT V_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.98362G	61.34	88.20	-26.86	41.78	3	Horizontal	206	1.40	-	41.43	9.69	31.56			
RMS	13.9829G	50.31	68.20	-17.89	30.75	3	Horizontal	206	1.40	-	41.43	9.69	31.56			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02324G	53.61	83.54	-29.93	50.07	1	Vertical	350	1.74	-	37.51	16.86	50.83			
AV	19.02291G	44.68	63.54	-18.86	41.14	1	Vertical	350	1.74	-	37.51	16.86	50.83			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02753G	53.69	83.54	-29.85	50.15	1	Horizontal	19	1.49	-	37.51	16.86	50.83			
AV	19.02483G	44.45	63.54	-19.09	40.91	1	Horizontal	19	1.49	-	37.51	16.86	50.83			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32136G	56.60	74.00	-17.40	38.71	3	Vertical	302	2.59	-	40.40	9.46	31.97			
AV	13.32433G	46.24	54.00	-7.76	28.35	3	Vertical	302	2.59	-	40.40	9.46	31.97			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32058G	56.97	74.00	-17.03	39.08	3	Horizontal	295	2.94	-	40.40	9.46	31.97			
AV	13.31926G	46.51	54.00	-7.49	28.62	3	Horizontal	295	2.94	-	40.40	9.46	31.97			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
SET 108
01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98735G	49.35	83.54	-34.19	46.58	1	Vertical	52	1.80	-	37.41	17.25	51.89			
AV	20.00082G	41.26	63.54	-22.28	38.50	1	Vertical	52	1.80	-	37.40	17.26	51.90			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX



EUT_V_2TX
SET 108
01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99203G	50.13	83.54	-33.41	47.35	1	Horizontal	194	1.82	-	37.41	17.26	51.89			
AV	20.00076G	40.94	63.54	-22.60	38.18	1	Horizontal	194	1.82	-	37.40	17.26	51.90			



RSE TX above 1GHz_R5_1T1S, 2T2S, 4T1S, 4T4S
_For Non-beamforming mode


Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	RMS	5.9238G	68.12	68.20	-0.08	3	Vertical	143	2.50	91

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
 SET94
 94
 8.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9232G	73.47	88.20	-14.73	64.04	3	Vertical	327	1.72	94	34.25	6.22	31.04			
RMS	5.925G	59.25	68.20	-8.95	49.82	3	Vertical	327	1.72	94	34.25	6.22	31.04			
PK	5.9478G	110.11	Inf	-Inf	100.62	3	Vertical	327	1.72	94	34.30	6.25	31.06			
RMS	5.9588G	97.46	Inf	-Inf	87.97	3	Vertical	327	1.72	94	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX



EUT_Y_1TX

SET 94


94\106\100\97\96\84\90\93\94

1.33\14.77\14.85\14.76\14.79\10.98\6.94\4.12\1.77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9222G	83.28	88.20	-4.92	73.86	3	Horizontal	297	1.07	94	34.24	6.22	31.04			
RMS	5.925G	66.43	68.20	-1.77	57.00	3	Horizontal	297	1.07	94	34.25	6.22	31.04			
PK	5.9628G	118.17	Inf	-Inf	108.68	3	Horizontal	297	1.07	94	34.30	6.26	31.07			
RMS	5.9566G	104.36	Inf	-Inf	94.88	3	Horizontal	297	1.07	94	34.30	6.25	31.07			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90704G	53.78	74.00	-20.22	38.37	3	Vertical	300	1.80	94	38.81	9.06	32.46			
AV	11.92724G	40.07	54.00	-13.93	24.63	3	Vertical	300	1.80	94	38.83	9.07	32.46			
PK	17.87439G	61.70	74.00	-12.30	37.82	3	Vertical	190	1.99	-	42.72	11.45	30.29			
AV	17.87745G	48.35	54.00	-5.65	24.45	3	Vertical	190	1.99	-	42.73	11.45	30.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91856G	54.07	74.00	-19.93	38.64	3	Horizontal	57	1.80	94	38.82	9.07	32.46			
AV	11.89032G	40.11	54.00	-13.89	24.72	3	Horizontal	57	1.80	94	38.80	9.06	32.47			
PK	17.87466G	61.43	74.00	-12.57	37.55	3	Horizontal	56	1.82	-	42.72	11.45	30.29			
AV	17.87502G	48.37	54.00	-5.63	24.47	3	Horizontal	56	1.82	-	42.73	11.45	30.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
 Setting 94
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8191G	48.75	83.54	-34.79	41.26	1	Vertical	221	2.41	-	38.80	18.96	50.27			
AV	23.81856G	35.14	63.54	-28.40	27.65	1	Vertical	221	2.41	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
 Setting 94
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82708G	49.06	83.54	-34.48	41.57	1	Horizontal	239	1.07	-	38.80	18.96	50.27			
AV	23.81865G	34.98	63.54	-28.56	27.49	1	Horizontal	239	1.07	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38172G	54.62	74.00	-19.38	39.02	3	Vertical	132	1.80	108	38.64	9.13	32.17			
AV	12.37908G	40.37	54.00	-13.63	24.77	3	Vertical	132	1.80	108	38.64	9.13	32.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37604G	54.17	74.00	-19.83	38.56	3	Horizontal	269	1.31	108	38.65	9.13	32.17			
AV	12.40336G	40.37	54.00	-13.63	24.78	3	Horizontal	269	1.31	108	38.60	9.14	32.15			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5663G	60.28	83.54	-23.26	56.35	1	Vertical	354.4	1.50	-	37.63	16.67	50.37			
AV	18.57752G	45.39	63.54	-18.15	41.46	1	Vertical	354.4	1.50	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT Y_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5768G	61.57	83.54	-21.97	57.64	1	Horizontal	41.3	1.61	-	37.63	16.68	50.38			
AV	18.5816G	47.62	63.54	-15.92	43.69	1	Horizontal	41.3	1.61	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81028G	53.55	88.20	-34.65	37.30	3	Vertical	315	1.80	108	38.92	9.28	31.95			
RMS	12.84028G	40.13	68.20	-28.07	23.80	3	Vertical	315	1.80	108	38.98	9.29	31.94			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX



EUT_Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8498G	53.63	88.20	-34.57	37.27	3	Horizontal	18	1.80	108	39.00	9.30	31.94			
RMS	12.84748G	40.19	68.20	-28.01	23.84	3	Horizontal	18	1.80	108	38.99	9.30	31.94			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2422G	57.33	83.54	-26.21	53.87	1	Vertical	3.1	1.50	-	37.60	16.95	51.09			
AV	19.245G	44.10	63.54	-19.44	40.64	1	Vertical	3.1	1.50	-	37.60	16.95	51.09			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2421G	57.22	83.54	-26.32	53.76	1	Horizontal	325.7	1.52	-	37.60	16.95	51.09			
AV	19.2453G	43.12	63.54	-20.42	39.66	1	Horizontal	325.7	1.52	-	37.60	16.95	51.09			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04336G	55.78	88.20	-32.42	38.82	3	Vertical	324	2.26	-	39.47	9.37	31.88			
RMS	13.04328G	41.82	68.20	-26.38	24.86	3	Vertical	324	2.26	-	39.47	9.37	31.88			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX



EUT_Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04552G	55.40	88.20	-32.80	38.43	3	Horizontal	6	2.95	-	39.48	9.37	31.88			
RMS	13.0408G	41.82	68.20	-26.38	24.88	3	Horizontal	6	2.95	-	39.46	9.36	31.88			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5715G	57.13	83.54	-26.41	53.85	1	Vertical	189	1.50	-	37.67	17.08	51.47			
AV	19.5741G	46.16	63.54	-17.38	42.87	1	Vertical	189	1.50	-	37.67	17.09	51.47			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5691G	55.69	83.54	-27.85	52.41	1	Horizontal	123	1.48	-	37.67	17.08	51.47			
AV	19.5624G	45.23	63.54	-18.31	41.93	1	Horizontal	123	1.48	-	37.68	17.08	51.46			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01412G	55.51	88.20	-32.69	38.67	3	Vertical	18	2.57	-	39.36	9.35	31.87			
RMS	13.04892G	41.77	68.20	-26.43	24.78	3	Vertical	18	2.57	-	39.50	9.37	31.88			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
 SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02836G	55.26	88.20	-32.94	38.37	3	Horizontal	170	1.88	-	39.41	9.36	31.88			
RMS	13.0432G	41.77	68.20	-26.43	24.81	3	Horizontal	170	1.88	-	39.47	9.37	31.88			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1175G	57.45	83.54	-26.09	54.57	1	Vertical	163	1.49	-	37.49	17.31	51.92			
AV	20.1291G	44.65	63.54	-18.89	41.76	1	Vertical	163	1.49	-	37.50	17.32	51.93			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0989G	57.10	83.54	-26.44	54.24	1	Horizontal	115	1.51	-	37.48	17.30	51.92			
AV	20.135G	43.25	63.54	-20.29	40.35	1	Horizontal	115	1.51	-	37.51	17.32	51.93			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX_ANT0
 Setting 80
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71203G	58.37	88.20	-29.83	36.58	3	Vertical	73	2.11	-	40.44	11.77	30.42			
RMS	13.71195G	46.52	68.20	-21.68	24.73	3	Vertical	73	2.11	-	40.44	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX_ANT0
 Setting 80
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71189G	56.11	88.20	-32.09	34.32	3	Horizontal	121	1.80	-	40.44	11.77	30.42			
RMS	13.71221G	45.38	68.20	-22.82	23.59	3	Horizontal	121	1.80	-	40.44	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX_ANT0
 Setting 80
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56491G	56.31	83.54	-27.23	50.56	1	Vertical	228	1.51	-	37.93	19.83	52.01			
AV	20.56503G	41.52	63.54	-22.02	35.77	1	Vertical	228	1.51	-	37.93	19.83	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT Y_1TX_ANT0
 Setting 80
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56528G	55.31	83.54	-28.23	51.88	1	Horizontal	111	1.63	-	37.93	17.51	52.01			
AV	20.564932G	40.76	63.54	-22.78	37.33	1	Horizontal	111	1.63	-	37.93	17.51	52.01			

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
 SET85
 85
 7.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	73.42	88.20	-14.78	63.99	3	Vertical	327	1.73	85	34.25	6.22	31.04			
RMS	5.925G	60.75	68.20	-7.45	51.32	3	Vertical	327	1.73	85	34.25	6.22	31.04			
PK	5.9554G	105.15	Inf	-Inf	95.67	3	Vertical	327	1.73	85	34.30	6.25	31.07			
RMS	5.958G	93.65	Inf	-Inf	84.16	3	Vertical	327	1.73	85	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
 SET 85
 86\74\80\83\84\85
 -0.95\9.24\5.01\2.98\1.35\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.51	88.20	-7.69	71.08	3	Horizontal	295	1.04	85	34.25	6.22	31.04			
RMS	5.9244G	67.88	68.20	-0.32	58.45	3	Horizontal	295	1.04	85	34.25	6.22	31.04			
PK	5.9668G	111.95	Inf	-Inf	102.45	3	Horizontal	295	1.04	85	34.30	6.27	31.07			
RMS	5.9732G	100.58	Inf	-Inf	91.09	3	Horizontal	295	1.04	85	34.30	6.27	31.08			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_Y_1TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89952G	53.44	74.00	-20.56	38.04	3	Vertical	349	1.80	85	38.80	9.06	32.46			
AV	11.89688G	41.57	54.00	-12.43	26.17	3	Vertical	349	1.80	85	38.80	9.06	32.46			
PK	17.8893G	62.66	74.00	-11.34	38.68	3	Vertical	227	1.94	-	42.77	11.46	30.25			
AV	17.90784G	49.99	54.00	-4.01	25.90	3	Vertical	227	1.94	-	42.84	11.46	30.21			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95776G	53.37	74.00	-20.63	37.89	3	Horizontal	313	1.80	85	38.86	9.08	32.46			
AV	11.96128G	41.60	54.00	-12.40	26.12	3	Horizontal	313	1.80	85	38.86	9.08	32.46			
PK	17.9088G	62.65	74.00	-11.35	38.56	3	Horizontal	133	1.76	-	42.84	11.46	30.21			
AV	17.91G	49.91	54.00	-4.09	25.81	3	Horizontal	133	1.76	-	42.85	11.46	30.21			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 85
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8567G	46.66	83.54	-36.88	39.15	1	Vertical	102	2.05	-	38.80	18.97	50.26			
AV	23.85499G	34.52	63.54	-29.02	27.01	1	Vertical	102	2.05	-	38.80	18.97	50.26			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
 Setting 85
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86093G	46.94	83.54	-36.60	39.42	1	Horizontal	287	2.70	-	38.80	18.98	50.26			
AV	23.84968G	34.56	63.54	-28.98	27.05	1	Horizontal	287	2.70	-	38.80	18.97	50.26			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40992G	53.90	74.00	-20.10	38.31	3	Vertical	163	1.80	108	38.60	9.14	32.15			
AV	12.37776G	42.05	54.00	-11.95	26.45	3	Vertical	163	1.80	108	38.64	9.13	32.17			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT Y_1TX
 SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.42712G	53.82	74.00	-20.18	38.21	3	Horizontal	173	1.80	108	38.60	9.15	32.14			
AV	12.42176G	41.87	54.00	-12.13	26.26	3	Horizontal	173	1.80	108	38.60	9.15	32.14			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX



EUT Y_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6219G	56.08	83.54	-27.46	52.16	1	Vertical	331.8	1.54	-	37.65	16.69	50.42			
AV	18.6173G	44.43	63.54	-19.11	40.51	1	Vertical	331.8	1.54	-	37.65	16.69	50.42			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5983G	56.53	83.54	-27.01	52.60	1	Horizontal	41.1	1.60	-	37.64	16.69	50.40			
AV	18.6028G	44.36	63.54	-19.18	40.43	1	Horizontal	41.1	1.60	-	37.64	16.69	50.40			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7772G	53.82	88.20	-34.38	37.71	3	Vertical	40	1.80	108	38.81	9.27	31.97			
RMS	12.79816G	41.98	68.20	-26.22	25.77	3	Vertical	40	1.80	108	38.89	9.28	31.96			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84288G	54.59	88.20	-33.61	38.24	3	Horizontal	250	2.95	108	38.99	9.30	31.94			
RMS	12.82304G	42.35	68.20	-25.85	26.06	3	Horizontal	250	2.95	108	38.95	9.29	31.95			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2036G	53.81	83.54	-29.73	50.34	1	Vertical	4.4	1.49	-	37.58	16.93	51.04			
AV	19.2233G	41.33	63.54	-22.21	37.87	1	Vertical	4.4	1.49	-	37.59	16.94	51.07			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2049G	54.52	83.54	-29.02	51.06	1	Horizontal	325.9	1.50	-	37.58	16.93	51.05			
AV	19.2077G	42.46	63.54	-21.08	38.99	1	Horizontal	325.9	1.50	-	37.58	16.94	51.05			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01704G	54.82	88.20	-33.38	37.97	3	Vertical	356	1.07	-	39.37	9.36	31.88			
RMS	13.02416G	43.29	68.20	-24.91	26.41	3	Vertical	356	1.07	-	39.40	9.36	31.88			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02248G	55.61	88.20	-32.59	38.74	3	Horizontal	19	2.92	-	39.39	9.36	31.88			
RMS	13.01432G	43.22	68.20	-24.98	26.37	3	Horizontal	19	2.92	-	39.36	9.36	31.87			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6477G	54.36	83.54	-29.18	51.15	1	Vertical	349	1.53	-	37.64	17.12	51.55			
AV	19.6576G	43.10	63.54	-20.44	39.90	1	Vertical	349	1.53	-	37.64	17.12	51.56			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.7003G	53.24	83.54	-30.30	50.08	1	Horizontal	90	1.47	-	37.62	17.14	51.60			
AV	19.6581G	42.76	63.54	-20.78	39.56	1	Horizontal	90	1.47	-	37.64	17.12	51.56			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01316G	55.44	88.20	-32.76	38.61	3	Vertical	348	2.78	-	39.35	9.35	31.87			
RMS	13.02008G	43.19	68.20	-25.01	26.33	3	Vertical	348	2.78	-	39.38	9.36	31.88			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03256G	55.71	88.20	-32.49	38.80	3	Horizontal	275	1.31	-	39.43	9.36	31.88			
RMS	13.0172G	43.38	68.20	-24.82	26.53	3	Horizontal	275	1.31	-	39.37	9.36	31.88			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0813G	53.74	83.54	-29.80	50.89	1	Vertical	34	1.44	-	37.47	17.30	51.92			
AV	20.09G	42.83	63.54	-20.71	39.98	1	Vertical	34	1.44	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0985G	54.43	83.54	-29.11	51.57	1	Horizontal	263	1.51	-	37.48	17.30	51.92			
AV	20.1036G	42.79	63.54	-20.75	39.92	1	Horizontal	263	1.51	-	37.48	17.31	51.92			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX_ANT0
 Setting 78
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69153G	55.17	88.20	-33.03	33.42	3	Vertical	37	1.80	-	40.40	11.76	30.41			
RMS	13.69142G	42.88	68.20	-25.32	21.13	3	Vertical	37	1.80	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX_ANT0
 Setting 78
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69331G	53.79	88.20	-34.41	32.04	3	Horizontal	261	1.75	-	40.40	11.76	30.41			
RMS	13.69317G	44.05	68.20	-24.15	22.30	3	Horizontal	261	1.75	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX_ANT0
 Setting 78
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.535791G	53.85	83.54	-29.69	48.22	1	Vertical	117	1.69	-	37.81	19.83	52.01			
AV	20.535785G	41.98	63.54	-21.56	36.35	1	Vertical	117	1.69	-	37.81	19.83	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT Y_1TX_ANT0
 Setting 78
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.535172G	53.33	83.54	-30.21	47.70	1	Horizontal	337	1.50	-	37.81	19.83	52.01			
AV	20.535331G	41.38	63.54	-22.16	35.75	1	Horizontal	337	1.50	-	37.81	19.83	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
 SET 86
 86
 6.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	73.43	88.20	-14.77	64.00	3	Vertical	332	1.63	86	34.25	6.22	31.04			
RMS	5.925G	62.00	68.20	-6.20	52.57	3	Vertical	332	1.63	86	34.25	6.22	31.04			
PK	6.0226G	102.90	Inf	-Inf	93.32	3	Vertical	332	1.63	86	34.39	6.30	31.11			
RMS	6.0226G	91.52	Inf	-Inf	81.94	3	Vertical	332	1.63	86	34.39	6.30	31.11			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
 SET 86
 85\97\91\88\87\86
 1.49\ -9.72\ -5.02\ -2.15\ -0.43\ 0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	79.49	88.20	-8.71	70.07	3	Horizontal	300	1.13	86	34.24	6.22	31.04			
RMS	5.9242G	67.96	68.20	-0.24	58.53	3	Horizontal	300	1.13	86	34.25	6.22	31.04			
PK	5.977G	107.83	Inf	-Inf	98.33	3	Horizontal	300	1.13	86	34.30	6.28	31.08			
RMS	5.9754G	96.21	Inf	-Inf	86.72	3	Horizontal	300	1.13	86	34.30	6.27	31.08			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	12.02296G	53.99	74.00	-20.01	38.43	3	Vertical	295	1.80	86	38.88	9.11	32.43				
AV	12.02488G	42.52	54.00	-11.48	26.96	3	Vertical	295	1.80	86	38.88	9.11	32.43				
PK	17.96625G	62.51	74.00	-11.49	37.97	3	Vertical	44	1.95	-	43.13	11.49	30.08				
AV	17.94219G	49.40	54.00	-4.60	25.04	3	Vertical	44	1.95	-	43.01	11.48	30.13				

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_Y_1TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.02072G	54.33	74.00	-19.67	38.77	3	Horizontal	330	1.80	86	38.88	9.11	32.43			
AV	12.0368G	42.50	54.00	-11.50	26.94	3	Horizontal	330	1.80	86	38.86	9.11	32.41			
PK	17.96877G	62.18	74.00	-11.82	37.62	3	Horizontal	105	1.72	-	43.14	11.49	30.07			
AV	17.96964G	49.26	54.00	-4.74	24.69	3	Horizontal	105	1.72	-	43.15	11.49	30.07			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
 Setting 86
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93787G	46.63	83.54	-36.91	39.04	1	Vertical	253	1.53	-	38.80	19.01	50.22			
AV	23.94675G	34.17	63.54	-29.37	26.57	1	Vertical	253	1.53	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
 Setting 86
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9436G	46.72	83.54	-36.82	39.13	1	Horizontal	234	2.08	-	38.80	19.01	50.22			
AV	23.92776G	34.46	63.54	-29.08	26.88	1	Horizontal	234	2.08	-	38.80	19.01	50.23			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40664G	54.24	74.00	-19.76	38.65	3	Vertical	331	1.80	108	38.60	9.14	32.15			
AV	12.4024G	42.25	54.00	-11.75	26.66	3	Vertical	331	1.80	108	38.60	9.14	32.15			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41672G	55.05	74.00	-18.95	39.44	3	Horizontal	348	1.80	108	38.60	9.15	32.14			
AV	12.41072G	42.51	54.00	-11.49	26.92	3	Horizontal	348	1.80	108	38.60	9.14	32.15			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6699G	55.06	83.54	-28.48	51.15	1	Vertical	350.4	1.48	-	37.67	16.71	50.47			
AV	18.6552G	42.95	63.54	-20.59	39.04	1	Vertical	350.4	1.48	-	37.66	16.71	50.46			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6825G	54.87	83.54	-28.67	50.96	1	Horizontal	43.5	1.50	-	37.67	16.72	50.48			
AV	18.6705G	42.67	63.54	-20.87	38.76	1	Horizontal	43.5	1.50	-	37.67	16.71	50.47			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.74728G	54.02	88.20	-34.18	38.05	3	Vertical	211	1.80	108	38.69	9.26	31.98			
RMS	12.75752G	41.91	68.20	-26.29	25.89	3	Vertical	211	1.80	108	38.73	9.27	31.98			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78984G	55.14	88.20	-33.06	38.96	3	Horizontal	214	1.80	108	38.86	9.28	31.96			
RMS	12.8076G	42.03	68.20	-26.17	25.78	3	Horizontal	214	1.80	108	38.92	9.28	31.95			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0809G	52.08	83.54	-31.46	48.57	1	Vertical	357.4	1.50	-	37.53	16.88	50.90			
AV	19.0851G	40.31	63.54	-23.23	36.80	1	Vertical	357.4	1.50	-	37.53	16.88	50.90			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1682G	52.31	83.54	-31.23	48.82	1	Horizontal	326.8	1.50	-	37.57	16.92	51.00			
AV	19.1697G	40.82	63.54	-22.72	37.33	1	Horizontal	326.8	1.50	-	37.57	16.92	51.00			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
 SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01504G	55.33	88.20	-32.87	38.48	3	Vertical	52	1.08	-	39.36	9.36	31.87			
RMS	13.04464G	43.21	68.20	-24.99	26.24	3	Vertical	52	1.08	-	39.48	9.37	31.88			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
 SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03132G	55.28	88.20	-32.92	38.37	3	Horizontal	171	1.21	-	39.43	9.36	31.88			
RMS	13.03992G	43.49	68.20	-24.71	26.55	3	Horizontal	171	1.21	-	39.46	9.36	31.88			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.01G	54.18	83.54	-29.36	51.41	1	Vertical	302	1.52	-	37.41	17.26	51.90			
AV	20.0079G	42.01	63.54	-21.53	39.24	1	Vertical	302	1.52	-	37.41	17.26	51.90			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0232G	54.63	83.54	-28.91	51.84	1	Horizontal	250	1.48	-	37.42	17.27	51.90			
AV	20.0223G	42.32	63.54	-21.22	39.53	1	Horizontal	250	1.48	-	37.42	17.27	51.90			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02728G	55.16	88.20	-33.04	38.27	3	Vertical	235	2.14	-	39.41	9.36	31.88			
RMS	13.04036G	43.17	68.20	-25.03	26.23	3	Vertical	235	2.14	-	39.46	9.36	31.88			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0356G	56.10	88.20	-32.10	39.18	3	Horizontal	5	2.76	-	39.44	9.36	31.88			
RMS	13.02356G	43.15	68.20	-25.05	26.28	3	Horizontal	5	2.76	-	39.39	9.36	31.88			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0955G	55.62	83.54	-27.92	52.76	1	Vertical	324	1.45	-	37.48	17.30	51.92			
AV	20.1126G	43.36	63.54	-20.18	40.48	1	Vertical	324	1.45	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1132G	54.89	83.54	-28.65	52.01	1	Horizontal	246	1.50	-	37.49	17.31	51.92			
AV	20.1336G	43.03	63.54	-20.51	40.13	1	Horizontal	246	1.50	-	37.51	17.32	51.93			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03272G	55.68	88.20	-32.52	38.77	3	Vertical	213	1.08	-	39.43	9.36	31.88			
RMS	13.03856G	43.38	68.20	-24.82	26.45	3	Vertical	213	1.08	-	39.45	9.36	31.88			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02116G	55.69	88.20	-32.51	38.83	3	Horizontal	288	2.05	-	39.38	9.36	31.88			
RMS	13.01444G	43.41	68.20	-24.79	26.56	3	Horizontal	288	2.05	-	39.36	9.36	31.87			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2536G	54.77	83.54	-28.77	51.75	1	Vertical	211	1.51	-	37.60	17.37	51.95			
AV	20.22G	43.25	63.54	-20.29	40.25	1	Vertical	211	1.51	-	37.58	17.36	51.94			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2392G	53.68	83.54	-29.86	50.68	1	Horizontal	204	1.49	-	37.59	17.36	51.95			
AV	20.2143G	42.65	63.54	-20.89	39.67	1	Horizontal	204	1.49	-	37.57	17.35	51.94			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	73.15	88.20	-15.05	63.74	3	Vertical	6	2.00	79	34.24	6.21	31.04			
RMS	5.911G	59.11	68.20	-9.09	49.71	3	Vertical	6	2.00	79	34.22	6.21	31.03			
PK	6.019G	100.55	Inf	-Inf	90.98	3	Vertical	6	2.00	79	34.38	6.30	31.11			
RMS	6.054G	90.86	Inf	-Inf	81.18	3	Vertical	6	2.00	79	34.50	6.30	31.12			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 98

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9205G	81.26	88.20	-6.94	71.84	3	Horizontal	295	1.05	79	34.24	6.22	31.04			
RMS	5.925G	67.83	68.20	-0.37	58.40	3	Horizontal	70	1.76	-	34.25	6.22	31.04			
PK	5.975G	105.63	Inf	-Inf	96.14	3	Horizontal	295	1.05	79	34.30	6.27	31.08			
RMS	6.059G	94.33	Inf	-Inf	84.65	3	Horizontal	295	1.05	79	34.50	6.30	31.12			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 98

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.10056G	54.48	74.00	-19.52	38.89	3	Vertical	76	1.71	79	38.90	9.04	32.35			
AV	12.10984G	44.69	54.00	-9.31	29.09	3	Vertical	76	1.71	79	38.90	9.04	32.34			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.15912G	55.29	74.00	-18.71	39.66	3	Horizontal	256	1.80	79	38.88	9.06	32.31			
AV	12.1332G	43.76	54.00	-10.24	28.13	3	Horizontal	256	1.80	79	38.90	9.05	32.32			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
 Setting 79
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0798G	57.36	83.54	-26.18	53.10	1	Vertical	353.6	1.50	-	37.50	16.47	49.71			
AV	18.0863G	47.30	63.54	-16.24	43.04	1	Vertical	353.6	1.50	-	37.50	16.48	49.72			

5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
 Setting 79
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.9904G	54.30	83.54	-29.24	49.95	1	Horizontal	46.9	1.50	-	37.48	16.44	49.57			
AV	17.9949G	43.53	63.54	-20.01	39.19	1	Horizontal	46.9	1.50	-	37.49	16.44	49.59			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX_ANT0
 SET 81
 81
 25.56

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	6.0874G	-2.56	23.00	-25.56	-24.71	3	Vertical	329	1.80	RBW 1MH	-10.27	7.70	33.01			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.34888G	54.59	74.00	-19.41	38.96	3	Vertical	279	1.58	108	38.70	9.12	32.19			
AV	12.34904G	44.29	54.00	-9.71	28.66	3	Vertical	279	1.58	108	38.70	9.12	32.19			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45512G	56.54	74.00	-17.46	40.90	3	Horizontal	334	1.80	108	38.60	9.16	32.12			
AV	12.47272G	43.87	54.00	-10.13	28.21	3	Horizontal	334	1.80	108	38.60	9.17	32.11			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.527G	55.14	83.54	-28.40	51.20	1	Vertical	353	1.50	-	37.61	16.66	50.33			
AV	18.534G	45.56	63.54	-17.98	41.62	1	Vertical	353	1.50	-	37.61	16.66	50.33			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.4254G	54.82	83.54	-28.72	50.84	1	Horizontal	316.9	1.50	-	37.57	16.61	50.20			
AV	18.4488G	45.45	63.54	-18.09	41.48	1	Horizontal	316.9	1.50	-	37.58	16.62	50.23			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53128G	54.47	74.00	-19.53	38.76	3	Vertical	8	1.80	108	38.60	9.19	32.08			
AV	12.5356G	44.03	54.00	-9.97	28.31	3	Vertical	8	1.80	108	38.60	9.19	32.07			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.61928G	54.55	74.00	-19.45	38.77	3	Horizontal	62	1.80	108	38.60	9.22	32.04			
AV	12.61432G	44.14	54.00	-9.86	28.36	3	Horizontal	62	1.80	108	38.60	9.22	32.04			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0584G	54.31	83.54	-29.23	50.79	1	Vertical	342.8	1.50	-	37.52	16.87	50.87			
AV	19.044G	43.08	63.54	-20.46	39.54	1	Vertical	342.8	1.50	-	37.52	16.87	50.85			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 108
03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0344G	50.61	83.54	-32.93	47.08	1	Horizontal	360	1.50	-	37.51	16.86	50.84			
AV	19.0308G	40.75	63.54	-22.79	37.22	1	Horizontal	360	1.50	-	37.51	16.86	50.84			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Y_1TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.03016G	55.10	88.20	-33.10	38.20	3	Vertical	304	2.42	-	39.42	9.36	31.88			
RMS	13.02548G	44.59	68.20	-23.61	27.71	3	Vertical	304	2.42	-	39.40	9.36	31.88			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04316G	55.17	88.20	-33.03	38.21	3	Horizontal	63	1.67	-	39.47	9.37	31.88			
RMS	13.04604G	44.78	68.20	-23.42	27.81	3	Horizontal	63	1.67	-	39.48	9.37	31.88			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.135G	50.08	83.54	-33.46	47.18	1	Vertical	15	1.50	-	37.51	17.32	51.93			
AV	20.1847G	39.14	63.54	-24.40	36.19	1	Vertical	15	1.50	-	37.55	17.34	51.94			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
 Setting 108
 03-E-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.226G	49.63	83.54	-33.91	46.64	1	Horizontal	344	1.45	-	37.58	17.36	51.95			
AV	20.1189G	38.96	63.54	-24.58	36.07	1	Horizontal	344	1.45	-	37.50	17.31	51.92			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
 SET93
 93
 8.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	72.62	88.20	-15.58	63.19	3	Vertical	330	1.60	93	34.25	6.22	31.04			
RMS	5.9248G	59.75	68.20	-8.45	50.32	3	Vertical	330	1.60	93	34.25	6.22	31.04			
PK	5.9584G	109.50	Inf	-Inf	100.01	3	Vertical	330	1.60	93	34.30	6.26	31.07			
RMS	5.9566G	98.30	Inf	-Inf	88.82	3	Vertical	330	1.60	93	34.30	6.25	31.07			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX



EUT_Y_2TX

SET93


80\98\89\93\95\94\82\88\91\92\93

11.24\16.53\5.34\1.39\16.36\16.61\9.46\6.03\4.07\3.23\1.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	80.19	88.20	-8.01	70.76	3	Horizontal	295	1.05	93	34.25	6.22	31.04			
RMS	5.925G	66.43	68.20	-1.77	57.00	3	Horizontal	295	1.05	93	34.25	6.22	31.04			
PK	5.9518G	117.73	Inf	-Inf	108.24	3	Horizontal	295	1.05	93	34.30	6.25	31.06			
RMS	5.9576G	106.26	Inf	-Inf	96.77	3	Horizontal	295	1.05	93	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91092G	53.58	74.00	-20.42	38.17	3	Vertical	173	1.80	93	38.81	9.06	32.46			
AV	11.90836G	41.34	54.00	-12.66	25.93	3	Vertical	173	1.80	93	38.81	9.06	32.46			
PK	17.86056G	62.58	74.00	-11.42	38.78	3	Vertical	223	1.99	-	42.68	11.44	30.32			
AV	17.87415G	49.06	54.00	-4.94	25.18	3	Vertical	223	1.99	-	42.72	11.45	30.29			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90948G	53.78	74.00	-20.22	38.37	3	Horizontal	336	1.80	93	38.81	9.06	32.46			
AV	11.91876G	41.42	54.00	-12.58	25.99	3	Horizontal	336	1.80	93	38.82	9.07	32.46			
PK	17.87004G	62.31	74.00	-11.69	38.45	3	Horizontal	74	1.69	-	42.71	11.45	30.30			
AV	17.87559G	49.05	54.00	-4.95	25.15	3	Horizontal	74	1.69	-	42.73	11.45	30.28			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
 Setting 93
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8194G	49.50	83.54	-34.04	42.01	1	Vertical	0	2.80	-	38.80	18.96	50.27			
AV	23.81559G	36.79	63.54	-26.75	29.30	1	Vertical	0	2.80	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
 Setting 93
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81958G	50.60	83.54	-32.94	43.11	1	Horizontal	216	2.08	-	38.80	18.96	50.27			
AV	23.82066G	36.55	63.54	-26.99	29.06	1	Horizontal	216	2.08	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38064G	54.49	74.00	-19.51	38.89	3	Vertical	100	2.95	108	38.64	9.13	32.17			
AV	12.39248G	41.76	54.00	-12.24	26.16	3	Vertical	100	2.95	108	38.62	9.14	32.16			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX



EUT_Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39848G	53.77	74.00	-20.23	38.18	3	Horizontal	64	2.19	108	38.60	9.14	32.15			
AV	12.38376G	42.02	54.00	-11.98	26.42	3	Horizontal	64	2.19	108	38.63	9.13	32.16			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57834G	73.01	83.54	-10.53	69.08	1	Vertical	342	1.80	-	37.63	16.68	50.38			
AV	18.57858G	59.62	63.54	-3.92	55.69	1	Vertical	342	1.80	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58182G	74.54	83.54	-9.00	70.61	1	Horizontal	356	1.78	-	37.63	16.68	50.38			
AV	18.58257G	62.92	63.54	-0.62	58.99	1	Horizontal	356	1.78	-	37.63	16.68	50.38			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84336G	53.60	88.20	-34.60	37.25	3	Vertical	281	1.40	108	38.99	9.30	31.94			
RMS	12.81296G	41.53	68.20	-26.67	25.27	3	Vertical	281	1.40	108	38.93	9.28	31.95			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8496G	53.65	88.20	-34.55	37.29	3	Horizontal	14	1.80	108	39.00	9.30	31.94			
RMS	12.811G	41.41	68.20	-26.79	25.16	3	Horizontal	14	1.80	108	38.92	9.28	31.95			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24869G	70.92	83.54	-12.62	67.47	1	Vertical	340	1.69	-	37.60	16.95	51.10			
AV	19.2459G	58.22	63.54	-5.32	54.77	1	Vertical	340	1.69	-	37.60	16.95	51.10			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24509G	66.35	83.54	-17.19	62.89	1	Horizontal	347	1.54	-	37.60	16.95	51.09			
AV	19.2429G	53.42	63.54	-10.12	49.96	1	Horizontal	347	1.54	-	37.60	16.95	51.09			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02728G	55.53	88.20	-32.67	38.64	3	Vertical	93	1.86	-	39.41	9.36	31.88			
RMS	13.0242G	43.38	68.20	-24.82	26.50	3	Vertical	93	1.86	-	39.40	9.36	31.88			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX



EUT_Y_2TX
 SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0186G	55.22	88.20	-32.98	38.37	3	Horizontal	142	1.83	-	39.37	9.36	31.88			
RMS	13.02988G	43.45	68.20	-24.75	26.55	3	Horizontal	142	1.83	-	39.42	9.36	31.88			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59774G	65.46	83.54	-18.08	62.20	1	Vertical	332	1.80	-	37.66	17.10	51.50			
AV	19.59828G	52.88	63.54	-10.66	49.62	1	Vertical	332	1.80	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59381G	63.90	83.54	-19.64	60.64	1	Horizontal	17	1.69	-	37.66	17.09	51.49			
AV	19.60287G	51.66	63.54	-11.88	48.40	1	Horizontal	17	1.69	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.03592G	55.47	88.20	-32.73	38.55	3	Vertical	14	1.29	-	39.44	9.36	31.88			
RMS	13.02124G	43.29	68.20	-24.91	26.43	3	Vertical	14	1.29	-	39.38	9.36	31.88			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02072G	55.63	88.20	-32.57	38.77	3	Horizontal	334	2.54	-	39.38	9.36	31.88			
RMS	13.04812G	43.14	68.20	-25.06	26.16	3	Horizontal	334	2.54	-	39.49	9.37	31.88			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08734G	57.88	83.54	-25.66	55.03	1	Vertical	355	1.59	-	37.47	17.30	51.92			
AV	20.08809G	45.19	63.54	-18.35	42.34	1	Vertical	355	1.59	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07987G	57.03	83.54	-26.51	54.20	1	Horizontal	350	1.74	-	37.46	17.29	51.92			
AV	20.08674G	43.88	63.54	-19.66	41.03	1	Horizontal	350	1.74	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
 Setting 51
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71318G	58.71	88.20	-29.49	36.92	3	Vertical	58	1.71	-	40.44	11.77	30.42			
RMS	13.71079G	46.42	68.20	-21.78	24.64	3	Vertical	58	1.71	-	40.43	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
 Setting 51
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71193G	55.87	88.20	-32.33	34.08	3	Horizontal	153	1.80	-	40.44	11.77	30.42			
RMS	13.71258G	44.85	68.20	-23.35	23.06	3	Horizontal	153	1.80	-	40.44	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
 Setting 51
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56161G	56.21	83.54	-27.33	50.47	1	Vertical	210	1.51	-	37.92	19.83	52.01			
AV	20.56383G	41.65	63.54	-21.89	35.90	1	Vertical	210	1.51	-	37.93	19.83	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_V_2TX
 Setting 51
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56471G	54.73	83.54	-28.81	51.30	1	Horizontal	58	1.56	-	37.93	17.51	52.01			
AV	20.56453G	41.25	63.54	-22.29	37.82	1	Horizontal	58	1.56	-	37.93	17.51	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 SET 84
 84
 8.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9236G	72.54	88.20	-15.66	63.11	3	Vertical	329	1.61	84	34.25	6.22	31.04			
RMS	5.925G	59.82	68.20	-8.38	50.39	3	Vertical	329	1.61	84	34.25	6.22	31.04			
PK	5.9504G	104.59	Inf	-Inf	95.10	3	Vertical	329	1.61	84	34.30	6.25	31.06			
RMS	5.9582G	93.22	Inf	-Inf	83.73	3	Vertical	329	1.61	84	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
 SET 84
 80\98\89\85\83\84
 3.48\13.35\4.58\0.81\1.39\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	80.37	88.20	-7.83	70.94	3	Horizontal	298	1.04	84	34.25	6.22	31.04			
RMS	5.925G	67.79	68.20	-0.41	58.36	3	Horizontal	298	1.04	84	34.25	6.22	31.04			
PK	5.9604G	113.07	Inf	-Inf	103.58	3	Horizontal	298	1.04	84	34.30	6.26	31.07			
RMS	5.9682G	101.47	Inf	-Inf	91.98	3	Horizontal	298	1.04	84	34.30	6.27	31.08			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91328G	54.37	74.00	-19.63	38.95	3	Vertical	193	1.60	84	38.81	9.07	32.46			
AV	11.91696G	42.42	54.00	-11.58	26.99	3	Vertical	193	1.60	84	38.82	9.07	32.46			
PK	17.901G	62.25	74.00	-11.75	38.22	3	Vertical	0	1.80	-	42.80	11.46	30.23			
AV	17.89254G	49.08	54.00	-4.92	25.09	3	Vertical	0	1.80	-	42.78	11.46	30.25			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93392G	54.54	74.00	-19.46	39.10	3	Horizontal	243	1.80	84	38.83	9.07	32.46			
AV	11.92536G	42.00	54.00	-12.00	26.56	3	Horizontal	243	1.80	84	38.83	9.07	32.46			
PK	17.88582G	62.17	74.00	-11.83	38.22	3	Horizontal	23	1.31	-	42.76	11.45	30.26			
AV	17.90877G	49.49	54.00	-4.51	25.40	3	Horizontal	23	1.31	-	42.84	11.46	30.21			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
 Setting 84
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8468G	47.47	83.54	-36.07	39.96	1	Vertical	86	2.39	-	38.80	18.97	50.26			
AV	23.86978G	34.62	63.54	-28.92	27.09	1	Vertical	86	2.39	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
 Setting 84
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.8654G	46.79	83.54	-36.75	39.26	1	Horizontal	302	2.75	-	38.80	18.98	50.25			
AV	23.84884G	34.48	63.54	-29.06	26.97	1	Horizontal	302	2.75	-	38.80	18.97	50.26			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43272G	54.42	74.00	-19.58	38.80	3	Vertical	264	1.05	108	38.60	9.15	32.13			
AV	12.40984G	42.37	54.00	-11.63	26.78	3	Vertical	264	1.05	108	38.60	9.14	32.15			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40184G	55.65	74.00	-18.35	40.06	3	Horizontal	13	1.80	108	38.60	9.14	32.15			
AV	12.43968G	42.44	54.00	-11.56	26.82	3	Horizontal	13	1.80	108	38.60	9.15	32.13			

5.925-6.425GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61428G	65.46	83.54	-18.08	61.53	1	Vertical	316	1.58	-	37.65	16.69	50.41			
AV	18.6147G	53.03	63.54	-10.51	49.10	1	Vertical	316	1.58	-	37.65	16.69	50.41			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6195G	72.51	83.54	-11.03	68.59	1	Horizontal	360	1.77	-	37.65	16.69	50.42			
AV	18.61965G	59.85	63.54	-3.69	55.93	1	Horizontal	360	1.77	-	37.65	16.69	50.42			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78216G	54.06	88.20	-34.14	37.93	3	Vertical	123	1.68	108	38.83	9.27	31.97			
RMS	12.83656G	42.13	68.20	-26.07	25.81	3	Vertical	123	1.68	108	38.97	9.29	31.94			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78136G	54.15	88.20	-34.05	38.02	3	Horizontal	326	1.51	108	38.83	9.27	31.97			
RMS	12.79G	41.90	68.20	-26.30	25.72	3	Horizontal	326	1.51	108	38.86	9.28	31.96			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21626G	69.38	83.54	-14.16	65.91	1	Vertical	3	1.66	-	37.59	16.94	51.06			
AV	19.21737G	57.25	63.54	-6.29	53.78	1	Vertical	3	1.66	-	37.59	16.94	51.06			

5.925-6.425GHz_802.11ax_HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.20963G	67.93	83.54	-15.61	64.46	1	Horizontal	7	1.80	-	37.58	16.94	51.05			
AV	19.21347G	55.52	63.54	-8.02	52.05	1	Horizontal	7	1.80	-	37.59	16.94	51.06			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79771G	59.83	88.20	-28.37	40.93	3	Vertical	216	2.91	-	41.00	9.63	31.73			
RMS	13.79951G	47.50	68.20	-20.70	28.60	3	Vertical	216	2.91	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.79093G	59.42	88.20	-28.78	40.53	3	Horizontal	123	2.95	-	41.00	9.63	31.74			
RMS	13.80068G	47.79	68.20	-20.41	28.89	3	Horizontal	123	2.95	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68345G	60.59	83.54	-22.95	57.41	1	Vertical	0	1.59	-	37.63	17.13	51.58			
AV	19.69185G	47.83	63.54	-15.71	44.67	1	Vertical	0	1.59	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70481G	62.03	83.54	-21.51	58.87	1	Horizontal	360	1.75	-	37.62	17.14	51.60			
AV	19.68831G	49.53	63.54	-14.01	46.37	1	Horizontal	360	1.75	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79414G	59.57	88.20	-28.63	40.68	3	Vertical	95	1.72	-	41.00	9.63	31.74			
RMS	13.78394G	47.60	68.20	-20.60	28.73	3	Vertical	95	1.72	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80032G	59.38	88.20	-28.82	40.48	3	Horizontal	174	1.21	-	41.00	9.63	31.73			
RMS	13.78925G	47.37	68.20	-20.83	28.48	3	Horizontal	174	1.21	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05347G	55.85	83.54	-27.69	53.04	1	Vertical	24	1.69	-	37.44	17.28	51.91			
AV	20.0508G	42.93	63.54	-20.61	40.12	1	Vertical	24	1.69	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
 Setting 108
 01-U-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04489G	54.82	83.54	-28.72	52.01	1	Horizontal	359	1.67	-	37.44	17.28	51.91			
AV	20.04249G	41.96	63.54	-21.58	39.16	1	Horizontal	359	1.67	-	37.43	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
 Setting 50
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69441G	54.89	88.20	-33.31	33.14	3	Vertical	53	1.50	-	40.40	11.76	30.41			
RMS	13.69386G	42.65	68.20	-25.55	20.90	3	Vertical	53	1.50	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
 Setting 50
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69358G	53.31	88.20	-34.89	31.56	3	Horizontal	231	1.58	-	40.40	11.76	30.41			
RMS	13.69367G	44.21	68.20	-23.99	22.46	3	Horizontal	231	1.58	-	40.40	11.76	30.41			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
 Setting 50
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.535361G	53.42	83.54	-30.12	47.79	1	Vertical	132	1.63	-	37.81	19.83	52.01			
AV	20.535583G	41.31	63.54	-22.23	35.68	1	Vertical	132	1.63	-	37.81	19.83	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_V_2TX
 Setting 50
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53472G	53.71	83.54	-29.83	48.08	1	Horizontal	302	1.50	-	37.81	19.83	52.01			
AV	20.53496G	41.51	63.54	-22.03	35.88	1	Horizontal	302	1.50	-	37.81	19.83	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 SET 82
 82
 6.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	70.98	88.20	-17.22	61.56	3	Vertical	329	1.66	82	34.24	6.22	31.04			
RMS	5.9218G	61.28	68.20	-6.92	51.86	3	Vertical	329	1.66	82	34.24	6.22	31.04			
PK	6.015G	101.30	Inf	-Inf	91.74	3	Vertical	329	1.66	82	34.36	6.30	31.10			
RMS	6.0138G	90.60	Inf	-Inf	81.04	3	Vertical	329	1.66	82	34.36	6.30	31.10			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
 SET 82
 80\92\86\83\82
 1.83\ -9.31\ -3.93\ -1.07\ 0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9206G	79.10	88.20	-9.10	69.68	3	Horizontal	294	1.00	82	34.24	6.22	31.04			
RMS	5.925G	68.01	68.20	-0.19	58.58	3	Horizontal	294	1.00	82	34.25	6.22	31.04			
PK	5.9674G	109.55	Inf	-Inf	100.06	3	Horizontal	294	1.00	82	34.30	6.27	31.08			
RMS	5.9962G	99.01	Inf	-Inf	89.51	3	Horizontal	294	1.00	82	34.30	6.30	31.10			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0164G	54.86	74.00	-19.14	39.30	3	Vertical	311	1.80	82	38.88	9.11	32.43			
AV	12.04184G	43.84	54.00	-10.16	28.27	3	Vertical	311	1.80	82	38.86	9.12	32.41			
PK	17.96289G	62.36	74.00	-11.64	37.84	3	Vertical	109	1.55	-	43.11	11.49	30.08			
AV	17.96565G	49.58	54.00	-4.42	25.04	3	Vertical	109	1.55	-	43.13	11.49	30.08			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97032G	54.61	74.00	-19.39	39.10	3	Horizontal	196	1.80	82	38.87	9.09	32.45			
AV	11.966G	43.45	54.00	-10.55	27.94	3	Horizontal	196	1.80	82	38.87	9.09	32.45			
PK	17.96805G	62.96	74.00	-11.04	38.40	3	Horizontal	85	1.62	-	43.14	11.49	30.07			
AV	17.96826G	49.74	54.00	-4.26	25.18	3	Horizontal	85	1.62	-	43.14	11.49	30.07			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
 SET 82
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93439G	47.05	83.54	-36.49	39.47	1	Vertical	331	1.50	-	38.80	19.01	50.23			
AV	23.93181G	35.58	63.54	-27.96	28.00	1	Vertical	331	1.50	-	38.80	19.01	50.23			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
 SET 82
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94819G	47.16	83.54	-36.38	39.56	1	Horizontal	18	1.50	-	38.80	19.02	50.22			
AV	23.94G	35.91	63.54	-27.63	28.32	1	Horizontal	18	1.50	-	38.80	19.01	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5276G	54.50	74.00	-19.50	38.80	3	Vertical	153	2.28	108	38.60	9.18	32.08			
AV	12.52032G	44.18	54.00	-9.82	28.48	3	Vertical	153	2.28	108	38.60	9.18	32.08			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43592G	54.45	74.00	-19.55	38.83	3	Horizontal	144	1.40	108	38.60	9.15	32.13			
AV	12.46984G	44.42	54.00	-9.58	28.77	3	Horizontal	144	1.40	108	38.60	9.16	32.11			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT Y_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67296G	53.43	83.54	-30.11	49.51	1	Vertical	355	1.93	-	37.67	16.72	50.47			
AV	18.66552G	41.91	63.54	-21.63	38.00	1	Vertical	355	1.93	-	37.67	16.71	50.47			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67749G	46.13	83.54	-37.41	42.22	1	Horizontal	0	1.44	-	37.67	16.72	50.48			
AV	18.66348G	34.68	63.54	-28.86	30.76	1	Horizontal	0	1.44	-	37.67	16.71	50.46			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82296G	54.61	88.20	-33.59	38.32	3	Vertical	70	1.80	108	38.95	9.29	31.95			
RMS	12.77144G	43.78	68.20	-24.42	27.69	3	Vertical	70	1.80	108	38.79	9.27	31.97			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.79544G	53.80	88.20	-34.40	37.60	3	Horizontal	353	1.96	108	38.88	9.28	31.96			
RMS	12.83496G	43.47	68.20	-24.73	27.15	3	Horizontal	353	1.96	108	38.97	9.29	31.94			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16721G	46.71	83.54	-36.83	43.22	1	Vertical	10	1.50	-	37.57	16.92	51.00			
AV	19.14399G	35.63	63.54	-27.91	32.13	1	Vertical	10	1.50	-	37.56	16.91	50.97			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14138G	45.78	83.54	-37.76	42.28	1	Horizontal	13	2.77	-	37.56	16.91	50.97			
AV	19.15545G	34.64	63.54	-28.90	31.16	1	Horizontal	13	2.77	-	37.56	16.91	50.99			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.79234G	59.73	88.20	-28.47	40.84	3	Vertical	201	1.02	-	41.00	9.63	31.74			
RMS	13.77653G	48.66	68.20	-19.54	29.79	3	Vertical	201	1.02	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78424G	60.27	88.20	-27.93	41.40	3	Horizontal	282	1.30	-	41.00	9.62	31.75			
RMS	13.78547G	49.11	68.20	-19.09	30.24	3	Horizontal	282	1.30	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.85238G	49.21	83.54	-34.33	46.24	1	Vertical	338	1.58	-	37.52	17.20	51.75			
AV	19.8624G	39.32	63.54	-24.22	36.37	1	Vertical	338	1.58	-	37.51	17.20	51.76			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.85178G	49.17	83.54	-34.37	46.20	1	Horizontal	352	1.36	-	37.52	17.20	51.75			
AV	19.86222G	38.96	63.54	-24.58	36.01	1	Horizontal	352	1.36	-	37.51	17.20	51.76			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78544G	59.66	88.20	-28.54	40.79	3	Vertical	94	2.90	-	41.00	9.62	31.75			
RMS	13.79888G	49.52	68.20	-18.68	30.62	3	Vertical	94	2.90	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78721G	59.50	88.20	-28.70	40.61	3	Horizontal	136	2.55	-	41.00	9.63	31.74			
RMS	13.78994G	49.18	68.20	-19.02	30.29	3	Horizontal	136	2.55	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8T

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.13708G	46.72	83.54	-36.82	43.82	1	Vertical	19	1.50	-	37.51	17.32	51.93			
AV	20.14494G	35.90	63.54	-27.64	32.99	1	Vertical	19	1.50	-	37.52	17.32	51.93			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.13858G	46.31	83.54	-37.23	43.41	1	Horizontal	244	2.75	-	37.51	17.32	51.93			
AV	20.14338G	35.97	63.54	-27.57	33.07	1	Horizontal	244	2.75	-	37.51	17.32	51.93			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7831G	60.01	88.20	-28.19	41.14	3	Vertical	217	1.69	-	41.00	9.62	31.75			
RMS	13.78571G	48.83	68.20	-19.37	29.96	3	Vertical	217	1.69	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78271G	59.47	88.20	-28.73	40.60	3	Horizontal	360	1.30	-	41.00	9.62	31.75			
RMS	13.77788G	49.19	68.20	-19.01	30.32	3	Horizontal	360	1.30	-	41.00	9.62	31.75			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34108G	45.75	83.54	-37.79	42.67	1	Vertical	347	2.39	-	37.64	17.41	51.97			
AV	20.33718G	35.08	63.54	-28.46	32.01	1	Vertical	347	2.39	-	37.63	17.41	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34342G	45.55	83.54	-37.99	42.47	1	Horizontal	323	2.25	-	37.64	17.41	51.97			
AV	20.33598G	34.95	63.54	-28.59	31.88	1	Horizontal	323	2.25	-	37.63	17.41	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 SET 78
 78
 8.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9175G	73.82	88.20	-14.38	64.41	3	Vertical	5	2.00	78	34.24	6.21	31.04			
RMS	5.9215G	59.76	68.20	-8.44	50.34	3	Vertical	5	2.00	78	34.24	6.22	31.04			
PK	6.052G	102.05	Inf	-Inf	92.37	3	Vertical	5	2.00	78	34.50	6.30	31.12			
RMS	6.053G	91.44	Inf	-Inf	81.76	3	Vertical	5	2.00	78	34.50	6.30	31.12			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
 SET 78
 80\68\74\77\78
 -1.18\9.04\3.47\1.02\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.92G	85.51	88.20	-2.69	76.09	3	Horizontal	295	1.01	78	34.24	6.22	31.04			
RMS	5.9195G	67.79	68.20	-0.41	58.37	3	Horizontal	295	1.01	78	34.24	6.22	31.04			
PK	6.038G	106.93	Inf	-Inf	97.29	3	Horizontal	295	1.01	78	34.45	6.30	31.11			
RMS	6.05G	95.77	Inf	-Inf	86.09	3	Horizontal	295	1.01	78	34.50	6.30	31.12			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.02792G	53.75	74.00	-20.25	37.94	3	Vertical	44	2.04	78	39.19	9.01	32.39			
AV	12.0278G	43.10	54.00	-10.90	27.29	3	Vertical	44	2.04	78	39.19	9.01	32.39			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.99848G	55.06	74.00	-18.94	39.17	3	Horizontal	235	1.80	78	39.30	9.00	32.41			
AV	11.99816G	43.77	54.00	-10.23	27.88	3	Horizontal	235	1.80	78	39.30	9.00	32.41			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
 SET 78
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0672G	45.21	83.54	-38.33	40.93	1	Vertical	223	1.08	-	37.50	16.47	49.69			
AV	18.06936G	34.73	63.54	-28.81	30.46	1	Vertical	223	1.08	-	37.50	16.47	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
 SET 78
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.04626G	45.02	83.54	-38.52	40.72	1	Horizontal	96	2.07	-	37.50	16.46	49.66			
AV	18.06786G	35.09	63.54	-28.45	30.82	1	Horizontal	96	2.07	-	37.50	16.47	49.70			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.34024G	54.46	74.00	-19.54	38.83	3	Vertical	1	1.80	108	38.70	9.12	32.19			
AV	12.34112G	43.40	54.00	-10.60	27.77	3	Vertical	1	1.80	108	38.70	9.12	32.19			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40584G	54.54	74.00	-19.46	38.95	3	Horizontal	116	1.80	108	38.60	9.14	32.15			
AV	12.40648G	43.63	54.00	-10.37	28.04	3	Horizontal	116	1.80	108	38.60	9.14	32.15			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.525G	57.18	83.54	-26.36	53.23	1	Vertical	355	1.71	-	37.61	16.66	50.32			
AV	18.54474G	46.42	63.54	-17.12	42.48	1	Vertical	355	1.71	-	37.62	16.66	50.34			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.52506G	56.64	83.54	-26.90	52.70	1	Horizontal	11	2.61	-	37.61	16.66	50.33			
AV	18.54474G	46.38	63.54	-17.16	42.44	1	Horizontal	11	2.61	-	37.62	16.66	50.34			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.60232G	54.16	74.00	-19.84	38.39	3	Vertical	60	1.80	108	38.60	9.21	32.04			
AV	12.60384G	43.17	54.00	-10.83	27.40	3	Vertical	60	1.80	108	38.60	9.21	32.04			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.57096G	53.95	74.00	-20.05	38.21	3	Horizontal	-0	1.80	108	38.60	9.20	32.06			
AV	12.54952G	43.88	54.00	-10.12	28.16	3	Horizontal	-0	1.80	108	38.60	9.19	32.07			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.005G	51.53	83.54	-32.01	47.99	1	Vertical	353	1.50	-	37.50	16.85	50.81			
AV	19.00512G	41.22	63.54	-22.32	37.68	1	Vertical	353	1.50	-	37.50	16.85	50.81			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.06368G	45.51	83.54	-38.03	41.98	1	Horizontal	123	2.23	-	37.53	16.88	50.88			
AV	19.05354G	35.11	63.54	-28.43	31.58	1	Horizontal	123	2.23	-	37.52	16.87	50.86			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80248G	59.33	88.20	-28.87	40.43	3	Vertical	98	1.26	-	41.00	9.63	31.73			
RMS	13.79231G	48.92	68.20	-19.28	30.03	3	Vertical	98	1.26	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80176G	59.64	88.20	-28.56	40.74	3	Horizontal	334	2.12	-	41.00	9.63	31.73			
RMS	13.80284G	49.18	68.20	-19.02	30.27	3	Horizontal	334	2.12	-	41.01	9.63	31.73			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99764G	47.47	83.54	-36.07	44.71	1	Vertical	9	1.89	-	37.40	17.26	51.90			
AV	19.96758G	37.75	63.54	-25.79	34.94	1	Vertical	9	1.89	-	37.43	17.25	51.87			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.97862G	46.92	83.54	-36.62	44.13	1	Horizontal	28	2.01	-	37.42	17.25	51.88			
AV	19.96764G	36.86	63.54	-26.68	34.05	1	Horizontal	28	2.01	-	37.43	17.25	51.87			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 SET 91
 80\98\89\93\91
 8.56\18.82\2.24\12.81\0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	83.98	88.20	-4.22	74.55	3	Vertical	143	2.50	91	34.25	6.22	31.04			
RMS	5.9238G	68.12	68.20	-0.08	58.69	3	Vertical	143	2.50	91	34.25	6.22	31.04			
PK	5.9592G	125.28	Inf	-Inf	115.79	3	Vertical	143	2.50	91	34.30	6.26	31.07			
RMS	5.954G	112.20	Inf	-Inf	102.72	3	Vertical	143	2.50	91	34.30	6.25	31.07			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 SET 91
 91
 9.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9228G	71.82	88.20	-16.38	62.39	3	Horizontal	36	1.80	91	34.25	6.22	31.04			
RMS	5.9226G	58.35	68.20	-9.85	48.92	3	Horizontal	36	1.80	91	34.25	6.22	31.04			
PK	5.9576G	114.03	Inf	-Inf	104.54	3	Horizontal	36	1.80	91	34.30	6.26	31.07			
RMS	5.9576G	101.46	Inf	-Inf	91.97	3	Horizontal	36	1.80	91	34.30	6.26	31.07			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89028G	53.68	74.00	-20.32	38.29	3	Vertical	286	1.80	91	38.80	9.06	32.47			
AV	11.8976G	40.00	54.00	-14.00	24.60	3	Vertical	286	1.80	91	38.80	9.06	32.46			
PK	17.8533G	61.09	74.00	-12.91	37.32	3	Vertical	183	1.52	-	42.66	11.44	30.33			
AV	17.87505G	48.44	54.00	-5.56	24.54	3	Vertical	183	1.52	-	42.73	11.45	30.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.8908G	53.39	74.00	-20.61	38.00	3	Horizontal	113	2.94	91	38.80	9.06	32.47			
AV	11.89232G	40.04	54.00	-13.96	24.65	3	Horizontal	113	2.94	91	38.80	9.06	32.47			
PK	17.87835G	61.49	74.00	-12.51	37.58	3	Horizontal	122	1.38	-	42.74	11.45	30.28			
AV	17.87529G	48.44	54.00	-5.56	24.54	3	Horizontal	122	1.38	-	42.73	11.45	30.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 SET 91
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81424G	46.84	83.54	-36.70	39.35	1	Vertical	260	1.50	-	38.80	18.96	50.27			
AV	23.8179G	32.82	63.54	-30.72	25.33	1	Vertical	260	1.50	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
 SET 91
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83194G	46.93	83.54	-36.61	39.44	1	Horizontal	43	2.60	-	38.80	18.96	50.27			
AV	23.81436G	32.80	63.54	-30.74	25.31	1	Horizontal	43	2.60	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
 SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38508G	53.54	74.00	-20.46	37.94	3	Vertical	95	1.80	108	38.63	9.13	32.16			
AV	12.37104G	40.44	54.00	-13.56	24.82	3	Vertical	95	1.80	108	38.66	9.13	32.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37984G	54.25	74.00	-19.75	38.65	3	Horizontal	1	1.80	108	38.64	9.13	32.17			
AV	12.37136G	40.35	54.00	-13.65	24.73	3	Horizontal	1	1.80	108	38.66	9.13	32.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58539G	66.40	83.54	-17.14	62.48	1	Vertical	183	1.83	-	37.63	16.68	50.39			
AV	18.5853G	52.32	63.54	-11.22	48.40	1	Vertical	183	1.83	-	37.63	16.68	50.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58647G	66.83	83.54	-16.71	62.91	1	Horizontal	195	1.75	-	37.63	16.68	50.39			
AV	18.58623G	52.02	63.54	-11.52	48.10	1	Horizontal	195	1.75	-	37.63	16.68	50.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82536G	53.57	88.20	-34.63	37.28	3	Vertical	360	1.80	108	38.95	9.29	31.95			
RMS	12.8452G	40.14	68.20	-28.06	23.79	3	Vertical	360	1.80	108	38.99	9.30	31.94			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84128G	53.55	88.20	-34.65	37.22	3	Horizontal	75	1.10	108	38.98	9.29	31.94			
RMS	12.84268G	40.17	68.20	-28.03	23.83	3	Horizontal	75	1.10	108	38.99	9.29	31.94			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24617G	65.44	83.54	-18.10	61.99	1	Vertical	298	2.28	-	37.60	16.95	51.10			
AV	19.24569G	52.08	63.54	-11.46	48.62	1	Vertical	298	2.28	-	37.60	16.95	51.09			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25058G	66.35	83.54	-17.19	62.90	1	Horizontal	202	1.74	-	37.60	16.95	51.10			
AV	19.24563G	52.03	63.54	-11.51	48.57	1	Horizontal	202	1.74	-	37.60	16.95	51.09			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78706G	59.85	88.20	-28.35	40.96	3	Vertical	100	2.86	-	41.00	9.63	31.74			
RMS	13.79534G	46.00	68.20	-22.20	27.11	3	Vertical	100	2.86	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.77851G	59.82	88.20	-28.38	40.95	3	Horizontal	242	2.98	-	41.00	9.62	31.75			
RMS	13.79462G	46.02	68.20	-22.18	27.13	3	Horizontal	242	2.98	-	41.00	9.63	31.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59921G	59.50	83.54	-24.04	56.24	1	Vertical	190	1.62	-	37.66	17.10	51.50			
AV	19.60395G	45.44	63.54	-18.10	42.18	1	Vertical	190	1.62	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60896G	59.15	83.54	-24.39	55.90	1	Horizontal	59	1.37	-	37.66	17.10	51.51			
AV	19.60386G	45.46	63.54	-18.08	42.20	1	Horizontal	59	1.37	-	37.66	17.10	51.50			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.78631G	59.61	88.20	-28.59	40.73	3	Vertical	332	2.55	-	41.00	9.63	31.75			
RMS	13.79705G	45.98	68.20	-22.22	27.08	3	Vertical	332	2.55	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.78442G	59.99	88.20	-28.21	41.12	3	Horizontal	249	2.53	-	41.00	9.62	31.75			
RMS	13.79699G	45.99	68.20	-22.21	27.09	3	Horizontal	249	2.53	-	41.00	9.63	31.73			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08302G	56.33	83.54	-27.21	53.48	1	Vertical	202	1.62	-	37.47	17.30	51.92			
AV	20.08281G	42.51	63.54	-21.03	39.66	1	Vertical	202	1.62	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Z_4TX
 SET 108
 01-U-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07783G	55.57	83.54	-27.97	52.74	1	Horizontal	353	2.93	-	37.46	17.29	51.92			
AV	20.08278G	42.50	63.54	-21.04	39.65	1	Horizontal	353	2.93	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71295G	56.32	88.20	-31.88	34.53	3	Vertical	68	1.52	-	40.44	11.77	30.42			
RMS	13.71238G	44.79	68.20	-23.41	23.00	3	Vertical	68	1.52	-	40.44	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71158G	55.18	88.20	-33.02	33.40	3	Horizontal	161	1.80	-	40.43	11.77	30.42			
RMS	13.71136G	44.41	68.20	-23.79	22.63	3	Horizontal	161	1.80	-	40.43	11.77	30.42			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56571G	56.72	83.54	-26.82	50.97	1	Vertical	102	1.80	-	37.93	19.83	52.01			
AV	20.56513G	41.17	63.54	-22.37	35.42	1	Vertical	102	1.80	-	37.93	19.83	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Z_4TX
 Setting 39
 01-H-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56259G	54.38	83.54	-29.16	50.96	1	Horizontal	96	1.53	-	37.93	17.50	52.01			
AV	20.56277G	41.05	63.54	-22.49	37.63	1	Horizontal	96	1.53	-	37.93	17.50	52.01			

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5965MHz_TX



EUT_Z_4TX
 SET 77
 80\62\71\75\77\78\77
 -2.98\5.54\3.44\2.44\0.90\0.48\0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	81.84	88.20	-6.36	72.42	3	Vertical	41	1.76	77	34.24	6.22	31.04			
RMS	5.9222G	67.51	68.20	-0.69	58.09	3	Vertical	41	1.76	77	34.24	6.22	31.04			
PK	5.9668G	119.05	Inf	-Inf	109.55	3	Vertical	41	1.76	77	34.30	6.27	31.07			
RMS	5.9672G	106.87	Inf	-Inf	97.38	3	Vertical	41	1.76	77	34.30	6.27	31.08			