



5.25-5.35GHz_802.11be EHT40_Nss4_(MCS0)_4TX

EBW

5270MHz

26/09/2025





5.25-5.35GHz_802.11be EHT40_Nss4_(MCS0)_4TX

EBW

5310MHz

26/09/2025




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5510MHz

26/09/2025




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5550MHz

26/09/2025




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5670MHz

26/09/2025




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW


5710MHz Straddle 5.47-5.725GHz

26/09/2025




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX
EBW
5710MHz Straddle 5.725-5.85GHz

26/09/2025


5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX
EBW
5710MHz Straddle 5.725-5.85GHz

26/09/2025





5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5290MHz

26/09/2025





5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5530MHz

26/09/2025




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5610MHz

26/09/2025




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5690MHz Straddle 5.47-5.725GHz

26/09/2025




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5690MHz Straddle 5.725-5.85GHz

26/09/2025




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5690MHz Straddle 5.725-5.85GHz

26/09/2025




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

27/09/2025




5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

27/09/2025




5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5570MHz

27/09/2025



Test Mode: Mode 4

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	81.36M	77.316M	77M3D1D	81.36M	77.316M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	81.76M	77.169M	77M2D1D	81.76M	77.169M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.36M	77.316M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.76M	77.169M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.15-5.25GHz

27/09/2025


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.25-5.35GHz

27/09/2025



Test Mode: Mode 5**Summary**

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	80.4M	77.255M	77M3D1D	80.08M	77.128M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	80M	77.292M	77M3D1D	79.92M	77.167M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.4M	77.255M	80.08M	77.128M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	79.92M	77.292M	80M	77.167M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz 802.11be EHT160_Nss2,(MCS0)_2TX
EBW
5250MHz Straddle 5.15-5.25GHz

27/09/2025


5.25-5.35GHz 802.11be EHT160_Nss2,(MCS0)_2TX
EBW
5250MHz Straddle 5.25-5.35GHz

27/09/2025



Test Mode: Mode 6

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	80.24M	77.401M	77M4D1D	79.6M	77.161M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	79.52M	77.241M	77M2D1D	79.44M	77.001M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	79.68M	77.401M	80.24M	77.161M	79.6M	77.321M	79.68M	77.321M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	79.52M	77.161M	79.44M	77.241M	79.52M	77.001M	79.44M	77.241M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band


Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

14/10/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

14/10/2025



Test Mode: Mode 7

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss4,(MCS0)_4TX	80.24M	77.443M	77M4D1D	80M	76.945M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss4,(MCS0)_4TX	82.72M	77.412M	77M4D1D	80.08M	76.976M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.24M	77.205M	80.16M	77.242M	80M	76.945M	80M	77.443M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.6M	77.412M	80.24M	77.371M	82.72M	77.175M	80.08M	76.976M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band



Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

27/09/2025





5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

27/09/2025



Test Mode: Mode 8

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	81.36M	77.316M	77M3D1D	81.36M	77.316M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	81.76M	77.169M	77M2D1D	81.76M	77.169M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.36M	77.316M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.76M	77.169M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.15-5.25GHz

27/09/2025


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.25-5.35GHz

27/09/2025



Test Mode: Mode 9

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	80.4M	77.255M	77M3D1D	80.08M	77.128M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	80M	77.292M	77M3D1D	79.92M	77.167M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.4M	77.255M	80.08M	77.128M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	79.92M	77.292M	80M	77.167M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz 802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

27/09/2025




5.25-5.35GHz 802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

27/09/2025



Test Mode: Mode 10

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	80.4M	77.364M	77M4D1D	80M	76.822M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	81.2M	77.431M	77M4D1D	79.92M	76.959M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT160_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.32M	76.822M	80M	77.315M	80.08M	77.051M	80.4M	77.364M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	80.08M	77.199M	81.2M	76.959M	79.92M	77.431M	80.96M	77.406M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band


Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

27/09/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

27/09/2025



Test Mode: Mode 11

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss4,(MCS0)_4TX	80.24M	77.443M	77M4D1D	80M	76.945M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss4,(MCS0)_4TX	82.72M	77.412M	77M4D1D	80.08M	76.976M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.24M	77.205M	80.16M	77.242M	80M	76.945M	80M	77.443M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.6M	77.412M	80.24M	77.371M	82.72M	77.175M	80.08M	76.976M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band


Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

27/09/2025




5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

27/09/2025



Test Mode: Mode 12
Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	79.92M	77.188M	77M2D1D	79.92M	77.188M
802.11be EHT160_Nss2,(MCS0)_2TX	80.08M	77.289M	77M3D1D	80.08M	77.194M
802.11be EHT160_Nss1,(MCS0)_4TX	80.96M	77.211M	77M2D1D	80M	76.916M
802.11be EHT160_Nss4,(MCS0)_4TX	80.4M	77.421M	77M4D1D	80M	76.956M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	37.95M	17.339M	17M3D1D	20.735M	17.071M
802.11a_Nss1,(6Mbps)_2TX	25.135M	17.215M	17M2D1D	19.965M	16.446M
802.11a_Nss1,(6Mbps)_4TX	21.175M	17.233M	17M2D1D	19.965M	16.497M
802.11be EHT20_Nss1,(MCS0)_1TX	37.07M	19.348M	19M3D1D	22.275M	19.049M
802.11be EHT20_Nss2,(MCS0)_2TX	36.19M	19.247M	19M2D1D	21.45M	19.038M
802.11be EHT20_Nss1,(MCS0)_4TX	24.365M	19.155M	19M2D1D	20.955M	18.953M
802.11be EHT20_Nss4,(MCS0)_4TX	24.75M	19.224M	19M2D1D	20.9M	19.022M
802.11be EHT40_Nss1,(MCS0)_1TX	76.34M	38.317M	38M3D1D	42.13M	37.835M
802.11be EHT40_Nss2,(MCS0)_2TX	54.45M	38.072M	38M1D1D	40.7M	37.827M
802.11be EHT40_Nss1,(MCS0)_4TX	47.85M	37.94M	37M9D1D	40.04M	37.676M
802.11be EHT40_Nss4,(MCS0)_4TX	50.93M	37.916M	37M9D1D	39.93M	37.531M
802.11be EHT80_Nss1,(MCS0)_1TX	96.8M	77.143M	77M1D1D	96.8M	77.143M
802.11be EHT80_Nss2,(MCS0)_2TX	84.7M	77.532M	77M5D1D	84.26M	77.089M
802.11be EHT80_Nss1,(MCS0)_4TX	85.14M	77.476M	77M5D1D	81.4M	77.268M
802.11be EHT80_Nss4,(MCS0)_4TX	86.02M	77.487M	77M5D1D	81.84M	77.152M
802.11be EHT160_Nss1,(MCS0)_1TX	85.52M	77.352M	77M4D1D	85.52M	77.352M
802.11be EHT160_Nss2,(MCS0)_2TX	81.04M	77.037M	77M0D1D	80M	76.973M
802.11be EHT160_Nss1,(MCS0)_4TX	81.2M	77.426M	77M4D1D	80.08M	77.045M
802.11be EHT160_Nss4,(MCS0)_4TX	81.28M	77.407M	77M4D1D	80.08M	76.876M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	36.74M	17.31M	17M3D1D	20.185M	14.195M
802.11a_Nss1,(6Mbps)_2TX	21.56M	16.814M	16M8D1D	18.795M	13.474M
802.11a_Nss1,(6Mbps)_4TX	21.23M	16.763M	16M8D1D	15.225M	13.314M
802.11be EHT20_Nss1,(MCS0)_1TX	36.63M	19.57M	19M6D1D	20.9M	14.864M
802.11be EHT20_Nss2,(MCS0)_2TX	30.855M	19.265M	19M3D1D	20.58M	14.579M
802.11be EHT20_Nss1,(MCS0)_4TX	22.825M	19.119M	19M1D1D	15.315M	14.548M
802.11be EHT20_Nss4,(MCS0)_4TX	23.485M	19.183M	19M2D1D	15.57M	14.529M
802.11be EHT40_Nss1,(MCS0)_1TX	52.045M	38.076M	38M1D1D	40.15M	33.971M
802.11be EHT40_Nss2,(MCS0)_2TX	66.99M	38.131M	38M1D1D	40.04M	34.284M
802.11be EHT40_Nss1,(MCS0)_4TX	42.13M	37.921M	37M9D1D	35M	33.637M
802.11be EHT40_Nss4,(MCS0)_4TX	58.19M	37.985M	38M0D1D	40.15M	33.851M
802.11be EHT80_Nss1,(MCS0)_1TX	118.36M	77.523M	77M5D1D	87.34M	73.869M
802.11be EHT80_Nss2,(MCS0)_2TX	103.425M	77.457M	77M5D1D	81.62M	73.379M
802.11be EHT80_Nss1,(MCS0)_4TX	96.675M	77.366M	77M4D1D	75.675M	72.854M
802.11be EHT80_Nss4,(MCS0)_4TX	96.075M	77.663M	77M7D1D	75.225M	73.016M
802.11be EHT160_Nss1,(MCS0)_1TX	163.68M	156.236M	156MD1D	163.68M	156.236M
802.11be EHT160_Nss2,(MCS0)_2TX	162.8M	156.787M	157MD1D	161.92M	156.15M
802.11be EHT160_Nss1,(MCS0)_4TX	162.8M	157.095M	157MD1D	161.92M	156.237M
802.11be EHT160_Nss4,(MCS0)_4TX	162.8M	156.924M	157MD1D	161.92M	155.968M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	3.24M	10.903M	10M9D1D	3.24M	10.903M
802.11a_Nss1,(6Mbps)_2TX	3.22M	10.317M	10M3D1D	3.12M	8.749M
802.11a_Nss1,(6Mbps)_4TX	3.22M	4.236M	4M24D1D	3.1M	3.545M
802.11be EHT20_Nss1,(MCS0)_1TX	4.46M	11.665M	11M7D1D	4.46M	11.665M
802.11be EHT20_Nss2,(MCS0)_2TX	4.56M	10.074M	10M1D1D	4.44M	8.357M
802.11be EHT20_Nss1,(MCS0)_4TX	4.44M	4.585M	4M59D1D	4.16M	4.559M
802.11be EHT20_Nss4,(MCS0)_4TX	4.5M	4.968M	4M97D1D	4M	4.667M
802.11be EHT40_Nss1,(MCS0)_1TX	4.02M	22.563M	22M6D1D	4.02M	22.563M

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
802.11be EHT40_Nss2,(MCS0)_2TX	3.94M	26.881M	26M9D1D	3.82M	25.885M
802.11be EHT40_Nss1,(MCS0)_4TX	4.06M	13.905M	13M9D1D	3.34M	12.152M
802.11be EHT40_Nss4,(MCS0)_4TX	4.04M	18.355M	18M4D1D	3.76M	14.506M
802.11be EHT80_Nss1,(MCS0)_1TX	3.38M	35.287M	35M3D1D	3.38M	35.287M
802.11be EHT80_Nss2,(MCS0)_2TX	4M	35.069M	35M1D1D	3.7M	34.886M
802.11be EHT80_Nss1,(MCS0)_4TX	3.98M	25.056M	25M1D1D	3.16M	15.683M
802.11be EHT80_Nss4,(MCS0)_4TX	3.72M	26.969M	27M0D1D	3.54M	10.972M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	25.795M	17.339M						
5300MHz	Pass	Inf	37.95M	17.221M						
5320MHz	Pass	Inf	20.735M	17.071M						
5500MHz	Pass	Inf	21.56M	16.783M						
5580MHz	Pass	Inf	36.74M	17.31M						
5700MHz	Pass	Inf	20.185M	16.633M						
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	22.515M	14.195M						
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.24M	10.903M						
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	37.07M	19.348M						
5300MHz	Pass	Inf	28.16M	19.225M						
5320MHz	Pass	Inf	22.275M	19.049M						
5500MHz	Pass	Inf	21.725M	19.017M						
5580MHz	Pass	Inf	36.63M	19.57M						
5700MHz	Pass	Inf	20.9M	19.019M						
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	21.075M	14.864M						
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.46M	11.665M						
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	Inf	76.34M	38.317M						
5310MHz	Pass	Inf	42.13M	37.835M						
5510MHz	Pass	Inf	49.94M	37.97M						
5550MHz	Pass	Inf	50.6M	38.076M						
5670MHz	Pass	Inf	40.15M	38.054M						
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	52.045M	33.971M						
5710MHz Straddle 5.725-5.85GHz	Pass	500k	4.02M	22.563M						
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	Inf	96.8M	77.143M						
5530MHz	Pass	Inf	87.34M	77.046M						
5610MHz	Pass	Inf	118.36M	77.523M						
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	117.9M	73.869M						
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.38M	35.287M						
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	79.92M	77.188M						
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	85.52M	77.352M						
5570MHz	Pass	Inf	163.68M	156.236M						
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	25.135M	17.215M	19.965M	16.713M				
5300MHz	Pass	Inf	22.605M	16.446M	21.175M	16.618M				
5320MHz	Pass	Inf	21.065M	16.538M	20.68M	16.949M				
5500MHz	Pass	Inf	21.175M	16.603M	20.57M	16.49M				
5580MHz	Pass	Inf	21.56M	16.681M	21.175M	16.814M				
5700MHz	Pass	Inf	20.845M	16.515M	20.02M	16.627M				
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	18.87M	13.597M	18.795M	13.474M				
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.22M	10.317M	3.12M	8.749M				
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	32.78M	19.197M	31.075M	19.247M				
5300MHz	Pass	Inf	36.19M	19.155M	28.215M	19.038M				
5320MHz	Pass	Inf	21.45M	19.054M	24.915M	19.145M				
5500MHz	Pass	Inf	21.23M	19.139M	21.285M	19.107M				
5580MHz	Pass	Inf	30.855M	19.265M	27.5M	19.159M				
5700MHz	Pass	Inf	21.285M	19.018M	21.175M	19.122M				
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	20.58M	14.579M	22.335M	14.682M				
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.56M	10.074M	4.44M	8.357M				
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-


Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
5270MHz	Pass	Inf	40.7M	37.833M	48.51M	38.072M				
5310MHz	Pass	Inf	41.03M	37.838M	54.45M	37.827M				
5510MHz	Pass	Inf	41.25M	37.879M	40.81M	37.808M				
5550MHz	Pass	Inf	57.86M	38.131M	66.99M	38.036M				
5670MHz	Pass	Inf	44.99M	37.828M	40.04M	37.707M				
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	50.54M	34.422M	54.565M	34.284M				
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.94M	26.881M	3.82M	25.885M				
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	Inf	84.26M	77.089M	84.7M	77.532M				
5530MHz	Pass	Inf	82.94M	77.001M	87.12M	77.344M				
5610MHz	Pass	Inf	81.62M	77.093M	81.84M	77.457M				
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	103.425M	73.379M	98.025M	73.498M				
5690MHz Straddle 5.725-5.85GHz	Pass	500k	4M	34.886M	3.7M	35.069M				
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.08M	77.194M	80.08M	77.289M				
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.04M	77.037M	80M	76.973M				
5570MHz	Pass	Inf	161.92M	156.787M	162.8M	156.15M				
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	19.965M	16.669M	21.175M	16.601M	20.35M	16.497M	20.295M	16.568M
5300MHz	Pass	Inf	20.405M	16.564M	20.35M	16.502M	20.625M	16.605M	20.68M	16.578M
5320MHz	Pass	Inf	20.57M	17.233M	21.12M	16.704M	21.175M	16.799M	20.735M	16.829M
5500MHz	Pass	Inf	21.12M	16.587M	20.79M	16.763M	21.065M	16.689M	21.23M	16.64M
5580MHz	Pass	Inf	20.68M	16.734M	20.625M	16.544M	19.855M	16.564M	20.46M	16.571M
5700MHz	Pass	Inf	20.79M	16.523M	21.175M	16.38M	20.68M	16.614M	21.065M	16.657M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.24M	13.465M	15.555M	13.314M	15.225M	13.365M	15.465M	13.331M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.22M	3.545M	3.1M	4.006M	3.12M	3.731M	3.2M	4.236M
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	21.175M	18.997M	21.395M	19.018M	21.67M	19.085M	21.065M	18.953M
5300MHz	Pass	Inf	21.01M	19.155M	21.175M	19.028M	21.505M	18.997M	20.955M	18.996M
5320MHz	Pass	Inf	21.285M	19.008M	24.365M	19.002M	22.99M	19.038M	21.615M	19.128M
5500MHz	Pass	Inf	22.825M	19.119M	21.725M	19.058M	22.825M	19.065M	22.055M	19.086M
5580MHz	Pass	Inf	21.285M	19.089M	21.505M	19.096M	20.735M	19.068M	20.955M	18.955M
5700MHz	Pass	Inf	21.505M	18.955M	21.12M	19.019M	20.845M	19.076M	21.285M	19.099M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.705M	14.607M	15.435M	14.548M	15.855M	14.633M	15.315M	14.549M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.16M	4.585M	4.26M	4.559M	4.42M	4.56M	4.44M	4.56M
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	Inf	40.04M	37.855M	40.92M	37.72M	40.81M	37.692M	40.15M	37.676M
5310MHz	Pass	Inf	47.85M	37.74M	46.64M	37.94M	46.86M	37.796M	40.92M	37.884M
5510MHz	Pass	Inf	42.13M	37.845M	41.14M	37.918M	41.91M	37.834M	41.58M	37.853M
5550MHz	Pass	Inf	40.59M	37.66M	40.48M	37.746M	40.37M	37.689M	40.59M	37.698M
5670MHz	Pass	Inf	39.71M	37.747M	39.49M	37.694M	39.71M	37.833M	39.82M	37.921M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.035M	33.637M	35.42M	33.904M	35.14M	33.901M	35M	33.892M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.34M	13.724M	4.06M	12.152M	3.74M	12.289M	3.82M	13.905M
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	Inf	82.72M	77.319M	81.4M	77.476M	85.14M	77.268M	82.94M	77.407M
5530MHz	Pass	Inf	82.94M	77.366M	89.32M	77.254M	81.18M	77.299M	85.36M	77.166M
5610MHz	Pass	Inf	80.74M	77.191M	80.96M	77.36M	80.08M	77.042M	80.74M	77.331M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	75.9M	73.46M	96.675M	73.383M	75.675M	73.356M	89.325M	72.854M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.16M	16.051M	3.8M	25.056M	3.16M	15.683M	3.98M	24.373M
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.96M	76.926M	80.24M	77.149M	80M	77.211M	80.08M	76.916M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.2M	77.106M	80.08M	77.426M	80.8M	77.045M	80.08M	77.199M
5570MHz	Pass	Inf	161.92M	157.095M	162.8M	156.317M	162.8M	156.237M	161.92M	156.9M
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	Inf	21.67M	19.14M	22.935M	19.054M	21.12M	19.11M	21.34M	19.151M
5300MHz	Pass	Inf	20.9M	19.076M	21.395M	19.061M	22.935M	19.046M	22.605M	19.022M

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
5320MHz	Pass	Inf	21.23M	19.147M	22.715M	19.116M	22.88M	19.048M	24.75M	19.224M
5500MHz	Pass	Inf	23.155M	19.183M	21.835M	19.035M	21.67M	19.085M	23.21M	19.148M
5580MHz	Pass	Inf	23.485M	19.026M	22.275M	19.019M	21.725M	19.039M	21.23M	19.109M
5700MHz	Pass	Inf	21.01M	18.998M	21.505M	19.058M	21.56M	19.023M	21.34M	19.006M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.57M	14.535M	15.66M	14.538M	15.63M	14.595M	16.38M	14.529M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.48M	4.968M	4M	4.673M	4.42M	4.827M	4.5M	4.667M
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	Inf	41.47M	37.622M	40.04M	37.614M	39.93M	37.531M	40.59M	37.717M
5310MHz	Pass	Inf	50.93M	37.916M	44.99M	37.825M	42.24M	37.791M	44M	37.765M
5510MHz	Pass	Inf	40.15M	37.956M	49.83M	37.858M	42.46M	37.832M	43.89M	37.833M
5550MHz	Pass	Inf	40.15M	37.696M	57.31M	37.891M	58.19M	37.985M	40.37M	37.835M
5670MHz	Pass	Inf	40.37M	37.718M	41.14M	37.709M	40.26M	37.821M	45.98M	37.845M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	44.485M	33.916M	51.345M	33.851M	48.615M	33.96M	54.6M	34.074M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	4.04M	18.355M	3.78M	16.876M	3.98M	14.506M	3.76M	17.59M
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	Inf	81.84M	77.152M	82.72M	77.487M	85.58M	77.191M	86.02M	77.276M
5530MHz	Pass	Inf	82.72M	77.21M	85.36M	77.191M	89.76M	77.264M	84.48M	77.404M
5610MHz	Pass	Inf	80.52M	77.093M	81.4M	77.663M	81.18M	77.144M	80.52M	77.4M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	76.35M	73.016M	96.075M	73.367M	75.225M	73.437M	75.675M	73.329M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.58M	10.972M	3.54M	26.969M	3.54M	15.447M	3.72M	17.294M
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80M	76.956M	80.4M	77.128M	80.16M	77.007M	80.16M	77.421M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.28M	77.407M	80.08M	77.31M	80.16M	77.282M	80.24M	76.876M
5570MHz	Pass	Inf	162.36M	156.204M	162.36M	156.548M	162.8M	156.924M	161.92M	155.968M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5260MHz

27/09/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5300MHz

25/09/2025





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5320MHz

25/09/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5500MHz

25/09/2025





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5580MHz

27/09/2025


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5700MHz

25/09/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5720MHz Straddle 5.47-5.725GHz

25/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5720MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5720MHz Straddle 5.725-5.85GHz

25/09/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW



5260MHz

25/09/2025





5.25-5.35GHz 802.11be EHT20_Nss1,(MCS0)_1TX
EBW
5300MHz

25/09/2025


5.25-5.35GHz 802.11be EHT20_Nss1,(MCS0)_1TX
EBW
5320MHz

25/09/2025





5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5500MHz

25/09/2025





5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5580MHz

27/09/2025





5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5700MHz

25/09/2025





5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5720MHz Straddle 5.47-5.725GHz

27/09/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW

5720MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

EBW



5720MHz Straddle 5.725-5.85GHz

25/09/2025





5.25-5.35GHz 802.11be EHT40_Nss1,(MCS0)_1TX
EBW
5270MHz

25/09/2025


5.25-5.35GHz 802.11be EHT40_Nss1,(MCS0)_1TX
EBW
5310MHz

25/09/2025





5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5510MHz

25/09/2025





5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW



5550MHz

25/09/2025





5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX
EBW
5670MHz

25/09/2025


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX
EBW
5710MHz Straddle 5.47-5.725GHz

27/09/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5710MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

EBW

5710MHz Straddle 5.725-5.85GHz

25/09/2025





5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW

5290MHz

25/09/2025





5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

EBW



5530MHz

25/09/2025





5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX
EBW
5610MHz

25/09/2025



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX
EBW
5690MHz Straddle 5.47-5.725GHz

25/09/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX
EBW
5690MHz Straddle 5.725-5.85GHz

25/09/2025



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX
EBW
5690MHz Straddle 5.725-5.85GHz

25/09/2025




5.15-5.25GHz 802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.15-5.25GHz

26/09/2025



5.25-5.35GHz 802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.25-5.35GHz

26/09/2025




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5570MHz

26/09/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5260MHz

25/09/2025





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5300MHz

25/09/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5320MHz

25/09/2025





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5500MHz

25/09/2025



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5580MHz

25/09/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5700MHz

25/09/2025


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5720MHz Straddle 5.47-5.725GHz

25/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5720MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

EBW


5720MHz Straddle 5.725-5.85GHz

25/09/2025




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5260MHz

25/09/2025




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5300MHz

25/09/2025





5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5320MHz

25/09/2025


5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5500MHz

25/09/2025




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5580MHz

25/09/2025




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW



5700MHz

25/09/2025





5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5720MHz Straddle 5.47-5.725GHz

25/09/2025



5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5720MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5720MHz Straddle 5.725-5.85GHz

25/09/2025



5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
5270MHz

25/09/2025




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
5310MHz

25/09/2025


5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
5510MHz

25/09/2025




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5550MHz

25/09/2025




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5670MHz

25/09/2025




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5710MHz Straddle 5.47-5.725GHz

25/09/2025




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5710MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5710MHz Straddle 5.725-5.85GHz

25/09/2025




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW


5290MHz

25/09/2025




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
5530MHz

25/09/2025


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
5610MHz

25/09/2025




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5690MHz Straddle 5.47-5.725GHz

25/09/2025




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW


5690MHz Straddle 5.725-5.85GHz

25/09/2025



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
5690MHz Straddle 5.725-5.85GHz

25/09/2025



5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
5250MHz Straddle 5.15-5.25GHz

26/09/2025




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
5250MHz Straddle 5.25-5.35GHz

26/09/2025


5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
5570MHz

26/09/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5260MHz

25/09/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5300MHz

25/09/2025





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5320MHz

25/09/2025





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5500MHz

25/09/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5580MHz

25/09/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5700MHz

25/09/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5720MHz Straddle 5.47-5.725GHz

25/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5720MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5720MHz Straddle 5.725-5.85GHz

25/09/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5260MHz

25/09/2025





5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5300MHz

25/09/2025





5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5320MHz

25/09/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5500MHz

25/09/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5580MHz

25/09/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5700MHz

25/09/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW


5720MHz Straddle 5.47-5.725GHz

25/09/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5720MHz Straddle 5.725-5.85GHz

25/09/2025


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5720MHz Straddle 5.725-5.85GHz

25/09/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5270MHz

25/09/2025




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5310MHz

25/09/2025




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5510MHz

25/09/2025




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5550MHz

25/09/2025




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5670MHz

25/09/2025




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5710MHz Straddle 5.47-5.725GHz

25/09/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5710MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5710MHz Straddle 5.725-5.85GHz

25/09/2025





5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5290MHz

25/09/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5530MHz

25/09/2025





5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5610MHz

25/09/2025





5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5690MHz Straddle 5.47-5.725GHz

25/09/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5690MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5690MHz Straddle 5.725-5.85GHz

25/09/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

26/09/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

26/09/2025





5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5570MHz

26/09/2025





5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5260MHz

25/09/2025





5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5300MHz

25/09/2025





5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5320MHz

25/09/2025




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5500MHz

25/09/2025




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5580MHz

25/09/2025




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5700MHz

25/09/2025




5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5720MHz Straddle 5.47-5.725GHz

26/09/2025




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5720MHz Straddle 5.725-5.85GHz

26/09/2025




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

EBW

5720MHz Straddle 5.725-5.85GHz

26/09/2025





5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5270MHz

25/09/2025





5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5310MHz

25/09/2025




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5510MHz

26/09/2025




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5550MHz

26/09/2025




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5670MHz

25/09/2025




5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5710MHz Straddle 5.47-5.725GHz

26/09/2025




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5710MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

EBW

5710MHz Straddle 5.725-5.85GHz

25/09/2025





5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5290MHz

26/09/2025




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5530MHz

26/09/2025




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5610MHz

26/09/2025




5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5690MHz Straddle 5.47-5.725GHz

26/09/2025




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5690MHz Straddle 5.725-5.85GHz

25/09/2025




5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

EBW

5690MHz Straddle 5.725-5.85GHz

25/09/2025




5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

26/09/2025




5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

26/09/2025




5.47-5.725GHz_802.11be EHT160_Nss4_(MCS0)_4TX

EBW

5570MHz

26/09/2025



Test Mode: Mode 13

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	79.92M	77.188M	77M2D1D	79.92M	77.188M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	85.52M	77.352M	77M4D1D	85.52M	77.352M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	79.92M	77.188M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	85.52M	77.352M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.15-5.25GHz

26/09/2025


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.25-5.35GHz

26/09/2025



Test Mode: Mode 14

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	80.08M	77.289M	77M3D1D	80.08M	77.194M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	81.04M	77.037M	77M0D1D	80M	76.973M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.08M	77.194M	80.08M	77.289M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.04M	77.037M	80M	76.973M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz 802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

26/09/2025




5.25-5.35GHz 802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

26/09/2025



Test Mode: Mode 15

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	80.96M	77.211M	77M2D1D	80M	76.916M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	81.2M	77.426M	77M4D1D	80.08M	77.045M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.96M	76.926M	80.24M	77.149M	80M	77.211M	80.08M	76.916M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.2M	77.106M	80.08M	77.426M	80.8M	77.045M	80.08M	77.199M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

26/09/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

26/09/2025



Test Mode: Mode 16

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss4,(MCS0)_4TX	80.4M	77.421M	77M4D1D	80M	76.956M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss4,(MCS0)_4TX	81.28M	77.407M	77M4D1D	80.08M	76.876M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80M	76.956M	80.4M	77.128M	80.16M	77.007M	80.16M	77.421M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.28M	77.407M	80.08M	77.31M	80.16M	77.282M	80.24M	76.876M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band


Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

26/09/2025




5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

26/09/2025



Test Mode: Mode 17

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	79.92M	77.188M	77M2D1D	79.92M	77.188M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	85.52M	77.352M	77M4D1D	85.52M	77.352M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	79.92M	77.188M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	85.52M	77.352M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.15-5.25GHz

26/09/2025


5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.25-5.35GHz

26/09/2025



Test Mode: Mode 18

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	80.08M	77.289M	77M3D1D	80.08M	77.194M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	81.04M	77.037M	77M0D1D	80M	76.973M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.08M	77.194M	80.08M	77.289M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.04M	77.037M	80M	76.973M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz 802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

26/09/2025




5.25-5.35GHz 802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

26/09/2025



Test Mode: Mode 19

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	80.96M	77.211M	77M2D1D	80M	76.916M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_4TX	81.2M	77.426M	77M4D1D	80.08M	77.045M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT160_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80.96M	76.926M	80.24M	77.149M	80M	77.211M	80.08M	76.916M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.2M	77.106M	80.08M	77.426M	80.8M	77.045M	80.08M	77.199M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band


Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

26/09/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

26/09/2025



Test Mode: Mode 20

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss4,(MCS0)_4TX	80.4M	77.421M	77M4D1D	80M	76.956M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss4,(MCS0)_4TX	81.28M	77.407M	77M4D1D	80.08M	76.876M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80M	76.956M	80.4M	77.128M	80.16M	77.007M	80.16M	77.421M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.28M	77.407M	80.08M	77.31M	80.16M	77.282M	80.24M	76.876M

Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band


Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.15-5.25GHz

26/09/2025




5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

EBW

5250MHz Straddle 5.25-5.35GHz

26/09/2025



Test Mode: Mode 21
Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	81.36M	77.493M	77M5D1D	81.2M	77.489M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	23.54M	17.09M	17M1D1D	21.23M	16.694M
802.11be EHT20_Nss2,(MCS0)_2TX	29.59M	19.184M	19M2D1D	21.56M	19.072M
802.11be EHT40_Nss2,(MCS0)_2TX	49.83M	37.926M	37M9D1D	40.48M	37.784M
802.11be EHT80_Nss2,(MCS0)_2TX	87.34M	77.425M	77M4D1D	85.36M	77.41M
802.11be EHT160_Nss2,(MCS0)_2TX	81.68M	77.436M	77M4D1D	81.28M	77.342M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	22.44M	17.029M	17M0D1D	15.72M	13.415M
802.11be EHT20_Nss2,(MCS0)_2TX	27.61M	19.203M	19M2D1D	15.87M	14.591M
802.11be EHT40_Nss2,(MCS0)_2TX	53.57M	37.93M	37M9D1D	35.105M	33.816M
802.11be EHT80_Nss2,(MCS0)_2TX	87.78M	77.538M	77M5D1D	75.975M	73.273M
802.11be EHT160_Nss2,(MCS0)_2TX	165.44M	156.232M	156MD1D	165M	156.206M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	3.12M	4.102M	4M10D1D	3.1M	3.927M
802.11be EHT20_Nss2,(MCS0)_2TX	4.44M	4.527M	4M53D1D	4.42M	4.514M
802.11be EHT40_Nss2,(MCS0)_2TX	3.9M	4.044M	4M04D1D	3.86M	4.031M
802.11be EHT80_Nss2,(MCS0)_2TX	3.88M	4.56M	4M56D1D	3.76M	4.165M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	Inf	21.395M	16.865M	21.34M	16.7M
5300MHz	Pass	Inf	21.45M	16.854M	21.23M	16.694M
5320MHz	Pass	Inf	23.43M	17.09M	23.54M	16.952M
5500MHz	Pass	Inf	22.44M	17.029M	21.89M	17.004M
5580MHz	Pass	Inf	21.45M	16.849M	21.065M	16.673M
5700MHz	Pass	Inf	21.395M	16.857M	21.23M	16.688M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.81M	13.492M	15.72M	13.415M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.1M	4.102M	3.12M	3.927M
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	Inf	21.78M	19.072M	21.56M	19.089M
5300MHz	Pass	Inf	21.615M	19.079M	21.56M	19.098M
5320MHz	Pass	Inf	29.59M	19.184M	27.005M	19.183M
5500MHz	Pass	Inf	27.61M	19.196M	26.675M	19.203M
5580MHz	Pass	Inf	21.45M	19.122M	21.505M	19.124M
5700MHz	Pass	Inf	21.67M	19.075M	21.615M	19.063M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	16.005M	14.591M	15.87M	14.606M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.44M	4.514M	4.42M	4.527M
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	Inf	40.59M	37.85M	40.48M	37.784M
5310MHz	Pass	Inf	49.83M	37.918M	45.98M	37.926M
5510MHz	Pass	Inf	53.57M	37.93M	49.61M	37.927M
5550MHz	Pass	Inf	40.59M	37.807M	40.59M	37.732M
5670MHz	Pass	Inf	40.7M	37.767M	40.7M	37.754M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.455M	33.82M	35.105M	33.816M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.9M	4.031M	3.86M	4.044M
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	Inf	87.34M	77.425M	85.36M	77.41M
5530MHz	Pass	Inf	87.78M	77.538M	84.92M	77.442M
5610MHz	Pass	Inf	82.5M	77.272M	82.06M	77.319M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	76.2M	73.273M	75.975M	73.323M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.88M	4.165M	3.76M	4.56M
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.2M	77.493M	81.36M	77.489M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.68M	77.436M	81.28M	77.342M
5570MHz	Pass	Inf	165.44M	156.232M	165M	156.206M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5260MHz

17/09/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5300MHz

17/09/2025





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5320MHz

17/09/2025


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5500MHz

17/09/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5580MHz

17/09/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5700MHz

17/09/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

EBW

5720MHz Straddle 5.47-5.725GHz

17/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

EBW


5720MHz Straddle 5.725-5.85GHz

17/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX
EBW
5720MHz Straddle 5.725-5.85GHz

17/09/2025



5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5260MHz

17/09/2025




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5300MHz

17/09/2025



5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5320MHz

17/09/2025




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5500MHz

17/09/2025



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5580MHz

17/09/2025




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5700MHz

17/09/2025


5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5720MHz Straddle 5.47-5.725GHz

17/09/2025




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

5720MHz Straddle 5.725-5.85GHz

17/09/2025




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW


5720MHz Straddle 5.725-5.85GHz

17/09/2025




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
5270MHz

17/09/2025


5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
5310MHz

17/09/2025




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5510MHz

17/09/2025




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW


5550MHz

17/09/2025




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
5670MHz

17/09/2025


5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
5710MHz Straddle 5.47-5.725GHz

17/09/2025




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

5710MHz Straddle 5.725-5.85GHz

17/09/2025




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW



5710MHz Straddle 5.725-5.85GHz

17/09/2025





5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
5290MHz

17/09/2025


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
5530MHz

17/09/2025




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5610MHz

17/09/2025




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5690MHz Straddle 5.47-5.725GHz

17/09/2025




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

17/09/2025




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5690MHz Straddle 5.725-5.85GHz

17/09/2025




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

17/09/2025




5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

17/09/2025




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5570MHz

17/09/2025



Test Mode: Mode 22

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	81.28M	77.561M	77M6D1D	81.2M	77.401M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	81.6M	77.481M	77M5D1D	81.6M	77.401M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.28M	77.561M	81.2M	77.401M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.6M	77.481M	81.6M	77.401M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz 802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.15-5.25GHz

15/10/2025





5.25-5.35GHz 802.11be EHT160_Nss2,(MCS0)_2TX

EBW

5250MHz Straddle 5.25-5.35GHz

15/10/2025



Test Mode: Mode 23

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	81.44M	77.561M	77M6D1D	81.36M	77.401M
5.25-5.35GHz	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	81.84M	77.481M	77M5D1D	81.6M	77.401M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;

Min-OBW = Minimum 99% occupied bandwidth


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.36M	77.401M	81.44M	77.561M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.84M	77.481M	81.6M	77.401M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz 802.11be EHT160_Nss2,(MCS0)_2TX
EBW
5250MHz Straddle 5.15-5.25GHz

15/10/2025


5.25-5.35GHz 802.11be EHT160_Nss2,(MCS0)_2TX
EBW
5250MHz Straddle 5.25-5.35GHz

15/10/2025





Average Power

Appendix B.1

Test Mode: Mode 1

Summary

Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	21.18	0.13122
802.11a_Nss1,(6Mbps)_2TX	18.31	0.06776
802.11a_Nss1,(6Mbps)_4TX	15.41	0.03475
802.11be EHT20_Nss1,(MCS0)_1TX	22.02	0.15922
802.11be EHT20_Nss2,(MCS0)_2TX	22.27	0.16866
802.11be EHT20_Nss1,(MCS0)_4TX	16.54	0.04508
802.11be EHT20_Nss4,(MCS0)_4TX	22.36	0.17219
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.42	0.04385
802.11be EHT40_Nss1,(MCS0)_1TX	21.50	0.14125
802.11be EHT40_Nss2,(MCS0)_2TX	22.48	0.17701
802.11be EHT40_Nss1,(MCS0)_4TX	19.39	0.08690
802.11be EHT40_Nss4,(MCS0)_4TX	22.38	0.17298
802.11be EHT40-BF_Nss1,(MCS0)_4TX	16.43	0.04395
802.11be EHT80_Nss1,(MCS0)_1TX	18.28	0.06730
802.11be EHT80_Nss2,(MCS0)_2TX	20.91	0.12331
802.11be EHT80_Nss1,(MCS0)_4TX	22.10	0.16218
802.11be EHT80_Nss4,(MCS0)_4TX	21.23	0.13274
802.11be EHT80-BF_Nss1,(MCS0)_4TX	16.19	0.04159

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.58	20.58				20.58	22.40
5300MHz	Pass	7.58	21.18				21.18	22.40
5320MHz	Pass	7.58	20.08				20.08	22.40
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.58	22.02				22.02	22.40
5300MHz	Pass	7.58	21.82				21.82	22.40
5320MHz	Pass	7.58	19.44				19.44	22.40
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.58	21.50				21.50	22.40
5310MHz	Pass	7.58	18.45				18.45	22.40
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.58	18.28				18.28	22.40
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.58	15.51	14.69			18.13	22.40
5300MHz	Pass	7.58	15.57	14.99			18.30	22.16
5320MHz	Pass	7.58	15.65	14.92			18.31	22.40
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.43	19.44	18.86			22.17	22.55
5300MHz	Pass	7.43	19.49	19.02			22.27	22.55
5320MHz	Pass	7.43	17.34	16.67			20.03	22.55
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.43	19.88	19.01			22.48	22.55
5310MHz	Pass	7.43	15.27	14.39			17.86	22.55
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.43	18.26	17.50			20.91	22.55
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.78	9.55	8.89	9.04	9.00	15.15	22.20
5300MHz	Pass	7.78	9.38	8.72	9.26	9.09	15.14	22.15
5320MHz	Pass	7.78	9.52	8.99	9.64	9.40	15.41	22.20
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.78	10.29	9.70	9.98	9.91	16.00	22.20
5300MHz	Pass	7.78	10.74	10.16	10.65	10.3	16.49	22.20
5320MHz	Pass	7.78	10.63	10.23	10.72	10.49	16.54	22.20
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.78	13.74	13.01	12.87	12.62	19.10	22.20
5310MHz	Pass	7.78	14.00	13.02	13.41	12.97	19.39	22.20
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.78	16.54	15.93	16.13	15.69	22.10	22.20
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.51	16.54	16.17	16.45	15.73	22.25	22.47
5300MHz	Pass	7.51	16.58	16.38	16.54	15.83	22.36	22.47
5320MHz	Pass	7.51	16.56	16.24	16.45	15.86	22.31	22.47
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.51	16.95	16.37	16.18	15.69	22.34	22.47
5310MHz	Pass	7.51	16.91	16.25	16.32	15.89	22.38	22.47
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.51	15.78	15.13	14.96	14.92	21.23	22.47
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	13.53	10.29	9.70	9.98	9.91	16.00	16.45
5300MHz	Pass	13.53	10.44	10.13	10.35	10.09	16.28	16.45
5320MHz	Pass	13.53	10.58	10.27	10.47	10.26	16.42	16.45
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	13.53	10.92	10.21	10.29	10.14	16.42	16.45
5310MHz	Pass	13.53	10.93	9.93	10.48	10.25	16.43	16.45



Average Power

Appendix B.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	13.53	10.42	10.03	10.08	10.13	16.19	16.45

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 2

Summary

Mode	Total Power (dBm)	Total Power (W)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	22.55	0.17989
802.11a_Nss1,(6Mbps)_2TX	22.17	0.16482
802.11a_Nss1,(6Mbps)_4TX	19.46	0.08831
802.11be EHT20_Nss1,(MCS0)_1TX	22.05	0.16032
802.11be EHT20_Nss2,(MCS0)_2TX	23.79	0.23933
802.11be EHT20_Nss1,(MCS0)_4TX	20.63	0.11561
802.11be EHT20_Nss4,(MCS0)_4TX	23.82	0.24099
802.11be EHT20-BF_Nss1,(MCS0)_4TX	19.92	0.09817
802.11be EHT40_Nss1,(MCS0)_1TX	21.47	0.14028
802.11be EHT40_Nss2,(MCS0)_2TX	22.96	0.19770
802.11be EHT40_Nss1,(MCS0)_4TX	23.31	0.21429
802.11be EHT40_Nss4,(MCS0)_4TX	23.72	0.23550
802.11be EHT40-BF_Nss1,(MCS0)_4TX	19.73	0.09397
802.11be EHT80_Nss1,(MCS0)_1TX	21.58	0.14388
802.11be EHT80_Nss2,(MCS0)_2TX	20.10	0.10233
802.11be EHT80_Nss1,(MCS0)_4TX	20.05	0.10116
802.11be EHT80_Nss4,(MCS0)_4TX	20.99	0.12560
802.11be EHT80-BF_Nss1,(MCS0)_4TX	19.87	0.09705

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5260MHz	Pass	3.46	22.09				22.09	23.98
5300MHz	Pass	3.46	22.55				22.55	23.98
5320MHz	Pass	3.46	19.13				19.13	23.98
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5260MHz	Pass	3.46	22.03				22.03	23.98
5300MHz	Pass	3.46	22.05				22.05	23.98
5320MHz	Pass	3.46	18.29				18.29	23.98
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5270MHz	Pass	3.46	21.47				21.47	23.98
5310MHz	Pass	3.46	21.01				21.01	23.98
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5290MHz	Pass	3.46	21.58				21.58	23.98
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.36	18.78	19.18			21.99	23.98
5300MHz	Pass	4.36	19.04	19.28			22.17	23.98
5320MHz	Pass	4.36	17.86	18.1			20.99	23.98
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	3.93	20.63	20.93			23.79	23.98
5300MHz	Pass	3.93	20.57	20.9			23.75	23.98
5320MHz	Pass	3.93	20.58	20.68			23.64	23.98
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	3.93	20.06	19.84			22.96	23.98
5310MHz	Pass	3.93	19.72	19.42			22.58	23.98
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	3.93	16.96	17.21			20.10	23.98
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.76	13.09	13.87	13.1	13.64	19.46	23.98
5300MHz	Pass	4.76	13.21	13.64	13.15	13.6	19.43	23.98
5320MHz	Pass	4.76	12.94	13.29	12.98	13.13	19.11	23.98
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.76	14.26	14.99	14.34	14.82	20.63	23.98
5300MHz	Pass	4.76	14.17	14.64	14.32	14.6	20.46	23.98
5320MHz	Pass	4.76	13.79	14.55	14.08	14.33	20.22	23.98
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.76	17.44	17.65	17.08	16.94	23.31	23.98
5310MHz	Pass	4.76	15.21	15.47	15.08	14.98	21.21	23.98
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.76	13.99	14.37	13.64	14.1	20.05	23.98
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	3.98	17.59	18.13	17.68	17.66	23.79	23.98
5300MHz	Pass	3.98	17.65	17.9	17.63	17.59	23.71	23.98
5320MHz	Pass	3.98	17.62	18.12	18.02	17.4	23.82	23.98
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	3.98	17.93	18.01	17.43	17.37	23.72	23.98
5310MHz	Pass	3.98	16.66	16.48	16.16	16.1	22.38	23.98
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	3.98	15.14	15.25	14.52	14.95	20.99	23.98
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	9.98	13.60	14.07	13.67	14.23	19.92	20.00
5300MHz	Pass	9.98	13.63	14.13	13.67	14.10	19.91	20.00
5320MHz	Pass	9.98	13.55	14.19	13.76	14.01	19.90	20.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	9.98	13.73	13.83	13.35	13.65	19.66	20.00
5310MHz	Pass	9.98	13.88	13.80	13.44	13.70	19.73	20.00



Average Power

Appendix B.2

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	9.98	13.87	14.17	13.49	13.86	19.87	20.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Average Power

Appendix B.3

Test Mode: Mode 3
Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	11.88	0.01542
802.11be EHT160_Nss2,(MCS0)_2TX	14.84	0.03048
802.11be EHT160_Nss1,(MCS0)_4TX	17.87	0.06124
802.11be EHT160_Nss4,(MCS0)_4TX	15.66	0.03681
802.11be EHT160-BF_Nss1,(MCS0)_4TX	16.51	0.04477
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	21.50	0.14125
802.11a_Nss1,(6Mbps)_2TX	20.19	0.10447
802.11a_Nss1,(6Mbps)_4TX	16.99	0.05000
802.11be EHT20_Nss1,(MCS0)_1TX	21.54	0.14256
802.11be EHT20_Nss2,(MCS0)_2TX	23.71	0.23496
802.11be EHT20_Nss1,(MCS0)_4TX	18.18	0.06577
802.11be EHT20_Nss4,(MCS0)_4TX	23.73	0.23605
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.69	0.05875
802.11be EHT40_Nss1,(MCS0)_1TX	20.07	0.10162
802.11be EHT40_Nss2,(MCS0)_2TX	22.52	0.17865
802.11be EHT40_Nss1,(MCS0)_4TX	20.99	0.12560
802.11be EHT40_Nss4,(MCS0)_4TX	23.75	0.23714
802.11be EHT40-BF_Nss1,(MCS0)_4TX	17.71	0.05902
802.11be EHT80_Nss1,(MCS0)_1TX	19.08	0.08091
802.11be EHT80_Nss2,(MCS0)_2TX	21.62	0.14521
802.11be EHT80_Nss1,(MCS0)_4TX	23.65	0.23174
802.11be EHT80_Nss4,(MCS0)_4TX	23.63	0.23067
802.11be EHT80-BF_Nss1,(MCS0)_4TX	17.68	0.05861
802.11be EHT160_Nss1,(MCS0)_1TX	12.80	0.01905
802.11be EHT160_Nss2,(MCS0)_2TX	15.88	0.03873
802.11be EHT160_Nss1,(MCS0)_4TX	18.96	0.07870
802.11be EHT160_Nss4,(MCS0)_4TX	16.74	0.04721
802.11be EHT160-BF_Nss1,(MCS0)_4TX	17.60	0.05754
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	22.27	0.16866
802.11a_Nss1,(6Mbps)_2TX	19.99	0.09977
802.11a_Nss1,(6Mbps)_4TX	17.19	0.05236
802.11be EHT20_Nss1,(MCS0)_1TX	22.34	0.17140
802.11be EHT20_Nss2,(MCS0)_2TX	23.76	0.23768
802.11be EHT20_Nss1,(MCS0)_4TX	18.24	0.06668
802.11be EHT20_Nss4,(MCS0)_4TX	23.72	0.23550
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.73	0.05929
802.11be EHT40_Nss1,(MCS0)_1TX	19.70	0.09333
802.11be EHT40_Nss2,(MCS0)_2TX	23.32	0.21478
802.11be EHT40_Nss1,(MCS0)_4TX	21.02	0.12647
802.11be EHT40_Nss4,(MCS0)_4TX	23.77	0.23823
802.11be EHT40-BF_Nss1,(MCS0)_4TX	17.69	0.05875
802.11be EHT80_Nss1,(MCS0)_1TX	19.95	0.09886
802.11be EHT80_Nss2,(MCS0)_2TX	23.20	0.20893
802.11be EHT80_Nss1,(MCS0)_4TX	23.70	0.23442
802.11be EHT80_Nss4,(MCS0)_4TX	23.68	0.23335
802.11be EHT80-BF_Nss1,(MCS0)_4TX	17.69	0.05875
802.11be EHT160_Nss1,(MCS0)_1TX	16.50	0.04467
802.11be EHT160_Nss2,(MCS0)_2TX	19.73	0.09397
802.11be EHT160_Nss1,(MCS0)_4TX	20.14	0.10328
802.11be EHT160_Nss4,(MCS0)_4TX	18.61	0.07261
802.11be EHT160-BF_Nss1,(MCS0)_4TX	17.65	0.05821

Mode	Total Power (dBm)	Total Power (W)
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	14.00	0.02512
802.11a_Nss1,(6Mbps)_2TX	13.41	0.02193
802.11a_Nss1,(6Mbps)_4TX	10.38	0.01091
802.11be EHT20_Nss1,(MCS0)_1TX	14.05	0.02541
802.11be EHT20_Nss2,(MCS0)_2TX	16.81	0.04797
802.11be EHT20_Nss1,(MCS0)_4TX	12.00	0.01585
802.11be EHT20_Nss4,(MCS0)_4TX	17.25	0.05309
802.11be EHT20-BF_Nss1,(MCS0)_4TX	12.00	0.01585
802.11be EHT40_Nss1,(MCS0)_1TX	10.06	0.01014
802.11be EHT40_Nss2,(MCS0)_2TX	12.31	0.01702
802.11be EHT40_Nss1,(MCS0)_4TX	11.14	0.01300
802.11be EHT40_Nss4,(MCS0)_4TX	13.87	0.02438
802.11be EHT40-BF_Nss1,(MCS0)_4TX	7.88	0.00614
802.11be EHT80_Nss1,(MCS0)_1TX	6.52	0.00449
802.11be EHT80_Nss2,(MCS0)_2TX	9.63	0.00918
802.11be EHT80_Nss1,(MCS0)_4TX	10.12	0.01028
802.11be EHT80_Nss4,(MCS0)_4TX	10.13	0.01030
802.11be EHT80-BF_Nss1,(MCS0)_4TX	4.08	0.00256

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.15	21.50				21.50	23.83
5300MHz	Pass	6.15	21.13				21.13	23.83
5320MHz	Pass	6.15	18.70				18.70	23.83
5500MHz	Pass	6.15	19.21				19.21	23.83
5580MHz	Pass	6.15	22.27				22.27	23.83
5700MHz	Pass	6.15	14.44				14.44	23.83
5720MHz Straddle 5.47-5.725GHz	Pass	6.15	20.15				20.15	23.83
5720MHz Straddle 5.725-5.85GHz	Pass	6.15	14.00				14.00	29.85
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.15	21.54				21.54	23.83
5300MHz	Pass	6.15	20.93				20.93	23.83
5320MHz	Pass	6.15	19.18				19.18	23.83
5500MHz	Pass	6.15	19.28				19.28	23.83
5580MHz	Pass	6.15	22.34				22.34	23.83
5700MHz	Pass	6.15	14.16				14.16	23.83
5720MHz Straddle 5.47-5.725GHz	Pass	6.15	19.22				19.22	23.83
5720MHz Straddle 5.725-5.85GHz	Pass	6.15	14.05				14.05	29.85
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5270MHz	Pass	6.15	20.07				20.07	23.83
5310MHz	Pass	6.15	18.61				18.61	23.83
5510MHz	Pass	6.15	18.19				18.19	23.83
5550MHz	Pass	6.15	18.94				18.94	23.83
5670MHz	Pass	6.15	17.49				17.49	23.83
5710MHz Straddle 5.47-5.725GHz	Pass	6.15	19.70				19.70	23.83
5710MHz Straddle 5.725-5.85GHz	Pass	6.15	10.06				10.06	29.85
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.15	19.08				19.08	23.83
5530MHz	Pass	6.15	19.51				19.51	23.83
5610MHz	Pass	6.15	19.78				19.78	23.83
5690MHz Straddle 5.47-5.725GHz	Pass	6.15	19.95				19.95	23.83
5690MHz Straddle 5.725-5.85GHz	Pass	6.15	6.52				6.52	29.85
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.15	11.88				11.88	29.85
5250MHz Straddle 5.25-5.35GHz	Pass	6.15	12.8				12.80	23.83
5570MHz	Pass	6.15	16.5				16.50	23.83
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.15	17.23	17.12			20.19	23.83
5300MHz	Pass	6.15	17.08	16.78			19.94	23.83
5320MHz	Pass	6.15	17.25	16.68			19.98	23.83
5500MHz	Pass	6.15	16.19	17.15			19.71	23.83
5580MHz	Pass	6.15	16.58	17.34			19.99	23.82
5700MHz	Pass	6.15	13.96	13.79			16.89	23.83
5720MHz Straddle 5.47-5.725GHz	Pass	6.15	16.33	16.27			19.31	22.52
5720MHz Straddle 5.725-5.85GHz	Pass	6.15	10.45	10.34			13.41	29.85
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.15	20.67	20.72			23.71	23.83
5300MHz	Pass	6.15	19.87	19.28			22.60	23.83
5320MHz	Pass	6.15	17.9	16.98			20.47	23.83
5500MHz	Pass	6.15	18.68	18.84			21.77	23.83
5580MHz	Pass	6.15	20.54	20.95			23.76	23.83
5700MHz	Pass	6.15	14.43	14.29			17.37	23.83
5720MHz Straddle 5.47-5.725GHz	Pass	6.15	19.03	18.79			21.92	23.66
5720MHz Straddle 5.725-5.85GHz	Pass	6.15	13.9	13.7			16.81	29.85
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
5270MHz	Pass	6.15	19.49	19.53			22.52	23.83
5310MHz	Pass	6.15	19.12	19.14			22.14	23.83
5510MHz	Pass	6.15	18.79	18.68			21.75	23.83
5550MHz	Pass	6.15	20.24	20.37			23.32	23.83
5670MHz	Pass	6.15	18.35	18.66			21.52	23.83
5710MHz Straddle 5.47-5.725GHz	Pass	6.15	18.9	19.16			22.04	23.83
5710MHz Straddle 5.725-5.85GHz	Pass	6.15	9.25	9.35			12.31	29.85
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.15	18.5	18.71			21.62	23.83
5530MHz	Pass	6.15	19.1	19.09			22.11	23.83
5610MHz	Pass	6.15	19.34	19.95			22.67	23.83
5690MHz Straddle 5.47-5.725GHz	Pass	6.15	19.9	20.47			23.20	23.83
5690MHz Straddle 5.725-5.85GHz	Pass	6.15	6.47	6.77			9.63	29.85
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.15	11.83	11.82			14.84	29.85
5250MHz Straddle 5.25-5.35GHz	Pass	6.15	12.75	12.98			15.88	23.83
5570MHz	Pass	6.15	16.85	16.58			19.73	23.83
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.25	10.96	10.17	10.66	11.46	16.86	23.69
5300MHz	Pass	6.25	10.93	10.24	10.86	11.4	16.90	23.73
5320MHz	Pass	6.25	10.95	10.29	11.21	11.35	16.99	23.73
5500MHz	Pass	6.25	10.77	10.81	10.97	11.33	17.00	23.73
5580MHz	Pass	6.25	10.83	11.03	11.32	11.46	17.19	23.73
5700MHz	Pass	6.25	11.16	10.55	11.04	11.03	16.97	23.73
5720MHz Straddle 5.47-5.725GHz	Pass	6.25	10.64	10.01	10.56	10.82	16.54	22.53
5720MHz Straddle 5.725-5.85GHz	Pass	6.25	4.49	4.03	4.14	4.74	10.38	29.75
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.25	12.09	11.46	12.35	12.64	18.18	23.73
5300MHz	Pass	6.25	11.96	11.39	12.26	12.49	18.06	23.73
5320MHz	Pass	6.25	11.87	11.39	12.25	12.54	18.05	23.73
5500MHz	Pass	6.25	11.61	11.71	12.19	12.41	18.01	23.73
5580MHz	Pass	6.25	11.71	11.93	12.13	12.28	18.04	23.73
5700MHz	Pass	6.25	12.21	11.89	12.28	12.46	18.24	23.73
5720MHz Straddle 5.47-5.725GHz	Pass	6.25	11.33	10.77	11.31	11.47	17.25	22.62
5720MHz Straddle 5.725-5.85GHz	Pass	6.25	6.1	5.46	6.07	6.24	12.00	29.75
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	6.25	15.01	15.01	15.06	14.79	20.99	23.73
5310MHz	Pass	6.25	14.9	14.79	15.08	14.5	20.84	23.73
5510MHz	Pass	6.25	14.94	14.61	15.28	15.13	21.02	23.73
5550MHz	Pass	6.25	14.96	14.5	15.19	15.25	21.01	23.73
5670MHz	Pass	6.25	14.37	14.47	14.71	15.38	20.77	23.73
5710MHz Straddle 5.47-5.725GHz	Pass	6.25	14.37	14.47	15.04	15.37	20.85	23.73
5710MHz Straddle 5.725-5.85GHz	Pass	6.25	4.73	4.72	5.28	5.68	11.14	29.75
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.25	17.51	17.48	17.54	17.98	23.65	23.73
5530MHz	Pass	6.25	17.35	17.45	17.54	18.01	23.62	23.73
5610MHz	Pass	6.25	17.32	17.85	17.49	17.91	23.67	23.73
5690MHz Straddle 5.47-5.725GHz	Pass	6.25	17.34	18.01	17.34	17.97	23.70	23.73
5690MHz Straddle 5.725-5.85GHz	Pass	6.25	3.89	4.31	3.77	4.4	10.12	29.75
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.25	11.81	11.75	12.08	11.74	17.87	29.75
5250MHz Straddle 5.25-5.35GHz	Pass	6.25	12.76	12.93	13.11	12.95	18.96	23.73
5570MHz	Pass	6.25	14.11	14.04	14.12	14.19	20.14	23.73
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	6.18	17.73	17.24	17.67	18.16	23.73	23.80
5300MHz	Pass	6.18	17.75	17.38	17.71	17.77	23.68	23.80



Average Power

Appendix B.3


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
5320MHz	Pass	6.18	17.39	17.2	17.6	17.81	23.53	23.80
5500MHz	Pass	6.18	17	17.76	17.6	17.68	23.54	23.80
5580MHz	Pass	6.18	17.30	17.67	17.94	17.87	23.72	23.80
5700MHz	Pass	6.18	14.38	14.37	14.64	14.66	20.54	23.80
5720MHz Straddle 5.47-5.725GHz	Pass	6.18	16.55	16.25	16.59	16.64	22.53	22.76
5720MHz Straddle 5.725-5.85GHz	Pass	6.18	11.34	10.85	11.29	11.41	17.25	29.82
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	6.18	17.59	17.58	17.66	17.5	23.60	23.80
5310MHz	Pass	6.18	17.79	17.83	17.83	17.46	23.75	23.80
5510MHz	Pass	6.18	17.62	17.46	17.99	17.59	23.69	23.80
5550MHz	Pass	6.18	17.42	17.3	17.79	17.84	23.61	23.80
5670MHz	Pass	6.18	17.16	17.64	17.77	18.34	23.77	23.80
5710MHz Straddle 5.47-5.725GHz	Pass	6.18	17.16	17.23	17.67	18.09	23.57	23.80
5710MHz Straddle 5.725-5.85GHz	Pass	6.18	7.62	7.39	7.96	8.36	13.87	29.82
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	6.18	17.47	17.46	17.5	18	23.63	23.80
5530MHz	Pass	6.18	17.33	17.45	17.48	17.99	23.59	23.80
5610MHz	Pass	6.18	17.49	17.79	17.29	17.87	23.64	23.80
5690MHz Straddle 5.47-5.725GHz	Pass	6.18	17.23	17.93	17.44	17.98	23.68	23.80
5690MHz Straddle 5.725-5.85GHz	Pass	6.18	3.78	4.27	3.86	4.48	10.13	29.82
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.18	9.53	9.57	9.96	9.46	15.66	29.82
5250MHz Straddle 5.25-5.35GHz	Pass	6.18	10.48	10.72	11	10.66	16.74	23.80
5570MHz	Pass	6.18	12.98	12.22	12.51	12.60	18.61	23.80
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	12.20	11.75	11.00	11.49	12.33	17.69	17.78
5300MHz	Pass	12.20	11.61	11.00	11.59	11.82	17.54	17.78
5320MHz	Pass	12.20	11.52	11.06	11.60	11.93	17.56	17.78
5500MHz	Pass	12.20	11.42	11.65	11.62	12.07	17.72	17.78
5580MHz	Pass	12.20	11.33	11.48	11.71	12.06	17.67	17.78
5700MHz	Pass	12.20	11.70	11.27	11.85	11.99	17.73	17.78
5720MHz Straddle 5.47-5.725GHz	Pass	12.20	11.33	10.77	11.31	11.47	17.25	17.78
5720MHz Straddle 5.725-5.85GHz	Pass	12.20	6.1	5.46	6.07	6.24	12.00	23.80
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	12.20	11.92	11.49	11.97	11.35	17.71	17.78
5310MHz	Pass	12.20	11.82	11.63	11.83	11.43	17.70	17.78
5510MHz	Pass	12.20	11.47	11.04	11.98	11.84	17.62	17.78
5550MHz	Pass	12.20	11.68	11.09	11.85	12.00	17.69	17.78
5670MHz	Pass	12.20	11.27	11.37	11.71	12.25	17.69	17.78
5710MHz Straddle 5.47-5.725GHz	Pass	12.20	11.26	11.14	11.76	12.24	17.64	17.78
5710MHz Straddle 5.725-5.85GHz	Pass	12.20	1.46	1.40	2.00	2.49	7.88	23.80
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	12.20	11.44	11.36	11.67	12.14	17.68	17.78
5530MHz	Pass	12.20	11.50	11.41	11.70	12.03	17.69	17.78
5610MHz	Pass	12.20	11.45	11.59	11.67	11.92	17.68	17.78
5690MHz Straddle 5.47-5.725GHz	Pass	12.20	11.47	11.43	11.46	11.79	17.56	17.78
5690MHz Straddle 5.725-5.85GHz	Pass	12.20	-2.01	-2.05	-1.99	-1.71	4.08	23.80
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	12.20	10.53	10.45	10.68	10.30	16.51	23.80
5250MHz Straddle 5.25-5.35GHz	Pass	12.20	11.46	11.61	11.74	11.49	17.60	17.78
5570MHz	Pass	12.20	11.81	11.45	11.66	11.58	17.65	17.78

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

27/09/2025



Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)
11.88	11.88


Sum(dBm)	P1(dBm)
12.80	12.80

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

26/09/2025




Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
19.31	16.33	16.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

AV Power


5250MHz Straddle 5.15-5.25GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

