


5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX(0,1)
Setting 76
01-U-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2992G	118.31	Inf	-Inf	111.14	3	Horizontal	0	1.80	-	33.00	6.68	32.51				
AV	5.3022G	106.92	Inf	-Inf	99.75	3	Horizontal	0	1.80	-	33.00	6.68	32.51				
PK	5.3526G	68.15	74.00	-5.85	60.83	3	Horizontal	0	1.80	-	33.11	6.71	32.50				
AV	5.3502G	52.73	54.00	-1.27	45.42	3	Horizontal	0	1.80	-	33.10	6.71	32.50				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX(0,1)
Setting 76
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59706G	59.56	68.20	-8.64	75.43	3	Vertical	314	1.80	-	39.59	11.17	66.63			
PK	15.90957G	49.12	74.00	-24.88	60.79	3	Vertical	19	1.81	-	38.94	13.36	63.97			
AV	15.90711G	35.68	54.00	-18.32	47.36	3	Vertical	19	1.81	-	38.93	13.35	63.96			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX(0,1)
Setting 76
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59832G	55.73	68.20	-12.47	71.58	3	Horizontal	4	1.67	-	39.60	11.17	66.62			
PK	15.89085G	49.15	74.00	-24.85	60.83	3	Horizontal	38	1.79	-	38.94	13.34	63.96			
AV	15.90342G	36.53	54.00	-17.47	48.23	3	Horizontal	38	1.79	-	38.91	13.35	63.96			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 68
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.32585G	118.96	Inf	-Inf	112.93	3	Vertical	4	1.80	-	32.90	8.17	35.04			
AV	5.3248G	109.23	Inf	-Inf	103.20	3	Vertical	4	1.80	-	32.90	8.17	35.04			
PK	5.3602G	65.74	74.00	-8.26	59.68	3	Vertical	4	1.80	-	32.90	8.19	35.03			
AV	5.3602G	53.91	54.00	-0.09	47.85	3	Vertical	4	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 68
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31115G	118.70	Inf	-Inf	112.69	3	Horizontal	3	1.35	-	32.90	8.16	35.05
AV	5.3233G	107.97	Inf	-Inf	101.94	3	Horizontal	3	1.35	-	32.90	8.17	35.04
PK	5.36215G	64.64	74.00	-9.36	58.58	3	Horizontal	3	1.35	-	32.90	8.19	35.03
AV	5.36005G	52.66	54.00	-1.34	46.60	3	Horizontal	3	1.35	-	32.90	8.19	35.03

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 68
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62831G	48.97	74.00	-25.03	32.07	3	Vertical	40	1.80	-	39.31	11.40	33.81			
AV	10.62827G	36.04	54.00	-17.96	19.14	3	Vertical	40	1.80	-	39.31	11.40	33.81			
PK	15.97144G	49.55	74.00	-24.45	29.81	3	Vertical	220	2.96	-	37.61	14.25	32.12			
AV	15.97146G	36.71	54.00	-17.29	16.97	3	Vertical	220	2.96	-	37.61	14.25	32.12			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 68
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65465G	47.98	74.00	-26.02	30.95	3	Horizontal	15	1.80	-	39.40	11.42	33.79			
AV	10.65467G	35.54	54.00	-18.46	18.51	3	Horizontal	15	1.80	-	39.40	11.42	33.79			
PK	15.97248G	49.31	74.00	-24.69	29.57	3	Horizontal	348	1.03	-	37.61	14.25	32.12			
AV	15.97251G	36.35	54.00	-17.65	16.61	3	Horizontal	348	1.03	-	37.61	14.25	32.12			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX(0,1)
Setting 75
01-U-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1449G	66.33	74.00	-7.67	59.45	3	Vertical	2	1.80	-	32.79	6.64	32.55
AV	5.15G	50.85	54.00	-3.15	43.95	3	Vertical	2	1.80	-	32.80	6.64	32.54
PK	5.279G	115.36	Inf	-Inf	108.24	3	Vertical	2	1.80	-	32.96	6.67	32.51
AV	5.2775G	103.21	Inf	-Inf	96.10	3	Vertical	2	1.80	-	32.95	6.67	32.51
PK	5.36G	69.70	74.00	-4.30	62.34	3	Vertical	2	1.80	-	33.14	6.71	32.49
AV	5.3552G	53.99	54.00	-0.01	46.65	3	Vertical	2	1.80	-	33.12	6.71	32.49

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX(0,1)
Setting 75
01-U-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	65.39	74.00	-8.61	58.50	3	Horizontal	2	1.00	-	32.79	6.64	32.54
AV	5.1476G	49.18	54.00	-4.82	42.28	3	Horizontal	2	1.00	-	32.80	6.64	32.54
PK	5.2787G	113.41	Inf	-Inf	106.29	3	Horizontal	2	1.00	-	32.96	6.67	32.51
AV	5.2646G	102.84	Inf	-Inf	95.77	3	Horizontal	2	1.00	-	32.93	6.66	32.52
PK	5.3612G	68.63	74.00	-5.37	61.27	3	Horizontal	2	1.00	-	33.14	6.71	32.49
AV	5.3519G	53.42	54.00	-0.58	46.10	3	Horizontal	2	1.00	-	33.11	6.71	32.50

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX(0,1)
Setting 75
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53517G	44.64	68.20	-23.56	60.76	3	Vertical	328	1.72	-	39.44	11.13	66.69			
PK	15.80202G	43.47	74.00	-30.53	54.82	3	Vertical	204	2.01	-	39.29	13.28	63.92			
AV	15.81216G	31.93	54.00	-22.07	43.32	3	Vertical	204	2.01	-	39.25	13.29	63.93			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX(0,1)
Setting 75
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53544G	44.72	68.20	-23.48	60.84	3	Horizontal	163	1.44	-	39.44	11.13	66.69			
PK	15.79734G	43.87	74.00	-30.13	55.22	3	Horizontal	270	2.73	-	39.29	13.28	63.92			
AV	15.81825G	31.99	54.00	-22.01	43.40	3	Horizontal	270	2.73	-	39.23	13.29	63.93			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX(0,1)
Setting 60
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3245G	114.23	Inf	-Inf	108.20	3	Vertical	6	1.80	-	32.90	8.17	35.04			
AV	5.32475G	103.73	Inf	-Inf	97.70	3	Vertical	6	1.80	-	32.90	8.17	35.04			
PK	5.35625G	64.58	74.00	-9.42	58.52	3	Vertical	6	1.80	-	32.90	8.19	35.03			
AV	5.35G	53.57	54.00	-0.43	47.52	3	Vertical	6	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX(0,1)
Setting 60
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.31725G	112.63	Inf	-Inf	106.62	3	Horizontal	6	1.01	-	32.90	8.16	35.05			
AV	5.2935G	102.49	Inf	-Inf	96.48	3	Horizontal	6	1.01	-	32.91	8.15	35.05			
PK	5.35325G	62.72	74.00	-11.28	56.67	3	Horizontal	6	1.01	-	32.90	8.18	35.03			
AV	5.35025G	51.62	54.00	-2.38	45.57	3	Horizontal	6	1.01	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX(0,1)
Setting 60
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6068G	47.47	74.00	-26.53	30.68	3	Vertical	90	2.33	-	39.23	11.39	33.83			
AV	10.6065G	34.47	54.00	-19.53	17.68	3	Vertical	90	2.33	-	39.23	11.39	33.83			
PK	15.94442G	45.20	74.00	-28.80	25.37	3	Vertical	227	2.23	-	37.73	14.25	32.15			
AV	15.94443G	33.30	54.00	-20.70	13.47	3	Vertical	227	2.23	-	37.73	14.25	32.15			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX



EUT_Y_2TX(0,1)
Setting 60
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6067G	45.97	74.00	-28.03	29.18	3	Horizontal	194	1.64	-	39.23	11.39	33.83			
AV	10.6068G	34.46	54.00	-19.54	17.67	3	Horizontal	194	1.64	-	39.23	11.39	33.83			
PK	15.93788G	45.44	74.00	-28.56	25.58	3	Horizontal	324	2.78	-	37.77	14.25	32.16			
AV	15.93789G	33.46	54.00	-20.54	13.60	3	Horizontal	324	2.78	-	37.77	14.25	32.16			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



EUT_Y_2TX(0,1)
Setting 70
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.90	74.00	-14.10	54.94	3	Vertical	7	1.79	-	31.90	6.78	33.72
AV	5.1465G	48.76	54.00	-5.24	43.82	3	Vertical	7	1.79	-	31.89	6.77	33.72
PK	5.309G	110.48	Inf	-Inf	106.15	3	Vertical	7	1.79	-	31.22	6.87	33.76
AV	5.3045G	99.26	Inf	-Inf	94.94	3	Vertical	7	1.79	-	31.21	6.87	33.76
PK	5.3515G	65.22	74.00	-8.78	60.82	3	Vertical	7	1.79	-	31.30	6.87	33.77
AV	5.3545G	53.73	54.00	-0.27	49.32	3	Vertical	7	1.79	-	31.31	6.87	33.77
PK	5.4875G	58.29	68.20	-9.91	53.56	3	Vertical	7	1.79	-	31.65	6.89	33.81

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX(0,1)
Setting 70
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1275G	59.69	74.00	-14.31	54.85	3	Horizontal	5	1.04	-	31.81	6.74	33.71
AV	5.1485G	48.25	54.00	-5.75	43.30	3	Horizontal	5	1.04	-	31.89	6.78	33.72
PK	5.283G	110.68	Inf	-Inf	106.34	3	Horizontal	5	1.04	-	31.23	6.86	33.75
AV	5.283G	98.66	Inf	-Inf	94.32	3	Horizontal	5	1.04	-	31.23	6.86	33.75
PK	5.3665G	63.27	74.00	-10.73	58.85	3	Horizontal	5	1.04	-	31.33	6.87	33.78
AV	5.3505G	52.17	54.00	-1.83	47.77	3	Horizontal	5	1.04	-	31.30	6.87	33.77
PK	5.5175G	59.22	68.20	-8.98	54.43	3	Horizontal	5	1.04	-	31.70	6.90	33.81

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX(0,1)
Setting 70
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58672G	49.02	68.20	-19.18	64.93	3	Vertical	341	1.66	-	39.57	11.16	66.64			
PK	15.88464G	46.28	74.00	-27.72	57.94	3	Vertical	319	1.33	-	38.96	13.34	63.96			
AV	15.88434G	34.01	54.00	-19.99	45.67	3	Vertical	319	1.33	-	38.96	13.34	63.96			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX(0,1)
Setting 70
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59401G	48.51	68.20	-19.69	64.38	3	Horizontal	202	2.05	-	39.59	11.17	66.63			
PK	15.87489G	47.19	74.00	-26.81	58.81	3	Horizontal	40	1.87	-	39.00	13.33	63.95			
AV	15.88398G	34.60	54.00	-19.40	46.26	3	Horizontal	40	1.87	-	38.96	13.34	63.96			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX(0,1)
Setting 61
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1444G	68.51	74.00	-5.49	63.58	3	Vertical	8	1.71	-	31.88	6.77	33.72			
AV	5.15G	52.48	54.00	-1.52	47.52	3	Vertical	8	1.71	-	31.90	6.78	33.72			
PK	5.3148G	106.37	Inf	-Inf	102.03	3	Vertical	8	1.71	-	31.23	6.87	33.76			
AV	5.326G	93.98	Inf	-Inf	89.62	3	Vertical	8	1.71	-	31.25	6.87	33.76			
PK	5.3548G	68.35	74.00	-5.65	63.94	3	Vertical	8	1.71	-	31.31	6.87	33.77			
AV	5.35G	53.84	54.00	-0.16	49.44	3	Vertical	8	1.71	-	31.30	6.87	33.77			
PK	5.5884G	59.07	68.20	-9.13	54.34	3	Vertical	8	1.71	-	31.62	6.91	33.80			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX(0,1)
Setting 61
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	64.64	74.00	-9.36	59.68	3	Horizontal	7	1.02	-	31.90	6.78	33.72				
AV	5.146G	52.11	54.00	-1.89	47.18	3	Horizontal	7	1.02	-	31.88	6.77	33.72				
PK	5.2348G	105.12	Inf	-Inf	100.61	3	Horizontal	7	1.02	-	31.39	6.86	33.74				
AV	5.2652G	93.35	Inf	-Inf	88.97	3	Horizontal	7	1.02	-	31.27	6.86	33.75				
PK	5.358G	66.43	74.00	-7.57	62.01	3	Horizontal	7	1.02	-	31.32	6.87	33.77				
AV	5.3548G	52.82	54.00	-1.18	48.41	3	Horizontal	7	1.02	-	31.31	6.87	33.77				
PK	5.5772G	58.84	68.20	-9.36	54.08	3	Horizontal	7	1.02	-	31.65	6.91	33.80				

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX(0,1)
Setting 61
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48677G	46.92	68.20	-21.28	63.27	3	Vertical	343	2.97	-	39.27	11.10	66.72			
PK	15.73518G	46.92	74.00	-27.08	58.48	3	Vertical	107	1.23	-	39.11	13.23	63.90			
AV	15.74673G	33.96	54.00	-20.04	45.44	3	Vertical	107	1.23	-	39.18	13.24	63.90			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX(0,1)
Setting 61
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48836G	46.72	68.20	-21.48	63.07	3	Horizontal	103	1.67	-	39.28	11.10	66.73			
PK	15.73758G	46.40	74.00	-27.60	57.93	3	Horizontal	85	1.42	-	39.13	13.24	63.90			
AV	15.73545G	33.88	54.00	-20.12	45.44	3	Horizontal	85	1.42	-	39.11	13.23	63.90			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 108
80\108
9.85\4.95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1439G	58.89	74.00	-15.11	52.01	3	Vertical	3	1.80	108	32.79	6.64	32.55				
AV	5.1484G	44.73	54.00	-9.27	37.83	3	Vertical	3	1.80	108	32.80	6.64	32.54				
PK	5.2624G	118.94	Inf	-Inf	111.88	3	Vertical	3	1.80	108	32.92	6.66	32.52				
AV	5.263G	109.62	Inf	-Inf	102.55	3	Vertical	3	1.80	108	32.93	6.66	32.52				
PK	5.3617G	60.42	74.00	-13.58	53.05	3	Vertical	3	1.80	108	33.15	6.71	32.49				
AV	5.35G	49.05	54.00	-4.95	41.74	3	Vertical	3	1.80	108	33.10	6.71	32.50				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 108
108
6.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1418G	56.30	74.00	-17.70	49.43	3	Horizontal	0	1.80	108	32.78	6.64	32.55			
AV	5.1427G	44.08	54.00	-9.92	37.20	3	Horizontal	0	1.80	108	32.79	6.64	32.55			
PK	5.2531G	117.41	Inf	-Inf	110.36	3	Horizontal	0	1.80	108	32.91	6.66	32.52			
AV	5.2528G	108.86	Inf	-Inf	101.81	3	Horizontal	0	1.80	108	32.91	6.66	32.52			
PK	5.3518G	62.54	74.00	-11.46	55.22	3	Horizontal	0	1.80	108	33.11	6.71	32.50			
AV	5.3527G	47.85	54.00	-6.15	40.53	3	Horizontal	0	1.80	108	33.11	6.71	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53458G	54.77	68.20	-13.43	70.89	3	Vertical	33	1.52	-	39.44	11.13	66.69			
PK	15.76833G	47.25	74.00	-26.75	58.66	3	Vertical	346	1.80	-	39.24	13.26	63.91			
AV	15.7689G	35.89	54.00	-18.11	47.30	3	Vertical	346	1.80	-	39.24	13.26	63.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX

EUT_Y_4TX
Setting 108
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53194G	52.44	68.20	-15.76	68.58	3	Horizontal	356	3.00	-	39.43	11.13	66.70			
PK	15.76596G	46.73	74.00	-27.27	58.15	3	Horizontal	26	1.80	-	39.23	13.26	63.91			
AV	15.77844G	35.00	54.00	-19.00	46.40	3	Horizontal	26	1.80	-	39.26	13.26	63.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 91
80\108\94\87\90\91\92\91
8.27\ -2.53\ -2.02\ 3.78\ 2.43\ 1.67\ -0.01\ 1.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3026G	118.13	Inf	-Inf	110.95	3	Vertical	359	1.80	91	33.01	6.68	32.51				
AV	5.3026G	109.12	Inf	-Inf	101.94	3	Vertical	359	1.80	91	33.01	6.68	32.51				
PK	5.3618G	68.81	74.00	-5.19	61.44	3	Vertical	359	1.80	91	33.15	6.71	32.49				
AV	5.361G	52.73	54.00	-1.27	45.37	3	Vertical	359	1.80	91	33.14	6.71	32.49				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 87
91\80\90\85\87
-2.66\6.27\ -1.71\2.47\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2924G	115.96	Inf	-Inf	108.81	3	Horizontal	4	1.80	87	32.98	6.68	32.51				
AV	5.2926G	107.70	Inf	-Inf	100.54	3	Horizontal	4	1.80	87	32.99	6.68	32.51				
PK	5.3514G	72.27	74.00	-1.73	64.95	3	Horizontal	4	1.80	87	33.11	6.71	32.50				
AV	5.3502G	53.57	54.00	-0.43	46.26	3	Horizontal	4	1.80	87	33.10	6.71	32.50				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 87
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59571G	46.84	68.20	-21.36	62.71	3	Vertical	360	1.80	-	39.59	11.17	66.63			
PK	15.91179G	46.72	74.00	-27.28	58.38	3	Vertical	254	1.84	-	38.95	13.36	63.97			
AV	15.91296G	35.41	54.00	-18.59	47.07	3	Vertical	254	1.84	-	38.95	13.36	63.97			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 87
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59424G	46.51	68.20	-21.69	62.38	3	Horizontal	49	1.88	-	39.59	11.17	66.63			
PK	15.90468G	46.36	74.00	-27.64	58.05	3	Horizontal	229	2.07	-	38.92	13.35	63.96			
AV	15.91218G	35.48	54.00	-18.52	47.14	3	Horizontal	229	2.07	-	38.95	13.36	63.97			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 79
80\78\79
-0.40\1.44\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3229G	115.75	Inf	-Inf	108.51	3	Vertical	3	1.80	79	33.05	6.69	32.50
AV	5.3218G	106.91	Inf	-Inf	99.68	3	Vertical	3	1.80	79	33.04	6.69	32.50
PK	5.3617G	71.48	74.00	-2.52	64.11	3	Vertical	3	1.80	79	33.15	6.71	32.49
AV	5.3503G	53.97	54.00	-0.03	46.66	3	Vertical	3	1.80	79	33.10	6.71	32.50

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 74
79\59\78\69\73\75\74
-4.80\10.08\3.61\5.61\1.50\1.05\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3126G	111.86	Inf	-Inf	104.64	3	Horizontal	4	1.80	74	33.03	6.69	32.50			
AV	5.3127G	104.33	Inf	-Inf	97.11	3	Horizontal	4	1.80	74	33.03	6.69	32.50			
PK	5.3508G	73.20	74.00	-0.80	65.89	3	Horizontal	4	1.80	74	33.10	6.71	32.50			
AV	5.3506G	53.86	54.00	-0.14	46.55	3	Horizontal	4	1.80	74	33.10	6.71	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6448G	48.00	74.00	-26.00	63.86	3	Vertical	114	1.34	-	39.51	11.20	66.57			
AV	10.65092G	36.61	54.00	-17.39	52.48	3	Vertical	114	1.34	-	39.50	11.20	66.57			
PK	15.96084G	48.17	74.00	-25.83	59.56	3	Vertical	7	2.67	-	39.21	13.39	63.99			
AV	15.97269G	37.26	54.00	-16.74	48.52	3	Vertical	7	2.67	-	39.33	13.40	63.99			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62977G	48.10	74.00	-25.90	63.96	3	Horizontal	86	2.79	-	39.54	11.19	66.59			
AV	10.64981G	36.62	54.00	-17.38	52.49	3	Horizontal	86	2.79	-	39.50	11.20	66.57			
PK	15.97119G	48.43	74.00	-25.57	59.71	3	Horizontal	27	2.32	-	39.31	13.40	63.99			
AV	15.97464G	37.49	54.00	-16.51	48.73	3	Horizontal	27	2.32	-	39.35	13.40	63.99			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 108
80\108
9.10\2.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1382G	60.63	74.00	-13.37	53.76	3	Vertical	359	2.60	108	32.78	6.64	32.55			
AV	5.1478G	44.88	54.00	-9.12	37.98	3	Vertical	359	2.60	108	32.80	6.64	32.54			
PK	5.2675G	119.13	Inf	-Inf	112.06	3	Vertical	359	2.60	108	32.93	6.66	32.52			
AV	5.2675G	107.79	Inf	-Inf	100.72	3	Vertical	359	2.60	108	32.93	6.66	32.52			
PK	5.353G	68.05	74.00	-5.95	60.73	3	Vertical	359	2.60	108	33.11	6.71	32.50			
AV	5.3527G	51.51	54.00	-2.49	44.19	3	Vertical	359	2.60	108	33.11	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 108
108
4.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1361G	64.46	74.00	-9.54	57.60	3	Horizontal	1	1.80	108	32.77	6.64	32.55			
AV	5.1466G	45.86	54.00	-8.14	38.97	3	Horizontal	1	1.80	108	32.79	6.64	32.54			
PK	5.2609G	117.91	Inf	-Inf	110.85	3	Horizontal	1	1.80	108	32.92	6.66	32.52			
AV	5.2564G	107.31	Inf	-Inf	100.26	3	Horizontal	1	1.80	108	32.91	6.66	32.52			
PK	5.3518G	66.25	74.00	-7.75	58.93	3	Horizontal	1	1.80	108	33.11	6.71	32.50			
AV	5.3515G	49.86	54.00	-4.14	42.54	3	Horizontal	1	1.80	108	33.11	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52639G	54.20	68.20	-14.00	70.37	3	Vertical	33	1.80	-	39.41	11.12	66.70			
PK	15.77946G	47.51	74.00	-26.49	58.90	3	Vertical	348	1.79	-	39.26	13.27	63.92			
AV	15.77913G	34.83	54.00	-19.17	46.22	3	Vertical	348	1.79	-	39.26	13.27	63.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53266G	49.97	68.20	-18.23	66.10	3	Horizontal	2	1.78	-	39.43	11.13	66.69			
PK	15.77091G	46.89	74.00	-27.11	58.30	3	Horizontal	169	2.16	-	39.24	13.26	63.91			
AV	15.79344G	34.24	54.00	-19.76	45.59	3	Horizontal	169	2.16	-	39.29	13.28	63.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 83
80\92\76\84\81\82\83
3.22\ -7.49\6.65\ -0.38\1.15\0.90\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.3076G	117.46	Inf	-Inf	110.27	3	Vertical	0	2.38	83	33.02	6.68	32.51
AV	5.2974G	106.45	Inf	-Inf	99.29	3	Vertical	0	2.38	83	32.99	6.68	32.51
PK	5.3526G	72.34	74.00	-1.66	65.02	3	Vertical	0	2.38	83	33.11	6.71	32.50
AV	5.3526G	53.99	54.00	-0.01	46.67	3	Vertical	0	2.38	83	33.11	6.71	32.50

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 82
83\82
-0.09\0.69

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.301G	116.26	Inf	-Inf	109.09	3	Horizontal	4	1.80	82	33.00	6.68	32.51					
AV	5.2964G	105.44	Inf	-Inf	98.28	3	Horizontal	4	1.80	82	32.99	6.68	32.51					
PK	5.3516G	71.14	74.00	-2.86	63.82	3	Horizontal	4	1.80	82	33.11	6.71	32.50					
AV	5.351G	53.31	54.00	-0.69	46.00	3	Horizontal	4	1.80	82	33.10	6.71	32.50					

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 82
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59034G	50.22	68.20	-17.98	66.11	3	Vertical	36	2.90	-	39.58	11.16	66.63			
PK	15.91101G	46.93	74.00	-27.07	58.60	3	Vertical	152	1.74	-	38.94	13.36	63.97			
AV	15.90723G	34.88	54.00	-19.12	46.55	3	Vertical	152	1.74	-	38.93	13.36	63.96			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 82
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59052G	51.11	68.20	-17.09	67.00	3	Horizontal	21	2.35	-	39.58	11.16	66.63			
PK	15.90918G	46.92	74.00	-27.08	58.59	3	Horizontal	317	1.36	-	38.94	13.36	63.97			
AV	15.91488G	34.72	54.00	-19.28	46.37	3	Horizontal	317	1.36	-	38.96	13.36	63.97			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Settning 71
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3224G	120.04	Inf	-Inf	124.08	3	Vertical	11	1.80	-	31.29	8.46	43.79			
AV	5.3154G	109.67	Inf	-Inf	113.74	3	Vertical	11	1.80	-	31.26	8.46	43.79			
PK	5.3618G	66.43	74.00	-7.57	70.32	3	Vertical	11	1.80	-	31.40	8.48	43.77			
AV	5.3604G	53.59	54.00	-0.41	57.48	3	Vertical	11	1.80	-	31.40	8.48	43.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Settning 71
04-E-5-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3214G	119.18	Inf	-Inf	123.22	3	Horizontal	8	1.80	-	31.29	8.46	43.79			
AV	5.3162G	108.38	Inf	-Inf	112.45	3	Horizontal	8	1.80	-	31.26	8.46	43.79			
PK	5.3614G	66.41	74.00	-7.59	70.30	3	Horizontal	8	1.80	-	31.40	8.48	43.77			
AV	5.3616G	51.94	54.00	-2.06	55.83	3	Horizontal	8	1.80	-	31.40	8.48	43.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 71
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63202G	48.33	74.00	-25.67	64.19	3	Vertical	49	1.34	-	39.54	11.19	66.59			
AV	10.64834G	35.34	54.00	-18.66	51.21	3	Vertical	49	1.34	-	39.50	11.20	66.57			
PK	15.95823G	48.72	74.00	-25.28	60.13	3	Vertical	294	1.63	-	39.18	13.39	63.98			
AV	15.97242G	36.38	54.00	-17.62	47.65	3	Vertical	294	1.63	-	39.32	13.40	63.99			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 71
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6463G	48.60	74.00	-25.40	64.46	3	Horizontal	348	1.79	-	39.51	11.20	66.57			
AV	10.64624G	35.62	54.00	-18.38	51.48	3	Horizontal	348	1.79	-	39.51	11.20	66.57			
PK	15.96621G	48.93	74.00	-25.07	60.26	3	Horizontal	98	1.82	-	39.26	13.40	63.99			
AV	15.96903G	36.89	54.00	-17.11	48.19	3	Horizontal	98	1.82	-	39.29	13.40	63.99			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 77
80\70\84\77\79\78\77
-2.34\6.73\5.22\1.05\0.73\0.03\0.98

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2652G	113.15	Inf	-Inf	106.08	3	Vertical	0	1.06	77	32.93	6.66	32.52			
AV	5.265G	101.49	Inf	-Inf	94.42	3	Vertical	0	1.06	77	32.93	6.66	32.52			
PK	5.35G	69.31	74.00	-4.69	62.00	3	Vertical	0	1.06	77	33.10	6.71	32.50			
AV	5.3502G	53.02	54.00	-0.98	45.71	3	Vertical	0	1.06	77	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
SET 77
77
2.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2866G	113.01	Inf	-Inf	105.88	3	Horizontal	4	1.80	77	32.97	6.67	32.51			
AV	5.2664G	101.24	Inf	-Inf	94.17	3	Horizontal	4	1.80	77	32.93	6.66	32.52			
PK	5.3512G	67.52	74.00	-6.48	60.21	3	Horizontal	4	1.80	77	33.10	6.71	32.50			
AV	5.3512G	51.88	54.00	-2.12	44.57	3	Horizontal	4	1.80	77	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 77
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54039G	47.02	68.20	-21.18	63.12	3	Vertical	216	1.51	-	39.46	11.13	66.69			
PK	15.81669G	46.63	74.00	-27.37	58.04	3	Vertical	120	2.09	-	39.23	13.29	63.93			
AV	15.81534G	33.92	54.00	-20.08	45.32	3	Vertical	120	2.09	-	39.24	13.29	63.93			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 77
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54039G	47.16	68.20	-21.04	63.26	3	Horizontal	17	2.31	-	39.46	11.13	66.69			
PK	15.81231G	46.77	74.00	-27.23	58.16	3	Horizontal	314	2.78	-	39.25	13.29	63.93			
AV	15.81624G	33.99	54.00	-20.01	45.39	3	Horizontal	314	2.78	-	39.24	13.29	63.93			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 70
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	117.63	Inf	-Inf	113.27	3	Vertical	5	1.25	-	31.25	6.87	33.76
AV	5.3253G	106.57	Inf	-Inf	102.21	3	Vertical	5	1.25	-	31.25	6.87	33.76
PK	5.3532G	66.07	74.00	-7.93	61.66	3	Vertical	5	1.25	-	31.31	6.87	33.77
AV	5.3505G	53.63	54.00	-0.37	49.23	3	Vertical	5	1.25	-	31.30	6.87	33.77

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 70
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3061G	116.59	Inf	-Inf	112.27	3	Horizontal	9	1.89	-	31.21	6.87	33.76			
AV	5.3064G	105.72	Inf	-Inf	101.40	3	Horizontal	9	1.89	-	31.21	6.87	33.76			
PK	5.3517G	65.97	74.00	-8.03	61.57	3	Horizontal	9	1.89	-	31.30	6.87	33.77			
AV	5.3514G	52.21	54.00	-1.79	47.81	3	Horizontal	9	1.89	-	31.30	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 70
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63275G	47.40	74.00	-26.60	63.27	3	Vertical	355	2.16	-	39.53	11.19	66.59			
AV	10.63005G	35.07	54.00	-18.93	50.93	3	Vertical	355	2.16	-	39.54	11.19	66.59			
PK	15.93822G	48.45	74.00	-25.55	60.00	3	Vertical	188	2.82	-	39.05	13.38	63.98			
AV	15.9414G	35.42	54.00	-18.58	46.95	3	Vertical	188	2.82	-	39.07	13.38	63.98			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 70
06-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.6332G	47.34	74.00	-26.66	63.21	3	Horizontal	351	2.13	-	39.53	11.19	66.59				
AV	10.62744G	35.00	54.00	-19.00	50.85	3	Horizontal	351	2.13	-	39.55	11.19	66.59				
PK	15.93186G	47.99	74.00	-26.01	59.56	3	Horizontal	7	1.89	-	39.03	13.37	63.97				
AV	15.93576G	35.36	54.00	-18.64	46.92	3	Horizontal	7	1.89	-	39.04	13.38	63.98				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 65
80\40\84\62\73\68\66\65
-17.61\11.86\21.86\2.34\8.00\1.32\0.29\0.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.145G	58.52	74.00	-15.48	51.64	3	Vertical	1	2.60	65	32.79	6.64	32.55				
AV	5.1475G	43.09	54.00	-10.91	36.20	3	Vertical	1	2.60	65	32.79	6.64	32.54				
PK	5.2925G	107.49	Inf	-Inf	100.34	3	Vertical	1	2.60	65	32.98	6.68	32.51				
AV	5.3025G	95.90	Inf	-Inf	88.72	3	Vertical	1	2.60	65	33.01	6.68	32.51				
PK	5.354G	73.77	74.00	-0.23	66.44	3	Vertical	1	2.60	65	33.12	6.71	32.50				
AV	5.3575G	50.41	54.00	-3.59	43.06	3	Vertical	1	2.60	65	33.13	6.71	32.49				
PK	5.471G	53.95	68.20	-14.25	45.93	3	Vertical	1	2.60	65	33.63	6.86	32.47				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 65
65
1.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	62.53	74.00	-11.47	55.66	3	Horizontal	3	1.80	65	32.78	6.64	32.55			
AV	5.141G	43.56	54.00	-10.44	36.69	3	Horizontal	3	1.80	65	32.78	6.64	32.55			
PK	5.3015G	105.41	Inf	-Inf	98.24	3	Horizontal	3	1.80	65	33.00	6.68	32.51			
AV	5.3015G	94.62	Inf	-Inf	87.45	3	Horizontal	3	1.80	65	33.00	6.68	32.51			
PK	5.361G	72.61	74.00	-1.39	65.25	3	Horizontal	3	1.80	65	33.14	6.71	32.49			
AV	5.3515G	49.65	54.00	-4.35	42.33	3	Horizontal	3	1.80	65	33.11	6.71	32.50			
PK	5.5255G	53.76	68.20	-14.44	45.41	3	Horizontal	3	1.80	65	33.85	6.96	32.46			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 65
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58159G	46.92	68.20	-21.28	62.84	3	Vertical	252	1.97	-	39.56	11.16	66.64			
PK	15.85731G	45.74	74.00	-28.26	57.30	3	Vertical	20	1.93	-	39.07	13.32	63.95			
AV	15.88089G	33.81	54.00	-20.19	45.44	3	Vertical	20	1.93	-	38.98	13.34	63.95			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 65
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58969G	47.10	68.20	-21.10	62.99	3	Horizontal	229	2.75	-	39.58	11.16	66.63			
PK	15.8646G	45.67	74.00	-28.33	57.25	3	Horizontal	98	2.84	-	39.04	13.33	63.95			
AV	15.88452G	33.65	54.00	-20.35	45.31	3	Horizontal	98	2.84	-	38.96	13.34	63.96			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 62
80\40\84\62
-15.48\11.73\18.90\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	63.61	74.00	-10.39	56.75	3	Vertical	0	2.70	62	32.77	6.64	32.55
AV	5.1372G	51.41	54.00	-2.59	44.55	3	Vertical	0	2.70	62	32.77	6.64	32.55
PK	5.3226G	104.16	Inf	-Inf	96.92	3	Vertical	0	2.70	62	33.05	6.69	32.50
AV	5.3076G	92.33	Inf	-Inf	85.14	3	Vertical	0	2.70	62	33.02	6.68	32.51
PK	5.3562G	70.44	74.00	-3.56	63.10	3	Vertical	0	2.70	62	33.12	6.71	32.49
AV	5.3526G	53.57	54.00	-0.43	46.25	3	Vertical	0	2.70	62	33.11	6.71	32.50
PK	5.5116G	53.73	68.20	-14.47	45.43	3	Vertical	0	2.70	62	33.82	6.94	32.46

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 62
62
1.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1408G	67.60	74.00	-6.40	60.73	3	Horizontal	3	1.78	62	32.78	6.64	32.55				
AV	5.1414G	51.82	54.00	-2.18	44.95	3	Horizontal	3	1.78	62	32.78	6.64	32.55				
PK	5.2614G	102.97	Inf	-Inf	95.91	3	Horizontal	3	1.78	62	32.92	6.66	32.52				
AV	5.2716G	91.50	Inf	-Inf	84.40	3	Horizontal	3	1.78	62	32.94	6.67	32.51				
PK	5.3628G	70.82	74.00	-3.18	63.45	3	Horizontal	3	1.78	62	33.15	6.71	32.49				
AV	5.3568G	52.75	54.00	-1.25	45.40	3	Horizontal	3	1.78	62	33.13	6.71	32.49				
PK	5.5362G	54.46	68.20	-13.74	46.07	3	Horizontal	3	1.78	62	33.87	6.98	32.46				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 62
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49238G	45.99	68.20	-22.21	62.34	3	Vertical	100	2.82	-	39.28	11.10	66.73			
PK	15.73695G	46.23	74.00	-27.77	57.77	3	Vertical	226	2.38	-	39.12	13.24	63.90			
AV	15.7368G	34.32	54.00	-19.68	45.86	3	Vertical	226	2.38	-	39.12	13.24	63.90			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 62
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49925G	45.74	68.20	-22.46	62.07	3	Horizontal	189	2.07	-	39.30	11.10	66.73			
PK	15.74283G	47.01	74.00	-26.99	58.51	3	Horizontal	2	1.90	-	39.16	13.24	63.90			
AV	15.73572G	34.40	54.00	-19.60	45.95	3	Horizontal	2	1.90	-	39.11	13.24	63.90			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 84
01-U-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.143G	63.55	74.00	-10.45	56.67	3	Vertical	360	1.80	-	32.79	6.64	32.55			
AV	5.1481G	50.82	54.00	-3.18	43.92	3	Vertical	360	1.80	-	32.80	6.64	32.54			
PK	5.2624G	124.53	Inf	-Inf	117.47	3	Vertical	360	1.80	-	32.92	6.66	32.52			
AV	5.2534G	111.06	Inf	-Inf	104.01	3	Vertical	360	1.80	-	32.91	6.66	32.52			
PK	5.35G	66.03	74.00	-7.97	58.72	3	Vertical	360	1.80	-	33.10	6.71	32.50			
AV	5.3515G	53.62	54.00	-0.38	46.30	3	Vertical	360	1.80	-	33.11	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 84
01-U-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1337G	63.23	74.00	-10.77	56.37	3	Horizontal	0	1.80	-	32.77	6.64	32.55
AV	5.1496G	50.93	54.00	-3.07	44.03	3	Horizontal	0	1.80	-	32.80	6.64	32.54
PK	5.2531G	123.96	Inf	-Inf	116.91	3	Horizontal	0	1.80	-	32.91	6.66	32.52
AV	5.2669G	110.60	Inf	-Inf	103.53	3	Horizontal	0	1.80	-	32.93	6.66	32.52
PK	5.3506G	65.26	74.00	-8.74	57.95	3	Horizontal	0	1.80	-	33.10	6.71	32.50
AV	5.35G	53.13	54.00	-0.87	45.82	3	Horizontal	0	1.80	-	33.10	6.71	32.50

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5260MHz_TX

EUT_V_4TX
Setting 84
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.77442G	61.64	74.00	-12.36	42.37	3	Vertical	360	2.32	-	38.40	13.63	32.76			
AV	15.78321G	48.69	54.00	-5.31	29.43	3	Vertical	360	2.32	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5260MHz_TX

EUT_Y_4TX
Setting 84
01-U-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.78861G	60.34	74.00	-13.66	41.08	3	Horizontal	216	1.43	-	38.40	13.63	32.77			
AV	15.78018G	48.47	54.00	-5.53	29.20	3	Horizontal	216	1.43	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
Setting 75
01-U-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3024G	121.58	Inf	-Inf	114.41	3	Vertical	359	1.80	-	33.00	6.68	32.51			
AV	5.2916G	108.68	Inf	-Inf	101.53	3	Vertical	359	1.80	-	32.98	6.68	32.51			
PK	5.3534G	68.78	74.00	-5.22	61.46	3	Vertical	359	1.80	-	33.11	6.71	32.50			
AV	5.3512G	53.71	54.00	-0.29	46.40	3	Vertical	359	1.80	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 75
01-U-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2924G	121.53	Inf	-Inf	114.38	3	Horizontal	1	1.00	-	32.98	6.68	32.51			
AV	5.2966G	108.87	Inf	-Inf	101.71	3	Horizontal	1	1.00	-	32.99	6.68	32.51			
PK	5.35G	70.71	74.00	-3.29	63.40	3	Horizontal	1	1.00	-	33.10	6.71	32.50			
AV	5.35G	53.93	54.00	-0.07	46.62	3	Horizontal	1	1.00	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 75
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61112G	60.32	74.00	-13.68	42.67	3	Vertical	314	1.80	-	39.12	10.94	32.41			
AV	10.61128G	48.27	54.00	-5.73	30.62	3	Vertical	314	1.80	-	39.12	10.94	32.41			
PK	15.91182G	60.28	74.00	-13.72	40.85	3	Vertical	318	1.80	-	38.58	13.64	32.79			
AV	15.90828G	48.71	54.00	-5.29	29.28	3	Vertical	318	1.80	-	38.58	13.64	32.79			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 75
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61109G	58.14	74.00	-15.86	40.49	3	Horizontal	329	1.80	-	39.12	10.94	32.41			
AV	10.60512G	45.93	54.00	-8.07	28.29	3	Horizontal	329	1.80	-	39.11	10.94	32.41			
PK	15.90009G	59.61	74.00	-14.39	40.15	3	Horizontal	346	1.80	-	38.60	13.64	32.78			
AV	15.91272G	48.70	54.00	-5.30	29.28	3	Horizontal	346	1.80	-	38.57	13.64	32.79			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 65
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.32225G	120.88	Inf	-Inf	114.85	3	Vertical	6	1.80	-	32.90	8.17	35.04			
AV	5.32225G	110.12	Inf	-Inf	104.09	3	Vertical	6	1.80	-	32.90	8.17	35.04			
PK	5.36175G	67.91	74.00	-6.09	61.85	3	Vertical	6	1.80	-	32.90	8.19	35.03			
AV	5.36025G	53.96	54.00	-0.04	47.90	3	Vertical	6	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 65
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.31875G	118.71	Inf	-Inf	112.69	3	Horizontal	5	1.08	-	32.90	8.17	35.05			
AV	5.325G	108.26	Inf	-Inf	102.23	3	Horizontal	5	1.08	-	32.90	8.17	35.04			
PK	5.36125G	65.69	74.00	-8.31	59.63	3	Horizontal	5	1.08	-	32.90	8.19	35.03			
AV	5.36125G	53.42	54.00	-0.58	47.36	3	Horizontal	5	1.08	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 65
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.63453G	59.88	74.00	-14.12	42.94	3	Vertical	40	1.80	-	39.34	11.41	33.81				
AV	10.6361G	48.00	54.00	-6.00	31.05	3	Vertical	40	1.80	-	39.34	11.41	33.80				
PK	15.95778G	60.97	74.00	-13.03	41.19	3	Vertical	202	1.86	-	37.67	14.25	32.14				
AV	15.94785G	48.46	54.00	-5.54	28.65	3	Vertical	202	1.86	-	37.71	14.25	32.15				

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 65
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64857G	58.21	74.00	-15.79	41.20	3	Horizontal	330	1.80	-	39.39	11.41	33.79			
AV	10.64876G	46.47	54.00	-7.53	29.45	3	Horizontal	330	1.80	-	39.40	11.41	33.79			
PK	15.9521G	59.90	74.00	-14.10	40.11	3	Horizontal	62	1.42	-	37.69	14.25	32.15			
AV	15.9516G	48.62	54.00	-5.38	28.83	3	Horizontal	62	1.42	-	37.69	14.25	32.15			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 66
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.132G	63.08	74.00	-10.92	58.21	3	Vertical	6	1.75	-	31.83	6.75	33.71			
AV	5.1293G	49.65	54.00	-4.35	44.79	3	Vertical	6	1.75	-	31.82	6.75	33.71			
PK	5.2523G	117.71	Inf	-Inf	113.30	3	Vertical	6	1.75	-	31.30	6.86	33.75			
AV	5.2739G	105.20	Inf	-Inf	100.84	3	Vertical	6	1.75	-	31.25	6.86	33.75			
PK	5.351G	72.43	74.00	-1.57	68.03	3	Vertical	6	1.75	-	31.30	6.87	33.77			
AV	5.3516G	52.87	54.00	-1.13	48.47	3	Vertical	6	1.75	-	31.30	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 66
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1389G	61.28	74.00	-12.72	56.38	3	Horizontal	9	1.96	-	31.86	6.76	33.72
AV	5.1416G	49.56	54.00	-4.44	44.64	3	Horizontal	9	1.96	-	31.87	6.77	33.72
PK	5.2622G	115.16	Inf	-Inf	110.77	3	Horizontal	9	1.96	-	31.28	6.86	33.75
AV	5.2562G	104.57	Inf	-Inf	100.17	3	Horizontal	9	1.96	-	31.29	6.86	33.75
PK	5.35G	65.76	74.00	-8.24	61.36	3	Horizontal	9	1.96	-	31.30	6.87	33.77
AV	5.3612G	50.65	54.00	-3.35	46.23	3	Horizontal	9	1.96	-	31.32	6.87	33.77

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
Setting 66
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.80115G	59.80	74.00	-14.20	40.54	3	Vertical	308	2.10	-	38.40	13.63	32.77			
AV	15.81786G	49.57	54.00	-4.43	30.31	3	Vertical	308	2.10	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
Setting 66
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.81639G	60.14	74.00	-13.86	40.88	3	Horizontal	172	1.80	-	38.40	13.63	32.77			
AV	15.79608G	49.78	54.00	-4.22	30.52	3	Horizontal	172	1.80	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 67
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3121G	116.43	Inf	-Inf	112.10	3	Vertical	4	1.65	-	31.22	6.87	33.76
AV	5.3007G	104.88	Inf	-Inf	100.57	3	Vertical	4	1.65	-	31.20	6.87	33.76
PK	5.3502G	64.45	74.00	-9.55	60.05	3	Vertical	4	1.65	-	31.30	6.87	33.77
AV	5.3529G	53.53	54.00	-0.47	49.12	3	Vertical	4	1.65	-	31.31	6.87	33.77

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 67
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2989G	114.25	Inf	-Inf	109.95	3	Horizontal	10	2.15	-	31.20	6.86	33.76			
AV	5.2959G	102.94	Inf	-Inf	98.63	3	Horizontal	10	2.15	-	31.21	6.86	33.76			
PK	5.3547G	62.99	74.00	-11.01	58.58	3	Horizontal	10	2.15	-	31.31	6.87	33.77			
AV	5.35G	51.37	54.00	-2.63	46.97	3	Horizontal	10	2.15	-	31.30	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 67
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63401G	58.76	74.00	-15.24	41.04	3	Vertical	315	1.80	-	39.17	10.97	32.42			
AV	10.62279G	47.80	54.00	-6.20	30.10	3	Vertical	315	1.80	-	39.15	10.96	32.41			
PK	15.94065G	60.75	74.00	-13.25	41.38	3	Vertical	186	2.47	-	38.52	13.64	32.79			
AV	15.94278G	50.34	54.00	-3.66	30.98	3	Vertical	186	2.47	-	38.51	13.64	32.79			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 67
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62123G	57.51	74.00	-16.49	39.83	3	Horizontal	328	1.80	-	39.14	10.95	32.41			
AV	10.63251G	47.60	54.00	-6.40	29.88	3	Horizontal	328	1.80	-	39.17	10.97	32.42			
PK	15.91659G	60.56	74.00	-13.44	41.14	3	Horizontal	118	1.80	-	38.57	13.64	32.79			
AV	15.92982G	50.07	54.00	-3.93	30.68	3	Horizontal	118	1.80	-	38.54	13.64	32.79			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 61
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	60.50	74.00	-13.50	55.61	3	Vertical	6	1.62	-	31.85	6.76	33.72
AV	5.1325G	49.49	54.00	-4.51	44.62	3	Vertical	6	1.62	-	31.83	6.75	33.71
PK	5.265G	112.15	Inf	-Inf	107.77	3	Vertical	6	1.62	-	31.27	6.86	33.75
AV	5.3035G	100.44	Inf	-Inf	96.12	3	Vertical	6	1.62	-	31.21	6.87	33.76
PK	5.35G	65.14	74.00	-8.86	60.74	3	Vertical	6	1.62	-	31.30	6.87	33.77
AV	5.3525G	53.57	54.00	-0.43	49.16	3	Vertical	6	1.62	-	31.31	6.87	33.77
PK	5.538G	59.22	68.20	-8.98	54.43	3	Vertical	6	1.62	-	31.70	6.90	33.81

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 61
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1395G	59.51	74.00	-14.49	54.61	3	Horizontal	6	1.07	-	31.86	6.76	33.72
AV	5.1395G	50.14	54.00	-3.86	45.24	3	Horizontal	6	1.07	-	31.86	6.76	33.72
PK	5.2725G	110.56	Inf	-Inf	106.19	3	Horizontal	6	1.07	-	31.26	6.86	33.75
AV	5.285G	99.55	Inf	-Inf	95.21	3	Horizontal	6	1.07	-	31.23	6.86	33.75
PK	5.351G	61.60	74.00	-12.40	57.20	3	Horizontal	6	1.07	-	31.30	6.87	33.77
AV	5.35G	52.22	54.00	-1.78	47.82	3	Horizontal	6	1.07	-	31.30	6.87	33.77
PK	5.466G	58.57	68.20	-9.63	53.92	3	Horizontal	6	1.07	-	31.56	6.89	33.80

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5290MHz_TX

EUT_Y_4TX
Setting 61
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.87783G	60.37	74.00	-13.63	41.00	3	Vertical	218	1.80	-	38.51	13.64	32.78			
AV	15.87597G	50.03	54.00	-3.97	30.67	3	Vertical	218	1.80	-	38.50	13.64	32.78			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 61
01-U-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	15.87579G	60.21	74.00	-13.79	40.85	3	Horizontal	288	1.00	-	38.50	13.64	32.78			
AV	15.88359G	49.54	54.00	-4.46	30.15	3	Horizontal	288	1.00	-	38.53	13.64	32.78			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 50
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	71.05	74.00	-2.95	66.09	3	Vertical	7	1.42	-	31.90	6.78	33.72			
AV	5.1316G	52.10	54.00	-1.90	47.23	3	Vertical	7	1.42	-	31.83	6.75	33.71			
PK	5.3132G	108.22	Inf	-Inf	103.88	3	Vertical	7	1.42	-	31.23	6.87	33.76			
AV	5.326G	95.29	Inf	-Inf	90.93	3	Vertical	7	1.42	-	31.25	6.87	33.76			
PK	5.3532G	73.23	74.00	-0.77	68.82	3	Vertical	7	1.42	-	31.31	6.87	33.77			
AV	5.3532G	53.60	54.00	-0.40	49.19	3	Vertical	7	1.42	-	31.31	6.87	33.77			
PK	5.5852G	59.03	68.20	-9.17	54.29	3	Vertical	7	1.42	-	31.63	6.91	33.80			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 50
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1436G	67.31	74.00	-6.69	62.39	3	Horizontal	10	1.94	-	31.87	6.77	33.72					
AV	5.15G	51.52	54.00	-2.48	46.56	3	Horizontal	10	1.94	-	31.90	6.78	33.72					
PK	5.2636G	104.50	Inf	-Inf	100.12	3	Horizontal	10	1.94	-	31.27	6.86	33.75					
AV	5.266G	93.82	Inf	-Inf	89.44	3	Horizontal	10	1.94	-	31.27	6.86	33.75					
PK	5.3508G	67.86	74.00	-6.14	63.46	3	Horizontal	10	1.94	-	31.30	6.87	33.77					
AV	5.3628G	51.34	54.00	-2.66	46.91	3	Horizontal	10	1.94	-	31.33	6.87	33.77					
PK	5.4724G	58.62	68.20	-9.58	53.94	3	Horizontal	10	1.94	-	31.59	6.89	33.80					

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 50
01-U-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.74886G	60.16	74.00	-13.84	40.90	3	Vertical	173	1.80	-	38.40	13.62	32.76			
AV	15.76425G	49.86	54.00	-4.14	30.59	3	Vertical	173	1.80	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Y_4TX
Setting 50
01-U-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	16.011G	60.84	74.00	-13.16	41.61	3	Horizontal	30	1.80	-	38.37	13.65	32.79			
AV	15.9888G	50.97	54.00	-3.03	31.78	3	Horizontal	30	1.80	-	38.34	13.65	32.80			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.352G	53.95	54.00	-0.05	3	Vertical	22	1.80	-

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 94
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	56.77	74.00	-17.23	50.31	3	Vertical	5	1.80	-	33.90	7.49	34.93			
AV	5.1472G	46.64	54.00	-7.36	40.18	3	Vertical	5	1.80	-	33.90	7.49	34.93			
PK	5.2618G	113.07	Inf	-Inf	106.12	3	Vertical	5	1.80	-	34.17	7.69	34.91			
AV	5.2648G	104.81	Inf	-Inf	97.84	3	Vertical	5	1.80	-	34.19	7.69	34.91			
PK	5.3509G	58.51	74.00	-15.49	51.10	3	Vertical	5	1.80	-	34.50	7.80	34.89			
AV	5.3518G	48.03	54.00	-5.97	40.61	3	Vertical	5	1.80	-	34.51	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 94
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	61.60	74.00	-12.40	55.14	3	Horizontal	356	1.90	-	33.90	7.49	34.93
AV	5.1391G	47.65	54.00	-6.35	41.21	3	Horizontal	356	1.90	-	33.90	7.47	34.93
PK	5.257G	116.87	Inf	-Inf	109.96	3	Horizontal	356	1.90	-	34.14	7.68	34.91
AV	5.266G	107.07	Inf	-Inf	100.09	3	Horizontal	356	1.90	-	34.20	7.69	34.91
PK	5.3584G	60.45	74.00	-13.55	53.00	3	Horizontal	356	1.90	-	34.53	7.81	34.89
AV	5.3527G	48.02	54.00	-5.98	40.60	3	Horizontal	356	1.90	-	34.51	7.80	34.89

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX

EUT_Y_1TX
SET94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5166G	56.63	68.20	-11.57	52.83	3	Vertical	7	2.94	94	38.13	11.23	45.56			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
SET94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5164G	52.88	68.20	-15.32	49.08	3	Horizontal	346	1.77	94	38.13	11.23	45.56			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT Y_1TX
Setting 90
03-C-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.307G	112.81	Inf	-Inf	105.56	3	Vertical	15	1.80	-	34.41	7.74	34.90			
AV	5.3026G	103.80	Inf	-Inf	96.55	3	Vertical	15	1.80	-	34.41	7.74	34.90			
PK	5.3526G	69.25	74.00	-4.75	61.83	3	Vertical	15	1.80	-	34.51	7.80	34.89			
AV	5.3508G	52.96	54.00	-1.04	45.55	3	Vertical	15	1.80	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 90
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.307G	114.97	Inf	-Inf	107.72	3	Horizontal	350	1.92	-	34.41	7.74	34.90			
AV	5.2984G	105.87	Inf	-Inf	98.65	3	Horizontal	350	1.92	-	34.39	7.73	34.90			
PK	5.3512G	69.65	74.00	-4.35	62.24	3	Horizontal	350	1.92	-	34.50	7.80	34.89			
AV	5.3556G	52.73	54.00	-1.27	45.30	3	Horizontal	350	1.92	-	34.52	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX

EUT_Y_1TX
SET90
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59644G	55.58	68.20	-12.62	51.76	3	Vertical	10	2.37	90	38.20	11.26	45.64			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET90
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59644G	50.87	68.20	-17.33	47.05	3	Horizontal	29	1.47	90	38.20	11.26	45.64			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUTY_1TX
Setting 77
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.314G	109.42	Inf	-Inf	102.14	3	Vertical	4	1.80	-	34.43	7.75	34.90			
AV	5.3215G	100.59	Inf	-Inf	93.29	3	Vertical	4	1.80	-	34.44	7.76	34.90			
PK	5.3502G	68.98	74.00	-5.02	61.57	3	Vertical	4	1.80	-	34.50	7.80	34.89			
AV	5.3505G	51.54	54.00	-2.46	44.13	3	Vertical	4	1.80	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 77
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3227G	110.63	Inf	-Inf	103.32	3	Horizontal	340	1.98	-	34.45	7.76	34.90			
AV	5.3231G	101.84	Inf	-Inf	94.53	3	Horizontal	340	1.98	-	34.45	7.76	34.90			
PK	5.35G	70.51	74.00	-3.49	63.10	3	Horizontal	340	1.98	-	34.50	7.80	34.89			
AV	5.3509G	52.07	54.00	-1.93	44.66	3	Horizontal	340	1.98	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 77
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6386G	48.40	74.00	-25.60	44.60	3	Vertical	331	1.80	77	38.20	11.28	45.68			
AV	10.6358G	37.78	54.00	-16.22	33.98	3	Vertical	331	1.80	77	38.20	11.28	45.68			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX

EUT_Y_1TX
SET 77
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63856G	49.24	74.00	-24.76	45.44	3	Horizontal	328	1.80	77	38.20	11.28	45.68			
AV	10.64004G	38.12	54.00	-15.88	34.32	3	Horizontal	328	1.80	77	38.20	11.28	45.68			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 94
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1469G	60.95	74.00	-13.05	54.49	3	Vertical	29	2.00	-	33.90	7.49	34.93			
AV	5.1499G	48.23	54.00	-5.77	41.77	3	Vertical	29	2.00	-	33.90	7.49	34.93			
PK	5.2534G	116.03	Inf	-Inf	109.14	3	Vertical	29	2.00	-	34.12	7.68	34.91			
AV	5.266G	106.00	Inf	-Inf	99.02	3	Vertical	29	2.00	-	34.20	7.69	34.91			
PK	5.356G	62.51	74.00	-11.49	55.07	3	Vertical	29	2.00	-	34.52	7.81	34.89			
AV	5.3503G	51.24	54.00	-2.76	43.83	3	Vertical	29	2.00	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 94
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1415G	64.03	74.00	-9.97	57.59	3	Horizontal	354	1.95	-	33.90	7.47	34.93			
AV	5.1499G	49.46	54.00	-4.54	43.00	3	Horizontal	354	1.95	-	33.90	7.49	34.93			
PK	5.2633G	118.58	Inf	-Inf	111.62	3	Horizontal	354	1.95	-	34.18	7.69	34.91			
AV	5.2549G	107.08	Inf	-Inf	100.18	3	Horizontal	354	1.95	-	34.13	7.68	34.91			
PK	5.3509G	64.48	74.00	-9.52	57.07	3	Horizontal	354	1.95	-	34.50	7.80	34.89			
AV	5.3503G	51.06	54.00	-2.94	43.65	3	Horizontal	354	1.95	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5212G	54.47	68.20	-13.73	50.66	3	Vertical	5	1.95	94	38.14	11.23	45.56			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Y_1TX
SET94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5212G	48.82	68.20	-19.38	45.01	3	Horizontal	347	1.80	94	38.14	11.23	45.56			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 85
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3058G	114.30	Inf	-Inf	107.05	3	Vertical	4	1.64	-	34.41	7.74	34.90			
AV	5.3038G	102.82	Inf	-Inf	95.57	3	Vertical	4	1.64	-	34.41	7.74	34.90			
PK	5.3528G	67.78	74.00	-6.22	60.36	3	Vertical	4	1.64	-	34.51	7.80	34.89			
AV	5.3512G	52.04	54.00	-1.96	44.63	3	Vertical	4	1.64	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
Setting 85
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2964G	116.25	Inf	-Inf	109.04	3	Horizontal	355	1.91	-	34.38	7.73	34.90			
AV	5.2922G	104.59	Inf	-Inf	97.41	3	Horizontal	355	1.91	-	34.35	7.73	34.90			
PK	5.3506G	70.97	74.00	-3.03	63.56	3	Horizontal	355	1.91	-	34.50	7.80	34.89			
AV	5.35G	53.66	54.00	-0.34	46.25	3	Horizontal	355	1.91	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 85
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59932G	51.77	68.20	-16.43	47.95	3	Vertical	9	2.32	85	38.20	11.26	45.64				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET85
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5994G	49.33	68.20	-18.87	45.51	3	Horizontal	331	2.07	85	38.20	11.26	45.64				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT Y_1TX
Setting 73
03-C-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3256G	111.10	Inf	-Inf	103.77	3	Vertical	26	1.91	-	34.45	7.77	34.89			
AV	5.3224G	99.66	Inf	-Inf	92.36	3	Vertical	26	1.91	-	34.44	7.76	34.90			
PK	5.35G	71.02	74.00	-2.98	63.61	3	Vertical	26	1.91	-	34.50	7.80	34.89			
AV	5.3503G	53.63	54.00	-0.37	46.22	3	Vertical	26	1.91	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 73
03-C-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3175G	112.20	Inf	-Inf	104.91	3	Horizontal	353	1.90	-	34.43	7.76	34.90			
AV	5.3144G	100.87	Inf	-Inf	93.59	3	Horizontal	353	1.90	-	34.43	7.75	34.90			
PK	5.35G	69.96	74.00	-4.04	62.55	3	Horizontal	353	1.90	-	34.50	7.80	34.89			
AV	5.3505G	53.71	54.00	-0.29	46.30	3	Horizontal	353	1.90	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 73
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64108G	50.50	74.00	-23.50	46.70	3	Vertical	328	1.76	73	38.20	11.28	45.68			
AV	10.6386G	38.80	54.00	-15.20	35.00	3	Vertical	328	1.76	73	38.20	11.28	45.68			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT Y_1TX
SET 73
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.65668G	47.44	74.00	-26.56	43.65	3	Horizontal	326	1.80	73	38.20	11.29	45.70			
AV	10.64128G	35.93	54.00	-18.07	32.13	3	Horizontal	326	1.80	73	38.20	11.28	45.68			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 81
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	63.06	74.00	-10.94	56.60	3	Vertical	4	1.66	-	33.90	7.49	34.93
AV	5.1488G	48.62	54.00	-5.38	42.16	3	Vertical	4	1.66	-	33.90	7.49	34.93
PK	5.2682G	110.65	Inf	-Inf	103.65	3	Vertical	4	1.66	-	34.21	7.70	34.91
AV	5.2646G	98.98	Inf	-Inf	92.01	3	Vertical	4	1.66	-	34.19	7.69	34.91
PK	5.354G	66.73	74.00	-7.27	59.30	3	Vertical	4	1.66	-	34.52	7.80	34.89
AV	5.3519G	52.19	54.00	-1.81	44.77	3	Vertical	4	1.66	-	34.51	7.80	34.89

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
Setting 81
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	64.48	74.00	-9.52	58.05	3	Horizontal	354	1.94	-	33.90	7.46	34.93
AV	5.1488G	50.86	54.00	-3.14	44.40	3	Horizontal	354	1.94	-	33.90	7.49	34.93
PK	5.255G	113.49	Inf	-Inf	106.59	3	Horizontal	354	1.94	-	34.13	7.68	34.91
AV	5.2724G	102.06	Inf	-Inf	95.04	3	Horizontal	354	1.94	-	34.23	7.70	34.91
PK	5.354G	68.30	74.00	-5.70	60.87	3	Horizontal	354	1.94	-	34.52	7.80	34.89
AV	5.3504G	53.57	54.00	-0.43	46.16	3	Horizontal	354	1.94	-	34.50	7.80	34.89

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 81
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.53624G	49.20	68.20	-19.00	45.37	3	Vertical	6	2.25	81	38.17	11.24	45.58				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 81
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55128G	47.42	68.20	-20.78	43.57	3	Horizontal	360	1.80	81	38.20	11.24	45.59			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
Setting 81
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.292G	110.05	Inf	-Inf	104.03	3	Vertical	10	1.80	-	32.92	8.15	35.05				
AV	5.3025G	100.04	Inf	-Inf	94.03	3	Vertical	10	1.80	-	32.90	8.16	35.05				
PK	5.352G	62.55	74.00	-11.45	56.50	3	Vertical	10	1.80	-	32.90	8.18	35.03				
AV	5.3515G	53.23	54.00	-0.77	47.18	3	Vertical	10	1.80	-	32.90	8.18	35.03				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 81
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2945G	110.68	Inf	-Inf	104.67	3	Horizontal	356	1.80	-	32.91	8.15	35.05			
AV	5.301G	99.76	Inf	-Inf	93.75	3	Horizontal	356	1.80	-	32.90	8.16	35.05			
PK	5.3555G	60.64	74.00	-13.36	54.58	3	Horizontal	356	1.80	-	32.90	8.19	35.03			
AV	5.3515G	51.37	54.00	-2.63	45.32	3	Horizontal	356	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_V_1TX
Setting 81
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61351G	47.20	74.00	-26.80	30.38	3	Vertical	6	1.80	-	39.25	11.40	33.83			
AV	10.61352G	36.17	54.00	-17.83	19.35	3	Vertical	6	1.80	-	39.25	11.40	33.83			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT_V_1TX
Setting 81
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61146G	46.86	74.00	-27.14	30.05	3	Horizontal	358	1.80	-	39.25	11.39	33.83			
AV	10.61144G	35.99	54.00	-18.01	19.18	3	Horizontal	358	1.80	-	39.25	11.39	33.83			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
Setting 83
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	61.16	74.00	-12.84	55.11	3	Vertical	24	1.80	-	33.09	8.07	35.11			
AV	5.147G	49.64	54.00	-4.36	43.59	3	Vertical	24	1.80	-	33.09	8.07	35.11			
PK	5.268G	106.67	Inf	-Inf	100.63	3	Vertical	24	1.80	-	32.96	8.14	35.06			
AV	5.292G	96.17	Inf	-Inf	90.15	3	Vertical	24	1.80	-	32.92	8.15	35.05			
PK	5.351G	62.55	74.00	-11.45	56.50	3	Vertical	24	1.80	-	32.90	8.18	35.03			
AV	5.351G	53.60	54.00	-0.40	47.55	3	Vertical	24	1.80	-	32.90	8.18	35.03			
PK	5.538G	55.14	68.20	-13.06	48.77	3	Vertical	24	1.80	-	33.00	8.33	34.96			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
Setting 83
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	60.15	74.00	-13.85	54.10	3	Horizontal	360	1.80	-	33.09	8.07	35.11
AV	5.15G	48.77	54.00	-5.23	42.71	3	Horizontal	360	1.80	-	33.10	8.07	35.11
PK	5.282G	106.28	Inf	-Inf	100.25	3	Horizontal	360	1.80	-	32.94	8.15	35.06
AV	5.276G	96.03	Inf	-Inf	90.00	3	Horizontal	360	1.80	-	32.95	8.14	35.06
PK	5.367G	59.88	74.00	-14.12	53.82	3	Horizontal	360	1.80	-	32.90	8.19	35.03
AV	5.368G	51.86	54.00	-2.14	45.80	3	Horizontal	360	1.80	-	32.90	8.19	35.03
PK	5.496G	54.42	68.20	-13.78	48.11	3	Horizontal	360	1.80	-	32.99	8.30	34.98

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Y_1TX
Setting 83
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52352G	47.09	68.20	-21.11	30.81	3	Vertical	304	1.56	-	38.85	11.35	33.92			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Y_1TX
Setting 83
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5232G	46.97	68.20	-21.23	30.69	3	Horizontal	328	1.68	-	38.85	11.35	33.92			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 67
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	65.57	74.00	-8.43	59.11	3	Vertical	25	1.88	-	33.90	7.49	34.93			
AV	5.1428G	50.34	54.00	-3.66	43.89	3	Vertical	25	1.88	-	33.90	7.48	34.93			
PK	5.3076G	100.00	Inf	-Inf	92.74	3	Vertical	25	1.88	-	34.42	7.74	34.90			
AV	5.278G	88.99	Inf	-Inf	81.91	3	Vertical	25	1.88	-	34.27	7.71	34.90			
PK	5.3532G	69.63	74.00	-4.37	62.21	3	Vertical	25	1.88	-	34.51	7.80	34.89			
AV	5.3652G	51.47	54.00	-2.53	43.98	3	Vertical	25	1.88	-	34.56	7.82	34.89			
PK	5.6172G	56.64	68.20	-11.56	49.60	3	Vertical	25	1.88	-	34.30	7.64	34.90			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 67
03-C-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1468G	69.14	74.00	-4.86	62.69	3	Horizontal	356	1.95	-	33.90	7.48	34.93			
AV	5.142G	52.93	54.00	-1.07	46.49	3	Horizontal	356	1.95	-	33.90	7.47	34.93			
PK	5.2764G	101.77	Inf	-Inf	94.70	3	Horizontal	356	1.95	-	34.26	7.71	34.90			
AV	5.2708G	91.44	Inf	-Inf	84.43	3	Horizontal	356	1.95	-	34.22	7.70	34.91			
PK	5.35G	69.96	74.00	-4.04	62.55	3	Horizontal	356	1.95	-	34.50	7.80	34.89			
AV	5.3524G	51.07	54.00	-2.93	43.65	3	Horizontal	356	1.95	-	34.51	7.80	34.89			
PK	5.5372G	57.50	68.20	-10.70	50.15	3	Horizontal	356	1.95	-	34.53	7.69	34.87			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 67
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.3762G	46.58	68.20	-21.62	42.89	3	Vertical	359	1.78	67	38.00	11.17	45.48				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
SET 67
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4088G	46.52	68.20	-21.68	42.92	3	Horizontal	44	1.80	67	37.90	11.19	45.49			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 94
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	61.02	74.00	-12.98	54.56	3	Vertical	14	1.92	-	33.90	7.49	34.93			
AV	5.1433G	48.68	54.00	-5.32	42.23	3	Vertical	14	1.92	-	33.90	7.48	34.93			
PK	5.2552G	120.21	Inf	-Inf	113.31	3	Vertical	14	1.92	-	34.13	7.68	34.91			
AV	5.2645G	112.08	Inf	-Inf	105.11	3	Vertical	14	1.92	-	34.19	7.69	34.91			
PK	5.3593G	62.70	74.00	-11.30	55.24	3	Vertical	14	1.92	-	34.54	7.81	34.89			
AV	5.3524G	50.09	54.00	-3.91	42.67	3	Vertical	14	1.92	-	34.51	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 94
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	60.22	74.00	-13.78	53.78	3	Horizontal	11	1.80	-	33.90	7.47	34.93			
AV	5.1466G	47.92	54.00	-6.08	41.47	3	Horizontal	11	1.80	-	33.90	7.48	34.93			
PK	5.2645G	120.19	Inf	-Inf	113.22	3	Horizontal	11	1.80	-	34.19	7.69	34.91			
AV	5.2648G	112.28	Inf	-Inf	105.31	3	Horizontal	11	1.80	-	34.19	7.69	34.91			
PK	5.3542G	62.78	74.00	-11.22	55.35	3	Horizontal	11	1.80	-	34.52	7.80	34.89			
AV	5.3542G	49.90	54.00	-4.10	42.47	3	Horizontal	11	1.80	-	34.52	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET94
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5166G	56.05	68.20	-12.15	52.25	3	Vertical	7	2.94	94	38.13	11.23	45.56				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET94
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.51648G	53.14	68.20	-15.06	49.34	3	Horizontal	346	1.80	94	38.13	11.23	45.56				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 85
03-C-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2988G	119.09	Inf	-Inf	111.87	3	Vertical	3	1.68	-	34.39	7.73	34.90				
AV	5.3036G	109.82	Inf	-Inf	102.57	3	Vertical	3	1.68	-	34.41	7.74	34.90				
PK	5.35G	68.54	74.00	-5.46	61.13	3	Vertical	3	1.68	-	34.50	7.80	34.89				
AV	5.3544G	52.54	54.00	-1.46	45.11	3	Vertical	3	1.68	-	34.52	7.80	34.89				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 85
03-C-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3048G	118.30	Inf	-Inf	111.05	3	Horizontal	12	1.67	-	34.41	7.74	34.90			
AV	5.3046G	109.79	Inf	-Inf	102.54	3	Horizontal	12	1.67	-	34.41	7.74	34.90			
PK	5.3502G	70.16	74.00	-3.84	62.75	3	Horizontal	12	1.67	-	34.50	7.80	34.89			
AV	5.3504G	53.53	54.00	-0.47	46.12	3	Horizontal	12	1.67	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 85
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.5966G	52.81	68.20	-15.39	48.99	3	Vertical	9	1.76	85	38.20	11.26	45.64				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 85
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59636G	49.42	68.20	-18.78	45.60	3	Horizontal	5	1.61	85	38.20	11.26	45.64				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 73
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3191G	115.28	Inf	-Inf	107.98	3	Vertical	3	1.80	-	34.44	7.76	34.90
AV	5.3183G	106.45	Inf	-Inf	99.15	3	Vertical	3	1.80	-	34.44	7.76	34.90
PK	5.3535G	70.04	74.00	-3.96	62.62	3	Vertical	3	1.80	-	34.51	7.80	34.89
AV	5.3538G	52.79	54.00	-1.21	45.36	3	Vertical	3	1.80	-	34.52	7.80	34.89

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 73
03-C-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3187G	115.56	Inf	-Inf	108.26	3	Horizontal	8	1.89	-	34.44	7.76	34.90			
AV	5.319G	106.93	Inf	-Inf	99.63	3	Horizontal	8	1.89	-	34.44	7.76	34.90			
PK	5.3502G	70.51	74.00	-3.49	63.10	3	Horizontal	8	1.89	-	34.50	7.80	34.89			
AV	5.3501G	53.11	54.00	-0.89	45.70	3	Horizontal	8	1.89	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX

EUT_Y_2TX
SET 73
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64484G	47.19	74.00	-26.81	43.39	3	Vertical	331	1.80	73	38.20	11.28	45.68			
AV	10.63812G	36.83	54.00	-17.17	33.03	3	Vertical	331	1.80	73	38.20	11.28	45.68			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 73
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62756G	46.43	74.00	-27.57	42.63	3	Horizontal	216	1.80	73	38.20	11.27	45.67			
AV	10.62756G	36.42	54.00	-17.58	32.62	3	Horizontal	216	1.80	73	38.20	11.27	45.67			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 94
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	63.46	74.00	-10.54	57.00	3	Vertical	10	1.83	-	33.90	7.49	34.93
AV	5.1499G	51.03	54.00	-2.97	44.57	3	Vertical	10	1.83	-	33.90	7.49	34.93
PK	5.2594G	120.62	Inf	-Inf	113.69	3	Vertical	10	1.83	-	34.16	7.68	34.91
AV	5.266G	109.50	Inf	-Inf	102.52	3	Vertical	10	1.83	-	34.20	7.69	34.91
PK	5.3578G	65.61	74.00	-8.39	58.16	3	Vertical	10	1.83	-	34.53	7.81	34.89
AV	5.35G	53.23	54.00	-0.77	45.82	3	Vertical	10	1.83	-	34.50	7.80	34.89

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 94
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	65.32	74.00	-8.68	58.86	3	Horizontal	14	1.80	-	33.90	7.49	34.93			
AV	5.1493G	51.51	54.00	-2.49	45.05	3	Horizontal	14	1.80	-	33.90	7.49	34.93			
PK	5.2522G	119.13	Inf	-Inf	112.25	3	Horizontal	14	1.80	-	34.11	7.68	34.91			
AV	5.2537G	108.83	Inf	-Inf	101.94	3	Horizontal	14	1.80	-	34.12	7.68	34.91			
PK	5.3551G	65.15	74.00	-8.85	57.72	3	Horizontal	14	1.80	-	34.52	7.80	34.89			
AV	5.35G	52.55	54.00	-1.45	45.14	3	Horizontal	14	1.80	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET94
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5164G	56.41	68.20	-11.79	52.61	3	Vertical	6	2.26	94	38.13	11.23	45.56				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
SET94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51708G	52.01	68.20	-16.19	48.21	3	Horizontal	357	1.80	94	38.13	11.23	45.56			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
Setting 79
03-C-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2988G	117.79	Inf	-Inf	110.57	3	Vertical	6	1.67	-	34.39	7.73	34.90			
AV	5.2946G	107.31	Inf	-Inf	100.11	3	Vertical	6	1.67	-	34.37	7.73	34.90			
PK	5.3604G	69.19	74.00	-4.81	61.73	3	Vertical	6	1.67	-	34.54	7.81	34.89			
AV	5.3504G	53.17	54.00	-0.83	45.76	3	Vertical	6	1.67	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 79
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3062G	118.10	Inf	-Inf	110.85	3	Horizontal	10	1.68	-	34.41	7.74	34.90			
AV	5.3018G	106.82	Inf	-Inf	99.58	3	Horizontal	10	1.68	-	34.40	7.74	34.90			
PK	5.3508G	70.23	74.00	-3.77	62.82	3	Horizontal	10	1.68	-	34.50	7.80	34.89			
AV	5.35G	53.66	54.00	-0.34	46.25	3	Horizontal	10	1.68	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 79
03-P--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5944G	51.78	68.20	-16.42	47.95	3	Vertical	341	1.92	79	38.20	11.26	45.63				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
SET 79
03-P--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59468G	52.04	68.20	-16.16	48.21	3	Horizontal	29	1.41	79	38.20	11.26	45.63				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_V_2TX
Setting 80
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3155G	114.43	Inf	-Inf	108.42	3	Vertical	22	1.80	-	32.90	8.16	35.05			
AV	5.315G	105.88	Inf	-Inf	99.87	3	Vertical	22	1.80	-	32.90	8.16	35.05			
PK	5.367G	65.53	74.00	-8.47	59.47	3	Vertical	22	1.80	-	32.90	8.19	35.03			
AV	5.352G	53.95	54.00	-0.05	47.90	3	Vertical	22	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_V_2TX
Setting 80
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.329G	114.19	Inf	-Inf	108.16	3	Horizontal	360	1.80	-	32.90	8.17	35.04			
AV	5.3225G	105.41	Inf	-Inf	99.38	3	Horizontal	360	1.80	-	32.90	8.17	35.04			
PK	5.359G	61.96	74.00	-12.04	55.90	3	Horizontal	360	1.80	-	32.90	8.19	35.03			
AV	5.35G	52.19	54.00	-1.81	46.14	3	Horizontal	360	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 80
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.64369G	49.54	74.00	-24.46	32.56	3	Vertical	50	1.57	-	39.37	11.41	33.80			
AV	10.64376G	39.06	54.00	-14.94	22.07	3	Vertical	50	1.57	-	39.38	11.41	33.80			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 80
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.64016G	48.03	74.00	-25.97	31.06	3	Horizontal	331	1.80	-	39.36	11.41	33.80			
AV	10.64G	37.13	54.00	-16.87	20.16	3	Horizontal	331	1.80	-	39.36	11.41	33.80			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 74
03-C-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.1494G	63.62	74.00	-10.38	57.16	3	Vertical	6	1.80	-	33.90	7.49	34.93
AV	5.15G	50.02	54.00	-3.98	43.56	3	Vertical	6	1.80	-	33.90	7.49	34.93
PK	5.2682G	113.00	Inf	-Inf	106.00	3	Vertical	6	1.80	-	34.21	7.70	34.91
AV	5.2748G	102.86	Inf	-Inf	95.82	3	Vertical	6	1.80	-	34.25	7.70	34.91
PK	5.369G	66.85	74.00	-7.15	59.34	3	Vertical	6	1.80	-	34.58	7.82	34.89
AV	5.3639G	53.57	54.00	-0.43	46.09	3	Vertical	6	1.80	-	34.56	7.81	34.89

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 74
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	63.13	74.00	-10.87	56.67	3	Horizontal	347	1.72	-	33.90	7.49	34.93			
AV	5.1482G	49.85	54.00	-4.15	43.39	3	Horizontal	347	1.72	-	33.90	7.49	34.93			
PK	5.2814G	112.64	Inf	-Inf	105.54	3	Horizontal	347	1.72	-	34.29	7.71	34.90			
AV	5.2694G	102.40	Inf	-Inf	95.39	3	Horizontal	347	1.72	-	34.22	7.70	34.91			
PK	5.3534G	65.61	74.00	-8.39	58.19	3	Horizontal	347	1.72	-	34.51	7.80	34.89			
AV	5.3528G	52.21	54.00	-1.79	44.79	3	Horizontal	347	1.72	-	34.51	7.80	34.89			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 74
03-P--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53704G	50.53	68.20	-17.67	46.70	3	Vertical	36	1.78	74	38.17	11.24	45.58			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 74
03-P--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54488G	48.33	68.20	-19.87	44.48	3	Horizontal	357	1.80	74	38.19	11.24	45.58			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_V_2TX
Setting 76
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.302G	110.76	Inf	-Inf	104.75	3	Vertical	24	1.80	-	32.90	8.16	35.05				
AV	5.295G	102.09	Inf	-Inf	96.08	3	Vertical	24	1.80	-	32.91	8.15	35.05				
PK	5.354G	64.17	74.00	-9.83	58.12	3	Vertical	24	1.80	-	32.90	8.18	35.03				
AV	5.351G	53.90	54.00	-0.10	47.85	3	Vertical	24	1.80	-	32.90	8.18	35.03				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_V_2TX
Setting 64
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.301G	108.58	Inf	-Inf	102.57	3	Horizontal	26	1.80	-	32.90	8.16	35.05			
AV	5.305G	100.04	Inf	-Inf	94.03	3	Horizontal	26	1.80	-	32.90	8.16	35.05			
PK	5.35G	59.78	74.00	-14.22	53.73	3	Horizontal	26	1.80	-	32.90	8.18	35.03			
AV	5.3505G	51.16	54.00	-2.84	45.11	3	Horizontal	26	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 76
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63266G	47.32	74.00	-26.68	30.39	3	Vertical	336	1.74	-	39.33	11.41	33.81			
AV	10.63264G	36.76	54.00	-17.24	19.83	3	Vertical	336	1.74	-	39.33	11.41	33.81			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 76
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60651G	46.66	74.00	-27.34	29.87	3	Horizontal	29	1.80	-	39.23	11.39	33.83			
AV	10.60648G	36.32	54.00	-17.68	19.53	3	Horizontal	29	1.80	-	39.23	11.39	33.83			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 66
03-C-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1465G	64.42	74.00	-9.58	57.97	3	Vertical	7	1.59	-	33.90	7.48	34.93			
AV	5.1495G	49.19	54.00	-4.81	42.73	3	Vertical	7	1.59	-	33.90	7.49	34.93			
PK	5.3G	108.74	Inf	-Inf	101.50	3	Vertical	7	1.59	-	34.40	7.74	34.90			
AV	5.277G	97.30	Inf	-Inf	90.23	3	Vertical	7	1.59	-	34.26	7.71	34.90			
PK	5.3505G	71.20	74.00	-2.80	63.79	3	Vertical	7	1.59	-	34.50	7.80	34.89			
AV	5.3545G	53.76	54.00	-0.24	46.33	3	Vertical	7	1.59	-	34.52	7.80	34.89			
PK	5.53G	56.28	68.20	-11.92	48.91	3	Vertical	7	1.59	-	34.54	7.70	34.87			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 66
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1415G	62.84	74.00	-11.16	56.40	3	Horizontal	15	1.59	-	33.90	7.47	34.93			
AV	5.141G	49.21	54.00	-4.79	42.77	3	Horizontal	15	1.59	-	33.90	7.47	34.93			
PK	5.273G	107.51	Inf	-Inf	100.48	3	Horizontal	15	1.59	-	34.24	7.70	34.91			
AV	5.2775G	97.01	Inf	-Inf	89.93	3	Horizontal	15	1.59	-	34.27	7.71	34.90			
PK	5.3505G	72.11	74.00	-1.89	64.70	3	Horizontal	15	1.59	-	34.50	7.80	34.89			
AV	5.365G	53.86	54.00	-0.14	46.37	3	Horizontal	15	1.59	-	34.56	7.82	34.89			
PK	5.5135G	56.67	68.20	-11.53	49.24	3	Horizontal	15	1.59	-	34.57	7.72	34.86			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 66
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.5728G	47.66	68.20	-20.54	43.82	3	Vertical	340	2.06	66	38.20	11.25	45.61				

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 66
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5448G	47.08	68.20	-21.12	43.23	3	Horizontal	360	2.12	66	38.19	11.24	45.58				

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 65
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	67.21	74.00	-6.79	60.75	3	Vertical	8	1.70	-	33.90	7.49	34.93			
AV	5.15G	53.00	54.00	-1.00	46.54	3	Vertical	8	1.70	-	33.90	7.49	34.93			
PK	5.2748G	103.67	Inf	-Inf	96.63	3	Vertical	8	1.70	-	34.25	7.70	34.91			
AV	5.2748G	93.94	Inf	-Inf	86.90	3	Vertical	8	1.70	-	34.25	7.70	34.91			
PK	5.3692G	62.77	74.00	-11.23	55.26	3	Vertical	8	1.70	-	34.58	7.82	34.89			
AV	5.3644G	51.31	54.00	-2.69	43.82	3	Vertical	8	1.70	-	34.56	7.82	34.89			
PK	5.5348G	57.13	68.20	-11.07	49.78	3	Vertical	8	1.70	-	34.53	7.69	34.87			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 65
03-C-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	67.15	74.00	-6.85	60.70	3	Horizontal	12	1.73	-	33.90	7.48	34.93			
AV	5.15G	52.76	54.00	-1.24	46.30	3	Horizontal	12	1.73	-	33.90	7.49	34.93			
PK	5.2652G	103.67	Inf	-Inf	96.70	3	Horizontal	12	1.73	-	34.19	7.69	34.91			
AV	5.2748G	93.76	Inf	-Inf	86.72	3	Horizontal	12	1.73	-	34.25	7.70	34.91			
PK	5.354G	64.08	74.00	-9.92	56.65	3	Horizontal	12	1.73	-	34.52	7.80	34.89			
AV	5.3548G	51.08	54.00	-2.92	43.65	3	Horizontal	12	1.73	-	34.52	7.80	34.89			
PK	5.5156G	56.80	68.20	-11.40	49.37	3	Horizontal	12	1.73	-	34.57	7.72	34.86			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 65
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50621G	50.03	68.20	-18.17	46.24	3	Vertical	106	1.22	-	38.11	11.23	45.55			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 65
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51485G	50.36	68.20	-17.84	46.55	3	Horizontal	94	1.24	-	38.13	11.23	45.55			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 94
80\94
9.28\4.53

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1373G	58.74	74.00	-15.26	52.31	3	Vertical	6	1.78	94	33.90	7.46	34.93				
AV	5.1499G	46.64	54.00	-7.36	40.18	3	Vertical	6	1.78	94	33.90	7.49	34.93				
PK	5.2561G	122.54	Inf	-Inf	115.63	3	Vertical	6	1.78	94	34.14	7.68	34.91				
AV	5.2558G	114.40	Inf	-Inf	107.50	3	Vertical	6	1.78	94	34.13	7.68	34.91				
PK	5.3575G	64.63	74.00	-9.37	57.18	3	Vertical	6	1.78	94	34.53	7.81	34.89				
AV	5.3539G	49.47	54.00	-4.53	42.04	3	Vertical	6	1.78	94	34.52	7.80	34.89				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET94
94
6.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1373G	60.84	74.00	-13.16	54.41	3	Horizontal	359	1.80	94	33.90	7.46	34.93			
AV	5.1445G	46.47	54.00	-7.53	40.02	3	Horizontal	359	1.80	94	33.90	7.48	34.93			
PK	5.2561G	122.17	Inf	-Inf	115.26	3	Horizontal	359	1.80	94	34.14	7.68	34.91			
AV	5.2555G	113.03	Inf	-Inf	106.13	3	Horizontal	359	1.80	94	34.13	7.68	34.91			
PK	5.3566G	61.59	74.00	-12.41	54.14	3	Horizontal	359	1.80	94	34.53	7.81	34.89			
AV	5.3548G	47.66	54.00	-6.34	40.23	3	Horizontal	359	1.80	94	34.52	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET94
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.51652G	62.52	68.20	-5.68	58.72	3	Vertical	56	1.80	94	38.13	11.23	45.56				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET94
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.52416G	56.43	68.20	-11.77	52.61	3	Horizontal	33	1.82	94	38.15	11.23	45.56				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 86
80\94\76\85\89\87\86
4.55\ -6.25\6.33\1.16\ -1.86\ -0.71\0.67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2962G	121.01	Inf	-Inf	113.80	3	Vertical	6	1.73	86	34.38	7.73	34.90			
AV	5.2966G	112.33	Inf	-Inf	105.12	3	Vertical	6	1.73	86	34.38	7.73	34.90			
PK	5.3538G	71.75	74.00	-2.25	64.32	3	Vertical	6	1.73	86	34.52	7.80	34.89			
AV	5.3544G	53.33	54.00	-0.67	45.90	3	Vertical	6	1.73	86	34.52	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 86
86
3.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2964G	119.75	Inf	-Inf	112.54	3	Horizontal	0	1.70	86	34.38	7.73	34.90			
AV	5.2968G	111.04	Inf	-Inf	103.83	3	Horizontal	0	1.70	86	34.38	7.73	34.90			
PK	5.3536G	66.48	74.00	-7.52	59.06	3	Horizontal	0	1.70	86	34.51	7.80	34.89			
AV	5.3552G	50.66	54.00	-3.34	43.23	3	Horizontal	0	1.70	86	34.52	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 86
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59656G	59.17	68.20	-9.03	55.35	3	Vertical	55	1.80	86	38.20	11.26	45.64				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX

EUT_Y_4TX
SET 86
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59252G	55.92	68.20	-12.28	52.09	3	Horizontal	1	1.80	86	38.20	11.26	45.63				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 74
80\49\84\67\75\71\73\74
-7.67\10.16\11.66\5.88\1.14\3.16\0.65\0.31

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3149G	118.06	Inf	-Inf	110.78	3	Vertical	4	1.65	74	34.43	7.75	34.90			
AV	5.3152G	109.37	Inf	-Inf	102.09	3	Vertical	4	1.65	74	34.43	7.75	34.90			
PK	5.3541G	73.37	74.00	-0.63	65.94	3	Vertical	4	1.65	74	34.52	7.80	34.89			
AV	5.3529G	53.69	54.00	-0.31	46.27	3	Vertical	4	1.65	74	34.51	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 73
74\72\73
-0.29\1.76\1.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3144G	116.88	Inf	-Inf	109.60	3	Horizontal	10	1.90	73	34.43	7.75	34.90			
AV	5.3134G	108.30	Inf	-Inf	101.02	3	Horizontal	10	1.90	73	34.43	7.75	34.90			
PK	5.3518G	72.50	74.00	-1.50	65.08	3	Horizontal	10	1.90	73	34.51	7.80	34.89			
AV	5.3522G	52.77	54.00	-1.23	45.35	3	Horizontal	10	1.90	73	34.51	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT_Y_4TX
SET 73
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.63636G	56.32	74.00	-17.68	52.52	3	Vertical	10	1.79	73	38.20	11.28	45.68				
AV	10.63596G	43.77	54.00	-10.23	39.97	3	Vertical	10	1.79	73	38.20	11.28	45.68				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 73
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64564G	53.43	74.00	-20.57	49.64	3	Horizontal	333	1.80	73	38.20	11.28	45.69			
AV	10.64516G	40.41	54.00	-13.59	36.62	3	Horizontal	333	1.80	73	38.20	11.28	45.69			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 94
80\94
7.38\0.79

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1475G	65.09	74.00	-8.91	58.63	3	Vertical	5	1.48	94	33.90	7.49	34.93					
AV	5.1472G	52.49	54.00	-1.51	46.03	3	Vertical	5	1.48	94	33.90	7.49	34.93					
PK	5.2624G	122.36	Inf	-Inf	115.41	3	Vertical	5	1.48	94	34.17	7.69	34.91					
AV	5.2573G	112.58	Inf	-Inf	105.67	3	Vertical	5	1.48	94	34.14	7.68	34.91					
PK	5.3518G	67.49	74.00	-6.51	60.07	3	Vertical	5	1.48	94	34.51	7.80	34.89					
AV	5.3521G	53.21	54.00	-0.79	45.79	3	Vertical	5	1.48	94	34.51	7.80	34.89					

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET94
94
0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1292G	67.13	74.00	-6.87	60.72	3	Horizontal	3	1.80	94	33.90	7.44	34.93			
AV	5.1493G	51.58	54.00	-2.42	45.12	3	Horizontal	3	1.80	94	33.90	7.49	34.93			
PK	5.2594G	121.85	Inf	-Inf	114.92	3	Horizontal	3	1.80	94	34.16	7.68	34.91			
AV	5.2645G	112.18	Inf	-Inf	105.21	3	Horizontal	3	1.80	94	34.19	7.69	34.91			
PK	5.3545G	65.85	74.00	-8.15	58.42	3	Horizontal	3	1.80	94	34.52	7.80	34.89			
AV	5.3545G	53.43	54.00	-0.57	46.00	3	Horizontal	3	1.80	94	34.52	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.52376G	56.93	68.20	-11.27	53.11	3	Vertical	9	1.61	94	38.15	11.23	45.56				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX

EUT Y_4TX
SET 94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5174G	53.81	68.20	-14.39	50.01	3	Horizontal	36	1.80	94	38.13	11.23	45.56			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 77
80\75\77\78\77
-1.18\3.07\2.46\ -0.02\2.16

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3068G	119.83	Inf	-Inf	112.58	3	Vertical	3	1.64	77	34.41	7.74	34.90			
AV	5.297G	109.45	Inf	-Inf	102.24	3	Vertical	3	1.64	77	34.38	7.73	34.90			
PK	5.3524G	70.05	74.00	-3.95	62.63	3	Vertical	3	1.64	77	34.51	7.80	34.89			
AV	5.3514G	51.84	54.00	-2.16	44.42	3	Vertical	3	1.64	77	34.51	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 77
77
4.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.294G	119.02	Inf	-Inf	111.83	3	Horizontal	3	1.90	77	34.36	7.73	34.90				
AV	5.2944G	108.69	Inf	-Inf	101.49	3	Horizontal	3	1.90	77	34.37	7.73	34.90				
PK	5.3536G	66.27	74.00	-7.73	58.85	3	Horizontal	3	1.90	77	34.51	7.80	34.89				
AV	5.3538G	49.67	54.00	-4.33	42.24	3	Horizontal	3	1.90	77	34.52	7.80	34.89				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 77
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59127G	46.80	68.20	-21.40	42.97	3	Vertical	276	1.18	-	38.20	11.26	45.63				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 77
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59607G	47.49	68.20	-20.71	43.67	3	Horizontal	198	1.15	-	38.20	11.26	45.64				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 72
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3115G	120.43	Inf	-Inf	114.42	3	Vertical	5	1.80	-	32.90	8.16	35.05			
AV	5.322G	110.08	Inf	-Inf	104.05	3	Vertical	5	1.80	-	32.90	8.17	35.04			
PK	5.362G	63.90	74.00	-10.10	57.84	3	Vertical	5	1.80	-	32.90	8.19	35.03			
AV	5.362G	53.77	54.00	-0.23	47.71	3	Vertical	5	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 72
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.324G	117.64	Inf	-Inf	111.61	3	Horizontal	0	1.80	-	32.90	8.17	35.04			
AV	5.319G	107.91	Inf	-Inf	101.89	3	Horizontal	0	1.80	-	32.90	8.17	35.05			
PK	5.3595G	61.64	74.00	-12.36	55.58	3	Horizontal	0	1.80	-	32.90	8.19	35.03			
AV	5.3595G	51.49	54.00	-2.51	45.43	3	Horizontal	0	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_V_4TX
Setting 72
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6363G	50.95	74.00	-23.05	33.99	3	Vertical	54	1.80	-	39.35	11.41	33.80			
AV	10.6366G	40.83	54.00	-13.17	23.87	3	Vertical	54	1.80	-	39.35	11.41	33.80			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT V_4TX
Setting 72
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63279G	47.51	74.00	-26.49	30.58	3	Horizontal	338	1.13	-	39.33	11.41	33.81			
AV	10.63284G	36.75	54.00	-17.25	19.82	3	Horizontal	338	1.13	-	39.33	11.41	33.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 70
80\48\79\64\71\68\69\70
-7.97\7.86\ -7.73\3.29\ -1.16\1.35\1.48\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.267G	115.04	Inf	-Inf	108.06	3	Vertical	6	1.56	70	34.20	7.69	34.91
AV	5.266G	106.42	Inf	-Inf	99.44	3	Vertical	6	1.56	70	34.20	7.69	34.91
PK	5.3522G	65.11	74.00	-8.89	57.69	3	Vertical	6	1.56	70	34.51	7.80	34.89
AV	5.364G	53.91	54.00	-0.09	46.42	3	Vertical	6	1.56	70	34.56	7.82	34.89

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
SET 70
70
0.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2566G	114.95	Inf	-Inf	108.04	3	Horizontal	7	1.96	70	34.14	7.68	34.91			
AV	5.2812G	105.96	Inf	-Inf	98.86	3	Horizontal	7	1.96	70	34.29	7.71	34.90			
PK	5.3568G	65.29	74.00	-8.71	57.84	3	Horizontal	7	1.96	70	34.53	7.81	34.89			
AV	5.3634G	53.90	54.00	-0.10	46.43	3	Horizontal	7	1.96	70	34.55	7.81	34.89			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 70
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.53816G	53.12	68.20	-15.08	49.28	3	Vertical	54	1.80	70	38.18	11.24	45.58				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 70
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.55368G	49.58	68.20	-18.62	45.73	3	Horizontal	358	2.92	70	38.20	11.24	45.59				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 60
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.309G	113.93	Inf	-Inf	107.92	3	Vertical	11	1.80	-	32.90	8.16	35.05			
AV	5.319G	106.21	Inf	-Inf	100.19	3	Vertical	11	1.80	-	32.90	8.17	35.05			
PK	5.3595G	61.32	74.00	-12.68	55.26	3	Vertical	11	1.80	-	32.90	8.19	35.03			
AV	5.36G	51.95	54.00	-2.05	45.89	3	Vertical	11	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 60
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.307G	114.10	Inf	-Inf	108.09	3	Horizontal	12	1.80	-	32.90	8.16	35.05			
AV	5.292G	106.48	Inf	-Inf	100.46	3	Horizontal	12	1.80	-	32.92	8.15	35.05			
PK	5.352G	61.79	74.00	-12.21	55.74	3	Horizontal	12	1.80	-	32.90	8.18	35.03			
AV	5.3515G	53.44	54.00	-0.56	47.39	3	Horizontal	12	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_V_4TX
Setting 60
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6144G	48.11	74.00	-25.89	31.28	3	Vertical	8	1.80	-	39.26	11.40	33.83			
AV	10.6148G	40.12	54.00	-13.88	23.29	3	Vertical	8	1.80	-	39.26	11.40	33.83			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_V_4TX
Setting 60
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6517G	49.92	74.00	-24.08	32.89	3	Horizontal	360	1.92	-	39.40	11.42	33.79			
AV	10.6518G	42.26	54.00	-11.74	25.23	3	Horizontal	360	1.92	-	39.40	11.42	33.79			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 56
94\54\74\64\59\57\56
-34.13\1.76\15.93\6.01\1.20\0.04\0.59

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.141G	60.71	74.00	-13.29	54.27	3	Vertical	-0	2.18	56	33.90	7.47	34.93			
AV	5.141G	48.63	54.00	-5.37	42.19	3	Vertical	-0	2.18	56	33.90	7.47	34.93			
PK	5.2915G	106.39	Inf	-Inf	99.22	3	Vertical	-0	2.18	56	34.35	7.72	34.90			
AV	5.301G	98.77	Inf	-Inf	91.53	3	Vertical	-0	2.18	56	34.40	7.74	34.90			
PK	5.3625G	66.87	74.00	-7.13	59.40	3	Vertical	-0	2.18	56	34.55	7.81	34.89			
AV	5.361G	53.41	54.00	-0.59	45.95	3	Vertical	-0	2.18	56	34.54	7.81	34.89			
PK	5.508G	54.11	68.20	-14.09	46.66	3	Vertical	-0	2.18	56	34.58	7.73	34.86			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 56
56
1.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.146G	59.58	74.00	-14.42	53.13	3	Horizontal	2	1.93	56	33.90	7.48	34.93				
AV	5.1465G	48.96	54.00	-5.04	42.51	3	Horizontal	2	1.93	56	33.90	7.48	34.93				
PK	5.2795G	108.57	Inf	-Inf	101.48	3	Horizontal	2	1.93	56	34.28	7.71	34.90				
AV	5.2795G	99.24	Inf	-Inf	92.15	3	Horizontal	2	1.93	56	34.28	7.71	34.90				
PK	5.3585G	65.60	74.00	-8.40	58.15	3	Horizontal	2	1.93	56	34.53	7.81	34.89				
AV	5.3585G	52.52	54.00	-1.48	45.07	3	Horizontal	2	1.93	56	34.53	7.81	34.89				
PK	5.508G	53.88	68.20	-14.32	46.43	3	Horizontal	2	1.93	56	34.58	7.73	34.86				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX

EUT_Y_4TX
SET 56
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59296G	47.77	68.20	-20.43	43.94	3	Vertical	10	1.36	56	38.20	11.26	45.63				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 56
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52352G	46.94	68.20	-21.26	43.12	3	Horizontal	243	1.80	56	38.15	11.23	45.56			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y 4TX
SET 69
94\54\93\74\65\69\71\70\69
-21.49\9.99\ -21.46\ -5.43\3.57\0.53\ -1.80\ -0.94\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	65.57	74.00	-8.43	67.84	3	Vertical	4	1.35	69	33.90	7.48	43.65
AV	5.1336G	53.52	54.00	-0.48	55.83	3	Vertical	4	1.35	69	33.90	7.45	43.66
PK	5.2716G	100.06	Inf	-Inf	101.71	3	Vertical	4	1.35	69	34.23	7.70	43.58
AV	5.2524G	90.49	Inf	-Inf	92.29	3	Vertical	4	1.35	69	34.11	7.68	43.59
PK	5.3652G	66.59	74.00	-7.41	67.74	3	Vertical	4	1.35	69	34.56	7.82	43.53
AV	5.3652G	51.80	54.00	-2.20	52.95	3	Vertical	4	1.35	69	34.56	7.82	43.53
PK	5.5266G	45.00	68.20	-23.20	46.22	3	Vertical	4	1.35	69	34.55	7.70	43.47

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y 4TX
SET 69
69
1.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1414G	64.10	74.00	-9.90	66.38	3	Horizontal	9	1.94	69	33.90	7.47	43.65
AV	5.1426G	52.33	54.00	-1.67	54.60	3	Horizontal	9	1.94	69	33.90	7.48	43.65
PK	5.2866G	99.15	Inf	-Inf	100.68	3	Horizontal	9	1.94	69	34.32	7.72	43.57
AV	5.322G	91.05	Inf	-Inf	92.40	3	Horizontal	9	1.94	69	34.44	7.76	43.55
PK	5.3628G	67.38	74.00	-6.62	68.55	3	Horizontal	9	1.94	69	34.55	7.81	43.53
AV	5.361G	52.65	54.00	-1.35	53.83	3	Horizontal	9	1.94	69	34.54	7.81	43.53
PK	5.466G	45.52	68.20	-22.68	46.61	3	Horizontal	9	1.94	69	34.60	7.78	43.47

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y 4TX
SET94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59344G	54.43	68.20	-13.77	50.60	3	Vertical	57	1.60	94	38.20	11.26	45.63				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y 4TX
SET94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48304G	51.87	68.20	-16.33	48.15	3	Horizontal	10	1.81	94	38.03	11.22	45.53			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET94
94
2.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	62.44	74.00	-11.56	55.98	3	Vertical	8	1.80	94	33.90	7.49	34.93
AV	5.1493G	50.42	54.00	-3.58	43.96	3	Vertical	8	1.80	94	33.90	7.49	34.93
PK	5.2561G	122.43	Inf	-Inf	115.52	3	Vertical	8	1.80	94	34.14	7.68	34.91
AV	5.2576G	110.21	Inf	-Inf	103.29	3	Vertical	8	1.80	94	34.15	7.68	34.91
PK	5.3515G	63.38	74.00	-10.62	55.96	3	Vertical	8	1.80	94	34.51	7.80	34.89
AV	5.3542G	51.77	54.00	-2.23	44.34	3	Vertical	8	1.80	94	34.52	7.80	34.89

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET94
94
2.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1469G	60.09	74.00	-13.91	53.63	3	Horizontal	3	1.80	94	33.90	7.49	34.93
AV	5.1475G	49.80	54.00	-4.20	43.34	3	Horizontal	3	1.80	94	33.90	7.49	34.93
PK	5.2576G	120.26	Inf	-Inf	113.34	3	Horizontal	3	1.80	94	34.15	7.68	34.91
AV	5.2645G	109.47	Inf	-Inf	102.50	3	Horizontal	3	1.80	94	34.19	7.69	34.91
PK	5.3551G	64.97	74.00	-9.03	57.54	3	Horizontal	3	1.80	94	34.52	7.80	34.89
AV	5.35G	51.65	54.00	-2.35	44.24	3	Horizontal	3	1.80	94	34.50	7.80	34.89

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51376G	60.98	68.20	-7.22	57.17	3	Vertical	50	1.41	94	38.13	11.23	45.55			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET94
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.51476G	54.39	68.20	-13.81	50.58	3	Horizontal	36	1.80	94	38.13	11.23	45.55				

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 81
94\57\93\75\84\80\82\81
-9.14\9.79\ -9.69\5.52\ -2.83\1.35\ -0.69\0.91

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2962G	120.28	Inf	-Inf	113.07	3	Vertical	6	1.76	81	34.38	7.73	34.90			
AV	5.2962G	108.18	Inf	-Inf	100.97	3	Vertical	6	1.76	81	34.38	7.73	34.90			
PK	5.3538G	67.29	74.00	-6.71	59.86	3	Vertical	6	1.76	81	34.52	7.80	34.89			
AV	5.3504G	53.09	54.00	-0.91	45.68	3	Vertical	6	1.76	81	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 81
81
1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2924G	118.20	Inf	-Inf	111.02	3	Horizontal	9	1.83	81	34.35	7.73	34.90			
AV	5.2926G	106.85	Inf	-Inf	99.66	3	Horizontal	9	1.83	81	34.36	7.73	34.90			
PK	5.3554G	66.73	74.00	-7.27	59.30	3	Horizontal	9	1.83	81	34.52	7.80	34.89			
AV	5.35G	53.00	54.00	-1.00	45.59	3	Horizontal	9	1.83	81	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 81
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.59372G	56.72	68.20	-11.48	52.89	3	Vertical	54	1.71	81	38.20	11.26	45.63				

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 81
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.59452G	53.39	68.20	-14.81	49.56	3	Horizontal	358	1.80	81	38.20	11.26	45.63				

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 73
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3155G	119.58	Inf	-Inf	113.57	3	Vertical	7	1.80	-	32.90	8.16	35.05			
AV	5.316G	110.86	Inf	-Inf	104.85	3	Vertical	7	1.80	-	32.90	8.16	35.05			
PK	5.3605G	64.19	74.00	-9.81	58.13	3	Vertical	7	1.80	-	32.90	8.19	35.03			
AV	5.3605G	53.40	54.00	-0.60	47.34	3	Vertical	7	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 73
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3125G	117.53	Inf	-Inf	111.52	3	Horizontal	13	1.80	-	32.90	8.16	35.05			
AV	5.3135G	110.37	Inf	-Inf	104.36	3	Horizontal	13	1.80	-	32.90	8.16	35.05			
PK	5.36G	62.40	74.00	-11.60	56.34	3	Horizontal	13	1.80	-	32.90	8.19	35.03			
AV	5.36G	52.90	54.00	-1.10	46.84	3	Horizontal	13	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5320MHz_TX

EUT_Y_4TX
Setting 73
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63368G	52.97	74.00	-21.03	36.04	3	Vertical	50	1.55	-	39.33	11.41	33.81			
AV	10.63364G	44.48	54.00	-9.52	27.55	3	Vertical	50	1.55	-	39.33	11.41	33.81			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_V_4TX
Setting 73
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63354G	48.60	74.00	-25.40	31.67	3	Horizontal	336	1.08	-	39.33	11.41	33.81			
AV	10.63352G	38.89	54.00	-15.11	21.96	3	Horizontal	336	1.08	-	39.33	11.41	33.81			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 74
94\54\93\74
-11.60\10.09\ -10.69\0.22

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2656G	115.25	Inf	-Inf	108.28	3	Vertical	7	1.67	74	34.19	7.69	34.91			
AV	5.2676G	103.76	Inf	-Inf	96.77	3	Vertical	7	1.67	74	34.21	7.69	34.91			
PK	5.3658G	68.73	74.00	-5.27	61.24	3	Vertical	7	1.67	74	34.56	7.82	34.89			
AV	5.366G	53.78	54.00	-0.22	46.29	3	Vertical	7	1.67	74	34.56	7.82	34.89			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
SET 74
74
0.11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2824G	113.88	Inf	-Inf	106.78	3	Horizontal	9	1.99	74	34.29	7.71	34.90			
AV	5.2814G	102.92	Inf	-Inf	95.82	3	Horizontal	9	1.99	74	34.29	7.71	34.90			
PK	5.3632G	67.77	74.00	-6.23	60.30	3	Horizontal	9	1.99	74	34.55	7.81	34.89			
AV	5.3628G	53.89	54.00	-0.11	46.42	3	Horizontal	9	1.99	74	34.55	7.81	34.89			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 74
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53864G	53.14	68.20	-15.06	49.30	3	Vertical	20	1.95	74	38.18	11.24	45.58			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 74
03-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5448G	50.32	68.20	-17.88	46.47	3	Horizontal	358	1.73	74	38.19	11.24	45.58				

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5310MHz_TX

EUT_Y_4TX
Setting 64
05-R-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3065G	113.41	Inf	-Inf	107.40	3	Vertical	8	1.80	-	32.90	8.16	35.05
AV	5.3075G	105.27	Inf	-Inf	99.26	3	Vertical	8	1.80	-	32.90	8.16	35.05
PK	5.3505G	63.71	74.00	-10.29	57.66	3	Vertical	8	1.80	-	32.90	8.18	35.03
AV	5.35G	53.94	54.00	-0.06	47.89	3	Vertical	8	1.80	-	32.90	8.18	35.03

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 64
05-R-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3025G	112.07	Inf	-Inf	106.06	3	Horizontal	12	1.80	-	32.90	8.16	35.05				
AV	5.303G	104.50	Inf	-Inf	98.49	3	Horizontal	12	1.80	-	32.90	8.16	35.05				
PK	5.35G	62.05	74.00	-11.95	56.00	3	Horizontal	12	1.80	-	32.90	8.18	35.03				
AV	5.35G	51.94	54.00	-2.06	45.89	3	Horizontal	12	1.80	-	32.90	8.18	35.03				

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT V_4TX
Setting 64
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.62149G	48.57	74.00	-25.43	31.70	3	Vertical	325	2.13	-	39.29	11.40	33.82			
AV	10.62152G	37.79	54.00	-16.21	20.92	3	Vertical	325	2.13	-	39.29	11.40	33.82			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5310MHz_TX

EUT_Y_4TX
Setting 64
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61862G	47.23	74.00	-26.77	30.38	3	Horizontal	358	1.80	-	39.27	11.40	33.82			
AV	10.61856G	37.03	54.00	-16.97	20.18	3	Horizontal	358	1.80	-	39.27	11.40	33.82			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 59
94\54\73\64\60\58\59
-32.33\4.83\ -13.64\ -4.64\ -0.96\0.97\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	54.87	74.00	-19.13	48.42	3	Vertical	4	1.67	59	33.90	7.48	34.93
AV	5.1435G	46.58	54.00	-7.42	40.13	3	Vertical	4	1.67	59	33.90	7.48	34.93
PK	5.3045G	107.39	Inf	-Inf	100.14	3	Vertical	4	1.67	59	34.41	7.74	34.90
AV	5.3055G	100.81	Inf	-Inf	93.56	3	Vertical	4	1.67	59	34.41	7.74	34.90
PK	5.3645G	65.19	74.00	-8.81	57.70	3	Vertical	4	1.67	59	34.56	7.82	34.89
AV	5.3655G	53.60	54.00	-0.40	46.11	3	Vertical	4	1.67	59	34.56	7.82	34.89
PK	5.5355G	54.54	68.20	-13.66	47.19	3	Vertical	4	1.67	59	34.53	7.69	34.87

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 59
59
2.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	54.33	74.00	-19.67	47.87	3	Horizontal	1	1.94	59	33.90	7.49	34.93
AV	5.1465G	47.68	54.00	-6.32	41.23	3	Horizontal	1	1.94	59	33.90	7.48	34.93
PK	5.294G	105.32	Inf	-Inf	98.13	3	Horizontal	1	1.94	59	34.36	7.73	34.90
AV	5.279G	99.37	Inf	-Inf	92.29	3	Horizontal	1	1.94	59	34.27	7.71	34.90
PK	5.3535G	65.23	74.00	-8.77	57.81	3	Horizontal	1	1.94	59	34.51	7.80	34.89
AV	5.3585G	51.23	54.00	-2.77	43.78	3	Horizontal	1	1.94	59	34.53	7.81	34.89
PK	5.491G	53.75	68.20	-14.45	46.26	3	Horizontal	1	1.94	59	34.60	7.75	34.86

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 59
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.56064G	47.14	68.20	-21.06	43.29	3	Vertical	18	1.80	59	38.20	11.25	45.60				

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5290MHz_TX

EUT_Y_4TX
SET 59
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56048G	47.88	68.20	-20.32	44.03	3	Horizontal	345	1.21	59	38.20	11.25	45.60			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 60
94\54\74\64\59\61\60
-29.69\3.98\ -16.72\ -3.94\0.78\ -0.09\0.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1468G	63.52	74.00	-10.48	57.07	3	Vertical	8	1.69	60	33.90	7.48	34.93			
AV	5.1456G	53.61	54.00	-0.39	47.16	3	Vertical	8	1.69	60	33.90	7.48	34.93			
PK	5.2662G	105.33	Inf	-Inf	98.35	3	Vertical	8	1.69	60	34.20	7.69	34.91			
AV	5.2674G	98.07	Inf	-Inf	91.09	3	Vertical	8	1.69	60	34.20	7.69	34.91			
PK	5.3652G	59.69	74.00	-14.31	52.20	3	Vertical	8	1.69	60	34.56	7.82	34.89			
AV	5.3688G	52.09	54.00	-1.91	44.58	3	Vertical	8	1.69	60	34.58	7.82	34.89			
PK	5.5266G	54.09	68.20	-14.11	46.71	3	Vertical	8	1.69	60	34.55	7.70	34.87			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 60
60
0.88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1486G	61.70	74.00	-12.30	55.24	3	Horizontal	8	1.87	60	33.90	7.49	34.93			
AV	5.13G	52.12	54.00	-1.88	45.70	3	Horizontal	8	1.87	60	33.90	7.45	34.93			
PK	5.2824G	103.41	Inf	-Inf	96.31	3	Horizontal	8	1.87	60	34.29	7.71	34.90			
AV	5.2824G	96.78	Inf	-Inf	89.68	3	Horizontal	8	1.87	60	34.29	7.71	34.90			
PK	5.364G	60.22	74.00	-13.78	52.73	3	Horizontal	8	1.87	60	34.56	7.82	34.89			
AV	5.364G	53.12	54.00	-0.88	45.63	3	Horizontal	8	1.87	60	34.56	7.82	34.89			
PK	5.5056G	53.68	68.20	-14.52	46.22	3	Horizontal	8	1.87	60	34.59	7.73	34.86			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 60
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37488G	46.70	68.20	-21.50	43.00	3	Vertical	180	2.67	60	38.00	11.17	45.47			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_Y_4TX
SET 60
03-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.34512G	46.58	68.20	-21.62	42.79	3	Horizontal	315	1.14	60	38.09	11.16	45.46				




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1(MCS0)_1TX	Pass	AV	5.4588G	53.99	54.00	-0.01	3	Vertical	0	1.80	-

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX



EUT_V_1TX

SET 90


80\95\76\85\89\91\92\104\98\92\91\90

3.90\5.69\4.06\3.65\3.53\3.66\3.33\21.37\21.31\21.33\21.64\3.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1271G	60.21	74.00	-13.79	53.80	3	Vertical	336	1.67	90	33.90	7.44	34.93
AV	5.1388G	49.39	54.00	-4.61	42.95	3	Vertical	336	1.67	90	33.90	7.47	34.93
PK	5.2642G	115.76	Inf	-Inf	108.79	3	Vertical	336	1.67	90	34.19	7.69	34.91
AV	5.2618G	107.41	Inf	-Inf	100.46	3	Vertical	336	1.67	90	34.17	7.69	34.91
PK	5.3614G	60.76	74.00	-13.24	53.29	3	Vertical	336	1.67	90	34.55	7.81	34.89
AV	5.377G	50.49	54.00	-3.51	42.93	3	Vertical	336	1.67	90	34.61	7.83	34.88

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_V_1TX
SET 90
90
4.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1184G	59.87	74.00	-14.13	53.49	3	Horizontal	337	2.22	90	33.90	7.42	34.94			
AV	5.1361G	49.16	54.00	-4.84	42.73	3	Horizontal	337	2.22	90	33.90	7.46	34.93			
PK	5.2672G	112.90	Inf	-Inf	105.92	3	Horizontal	337	2.22	90	34.20	7.69	34.91			
AV	5.2618G	103.85	Inf	-Inf	96.90	3	Horizontal	337	2.22	90	34.17	7.69	34.91			
PK	5.3932G	59.86	74.00	-14.14	52.22	3	Horizontal	337	2.22	90	34.67	7.85	34.88			
AV	5.404G	49.78	54.00	-4.22	42.11	3	Horizontal	337	2.22	90	34.69	7.86	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_V_1TX
Setting 90
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5212G	56.11	68.20	-12.09	39.84	3	Vertical	304	1.18	-	38.84	11.35	33.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_V_1TX
Setting 90
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.50761G	56.36	68.20	-11.84	40.13	3	Horizontal	7	2.35	-	38.82	11.34	33.93				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 87
80\91\86\88\87
2.90\1.69\0.66\0.23\0.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3004G	115.31	Inf	-Inf	108.07	3	Vertical	342	1.96	87	34.40	7.74	34.90			
AV	5.3012G	106.67	Inf	-Inf	99.43	3	Vertical	342	1.96	87	34.40	7.74	34.90			
PK	5.3504G	66.97	74.00	-7.03	59.56	3	Vertical	342	1.96	87	34.50	7.80	34.89			
AV	5.3504G	53.49	54.00	-0.51	46.08	3	Vertical	342	1.96	87	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_Y_1TX
SET 87
87
2.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.307G	112.33	Inf	-Inf	105.08	3	Horizontal	340	2.29	87	34.41	7.74	34.90				
AV	5.3016G	103.49	Inf	-Inf	96.25	3	Horizontal	340	2.29	87	34.40	7.74	34.90				
PK	5.3506G	64.60	74.00	-9.40	57.19	3	Horizontal	340	2.29	87	34.50	7.80	34.89				
AV	5.3502G	51.90	54.00	-2.10	44.49	3	Horizontal	340	2.29	87	34.50	7.80	34.89				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_V_1TX
Setting 87
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61311G	57.64	74.00	-16.36	40.83	3	Vertical	144	1.24	-	39.25	11.39	33.83			
AV	10.60729G	48.51	54.00	-5.49	31.72	3	Vertical	144	1.24	-	39.23	11.39	33.83			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT_V_1TX
Setting 87
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.61302G	57.04	74.00	-16.96	40.23	3	Horizontal	68	2.90	-	39.25	11.39	33.83			
AV	10.61431G	48.30	54.00	-5.70	31.47	3	Horizontal	68	2.90	-	39.26	11.40	33.83			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 78
80\74\77\78\79\78
-1.48\3.10\2.08\1.74\0.02\1.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.327G	113.50	Inf	-Inf	106.17	3	Vertical	341	2.03	78	34.45	7.77	34.89			
AV	5.3229G	104.33	Inf	-Inf	97.02	3	Vertical	341	2.03	78	34.45	7.76	34.90			
PK	5.355G	67.52	74.00	-6.48	60.09	3	Vertical	341	2.03	78	34.52	7.80	34.89			
AV	5.3503G	52.73	54.00	-1.27	45.32	3	Vertical	341	2.03	78	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_Y_1TX
SET 78
78
2.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.327G	110.48	Inf	-Inf	103.15	3	Horizontal	338	2.84	78	34.45	7.77	34.89			
AV	5.3226G	101.25	Inf	-Inf	93.94	3	Horizontal	338	2.84	78	34.45	7.76	34.90			
PK	5.3559G	67.58	74.00	-6.42	60.15	3	Horizontal	338	2.84	78	34.52	7.80	34.89			
AV	5.3503G	51.85	54.00	-2.15	44.44	3	Horizontal	338	2.84	78	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_V_1TX
Setting 78
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63895G	58.02	74.00	-15.98	41.05	3	Vertical	311	1.15	-	39.36	11.41	33.80			
AV	10.6316G	49.08	54.00	-4.92	32.16	3	Vertical	311	1.15	-	39.33	11.40	33.81			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT_V_1TX
Setting 78
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.64144G	58.46	74.00	-15.54	41.48	3	Horizontal	27	1.12	-	39.37	11.41	33.80			
AV	10.64048G	49.00	54.00	-5.00	32.03	3	Horizontal	27	1.12	-	39.36	11.41	33.80			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_V_1TX
SET 80
80\86\76\81\80
1.66\9.24\2.78\2.79\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4589G	63.44	74.00	-10.56	55.92	3	Vertical	339	2.15	80	34.60	7.79	34.87			
AV	5.4597G	53.16	54.00	-0.84	45.64	3	Vertical	339	2.15	80	34.60	7.79	34.87			
PK	5.4688G	67.18	68.20	-1.02	59.68	3	Vertical	339	2.15	80	34.60	7.77	34.87			
PK	5.5035G	113.11	Inf	-Inf	105.65	3	Vertical	339	2.15	80	34.59	7.73	34.86			
AV	5.5016G	104.67	Inf	-Inf	97.20	3	Vertical	339	2.15	80	34.60	7.73	34.86			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 80
80
2.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4597G	63.92	74.00	-10.08	56.40	3	Horizontal	338	1.52	80	34.60	7.79	34.87			
AV	5.4583G	51.99	54.00	-2.01	44.47	3	Horizontal	338	1.52	80	34.60	7.79	34.87			
PK	5.4653G	66.05	68.20	-2.15	58.54	3	Horizontal	338	1.52	80	34.60	7.78	34.87			
PK	5.5071G	112.17	Inf	-Inf	104.71	3	Horizontal	338	1.52	80	34.59	7.73	34.86			
AV	5.5065G	102.93	Inf	-Inf	95.47	3	Horizontal	338	1.52	80	34.59	7.73	34.86			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_V_1TX
Setting 80
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99676G	57.36	74.00	-16.64	40.29	3	Vertical	210	1.87	-	38.91	11.60	33.44			
AV	11.0093G	48.24	54.00	-5.76	31.15	3	Vertical	210	1.87	-	38.92	11.60	33.43			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX

EUT_V_1TX
Setting 80
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0093G	57.16	74.00	-16.84	40.07	3	Horizontal	111	2.26	-	38.92	11.60	33.43			
AV	10.99166G	48.37	54.00	-5.63	31.30	3	Horizontal	111	2.26	-	38.92	11.60	33.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_V_1TX
SET 99
80\95\102\99\100\99
3.89\3.16\ -10.60\2.52\ -2.51\2.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	62.35	74.00	-11.65	54.83	3	Vertical	342	2.11	99	34.60	7.79	34.87
AV	5.4576G	51.18	54.00	-2.82	43.66	3	Vertical	342	2.11	99	34.60	7.79	34.87
PK	5.463G	63.74	68.20	-4.46	56.23	3	Vertical	342	2.11	99	34.60	7.78	34.87
PK	5.5872G	117.86	Inf	-Inf	110.77	3	Vertical	342	2.11	99	34.35	7.63	34.89
AV	5.5866G	108.55	Inf	-Inf	101.46	3	Vertical	342	2.11	99	34.35	7.63	34.89
PK	5.7282G	59.92	68.20	-8.28	52.82	3	Vertical	342	2.11	99	34.20	7.83	34.93

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_V_1TX
SET 99
99
3.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4567G	60.74	74.00	-13.26	53.22	3	Horizontal	343	2.77	99	34.60	7.79	34.87			
AV	5.4477G	50.79	54.00	-3.21	43.26	3	Horizontal	343	2.77	99	34.60	7.80	34.87			
PK	5.4609G	62.00	68.20	-6.20	54.49	3	Horizontal	343	2.77	99	34.60	7.78	34.87			
PK	5.5872G	116.90	Inf	-Inf	109.81	3	Horizontal	343	2.77	99	34.35	7.63	34.89			
AV	5.5812G	107.38	Inf	-Inf	100.25	3	Horizontal	343	2.77	99	34.38	7.63	34.88			
PK	5.7279G	60.23	68.20	-7.97	53.13	3	Horizontal	343	2.77	99	34.20	7.83	34.93			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX

EUT_V_1TX
Setting 99
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1566G	58.32	74.00	-15.68	73.83	3	Vertical	136	1.80	-	39.00	11.68	66.19			
AV	11.1608G	49.27	54.00	-4.73	64.77	3	Vertical	136	1.80	-	39.00	11.69	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX

EUT_V_1TX
Setting 99
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1564G	53.03	74.00	-20.97	68.54	3	Horizontal	187	1.80	-	39.00	11.68	66.19			
AV	11.16255G	43.93	54.00	-10.07	59.43	3	Horizontal	187	1.80	-	39.00	11.69	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 59
01-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6954G	105.40	Inf	-Inf	96.54	3	Vertical	2	1.80	-	34.09	7.22	32.45			
AV	5.694G	97.95	Inf	-Inf	89.09	3	Vertical	2	1.80	-	34.09	7.22	32.45			
PK	5.7298G	65.50	68.20	-2.70	56.59	3	Vertical	2	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 59
01-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6942G	107.40	Inf	-Inf	98.54	3	Horizontal	355	1.80	-	34.09	7.22	32.45			
AV	5.697G	100.18	Inf	-Inf	91.32	3	Horizontal	355	1.80	-	34.09	7.22	32.45			
PK	5.7294G	67.98	68.20	-0.22	59.07	3	Horizontal	355	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX

EUT_V_1TX
Setting 59
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4006G	59.23	74.00	-14.77	41.33	3	Vertical	201	2.52	-	39.10	11.81	33.01			
AV	11.38971G	49.72	54.00	-4.28	31.83	3	Vertical	201	2.52	-	39.10	11.81	33.02			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_V_1TX
Setting 59
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40303G	59.28	74.00	-14.72	41.37	3	Horizontal	21	2.82	-	39.10	11.81	33.00			
AV	11.39739G	49.63	54.00	-4.37	31.73	3	Horizontal	21	2.82	-	39.10	11.81	33.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 92
80\92\98\95\94\82\88\91\92
3.11\3.72\8.36\6.91\7.05\3.52\3.58\3.88\3.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	60.13	74.00	-13.87	52.61	3	Vertical	342	2.09	92	34.60	7.79	34.87
AV	5.4482G	50.42	54.00	-3.58	42.89	3	Vertical	342	2.09	92	34.60	7.80	34.87
PK	5.4656G	59.45	68.20	-8.75	51.94	3	Vertical	342	2.09	92	34.60	7.78	34.87
PK	5.7236G	114.87	Inf	-Inf	107.77	3	Vertical	342	2.09	92	34.20	7.83	34.93
AV	5.7158G	105.70	Inf	-Inf	98.61	3	Vertical	342	2.09	92	34.20	7.81	34.92
PK	5.8754G	61.73	68.20	-6.47	54.26	3	Vertical	342	2.09	92	34.40	8.04	34.97

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 92
92
3.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	60.59	74.00	-13.41	53.06	3	Horizontal	342	1.42	92	34.60	7.80	34.87			
AV	5.4488G	50.04	54.00	-3.96	42.51	3	Horizontal	342	1.42	92	34.60	7.80	34.87			
PK	5.462G	59.43	68.20	-8.77	51.92	3	Horizontal	342	1.42	92	34.60	7.78	34.87			
PK	5.7164G	114.04	Inf	-Inf	106.95	3	Horizontal	342	1.42	92	34.20	7.81	34.92			
AV	5.7218G	105.20	Inf	-Inf	98.11	3	Horizontal	342	1.42	92	34.20	7.82	34.93			
PK	5.9522G	60.87	68.20	-7.33	53.05	3	Horizontal	342	1.42	92	34.70	8.12	35.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_V_1TX
Setting 92
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42833G	58.68	74.00	-15.32	40.73	3	Vertical	9	1.19	-	39.10	11.83	32.98			
AV	11.42629G	49.27	54.00	-4.73	31.32	3	Vertical	9	1.19	-	39.10	11.83	32.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_V_1TX
Setting 92
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.45344G	58.84	74.00	-15.16	40.85	3	Horizontal	1.1	1.80	-	39.10	11.84	32.95			
AV	11.42743G	49.55	54.00	-4.45	31.60	3	Horizontal	1.1	1.80	-	39.10	11.83	32.98			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_V_1TX
SET 95
80\95\102\99\98\86\92\95
3.75\1.21\22.33\22.39\21.74\3.63\2.97\0.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1484G	60.66	74.00	-13.34	54.20	3	Vertical	335	1.76	95	33.90	7.49	34.93					
AV	5.1454G	50.09	54.00	-3.91	43.64	3	Vertical	335	1.76	95	33.90	7.48	34.93					
PK	5.2624G	117.83	Inf	-Inf	110.88	3	Vertical	335	1.76	95	34.17	7.69	34.91					
AV	5.2678G	107.49	Inf	-Inf	100.50	3	Vertical	335	1.76	95	34.21	7.69	34.91					
PK	5.3587G	66.96	74.00	-7.04	59.51	3	Vertical	335	1.76	95	34.53	7.81	34.89					
AV	5.3548G	53.08	54.00	-0.92	45.65	3	Vertical	335	1.76	95	34.52	7.80	34.89					

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_V_1TX
SET 95
95
1.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1223G	59.53	74.00	-14.47	53.14	3	Horizontal	339	2.01	95	33.90	7.43	34.94			
AV	5.149G	49.32	54.00	-4.68	42.86	3	Horizontal	339	2.01	95	33.90	7.49	34.93			
PK	5.2606G	115.06	Inf	-Inf	108.12	3	Horizontal	339	2.01	95	34.16	7.69	34.91			
AV	5.2582G	104.07	Inf	-Inf	97.15	3	Horizontal	339	2.01	95	34.15	7.68	34.91			
PK	5.3533G	65.66	74.00	-8.34	58.24	3	Horizontal	339	2.01	95	34.51	7.80	34.89			
AV	5.3524G	52.24	54.00	-1.76	44.82	3	Horizontal	339	2.01	95	34.51	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_V_1TX
Setting 95
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5056G	56.40	68.20	-11.80	40.18	3	Vertical	171	2.78	-	38.81	11.34	33.93			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_V_1TX
Setting 95
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.51085G	56.41	68.20	-11.79	40.18	3	Horizontal	106	2.27	-	38.82	11.34	33.93				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 84
80\91\76\83\86\85\84
2.96\5.21\3.27\0.75\1.06\0.64\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3058G	116.54	Inf	-Inf	109.29	3	Vertical	341	1.95	84	34.41	7.74	34.90			
AV	5.3026G	105.65	Inf	-Inf	98.40	3	Vertical	341	1.95	84	34.41	7.74	34.90			
PK	5.3514G	66.93	74.00	-7.07	59.51	3	Vertical	341	1.95	84	34.51	7.80	34.89			
AV	5.35G	53.43	54.00	-0.57	46.02	3	Vertical	341	1.95	84	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Y_1TX
SET 84
84
1.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3028G	112.75	Inf	-Inf	105.50	3	Horizontal	340	2.88	84	34.41	7.74	34.90			
AV	5.3056G	101.92	Inf	-Inf	94.67	3	Horizontal	340	2.88	84	34.41	7.74	34.90			
PK	5.3658G	72.83	74.00	-1.17	65.34	3	Horizontal	340	2.88	84	34.56	7.82	34.89			
AV	5.3538G	51.94	54.00	-2.06	44.51	3	Horizontal	340	2.88	84	34.52	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_V_1TX
Setting 84
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.60873G	58.00	74.00	-16.00	41.21	3	Vertical	272	2.65	-	39.23	11.39	33.83			
AV	10.60684G	48.69	54.00	-5.31	31.90	3	Vertical	272	2.65	-	39.23	11.39	33.83			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_V_1TX
Setting 84
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.61371G	58.22	74.00	-15.78	41.40	3	Horizontal	360	1.85	-	39.25	11.40	33.83			
AV	10.61344G	48.48	54.00	-5.52	31.66	3	Horizontal	360	1.85	-	39.25	11.40	33.83			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
SET 78
80\65\72\75\76\77\78
-3.60\4.00\3.38\2.32\2.21\1.55\0.23

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3276G	114.74	Inf	-Inf	107.40	3	Vertical	342	2.15	78	34.46	7.77	34.89			
AV	5.3279G	103.72	Inf	-Inf	96.38	3	Vertical	342	2.15	78	34.46	7.77	34.89			
PK	5.3517G	67.74	74.00	-6.26	60.32	3	Vertical	342	2.15	78	34.51	7.80	34.89			
AV	5.3502G	53.77	54.00	-0.23	46.36	3	Vertical	342	2.15	78	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT Y_1TX
SET 78
78
1.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3204G	112.17	Inf	-Inf	104.87	3	Horizontal	339	2.90	78	34.44	7.76	34.90			
AV	5.3278G	100.70	Inf	-Inf	93.36	3	Horizontal	339	2.90	78	34.46	7.77	34.89			
PK	5.3602G	66.37	74.00	-7.63	58.91	3	Horizontal	339	2.90	78	34.54	7.81	34.89			
AV	5.3511G	52.15	54.00	-1.85	44.74	3	Horizontal	339	2.90	78	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT V_1TX
Setting 78
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63811G	58.09	74.00	-15.91	41.13	3	Vertical	45	2.57	-	39.35	11.41	33.80			
AV	10.62512G	49.34	54.00	-4.66	32.45	3	Vertical	45	2.57	-	39.30	11.40	33.81			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT V_1TX
Setting 78
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6472G	58.07	74.00	-15.93	41.06	3	Horizontal	40	2.65	-	39.39	11.41	33.79			
AV	10.63367G	49.14	54.00	-4.86	32.21	3	Horizontal	40	2.65	-	39.33	11.41	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX



EUT_Y_1TX
SET 79
80\74\77\78\79
-1.40\2.49\1.59\1.42\0.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4597G	65.48	74.00	-8.52	57.96	3	Vertical	338	2.17	79	34.60	7.79	34.87			
AV	5.4597G	53.57	54.00	-0.43	46.05	3	Vertical	338	2.17	79	34.60	7.79	34.87			
PK	5.4601G	65.10	68.20	-3.10	57.59	3	Vertical	338	2.17	79	34.60	7.78	34.87			
PK	5.5087G	114.99	Inf	-Inf	107.55	3	Vertical	338	2.17	79	34.58	7.72	34.86			
AV	5.5063G	103.37	Inf	-Inf	95.91	3	Vertical	338	2.17	79	34.59	7.73	34.86			