


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
SET 79
79
0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	66.54	74.00	-7.46	59.02	3	Horizontal	339	1.52	79	34.60	7.79	34.87			
AV	5.4591G	53.48	54.00	-0.52	45.96	3	Horizontal	339	1.52	79	34.60	7.79	34.87			
PK	5.4607G	67.62	68.20	-0.58	60.11	3	Horizontal	339	1.52	79	34.60	7.78	34.87			
PK	5.5006G	113.48	Inf	-Inf	106.01	3	Horizontal	339	1.52	79	34.60	7.73	34.86			
AV	5.5024G	102.39	Inf	-Inf	94.92	3	Horizontal	339	1.52	79	34.60	7.73	34.86			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_V_1TX
Setting 79
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00954G	57.60	74.00	-16.40	40.50	3	Vertical	21	2.77	-	38.92	11.61	33.43			
AV	11.01389G	48.00	54.00	-6.00	30.88	3	Vertical	21	2.77	-	38.93	11.61	33.42			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_V_1TX
Setting 79
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.99601G	57.07	74.00	-16.93	40.00	3	Horizontal	17	2.68	-	38.91	11.60	33.44			
AV	11.01449G	48.11	54.00	-5.89	30.99	3	Horizontal	17	2.68	-	38.93	11.61	33.42			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 101
80\93\99\102\101
3.30\3.07\1.79\6.06\1.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	64.88	74.00	-9.12	57.36	3	Vertical	342	2.01	101	34.60	7.79	34.87
AV	5.4567G	52.54	54.00	-1.46	45.02	3	Vertical	342	2.01	101	34.60	7.79	34.87
PK	5.4693G	65.86	68.20	-2.34	58.36	3	Vertical	342	2.01	101	34.60	7.77	34.87
PK	5.5887G	118.96	Inf	-Inf	111.88	3	Vertical	342	2.01	101	34.35	7.62	34.89
AV	5.583G	108.30	Inf	-Inf	101.18	3	Vertical	342	2.01	101	34.37	7.63	34.88
PK	5.7288G	61.30	68.20	-6.90	54.19	3	Vertical	342	2.01	101	34.20	7.84	34.93

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Y_1TX
SET 101
101
2.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4558G	64.58	74.00	-9.42	57.06	3	Horizontal	343	2.76	101	34.60	7.79	34.87			
AV	5.4573G	51.99	54.00	-2.01	44.47	3	Horizontal	343	2.76	101	34.60	7.79	34.87			
PK	5.4675G	65.19	68.20	-3.01	57.68	3	Horizontal	343	2.76	101	34.60	7.78	34.87			
PK	5.5773G	117.21	Inf	-Inf	110.06	3	Horizontal	343	2.76	101	34.39	7.64	34.88			
AV	5.5743G	107.60	Inf	-Inf	100.44	3	Horizontal	343	2.76	101	34.40	7.64	34.88			
PK	5.7279G	61.22	68.20	-6.98	54.12	3	Horizontal	343	2.76	101	34.20	7.83	34.93			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT_V_1TX
Setting 101
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1672G	57.64	74.00	-16.36	73.14	3	Vertical	133	1.80	-	39.00	11.69	66.19			
AV	11.15905G	48.52	54.00	-5.48	64.03	3	Vertical	133	1.80	-	39.00	11.68	66.19			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_V_1TX
Setting 101
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16365G	55.19	74.00	-18.81	70.69	3	Horizontal	186	1.80	-	39.00	11.69	66.19			
AV	11.1598G	45.90	54.00	-8.10	61.41	3	Horizontal	186	1.80	-	39.00	11.68	66.19			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 55
01-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7024G	106.48	Inf	-Inf	97.60	3	Vertical	354	1.80	-	34.10	7.23	32.45			
AV	5.6992G	96.85	Inf	-Inf	87.98	3	Vertical	354	1.80	-	34.10	7.22	32.45			
PK	5.7252G	67.68	68.20	-0.52	58.77	3	Vertical	354	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 55
01-I-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.708G	108.47	Inf	-Inf	99.59	3	Horizontal	356	1.80	-	34.10	7.23	32.45			
AV	5.6942G	98.40	Inf	-Inf	89.54	3	Horizontal	356	1.80	-	34.09	7.22	32.45			
PK	5.7266G	68.03	68.20	-0.17	59.12	3	Horizontal	356	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT_V_1TX
Setting 55
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.40771G	58.64	74.00	-15.36	40.72	3	Vertical	165	1.32	-	39.10	11.82	33.00			
AV	11.40903G	49.92	54.00	-4.08	32.00	3	Vertical	165	1.32	-	39.10	11.82	33.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT_V_1TX
Setting 55
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40189G	58.53	74.00	-15.47	40.63	3	Horizontal	229	2.71	-	39.10	11.81	33.01			
AV	11.39895G	49.63	54.00	-4.37	31.73	3	Horizontal	229	2.71	-	39.10	11.81	33.01			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 95
80\95\102\99\98\86\92\95
3.81\0.59\ -9.41\ -10.15\ -9.65\3.45\3.62\0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4272G	61.41	74.00	-12.59	53.80	3	Vertical	339	1.95	95	34.65	7.83	34.87			
PK	5.4644G	59.62	68.20	-8.58	52.11	3	Vertical	339	1.95	95	34.60	7.78	34.87			
AV	5.4506G	50.72	54.00	-3.28	43.19	3	Vertical	339	1.95	95	34.60	7.80	34.87			
PK	5.7224G	115.43	Inf	-Inf	108.34	3	Vertical	339	1.95	95	34.20	7.82	34.93			
AV	5.723G	105.39	Inf	-Inf	98.29	3	Vertical	339	1.95	95	34.20	7.83	34.93			
PK	5.8562G	67.29	68.20	-0.91	59.92	3	Vertical	339	1.95	95	34.32	8.02	34.97			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 94
95\92\93\94
-0.51\3.63\3.20\3.94

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4338G	60.11	74.00	-13.89	52.53	3	Horizontal	342	1.47	94	34.63	7.82	34.87			
AV	5.4386G	50.06	54.00	-3.94	42.50	3	Horizontal	342	1.47	94	34.62	7.81	34.87			
PK	5.4602G	59.38	68.20	-8.82	51.87	3	Horizontal	342	1.47	94	34.60	7.78	34.87			
PK	5.7188G	115.82	Inf	-Inf	108.73	3	Horizontal	342	1.47	94	34.20	7.82	34.93			
AV	5.7182G	105.18	Inf	-Inf	98.09	3	Horizontal	342	1.47	94	34.20	7.82	34.93			
PK	5.8514G	61.56	68.20	-6.64	54.21	3	Horizontal	342	1.47	94	34.31	8.01	34.97			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_V_1TX
Setting 94
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.42749G	58.57	74.00	-15.43	40.62	3	Vertical	284	3.00	-	39.10	11.83	32.98			
AV	11.43148G	49.25	54.00	-4.75	31.29	3	Vertical	284	3.00	-	39.10	11.83	32.97			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 94
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42689G	58.37	74.00	-15.63	40.42	3	Horizontal	328	2.25	-	39.10	11.83	32.98			
AV	11.43733G	49.20	54.00	-4.80	31.24	3	Horizontal	328	2.25	-	39.10	11.83	32.97			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 80
80\85\76\80
1.34\ -4.31\1.76\0.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2606G	112.92	Inf	-Inf	105.98	3	Vertical	338	1.96	80	34.16	7.69	34.91			
AV	5.2628G	103.46	Inf	-Inf	96.50	3	Vertical	338	1.96	80	34.18	7.69	34.91			
PK	5.3568G	62.29	74.00	-11.71	54.84	3	Vertical	338	1.96	80	34.53	7.81	34.89			
AV	5.3572G	53.54	54.00	-0.46	46.09	3	Vertical	338	1.96	80	34.53	7.81	34.89			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Y_1TX
SET 80
80
1.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.266G	109.07	Inf	-Inf	102.09	3	Horizontal	338	2.04	80	34.20	7.69	34.91			
AV	5.2674G	99.64	Inf	-Inf	92.66	3	Horizontal	338	2.04	80	34.20	7.69	34.91			
PK	5.357G	61.36	74.00	-12.64	53.91	3	Horizontal	338	2.04	80	34.53	7.81	34.89			
AV	5.3542G	52.28	54.00	-1.72	44.85	3	Horizontal	338	2.04	80	34.52	7.80	34.89			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_V_1TX
Setting 80
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.54345G	55.89	68.20	-12.31	39.54	3	Vertical	166	2.22	-	38.89	11.36	33.90				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_V_1TX
Setting 80
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53124G	55.96	68.20	-12.24	39.66	3	Horizontal	230	1.59	-	38.86	11.35	33.91			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
SET 74
80\49\64\71\74
-7.65\1.96\1.61\0.62\0.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3014G	111.05	Inf	-Inf	103.81	3	Vertical	338	1.93	74	34.40	7.74	34.90			
AV	5.3012G	101.60	Inf	-Inf	94.36	3	Vertical	338	1.93	74	34.40	7.74	34.90			
PK	5.3514G	63.72	74.00	-10.28	56.30	3	Vertical	338	1.93	74	34.51	7.80	34.89			
AV	5.355G	53.85	54.00	-0.15	46.42	3	Vertical	338	1.93	74	34.52	7.80	34.89			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
SET 74
74
1.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.316G	108.07	Inf	-Inf	100.79	3	Horizontal	342	1.80	74	34.43	7.75	34.90			
AV	5.3274G	97.80	Inf	-Inf	90.47	3	Horizontal	342	1.80	74	34.45	7.77	34.89			
PK	5.3522G	62.09	74.00	-11.91	54.67	3	Horizontal	342	1.80	74	34.51	7.80	34.89			
AV	5.3528G	52.35	54.00	-1.65	44.93	3	Horizontal	342	1.80	74	34.51	7.80	34.89			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_V_1TX
Setting 74
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63182G	58.32	74.00	-15.68	41.40	3	Vertical	118	2.08	-	39.33	11.40	33.81			
AV	10.62711G	50.03	54.00	-3.97	33.13	3	Vertical	118	2.08	-	39.31	11.40	33.81			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_V_1TX
Setting 74
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62627G	57.70	74.00	-16.30	40.80	3	Horizontal	55	2.60	-	39.31	11.40	33.81			
AV	10.63341G	50.10	54.00	-3.90	33.17	3	Horizontal	55	2.60	-	39.33	11.41	33.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 73
80\47\63\71\75\73\74\73
-8.16\1.14\1.51\0.96\0.65\0.58\0.89\0.19

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4468G	62.27	74.00	-11.73	54.73	3	Vertical	342	2.21	73	34.61	7.80	34.87			
PK	5.47G	64.53	68.20	-3.67	57.03	3	Vertical	342	2.21	73	34.60	7.77	34.87			
AV	5.4588G	53.81	54.00	-0.19	46.29	3	Vertical	342	2.21	73	34.60	7.79	34.87			
PK	5.5156G	110.85	Inf	-Inf	103.42	3	Vertical	342	2.21	73	34.57	7.72	34.86			
AV	5.5274G	101.70	Inf	-Inf	94.32	3	Vertical	342	2.21	73	34.55	7.70	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
SET 73
73
0.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4584G	62.10	74.00	-11.90	54.58	3	Horizontal	344	1.67	73	34.60	7.79	34.87			
AV	5.4516G	53.15	54.00	-0.85	45.62	3	Horizontal	344	1.67	73	34.60	7.80	34.87			
PK	5.4698G	64.42	68.20	-3.78	56.92	3	Horizontal	344	1.67	73	34.60	7.77	34.87			
PK	5.5156G	109.07	Inf	-Inf	101.64	3	Horizontal	344	1.67	73	34.57	7.72	34.86			
AV	5.4974G	99.21	Inf	-Inf	91.73	3	Horizontal	344	1.67	73	34.60	7.74	34.86			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_V_1TX
Setting 73
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01634G	57.15	74.00	-16.85	40.03	3	Vertical	198	2.92	-	38.93	11.61	33.42			
AV	11.0317G	49.60	54.00	-4.40	32.43	3	Vertical	198	2.92	-	38.96	11.62	33.41			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_V_1TX
Setting 73
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.03326G	57.45	74.00	-16.55	40.26	3	Horizontal	68	1.23	-	38.97	11.62	33.40			
AV	11.02624G	49.72	54.00	-4.28	32.57	3	Horizontal	68	1.23	-	38.95	11.61	33.41			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 75
80\58\69\74\76\75
-5.42\1.61\2.02\2.25\ -0.64\1.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4502G	60.83	74.00	-13.17	53.30	3	Vertical	339	2.09	75	34.60	7.80	34.87			
AV	5.453G	52.22	54.00	-1.78	44.70	3	Vertical	339	2.09	75	34.60	7.79	34.87			
PK	5.467G	61.29	68.20	-6.91	53.78	3	Vertical	339	2.09	75	34.60	7.78	34.87			
PK	5.5534G	111.87	Inf	-Inf	104.59	3	Vertical	339	2.09	75	34.49	7.67	34.88			
AV	5.5426G	102.37	Inf	-Inf	95.05	3	Vertical	339	2.09	75	34.51	7.68	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Y_1TX
SET 75
75
1.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	60.08	74.00	-13.92	52.56	3	Horizontal	344	1.67	75	34.60	7.79	34.87			
AV	5.4598G	52.53	54.00	-1.47	45.01	3	Horizontal	344	1.67	75	34.60	7.79	34.87			
PK	5.4632G	60.40	68.20	-7.80	52.89	3	Horizontal	344	1.67	75	34.60	7.78	34.87			
PK	5.562G	109.44	Inf	-Inf	102.18	3	Horizontal	344	1.67	75	34.48	7.66	34.88			
AV	5.5674G	99.01	Inf	-Inf	91.81	3	Horizontal	344	1.67	75	34.43	7.65	34.88			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_V_1TX
Setting 75
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09241G	58.78	74.00	-15.22	41.39	3	Vertical	77	1.60	-	39.08	11.65	33.34			
AV	11.10675G	50.25	54.00	-3.75	32.82	3	Vertical	77	1.60	-	39.09	11.66	33.32			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_V_1TX
Setting 75
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09952G	58.26	74.00	-15.74	40.84	3	Horizontal	152	1.81	-	39.10	11.65	33.33			
AV	11.10444G	50.04	54.00	-3.96	32.62	3	Horizontal	152	1.81	-	39.09	11.66	33.33			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Y_1TX
SET 72
80\54\83\69\76\73\72
-6.50\7.37\6.05\6.10\6.81\6.53\5.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6676G	109.17	Inf	-Inf	102.09	3	Vertical	338	1.92	72	34.26	7.73	34.91			
AV	5.6673G	100.04	Inf	-Inf	92.95	3	Vertical	338	1.92	72	34.27	7.73	34.91			
PK	5.7252G	62.35	68.20	-5.85	55.25	3	Vertical	338	1.92	72	34.20	7.83	34.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
SET 72
72
6.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6757G	110.11	Inf	-Inf	103.03	3	Horizontal	343	1.45	72	34.25	7.74	34.91			
AV	5.6874G	99.48	Inf	-Inf	92.41	3	Horizontal	343	1.45	72	34.23	7.76	34.92			
PK	5.7327G	62.04	68.20	-6.16	54.93	3	Horizontal	343	1.45	72	34.20	7.84	34.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_V_1TX
Setting 72
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33163G	56.25	74.00	-17.75	38.45	3	Vertical	83	2.22	-	39.10	11.78	33.08			
AV	11.33781G	47.66	54.00	-6.34	29.86	3	Vertical	83	2.22	-	39.10	11.78	33.08			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_V_1TX
Setting 72
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.32707G	55.99	74.00	-18.01	38.21	3	Horizontal	149	1.93	-	39.10	11.77	33.09			
AV	11.32851G	47.73	54.00	-6.27	29.95	3	Horizontal	149	1.93	-	39.10	11.77	33.09			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
SET 92
80\88\92
2.03\1.34\0.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4586G	61.84	74.00	-12.16	54.32	3	Vertical	342	1.93	92	34.60	7.79	34.87			
AV	5.4586G	53.83	54.00	-0.17	46.31	3	Vertical	342	1.93	92	34.60	7.79	34.87			
PK	5.461G	60.65	68.20	-7.55	53.14	3	Vertical	342	1.93	92	34.60	7.78	34.87			
PK	5.6986G	112.55	Inf	-Inf	105.49	3	Vertical	342	1.93	92	34.20	7.78	34.92			
AV	5.7124G	104.43	Inf	-Inf	97.34	3	Vertical	342	1.93	92	34.20	7.81	34.92			
PK	5.85G	66.74	68.20	-1.46	59.39	3	Vertical	342	1.93	92	34.30	8.01	34.96			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 92
92
0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4532G	61.53	74.00	-12.47	54.01	3	Horizontal	340	1.48	92	34.60	7.79	34.87			
AV	5.4586G	53.58	54.00	-0.42	46.06	3	Horizontal	340	1.48	92	34.60	7.79	34.87			
PK	5.4676G	60.72	68.20	-7.48	53.21	3	Horizontal	340	1.48	92	34.60	7.78	34.87			
PK	5.7214G	112.82	Inf	-Inf	105.73	3	Horizontal	340	1.48	92	34.20	7.82	34.93			
AV	5.7076G	104.67	Inf	-Inf	97.59	3	Horizontal	340	1.48	92	34.20	7.80	34.92			
PK	5.85G	67.76	68.20	-0.44	60.41	3	Horizontal	340	1.48	92	34.30	8.01	34.96			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 92
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	11.41865G	45.02	54.00	-8.98	60.30	3	Vertical	136	1.80	-	39.10	11.82	66.20			
PK	11.41575G	50.83	74.00	-23.17	66.11	3	Vertical	136	1.80	-	39.10	11.82	66.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_V_1TX
Setting 92
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
AV	11.41875G	41.12	54.00	-12.88	56.40	3	Horizontal	208	1.80	-	39.10	11.82	66.20			
PK	11.40685G	47.76	74.00	-26.24	63.04	3	Horizontal	208	1.80	-	39.10	11.82	66.20			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 78
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	54.09	74.00	-19.91	47.19	3	Vertical	356	1.80	-	32.80	6.64	32.54			
AV	5.1484G	46.86	54.00	-7.14	39.96	3	Vertical	356	1.80	-	32.80	6.64	32.54			
PK	5.268G	106.77	Inf	-Inf	99.69	3	Vertical	356	1.80	-	32.94	6.66	32.52			
AV	5.2996G	99.27	Inf	-Inf	92.10	3	Vertical	356	1.80	-	33.00	6.68	32.51			
PK	5.3884G	60.65	74.00	-13.35	53.17	3	Vertical	356	1.80	-	33.25	6.72	32.49			
AV	5.3876G	53.44	54.00	-0.56	45.96	3	Vertical	356	1.80	-	33.25	6.72	32.49			
PK	5.4752G	55.56	68.20	-12.64	47.51	3	Vertical	356	1.80	-	33.65	6.87	32.47			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Y_1TX
Setting 78
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	54.81	74.00	-19.19	47.96	3	Horizontal	1	1.80	-	32.76	6.64	32.55			
AV	5.1292G	46.89	54.00	-7.11	40.04	3	Horizontal	1	1.80	-	32.76	6.64	32.55			
PK	5.3248G	105.22	Inf	-Inf	97.98	3	Horizontal	1	1.80	-	33.05	6.69	32.50			
AV	5.3G	97.40	Inf	-Inf	90.23	3	Horizontal	1	1.80	-	33.00	6.68	32.51			
PK	5.3528G	59.01	74.00	-14.99	51.69	3	Horizontal	1	1.80	-	33.11	6.71	32.50			
AV	5.3876G	52.61	54.00	-1.39	45.13	3	Horizontal	1	1.80	-	33.25	6.72	32.49			
PK	5.4728G	55.74	68.20	-12.46	47.71	3	Horizontal	1	1.80	-	33.64	6.86	32.47			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
Setting 78
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59173G	56.95	68.20	-11.25	40.27	3	Vertical	144	1.51	-	39.15	11.38	33.85			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
Setting 78
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59443G	56.67	68.20	-11.53	39.96	3	Horizontal	312	1.69	-	39.17	11.39	33.85			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT_Y_1TX
Setting 80
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3425G	55.39	68.20	-12.81	48.10	3	Vertical	0	1.80	-	33.09	6.70	32.50			
PK	5.441G	61.42	74.00	-12.58	53.62	3	Vertical	0	1.80	-	33.46	6.81	32.47			
AV	5.4425G	53.76	54.00	-0.24	45.95	3	Vertical	0	1.80	-	33.47	6.81	32.47			
PK	5.4655G	60.73	68.20	-7.47	52.76	3	Vertical	0	1.80	-	33.59	6.85	32.47			
PK	5.5435G	107.57	Inf	-Inf	99.14	3	Vertical	0	1.80	-	33.89	7.00	32.46			
AV	5.5425G	99.80	Inf	-Inf	91.39	3	Vertical	0	1.80	-	33.88	6.99	32.46			
PK	5.768G	57.17	68.20	-11.03	48.17	3	Vertical	0	1.80	-	34.14	7.31	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT_Y_1TX
Setting 80
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3455G	54.42	68.20	-13.78	47.13	3	Horizontal	358	1.80	-	33.09	6.70	32.50
PK	5.4465G	60.09	74.00	-13.91	52.25	3	Horizontal	358	1.80	-	33.49	6.82	32.47
AV	5.4435G	53.61	54.00	-0.39	45.80	3	Horizontal	358	1.80	-	33.47	6.81	32.47
PK	5.4695G	59.57	68.20	-8.63	51.56	3	Horizontal	358	1.80	-	33.62	6.86	32.47
PK	5.5445G	105.67	Inf	-Inf	97.24	3	Horizontal	358	1.80	-	33.89	7.00	32.46
AV	5.5395G	97.41	Inf	-Inf	89.00	3	Horizontal	358	1.80	-	33.88	6.99	32.46
PK	5.768G	56.77	68.20	-11.43	47.77	3	Horizontal	358	1.80	-	34.14	7.31	32.45

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_V_1TX
Setting 80
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05799G	58.32	74.00	-15.68	41.05	3	Vertical	317	1.05	-	39.02	11.63	33.38			
AV	11.04611G	50.20	54.00	-3.80	32.98	3	Vertical	317	1.05	-	38.99	11.62	33.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_V_1TX
Setting 80
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.07035G	58.51	74.00	-15.49	41.19	3	Horizontal	163	2.72	-	39.04	11.64	33.36			
AV	11.04905G	49.97	54.00	-4.03	32.73	3	Horizontal	163	2.72	-	39.00	11.63	33.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
SET 78
80\76\78
-0.93\1.00\0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	61.96	74.00	-12.04	54.44	3	Vertical	342	2.02	78	34.60	7.79	34.87
AV	5.458G	53.69	54.00	-0.31	46.17	3	Vertical	342	2.02	78	34.60	7.79	34.87
PK	5.464G	62.87	68.20	-5.33	55.36	3	Vertical	342	2.02	78	34.60	7.78	34.87
PK	5.625G	108.81	Inf	-Inf	101.76	3	Vertical	342	2.02	78	34.30	7.65	34.90
AV	5.6035G	100.13	Inf	-Inf	93.10	3	Vertical	342	2.02	78	34.30	7.62	34.89
PK	5.7285G	63.88	68.20	-4.32	56.78	3	Vertical	342	2.02	78	34.20	7.83	34.93

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Y_1TX
SET 78
78
0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	62.42	74.00	-11.58	54.89	3	Horizontal	344	2.75	78	34.60	7.80	34.87			
PK	5.462G	62.10	68.20	-6.10	54.59	3	Horizontal	344	2.75	78	34.60	7.78	34.87			
AV	5.458G	53.92	54.00	-0.08	46.40	3	Horizontal	344	2.75	78	34.60	7.79	34.87			
PK	5.6005G	108.89	Inf	-Inf	101.87	3	Horizontal	344	2.75	78	34.30	7.61	34.89			
AV	5.595G	99.76	Inf	-Inf	92.71	3	Horizontal	344	2.75	78	34.32	7.62	34.89			
PK	5.74G	64.31	68.20	-3.89	57.19	3	Horizontal	344	2.75	78	34.20	7.85	34.93			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
Setting 78
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2119G	58.42	74.00	-15.58	40.92	3	Vertical	347	1.28	-	39.00	11.71	33.21			
AV	11.22288G	50.20	54.00	-3.80	32.68	3	Vertical	347	1.28	-	39.00	11.72	33.20			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
Setting 78
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.21646G	57.56	74.00	-16.44	40.06	3	Horizontal	17	1.57	-	39.00	11.71	33.21			
AV	11.22747G	49.85	54.00	-4.15	32.32	3	Horizontal	17	1.57	-	39.00	11.72	33.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 81
80\82\81
0.52\0.82\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.80	74.00	-11.20	55.28	3	Vertical	343	2.07	81	34.60	7.79	34.87
AV	5.4482G	53.77	54.00	-0.23	46.24	3	Vertical	343	2.07	81	34.60	7.80	34.87
PK	5.4698G	63.79	68.20	-4.41	56.29	3	Vertical	343	2.07	81	34.60	7.77	34.87
PK	5.6642G	108.86	Inf	-Inf	101.78	3	Vertical	343	2.07	81	34.27	7.72	34.91
AV	5.6762G	100.27	Inf	-Inf	93.19	3	Vertical	343	2.07	81	34.25	7.74	34.91
PK	5.858G	66.60	68.20	-1.60	59.22	3	Vertical	343	2.07	81	34.33	8.02	34.97

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 81
81
0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4566G	63.02	74.00	-10.98	55.50	3	Horizontal	344	1.49	81	34.60	7.79	34.87			
AV	5.4434G	53.38	54.00	-0.62	45.83	3	Horizontal	344	1.49	81	34.61	7.81	34.87			
PK	5.4698G	63.59	68.20	-4.61	56.09	3	Horizontal	344	1.49	81	34.60	7.77	34.87			
PK	5.6762G	108.04	Inf	-Inf	100.96	3	Horizontal	344	1.49	81	34.25	7.74	34.91			
AV	5.7038G	99.02	Inf	-Inf	91.95	3	Horizontal	344	1.49	81	34.20	7.79	34.92			
PK	5.852G	65.90	68.20	-2.30	58.55	3	Horizontal	344	1.49	81	34.31	8.01	34.97			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 81
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39095G	58.68	74.00	-15.32	40.79	3	Vertical	162	2.41	-	39.10	11.81	33.02			
AV	11.39377G	50.88	54.00	-3.12	32.98	3	Vertical	162	2.41	-	39.10	11.81	33.01			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 81
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3728G	58.81	74.00	-15.19	40.95	3	Horizontal	141	2.28	-	39.10	11.80	33.04			
AV	11.39005G	50.70	54.00	-3.30	32.81	3	Horizontal	141	2.28	-	39.10	11.81	33.02			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 60
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	59.54	74.00	-14.46	52.64	3	Vertical	355	1.80	-	32.80	6.64	32.54			
AV	5.15G	48.59	54.00	-5.41	41.69	3	Vertical	355	1.80	-	32.80	6.64	32.54			
PK	5.2668G	100.46	Inf	-Inf	93.39	3	Vertical	355	1.80	-	32.93	6.66	32.52			
AV	5.2788G	91.26	Inf	-Inf	84.14	3	Vertical	355	1.80	-	32.96	6.67	32.51			
PK	5.35G	64.93	74.00	-9.07	57.62	3	Vertical	355	1.80	-	33.10	6.71	32.50			
AV	5.3564G	53.90	54.00	-0.10	46.55	3	Vertical	355	1.80	-	33.13	6.71	32.49			
PK	5.6028G	55.84	68.20	-12.36	47.29	3	Vertical	355	1.80	-	33.91	7.10	32.46			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 60
01-I-R-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1492G	58.22	74.00	-15.78	51.32	3	Horizontal	4	1.80	-	32.80	6.64	32.54					
AV	5.142G	46.90	54.00	-7.10	40.03	3	Horizontal	4	1.80	-	32.78	6.64	32.55					
PK	5.3284G	97.78	Inf	-Inf	90.53	3	Horizontal	4	1.80	-	33.06	6.69	32.50					
AV	5.3252G	90.50	Inf	-Inf	83.26	3	Horizontal	4	1.80	-	33.05	6.69	32.50					
PK	5.3532G	64.74	74.00	-9.26	57.42	3	Horizontal	4	1.80	-	33.11	6.71	32.50					
AV	5.3524G	53.41	54.00	-0.59	46.09	3	Horizontal	4	1.80	-	33.11	6.71	32.50					
PK	5.5884G	55.64	68.20	-12.56	47.12	3	Horizontal	4	1.80	-	33.90	7.08	32.46					

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_1TX
Setting 60
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49655G	56.60	68.20	-11.60	40.39	3	Vertical	29	2.98	-	38.81	11.33	33.93			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_1TX
Setting 60
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.49493G	56.45	68.20	-11.75	40.24	3	Horizontal	77	2.47	-	38.81	11.33	33.93				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_V_1TX
Setting 64
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3332G	54.25	68.20	-13.95	46.98	3	Vertical	0	1.80	-	33.07	6.70	32.50
PK	5.4588G	63.96	74.00	-10.04	56.04	3	Vertical	0	1.80	-	33.55	6.84	32.47
AV	5.4588G	53.99	54.00	-0.01	46.07	3	Vertical	0	1.80	-	33.55	6.84	32.47
PK	5.466G	66.79	68.20	-1.41	58.81	3	Vertical	0	1.80	-	33.60	6.85	32.47
PK	5.51G	101.53	Inf	-Inf	93.24	3	Vertical	0	1.80	-	33.82	6.93	32.46
AV	5.5452G	92.98	Inf	-Inf	84.55	3	Vertical	0	1.80	-	33.89	7.00	32.46
PK	5.8636G	58.87	68.20	-9.33	49.34	3	Vertical	0	1.80	-	34.58	7.40	32.45

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_V_1TX
Setting 64
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3436G	54.18	68.20	-14.02	46.89	3	Horizontal	358	1.80	-	33.09	6.70	32.50				
PK	5.4564G	63.49	74.00	-10.51	55.59	3	Horizontal	358	1.80	-	33.54	6.83	32.47				
AV	5.4572G	52.85	54.00	-1.15	44.94	3	Horizontal	358	1.80	-	33.54	6.84	32.47				
PK	5.4652G	65.22	68.20	-2.98	57.25	3	Horizontal	358	1.80	-	33.59	6.85	32.47				
PK	5.6068G	99.72	Inf	-Inf	91.16	3	Horizontal	358	1.80	-	33.91	7.11	32.46				
AV	5.6036G	91.41	Inf	-Inf	82.86	3	Horizontal	358	1.80	-	33.91	7.10	32.46				
PK	5.7292G	59.27	68.20	-8.93	50.36	3	Horizontal	358	1.80	-	34.10	7.26	32.45				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_V_1TX
Setting 64
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12536G	58.00	74.00	-16.00	40.58	3	Vertical	39	1.92	-	39.05	11.67	33.30			
AV	11.14327G	49.56	54.00	-4.44	32.16	3	Vertical	39	1.92	-	39.01	11.68	33.29			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_V_1TX
Setting 64
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12527G	57.78	74.00	-16.22	40.36	3	Horizontal	72	1.73	-	39.05	11.67	33.30			
AV	11.14693G	49.34	54.00	-4.66	31.93	3	Horizontal	72	1.73	-	39.01	11.68	33.28			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 93
03-C-J-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	64.33	74.00	-9.67	57.87	3	Vertical	173	1.80	-	33.90	7.49	34.93			
AV	5.1484G	48.86	54.00	-5.14	42.40	3	Vertical	173	1.80	-	33.90	7.49	34.93			
PK	5.266G	122.83	Inf	-Inf	115.85	3	Vertical	173	1.80	-	34.20	7.69	34.91			
AV	5.2663G	113.44	Inf	-Inf	106.46	3	Vertical	173	1.80	-	34.20	7.69	34.91			
PK	5.3512G	67.93	74.00	-6.07	60.52	3	Vertical	173	1.80	-	34.50	7.80	34.89			
AV	5.3524G	53.98	54.00	-0.02	46.56	3	Vertical	173	1.80	-	34.51	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 93
03-C-J-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	59.70	74.00	-14.30	53.24	3	Horizontal	177	1.80	-	33.90	7.49	34.93			
AV	5.1499G	47.08	54.00	-6.92	40.62	3	Horizontal	177	1.80	-	33.90	7.49	34.93			
PK	5.2636G	119.52	Inf	-Inf	112.56	3	Horizontal	177	1.80	-	34.18	7.69	34.91			
AV	5.2588G	110.73	Inf	-Inf	103.81	3	Horizontal	177	1.80	-	34.15	7.68	34.91			
PK	5.3515G	66.47	74.00	-7.53	59.05	3	Horizontal	177	1.80	-	34.51	7.80	34.89			
AV	5.3509G	52.51	54.00	-1.49	45.10	3	Horizontal	177	1.80	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
Setting 93
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.51202G	57.28	68.20	-10.92	41.05	3	Vertical	275	1.61	-	38.82	11.34	33.93				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
Setting 93
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50935G	57.41	68.20	-10.79	41.18	3	Horizontal	271	2.39	-	38.82	11.34	33.93			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
Setting 81
03-C-J-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.306G	119.00	Inf	-Inf	111.75	3	Vertical	175	1.74	-	34.41	7.74	34.90				
AV	5.3063G	110.84	Inf	-Inf	103.59	3	Vertical	175	1.74	-	34.41	7.74	34.90				
PK	5.3504G	66.14	74.00	-7.86	58.73	3	Vertical	175	1.74	-	34.50	7.80	34.89				
AV	5.3531G	53.90	54.00	-0.10	46.48	3	Vertical	175	1.74	-	34.51	7.80	34.89				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT_Y_2TX
Setting 81
03-C-J-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3033G	117.60	Inf	-Inf	110.35	3	Horizontal	172	2.37	-	34.41	7.74	34.90			
AV	5.3036G	108.79	Inf	-Inf	101.54	3	Horizontal	172	2.37	-	34.41	7.74	34.90			
PK	5.3558G	63.99	74.00	-10.01	56.56	3	Horizontal	172	2.37	-	34.52	7.80	34.89			
AV	5.351G	53.41	54.00	-0.59	46.00	3	Horizontal	172	2.37	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT V_2TX
Setting 81
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61404G	57.99	74.00	-16.01	41.16	3	Vertical	319	2.78	-	39.26	11.40	33.83			
AV	10.60948G	48.40	54.00	-5.60	31.60	3	Vertical	319	2.78	-	39.24	11.39	33.83			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_V_2TX
Setting 81
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60477G	57.86	74.00	-16.14	41.09	3	Horizontal	187	1.33	-	39.22	11.39	33.84			
AV	10.60135G	48.90	54.00	-5.10	32.14	3	Horizontal	187	1.33	-	39.21	11.39	33.84			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 74
03-C-J-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3262G	117.46	Inf	-Inf	110.13	3	Vertical	172	1.80	-	34.45	7.77	34.89				
AV	5.3208G	108.58	Inf	-Inf	101.28	3	Vertical	172	1.80	-	34.44	7.76	34.90				
PK	5.3568G	68.47	74.00	-5.53	61.02	3	Vertical	172	1.80	-	34.53	7.81	34.89				
AV	5.3512G	53.93	54.00	-0.07	46.52	3	Vertical	172	1.80	-	34.50	7.80	34.89				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 74
03-C-J-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3182G	115.26	Inf	-Inf	107.96	3	Horizontal	173	1.80	-	34.44	7.76	34.90			
AV	5.3238G	106.52	Inf	-Inf	99.21	3	Horizontal	173	1.80	-	34.45	7.76	34.90			
PK	5.3552G	70.00	74.00	-4.00	62.57	3	Horizontal	173	1.80	-	34.52	7.80	34.89			
AV	5.35G	53.01	54.00	-0.99	45.60	3	Horizontal	173	1.80	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_V_2TX
Setting 74
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64732G	60.05	74.00	-13.95	43.04	3	Vertical	131	2.43	-	39.39	11.41	33.79			
AV	10.64045G	49.06	54.00	-4.94	32.09	3	Vertical	131	2.43	-	39.36	11.41	33.80			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_V_2TX
Setting 74
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64456G	59.47	74.00	-14.53	42.48	3	Horizontal	190	1.88	-	39.38	11.41	33.80			
AV	10.62533G	49.11	54.00	-4.89	32.22	3	Horizontal	190	1.88	-	39.30	11.40	33.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 75
03-C-J-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.456G	66.22	74.00	-7.78	58.70	3	Vertical	177	1.80	-	34.60	7.79	34.87			
AV	5.46G	52.45	54.00	-1.55	44.93	3	Vertical	177	1.80	-	34.60	7.79	34.87			
PK	5.4646G	68.05	68.20	-0.15	60.54	3	Vertical	177	1.80	-	34.60	7.78	34.87			
PK	5.5056G	117.13	Inf	-Inf	109.67	3	Vertical	177	1.80	-	34.59	7.73	34.86			
AV	5.5058G	108.81	Inf	-Inf	101.35	3	Vertical	177	1.80	-	34.59	7.73	34.86			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 75
03-C-J-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4592G	64.90	74.00	-9.10	57.38	3	Horizontal	173	2.27	-	34.60	7.79	34.87			
AV	5.4588G	52.70	54.00	-1.30	45.18	3	Horizontal	173	2.27	-	34.60	7.79	34.87			
PK	5.4692G	68.01	68.20	-0.19	60.51	3	Horizontal	173	2.27	-	34.60	7.77	34.87			
PK	5.498G	117.44	Inf	-Inf	109.96	3	Horizontal	173	2.27	-	34.60	7.74	34.86			
AV	5.4984G	108.80	Inf	-Inf	101.32	3	Horizontal	173	2.27	-	34.60	7.74	34.86			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT V_2TX
Setting 75
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99568G	58.44	74.00	-15.56	41.37	3	Vertical	38	2.31	-	38.91	11.60	33.44			
AV	11.01392G	48.28	54.00	-5.72	31.16	3	Vertical	38	2.31	-	38.93	11.61	33.42			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_V_2TX
Setting 75
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00318G	58.09	74.00	-15.91	41.02	3	Horizontal	267	1.28	-	38.91	11.60	33.44			
AV	11.01242G	48.27	54.00	-5.73	31.17	3	Horizontal	267	1.28	-	38.92	11.61	33.43			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 97
03-C-J-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4556G	63.66	74.00	-10.34	56.14	3	Vertical	173	1.62	-	34.60	7.79	34.87			
AV	5.4588G	51.32	54.00	-2.68	43.80	3	Vertical	173	1.62	-	34.60	7.79	34.87			
PK	5.4652G	66.38	68.20	-1.82	58.87	3	Vertical	173	1.62	-	34.60	7.78	34.87			
PK	5.576G	123.55	Inf	-Inf	116.39	3	Vertical	173	1.62	-	34.40	7.64	34.88			
AV	5.5808G	114.70	Inf	-Inf	107.57	3	Vertical	173	1.62	-	34.38	7.63	34.88			
PK	5.7328G	61.10	68.20	-7.10	53.99	3	Vertical	173	1.62	-	34.20	7.84	34.93			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 97
03-C-J-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	64.17	74.00	-9.83	56.65	3	Horizontal	174	2.29	-	34.60	7.79	34.87			
AV	5.4588G	51.18	54.00	-2.82	43.66	3	Horizontal	174	2.29	-	34.60	7.79	34.87			
PK	5.4628G	65.05	68.20	-3.15	57.54	3	Horizontal	174	2.29	-	34.60	7.78	34.87			
PK	5.5776G	122.73	Inf	-Inf	115.58	3	Horizontal	174	2.29	-	34.39	7.64	34.88			
AV	5.5784G	113.89	Inf	-Inf	106.74	3	Horizontal	174	2.29	-	34.39	7.64	34.88			
PK	5.73G	60.66	68.20	-7.54	53.55	3	Horizontal	174	2.29	-	34.20	7.84	34.93			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT V_2TX
Setting 93
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15844G	62.42	74.00	-11.58	77.93	3	Vertical	134	1.80	-	39.00	11.68	66.19			
AV	11.15844G	53.82	54.00	-0.18	69.33	3	Vertical	134	1.80	-	39.00	11.68	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT V_2TX
Setting 93
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15913G	58.11	74.00	-15.89	73.62	3	Horizontal	297	2.18	-	39.00	11.68	66.19			
AV	11.16579G	49.11	54.00	-4.89	64.61	3	Horizontal	297	2.18	-	39.00	11.69	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_V_2TX
Setting 56
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7007G	111.17	Inf	-Inf	102.29	3	Vertical	353	1.80	-	34.10	7.23	32.45			
AV	5.6958G	103.53	Inf	-Inf	94.67	3	Vertical	353	1.80	-	34.09	7.22	32.45			
PK	5.7262G	68.03	68.20	-0.17	59.12	3	Vertical	353	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_V_2TX
Setting 56
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6991G	110.97	Inf	-Inf	102.10	3	Horizontal	1	1.80	-	34.10	7.22	32.45			
AV	5.6984G	103.60	Inf	-Inf	94.73	3	Horizontal	1	1.80	-	34.10	7.22	32.45			
PK	5.7283G	67.10	68.20	-1.10	58.19	3	Horizontal	1	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT V_2TX
Setting 56
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.40039G	59.32	74.00	-14.68	41.42	3	Vertical	26	2.58	-	39.10	11.81	33.01			
AV	11.40618G	49.67	54.00	-4.33	31.75	3	Vertical	26	2.58	-	39.10	11.82	33.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT V_2TX
Setting 56
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39208G	59.25	74.00	-14.75	41.36	3	Horizontal	302	2.64	-	39.10	11.81	33.02			
AV	11.40588G	49.36	54.00	-4.64	31.44	3	Horizontal	302	2.64	-	39.10	11.82	33.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 92
05-R-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7208G	120.44	Inf	-Inf	113.40	3	Vertical	358	1.80	-	33.48	8.43	34.87				
AV	5.7156G	112.97	Inf	-Inf	105.97	3	Vertical	358	1.80	-	33.46	8.42	34.88				
PK	5.852G	68.00	68.20	-0.20	60.43	3	Vertical	358	1.80	-	33.91	8.47	34.81				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 92
05-R-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7232G	121.01	Inf	-Inf	113.96	3	Horizontal	358	1.80	-	33.49	8.43	34.87			
AV	5.7176G	111.88	Inf	-Inf	104.86	3	Horizontal	358	1.80	-	33.47	8.43	34.88			
PK	5.8528G	66.91	68.20	-1.29	59.34	3	Horizontal	358	1.80	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
Setting 92
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44548G	56.48	74.00	-17.52	71.74	3	Vertical	204	1.80	-	39.10	11.84	66.20			
AV	11.44092G	47.36	54.00	-6.64	62.63	3	Vertical	204	1.80	-	39.10	11.83	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_V_2TX
Setting 92
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43652G	55.38	74.00	-18.62	70.65	3	Horizontal	174	1.80	-	39.10	11.83	66.20			
AV	11.44064G	44.54	54.00	-9.46	59.81	3	Horizontal	174	1.80	-	39.10	11.83	66.20			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT V_2TX
Setting 90
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1487G	60.16	74.00	-13.84	54.10	3	Vertical	358	1.80	-	33.10	8.07	35.11			
AV	5.1433G	49.28	54.00	-4.72	43.23	3	Vertical	358	1.80	-	33.09	8.07	35.11			
PK	5.2627G	121.96	Inf	-Inf	115.93	3	Vertical	358	1.80	-	32.97	8.13	35.07			
AV	5.2561G	112.42	Inf	-Inf	106.37	3	Vertical	358	1.80	-	32.99	8.13	35.07			
PK	5.35G	66.49	74.00	-7.51	60.44	3	Vertical	358	1.80	-	32.90	8.18	35.03			
AV	5.3575G	53.67	54.00	-0.33	47.61	3	Vertical	358	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
Setting 90
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	58.47	74.00	-15.53	52.41	3	Horizontal	354	1.80	-	33.10	8.07	35.11			
AV	5.1466G	47.97	54.00	-6.03	41.92	3	Horizontal	354	1.80	-	33.09	8.07	35.11			
PK	5.2594G	119.38	Inf	-Inf	113.34	3	Horizontal	354	1.80	-	32.98	8.13	35.07			
AV	5.2585G	109.59	Inf	-Inf	103.55	3	Horizontal	354	1.80	-	32.98	8.13	35.07			
PK	5.3815G	67.77	74.00	-6.23	61.69	3	Horizontal	354	1.80	-	32.90	8.20	35.02			
AV	5.35G	52.39	54.00	-1.61	46.34	3	Horizontal	354	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
Setting 90
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50731G	57.35	68.20	-10.85	41.13	3	Vertical	358	2.74	-	38.81	11.34	33.93			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT V_2TX
Setting 90
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53263G	56.97	68.20	-11.23	40.66	3	Horizontal	71	1.36	-	38.87	11.35	33.91			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 76
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2956G	119.60	Inf	-Inf	113.59	3	Vertical	354	1.80	-	32.91	8.15	35.05			
AV	5.296G	108.97	Inf	-Inf	102.96	3	Vertical	354	1.80	-	32.91	8.15	35.05			
PK	5.3512G	65.48	74.00	-8.52	59.43	3	Vertical	354	1.80	-	32.90	8.18	35.03			
AV	5.3504G	53.76	54.00	-0.24	47.71	3	Vertical	354	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_V_2TX
Setting 76
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3014G	116.65	Inf	-Inf	110.64	3	Horizontal	354	1.80	-	32.90	8.16	35.05			
AV	5.2986G	106.87	Inf	-Inf	100.87	3	Horizontal	354	1.80	-	32.90	8.15	35.05			
PK	5.3514G	67.68	74.00	-6.32	61.63	3	Horizontal	354	1.80	-	32.90	8.18	35.03			
AV	5.3522G	51.89	54.00	-2.11	45.84	3	Horizontal	354	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT V_2TX
Setting 76
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60858G	58.29	74.00	-15.71	41.50	3	Vertical	308	1.27	-	39.23	11.39	33.83			
AV	10.61059G	47.64	54.00	-6.36	30.84	3	Vertical	308	1.27	-	39.24	11.39	33.83			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT V_2TX
Setting 76
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61308G	58.07	74.00	-15.93	41.26	3	Horizontal	188	1.95	-	39.25	11.39	33.83			
AV	10.61233G	47.64	54.00	-6.36	30.83	3	Horizontal	188	1.95	-	39.25	11.39	33.83			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_V_2TX
Setting 72
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3254G	118.55	Inf	-Inf	112.52	3	Vertical	352	1.80	-	32.90	8.17	35.04
AV	5.3161G	108.05	Inf	-Inf	102.04	3	Vertical	352	1.80	-	32.90	8.16	35.05
PK	5.3603G	67.58	74.00	-6.42	61.52	3	Vertical	352	1.80	-	32.90	8.19	35.03
AV	5.3604G	53.83	54.00	-0.17	47.77	3	Vertical	352	1.80	-	32.90	8.19	35.03

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT V_2TX
Setting 72
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3187G	115.67	Inf	-Inf	109.65	3	Horizontal	354	1.80	-	32.90	8.17	35.05			
AV	5.3187G	106.38	Inf	-Inf	100.36	3	Horizontal	354	1.80	-	32.90	8.17	35.05			
PK	5.3595G	65.54	74.00	-8.46	59.48	3	Horizontal	354	1.80	-	32.90	8.19	35.03			
AV	5.3601G	52.45	54.00	-1.55	46.39	3	Horizontal	354	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT V_2TX
Setting 72
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63685G	58.75	74.00	-15.25	41.79	3	Vertical	94	1.76	-	39.35	11.41	33.80			
AV	10.64504G	48.37	54.00	-5.63	31.37	3	Vertical	94	1.76	-	39.38	11.41	33.79			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT V_2TX
Setting 72
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64318G	59.02	74.00	-14.98	42.04	3	Horizontal	144	1.78	-	39.37	11.41	33.80			
AV	10.64246G	48.17	54.00	-5.83	31.19	3	Horizontal	144	1.78	-	39.37	11.41	33.80			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
Setting 74
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	67.52	74.00	-6.48	61.33	3	Vertical	357	1.80	-	32.92	8.26	34.99			
AV	5.4597G	53.64	54.00	-0.36	47.45	3	Vertical	357	1.80	-	32.92	8.26	34.99			
PK	5.4603G	65.18	68.20	-3.02	58.99	3	Vertical	357	1.80	-	32.92	8.26	34.99			
PK	5.4956G	117.56	Inf	-Inf	111.25	3	Vertical	357	1.80	-	32.99	8.30	34.98			
AV	5.4961G	106.86	Inf	-Inf	100.55	3	Vertical	357	1.80	-	32.99	8.30	34.98			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT V_2TX
Setting 74
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4599G	64.37	74.00	-9.63	58.18	3	Horizontal	351	1.02	-	32.92	8.26	34.99			
AV	5.4593G	53.72	54.00	-0.28	47.53	3	Horizontal	351	1.02	-	32.92	8.26	34.99			
PK	5.4609G	64.47	68.20	-3.73	58.28	3	Horizontal	351	1.02	-	32.92	8.26	34.99			
PK	5.504G	116.73	Inf	-Inf	110.41	3	Horizontal	351	1.02	-	33.00	8.30	34.98			
AV	5.4987G	106.64	Inf	-Inf	100.32	3	Horizontal	351	1.02	-	33.00	8.30	34.98			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT V_2TX
Setting 74
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00957G	58.22	74.00	-15.78	41.12	3	Vertical	116	1.72	-	38.92	11.61	33.43			
AV	10.99946G	47.10	54.00	-6.90	30.04	3	Vertical	116	1.72	-	38.90	11.60	33.44			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT V_2TX
Setting 74
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01302G	57.58	74.00	-16.42	40.47	3	Horizontal	235	1.27	-	38.93	11.61	33.43			
AV	11.01272G	47.28	54.00	-6.72	30.17	3	Horizontal	235	1.27	-	38.93	11.61	33.43			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
Setting 96
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	65.48	74.00	-8.52	59.31	3	Vertical	351	1.80	-	32.91	8.26	35.00
AV	5.4596G	53.72	54.00	-0.28	47.53	3	Vertical	351	1.80	-	32.92	8.26	34.99
PK	5.4688G	66.33	68.20	-1.87	60.11	3	Vertical	351	1.80	-	32.94	8.27	34.99
PK	5.5856G	121.76	Inf	-Inf	115.39	3	Vertical	351	1.80	-	32.93	8.38	34.94
AV	5.576G	112.04	Inf	-Inf	105.66	3	Vertical	351	1.80	-	32.95	8.37	34.94
PK	5.7256G	62.43	68.20	-5.77	55.37	3	Vertical	351	1.80	-	33.50	8.43	34.87

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT V_2TX
Setting 96
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	63.82	74.00	-10.18	57.65	3	Horizontal	352	1.80	-	32.91	8.26	35.00
AV	5.4592G	52.28	54.00	-1.72	46.09	3	Horizontal	352	1.80	-	32.92	8.26	34.99
PK	5.4684G	64.83	68.20	-3.37	58.61	3	Horizontal	352	1.80	-	32.94	8.27	34.99
PK	5.5892G	120.95	Inf	-Inf	114.59	3	Horizontal	352	1.80	-	32.92	8.38	34.94
AV	5.5836G	111.08	Inf	-Inf	104.71	3	Horizontal	352	1.80	-	32.93	8.38	34.94
PK	5.7288G	62.24	68.20	-5.96	55.16	3	Horizontal	352	1.80	-	33.52	8.43	34.87

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT V_2TX
Setting 96
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15928G	64.49	74.00	-9.51	80.00	3	Vertical	136	1.80	-	39.00	11.68	66.19			
AV	11.16172G	53.52	54.00	-0.48	69.02	3	Vertical	136	1.80	-	39.00	11.69	66.19			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5580MHz_TX

EUT_V_2TX
Setting 96
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16076G	56.92	74.00	-17.08	72.42	3	Horizontal	182	1.80	-	39.00	11.69	66.19			
AV	11.16064G	47.29	54.00	-6.71	62.79	3	Horizontal	182	1.80	-	39.00	11.69	66.19			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 55
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6982G	111.73	Inf	-Inf	102.86	3	Vertical	356	1.80	-	34.10	7.22	32.45			
AV	5.696G	101.23	Inf	-Inf	92.37	3	Vertical	356	1.80	-	34.09	7.22	32.45			
PK	5.7257G	68.13	68.20	-0.07	59.22	3	Vertical	356	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 55
01-I-R-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6931G	112.29	Inf	-Inf	103.43	3	Horizontal	360	1.80	-	34.09	7.22	32.45			
AV	5.696G	101.30	Inf	-Inf	92.44	3	Horizontal	360	1.80	-	34.09	7.22	32.45			
PK	5.7263G	67.65	68.20	-0.55	58.74	3	Horizontal	360	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX

EUT_V_2TX
Setting 55
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41428G	59.04	74.00	-14.96	41.11	3	Vertical	105	1.47	-	39.10	11.82	32.99			
AV	11.38812G	48.95	54.00	-5.05	31.06	3	Vertical	105	1.47	-	39.10	11.81	33.02			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT V_2TX
Setting 55
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40246G	59.28	74.00	-14.72	41.38	3	Horizontal	163	1.04	-	39.10	11.81	33.01			
AV	11.40453G	49.18	54.00	-4.82	31.27	3	Horizontal	163	1.04	-	39.10	11.81	33.00			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 93
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7228G	120.47	Inf	-Inf	113.42	3	Vertical	352	1.80	-	33.49	8.43	34.87			
AV	5.716G	110.44	Inf	-Inf	103.44	3	Vertical	352	1.80	-	33.46	8.42	34.88			
PK	5.8584G	65.07	68.20	-3.13	57.47	3	Vertical	352	1.80	-	33.93	8.48	34.81			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 93
05-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7132G	120.44	Inf	-Inf	113.45	3	Horizontal	354	1.04	-	33.45	8.42	34.88			
AV	5.7236G	110.66	Inf	-Inf	103.61	3	Horizontal	354	1.04	-	33.49	8.43	34.87			
PK	5.8508G	62.71	68.20	-5.49	55.15	3	Horizontal	354	1.04	-	33.90	8.47	34.81			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT V_2TX
Setting 93
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43811G	59.56	74.00	-14.44	41.60	3	Vertical	190	2.57	-	39.10	11.83	32.97			
AV	11.43256G	48.53	54.00	-5.47	30.57	3	Vertical	190	2.57	-	39.10	11.83	32.97			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT V_2TX
Setting 93
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44012G	59.46	74.00	-14.54	41.49	3	Horizontal	160	1.79	-	39.10	11.83	32.96			
AV	11.42548G	48.24	54.00	-5.76	30.29	3	Horizontal	160	1.79	-	39.10	11.83	32.98			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_V_2TX
Setting 76
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1497G	58.30	74.00	-15.70	52.24	3	Vertical	352	1.80	-	33.10	8.07	35.11			
AV	5.1416G	48.62	54.00	-5.38	42.59	3	Vertical	352	1.80	-	33.08	8.06	35.11			
PK	5.2745G	116.27	Inf	-Inf	110.24	3	Vertical	352	1.80	-	32.95	8.14	35.06			
AV	5.2679G	106.10	Inf	-Inf	100.06	3	Vertical	352	1.80	-	32.96	8.14	35.06			
PK	5.3543G	65.20	74.00	-8.80	59.15	3	Vertical	352	1.80	-	32.90	8.18	35.03			
AV	5.35G	53.40	54.00	-0.60	47.35	3	Vertical	352	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_V_2TX
Setting 76
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	58.16	74.00	-15.84	52.11	3	Horizontal	352	1.80	-	33.09	8.07	35.11			
AV	5.1449G	48.10	54.00	-5.90	42.05	3	Horizontal	352	1.80	-	33.09	8.07	35.11			
PK	5.2619G	114.56	Inf	-Inf	108.52	3	Horizontal	352	1.80	-	32.98	8.13	35.07			
AV	5.2787G	103.27	Inf	-Inf	97.25	3	Horizontal	352	1.80	-	32.94	8.14	35.06			
PK	5.354G	64.41	74.00	-9.59	58.36	3	Horizontal	352	1.80	-	32.90	8.18	35.03			
AV	5.3543G	52.41	54.00	-1.59	46.36	3	Horizontal	352	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_V_2TX
Setting 76
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.53631G	56.18	68.20	-12.02	39.86	3	Vertical	183	1.60	-	38.87	11.35	33.90				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_V_2TX
Setting 76
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.54873G	57.31	68.20	-10.89	40.94	3	Horizontal	180	1.80	-	38.90	11.36	33.89				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 75
01-I-R-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.311G	113.58	Inf	-Inf	106.38	3	Vertical	0	1.80	-	33.02	6.69	32.51			
AV	5.2994G	102.56	Inf	-Inf	95.39	3	Vertical	0	1.80	-	33.00	6.68	32.51			
PK	5.3564G	63.42	74.00	-10.58	56.07	3	Vertical	0	1.80	-	33.13	6.71	32.49			
AV	5.3512G	52.66	54.00	-1.34	45.35	3	Vertical	0	1.80	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 75
01-I-R-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3242G	110.69	Inf	-Inf	103.45	3	Horizontal	356	1.80	-	33.05	6.69	32.50			
AV	5.3266G	100.44	Inf	-Inf	93.20	3	Horizontal	356	1.80	-	33.05	6.69	32.50			
PK	5.3548G	61.28	74.00	-12.72	53.94	3	Horizontal	356	1.80	-	33.12	6.71	32.49			
AV	5.3514G	50.03	54.00	-3.97	42.71	3	Horizontal	356	1.80	-	33.11	6.71	32.50			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT V_2TX
Setting 75
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62723G	58.08	74.00	-15.92	41.18	3	Vertical	180	2.91	-	39.31	11.40	33.81			
AV	10.6206G	48.07	54.00	-5.93	31.21	3	Vertical	180	2.91	-	39.28	11.40	33.82			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT V_2TX
Setting 75
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63449G	58.35	74.00	-15.65	41.41	3	Horizontal	235	1.23	-	39.34	11.41	33.81			
AV	10.62714G	47.98	54.00	-6.02	31.08	3	Horizontal	235	1.23	-	39.31	11.40	33.81			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_V_2TX
Setting 74
05-R-E-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4568G	65.09	74.00	-8.91	58.92	3	Vertical	357	1.80	-	32.91	8.26	35.00			
AV	5.4564G	53.85	54.00	-0.15	47.68	3	Vertical	357	1.80	-	32.91	8.26	35.00			
PK	5.47G	66.57	68.20	-1.63	60.35	3	Vertical	357	1.80	-	32.94	8.27	34.99			
PK	5.5218G	114.20	Inf	-Inf	107.85	3	Vertical	357	1.80	-	33.00	8.32	34.97			
AV	5.498G	104.08	Inf	-Inf	97.76	3	Vertical	357	1.80	-	33.00	8.30	34.98			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_V_2TX
Setting 74
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	62.99	74.00	-11.01	56.80	3	Horizontal	355	1.01	-	32.92	8.26	34.99			
AV	5.459G	53.32	54.00	-0.68	47.13	3	Horizontal	355	1.01	-	32.92	8.26	34.99			
PK	5.4692G	65.64	68.20	-2.56	59.42	3	Horizontal	355	1.01	-	32.94	8.27	34.99			
PK	5.5068G	112.76	Inf	-Inf	106.43	3	Horizontal	355	1.01	-	33.00	8.31	34.98			
AV	5.4986G	102.64	Inf	-Inf	96.32	3	Horizontal	355	1.01	-	33.00	8.30	34.98			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT V_2TX
Setting 74
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01469G	57.57	74.00	-16.43	40.45	3	Vertical	156	1.47	-	38.93	11.61	33.42			
AV	11.0332G	47.72	54.00	-6.28	30.53	3	Vertical	156	1.47	-	38.97	11.62	33.40			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX

EUT V_2TX
Setting 74
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.03011G	57.91	74.00	-16.09	40.74	3	Horizontal	198	2.67	-	38.96	11.62	33.41			
AV	11.03332G	47.60	54.00	-6.40	30.41	3	Horizontal	198	2.67	-	38.97	11.62	33.40			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT V_2TX
Setting 80
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	64.53	74.00	-9.47	58.34	3	Vertical	0	1.80	-	32.92	8.26	34.99			
AV	5.46G	53.56	54.00	-0.44	47.37	3	Vertical	0	1.80	-	32.92	8.26	34.99			
PK	5.4609G	66.09	68.20	-2.11	59.90	3	Vertical	0	1.80	-	32.92	8.26	34.99			
PK	5.5581G	115.64	Inf	-Inf	109.26	3	Vertical	0	1.80	-	32.98	8.35	34.95			
AV	5.553G	105.94	Inf	-Inf	99.55	3	Vertical	0	1.80	-	32.99	8.35	34.95			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT V_2TX
Setting 80
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	64.16	74.00	-9.84	57.99	3	Horizontal	-0	2.07	-	32.91	8.26	35.00			
AV	5.4585G	53.87	54.00	-0.13	47.68	3	Horizontal	-0	2.07	-	32.92	8.26	34.99			
PK	5.4672G	65.20	68.20	-3.00	58.99	3	Horizontal	-0	2.07	-	32.93	8.27	34.99			
PK	5.5572G	116.42	Inf	-Inf	110.03	3	Horizontal	-0	2.07	-	32.99	8.35	34.95			
AV	5.5587G	105.67	Inf	-Inf	99.29	3	Horizontal	-0	2.07	-	32.98	8.35	34.95			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT V_2TX
Setting 80
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11023G	58.62	74.00	-15.38	41.20	3	Vertical	48	2.25	-	39.08	11.66	33.32			
AV	11.09442G	48.21	54.00	-5.79	30.81	3	Vertical	48	2.25	-	39.09	11.65	33.34			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT V_2TX
Setting 80
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09889G	58.29	74.00	-15.71	40.87	3	Horizontal	34	1.57	-	39.10	11.65	33.33			
AV	11.08662G	47.95	54.00	-6.05	30.58	3	Horizontal	34	1.57	-	39.07	11.65	33.35			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT V_2TX
Setting 74
05-R-E-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6804G	113.32	Inf	-Inf	106.56	3	Vertical	0	1.80	-	33.24	8.41	34.89			
AV	5.6838G	103.05	Inf	-Inf	96.25	3	Vertical	0	1.80	-	33.27	8.42	34.89			
PK	5.7254G	67.57	68.20	-0.63	60.51	3	Vertical	0	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 74
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.664G	112.70	Inf	-Inf	106.08	3	Horizontal	0	1.80	-	33.11	8.41	34.90			
AV	5.6786G	102.52	Inf	-Inf	95.77	3	Horizontal	0	1.80	-	33.23	8.41	34.89			
PK	5.7258G	68.17	68.20	-0.03	61.11	3	Horizontal	0	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT V_2TX
Setting 74
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34453G	59.61	74.00	-14.39	41.80	3	Vertical	341	1.40	-	39.10	11.78	33.07			
AV	11.32824G	49.20	54.00	-4.80	31.42	3	Vertical	341	1.40	-	39.10	11.77	33.09			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_V_2TX
Setting 74
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34891G	59.25	74.00	-14.75	41.43	3	Horizontal	167	1.76	-	39.10	11.78	33.06			
AV	11.33982G	48.92	54.00	-5.08	31.11	3	Horizontal	167	1.76	-	39.10	11.78	33.07			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 90
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7052G	116.52	Inf	-Inf	109.56	3	Vertical	357	1.80	-	33.42	8.42	34.88			
AV	5.7128G	106.55	Inf	-Inf	99.56	3	Vertical	357	1.80	-	33.45	8.42	34.88			
PK	5.85G	67.72	68.20	-0.48	60.16	3	Vertical	357	1.80	-	33.90	8.47	34.81			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
Setting 90
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7052G	115.75	Inf	-Inf	108.79	3	Horizontal	0	1.80	-	33.42	8.42	34.88			
AV	5.7012G	105.76	Inf	-Inf	98.82	3	Horizontal	0	1.80	-	33.40	8.42	34.88			
PK	5.852G	66.91	68.20	-1.29	59.34	3	Horizontal	0	1.80	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT V_2TX
Setting 90
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4203G	53.98	74.00	-20.02	69.26	3	Vertical	200	1.80	-	39.10	11.82	66.20			
AV	11.41748G	43.52	54.00	-10.48	58.80	3	Vertical	200	1.80	-	39.10	11.82	66.20			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT V_2TX
Setting 90
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42102G	49.47	74.00	-24.53	64.75	3	Horizontal	175	1.80	-	39.10	11.82	66.20			
AV	11.42108G	39.42	54.00	-14.58	54.70	3	Horizontal	175	1.80	-	39.10	11.82	66.20			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 75
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0952G	56.48	74.00	-17.52	49.68	3	Vertical	354	1.80	-	32.71	6.65	32.56			
AV	5.1484G	46.34	54.00	-7.66	39.44	3	Vertical	354	1.80	-	32.80	6.64	32.54			
PK	5.2768G	110.26	Inf	-Inf	103.15	3	Vertical	354	1.80	-	32.95	6.67	32.51			
AV	5.276G	99.96	Inf	-Inf	92.85	3	Vertical	354	1.80	-	32.95	6.67	32.51			
PK	5.354G	64.46	74.00	-9.54	57.13	3	Vertical	354	1.80	-	33.12	6.71	32.50			
AV	5.35G	53.81	54.00	-0.19	46.50	3	Vertical	354	1.80	-	33.10	6.71	32.50			
PK	5.4608G	57.42	68.20	-10.78	49.49	3	Vertical	354	1.80	-	33.56	6.84	32.47			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 75
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	55.54	74.00	-18.46	48.64	3	Horizontal	1	1.80	-	32.80	6.64	32.54
AV	5.1468G	45.02	54.00	-8.98	38.13	3	Horizontal	1	1.80	-	32.79	6.64	32.54
PK	5.3064G	108.96	Inf	-Inf	101.78	3	Horizontal	1	1.80	-	33.01	6.68	32.51
AV	5.298G	97.47	Inf	-Inf	90.30	3	Horizontal	1	1.80	-	33.00	6.68	32.51
PK	5.3748G	61.77	74.00	-12.23	54.34	3	Horizontal	1	1.80	-	33.20	6.72	32.49
AV	5.35G	51.55	54.00	-2.45	44.24	3	Horizontal	1	1.80	-	33.10	6.71	32.50
PK	5.4684G	58.01	68.20	-10.19	50.01	3	Horizontal	1	1.80	-	33.61	6.86	32.47

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT V_2TX
Setting 75
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6124G	57.85	74.00	-16.15	41.04	3	Vertical	112	2.88	-	39.25	11.39	33.83			
AV	10.6236G	48.21	54.00	-5.79	31.34	3	Vertical	112	2.88	-	39.29	11.40	33.82			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT V_2TX
Setting 75
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6281G	59.05	74.00	-14.95	42.15	3	Horizontal	180	1.79	-	39.31	11.40	33.81			
AV	10.6259G	48.29	54.00	-5.71	31.40	3	Horizontal	180	1.79	-	39.30	11.40	33.81			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 77
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.345G	57.00	68.20	-11.20	49.71	3	Vertical	360	1.80	-	33.09	6.70	32.50
PK	5.4415G	64.36	74.00	-9.64	56.55	3	Vertical	360	1.80	-	33.47	6.81	32.47
PK	5.467G	64.17	68.20	-4.03	56.19	3	Vertical	360	1.80	-	33.60	6.85	32.47
AV	5.4565G	53.20	54.00	-0.80	45.30	3	Vertical	360	1.80	-	33.54	6.83	32.47
PK	5.533G	111.41	Inf	-Inf	103.02	3	Vertical	360	1.80	-	33.87	6.98	32.46
AV	5.516G	101.35	Inf	-Inf	93.04	3	Vertical	360	1.80	-	33.83	6.94	32.46
PK	5.7285G	58.12	68.20	-10.08	49.21	3	Vertical	360	1.80	-	34.10	7.26	32.45

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 77
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3435G	55.74	68.20	-12.46	48.45	3	Horizontal	1	1.80	-	33.09	6.70	32.50			
PK	5.4385G	62.57	74.00	-11.43	54.79	3	Horizontal	1	1.80	-	33.45	6.80	32.47			
PK	5.47G	62.40	68.20	-5.80	54.39	3	Horizontal	1	1.80	-	33.62	6.86	32.47			
AV	5.459G	51.12	54.00	-2.88	43.20	3	Horizontal	1	1.80	-	33.55	6.84	32.47			
PK	5.552G	107.82	Inf	-Inf	99.37	3	Horizontal	1	1.80	-	33.90	7.01	32.46			
AV	5.5185G	98.17	Inf	-Inf	89.84	3	Horizontal	1	1.80	-	33.84	6.95	32.46			
PK	5.7775G	57.79	68.20	-10.41	48.76	3	Horizontal	1	1.80	-	34.16	7.32	32.45			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT V_2TX
Setting 77
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0119G	58.15	74.00	-15.85	41.05	3	Vertical	153	2.76	-	38.92	11.61	33.43			
AV	11.0953G	47.92	54.00	-6.08	30.52	3	Vertical	153	2.76	-	39.09	11.65	33.34			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT V_2TX
Setting 77
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0496G	57.61	74.00	-16.39	40.37	3	Horizontal	65	1.94	-	39.00	11.63	33.39			
AV	11.0299G	47.78	54.00	-6.22	30.61	3	Horizontal	65	1.94	-	38.96	11.62	33.41			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
Setting 76
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4555G	64.55	74.00	-9.45	58.38	3	Vertical	352	1.80	-	32.91	8.26	35.00			
AV	5.456G	53.13	54.00	-0.87	46.96	3	Vertical	352	1.80	-	32.91	8.26	35.00			
PK	5.461G	66.52	68.20	-1.68	60.33	3	Vertical	352	1.80	-	32.92	8.26	34.99			
PK	5.5925G	113.71	Inf	-Inf	107.36	3	Vertical	352	1.80	-	32.91	8.38	34.94			
AV	5.595G	102.69	Inf	-Inf	96.32	3	Vertical	352	1.80	-	32.91	8.39	34.93			
PK	5.7315G	66.31	68.20	-1.89	59.22	3	Vertical	352	1.80	-	33.53	8.43	34.87			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_V_2TX
Setting 76
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	63.48	74.00	-10.52	57.31	3	Horizontal	354	2.05	-	32.91	8.26	35.00
AV	5.458G	52.36	54.00	-1.64	46.18	3	Horizontal	354	2.05	-	32.92	8.26	35.00
PK	5.4675G	63.83	68.20	-4.37	57.62	3	Horizontal	354	2.05	-	32.93	8.27	34.99
PK	5.618G	114.31	Inf	-Inf	107.89	3	Horizontal	354	2.05	-	32.94	8.40	34.92
AV	5.6235G	103.55	Inf	-Inf	97.12	3	Horizontal	354	2.05	-	32.95	8.40	34.92
PK	5.7375G	65.99	68.20	-2.21	58.88	3	Horizontal	354	2.05	-	33.55	8.43	34.87

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT V_2TX
Setting 76
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2512G	58.47	74.00	-15.53	40.91	3	Vertical	285	2.77	-	39.00	11.73	33.17			
AV	11.2687G	48.50	54.00	-5.50	30.87	3	Vertical	285	2.77	-	39.04	11.74	33.15			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_V_2TX
Setting 76
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2446G	58.56	74.00	-15.44	41.01	3	Horizontal	273	1.03	-	39.00	11.73	33.18			
AV	11.2175G	48.13	54.00	-5.87	30.62	3	Horizontal	273	1.03	-	39.00	11.72	33.21			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
Setting 80
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	63.73	74.00	-10.27	57.56	3	Vertical	352	1.80	-	32.91	8.26	35.00
AV	5.455G	53.29	54.00	-0.71	47.12	3	Vertical	352	1.80	-	32.91	8.26	35.00
PK	5.4615G	65.70	68.20	-2.50	59.50	3	Vertical	352	1.80	-	32.92	8.27	34.99
PK	5.677G	112.33	Inf	-Inf	105.60	3	Vertical	352	1.80	-	33.22	8.41	34.90
AV	5.705G	102.71	Inf	-Inf	95.75	3	Vertical	352	1.80	-	33.42	8.42	34.88
PK	5.8595G	66.50	68.20	-1.70	58.89	3	Vertical	352	1.80	-	33.94	8.48	34.81

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_V_2TX
Setting 80
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4575G	62.09	74.00	-11.91	55.92	3	Horizontal	353	1.80	-	32.91	8.26	35.00			
AV	5.4575G	51.97	54.00	-2.03	45.80	3	Horizontal	353	1.80	-	32.91	8.26	35.00			
PK	5.4645G	62.97	68.20	-5.23	56.76	3	Horizontal	353	1.80	-	32.93	8.27	34.99			
PK	5.697G	112.77	Inf	-Inf	105.86	3	Horizontal	353	1.80	-	33.38	8.42	34.89			
AV	5.7035G	102.91	Inf	-Inf	95.96	3	Horizontal	353	1.80	-	33.41	8.42	34.88			
PK	5.853G	67.38	68.20	-0.82	59.81	3	Horizontal	353	1.80	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT V_2TX
Setting 80
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3706G	58.87	74.00	-15.13	41.01	3	Vertical	251	2.18	-	39.10	11.80	33.04			
AV	11.4017G	49.16	54.00	-4.84	31.26	3	Vertical	251	2.18	-	39.10	11.81	33.01			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
Setting 80
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3806G	59.03	74.00	-14.97	41.16	3	Horizontal	142	2.72	-	39.10	11.80	33.03			
AV	11.4081G	48.93	54.00	-5.07	31.01	3	Horizontal	142	2.72	-	39.10	11.82	33.00			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
Setting 60
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	61.13	74.00	-12.87	54.25	3	Vertical	357	1.80	-	32.79	6.64	32.55
AV	5.142G	48.88	54.00	-5.12	42.01	3	Vertical	357	1.80	-	32.78	6.64	32.55
PK	5.2732G	104.03	Inf	-Inf	96.92	3	Vertical	357	1.80	-	32.95	6.67	32.51
PK	5.366G	66.73	74.00	-7.27	59.35	3	Vertical	357	1.80	-	33.16	6.71	32.49
AV	5.326G	94.04	Inf	-Inf	86.80	3	Vertical	357	1.80	-	33.05	6.69	32.50
AV	5.3612G	53.80	54.00	-0.20	46.44	3	Vertical	357	1.80	-	33.14	6.71	32.49
PK	5.466G	58.56	68.20	-9.64	50.58	3	Vertical	357	1.80	-	33.60	6.85	32.47

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
Setting 60
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1276G	56.62	74.00	-17.38	49.77	3	Horizontal	3	1.80	-	32.76	6.64	32.55
AV	5.1492G	45.80	54.00	-8.20	38.90	3	Horizontal	3	1.80	-	32.80	6.64	32.54
PK	5.318G	102.33	Inf	-Inf	95.10	3	Horizontal	3	1.80	-	33.04	6.69	32.50
AV	5.3236G	91.49	Inf	-Inf	84.25	3	Horizontal	3	1.80	-	33.05	6.69	32.50
PK	5.3644G	64.58	74.00	-9.42	57.20	3	Horizontal	3	1.80	-	33.16	6.71	32.49
PK	5.4604G	57.62	68.20	-10.58	49.69	3	Horizontal	3	1.80	-	33.56	6.84	32.47
AV	5.414G	50.70	54.00	-3.30	43.06	3	Horizontal	3	1.80	-	33.36	6.76	32.48

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
Setting 60
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.511G	57.59	68.20	-10.61	41.36	3	Vertical	213	1.92	-	38.82	11.34	33.93				

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_2TX
Setting 60
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.511G	57.13	68.20	-11.07	40.90	3	Horizontal	201	1.92	-	38.82	11.34	33.93				

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
Setting 66
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3316G	61.41	68.20	-6.79	54.15	3	Vertical	360	1.80	-	33.06	6.70	32.50			
PK	5.45G	69.00	74.00	-5.00	61.15	3	Vertical	360	1.80	-	33.50	6.82	32.47			
AV	5.4572G	52.10	54.00	-1.90	44.19	3	Vertical	360	1.80	-	33.54	6.84	32.47			
PK	5.47G	67.91	68.20	-0.29	59.90	3	Vertical	360	1.80	-	33.62	6.86	32.47			
PK	5.4924G	105.79	Inf	-Inf	97.60	3	Vertical	360	1.80	-	33.75	6.90	32.46			
AV	5.5452G	95.25	Inf	-Inf	86.82	3	Vertical	360	1.80	-	33.89	7.00	32.46			
PK	5.742G	62.68	68.20	-5.52	53.75	3	Vertical	360	1.80	-	34.10	7.28	32.45			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
Setting 66
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3436G	59.24	68.20	-8.96	51.95	3	Horizontal	0	1.80	-	33.09	6.70	32.50
PK	5.4572G	63.89	74.00	-10.11	55.98	3	Horizontal	0	1.80	-	33.54	6.84	32.47
AV	5.4532G	49.87	54.00	-4.13	41.99	3	Horizontal	0	1.80	-	33.52	6.83	32.47
PK	5.4676G	68.12	68.20	-0.08	60.12	3	Horizontal	0	1.80	-	33.61	6.86	32.47
PK	5.6332G	103.84	Inf	-Inf	95.18	3	Horizontal	0	1.80	-	33.97	7.14	32.45
AV	5.634G	93.24	Inf	-Inf	84.58	3	Horizontal	0	1.80	-	33.97	7.14	32.45
PK	5.7388G	64.00	68.20	-4.20	55.08	3	Horizontal	0	1.80	-	34.10	7.27	32.45

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT V_2TX
Setting 66
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1592G	58.21	74.00	-15.79	40.80	3	Vertical	225	1.42	-	39.00	11.68	33.27			
AV	11.0938G	47.67	54.00	-6.33	30.27	3	Vertical	225	1.42	-	39.09	11.65	33.34			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX

EUT V_2TX
Setting 66
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.1682G	57.96	74.00	-16.04	40.53	3	Horizontal	287	2.96	-	39.00	11.69	33.26			
AV	11.1059G	47.91	54.00	-6.09	30.49	3	Horizontal	287	2.96	-	39.09	11.66	33.33			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 83
05-R-E-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2572G	123.34	Inf	-Inf	117.29	3	Vertical	2	1.80	-	32.99	8.13	35.07				
AV	5.257G	116.22	Inf	-Inf	110.17	3	Vertical	2	1.80	-	32.99	8.13	35.07				
PK	5.35G	62.45	74.00	-11.55	56.40	3	Vertical	2	1.80	-	32.90	8.18	35.03				
AV	5.3546G	53.21	54.00	-0.79	47.15	3	Vertical	2	1.80	-	32.90	8.19	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 83
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2664G	120.29	Inf	-Inf	114.24	3	Horizontal	360	1.80	-	32.97	8.14	35.06			
AV	5.2612G	112.94	Inf	-Inf	106.90	3	Horizontal	360	1.80	-	32.98	8.13	35.07			
PK	5.3536G	61.16	74.00	-12.84	55.11	3	Horizontal	360	1.80	-	32.90	8.18	35.03			
AV	5.3562G	51.83	54.00	-2.17	45.77	3	Horizontal	360	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT Y_4TX
Setting 83
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51649G	56.61	68.20	-11.59	73.15	3	Vertical	208	1.80	-	38.83	11.34	66.71			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 83
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52672G	50.81	68.20	-17.39	67.31	3	Horizontal	129	1.80	-	38.85	11.35	66.70			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT Y_4TX
Setting 72
05-R-E-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2974G	121.20	Inf	-Inf	115.19	3	Vertical	1	1.80	-	32.91	8.15	35.05				
AV	5.2968G	113.61	Inf	-Inf	107.60	3	Vertical	1	1.80	-	32.91	8.15	35.05				
PK	5.3508G	63.18	74.00	-10.82	57.13	3	Vertical	1	1.80	-	32.90	8.18	35.03				
AV	5.35G	53.33	54.00	-0.67	47.28	3	Vertical	1	1.80	-	32.90	8.18	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 72
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.306G	118.05	Inf	-Inf	112.04	3	Horizontal	1	1.80	-	32.90	8.16	35.05			
AV	5.3074G	110.47	Inf	-Inf	104.46	3	Horizontal	1	1.80	-	32.90	8.16	35.05			
PK	5.361G	61.03	74.00	-12.97	54.97	3	Horizontal	1	1.80	-	32.90	8.19	35.03			
AV	5.352G	52.15	54.00	-1.85	46.10	3	Horizontal	1	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 72
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.59649G	54.88	68.20	-13.32	70.94	3	Vertical	130	1.80	-	39.18	11.39	66.63				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX

EUT_Y_4TX
Setting 72
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59649G	47.89	68.20	-20.31	63.95	3	Horizontal	234	1.80	-	39.18	11.39	66.63			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT_Y_4TX
Setting 74
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3175G	118.36	Inf	-Inf	111.14	3	Vertical	360	1.80	-	33.03	6.69	32.50			
AV	5.3167G	110.55	Inf	-Inf	103.33	3	Vertical	360	1.80	-	33.03	6.69	32.50			
PK	5.3556G	65.52	74.00	-8.48	58.18	3	Vertical	360	1.80	-	33.12	6.71	32.49			
AV	5.3501G	52.58	54.00	-1.42	45.27	3	Vertical	360	1.80	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3263G	116.42	Inf	-Inf	109.18	3	Horizontal	1	1.80	-	33.05	6.69	32.50			
AV	5.3211G	108.47	Inf	-Inf	101.24	3	Horizontal	1	1.80	-	33.04	6.69	32.50			
PK	5.36G	64.10	74.00	-9.90	56.74	3	Horizontal	1	1.80	-	33.14	6.71	32.49			
AV	5.3603G	52.13	54.00	-1.87	44.77	3	Horizontal	1	1.80	-	33.14	6.71	32.49			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63673G	49.75	74.00	-24.25	65.57	3	Vertical	128	1.80	-	39.35	11.41	66.58			
AV	10.63895G	39.98	54.00	-14.02	55.79	3	Vertical	128	1.80	-	39.36	11.41	66.58			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_V_4TX
Setting 74
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63796G	45.00	74.00	-29.00	60.82	3	Horizontal	52	1.80	-	39.35	11.41	66.58			
AV	10.63625G	36.21	54.00	-17.79	52.03	3	Horizontal	52	1.80	-	39.35	11.41	66.58			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
Setting 76
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4562G	65.22	74.00	-8.78	57.32	3	Vertical	359	1.80	-	33.54	6.83	32.47			
AV	5.4562G	53.73	54.00	-0.27	45.83	3	Vertical	359	1.80	-	33.54	6.83	32.47			
PK	5.47G	65.95	68.20	-2.25	57.94	3	Vertical	359	1.80	-	33.62	6.86	32.47			
PK	5.4958G	119.43	Inf	-Inf	111.21	3	Vertical	359	1.80	-	33.77	6.91	32.46			
AV	5.4962G	112.10	Inf	-Inf	103.87	3	Vertical	359	1.80	-	33.78	6.91	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 76
01-I-R-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	62.01	74.00	-11.99	54.08	3	Horizontal	0	1.01	-	33.56	6.84	32.47			
AV	5.4554G	51.52	54.00	-2.48	43.63	3	Horizontal	0	1.01	-	33.53	6.83	32.47			
PK	5.469G	68.15	68.20	-0.05	60.15	3	Horizontal	0	1.01	-	33.61	6.86	32.47			
PK	5.5068G	118.58	Inf	-Inf	110.30	3	Horizontal	0	1.01	-	33.81	6.93	32.46			
AV	5.5076G	110.81	Inf	-Inf	102.52	3	Horizontal	0	1.01	-	33.82	6.93	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT Y_4TX
Setting 76
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99664G	52.61	74.00	-21.39	68.29	3	Vertical	135	1.80	-	38.91	11.60	66.19			
AV	10.99877G	41.96	54.00	-12.04	57.65	3	Vertical	135	1.80	-	38.90	11.60	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT Y_4TX
Setting 76
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00372G	48.70	74.00	-25.30	64.38	3	Horizontal	133	1.80	-	38.91	11.60	66.19			
AV	10.99832G	39.99	54.00	-14.01	55.68	3	Horizontal	133	1.80	-	38.90	11.60	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 93
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4537G	64.18	74.00	-9.82	58.01	3	Vertical	2	1.80	-	32.91	8.26	35.00
AV	5.457G	53.46	54.00	-0.54	47.29	3	Vertical	2	1.80	-	32.91	8.26	35.00
PK	5.4633G	63.46	68.20	-4.74	57.25	3	Vertical	2	1.80	-	32.93	8.27	34.99
PK	5.5761G	124.31	Inf	-Inf	117.93	3	Vertical	2	1.80	-	32.95	8.37	34.94
AV	5.5761G	117.22	Inf	-Inf	110.84	3	Vertical	2	1.80	-	32.95	8.37	34.94
PK	5.7288G	62.38	68.20	-5.82	55.30	3	Vertical	2	1.80	-	33.52	8.43	34.87

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
Setting 93
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4483G	64.27	74.00	-9.73	58.12	3	Horizontal	360.1	1.03	-	32.90	8.25	35.00			
AV	5.457G	53.04	54.00	-0.96	46.87	3	Horizontal	360.1	1.03	-	32.91	8.26	35.00			
PK	5.4669G	65.22	68.20	-2.98	59.01	3	Horizontal	360.1	1.03	-	32.93	8.27	34.99			
PK	5.5863G	123.85	Inf	-Inf	117.48	3	Horizontal	360.1	1.03	-	32.93	8.38	34.94			
AV	5.5875G	116.54	Inf	-Inf	110.18	3	Horizontal	360.1	1.03	-	32.92	8.38	34.94			
PK	5.7279G	61.92	68.20	-6.28	54.85	3	Horizontal	360.1	1.03	-	33.51	8.43	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 93
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15649G	64.77	74.00	-9.23	80.28	3	Vertical	134	1.80	-	39.00	11.68	66.19			
AV	11.1567G	53.98	54.00	-0.02	69.49	3	Vertical	134	1.80	-	39.00	11.68	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_V_4TX
Setting 93
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15835G	59.23	74.00	-14.77	74.74	3	Horizontal	182	1.80	-	39.00	11.68	66.19			
AV	11.16318G	50.32	54.00	-3.68	65.82	3	Horizontal	182	1.80	-	39.00	11.69	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 52
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6945G	112.48	Inf	-Inf	103.62	3	Vertical	360	1.80	-	34.09	7.22	32.45			
AV	5.6958G	105.04	Inf	-Inf	96.18	3	Vertical	360	1.80	-	34.09	7.22	32.45			
PK	5.7287G	62.11	68.20	-6.09	53.20	3	Vertical	360	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 52
01-I-R-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7062G	115.04	Inf	-Inf	106.16	3	Horizontal	0	1.03	-	34.10	7.23	32.45			
AV	5.7073G	106.85	Inf	-Inf	97.97	3	Horizontal	0	1.03	-	34.10	7.23	32.45			
PK	5.7263G	66.03	68.20	-2.17	57.12	3	Horizontal	0	1.03	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT Y_4TX
Setting 52
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39961G	51.83	74.00	-22.17	67.12	3	Vertical	136	1.06	-	39.10	11.81	66.20			
AV	11.39988G	40.51	54.00	-13.49	55.80	3	Vertical	136	1.06	-	39.10	11.81	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 52
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39922G	51.73	74.00	-22.27	67.02	3	Horizontal	247	1.20	-	39.10	11.81	66.20			
AV	11.39988G	41.35	54.00	-12.65	56.64	3	Horizontal	247	1.20	-	39.10	11.81	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 92
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7172G	123.75	Inf	-Inf	116.73	3	Vertical	5	1.80	-	33.47	8.43	34.88			
AV	5.7152G	116.38	Inf	-Inf	109.38	3	Vertical	5	1.80	-	33.46	8.42	34.88			
PK	5.8512G	68.05	68.20	-0.15	60.49	3	Vertical	5	1.80	-	33.90	8.47	34.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 92
05-R-E-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7276G	123.91	Inf	-Inf	116.84	3	Horizontal	1	1.03	-	33.51	8.43	34.87			
AV	5.7272G	117.04	Inf	-Inf	109.97	3	Horizontal	1	1.03	-	33.51	8.43	34.87			
PK	5.852G	67.45	68.20	-0.75	59.88	3	Horizontal	1	1.03	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 92
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43952G	62.53	74.00	-11.47	77.80	3	Vertical	136	1.20	-	39.10	11.83	66.20			
AV	11.44075G	53.79	54.00	-0.21	69.06	3	Vertical	136	1.20	-	39.10	11.83	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 92
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4457G	55.09	74.00	-18.91	70.35	3	Horizontal	259	1.80	-	39.10	11.84	66.20			
AV	11.4454G	44.61	54.00	-9.39	59.87	3	Horizontal	259	1.80	-	39.10	11.84	66.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 87
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1448G	59.00	74.00	-15.00	52.95	3	Vertical	356	1.80	-	33.09	8.07	35.11			
AV	5.1499G	49.20	54.00	-4.80	43.14	3	Vertical	356	1.80	-	33.10	8.07	35.11			
PK	5.2675G	124.06	Inf	-Inf	118.01	3	Vertical	356	1.80	-	32.97	8.14	35.06			
AV	5.2576G	114.59	Inf	-Inf	108.55	3	Vertical	356	1.80	-	32.98	8.13	35.07			
PK	5.3515G	66.95	74.00	-7.05	60.90	3	Vertical	356	1.80	-	32.90	8.18	35.03			
AV	5.3533G	53.58	54.00	-0.42	47.53	3	Vertical	356	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 87
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1409G	58.54	74.00	-15.46	52.51	3	Horizontal	352	1.02	-	33.08	8.06	35.11			
AV	5.1433G	48.04	54.00	-5.96	41.99	3	Horizontal	352	1.02	-	33.09	8.07	35.11			
PK	5.2636G	122.28	Inf	-Inf	116.25	3	Horizontal	352	1.02	-	32.97	8.13	35.07			
AV	5.2537G	112.47	Inf	-Inf	106.42	3	Horizontal	352	1.02	-	32.99	8.13	35.07			
PK	5.3578G	66.38	74.00	-7.62	60.32	3	Horizontal	352	1.02	-	32.90	8.19	35.03			
AV	5.3539G	53.23	54.00	-0.77	47.18	3	Horizontal	352	1.02	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX

EUT Y_4TX
Setting 87
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51925G	60.17	68.20	-8.03	76.69	3	Vertical	205	1.80	-	38.84	11.35	66.71			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 87
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5182G	56.37	68.20	-11.83	72.90	3	Horizontal	133	1.80	-	38.84	11.34	66.71			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
Setting 75
05-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3022G	121.80	Inf	-Inf	115.79	3	Vertical	353	1.80	-	32.90	8.16	35.05				
AV	5.3026G	112.15	Inf	-Inf	106.14	3	Vertical	353	1.80	-	32.90	8.16	35.05				
PK	5.351G	66.19	74.00	-7.81	60.14	3	Vertical	353	1.80	-	32.90	8.18	35.03				
AV	5.3534G	53.92	54.00	-0.08	47.87	3	Vertical	353	1.80	-	32.90	8.18	35.03				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
Setting 75
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2984G	119.81	Inf	-Inf	113.81	3	Horizontal	352	1.01	-	32.90	8.15	35.05			
AV	5.3038G	109.77	Inf	-Inf	103.76	3	Horizontal	352	1.01	-	32.90	8.16	35.05			
PK	5.354G	64.42	74.00	-9.58	58.37	3	Horizontal	352	1.01	-	32.90	8.18	35.03			
AV	5.3506G	52.61	54.00	-1.39	46.56	3	Horizontal	352	1.01	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
Setting 75
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60258G	52.71	74.00	-21.29	68.73	3	Vertical	130	1.80	-	39.21	11.39	66.62			
AV	10.60246G	42.69	54.00	-11.31	58.71	3	Vertical	130	1.80	-	39.21	11.39	66.62			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
Setting 75
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.60468G	50.44	74.00	-23.56	66.45	3	Horizontal	182	1.56	-	39.22	11.39	66.62			
AV	10.6024G	40.11	54.00	-13.89	56.13	3	Horizontal	182	1.56	-	39.21	11.39	66.62			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3174G	120.67	Inf	-Inf	113.45	3	Vertical	360	1.80	-	33.03	6.69	32.50			
AV	5.3226G	110.46	Inf	-Inf	103.22	3	Vertical	360	1.80	-	33.05	6.69	32.50			
PK	5.3621G	67.39	74.00	-6.61	60.02	3	Vertical	360	1.80	-	33.15	6.71	32.49			
AV	5.3621G	53.89	54.00	-0.11	46.52	3	Vertical	360	1.80	-	33.15	6.71	32.49			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3284G	119.00	Inf	-Inf	111.75	3	Horizontal	359	1.01	-	33.06	6.69	32.50			
AV	5.3237G	108.14	Inf	-Inf	100.90	3	Horizontal	359	1.01	-	33.05	6.69	32.50			
PK	5.3641G	64.29	74.00	-9.71	56.91	3	Horizontal	359	1.01	-	33.16	6.71	32.49			
AV	5.3603G	52.06	54.00	-1.94	44.70	3	Horizontal	359	1.01	-	33.14	6.71	32.49			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 74
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.64003G	48.89	74.00	-25.11	64.70	3	Vertical	133	1.80	-	39.36	11.41	66.58			
AV	10.6394G	38.14	54.00	-15.86	53.95	3	Vertical	133	1.80	-	39.36	11.41	66.58			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 74
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.62944G	46.41	74.00	-27.59	62.28	3	Horizontal	110	2.30	-	39.32	11.40	66.59			
AV	10.64306G	35.89	54.00	-18.11	51.69	3	Horizontal	110	2.30	-	39.37	11.41	66.58			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 72
01-I-R-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4572G	65.95	74.00	-8.05	58.04	3	Vertical	359	1.80	-	33.54	6.84	32.47			
AV	5.4572G	53.80	54.00	-0.20	45.89	3	Vertical	359	1.80	-	33.54	6.84	32.47			
PK	5.4674G	63.75	68.20	-4.45	55.77	3	Vertical	359	1.80	-	33.60	6.85	32.47			
PK	5.4976G	120.92	Inf	-Inf	112.68	3	Vertical	359	1.80	-	33.79	6.91	32.46			
AV	5.4924G	110.79	Inf	-Inf	102.60	3	Vertical	359	1.80	-	33.75	6.90	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 72
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4586G	65.72	74.00	-8.28	57.80	3	Horizontal	359	1.03	-	33.55	6.84	32.47			
AV	5.459G	53.48	54.00	-0.52	45.56	3	Horizontal	359	1.03	-	33.55	6.84	32.47			
PK	5.4682G	65.50	68.20	-2.70	57.50	3	Horizontal	359	1.03	-	33.61	6.86	32.47			
PK	5.4986G	119.68	Inf	-Inf	111.44	3	Horizontal	359	1.03	-	33.79	6.91	32.46			
AV	5.4936G	110.17	Inf	-Inf	101.97	3	Horizontal	359	1.03	-	33.76	6.90	32.46			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 72
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.99646G	51.04	74.00	-22.96	66.72	3	Vertical	134	1.80	-	38.91	11.60	66.19			
AV	10.9991G	39.61	54.00	-14.39	55.30	3	Vertical	134	1.80	-	38.90	11.60	66.19			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 72
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99661G	49.80	74.00	-24.20	65.48	3	Horizontal	328	2.00	-	38.91	11.60	66.19			
AV	10.99967G	37.77	54.00	-16.23	53.46	3	Horizontal	328	2.00	-	38.90	11.60	66.19			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 91
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.34G	59.36	68.20	-8.84	53.32	3	Vertical	351	1.80	-	32.90	8.18	35.04			
PK	5.457G	64.77	74.00	-9.23	58.60	3	Vertical	351	1.80	-	32.91	8.26	35.00			
AV	5.457G	53.12	54.00	-0.88	46.95	3	Vertical	351	1.80	-	32.91	8.26	35.00			
PK	5.4665G	67.56	68.20	-0.64	61.35	3	Vertical	351	1.80	-	32.93	8.27	34.99			
PK	5.5825G	124.10	Inf	-Inf	117.74	3	Vertical	351	1.80	-	32.93	8.37	34.94			
AV	5.5775G	115.16	Inf	-Inf	108.78	3	Vertical	351	1.80	-	32.95	8.37	34.94			
PK	5.7285G	61.47	68.20	-6.73	54.40	3	Vertical	351	1.80	-	33.51	8.43	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 91
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.331G	58.99	68.20	-9.21	52.96	3	Horizontal	355	1.02	-	32.90	8.17	35.04				
PK	5.4585G	66.18	74.00	-7.82	59.99	3	Horizontal	355	1.02	-	32.92	8.26	34.99				
AV	5.4535G	53.50	54.00	-0.50	47.33	3	Horizontal	355	1.02	-	32.91	8.26	35.00				
PK	5.4635G	67.75	68.20	-0.45	61.54	3	Horizontal	355	1.02	-	32.93	8.27	34.99				
PK	5.5785G	123.89	Inf	-Inf	117.52	3	Horizontal	355	1.02	-	32.94	8.37	34.94				
AV	5.5735G	115.00	Inf	-Inf	108.62	3	Horizontal	355	1.02	-	32.95	8.37	34.94				
PK	5.729G	62.79	68.20	-5.41	55.71	3	Horizontal	355	1.02	-	33.52	8.43	34.87				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
Setting 91
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1687G	54.18	74.00	-19.82	69.68	3	Vertical	187	1.80	-	39.00	11.69	66.19			
AV	11.15883G	43.98	54.00	-10.02	59.49	3	Vertical	187	1.80	-	39.00	11.68	66.19			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 91
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16624G	51.16	74.00	-22.84	66.66	3	Horizontal	209	1.80	-	39.00	11.69	66.19			
AV	11.16084G	40.92	54.00	-13.08	56.42	3	Horizontal	209	1.80	-	39.00	11.69	66.19			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 48
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.697G	115.44	Inf	-Inf	106.58	3	Vertical	353	1.80	-	34.09	7.22	32.45			
AV	5.6924G	104.65	Inf	-Inf	95.80	3	Vertical	353	1.80	-	34.08	7.22	32.45			
PK	5.7276G	68.14	68.20	-0.06	59.23	3	Vertical	353	1.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 48
01-I-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6984G	115.24	Inf	-Inf	106.37	3	Horizontal	0	1.04	-	34.10	7.22	32.45
AV	5.6986G	104.49	Inf	-Inf	95.62	3	Horizontal	0	1.04	-	34.10	7.22	32.45
PK	5.7283G	68.02	68.20	-0.18	59.11	3	Horizontal	0	1.04	-	34.10	7.26	32.45

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 48
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40087G	47.65	74.00	-26.35	62.94	3	Vertical	355	1.80	-	39.10	11.81	66.20			
AV	11.39781G	37.04	54.00	-16.96	52.33	3	Vertical	355	1.80	-	39.10	11.81	66.20			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_V_4TX
Setting 48
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4084G	47.98	74.00	-26.02	63.26	3	Horizontal	47	1.80	-	39.10	11.82	66.20			
AV	11.40927G	36.88	54.00	-17.12	52.16	3	Horizontal	47	1.80	-	39.10	11.82	66.20			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 91
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7176G	123.01	Inf	-Inf	115.99	3	Vertical	352	1.80	-	33.47	8.43	34.88			
AV	5.7124G	113.72	Inf	-Inf	106.73	3	Vertical	352	1.80	-	33.45	8.42	34.88			
PK	5.8524G	62.13	68.20	-6.07	54.56	3	Vertical	352	1.80	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 91
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7236G	124.90	Inf	-Inf	117.85	3	Horizontal	354	1.03	-	33.49	8.43	34.87			
AV	5.7236G	115.09	Inf	-Inf	108.04	3	Horizontal	354	1.03	-	33.49	8.43	34.87			
PK	5.8584G	63.64	68.20	-4.56	56.04	3	Horizontal	354	1.03	-	33.93	8.48	34.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 91
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43358G	50.60	74.00	-23.40	65.87	3	Vertical	27	1.80	-	39.10	11.83	66.20			
AV	11.44297G	41.74	54.00	-12.26	57.01	3	Vertical	27	1.80	-	39.10	11.83	66.20			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 91
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44336G	51.72	74.00	-22.28	66.99	3	Horizontal	222	1.80	-	39.10	11.83	66.20			
AV	11.43799G	41.83	54.00	-12.17	57.10	3	Horizontal	222	1.80	-	39.10	11.83	66.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 76
05-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1368G	58.24	74.00	-15.76	52.22	3	Vertical	352	1.80	-	33.07	8.06	35.11			
AV	5.1446G	48.69	54.00	-5.31	42.64	3	Vertical	352	1.80	-	33.09	8.07	35.11			
PK	5.2775G	119.52	Inf	-Inf	113.49	3	Vertical	352	1.80	-	32.95	8.14	35.06			
AV	5.2778G	108.51	Inf	-Inf	102.49	3	Vertical	352	1.80	-	32.94	8.14	35.06			
PK	5.351G	63.52	74.00	-10.48	57.47	3	Vertical	352	1.80	-	32.90	8.18	35.03			
AV	5.3525G	53.29	54.00	-0.71	47.24	3	Vertical	352	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 76
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1383G	57.14	74.00	-16.86	51.11	3	Horizontal	350	1.03	-	33.08	8.06	35.11			
AV	5.1431G	47.33	54.00	-6.67	41.28	3	Horizontal	350	1.03	-	33.09	8.07	35.11			
PK	5.2775G	116.07	Inf	-Inf	110.04	3	Horizontal	350	1.03	-	32.95	8.14	35.06			
AV	5.2835G	105.84	Inf	-Inf	99.82	3	Horizontal	350	1.03	-	32.93	8.15	35.06			
PK	5.3528G	62.20	74.00	-11.80	56.15	3	Horizontal	350	1.03	-	32.90	8.18	35.03			
AV	5.354G	51.56	54.00	-2.44	45.51	3	Horizontal	350	1.03	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 76
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53853G	50.99	68.20	-17.21	67.44	3	Vertical	48	1.80	-	38.88	11.36	66.69			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 76
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54354G	49.39	68.20	-18.81	65.82	3	Horizontal	8	1.80	-	38.89	11.36	66.68			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
Setting 75
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3028G	117.26	Inf	-Inf	112.94	3	Vertical	358	1.94	-	31.21	6.87	33.76			
AV	5.3176G	104.60	Inf	-Inf	100.25	3	Vertical	358	1.94	-	31.24	6.87	33.76			
PK	5.3542G	65.62	74.00	-8.38	61.21	3	Vertical	358	1.94	-	31.31	6.87	33.77			
AV	5.3538G	52.77	54.00	-1.23	48.36	3	Vertical	358	1.94	-	31.31	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 75
06-E-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3136G	113.70	Inf	-Inf	109.36	3	Horizontal	357	1.60	-	31.23	6.87	33.76			
AV	5.3136G	101.55	Inf	-Inf	97.21	3	Horizontal	357	1.60	-	31.23	6.87	33.76			
PK	5.3554G	63.55	74.00	-10.45	59.14	3	Horizontal	357	1.60	-	31.31	6.87	33.77			
AV	5.35G	52.58	54.00	-1.42	48.18	3	Horizontal	357	1.60	-	31.30	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 75
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.60941G	47.86	74.00	-26.14	63.84	3	Vertical	0	1.80	-	39.24	11.39	66.61			
AV	10.60944G	37.27	54.00	-16.73	53.25	3	Vertical	0	1.80	-	39.24	11.39	66.61			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
Setting 75
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.61451G	48.07	74.00	-25.93	64.02	3	Horizontal	309	1.80	-	39.26	11.40	66.61			
AV	10.61826G	37.79	54.00	-16.21	53.72	3	Horizontal	309	1.80	-	39.27	11.40	66.60			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 76
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	65.35	74.00	-8.65	60.72	3	Vertical	356	1.83	-	31.54	6.89	33.80			
AV	5.4592G	52.83	54.00	-1.17	48.20	3	Vertical	356	1.83	-	31.54	6.89	33.80			
PK	5.4688G	67.80	68.20	-0.40	63.13	3	Vertical	356	1.83	-	31.58	6.89	33.80			
PK	5.5126G	117.19	Inf	-Inf	112.40	3	Vertical	356	1.83	-	31.70	6.90	33.81			
AV	5.5226G	105.42	Inf	-Inf	100.63	3	Vertical	356	1.83	-	31.70	6.90	33.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 76
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.459G	63.67	74.00	-10.33	59.04	3	Horizontal	358	1.40	-	31.54	6.89	33.80			
AV	5.4584G	51.02	54.00	-2.98	46.40	3	Horizontal	358	1.40	-	31.53	6.89	33.80			
PK	5.4686G	65.55	68.20	-2.65	60.89	3	Horizontal	358	1.40	-	31.57	6.89	33.80			
PK	5.5086G	115.71	Inf	-Inf	110.92	3	Horizontal	358	1.40	-	31.70	6.90	33.81			
AV	5.4936G	103.20	Inf	-Inf	98.45	3	Horizontal	358	1.40	-	31.67	6.89	33.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
Setting 76
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0164G	47.77	74.00	-26.23	63.42	3	Vertical	314	1.80	-	38.93	11.61	66.19			
AV	11.0173G	36.99	54.00	-17.01	52.64	3	Vertical	314	1.80	-	38.93	11.61	66.19			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
Setting 76
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.02303G	45.68	74.00	-28.32	61.31	3	Horizontal	0	1.80	-	38.95	11.61	66.19			
AV	11.02363G	35.92	54.00	-18.08	51.55	3	Horizontal	0	1.80	-	38.95	11.61	66.19			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 78
05-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4576G	66.40	74.00	-7.60	60.22	3	Vertical	353	1.80	-	32.92	8.26	35.00			
AV	5.457G	53.66	54.00	-0.34	47.49	3	Vertical	353	1.80	-	32.91	8.26	35.00			
PK	5.4675G	66.61	68.20	-1.59	60.40	3	Vertical	353	1.80	-	32.93	8.27	34.99			
PK	5.5626G	120.56	Inf	-Inf	114.18	3	Vertical	353	1.80	-	32.97	8.36	34.95			
AV	5.5473G	109.80	Inf	-Inf	103.42	3	Vertical	353	1.80	-	33.00	8.34	34.96			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 78
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	66.17	74.00	-7.83	59.98	3	Horizontal	352	1.02	-	32.92	8.26	34.99			
AV	5.4585G	53.91	54.00	-0.09	47.72	3	Horizontal	352	1.02	-	32.92	8.26	34.99			
PK	5.4684G	67.39	68.20	-0.81	61.17	3	Horizontal	352	1.02	-	32.94	8.27	34.99			
PK	5.5485G	119.68	Inf	-Inf	113.30	3	Horizontal	352	1.02	-	33.00	8.34	34.96			
AV	5.5338G	109.52	Inf	-Inf	103.15	3	Horizontal	352	1.02	-	33.00	8.33	34.96			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 78
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.09619G	54.66	74.00	-19.34	70.11	3	Vertical	315	1.80	-	39.09	11.65	66.19			
AV	11.1021G	43.82	54.00	-10.18	59.26	3	Vertical	315	1.80	-	39.10	11.65	66.19			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT Y_4TX
Setting 78
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10336G	51.67	74.00	-22.33	67.12	3	Horizontal	2	1.80	-	39.09	11.65	66.19			
AV	11.10327G	41.88	54.00	-12.12	57.33	3	Horizontal	2	1.80	-	39.09	11.65	66.19			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
Setting 63
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6822G	114.73	Inf	-Inf	107.95	3	Vertical	350	1.80	-	33.26	8.41	34.89			
AV	5.6874G	105.00	Inf	-Inf	98.17	3	Vertical	350	1.80	-	33.30	8.42	34.89			
PK	5.7252G	67.88	68.20	-0.32	60.82	3	Vertical	350	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 63
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6688G	115.43	Inf	-Inf	108.77	3	Horizontal	354	1.04	-	33.15	8.41	34.90			
AV	5.6788G	105.03	Inf	-Inf	98.28	3	Horizontal	354	1.04	-	33.23	8.41	34.89			
PK	5.725G	64.66	68.20	-3.54	57.60	3	Horizontal	354	1.04	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 63
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.33622G	48.30	74.00	-25.70	63.62	3	Vertical	310	1.80	-	39.10	11.78	66.20			
AV	11.33676G	37.64	54.00	-16.36	52.96	3	Vertical	310	1.80	-	39.10	11.78	66.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_V_4TX
Setting 63
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.33843G	46.43	74.00	-27.57	61.75	3	Horizontal	0	1.80	-	39.10	11.78	66.20			
AV	11.3382G	36.42	54.00	-17.58	51.74	3	Horizontal	0	1.80	-	39.10	11.78	66.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 84
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7176G	121.11	Inf	-Inf	114.09	3	Vertical	349	1.80	-	33.47	8.43	34.88			
AV	5.702G	110.60	Inf	-Inf	103.65	3	Vertical	349	1.80	-	33.41	8.42	34.88			
PK	5.852G	67.71	68.20	-0.49	60.14	3	Vertical	349	1.80	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 84
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.708G	121.10	Inf	-Inf	114.13	3	Horizontal	352	1.02	-	33.43	8.42	34.88			
AV	5.7136G	111.40	Inf	-Inf	104.41	3	Horizontal	352	1.02	-	33.45	8.42	34.88			
PK	5.8532G	67.25	68.20	-0.95	59.68	3	Horizontal	352	1.02	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 84
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.41991G	56.49	74.00	-17.51	71.77	3	Vertical	315	1.00	-	39.10	11.82	66.20			
AV	11.41997G	46.08	54.00	-7.92	61.36	3	Vertical	315	1.00	-	39.10	11.82	66.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 84
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.42624G	49.91	74.00	-24.09	65.18	3	Horizontal	2	1.80	-	39.10	11.83	66.20			
AV	11.42267G	39.94	54.00	-14.06	55.22	3	Horizontal	2	1.80	-	39.10	11.82	66.20			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 74
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.82	74.00	-14.18	54.89	3	Vertical	356	1.93	-	31.88	6.77	33.72
AV	5.1472G	47.52	54.00	-6.48	42.58	3	Vertical	356	1.93	-	31.89	6.77	33.72
PK	5.2976G	113.24	Inf	-Inf	108.94	3	Vertical	356	1.93	-	31.20	6.86	33.76
AV	5.2776G	101.62	Inf	-Inf	97.27	3	Vertical	356	1.93	-	31.24	6.86	33.75
PK	5.358G	66.31	74.00	-7.69	61.89	3	Vertical	356	1.93	-	31.32	6.87	33.77
AV	5.3516G	52.61	54.00	-1.39	48.21	3	Vertical	356	1.93	-	31.30	6.87	33.77
PK	5.4724G	59.53	68.20	-8.67	54.85	3	Vertical	356	1.93	-	31.59	6.89	33.80

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 74
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1304G	57.74	74.00	-16.26	52.88	3	Horizontal	357	1.48	-	31.82	6.75	33.71			
AV	5.148G	46.44	54.00	-7.56	41.50	3	Horizontal	357	1.48	-	31.89	6.77	33.72			
PK	5.3188G	110.93	Inf	-Inf	106.58	3	Horizontal	357	1.48	-	31.24	6.87	33.76			
AV	5.3036G	98.04	Inf	-Inf	93.72	3	Horizontal	357	1.48	-	31.21	6.87	33.76			
PK	5.3704G	62.63	74.00	-11.37	58.19	3	Horizontal	357	1.48	-	31.34	6.88	33.78			
AV	5.3604G	51.49	54.00	-2.51	47.07	3	Horizontal	357	1.48	-	31.32	6.87	33.77			
PK	5.4712G	59.08	68.20	-9.12	54.41	3	Horizontal	357	1.48	-	31.58	6.89	33.80			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
Setting 74
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58594G	46.48	68.20	-21.72	62.62	3	Vertical	360	1.80	-	39.12	11.38	66.64			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 74
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.58573G	47.09	68.20	-21.11	63.24	3	Horizontal	60	1.80	-	39.11	11.38	66.64				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 73
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3405G	57.70	68.20	-10.50	53.32	3	Vertical	355	1.79	-	31.28	6.87	33.77			
PK	5.4405G	65.33	74.00	-8.67	60.75	3	Vertical	355	1.79	-	31.48	6.89	33.79			
PK	5.468G	64.78	68.20	-3.42	60.12	3	Vertical	355	1.79	-	31.57	6.89	33.80			
AV	5.4575G	53.59	54.00	-0.41	48.97	3	Vertical	355	1.79	-	31.53	6.89	33.80			
PK	5.5075G	112.52	Inf	-Inf	107.73	3	Vertical	355	1.79	-	31.70	6.90	33.81			
AV	5.5025G	101.48	Inf	-Inf	96.69	3	Vertical	355	1.79	-	31.70	6.90	33.81			
PK	5.762G	57.91	68.20	-10.29	52.56	3	Vertical	355	1.79	-	32.00	7.13	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 73
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3485G	57.19	68.20	-11.01	52.79	3	Horizontal	357	2.10	-	31.30	6.87	33.77			
PK	5.4425G	63.27	74.00	-10.73	58.70	3	Horizontal	357	2.10	-	31.48	6.89	33.80			
PK	5.461G	65.36	68.20	-2.84	60.73	3	Horizontal	357	2.10	-	31.54	6.89	33.80			
AV	5.46G	52.23	54.00	-1.77	47.60	3	Horizontal	357	2.10	-	31.54	6.89	33.80			
PK	5.546G	111.66	Inf	-Inf	106.86	3	Horizontal	357	2.10	-	31.70	6.90	33.80			
AV	5.5365G	98.98	Inf	-Inf	94.19	3	Horizontal	357	2.10	-	31.70	6.90	33.81			
PK	5.7515G	59.70	68.20	-8.50	54.37	3	Horizontal	357	2.10	-	32.00	7.11	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 73
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.07254G	47.78	74.00	-26.22	63.28	3	Vertical	312	1.80	-	39.05	11.64	66.19			
AV	11.07356G	36.70	54.00	-17.30	52.20	3	Vertical	312	1.80	-	39.05	11.64	66.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
Setting 73
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.07323G	46.09	74.00	-27.91	61.59	3	Horizontal	0	1.80	-	39.05	11.64	66.19			
AV	11.07344G	35.63	54.00	-18.37	51.13	3	Horizontal	0	1.80	-	39.05	11.64	66.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 75
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4545G	63.36	74.00	-10.64	57.19	3	Vertical	345.9	1.80	-	32.91	8.26	35.00			
AV	5.4565G	52.62	54.00	-1.38	46.45	3	Vertical	345.9	1.80	-	32.91	8.26	35.00			
PK	5.465G	65.24	68.20	-2.96	59.03	3	Vertical	345.9	1.80	-	32.93	8.27	34.99			
PK	5.5925G	116.29	Inf	-Inf	109.94	3	Vertical	345.9	1.80	-	32.91	8.38	34.94			
AV	5.6225G	105.59	Inf	-Inf	99.16	3	Vertical	345.9	1.80	-	32.95	8.40	34.92			
PK	5.7325G	66.11	68.20	-2.09	59.02	3	Vertical	345.9	1.80	-	33.53	8.43	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 75
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	64.62	74.00	-9.38	58.45	3	Horizontal	352	1.01	-	32.91	8.26	35.00			
AV	5.456G	53.58	54.00	-0.42	47.41	3	Horizontal	352	1.01	-	32.91	8.26	35.00			
PK	5.4685G	64.85	68.20	-3.35	58.63	3	Horizontal	352	1.01	-	32.94	8.27	34.99			
PK	5.6185G	117.33	Inf	-Inf	110.91	3	Horizontal	352	1.01	-	32.94	8.40	34.92			
AV	5.6235G	105.98	Inf	-Inf	99.55	3	Horizontal	352	1.01	-	32.95	8.40	34.92			
PK	5.7255G	66.73	68.20	-1.47	59.67	3	Horizontal	352	1.01	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 75
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.23473G	52.60	74.00	-21.40	68.07	3	Vertical	315	1.80	-	39.00	11.72	66.19			
AV	11.23362G	42.54	54.00	-11.46	58.01	3	Vertical	315	1.80	-	39.00	11.72	66.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 75
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22027G	47.86	74.00	-26.14	63.33	3	Horizontal	16	1.00	-	39.00	11.72	66.19			
AV	11.22498G	38.02	54.00	-15.98	53.49	3	Horizontal	16	1.00	-	39.00	11.72	66.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 75
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4545G	62.37	74.00	-11.63	56.20	3	Vertical	348	1.80	-	32.91	8.26	35.00			
AV	5.4565G	51.43	54.00	-2.57	45.26	3	Vertical	348	1.80	-	32.91	8.26	35.00			
PK	5.4605G	63.40	68.20	-4.80	57.21	3	Vertical	348	1.80	-	32.92	8.26	34.99			
PK	5.682G	116.68	Inf	-Inf	109.90	3	Vertical	348	1.80	-	33.26	8.41	34.89			
AV	5.702G	106.40	Inf	-Inf	99.45	3	Vertical	348	1.80	-	33.41	8.42	34.88			
PK	5.852G	67.20	68.20	-1.00	59.63	3	Vertical	348	1.80	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 75
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.442G	60.37	74.00	-13.63	54.22	3	Horizontal	352	1.04	-	32.90	8.25	35.00			
PK	5.4685G	61.77	68.20	-6.43	55.55	3	Horizontal	352	1.04	-	32.94	8.27	34.99			
AV	5.458G	50.30	54.00	-3.70	44.12	3	Horizontal	352	1.04	-	32.92	8.26	35.00			
PK	5.7035G	117.02	Inf	-Inf	110.07	3	Horizontal	352	1.04	-	33.41	8.42	34.88			
AV	5.6985G	106.86	Inf	-Inf	99.93	3	Horizontal	352	1.04	-	33.39	8.42	34.88			
PK	5.8535G	67.29	68.20	-0.91	59.72	3	Horizontal	352	1.04	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 75
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39389G	51.47	74.00	-22.53	66.76	3	Vertical	309	1.80	-	39.10	11.81	66.20			
AV	11.38159G	41.76	54.00	-12.24	57.06	3	Vertical	309	1.80	-	39.10	11.80	66.20			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 75
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38429G	49.23	74.00	-24.77	64.53	3	Horizontal	0	1.00	-	39.10	11.80	66.20			
AV	11.37982G	38.72	54.00	-15.28	54.02	3	Horizontal	0	1.00	-	39.10	11.80	66.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 60
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	69.14	74.00	-4.86	64.22	3	Vertical	356	2.01	-	31.87	6.77	33.72			
AV	5.1428G	52.04	54.00	-1.96	47.12	3	Vertical	356	2.01	-	31.87	6.77	33.72			
PK	5.2476G	106.63	Inf	-Inf	102.20	3	Vertical	356	2.01	-	31.31	6.86	33.74			
AV	5.2772G	95.59	Inf	-Inf	91.23	3	Vertical	356	2.01	-	31.25	6.86	33.75			
PK	5.354G	73.39	74.00	-0.61	68.98	3	Vertical	356	2.01	-	31.31	6.87	33.77			
AV	5.3612G	51.06	54.00	-2.94	46.64	3	Vertical	356	2.01	-	31.32	6.87	33.77			
PK	5.4676G	59.75	68.20	-8.45	55.09	3	Vertical	356	2.01	-	31.57	6.89	33.80			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 60
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	65.92	74.00	-8.08	60.99	3	Horizontal	354	1.44	-	31.88	6.77	33.72			
AV	5.134G	50.88	54.00	-3.12	46.00	3	Horizontal	354	1.44	-	31.84	6.75	33.71			
PK	5.2732G	104.53	Inf	-Inf	100.17	3	Horizontal	354	1.44	-	31.25	6.86	33.75			
AV	5.3092G	93.13	Inf	-Inf	88.80	3	Horizontal	354	1.44	-	31.22	6.87	33.76			
PK	5.354G	73.94	74.00	-0.06	69.53	3	Horizontal	354	1.44	-	31.31	6.87	33.77			
AV	5.4132G	50.19	54.00	-3.81	45.67	3	Horizontal	354	1.44	-	31.43	6.88	33.79			
PK	5.4764G	59.59	68.20	-8.61	54.89	3	Horizontal	354	1.44	-	31.61	6.89	33.80			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_4TX
Setting 60
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50066G	46.29	68.20	-21.91	62.88	3	Vertical	313	1.80	-	38.80	11.34	66.73			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 60
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.49652G	46.40	68.20	-21.80	62.99	3	Horizontal	6	1.80	-	38.81	11.33	66.73				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 55
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3252G	57.80	68.20	-10.40	53.44	3	Vertical	356	1.93	-	31.25	6.87	33.76			
PK	5.4596G	67.10	74.00	-6.90	62.47	3	Vertical	356	1.93	-	31.54	6.89	33.80			
AV	5.4428G	48.15	54.00	-5.85	43.57	3	Vertical	356	1.93	-	31.49	6.89	33.80			
PK	5.4652G	67.30	68.20	-0.90	62.65	3	Vertical	356	1.93	-	31.56	6.89	33.80			
PK	5.5124G	106.92	Inf	-Inf	102.13	3	Vertical	356	1.93	-	31.70	6.90	33.81			
AV	5.5076G	95.41	Inf	-Inf	90.62	3	Vertical	356	1.93	-	31.70	6.90	33.81			
PK	5.7412G	59.40	68.20	-8.80	54.08	3	Vertical	356	1.93	-	32.00	7.10	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 55
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3244G	56.63	68.20	-11.57	52.27	3	Horizontal	356	1.41	-	31.25	6.87	33.76			
PK	5.4548G	64.78	74.00	-9.22	60.17	3	Horizontal	356	1.41	-	31.52	6.89	33.80			
AV	5.4524G	46.89	54.00	-7.11	42.29	3	Horizontal	356	1.41	-	31.51	6.89	33.80			
PK	5.4652G	65.56	68.20	-2.64	60.91	3	Horizontal	356	1.41	-	31.56	6.89	33.80			
AV	5.494G	93.61	Inf	-Inf	88.85	3	Horizontal	356	1.41	-	31.68	6.89	33.81			
PK	5.5788G	104.26	Inf	-Inf	99.51	3	Horizontal	356	1.41	-	31.64	6.91	33.80			
PK	5.7372G	61.74	68.20	-6.46	56.42	3	Horizontal	356	1.41	-	32.00	7.10	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 55
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15209G	46.79	74.00	-27.21	62.30	3	Vertical	360	1.80	-	39.00	11.68	66.19			
AV	11.15359G	36.12	54.00	-17.88	51.63	3	Vertical	360	1.80	-	39.00	11.68	66.19			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Y_4TX
Setting 55
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14123G	46.49	74.00	-27.51	61.99	3	Horizontal	173	1.80	-	39.02	11.67	66.19			
AV	11.14555G	36.07	54.00	-17.93	51.57	3	Horizontal	173	1.80	-	39.01	11.68	66.19			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 87
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	59.84	74.00	-14.16	53.79	3	Vertical	350	1.80	-	33.09	8.07	35.11
AV	5.1466G	49.76	54.00	-4.24	43.71	3	Vertical	350	1.80	-	33.09	8.07	35.11
PK	5.2543G	124.51	Inf	-Inf	118.46	3	Vertical	350	1.80	-	32.99	8.13	35.07
AV	5.2573G	114.50	Inf	-Inf	108.45	3	Vertical	350	1.80	-	32.99	8.13	35.07
PK	5.3575G	65.30	74.00	-8.70	59.24	3	Vertical	350	1.80	-	32.90	8.19	35.03
AV	5.356G	53.88	54.00	-0.12	47.82	3	Vertical	350	1.80	-	32.90	8.19	35.03

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_V_4TX
Setting 87
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1379G	58.65	74.00	-15.35	52.62	3	Horizontal	346	1.80	-	33.08	8.06	35.11
AV	5.1481G	48.32	54.00	-5.68	42.26	3	Horizontal	346	1.80	-	33.10	8.07	35.11
PK	5.2543G	121.26	Inf	-Inf	115.21	3	Horizontal	346	1.80	-	32.99	8.13	35.07
AV	5.2591G	110.75	Inf	-Inf	104.71	3	Horizontal	346	1.80	-	32.98	8.13	35.07
PK	5.3545G	62.61	74.00	-11.39	56.56	3	Horizontal	346	1.80	-	32.90	8.18	35.03
AV	5.353G	52.14	54.00	-1.86	46.09	3	Horizontal	346	1.80	-	32.90	8.18	35.03

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 87
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.5167G	58.56	68.20	-9.64	75.10	3	Vertical	22	1.80	-	38.83	11.34	66.71				

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
Setting 87
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51575G	52.95	68.20	-15.25	69.49	3	Horizontal	7	1.80	-	38.83	11.34	66.71			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 75
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2944G	121.47	Inf	-Inf	115.46	3	Vertical	348	1.80	-	32.91	8.15	35.05			
AV	5.3018G	111.38	Inf	-Inf	105.37	3	Vertical	348	1.80	-	32.90	8.16	35.05			
PK	5.3516G	65.66	74.00	-8.34	59.61	3	Vertical	348	1.80	-	32.90	8.18	35.03			
AV	5.3506G	53.90	54.00	-0.10	47.85	3	Vertical	348	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 75
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2944G	119.33	Inf	-Inf	113.32	3	Horizontal	345	1.80	-	32.91	8.15	35.05			
AV	5.2938G	108.79	Inf	-Inf	102.78	3	Horizontal	345	1.80	-	32.91	8.15	35.05			
PK	5.3548G	63.01	74.00	-10.99	56.95	3	Horizontal	345	1.80	-	32.90	8.19	35.03			
AV	5.3502G	52.29	54.00	-1.71	46.24	3	Horizontal	345	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 75
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59965G	50.81	68.20	-17.39	66.84	3	Vertical	46	1.80	-	39.20	11.39	66.62			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 75
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5967G	51.23	68.20	-16.97	67.29	3	Horizontal	7	1.80	-	39.18	11.39	66.63			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 78
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3144G	119.00	Inf	-Inf	114.66	3	Vertical	353	1.78	-	31.23	6.87	33.76			
AV	5.3171G	106.63	Inf	-Inf	102.29	3	Vertical	353	1.78	-	31.23	6.87	33.76			
PK	5.351G	65.59	74.00	-8.41	61.19	3	Vertical	353	1.78	-	31.30	6.87	33.77			
AV	5.3601G	52.61	54.00	-1.39	48.19	3	Vertical	353	1.78	-	31.32	6.87	33.77			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 78
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	117.21	Inf	-Inf	112.87	3	Horizontal	353	1.80	-	31.23	6.87	33.76
AV	5.324G	104.62	Inf	-Inf	100.26	3	Horizontal	353	1.80	-	31.25	6.87	33.76
PK	5.3588G	65.46	74.00	-8.54	61.04	3	Horizontal	353	1.80	-	31.32	6.87	33.77
AV	5.3521G	52.45	54.00	-1.55	48.05	3	Horizontal	353	1.80	-	31.30	6.87	33.77

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 78
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6373G	49.19	74.00	-24.81	65.01	3	Vertical	26	1.80	-	39.35	11.41	66.58			
AV	10.6377G	38.54	54.00	-15.46	54.36	3	Vertical	26	1.80	-	39.35	11.41	66.58			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX



EUT Y_4TX
Setting 78
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61755G	47.59	74.00	-26.41	63.52	3	Horizontal	9	1.80	-	39.27	11.40	66.60			
AV	10.6162G	37.01	54.00	-16.99	52.95	3	Horizontal	9	1.80	-	39.26	11.40	66.60			