


5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 75
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	64.93	74.00	-9.07	60.30	3	Vertical	355	1.79	-	31.54	6.89	33.80			
AV	5.4594G	52.54	54.00	-1.46	47.91	3	Vertical	355	1.79	-	31.54	6.89	33.80			
PK	5.4696G	65.04	68.20	-3.16	60.37	3	Vertical	355	1.79	-	31.58	6.89	33.80			
PK	5.4924G	119.58	Inf	-Inf	114.83	3	Vertical	355	1.79	-	31.67	6.89	33.81			
AV	5.4968G	107.14	Inf	-Inf	102.37	3	Vertical	355	1.79	-	31.69	6.89	33.81			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 75
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	63.89	74.00	-10.11	59.26	3	Horizontal	354	1.80	-	31.54	6.89	33.80			
AV	5.459G	52.03	54.00	-1.97	47.40	3	Horizontal	354	1.80	-	31.54	6.89	33.80			
PK	5.4612G	64.87	68.20	-3.33	60.24	3	Horizontal	354	1.80	-	31.54	6.89	33.80			
PK	5.4944G	117.59	Inf	-Inf	112.83	3	Horizontal	354	1.80	-	31.68	6.89	33.81			
AV	5.5016G	105.87	Inf	-Inf	101.08	3	Horizontal	354	1.80	-	31.70	6.90	33.81			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 75
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.99715G	52.08	74.00	-21.92	67.76	3	Vertical	309.9	1.80	-	38.91	11.60	66.19			
AV	10.99727G	40.09	54.00	-13.91	55.77	3	Vertical	309.9	1.80	-	38.91	11.60	66.19			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 75
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.99685G	50.93	74.00	-23.07	66.61	3	Horizontal	342	1.67	-	38.91	11.60	66.19			
AV	10.9973G	38.00	54.00	-16.00	53.68	3	Horizontal	342	1.67	-	38.91	11.60	66.19			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 93
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4585G	65.93	74.00	-8.07	59.74	3	Vertical	345	1.80	-	32.92	8.26	34.99			
AV	5.4585G	53.53	54.00	-0.47	47.34	3	Vertical	345	1.80	-	32.92	8.26	34.99			
PK	5.4693G	66.91	68.20	-1.29	60.69	3	Vertical	345	1.80	-	32.94	8.27	34.99			
PK	5.5818G	124.05	Inf	-Inf	117.68	3	Vertical	345	1.80	-	32.94	8.37	34.94			
AV	5.5818G	113.53	Inf	-Inf	107.16	3	Vertical	345	1.80	-	32.94	8.37	34.94			
PK	5.7255G	62.20	68.20	-6.00	55.14	3	Vertical	345	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 93
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4561G	65.68	74.00	-8.32	59.51	3	Horizontal	348	1.00	-	32.91	8.26	35.00			
AV	5.4597G	53.91	54.00	-0.09	47.72	3	Horizontal	348	1.00	-	32.92	8.26	34.99			
PK	5.4645G	67.01	68.20	-1.19	60.80	3	Horizontal	348	1.00	-	32.93	8.27	34.99			
PK	5.5806G	123.61	Inf	-Inf	117.24	3	Horizontal	348	1.00	-	32.94	8.37	34.94			
AV	5.5875G	114.22	Inf	-Inf	107.86	3	Horizontal	348	1.00	-	32.92	8.38	34.94			
PK	5.7258G	62.80	68.20	-5.40	55.74	3	Horizontal	348	1.00	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 93
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15691G	63.85	74.00	-10.15	79.36	3	Vertical	311	1.80	-	39.00	11.68	66.19			
AV	11.16708G	52.84	54.00	-1.16	68.34	3	Vertical	311	1.80	-	39.00	11.69	66.19			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5580MHz_TX

EUT Y_4TX
Setting 93
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16354G	57.47	74.00	-16.53	72.97	3	Horizontal	0	1.80	-	39.00	11.69	66.19			
AV	11.15814G	47.72	54.00	-6.28	63.23	3	Horizontal	0	1.80	-	39.00	11.68	66.19			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 55
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6919G	112.34	Inf	-Inf	107.15	3	Vertical	359	1.80	-	31.95	7.03	33.79			
AV	5.6933G	100.41	Inf	-Inf	95.20	3	Vertical	359	1.80	-	31.96	7.04	33.79			
PK	5.7255G	65.83	68.20	-2.37	60.53	3	Vertical	359	1.80	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 55
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7033G	113.68	Inf	-Inf	108.42	3	Horizontal	356	1.80	-	32.00	7.05	33.79			
AV	5.702G	100.72	Inf	-Inf	95.46	3	Horizontal	356	1.80	-	32.00	7.05	33.79			
PK	5.725G	67.17	68.20	-1.03	61.87	3	Horizontal	356	1.80	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5700MHz_TX

EUT Y_4TX
Setting 55
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39115G	49.31	74.00	-24.69	64.60	3	Vertical	42	1.80	-	39.10	11.81	66.20			
AV	11.40096G	38.40	54.00	-15.60	53.69	3	Vertical	42	1.80	-	39.10	11.81	66.20			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
Setting 55
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40288G	47.83	74.00	-26.17	63.12	3	Horizontal	90	1.31	-	39.10	11.81	66.20			
AV	11.4087G	37.29	54.00	-16.71	52.57	3	Horizontal	90	1.31	-	39.10	11.82	66.20			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 92
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7248G	122.40	Inf	-Inf	115.34	3	Vertical	352	1.80	-	33.50	8.43	34.87			
AV	5.7125G	112.45	Inf	-Inf	105.46	3	Vertical	352	1.80	-	33.45	8.42	34.88			
PK	5.8511G	67.20	68.20	-1.00	59.64	3	Vertical	352	1.80	-	33.90	8.47	34.81			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 92
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7191G	122.80	Inf	-Inf	115.76	3	Horizontal	349	1.80	-	33.48	8.43	34.87			
AV	5.7248G	113.58	Inf	-Inf	106.52	3	Horizontal	349	1.80	-	33.50	8.43	34.87			
PK	5.858G	64.30	68.20	-3.90	56.70	3	Horizontal	349	1.80	-	33.93	8.48	34.81			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 92
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44075G	57.84	74.00	-16.16	73.11	3	Vertical	19	1.80	-	39.10	11.83	66.20			
AV	11.43751G	48.50	54.00	-5.50	63.77	3	Vertical	19	1.80	-	39.10	11.83	66.20			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 92
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43298G	52.79	74.00	-21.21	68.06	3	Horizontal	13	1.80	-	39.10	11.83	66.20			
AV	11.43805G	43.53	54.00	-10.47	58.80	3	Horizontal	13	1.80	-	39.10	11.83	66.20			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 74
05-R-E-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2622G	119.32	Inf	-Inf	113.28	3	Vertical	344	1.80	-	32.98	8.13	35.07			
AV	5.2672G	108.76	Inf	-Inf	102.71	3	Vertical	344	1.80	-	32.97	8.14	35.06			
PK	5.353G	64.82	74.00	-9.18	58.77	3	Vertical	344	1.80	-	32.90	8.18	35.03			
AV	5.3506G	53.84	54.00	-0.16	47.79	3	Vertical	344	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 74
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2672G	115.77	Inf	-Inf	109.72	3	Horizontal	343	1.80	-	32.97	8.14	35.06
AV	5.2694G	105.88	Inf	-Inf	99.84	3	Horizontal	343	1.80	-	32.96	8.14	35.06
PK	5.3502G	62.57	74.00	-11.43	56.52	3	Horizontal	343	1.80	-	32.90	8.18	35.03
AV	5.3522G	52.62	54.00	-1.38	46.57	3	Horizontal	343	1.80	-	32.90	8.18	35.03

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
Setting 74
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53739G	52.76	68.20	-15.44	69.23	3	Vertical	307	1.80	-	38.87	11.35	66.69			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
Setting 74
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.53721G	52.15	68.20	-16.05	68.62	3	Horizontal	359	1.89	-	38.87	11.35	66.69				

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 76
06-H-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3146G	115.15	Inf	-Inf	110.81	3	Vertical	354	1.69	-	31.23	6.87	33.76			
AV	5.3044G	102.86	Inf	-Inf	98.54	3	Vertical	354	1.69	-	31.21	6.87	33.76			
PK	5.3592G	66.40	74.00	-7.60	61.98	3	Vertical	354	1.69	-	31.32	6.87	33.77			
AV	5.3526G	53.47	54.00	-0.53	49.06	3	Vertical	354	1.69	-	31.31	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 76
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3032G	113.57	Inf	-Inf	109.25	3	Horizontal	352	1.51	-	31.21	6.87	33.76			
AV	5.3042G	101.25	Inf	-Inf	96.93	3	Horizontal	352	1.51	-	31.21	6.87	33.76			
PK	5.3522G	66.72	74.00	-7.28	62.32	3	Horizontal	352	1.51	-	31.30	6.87	33.77			
AV	5.3506G	53.10	54.00	-0.90	48.70	3	Horizontal	352	1.51	-	31.30	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
Setting 76
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6179G	48.01	74.00	-25.99	63.94	3	Vertical	101	2.77	-	39.27	11.40	66.60			
AV	10.61835G	37.54	54.00	-16.46	53.47	3	Vertical	101	2.77	-	39.27	11.40	66.60			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
Setting 76
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.60971G	47.49	74.00	-26.51	63.47	3	Horizontal	292	1.00	-	39.24	11.39	66.61			
AV	10.6086G	36.98	54.00	-17.02	52.97	3	Horizontal	292	1.00	-	39.23	11.39	66.61			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 73
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4564G	63.51	74.00	-10.49	58.89	3	Vertical	356	1.96	-	31.53	6.89	33.80			
AV	5.46G	51.68	54.00	-2.32	47.05	3	Vertical	356	1.96	-	31.54	6.89	33.80			
PK	5.469G	68.02	68.20	-0.18	63.35	3	Vertical	356	1.96	-	31.58	6.89	33.80			
PK	5.5196G	115.37	Inf	-Inf	110.58	3	Vertical	356	1.96	-	31.70	6.90	33.81			
AV	5.5072G	103.41	Inf	-Inf	98.62	3	Vertical	356	1.96	-	31.70	6.90	33.81			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 73
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	63.03	74.00	-10.97	58.40	3	Horizontal	358	1.10	-	31.54	6.89	33.80			
AV	5.46G	51.24	54.00	-2.76	46.61	3	Horizontal	358	1.10	-	31.54	6.89	33.80			
PK	5.4698G	67.17	68.20	-1.03	62.50	3	Horizontal	358	1.10	-	31.58	6.89	33.80			
PK	5.4956G	115.85	Inf	-Inf	111.09	3	Horizontal	358	1.10	-	31.68	6.89	33.81			
AV	5.5156G	102.52	Inf	-Inf	97.73	3	Horizontal	358	1.10	-	31.70	6.90	33.81			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
Setting 73
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01715G	49.16	74.00	-24.84	64.81	3	Vertical	313	1.80	-	38.93	11.61	66.19			
AV	11.01667G	38.33	54.00	-15.67	53.98	3	Vertical	313	1.80	-	38.93	11.61	66.19			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 73
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01745G	49.04	74.00	-24.96	64.69	3	Horizontal	107	2.96	-	38.93	11.61	66.19			
AV	11.01667G	36.96	54.00	-17.04	52.61	3	Horizontal	107	2.96	-	38.93	11.61	66.19			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 77
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	65.69	74.00	-8.31	59.50	3	Vertical	345	1.80	-	32.92	8.26	34.99			
AV	5.46G	53.30	54.00	-0.70	47.11	3	Vertical	345	1.80	-	32.92	8.26	34.99			
PK	5.4666G	65.60	68.20	-2.60	59.39	3	Vertical	345	1.80	-	32.93	8.27	34.99			
PK	5.5389G	117.71	Inf	-Inf	111.33	3	Vertical	345	1.80	-	33.00	8.34	34.96			
AV	5.5473G	108.58	Inf	-Inf	102.20	3	Vertical	345	1.80	-	33.00	8.34	34.96			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 77
05-R-E-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4579G	65.88	74.00	-8.12	59.70	3	Horizontal	343	1.03	-	32.92	8.26	35.00			
AV	5.4573G	53.28	54.00	-0.72	47.11	3	Horizontal	343	1.03	-	32.91	8.26	35.00			
PK	5.4696G	64.47	68.20	-3.73	58.25	3	Horizontal	343	1.03	-	32.94	8.27	34.99			
PK	5.5659G	117.72	Inf	-Inf	111.34	3	Horizontal	343	1.03	-	32.97	8.36	34.95			
AV	5.5587G	107.92	Inf	-Inf	101.54	3	Horizontal	343	1.03	-	32.98	8.35	34.95			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5550MHz_TX

EUT Y_4TX
Setting 77
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10495G	56.45	74.00	-17.55	71.89	3	Vertical	311	1.01	-	39.09	11.66	66.19			
AV	11.10483G	46.36	54.00	-7.64	61.80	3	Vertical	311	1.01	-	39.09	11.66	66.19			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 77
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10126G	54.65	74.00	-19.35	70.09	3	Horizontal	102	1.98	-	39.10	11.65	66.19			
AV	11.10483G	44.46	54.00	-9.54	59.90	3	Horizontal	102	1.98	-	39.09	11.66	66.19			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
Setting 70
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6632G	115.20	Inf	-Inf	108.58	3	Vertical	344	1.80	-	33.11	8.41	34.90			
AV	5.6672G	105.21	Inf	-Inf	98.56	3	Vertical	344	1.80	-	33.14	8.41	34.90			
PK	5.725G	67.47	68.20	-0.73	60.41	3	Vertical	344	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 70
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6888G	115.41	Inf	-Inf	108.75	3	Horizontal	347	1.02	-	33.15	8.41	34.90
AV	5.6788G	105.61	Inf	-Inf	98.86	3	Horizontal	347	1.02	-	33.23	8.41	34.89
PK	5.7332G	66.79	68.20	-1.41	59.70	3	Horizontal	347	1.02	-	33.53	8.43	34.87

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
Setting 70
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34132G	52.89	74.00	-21.11	68.21	3	Vertical	313	1.00	-	39.10	11.78	66.20			
AV	11.3448G	43.11	54.00	-10.89	58.43	3	Vertical	313	1.00	-	39.10	11.78	66.20			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5670MHz_TX

EUT Y_4TX
Setting 70
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3394G	48.29	74.00	-25.71	63.61	3	Horizontal	307	1.08	-	39.10	11.78	66.20			
AV	11.34774G	37.41	54.00	-16.59	52.73	3	Horizontal	307	1.08	-	39.10	11.78	66.20			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 85
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6988G	118.86	Inf	-Inf	111.93	3	Vertical	344	1.80	-	33.39	8.42	34.88			
AV	5.7076G	108.53	Inf	-Inf	101.56	3	Vertical	344	1.80	-	33.43	8.42	34.88			
PK	5.8644G	65.42	68.20	-2.78	57.79	3	Vertical	344	1.80	-	33.96	8.48	34.81			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 85
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7172G	119.82	Inf	-Inf	112.80	3	Horizontal	346	1.03	-	33.47	8.43	34.88
AV	5.6988G	110.27	Inf	-Inf	103.34	3	Horizontal	346	1.03	-	33.39	8.42	34.88
PK	5.8556G	67.35	68.20	-0.85	59.76	3	Horizontal	346	1.03	-	33.92	8.48	34.81

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 85
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41469G	53.91	74.00	-20.09	69.19	3	Vertical	307	1.80	-	39.10	11.82	66.20			
AV	11.41646G	44.66	54.00	-9.34	59.94	3	Vertical	307	1.80	-	39.10	11.82	66.20			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 85
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41721G	50.47	74.00	-23.53	65.75	3	Horizontal	74	2.74	-	39.10	11.82	66.20			
AV	11.41232G	41.86	54.00	-12.14	57.14	3	Horizontal	74	2.74	-	39.10	11.82	66.20			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	59.26	74.00	-14.74	54.32	3	Vertical	354	1.99	-	31.89	6.77	33.72
AV	5.1435G	47.86	54.00	-6.14	42.94	3	Vertical	354	1.99	-	31.87	6.77	33.72
PK	5.2965G	112.80	Inf	-Inf	108.49	3	Vertical	354	1.99	-	31.21	6.86	33.76
AV	5.282G	100.34	Inf	-Inf	95.99	3	Vertical	354	1.99	-	31.24	6.86	33.75
PK	5.3805G	66.95	74.00	-7.05	62.49	3	Vertical	354	1.99	-	31.36	6.88	33.78
AV	5.35G	53.54	54.00	-0.46	49.14	3	Vertical	354	1.99	-	31.30	6.87	33.77
PK	5.531G	60.09	68.20	-8.11	55.30	3	Vertical	354	1.99	-	31.70	6.90	33.81

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	58.48	74.00	-15.52	53.54	3	Horizontal	352	2.34	-	31.89	6.77	33.72			
AV	5.147G	47.14	54.00	-6.86	42.20	3	Horizontal	352	2.34	-	31.89	6.77	33.72			
PK	5.279G	111.01	Inf	-Inf	106.66	3	Horizontal	352	2.34	-	31.24	6.86	33.75			
AV	5.2985G	98.41	Inf	-Inf	94.11	3	Horizontal	352	2.34	-	31.20	6.86	33.76			
PK	5.388G	64.96	74.00	-9.04	60.48	3	Horizontal	352	2.34	-	31.38	6.88	33.78			
AV	5.358G	52.14	54.00	-1.86	47.72	3	Horizontal	352	2.34	-	31.32	6.87	33.77			
PK	5.464G	59.04	68.20	-9.16	54.39	3	Horizontal	352	2.34	-	31.56	6.89	33.80			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59092G	47.98	68.20	-20.22	64.08	3	Vertical	315	2.35	-	39.15	11.38	66.63			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
Setting 75
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59218G	46.27	68.20	-21.93	62.37	3	Horizontal	343	1.06	-	39.15	11.38	66.63			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_V_4TX
Setting 72
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.31G	58.37	68.20	-9.83	54.04	3	Vertical	355	1.80	-	31.22	6.87	33.76			
PK	5.4595G	64.75	74.00	-9.25	60.12	3	Vertical	355	1.80	-	31.54	6.89	33.80			
AV	5.4565G	53.30	54.00	-0.70	48.68	3	Vertical	355	1.80	-	31.53	6.89	33.80			
PK	5.469G	64.80	68.20	-3.40	60.13	3	Vertical	355	1.80	-	31.58	6.89	33.80			
PK	5.5365G	112.83	Inf	-Inf	108.04	3	Vertical	355	1.80	-	31.70	6.90	33.81			
AV	5.524G	99.68	Inf	-Inf	94.89	3	Vertical	355	1.80	-	31.70	6.90	33.81			
PK	5.7285G	58.87	68.20	-9.33	53.57	3	Vertical	355	1.80	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_V_4TX
Setting 72
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.339G	57.95	68.20	-10.25	53.57	3	Horizontal	357	1.34	-	31.28	6.87	33.77			
PK	5.438G	64.14	74.00	-9.86	59.56	3	Horizontal	357	1.34	-	31.48	6.89	33.79			
PK	5.468G	63.67	68.20	-4.53	59.01	3	Horizontal	357	1.34	-	31.57	6.89	33.80			
AV	5.4585G	51.89	54.00	-2.11	47.27	3	Horizontal	357	1.34	-	31.53	6.89	33.80			
PK	5.523G	110.39	Inf	-Inf	105.60	3	Horizontal	357	1.34	-	31.70	6.90	33.81			
AV	5.5175G	98.54	Inf	-Inf	93.75	3	Horizontal	357	1.34	-	31.70	6.90	33.81			
PK	5.7475G	58.85	68.20	-9.35	53.52	3	Horizontal	357	1.34	-	32.00	7.11	33.78			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 72
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.06642G	45.98	74.00	-28.02	61.50	3	Vertical	295	1.00	-	39.03	11.64	66.19			
AV	11.07041G	35.53	54.00	-18.47	51.04	3	Vertical	295	1.00	-	39.04	11.64	66.19			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 72
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.07299G	46.46	74.00	-27.54	61.96	3	Horizontal	115	1.28	-	39.05	11.64	66.19			
AV	11.0738G	35.56	54.00	-18.44	51.06	3	Horizontal	115	1.28	-	39.05	11.64	66.19			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 73
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	63.59	74.00	-10.41	57.40	3	Vertical	340	1.80	-	32.92	8.26	34.99			
AV	5.4588G	52.64	54.00	-1.36	46.45	3	Vertical	340	1.80	-	32.92	8.26	34.99			
PK	5.4608G	64.63	68.20	-3.57	58.44	3	Vertical	340	1.80	-	32.92	8.26	34.99			
PK	5.6168G	115.11	Inf	-Inf	108.70	3	Vertical	340	1.80	-	32.93	8.40	34.92			
AV	5.6192G	103.69	Inf	-Inf	97.27	3	Vertical	340	1.80	-	32.94	8.40	34.92			
PK	5.7256G	64.92	68.20	-3.28	57.86	3	Vertical	340	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 73
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	64.90	74.00	-9.10	58.71	3	Horizontal	344	1.02	-	32.92	8.26	34.99			
AV	5.4576G	53.90	54.00	-0.10	47.72	3	Horizontal	344	1.02	-	32.92	8.26	35.00			
PK	5.4604G	63.35	68.20	-4.85	57.16	3	Horizontal	344	1.02	-	32.92	8.26	34.99			
PK	5.6032G	114.03	Inf	-Inf	107.66	3	Horizontal	344	1.02	-	32.91	8.39	34.93			
AV	5.5988G	104.93	Inf	-Inf	98.57	3	Horizontal	344	1.02	-	32.90	8.39	34.93			
PK	5.7264G	66.53	68.20	-1.67	59.46	3	Horizontal	344	1.02	-	33.51	8.43	34.87			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 73
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.23038G	51.10	74.00	-22.90	66.57	3	Vertical	309	1.00	-	39.00	11.72	66.19			
AV	11.23032G	43.26	54.00	-10.74	58.73	3	Vertical	309	1.00	-	39.00	11.72	66.19			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 73
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.23044G	49.58	74.00	-24.42	65.05	3	Horizontal	37	2.20	-	39.00	11.72	66.19			
AV	11.23026G	41.24	54.00	-12.76	56.71	3	Horizontal	37	2.20	-	39.00	11.72	66.19			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 76
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6968G	115.55	Inf	-Inf	108.65	3	Vertical	344	1.80	-	33.37	8.42	34.89			
AV	5.6872G	103.97	Inf	-Inf	97.14	3	Vertical	344	1.80	-	33.30	8.42	34.89			
PK	5.8528G	67.25	68.20	-0.95	59.68	3	Vertical	344	1.80	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 76
05-R-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6832G	114.78	Inf	-Inf	107.99	3	Horizontal	342	1.03	-	33.27	8.41	34.89
AV	5.6788G	105.58	Inf	-Inf	98.83	3	Horizontal	342	1.03	-	33.23	8.41	34.89
PK	5.8532G	67.40	68.20	-0.80	59.83	3	Horizontal	342	1.03	-	33.91	8.47	34.81

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 76
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.395G	50.96	74.00	-23.04	66.25	3	Vertical	307	1.80	-	39.10	11.81	66.20			
AV	11.3935G	41.17	54.00	-12.83	56.46	3	Vertical	307	1.80	-	39.10	11.81	66.20			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 76
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39458G	50.02	74.00	-23.98	65.31	3	Horizontal	218	2.00	-	39.10	11.81	66.20			
AV	11.3935G	39.38	54.00	-14.62	54.67	3	Horizontal	218	2.00	-	39.10	11.81	66.20			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 51
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1468G	67.78	74.00	-6.22	62.84	3	Vertical	352	1.80	-	31.89	6.77	33.72				
AV	5.1236G	47.64	54.00	-6.36	42.82	3	Vertical	352	1.80	-	31.79	6.74	33.71				
PK	5.266G	104.02	Inf	-Inf	99.64	3	Vertical	352	1.80	-	31.27	6.86	33.75				
AV	5.2772G	91.97	Inf	-Inf	87.61	3	Vertical	352	1.80	-	31.25	6.86	33.75				
PK	5.3604G	71.59	74.00	-2.41	67.17	3	Vertical	352	1.80	-	31.32	6.87	33.77				
PK	5.4668G	63.30	68.20	-4.90	58.64	3	Vertical	352	1.80	-	31.57	6.89	33.80				
AV	5.4204G	47.84	54.00	-6.16	43.31	3	Vertical	352	1.80	-	31.44	6.88	33.79				

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 51
06-H-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	68.30	74.00	-5.70	63.34	3	Horizontal	352	2.40	-	31.90	6.78	33.72			
AV	5.1468G	46.66	54.00	-7.34	41.72	3	Horizontal	352	2.40	-	31.89	6.77	33.72			
PK	5.3252G	101.70	Inf	-Inf	97.34	3	Horizontal	352	2.40	-	31.25	6.87	33.76			
AV	5.3268G	90.35	Inf	-Inf	85.99	3	Horizontal	352	2.40	-	31.25	6.87	33.76			
PK	5.3508G	72.71	74.00	-1.29	68.31	3	Horizontal	352	2.40	-	31.30	6.87	33.77			
AV	5.41G	48.00	54.00	-6.00	43.49	3	Horizontal	352	2.40	-	31.42	6.88	33.79			
PK	5.4708G	61.63	68.20	-6.57	56.96	3	Horizontal	352	2.40	-	31.58	6.89	33.80			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 51
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4942G	47.31	68.20	-20.89	63.90	3	Vertical	133	2.05	-	38.81	11.33	66.73			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 51
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.48324G	46.89	68.20	-21.31	63.45	3	Horizontal	306	1.33	-	38.83	11.33	66.72				

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_V_4TX
Setting 49
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3476G	58.75	68.20	-9.45	54.35	3	Vertical	354	1.85	-	31.30	6.87	33.77
PK	5.4548G	68.34	74.00	-5.66	63.73	3	Vertical	354	1.85	-	31.52	6.89	33.80
AV	5.454G	46.64	54.00	-7.36	42.03	3	Vertical	354	1.85	-	31.52	6.89	33.80
PK	5.4668G	67.69	68.20	-0.51	63.03	3	Vertical	354	1.85	-	31.57	6.89	33.80
PK	5.5372G	103.72	Inf	-Inf	98.93	3	Vertical	354	1.85	-	31.70	6.90	33.81
AV	5.5516G	91.21	Inf	-Inf	86.41	3	Vertical	354	1.85	-	31.70	6.90	33.80
PK	5.7404G	58.97	68.20	-9.23	53.65	3	Vertical	354	1.85	-	32.00	7.10	33.78

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_V_4TX
Setting 49
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3364G	57.13	68.20	-11.07	52.76	3	Horizontal	355	1.18	-	31.27	6.87	33.77			
PK	5.4572G	67.11	74.00	-6.89	62.49	3	Horizontal	355	1.18	-	31.53	6.89	33.80			
AV	5.4548G	46.03	54.00	-7.97	41.42	3	Horizontal	355	1.18	-	31.52	6.89	33.80			
PK	5.4668G	64.36	68.20	-3.84	59.70	3	Horizontal	355	1.18	-	31.57	6.89	33.80			
PK	5.5236G	101.74	Inf	-Inf	96.95	3	Horizontal	355	1.18	-	31.70	6.90	33.81			
AV	5.646G	90.22	Inf	-Inf	85.35	3	Horizontal	355	1.18	-	31.69	6.97	33.79			
PK	5.7372G	59.70	68.20	-8.50	54.38	3	Horizontal	355	1.18	-	32.00	7.10	33.78			

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 49
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.14128G	46.65	74.00	-27.35	62.15	3	Vertical	315	2.29	-	39.02	11.67	66.19			
AV	11.14644G	36.53	54.00	-17.47	52.03	3	Vertical	315	2.29	-	39.01	11.68	66.19			

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX

EUT Y_4TX
Setting 49
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.12644G	47.52	74.00	-26.48	62.99	3	Horizontal	284	2.14	-	39.05	11.67	66.19			
AV	11.14016G	36.25	54.00	-17.75	51.75	3	Horizontal	284	2.14	-	39.02	11.67	66.19			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	Pass	AV	5.3502G	53.99	54.00	-0.01	3	Vertical	345	1.80	80

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_Y_1TX
Setting 96
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1286G	56.94	74.00	-17.06	50.93	3	Vertical	9	1.80	-	33.06	8.06	35.11			
AV	5.143G	48.00	54.00	-6.00	41.95	3	Vertical	9	1.80	-	33.09	8.07	35.11			
PK	5.2639G	112.95	Inf	-Inf	106.90	3	Vertical	9	1.80	-	32.97	8.14	35.06			
AV	5.2645G	105.01	Inf	-Inf	98.96	3	Vertical	9	1.80	-	32.97	8.14	35.06			
PK	5.3545G	61.65	74.00	-12.35	55.60	3	Vertical	9	1.80	-	32.90	8.18	35.03			
AV	5.3608G	49.60	54.00	-4.40	43.54	3	Vertical	9	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT V_1TX
Setting 96
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1436G	56.86	74.00	-17.14	50.81	3	Horizontal	357	1.80	-	33.09	8.07	35.11			
AV	5.1166G	47.86	54.00	-6.14	41.90	3	Horizontal	357	1.80	-	33.03	8.05	35.12			
PK	5.2669G	114.99	Inf	-Inf	108.94	3	Horizontal	357	1.80	-	32.97	8.14	35.06			
AV	5.2657G	106.62	Inf	-Inf	100.57	3	Horizontal	357	1.80	-	32.97	8.14	35.06			
PK	5.3518G	63.81	74.00	-10.19	57.76	3	Horizontal	357	1.80	-	32.90	8.18	35.03			
AV	5.3503G	51.33	54.00	-2.67	45.28	3	Horizontal	357	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_V_1TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.51505G	52.04	68.20	-16.16	68.58	3	Vertical	44	1.80	96	38.83	11.34	66.71				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




EUT_V_1TX
SET 96

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.51944G	53.01	68.20	-15.19	69.53	3	Horizontal	48	1.80	96	38.84	11.35	66.71				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT Y_1TX
Setting 87
05-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3038G	109.33	Inf	-Inf	103.32	3	Vertical	10	1.80	-	32.90	8.16	35.05				
AV	5.3046G	102.26	Inf	-Inf	96.25	3	Vertical	10	1.80	-	32.90	8.16	35.05				
PK	5.3504G	61.62	74.00	-12.38	55.57	3	Vertical	10	1.80	-	32.90	8.18	35.03				
AV	5.3506G	50.63	54.00	-3.37	44.58	3	Vertical	10	1.80	-	32.90	8.18	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5300MHz_TX




EUT Y_1TX
Setting 87
05-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3028G	113.68	Inf	-Inf	107.67	3	Horizontal	360	1.80	-	32.90	8.16	35.05				
AV	5.297G	106.23	Inf	-Inf	100.22	3	Horizontal	360	1.80	-	32.91	8.15	35.05				
PK	5.3504G	66.33	74.00	-7.67	60.28	3	Horizontal	360	1.80	-	32.90	8.18	35.03				
AV	5.351G	53.44	54.00	-0.56	47.39	3	Horizontal	360	1.80	-	32.90	8.18	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX

EUT_Y_1TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60546G	52.12	74.00	-21.88	68.13	3	Vertical	26	1.80	87	39.22	11.39	66.62			
AV	10.60465G	42.11	54.00	-11.89	58.12	3	Vertical	26	1.80	87	39.22	11.39	66.62			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5300MHz_TX

EUT_Y_1TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60488G	55.51	74.00	-18.49	71.52	3	Horizontal	48	1.80	87	39.22	11.39	66.62			
AV	10.60228G	45.28	54.00	-8.72	61.30	3	Horizontal	48	1.80	87	39.21	11.39	66.62			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT Y_1TX
Setting 78
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3241G	108.98	Inf	-Inf	102.95	3	Vertical	12	1.22	-	32.90	8.17	35.04			
AV	5.3239G	101.24	Inf	-Inf	95.21	3	Vertical	12	1.22	-	32.90	8.17	35.04			
PK	5.3564G	65.14	74.00	-8.86	59.08	3	Vertical	12	1.22	-	32.90	8.19	35.03			
AV	5.3504G	52.49	54.00	-1.51	46.44	3	Vertical	12	1.22	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




EUT Y_1TX
Setting 78
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3242G	112.06	Inf	-Inf	106.03	3	Horizontal	358	1.80	-	32.90	8.17	35.04			
AV	5.3171G	104.11	Inf	-Inf	98.10	3	Horizontal	358	1.80	-	32.90	8.16	35.05			
PK	5.3541G	66.40	74.00	-7.60	60.35	3	Horizontal	358	1.80	-	32.90	8.18	35.03			
AV	5.3504G	52.82	54.00	-1.18	46.77	3	Horizontal	358	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX

EUT_Y_1TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63932G	46.22	74.00	-27.78	62.03	3	Vertical	15	1.80	78	39.36	11.41	66.58			
AV	10.63972G	37.23	54.00	-16.77	53.04	3	Vertical	15	1.80	78	39.36	11.41	66.58			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5320MHz_TX

EUT_Y_1TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63892G	50.07	74.00	-23.93	65.88	3	Horizontal	308	1.80	78	39.36	11.41	66.58			
AV	10.63828G	40.53	54.00	-13.47	56.35	3	Horizontal	308	1.80	78	39.35	11.41	66.58			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_V_1TX
Setting 81
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	62.56	74.00	-11.44	56.37	3	Vertical	17	1.80	-	32.92	8.26	34.99			
AV	5.4578G	51.15	54.00	-2.85	44.97	3	Vertical	17	1.80	-	32.92	8.26	35.00			
PK	5.4648G	64.31	68.20	-3.89	58.10	3	Vertical	17	1.80	-	32.93	8.27	34.99			
PK	5.5041G	110.53	Inf	-Inf	104.21	3	Vertical	17	1.80	-	33.00	8.30	34.98			
AV	5.4966G	102.70	Inf	-Inf	96.39	3	Vertical	17	1.80	-	32.99	8.30	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 81
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4593G	63.14	74.00	-10.86	56.95	3	Horizontal	360	1.80	-	32.92	8.26	34.99			
AV	5.4587G	51.98	54.00	-2.02	45.79	3	Horizontal	360	1.80	-	32.92	8.26	34.99			
PK	5.4641G	65.62	68.20	-2.58	59.41	3	Horizontal	360	1.80	-	32.93	8.27	34.99			
PK	5.5039G	111.83	Inf	-Inf	105.51	3	Horizontal	360	1.80	-	33.00	8.30	34.98			
AV	5.5037G	104.24	Inf	-Inf	97.92	3	Horizontal	360	1.80	-	33.00	8.30	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




EUT_Y_1TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99624G	51.55	74.00	-22.45	67.23	3	Vertical	310	1.80	81	38.91	11.60	66.19			
AV	11.00088G	41.72	54.00	-12.28	57.41	3	Vertical	310	1.80	81	38.90	11.60	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5500MHz_TX

EUT_Y_1TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00212G	50.41	74.00	-23.59	66.10	3	Horizontal	5	1.80	81	38.90	11.60	66.19			
AV	10.99956G	41.47	54.00	-12.53	57.16	3	Horizontal	5	1.80	81	38.90	11.60	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT Y_1TX
Setting 99
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4568G	59.17	74.00	-14.83	53.00	3	Vertical	355	1.80	-	32.91	8.26	35.00			
AV	5.4196G	49.56	54.00	-4.44	43.44	3	Vertical	355	1.80	-	32.90	8.23	35.01			
PK	5.4652G	59.36	68.20	-8.84	53.15	3	Vertical	355	1.80	-	32.93	8.27	34.99			
PK	5.5828G	114.91	Inf	-Inf	108.55	3	Vertical	355	1.80	-	32.93	8.37	34.94			
AV	5.5816G	107.26	Inf	-Inf	100.89	3	Vertical	355	1.80	-	32.94	8.37	34.94			
PK	5.7388G	59.14	68.20	-9.06	52.02	3	Vertical	355	1.80	-	33.56	8.43	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX




EUT_Y_1TX
Setting 99
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4508G	59.56	74.00	-14.44	53.40	3	Horizontal	360	1.80	-	32.90	8.26	35.00			
AV	5.42G	50.28	54.00	-3.72	44.16	3	Horizontal	360	1.80	-	32.90	8.23	35.01			
PK	5.462G	61.57	68.20	-6.63	55.37	3	Horizontal	360	1.80	-	32.92	8.27	34.99			
PK	5.5768G	115.63	Inf	-Inf	109.25	3	Horizontal	360	1.80	-	32.95	8.37	34.94			
AV	5.5836G	107.73	Inf	-Inf	101.36	3	Horizontal	360	1.80	-	32.93	8.38	34.94			
PK	5.7452G	59.54	68.20	-8.66	52.39	3	Horizontal	360	1.80	-	33.58	8.43	34.86			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX

EUT_Y_1TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16332G	55.67	74.00	-18.33	71.17	3	Vertical	50	1.80	99	39.00	11.69	66.19			
AV	11.1586G	46.26	54.00	-7.74	61.77	3	Vertical	50	1.80	99	39.00	11.68	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5580MHz_TX

EUT_Y_1TX
SET 99

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16544G	55.46	74.00	-18.54	70.96	3	Horizontal	360	1.80	99	39.00	11.69	66.19			
AV	11.16312G	46.21	54.00	-7.79	61.71	3	Horizontal	360	1.80	99	39.00	11.69	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 65
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6967G	105.80	Inf	-Inf	100.57	3	Vertical	352	2.07	-	31.98	7.04	33.79			
AV	5.6983G	97.46	Inf	-Inf	92.22	3	Vertical	352	2.07	-	31.99	7.04	33.79			
PK	5.7278G	66.89	68.20	-1.31	61.59	3	Vertical	352	2.07	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 65
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6942G	106.01	Inf	-Inf	100.79	3	Horizontal	350	1.85	-	31.97	7.04	33.79			
AV	5.6971G	97.39	Inf	-Inf	92.16	3	Horizontal	350	1.85	-	31.98	7.04	33.79			
PK	5.7274G	67.64	68.20	-0.56	62.34	3	Horizontal	350	1.85	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX

EUT Y_1TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40396G	46.81	74.00	-27.19	62.10	3	Vertical	36	1.80	60	39.10	11.81	66.20			
AV	11.39976G	37.29	54.00	-16.71	52.58	3	Vertical	36	1.80	60	39.10	11.81	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX


5700MHz_TX

EUT_Y_1TX
SET 65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38038G	46.35	74.00	-27.65	61.65	3	Horizontal	360.1	1.80	60	39.10	11.80	66.20			
AV	11.38402G	36.54	54.00	-17.46	51.84	3	Horizontal	360.1	1.80	60	39.10	11.80	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 95
05-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7184G	113.19	Inf	-Inf	106.17	3	Vertical	354	1.80	-	33.47	8.43	34.88			
AV	5.7212G	105.14	Inf	-Inf	98.10	3	Vertical	354	1.80	-	33.48	8.43	34.87			
PK	5.8672G	59.76	68.20	-8.44	52.11	3	Vertical	354	1.80	-	33.97	8.48	34.80			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 95
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7236G	115.28	Inf	-Inf	108.23	3	Horizontal	355	1.80	-	33.49	8.43	34.87			
AV	5.7156G	107.21	Inf	-Inf	100.21	3	Horizontal	355	1.80	-	33.46	8.42	34.88			
PK	5.8512G	59.72	68.20	-8.48	52.16	3	Horizontal	355	1.80	-	33.90	8.47	34.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43988G	53.65	74.00	-20.35	68.92	3	Vertical	37	1.80	95	39.10	11.83	66.20			
AV	11.43928G	45.26	54.00	-8.74	60.53	3	Vertical	37	1.80	95	39.10	11.83	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
SET 95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44544G	52.39	74.00	-21.61	67.65	3	Horizontal	358	1.80	95	39.10	11.84	66.20			
AV	11.44104G	42.95	54.00	-11.05	58.22	3	Horizontal	358	1.80	95	39.10	11.83	66.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_V_1TX
Setting 96
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13995G	57.86	74.00	-16.14	51.83	3	Vertical	4	1.80	-	33.08	8.06	35.11			
AV	5.1487G	47.73	54.00	-6.27	41.67	3	Vertical	4	1.80	-	33.10	8.07	35.11			
PK	5.2628G	113.90	Inf	-Inf	107.87	3	Vertical	4	1.80	-	32.97	8.13	35.07			
AV	5.2642G	103.72	Inf	-Inf	97.67	3	Vertical	4	1.80	-	32.97	8.14	35.06			
PK	5.35G	62.81	74.00	-11.19	56.76	3	Vertical	4	1.80	-	32.90	8.18	35.03			
AV	5.3538G	50.55	54.00	-3.45	44.50	3	Vertical	4	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_V_1TX
Setting 96
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14835G	59.27	74.00	-14.73	53.21	3	Horizontal	354	1.80	-	33.10	8.07	35.11			
AV	5.1487G	47.11	54.00	-6.89	41.05	3	Horizontal	354	1.80	-	33.10	8.07	35.11			
PK	5.2656G	117.91	Inf	-Inf	111.86	3	Horizontal	354	1.80	-	32.97	8.14	35.06			
AV	5.26805G	105.96	Inf	-Inf	99.92	3	Horizontal	354	1.80	-	32.96	8.14	35.06			
PK	5.35555G	66.22	74.00	-7.78	60.16	3	Horizontal	354	1.80	-	32.90	8.19	35.03			
AV	5.3531G	52.59	54.00	-1.41	46.54	3	Horizontal	354	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_V_1TX
Setting 96
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.52032G	51.48	68.20	-16.72	68.00	3	Vertical	42	1.80	-	38.84	11.35	66.71				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_V_1TX
Setting 96
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.53228G	52.81	68.20	-15.39	69.30	3	Horizontal	44	1.80	-	38.86	11.35	66.70			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT Y_1TX
Setting 85
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.30875G	112.15	Inf	-Inf	106.14	3	Vertical	7	1.80	-	32.90	8.16	35.05			
AV	5.30525G	101.24	Inf	-Inf	95.23	3	Vertical	7	1.80	-	32.90	8.16	35.05			
PK	5.35075G	66.04	74.00	-7.96	59.99	3	Vertical	7	1.80	-	32.90	8.18	35.03			
AV	5.35G	51.04	54.00	-2.96	44.99	3	Vertical	7	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT Y_1TX
Setting 85
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.295G	115.86	Inf	-Inf	109.85	3	Horizontal	355	1.80	-	32.91	8.15	35.05			
AV	5.30225G	105.33	Inf	-Inf	99.32	3	Horizontal	355	1.80	-	32.90	8.16	35.05			
PK	5.3515G	68.83	74.00	-5.17	62.78	3	Horizontal	355	1.80	-	32.90	8.18	35.03			
AV	5.35G	53.80	54.00	-0.20	47.75	3	Horizontal	355	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT V_1TX
Setting 85
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6018G	51.32	74.00	-22.68	67.34	3	Vertical	10	1.80	-	39.21	11.39	66.62			
AV	10.60012G	41.10	54.00	-12.90	57.13	3	Vertical	10	1.80	-	39.20	11.39	66.62			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_V_1TX
Setting 85
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.61233G	52.42	74.00	-21.58	68.39	3	Horizontal	46	1.80	-	39.25	11.39	66.61			
AV	10.60096G	42.14	54.00	-11.86	58.17	3	Horizontal	46	1.80	-	39.20	11.39	66.62			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT Y_1TX
Setting 78
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3282G	111.22	Inf	-Inf	105.19	3	Vertical	8	1.80	-	32.90	8.17	35.04				
AV	5.3284G	100.09	Inf	-Inf	94.06	3	Vertical	8	1.80	-	32.90	8.17	35.04				
PK	5.3596G	62.65	74.00	-11.35	56.59	3	Vertical	8	1.80	-	32.90	8.19	35.03				
AV	5.3602G	50.70	54.00	-3.30	44.64	3	Vertical	8	1.80	-	32.90	8.19	35.03				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Y_1TX
Setting 78
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3156G	114.25	Inf	-Inf	108.24	3	Horizontal	355	1.80	-	32.90	8.16	35.05			
AV	5.3188G	103.28	Inf	-Inf	97.26	3	Horizontal	355	1.80	-	32.90	8.17	35.05			
PK	5.3542G	65.92	74.00	-8.08	59.87	3	Horizontal	355	1.80	-	32.90	8.18	35.03			
AV	5.3598G	51.95	54.00	-2.05	45.89	3	Horizontal	355	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_V_1TX
Setting 78
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64027G	47.61	74.00	-26.39	63.42	3	Vertical	25	1.80	-	39.36	11.41	66.58			
AV	10.63781G	37.53	54.00	-16.47	53.35	3	Vertical	25	1.80	-	39.35	11.41	66.58			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_V_1TX
Setting 78
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63871G	51.15	74.00	-22.85	66.97	3	Horizontal	46	1.80	-	39.35	11.41	66.58			
AV	10.64009G	40.92	54.00	-13.08	56.73	3	Horizontal	46	1.80	-	39.36	11.41	66.58			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 80
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	64.72	74.00	-9.28	58.54	3	Vertical	11	1.80	-	32.92	8.26	35.00			
PK	5.4602G	65.18	68.20	-3.02	58.99	3	Vertical	11	1.80	-	32.92	8.26	34.99			
AV	5.46G	52.27	54.00	-1.73	46.08	3	Vertical	11	1.80	-	32.92	8.26	34.99			
PK	5.5014G	112.34	Inf	-Inf	106.02	3	Vertical	11	1.80	-	33.00	8.30	34.98			
AV	5.4986G	101.66	Inf	-Inf	95.34	3	Vertical	11	1.80	-	33.00	8.30	34.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Y_1TX
Setting 80
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4582G	66.16	74.00	-7.84	59.98	3	Horizontal	356	1.80	-	32.92	8.26	35.00			
AV	5.4598G	52.73	54.00	-1.27	46.54	3	Horizontal	356	1.80	-	32.92	8.26	34.99			
PK	5.4632G	65.01	68.20	-3.19	58.80	3	Horizontal	356	1.80	-	32.93	8.27	34.99			
PK	5.498G	114.18	Inf	-Inf	107.86	3	Horizontal	356	1.80	-	33.00	8.30	34.98			
AV	5.499G	103.05	Inf	-Inf	96.73	3	Horizontal	356	1.80	-	33.00	8.30	34.98			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_V_1TX
Setting 80
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00471G	50.34	74.00	-23.66	66.02	3	Vertical	310	1.80	-	38.91	11.60	66.19			
AV	11.00006G	40.00	54.00	-14.00	55.69	3	Vertical	310	1.80	-	38.90	11.60	66.19			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT V_1TX
Setting 80
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99958G	51.03	74.00	-22.97	66.72	3	Horizontal	4	1.80	-	38.90	11.60	66.19			
AV	10.9979G	40.30	54.00	-13.70	55.99	3	Horizontal	4	1.80	-	38.90	11.60	66.19			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_V_1TX
Setting 101
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3445G	56.76	68.20	-11.44	50.72	3	Vertical	352	1.80	-	32.90	8.18	35.04			
PK	5.4535G	60.92	74.00	-13.08	54.75	3	Vertical	352	1.80	-	32.91	8.26	35.00			
AV	5.459G	49.77	54.00	-4.23	43.58	3	Vertical	352	1.80	-	32.92	8.26	34.99			
PK	5.4685G	62.98	68.20	-5.22	56.76	3	Vertical	352	1.80	-	32.94	8.27	34.99			
PK	5.578G	116.69	Inf	-Inf	110.32	3	Vertical	352	1.80	-	32.94	8.37	34.94			
AV	5.578G	106.09	Inf	-Inf	99.72	3	Vertical	352	1.80	-	32.94	8.37	34.94			
PK	5.791G	60.03	68.20	-8.17	52.66	3	Vertical	352	1.80	-	33.76	8.45	34.84			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_V_1TX
Setting 101
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3485G	57.02	68.20	-11.18	50.97	3	Horizontal	351	1.80	-	32.90	8.18	35.03			
PK	5.444G	63.19	74.00	-10.81	57.04	3	Horizontal	351	1.80	-	32.90	8.25	35.00			
PK	5.469G	65.83	68.20	-2.37	59.61	3	Horizontal	351	1.80	-	32.94	8.27	34.99			
AV	5.4585G	50.84	54.00	-3.16	44.65	3	Horizontal	351	1.80	-	32.92	8.26	34.99			
PK	5.581G	117.72	Inf	-Inf	111.35	3	Horizontal	351	1.80	-	32.94	8.37	34.94			
AV	5.5775G	106.84	Inf	-Inf	100.46	3	Horizontal	351	1.80	-	32.95	8.37	34.94			
PK	5.7315G	61.93	68.20	-6.27	54.84	3	Horizontal	351	1.80	-	33.53	8.43	34.87			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_V_1TX
Setting 101
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16633G	56.30	74.00	-17.70	71.80	3	Vertical	46	1.80	-	39.00	11.69	66.19			
AV	11.15955G	46.41	54.00	-7.59	61.92	3	Vertical	46	1.80	-	39.00	11.68	66.19			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT_V_1TX
Setting 101
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16201G	55.66	74.00	-18.34	71.16	3	Horizontal	354	1.80	-	39.00	11.69	66.19			
AV	11.15997G	46.14	54.00	-7.86	61.65	3	Horizontal	354	1.80	-	39.00	11.68	66.19			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Y_1TX
Setting 60
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.691G	108.66	Inf	-Inf	103.47	3	Vertical	353	2.00	-	31.95	7.03	33.79			
AV	5.6951G	95.54	Inf	-Inf	90.32	3	Vertical	353	2.00	-	31.97	7.04	33.79			
PK	5.7283G	67.92	68.20	-0.28	62.62	3	Vertical	353	2.00	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT_Y_1TX
Setting 60
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6968G	108.03	Inf	-Inf	102.80	3	Horizontal	352	1.92	-	31.98	7.04	33.79			
AV	5.7027G	95.18	Inf	-Inf	89.92	3	Horizontal	352	1.92	-	32.00	7.05	33.79			
PK	5.725G	68.05	68.20	-0.15	62.75	3	Horizontal	352	1.92	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_V_1TX
Setting 60
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40396G	49.36	74.00	-24.64	64.65	3	Vertical	35	1.80	-	39.10	11.81	66.20			
AV	11.39913G	38.85	54.00	-15.15	54.14	3	Vertical	35	1.80	-	39.10	11.81	66.20			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_V_1TX
Setting 60
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38839G	48.54	74.00	-25.46	63.83	3	Horizontal	308	1.80	-	39.10	11.81	66.20			
AV	11.39823G	37.32	54.00	-16.68	52.61	3	Horizontal	308	1.80	-	39.10	11.81	66.20			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 89
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3966G	56.60	74.00	-17.40	50.51	3	Vertical	354	1.80	-	32.90	8.21	35.02			
PK	5.4652G	57.81	68.20	-10.39	51.60	3	Vertical	354	1.80	-	32.93	8.27	34.99			
AV	5.433G	46.77	54.00	-7.23	40.63	3	Vertical	354	1.80	-	32.90	8.24	35.00			
PK	5.713G	113.40	Inf	-Inf	106.41	3	Vertical	354	1.80	-	33.45	8.42	34.88			
AV	5.7151G	102.77	Inf	-Inf	95.77	3	Vertical	354	1.80	-	33.46	8.42	34.88			
PK	5.888G	59.69	68.20	-8.51	51.94	3	Vertical	354	1.80	-	34.05	8.49	34.79			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 89
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3819G	57.38	74.00	-16.62	51.30	3	Horizontal	353	1.80	-	32.90	8.20	35.02			
AV	5.4197G	47.15	54.00	-6.85	41.03	3	Horizontal	353	1.80	-	32.90	8.23	35.01			
PK	5.4687G	57.15	68.20	-11.05	50.93	3	Horizontal	353	1.80	-	32.94	8.27	34.99			
PK	5.7235G	115.15	Inf	-Inf	108.10	3	Horizontal	353	1.80	-	33.49	8.43	34.87			
AV	5.7123G	104.79	Inf	-Inf	97.80	3	Horizontal	353	1.80	-	33.45	8.42	34.88			
PK	5.8719G	59.66	68.20	-8.54	51.99	3	Horizontal	353	1.80	-	33.99	8.48	34.80			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_V_1TX
Setting 89
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44153G	53.72	74.00	-20.28	68.99	3	Vertical	36	1.80	-	39.10	11.83	66.20			
AV	11.43877G	43.05	54.00	-10.95	58.32	3	Vertical	36	1.80	-	39.10	11.83	66.20			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 89
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44162G	51.93	74.00	-22.07	67.20	3	Horizontal	354	1.80	-	39.10	11.83	66.20			
AV	11.44081G	41.30	54.00	-12.70	56.57	3	Horizontal	354	1.80	-	39.10	11.83	66.20			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_V_1TX
Setting 84
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1363G	56.91	74.00	-17.09	50.89	3	Vertical	4	1.80	-	33.07	8.06	35.11			
AV	5.14365G	46.76	54.00	-7.24	40.71	3	Vertical	4	1.80	-	33.09	8.07	35.11			
PK	5.26265G	109.34	Inf	-Inf	103.31	3	Vertical	4	1.80	-	32.97	8.13	35.07			
AV	5.28505G	98.12	Inf	-Inf	92.10	3	Vertical	4	1.80	-	32.93	8.15	35.06			
PK	5.35155G	63.92	74.00	-10.08	57.87	3	Vertical	4	1.80	-	32.90	8.18	35.03			
AV	5.35225G	50.33	54.00	-3.67	44.28	3	Vertical	4	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_V_1TX
Setting 84
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14995G	57.72	74.00	-16.28	51.66	3	Horizontal	353	1.80	-	33.10	8.07	35.11			
AV	5.11635G	46.94	54.00	-7.06	40.98	3	Horizontal	353	1.80	-	33.03	8.05	35.12			
PK	5.2735G	112.50	Inf	-Inf	106.47	3	Horizontal	353	1.80	-	32.95	8.14	35.06			
AV	5.2756G	101.22	Inf	-Inf	95.19	3	Horizontal	353	1.80	-	32.95	8.14	35.06			
PK	5.3547G	65.32	74.00	-8.68	59.26	3	Horizontal	353	1.80	-	32.90	8.19	35.03			
AV	5.3519G	53.52	54.00	-0.48	47.47	3	Horizontal	353	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_V_1TX
Setting 84
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.54708G	46.06	68.20	-22.14	62.49	3	Vertical	56	1.80	-	38.89	11.36	66.68				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_V_1TX
Setting 84
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.53883G	47.64	68.20	-20.56	64.09	3	Horizontal	45	1.80	-	38.88	11.36	66.69				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT Y_1TX
Setting 77
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3195G	108.25	Inf	-Inf	102.22	3	Vertical	4	1.00	-	32.90	8.17	35.04			
AV	5.315G	96.72	Inf	-Inf	90.71	3	Vertical	4	1.00	-	32.90	8.16	35.05			
PK	5.35725G	60.05	74.00	-13.95	53.99	3	Vertical	4	1.00	-	32.90	8.19	35.03			
AV	5.35625G	49.69	54.00	-4.31	43.63	3	Vertical	4	1.00	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Y_1TX
Setting 77
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3065G	110.35	Inf	-Inf	104.34	3	Horizontal	354	1.80	-	32.90	8.16	35.05				
AV	5.31125G	99.51	Inf	-Inf	93.50	3	Horizontal	354	1.80	-	32.90	8.16	35.05				
PK	5.35775G	62.05	74.00	-11.95	55.99	3	Horizontal	354	1.80	-	32.90	8.19	35.03				
AV	5.3525G	51.44	54.00	-2.56	45.39	3	Horizontal	354	1.80	-	32.90	8.18	35.03				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_V_1TX
Setting 77
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.60848G	48.47	74.00	-25.53	64.46	3	Vertical	41	1.80	-	39.23	11.39	66.61			
AV	10.61514G	37.11	54.00	-16.89	53.06	3	Vertical	41	1.80	-	39.26	11.40	66.61			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_V_1TX
Setting 77
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.61412G	49.34	74.00	-24.66	65.29	3	Horizontal	45	1.80	-	39.26	11.40	66.61			
AV	10.60989G	38.45	54.00	-15.55	54.43	3	Horizontal	45	1.80	-	39.24	11.39	66.61			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Y_1TX
Setting 78
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.44975G	65.25	74.00	-8.75	59.10	3	Vertical	10	1.80	-	32.90	8.25	35.00			
AV	5.454G	53.39	54.00	-0.61	47.22	3	Vertical	10	1.80	-	32.91	8.26	35.00			
PK	5.46575G	63.65	68.20	-4.55	57.44	3	Vertical	10	1.80	-	32.93	8.27	34.99			
PK	5.50225G	110.09	Inf	-Inf	103.77	3	Vertical	10	1.80	-	33.00	8.30	34.98			
AV	5.5125G	99.25	Inf	-Inf	92.91	3	Vertical	10	1.80	-	33.00	8.31	34.97			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_V_1TX
Setting 78
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.455G	64.22	74.00	-9.78	58.05	3	Horizontal	353	1.80	-	32.91	8.26	35.00			
AV	5.45375G	53.95	54.00	-0.05	47.78	3	Horizontal	353	1.80	-	32.91	8.26	35.00			
PK	5.46125G	64.05	68.20	-4.15	57.85	3	Horizontal	353	1.80	-	32.92	8.27	34.99			
PK	5.4985G	111.51	Inf	-Inf	105.19	3	Horizontal	353	1.80	-	33.00	8.30	34.98			
AV	5.4995G	99.87	Inf	-Inf	93.55	3	Horizontal	353	1.80	-	33.00	8.30	34.98			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5510MHz_TX

EUT Y_1TX
Setting 78
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02447G	49.15	74.00	-24.85	64.78	3	Vertical	310	1.80	-	38.95	11.61	66.19			
AV	11.02102G	37.84	54.00	-16.16	53.48	3	Vertical	310	1.80	-	38.94	11.61	66.19			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_V_1TX
Setting 78
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0107G	47.92	74.00	-26.08	63.58	3	Horizontal	3	1.80	-	38.92	11.61	66.19			
AV	11.02237G	37.28	54.00	-16.72	52.92	3	Horizontal	3	1.80	-	38.94	11.61	66.19			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_V_1TX
Setting 83
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3277G	56.12	68.20	-12.08	50.09	3	Vertical	350	1.80	-	32.90	8.17	35.04			
PK	5.45685G	62.42	74.00	-11.58	56.25	3	Vertical	350	1.80	-	32.91	8.26	35.00			
AV	5.46G	50.27	54.00	-3.73	44.08	3	Vertical	350	1.80	-	32.92	8.26	34.99			
PK	5.4663G	63.37	68.20	-4.83	57.16	3	Vertical	350	1.80	-	32.93	8.27	34.99			
PK	5.55945G	110.88	Inf	-Inf	104.50	3	Vertical	350	1.80	-	32.98	8.35	34.95			
AV	5.5617G	99.76	Inf	-Inf	93.37	3	Vertical	350	1.80	-	32.98	8.36	34.95			
PK	5.73675G	58.78	68.20	-9.42	51.67	3	Vertical	350	1.80	-	33.55	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_V_1TX
Setting 83
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.34795G	57.31	68.20	-10.89	51.26	3	Horizontal	356	1.80	-	32.90	8.18	35.03			
PK	5.45955G	64.30	74.00	-9.70	58.11	3	Horizontal	356	1.80	-	32.92	8.26	34.99			
AV	5.4591G	52.37	54.00	-1.63	46.18	3	Horizontal	356	1.80	-	32.92	8.26	34.99			
PK	5.46945G	66.86	68.20	-1.34	60.64	3	Horizontal	356	1.80	-	32.94	8.27	34.99			
PK	5.54775G	112.16	Inf	-Inf	105.78	3	Horizontal	356	1.80	-	33.00	8.34	34.96			
AV	5.5545G	101.27	Inf	-Inf	94.88	3	Horizontal	356	1.80	-	32.99	8.35	34.95			
PK	5.7723G	59.25	68.20	-8.95	51.97	3	Horizontal	356	1.80	-	33.69	8.44	34.85			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_V_1TX
Setting 83
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09949G	52.00	74.00	-22.00	67.44	3	Vertical	309	1.80	-	39.10	11.65	66.19			
AV	11.10003G	41.42	54.00	-12.58	56.86	3	Vertical	309	1.80	-	39.10	11.65	66.19			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_V_1TX
Setting 83
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10609G	48.67	74.00	-25.33	64.11	3	Horizontal	352	1.80	-	39.09	11.66	66.19			
AV	11.10729G	38.76	54.00	-15.24	54.20	3	Horizontal	352	1.80	-	39.09	11.66	66.19			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT Y_1TX
Setting 79
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6775G	108.99	Inf	-Inf	102.25	3	Vertical	350	1.80	-	33.22	8.41	34.89			
AV	5.665G	98.20	Inf	-Inf	91.57	3	Vertical	350	1.80	-	33.12	8.41	34.90			
PK	5.72525G	65.34	68.20	-2.86	58.28	3	Vertical	350	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT Y_1TX
Setting 79
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.67925G	111.03	Inf	-Inf	104.28	3	Horizontal	353	1.80	-	33.23	8.41	34.89			
AV	5.6845G	99.89	Inf	-Inf	93.08	3	Horizontal	353	1.80	-	33.28	8.42	34.89			
PK	5.72525G	67.37	68.20	-0.83	60.31	3	Horizontal	353	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_V_1TX
Setting 79
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.33859G	50.28	74.00	-23.72	65.60	3	Vertical	34	1.80	-	39.10	11.78	66.20			
AV	11.33499G	39.19	54.00	-14.81	54.51	3	Vertical	34	1.80	-	39.10	11.78	66.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_V_1TX
Setting 79
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34048G	47.47	74.00	-26.53	62.79	3	Horizontal	360	1.80	-	39.10	11.78	66.20			
AV	11.34195G	36.84	54.00	-17.16	52.16	3	Horizontal	360	1.80	-	39.10	11.78	66.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 92
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4538G	58.03	74.00	-15.97	51.86	3	Vertical	350	1.80	-	32.91	8.26	35.00			
AV	5.458G	47.47	54.00	-6.53	41.29	3	Vertical	350	1.80	-	32.92	8.26	35.00			
PK	5.4643G	57.35	68.20	-10.85	51.14	3	Vertical	350	1.80	-	32.93	8.27	34.99			
PK	5.7135G	111.49	Inf	-Inf	104.50	3	Vertical	350	1.80	-	33.45	8.42	34.88			
AV	5.7135G	101.03	Inf	-Inf	94.04	3	Vertical	350	1.80	-	33.45	8.42	34.88			
PK	5.8514G	65.46	68.20	-2.74	57.89	3	Vertical	350	1.80	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 92
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4517G	58.30	74.00	-15.70	52.14	3	Horizontal	347	1.80	-	32.90	8.26	35.00			
PK	5.4601G	58.12	68.20	-10.08	51.93	3	Horizontal	347	1.80	-	32.92	8.26	34.99			
AV	5.4594G	48.42	54.00	-5.58	42.23	3	Horizontal	347	1.80	-	32.92	8.26	34.99			
PK	5.7009G	112.74	Inf	-Inf	105.80	3	Horizontal	347	1.80	-	33.40	8.42	34.88			
AV	5.703G	102.68	Inf	-Inf	95.73	3	Horizontal	347	1.80	-	33.41	8.42	34.88			
PK	5.8514G	67.80	68.20	-0.40	60.23	3	Horizontal	347	1.80	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 92
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40839G	53.57	74.00	-20.43	68.85	3	Vertical	35	1.80	-	39.10	11.82	66.20			
AV	11.42288G	42.93	54.00	-11.07	58.21	3	Vertical	35	1.80	-	39.10	11.82	66.20			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_1TX
Setting 92
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41631G	50.03	74.00	-23.97	65.31	3	Horizontal	354	1.80	-	39.10	11.82	66.20			
AV	11.4137G	39.59	54.00	-14.41	54.87	3	Horizontal	354	1.80	-	39.10	11.82	66.20			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
Setting 74
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.078G	56.58	74.00	-17.42	50.64	3	Vertical	0	1.80	-	33.04	8.03	35.13
AV	5.1215G	46.63	54.00	-7.37	40.66	3	Vertical	0	1.80	-	33.04	8.05	35.12
PK	5.2885G	104.19	Inf	-Inf	98.18	3	Vertical	0	1.80	-	32.92	8.15	35.06
AV	5.301G	92.63	Inf	-Inf	86.62	3	Vertical	0	1.80	-	32.90	8.16	35.05
PK	5.377G	60.95	74.00	-13.05	54.87	3	Vertical	0	1.80	-	32.90	8.20	35.02
AV	5.3875G	50.97	54.00	-3.03	44.89	3	Vertical	0	1.80	-	32.90	8.20	35.02
PK	5.476G	58.21	68.20	-9.99	51.97	3	Vertical	0	1.80	-	32.95	8.28	34.99

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
Setting 74
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.103G	56.86	74.00	-17.14	50.93	3	Horizontal	351	1.80	-	33.01	8.04	35.12
AV	5.148G	46.61	54.00	-7.39	40.55	3	Horizontal	351	1.80	-	33.10	8.07	35.11
PK	5.302G	106.70	Inf	-Inf	100.69	3	Horizontal	351	1.80	-	32.90	8.16	35.05
AV	5.303G	96.04	Inf	-Inf	90.03	3	Horizontal	351	1.80	-	32.90	8.16	35.05
PK	5.374G	62.69	74.00	-11.31	56.62	3	Horizontal	351	1.80	-	32.90	8.20	35.03
AV	5.388G	52.89	54.00	-1.11	46.81	3	Horizontal	351	1.80	-	32.90	8.20	35.02
PK	5.4955G	57.53	68.20	-10.67	51.22	3	Horizontal	351	1.80	-	32.99	8.30	34.98

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
Setting 74
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.57544G	46.30	68.20	-21.90	62.53	3	Vertical	0	1.80	-	39.05	11.37	66.65				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_V_1TX
Setting 74
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59038G	46.92	68.20	-21.28	63.03	3	Horizontal	303	1.80	-	39.14	11.38	66.63			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_V_1TX
Setting 80
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.348G	57.07	68.20	-11.13	51.02	3	Vertical	6	1.80	-	32.90	8.18	35.03			
PK	5.45G	62.95	74.00	-11.05	56.79	3	Vertical	6	1.80	-	32.90	8.26	35.00			
AV	5.456G	52.97	54.00	-1.03	46.80	3	Vertical	6	1.80	-	32.91	8.26	35.00			
PK	5.465G	64.10	68.20	-4.10	57.89	3	Vertical	6	1.80	-	32.93	8.27	34.99			
PK	5.5345G	106.44	Inf	-Inf	100.07	3	Vertical	6	1.80	-	33.00	8.33	34.96			
AV	5.5035G	95.50	Inf	-Inf	89.18	3	Vertical	6	1.80	-	33.00	8.30	34.98			
PK	5.7395G	58.65	68.20	-9.55	51.53	3	Vertical	6	1.80	-	33.56	8.43	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_V_1TX
Setting 80
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	57.58	68.20	-10.62	51.54	3	Horizontal	348	1.80	-	32.90	8.18	35.04			
PK	5.456G	63.46	74.00	-10.54	57.29	3	Horizontal	348	1.80	-	32.91	8.26	35.00			
AV	5.456G	53.72	54.00	-0.28	47.55	3	Horizontal	348	1.80	-	32.91	8.26	35.00			
PK	5.4695G	64.41	68.20	-3.79	58.19	3	Horizontal	348	1.80	-	32.94	8.27	34.99			
PK	5.5355G	107.93	Inf	-Inf	101.56	3	Horizontal	348	1.80	-	33.00	8.33	34.96			
AV	5.545G	96.96	Inf	-Inf	90.58	3	Horizontal	348	1.80	-	33.00	8.34	34.96			
PK	5.7745G	59.50	68.20	-8.70	52.21	3	Horizontal	348	1.80	-	33.70	8.44	34.85			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT_V_1TX
Setting 80
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.07014G	47.37	74.00	-26.63	62.88	3	Vertical	309	1.80	-	39.04	11.64	66.19			
AV	11.07392G	36.77	54.00	-17.23	52.27	3	Vertical	309	1.80	-	39.05	11.64	66.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT_V_1TX
Setting 80
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.07014G	46.52	74.00	-27.48	62.03	3	Horizontal	302	1.80	-	39.04	11.64	66.19			
AV	11.07035G	35.88	54.00	-18.12	51.39	3	Horizontal	302	1.80	-	39.04	11.64	66.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
Setting 84
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	64.63	74.00	-9.37	58.48	3	Vertical	8	1.80	-	32.90	8.25	35.00			
PK	5.465G	66.48	68.20	-1.72	60.27	3	Vertical	8	1.80	-	32.93	8.27	34.99			
AV	5.459G	52.27	54.00	-1.73	46.08	3	Vertical	8	1.80	-	32.92	8.26	34.99			
PK	5.598G	108.23	Inf	-Inf	101.87	3	Vertical	8	1.80	-	32.90	8.39	34.93			
AV	5.6005G	97.22	Inf	-Inf	90.86	3	Vertical	8	1.80	-	32.90	8.39	34.93			
PK	5.7285G	63.84	68.20	-4.36	56.77	3	Vertical	8	1.80	-	33.51	8.43	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
Setting 84
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.445G	65.78	74.00	-8.22	59.63	3	Horizontal	351	1.80	-	32.90	8.25	35.00			
PK	5.465G	66.37	68.20	-1.83	60.16	3	Horizontal	351	1.80	-	32.93	8.27	34.99			
AV	5.46G	52.82	54.00	-1.18	46.63	3	Horizontal	351	1.80	-	32.92	8.26	34.99			
PK	5.6195G	109.40	Inf	-Inf	102.98	3	Horizontal	351	1.80	-	32.94	8.40	34.92			
AV	5.617G	98.54	Inf	-Inf	92.13	3	Horizontal	351	1.80	-	32.93	8.40	34.92			
PK	5.725G	68.15	68.20	-0.05	61.09	3	Horizontal	351	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT Y_1TX
Setting 84
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23014G	49.77	74.00	-24.23	65.24	3	Vertical	311	1.80	-	39.00	11.72	66.19			
AV	11.22324G	38.74	54.00	-15.26	54.21	3	Vertical	311	1.80	-	39.00	11.72	66.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_V_1TX
Setting 84
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.23059G	50.01	74.00	-23.99	65.48	3	Horizontal	356	1.80	-	39.00	11.72	66.19			
AV	11.22081G	39.07	54.00	-14.93	54.54	3	Horizontal	356	1.80	-	39.00	11.72	66.19			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 86
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3442G	56.02	68.20	-12.18	49.98	3	Vertical	350	1.80	-	32.90	8.18	35.04				
PK	5.438G	61.35	74.00	-12.65	55.21	3	Vertical	350	1.80	-	32.90	8.24	35.00				
PK	5.4688G	62.62	68.20	-5.58	56.40	3	Vertical	350	1.80	-	32.94	8.27	34.99				
AV	5.4548G	49.74	54.00	-4.26	43.57	3	Vertical	350	1.80	-	32.91	8.26	35.00				
PK	5.6634G	107.79	Inf	-Inf	101.17	3	Vertical	350	1.80	-	33.11	8.41	34.90				
AV	5.6816G	96.93	Inf	-Inf	90.16	3	Vertical	350	1.80	-	33.25	8.41	34.89				
PK	5.85G	66.27	68.20	-1.93	58.71	3	Vertical	350	1.80	-	33.90	8.47	34.81				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 86
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3491G	57.64	68.20	-10.56	51.59	3	Horizontal	350	1.80	-	32.90	8.18	35.03				
PK	5.4541G	63.86	74.00	-10.14	57.69	3	Horizontal	350	1.80	-	32.91	8.26	35.00				
AV	5.4548G	52.15	54.00	-1.85	45.98	3	Horizontal	350	1.80	-	32.91	8.26	35.00				
PK	5.4653G	65.81	68.20	-2.39	59.60	3	Horizontal	350	1.80	-	32.93	8.27	34.99				
PK	5.6802G	110.36	Inf	-Inf	103.60	3	Horizontal	350	1.80	-	33.24	8.41	34.89				
AV	5.6942G	99.15	Inf	-Inf	92.27	3	Horizontal	350	1.80	-	33.35	8.42	34.89				
PK	5.8524G	68.00	68.20	-0.20	60.43	3	Horizontal	350	1.80	-	33.91	8.47	34.81				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT V_1TX
Setting 86
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39044G	51.69	74.00	-22.31	66.98	3	Vertical	34	1.80	-	39.10	11.81	66.20			
AV	11.38198G	40.44	54.00	-13.56	55.74	3	Vertical	34	1.80	-	39.10	11.80	66.20			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_1TX
Setting 86
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39008G	49.19	74.00	-24.81	64.48	3	Horizontal	354	1.80	-	39.10	11.81	66.20			
AV	11.38078G	38.40	54.00	-15.60	53.70	3	Horizontal	354	1.80	-	39.10	11.80	66.20			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 73
06-H-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	65.24	74.00	-8.76	60.28	3	Vertical	354	1.82	-	31.90	6.78	33.72			
AV	5.146G	48.00	54.00	-6.00	43.07	3	Vertical	354	1.82	-	31.88	6.77	33.72			
PK	5.318G	98.44	Inf	-Inf	94.09	3	Vertical	354	1.82	-	31.24	6.87	33.76			
AV	5.3268G	86.62	Inf	-Inf	82.26	3	Vertical	354	1.82	-	31.25	6.87	33.76			
PK	5.35G	69.41	74.00	-4.59	65.01	3	Vertical	354	1.82	-	31.30	6.87	33.77			
AV	5.3596G	51.46	54.00	-2.54	47.04	3	Vertical	354	1.82	-	31.32	6.87	33.77			
PK	5.4796G	59.46	68.20	-8.74	54.75	3	Vertical	354	1.82	-	31.62	6.89	33.80			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 73
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	64.94	74.00	-9.06	60.00	3	Horizontal	352	1.80	-	31.89	6.77	33.72			
AV	5.15G	48.24	54.00	-5.76	43.28	3	Horizontal	352	1.80	-	31.90	6.78	33.72			
PK	5.3076G	100.66	Inf	-Inf	96.33	3	Horizontal	352	1.80	-	31.22	6.87	33.76			
AV	5.3124G	88.63	Inf	-Inf	84.30	3	Horizontal	352	1.80	-	31.22	6.87	33.76			
PK	5.35G	72.06	74.00	-1.94	67.66	3	Horizontal	352	1.80	-	31.30	6.87	33.77			
AV	5.3588G	53.64	54.00	-0.36	49.22	3	Horizontal	352	1.80	-	31.32	6.87	33.77			
PK	5.4636G	60.18	68.20	-8.02	55.54	3	Horizontal	352	1.80	-	31.55	6.89	33.80			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 73
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.50117G	44.22	68.20	-23.98	60.81	3	Vertical	353	1.80	-	38.80	11.34	66.73				

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_1TX
Setting 73
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.48668G	44.85	68.20	-23.35	61.41	3	Horizontal	136	1.80	-	38.83	11.33	66.72				

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 71
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3292G	56.36	68.20	-11.84	52.00	3	Vertical	14	1.91	-	31.26	6.87	33.77			
PK	5.4572G	66.30	74.00	-7.70	61.68	3	Vertical	14	1.91	-	31.53	6.89	33.80			
AV	5.4572G	48.50	54.00	-5.50	43.88	3	Vertical	14	1.91	-	31.53	6.89	33.80			
PK	5.462G	68.10	68.20	-0.10	63.46	3	Vertical	14	1.91	-	31.55	6.89	33.80			
PK	5.5828G	100.22	Inf	-Inf	95.48	3	Vertical	14	1.91	-	31.63	6.91	33.80			
AV	5.5996G	87.90	Inf	-Inf	83.19	3	Vertical	14	1.91	-	31.60	6.91	33.80			
PK	5.7396G	61.06	68.20	-7.14	55.74	3	Vertical	14	1.91	-	32.00	7.10	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




EUT_Y_1TX
Setting 71
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3444G	56.72	68.20	-11.48	52.33	3	Horizontal	346	1.80	-	31.29	6.87	33.77
PK	5.458G	65.77	74.00	-8.23	61.15	3	Horizontal	346	1.80	-	31.53	6.89	33.80
AV	5.4556G	47.95	54.00	-6.05	43.34	3	Horizontal	346	1.80	-	31.52	6.89	33.80
PK	5.47G	68.01	68.20	-0.19	63.34	3	Horizontal	346	1.80	-	31.58	6.89	33.80
PK	5.6204G	100.28	Inf	-Inf	95.50	3	Horizontal	346	1.80	-	31.64	6.94	33.80
AV	5.6292G	87.78	Inf	-Inf	82.96	3	Horizontal	346	1.80	-	31.66	6.95	33.79
PK	5.738G	62.24	68.20	-5.96	56.92	3	Horizontal	346	1.80	-	32.00	7.10	33.78

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX


5570MHz_TX

EUT_Y_1TX
Setting 71
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14873G	45.41	74.00	-28.59	60.92	3	Vertical	89	1.67	-	39.00	11.68	66.19			
AV	11.14021G	35.24	54.00	-18.76	50.74	3	Vertical	89	1.67	-	39.02	11.67	66.19			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX


5570MHz_TX

EUT_Y_1TX
Setting 71
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13613G	45.77	74.00	-28.23	61.26	3	Horizontal	4	1.80	-	39.03	11.67	66.19			
AV	11.13586G	35.42	54.00	-18.58	50.91	3	Horizontal	4	1.80	-	39.03	11.67	66.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT V_2TX
Setting 89
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13435G	58.15	74.00	-15.85	52.13	3	Vertical	343	1.80	-	33.07	8.06	35.11			
AV	5.13085G	47.64	54.00	-6.36	41.63	3	Vertical	343	1.80	-	33.06	8.06	35.11			
PK	5.267G	116.26	Inf	-Inf	110.21	3	Vertical	343	1.80	-	32.97	8.14	35.06			
AV	5.26175G	108.93	Inf	-Inf	102.89	3	Vertical	343	1.80	-	32.98	8.13	35.07			
PK	5.38075G	59.12	74.00	-14.88	53.04	3	Vertical	343	1.80	-	32.90	8.20	35.02			
AV	5.35625G	49.69	54.00	-4.31	43.63	3	Vertical	343	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
Setting 89
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13155G	56.95	74.00	-17.05	50.94	3	Horizontal	346	1.80	-	33.06	8.06	35.11			
AV	5.12665G	48.06	54.00	-5.94	42.06	3	Horizontal	346	1.80	-	33.05	8.06	35.11			
PK	5.2586G	116.96	Inf	-Inf	110.92	3	Horizontal	346	1.80	-	32.98	8.13	35.07			
AV	5.2642G	109.67	Inf	-Inf	103.62	3	Horizontal	346	1.80	-	32.97	8.14	35.06			
PK	5.3559G	59.76	74.00	-14.24	53.70	3	Horizontal	346	1.80	-	32.90	8.19	35.03			
AV	5.35835G	49.70	54.00	-4.30	43.64	3	Horizontal	346	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX


EUT_V_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.51888G	56.87	68.20	-11.33	73.39	3	Vertical	352	1.80	89	38.84	11.35	66.71				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX

EUT_V_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51752G	55.95	68.20	-12.25	72.48	3	Horizontal	45	1.80	89	38.84	11.34	66.71			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
Setting 82
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.30625G	114.32	Inf	-Inf	108.31	3	Vertical	354	1.80	-	32.90	8.16	35.05			
AV	5.297G	106.98	Inf	-Inf	100.97	3	Vertical	354	1.80	-	32.91	8.15	35.05			
PK	5.35025G	65.72	74.00	-8.28	59.67	3	Vertical	354	1.80	-	32.90	8.18	35.03			
AV	5.35G	51.52	54.00	-2.48	45.47	3	Vertical	354	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
Setting 82
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2985G	117.01	Inf	-Inf	111.01	3	Horizontal	349	1.80	-	32.90	8.15	35.05				
AV	5.30375G	109.55	Inf	-Inf	103.54	3	Horizontal	349	1.80	-	32.90	8.16	35.05				
PK	5.35125G	67.58	74.00	-6.42	61.53	3	Horizontal	349	1.80	-	32.90	8.18	35.03				
AV	5.352G	53.74	54.00	-0.26	47.69	3	Horizontal	349	1.80	-	32.90	8.18	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT_Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60448G	55.42	74.00	-18.58	71.43	3	Vertical	44	1.80	82	39.22	11.39	66.62			
AV	10.60718G	41.23	54.00	-12.77	57.22	3	Vertical	44	1.80	82	39.23	11.39	66.61			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT_Y_2TX
SET 82

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6076G	56.22	74.00	-17.78	72.21	3	Horizontal	46	1.80	82	39.23	11.39	66.61			
AV	10.60208G	47.16	54.00	-6.84	63.18	3	Horizontal	46	1.80	82	39.21	11.39	66.62			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_V_2TX
Setting 73
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3266G	112.62	Inf	-Inf	106.59	3	Vertical	343	1.80	-	32.90	8.17	35.04			
AV	5.327G	104.61	Inf	-Inf	98.58	3	Vertical	343	1.80	-	32.90	8.17	35.04			
PK	5.3556G	65.08	74.00	-8.92	59.02	3	Vertical	343	1.80	-	32.90	8.19	35.03			
AV	5.3512G	51.04	54.00	-2.96	44.99	3	Vertical	343	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_V_2TX
Setting 73
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3188G	113.88	Inf	-Inf	107.86	3	Horizontal	348	1.80	-	32.90	8.17	35.05			
AV	5.324G	106.71	Inf	-Inf	100.68	3	Horizontal	348	1.80	-	32.90	8.17	35.04			
PK	5.3558G	65.67	74.00	-8.33	59.61	3	Horizontal	348	1.80	-	32.90	8.19	35.03			
AV	5.35G	52.32	54.00	-1.68	46.27	3	Horizontal	348	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX

EUT_Y_2TX
SET 73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63964G	51.40	74.00	-22.60	67.21	3	Vertical	48	1.80	73	39.36	11.41	66.58			
AV	10.63948G	41.91	54.00	-12.09	57.72	3	Vertical	48	1.80	73	39.36	11.41	66.58			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX

EUT_Y_2TX
SET 73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6378G	51.20	74.00	-22.80	67.02	3	Horizontal	309	1.80	73	39.35	11.41	66.58			
AV	10.63684G	41.94	54.00	-12.06	57.76	3	Horizontal	309	1.80	73	39.35	11.41	66.58			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT V_2TX
Setting 75
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	62.84	74.00	-11.16	56.67	3	Vertical	346	1.80	-	32.91	8.26	35.00			
AV	5.4582G	51.67	54.00	-2.33	45.49	3	Vertical	346	1.80	-	32.92	8.26	35.00			
PK	5.4644G	64.61	68.20	-3.59	58.40	3	Vertical	346	1.80	-	32.93	8.27	34.99			
PK	5.4958G	113.65	Inf	-Inf	107.34	3	Vertical	346	1.80	-	32.99	8.30	34.98			
AV	5.4964G	106.51	Inf	-Inf	100.20	3	Vertical	346	1.80	-	32.99	8.30	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
Setting 75
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	64.26	74.00	-9.74	58.08	3	Horizontal	350	1.80	-	32.92	8.26	35.00			
AV	5.4592G	53.90	54.00	-0.10	47.71	3	Horizontal	350	1.80	-	32.92	8.26	34.99			
PK	5.47G	66.84	68.20	-1.36	60.62	3	Horizontal	350	1.80	-	32.94	8.27	34.99			
PK	5.4986G	116.23	Inf	-Inf	109.91	3	Horizontal	350	1.80	-	33.00	8.30	34.98			
AV	5.5038G	108.49	Inf	-Inf	102.17	3	Horizontal	350	1.80	-	33.00	8.30	34.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_V_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99936G	53.33	74.00	-20.67	69.02	3	Vertical	311	1.80	75	38.90	11.60	66.19			
AV	10.99908G	43.98	54.00	-10.02	59.67	3	Vertical	311	1.80	75	38.90	11.60	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Y_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00212G	50.24	74.00	-23.76	65.93	3	Horizontal	7	1.80	75	38.90	11.60	66.19			
AV	10.99772G	40.76	54.00	-13.24	56.45	3	Horizontal	7	1.80	75	38.90	11.60	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
Setting 96
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	58.94	74.00	-15.06	52.75	3	Vertical	345	1.80	-	32.92	8.26	34.99			
AV	5.4592G	50.50	54.00	-3.50	44.31	3	Vertical	345	1.80	-	32.92	8.26	34.99			
PK	5.4656G	61.50	68.20	-6.70	55.29	3	Vertical	345	1.80	-	32.93	8.27	34.99			
PK	5.5772G	119.40	Inf	-Inf	113.02	3	Vertical	345	1.80	-	32.95	8.37	34.94			
AV	5.5812G	112.00	Inf	-Inf	105.63	3	Vertical	345	1.80	-	32.94	8.37	34.94			
PK	5.74G	59.68	68.20	-8.52	52.55	3	Vertical	345	1.80	-	33.56	8.43	34.86			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
Setting 96
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4528G	60.12	74.00	-13.88	53.95	3	Horizontal	353	1.80	-	32.91	8.26	35.00			
AV	5.4572G	50.70	54.00	-3.30	44.53	3	Horizontal	353	1.80	-	32.91	8.26	35.00			
PK	5.464G	61.72	68.20	-6.48	55.51	3	Horizontal	353	1.80	-	32.93	8.27	34.99			
PK	5.5784G	120.77	Inf	-Inf	114.40	3	Horizontal	353	1.80	-	32.94	8.37	34.94			
AV	5.584G	113.28	Inf	-Inf	106.91	3	Horizontal	353	1.80	-	32.93	8.38	34.94			
PK	5.7328G	60.16	68.20	-8.04	53.07	3	Horizontal	353	1.80	-	33.53	8.43	34.87			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_V_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15748G	59.40	74.00	-14.60	74.91	3	Vertical	315	1.80	96	39.00	11.68	66.19			
AV	11.16352G	50.75	54.00	-3.25	66.25	3	Vertical	315	1.80	96	39.00	11.69	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16172G	58.88	74.00	-15.12	74.38	3	Horizontal	355	1.80	96	39.00	11.69	66.19			
AV	11.15668G	49.59	54.00	-4.41	65.10	3	Horizontal	355	1.80	96	39.00	11.68	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 59
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6969G	109.38	Inf	-Inf	104.15	3	Vertical	356	2.03	-	31.98	7.04	33.79				
AV	5.6964G	100.51	Inf	-Inf	95.28	3	Vertical	356	2.03	-	31.98	7.04	33.79				
PK	5.7268G	64.49	68.20	-3.71	59.19	3	Vertical	356	2.03	-	32.00	7.08	33.78				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 59
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6987G	109.96	Inf	-Inf	104.72	3	Horizontal	348	1.80	-	31.99	7.04	33.79			
AV	5.694G	101.25	Inf	-Inf	96.04	3	Horizontal	348	1.80	-	31.96	7.04	33.79			
PK	5.7285G	67.81	68.20	-0.39	62.51	3	Horizontal	348	1.80	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39876G	48.06	74.00	-25.94	63.35	3	Vertical	309	1.80	55	39.10	11.81	66.20			
AV	11.40336G	37.82	54.00	-16.18	53.11	3	Vertical	309	1.80	55	39.10	11.81	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
SET 59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39632G	46.75	74.00	-27.25	62.04	3	Horizontal	36	1.80	55	39.10	11.81	66.20			
AV	11.39724G	36.73	54.00	-17.27	52.02	3	Horizontal	36	1.80	55	39.10	11.81	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 92
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4575G	57.23	74.00	-16.77	51.06	3	Vertical	349	1.80	-	32.91	8.26	35.00				
AV	5.4554G	47.93	54.00	-6.07	41.76	3	Vertical	349	1.80	-	32.91	8.26	35.00				
PK	5.4624G	56.79	68.20	-11.41	50.59	3	Vertical	349	1.80	-	32.92	8.27	34.99				
PK	5.7207G	116.76	Inf	-Inf	109.72	3	Vertical	349	1.80	-	33.48	8.43	34.87				
AV	5.7214G	109.66	Inf	-Inf	102.61	3	Vertical	349	1.80	-	33.49	8.43	34.87				
PK	5.8635G	60.61	68.20	-7.59	52.99	3	Vertical	349	1.80	-	33.95	8.48	34.81				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 92
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.37G	57.72	74.00	-16.28	51.66	3	Horizontal	350	1.80	-	32.90	8.19	35.03			
PK	5.4673G	58.85	68.20	-9.35	52.64	3	Horizontal	350	1.80	-	32.93	8.27	34.99			
AV	5.4491G	48.63	54.00	-5.37	42.48	3	Horizontal	350	1.80	-	32.90	8.25	35.00			
PK	5.7186G	120.20	Inf	-Inf	113.18	3	Horizontal	350	1.80	-	33.47	8.43	34.88			
AV	5.7137G	112.58	Inf	-Inf	105.59	3	Horizontal	350	1.80	-	33.45	8.42	34.88			
PK	5.8656G	63.28	68.20	-4.92	55.64	3	Horizontal	350	1.80	-	33.96	8.48	34.80			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43796G	58.81	74.00	-15.19	74.08	3	Vertical	313	1.80	92	39.10	11.83	66.20			
AV	11.43788G	49.85	54.00	-4.15	65.12	3	Vertical	313	1.80	92	39.10	11.83	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_V_2TX
SET 92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4368G	56.68	74.00	-17.32	71.95	3	Horizontal	36	1.80	92	39.10	11.83	66.20			
AV	11.4364G	47.61	54.00	-6.39	62.88	3	Horizontal	36	1.80	92	39.10	11.83	66.20			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
Setting 93
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1343G	57.51	74.00	-16.49	51.49	3	Vertical	360	1.80	-	33.07	8.06	35.11			
AV	5.1463G	47.19	54.00	-6.81	41.14	3	Vertical	360	1.80	-	33.09	8.07	35.11			
PK	5.2561G	117.06	Inf	-Inf	111.01	3	Vertical	360	1.80	-	32.99	8.13	35.07			
AV	5.2561G	107.06	Inf	-Inf	101.01	3	Vertical	360	1.80	-	32.99	8.13	35.07			
PK	5.3503G	69.04	74.00	-4.96	62.99	3	Vertical	360	1.80	-	32.90	8.18	35.03			
AV	5.3506G	51.60	54.00	-2.40	45.55	3	Vertical	360	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT V_2TX
Setting 93
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1352G	58.00	74.00	-16.00	51.98	3	Horizontal	4	1.80	-	33.07	8.06	35.11			
AV	5.1484G	47.65	54.00	-6.35	41.59	3	Horizontal	4	1.80	-	33.10	8.07	35.11			
PK	5.2681G	117.61	Inf	-Inf	111.57	3	Horizontal	4	1.80	-	32.96	8.14	35.06			
AV	5.2669G	108.00	Inf	-Inf	101.95	3	Horizontal	4	1.80	-	32.97	8.14	35.06			
PK	5.3536G	65.77	74.00	-8.23	59.72	3	Horizontal	4	1.80	-	32.90	8.18	35.03			
AV	5.3503G	53.50	54.00	-0.50	47.45	3	Horizontal	4	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT V_2TX
Setting 93
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5176G	57.60	68.20	-10.60	74.13	3	Vertical	350	1.80	-	38.84	11.34	66.71			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_V_2TX
Setting 93
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52036G	51.97	68.20	-16.23	68.49	3	Horizontal	44	1.80	-	38.84	11.35	66.71			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 81
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2982G	113.87	Inf	-Inf	107.87	3	Vertical	358	1.80	-	32.90	8.15	35.05			
AV	5.2962G	104.00	Inf	-Inf	97.99	3	Vertical	358	1.80	-	32.91	8.15	35.05			
PK	5.3544G	68.22	74.00	-5.78	62.17	3	Vertical	358	1.80	-	32.90	8.18	35.03			
AV	5.3508G	53.22	54.00	-0.78	47.17	3	Vertical	358	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_V_2TX
Setting 81
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3016G	115.86	Inf	-Inf	109.85	3	Horizontal	0	1.80	-	32.90	8.16	35.05			
AV	5.2986G	106.03	Inf	-Inf	100.03	3	Horizontal	0	1.80	-	32.90	8.15	35.05			
PK	5.3518G	68.91	74.00	-5.09	62.86	3	Horizontal	0	1.80	-	32.90	8.18	35.03			
AV	5.352G	53.79	54.00	-0.21	47.74	3	Horizontal	0	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT V_2TX
Setting 81
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60159G	53.94	74.00	-20.06	69.96	3	Vertical	345	1.80	-	39.21	11.39	66.62			
AV	10.60018G	43.51	54.00	-10.49	59.54	3	Vertical	345	1.80	-	39.20	11.39	66.62			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT V_2TX
Setting 81
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60273G	53.26	74.00	-20.74	69.28	3	Horizontal	42	1.80	-	39.21	11.39	66.62			
AV	10.60267G	42.18	54.00	-11.82	58.20	3	Horizontal	42	1.80	-	39.21	11.39	66.62			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_V_2TX
Setting 74
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3284G	112.92	Inf	-Inf	106.89	3	Vertical	355	1.80	-	32.90	8.17	35.04			
AV	5.3213G	102.60	Inf	-Inf	96.57	3	Vertical	355	1.80	-	32.90	8.17	35.04			
PK	5.3604G	65.73	74.00	-8.27	59.67	3	Vertical	355	1.80	-	32.90	8.19	35.03			
AV	5.3523G	51.79	54.00	-2.21	45.74	3	Vertical	355	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_V_2TX
Setting 74
05-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3271G	114.60	Inf	-Inf	108.57	3	Horizontal	2	1.80	-	32.90	8.17	35.04			
AV	5.3187G	104.72	Inf	-Inf	98.70	3	Horizontal	2	1.80	-	32.90	8.17	35.05			
PK	5.3581G	66.39	74.00	-7.61	60.33	3	Horizontal	2	1.80	-	32.90	8.19	35.03			
AV	5.3522G	52.37	54.00	-1.63	46.32	3	Horizontal	2	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT V_2TX
Setting 74
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63439G	49.72	74.00	-24.28	65.55	3	Vertical	43	1.80	-	39.34	11.41	66.58			
AV	10.63433G	39.10	54.00	-14.90	54.93	3	Vertical	43	1.80	-	39.34	11.41	66.58			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT V_2TX
Setting 74
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64192G	48.73	74.00	-25.27	64.53	3	Horizontal	304	1.80	-	39.37	11.41	66.58			
AV	10.64051G	38.19	54.00	-15.81	54.00	3	Horizontal	304	1.80	-	39.36	11.41	66.58			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
Setting 75
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4584G	65.34	74.00	-8.66	59.15	3	Vertical	360	1.80	-	32.92	8.26	34.99			
AV	5.4592G	51.81	54.00	-2.19	45.62	3	Vertical	360	1.80	-	32.92	8.26	34.99			
PK	5.4613G	66.57	68.20	-1.63	60.37	3	Vertical	360	1.80	-	32.92	8.27	34.99			
PK	5.5048G	113.74	Inf	-Inf	107.42	3	Vertical	360	1.80	-	33.00	8.30	34.98			
AV	5.4961G	103.73	Inf	-Inf	97.42	3	Vertical	360	1.80	-	32.99	8.30	34.98			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT V_2TX
Setting 75
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	67.93	74.00	-6.07	61.74	3	Horizontal	5	1.80	-	32.92	8.26	34.99			
AV	5.4599G	53.53	54.00	-0.47	47.34	3	Horizontal	5	1.80	-	32.92	8.26	34.99			
PK	5.4617G	66.81	68.20	-1.39	60.61	3	Horizontal	5	1.80	-	32.92	8.27	34.99			
PK	5.504G	115.04	Inf	-Inf	108.72	3	Horizontal	5	1.80	-	33.00	8.30	34.98			
AV	5.4987G	105.46	Inf	-Inf	99.14	3	Horizontal	5	1.80	-	33.00	8.30	34.98			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_V_2TX
Setting 75
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0021G	51.51	74.00	-22.49	67.20	3	Vertical	314	2.06	-	38.90	11.60	66.19			
AV	10.99985G	41.38	54.00	-12.62	57.07	3	Vertical	314	2.06	-	38.90	11.60	66.19			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT V_2TX
Setting 75
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99805G	48.05	74.00	-25.95	63.74	3	Horizontal	2	1.80	-	38.90	11.60	66.19			
AV	10.99985G	37.76	54.00	-16.24	53.45	3	Horizontal	2	1.80	-	38.90	11.60	66.19			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
Setting 98
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4412G	64.88	74.00	-9.12	58.73	3	Vertical	360.1	1.80	-	32.90	8.25	35.00			
PK	5.4632G	67.14	68.20	-1.06	60.93	3	Vertical	360.1	1.80	-	32.93	8.27	34.99			
AV	5.46G	51.62	54.00	-2.38	45.43	3	Vertical	360.1	1.80	-	32.92	8.26	34.99			
PK	5.5784G	118.15	Inf	-Inf	111.78	3	Vertical	360.1	1.80	-	32.94	8.37	34.94			
AV	5.5764G	108.88	Inf	-Inf	102.50	3	Vertical	360.1	1.80	-	32.95	8.37	34.94			
PK	5.7252G	60.41	68.20	-7.79	53.35	3	Vertical	360.1	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
Setting 98
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	67.90	74.00	-6.10	61.73	3	Horizontal	5	1.80	-	32.91	8.26	35.00
PK	5.4636G	66.16	68.20	-2.04	59.95	3	Horizontal	5	1.80	-	32.93	8.27	34.99
AV	5.4592G	53.45	54.00	-0.55	47.26	3	Horizontal	5	1.80	-	32.92	8.26	34.99
PK	5.5788G	119.86	Inf	-Inf	113.49	3	Horizontal	5	1.80	-	32.94	8.37	34.94
AV	5.5836G	110.21	Inf	-Inf	103.84	3	Horizontal	5	1.80	-	32.93	8.38	34.94
PK	5.7304G	63.46	68.20	-4.74	56.38	3	Horizontal	5	1.80	-	33.52	8.43	34.87

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5580MHz_TX

EUT V_2TX
Setting 98
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16111G	58.79	74.00	-15.21	74.29	3	Vertical	310	1.00	-	39.00	11.69	66.19			
AV	11.15445G	49.03	54.00	-4.97	64.54	3	Vertical	310	1.00	-	39.00	11.68	66.19			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT V_2TX
Setting 98
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16114G	56.73	74.00	-17.27	72.23	3	Horizontal	312	1.80	-	39.00	11.69	66.19			
AV	11.16627G	46.66	54.00	-7.34	62.16	3	Horizontal	312	1.80	-	39.00	11.69	66.19			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 60
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.695G	109.52	Inf	-Inf	104.30	3	Vertical	356	1.93	-	31.97	7.04	33.79			
AV	5.6928G	97.51	Inf	-Inf	92.30	3	Vertical	356	1.93	-	31.96	7.04	33.79			
PK	5.7255G	67.25	68.20	-0.95	61.95	3	Vertical	356	1.93	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 60
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6922G	111.03	Inf	-Inf	105.84	3	Horizontal	341	1.84	-	31.95	7.03	33.79			
AV	5.7028G	98.54	Inf	-Inf	93.28	3	Horizontal	341	1.84	-	32.00	7.05	33.79			
PK	5.7253G	67.74	68.20	-0.46	62.44	3	Horizontal	341	1.84	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 60
05-R-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40393G	47.95	74.00	-26.05	63.24	3	Vertical	309	1.80	-	39.10	11.81	66.20			
AV	11.40168G	37.37	54.00	-16.63	52.66	3	Vertical	309	1.80	-	39.10	11.81	66.20			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 60
05-R-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.40717G	47.28	74.00	-26.72	62.56	3	Horizontal	11	1.80	-	39.10	11.82	66.20			
AV	11.40465G	36.60	54.00	-17.40	51.89	3	Horizontal	11	1.80	-	39.10	11.81	66.20			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 94
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.718G	116.22	Inf	-Inf	109.20	3	Vertical	360.1	1.80	-	33.47	8.43	34.88			
AV	5.716G	107.04	Inf	-Inf	100.04	3	Vertical	360.1	1.80	-	33.46	8.42	34.88			
PK	5.8508G	68.03	68.20	-0.17	60.47	3	Vertical	360.1	1.80	-	33.90	8.47	34.81			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 94
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7188G	119.31	Inf	-Inf	112.27	3	Horizontal	360	1.80	-	33.48	8.43	34.87			
AV	5.7136G	109.85	Inf	-Inf	102.86	3	Horizontal	360	1.80	-	33.45	8.42	34.88			
PK	5.864G	68.04	68.20	-0.16	60.41	3	Horizontal	360	1.80	-	33.96	8.48	34.81			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
Setting 94
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.43634G	59.16	74.00	-14.84	74.43	3	Vertical	33	1.80	-	39.10	11.83	66.20			
AV	11.4361G	48.32	54.00	-5.68	63.59	3	Vertical	33	1.80	-	39.10	11.83	66.20			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
Setting 94
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43631G	57.25	74.00	-16.75	72.52	3	Horizontal	34	1.80	-	39.10	11.83	66.20			
AV	11.43607G	46.39	54.00	-7.61	61.66	3	Horizontal	34	1.80	-	39.10	11.83	66.20			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_V_2TX
Setting 79
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	57.65	74.00	-16.35	51.60	3	Vertical	1	1.80	-	33.09	8.07	35.11			
AV	5.1454G	47.19	54.00	-6.81	41.14	3	Vertical	1	1.80	-	33.09	8.07	35.11			
PK	5.2546G	111.42	Inf	-Inf	105.37	3	Vertical	1	1.80	-	32.99	8.13	35.07			
AV	5.2756G	101.43	Inf	-Inf	95.40	3	Vertical	1	1.80	-	32.95	8.14	35.06			
PK	5.35G	63.80	74.00	-10.20	57.75	3	Vertical	1	1.80	-	32.90	8.18	35.03			
AV	5.35G	51.14	54.00	-2.86	45.09	3	Vertical	1	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_V_2TX
Setting 79
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14855G	57.35	74.00	-16.65	51.29	3	Horizontal	1	1.80	-	33.10	8.07	35.11			
AV	5.1482G	47.65	54.00	-6.35	41.59	3	Horizontal	1	1.80	-	33.10	8.07	35.11			
PK	5.27455G	113.02	Inf	-Inf	106.99	3	Horizontal	1	1.80	-	32.95	8.14	35.06			
AV	5.2749G	102.70	Inf	-Inf	96.67	3	Horizontal	1	1.80	-	32.95	8.14	35.06			
PK	5.3526G	64.03	74.00	-9.97	57.98	3	Horizontal	1	1.80	-	32.90	8.18	35.03			
AV	5.35155G	52.69	54.00	-1.31	46.64	3	Horizontal	1	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT V_2TX
Setting 79
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.54267G	50.46	68.20	-17.74	66.89	3	Vertical	348	1.80	-	38.89	11.36	66.68				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_V_2TX
Setting 79
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.54249G	48.36	68.20	-19.84	64.80	3	Horizontal	40	1.80	-	38.88	11.36	66.68				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 78
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.312G	108.39	Inf	-Inf	104.06	3	Vertical	346	1.32	-	31.22	6.87	33.76			
AV	5.3236G	96.46	Inf	-Inf	92.10	3	Vertical	346	1.32	-	31.25	6.87	33.76			
PK	5.3512G	63.07	74.00	-10.93	58.67	3	Vertical	346	1.32	-	31.30	6.87	33.77			
AV	5.3506G	50.93	54.00	-3.07	46.53	3	Vertical	346	1.32	-	31.30	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 78
06-H-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3048G	110.55	Inf	-Inf	106.23	3	Horizontal	352	1.80	-	31.21	6.87	33.76			
AV	5.3068G	98.61	Inf	-Inf	94.29	3	Horizontal	352	1.80	-	31.21	6.87	33.76			
PK	5.3592G	66.32	74.00	-7.68	61.90	3	Horizontal	352	1.80	-	31.32	6.87	33.77			
AV	5.3544G	53.94	54.00	-0.06	49.53	3	Horizontal	352	1.80	-	31.31	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 78
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.61463G	48.06	74.00	-25.94	64.01	3	Vertical	44	1.80	-	39.26	11.40	66.61			
AV	10.62438G	37.36	54.00	-16.64	53.26	3	Vertical	44	1.80	-	39.30	11.40	66.60			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 78
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61403G	47.13	74.00	-26.87	63.08	3	Horizontal	44	1.80	-	39.26	11.40	66.61			
AV	10.62126G	36.54	54.00	-17.46	52.45	3	Horizontal	44	1.80	-	39.29	11.40	66.60			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_V_2TX
Setting 74
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	61.49	74.00	-12.51	55.31	3	Vertical	356	1.80	-	32.92	8.26	35.00			
AV	5.45625G	51.39	54.00	-2.61	45.22	3	Vertical	356	1.80	-	32.91	8.26	35.00			
PK	5.4685G	61.74	68.20	-6.46	55.52	3	Vertical	356	1.80	-	32.94	8.27	34.99			
PK	5.496G	110.65	Inf	-Inf	104.34	3	Vertical	356	1.80	-	32.99	8.30	34.98			
AV	5.50575G	100.45	Inf	-Inf	94.12	3	Vertical	356	1.80	-	33.00	8.31	34.98			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_V_2TX
Setting 74
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4545G	63.92	74.00	-10.08	57.75	3	Horizontal	360	1.80	-	32.91	8.26	35.00			
AV	5.45875G	52.80	54.00	-1.20	46.61	3	Horizontal	360	1.80	-	32.92	8.26	34.99			
PK	5.4695G	64.54	68.20	-3.66	58.32	3	Horizontal	360	1.80	-	32.94	8.27	34.99			
PK	5.5045G	112.56	Inf	-Inf	106.24	3	Horizontal	360	1.80	-	33.00	8.30	34.98			
AV	5.50175G	102.36	Inf	-Inf	96.04	3	Horizontal	360	1.80	-	33.00	8.30	34.98			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT V_2TX
Setting 74
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.018621G	50.37	74.00	-23.63	66.01	3	Vertical	309	1.80	-	38.94	11.61	66.19			
AV	11.01862G	39.67	54.00	-14.33	55.31	3	Vertical	309	1.80	-	38.94	11.61	66.19			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT V_2TX
Setting 74
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.021175G	48.81	74.00	-25.19	64.45	3	Horizontal	0	3.00	-	38.94	11.61	66.19			
AV	11.02117G	38.74	54.00	-15.26	54.38	3	Horizontal	0	3.00	-	38.94	11.61	66.19			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
Setting 81
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.34345G	57.03	68.20	-11.17	50.99	3	Vertical	356	1.80	-	32.90	8.18	35.04			
PK	5.45055G	62.25	74.00	-11.75	56.09	3	Vertical	356	1.80	-	32.90	8.26	35.00			
AV	5.4564G	51.68	54.00	-2.32	45.51	3	Vertical	356	1.80	-	32.91	8.26	35.00			
PK	5.4672G	63.78	68.20	-4.42	57.57	3	Vertical	356	1.80	-	32.93	8.27	34.99			
PK	5.54595G	112.12	Inf	-Inf	105.74	3	Vertical	356	1.80	-	33.00	8.34	34.96			
AV	5.5518G	102.54	Inf	-Inf	96.15	3	Vertical	356	1.80	-	33.00	8.35	34.96			
PK	5.73495G	59.13	68.20	-9.07	52.03	3	Vertical	356	1.80	-	33.54	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
Setting 81
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.33715G	57.44	68.20	-10.76	51.40	3	Horizontal	0	1.80	-	32.90	8.18	35.04			
PK	5.4591G	64.82	74.00	-9.18	58.63	3	Horizontal	0	1.80	-	32.92	8.26	34.99			
AV	5.45865G	53.29	54.00	-0.71	47.10	3	Horizontal	0	1.80	-	32.92	8.26	34.99			
PK	5.469G	66.41	68.20	-1.79	60.19	3	Horizontal	0	1.80	-	32.94	8.27	34.99			
PK	5.5464G	114.63	Inf	-Inf	108.25	3	Horizontal	0	1.80	-	33.00	8.34	34.96			
AV	5.54415G	104.00	Inf	-Inf	97.62	3	Horizontal	0	1.80	-	33.00	8.34	34.96			
PK	5.75295G	59.54	68.20	-8.66	52.35	3	Horizontal	0	1.80	-	33.61	8.44	34.86			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
Setting 81
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.09613G	46.65	74.00	-27.35	62.10	3	Vertical	24	1.80	-	39.09	11.65	66.19			
AV	11.11023G	35.80	54.00	-18.20	51.25	3	Vertical	24	1.80	-	39.08	11.66	66.19			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_V_2TX
Setting 81
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.09664G	45.77	74.00	-28.23	61.22	3	Horizontal	353	1.80	-	39.09	11.65	66.19			
AV	11.10414G	35.23	54.00	-18.77	50.67	3	Horizontal	353	1.80	-	39.09	11.66	66.19			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 75
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.68175G	111.04	Inf	-Inf	104.27	3	Vertical	358	1.80	-	33.25	8.41	34.89			
AV	5.663G	101.02	Inf	-Inf	94.41	3	Vertical	358	1.80	-	33.10	8.41	34.90			
PK	5.7265G	66.52	68.20	-1.68	59.45	3	Vertical	358	1.80	-	33.51	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT Y_2TX
Setting 75
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.662G	114.03	Inf	-Inf	107.42	3	Horizontal	0	1.80	-	33.10	8.41	34.90			
AV	5.66425G	102.55	Inf	-Inf	95.93	3	Horizontal	0	1.80	-	33.11	8.41	34.90			
PK	5.72525G	67.96	68.20	-0.24	60.90	3	Horizontal	0	1.80	-	33.50	8.43	34.87			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT V_2TX
Setting 81
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34279G	50.39	74.00	-23.61	65.71	3	Vertical	308	1.80	-	39.10	11.78	66.20			
AV	11.33871G	38.99	54.00	-15.01	54.31	3	Vertical	308	1.80	-	39.10	11.78	66.20			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT V_2TX
Setting 75
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34348G	45.97	74.00	-28.03	61.29	3	Horizontal	324	1.80	-	39.10	11.78	66.20			
AV	11.3415G	35.97	54.00	-18.03	51.29	3	Horizontal	324	1.80	-	39.10	11.78	66.20			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 91
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	59.20	74.00	-14.80	53.01	3	Vertical	359	1.80	-	32.92	8.26	34.99			
AV	5.458G	49.26	54.00	-4.74	43.08	3	Vertical	359	1.80	-	32.92	8.26	35.00			
PK	5.4664G	59.03	68.20	-9.17	52.82	3	Vertical	359	1.80	-	32.93	8.27	34.99			
PK	5.6995G	113.31	Inf	-Inf	106.37	3	Vertical	359	1.80	-	33.40	8.42	34.88			
AV	5.7058G	103.51	Inf	-Inf	96.55	3	Vertical	359	1.80	-	33.42	8.42	34.88			
PK	5.8689G	63.79	68.20	-4.41	56.13	3	Vertical	359	1.80	-	33.98	8.48	34.80			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 91
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4573G	60.02	74.00	-13.98	53.85	3	Horizontal	360	1.80	-	32.91	8.26	35.00			
AV	5.4496G	50.51	54.00	-3.49	44.36	3	Horizontal	360	1.80	-	32.90	8.25	35.00			
PK	5.4664G	61.94	68.20	-6.26	55.73	3	Horizontal	360	1.80	-	32.93	8.27	34.99			
PK	5.7086G	116.93	Inf	-Inf	109.96	3	Horizontal	360	1.80	-	33.43	8.42	34.88			
AV	5.7016G	106.83	Inf	-Inf	99.88	3	Horizontal	360	1.80	-	33.41	8.42	34.88			
PK	5.8689G	67.29	68.20	-0.91	59.63	3	Horizontal	360	1.80	-	33.98	8.48	34.80			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 91
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.41643G	56.09	74.00	-17.91	71.37	3	Vertical	33	1.80	-	39.10	11.82	66.20			
AV	11.42096G	46.30	54.00	-7.70	61.58	3	Vertical	33	1.80	-	39.10	11.82	66.20			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT V_2TX
Setting 91
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4212G	54.80	74.00	-19.20	70.08	3	Horizontal	31	1.80	-	39.10	11.82	66.20			
AV	11.42108G	44.75	54.00	-9.25	60.03	3	Horizontal	31	1.80	-	39.10	11.82	66.20			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
Setting 72
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1155G	57.23	74.00	-16.77	51.27	3	Vertical	0	1.80	-	33.03	8.05	35.12			
AV	5.149G	47.05	54.00	-6.95	40.99	3	Vertical	0	1.80	-	33.10	8.07	35.11			
PK	5.299G	106.58	Inf	-Inf	100.58	3	Vertical	0	1.80	-	32.90	8.15	35.05			
AV	5.276G	97.09	Inf	-Inf	91.06	3	Vertical	0	1.80	-	32.95	8.14	35.06			
PK	5.3575G	61.13	74.00	-12.87	55.07	3	Vertical	0	1.80	-	32.90	8.19	35.03			
AV	5.3875G	50.70	54.00	-3.30	44.62	3	Vertical	0	1.80	-	32.90	8.20	35.02			
PK	5.4845G	57.70	68.20	-10.50	51.43	3	Vertical	0	1.80	-	32.97	8.29	34.99			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
Setting 72
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	56.96	74.00	-17.04	50.90	3	Horizontal	360	1.80	-	33.10	8.07	35.11			
AV	5.15G	47.79	54.00	-6.21	41.73	3	Horizontal	360	1.80	-	33.10	8.07	35.11			
PK	5.296G	108.32	Inf	-Inf	102.31	3	Horizontal	360	1.80	-	32.91	8.15	35.05			
AV	5.303G	98.12	Inf	-Inf	92.11	3	Horizontal	360	1.80	-	32.90	8.16	35.05			
PK	5.3565G	63.47	74.00	-10.53	57.41	3	Horizontal	360	1.80	-	32.90	8.19	35.03			
AV	5.3515G	53.22	54.00	-0.78	47.17	3	Horizontal	360	1.80	-	32.90	8.18	35.03			
PK	5.4795G	58.68	68.20	-9.52	52.43	3	Horizontal	360	1.80	-	32.96	8.28	34.99			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
Setting 72
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59251G	46.19	68.20	-22.01	62.28	3	Vertical	345	1.80	-	39.16	11.38	66.63			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_V_2TX
Setting 72
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59254G	46.88	68.20	-21.32	62.97	3	Horizontal	41	1.80	-	39.16	11.38	66.63			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
Setting 74
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2885G	57.51	68.20	-10.69	51.50	3	Vertical	358	1.80	-	32.92	8.15	35.06			
PK	5.4525G	61.59	74.00	-12.41	55.42	3	Vertical	358	1.80	-	32.91	8.26	35.00			
AV	5.4565G	51.78	54.00	-2.22	45.61	3	Vertical	358	1.80	-	32.91	8.26	35.00			
PK	5.468G	62.01	68.20	-6.19	55.79	3	Vertical	358	1.80	-	32.94	8.27	34.99			
PK	5.552G	107.27	Inf	-Inf	100.88	3	Vertical	358	1.80	-	33.00	8.35	34.96			
AV	5.516G	97.55	Inf	-Inf	91.21	3	Vertical	358	1.80	-	33.00	8.31	34.97			
PK	5.733G	57.90	68.20	-10.30	50.81	3	Vertical	358	1.80	-	33.53	8.43	34.87			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_V_2TX
Setting 74
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.341G	58.30	68.20	-9.90	52.26	3	Horizontal	0	1.80	-	32.90	8.18	35.04			
PK	5.459G	63.01	74.00	-10.99	56.82	3	Horizontal	0	1.80	-	32.92	8.26	34.99			
AV	5.4535G	53.80	54.00	-0.20	47.63	3	Horizontal	0	1.80	-	32.91	8.26	35.00			
PK	5.4605G	63.57	68.20	-4.63	57.38	3	Horizontal	0	1.80	-	32.92	8.26	34.99			
PK	5.514G	109.01	Inf	-Inf	102.67	3	Horizontal	0	1.80	-	33.00	8.31	34.97			
AV	5.519G	99.18	Inf	-Inf	92.83	3	Horizontal	0	1.80	-	33.00	8.32	34.97			
PK	5.736G	58.45	68.20	-9.75	51.35	3	Horizontal	0	1.80	-	33.54	8.43	34.87			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT V_2TX
Setting 74
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0686G	45.83	74.00	-28.17	61.34	3	Vertical	304	1.80	-	39.04	11.64	66.19			
AV	11.0687G	36.00	54.00	-18.00	51.51	3	Vertical	304	1.80	-	39.04	11.64	66.19			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT V_2TX
Setting 74
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.07047G	45.80	74.00	-28.20	61.31	3	Horizontal	19	1.80	-	39.04	11.64	66.19			
AV	11.07044G	35.50	54.00	-18.50	51.01	3	Horizontal	19	1.80	-	39.04	11.64	66.19			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 77
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4515G	61.10	74.00	-12.90	54.94	3	Vertical	358	1.80	-	32.90	8.26	35.00
AV	5.4525G	50.97	54.00	-3.03	44.80	3	Vertical	358	1.80	-	32.91	8.26	35.00
PK	5.4625G	61.83	68.20	-6.37	55.63	3	Vertical	358	1.80	-	32.92	8.27	34.99
PK	5.592G	110.62	Inf	-Inf	104.26	3	Vertical	358	1.80	-	32.92	8.38	34.94
AV	5.596G	100.14	Inf	-Inf	93.77	3	Vertical	358	1.80	-	32.91	8.39	34.93
PK	5.736G	63.19	68.20	-5.01	56.09	3	Vertical	358	1.80	-	33.54	8.43	34.87

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 77
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	63.44	74.00	-10.56	57.25	3	Horizontal	0	1.80	-	32.92	8.26	34.99
AV	5.4585G	53.05	54.00	-0.95	46.86	3	Horizontal	0	1.80	-	32.92	8.26	34.99
PK	5.4695G	64.20	68.20	-4.00	57.98	3	Horizontal	0	1.80	-	32.94	8.27	34.99
PK	5.6185G	111.79	Inf	-Inf	105.37	3	Horizontal	0	1.80	-	32.94	8.40	34.92
AV	5.6235G	101.16	Inf	-Inf	94.73	3	Horizontal	0	1.80	-	32.95	8.40	34.92
PK	5.728G	64.77	68.20	-3.43	57.70	3	Horizontal	0	1.80	-	33.51	8.43	34.87

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 77
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.22828G	49.49	74.00	-24.51	64.96	3	Vertical	309	1.80	-	39.00	11.72	66.19			
AV	11.22855G	39.31	54.00	-14.69	54.78	3	Vertical	309	1.80	-	39.00	11.72	66.19			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 77
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.23041G	46.93	74.00	-27.07	62.40	3	Horizontal	312	1.80	-	39.00	11.72	66.19			
AV	11.23053G	38.19	54.00	-15.81	53.66	3	Horizontal	312	1.80	-	39.00	11.72	66.19			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 83
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3132G	57.42	68.20	-10.78	51.41	3	Vertical	359	1.80	-	32.90	8.16	35.05			
PK	5.4564G	64.11	74.00	-9.89	57.94	3	Vertical	359	1.80	-	32.91	8.26	35.00			
AV	5.4588G	52.09	54.00	-1.91	45.90	3	Vertical	359	1.80	-	32.92	8.26	34.99			
PK	5.4684G	63.75	68.20	-4.45	57.53	3	Vertical	359	1.80	-	32.94	8.27	34.99			
PK	5.6572G	109.58	Inf	-Inf	103.01	3	Vertical	359	1.80	-	33.06	8.41	34.90			
AV	5.6612G	100.27	Inf	-Inf	93.67	3	Vertical	359	1.80	-	33.09	8.41	34.90			
PK	5.8532G	65.51	68.20	-2.69	57.94	3	Vertical	359	1.80	-	33.91	8.47	34.81			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
Setting 83
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3444G	59.33	68.20	-8.87	53.29	3	Horizontal	360	1.80	-	32.90	8.18	35.04				
PK	5.438G	64.74	74.00	-9.26	58.60	3	Horizontal	360	1.80	-	32.90	8.24	35.00				
PK	5.4644G	66.45	68.20	-1.75	60.24	3	Horizontal	360	1.80	-	32.93	8.27	34.99				
AV	5.4588G	53.61	54.00	-0.39	47.42	3	Horizontal	360	1.80	-	32.92	8.26	34.99				
PK	5.71G	111.96	Inf	-Inf	104.98	3	Horizontal	360	1.80	-	33.44	8.42	34.88				
AV	5.7036G	102.44	Inf	-Inf	95.49	3	Horizontal	360	1.80	-	33.41	8.42	34.88				
PK	5.85G	68.18	68.20	-0.02	60.62	3	Horizontal	360	1.80	-	33.90	8.47	34.81				

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
Setting 83
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39056G	52.03	74.00	-21.97	67.32	3	Vertical	31	1.80	-	39.10	11.81	66.20			
AV	11.39203G	41.95	54.00	-12.05	57.24	3	Vertical	31	1.80	-	39.10	11.81	66.20			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_V_2TX
Setting 83
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38996G	50.02	74.00	-23.98	65.31	3	Horizontal	32	1.80	-	39.10	11.81	66.20			
AV	11.39218G	40.74	54.00	-13.26	56.03	3	Horizontal	32	1.80	-	39.10	11.81	66.20			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 67
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	62.75	74.00	-11.25	57.81	3	Vertical	352	2.03	-	31.89	6.77	33.72			
AV	5.1388G	48.41	54.00	-5.59	43.51	3	Vertical	352	2.03	-	31.86	6.76	33.72			
PK	5.3132G	99.91	Inf	-Inf	95.57	3	Vertical	352	2.03	-	31.23	6.87	33.76			
AV	5.2772G	88.62	Inf	-Inf	84.26	3	Vertical	352	2.03	-	31.25	6.86	33.75			
PK	5.398G	67.27	74.00	-6.73	62.77	3	Vertical	352	2.03	-	31.40	6.88	33.78			
AV	5.3692G	49.96	54.00	-4.04	45.52	3	Vertical	352	2.03	-	31.34	6.88	33.78			
PK	5.462G	60.51	68.20	-7.69	55.87	3	Vertical	352	2.03	-	31.55	6.89	33.80			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 67
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	63.84	74.00	-10.16	58.91	3	Horizontal	352	1.79	-	31.88	6.77	33.72			
AV	5.1396G	49.51	54.00	-4.49	44.61	3	Horizontal	352	1.79	-	31.86	6.76	33.72			
PK	5.3132G	101.75	Inf	-Inf	97.41	3	Horizontal	352	1.79	-	31.23	6.87	33.76			
AV	5.2828G	90.04	Inf	-Inf	85.70	3	Horizontal	352	1.79	-	31.23	6.86	33.75			
PK	5.3516G	70.05	74.00	-3.95	65.65	3	Horizontal	352	1.79	-	31.30	6.87	33.77			
AV	5.3596G	53.24	54.00	-0.76	48.82	3	Horizontal	352	1.79	-	31.32	6.87	33.77			
PK	5.4692G	61.36	68.20	-6.84	56.69	3	Horizontal	352	1.79	-	31.58	6.89	33.80			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 67
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48686G	45.07	68.20	-23.13	61.63	3	Vertical	0	1.80	-	38.83	11.33	66.72			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 67
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.48779G	44.43	68.20	-23.77	61.00	3	Horizontal	341	1.80	-	38.82	11.33	66.72				

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 67
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3316G	58.62	68.20	-9.58	54.26	3	Vertical	352	1.99	-	31.26	6.87	33.77			
PK	5.4484G	63.57	74.00	-10.43	58.98	3	Vertical	352	1.99	-	31.50	6.89	33.80			
AV	5.4564G	47.29	54.00	-6.71	42.67	3	Vertical	352	1.99	-	31.53	6.89	33.80			
PK	5.4676G	66.19	68.20	-2.01	61.53	3	Vertical	352	1.99	-	31.57	6.89	33.80			
PK	5.6276G	101.04	Inf	-Inf	96.22	3	Vertical	352	1.99	-	31.66	6.95	33.79			
AV	5.6308G	90.10	Inf	-Inf	85.28	3	Vertical	352	1.99	-	31.66	6.95	33.79			
PK	5.7324G	61.78	68.20	-6.42	56.47	3	Vertical	352	1.99	-	32.00	7.09	33.78			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 67
06-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3492G	58.46	68.20	-9.74	54.06	3	Horizontal	356	1.80	-	31.30	6.87	33.77			
PK	5.4588G	66.18	74.00	-7.82	61.55	3	Horizontal	356	1.80	-	31.54	6.89	33.80			
AV	5.4588G	48.88	54.00	-5.12	44.25	3	Horizontal	356	1.80	-	31.54	6.89	33.80			
PK	5.4644G	67.59	68.20	-0.61	62.94	3	Horizontal	356	1.80	-	31.56	6.89	33.80			
AV	5.5092G	91.32	Inf	-Inf	86.53	3	Horizontal	356	1.80	-	31.70	6.90	33.81			
PK	5.5932G	103.96	Inf	-Inf	99.24	3	Horizontal	356	1.80	-	31.61	6.91	33.80			
PK	5.75G	62.63	68.20	-5.57	57.30	3	Horizontal	356	1.80	-	32.00	7.11	33.78			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 67
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14369G	45.79	74.00	-28.21	61.29	3	Vertical	5	1.80	-	39.01	11.68	66.19			
AV	11.12527G	35.40	54.00	-18.60	50.87	3	Vertical	5	1.80	-	39.05	11.67	66.19			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 67
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13721G	45.85	74.00	-28.15	61.34	3	Horizontal	337	1.80	-	39.03	11.67	66.19			
AV	11.14444G	35.17	54.00	-18.83	50.67	3	Horizontal	337	1.80	-	39.01	11.68	66.19			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 91
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1354G	57.69	74.00	-16.31	51.67	3	Vertical	349	1.80	-	33.07	8.06	35.11			
AV	5.1466G	48.33	54.00	-5.67	42.28	3	Vertical	349	1.80	-	33.09	8.07	35.11			
PK	5.26455G	124.34	Inf	-Inf	118.29	3	Vertical	349	1.80	-	32.97	8.14	35.06			
AV	5.26525G	116.59	Inf	-Inf	110.54	3	Vertical	349	1.80	-	32.97	8.14	35.06			
PK	5.35415G	67.15	74.00	-6.85	61.10	3	Vertical	349	1.80	-	32.90	8.18	35.03			
AV	5.35345G	53.38	54.00	-0.62	47.33	3	Vertical	349	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 91
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14765G	59.09	74.00	-14.91	53.03	3	Horizontal	356	1.80	-	33.10	8.07	35.11			
AV	5.14555G	48.59	54.00	-5.41	42.54	3	Horizontal	356	1.80	-	33.09	8.07	35.11			
PK	5.25825G	122.41	Inf	-Inf	116.37	3	Horizontal	356	1.80	-	32.98	8.13	35.07			
AV	5.25895G	115.13	Inf	-Inf	109.09	3	Horizontal	356	1.80	-	32.98	8.13	35.07			
PK	5.35975G	64.94	74.00	-9.06	58.88	3	Horizontal	356	1.80	-	32.90	8.19	35.03			
AV	5.35G	53.21	54.00	-0.79	47.16	3	Horizontal	356	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX

EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.518G	62.11	68.20	-6.09	78.64	3	Vertical	50	1.80	91	38.84	11.34	66.71				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5260MHz_TX

EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.51145G	60.06	68.20	-8.14	76.62	3	Horizontal	326	1.06	91	38.82	11.34	66.72				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT Y_4TX
Setting 79
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.305G	120.16	Inf	-Inf	114.15	3	Vertical	348	1.80	-	32.90	8.16	35.05				
AV	5.30475G	112.80	Inf	-Inf	106.79	3	Vertical	348	1.80	-	32.90	8.16	35.05				
PK	5.35G	63.24	74.00	-10.76	57.19	3	Vertical	348	1.80	-	32.90	8.18	35.03				
AV	5.35125G	52.77	54.00	-1.23	46.72	3	Vertical	348	1.80	-	32.90	8.18	35.03				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 79
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2985G	120.04	Inf	-Inf	114.04	3	Horizontal	353	1.80	-	32.90	8.15	35.05			
AV	5.2985G	112.36	Inf	-Inf	106.36	3	Horizontal	353	1.80	-	32.90	8.15	35.05			
PK	5.35125G	63.89	74.00	-10.11	57.84	3	Horizontal	353	1.80	-	32.90	8.18	35.03			
AV	5.35G	53.64	54.00	-0.36	47.59	3	Horizontal	353	1.80	-	32.90	8.18	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX

EUT_Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60724G	58.19	74.00	-15.81	74.18	3	Vertical	47	1.80	79	39.23	11.39	66.61			
AV	10.60541G	47.53	54.00	-6.47	63.54	3	Vertical	47	1.80	79	39.22	11.39	66.62			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5300MHz_TX

EUT_Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60819G	57.50	74.00	-16.50	73.49	3	Horizontal	306	1.80	79	39.23	11.39	66.61			
AV	10.60723G	46.83	54.00	-7.17	62.82	3	Horizontal	306	1.80	79	39.23	11.39	66.61			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT Y_4TX
Setting 72
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3248G	119.89	Inf	-Inf	113.86	3	Vertical	349	1.80	-	32.90	8.17	35.04			
AV	5.3246G	111.96	Inf	-Inf	105.93	3	Vertical	349	1.80	-	32.90	8.17	35.04			
PK	5.3556G	63.24	74.00	-10.76	57.18	3	Vertical	349	1.80	-	32.90	8.19	35.03			
AV	5.364G	52.61	54.00	-1.39	46.55	3	Vertical	349	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 72
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3186G	117.98	Inf	-Inf	111.96	3	Horizontal	354	1.80	-	32.90	8.17	35.05			
AV	5.3184G	110.90	Inf	-Inf	104.88	3	Horizontal	354	1.80	-	32.90	8.17	35.05			
PK	5.36G	64.92	74.00	-9.08	58.86	3	Horizontal	354	1.80	-	32.90	8.19	35.03			
AV	5.3598G	53.05	54.00	-0.95	46.99	3	Horizontal	354	1.80	-	32.90	8.19	35.03			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63724G	53.70	74.00	-20.30	69.52	3	Vertical	46	1.80	72	39.35	11.41	66.58			
AV	10.63824G	45.04	54.00	-8.96	60.86	3	Vertical	46	1.80	72	39.35	11.41	66.58			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63704G	51.69	74.00	-22.31	67.51	3	Horizontal	51	1.80	72	39.35	11.41	66.58			
AV	10.63608G	43.11	54.00	-10.89	58.94	3	Horizontal	51	1.80	72	39.34	11.41	66.58			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX



EUT_Y_4TX
Setting 72
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4588G	61.71	74.00	-12.29	55.52	3	Vertical	350	1.80	-	32.92	8.26	34.99			
PK	5.4608G	64.32	68.20	-3.88	58.13	3	Vertical	350	1.80	-	32.92	8.26	34.99			
AV	5.46G	51.81	54.00	-2.19	45.62	3	Vertical	350	1.80	-	32.92	8.26	34.99			
PK	5.503G	118.92	Inf	-Inf	112.60	3	Vertical	350	1.80	-	33.00	8.30	34.98			
AV	5.5038G	111.94	Inf	-Inf	105.62	3	Vertical	350	1.80	-	33.00	8.30	34.98			